A COLLECTIVE INDEX

01 4111

ZRANSACTIONS, PROCEEDINGS AND ABSTRACTS

or

THE CHEMICAL SOCIETY

1883 1892

14-5-38

COMPILED

11

MARGARET D. DOUGAL



LONDON: GURNEY AND JACKSON (Sector to be Franchisms)

1. PATERNOSTER ROW

RICHAPD CLAY & SONS TIMITED LONDON & BUNGAY

PREFACE.

This Index has been compiled under the direction of a Committee appointed by the Council of the Chemical Society, consisting of the Treasurer (Chairman), the Secretaries, the Editors, Dr. Forster Morley, Mr. J. W. Rodger, and Dr. Palmer Wynne. The actual execution of the work was entrusted to Mrs. Dougal, who has been assisted at various times by Mrs. Guthrie, Miss Neale, B.Sc., Miss Green, Miss Morfee, Miss Sharpe, and Mr. D. A. Gracey.

The Committee are indebted for assistance, and for advice as to the arrangement of special subject matter, to Captain Abney, Mr. Michael Carteighe, Mr. Thiselton-Dyer, Mr. Lazarus Fletcher, Professor Percy Frankland, Mr. A. J. Green, Dr. Halliburton, Professor Hummel, Professor Japp, Professor Meldola, Dr. Morris, Dr. D. H. Scott, Professor Tilden, Mr. Tutton, Dr. J. A. Voeleker, Dr. Walker, and Professor Warington. They desire especially to thank Dr. Forster Morley for the great care with which he has read and corrected the whole of the proof-sheets, and for the many valuable suggestions he has made as the compilation was passing through the press.

The work is divided into two main parts: (1) an Index of Authors arranged alphabetically, with the titles of their respective papers in chronological order; and (2) an Index of Subjects.

The general arrangement of each part is self-evident, and calls therefore for very little explanation. With a view to the more certain identification of authors, care has been taken to give their names in full whenever possible. In some instances, however, ever the full name has not sufficed, and it has been necessary, as a meas of further identification, to add the name of the town or place with which the author is connected. Thus we have Thomas Andrew of Belfast and Thomas Andrews of Sheffield; Hermann Müller Hersfeld, Hermann Müller of Munich, and Hermann Müller and In the case of Russian authors, whose papers for

iv PREFACE.

most part reach the Society's publications through German sources, the advice of Professor Menschutkin and Dr. Lewkowitsch has been followed in employing the German system of transliteration, as more likely to lead to uniformity of spelling.

Errors in the names of authors found in the Annual Indexes, and discovered in the course of compiling the Collective Index of Authors, were of course rectified before that section of the work was passed for press; other errors detected subsequently when arranging the Subject-Index are given in a separate list on p. vii. A few papers were found to have been omitted from the Annual Indexes, and hence are not given in their proper place in the Collective Index: a list of these "Additional Entries" will be found also on p. vii. Errors of transcription both in the Annual and in the Collective Indexes when detected have also been corrected.

After careful consideration the Committee decided that the Index of Subjects should be essentially, and in the main, alphabetical, but that whenever practicable the substances should also be alphabetically arranged under certain well-defined main groups, e.g. alkaloids, carbohydrates, glucosides, terpenes, etc. It was further decided that Agricultural Chemistry, which constitutes a large and to some extent an independent section, should be placed apart.

The Collective Index will be found to differ in many particulars from the Annual Indexes upon which it is based. This was inevitable, as in the earlier Annual Indexes especially, no consistent method of arrangement was followed. Changes of nomenclature were necessarily frequent, and although special care has been exercised that in the Collective Index the same substance should not be entered under different names, it is possible that a few instances of synonyms may have escaped detection. omitted in the subject-portion of the Annual Indexes, discovered 'n the preparation of the Collective Index, have been duly inerted; others discovered subsequently when the separate sections ad been printed off are given on p. ix. In very many cases ily the title of a paper appears in the Annual Indexes, and it has en necessary to give supplementary entries as more accurately scriptive of its contents. Hence a large number of additional ries have been made in the Collective Index during its compila-; others of which the desirability was seen later, but which could he added at the proper time, are given on p. x et seq. The list ncludes alternative names and double entries omitted from the Collective Index. Clerical and printer's errors which had escaped detection when reading the proofs have, when discovered, been rectified.

In all cases where these have been definitely ascertained position numbers have been given. The sequence of radicles in the name of a substance, and the nomenclature of acidic and aromatic radicles have been arranged in a more systematic manner than hitherto, and except in cases where the "trivial" name was judged to be too well established to be altered, the name which seemed best to express the constitution of the substance has been preferred. Alternative names have, however, been given, with, of course, cross references. Matters relating to inorganic salts will be found under the name of the particular metal: thus, ferrous sulphate will be found under Iron. In the case of organic salts, where the acid is as a rule the distinctive or significant substance, it has been deemed more convenient to place the entries under the name of the acid: thus barium lactate will be found under Lactic acid. Whenever a prefix, such as ortho, meta, para, iso, secondary, tertiary, mono, di and tri, etc., is not part of the alphabetical arrangement, it is printed in italics.

T. E. T.

ABBREVIATIONS.

\mathbf{T} .	= Transactions.	tert.	= tertiary.
P.	= Proceedings	ψ	= pseudo.
A.	= Abstracts.	d	= dextro.
0	= ortho.	l	= laevo.
m.	= meta.	i	= inactive.
		8	= symmetrical.
ľ	= para.	115	= unsymmetrical.
ıt .	= normal.	b.p.	= boiling point.
_	= primary.	-	= melting point.
ser.	= secondary.	111.11.	- morning from.

ADDITIONS AND CORRECTIONS.

INDEX OF AUTHORS,

ADDITIONAL ENTRIES.

Capus, the sorghum sugar industry in the United States, 1885, A., 1273.

Johnson, George Stillingfleet, magnesia containing rare earths, 1886, A., 980.

Meissl, Emerich, and Friedrich Strohmer, formation of fat from carbohydrates in animals, 1884, A., 912.

Meyer, l'ietor, remarks on Bonz's paper on the bromination of α- and β-thiophenic acids, 1885, A., 1207.

Niederist, Gustav, Reichenbach's picamar, 1883, A., 1004.

Rospendowski, W., artificial blue colours, 1884, A., 1419.

Vibrans, influence of manuing on the composition of potatoes, 1883, A., 882.

Weiske, Hugo, and Bernhard Schulze, influence of certain amides on the animal organism, 1885, A., 409.

Corrections.

Angeblis, should be Angelbis.

Anrep, Vasilius Kron, should be Anrep, Vasilius ron.

Austen, Peter Townsend, and George B. Hurff, delete 1885, A., 512.

Baeyer, Adulf ron, constitution of benzene, 1887, A., 302, adul 1887, A., 370.

Baur, R., estimation of fatty acids as fats, should be estimation of fatty acids in some

Becker, George E., should be Becker, George F.

Behr, Arno. See Friedrich Soxhlet, should be See Franc Soxhlet.

Ben Sande, Alfredo, should be Ben Saude, Alfredo.

Borelli, S., Should be Borrelli, S.

Brown, Horace, should be Brown, Horace T.

Buchner, Educial, and Theodor Curtius, action of ethyl diazoacetate on aromatic hydrocarbons, 1885, A., 207, should be 1885, A., 1207.

Chanlaroff, Mochsin Bery, should be Chanlaroff, Mochsin Bey, and add butyrolaetone and α-ethylbutyrolaetone, 1885, A., 371.

Chrustschoff, K. v., new type of pyroxene, 1886, A., 776, add 1886, A., 990.

Claus, Adolph, and Carl Wenzlik, should be Carl Wenzlick.

Cook, Eras & H., detection and estimation of iodine, 1885, T., 17, should be 1885, T., 471.

Degener, Paul (and others), separation of sugar from molasses, 1884, A., 447, should be 1884, A., 1447.

Divers, Edward, constitution of the fulminates, add 1884, T., 19.

Dunstan, Wyndham Rowland, and Edmund James Wooley, should be Edmund James Woolley.

Dupré, August, battery with two liquids, 1885, A., 853, should be Dupré, Anatole.

Eder, Josef Maria, behaviour of the haloid compounds of silver to the solar spectrum, 1885, A., 703, add 1885, A., 936.

Ellenberger, Wilhelm, and Victor Hofmeister, the digestive fluids and digestion of the horse, 1884, A., 472, wild 1884, A., 92.

Erdmann, Huyo, and Richard Kirchoff, should be Richard Kirchhoff.

Farbaky, Stefica. See Stefica Schenck, should be See Stefica Schenck. Fittig, Rudolph, and Morit. Rulmann, should be Morit: Ruhlmann.

Fleck, Hermann, should be Fleck, Hayo. Frank, A., 1884, A., 1226, should be Frank, Adolph.

Fresenius, Heinrich, and Stocks, delete and Stocks.

Friedel, Charles, brucite of Cogne, vale of Aosta, add 1883, A., 1061.

Frölich, C., should be Fröhlich, Curl.

Gabriel, Guto, should be Gabriel, Suto.

Gabriel, Sato, estimation of cellulose, 1829, A., 923, should be 1892, A., 923.

Genth, Frederick Augustus, hubmenite, hessite, bismutite and natrolite, 1892, A., 793, should be Genth, Frederick Augustus, and Samuel Lewis Penfield. Giles, Wm. B., and A. Schearer, should be A. Shearer. Gouy, A., and H. Rigollet, should be H. Rigollet.

Grabowski, Nicolais II., Should be Grabowski, Julijan.
Gray, Thomas Andrew, Should be Gray, Thomas.
Gray, Thomas Andrew, and Jumes Johnstone Dobbie, should be Gray, Thomas,
Andrew Gray, and Jumes Johnstone Dobbie.

Günzberg, Alfred, should be Günzburg, Alfred.

Hansen, H., should be Hanssen, H.

Hantzsch, Arthur Radolf, and Felix Hermann, should be Felix Herrmann.

Höhnell, Fran: Xuvier R. (Freihere) von, should be Höhnel, Franz Xavier R. (Freiherr) von.

Hönig, Max, and L. Jesser, carbohydrates, 1888, A., 126, should be 1888, A., 1266. Hullemann, I., should be Hulleman, I.

Irvine, Robert, and J. Sims Woodhead, should be G. Sims Woodhead.

Jenekel, Ludolf, should be Jenkel, Ludolf.

Kirchoff, Richard, hould be Kirchhoff, Richard.

Klein, G., should be Klien, Gorg.

Klinger, Heinrich Conr., action of sunlight on organic compounds, 1888, A., 888, should be 1886, A., 888.

Knop, Adolf, action of phosphorus pentasulphids on aniline, 1888, A., 265, should be Knop, Aug.

Knop, W., analysis of silicates, 1883, A., 379, should be Knop, Johann August Ludwig Wilhelm.

Knorr, Ludwig, and Friedrich Jödicke, reduction of hydroxylepidine and methyllepidone, 1887. A., 278, and pyrazolone derivatives from ethyl henzoylacetate. 1887, A., 1121, for Friedrick Jödicke, read Karl Klotz.

Ladenburg, Albert, and Friedrich Carl Petersen, duboisine, 1877, A., 740, should 4 1857, A., 740.

Landolf, Fr., should be Landolph, Fr.

Lea, Matthew Carry, combinations of silver chloride, bromide and iodide with colouring matters, 1885, A., 350, add 1885, A., 611.

Lippit, T. P., should be Lippitt, T. P.

Ludwig, Ernst, and Eduard Zillner, 1890. A., 962, should be 1891, A., 962.

Martiny, Beam, and Wilhelm Fleischmann, delete and Wilhelm Fleischmann.

Mennell, Ernst, should be Mennel, Ernst. Miller, Occur, a hydroxyphthalic acid, 1884, A., 1177, should be Miller, Oswald. Mochsin Beg Chanlaroff, Should be See Chanlaroff, Mothsin Bey.

Moddermann, Tjoden, Joueld b. Modderman, Rudolph Sicco Tjuden.

Muntz, Achille, and Emile Aubin, estimation of carbonic anhydride in the atmosphere, 1884, A , 659, add 1884, A., 710.

Obolenski, Iuan N., should be Obolonski, Iuan N.

Osmond, Flores, heating and cooling of melted steel, 1887, A., 21, should be 1987.

Ostwald, Wilhelm, electrical conductivity of acids, 1985, A., 323, add 1885, A., 3.

Perkin, William Henry, junior, and Augustus Schloesser, 1890, P., 162, should be 1889, P., 162.

Pflug, Constant in, ignatioffite, 1887, A., 1085, add 1890, A., 454.

Pickering, Percival Spencer Unificalle, should be Pickering, Spencer Percival Umfreville.

Pinner, Adolf, m-diazines (pyrimidines), delete 1885, A., 158, and 1891, A., 60. Prafulla Chandra Ray, should be Rây, Prafulla Chandra.

Quantin, Henri Emili, volumetric estimation of sulphates, 1989, A., 1089, should br 1889, A., 1087.

Reinhart, J. H., should be Reinhardt, J. H.

Rickmann, James Pellatt, should be Rickman, James Pellatt.
Rising, William Bradley, should be Rising, Willard Bradley.
Romans, Robert, gold from Burmah, 1887, T., 221, should be 1887, A., 221.

Rossol, Alexander, should be Rosoll, Alexander.

Rabricus, H., 1892, A., 1030, 1521, should be 1892, A., 1030, 1524.

Salzeberger, Georg, should be Salzberger, Georg.

Schwerin-Lowitz (Graf) von, should be Schwerin-Lowitz (Graf) von.

Snijders, Aarnout Johannes Cornelis, should be Snijders, Aarnout Johannes Cornelrs.

Stahel, Rudolph, A., 1259, should be 1890, A, 1259. Stavely, William IV., should be Staveley, William IV.

Steinscheider, Josef, should be Steinschneider, Josef.

Stilwell, Charles M., should be Stillwell, Charles M.

Stocks, delete See Henruh Fresenius, and add sulphuric acid as manue, 1884, A., 926.

Thorpe, Thomas Edward, and Henry Halliburton Robinson, 1890, P., 165, should be 1839, P., 165.

Tiemann, Ferdinand, and Rudolf Haarman, should be Rudolf Haarmann.

Veley, Vutor Herbert, conditions of the reaction between copper and nitric acid, 1890, A., 170, should be 1890, A., 701.

Verneuil, Auguste Victor Louis, phosphorescent blende, 1888, A., 791, 1282, should be 1888, A., 791, 1248.

Wallach, Otto, new compounds of the camphor series and a new terpene, 1891, A., 1686, should be 1891, A., 1086.

INDEX OF SUBJECTS.

ADDITIONAL ENTRIES.

m-Allylthiouramidobenzoic acid (ARCHAN), 1884, A., 907. m-Amido-s-diphenylmethylcarbamide (LELLMANN and BENZ), 1891, A., 1215.

Benzenesulphonic anhydride (ABRAHALL), 1886, T., 692; P., 229. Benzenesulphonic chloride, as a reagent for amines (HINSBERG), 1891, A., 49. Benzonitrile, dispersive power of (BARBIER and ROUX), 1889, A., 805.

Bis-β-hydroxyphenyl propyl ketone, di-m chlorodi-o-nitro- (Eichengrun and EINHORN), 1891, A., 1098.

n-Butylaniline (KAHA), 1886, A., 263.

Carboxyamidophenylacetic acid (Kossel), 1892, A., 169. o-Carboxyphenylacetimide, debiomo- (LE BLING), 1889, A., 257.

Diethoxydiphenylethane (ethylule nedlethoxybenzene) (GATIERMANN, EHRHARDT and Maisch), 1889, A., 862.

Dihydroxydiphenylsulphone (hydrocysulphonebenzule) and dihydroxyditolylsulphone (hydrocystimethylsulphonebenzule) (Tassinari), 1889, A, 245.

Dihydroxyphenylmethylglutaric acid (CARLSON), 1892, A., 1471.

Dimethoxydiphenylethane (ethylutenedimethoxybenzene) (Giffermann, Ehrhirdt and Misch), 1889, A., 962.

3:5-Dimethyl-2-ethylpyridine (WAAGE), 1884, A., 172; (DURKOPF and GOLINGE), 1890, A., 795, 1002

1:2-Dimethylpyrrolidine (MERLING), 1891, A., 1507.

Di-p-phenethyl-carbamide and -guanidine (PATCKSCH), 1885, A., 256.

Diphenylacetonitrile, trinitro- (v. RICHTER), 1888, A., 1186.

Diphenyldimethylthiocarbamide (BILLETER), 1887, A., 823.

Diphenyldisulphone-ethoxyphenylenediamine (m-ethorydiphean)disulphone-ophenyle nediamine) (ACIENRIETH and HINSBERG), 1992, A , 161.

Diphenyldisulphone ethoxyphenylenediethyldiamine (this ydiphenyldiethyldisulphonephenule nediumine) (ALTENRIETH and HINSBERG), 1892, A., 161.

Diphenylenemethane oxide (RIGHTER), 1884, A., 324.

Diphenylethenylamidine (Not rive and Weing arther), 1885, A., 384; (Mabery and KRUSE), 1890, A., 371. action of carbonyl chloride on (LOEB), 1885, A , 1213.

Diphenylhexylic tricyanide (KRAFFT and V. HANSEN), 1889, A., 697.

s-Diphenylmethylcarbamide, m-amido-, and m-nitro- (LLHMANN and BENZ), 1891, A., 1215.

1-2-Diphenyl-3-methylpyrazolone (v. Perger), 1886, A., 98; (Mitter), 1886,

Diphenyl-p-tolylmethanecarboxylic acid [m.p. 203°] (v. Hemhian), 1887, A., 266. 1:2-Di-m-tolyl-3-methylpyrazolone (v. Perger), 1886, A., 1046.

Hydroxyiwamylamine (RADZI-ZEWSKI and SCHRAMM), 1994, A., 1190.

Phosphatic deposits of the south-east of France (DE GASPARIN), 1885, A., 127. of Montay and Forest (LADRIÈRE), 1899, A., 222.

CORRECTIONS.

Accumulators. See also under Electrochemistry, p. 417.

Acetic acid, potassium salt of, electrolysis of solutions of, add (Brown and WALKER), 1891, A., 1192.

thio. See also Thioacetic acid, p. 1010.

Acetocumidide, thio-, should be Aceto-ψ-cumidide, thio-.

Acetonetrisulphone, tethno. See triThioacetonetrisulphone, p. 1010.

Acetonylphenylic sulphide (thiophenorymetone), add (ATTENRIETH), 1891, A., 541. Acetylhexoic acid. See B-Methyl-a-(thylacetylpropionic acid, p. 670.
Acetylenic hydrocarbons (Faworaky), 1888, A., 789, should b. 1888, A., 798.

Acetylpicamar, add (PASTROVICH), 1893, A., 1005.

γ-Acetylpyrroline, should be ψ-Acetylpyrroline. ψ-Aconitic acid. See also s-Trimethylene-1 2 3-tricarboxylic acid, p. 1051.

Actinoelectricity, and (HANKEL), 1883, A, 950; 1985, A., 1187.

Alizarin-bordeaux. See also 1:2:1' 1'-Tetrahydroxyanthraquinone, p. 987. AIKAIOIDS-

Cytisine. See also Ulexine, p. 1060.

Pilocarpidine, add (H arry and Calmers), 1986, A , 725; 1887, A , 1058 Quinine, appearance of fluorescence in salts of, aild (ARMSTRONG), 1892, P.,

189; (HARILEY), 1892, P., 199.

Quinoidine. See p. 900

```
Alkaloids, continued—
  Solanidine, for two lust entries read Solanine. Ulexine. See also p. 1060.
  Vicine. Sec p. 1075.
Allylbenzene, brom-, add (KORNER), 1889, A., 372. Alunogen. See also Keramohalite, p. 610.
Amenylbenzene, add (Schramm), 1883, A., 977.
4-Amido-2:6-dimethyl-m-diazine. See also Cyanmethine, p. 333.
diAmidoditolyl ketone. See Ditolyl ketone, diamido-, p. 411.
4-Amido-5-methyl-2:6-diethyl-m-diazine. See also Cyanethine, p. 333.
1-Amido-2'-methyltetrahydroquinoline. See 2'-Methyltetrahydroquinoline, 1-
  amido-, p. 689.
Amido-β-naphthylenetoluquinoxaline. See β-Naphthylenetoluquinoxaline, p. 717.
a-diAmidophenanthraquinone. See also Phenanthraquinone, amido-, p 788.
Amidophenyl amidotolyl ketone (Liebermann), 1888, A., 1097, should be 1883,
Amidophenylacetic acid. See Phenylacetic acid, amido., p. 797.
di Amidophenylethoxynaphthalene. See Phenylethoxynaphthalene, p. 808.
o-Amidophenylglyoxylic acid. See Isatinic acid, and not Isatic acid.
p-Amidophenyllactic acid. See also Phenyl-α-lactic acid, p 816.
m-diAmido-p-phenyl-a-methylpropionic acid, should be m-diAmido a p-tolylpro-
  pionic acid.
4-Amido-1-phenylpyrazolone-3-carboxylic acid. Sec 1-Phenylpyrazolone-3-carb-
  ovylic acid, 4-amido-, p. 824.
p-Amidophenyl-p-tolylamine, for See Tolylphenylenediamine, insert (REICHOLD).
  1890, A., 610.
γ-Amidopropyl hydrogen sulphate. See Propylsulphuric acid, γ-amido-, p. 884.
a-Amidoisosuccinamic acid. See isoSuccinamic acid, α-amido-, p. 958.
a-Amidoisosuccinic acid. See isoSuccinic acid, α-amido-, p. 959.
diAmidostilbene sulphide. See also Dehydrothiotoluidine, p. 342.
Amido-ar-tetrahydro-a-naphthol. See ar-Tetrahydronaphthol, amido-, p. 986.
Amidotetrahydronaphthylhydrazine. See Tetrahydronaphthylhydrazine, amido-
  p. 986.
Amidotetramethylbenzene (duridine). See Tetramethylbenzene, amido-, p. 990.
5-Amido-1:2:3:4-tetramethylbenzene (prehnidine). See 1:2:3:4-Tetramethylbenz-
  ene, 5-amido-, p. 990.
Amidothionaphthol, delete entries and See Naphthol, amidothio-, p. 709, and
  B-Naphthol, amidothio-, p. 710.
2-Amido-m-toluic acid. See m-Toluic acid, 2-amido-, p. 1029.
m-Amido-p-toluic acid, add (Noves), 1889, A., 394.
diAmidotoluquinol. Ser 2:5-Toluquinol, 4:6-diamido-, p. 1033.
Amidotrimethylbutyllactic acid, add (Weil), 1886, A., 528.
1-Amidotriphenylmethane. Sec Triphenylmethane, 1-amido-, p. 1055.
2 4:6-triAmido-m-xylene. See m-Xylene, 2:4:6-triamido-, p. 1092.
6-Amido-m-xylyl methyl ketone. See m-Xylyl methyl ketone, 6-amido-, p. 1095.
Amylic alcohol. See also Methylethylcarbincarbinol, p. 670.
Anilidoacetic acid, sulph-, add (ZEHENIER), 1885, A., 55.
Anilidoisethionic acid. See also Phenyltamine, p. 826.
Anilidoperezone, add (Anschurz and Leather), 1886, T., 717.
Anilidotoluene, should be See Phenyltoluidine und not Phenyltolylamine.
Aniline, thionyl-, add (MICHARLIS), 1891, A., 715.
Anilinesulphonic acid. See also Phenylsulphonamic acid, p. 825.
Animals, diseases of, add (PASTEUR), 1884, A., 623.
Anisylthiocarbamide, mono- and di-thio-. See Thioanisylthiocarbamide, p. 1010.
Antimony, vapour density of (Mensching and Meyer), 1887, A., 445, should be
  1887, A., 888.
Aspergillin. See also Palmellin, p. 778.
Atmospheric air, percentage of oxygen in, add (HEMPEL), 1885, A., 592.
Atomic weight of gold, delete (Westmoreland), 1887, A., 81, and add (Kruss),
    1887, A., 778.
```

of oxygen (Groshans), 1889, A., 643, should be (Groshans), 1889, A., 463,

and add (Noves), 1891, A., 1154.

```
Atomic weight of rhodium, add (Jörgensen), 1883, A., 1060.
AZO-COMPOUNDS-
   Azoresorcinol and diazoresorcinol. See also Resazurin, p. 910.
   Salicenylazoximepropenyl-ω-carboxylic acid, add (MILLER), 1889, A., 255.
Beer-wort. See also Wort, p. 1090.
Benzene, heats of combustion and formation of (STOHMANN, RODATZ and HERZ-
      BERG), 1886, A., 499, should be 1886, A., 409.
   chloro-derivatives of, thermochemistry of (BERTHELOT and MATIGNON), 1889,
A., 1311, should be 1891, A., 1311.

Benzidine, thionyl-. See Thionylbenzidine, p. 1015.

Benzoic acid, α-thio-. See α-Thiobenzoic acid, p. 1011.

Benzoic sulphinide. See also "Saccharin," p. 919.

Benzoin, Siamese, should be Benzoin gum, Siamese.
Benzoylmesitylene, add (ELBS), 1887, A., 942.
β-Benzoylmephthol, α-nitro-. See α-Nitro-β-benzoylnaphthol, p. 727.
Benzoyl-tri- and -tetra-methylenecarboxylic acids, p-nitro-. See p-Nitrohenzoyl-
   tetra- and -tri-methylenecarboxylic acids, p. 727.
Benzylidenephthalimidine, alld (GABRIEL), 1885, A., 903.
Birch-oil, ald (Pettigrew), 1884, A., 459; 1885, A., 528.
Bismuth carbonate, delete See also Bismuthite.
Bismuthite, delete See also Bismuth carbonate.
                                                               See 4-Thiobis-1-phenyl-3-methyl-
Bis-1-phenyl-3-methylpyrazolone, 4-thio-.
   pyrazolone, p. 1011.
Blende. See also Zinc blende, p. 1102.
Bombyx Mori, add (TICHOMINOFF), 1885, A., 1150.
Borneo-camphene. See also Camphene under Terpenes, p. 980.
Bromallylbenzene, add (Korner), 1889, A., 372. Bromamidophenols. See Phenol, bromamido-, p. 791.
Bromamidoquinoline, add (CLATS and ZUSCHLAG), 1890, A., 267.
Bromamidosuccinic acid. See Succinic acid, bromamido-, p. 959.
γ-Bromiso-octoic acid, should be γ-Bromiso-octylenic acid.
Bromoform, chloro- (Dyson), 1883, T., 636, should be 1883, T., 36.
p-diBromohomocuminic acid (FILETI and BASSO), 1891, A., 105, should be 1891,
   A., 1057.
Bromonethylthiophens. See Methylthiophens, p. 690. See 1-Methylthymol, 6-bromo-, p. 690.
tetraBromonaphthalfluorescein. See Naphthalfluorescein, p. 705.
Bromo-α-naphthoic acid, ald (EKSTRAND), 1889, A., 52.
Bromo-o- and -p-amidophenetoils, should be Bromo-o- and -p-nitrophenetoils.
4'-Bromo-1'-nitro-α-naphthoic acid. See α-Naphthoic acid, 4':1'-bromouitro-, p.
    708.
Bromonitro-α-naphthylamine, add (MELDOLA and DESCH), 1892, T., 765.
Bromo-m-nitrophenetoil. See Phenetoil, bromo-m-nitro-, p. 789.
Bromonitroquinolines. See also Quinolines, bromonitro-, p. 904.
diBromodinitrotoluene (Claus), 1888, A., 587, should be 1888, A., 583.
3:6-Bromonitro-p-toluic acid, add (Fileti and Cross), 1887, A., 37.
Bromopianic acid, add (Wegscheider), 1883, A., 997.
Bromonitrothiophen. See also Thiophen, bromouitro-, p. 1016.
Bromonitro-p-toluamide. See p-Toluamide, 3:5-bromonitro-, p. 1026.
4-Bromo-1-phenylisopyrazolone. See 1-Phenylisopyrazolone, 4-bromo-, p. 824. diBromo-o-phthalimide, should be diBromohomo-o-phthalimide.
Bromopyromucic acids, add (HILL and SANGER), 1886, A., 446.
Bromoquinolinic acid, add (CLAUS and COLLISCHONN), 1887, A., 159.
Bromosalicylaldehyde. See Salicylaldehyde, bromo-, p. 921.
2-Bromoterephthalic acid. See also Terephthalic acid, bromo-, p. 979.
tetraBromothiophen, add (CIAMICIAN and ANGELI), 1891, A., 427, 893.

Bromo-p-toluidine. See also p-Toluidine, bromo, p. 1031.
Bromotoluidinesulphonic acid. See also Toluidinesulphonic acids, bromo-, p.
   1032.
```

Bromotoluonitriles. See also Toluonitriles, bromo-, p. 1033.

Bromotolylene-ethenylamidine. See Tolylene-ethenylamidine, bromo-, p. 1037.

4-Bromo-2:3-tolylenediamine. See 2:3-Tolylenediamine, 4-bromo-, p. 1037. diBromotrimethylpropylammonium bromide. See Trimethylpropylammonium bromide, dibromo-, p. 1052. Bromotriphenylmethane, reactions of, add (Elbs), 1883, A., 1000. Bromoxynaphthaguinonesulphonic acid, should be Bromohydroxynaphthaguinonesulphonic acid. Butylenetricarboxylic acid. See Ethylidene-ethanetricarboxylic acid, p. 485. isoButylic chloride (GLADSFONE and PERKIN), 1889, T., 757, should be isoButylic Butvric acid, y-amido-, add (Schoffen), 1883, A., 813. Carbonyltriphenylenediamine, add (Gucci), 1886, A., 1024. Chelamide. See also 4-Hydroxypyridinc, p. 581. Chelerythrine, delete (sunguinarine) (v. Kugelgen), 1885, A., 608. Chelidonium majus, add (Konig), 1891, A., 813. 2-Chlor-3:6-diamidotetracetylquinol. See Tetracetylquinol, 2 chlor-3.6-diamido-. p. 984. triChloritamalic acid. See triChloropyrotartaric acid, should be See triChlorohydroxypyrotartaric acid. Chlorobromothymoguinone. See Thymoquinone, chlorobromo-, p. 1020. Chlorobromotolu-quinol and -quinone. See Toluquinol and Toluquinone, chlorobromotolu-quinol and -quinone. bromo-, p. 1033. ω-triChlorohydroxypropylpyrroline, should be ω-triChlorohydroxypropylpyridine, diChloromethyloxindole (COLMAN), 1889, P., 95, should be 1888, P., 96. 6-Chloronicotinic acid, add (v. Pechmann and Welsh), 1885, A., 175. · diChloronitrethyl-m-diazine, should be diChloronitromethylethyl-m-diazine. B-Chloro-2'-nitronaphthol, should be Chloronitro-B-naphthol. αββ-triChlorophenyl-γ-pyridonecarboxylic acid, add (ZINCKE), 1890, A., 965. βδ-diChloroquinazoline (ABT), 1888, A., 610, should be 1889, A., 610. Chloroquinol. See also Quinol, chloro-, p. 901. MiChlorosalicylic acid. See also Salicylic acid, dichloro-, p. 922. Chlorosulphonic acid. See also Sulphonic acid, chloro-, p. 963. Chlorotetrahydropicolinic acid. See Tetrahydropicolinic acid, chloro-, p. 987. Chlorothymoquinones, delete (MAZZARA), 1890, A., 753. Chloro-p-toluamide. See also p-Toluamide, eldoro-, p. 1026.

B-Chlorotoluquinol. See 2:5-Toluquinol, \(\beta\)-chloro-, p. 1038. diChlorotolyibenzoic acid, should be diChloro-p-tolucylbenzoic acid. diChloro-1:4-o-tolyl-p-tolyldiketopyrazine. See 1:4-o-Tolyl-p-tolyldiketopyrazine, 3:6-dichloro-, p. 1041. Chlorotrihydroxybutane. See Trihydroxybutane, chloro-, p. 1046. 1'-Chlor-2'-oxy-4'-benzylisoquinoline, should be 1'-Chlor-3'-oxy-4'-benzylisoquinoline. Chromic acid, iodo-. See Iodochromic acid, p. 596. Chromate, iodo-. See Iodochromate, p. 596. Citric acid, add (OstWALD), 1889, A., 337. Citronella oil and citronelly alcohol, add (Donus), 1891, A., 285. Clark's soap test. See also Soap, standard solution, p. 939. Cocoa-butter, delete (cocounut oil) and adulteration of lard with (ALLEN), 1889, A., 320. Cocoanut oil, delete See Cocoa-butter and add adulteration of lard with (ALLEN), 1889, A., 320. Colophony, destructive distillation of, add (RENARD), 1884, A., 843. COLOURING MATTERS-

Morin (Benedikt and Hazura), 1884, A., 84, 1179, should be 1884, A., 846, 1179.

Morphine-blue (Chastaing and Barillot), 1888, A., 1165, should be 1888, A., 165.

Comanic acid, oximido-, should be oxime of.

Copper, potassium carbonate solution, add (Osr), 1891, A., 125, 1298; (Schmorger), 1892, A., 887.

ψ-Cumylmethyloxyquinizine. See Oxyphenyltetramethylpyrazole should be See Phenyltetramethylpyrazolone.

Cyanethine (1-amido-5-methyl-2:6-dicthyl-m-diazine) should be (6-amido-5-methyl-2.4-dicthyl-m-diusine). Cyanmethine (4-amido-2:6-dimethyl-m-discine) should be (6 amido-2:1-dimethylm-diazine). Cyanodiphenylethine (4-amido-2:6-diphenyl-5-methyl-m-diatine) should be Cyandiphenylethine (6-amido-2:1-diphenyl-5-methyl-m-diazine). Cyanogen disulphydrate (Wollny), 1884, A., 1109, should be (Wollner,), 1884, A., 1109. a-Cyanonaphthalenesulphonic acid, add (Duri), 1883, A., 1001. o-Cyanophenol. See also Salicylonitrile, p. 923. Cyanophenylbenzylthiocarbamide. See Phenylbenzylthiocarbamide, cyano-, p. diCyanoquinoline. See Quinoline, dicyano-, p. 904. Cystisine, should be Cytisine. See also Ulexine, p. 1060. Decahydrofluorene. See Fluorene hydrides, p. 502. Dehydrofichtelite, add (LIEBLEMANN and SPIEGEL), 1889, A., 720. Diacetonephosphinic acid, add (MICH LELIS), 1885, A., 747. Dibenzoylstilbene, add (JAPP and KLINGEMANN), 1890, T., 688. Dissobutyric acid. See Octoic acid, p. 756. Dibutyronitrile. See Octonitrile, p. 756. Dichlorhydrin, add (ZIKES), 1885, A., 1046. 3:5-Dihydroxybenzoic acid (ZINCKE and FUCHS), A., 1461, should be 1892, A., Dimethylamidophenyl hexyl ketone, add (Kraffi), 1887, A., 253. Dimethylaniline, thio. See also Tetramethylthioaniline, p. 992 Dimethylcarbostyril, add (Knorn), 1884, A., 1198. 1':4'-Dimethylquinoline, add (KNORR and ANTRICK), 1885, A., 274. aβ-Dinaphthylic sulphide, denitro. See deNitro-aβ-dinaphthylic sulphide, p. 730. Diphenacyl, delete (succinophenone). Diphenylisobutyric acid and nitrile. See Hydrobenzylcin Diphenylmethylcarbinyl-, should be Phenyltolylcarbinyl-. See Hydrobenzylcinnamic acid, p. 553. 2:6-Diphenyl-5-methyl-m-diazine, 4-amido, should be 2:4-Diphenyl-5-methyl-mdiazine, 6-amido-, and add (v. MEYER), 1890, A., 68. Diphenylmethylic tricyanide, add (PINNER), 1892, A., 1110. s-Diphenylsulphoneacetone, add (O1 ro), 1886, A., 801. Diphenylsulphonethylamine, add (Otto), 1885, A., 537. Diphloroglucinolearboxylic acid, add (Schiff), 1889, A., 1063. Distyryl vinyl diketone, should be Distyryl vinyl ketone. o.p-Disulphaminebenzoic acid, add (FAHLBERG and LIST), 1887, A., 835. isoDulcitolearboxylic acid. See also Rhamnoschexonic acid, p. 914. Durylglyoxylic acid, add (CLAUS and FOHLISCH), 1889, A., 50. Electromotive force of selenium, add (Kalischer), 1890, A., 97. Ethylallylthiocarbamide, add (Avenarius), 1891, A., 549. Ethyleneimine. See also Piperazine, p. 859.
Ethylic acetoacetate, condensation of, with quinone, add (IKUTA), 1892, A., 608. butanetetracarboxylate (Bischoff and Rauch), 1885, A., 240, should be (Bis-CHOFF and RACH), 1885, A., 244. butanetricarboxylate, add (BARTHE), 1889, A., 588. isobutanetricarboxylate, delete (Barihe), 1889, A., 588.

Fabia vulgaris, should be Faba vulgaris.
Fibrinogen tissue, ald (WRIGHT), 1892, A., 646.
Fusel oil, estimation of, in spirits, ald (TRAUBE), 1888, A., 198.

Glyoxalinedicarboxylic acid, add (Maquenne), 1891, A., 330.

Hedera Helix. See also Ivy, p. 609.

2:6-dilodoquinone, add (Seifert), 1884, A, 431, and delete (Metzeler), 1888
A, 1278.

3:5-dilodoquinone, should be 2:5 dilodoquinone, add (Melena), 1888, A , 1278, und delefe (Settern), 1881, A., 431.

o-Iodotoluene. See Toluene, σ-rodo-, p. 1027.
3-Iodotoluquinol. See 2:5-Toluquinol. 3-iodo-, p. 1033.
Iodotoluquinone. See 2:5-Toluquinone, iodo-, p. 1031.
γ-Iodotrimethylpropylammonium iodide, add (SCHMID) and PARTHLIR, 1892, λ., 950.

Ivy. See also Hedera Heler, p. 510.

Jute fibre, constitution of (Cross and Bevan), 1889, T., 99, should be 1889, T., 199.

See also Alunogen, p. 66. Keramohalite. Ketonic acids. See also Acids, ketonic, p. 21.

Licarcol. See also Linalool, p. 983. Linalool, add (BARBII K), 1892, A , 1236.

Macleyine. See also Protopine, p. 887.

INDEX OF AUTHORS.

A.

"A. von T." See T. A. von. Abbona, V. See Michele Fileti.

Abbot, Helen C. S., and Henry Trimble, solid hydrocarbons in plants, 1888, Λ., 1329.

Abbot, Helen C. S. See also Helen U. N. Abbol Michael.

Abbott, A. U. See Carl Voit.

Abegg, Richard, amidochrysene, 1890, Λ., 789.

- derivatives of chrysene, 1891, A., 730.

Abel, (Sir) Frederick Augustus, and William Henry Deering, notes on the condition in which carbon exists in

steel, 1883, T., 303.

Abel, (Ser) Frederick Augustus, and Boverton Redwood, petroleum testing in tropical climates with Abel's apparatus, 1884, A., 877.

Abel, John J., molecular weights of cholic acid, cholesterol and hydrobilirubin, 1890, A., 914.

- animal melanines and harnosiderin, 1890, A., 1452.

-- benzylidenebinret and chloro-benzylidenethiobintet, 1891, A., 702. Abel, John J., and Edmund Drechsel,

earbamic acid, 1892, A., 518. Abel, Julius. See Albert Ladenburg.

Abeles, Markus, secretion of the kidney ted with delibrinated blood, 1883, A., 875.

– estimation of sugar in blood, 1891, Л., 1399.

Abelli, Modesto, chlorides of o- and m-nitrobenzyl, 1888, A., 1092.

Abelli, Modesto. See also Creur. Schiaparelli.

Abelous, J. E., and F. Heim, digestive forments in crustacean eggs, 1892, A., 362.

Abenius, Per Wilhelm, lactones derived from glycines, 1888, A., 825; 1890, A., 215.

-- aromatic halogen acctamido-compounds and their derivatives, 1888, A., 851.

--- p-diazine derivatives, 1890, A.. 268, 525.

Abenius, Per Wilhelm, and Henrik Gustav Soderbaum, diphenyltetraketone, 1892, A., 69. benius, Per Wilhelm, and Oskur

Abenius, Widman, bromacet-o-toluide and some of its derivatives, 1888, A., 824.

--- halogen-substituted umido-derivatives of the atomatic series, 1889, A., 131.

--- action of bromine on o-acettoluidide at a high temperature, 1889, Л., 131.

Abney, William de Wiveleslie, comparative offect of different parts of the spectrum on silver salts, 1886, A., 749.

colour photometry, 1891, P., 150.

Abney. William de Wiveleslis, and Heorge Schryn Edwards, effect of the spectrum on the haloid salts of silver, 1890, A., 933.

Abney, William de Wiveleslie, and Edward Robert Festing, atmospheric absorption of the infra-red of the solar spectrum, 1883, A., 837.

aqueous vapour, 1884, A., 241.

- relation between radiation, energy, and temperature, 1884, A., 249. - relation between energy and radiation in the spectrum of incan-

descence lamps, 1885, A., 325. absorption spectra thermograms, 1885, A., 1175.

Abrahall, John Leigh Hoskyns, phenylsulphonic anhydride, 1886, T., 692.

1

1

Abrahall, John Leigh Hoskyns, atomic weight of boron, 1892, T., 650; P., 74.
— obituary notice of, 1892, T., 486.
Abrahall, John Leigh Hoskyns. See

also Eugen Bamberger.

Abraham, Kurl, the currents of the gases in sulphuric acid chambers, 1883, A., 129.
Abt, Alfred. See Emilio Nölting.

Wilhelm, benzoylenecarbamide,

1889, A., 609.

ch, Friedrich, phenylhydrazone-levulinic anhydride, 1890, A., 70. Friedrich,

Ach, Friedrich. See also Emil Fischer. Achiardi, Antonio d', minerals found near Massa in the Apuanian Alps, 1883, A., 428.

Ackermann, Edwin, salts and ethers of aurin and of rosolic acid, 1884, A., 1339. estimation of tartar in sweet wines,

1892, A., 1531.

Ackroyd, William. cohesion and cohesion figures, 1886, A., 971.

Acqua, C., calcium oxalate crystals, 1890, A., 1182.
Acton, E. Hamilton, assimilation of

carbon from organic compounds by green plants, 1890, A., 818, 1021.

Adam, George. See Albert Ladenburg. Adam, Paul, bromo-p-xylenol, 1884, A. 1329.

- action of organic chlorides on diphenyl, 1886, A., 1033.

diphenyl-derivatives, 1887, 589; 1888, A., 959.

Adams, Benjamin F., junior. Thomas Charlton van Nüys. See

Adams, Frank D., melilite-bearing rock from Canada, 1892, A., 1058.

Adams, Matthew Algernon, new method for the analysis of milk, 1886, A., 583. -new form of air bath, 1890, A., 546.

estimation of oxygen dissolved in

water, 1892, T., 310; P., 1.
Addyman, Frank Thomson, action of sulphuric acid on the bromides of potassium, sodium, and hydrogen, 1891, P., 168; 1892, T., 94.

Adeney, Wulter Ernest, gas apparatus, 1891, A., 240.

Adeney, Walter Ernest, and Thomas Alexander Shegog, combination of wet and dry methods in chemical analysis, 1892, A., 100.

Adermann, Friedrich, alkaloids Corydalis cava, 1891, A., 1266.

Adie, Richard Haliburton, compounds of arsenious oxide with sulphuric anhydride, 1889, T., 157; P., 4.

- sulphates of antimony, 1890, T., 540; P., 5.

Adie, Richard Haliburton, compounds of the oxides of phosphorus with sulphuric anhydride, 1891, T., 230; P., 19; discussion, P., 20.

osmotic pressure of salts in solution,

1891, T., 344; P., 25.

- a direct comparison of the physical constants involved in the determination of molecular weights by Raoult's method, 1891, P., 26; discussion, P., 26.

Adie, Richard Haliburton. M. M. Pattison Muir. Sec also

Adkins, Henry, relations between atomic weights, 1892, A., 938.

Adrian, piliganine, 1886, A., 816.

Adrian and Churles Bougarel, separation of barium from strontium salts, 1892, A., 776. Adrian and E. Gallois, assay of opium,

1887, A., 622.

Adrian and Moreaux, preparation of quassin, 1884, A., 908.

Adrian. See also Baudet.

Aducco, Vittorio, urine reaction, 1888,

A., 621. Aducco, Vittorio, and Ugolino Mosso,

physiological action of "saccharin," 1888, A., 310.

Agostini, C., detection of dextrose,

1887, A., 534.

Agrestini, Angelo, derivatives of naphthalene hexahydrides, 1883, A., 345. Ahrens, Cusar, derivatives of m-xylene,

1892, A., 1437.

Ahrens, F., derivatives of terephthalic acid, 1886, A., 801.

- Sandmeyer's reaction: substitution of cyanogen for the amido group, 1888, A., 266.

Ahrens, Felix B., octylbenzene, 1887, A., 133.

— sparteine, 1887, A., 1056; 1888, A., 611; 1891, A., 842.

— dipiperidyl and dipicolyl, 1889, A., 59.

- alkaloids of Mandragora, 1889, A., 1074.

— mandragorine, 1889, A., 1222. - rhombic sulphur from hydrogen sulphide, 1890, A., 1371.

- crystalline veratrine, 1890, A., 1448.

- γ-dipyridyl and γ-dipiperidyl,1891, A., 1093.

Aignan, A., adulteration of French essence of turpentine, 1890, A., 422. - adulteration of linseed oil, 1890, A., 1198.

- constitution of aqueous solutions of tartaric acid, 1891, A., 1018.

Aignan, .1., combinations of tartaric acid and potash or soda in solutions, 1891, Л., 1019.

Aisinmann, Semjon. See Mejer Wilder-

Aitken, Andrew P., report on ensilage and manuring beans and barley, 1885, A., 1257.

 experiments on potatoes at Harelaw, 1887, A., 992.

- basic cinder and other finely-ground phosphatic manures, 1887, A., 995. - ground felspar as a potash manure,

1887, A., 996.

Akerman, Richard, reduction of iron oxide with carbonic oxide, 1884, A., 20.

Albertoni, Pictro, action and metamorphoses of some substances in the organism in relation to diabetes, 1885, Λ., 683.

- formation and change of alcohol and aldehyde in the organism, 1888,

- action of carbohydrates on the animal organs, 1889, A., 1023.

- action of sugars in the body, 1891, A., 1526.

Albitzky, Alexius, refractive power of the hydrocarbon ('12 H20, 1885, Λ., 211.

β-dipropylacrylic acid, 1885, Λ., 242.

- some properties and transforma-tions of dimethylallene, 1888, A., 797.

Albitzky, Alexius, and Woldemar Nikolsky, non-volatile product of the oxidation of the hydrocarbon C121120,

1886, A., 141.

Albrecht, Karl, method of formation of benzhydrol derivatives, 1889, A.,

Albrecht, Kurl. See also Wilhelm. Will.

Aldehoff, Gustav, influence of starvation on the glycogen of the liver and muscle, 1889, A., 427.

Aldringen, Friedrich, thiocoumarins and their behaviour towards hydroxylamine and phenylhydrazine, 1890,

A., 624.
— thiocoumarin and its analogues, 1892, A., 329.

Alechin, Alcaei Was, anhydrides of mannitol, 1885, A., 744.

- melezitose, 1886, A., 683; 1890, A., 733.

Alén, Johan Edvard, nitronaphthalenedisulphonic acids, 1883, A., 596.

a-nzoxynaphthalene-a-sulphonic acid, 1886, A., 555.

Alessi, P. Allesso, dibromo-p-hydroxybenzoic acid, 1886, A., 65.

--- lecture experiments, 1889, A., 567.
 Alexander, Heinrich, hydroxylamine platinum bases, 1888, A., 425.

 phenylmalic acids, 1890, A., 1135. attempts to synthesize conhydrine, 1890, A., 1417.

- - reduction of commarone, 1892. A.. 1318.

- - action of formaldehyde on o-dimethyltoluidine, 1892, A., 1320.

Alexander, John. See Thomas Carnellev. Alexéeff, Petr P., derivatives of azocumic acid, 1885, A., 390.

- action of light on nitrocumic acid, 1885, A., 791.

— nitro-compounds of the fatty series, 1886, A., 999.

- azocumic chloride, 1890, A., 891. Alex6eff, Petr P., and Eugene W.

Werner, thermochemical influence of certain groups on the value of the hydroxyl and carboxyl groups in the aromatic series, 1890, A., 439.

Alexeeff, Wialimir, mutual solution of liquids, 1883, A., 11; 1885, A., 340. thermal effect of solution, 1884, A.,

1244.

stability of compounds, 1885, A., 114. - source of error in vapour density

determinations, 1886, A., 116.

- catalytic action of glass, 1886, A., 591.

— heat of combustion of coal, 1886, A., 757.

— solution, 1886, A., 847.

---- elaterite and dopplerite, 1892, A.,

Alibegoff, Geory, uranium compounds, 1886, A., 855.

 quantitative separation of uranium from the alkalis and alkaline earths, 1886, A., 922.

Alla, Lucien. See Emile Aubin.

Allain Lecanu, Jules, compound of othylic acetate with calcium chloride, 1885, A., 371.

- combination of ethyl acetate with

magnesium chloride, 1886, A., 440.
- p-phenolsulphonic acid, 1886, A., 1031.

- o-phenolsulphonic acid, 1889, A., 1183.

- phonoldisulphonic acid, 1889, A., 1185.

See R. Lezé. Allard.

Allary, Engène, regeneration of acid residues in the manufacture of guncotton, 1887, A., 770.

Allary, Eugene, chlorine and cyanogen, 1889, A., 13.

Allen, Alfred Henry, action of water on lead, 1883, A., 128.

-estimation of ethylic nitrite in spirit of nitrous ether, etc., 1885, A.,

new applications of the nitrometer,

1886, A., 278.
— estimation of glycerol in fatty oils, 1886, A., 581.

- Reichert's method of examining

butter fat, 1886, A., 583. - examining fixed oils, 1887, A., 88.

- assay of carbolic soaps, 1887, A.,

- specific gravity, etc., of waxes, etc., 1887, A., 186.

- saponification of fixed oils, 1887, Δ., 186.

- Reichert's distillation process, 1887, A., 1145.

- detection of hop substitutes in beer, 1887, A., 1146.

 estimation of sulphur in oils, 1888, A., 627.

- aluminium in wheat, 1888, A., 631. - precipitation of hop-bitter by lead acetate, 1888, A., 763.

solubility of calcium compounds, 1888, A., 1030.

 detection of cotton-seed oil in laid, 1889, A., 319.

- adulteration of lard with cocoa-nut

oil, 1889, A., 320. detection of "saccharin" in beer, 1889, A., 322.

 analytical examination of water for technical purposes, 1890, A., 298.

– assay of aconite preparations, 1892, A., 392.

Allen, Alfred Henry, and William Chattaway, Adams' method for milk analysis, 1887, A., 186.

 examination of spirits for secondary constituents, 1892, A., 244. Allen, Anson Warren. See Lewis Mills Norton.

Allen, C. L., composition of two specimens of jade, 1883, A., 163.

Sec William Ripley Allen, C. R. Nichols.

Allen, Edwin West, and Bernhard Toliens, xylose and wood gum from straw, etc., 1890, A., 472.

- wood sugar (xylose) and wood gum, 1891, A., 659.

 xylonic acid, 1891, A., 668. Walter Spooner, and George Robinson Underwood, oxidation of diethylbenzene, 1884, A., 587.

Allen, William, and Alfred Kölliker, derivatives of triphenylcarbinyl bromide, 1885, A., 655.

Allendorff, O., phthalaldehydic acid, 1891, A., 1369.

oximes of opianic and plithalaldchydic acids, 1892, A., 180.

Allihn, Felix, reducing power of grape sugai for alkaline copper solutions, 1883, A., 244.

- action of dilute hydrochloric acid on starch, 1884, A., 721.

- apparatus for filtering in a vacuum, 1885, A., 631.

- filtration apparatus, 1888, A., 526.
- rise in the zero point of thermometers of Jena glass, 1889, A., 1041;

1891, A., 8.

Allihn, Felix. See also Paul Degener.

Alling, A. N., topaz from Thomas

Range, Utah, 1887, A., 453.

Almén, Aug., detection of mercury in organic liquids, 1887, A., 302.

Alt, Hermann, bromination of o-acetylamidobenzoic acid, 1889, A., 986.

quinoline, 1889, A., 1214.
precipitation of manganese as peroxide, 1890, A., 419.

estimation of thiocyanates, 1890, Δ., 424.

Alt, Hermann, and Julius Schulze. separation of zine from nickel, 1890,

Alt, Hermann. Sec also Lellmann.

Alt, K., detection of mercury in unine, 1888, A., 630.

Altar, Sigmund, oxidation of s-trialkylpyridines, 1887, A., 378.

Althausse, Max, and Gerhard Krüss. relations between the composition and absorption spectra of organic compounds, 1889, A., 1093.

Althausse, Mar. See also Engen Bamberger.

Altschul, Julius, o-nitro-p-hydroxyquinoline and o-amido-p-hydroxyquinoline, 1888, A., 1108.

p-alkyloxy-derivatives of phenylhydrazine, hydracetine, and antipyrine, 1892, A., 1080.

p-alkyloxy-derivatives of phenylhydrazine, 1892, A., 1198.

Altschul, Julius. See also Rudolf Wilhelm Schmitt.

Alvarez, E., microbe of the indigo fermentation, 1887, A., 1061.

Alvisi, Ugo, formation of pyrazole derivatives from the dichlorhydrins and tribromhydrins, 1892, A., 884.

— the camphor group, 1892, A., 1343.

Amagat, Emile Hilaire, compressibility of nitrogen, 1883, A , 150.

 compressibility of gases, 1881, A., 145.

compressibility of air and carbonic

anhydride, 1884, A., 116. -- compressibility of rarefied air, hydrogen, and carbonic anhydride, 1884, A., 116.

-estimation of the dry extract of wines, 1884, A., 1132.

- correction of the results given in a paper on compressed gas manometers, 1885, A., 341.

- density and atomic volumes of oxygen and hydrogen, 1885, A., 631. - atomic volume of oxygen, 1885,

A., 631; 1886, A., 662.

- expansion and compressibility of water, 1887, A., 695. solidification of liquids by pressure,

1887, A., 1013.

- dilatation and compressibility of liquids, 1888, A., 215.

of --- compressibility hydrogen, oxygen, nitrogen, and air at very high pressures, 1889, A., 8; 1891, A., 378.

- new isothermal curves for earbonic

anhydride, 1892, A, 3.

determination of the density of liquefied gases and of their saturated vapours, 1892, A., 934.

-density of liquefied gases and their saturated vapours: critical constants of carbonic anhydride, 1892, A., 1043.

Amagat, Emile Hilaire, and Ferdinand Jean, optical examination of oils and

fats, 1890, A., 91.

Amat, L., ammonium phosphites, 1888, Λ., 107.

-- - pyrophosphorous acid, 1888, A., 914.

--- alkaline phosphites, 1888, A., 915. - sodium phosphite, 1889, A., 569; 1890, A., 438.

 phosphorous acid, 1889, A., 825. sodium phosphite and pyrophosphite, 1890, A., 438.

- lead phosphites and pyrophosphite,

1890, A., 945.

--- estimation of hypophosphorous, and hypophosphoric phosphorous,

acids, 1891, A., 243. phite into sodium hydrogen phosphite, 1891, A., 641.

- - conversion of sodium pyrophosphite into phosphite, 1891, A., 799. Amat, L. See also F. Parmentier.

Amato, Domenico, chemical action of light, 1884, A., 1237.

Ambuhl, G., adulteration of land, 1889, A., 659.

Ames, Joseph Sweetman, some gaseous spectra: hydrogen, nitrogen, 1891, A., 1. relations between the lines of various spectra, 1891, A., 1.

Amoretti, it. See Michele Fileti.

Amphlett, Edward Greenhill, and Henry Edward Armstrong, isomeric change in the naphthalene series. No. 2. β-lethoxynaphthalenesulphonic acids, 1887, P., 144.

Amsel, Hugo, and August Wilhelm ron Hofmann, amidobenzylamine, 1866, A., 698.

Amthor, Carl, glycerol in beer, 1883, Л., 385.

 studies on ripe grapes, 1883, A., 881. studies on ripe cherries and currents, 1881, A., 776.

- caramel, 1885, A., 601. nuclein of grape stones, 1885, A., 823.

Danneborg's hemidin crystals, 1887, A., 408.

 studies on pure yeast, 1888, A., 181. eadaveric alkaloid behaving like strychnine, 1888, A., 731.

- Saecharomyers apiculatus, 1888, A , 1218.

Amthor, Carl, and Gustav Muller, dry distillation of terpenylic acid, 1891, A., 79.

Amthor, Carl, and Julius Zink, horse fat, 1892, A., 1533.

Anacker, poisoning of cattle by earthnut cake, 1883, A., 818. Ancel, J. See M. Bauer.

Andeer, Justus, phloroglucinol as an antiseptic, 1885, A., 454.

- action of resorcinol on eggalbumin, 1890, A., 804.

Anderlini, Francesco, compounds of glycogen with sulphuric soid, 1888, л., 934.

derivatives of pyrrolinephthalide, 1889, A., 58.

- derivatives of dihydropyrroline, 1890, A., 65, 1480.

- nitropyrroline-a carboxylic acids, 1890, A., 66.

action of methyl indide on tetramethyldihydropyridine, 1890, A., 67. - - derivatives of cantharidin, 1890, A., 640; 1891, A., 1243.

--- pyroglutamic scid, 1890, A., 642.
--- action of methyl iodide or pentamethyldihydropyridine, A., 1431.

Anderlini, Francesco. Sec also Giacomo *Luigi* Ciamician,

Anderson, William Smellic, solubility of calcium carbonate in fresh and sea water, 1890, A., 450.

Anderson, William Smrllis. See also Robert Irvine.

Andés, L. E., refining of shellar, 1884, A., 380.

preparation of wood stains in the solid form, 1885, A., 711.

Andouard, Ambroise, the guano of Cape Vert, 1884, A., 359.

estimation of gum arabic in syrup, 1885, A., 299.

analyses of phosphatic manures, 1885, A., 838.

butter analysis, 1886, Λ., 283.
 incompatibility of nitrates and

superphosphates, 1887, A., 617.

variations in the proportion of phosphoric acid in milk, 1887, A., 856.

Andouard, Ambroise, and I. Dézaunay, effect of exhausted beet pulp on cows'

milk, 1884, A., 347; 1885, A., 73. Andræ, desiccation of seed potatoes, 1885, A., 1155.

André, Gustave, ammonio-bromides and oxybromides of zinc, 1883, A., 713.

double chlorides of lead and ammonium and oxychlorides of lead, 1883, A., 717.

double salts of lead, 1883, A., 903.
 heats of formation of lead oxychlorides and oxybromides, 1884, A., 384

—— heat of formation of mercuric oxybromides, 1884, A., 707.

barium oxychloride, 1884, A., 712.
thermochemistry of the oxychlor-

ides, 1884, A., 884.
—— ammonio-zinc sulphates, 1885, A.,

485.

basic and ammoniacal nitrates,

1885, A., 634.

ammonio-cupric sulphate, and a basic cupric sulphate, 1885, A., 873.

---- combination of acetamide with metallic chlorides, 1886, A., 337.

---- action of ammonia on chloroform, 1886, A., 521.

— action of water and ammonia on methylene chloride, 1886, A., 861.

--- action of lead oxide on soluble chlorides, 1887, A., 446.

action of mercuric oxide on dissolved chlorides, 1887, A., 447.

mium chloride, 1887, A., 637.

— ammoniacal compounds of cadmium sulphate and nitrate, 1887, Δ., 638.

André, Gustave, action of metallic oxides on solutions of zine and manganese chlorides, 1888, A., 651.

anmoniacal derivatives of nickel

salts, 1888, A., 655.

properties of the moreurammonium chlorides, 1889, A., 570.

formation of mercurammonium chlorides, 1889, A., 827.

— ammoniacal mercuric chlorides, 1891, A., 986.

curic chloride, 1891, A., 1030.

bismuthic acid, 1892, A, 413, 688.

André, Gustave. See also Marcellin

Berthelot.

Andreae, C. L., solubility of solid substances in water at various temperatures, 1881, A., 1090.

 method for estimating the specific gravity of solid substances soluble in water, 1885, A., 332.

— specific gravity of saturated solutions of solid substances at various temperatures, 1885, A., 334.

A., 781.

Andreasch, Raulolf, oxidation of the bases obtained by the action of halogen compounds on thiocarbamide, 1883, A., 664.

potassium ethylenic disulphonate, 1883, A., 912.

allylcarbamide, 1881, A., 731.
thiohydantoin and its derivatives, 1886, A., 226.

sulphochloracetic acid, 1886, A., 786.

---- thiohydantoin, 1888, A., 47.

thiocarbimidacetic acid and rhodanic acid, 1889, A., 960.

Andreasch, Rudolf. See also Richard L. Maly.

Andrée, Ad., testing balsam of Poru, 1886, A., 181.

Andréeff, 1. See Hugo Andres.

Andreocoi, Americo, action of phonylhydrazine on acetylurethane, 1890, A., 889.

— synthesis of 1:3-phenylpyrrodiazolecarboxylic acid, 3-methylpyrrodiazole, 3-pyrrodiazolecarboxylic acid, and pyrrodiazole, 1892, A., 636.

Andreocci, Americo. See also Siegmund Levy.

Andres, Erwin, soap varnishes, 1884, A., 648.

Andres, Hugo, Russian oil of peppermint, 1890, A., 1428.

Andres, Hugo, and A. Andréeff, Russian peppermint oil and menthylamine,

1892, A., 723.

Andresen, M., trichloroquinone-chlorimide, tri- and tetra-chloroquinone, 1881, A, 131.

- safranine and mothylene-blue, 1886, A., 1026.

Andrews, Clement Walker, influence of temperature on the specific rotation of cane sugar, 1890, A., 579.

Andrews, Clement II alker. See also

Lewis Mills Norton.

Andrews, Launcelot IV., volumetrie estimation of combined sulphuric acid, 1890, A., 411.

detection of contine in a case of

poisoning, 1891, A., 871.

Andrews, Thomas (Belfast), properties of matter in the gaseous and liquid state under various conditions of temperature and pressure, 1889, A., 95.

Andrews, Thomas, electromotive force between metals at high temperatures,

1885, A., 1175.

- electrochemical effects of magnetizing iron, 1889, A., 92; 1890, A., 678. - passive state of iron and steel, 1891, A., 250.
- Andrieu, L., chromatometer, 1886, A., 1070.
- Angeblis, Alexander, and Richard Anschütz, synthoses of dimethylanthiacene hydride and diphenylethane from bonzone and ethylidenie chloride, 1884, A., 753.
- action of aluminium chloride on a mixture of benzene and vinyl bromide, and of benzene and vinyl tribromide, 1881, A., 753.

Angeli, ∠1 nyclo, dimothylothylenediamine, 1890, A., 954.

- -- condensation products of a-acetyl-

- pyrroline with benzil, 1890, A., 1000. -- action of ethyl oxalate on methyl
- pyrryl ketone, 1890, A., 1156, 1243. --- diphonylacotylenediuremeand some of its derivatives, 1890, A., 1290.
- action of ethyl oxalate on acetothienone, 1891, A., 550.
- action of carbamide on benzil, 1891, A., 726.

— eulyte, 1891, A., 889.

- action of nitric acid on acetylacetone, 1891, A., 890.
- ethyl acetothicnoneoxalate, 1892. A., 154.
- use of sodium hypophosphite in Sandmeyer's reaction, 1892, A., 305.

· estimation of sulphur in organic substances, 1892, A., 382.

Angeli, Angelo, action of nitrous acid on some unsaturated aromatic compounds, 1892, A., 417, 1198.

Angeli, Ingelo, and I. Chiussi, action of iodic acid on levulinic acid, 1892, А., 1179.

Angeli, Ingelo, and Gucomo Luigi Ciamician, oxidation products of brominated thiophens, 1891, A., 427. Angeli, Angelo. See also Giacomo Luigi

Ciamician; Gaetano Magnanini.

Angot, All red, effect of altitude on plant growth, 1881, A., 627.

Angström, Knut, alteration in the volume and density of liquids by the absorption of gases, 1888, A., 401.

Ankersmit, Hendrik Jan. Pictet.

Annaheim, J., substituted naphthylenediamines, 1887, A., 839.

Anraeff, A. N., behaviour of quinol with urine and urea, 1887, A., 511.

Anrep, Fasilius Kron, physiological action of ptomames, 1885, A., 682.

Anschütz, Ruchard, action of aluminium bromide on s-dibromethylene and benzene, 1883, A., 807.

-- bromine substitution products of ethane and ethylene, 1884, A., 32.

- - monothyl hydrogen oxalate, 1884, A., 296.

-----as-tetraphonylothane, 1884, A., 326. - syntheses by means of aluminium chloride, 1884, A., 754; 1887, A., 150. — acridine pierate, 1881, A., 908.

- use of dry oxalic acid in the formation of condensation products, 1884, A., 1019.

--- chrysaniline, 1881, A., 1034.

- --- new method of preparing aromatic hydrocarbons, 1885, T., 898; A., 1061. -- formation of the anhydrides of mono- and dibasic neids, 1885, A., 213.
- ---- racemic acid, and the calcium salts of the four tartarie acids, 1885, A.,
- -- replacement of two chloring atoms in chlorides by means of anhydrous oxalic acid, 1885, A., 263.

— pipitzahoic acid, 1885, A., 776. - formation of methyl racomate from methyl d- and 7-tartrates, 1885, A., 966.

— malic acids, 1885, A., 1049.

- action of phosphoric chloride on salicylic acid, 1885, A., 1001.

– ethoxalic chloride, 1886, A., 1011. - isomerism of fumaric and malcic acids, 1887, A., 916; 1888, A., 448; 1890, A., 363,

Anschütz, Richard, formation of anilic acids from anhydrides of dibasic acids, 1888, A., 277.

- phenylhydrazile acids from the anhydrides of dibasic acids, 1888, A., 367.

action of phosphorus pentachloride on anilic acids, 1888, A., 594.

 Reissert's pyranilpyroinlactone, pyranilpyroic acid, and anilosuccinic acid, 1888, A., 1092.

- determination of the molecular weight of dimethyl diacetylracemate by Raoult's method, 1888, A., 1273. - Reissert's pyranilpyroic acid, 1889,

A., 142.

- Reissert's anilosuccinic acid and anilopropionic acid, 1889, A., 707.

- Raoult's method of determining molecular weights as used to dis-tinguish between isomerism and polymerism, 1889, A., 754.

- can Raoult's method distinguish between atomic and molecular union?

1890, A., 105.

- alkyl hydrogen oxalates, dichloroglycollates, and chloroxalates: tetralkyl oxalates, 1890, A., 235.

- cyanogen monosulphydrate, 1890,

A., 351. — formation of hydantoïn, 1890, A., 365.

acetyltrichlorophenomalic acid. 1890, A., 365.

lactam - formation in the fatty

series, 1890, A., 774.

identity of pyranilpyroinlactone and citraconanil, 1890, A., 774; 1891, A., 73.

- amic and anilic acids of fumaric acid and maleic acid, 1891, A.,

diglycollic anhydride, 1891, A., 177.

so-called phenylketohydroxydimethylanilidetetrahydropyridinecarboxylic lactone, B-anilidoglutaranil, 1891, A., 741.

Anschütz, Richard, and Charles Beavis, dichloromaleinanil chloride, 1891, A., 1047.

Anschütz, Richard, and Paul Bendix, diphenylsuccinic acids, 1891, A., 71.

Anschütz, Richard, and Carl Bennert,

monosubstituted succinic acids, 1890, A., 363.

Anschütz, Richard, and Wilhelm Berns, phenylacetic acid and desoxybenzoins, 1887, A., 829.

diethylcarbobenzoic acid, 1891, A., 913.

Anschütz, Richard, and Fritz Eltzbacher, new synthesis of anthracene, 1883, A., 809.

- synthesis of as-tetraphenyl-

ethane, 1883, A., 1132.

Anschütz, Richard, and William Orren Emery, action of phosphorous chloride on salicylic acid and phenol, 1887, A., 946.

- action of phosphorus trichloride on phenol, 1890, A., 34.

action of phosphorus trichloride on salicylic acid, 1890, A., 53.

Anschütz, Richard, and Philip Norman Evans, chlorides of antimony, 1886, T., 708.

- antimony pentachloride, 1888, A., 424.

vapour density of antimony pentachloride, 1890, A., 16.

Anschütz, Richard, and Hugo Geldermann, action of carbamide and thiocarbamide on dihydroxytartaric acid, benzil, and benzom, 1891, A., 725.

Anschütz, Richard, and Camille Gillet, constitution of mesitonic acid, 1888, A., 1272.

Anschütz, Richard, and Arthur R. Haslam, action of phosphorus pentachloride on chloralide, 1887, A., 915.

- action of phosphorus pentachloride on chloralide: tetrachlorethylidene trichlorolactate, 1890, A.,

Anschütz, Richard, and Feramana Hensel, Reissert's deoxypyranilpyroic dibromide and bromodeoxypyranilpyroic acid, 1889, A., 258.

Anschütz, Richard, and Friedr. Heusler, partial amidation of polynitrated aromatic compounds, 1886, A., 1021.

Anschütz, Richard, and ('arl Hintze, diammonium oxalate, 1885, A., 1049. Anschütz.

aschütz, Richard, and Heinrich Immendorff, action of aluminium chloride, 1885, A., 269.

- preparation of homologues of benzene by aid of aluminium chloride. 1885, A., 709.

Anschütz. Richard,and Anunust Friedrich Kekulé, useful apparatus, 1885, A., 1035.

Anschütz, Richard, and Joseph Klein, tetraphenylethane, 1884, A., 1034.

Anschütz, Richard, and Felix Klingemann, preparation of malic acid from citric acid, 1885, A., 1050.

Anschütz, Richard, and John Walter Leather, derivatives of pipitzahoic acid, 1885, A., 777; 1886, T., 709.

Anschütz, Richard, and Peter Meyer, amido- and hydroxy-phenanthraquinones, 1885, A., 1067.

Anschütz, Richard, and George Dunning Moore, action of phosphoric chloride on m- and p-hydroxybenzoic acids, 1887, A., 947.

- action of phosphoric chloride

on salicylic acid, 1887, A., 917.

Anschütz, Richard, and Emilio Parlato, ethylic dioxysuccinate, 1892, 1181.

Anschütz, Richard, and Fordinand Reuter, itaconanilie acid, 1888, A.,

- action of aniline on citraconic acid and on itaconic acid, 1890, A.,

Anschütz, Richard, and Eugen Romig, action of aluminium chloride on mixtures of ethylidenic chloride with benzene, toluene, or m-vylene, 1885, A., 768.

— —— — nitration products of diphenylethane, 1885, A., 800.

-- action of nitrie acid on asdiphenylethane, 1886, A., 1033.

Anschütz, Richard, and Fritz Schönfeld, ethereal hydrogen oxalates: action of phosphoric chloride on ethoreal oxalates, 1886, A., 785.

Anschütz, Richard, and Gustav Theodor August Otto Schultz, behaviour of primary aromatic amines sulphur, 1889, A., 602.

Anschütz, Richard, and Charles C. Selden, Glaser's monobromocimamic acids, 1887, A., 829.

Anschütz, Richard, and Heinrich Weyer, action of aniline on chloride and bromide of arsenic, 1891, A., 901.

Anschütz, Richard, and Quirin Wirtz, decomposition of aromatic salts of fumaric acid, 1885, T., 899; A., 1064.

— anilides of fumaric and malcic acids: phonylaspartic acid, 1887, A.,

Anschütz, Richard, Paul Bendix, and Wilhelm Kerp, mesitene lactone and isodehydracotic acid, 1891, A., 172.

Anschütz, Richard. See also Alexander Angeblis.

Anadell, Gerrard, critical point of mixed gases, 1883, A., 277.

Ansdell, Gerrard, and James Dewar, gaseous constituents of meteorites, 1887, A., 851.

Anselm, F., hydronaphthalic acid, 1889, A., 717.

Ansiaux, Georges. See Juseph Corin.

Antoine, (%., dilatation and compression of air, 1889, A., 160.

- dilatation and compression of carbonic anhydride, 1889, A., 668.

-vapour pressure of water up to 200 atmospheres, 1891, A., 1407.

Antony, Ubaldo, removal of platinum from iridium, 1892, A., 1285.

Antony, Ubuldo, and Adolfo Lucchesi, composition of some metallic sulphides obtained in the wet way, and reactions of the sulphide of gold, Au,S., 1890, A., 1216.

- amie sulphide, 1891, A., 526; 1892, A., 280.

Antrick, Offo, compounds of diacetonamine with aldehydes, 1885, A., 502. benzylindole, 1885, A., 543.

- optical behaviour of cocaine, 1887,

A., 506. Antrick, Otto. See also Ludwig Knorr. Appiani, Giuseppe. Seo Angelo Menozzi. Appleyard, James Robert. See Edmund

Knecht. Arachequesne, G., estimation of acctone as indoform, 1890, A., 837.

Araki, Trasaburo, methemoglobin and sulphur-methæmoglobin, 1890, A., 1012.

- formation of lactic acid and glucose in the organism, 1891, A., 1125, 1392.

- - formation of sugar and lactic acid in the organism, 1892, A., 517, 1113.

Arapides. Leonidus, conversion of ketone thiocyanates into oxythiazoles, 1889, A., 413.

--- isothiocyanoacetic acid. 1889. A.,

See also Arthur Arapides, Leonidus. Rudolf Hantzsch.

N., Pedroand FrancescoCanzoneri, bark of Quina morada (Pogonomus febrifugus), 1890, A., 404. · - - true winter bark, 1890, A.,

" pillijau " (Lycopodium Saurumas), 1892, A., 894.

Arata, Pedro N., and Carl Gelzer, morrenole, 1891, A., 1088.

morronine, 1891, A., 1122. Arbenz, Carl, constitution of isceuxanthone, 1890, A., 53.

--- phenylsalicylic acid, 1890, A., 892. Arbos y Tor, (Don) Jaime, pyrolein, 1883, A., 519.

Archarow, J., estimation of organic matter in the atmosphere, 1892, A., 542.

Archbold, Geo., a new method of manufacturing paper pulp, 1883, A., 759.

Archbutt, Leonard, free acid in oils, 1885, A., 446.

– analysis of oils, 1887, $\Lambda.$, 402.

 analysis of grease, 1889, Δ., 321. - estimation of sulphur in iron and steel, 1890, A., 1463.

Arche, Alto, cerite, and the extraction of cerium, lanthanum, and didymium therefrom, 1884, A., 557.

Arche, Alto, and Curl Hassack, analysis of a pit-water, 1884, A., 782.

- analysis of some Indian bronzes and their patina, 1885, A., 100.

Arche, Alto. See also C. Kornauth. See D'Arcy. Arcy.

Argutinsky, P., excretion of nitrogen in sweat, 1891, A., 350.

- Kjeldahl-Wilfarth method, 1891, A., 362.

Arheidt, Richard, diphenylenedihydiazine, 1887, A., 958.

Aristoff, I., oxidation of acids of the lactic series, 1885, A., 752.

Aristoff, V., and Nicolaus I. Demjanoff, oxidation products of the a-hydroxyacids of the fatty series, 1888, A., 251.

Arloing, Saturnin, zymotic properties of certain virus, 1886, A., 170.

-zymotic virus and fermentation, 1887, A., 292.

Armitage, J. Lister, delicate test for morphine, 1888, A., 1137.

Armsby, Henry P., digestion experi-

ments, 1886, A., 380.

Armsby, Henry P., and William H. Caldwell, maize dried in the field and as silage, 1891, A., 359.
Armsby, Henry P., and Fred Garland

Short, apparatus for nitrogen determination, 1887, A., 298.

Armstrong, Henry Edward, note on the formation and constitution of the

fulminates, 1884, T., 25.
— constitution of the fulminates, 1885, T., 79.

- theory of the interaction of carbon

monoxide, water, and oxygen gases, 1886, T., 112. · use of the electric light to influence

chemical change, 1886, P., 182. - action of metals on acids, 1886, P.,

189. correlation of electrolytic conduction and molecular composition, 1886,

A., 754. explanation of the laws which govern substitution in the case of benzenoul compounds, 1887, T., 258, 583; P., 8, 44, 62; discussions, P., 9, 62.

Armstrong, Henry Edward, influence of liquid water in promoting the interaction of hydrogen chloride and oxygen on exposure to light, 1887, Т., 806.

- isomeric change in the raphthaleno

series, No. I., 1887, P., 143.

— determination of the constitution of carbon compounds from thermochemical data, 1887, A., 420.

- electrolytic conduction: evidence of a change in the constitution of water, 1887, P., 127; discussion, P., 128; 1888, T., 125.

the origin of colour and the constitution of colouring matters, 1888, P., 27; discussion, P., 31.

- criteria of plane and axial symme-

try, 1888, P., 93. valency, 1888, A., 550.

- the constitution of β-naphthol-αsulphonic acid (Bayer's acid), 1889, P., 8.

the sulphonation of naphthalone-\$sulphonic acid, 1889, P., 10.

- note on the interaction of metals and acids, 1889, P., 66; discussion, P., 67.

note on the determination of the molecular weight of substances in solution, especially colloids, 1889, P., 109; discussion, P., 113.

note on the hydration of cyanides, 1889, P., 122.

- terminology of hydrolysis, especially as affected by ferments, 1890, T., 528.

- oxidation of turpentine in sunlight, 1890, P., 99.

structure of cycloid hydrocarbons, 1890, P., 101; discussion, P., 103.

- terpenes and allied compounds. The nature of turpentine oils, including that obtained from Pinus khaspana 1891, T., 311.

- function of chlorine in acid chlorides, as exemplified by sulphuryl chloride, 1891, P., 60.

- formation of salts—a contribution to the theory of electrolysis and of the nature of chemical change in the case of non-electrolytes, 1891, P., 118.

 theory of solution, 1891, A., 788. - origin of colour; the appearance of colour in quinoline derivatives and of fluorescence in quinine salts, 1892, T., 789; P., 143.

the interaction occurring in flames, 1892, P., 22.

- note on anhydrides of sulphonic acids, 1892, P., 41.

Armstrong, Henry Edward, the origin of colour. Part II. The constitution of coloured nitro-compounds, 1892, P., 101.

as an evidence of isodynamic change: the existence of isodynamic acids, 1892, P., 103; discussion, P., 104.

---- contributions to an international system of nomenclature; the nomenclature of cycloids, 1892, P., 127; discussion, P., 130.

—— the origin of colour. Part V. ('oloured hydrocarbons and fluorescence, 1892, P., 189.

the origin of colour. Part VI. Azobenzene, 1892, P., 191; discussion, P., 195.

P., 203.

Armstrong, Henry Edward, and John Fredo wk Briggs, relative orienting effect of chlorine and bromine. [I].
 The constitution of p-brom- and p-chloranilinesulphonic acids, 1892, P., 40; discussion, P., 11.

Armstrong, Henry Edward, and Fredevek Stanley Kipping, camphorone, a product of the action of dehydrating agents on camphor, 1891, P., 188. production of the ketone

1:2:4-acetyl-o-xylene from camphor by the action of sulphuric acid and zine chloride, 1892, P., 54.

acid and camphor, 1892, P., 198.

Armstrong, Henry Edward, and Alexander Konneth Miller, studies on sulphonic acids. No. I. On the hydrolysis of sulphonic acids, and on the recovery of the benzenes from their sulphonic acids, 1884, T., 148.

ledge of camphor, 1884, A., 43.

1884, A., 43, 299.

of gas from petroleum, 1885, P., 77; 1886, T., 74.

Armstrong, Henry Edward, and William Jackson Pope, tempenes and allied compounds. Sobrerol, a product of the oxidation of terebenthene (oil of immentica) in confidence.

turpentine) in sunlight, 1891, T., 315.

Armstrong, Henry Edward, and
Edmund Charles Rossiter, action of
halogens on β-naphthol, 1889, P., 71.

of naphthol and naphthylamine, 1891, P., 32.

Armstrong, Henry Educard, and Edmund Charles Rossiter, bromoderivatives of β-naphthol, 1891, P., 87.

action of nitric acid on naphthol derivatives as indicative of the manner in which nitration is effected in the case of benzenoid compounds generally. The formation of nitroketo-compounds, 1891, P., 89; discussion, P., 91.

derivatives: the use of nitrogen dioxide as a nitrating agent, 1891, P., 91.

 — action of alcohols on sulphonic chlordes as a means of producing ethereal salts of sulphonic acids, 1891, P., 181.

action of bromine on a mixture of o- and p-nitro-α-accomplitability, 1891, P., 186.
 Armstrong, Henry Edward, and

Armstrong, Henry Edward, and Frederick William Streatfeild, action of bromine on β-naphtholsulphonic acid, 1886, P., 232.

Armstrong, Henry Edward, and Sidney Williamson, α-nitro-, α-bronno-, and α-chloronaphthalenesulphonic acids, 1886, P., 233.

---- a-cyanonaphthalonesulphonic acid, 1887, P., 43.

- isomeric change in the naphthalone series. No. 4. α-Haloiduaphthalenesulphonic acids, 1887, P., 145.

Armstrong, Henry Edward, and William Palmer Wynne, action of chlorosulphonic acid on naphthalene-α- and β-sulphonic acids, 1886, P., 230.

naphthalenesulphonic acids, 1886, P., 233.

— - formation of γ-naphthaleuesulphonicacids: γ-dihydroxynaphthalene, 1887, P., 42.

isomeric change in the naphthalone series. No. 3. \$-Chloronaphthalonesulphonic acids, 1887, P., 145.

sulphonation of naphthalene, 1887, P., 146.

constitution of the dichloronaphthalenes, especially of the α-βcompounds, 1888, P., 104. Armstrong, Henry Edward, and William Palmer Wynne, note on the 1:3-homoand the isomeric hetero-a-B-dichloronaphthalenes melting at nearly the same temperature, 1889, P., 5.

nitiation of naphthalene-\$-

sulphonic acid, 1889, P., 17.

- determination of the constitution of the heteronucleal α - β - and B-B-di-derivatives of naphthalene, 1889, P., 34, 48.

nitro-\$-chloronaphthalene, 1889, P., 71.

- — isomeric change in the naphthalene series. No. 5. 8-Iodonaphthalenesulphonic acids, 1889, 119.

 constitution of the tri-derivatives of naphthalene. No. 1. The constitution of \$\beta\$-naphthol- and \$\beta\$naphthylamine-sulphonic acids and G; naphthalene-m-disulphonic acid, 1890, P., 11.

 constitution of tri-derivatives of naphthalene. No. 2. a-Amido-1:3naphthalenedisulphonic acid, 1890,

P., 15.

constitution of tri-derivatives of naphthalene. No. 3. α-Naphthylaminedisulphonic acid Dahl (No. III.), the constitution of naphthol-yellow S., 1890, P., 16.

- homonucleal trichloronaph-

thalenes, 1890, P., 76.

- the ten isomeric dichloronaphthalenes and the sulphonic acids and trichloronaphthalenes derived therefrom, 1890, P., 77.

- chlorides of naphthalene and its derivatives, and the manuer in which they are decomposed by alkalis,

1890, P., 85.

- isomeric change in the naphthalene series. No. 6. The influence of position in determining the nature of isomeric change in the case of the chloronaphthalenesulphonic acids, 1890, P., 86.

of naphthalene. No 4. Constitution of a-naphthylaminedisulphonic acid Dahl (No. II.), naphthalene-1:2-disulphonic acid, 1890, P., 125.

constitution of tri-derivatives of naphthalene. No. 5. Constitution of the Schollkopf α-naphthylaminedisulphonic acid, 1890, P., 126.

 constitution of tri-derivatives of naphthalene. No. 6. Constitution of Cassella's β-naphthylamine-δ-di-sulphonic acid, 1890, P., 127.

Armstrong, Henry Edward, and William Palmer Wynne, constitution of triderivatives of naphthalene. No. 7. Disulphonic acids obtained by sulphonating the isomeric heteronucleal B-naphthylaminesulphonicacids, 1890, P., 128.

 constitution of tri-derivatives of naphthalene. No. 8. 8-Chloronaphthalenedisulphonic acids, 1890, P., 131.

 comparative influence exerted by the radicles Cl, OII, and NII2 in nanhthalene-derivatives on the formation of sulphonic acids, 1890, P.,

- action of potash on naphthalene-1:3-disulphonic acid, 1890, P., 136.

- constitution of tri-derivatives of naphthalene. No. 9. Andresen's B-naphthylaminedisulphonic 1891, P., 27.

- Griess-Saudmeyor interactions and Gattermann's modifications there-

of, 1892, P., 199.

Armstrong, Henry Edward. See also Ldward Greenhill Amphlett.

Arnaud, Albert, cinchonamine, 1881, A., 87.

- colouring matter of leaves, 1885, A., 670.

— carrotene, 1886, A., 711. — cholesterol in the carrot, 1886, A., 830.

carrotene in leaves, 1887, A., 859; 1890, A., 285.

crystalline arrow poison of the Somalis, extracted from the wood of the onabaio, 1888, A., 848.

strophantin, 1888, A., 1310.

— crystalline compound from gla-brous Strophantus, 1889, A., 407. — tanghinin from Tanghinia veneni-

feru, 1889, A. 900.

— crystallised digitalin, 1890, A., 65.

- digitalin and tanghinin, 1890, A.,

cinchonamine as a test for nitrates. 1891, A., 362.

new acid of the Callan-O2 series, 1892, A., 582.

Arnaud, Albert, and Albert Charrin, transformation and elimination of organic matter by the pyrocyanic bacillus, 1891, A., 1182, 1894.

Arnaud, Albert, and Leon Padé, test for

nitric acid and nitrates in vegetable tissues, 1884, A., 1074.

Arnaud, Albert. See also Edouard Grimaux.

- Arndt, E. M., volatile base from the root of Cephaelis Ipecacuanha, 1889, 1., 918.
- Arnell, K. rnell, K. E., a-chloronaphthylsul-phonic acid, 1883, A., 595.
 - action of sulphuric acid on \$-chloronaphthalene, 1886, A., 555.
- Arnhold, M., triethyl formate and various methylals, 1887, A., 911.
- Arnold, Bernhard. See Eugen Lellmann.
- Arnold, Carl, estimation of organic nitrogen, 1883, A., 378.
- new colour reactions of the alkaloids, 1883, A., 386.
- poisonous principles contained in certain lupines, 1883, A., 740.
- ptomaines and similar bodies, 1884, Λ., 469.
- estimation of chlorides in unine, 1885, A., 835.
- estimation of nitrogen, 1885, A., 837.
- Kjeldahl's method of nitrogen estimation, 1885, A., 930; 1887, A.,
- Arnold, Carl, and Georg Schneidemühl, poisonous matter of lupines, 1884, A., 915.
- Arnold, Carl, and Konrad Wedemeyer, Boyer's method of estimating nitrogen, 1892, A., 1517.
- --- estimation of nitrogen in nitrates, 1892, A., 1517.
- Arnold, Eduard, ethylic methyloxalacetate and othylic oxalacetate, 1888, Л., 1179.
- Arnold. Eduard. See also Wilhelm Wislicenus.
- Arnold, H., bromine amalgamation process, 1883, A., 399.
- Arnold, John Oliver, Allen's method for the detection of hop-substitutes in beer, 1888, A., 763.
- Arnold, John Oliver, and Henry J. Hardy, determination of chromium in iron or steel in presence of phosphorus, 1888, A., 757.
 - --- estimation of sulphur in steel and in iron for steel making, 1888, A., 1833.
- Arnschink, Ludwig, nutritive value of glycerol, 1887, A., 509.
- -- absorption of different fats from the alimentary canal, 1890, 811.
- Arnst, Theodor. See Theodor Zincke. Arons, Leo, heat of dilution and specific heat of saline solutions, 1885, A., 1101.
- Arons, Leo. See also Emil Cohn.

- Aronstein, Louis, transformation of propyl bromideinto esopropyl bromide. under the influence of heat, 1883, A., 172.
- Aronstein, Louis, and Arnold Frederik Holleman, stilbene, 1889, A., 51.
- conversion of acetylene into ethylone derivatives by the direct addition of hydrogen, 1889, A 878.
- Arrhenius, Svante, Clausius-Williamson hypothesis, 1884, A., 701.
- conductivity of mixtures of aqueous solutions of acids, 1887, A., 415.
- viscosity of dilute aqueous solu-
- tions, 1888, A., 336.
 influence of neutral salts on the rate of hydrolysis of ethyl acetate, 1888, A., 340.
- conductivity of illumined air, 1888, A., 544.
- dissociation of substances dissolved in water, 1888, A., 896.
- -- theory of isohydric solutions, 1888, A., 1144.
- --- freezing-point of dilute aqueous solutions, 1888, A., 1242.
- - heat of dissociation and influence of temperature on the dissociation of electrolytes, 1889, A., 1044.
- clectrolytic dissociation, 1889, A., 1099 ; 1891, A., 521, 1148.
- rate of change in the inversion of cane sugar by acids, 1889, A., 1103.
- conditions of equilibrium between electrolytes, 1890, A., 437.
- -- electrical conductivity of salts in the Bunsen flame, 1891, A., 4.
- -- conduction of electricity by the vapours of heated salts, 1891, A., 515.
- -- theory of solution, 1891, Δ., 788. - heats of neutralisation, 1891, A., 1406.
- - correction in the calculation of the heat of dissociation of electrolytes, 1892, A., 931.
- applicability of Planck's proof of the law of van't Hoff, 1892, A., 985.
- electrical conductivity of substances in mixed solvents, 1892, A., of sub-1038.
- -- diffusion in aqueous solutions, 1892, A., 1265.
- Arsonval, A. d', suppression of nitroxygen fumes from the Bunson battery, 1885, A., 854.
- rapid absorption of carbonic anhydride from expired air, 1888, A.,
- calorimetry at constant temperatures, 1888, A., 773.

Arsonval, A. A. use of liquefied carbonic anhydride for the rapid filtration and sterilisation of organic liquids, 1891, Λ., 854.

- reactions of carbonic anhydride at

high pressures, 1892, A., 274.

Arsonval, A. C. See also

Edouard Brown-Sequard. See also Charles

Arth, Georges, menthyl chloride, 1884, A., 167.

 decomposition of ethyl carbamate, 1884, A., 731.

 oxidation of menthol by potassium permanganate, 1884, A., 755.

- action of anhydrous ammoniacal ammonium nitrate on metals, 1885, Λ., 1039.

urethanes of the paraffin series,

1886, A., 692.

 menthol derivatives, 1886, A., 892.

- pimelic acid from menthol, 1888, Δ., 1273.

- estimation of phosphoric acid in slags: formation of tetrahydrated ferric phosphate, 1890, A., 292.

Arth, Georges. See also Albin Haller.

Arthus, Maurice, glycolysis in the blood, 1891, A., 1528; 1892, A., 900.

Arthus, Maurice, and Caliate Pages, chemical theory of the coagulation of the blood, 1891, A., 596.

Arthus, Maurice. See also A. Dastre. Arzberger, Hans. See Theodor Zincke. Arzruni, Andreas, artificial and natural gaylussite, 1883, A., 430.

dietrichite, 1883, A., 433.

jadeite axe from Rabbes, Hanover, 1883, A., 437.

- sulphur from Zielenzig, 1885, A., 27.

- - minerals from a chromite deposit, 1885, A., 31.

– groddeckite, a new zeolite, 1885, A., 32.

- minerals from Bolivia, 1886, A., 514.

- granite rocks of the Ural, 1886, Λ., 995.

paragonite schist from the Ural, 1887, A., 351.

dipyr from Connecticut, 1887, A.,

- manganotantalite from the Ural, 1888, A., 234.

Arzruni, Andreus, and Carl Baerwald, relations between the crystalline form and chemical composition of arsenical iron pyrites, 1884, A. 404.

Arzruni, Andreas, and August Frenzel, ferronatrite, 1891, A., 649,

Arzruni, Andreas. See also Alfonso Cossa.

Asboth, Alex. v., estimation of starch, 1887, A., 868.

-- does grain contain sugar ? 1888, A.,

- artificial cryolite and the dissociation of aluminium fluoride, 1891, A., 806.

Adolf Ossian, action of phenyl-mocarbimide on amido-acids, 1883, Ascr

Д., 1107. - action of thiocarbimides on amido-

p- and o-nitroxanilic acids, 1886, A., 147. acids, 1884, A., 907.

action of alkali thiocyanates on

phthalic acid, 1886, A., 704.

— phthalamic acid, 1886, A.,

- action of chloracetic chloride on o-

amidophenol, 1887, A., 814.

— proparation of a-dibromhydrin, 1889, A., 31.

- acids poor in carbon obtained from Baku petroleum, 1890, A., 737.

- acids from Baku petroleum, 1890, A., 737; 1891, A., 1452.

— constitution of α-dibromhydrin,

1890, A., 1083.

atomic re-arrangement of allyl compounds, 1890, A., 1084.

— oxanilic acid, 1890, A., 1124. — hydrogenation of benzoic acid, 1891, A., 1053, 1481.

 hydrobenzoic acid, 1892, A., 847. Aschan, Karl Allan, action of hydrogen phosphide on mercury salts, 1886, A., 423.

Aschan, Wolter, derivatives of homo-piperidinic acid, 1891, A., 466, 1246. Aschan, Wolter. See also Sugmund

Gabriel. Aschenbrandt, Heinrich, p-diethylben-

zene, 1883, A., 318.

Aschmann, C., preparation of an antiseptic compound, 1884, A., 782.

Aschoff, U., importance of chlorine in the plant, 1890, A., 1182. Aschoff, K. See Paul Ehrhardt Jannasch,

Julius **Mai**.

Ashdown, Herbert H., reducing substances in unine, 1890, A., 279.

Askenasy, Paul, and Victor Meyer. slow combustion of gaseous mixtures, 1892, A., 938.

- ---- photochemical notes, 1892, A., 939.

- nitropropylene, 1892, A., 1002.

Aslanoglou, P. L., electrolysis of various substances, 1890, A., 1203.

Aslanoglou, P. L., ammonia in burnt magnesium hydroxide, 1890, A., 1209. -- supposed copper nitride, 1892, A.,

409.

Assche, F. van, separation of rays of high and low refrangibility, 1881, A.,

Assmus, feeding experiments on pigeons, 1884, A., 473.

Aston, (Miss) Emily, some compounds of the oxides of silver and lead, 1891, T., 1093; P., 133.

Aston, (Miss) Envily, and Percivul Spencer Umfrerille Pickering, multiple sulphates, 1885, P., 129; discussion, P., 130; 1886, T., 123.

Aston, (Miss) Emily, and William Ramsay, atomic weight of boron, 1892, P., 165.

Astre, Charles, adulteration of verdigris, 1884, A., 1236.

 bismuth potassium iodides, 1890, A., 708, 1067.

-- - bismuth oxyiodide, 1891, A., 19. Athanasescu, Nicole, analysis of artificial brochantite, 1885, A., 1117.

--- crystallised basic sulphates, 1886, A., 981.

Athenstädt, Jul., preparation of aluminium acetate, 1884, A., 540. Athenstädt, Wilh. See Hans Julius

Anton Edward Hübner.

Atherton, T. H. T., occurrence of a natural gold sulphide, 1892, A., 283.

Atkinson, Mexander J., estimation of sulphur in coal and coke, 1887, A., 296.

Atkinson, Robert William, some compounds of antimony and bismuth containing two halogens, 1883, T., 289.

--- volumetric estimation of iron, 1884, A., 873.

-- · volumetric method for estimating alumina, 1886, A., 282.

estimation of manganese, 1887, A.,

Atterberg, Albert, Swedish method of testing for arsenic, 1886, A., 100.

testing soil by the growth of oats, 1888, A., 317.

--- sodium as a plant food, 1892, A., 1508.

Attfield, John, sap, 1883, A., 1164. Atwater, Wiebur Olin, chemistry of fish, 1883, A., 1179; 1888, A., 732.

 absorption of nitrogenous foodstuffs by plants, 1884, A., 1401.

-— acquisition of atmospheric nitrogen by plants, 1885, A., 1005; 1887, A., 515.

Atwater, Wiebur Olin, comparative absorption of fish and meat in the alimentary canal, 1887, A., 1130.

--- analyses of American fishes, 1888, Λ., 308.

- nitrogen determinations by sodalime, 1888, A., 990.

sources of error in determinations of nitrogen by soda-lime, 1888, A., 1334.

Wiebur Olin, and Everett Atwater, Meucham Ball, sources of loss in nitrogen determinations, 1888, A., 752.

Atwater, Wichur Olin, and Elbert William Rockwood, loss of nitrogen during germination and growth, 1887, Λ., 292.

Atwater, Wiehur Olin, and Churles Dayton Woods, soda-lime method for determining nitrogen, 1888, A., 193.

— — acquisition of atmospheric nitrogen by plants, 1891, A., 353, 491.

Aubel, Edmond van, electrical resistance of bismuth and its alloys, 1888, Λ ., 515; 1889, A., 807.

Aubel, Edmond van. See also Walthère

Spring.

Aubert, E., simultaneous evolution of oxygen and carbonic anhydride by ('actem, 1891, A. 856.

Aubert, Hermann, exhalation of car-

bonic acid by frogs, 1884. A., 91.

Aubert, Louis, and Victor Giraud, manufacture of cane sugar from starch, 1885, A., 1274.

Aubert, Pierre. See Raphael Lépine. Aubin, C. See Carl Graebe.

Aubin, Emile, estimation of phosphoric acid in superphosphates, 1884, A., 1124.

estimation of phosphoric acid, 1885, A., 1093.

separation and estimation of lead, silver, and zine in galena and blende, 1892, A., 1878.

Aubin, Emile, and Lucien Alla, estimation of nitrogen by Kjeldahl's method, 1889, A., 648, 925.

Aubin, Emile, and Jules Quenot, estimation of the total nitrogen in manures, 1890, A., 921.

Aubin, Emile. See also Achille Muntz. Audoynaud, A., adulteration of olive oil, 1886, A., 182.

rapid fermentation of grape juice, 1888, A., 989.

Audoynaud, A., and Ed. Zacharewicz. farmyard manure, 1885, A., 834, 1260. Auer, Henrik, othylphonol, 1884, A., 1002.

Auer von Welsbach, Carl, gadolinite from Ytterby, 1884, A., 717.

—— the rare earths, 1885, A., 350.

separation of didymium into its clements, 1885, A., 1113.

Aufschläger, Heinrich, formation of zinc cyanide on heating nitrogenous organic substances with zinc dust, 1892, A., 1164.

Augé, E., sodium alum, 1890, A., 1059. Auger, Victor, action of conanthaldehyde and heptyl chloride on dimethylaniline, 1887, A., 814.

- chlorides of bibasic acids, 1888,

A., 952.

Auger, Victor, and Auguste Béhal, preparation of acetic chloride and of chloracetic acid, 1890, A., 234.

Auger, Victor. See also Auguste Béhal. Aulich, Paul, relation between affinity and partition coefficients in immiscible solvents, 1891, A., 1148.

Auriol. G. A. Henry, and Denis Monnier, estimation of casein, 1890, A., 312.

Austen. See Roberts-Austen.

Austen, Peter Townsend, preparation of stannic oxide from sodium stannate, 1883, A., 425.

- analysis of stannate of soda, 1884,

A., 498. - lecture experiments with nitric acid, 1889, A., 672.

- hypochlorous acid in alkaline solution, 1889, A., 672.

- diamidophenyl thiocyanate, 1889, A., 700.

- lecture experiments with hydrogen

iodide, 1889, A., 754.

Ansten, Peter Townsend, and J. Chester Chamberlain, ammonium ferrous sulphate as a reagent for nitric acid, 1884, A., 493.

Austen, Peter Townsend, and George B. Hurff, reduction of ferric salts, 1883, A., 511; 1885, A., 512.

Austen, Peter Townsend, and Franklin S. Smith, dinitrophenyl thiocyanate, 1886, A., 693.

Austen, Peter Townsend, and Francis A. Wilber, purification of ammonium fluoride, 1884, A., 492.

- purification of drinking-water

by alum, 1885, A., 936. Autenrieth, Wilhelm, dimethylenedisulphone-derivatives, 1887, A., 463. substituted crotonic acids, 1887,

Λ., 797. mixed acid anhydrides, 1888, A.,

thio-derivatives of the crotonic acids, 1890, A., 361.

Autenrieth, Wilhelm, \$\beta\$-chlorocrotonic acids, 1891, A., 170.

benzenesulphinic acid and othylsulphinic acid, 1891, A., 203.

- sulphone-derivatives of the crotonic acids, 1891, A., 203.

- sulphur-derivatives of ethyl acetoacctate, cthyl methylacotoacctate, and ethyl ethylacetoacetate, 1891, Λ., 204.

- derivatives of acetal and acctone, 1891, A., 540.

- substituted sulphones, 1891, A.,

-certain sulphone derivatives and their hydrolysis in alkaline solution, 1891, A., 1067.

Autenrieth, Wilhelm, and Oscar Hinsberg, phenacetin: methoxy-o-phenyl-

enediamine, 1892, A., 160.

— derivatives of o-tolylenediamine,

1892, A. 709.

— hydroxyquinoxalines ethoxyquinoxalines, 1892, A., 732.

Auwers, Karl, ψ -cumenol, 1885, Λ ., 380. - ψ-cuntenol and ψ-cumidine, 1886, A., 143.

application of Raoult's method for determining molecular weights, 1888, A., 408.

- preparation of oximes, 1889, A., 689. -p-tolyl phenyl ketoxime, 1890, Λ ., 503

synthesis of alkyltricarballylic acids and other polycarboxylic fatty acids, 1891, A., 546.

- hydrobenzoins and their anhy-

drides, 1891, A., 1069. Auwers, Kurl, and Reinhard Bernhardi. determination of the structure of fatty acids by bromination, 1891, A., 1189.

Auwers, Karl, and Max Dittrich, structure of the eximido-group in the isomeric benzilmonoximes, 1889, A.,

Auwers, Karl, and John Addyman Gardner, tetramethylsuccinic acid, 1891, A., 290.

Auwers, Karl, and August Imhäuser, bromination of succinic acid and its

alkyl derivatives, 1891, A., 1191.

Auwers, Karl, and Louis L. Jackson.
determination of the structure of aliphatic acids, 1890, A., 1098.

Auwers, Karl, and Eduard Köbner, dimethylglutaric acid and trimethylsuccinic acid, 1891, A., 1015. Auwers, Karl, and Friedrich

Meyenburg, synthesis of isindazole derivatives, 1891 A., 1375.

Auwers, Karl, and Victor Meyer, investigation of the second van't

Hoff hypothesis, 1888, A., 597. - Raoult's method for the determination of molecular weights, 1888, A , 646.

- action of heat on benzildihydrazone, 1889, A., 51.

- isomerism of the benzildioximes, 1889, A., 403.

- isomerism of the oximidocompounds, 1889, A., 609.

- two isomeric benzilmonox-

imes, 1889, A., 611. - the third benzildioxime, 1889.

A., 713. tetraphenylsuccinonitrile, 1889, A., 883.

- tetramethylsuccinic acid, 1889, A., 1145.

- oximes of phenanthraquinone, 1889, A., 1201.

 dicarboxylic acids, C₈II₁₁O₄ 1890, A., 132.

- anhydride formation in acids of the succinic series, 1890, A., 179.

- tetramethylsuccinic acid and trimethylglutaric acid, 1890, A.,

stereochemistry of ethane derivatives, 1890, A., 1083.

- ___ oximes of halogen benzophonones, 1890, A., 1144.

 isomeric oximes of as-ketones and the configuration of hydroxylamine, 1890, A., 1263.

- Claus's theory of the benziloximes, 1892, A., 186.

- stereoisomeric nitrogen compounds other than eximes, 1892, A., 598.

Auwers, Karl, and Moritz Siegfeld.

benziloximes, 1892, A., 1470.

Auwers, Karl, Eduard Köbner, and Friedrich von Meyenburg, synthesis of polybasic fatty acids, 1892, A., 41.

Avenarius, Curt, conversion of alkylthiosinamines and alkylallylsemithiocarbazides into isomeric bases, 1891,

Avène, (Baron) d', continuous cultivation with artificial manures, 1884, A.,

Axenfeld, Davide, an albumin reaction, 1886, A., 183.

pyrogallol as a test for hemialbumose, 1887, A., 1127.

Aymonnet, relation between the index of refraction, density, molecular weight, and diathermanous power of a substance, 1892, A., 1.

Ayres, Edward F., borax in California, 1884, A., 260.

Ayrton, William Edward, and John Perry, seat of the electromotive force in a voltaic cell, 1886, A., 750.

- - expansion of mercury between 0° and - 39°, 1887, A., 317.

 – expansion produced by amalgamation, 1887, A., 327.

 alternate current electrolysis. 1838, A., 1006.

B.

"B., E.," titration of soda in presence of aluminium, vanadium, and tungsten, 1886, A., 650.

- estimation of alumina in aluminatos, 1886, A., 651.

- tannin estimation, 1887, A., 311. Baas, Horm. Karl Ludar., relation of tyrosine to hippuric acid, 1887, A., 1133.

- decomposition of othereal salts in the alimentary canal, 1890, A., 1013.

Babánek, Franz, the fahlerz of Přibram, 1886, A., 514.

Babbitt, H. C., manganese in steel and iron, 1887, A., 619.

Babcock, S. Moulton, method for the estimation of fat in milk, 1891, A.,

Babés, A., colouring matters and aromatic products from the Bacillus pyocyanicus, 1890, A., 189.

Babington, F. W., analysis of sugar, wine, molasses, and syrup, 1892, A.,

Babo, A. IV., (Freiherr) von, use of milch cows for labour, 1884, A., 1396.

Bach, Carl, benzyloxanthranol, 1890, A., 1144, 1425.

Bach, Engen. See Readolf Leuckart. Bach, Robert, thermochemistry of hydrazine: molecular refraction of some nitrogen compounds, 1892, A., 933.

Bachér, F., β-picoline, 1888, Λ., 498. - methylstilbazole and its reduction

products, 1889, A., 162. Bachman, Irvin Argus, freezing mix-

ture, 1888, A., 643.

oxidation of solutions of sulphurous anhydride and sulphites, 1888, A., 649.

- nickeliferous tale, 1888, A., 661. Bachmann, Albert, aldehydethyl chloride, and behaviour of acetal to alcohols at a high temperature, 1883, A., 726.

Bachmann, E., emodin in Nephroma

husitanica, 1888, A., 722.

Bachmetieff, P., magnetism and atomic weight, 1892, A., 672.

Bachmeyer, Wilhelm, test for organic

acids in phenol, 1883, A., 385.

test for sodium carbonate in milk, 1883, A., 385.

- analysis of potable water, 1884, A., 1431.

Bader, Richard, affinity constants of organic acids, 1891, A., 257.

s-trisubstitution derivatives of benzene, 1891, A., 1030.

- alkalimetric estimation of phenol, 1892, A., 543.

Badl, Victor. See Heinrich Goldschmidt. Bäckström, Helge, place of langbanite in the mineral system, 1891, A., 1436.

Bäckström, Helge, and Gunnar Paijkull, volume and carbon contents of the gas evolved during the solution of iron in acids, 1888, A., 420.

Bäckström, Helge. See also Woldemar

Christofer Brögger.

Baelde, Albérie, and Hubert Lavrand, biliary acids in urine during jaundice, 1889, A., 637.

Baerwald, Carl, thenardite from Aguas

Blancas, 1883, A., 434.

— analysis of a pyromorphite from Zahnrigen in Baden, 1883, A., 1063. - analysis of crocoisite, 1883, A., 1063.

- action of hydrogen peroxide on molybdates, 1884, A., 965.

- molybdenum derivatives, 1886, A., 17.

Baerwald, Curl. See also Andreas

Arzruni. Baessler, Arthur, derivatives of di-

methylquinol, 1884, A., 1329. - quinol and its derivatives, 1887, A., 364.

Baessler, P., assimilation of asparagine by plants, 1886, A., 1061.

 comparative experiments with oats manured with basic slag on moorlands, 1888, A., 189.

- best time for ploughing in yellow lupines, 1888, A., 191.

estimation of the oil and water in linseed cake, 1889, A., 321.

 comparative manurial value of the nitrogen in sodium nitrate and ammonium phosphate, 1889, A., 436.

estimation of fat in poppy cake, 1890, A., 306.

 yields and composition of a variety of red clover, 1890, A., 1183.

Baeyer, Adolf von, benzoylacetic acid. 1883, A., 336.

- nitroso-oxindole and nitroso indoxyl, 1883, A., 1131.

- compounds of the indigo group, 1881, A., 73.

- chemical nomenclature, 1881, A. 998.

- derivatives of o-amideacetophenone, 1884, A., 1021.

- polyacetylene compounds, 1885,

A., 759, 1198.

- synthesis of ethyl acctoacctate and of phloroglucinol, 1886, A., 223. - trioxime of phloroglucinol, 1886,

A., 350. - ethyl succinosuccinate, 1886, A.,

polymerisation of propargylic acid,

1886, A., 1009. melting-point of phloroglucinol,

1886, A., 1020. condensation product of pyrroline

with acetone, 1886, A., 1043. - constitution of henzene, 1887, A.,

362; 1888, A., 1069; 1889, A., 1176; 1890, A., 1275; 1892, A. 1211.

— reduction of the phthalic acids,

1887, A., 370.

- constitution of benzene : reduction products of terephthalic acid, 1888, A., 1069; 1889, A., 1176.

- hydrophthalic acids, 1888, A.,

constitution of benzene: reduction products of phthalic acid, 1890, A., 1275; 1892, A., 1211.

- relationship between ethyl succinosuccinate and phloroglucinol, 1891, A., 1485.

quinitol, the simplest sugar of the inositol group, 1892, A., 833.

 synthesis of dihydrobenzene, 1892, A., 1074.

synthesis of dihydro-p-xylene, 1892, A., 1182.

Baeyer, Adolf von, and Paul Becker, p-nitrobenzaldehyde and 1883, A., 1120.

Baeyer, Adolf von, and Friedrich Bloem. o-amidophenylpropiolic acid and its derivatives, 1883, A., 196.

- formation of indigo from o-amidoacetophenone, 1884, A., 1026.

Baeyer, Adolf von, and Gustav von Brüning, constitution of the phenylhydrazine derivatives of ethyl suc-

cinosuccinate, 1891, A., 1486.

Baeyer, Adolf von, and William Jumes Comstock, oxindole and isatoxime, 1883, A., 1130.

Baeyer, Adolf von, and Viggo Beutner Drewsen, preparation of indigo-blue from o-nitrobenzaldehyde, 1883, A., 341.

- action of o-nitrobenzaldehyde on aldehyde, 1884, A., 58.

Baeyer, Adolf von, and Paul Fritsch, o-hydroxyphenylacetic acid and its derivatives, 1884, A., 1021.

Baeyer, Adolf von, and Benno Homolka, quinisatin, 1884, A., 78, 1029.

Baeyer, Adolf von, and Ernst Kochendoerfer, catecholphthalein, 1889, A., 1153.

action of phenylhydrazine on phloroglucinol and resorcinol, 1889. A., 1162.

Baeyer, Adolf von, and Maurice Julius Lazarus, condensation products of isatin, 1886, A., 151.

Baeyer, Adolf von, and Richard Löhr, p-amidotriphenylcarbinol, 1890, A.,

Baeyer, Adolf von, and William Albert Noyes, succinosuccinic acid, 1889, A., 1147.

Baeyer, Adolf von, and Spiridon Cconomides, isatin, 1883, A., 201.

Baeyer, Adolf von, and Carl Pape, derivatives of o-xylene, 1884, A., 898.

Baeyer, Adolf von, and William Henry Perkin, junior, benzoylacetic acids, 1884, A., 63, 838.

 derivatives of hydrindonaphthene, 1884, A., 752.

- synthesis of naphthalene derivatives, 1884, A., 907.

Baeyer, Adolf von, and Huns Rupe, reduction products of dichloromuconic acid, 1890, A., 875.

Baeyer, Adolf von, and Friedrich Tutein, reduction products of hydroxyterephthalicaeid, 1889, A., 1180.

Baeyer, Adolf von, Rudolf Jay, and O. R. Jackson, phenylhydrazine derivatives of ethylic succinosuccinate, 1891, A., 1486.

Baeyer, Adolf von, Robert Schoder, and Eduard Rudolf Besemfelder, hydronaphthoic acids, 1892, A., 191.

Bagard, Henri, thermoelectric plienomena at the contact of two electrolytes, 1892, A., 1037.

Baginsky, Adolf, occurrence of xanthine, guanine, and hypoxanthine, 1885, A., 286.

use of milk preserved by high temperatures for children's food, 1885, A., 679.

bacteria of normal milk feeces, 1888, A., 865.

Bahlmann, P., amido-compounds in the animal system, 1887, A., 512.

Bahrmann, Robert, amarine and fur-furine, 1883, A., 799.

Bailey, E., dried alum, 1883, A., 1053. Bailey, Edgar Henry Summerfield, halotrichite from Colorado, 1891, A. 993.

- the Tonganoxie meteorite, 1892, A., 284.

Bailey, George Herbert, on some vanadates of the amines, 1884, T., 690.

- separation and estimation of zirconium, 1886, T., 119, 481; P., 138, 205.

- analysis of koppite, 1886, T., 153; P., 138; discussion, P., 138.

- apparatus for the determination of the temperature of the decomposition of salts, 1886, P., 205.

-- determination of atomic weights by means of the normal sulpliate, 1887, T., 676.

- temperatures at which various sulphates undergo decomposition, 1887, P., 100.

- interpenetration of spectra, 1887, P., 141.

--- silver suboxide, 1887, A., 771. -- absorption spectra of the rare earths, 1888, A., 1.

- lead aluminium sulphate, 1888, A., 110.

components of rare earths yielding absorption spectra, 1888, A., 208.

- estimation and occurrence of sulphur in coal, 1890, A., 414.

- atomic weight of zirconium, 1890, A., 705.

Bailey, George Herbert, and John Cannell Cain, simple and rapid method of gravimetric analysis, 1892, A., 524.

Bailey, George Herbert, and Gilbert John Fowler, silver suboxide, 1887, T., 416; I'., 54; discussion, P., 54.

- · some reactions of the halogen acids, 1888, T., 755; P., 79.

Bailey, George Herbert, and William Beechen Hopkins, behaviour of the more stable oxides at high temperatures: copper oxide, 1890, T., 269; P., 19.

Bailey, George Herbert, and Thornton Charles Lamb, the atomic weight of palladium, 1892, T., 745; P., 188.

Bailey, Henry, alloy of tin and sodium, 1892, A., 572. Bailey, S. C. H., acrolite from Rensselaer Co., New York, 1888, A., 121.

Bailhache, estimation of nitric nitrogen by ferrous sulphate, 1889, A., 925.

Bailhache and Commelin, specific gravity apparatus, 1890, A., 206.

Baille, J. B., and C. Féry, aluminium amalgam, 1890, A., 110. Baither, Otto, tetramethyldiamidoben-

zophonone, 1887, A., 816.

tetramethyldiamidothiobenzophenone, 1888, A., 289.

Baker, Charles John, absorption of gases by carbon, 1887, T., 249; P., 7; discussion, P., 8.

Baker, Harry, o-vanadates of sodium, etc., 1885, T. 353; P., 47; discussion, P., 48.

Baker, H. Brereton, direct union of nitrogen and hydrogen, 1884, A., 152. - combustion in dried gases, 1885, T., 349; P., 37; discussion, P., 38.

combustion in dried oxygen, 1889,

A., 465.

 action of light on silver chloride, 1892, T., 728; P., 120.

Baker, Julian L. See Arthur R. Ling. Baker, Robert Walker, beryl from Amelia Co., Virginia, 1886, A., 127. aker, T. See Alexander Kenneth Baker,

Miller.

Bakker, H. P., tengkawang fat or vegetable tallow, 1885, A., 710.

Balbiani, E. G. (and others), suggestions for the destruction of phylloxera, 1884, A., 920.

Balbiano, Luigi, dry distillation of sodium dibromanisate, 1883, 1125.

constitution of dibromanisic acid, 1884, A., 1172.

some fluorine compounds of copper, 1884, A., 1264.

derivatives of bromanisic acid, 1885, A., 530.

camphophenylhydrazine, 1886, A., 72.

derivatives of camphor, 1886, A., 808; 1887, A., 842, 1049, 1115.

derivatives of pyrazole, 1887, A.,

basic cupric chromate, 1888, A.,

 trimethylenephenylenimine, 1889, A., 252.

monosubstituted derivatives of pyrazole, 1889, A., 1215.

brominated derivatives of 1-phenyl-

pyrazole, 1890, A., 797. action of acid chlorides on 1-phenylpyrazole, 1890, A., 798.

two pyrazolebenzoic acids, 1890, A., 799.

synthesis of pyrazole, 1890, A., 1009.

Balbiano, Luigi, derivatives of 1-phenylpyrazole, 1890, A., 1164.

the pyrazole group: derivatives of trimethylenephenyldiamine, 1890, Λ., 1244.

- platinum compounds derived from the pyrazoles, 1892, A., 885.

Baldi, Dario, jecorin in the organism, 1888, A., 1813.

Baldracco, Giucento. See Giorgio Errera. Balestra, E., merculammonium compounds, 1892, A., 276.

Balfour, John Mackintosh. See Diarmid Noël-Paton.

Ball, Edwin Jennings, alloys of copper and antimony, and of copper and tin, 1887, P., 136; discussion, P., 137; 1888, T., 167.

Ball, Everett Meacham. See Wiebur Olin Atwater.

Balland, alteration of flour, 1884, A., 236, 532.

- Indian wheat, 1884, A., 355.

- analyses of flour, 1884, 374.

analyses of the wines of the Médéah, 1884, A., 1086.

 germinated wheat, 1884, A., 1087. - alkaloids in old flour, 1886, A.,

164. action of sulphurous anhydride on flour, 1891, A., 95.

- aluminium, 1892, A., 1281. Ballantyne, Horatio. See Robert T.

Thomson. Ballario, F., and C. A. Revelli, estim-

ation of the principal constituents of cows' milk, 1890, A., 1472. Balli, B., estimation of cream of tartar

in wine lees, 1892, A., 1033. Balló, M., carbonic hydrate, 1883, A.,

574. - platinized magnesium as a reducing

agent, 1883, A., 1053.

 chemistry of plants, 1884, A., 765. composition of Borhegyer water, 1884, A., 978.

estimation of carbonic anhydride in air, 1884, A., 1076.

 reduction of tartaric acid, 1889, A., 693.

Bally, Oscar, phenylated piperidine and pyridine bases, 1888, A., 65.

ethyl phloroglucinoltricarboxylate, 1888, A., 955.

action of chlorine on pyridine, piperidine, and their derivatives, 1888, A., 964.

Balmer, J. J., spectrum lines of hydrogen, 1885, A., 1025. Balsohn, Max. See Charles Friedel.

- Baltzer, Otto, and Hans (Freiherr) von Pechmann, homologues of n-phenylosotriazole, 1891, A., 1115.
- Bamberger, Eugen, formation of phenylxanthamide, 1883, A., 185.
- Bechi's so-called picranalcime from Monte Catini mine, Monte Caporciano, 1883, A., 438.
- dicyanodiamide, 1883, A., 907, 1090.
- —— melanuric acid, 1883, A., 1086. —— triamidophenol, 1884, A., 309.
- retene, 1884, A., 1040; 1885, A.,
- colour reactions of o-diketones,
- 1885, A., 807.

 —— behaviour of anisons at high temperatures, 1886, A., 872.
- reaction of potassium cyanide with o-nitrobenzylic chloride, 1887, A.,
- ------ sparteïne, 1887, A., 162.
- synthesis of guanylearbamide, 1887, A., 357.
- —— hydro-derivatives of aromatic bases, 1888, A., 159.
- ---- quinoline, 1888, A., 301.
- --- camplior bases, 1888, A., 721.
- reduction of quinoline-derivatives, 1889, A., 518.
- ---- fichtelite, 1889, A., 711.
- proporties and constitution of hydrogenised bases, 1889, A., 717.

- ——synthesis of ammeline and cyanuric acid, 1890, A., 1082.
- --- contributions to the theory of the six-membered "rings," 1890, A., 1299. --- piperylliguanide, 1891, A., 785.
- —— 1:4:6-trimethyl-p-phonylenediamine, 1891, A., 1082.
- constitution of rings containing five atoms, 1891, A., 1090.
- alicyclic homology, 1891, A., 1097.

 reduction of tricyclic systems,
 1891, A., 1258.
- s-bisphenylhydrazone of mesoxaldehyde, 1892, A., 162.
- Bamberger, Eugen, and John Leigh Hoskyns Abrahall, 1:4'-tetrahydronaphthylenediamine, 1889, A., 782.

- Bamberger, Eugen, and Mar Althausse, a-tetrahydronaphthylamine, 1888, A., 959.
- Bamberger, Eugen, and Johannes Bammann, 1:4'-tetrahydronaphthylenediamine and α-tetrahydronaphthylamine, 1889, Λ., 782.
- Bamberger, Eugen, and Bernhard Berlé, benzimidazoles, 1892, A.,632.
- 6-naphthonitrile, 1887, A., 840.
 Bamberger, Eugen, and Frutz Bordt, a-tetrahydronapthylamine, 1889, A.,
- a-tetrahydronapthylamine, 1889, A., 715, 782.
- —— —— *αr*-tetrahydro-α-naphthol, 1890, **Λ.**, 508.
- Bamberger, Eugen, and Albert Calman, mixed azo-compounds, 1886, A., 62.
- Bamberger, Eugen, and Walter Dieckmann, synthesis of guanamine, 1892, A., 736.
- biguanide, 1892, A., 737.

 Bamberger, Eugen, and Withelm Filehne, relations between the physiological properties and constitution of hydrogenised bases, 1889, A., 737.
- Bamberger, Eugen, and Carl Goldschmidt, ethyl α naphthylamine, 1891, A., 1238.
- Bamberger, Eugen, and Hermann Helwig, reduction of secondary and tertiary alkyl-a-naphthylamines, 1889, A., 891.
- 1889, A., 1198.
- Bamberger, Engen, and Sannuel C. Hooker, retene, 1885, A., 905.
- A., 1070.
- Bamberger, Eugen, and Max Kitschelt, ar-tetrahydro-s-naphthol, 1890, A., 627.
- - arc and ar-tetrahydro-β-naphthylamine, 1890, A., 631.
- and anthracene, 1890, A., 1146.
- action of hypochlorous acid on β-naphthaquinone, 1892, Λ., 494, 857.
- --- preparation of isoquinoline from naphthalene, 1892, A., 882.
- Bamberger, Eugen, and Jacob Kranzfeld, chrysene, 1885, A., 1069.
- Bamberger, Eugen, and Felix Lengfeld, characteristics of the hydrogenation process, 1890, A., 1301.

Bamberger, Eugen, and Felix Lengfeld. reduction products of quinoline, 1890, A., 1318*.*

Bamberger, Eugen,and Wilhelm Lodter, aromatic nitriles, 1887, A.,

hydrogenation of aromatic hydrocarbons, 1888, A., 292.

- α-naphthaldchyde, 1888, Λ.,

 reduction of the thiamides of aromatic acids, 1888, A., 376.

- --- characteristics οť partly hydrogenised aromatic substances, 1888, A., 604.

- uc-tetrahydro-8-naphthol and secondary closed chain alcohols, 1890, A., 506.

- action of carbon bisulphide on menthol and borneol, 1890, A., 517.

- a closed chain analogue of ethylene, 1891, A., 1072.

Bamberger. Eugen, and Julius Lorenzen, benzimidazoles, 1892, A., 631.

Bamberger, Eugen, and Rudolf Müller. so-called carbonylcarbazole ("carbazole blue"), 1887, A., 959.

8-tetrahydronaphthylamine, 1888, A., 599, 712.

— phthalimide, 1888, Δ., 950. - reduction of alkyl-β-naph-

thylamines, 1889, A., 888. tetrahydro-derivatives of

 β -naphthaquinoline and β -naphthaquinaldine, 1891, A., 1510.

octohydro-derivatives of B. naphthaquinoline, 1891, A., 1511.

Bamberger, Engen, and Mux Philip, pyrene, 1886, A., 718, 948; 1887, A., 271, 496.

- acenaphthene and naphthalic acid, 1887, A., 495.

Bamberger, Eugen, and William Juy Schieffelin, hydrogenation of 1:2and 1:4-naphthylenediamine: preparation of 2:2'-naphthylenediamine, 1889, A., 892.

Bamberger, Eugen, and Ludwig Seeberger, dicyanodiamide, 1891, A., 838. 1892, A., 735.

Bamberger, Eugen, and Laudwig Stettenheimer, tetrahydro-α-naphthaquinoline, 1891. A., 1258.

· "aromatie" octohydro-anaphthaquinoline, 1891, A., 1260.

Bamberger, amberger, Eugen, and Lindwig Strasser, fichtelite, 1890, A., 384.

- octohydro-derivatives of \$3naphthaquinaldine, 1891, A., 1513.

Bamberger, Eugen, and Sidney Williamson, hydrogenation of B-diethylnaphthylamine, 1889, A., 1000.

Bamberger, Eugen, and Paul Wulz, methyl-p-toluidine, 1891, A., 1202.
— homologues of tetrahydro-

quinoline, 1891, A., 1253.

-tetrahydro-1-amidoquinaldine, 1891, A., 1256.

- action of diazobenzene chloride

on acctone, 1891, A., 1449. Bamberger, Eugen, Bernhard Berlé, and Ludwig Strasser, behaviour of carvaerol towards reducing agents, 1892, A., 157.

Bamberger, Max, analysis of resins and balsams, 1890, A., 1032.

- natural resins, 1892, A., 204. Bamberger, Max. See also Rudolf

Benedikt, Hugo Weidel. Bammann, Johannes. See Eugen Bam-

berger.

Bancroft, Wilder Dwight. See Churles Loring Jackson.

Bandrowski, Ernst von, acetylenedicarboxylic acid, 1883, A., 313.

propargylic acid, 1883, A., 314. action of dibasic organic acids on hydrazobenzene, 1884, A., 1015.

- oxidation of diphenylamine, 1886, A., 1023.

– diphenyl-p-azophenylene, 1888, A., 269.

- dinitrobenzidine, 1888, A., 286. derivatives of p-phenolphenyl-

amine, 1888, A., 943. - action of aniline on quinonephenylimide and diphenyl-v-azophenylene, 1888, A., 108ī.

oxidation of p-phenylenediamine and of p-amidophenol, 1889, A., 973.

Bandrowski, Franz Xaver, bases in Galician petroleum, 1887, A., 979.

- action of primary aromatic amines on benzil, 1889, A., 117.

Bandrowski, Franz Xurer. See also Bronislaw Lachowicz.

Bankiewicz, Zygm., reduction products of m-dinitro-y-acctotoluidide, 1888, A., 1184.

- reduction products of m-nitro-pacetotoluidide, 1889, A., 865.

Bannow, A., pure butyric acid, 1887, A., 29.

Barabini, E. See (/ulseppe Oddo.

Barataeff, Sergius, methoxydiallylacetic acid, 1887, A., 359. – action of allylic and ethylic iodides

on ethylic oxalate, 1887, A., 361. Barataeff, Sergius, and Alexander M. Saytzeff, triethylcarbinol, 1887, A., 353. Baratta, Norbert (Freiherr) von, cultivation of Sorghum halepense, 1884, Λ., 921.

Barba, W. P., use of asbestos in filtration, 1892, A., 751.

Barbaglia, Giovanni Angelo, alkaloids of Buxus sempervirens, 1881, A., 188.
 thiovaleraldehyde, 1885, A., 136.

— parabuxinidine, a fourth alkaloid from Buxus semperrirens, 1885, A., 177.

— isobutaldehyde and its polymerides,

1887, A., 461.

action of sulphur on aldehydes, 1887, A., 462.

action of sulphur on p-isobutalde-

hyde, 1889, A., 120.

Barbaglia, Giovanni Angelo, and Albert Marquardt, action of sulphur on benzaldehyde, 1891, A., 1049.

Barbier, Emile, relation between the ordinary thermometer and the weight thermometer, 1885, A., 111.

Barbier, Philippe, liquid terebenthene hydrochlorides, 1883, A., 809.

— phthalimidine and methylphthal-

inidine, 1889, A., 253.

—— pulcone, an isomeride of camphor, 1892, A., 627.

essential oil of Livari kanali, 1892, A., 1236.

Barbier, Philippe, and Jun Hilt, australene, 1889, A., 616.

Barbier, Philippe, and Lion Roux, action of heat on ketones, 1886, A.,

---- dispersive power of aqueous solutions, 1890, A., 673.

- — - dispersive power of carbon compounds: alcohols of the fatty series, 1890, A., 1034.

--- dispersive power of acids of the acetic series, 1890, A., 1853.

---- dispersion of organic compounds: ethereal salts, 1891, Λ., 774.

Barbier, Philippe, and Leo Vignon, formation of substituted safranines, 1888, A., 54, 141.

----- phenosafranine, 1888, A., 688.

Barbieri, Johann. See Ernst Schulze. Barbieri, Riccardo de. See François Sachs.

Bardach, Bruno. See Heinrich Gold-schmidt.

Bardet, G. See Dujardin Beaumetz. Bardwell, Fred. L., action of isobutyric acid on aniline, 1886, A., 52. Bardy, Charles, detection of higher alcohols in spirits of wine, 1892, A., 1379.

Baret, chlorophyllite from Loquidy, near Nantes, 1883, A., 143.

Barff (and others), preservation of milk, etc., 1883, A., 253.

Barfoed, Christen Thomsen, action of sodium hydroxide on mercurous salts, 1889, A., 316.

action of ammonia on mercurous salts, 1889, A., 675.

Barge, R. See Constantin Fahlberg. Bargioni, Guido, and Hugo Schiff, anhydrides of cresotic acid, 1888, A.,

Barillé, 1., thermo-mineral waters of Hamman el Lif, Tunis, 1886, A.,

322.

Barillot, Ernest. See Paul L. Chas-

taing. . Baringer, W., ψ -selenocarbamides,

1890, A., 880. Barker, George F., secondary batteries,

1889, A., 765.
Barker, George F. (and others), report

on glucose, 1885, A., 206.

Barlow, John James, estimation of manganese and iron by means of

lydrogen peroxide, 1886, A., 393.
—— modified Soxhlet's apparatus, 1888,

A., 537.

Barlow, William Henry, mechanical properties of aluminium, 1883, A.,

421.
Barner, F., crystallographic examination of α-β-dinitro-p-xylene and of dinitro-p-xylene (m.p. 93°), 1883, A., 179.

Barnes, Joseph, separation of metals precipitated by hydrochloric acid, 1885, A., 597.

-titanic acid as a mordant, 1886, A., 292.

--- valuation of zinc powder, and testing of carbonates, 1887, A., 80.

Barnes, J. B., separation of chlorine, bromine, and iodine, 1883, A., 1167.

Barnstein, Ferd., isobutenyltricarboxylte acid and as-dimethylsuccinic acid, 1888, A., 135.

Barnum, Merritt Wright. See Spencer Baird Newbury.

Barr, Andrew, behaviour of aromatic carbamides at high temperatures, 1886, A. 876.

—— nitrophenols and phonylhydrazine, 1887, A., 722.

— proparation of nitramines from nitrophenols, 1888, A., 822.

Barral, Etienne. See Raphael Lépine.

Barral, J. A., salicylic acid in beer and wine, 1884, A., 778.

Barré. See L'on Grimbert.

Barret, Edward Louis. See Charles Henry Wood.

Barrett, IV. Fletcher, new form of calorimeter, 1888, A., 103.

Barrois, Ch., glaucophane schists of the island of Groix, 1884, A., 412.

— chloritoïd from Morbihan, 1885, A., 1118.

— the pyroxenites of Morbihan, 1889, A., 109.

Barrows, Arthur Edward, and Thomas Turner, estimation of slag in wrought iron, 1892, T., 551; P., 122.

Barsilowsky, Jacob N., oxidation of aromatic diamines, 1885, A., 525.

reaction of benzaldehyde with

azobenzene, 1886, A., 148.

—— aniline dyes from aromatic diamines, 1888, A., 140.

—— condensation of aldehydes with

azo-compounds, 1892, A., 854.

Barth, August, rearing calves on skim

milk, 1884, A., 852. Barth, Kurt, complex salts of sulphurous acid, 1892, A., 564.

Barth (von Barthenau), Ludwig (Ritter), and Josef Herzig, constituents of Herniaria, 1889, A., 1003.

Barth (von Barthenau), Judwig (Ritter), and Hugo Weidel, oxidation of morphine, 1884, A., 85.

Barth (von Barthenau), Ludwig (Ritter), and Michael Kretschy, picrotoxin, 1884, A., 846.

Barth (von Barthenau), Ludwig (Ritter), and Josef Schreder, fusion of orcinol and gallic acid with soda, 1883, A., 59.

hydroxide on benzoic acid, 1883, A., 468.

— hydroxyquinol, the third isomeric trihydroxybenzene, 1883, A., 987.

---- substances formed by the fusion of quinol with soda, 1885, A., 520.

Barth, Max, specific influence of acetic acid on the fermentation of must, 1885, A., 942.

abnormal fermentation under unfavourable circumstances, 1885, A., 942.

estimation of glycerol in wines 1887, A., 184.

ensilage in the open air, 1888, A., 523.

Barth, Max. See also Julius Nessler.

Barthe, L., strontium phosphate, 1892, A., 1156.

Barthe, L., and Falières, preparation of pure strontium salts, 1892, A., 1277.
 Barthe, Lémec, methyl benzoyleyanacetae and cyanacetophenone, 1888, A., 951.

yanosuccinate, 1889, A., 588.

ethyl henzyleyanosuccinate, 1889, A., 708.

methyl cyanosuccinate and cyanotricarballylate, 1891, A., 42.

---- ethyl allyleyanosuccinate, 1891, A., 43.

methyl methyloyanosuccinate: methyl methylothenyltricarboxylate, 1891, A., 1017.

Barthe, Leonce. See also Albin Haller. Barthel, Gustar, Bunsen burner for spirit, 1892, A., 1386.

Barthélemy, Aimé, respiration of aquatic and submerged aero-aquatic plants, 1883, A., 747.

arsenic in wines free from artificial colouring matter, 1884, A., 526.

--- infection of eggs by chicken cholera, 1884, A., 1398.

Bartlett, James Monroe. See Whitman Howard Jordan.

Bartoli, Adolfo, constitution of electrolytes, 1883, A., 540.

electrical conductivity of carbon compounds, 1885, A., 624; 1886, A., 191.

conductivity of cetyl alcohol, 1885, A., 855.

—— relation between fusing and boiling points, 1885, A., 859.

collesion of solids, 1885, A., 866.

impermeability of glass to gases, 1885, A., 869.

electrical conductivity of mixtures of organic compounds, 1886, A., 191.

Bartoli, Adolfo, and Giorgio Papasogli, electrolysis of water and of solutions of boric acid, 1883, A., 540.

electrolysis of hydrofluoric acid and of potassium antimonate with carbon electrodes, 1883, A., 590.

electrolysis with carbon electrodes of solutions of binary compounds and of various acids and salts, 1883, A., 592.

electrolysis of glycerol with electrodes of carbon and platinum, 1884, A., 170.

Bartoli, Adolfo, and Giorgio Papasogli, a new cell founded on the oxidation of carbon in the cold, 1881, A., 1239.

- oxidation of various forms of

carbon, 1886, A., 202.

- products of the exidation of carbon in the electrolysis of aqueous ammonia, 1886, A., 406.

incomplete exidation of mel-

logen, 1886, A., 469.

- electrolysis with carbon electrodes, 1889, A., 559.

Bartoli, Adolfo, and Enrico Stracciati, specific heat of mellite, 1884, A., 1244.

- Mendeléeff's formula for the expansion of liquids, 1885, A., 859. - critical volumes of paraffins,

1885, A., 859.

- --- physical properties of paraffins from Pennsylvania petroleum, 1886,

-- relation between the critical temperatures of substances and their thermal expansion as liquids, 1887, A., 429.

Bartolotti, Pietro, essence of myrtle, 1891, A., 1384.

--- action of phosphorus pentachloride on methylhydrocotoin and methylprotocotoin, 1892, A., 1314.

derivatives of isoapiole, 1892, A.,

1315.

Bartoschewitsch, S. T., sulphates and ethereal hydrogen sulphates in urine during diarrhees, 1892, A., 1505.

George II., estimation of Bartram. nitrates by the phenolsulphonic acid method, 1891, A., 1136.

Barus, Carl, viscosity of gases at high temperatures, 1888, A., 1014.

- - electrical relations of the alloys of platinum, 1889, A., 201.

-- relation of volume, pressure, and temperature in the case of liquids, 1890, A., **321.**

-- -- pressure variations of certain high temperature boiling-points, 1891, A., 9. --- effect of pressure on the electrical

conductivity of liquids, 1891, A., 250.

 compressibility of hot water and its solvent action on glass, 1891, A.,

volume lag and its bearing on molecular constitution, 1892, A., 1043.

Barus, Carl, and Edward Adolph Schneider, nature of colloidal solutions, 1891, A., 1412.

Barus, Carl. See also Vincent Strouhal.

Bary, Paul, refractive indices of saline liquids, 1892, A., 929.

Basaroff, Alexander J., oxidation of sulphur in the air, 1883, A., 551.

-- - sulphuring vineyards, 1884, A.,

-- the atomic weights of the elements. 1888, A., 406.

Basler, Ad., condensation products of p-nitrobenzylie alcohol, 1884, A., 310.

- substituted aromatic \$-lactones and derivatives of cinnamic acid, 1884, Λ., 603, 1172.

Bassett, Henry, reaction of tin with sulphuric and nitric acids, 1886, A.,

- preparation of trichloromethylsulphonic chloride, 1886, A., 1000.

- interaction of iodine, water, and potassium chlorate, 1890, T., 760: P., 113.

-- enly to and dyslyte (a correction),

1891, T., 978 ; P., 121.

- tabular expression of the periodic relations of the elements, 1892, A.,

Bassett, Henry, and E. Fielding, action of hypochlorous anhydride on iodine trichloride, 1887, A., 106.

Basso, U. See Michele Fileti.

Bastelaer, A. van, analysis of butter, 1883, A., 246; 1884, A., 120.

Battandier, J. A., glaucine, 1892, A.,

Battut, L., estimation of sugars and glucoses, 1885, A., 693.

- sulphurous anhydride in sugar refining, 1885, A., 709.

- -- ammonia in beet-roots, 1887, A.,

- - estimation of sugars in beet, 1889, A., 314.

Baubigny, Henri, action of ammonium sulphide on stannous sulphide, 1883,

-- action of hydrogen sulphide on solutions of normal nickel sulphate, 1883, A., 24.

action of hydrogen sulphide on nickel sulpliate in acetic acid solution, 1883, A., 25.

- action of heat on an acid solution of nickel sulphate in presence of hydrogen sulphide, 1883, A., 25.

transformation of amides into

amines, 1883, A., 175. determination of atomic weights by means of metallic sulphates, 1884,

A., 256. -- atomic weight of aluminium, 1884, A., 395.

Baubigny, Henri, pure chromic sulphate, 1884, A., 558.

determination of the atomic weight of chromium, 1884, A., 894.

estimation of chromium, 1884, A.,

conversion of amides into amines, 1886, A., 1006.

Schweizer's reagent and "Eau Céleste," 1887, A., 773.

artificial formation of alabandine, 1887, A., 781.

action of hydrogen sulphide on

cobalt salts, 1888, A., 113. use of hydrogen sulphide to purify nickel and cobalt, 1888, A., 423.

 separation of nickel and cobalt, 1889, A., 188.

- action of hydrogen sulphide on zinc sulphate, 1889, A., 346.

 separation of zinc and nickel, 1889, A., 652.

- separation of zinc and cobalt, 1889, A., 653.

- estimation of thallium, 1892, A., 238.

Baubigny, Henri, and E. Péchard, efflorescence of metallic sulphates, 1892, A., 1271.

Bauch, C., iodo-m-xylenesulphonic acid. 1891, A., 73.

Baudet, prevention of boiler incrustation, 1883, A., 408.

Baudet and Adrian, morphine in Eschscholzia californica, 1889, A., 644.

Baudin, E., resin oil in oil of turpentine, 1891, A., 870.

Baudoin, Antonin, testing copper sulphate, 1887, A., 1139.

Baudoin, Georges. See Albert William $\emph{L\'eon}$ Hénocque.

Bauer, Adolf. See Carl Engler.

Bauer, Alexander, new acids of the series C_nH_{2n-4}O₀, 1883, A., 970.
—— pimelic acid, 1883, A., 998.

Bauer, Alexander, and Karl Hazura, linoleic acid, 1886, A., 868.

– drying oils, 1888, A., 1269. Bauer, A. H., preservation of beer, 1883,

A., 136. Bauer, Emil, influence of invertin on the fermentation of cane sugar, 1883, A., 101.

 nature and formation of dextran, 1883, A., 105.

Bauer, Felix. See Karl Elbs. Bauer, Franc Wilhelm. S See Carl Engler.

Bauer, Hermana, boiling-point anomalies of the chlorinated acetonitriles and their derivatives, 1885, A., 1120.

Bauer, Hermann. See also Wilhelm Staedel.

Bauer, Kurl, some reactions of tertiary alcoholic iodides, 1884, A., 167.

Bauer, M., L. Brouard, and J. Ancel, vegetable leather, 1885, A., 851.

Bauer, Max, dioptase from the Cordilleras of Chili, 1883, A., 446.

— pseudomorphs of calcite after arm-

gonite, 1886, A., 431.

— the basalt of the Stempel, near Marburg, 1891, A., 1440; 1892, A., 126.

Bauer, Oscar. See Alexander Classen. Bauer, R., azobenzenethiosulphonic acid; azobenzenesulphinic acids, 1885, A., 1139.

Bauer, Reinhard II., sugar from agaragar, 1885, A., 500.

- arabonic acid and lichenin sugar, 1886, A., 869.

saccharine matter in peach gum, 1888, A., 744.

- galactose from plum gum, 1888, A., 1329.

- sugar obtained from Plantago Psyllium, 1889, A., 233.

- sugar-like compound from Laminaria, 1889, A., 687.

 birotation of arabinose, and its reducing value with Fehling's and Sachsse's solutions, 1889, A., 1132.

sugar from the pectin of plums, 1891, A., 413.

- sugar from quince juice, 1892, A.,

- sugar from linseed, 1892, A., 1293. Bauer, Reinhard II'. See also Julius Haedicke.

Baum. See Adolph Schlieper.

Baum, Joseph, simple method for preparing hippuric acid and allied compounds, 1885, A., 981.

-- oxidation products of conine, 1886, A., 562.

Baum, Joseph. See also Karl Schotten. Baumann, Anton, behaviour of zinc salts with plants and in the soil, 1884, A., 1408.

estimation of ammoniacal nitrogen in soils, 1887, A., 82.

estimation of ammonia in soils, 1888, A., 87.

azotometric method of soil analysis, 1888, A., 1336.

formation of nitric and nitrous acids by the evaporation of water in presence of alkalis and soil, 1889, A., Ī83.

valuation of pyrolusite by means of hydrogen peroxide, 1891, A., 245.

- Baumann, Anton, new methods in quantitative analysis, 1892, A., 103, 538. gas volumetric analysis, 1892, A., 538.
- Baumann, Eugen, detection and estimation of phenol and oxy-acids in the
- urine, 1883, A., 885. ---- active oxygen, 1884, A., 14.
- --- oxidation of carbonic oxide, air, and moist phosphorus, 1881, A., 1092 — cystin and cystem, 1884, A., 1382.
- formation of mercapturic acid in the organism, and its detection in the
- urine, 1884, A., 1395.

 estimation of iodine in urine, 1881,
- A., 1423.
- derivatives of pyruvic acid, 1885,
- Λ., 513.
- compounds of mercaptans with aldehydes, ketones, and ketonic acids, 1885, A., 718.
- aromatic compounds in urine and putrefaction in the intestines, 1886, A., 384.
- —— disulphones, 1887, A., 123.
- --- compounds of aldehydes and ketones with mercaptan, 1887, A., 126.
- preparation of ethereal benzoates, 1887, A., 228. — thionldchydes, 1890, A., 477.
- action of hydrogen sulphide on
- aldehydes, 1890, A., 1092.

 hydrolysis of sulphones and ethereal salts of benzenesulphinic acid,
- 1891, A., 1229. estimation of homogentisic acid in
- the urine, 1892, A., 925.

 Baumann, Eugen, and Rudolf Camps, thioaldehydes, 1890, A., 478.

 Baumann, Eugen, and Emil Fromm,
- thioaldehydes, 1890, A., 25.
- -- -- thio-derivatives of ketones, 1890, A., 26.
- ---- isomerism of thioaldehydes, 1891, A., 1008.
- ---- trithio-derivatives of acetaldehyde, 1891, A., 1010.
- --- thio-derivatives of benzaldehyde, 1891, A., 1050.
- ---- aromatic thicaldehydes, 1891, A., 1050.
- - thio-derivatives of furfuraldehyde, 1892, A., 301.
- Baumann, Eugen, and Alfred Kast, relation between the chemical constitution and physiological action of certain sulphones, 1889, A., 1232.
- Baumann, Eugen, and Max Klett, stilbene, thionessal, and tolane sulphide, 1892, A., 184.

- Baumann, Eugen. See also Richard Escales, Emri Fromm, Edwin Goldmann, László von Udránszky, Michael Wolkow.
- Baumann, J., action of amines on ethylenedibenzoyl-o-carboxylic acid, 1887, A., 735.
- Baumann, Thiébaut. See Emilio Nolting.
- Baumert, Georg, action of dehydrating
- agents on lupinine, 1883, A., 100.

 preparation of lupinine hydrochloride from lupinine residues, 1883, Δ., 224.
- -liquid alkaloid from Lupinus lutcus, 1884, A., 1387.
- action of acetic chloride and anhydride on lupinine, 1884, A., 1387.
- lupinidine from Lupinus luteus, 1885, A., 177.
- -- behaviour of lupinidine with ethylic iodide, 1885, A., 676.
- --- colchicine-like decomposition product, 1888, A., 636.
- constituents of lupine seeds, 1888, A., 1221.
- ---- occurrence of boric acid in the vine and in wines, 1889, A., 295.
- estimation of glycerol in wine, 1892, A., 1529.
- Baumhauer, E. H. von, simple form of thermo-regulator and registering ther-
- mometer, 1885, A., 471.

 the Ngawi meteorite, 1885, A., 1190.
- Baumhauer, Heinrich, the trapezohedral hemihedry of strychnine sulphate, 1883, A., 485.
- artificial twin-crystals of potassium sulphate and chromate, 1886, A., 17.
- -- variegated copper ore from New
- Moxico, 1886, A., 22.
 ---- boracite, 1886, A., 24.
 Baumstark, F., new method of provimate resolution of the brain substance, 1885, A., 918.
- Baur, Albert, artificial musk, 1890, A.,
- 1401; 1891, A., 1464. Baur, Albert. See also Werner Kelbe.
- Baur, C., radiation of rock salt at various temperatures, 1883, A., 702.

 Baur, Heinrich com, and Withelm Staedel, dimethylxylidines, dimethylm-chloraniline, and dimothyl-m-ami-dophenetoil, 1883, A., 579.

 Baur, R., test for available chlorine in
- bleach-works and similar establishments, 1884, A., 775.
- apparatus for the estimation of carbonic anhydride, 1884, A., 1216; 1887, A., 398.

Baur, R., estimation of fatty acids as fats, 1887, A., 401.

Baurath, Heinrich, a-stilbazole (a-cinna-

mylpyridine), 1888, A., 65, 608.

Bayer, Friedrich, and Carl Duisberg, β-naphthylamine sulphonic acid, 1887, A., 732.

Bayer, K. J., estimation of alumina, 1886, A., 281.

 estimation of alumina by titration, 1886, A., 651.

- basic aluminium sulphate, 1887,

Δ., 448.

 detection of free sulphuric acid and of aluminium hydroxide in aluminium sulphate, 1887, A., 530.

- alkaline aluminates, 1889, A., 213.

analysis of sodium aluminate, 1891, Λ., 864.

Bayley, Thomas, analysis of alloys and minerals containing the heavy metals, selenium, tellurium, etc., 1886, T., 735; P., 228.

error in the nitrometric analysis of sulphuric acid, 1886, A., 833.

- reduction of ferric nitrate in the nitrometer, 1886, A., 1072.

- separation of zinc from nickel and manganese, and estimation of nickel, 1888, A., 388.

reaction of iron with nitric oxide, 1888, A., 388.

Bayley, William Shirley, quartz keratophyre from Pigeon Point, Minnesota, 1889, A., 473.

Bayley, William Shirley. See also Harmon Northrup Morse, Ira Remsen.

Bayrac, estimation of uric acid in urine by means of sodium hypobromite, 1890, A., 670.

Bayrac, Pierre Henri, indothymol thymoquinone, and 1892, 1311.

Beadle, Clayton, the acid action of drawing papers, 1892, P., 34.

Beam, Hullium, rocks of the Yellowstone Park, 1884, A., 28.

Beam, William. See also Henry Leffmann.

Beaumetz, Dujardin. See Dujardin-Beaumetz.

Beaurepaire, preparation of durene and of benzyldurene, 1889, A., 966.

Beavis, Charles. See Richard Anschütz. Béchamp, Antoine, decomposition of hydrogen peroxide by certain organised bodies, 1883, A., 103.

- microzymas and the cause of the decomposition of hydrogen peroxide by animal tissues, 1883, A., 103.

Béchamp, Intoine, action of hydrogen peroxide on the red colouring matter of the blood and on hamalosin, 1883, Λ., 103.

— spontaneous fermentation of animal matter, 1883, A., 226.

- evolution of oxygen from hydrogen peroxide by fibrin, 1883, A., 227. -zymase of human milk, 1883, A.,

optical inactivity of cellulose and the rotary power of pyroxylin, 1885, A., 237.

- rotary power of solutions of cellulose in Schweizer's reagent, 1885, A., 369.

origin of microzymæ and vibrioles, 1885, A., 417. - optical inactivity of cellulose, 1885,

A., 500. - organisms which produce zymases,

1885, A., 580. -causes of the alteration of blood

in contact with air, oxygen, and carbonic anhydride, 1887, A., 609.

· coagulation: preparation of soluble casein, 1891, A., 338.

action of light on silver chloride,

1892, A., 775.

Béchamp, Joseph, and A. Dujardin, the zymase of jequirity, 1885, A., 1085.

Bechhold, Jacob, conversion of phenyl-azoresorcinol ethers into hydroxyquinol derivatives, 1889, A., 1155.

-chemical energy at the surface of liquids, 1890, A., 328.

carbazoledisulphonic acid, 1890, A., 1297.

Bechi, Emilio, prehnite and laumontite from Monte Catini, 1883, A., 441, 442.

 detection of cotton-seed oil in olive oil, 1885, A., 301.

- boric acid in plants, 1890, Λ., 656. Bechi, (Juido dc. See Emilio Nölting. Beck, Carl. See Carl Haeussermann.

Beck, Charles Ridgeway. See William Ashrooll Shenstone, William Augustus Tilden.

Beck, Ludwiy. See Adolph Claus. Beck, Paul. See Wilhelin Will.

Beck, Richard, and Willi Luzi, formation of graphite by contact metamorphosis, 1891, A., 989.

Beck Wilhelm von, and Iwan IV. von Muschketoff, nephrite, 1883, A., 1068.

Becke, Friedrich Johann, euclase from the Alps, 1883, A., 34. liornblende and anthrophyllite

after olivine, 1883, A., 444.

Becke, Friedrich Johann, zinc blende, 1886, A., 207.

parallel growth of tetrahedrite and zinc blende, 1886, A., 207.

- crystalline form of grape sugar and of optically active substances in general, 1889, A., 1041.

Becke, Fritz van der. See Albert Hilger. Becke, Dr. von der. See Curl Emil Clemens Freytag.

Becke, Paul von der, m- and p-othylisopropylbenzene, 1891, A., 183.

Beckenkamp, J., the coefficients of elasticity of crystals, 1885, A., 729. strontianite and celestine from the

Kaiserstuhl, 1888, A., 659. Becker, Adolf, reduction of nitric acid to ammonia by the galvanic current,

1892, A., 403.

Becker, Arthur, fusibility of calcium carbonate, 1886, A., 676.

- chemical constitution of barytocalcite and alstonite, 1887, A., 18.

- two analyses of mica, 1890, A., 220.

Becker, Arthur. See also Robert Sachsse.

Becker, Franz, estimation of tannin, 1885, A., 934.

- aluminium sulphate, 1885, A., 1271.

Becker, George E., new law of thermochemistry, 1886, A., 498.

- natural solutions of cinnabar, gold, and associated sulphides, 1887, A.,

- silicic acids, 1890, A., 342.

Becker, G. M., felspar, 1884, A., 716. Becker, Heinrich. See Adolph Claus.

Becker, Paul, m-nitrodiphenylmethane, 1883, A., 202.

chlorination by means of acctic chloride, 1887, A., 932.

See also Adolf von Becker, Paul. Baeyer.

Beckmann, Ernst Otto, barium aluminates, 1883, A., 289, 649.
— lasic halogen salts of barium,

1883, A., 649.

 preparation of mercury fulminate, 1886, A., 606.

- isonitroso-derivatives, 1886, 618.

detection of atropine, 1886, A., 955.

cracking glass with certainty, 1887, A., 105.

-titration with Fehling's solution, 1887, A., 185.

- isonitroso-compounds, 1887, A., 826; 1888, A., 48, 55, 409.

Beckmann, Ernst Otto, isobenzaldoxime. 1888, A., 55.

- molecular weight of oximes, 1888, A., 646.

- determining molecular weights by reduction of the freezing-point, 1889, A., 11.

- isomerism of oximido-compounds: isomeric monosubstituted hydroxylaminos, 1889, A., 607, 608, 979, 980.

- isomerism of benzaldoximes, 1889. A., 607, 608, 979.

the camphor series, 1889, A., 721; 1891, A., 936.

- behaviour of ketones and aldehydes towards sodium in presence of indifferent solvents, 1889, A., 781.

determination of the molecular weight from the rise in the boilingpoint, 1889, A., 933; 1891, A., 389, 1317.

- determination of the molecular weight from vapour pressure, 1890, A., 323.

-- molecular weights of dissolved iodine, phosphorus, and sulphur, 1890, A., 447.

- isomerism of the aldoximes, 1890, A., 1121.

--- aldoximes, 1891, A., 193.

- apparatus for freezing-point deter-

minations, 1891, A., 784.

Beckmann, Ernst Otto, and Theodor
Paul, action of sodium on ketones and aldehydes, 1892, A., 169.

Beckurts, Heinrich, detection of hydrocyanic acid, 1884, A., 222.

- volumetric estimation of ammonia, 1884, A., 492.

- method of testing butter for foreign fats, 1884, A., 778.

--- estimation of arsenic in judicial cases, 1885, A., 489,

--- hydrochloric acid in Marsh's ap-

paratus, 1885, A., 440.

— preparation of hydrochloric acid free from arsenic, 1885, A., 440.

- strychnine, 1885, A., 675; 1890, A., 1328.

- separation of alkaloids in forensic analysis, 1885, A., 701.
— strychnine and brucine, 1885, A.,

911.

- volatile constituents of ranuncu-

laceous plants, 1886, A., 365.

potassium nitrate and chlorate, 1886, A., 664.

- estimation of phenol as tribromo-

phenol, 1886, A., 1081.

— estimation of phenol in "liquid carbolic acid," 1886, A., 1081.

Beckurts, Heinrich, ptomaines, 1887, A., 385.

ferrocyanides of the alkaloids, 1890, A., 1318.

— brucine, 1890, A., 1330. — anemonin, 1892, A., 1241.

Beckurts, Heinrich, and Wilhelm Freytag, violet colouration of starch caused by iodine chloride, and bromide, 1886, A., 783.

Beckurts, Heinrich, and Paul Nehring, constituents of Angostura bark, 1892, A., 642.

Beckurts, Heinrich, and Robert Otto, action of heat and water on the halogen substituted acids of the $C_nH_{2n}O_2$ series, 1885, A., 506.

monohalogen derivatives of actylic acid, 1885, A., 509.

Beckurts, Heinrich, and Wilhelm Bougemont, testing nitic acid, etc., for iodine and iodic acid, 1886, A., 884.

Beckurts, Heinrich. See also Robert Otto, Georg Holst.

Becquerel, Alexandre Edmond, spectroscopic study of compounds rendered phosphorescent by the action of light or electrical discharge, 1885, A., 1098.

effect of manganese on the phosphorescence of calcium carbonate, 1887, A., 190.

A., 191, 409.

phosphorescence of calcium sul-

phide, 1887, A., 540.

 preparation of phosphorescent calcium and strontium sulphides, 1889, A., 198.

1889, A., 198.

Becquerel, Henri, observations of infrared spectra by means of phosphorescence, 1883, A., 761.

infra-red radiation spectra, 1884, A., I.

— infra-red radiation spectra of metallic vapours, 1884, A., 1237.

relation between the absorption spectrum and the phosphorescence of uranium compounds, 1886, A., 189.

of didymium salts, 1887, A., 878.

phosphorescence of minerals under the influence of light and heat, 1891, A., 776.

optical measurement of high temperatures, 1892, A., 761.

Becquerel, Henri, and Henri Moissan, fluoispar from Quincié, 1891, A., 148.

Beddies, Alfred. See Friedrich Krafft. Bedson, Peter Phillips, colliery waters, 1888, A., 354.

Beebe, Alfred L., reduction of ferric solutions by means of amalgamated zinc and platinum foil, 1886, A., 836.

Beer, Alexander, hydroxypyrotaitaile, paraconic, and aconic acids, 1883, A., 457.

Beetz, Wilhelm von, constant element for electrical measurements, 1885, A., 2. —— dry electric batteries, 1886, A., 3.

Béhal, Auguste, separation of copper and cadmium, 1885, A., 1012.

A., 45.

detection of nitrates and chlorates, 1886, A., 392.

caprylidene: constitution of capraldehyde, 1887, A., 788.

- capraldoxime and methyl hexyl ketoxime, 1887, A., 795.

preparation of allyl iodide and allyl alcohol, 1887, A., 905.

----- allylene, 1888, A., 663.

conversion of cannthylidene and caprylidene into isometic hydrocarbons, 1888, A., 929.

alcoholic nitrate of silver as a reagent for acetylenic hydrocarbons, 1888, A., 930.

preparation of isopropylacetylene from methyl isopropyl ketone, 1888, A., 930.

hydration of tolane, 1888, A., 959.
hydration of methylamylacetylene:
ethyl amyl ketone, 1889, A., 227.

hydrocarbons of the C_nH_{2n 2} series, 1889, A., 839.

— formation of hexylacetylene from methylvalerylacetylene, 1889, A., 950. — action of phosphorus pentachloride

on acctophenone, 1889, A., 984.

—— conversion of methylbenzylidene chloride into triphenylbenzene, 1889,

A., 998.
—— constitution of caprylaldehyde, 1892, A., 293.

Béhal, Auguste, and Victor Auger, action of phosphorus pentachloride on malonic acid, 1889, A., 958.

A., 388.

ride on ethylbenzene, 1890, A., 493.

Béhal, Auguste, and Eugène Choay, action of heat on chloralammonia, 1890, A., 230.

– chloralimide and its isomeride,

1890, A., 1093.

Béhal, Auguste, and Alexandre Desgrez, action of organic acids on acctylenic hydrocarbons, 1892, A., 1064.

- action of fatty acids on olefines, 1892, A., 1162.

Béhal, Auguste, and Paul Desvignes, asbolin, 1892, A., 1312.

Béhal, Auguste. See also Victor Auger. Behla, Gustav, chlor- and brom-anthracene-carboxylic acids, 1886, 248.

 substituted anthracenecarboxylic acids: action of carbonyl chloride on anthracene dihydride, 1887, A., 593.

Behr. Arno. See Friedrich Soxhlet. Behrend, Gottlieb, pasteurising barrelled

beer, 1884, A., 789.

Behrend, M. See F. Rung.

Behrend, P., and Herm. Kast, titration of small quantities of gases in mixtures, 1890, A., 290.

Behrend, Paul, changes occurring in barley during malting, 1885, A., 617.

- composition of barleys grown in Wurtemberg in 1887, 1888, A., 1331.

Behrend, Robert, action of sulphonic chloride on secondary amines, 1884, A., 285.

- action of carbamide on ethylic acetoacetate, 1884, A., 583.

 derivatives of carbanide, 1885, A., 246.

- compounds of the uric acid series, 1886, A., 338.

condensation of members of the carbamide group with ethylic acetoacctate, 1886, A., 443.

- -- formation of dibromo- and dichlorobarbiturie acids, 1887, A., 129.

- synthesis of compounds of the aric acid series, 1887, A., 919.

- - diazo-derivatives of methylmacil, 1888, A., 809.

- - - alkyl derivatives of hydroxylamine, 1889, A., 979.

-- alkyl derivatives of methyluracil and nitrourseil, 1890, A., 31.

- stereochemistry of nitrogenous compounds, 1890, A., 575.

 intramolecular change of some isaldoxime derivatives, 1892, A., 50.

- molecular transformation of the aldoximes, 1892, A., 163.
— solubility of double compounds,

1892, A., 1047, 1885.

Behrend, Robert, and Paul Ernert, diazouracilearboxylic acid and its derivatives, 1890, A., 1210.

- condensation of carbamide with ethylic acctoacetate, 1890, A., 1210.

Behrend, Robert, and Ernst König, a dimolecular isomeride of benzal-doxine, 1890, A., 1122.

- two different modifications of p-nitrobenzylisobenzaldoxime, A., 1412.

- alkyl derivatives of hydroxylamine, 1891, A., 1032; 1892, A., 1456.

Behrend, Robert, and Karl Leuchs, benzyl-derivatives of hydroxylamine, 1889, A., 500, 703.

Behrend, Robert, and Detlev Nissen, o-chlorobenzaldoximes, 1892, A., 1199.

Behrend, Robert, and Oscar Roosen, synthetical experiments in the uric acid series, 1888, A., 581.

Behrens, Th. H., microscopic analysis of minerals, 1886, A., 917.

- reactions for microchemical mineral analysis, 1891, A., 766.

- formation of mixed crystals, 1892, A., 10.

Behrmann, Alfred, and August Wilhelm von Hofmann, amides of citric acid and their conversion into pyridine derivatives, 1885, A., 138.

Beilby, George T., on the specific gravity of paraffin, solid, fused, and in solution, 1883, T., 388.

- preparation of ammonia from nitrogenous minerals, 1885, A., 304.

- new form of gas thermometer, 1886, A., 116.

Beilstein, Fedor F., petroleum testing, 1884, A., 309. -- investigation of petroleum, 1884, A., 500.

Beilstein, Kedar F., and O. von Bläse, basicity of antimonic acid, 1889, A., 1123.

- ---- estimation of autimony, 1890. A., 830.

Beilstein, Fedor F., Theodor and Grosset, analysis of aluminium sulphate, 1890, A., 85.

Beilstein, Fedor F., and R. Luther, separation of ferric oxide from alumina, 1891, A., 1293.

Beilstein, Fedor F., and Eugen Wiegand, some ethereal oils, 1888, A., 346. - - - alkylsulphamic acids, 1883, A., 971.

– Caucasian ozokerite, 1883, A., 1078.

Beilstein, Fedor F., and Eugen Wiegand, new method of formation of pyrotartaric acids, 1884, A., 1123.

 angelic and tiglic acids, 1885, A., 42.

unsaturated compounds of the fatty series, 1885, A., 740.

Bein, Sigismund, indirect estimation of fluorine, 1886, A., 918; 1888, A., 527.

- detection of the colouring matter of the yolk of egg, 1890, A., 840.

 exact method for the estimation of egg substance, 1890, A., 840.

estimation of fat in yolk of eggs, 1892, A., 1134.
Beketoff, Nikolai N., lithium oxide,

1884, A., 1247.

change in volume during the formation of metallic oxides, 1887, A., 1073.

energy of compounds and the oxides of sodium and potassium, 1888, Λ., 1244.

- selective chemical affinity, 1889, A., 332.

combining energy of rubidium, 1890, A., 108.

· heat of combustion of rubidium, 1890, A., 679.

- influence of steam and other gases on the combustion of carbonic oxide and oxygen, 1892, A., 274.

- reduction of caesium, 1892, A., 274.

properties of caesium and its hydroxide, 1892, A., 274.

- heat of combination of bromine and iodine with magnesium, 1892, A., 762.

Bel. See Le Bel.

Belar, Albin, aurichalite, 1890, A., 218. Belky, Johann, action of gaseous poisons, 1887, A., 392.

Bell, James, chemistry of food, 1883, A., 1160.

– analysis of spirits, 1892, A., 387. Bell, J. Carter, estimation of iron in water, 1890, A., 419.

Bell, *Louis*, absorption spectrum nitrogen peroxide, 1885, A., 949.

spectroscopic determination lithium, 1885, A., 1012. optical properties of malic and

tartaric acids, 1886, A., 1. ultra-violet spectrum of cadmium.

1886, A., 957. Bell, Louis. See also Henry A. Rowland.

Bell, W. Hamilton, new locality for zoisite, 1886, A., 319.

Bellamy, Félix, action of carbonic anhydride on lead acetate, 1881, A., 990.

 action of some metals on mixtures of acetylene and air, 1885, A., 951. - decoloration and recoloration of litinus solution by light, 1889, A., 199.

Bellati, Manfredo, and Silvio Lussana, influence of light on the heat conductivity of selenium, 1888, A., 98.

Bellati, Manfredo, and Riccardo Romanese, specific heat and heat of transformation of silver iodide and its alloys with cuprous and lead iodides, 1883, A., 274.

- transformation of amnionium nitrate, 1888, A., 106.

Bellenot, Gustav. See William Henry

Perkin, junior. Bellmann, Theodor, action of phosphorus pentachloride on amidoco-

inenic acid, 1884, A., 840. Bellmann, Theodor. See also Ernst Sigismund Christian von Meyer.

Bellmer, H., secret anti-incrustators, 1884, A., 1087.

Bellone. See Ferry de la Bellone.

Belloni, Cesare. See Angelo Menozzi. Belluci, Guiseppe, formation of starch in chlorophyll granules, 1887, A., 1136.

- salt in rain-water, 1889, A., 209. Belohoubek, August, colouring matters

from ebony wood, 1885, A., 396, emmelen, Jacobus Martinus Bemmelen, glucinum hydrated oxides, 1883, A., 291.

- recent alluvial deposits in the Ii and Zuyder Zee, 1887, A., 224.

- absorption compounds and the absorptive power of the soil, 1888, A., 985.

- explosion of a tube containing crystals of chromous sulphate, 1888. A., 1041.

- germanium oxide, 1888, A., 1041. colloids and the water they contain, 1888, A., 1157.

- colloidal silica, 1888, A., 1158.

colloidal alumina and aluminium hydrate, 1888, A., 1159.

colloidal stannic acid, 1888, A., 1160.

colloidal ferric oxide, 1888, A., 1162.

colloidal chromic oxide, 1888, A.,

- composition of the sea-mud in the new alluvia of the Zuyder Zec, 1890. A., 822.

Bemmelen, Jacobus Martinus ran. composition of the volcanic soils of Deli and Malang, and the clay soil of Rembang, 1890, A., 823.

- estimation of water, humus, sulphur, etc., in soils, 1890, A., 832. - composition of the ash of tobacco

leaves, 1890, A., 1338.

- composition of soils, 1890, A., 1339.

- causes of the fertility of the forestland of Deli (Sumatra) and Java for tobacco, and of the decrease of fertility, 1890, A., 1340.

Sec Alleaundre Leon Bémont, Gustave. Etard.

Benas, Theodor, new tin salts, 1885, A., 727.

- volumetric estimation of tin, 1885, Λ., 839.

Benckiser, Theodor. See Rudolf Nietzki. Bender, Carl, specific gravity of normal salt solutions, 1884, A., 144, 251.

- saline solutions, 1885 A., 12; 1888, A., 22.

--- refractive indices of normal salt solutions, 1890, A., 549.

Bender, Carl Julius, Erythroxylon alkaloids, 1886, A., 85.

Bender, Fritz, a-naphtholyulphonic acid,

1889, A., 717.

Bender, Fritz, and Gustav Theodor August Otto Schultz, diamidostilbene, 1887, A. 268.

Bender, Fritz. See also August Bernth-

Bender, Georg, ethereal carbonates, 1887, A., 37, 245.

substituted nitrogen chlorides, 1887, A., 44.

- non-existence of chromium heptasulphide, 1887, A., 553.

---- bismuth thiocyanate, 1887, A., 566. --- action of phonylhydrazine on chloracetoacetates, 1888, A., 53.

action of phenylhydrazino on the alkyl salts of halogen ketonic acids and halogen ketones, 1888, A., 1188.

Bendersky, J., excretion of the digestive ferments from the animal, 1891, A., 483.

Bendix, Paul. See Richard Anschütz. Benecke, Frans, detection of rye-meal in wheat-meal and bran, 1890, A.,

Benedikt, Rudolf, tests for resordinol dyes, 1883, A., 689.

- nitro-derivatives of resorcinol, 1883, A., 803.

- chloroxy- and bromoxy-derivatives of benzene, 1888, A., 984.

Benedikt, Rudolf, hydrolysis of fat, 1888, A., 1269.

- Schmidt's process for the conversion of oleic acid into solid fatty acids, 1890, A., 863.

- - fat analysis, 1891, A., 870.

-- analysis of galena and lead sulphate, 1892, A., 1522.
 Benedikt, Rudolf, and Max Bamberger,

quantitative reaction of lignin, 1890, Λ., 1474.

- action of hydrogen iodide on substances containing sulphur, 1891, A., 1296.

Benedikt, Rudolf, and Mathias Cantor, estimation of glycerol, 1888, A., 1345.

- volumetric estimation of zinc oxide, 1889, A., 308.

Benedikt, Rudolf, and Edmund Ehrlich.

shellac, 1888, A., 846.
Benedikt, Rudolf, and Leopold Gans, quantitative separation of silver and

lead, 1892, A., 1522.

Benedikt, Rudolf, and Anton Grüssner, estimation of methoxyl, 1890, A.,

- analysis of essential oils, 1890, А., 423.

Benedikt, Rudolf, and Karl Hazura, morin, 1884, A., 846, 1179; 1885, A., 553.

- composition of solid animal

and vegotable fats, 1889, A., 1057.

Benedikt, Rudolf, and Paul Julius, diresorcinol and diresorcinol hthalem, 1884, A., 1139.

---- a new resorcinol-blue, 1885, A., 386.

Benedikt, Rudolf, and Julius Neudörfer, oxidation of alcohol by permanganato, 1892, A., 1529.

enedikt, Readolf, and Max von Schmidt, halogen derivatives, 1883, Benedikt, л., 1118.

Benedikt, Rudolf, and Ferdinand Ulzer, investigation of acetyl compounds: method for the analysis of fats, 1887, A., 620.

- Turkey-red oil, 1887, A., 914.

- shellac, 1888, A., 1809.

Benedikt, Itudolf. See also Edmund
Ehrlich, Karl Hazura, and Philipp Weselsky.

Bener, P., xanthones and hydroxyxanthones of the naphthalene series, 1892, A., 1099.

Bennert, Carl. See Richard Anschütz. Benoist, Incien. See Charles Collin.

Ben Sande, Alfredo, doubly-refracting crystals of sodium chloride and potassium chloride, 1886, A., 206.

33

Bensemann, It., purification of hydrochloric acid, 1884, A., 259.

—— estimation of glycerol in wine, 1886, A., 1080.

Bente, F., estimation of phosphoric acid, 1887, A., 397; 1888, A., 753.

Bentley, William Burdelle, and William Homer Warren, nitro-derivatives of m-bromotoluene, 1890, A., 485.

Bentley, William Burdelle. See also Charles Loring Jackson.

Benz, Emil. See Eugen Lellmann.

Benz, G., primary and secondary naphthylamines, 1883, A., 594.

Beran, A., p-amidoctylbenzene, p-amidoctyltoluene, 1885, A., 523.

Bérard, Ellgard. See Gabriel Corin. Berchem, Paul van, ditolylphthalides, 1885, A., 266.

—— equilibrium in homogeneous solutions when unequally heated, 1890, A., 444.

Berend, Ludwig, dimethylquinaldine, 1884, A., 1053; 1885, A., 558.

--- some new alkines, 1884, A., 1114. --- dimethylquinoline, 1884, A., 1197; 1885, A., 274; 1886, A., 260.

Berend, Ludwiy, and Carl Stochr, brucine, 1891, A., 87.

Berend, Ludwiy, and Ernst Thomas, ketones of the quinoline series, 1892, A., 1488.

Berendes, Johannes. See Wilhelm Fleischmann.

Berg, Armand, chromiodates, 1887, A., 776; 1890, A., 1378.

---- n-butylamines, 1891, A., 662.

chlorine derivatives of isobutylamines, 1892, A., 1172.

Berg, Armand. See also Duniel Klein.
Berg, Paul von, separation of zine from iron, cobalt, and nickel, 1887, A., 182.

titration of zinc and cadmium sulphites with iodine, 1887, A., 301.

Bergami, Otto, examination of Caucasian madder-root, 1887, A., 1061.

Bergami, Otto. See also Carl Theodor

Bergami, Otto. See also Carl Theodor Liebermann.

Bergeat, Eugen, crystalline acid from pig's bile, 1889, A., 1231.

Berger, Franz, phenylcyanamide, 1884, A., 1157.

action of acetamide on phenylcyanamide, 1885, A., 387. Berger, Frant. Sec also Max Hönig.

Berget, Alphonse, thermal conductivity of mercury above 100°, 1888, A., 1237.

Berghe, Jul. van der, manner of applying artificial manures, 1886, A., 617.

Berghell, Hugo. See Wilhelm Ramsay.

Berglund, *Emil*, qualitative separation of tin, antimony, and arsenic, 1884, A., 777; 1885, A., 839.

Vortman's method for estimating chlorine in the presence of bromine, 1885, A., 836.

—— separation of chlorine and bromine, 1885, A., 836.

—— proportion of bromine in sea-water, 1886, A., 134.

Bergreen, Henry, isonitroso-compounds, 1887, A., 466.

— carbon thiodichloride, 1887, A., 937.

thiocarbonyl chloride, 1888, A.,

Bergreen, Rudolph, and Otto Licht, use of magnesium sulphite and ferric chloride in sugar factories, 1884, Λ., 939.

Beringer, Cornelius, and John Jacob Beringer, titration of copper by means of potassium cyanide, 1884, A., 113.

phur by means of barium chloride, 1889, A., 437.

 Berju, Geory, derivatives of amidoazobenzene, 1884, A., 1148; 1885, A., 660.
 Berkefeld, IV. See Adolph Glaus.

Berkenheim, Abraham, menthol, 1892, A., 866.

Berkenheim, Abraham. See also Otto Wallach.

Berlé, Bernhard. See Eugen Bamberger. Berliner, Alfred, catalytic action of metals on oxy-hydrogen gas, 1889, A., 206.

Berlinerblau, Joseph, muscarine, 1881, A., 1056.

action of cyanogen chloride on oand p-amidophenetoil, 1885, A., 117.

In premidophenetoli, 1885, A., 117.

Inomologue of rhodanic acid, 1886, A., 326.

— indole from dichlorether and aniline, 1887, A., 836.

Berlinerblau, Joseph, and Heinrich Polikier, intermediate products in the formation of indoles from dichlorether and aromatic amines, 1887, A., 813.

Berlinerblau, Maximilian, occurrence of lactic acid in blood, and its formation in the organism, 1888, A., 974.

Berlioz, Intoine, thinoliths, 1891, A., 1279.

Berlioz, Antoine. See also Saul Yvon. Bernard, A., calcimetry, 1887, A., 865. Bernays, Albert James, obituary notice

of, 1892, T., 488. Bernhardi, Reinhard. See Karl Auwers. Bernhart, Carl. See William Henry Perkin, junior.

Bernheim, Jules. See Gustave Rousseau. Bernheimer, Oscar, sparteme, 1884, A.,

derivatives of berberine, 1884, A., 340.

Bernheimer, Oscar. See also Rufficele Nasini.

Bernreuther, C., steeping of barley, 1885, A., 1273.

Wilhelm. See Richard An-Berns. schütz.

Bernthsen, August, nitrotoluidines from

liquid nitrotoluene, 1883, A., 579.

— preparation of the base C₁₀H₁₃N from benzoyldiphenylamine, 1883, A.,

- methylene-blue, 1883, A., 916. - formation of nitrile bases from organic acids and amines, 1883, A., 1099.

- methylene-blue and allied colouring matters, 1884, A., 595, 1156; 1885, A., 259.

– acridines, 1884, A., 1356.

- ammonium bases derived from acridine and quinoline, 1884, A., 1357.

- juglone, 1884, A., 1365.

– ammonium bases derived from quinoline, 1885, A., 814.

- methylene-blue group, 1886, A., 53; 1889, A., 775.

- base isomeric with benzidine, 1886, Δ., 471.

- constitution of the safranines, 1887, Λ., 139, 480.

· new synthesis of thiodiphenyl-

amine, 1887, A., 245. - pyrogenic formation of phenazine,

1887, A., 249. ---- phenazoxine, 1887, A., 665.

- action of cinnamic acid on diphenylamine, 1887, A., 814.

- relations between hydrazides and azo-compounds, 1888, A., 469.

 $-\alpha$ -naphthylamine- and α -naphthol-€ disulphonic acid, 1890, A., 386. naphthasultonsulphonic acids

and α-naphtholsulphonamidesulphonic acids, 1891, A., 215.

- ammonium bases of phenylacridine,

1892, A., 1095.

Bernthsen, August, and Felix Bender, derivatives of styrolene, 1883, A., 70. - --- synthesis of acridines, 1883, A., 1133.

--- acridine, 1883, A., 1134.

Bernthsen, August, and Adolf Goske, methyl-orange and ethyl-orange, 1887, Λ., 666.

Bernthsen, August, and Wilhelm Hess, quinoline ammonium bases, 1885, A.,

Eernthsen, August, and Hans Mettegang, reactions of quinolinic acid. 1887, A., 737.

Bernthsen, August, and Franz Muhlert, acridaldehyde and acridinecarboxylic acid, 1887, A., 849.

Bernthsen, August, and Alfred Osann, crystallography of acridine derivatives, 1886, A., 471.

Bernthsen, Jugust, and Hugo Schweitzer, phenazine derivatives, 1887, A., 139.

Bernthsen, August, and August Semper, juglone, 1885, A., 546; 1886, A., 363.

— synthesis of juglone, 1887, Λ., 674.

Bernthsen, August, and Isidor Traube, butylacridine and acridylbenzoic acid, 1884, A., 1183.

Bernthsen, August. See also Wilhelm Hess.

Berry, Neill Alford, copper slag, 1887, Λ., 447.

Bersch, Wilhelm, interaction between oxides and hydroxides of heavy metals and the halogen compounds of the alkalis, 1891, A., 1413. Berson, G., and A. Destrem, electrolysis

of solutions of potassium hydroxide, 1888, A., 1007.

Bert, Paul. See Henri de Varigny. Berthelot, Daniel, electrical conduc-

tivity as a means of investigating the interaction of acids of complex function, 1890, A., 204.

- electrical conductivity and multiple affinition of aspartic acid, 1890, A.,

 electrical conductivity of phenols and hydroxybenzoic acids, 1890, A.,

- electrical conductivity of the ammonium and aniline salts of hydroxy-

benzoic acids, 1890, A., 1039.

— conductivity of isomeric organic acids and their salts, 1891, A., 375, 517.

- basicity of acids deduced from their conductivity: monobasic and bibasic acids, 1891, A., 631.

- Berthelot, Daniel, conductivities of tribasic acids, 1891, A., 632.
- conductivity of organic acids, 1891,
 632.
- study of the chemical neutralisation of acids and bases by means of their electrical conductivities, 1892, A., 2.
- ----- existence of acid or basic salts of monobasic acids in very dilute solution, 1892, A., 110.
- basicity of phosphoric acid, 1892, A., 394.
- Berthelot, Marcellin (Pierre Eugenc), reciprocal displacements of the halogens, 1883, A., 8.

--- perchloric acid, 1883, A., 8.

- Berthollet's laws and the combinations of mercuric oxide with acids, 1883, A., 10.
- ethylene oxide, 1883, A., 174, 275.
- ... the light emitted by comets, 1883, A., 261.
- —— lead iodides, 1883, A., 275.
- A., 303.
- --- othyl peroxide, 1883. A., 305.
- properties of chlorinated organic gases and vapours, 1883, A., 394.
- natural formation of manganese dioxide and some reactions of peroxides, 1883, A., 425.
- reactions between sulphur, sulphur oxides, carbon, and carbon oxides, 1883, A., 551.
- 1883, A., 551.

 direct combination of hydrogen with ethylene, 1883, A., 565.
- -- heat of formation of chromic acid, 1883, A., 642.
- alkaline sulphites, 1883, A., 704. — alkaline thiosulphates, 1883, A., 707.
- --- chromates, 1883, A., 707.
- tures of combustion, specific heats, dissociation, and pressure of explosive mixtures, 1883, A., 771.
- --- explosives, 1884, A., 540.
- heat of formation of fluorides, 1884, A., 545.
- law of thermochemical moduli or constants of substitution, 1884, A., 702.
- absorption of gases by platinum, 1884, A., 702.
- some mercuric salts, 1884, A., 706.
 reactions of carbon oxysulphide, 1884, A., 728.
- scales of temperature and molecular weights, 1884, A., 804.

- Berthelot, Maxcellin (Pierre Eugene), thermoelemistry of phosphorus trifluoride, 1885, A., 328.
- ---- chemical neutrality of salts, 1885, A., 472.
- rate of propagation of detonation in solid and liquid explosives, 1885,
- A., 478.

 action of bromine on chlorides,
 1885, A., 632.
- principle of maximum work, 1885, A., 868.
- volatility of sulphur and mercury, 1885, A., 953.
- isomerism in the benzene series, 1885, A., 1177; 1886, A., 7.
- —— phenols, 1886, A., 6. —— acids of the benzene series, 1886, A., 8.
- absorption of free nitrogen from the atmosphere by argillaceous soils, 1886, A., 175.
- antimony sulphide, 1886, A., 512.
 organic carbon in soils which absorb free nitrogen, 1886, A., 736.
- absorb free nitrogen, 1886, A., 736.

 decomposition of anunonium salts
 by metallic oxides, 1886, A., 770.
- sugars, 1887, A., 24.
 thermochemistry of phosphates, 1887, A., 94.
- between magnesia salts and ammonia, 1887, A., 96.
- ammonium magnesium phosphate, 1887, A., 202.
- direct absorption of nitrogen from the atmosphere by vegetable soils, 1887. A., 395, 617.
- 1887, A., 395, 617.
 —— metals and minerals of ancient Chaldea, 1887, A., 443.
- phosphates of the alkaline earths, 1887, A., 877.
- explosive decomposition of pieric acid and other nitro-compounds, 1888, A., 216.
- and glasses phosphorescent, 1888, A. 552.
- general conditions favourable to the absorption of free nitrogen by vegetable soils, 1888, A., 624.
- absorption of nitrogen by vegetable soils, 1888, A., 871.

Berthelot, Marcellin (Pierre Engene), absorption of nitrogen by vegetable soils and by plants, 1888, A., 1330.

- graduation of tubes for gasometric

purposes, 1889, A., 301.

- interaction of chromic acid and hydrogen peroxide, 1889, A., 350, 468, 571.
- thermochemistry of the thionic acids, 1889, A., 667, 823, 824.
- ---- absorption of nitrogen during slow oxidation, 1889, A., 673.
- action of alkalis on the thionic acids, 1889, A., 823.
- action of acids on thiosulphates, 1889, A., 824.
- heat of formation of hyponitiates, 1889, A., 930.
- -- estimation of benzene vapour in
- coal-gas, 1889, A., 1036.

 absorption of nitrogen by clay
- soils, 1889, A., 1237.
 ——influence of electrification on the absorption of nitrogen by vegetable soils, 1889, A., 1237.
- absorption of atmospheric nitrogen, 1889, A., 1238.
- cvolution of ammonia and volatile nitrogen compounds from vegetable soils and from plants, 1889, A., 1238.
- —— reciprocal displacement of oxygen and the halogens, 1890, A., 6. —— raffinose, 1890, A., 21.
- --- heat developed by the action of oxygen on the blood, 1890, A., 274.
- --- preparation of nitrogen, 1890, A., 330.
- --- melitose, 1890, A., 356.
- --- formation of nitrates in plants, 1890, A, 543.
- --- condensation of carbonic oxide and the penetrability of glass by water, 1890, A., 691.
- water, 1890, A., 691.

 condensation of carbonic oxide and the drying of gases, 1890, A., 692.
- - vegetable soils and atmospheric ammonia, 1890, A., 822.
- the marsh gas fermentation, 1890, A., 855.
- heat of transformation of isomeric inosites, 1890, A., 1041.
- --- reduction of alkaline sulphates by hydrogen and by carbon, 1890, A., 1053.
- equilibrium and reciprocal displacements between volatile organic bases, 1890, A., 1362.

- Berthelot, Marcellin (Pierre Eugène), absorption of carbonic oxide by earth, 1891, A., 16.
- --- condensation of acetylene by the silent discharge, 1891, A., 28.
- ---- volativo nitrogen compounds evolved from vegetable soils, 1891, A., 611.
- --- action of heat on carbonic oxide, 1891, A., 801.
- - reaction of carbonic oxide, 1891. A., 801.
- ---- calorimetric data, 1891, A., 967.
 ----- volatile compound of iron and
- carbon monoxide: nickel-carbon oxide, 1891, A., 1427.
- --- persulphates, 1892, A., 12.
- oxidation of nickel carbonyl, 1892, A., 279.
- use of compressed oxygen in the calorimetric bomb, 1892, A., 673.
- ---- new method of organic analysis, 1892, A., 753.
- -- persulphuric acid and its salts, 1892, A., 931.
- Berthelot, Marcellin, and Gustar André, formation of nitrates in plants, 1885, A., 581.
- 1885, A., 1086.
- A., 1164.
- water, 1886, A., 737.
- soils, 1886, A., 739, 740.
- 832.
- alkaline bases, 1886, A., 1074.
- hydrogen carbonate by water, etc., 1887, A., 11.
- water and dilute acids, 1887, A., 235.

 nitrogen compounds in vege-

- absorption of salts by plants.
 1888, A., 739.

Berthelot, Marcellin, and Gustav André, phosphorus and phosphoric acid in plants, 1888, A., 743.

estimation of nitrogen in vegetable soils, 1888, A., 1335; 1889, A., 307.

thermochemistry of hydroxyl-

amine, 1890, A., 934.

 heats of combustion and formation of nitrogenous compounds derived from albuminoids, 1890, A.,

· heats of combustion of the chief nitrogenous compounds in living organisms, 1890, A., 937.

- presence and function sulphur in plants, 1891, A., 606. - nitrogen compounds in vege-

table soils, 1891, A., 610. - estimation of the inorganic

constituents of soils, 1891, A., 622. - peculiar odour of soil, 1891, A., 858.

- humic compounds, 1891, A., 1089.

- thermochemistry of humic

acid from sugar, 1891, A., 1456. - spontaneous oxidation humic acid in vegetable soil, 1892, A., 655.

estimation of sulphur in vegetable soils, and the forms in which it is present, 1892, A., 656.

- fermentation of blood, 1892, A., 900.

Berthelot, Marcellin, and Rodolphe Engel, allotropic forms of arsenic, 1890, A., 679.

Berthelot, Marcellin, and Ch. Fabre, tellurium, 1887. A., 761.

 heat of formation of hydrogen telluride, 1887, A., 1010.

- hydrogen telluride, 1889, A., 210.

Berthelot, Murcellin, and Johann Fogh, heats of formation of amides, 1890, A., 1359.

Berthelot, Marcellin, and Charles Friedel, meteoric iron from Magura, Hungary, 1890, A., 1384.

Berthelot, Marcellin, and Antoine Guntz, reciprocal displacements of hydrofluoric and other acids, 1884, A., 703.

- absorption of chlorine by carbon, and its combination with hydrogen, 1884, A., 1249.

Berthelot, Marcellin, and Ludwig Ilosvay de Nagy Ilosva, double salts formed by fusion, 1883, A., 11; 1884, A., 704,

Berthelot, Marcellin, and Wladimir F. Luginin, heats of combustion, 1887, A., 762.

Berthelot, Marcellin, and Camille Matignon, heats of formation of sugais, 1890, A., 1360.

heats of combustion of sul-

phur compounds, 1890, A., 1361.

- thermochemistry of organic chlorine compounds, 1891, A., 1311.

- thermochemistry of the camphene series, 1891, A., 1313. - heats of combustion and for-

mation of nitrobenzenes, 1892, A., 4. heat of formation of hydrazine and hydrazoic acid, 1892, A., 261.

- heats of combustion and formation of ethyl alcohol and formic and acetic acids, 1892, A., 1139.

Berthelot, Marcellin, and Henri Moissan, heat of combination of fluorine with hydrogen, 1889, A., 1096.

Berthelot, Marcellin, and Jules Ogier, specific heat of gaseous acetic acid,

1883, A., 6. hyponitrites, 1883, A., 422. Berthelot, Marcellin, and Paul Petit, heat of formation of antimony hy-

dride, 1889, A., 666. heat of combustion of carbon,

1889, A., 811.

 heats of combustion and formation of nitriles, 1889, A., 812.

 thermochemistry of the nitrocamphors, 1889, A., 1098,

- animal heat, and the heat of formation and combustion of urea, 1890, A., 206, 275.

- different forms of graphitic carbon and their derivatives, 1890, A., 448.

Berthelot, Marcellin, and Albert Recoura, the calorimetric bomb, 1887. A., 627.

- heats of combustion, 1887, A., 761.

passage from the benzene to the acctic series, 1887, A., 1011.

Berthelot. Marcellin, and Paul Vieille, nitrogen selenide, 1883, A., 707.

- wave of explosion, 1883, A., 777.

- gaseous explosive mixtures, 1884, A., 709.

- relative rapidity of combustion of explosive gaseous mixtures, 1884, A., 804.

 influence of the density of explosive gaseous mixtures on the pressures which they develop, 1884, A., 805.

Berthelot, Marcellin, and Paul Vieille, specific heat of gaseous elements at high temperatures, 1885, A., 7.

carbonic anhydride at high tempera-

tures, 1885, A., 7.

heats of combustion and formation of solid hydrocarbons, 1886, A., 756.

heats of combustion and formation of carbohydrates, 1886, A., 757.

Berthelot, Marcellin, and Eugene IV.
Werner, biomine substitution, 1881,
A., 883.

bromine substitutions of polyhydric phenols, 1885, A., 627.

series: heat of neutralisation of polyhydric phenols, 1885, A., 628.

heat of neutralisation of hydroxybenzoic acids, 1885, A., 1032.

formation of the hydroxybenzoic acids, 1885, A., 1103.

Berthelot, Marcellin, (Justane André, and Camille Matignon, oxidation of the sulphur in carbon compounds, 1890, A., 1462.

Berthold, B., a plant which destroys the taste of sweets and bitters, 1889, A., 182.

Bertin-Sans, Henri, spectrum of acid methæmoglobin, 1888, A., 858.

Bertin-Sans, Henri, and Joseph Moitessier, conversion of carboxyhamoglobin into methamoglobin and detection of carbonic oxide in blood, 1891, A., 1522.

from hematin and a proteid, 1892,

A., 1017.

Bertoni, Giacomo, mineral water of Acquarossa, 1885, A., 494.

etherification, 1886, A., 975.

two new butyl nitrates, 1891, A., 163.

methane, 1891, A., 1378.

m-nitrophenylsantoninmethane, 1892, A., 622.

Bertoni, Giacomo, and Ferruccio Truffi, preparation of ethereal salts by double decomposition, 1884, A., 1110. Bertoni, Giacona, and Menotti Zenoni, m-nitro- and p-nitro-di-p-dihydroxytriphenylmethane, 1892, A., 620.

Bertoni, Giacomo. See also Paolo Pellacani.

Bertram, August, phenylthiocarbamido and imidothiocarbamates, 1890, A., 1291; 1892, A., 465.

Bertram, Julius, and Heinrich Walbaum, oil of lavender and of bergamot, 1892, A., 1235.

Bertrand, Emile, waltherite from Joachimsthal, 1883, A., 36.

zinc aluminite, a new mineral species, 1883, A., 433.

A., 1060.

— optical properties of cobalt carbonate, 1883, A., 1062,

selenium minerals from Cacheuta, 1884, A., 406.

-- hubmerite from the Pyrenees, 1881, A., 406.

--- optical properties of berzelite, 1886, A., 127.

—— hemafibrite and hematolite, 1886, A., 601.

Bertrand, Gubriel, xylose, 1892, A., 28.
—— constitution of xylitol and xylose, 1892, A., 29.

colour reactions of carbohydrates, 1892, A., 664.

Berwerth, Fritz, amphiboles, 1886, A., 28.

Besana, Carlo, glacialin, 1884, A., 878.
 Reichert-Meissl-Wollny method of analysis as applied to Italian and mixed butters, 1889, A., 448.

- methods for detecting the adulteration of butter, 1889, A., 658.

-- estimation of free acids in butter, 1892, A., 924.

Beseler, Otto, manuring sugar-beet with dung, 1883, A., 238.

Beseler, Otto, and Max Heinrich Märcker, effect of thick and thin sowing and of the manuring on the yield of oats, 1884, A., 768.

————— cultivation of varieties of oats, 1885, A., 1008.

Besemfelder, Eduard Rudolf. See Adolf von Baeyer.

Besredka, A. See Nicolai D. Zelinsky, Besson, Jules Adolphe, combination of nitrogen oxides with metallic chlorides, 1889, A., 834.

A., 9. phosphonium sulphate, 4890,

Besson, Jules Adolphe, freezing-points of arsenic chloride and stannic chloride, 1890, A., 331.

- combination of hydrogen phosphide with boron fluoride and siliconfluoride,

1890, A. 448.

combination of ammonium and hydrogen phosphide with silicon chloride and silicon bromide, 1890, A., 559.

combination of hydrogen phosphide and ammonia with boron chloride and silicon sesquichloride, 1890, A., 690.

- interaction of ammonia and hydrogen phosphide with the haloid compounds of arsenic, 1890, A., 1052.

combination of ammonia with phosphorus chlorides and bromides,

1891, A., 398.

- silicobromoform, 1891, A., 642.

- action of hydrogen iodide on silicon chloride, 1891, A., 800.

- action of hydrogen iodide on boron

bromide, 1891, A., 980.

action of hydrogen bromide on silicon chloride, 1891, A., 981.

boron phosphides, 1891, A., 1418; 1892, A., 273.

silicon chloriodides, 1891, A., 1418.

silicon bromiodides, 1891, A., 1419.

- silicon thiochloride, 1892, A., 404. combination of ammonia with boron bromide and iodide, 1892, A.,

— carbon chlorobromides, 1892, A., 771.

 phosphorus chloronitride and phosphamide, 1892, A., 1152.

phosphorus bromonitride, 1892, A., 1272.

Best, Thompson, Thomas methyl-oanisidine, 1890, A., 607.

Besthorn, Emil, and Wilhelm Curtman, anilidoacridine and hydroxyacridines, 1891, A., 1232.

Besthorn, Emil, and Otto Fischer, a new class of colouring matters, 1883, A.,

Bethmann, Henrich Georg, affinity constants of organic acids, 1890, A., 1209.

Bettel, IV., separation of gold from the platinum metals, 1887, A., 1084.

Bettelli, Ciro. See Leone Pesci.

Bettendorff, Anton, presence of sodium phosphate in glacial phosphoric acid, 1888, A., 321.

- earths of the cerium and yttrium groups, 1890, A., 851; 1891, A., 984; 1892, A., 1400.

Bettink, Wefers, ophiovylin, 1888, A.,

Beuf, Henri, estimation of lead by phosphomolybdic acid, 1891, A., 113.

Beutell, .1., the potash soda felspars of Silesia, 1885, A., 31.

- prehnite from Silesia, 1887, A., 223.

Beutnagel. See Burghard.

Bevan, Edward John. Sec Charles Frederick Cross, Arthur George Green.

Bewad, Iwan I., rate of formation of the carbonates of the alkaline earths in relation to time, mass, etc., 1885, A., 480.

solubility of lithium carbonate, 1885, A., 634.

 action of zinc ethyl on nitroethane, 1889, A., 112.

action of zinc ethyl on primary and secondary nitro-compounds, 1889,

preparation of secondary and tertiary nitro-compounds from halogen derivatives of nitromethane and nitroethane, 1889, A., 1128.

tertiary nitro-hydrocarbons of the

aliphatic series, 1891, A., 653. Beyer, A., carvol, 1884, A., 331.

behaviour of the soluble phosphoric acid in superphosphates after keeping in bulk, 1888, A., 223.

Beyer, Carl, phenylhydroxyacctimidoether and -amidine, 1884, A., 65. - homologue of quinoline, 1885, A.,

672. - derivatives of mandelic acid, 1885,

A., 982. -2':4'-dimethylquinoline, 1885, A.,

1246; 1886, A., 629. — action of acctone on aniline, 1886, A., 145.

- quinoline derivatives from β-di-

ketones, 1887, A., 849.

Hantzsch's pyridine synthesis, 1891, A., 1090.

Beyer, Carl, and Ludwig Claisen, introduction of acid radicles into ketones, 1887, A., 943.

- mixed azo-compounds, 1888, A., 827.

Beyer, Oscar Emil, and Eduard Kegel. preparation of dinitrophenolsulphonic ācid, 1885, A., 269.

Beyerinck, Martinus Willem, simple diffusion experiment, 1889, A., 565. -artificial infection of Vicia Faba with

Bacillus radicicola, 1891, A., 1539.

— action at a distance of aqueous solutions on water vapour, 1892, A., 936.

Beyerinck, Martinus Willem, accumulation of atmospheric nitrogen in cultivations of Bucillus radicicola, 1892, Л., 1019.

Beysen, Curt. See Adolph Claus.

Beythien, K., and Bernhard Tollens, compounds of raffinose with bases, 1889, A., 846; 1890, A., 580.

 behaviour of inverted raffinose with phenylhydrazine, 1890, A., 581.

- melting-points and preparation of ovazones, 1890. A., 581.

Beythien, K., Eugen Parcus, and Bernhard Tollens, formation of lactic acid from raffinose and from cane sugar: raffinose not formed from cane sugar by the action of lime or strontia, 1890, A., 582.

lactic acid from molasses, 1890, A., 583.

Bezold, Walhelm von, cohesion figures, 1885, A., 335.

Biard, L. See Henri Pellet.

Bichat, Ernest, decomposition of optically inactive compounds, 1886, A., 446, 612.

Bichat, Ernest, and René Blondlot, oscillations of the plane of polarisation by electric discharge, 1883, A., 4.

- difference of potential of the electric layers of two liquids which are in contact, 1884, A., 383.

Bichat, Ernest, and Antoine Guntz, production of ozone by the electric discharge, 1888, A., 1234.

Bichat, Ernest. See also René Blondlot. Bickel, H., derivatives of diphenylacetic acid and of benzilic acid, 1889, A., 999.

Bickes, Th. Sec Paul Ehrhardt Jannasch. Bidet, A., preparation of oxygen, 1886, A., 418.

- effect of thiophen on the colour of benzene derivatives, 1889, A., 595.

- alteration of compounds of the benzene series when exposed to air and light, 1890, A., 1401.

Bidet, A. See also Laurent Naudin. Bidwell, Shelford, electric resistance of

carbon contacts, 1888, A., 841. - sensitiveness to light of selenium and sulphur cells, 1886, A., 2.

- experiments with selenium cells, 1891, A., 777.

Biedermann, Alfred, 8-thiophenaldeliyde and \$-thienyl alcohol, 1886, A., 536. thiophenol and the a-naphthol of the thiophen series, 1886, A., 787.

thiophenaldehyde, 1886, A., 870. Biedermann, Alfred, and Paul Jacobson, thiophthene, 1886, A., 1032.

Biedermann, Alfred, and Robert Albert Emile Lepetit, synthesis of indigo from anilidoacetic acid, 1891, A., 206.

Biedermann, H., cafferne and its salts, 1884, A., 185.

Biedermann, Joh., p-hydroxybenzylie alcohol, 1887, A., 38.

glutarenediamidoxime and its derivatives, 1890, A., 128.

quinoline-p-methenylamidoxime and its derivatives, 1890, A., 175.

derivatives of phenyl-α-hydroxyciotonic acid, 1892, A., 471.

new method of preparing the amide, anilide, and phenylhydrazide of mandelic acid, 1892, A., 473.

Biedert, F., albuminoids of human milk, 1885, A., 922.

- albuminoids of human milk and of cows' milk, 1887, A., 388.

Biel, J., Russian petroleum and petroleum lamps, 1884, A., 936.

estimation of nicotine in tobacco ash extract, 1888, A., 876.

detection of cotton-seed oil in olive oil, 1889, A., 658.

Bieler, II., junior, manuring oats with Thomas' slag, 1886, A., 391. Bieler, Kurt, and Bernhard Tollens,

fucusol, 1890, A., 238, 1105. Biernacki, E., influence of temperature

on digestive ferments, 1891, A., 1271. Biginelli, Pictro, action of ethyl acetoacetate on dextrose in presence of alcoholic ammonia, 1890, A., 732.

- action of ethyl acctoacetate on cinnamaldehyde, 1890, A., 768.

- action of methylchloroform on phenol in presence of potash and soda, 1891, A., 296.

- saligeninoxyacetic acid, 1991, A.,

--- othyl acctoacetate aldehydeuramide, 1891, A., 908; 1892, A., 56.

Biginelli, Pietro. Sec also Icilio Guareschi, Il'illiche Körner.

Bignamini, Angelo, estimation of saccharose, glucose, and lactose, 1885, Л., 443.

Bignon, A., coca leaves, 1886, A., 388. - cocaine and its benzoate, 1886,

Bijlert, A. van, estimation of antimony by Marsh's method, 1891, A., 115.

- cryoscopic observations, 1891, A., 1411.

Bikfalvi, Karl, hæmin crystals, 1887, A., 165.

Billeter, Otto, action of thiocarbonyl chloride on secondary amines, 1887, A., 822.

BIS

Billeter, Otto, and Arnold Steiner, toluylene thiocarbimide, 1886, A., 234. - thiocarbimides of bibasic aro-

matic radicles, 1887, A., 366.

Billeter, Otto, and Alexandre Strohl, action of thiocarbonyl chloride on secondary amines, 1888, A., 364.

Billitz, Géra, and Karl Heumann, new modes of formation of pyrosulphuric chloride and of chlorosulphonic acid,

1883, A., 710.

Billwiller, Rob., influence of fallen snow on the temperature of the air, 1883,

A., 500.

Biltz, Heinrich, molecular weight of sulphur, 1888, A., 1027; 1889, A., 340.

- influence of the shape of the bulb in vapour density determinations, 1888, A., 1240.

-estimating the molecular weight of volatile chlorides, 1888, A., 1241.

 lecture experiment on the diffusion of gases, 1892, A., 562.

additive products of hydrogen iodide and nitriles, 1892, A., 1449. Biltz, Heinrich, and Victor Meyer, stannous chloride, 1888, A., 345.

- vapour density determinations of some elements and compounds at a white heat, 1889, A., 673.

Biltz, Heinrich. See also Julius Wil*helm* Brühl.

Bindel, Karl, specific gravity, specific heat, and heat of dissolution of supersaturated salt solutions, 1890, A., 1042.

Binder, Felix. See Emilio Nölting, Maurice Prud'homme.

Binder, Otto, detection of nitrates in well waters, 1888, A., 197.

— water analysis, 1888, A., 197.

- determination of the amount of soda and lime requisite for purifying water, 1888, A., 758.

- aspirator with constant flow, 1888, A., 1244.

Bindewald, Carl. See Theodor Zincke. Binz, Karl, behaviour of ozone with

blood, 1883, A., 486; 1884, A., 95. quinine as a protoplasmic poison,

1891, A., 1581. Birch, De Burgh, and Harry Spong, secretion of the gall bladder, 1888, A.,

Bird, F. C. J., a filter tube for use in the estimation of alkaloids by Mayer's reagent, 1887, A., 1002.

Bird, G. B., purification of zinc, 1887,

– mercurous hydroxide, 1887, A., 447.

Bird, M., chlorite from Albemarle Co.,

Virginia, 1886, A., 130.

Birhans, Fl., solidification of nitrous anhydride, 1889, A., 1109.

Birkonwald, Paud, essential oil of nustral was a second of the second of the

taid, 1891, A., 818.

Birnbaum, K., action of organic acids on nickel-plated iron vessels, 1884, A., 520.

composition of the water of the new mineral springs at Freyersbach, 1884, A., 1274.

Birnie, Steven, decomposition of ferrous oxalate, 1885, A., 752.

Birukoff, Whedimir, dimethylanthragallol, 1887, A., 592.

methylerythrohydroxyanthraquinone, 1887, A., 964.

erythrohydroxyanthraquinonecarboxylic acid, 1887, A., 1049.

Biscaro, Giuseppe. See Giovanni Spica. Bischler, Aug., condensation products from p-toluidine and p-nitrobenzaldehyde, 1888, A., 287.

- condensation products from bases of the para-series with p- and m-nitrobenzaldehyde, 1889, A., 132.

- o-nitrophenylhydrazine, 1889, A., 501; 1890, A., 148.

- piperazine, 1891, A., 735.

pheno-2'-methyl-m-diazine methylquinazoline], 1891, A., 745.

formation of substituted indoles, 1892, A., 1465.

Bischler, Aug., and Sulomon Brodsky, m-nitrophenylhydrazine and p-bromo-nitrophenylhydrazine, 1890, A., 150.

Bischof, sodium felspar from Kragerde, Norway, 1887, A., 453.

Bischoff, Carl Adam, ethyl ethenyltricarboxylate, 1883, A., 45.

ethyl chlorethenyltricarboxylate, 1883, A., 45.

ethereal salts of propanetricarboxylic acid, 1883, A., 45.

ethylic isoallyltetracarboxylate, 1883, A., 46.

 synthesis of ketonic acids, 1883, A., 912.

action of the alkyl-derivatives of the halogen substituted fatty acids on aniline, 1883, A., 919.

B-benzoisosuccinic acid, 1886, A., 355.

isomeric dialkylsuccinic acids. 1888, A., 254.

decomposition of anilides at a high temperature, 1888, A., 726.

ethyl acetylenetetracarboxylate, 1888, A., 1061.

synthesis of polybasic fatty acids, 1888, A., 1061.

Bischoff, Carl Adam, o-dimitrostilbene, 1888, A., 1094.

azo-dyes from o-diamidostilbene,

1888, A., 1094.

- quinoline derivatives from ethyl a-nitrobenzoylmalonate, 1889, A., 519. - piperazines, 1889, A., 1009.

- hydrogenated p-diazines of the aromatic series, 1889, A., 1010.
— characteristics of the piperazines,

1889, A., 1015.

- substituted succinic acids, 1890,

A., 237.

- limitation of the free rotation of singly-bound carbon atoms, 1890, A.,

- theory of anhydride formation in the case of acids of the succinic series,

1890, A., 741.

preparation of mono-, di-, and trisubstituted succinic acids from ethyl malonate, 1890, A., 742.

- brominated pyrotartaric acids, 1890,

A., 1097.

trimethylsuccinic acid and dimethylglutaric acid, 1890, A., 1099; 1891, A., 828.

- synthesis of mesaconic and citraconic acids from ethyl propenyltri-

carboxylate, 1890, A., 1101.

— action of methyl chloride on naphthalene: constitution of hydrocarbons obtained from carminic acid, 1890, A., 1145.

azo-colours from α-naphthylamine, dimethylaniline, and a-hydroxynaphthoic acid, 1890, A., 1148.

stereochemistry of nitrogen, 1890,

A., 1330.

- stereochemical studies in the piperazine group, 1890, A., 1331.

- - homologues of maleic acid, 1891, A., 291.

ethyl isobutenyltricarboxylate,

1891, A., 292. — trimethylsuccinic acid, 1891, A., 828. - substituted dimethylsuccinic acids,

1891, A., 829. - substitution derivatives of succinic

acid, 1891, A., 891. - theoretical results of studies in the

succinic acid series, 1891, A., 892. - dynamical hypothesis in its application to the succinic acid series, 1891, A., 892.

- acids of the fumaric series, 1891, A., 1220.

Bischoff, Carl Adam, and Arthur Hausdörfer, action of iodine on derivatives of ethyl sodomalonate, 1887, A., 916.

Bischoff, Carl Adam, and Arthur Hausdörfer, distillation products of citrates, 1890, A., 1102.

- derivatives of p-tolylglycin, 1890, A., 1284.

- derivatives of o-tolylglycin, 1890, A., 1285.

- derivatives of α- and β- naplithylglycin, 1890, A., 1309.

- diphenyl αγ- and αδ-diketopiperazine, 1890, A., 1332.

- o- and p-ditolylpiperazine and B-dinaphthylpiperazine, 1890,

- derivatives of phenylglycocine and o-tolylglycocine, 1892, A., 1333.
--- p-tolylglycocine and its de-

1ivatives, 1892, A., 1335.

- derivatives of α-amidopro-

pionic acid, 1892, A., 1336.

derivatives of naphthylglycocines, 1892, A., 1341.

Bischoff, Carl Adam, and Edward Immanuel Hjelt, s-diethylsuccinic acids, 1888, A., 1057. Bischoff, Carl Adam, and Karl Jams-

nicker, pimelic acids, 1891, A., 289. Bischoff, Carl Adam, and Alfons von Kuhlberg, methylsuccinic, ethylsuc-cinic, and us-dimethylsuccinic acids, 1890, A., 742.

- attempts to prepare alkyl substituted tricarballylic acids, 1890,

- benzylmethylsuccinic acid and benzyldimethylsuccinic acid, 1890, Л., 1134.

Bischoff, Carl Adam, and Nawn Mintz, s-ethylmethylsuccinic, trimethylsuccinic, s- and as-diethylsuccinic and ethyldimethylsuccinic acids, 1890, A.,

anhydride formation and intramolecular change of substituted

succinic acids, 1890, A., 744. - benzylsuccinic acid and its homologues, 1890, A., 774.

ethyldimethylsuccinic acid,

1891, A., 290.

- derivatives of a-amidobutyric acid, 1892, A., 1388.

- anilido*iso*butyric acids, 1892, A., 1338.

toluido*iso*butyric acids, 1892, A., 1339.

- derivatives of α- and β-naphthylidoisobutyric acids, etc., 1892 A., 1842.

Bischoff, Carl Adam, and Oskar Nastvogel, ketopiperazines, 1889, A., 1009.

Bischoff, Carl Adam, and Oskar Nastay-diketopiperazines, Λ., 1011.

αβ-dikotopiperazines, 1889, A., 1015.

· anilides and toluidides of tartaric acid, 1890, A., 1112.

- distillation of rosin in a

vacuum, 1890, A., 1154.
— diphenylketopiperazine and diphenyl-aß-diketopiperazine, A., 1160.

- action of chloracetic acid and oxalic acid on ethylene-o-ditolyldi-

amine, 1890, A., 1161.
— action of chloracetic acid and oxalic acid on ethylene-p-ditolyl- and ethylene-a-dinaphthyldiamine, 1890, A., 1162.

- action of acetic anhydride on the anilides, toluidides, and naphthalides of malic acid, 1890, A., 1162.

- attempts to prepare aromatic tetra- and tri-ketopiperazines, 1890, A., 1164.

 attempts to prepare closed chains containing 2 nitrogen atoms and 2, 3, and 6 carbon atoms, 1890, A., 1164.

Bischoff, Carl Adam, and Carl Rach, ethyl acetylenetetracarboxylate, 1885,

 derivatives of o-nitrobenzoic acid, 1885, A., 263.

-s-dimethylsuccinic acid, 1885, A., 885.

 hydroxypyrocinchonic acid, 1886, A., 1012.

Bischoff, Carl Adam, and Hermann Siebert, benzyl and benzoyl conipounds, 1887, A., 951.

Bischoff, Carl Adam, and Arthur Tigerstedt, action of ethyl α-bromoisobutyrate on ethyl propylinalonate and isopropylmalonate, 1890, A., 1103.

Bischoff, Carl Adam, and Chatzcheres Trapesonzjanz, diphenylpiperazine, 1890, A., 1332.

Bischoff, Carl Adam, and Eduard Voit, s-dimethylsuccinic acids, 1889, A., 490. the two s-dimethylanccinic

acids, 1890, A., 743.

relation of the two s-dimethylsuccinic acids to pyrocinchonic acid, 1890, A., 743.

Bischoff, Carl Adam, and Paul Walden. disubstituted succinic acids, 1889, A., 959.

 physical constants of alkyl derivatives of ethyl ethenyltricar-boxylate, 1890, A., 745. Bischoff, Carl Adam, and Paul Walden, conductivity of the substituted succinic and glutaricacids, 1890, A., 1038.

Bischoff, Carl Adam, Anton Sienecki, and Elius Brodsky, sulphonation of aniline and naphthylamine with potassium hydrogen sulphate, 1890, A., 1149.

Bischoff, Carl Adam. See also Mus Conrad.

Bischoff, Carl August, distribution of poisons in the human organism in cases of poisoning, 1883, A., 1020.

Bischoff, Ernst, action of nitrous acid on tetramethyldiamidobenzophenoue,

1888, A., 1197.

— action of nitrous acid on tetramethyldiamidobenzophenone and analogous compounds, 1889, A., 511.

- derivatives of deoxybenzoin, 1889, A., 512.

Bishop, Arthur Wright, and Ludwig Claisen, camphoraldehyde, 1889, A.,

Bishop, Arthur Wright, and William Henry Perkin, junior, the action of ethyl dichloracetate on the sodium derivative of ethyl malonate, 1891, P., 41.

Bishop, W., analysis of honey, 1885, A., 444.

-action of oils on polarised light, 1888, A., 388.

estimation of sugar in presence of carbohydrates, 1889, A., 85.

oil of sesame, 1890, A., 90.

Bishop, IV., and L. Ingé, detection of cotton-seed oil in lard, 1889, A., 194.

Bissinger. Theodor, constituents of Lactarius piperatus and Elaphomyees granulatus, 1884, A., 480.

Bistrzycki, Augustin, opianie acid, 1888, A., 1209.

action of o-diamines on phthalaldehydic acid, 1890, A., 969.

action of o-diamines on o-aldehydobenzoic acid, 1891, A., 746.

Bistrzycki, Augustin, and Gustav Cybulski, action of acid chlorides on a-diamines, 1891, A., 694.

- phthalamidones, 1892, A., 1248.

Bistrzycki, Augustin, and Stanislaus von Kostanecki, isomeride of cuxanthone, 1885, A., 1077.

Bistrzycki, Augustin, and Fritz Ulffers, diacetyl-o-diamines, 1890, A., 1115; 1892, A., 1197.

Bitschichin, Athanasius A., and Nicolai D. Zelinsky, s-diethylsuccinic and methylethylenecinic acids, 1890, A., 740.

Bitschichin, Athanasius A. See also Nicolai D. Zelinsky.

Bitt6, Béla von, sodium nitroprusside as a reagent for aldehydes and ketones, 1892, A., 924.

- behaviour of aldehydes and ketones with aromatic nitro-compounds, 1892, Λ., 1263.

Bizio, Giovanni, Bechi's newest method for the detection of cotton-seed oil in mixtures, 1889, A., 86.

Bizzarri, Decio, hydroxycoumarin, 1885, A., 901.

- new class of acridines : phenylcar-

bazacridine, 1891, A., 219.
— coumarone, 1891, A., 566.

— methylcarbazacridine, 1892, A., 343.

- carbazacridines: dehydration of amides in contact with diphenylderivatives, 1892, A., 617.

Bizzarri, Decio, and Giovanni Campani, attempts to obtain tartronic acid from glycerol and tartaric acid from erythrol, 1884, A., 297.

- native arsenic of Valtelline,

1886, A., 206. Blass, Josef, roemerite, botryogen, and native magnesium iron sulphate, 1884, A., 269.

- natural hydrous double sulphates, 1884, A., 1103.

Blachstein, gases of peptone blood, 1892, A., 363. Blackman, Frederick Frost. See Sieg-

fried Ruhemann.

Bladin, Joh. Adolph, action of cyanogen on the toluidines, 1884, A., 1141.

action of cyanogen on aromatic diamines, 1885, A., 256.

- evanogen compounds of the aromatic diamines, 1885, A., 784.

derivatives of dicyanophenylhydrazine, 1885, A., 980; 1886, A., 146; 1887, A., 138; 1889, A., 702.

- diphenylmethyltriazole, 1889, A., · 138.

- amidoximes and azoximes of the triazole and tetrazole series, 1889, A.,

– ditriazole-derivatives, 1890, A.,271.

oxidation of phenylmethyltriazole-carboxylic acid, 1890, A., 1165.
oxidation of phenylmethyltriazole-carboxylic acid: phenyltriazoledicarboxylic acid and the constitution of phenyltriazolecarboxylic acid, 1891,

- condensation products of dicyanophenylhydrazine with aliphatic aldehydes, 1892, A., 596.

Bladin, Joh. Adolph, action of ethyl acetoacetate on dicyanophenylhydrazine, 1892, A., 597.

– triazole-derivatives, 1892, A., 637.

— triazole, 1892, A., 735.

– tetrazole, 1892, A., 1009.

Bladin, Joh. Adolph. See also Oskur Widman.

Bläse, O. von. See Fedor F. Beilstein. Blair, Andrew A., valuation of acetate of lime, 1885, A., 1014.

 estimation of carbon in steel, 1892. A., 237.

Blake, Francis Hayes, vanadinite in Arizona, 1885, A., 489.

Blake, James, relative toxic power of metallic salts, 1883, A., 745.

- action of inorganic compounds on living matter, 1886, P., 254; discussion, P., 254.

 physiological action of lithium, potassium, and rubidium salts, 1886, A., 385.

 physiological action and optical properties of inorganic substances, 1890, A., 813.

- physiological action of thallium salts, 1890, A., 1452.

Blake, Joseph A. See Russell Chittenden.

Blake, Lucien J., production of electricity by evaporation and electrical neutrality of vapour arising from the electrified surfaces of liquids, 1884, A., 243.

Blake, Robert Frederick. See Edmund Albert Letts.

William Blake, Phipps, cassiterite, spodumene, and beryl from Dakota, 1884, A., 23.

– new locality of chalchuite, 1884, A., 26.

--- metallurgy of nickel, 1884, A., 129. --- native lead and minium in Idaho, 1884, A., 563.

-- columbite in the Black Hills of Dakota, 1885, A., 360; 1891, A., 1329.
— crystallised gold in prismatic forms, 1885, A., 487.

meteorite from Green Co., Ten-

nessec, 1886, A., 438.

minerals from Arizona,—thenardite, mirabilite, glauberite, halite, and bournonite, 1890, A., 572.

Blanc. See Le Blanc.

Blanchard, Raphael, colouring matter from Diaptomus analogous to carrotene, 1890, A., 640. Blank, A. Sec Johannes Wislicenus.

Blank, Albert, carbazole synthesis, 1891, A., 571.

Blank, Albert. See also Ludwig Knorr. Blarez, Charles, deplastering of wines, 1883, A., 252.

volumetric estimation of sulphurous acid, 1886, A., 918.

· absolute acidity of animal fluids,

1886, A., 1057. saturation of normal arsenic acid with barium hydroxide, 1887, A., 7.

- saturation of arsenic acid with calcium and strontium oxides, 1887,

- saturation of selenious acid by

bases, 1887, A., 106.

- saturation of arsenic acid with magnesia: formation of ammonium magnesium arsenate, 1887, A., 204.

- estimation of oxygen dissolved in

water, 1888, A., 1344.
— solubility of potassium hydrogen tartrate, 1891, A., 676.

 influence of extractive matter on the real alcoholic strength of spirits, 1891, A., 865.

- influence of inorganic potassium salts on the solubility of potassium hydrogen tartrate, 1891, A., 974.

- influence of potassium halides on the solubility of normal potassium sulphate, 1891, A., 974,

 influence of potassium salts on the solubility of potassium chlorate, 1891.

A., 1319. Blarez, Charles, and Georges Denigés, distinguishing coal-tar colours from the natural colouring matter of wine, 1886, A., 1084.

estimation of uric acid by potassium permanganate, 1887, A., 621. - solubility of uric acid, 1887,

A., 919. Blarez, Charles. See also Maurice

Hanriot. Blas and Miest, extraction of the precious metals from all kinds of ores

by electrolysis, 1883, A., 134. Blasberg, Otto. See Georg Vortmann. Blaserna, Pictro, and Stanislas Can-

nizzaro, report on a memoir by Schiff "on the molecular volumes

liquids," 1883, A., 279.

Blasi, L. de, Brieger's typhotoxine, 1890, A. 391. Blasi, L. dc, and G. Russo Travali.

reducing power of micro-organisms, 1890, A., 1453.

Blattner, G., decomposition of ammonium sulphate by means of sodium sulphate, 1885, A., 613.

- reaction of ammonium and sodium sulphates, 1886, A., 107.

Blau, Fritz, action of sedium methoxide on bromobenzenes, 1887, A., 242.

distillation of salts of pyridineearboxylic acid, 1888, A., 728; 1889, Λ., 1212.

preparation of mono- and dibromopyridines, 1889, A., 1212.

elementary analysis, 1889, A.,

 constitution of nicotine, 1891, A., 583.

- αβ-dipiperidyl, 1892, Λ., 1365. - estimation of nitrogen in organic

substances, 1892, A., 1515.

Blau, Fritz. See also Hugo Weidel. Bleekrode, L., indices of refraction of liquefied gases, 1885, A., 467.

Bleibtreu, Leopold, nitrogenous constituents of dogs' urine, 1890, A., 279.

- influence of muscular work on the output of urea, 1891, A., 350.

See also Eduard Bleibtreu, Lcopold. Friedrich Wilhelm Pflüger.

Bleicher, microscopic structure of the onlitic iron ore of Lorraine, 1892, A.,

Blendermann, H., formation and decomposition of tyrosine in the body, 1883, A., 818, 876.

Bloch, Olaf Frederick. See Wyndhum Rowland Dunstan.

Blochmann, G. F. Rudolf, electromotive forces of cells containing mixed salt solutions, 1890, A., 202.

Blochmann, Reinhard, phenolphthalein as indicator in estimating carbonic anhydride in gases, 1884, A., 1072.

carbonic anhydride in the atmosphere, 1887, A., 214.

- action of aniline hydrochloride on ethyl cyanide, 1887, A., 931.

- the concentration of reagents, 1890, A., 412.

Blochmann, Reinhard, and U. F. Rudolf Blochmann, lecture experiments to demonstrate $_{
m the}$ dissociation ammonium chloride, 1891, A., 1415.

Block, Hermann, constituents of Hedera hcliv, 1889, A., 294.

Block, Justus, and Bernhard Tollens, methylhydroxyglutaric acid and the corresponding lactonic acid, 1886, A., 533.

- salts of levulinic acid, 1887. A., 800.

Bloem, Friedrich.See Adolf ron Baeyer.

Blomstrand, Christian Wilhelm, oxyacids of chlorine, 1883, A., 645. — a uranium mineral from Moss, 1884, A., 1102.

Blomstrand, Christian Wilhelm, the Hainstadt clays, 1886, A., 678.

- oxy-acids of iodine, 1887, A., 327. - analyses of monazite and xenotime, 1889, A., 217.

the so-called cyrtolite of Ytterby, 1889, A., 220.

platinum compounds of ethyl

sulphide, 1889, A., 230.

· iodic acid: double salts of iodic acid with other acids, 1890, A., 107. - cerium and yttrium phosphates in South Norway, 1890, A., 111.
— monazite from Ural, 1890, A., 571.

monazite from Sweden, 1891, A.,

1168.

gadolinite, 1892, A., 1410.

Blondlot, René, transference of copper across a stratum of gas: combination of nitrogen with copper, 1886, A., 422.

Blondlot, Renć, and Ernest Bichat, determination of the potential differences between mercury and electro-

lytes, 1888, A., 1005. Blondlot, René. See also Ernest Bichat. Blount, Bertram, cause of the decrepitations in "explosive pyrites," 1885, T., 593; P., 90.

– calcium borate, 1887, A., 108.

- estimation of carbon in steel, 1888. A., 530.

igniting point of sulphur, 1890, л., 849.

Bloxam, Arthur George, action of carbonic oxide on lead and silver chlorides, 1886, A., 17.

solubility of sulphur in alcohol,

188**6, A.**, 593.

Bloxam, Charles L., reconversion of nitroglycerol into glycerol, 1883, A., 788.

· use of bromine in testing for alkaloids, 1883, A., 1036, 1175.

 reduction of potassium ferricyanide by potassium cyanide, 1884, A., 35.

- detection of silver cyanide, 1884, A., 118.

- - reactions with silver cyanide, ferrocyanide, and ferricyanide, 1884, A., 118.

- silver nitrocyanide, 1884, A., 168. - reaction between mercuric cyanide and silver nitrate in presence of ammonia, 1884, A., 168.

- barium and strontium in a boiler incrustation, 1884, A., 699.

- estimation of manganese in castiron or spiegeleisen, 1885, A., 84. - some reactions of silver cyanide,

· 1885, A., 183.

Bloxam, Charles L., detection of iron, aluminium, etc., 1885, A., 1264.

- chromic phosphate, 1886, A., 17. ferrates: a lecture experiment, 1886, A., 848.

- detection of calcium in presence of strontium, 1886, A., 920.

-calcium ammonium arsenate and

calcium arsenate, 1887, A., 108.

— colour tests for strychnine and other alkaloids, 1887, A., 752.

Bloxam, William Popplewell. Edward Felix Herroun, iodaldehyde, 1886, A., 864, 1006.

Blümcke, Adolf, influence of concen-

tration on the specific heat of aqueous and alcoholic solutions of metallic chlorides, 1885, A., 8.

determination of the specific gravity of carbonic acid solutions, 1885, A., 215.

specific heat of uranium, 1885, A., 625

specific heat of aqueous alcohol, 1885, A., 1031.

 specific heat of concentrated soda solutions, 1885, A., 1101.

- modification of Bunsen's ice calorimeter, 1886, A., 5.

specific gravities of mixtures of ethylic alcohol and carbonic anhydride, 1887, A., 435.

 determination of the specific weight and vapour pressure of mixtures of sulphurous and carbonic anhydrides, 1888, A., 775.

- isothermals of a mixture of sulphurous and carbonic anhydrides,

1889, A., 750.

 connection between the theoretical and empirical isothermals of mixtures, 1891, A., 375.

- change of the empirical and theoretical isothermals of mixtures of two substances with the temperature, 1892, A. 259.

- labile conditions of equilibrium in mixtures of two substances at a temperature below the melting-point of either, 1892, A., 936.

Blümlein, Friedr. See Josef Plöchl. Blümlein, F. O., action of bromacetophenone on amides, 1885, A., 162.

- brominated plithalic acids, 1885, A., 162.

Blum, F., thymolglycuronic acid, 1892, A., 1116.

Blum, L., estimation of silicon in iron, 1886, A., 835.

- separation of manganese from iron, 1887, A., 188.

Blum, L., detection of albumin in urine, 1887, A., 1003.

— estimation of aluminium in presence of iron and phosphoric acid, 1888, A., 324.

---- estimation of iron in iron ores by the tartaric acid method, 1888, A., 757.

estimation of sulphur in coke, 1888, A., 1333.

analysis of substances containing aluminium, calcium, and magnesium, 1889, A., 652.

precipitation of magnesia, 1889, A., 1087.

source of error in separating traces of manganese from much lime by ammonium sulphide, 1889, A., 1087.
 estimation of carbon in iron, 1889,

A., 1088.
—— estimation of sulphur in iron, 1890,

A., 921.

volumetric estimation of zinc, 1890,
 A., 1191; 1892, A., 534.

estimation of sulphur in inorganic

sulphides, 1891, A., 107.
—— detection of foreign raw phosphates in powdered basic slag, 1891, A., 109.

estimation of manganese in iron and steel, 1891, A., 963.

— manganese ammonium ferrocyanide, 1891, A., 1293.

volumetric estimation of manganese, 1891, A., 1293.

presence of lead in glass wool, 1892, A., 1375.

--- absorption apparatus for use in the estimation of sulphur in iron, 1892, A., 1376.

Blumenbach, Edm. See Georg Dragendorff.

Blunck-Schilkowitz, butter making, 1884, A., 534.

Blundstone, Edwin Richardson, glycogen in the connective tissue of molluscs, 1886, A., 569.

Blunt, Thomas Porter, specific gravity of crystalline strychnine, 1886, A., 1047.

a simple nitrometer, 1887, A., 998.
assay of emetine in ipecacuanha wine, 1890, A., 310, 548.

— indirect estimation of alcohol, 1892, A., 543.

Blyth, Alexander Wynter, studies of disinfectants by new methods, 1886, A., 573.

 distribution of lead in the brains of two factory operatives dying suddenly, 1887, P., 71.

— nutritive value of wheat meal, 1890, A., 396.

Blyth, Alexander Wynter, and George Henry Robertson, notes of experiments on butter fat, 1889, P., 5.

Blythe, G. II., arsenic cyanide, 1888, A., 1047.

Boam, F. IV., estimation of arsenic, 1890, A., 1026.

Boas, Isidor, digestion of albumin, 1888, A., 733.

free hydrochloric acid in gastric juice, 1889, A., 734.

estimation of hydrochloric acid in gastric juice, 1892, A., 97.

Boas, Isidor. See also Carl Anton Ewald.

Boccard, G. di, manganese hydroxide from the Euganeen, Italy, 1892, A., 689.

Bochefontaine and William Oechsner de Coninck, physiological action of β-collidinehexahydride, 1885, A., 681.

Bochefontaine. See also Germain Sée.
Bock, Joh., transformation of cane sugar into dextrose, 1890, A., 21.

Bock, Joh. See also Christian Bohr. Bock, Otto, conductivity of compounds of potassium and sulphur in solution,

of potassium and sulphur in solution, of sodium sulphide, and of boric acid, 1887, A., 758.

Bockairy, P., adulteration of butter, 1888, A., 1135.

estimation of cotton-seed oil in lard, 1890, A., 307.

Bockal, Arpad, physiological action of p-aldehyde, 1887, A., 391.

Bocklisch, Oscar, ptomaines from fish, 1885, A., 566, 1146.

 ptomaines from pure cultivations of Vibrio proteus, 1887, A., 742.

Boddé, H., detection of resorcinol, 1889, A., 1090.

Bode, Johann, derivatives of neurine and choline, 1892, A., 806.

Bodewig, Anton. See Carl Paal.

Bodewig, Charles, analyses of magnetic pyrites, 1883, A., 1061.

estimation of sulphur in pyrites, 1884, A., 492.

estimation of boric acid in borosilicates, 1884, A., 871.

nephrite from Tasmania, 1885, A., 733.

Bodewig, Charles, and Gerhard vom Rath, colemanite from California, 1885, A., 957.

Bodewig, J. See Wilhelm La Coste.
Bodisco, A., heat of dissolution of anhydrous lithium iodide, 1889, A., 329.
—— heat of dissolution of anhydrous lithium bromide, 1889, A., 1098.

Bodländer, Guido, secretion of perspiration by the skin after taking alcohol, 1888, A., 977.

—— solubility of some substances in mixtures of water and alcohol, 1891, A., 794.

—— solubility of mixed salts in water, 1891, A., 795.

rubidium barium dithionate, 1891, A, 802.

formation of melilite during the bunning of Portland cement, 1892, A., 416.

behaviour of molecular compounds on dissolution, 1892, A., 1154.

Bodländer, Guido, and Isidor Traube, distinction between albuminoids, gelatin. and peptones by the capillarimetric method, 1886, A., 1087.

Bodmer, Richard. See Mired W. Stokes.

Böcher, Philipp. See Adolph Claus. Boeck, Georges de. See Walthere Spring.

Boeck, John, oriental enamel on tiles and its imitation, 1889, A., 1112.

Böcker, Franz. See Emerich Meissl.
Böckmann, Fr., manufacture of sorghoand imphy-sugar in the United States,
1883, A., 633.

Böckmann, Otto. See Otto Bockmann.

Boeddinghaus, Walther, p-nitrosobenzylaniline and p-nitrosobenzyltoluidine, 1891, A., 1205.

Boeddinghaus, Walther. See also Julius Bredt.

Böhm, Amand. See Conrad Willgerodt.

Böhm, Joseph, formation of starch from sugar, 1883, A., 820.

nature of the gases contained in vegetable tissues, 1884, A., 670.

behaviour of vegetable tissues, starch, and charcoal towards gases, 1884, A., 1250.

Böhm, L., absorption of mercury salicylate, 1891, A., 351.

Böhm, L., and O. Schwenk, putrefaction of albumin in the alimentary canal of Herbivora, 1885, A., 284.

Boehm, Max. See Carl Engler.

Böhm, Rudolf, chemical and toxicological relations of certain fungi, 1885, A., 1008.

- - curare, 1887, A., 1125.

formation of lactic acid in muscles 1891, A., 348.

Boehme, E. P., the welding of iron, 1884, A. 786.

Böhmer, Carl, albuminoid and nonalbuminoid nitrogen compounds of certain vegetables, 1883, A., 236.

---- estimation of nitric oxide and nitric acid, 1883, A., 508.

Bohmer, Carl. See also Franz Josef König.

Bohringer, Christian. See Wilhelm Körner.

Boekmann, Otto. See Eugen Bamberger, Paul Friedländer.

Bölsing, Friedrich, and Julius Tafel, acid hydrazides, 1892, A., 981.

Böniger, M., desmotropic derivatives of ethyl succinosuccinate, 1888, A., 954.

 ethyl dihydroxyquinonedicarboxylate and its hydro-derivatives, 1889, A., 878.

Börnstein, Ernst, methylanthraquinone and some of its derivatives, 1883, Λ., 70.

solution, 1886, A., 327.

detection of Fahlberg's "saccharin" in articles of food, 1888, A., 760.

in articles of food, 1888, A., 760.

detection of "saccharin," 1889,
A., 449.

Börnstein, Ernst, and Alexander Herrfeld, oxidation of levulose, 1886, A., 328.

Börnstein, Ernst. See also Alexander Herzfeld.

Boessneck, Paul Ernst, a-naphthoic cyanide, 1883, A., 595.

derivatives of α-naphthoic acid, 1883, A., 807.

methylnaphthalene, 1883, A., 1135.

--- condensation of chloral hydrate with tertiary amines, 1885, A., 976; 1886, A., 458.

--- acetyl-o-tolylenediamine and acetazimidotoluene, 1886, A., 874.

 condensation of chloral hydrate with secondary amines, 1888, A., 587.

compounds of acctone with the sulphites of aromatic amines, 1888, A., 942.

— valuation of wine less, 1890, A., 303.

Boessneck, Paul Ernst. See also Oskar Knöfler.

Böttcher, Wilhelm, anhydro-compounds, 1883, A., 800.

— molecular transformations, 1888, A., 1118.

migrations in benzene o-diderivatives, 1885, A., 658. Böttcher, Wilhelm. See also Gustav Kraemer.

Böttger, silvering of glass, 1885, A.,847. Böttger, Heinrich, polysulphides of sodium, 1884, A., 1260.

- constitution of the alkaline polysulphides, 1884, A., 1260.

action of sulphur on sodium mercaptide, 1884, A., 1282.

ethyl sulphides, 1884, A., 1282. Böttiger, Eduard, quinolinehydrazines, 1892, A., 212.

Böttinger, Carl, anilpyruvic acid, 1883. A., I128; 1891, A., 1054.

 action of phenol on ketonic acids. 1884, A., 55.

- dipyrogallopropionic acid, 1884, A., 318; 1890, A., 982.

- aniluvitonic acid, 1884, A., 320. -oakbark tannic acid, 1884, Λ., 321.

relation between benzene and pyridine, 1884, A., 758.

pyridine derivatives, 1884, A., 758. condensation to pyridine derivatives, 1884, A., 758.

pyrotritartaric acid, 1884, A., 993. action of aniline on pyrotartaric

acid, 1884, A., 1006. - hemlock-tannin, 1884, A., 1025.

- bark-tannins, 1884, A., 1025. - acetylisation of gallic acid and tannin, 1884, A., 1178.

digallic acid, 1884, A., 1178.

 preparation of thiolactic acid, 1885. A., 752.

— condensation products of pyruvic acid, 1885, A., 758. pyridinetricarboxylic acid, 1885,

Ĩ144. Böttinger's pyridinedicarboxylic

acid, 1886, A., 368. oak-tannin, 1887, A., 584.

- basic aluminium sulphate, 1888, compounds of gelatin with tannin,

1888, Ā., 614. gallic acid and tannin, 1888, A.,

1090.

- the water of crystallisation of certain pyrotritartrates, 1888, A.,

formation of carbon oxysulphide, 1889, A., 466.

- benzoyltannin, 1890, A., 163.

a new reaction of tannin, 1890, A., 896.

oxidation of gallic acid, tannin, and oak-tannin, 1890, A., 1130. gallic acid, tannin, and oak-tannin,

1890, A., 1275.

Bottinger, Carl, gallic acid, tannin, and oak-tannic acids, 1891, A., 70.

- action of phenylhydrazine on tannin extracts, 1891, A., 70.

isogallic acid phenylhydrazide, 1891, Ā., 202.

- oxidation of gallic acid, 1891, A., 713.

preparation of glyceryl pyruvate, 1891, A., 1018.

- tannic acid of oak wood, 1891, A., 1061. oxidation of aniluvitonic acid,

1891, A., 1092. - preparation of triacetin, 1891, A.,

condensation of anilpyruvic acid,

1892, A., 54. derivatives of tannin, 1892, A...

dimethylracemic acid, 1892, A.,

698. - peptone salts of glutin, 1892, A.,

1016. Bogdanowska, Vera E. von, dibenzyl

ketone and dibenzylcarbinol, 1892, A., 851. Bogomoletz, Irran, separation of stron-

tium from calcium, 1884, A., 1077.

Boguski, J. J., rate of the reaction between marble and hydrochloric acid, 1888, A., 900.

attempt to eliminate the change in volume of the vessel in measuring the compressibility of liquids, 1888, A., 1019, 1237.

variations in the electrical resistance of nitrogen peroxide with risc of temperature, 1890, A., 203.

Bohland, Karl, estimation of nitrogen in urine, 1885, A., 609.

nitrogenous constituents of urine,

1889, A., 536. Bohland, Karl, and Heinrich Schurz, excretion of uric acid and nitrogen in cases of leucæmia, 1891, A., 488.

Bohland, Karl. See also Eduard Fried-rich Wilhelm Pflüger.

Bohlig, E., solubility of glass, 1885,

action of silver nitrate on pure potassium carbonate, 1885, A., 1111. volumetric estimation of chlorine, 1886, A., 178.

 examination of beer and a method for estimating alcohol, 1886, A., 493.

 quantitative evaporation of liquids in the spheroidal state, 1886, A., 647. testing potassium carbonate, 1888. A., 1224.

Bohn, René, and Carl Graebe, galloflavin, 1887, A., 1107.

Bohn, René, and Karl Heumann, pazophenol, 1883, A. 583.

- azophenols, 1881, A., 1011. Bohr, Christian, deviation of oxygen at low pressures from Boyle's law, 1886, A., 591.

compounds of hamoglobin and

oxygen, 1890, A., 1450.

compounds of hæmoglobin with carbonic anhydride, 1891, A., 343.

the specific quantities of oxygen in blood, 1891, A., 344.

- combination of hæmoglobin with oxygen, 1892, A., 1369.

Bohr, Christian, and Joh. Bock, solubility of gases in water, 1892, A., 107.

Bohr, Christian, and Sophus Torup, oxygen in oxyhemoglobin crystals, 1892, A., 1017.

Boillot, A., heat of combination of carbon and oxygen, 1884, A., 141.

heat of combination of hydrogen and oxygen, 1885, A., 8.

Bois. See Du Bois.

Boisbaudran, Paul Emile (dit François) Lecoq de, separation of gallium, 1883, A., 21, 153, 156, 293, 715, 1054; 1884, A., 17, 158, 822.

 reactions of iridium, 1883, A., 905.

- iridium potassium sulphate, 1883,

· violet iridium sulphate, 1883, A., 1057.

spectrum of samarium, 1885, A.,

action of hydrogen peroxide on cerium and thorium, 1885, A., 635.

- alloys of indium and gallium, 1885, A., 638.

- metallic spectra, 1885, A., 949. spectrum of ammonia, 1885, A., 1025.

- fluorescence of rare earths, 1885, л., 1174.

- peculiar electric spectrum of rare earths of the terbia group, 1886, A.,

- use of notassium sulphate in the fractionation of rare earths, 1886, A.,

equivalent of terbia, 1886, A., 424, 507; 1891, A., 17.

- mosandrium, 1886, A., 507.

- fluorescence spectra of Za and $Z\beta$, 1886, A., 666.

gadolinium, the Ya of Marignac, 1886, A., 667; 1889, A., 456; 1891, A., 17.

Boisbaudran, Paul Emile (dit François) Lecoq de, holmium, or Soret's X, 1886, A., 667.

– dysprosium, 1886, A., 667.

- spectrum and atomic weight of germanium, 1886. A., 768; 1887, A., 15.

fluorescence spectrum of yttrium. 1886, A., 838.

identity of the reversal spectrum of ZB with Crookes' fluorescence spectrum, 1886, A., 958.

fluorescence of manganese compounds, 1887, A., 3, 189, 873, 1006. fluorescence of bismuth compounds,

1887, A., 4, 189, 873, 1006.

purification of yttria, 1887, A., 13. fluorescence of manganese and bis-

muth, 1887, A., 189, 873, 1006. - red fluorescence of alumina, 1887,

A., 191, 409, 538, 625. - red fluorescence of chromiferous

gallium, 1887, A., 755.

- fluorescence of spinel, 1887, A., 1005.

- new fluorescences with well-defined spectra, 1887, A., 1008; 1888, A., 97; 1890, A., 435.

- gallium, 1887, A., 1081.

- degree of exidation of chromium and manganese in fluorescent mixtures. 1888, A., 329, 544, 1001, 1229; 1889, A., 2.

fluorescent mixtures, 1888, A., 544.

· fluorescence of cupriferous calcium oxide, 1888, A., 882.

- fluorescence of ferruginous calcium oxide, 1888, A., 1001.

- history of the rare earths, 1890, A., 565.

- spark spectrum of gadolinium chloride, 1891, A., 2.

- supersaturation, 1892, A., 398. - samarium, 1892, A., 780.

Bois Reymond. See Du Bois Reymond. Boissieu, Pierre de, water of crystallis-

ation of alums, 1887, A., 892. - methyliodoform, 1888, A., 930.

new method for the preparation of tetraphenylethylene, 1888, A., 959.

Bokenham, T. Jessopp. See Thomas Lauder Brunton.

Bokorny, Thomas, reduction of silver salts by living protoplasm, 1887, A.,

supposed occurrence of hydrogen peroxide in animal and vegetable juices, 1888, A., 751.

Bokorny, Thomas, liberation of silver by living cells, 1888, A., 980.

formation of starch from various substances, 1889, A., 67.

— living vegetable protoplasm, 1890, A., 283. — formation of starch from formal-

dehyde, 1891, A., 1539.

nutrition of green plant-cells with formaldehyde, 1892, A., 1259.

Bokorny, Thomas. See also Oscar Loew. Bollert, A., derivatives of anthramine, 1883, A., 1139.

Bolton, H. Carrington, application of organic acids to the examination of minerals, 1883, A., 857.

potassium and sodium peroxides, 1886, A., 768.

—— list of elementary substances announced from 1877 to 1887, 1889, A., 13.

Bolton, Percy R. See Russell H. Chittenden.

Boltzmann, Ludwig, calculation of corrections of Bunsen's ice calorimeter, 1886, A., 409.

—— the equations employed by Pebal in his investigation of euchlorine, 1886, A., 418.

thermochemical law conjectured by Pebal respecting non-reversible electrolytic actions, 1887, A., 1072.

osmotic pressure and the kinetic theory of gases, 1891, A., 389, 638.

Bombelon, E., ergotinine and cornutine, 1888, A., 970.

Bond, Charles John, hæmoglobin crystals in septic diseases, 1888, A., 181.

Bondi, Simon. See Carl Weinreb.

Bondonneau, Lucien, estimation of moisture in amylaceous matters, 1884, A., 927.

Bondonneau, Lucien, and Foret, saccharification in vegetable tissues, 1888, A., 41.

Bondzyński, Stanislas, derivatives of hydrothiocinnamic acid, 1887, A., 1108.

Bondzyński, Stanislas, and Hans Rufi, analysis of butter, 1890, A., 838. Bondzyński Stanislas, Sas also Insch

Bondzyński, Stanislas. See also Jacob Ginsburg.

Ginsburg.

Bone, William Arthur. See Bevan
Lean.

Bongartz, Josef, atomic weight of antimony, 1883, A., 1056.

volumetric estimation of phosphoric acid, 1885, A., 438.

compounds of aldehydes, ketones, and ketonic acids with thioglycollic and thiacetic acids, 1886, A., 937. Bongartz, Josef, ethenyl trisulphide, 1886, A., 1000.

—— compounds of aldehydes, ketones, and ketonic acids with thioglycollic acids, 1888, A., 478.

Bongartz, Josef, and Alexander Classen, atomic weight of tin, 1889, A., 19.

Bonhöffer, Otto. See Eugen Lellmann. Boni, Domenico, detection of the colouring matter of Campeachy wood in wine, 1884, A., 502.

Boniscontro, L. See Michele Fileti. Bonna, August, phenyl-p-toluidine, 1887, A., 927.

Bonnans, Edmond. See Georges Denigés.

Bonnier, Gaston, development and absorption of heat by plants, 1886, A., 483.

Bonnier, Gaston, and Louis Mangin, respiration and transpiration of fungi, 1884, A., 628.

respiration of leaves in the dark, 1884, A., 857.

— methods of studying the influence of light on the respiration of plants, 1884, A., 1066.

exchange of gases between lichens and the atmosphere, 1885, A., 580.

the influence of the ultra-violet rays, 1886, A., 387.

Bonnier, Gaston. See also Philippe Edouard Léon van Tieghem.

Bonz, Albert, formation of amides from ethereal salts and ammonia, and the reversal of the reaction, 1889, A., 335.

Bonz, Richard, derivatives of ethylthiophen, 1885, A., 766.

bromination of α - and β -thiophenic acids, 1885, A.,1206.

—— synthesis of thiophendicarboxylic acid, 1885, A., 1207.

Boole, Lucy Everest (Miss). See

Boole, Lucy Everest (Miss). See Wyndham Rowland Dunstan. Booth, H. See T. Miniati.

Booth, James C., toughening gold and silver, 1884, A., 1445.

toughening gold, silver, etc., in the crucible, 1885, A., 462.

graphite crucibles, 1885, A., 616.

Bopp, Hermann. See Adolph Claus.

Boquillon, Henri, action of chlorine on

isobutylic alcohol, 1885, A., 961.

Borchers, Wilhelm, estimation of hydrochloric, hydrocyanic, and thiocyanic acids when simultaneously present,

1883, A. 1173. —— galvanic element, 1887, A., 541. Borchers, Wilhelm, electrolytic extraction of antimony, 1888, A., 230.

—— estimation of carbonic acid in mineral waters, 1888, A., 533.

Bordas, Fréd., grain of Holous Sorghum, 1887, A., 519.

Borden, J. L. See Julian Wood.

Bordt, Fritz. See Eugen Bamberger. Borelli, S., benzotribromanilide, 1888, A., 1292.

Borggreve, Bernard, and Richard Hornberger, analysis of bilberries, 1886, A., 953.

Borgmann, Eugen, relation between the glycerol and alcohol in wine, 1883, A., 518.

formic and acetic acids in plants, 1883, A., 611.

sulphuric acid in sherry, 1883, A.,

--- determination of small proportions of alcohol in viscous liquids, 1884, A., 611.

ratio of glycerol to alcohol in beer, 1884, A., 641.

examination of spices, 1884, A., 642.

examination of wine for nitric acid, 1888, A., 753.

Borgmann, Eugen, and Th. Wilhelm Fresenius, analyses of pure sherry, 1889, A., 476.

Borgmann, Engen. See also Th. IVilhelm Fresenius, Carl Remigius Fresenius.

Borgmann, Iwan I., photoelectric battery, 1883, A., 625.

Borgmann, (tto, benzyl compounds, 1886, A., 56.

Borgmann, Otto. See also Siegmund Gabriel.

Bormann, Karl, Gotz's method of estimating phosphorus in iron, 1890, A., 416.

Bornemann, Ernst, Etard's reaction for the preparation of aromatic addehydes, 1881, A., 1161.

-- action of hydroxylamine on cinnamaldehyde hydrocyanide, 1886, A., 799.

—— m-methylcinnamic acid, 1887, A., 829.

p-toluidine oxalate, 1890, A., 137.

Bornträger, Arthur, Witt's filtering apparatus, 1886, A., 917.

estimation of tartaric acid in wine and tartar, 1886, A., 1082; 1888, A., 536.

Bornträger, Anthur, polariscopic estimation of sugar in sweet wines, 1890, A., 426.

—— inversion of saccharose by hydrochloric acid, 1891, A., 535.

—— use of potassium hydrogen tartrate in titrating standard acids and alkalis, 1892, A., 525.

—— decolorisation of wines, 1892, A., 543.

Bornträger, Hugo, preparation of selenium on a large scale, 1883, A., 852.

manufacture of sulphuric acid free from arsenic and selenium, 1884, A., 126.

use of salicylic acid for preserving standard solutions, 1889, A., 73.

examination of commercial alcohol, 1889, A., 552.

--- characteristic reaction for aldehyde, 1889, A., 657.

 impurities in commercial alcohol, 1890, A., 669.

simple and rapid evolution of pure gases, 1891, A., 14.

test for resorcinol and thymol, 1891, A., 370.

Gayon's aldehyde reaction, 1891,
A., 1142.

Borodin, J., a crystallizable colouring matter in chlorophyll, 1884, A., 910.

Borrella, G., anisates, 1886, A., 65.
Borsbach, Emil, double salts of quinoline and metallic quinolides, 1890,
A., 643.

action of quinoline on copper sulphate, 1890, A., 796.

Borsbach, Emil. See also Georg Vortmann.

Bosio, (Iuido, influence of temperature on (Friess' reaction for nitrites in water, 1892, A., 657.

Bosscha, Johannes, meteorite of Karang-Modjo, or Magetan, in Java, 1887, A., 710.

Bosshard, Emil, estimation of ammonia in vegetable juices and extracts, 1884, A., 878.

A., 878.

Kjeldahl's method of estimating nitrogen, 1885, A., 837.

wine analyses, 1891, A., 359.

Bosshard, Emil. See also Ernst Schulze.
Bossung, Eugen. See Albert Edinger.
Bostwick, Arthur E., influence of light on the electrical resistance of metals, 1885, A., 469.

Bothamley, Charles Herbert, onthochromatic photography, 1887, A., 874. - reduction of potassium dichromate

with oxalic acid, 1888, T., 159.

Bothamley, Charles Herbert, and George de Roos Thompson, estimation of chlorates by means of the zinc-copper couple, 1887, P., 141; 1888, 164.

- action of phosphorus trichloride on organic acids and water, 1891,

A., 170.

Bott, William, constitution of the three isomeric pyrocresols, 1887, P., 114;

discussion, P., 114.

method of determining vapourdensity applicable at all temperatures and pressures, 1888, P., 110; discussion, P., 110.

Bott, William, and Duncan Scott Macnair, apparatus for determining vapour-densities, 1887, A., 632.

Bott, William and Jumes Bruce Miller, some derivatives and dyes obtained from α-pyrocresol, 1888, P., 110; 1889, T., 51.

Bottomley, James T., Daniell's cell of small internal resistance, 1885, A.,

- condensation of gases on the surface of glass, 1885, A., 477.

Bouchard, A., analyses of wines from Anjou, 1884, A., 646.

Bouchard, Ch., naphthol as an antiseptic medicine, 1888, A., 183.

into an active terpilene, 1886, A.,

borneol, 1886, A., 364. an inactive

action of acetic acid on terebenthene, 1886, A., 475.

- monohydric alcohols from terebenthene, 1886, A., 475.

synthesis of an inactive terpilenol, 1886, A., 890.

active camphene and ethyl-

borneol, 1887, A., 596.
— action of sulphuric acid on terebenthene, 1888, A., 294.

- transformation of terpilene into menthene, 1889, A., 276.

action of heat and acetic acid on French oil of turpentine, 1889, A., 895.

action of benzoic acid on turpentine, 1892, A., 199.

Bouchardat, Gustave, and Raymond Paul Engene Voiry, terpinol, 1887, A., 677; 1888, A., 719, 961. Bouchardat, Gustave. See also Raymond

Paul Eugène Voiry. Bougarel, Charles. See Adrian.

Bouilhon, E., estimation of solid matter in wines, 1887, A., 87.

Bouquet, Lombard de. See Lombard de Bouquet.

Bourbouze, soldering aluminium, 1881, A., 961.

- an aluminium alloy, 1886, A., 772. Bourcart, Emanuel, bromo-derivatives

of dibenzyl ketone, 1889, A., 884. Bourcart, Robert, milk analysis, 1889, A., 1090.

- titration of alcohol with chromic

acid, 1890, A., 1030. See also Emilio Bourcart, Robert. Nölting.

Bourgeois, Edouard, tolylnaphthyl sulphides, 1891. A., 1238.
Bourgeois, Edouard. See also Friedrich

Krafft, Walthere Spring.

Bourgeois, Leon, artificial production of witherite, strontianite, and calcite, 1883, A., 31.

artificial production of wollastonite and meionite, 1883, A., 560.

- artificial reproduction of certain silicates and titanates, 1884, A., 564.

artificial preparation of rhodonite, 1886. A., 214.

· barium and strontium titanates, 1886, A., 985.

crystallised insoluble carbonates, 1887, A., 221.

calcium silico-stannate, 1887, A., 333.

artificial production of crocoisite, 1887, A., 781.

-celestine and anglesite by Senarmont's process, 1888, A., 116.

- artificial production of hydrocerussite: its composition: constitution of white lead, 1889, A., 21.

crystallised o-silicates of nickel and

cobalt, 1889, A., 831.

— crystallised basic copper nitrate identical with gerhardite, 1890, A.,

- volatility of carbamide and its crystallisation by sublimation in a vacuum, 1892, A., 1309.

vacuum, 1892, A., 1309.

Bourgoin, Edme Alfred, solubility of mercuric iodide in water and alcohol, 1885, A., 350.

Bourgoin, Edme Alfred, and Paul L. Chastaing, phosphatic mineral water at Viry, 1888, A., 354.

- Bouriez, A., volumetric estimation of sulphides, 1892, A., 1377.
- Bourquelot, Emile Elié, physiological functions of maltose, 1884, A., 345.
- invertin, 1884, A., 983.
- differences between pepsin and trypsin, 1885, A., 408.
- —— diastase, 1885, A., 927.
- selective fermentation, 1885, A., 1003.
- fermentation of invert sugar, 1885, A., 1085.
- --- composition and fermentation of invert sugar, 1886, A., 169.
- —— preparation of galactose, 1886, A., 328.
- ----- action of saliva on starch, 1887, Λ., 354.
- starch granules, 1887, A., 355. — deterioration of diastase by the
- action of heat, 1887, A., 608.
 —— alcoholic fermentation of galactose,
- 1888, A., 572.
 —— saccharine substances in fungi,
- 1889, A., 740.
 —— sugars in mushrooms, 1891, A.,
- 103. starch in Boletus puchypus, 1892,
- A., 230.

 distribution of sugar in Boletus edulis and B. aurantiacus, 1892, A.,
- detection and extraction of trehalose, 1892, A., 545.
- Bourquelot, Emile Elié, and E. Troisier, assimilation of milk sugar, 1889, A., 735.
- Bourquelot, Emile Elié. See also .1. Dastre.
- Bourquin, A., action of zinc chloride on salicylaldchyde and p-hydroxybenzaldchyde, 1884, A., 1164.
- Bourquin, A. See also Marcellus Nencki.
- Boursier and St. André, manuring potatoes with potash salts, 1885, A., 883.
- Boury and O. Provins, extraction of beet, 1885, A., 464.
- Boussingault, Jean Baptiste Joseph, deposits of manganese on the surfaces of rocks, 1888, A., 170.
- brouze implement used by the miners of Peru, 1883, A., 691.
- cultivation of the caeao tree, 1883, A., 933.
- mineral combustibles, 1883, A., 941; 1884, A., 521.
- —— cocoa and chocolate, 1884, A., 202.
 —— analyses of combustible minerals, 1884. A., 780.

- Boussingault, Jean Baptiste Joseph, temperature of hailstones, 1885, Λ., 685.
- Boutelleau, absorption of nitrogen by Leguminose, 1884, A., 1401.
- Boutet, J. F., mineral waters of St. Nectaire, 1886, A., 858.
- potable water at Royat, 1886, A., 859.
- Boutroux, L., fermentation of bread, 1884, A., 132; 1891, A., 1532.
- acid fermentation of glucose, 1886, A., 682.
- gluconic acid, 1887, Λ., 468.
 hydroxygluconic acid, 1890, Λ., 1399.
- Bouty, Edmond, electrical conductivity of dilute solutions, 1884, A., 881, 1241.
- electrical conductivity of aqueous solutions of potassium chloride, 1886, A., 653.
- electrical conductivity of saline solutions of mean concentration, 1886, A., 753.
- electrical conductivity of mixtures of salts, 1886, A., 839; 1887, A., 877.
 conductivity of acids and salts in
- dilute solutions, 1887, A., 758.

 application of the electrometer to the study of chemical reactions, 1887, A., 882.
- molecular conductivity of fuming nitric acid, 1888, A., 545.
- ---- electrical conductivity of concentrated nitric acid, 1888, A., 640.
- —— electrical conductivity and electrolysis of concentrated solutions of sulphuric acid, 1889, A., 556.
- Bouty, Edmond, and Lucien Poincaré, conductivity of fused mixtures of sodium and potassium nitrates, 1888, A., 1231.
- Bouty, Edmond. See also Louis Paul, Cailletet.
- Boutzoureanu, Basile, selenites, 1888, A., 220; 1891, Λ., 262.
- Bouveault, Louis, synthesis of nitriles and of the β-kotonic ethers, 1891 A., 41.
- Bouveault, Louis. See also Maurice Hanriot.
- Bovet, V., composition of the bacillus from Erythoma nodosum, 1889, A., 539.

Bowler, Thos. Idc, Chinese treatment of cobalt ores, 1888, A., 1253.

Bowman, Walker, action of potassium cyanide on meconine, 1887, A., 586. acetylhydrocotarnineacetic acid,

1887, A., 1056.

Boye, Harald. See Eugen Lelimann. Boyen, Edgar von, bromeugenol-derivatives, 1888, A., 680.

Boyer, E., estimation of nitric acid, 1890, A., 1025.

estimation of ash in sugars, 1890,

- new method for the estimation of nitrogen, 1892, A., 237.

Boymond, precipitation of albuminoids from urine, 1890, A., 273.

- trichloracetic acid as a reagent for albumin, 1890, A., 312.

Boys, Charles Vernon, Bunsen's ice calorimeter, 1887, A., 1073.

Brackelsberg, Adolf, behaviour

phosphorus with iron and slags, 1886, A., 426.

Brackett, Richard N., ethereal salts of benzoic sulphinide, 1888, A., 282.

Brackett, Richard N., and Charles Willard Hayes, preparation of o-sulphobenzoic acid, 1888, A., 279.

Brackett, Richard N., and J. Francis Williams, newtonite and rectorite, two minerals of the kaolin group, 1892, A., 22.

Brackett, Richard N. See also John C. Branner.

Bradbury, C. M., topaz from Maine, U.S., 1884, A., 27.

- garnet (var. spessarite) from Amelia Co., Virginia, 1885, A., 227.

Bradbury, Robert Hart. See Edgar Francis Smith.

Bradford, J. R., physiological action of ulexine, 1888, A., 1325.

effect of partial extirpation of the kidneys on nutrition, 1891, A.,

Bradford, S. S., basic lead acetate as a test for olive oil, 1885, A., 603.

Bradley, Walter Parke, 8-thienylglyoxylic acid and its derivatives, 1886, A., 1014.

disalicylaldehyde, 1889, A., 873. Bradley. Walter Parke, and Frank Burnett Dains, action of acetic chloride on o-hydroxyaldehydes, 1892, A., 1458.

Bragard, Max, estimation of zinc as pyrophosphate, 1887, A., 398. estimation of zinc, 1887, A., 689.

Braikoff, Nicolaus P. See Carl Paal.

Braithwaite, John Oldhum, and Edward Henry Farr, fruit of Daphnidium Cubeba, 1886, A., 1064.

Braithwaite, John Oldham. Sec also William Arthur Harnson Naylor.

Brame, Charles, certain properties of hydrogen cyanide, 1883, A., 129.

- detection of hydrocyanic acid, 1884, A., 371.

-loss of nitrogen during the fermentation of farm-yard manure, 1884, A., 1416.

- pseudoquadratic octahedrons

sulphur, 1885, A., 1182.

- genesis of sulphur crystals in square tables, 1886, A., 16.

Brand, Albano, artificial breithauptite from the Mechernich lead furnaces, 1887, A., 17.

— use of "solid bromine" in analysis,

1887, A., 688.

- use of double pyrophosphates in the electrolytic estimation and separation of metals, 1890, A., 294.

- metallurgical products from the Mechernich lead works, 1890, A., 338. Brand, C., estimation of combined

carbon in iron, 1887, A., 866. Brande, Fr. See Albert Hilger.

Brander, K. A., thermoelectric currents between amalgamated zinc and zinc sulphate, 1890, A., 98.

Brandhorst, C. Heinrich, and Karl Kraut, phosphotungstic acid, 1889, A., 469.

Brandis, Ernst, condensation derivatives of a-naphthaldehyde, 1889, A., 1199.

Brandl. Josef, chemical composition of minerals of the cryolite group, 1883, A., 29.

Brandl, Jusef, and Ludwig Pfeiffer, melanin, 1890, A., 805.

Branly, E. estimation of haemoglobin in blood by optical means, 1883, A., 394.

Branner, John C., and Richard N. Brackett, peridotite from Arkansas, 1890, A., 345.

Brard, currents produced by fused nitrates in contact with incandescent carbon, 1883, A., 273.

-fuel to produce electricity, 1883, A., 626.

Brasch, Richard, nitro-derivatives of alizarin and purpurin, 1891, A., 1077. Brasch, Richard, and Georg Freyss. benzidine colouring matters, 1891,

A., 1231. Brasch, Richard. See also Friedrich Kehrmann,

Brass. Wilhelm. See Otto Wallach. Brasse, Léon, amylase in leaves, 1885, A., 182.

-action of the diastase of malt on

crude starch, 1885, A., 499.

- solution of starch in leaves, 1886,

- accumulation of sugar in the root of the sugar-beet, 1886, A., 1063.

- estimation of mercury in urine,

1888, A., 196.

- Tanret's reaction for albumin, peptone, and alkaloids in urine, 1888, A., 204.

influence of temperature on the tension of dissociation of oxyhemoglobin, 1889, A., 630.

Braun, Erich, sulphuranes, 1888, A.,

--- aldine formation, 1889, A., 613.

Erich, and Victor Meyer, aldines and amidoacetophenone, 1888, А., 366.

– ---- aldines, 1888, A., 700.

 aldine formation, 1888, A., 1093.

Braun, Ferdinand, electrical energy and chemical action, 1883, A., 413.

– electromotive force of certain galvanic combinations, 1883, A., 764. -- unipolar conductivity of solid substances, 1883, A., 769.

- solubility of solid substances and the changes in volume and energy accompanying solution, 1887, A., 436.

 decrease of compressibility of ammonium chloride solutions with increase of temperature, 1887, A., 768.

- -- electric properties of rock-salt,

1888, A., 9.

- relation between the compressibilities of a solution and of its constituent parts, 1888, A., 214.

compressibility of rock-salt, 1888,

Λ., 404.

--- change of volume in gases on mixture, 1888, A., 1015.

- observations on electrolysis, 1891,

A., 778. — electrostenolysis, 1892, A., 393.

---- electrocapillary reactions, 1892, A., 394.

Braun, Hermann, titration of carbanide with mercuric nitrate, 1885, A., 702.

Braun, L., and Robert Ebert, naphthalene dihydrosulphide and dithiocyanate, 1892, A., 1471.

Brauner, Bohuslav, chemistry of the cerite metals, 1883, T., 278; 1885, T. 879.

Brauner, Bohuslar, didymium, 1883, Λ_{-} , 18.

- density of cerium sulphate solutions, 1888, T., 357; P., 25.

- experimental researches on the periodic law: tellurium, 1889, T., 382; P., 94; discussion, P., 94.

- basis or standard of atomic weights, 1889, A., 335, 819.

- volumetric estimation of tellurium, 1890, P., 168; 1891, T., 58, 238; P., 31.

- atomic weight of lanthanum, 1891, A., 881.

Brauner, Bohuslav, and Františck Tomíček, action of hydrogen sulphide on arsenic acid, 1887, P., 130; 1888, T., 115.

Brauns, Ferdinand, action of aniline and toluidine on nitro-β-naphthaquinone, 1884, A., 1038.

Brauns, Ferdinand. See also Theodor Zincke.

Brauns, Reinhard, cause of the anomalous double refraction of certain salts crystallizing in the regular system, 1883, A., 1041.

-- manganite from Oberstein, 1886, A., 675.

- palacopicrite of Amelose and the products of its alteration, 1888, A.,

- - products of the weathering of diabase, 1892, A., 1412.

Brautlecht, J., microscopic examination of water for organic impurities, 1884, Λ., 221.

Bréal, Emile, microscopic fresh-water Alga, 1886, A., 1060.

- new mode of testing for nitrates, 1887, A., 1138.

 — nitrates in soils and waters, 1888, A., 384.

--- absorption of nitrogen by Leguminose, 1888, A., 1330.

- -- fixation of nitrogen by Leguminose, 1890, A., 79.

--- cultivation of Leguminose, 1890, A., 660.

- aërobic nitrate-reducing ferment in straw, 1892, A., 1259.

- fixation of free nitrogen during vegetation, 1892, A., 1508.

Bredig, Georg, kinetic nature of osmotic pressure, 1890, A., 105.

Bredig, Georg. See also Wilhelm Will. Bredt, Julius, action of nitric acid on fatty acids containing the isopropyl group, 1883, A., 176.

· camphoronic acid, 1885, A., 395; 1886, A., 156.

Bredt, Julius, breaking up of the lactone ring by means of alcohol and halogen hydro-acids, 1886, A., 531.

 acetyllevulinic acid; constitution of γ -ketonic acids, 1887, A., 126; 1890, A., 863.

– acetyllevulinic acid, 1890, A., 863. - action of ethyl sodacetoacetate on ethyl benzalmalonate, 1891, A., 712.

Bredt, Julius, and Walther Boeddinghaus, Rischbieth's y-valeroximidolactone; methylsuccinimide, 1889, A., 1061.

Bremer, Gustav Jacob IVilhelm, change of specific rotatory power under the influence of various solvents, 1885, A., 622.

decomposition of malic acid obtained from funiaric acid, 1886, A., 48.

differential tonometer, 1888, A., 402.

cause of the change of specific rotatory power under the influence of various solvents, 1888, A., 1141.

density and expansion by heat of saline solutions, 1889, A., 329.

Breneman, Abram Adam, apparatus for the rapid analysis of gases, 1884, A.,

estimation of carbon in cast-iron, 1884, A., 219.

coloured tubes for Nesslerising. 1884, A., 1072.

Brenstein, detection of thiosulphate in sodium hydrogen carbonate, 1887, A., 79.

Brenstein, G., action of ether on plant life, 1888, A., 624.

Brenzinger, Karl, cystin and cystem, 1892, A., 1111.

Bréon, R., analyses of minerals from the basalt of Iceland, 1886, A. 602. crystallographic association

triclinic felspars, 1886, A., 992.

Bretet, H., estimation of free and com-

bined carbonic anhydride in mineral waters, 1891, A., 862.

Breuer, August. See Theodor Zincke. Breyer, Theodor, gas-generator with continuous removal of the exhausted solution, 1889, A., 1048.

estimation of raffinose in raw sugar, 1890, A., 301.

Brezina, Aristides, the meteorites of Alfianello, 1883, A., 1071.

uranothallite, 1886, A., 24. Briant, Lawrence, estimation of mag-

nesia as ammonium magnesium phosphate, 1886, A., 490.

Bridge, J. L., quinoneoxime oxides, 1892, A., 1456.

Brieger, Ludwig, putrefaction alkaloids, 1883, A., 924, 1159.

- ptomaines, 1884, A., 1056, 1202.

— preparation of phenolsulphunic acid from urine, 1884, A., 1353. - basic products (ptomaines) from

human corpses, 1885, A., 278. bacteria, 1885, A., 578.

a ptomaine producing tetanus, 1887, A., 284.

· source of trimethylamine in ergot of rye, 1887, A., 394.

 tetanine and mytilotoxine, 1888, A., 1317.

Briem, H., absorption of water by beet-100ts, 1885, A., 928.

Brierley, John Thomas, new vanadium compounds, 1885, P., 114; 1886, T., 30.

electrolytic preparation of vanadious sulphate, 1886, T., 822.

Briggs, John Frederick. See Henry Edward Armstrong. Brigham, C. Pliny, double halogen

salts of bismuth, 1892, A., 788.

Brignone, different methods of estimating chlorides in urine, 1888, A., 990.

Brignone, Giovanni, analysis of the water of a thermal spring in the island of Pantelleria, 1884, A., 1106.

Brinck, Julia, synthetic action of living cells, 1889, A., 632.

- nutrition of muscle, 1891, A., 1273. Brinckmann (and others), manuring with basic-slag and other phosphates, 1887, A., 524.

Briosi, Giovanni, and Torquato Gigli, chemical composition and anatomical structure of the fruit of the tomato (Lycopersicum esculentum), 1891, Λ ., 955.

Brito, Philip S., method of testing for iodine in presence of large quantities of bromine, 1885, A., 189.

Britton, J. Blodget, normal solutions for the volumetric estimation of itom, 1883, A., 241.

Brix, Richard, exchange of chlorine, bromine, and iodine between organic and inorganic compounds, 1885, A.

Broadbent, Frank Vincent. See Harvey Washington Wiley.

Brochet, André, pyrogenic hydrocarbons in compressed gas, 1892, A., 797.

action of chlorine on isobutylic

alcohol, 1892, A., 1292.

Brociner, Alphonse L., reactions of the alkaloids, 1890, A., 310.

Brockhaus, experiments on the poisonous action of potato-brandy, 1883, A., 362.

Brodsky, Elias. See Carl Adam Bischoff.

Brodsky, Leon, action of aldehydes on ammonium thiocyanate, 1887, A., 580.

Brodsky, Salomon. See Aug. Bischler.
Brögger, Woldemar Christofer, the Silurian rocks of Christiania, 1883, A., 723.
— pitchblende and xenotime from Norway, 1884, A., 1101.

minerals of the pegmatite vein at

Moss, 1886, A., 27.

two new Norwegian minerals, 1886, A., 34.

—— crystals of thorium, 1886, A., 427.
—— minerals of the syenite-pegmatite veins of the South Norwegian augite and nepheline-syenites, 1890, A., 1077.

Brögger, Woldenar Christofer, and Helge Bäckström, dahllite, 1890, A., 714.

minerals of the garnet group, 1891, A., 24.

Brögger, Woldemar Christofer, and Gust. Flink, crystalline form of beryllium, 1884, A., 1092.

Broekema, L., and Adolf Mayer, comparison of ensilage with hay as fodder, 1886, A., 737.

Brömme, Chr., action of bromine on the naphthaquinoneoximes, 1888, A., 490.
— action of monamines on the naphthaquinoneoximes, 1888, A., 491.

Brömme, Eduard, and Ludwig Claisen, action of ethyl oxalate on acetophenone, 1888, A., 691.

Brömme, R., amido-derivatives of mxylene, 1888, A., 1295.

Brömme, Wilhelm, m-cyanobenzoic acid, 1887, A., 484.

behaviour of cyanobenzoic acids on dry distillation, 1887, A., 484.

Broockmann, K., estimation of phosphoric acid and of magnesia, 1883, A., 380.

Brooks, E. E., phosphorescence of lithium compounds in vacua, and spectra of coated terminals, 1891, A., 249.

Brooks, Evant Towns, See Front Austin

Brooks, Frank Terry. See Frank Austin Gooch.

Brothers, Horace Edward. See Watson Smith.

Brouard, L. See M. Bauer.

Brouardel, P., and Paul Loye, poisoning by hydrogen sulphide, 1885, A., 1151. Brough, Bennett Hooper, griqualandite,

1888, A., 236.

Brown, Adrian John, chemical action of pure cultivations of Bacterium accti, 1886, T., 172; P., 136; discussion, P., 137.

Brown, Adrian John, an acetic ferment which forms cellulose, 1886, T., 432; P., 194; discussion, P., 195.

—— chemical action of Bacterium aceti, 1886, P., 136; 1887, T., 638; P., 86.

— the cellulose formed by Bacterium xylimm, 1887, P., 87.

influence of oxygen and of concentration on fermentation, 1892, T., 369; P., 33.

Brown, Alexander Crum, ferric ferricyanide as a reagent for detecting traces of reducing gases, 1888, A., 627.

— synthesis of bibasic acids, 1890, A., 583.

P., 59.

Brown, Alexander Crum, and John Gibson, a rule for determining whether a given benzene derivative shall be a m-di-derivative or a mixture of o- and p-di-derivatives, 1892, T., 367; P., 39; discussion, P., 39.

Brown, Alexander Cruen, and James Walker, electrolysis of potassium of the malonate and potassium ethyl

succinate, 1890, A., 583.

acids, 1891, A., 1192.

——— synthesis of alkyl derivatives of succinic acid, 1891, A., 1193.

Brown, *Ch.*, manuring of turnips, 1886, A., 1068.

Brown, D. Rainy, and William Henry Perkin, junior, cryptopine, 1891, P.,

Brown, Henry C. See Rudolph Fittig. Brown, Horace, maltodextrin, 1886, A., 438.

on the search for a cellulose-dissolving (cytohydrolytic) enzyme in the digestive tract of certain animals, 1892, T., 352; P., 30; discussion, P., 33.

Brown, Horace, and George Harris Morris, non-crystallisable products of the action of diastase on starch, 1885, T., 527; P., 79.

— molecular weights of the carbehydrates, 1888, T., 610; P., 57; 1889, T. 462; P., 96; discussion, P.,

and its relation to soluble starch, 1889, T., 449; P., 95.

identity of cerebrose and galactose, 1889, P., 167; discussion, P., 167; 1890, T., 57.

Gramineæ, 1890, T., 458; P., 52; discussion, P., 54.

Brown, J., formation of a stalactite by vapour, 1885, A., 1034.

- theory of voltaic action, 1887, A., 417.

electrification of effluvia from chemical or voltaic reactions, 1891, Λ., 7.

Brown, Lucine Polk, analysis of tobacco screenings, 1889, A., 543.

pea-nut, 1892, A., 1122.

Brown, Phillip H., ethoxy-m-toluic acid, 1883, A., 471.

Brown, Thomas, failure of ammonium sulphate as a manure, 1886, A., 646.

Brown, Walter Lee, analysis of chrome paints, 1887, A., 304.

Brown, William George, hydrous manganese aluminium sulphate from Sevier Co., Tennessee, 1885, A., 226. aluminium sulphate from cassiterite from Irish Creek, Rock-

bridge Co., Virginia, 1885, A., 488. — crystallographical notes, 1887, Λ.,

Browne, David H., phosphorus in the Ludington mine, Michigan, 1889, A.,

763. Browne, George M. See Arthur

Michael. Browning, Philip Embury, rhodochrosite from Franklin Furnace, New Jersey, 1891, A., 527.

-separation of strontium and calcium nitrates by means of amyl alcohol, 1892, A., 915.

- separation of barium from calcium, 1892, A., 915.

Browning, Philip Embury. See also Frank Austin Gooch.

Brown-Séquard, Charles Edouard, and A. d'Arsonval, poisonous effect of expired air, 1889, A., 629.

Brubacher, Robert. See Heinrich Goldschmidt.

Brubaker, Albert P. See Henry C. Chapman.

Brubaker, Heinrich, inorganic constituents of bone and organs of normal and rachitic children, 1891, A., 847.

Bruce, James Douglas, silver hydroxide, 1885, A., 124. - analysis of cassiterite from King

Co., N. Carolina, 1885, A., 126. - marmalite from Himmelfahrt Mine,

Freiburg, 1885, A., 222. Bruck, P., diiodoacetylenedicarboxylic acid and diiodoacrylic acid, 1892, A.,

Brücke, Ernst von, alkophyr, and the true and so-called biuret reaction. 1883, A., 1019.

Brücke, Einst von, alkophyr and biuret, 1886, A., 338.

- colour reaction of guanine, 1887, Λ., 280.

does human urine contain free acid 1887, A., 986.

behaviour of Congo-red with human urine and with acid salts, 1888, A., 381.

- behaviour of Congo-red with acids and salts, 1888, A., 625.

van Deen's test for blood and Vitali's test for pus, 1889, A., 1040. Bruckner, Carl, condensation of dichlor-

ether with cresols, 1890, A., 1140. Brückner, Carl. See also Max Conrad,

Wilhelm Hecht. Brückner, E., Russian black earth,

1887, A., 687.

Brigelmann, 6., on crystallization, 1883, A., 147; 1885, A., 114. - experiments on crystallization exemplifying Berthollet's law of affinity,

1883, A., 148. estimation of thiosulphuric acid,

1884, A., 492.

crystallisation and physical union, 1889, A., 817.

- dimorphism of barium oxide: a new catalytic phenomenon, 1890, A., 850.

— characteristics of the alkaline earths and of zinc oxide, 1890, A., 850.

characteristics of the alkaline carths, 1892, A., 17.

Brüggemann, Rudolf, action of sodium on ethyl butyrate and isobutyrate, 1888, A., 1176.

Brühl, Julius Wilhelm, molecular refraction of liquid organic compounds of high dispersive power, 1887, A.,

experimental examination of the older and more recent dispersion formulæ, 1887, A., 195.

- Thomsen's supposed explanation of molecular refraction relations, 1887, A., 200.

- criticism of Thomsen's theory of the heat of formation of organic compounds, 1887, A., 423.

influence of single and double union on the refractive power of compounds: constitution of benzene and naphthalene, 1887, A., 1005.

- terpenes and their derivatives, 1888, A., 377, 494; 1892, A., 200, 347, 624, 1100.

 apparatus for fractional distillation in a vacuum, 1889, A., 207. -sublimation apparatus, 1889, A., 463.

- Bruhl, Julius Wilhelm, apparatus for crystallising at a low temperature, 1889, A., 461.
- concentration of the sun's rays for chemical reactions, 1890, A., 1033.
- crystallisation at a low temperature, 1890, A., 1043.
- measurement of refractive indices at high temperatures by means of the total reflectometer, 1891, A., 513.
- determination of the specific gravity of viscid substances, 1891, A., 520, 1147.
- refraction and chemical constitution of gases and vapours, 1891, A.,
- refractive indices of water, 1891, A., 629.
- relation between the spectrometrical constants and chemical constitution of epichlorhydrin, acetaldehyde, p-acetaldehyde, and benzene, 1891, A., 630.
- relations between the heats of combustion and structural formulæ of the alkylene oxides, acetaldehyde and its polymerides, trimethylene and benzene, 1891, A., 633.
- relations between dispersion and chemical constitution, 1891, A., 774. vacuum dessicator arranged for evaporation at any temperature, 1891,
 - A., 1152.
- pyrone, 1891, A., 1195.
- ethyl acetoacetate, 1892, A., 583. alcohol of antipyrin, 1892, A.,
- action of sodium and carbonic anhydride on antipyrin, 1892, A., 1106.
- --- trimethylene, 1892, A., 1163. camphene and camphoric acid,
- 1892, A., 1240.
- dipropargyl and benzene, 1892, A., 1436.
- Brühl, Julius Wilhelm, and Heinrich Biltz, metallic derivatives of alcohols, 1891, A., 656.
- Bruhl, Julius Wilhelm, and Ferdinand Müller, terpenes, 1892, A., 722.
- Brühl, Julius Wilhelm, Heinrich Biltz, August Cantzler, and Ludwig Reuter. terpenes and their derivatives, 1892, A., 623.
- Bruel, G., volumetric estimation of iron by means of sodium thiosulphate and salicylate, 1884, A., 367.
- Brümmer, white mustard as fodder, 1884, A., 864.
- Brünig, A., yield of butter from fiesh and stale cream, 1885, A., 620.

- Bruning, Gustur von, methylhydrazine, 1888, A., 936; 1890, A., 23
- Bruning, Gustav von. See also Adolf von Baeyer.
- Bruère. See John Casthélaz.
- Brugman, Wm. F., influence of copper on the estimation of sulphur, 1887, A., 296.
- Brugnatelli, Eugenio, detection of mercury in organic liquids, 1890, A., 926.
- Bruhns, Gustav, adenine and hypoxanthine, 1890, A., 534.
- Bruhns, Gustav, and Albrecht Carl Ludwig Martin Leonhard Kossel, adenine and hypoxanthine, 1892, A., 220.
- Bruhns, Willy, synthesis of quartz, corundum, etc., 1890, A., 112.
- Bruhns, Willy, and Kail H. E. G. Busz, phosphosiderite, 1890, A., 1073.
- Brukner, Bruno, contribution to the more exact knowledge of the chemical
- nature of starch grains, 1884. A., 575. Brullé, Raoul, adulteration of olive oil, 1888, A., 876; 1891, A., 506.
- reactions of oils with silver nitrate, 1889, A., 1251.
- analysis of olive oil and seed oils, butter and margarine, 1891, A., 506.
- Brun, A., mineralogical notes, 1883, A., 31; 1884, A., 402.
- galena with octahedral cleavage, 1883, A., 428.
- a crystal of stibnite from Japan, 1885, A., 221.
- Brun, Etienne, cupric oxybromide analogous to atacamite, 1889, A., 1112. - compounds of cuprous iodide and anunonium thiosulphate, 1892, A.,
- 1157. Brunck, Heinrich, and Carl Graebe, soluble alizarin-blue, 1883, A., 74.
- Brunck, Otto, derivatives of p-dianilido-
- benzene, 1892, A., 1450. Bruneau, Brisa. See Gustave Rousseau. Brunel, O., S-ethylnaphthalene, 1884,
- A., 1035. Brunelle, Joseph. See François Augusto
- Frédéric Combemale. Brunlechner, A., minerals from Carinthia, 1888, A., 233.
- Brunn, Otto, murexom, 1888, A., 452. - action of iodine on hydrogen arsen-
- ide and antimonide, 1888, A., 1224. hydrogen arsenide and antimonide, 1890, A., 209.
- Brunnemann, C., estimation of phos-
- phorus in basic slag, 1887, A., 527. Brunner, Daniel B., and Edgar Francis Smith, minerals from Berks Co., Pa., 1884, A., 663,

Brunner, Heinrich, azoresorcinol and azoresorufin, 1885, A., 776.

— reaction of sodium nitroprusside with alkaline and alkaline earthy hydroxides, 1890, A., 198.

synthesis of double sulphides of the alkali metals and the heavy metals, 1890, A., 215.

Brunner, Heinrich, and Ernest Chuard, \$\beta\$-amidoalizarin, 1885, A., 806.

—— phytochemical studies, 1886, A., 576.

Brunner, Heinrich, and Philippe Chuit, dichrons, 1888, A., 363.

dichroins obtained by the action of aqua regia and bromine aqua regia, 1888, A., 1182.

Brunner, Heinrich, and Charles Kraemer, action of nitrobromic acid on organic compounds, 1884, A., 1315.

amidophenolsulphonic acids and their relationship to Liebermann's

colouring matters, 1884, A., 1354.

Brunner, Heinrich, and William

Robert, colouring matters from phenols, 1885, A., 525.

Brunner, Jos. C. A., action of isobutaldehyde on quinaldine (2'-methyl-quinoline), 1887, A., 975.

Brunner, Karl, quinol and quinone of ditolyl, 1889, A., 996.

Brunner, Philipp, diundecylenic acid, 1886, A., 1011.

Brunner, Philipp, and Otto Nikolaus Witt, benzidine derivatives, 1887, A., 672.

——naphthaphenazine, 1888, A., 59.

Brunner, Philipp. See also Zdenko
Hanns Skraup, Friedrich Krafft.

Bruns, Wilhelm, and Otto (Freiherr) von der Pfordten, mercurous oxide, 1888, A., 1037.

Brunswig, H., derivatives of acetothienone, 1887, A., 236.

Brunton, Thomas Lauder, physiological action of brucine and bromostrychnine, 1885, T., 143; P., 5.

Brunton, Thomas Lander, and T. Jessopp Bokenham, physiological action of amyl nitrite, 1889, A., 433.

action of hydroxylamine and nitrites on blood pressure, 1889, A., 630.

Brunton, Thomas Lauder, and John Theodore Cash, action of calcium, barium, and potassium salts on muscle, 1883, A., 875.

constitution and physiological action, 1884, A., 348.

Brunton, Thomas Lander, and John Theodore Cash, action of cafforne and theme on voluntary muscle, 1887, A., 985; 1888, A., 1217.

Brunton, Thomas Lauder, and Allan Macfadyen, ferment action of bacteria, 1890, A., 916.

Brunton, Thomas Lander, and Sidney Harris Cox Martin, action of alcohols and aldehydes on proteids, 1891, A, 947.

Brush, George Jurvis, and Educard Salisbury Dana, spodumene and the products of its alteration, 1888, A., 488.

——— mineral locality at Branchville, 1890, A., 1072.

rhabdophane, 1884, A., 827.

Bruylants, Gustave, thiocyanic acid in the animal organism, 1888, A., 1321.
—— analysis of peptones, 1890, A., 1351.

Bruyn (van Troastenburg), Cornelis Adriaan Lohry de. action of hydrocyanic acid and of dilute sulphunic acid on aldol, 1885, A., 240.

propenylglycollic acid, 1885, A., 242.

—— action of potassium cyanide on m-dinitrobenzene, 1885, A., 656.
—— displacement of the NO₂ group by

an oxy-alkyl group, 1885, A., 657.

action of potassium cyanide on oand p-dinitrobenzene, 1885, A., 657.

propionic acid and some of its derivatives, 1885, A., 963.

in the benzene nucleus, 1885, A., 972. ethenylglycollic acid, 1886, A.,

224.

— preparation of mercury fulminate, 1886, A., 680.

—— direct substitution in the aromatic series, 1891, A., 428.

conversion of o-chloronitrobenzene and o-bromonitrobenzene into o-nitro-anison and o-nitrophenetoil, 1891, A., 429.

---- as-trinitrobenzene, 1891, A., 429. ----- s-dinitrophenol, 1891, A., 430.

displacement of the nitro-group by chlorine or bromine, 1892, A., 305.
 free hydroxylamine, 1892, A., 402, 1891.

Bruyn (van Troastenburg), Cornclis Adriaan Lobry de, apparatus for determining vapour pressures, 1892, A.,

explosion of ammonium nitrate, 1892, A., 683.

estimation of sulphur in red copper, 1892, A., 753.

Bruyn (van Troastenburg), Cornelis Adriaan Lobry de, and Frederik Hendrik van Leent, estimation of copper, 1892, A., 753.

Bubnow, N. A., chemical constituents of the thyroid gland, 1884, A., 1060. Buch, Karl, conversion of phenols into

amines, 1885, A., 147.

Buch, Karl. See also Alexander Zega. Buchan, Alexander, Ruffle's method of estimating ammonia, 1890, A., 1024.

Buchanan, John, thermoelectric position of carbon, 1886, A., 295.

electrical conductivity of hot gases, 1887, A., 1071.

Buchanan, John Young, occurrence of sulphur in marine muds and nodules. and its bearing on their mode of form-

ation, 1891, A., 994.

— composition of some deep sea deposits from the Mediterranean, 1891,

A., 995.

icher, *Emil*, *p*-methylbenzil and benzil-*p*-carboxylic acid, 1890, A.,168. Bucher, oxidation of benzyl p-tolyl ketone,

1890, A., 260.

Buchka, Karl von, hæmatoxylin and brazilin, 1884, A., 1043.

— action of sulphur chloride on ethyl sodacetoacetate, 1885, A., 1200. — formation of phenylglyoxylic acid

from benzoic cyanide, 1887, A., 487.

— p-tolylglyoxylic acid, 1887, A., 949. preparation of m-nitrotoluene,

1889, A., 696. Buchka, Karl von, and Adolf Erck, brazilin, 1885, A., 907.

Buchka, Karl von, and P. H. Irish, action of potassium ferricyanide on acetophenone, 1887, A., 483.

- oxidation of ketones, 1887.

Buchka, Karl von, and Antonio José da Cruz Magalhaes, cytisine, 1891, A., 587, 750.

Buchka, Karl von, and Ferdinand Schachtebeck, reduction products of

m-nitrotoluene, 1889, A., 701. Buchka, Karl von, and Charles T. Sprague, formation of pyridine from amidoazonaphthalene, 1889, A., 728.

 ethyl thiacetoacetate, 1890. A., 28,

Buchka, Karl von, and Charles T.
Sprague, action of phenylhydrazine on ethyl thiacetoacetate, 1890, A., 796.

Buchkremer, Leonard, change of volume on mixture of two liquids, and its influence on the refractive power, 1891, A., 2.

Buchmann, Carl. See Hermann Maas. Buchner, Eduard, influence of oxygen

on fermentation, 1885, A., 1002.
—action of ethereal salts of diazoacetic acid on ethereal salts of unsaturated acids, 1888, A., 1274.

action of methyl diazoacetate on ethereal salts of unsaturated acids, 1889, A., 694; 1890, A., 736.

- isomeride of glyoxaline, 1889, A.,

acetylene dicarboxylates and phenylhydrazine, 1890, A., 156. — fermentation, 1892, A., 820.

Buchner, Eduard, and Theodor Curtius, action of ethyl diazoacetate on aromatic hydrocarbons, 1885, A., 207.

synthesis of ketonic acids from aldehydes and ethyl diazoacetate, 1885, Å., 1238.

Buchner, Edward, and Hans Dessauer,

phenyltrimethylenecarboxylic acids, 1892, A., 849.

Buchner, Eduard, and August Papendieck, bromacetamide, 1892, A., 827.

Buchner, Eduard, and Hugo Witter, s-trimethylenetricarboxylic acid, 1890,

A., 1397.

· citric acid, 1892, A., 824. - s-ethanetetracarboxylic acid. 1892, A., 824.

Buchner, Georg, action of ammonium sulphide on metallic pyrophosphates, 1884, A., 218.

- detection of sugar in urine, 1885. A., 843.

- mercurous sulphate, 1886, A., 852. — cadmium sulphide: commercial cadmium pigments, 1888, A., 224.

- analysis of wax, 1889, A., 322. — analysis of white wax, 1892, A.,

cadmium sulphides, 1892, A., 778. Buchner, O. See Albert Hilger.

Buchstab, Lazau. See Enthyme Kli-menko, Nicolai D. Zelinsky. Buchstab, M., m-azo- and hydrazo-phene-

toil, 1884, A., 1147.

Budde, E., dead-space in chemical reactions, 1891, A., 975.

Budde, V., estimation of grape sugar in urine by Roberts' method, 1888, A., 198.

Buddeberg, M., replacement of the methylene hydrogen atoms in deoxybenzon and benzyl cyamde: synthesis of substituted quinoline, 1890, A., 1142.

Buddéus, Willulm, action of benzoic chloride on sodium cyanamide in the presence of ether, 1890, A., 1253.

Budisteanu, Demeire. See Lazar Edeleanu.

Bücheler, Max. See Carl Gustav Hufner. Bücher, August IVilhelm. See Adolph Claus.

Büchner, Ernst, action of carbonic anhydride on ultramarine, 1887, A., 774.

Bucking, Hugo, glaserite, blodite, kainite, and boracite from Douglashall, 1890, A., 18.

Buhring, Ludwig, estimation of fat m fodder, 1888, A., 633.

Bülow, Carl, phenylhydiazine compounds, 1887, A., 138, 144.

--- ethyl phthalacetoacetate, 1887, A., 144.

Bülow, Carl. See also Emil Fischer, Ludwig Knorr, Karl Polstorff.

Bürger, Josua. See Friedrich Krafft.
Büsgen, M., experiments with Drosera rotundifolia, 1884, A., 917.

function of tannin in plants, 1890, A., 819.

behaviour of tannin in plants, 1891, A., 104.

Bütschli, Otto, glycogen in the Protozoa, 1886, A., 87.

Büttner, Max. See Eugen Lellmann. Bufalini, formation of iodohæmin as a method for detecting blood-stains, 1886, A., 184.

Bugaieff. See Alesei A. Wolkoff.
Bugarszky, Stefan, velocity coefficients of bases, 1891, A., 1413.

Buisine, A., constituents of wool grease, 1885, A., 509.

composition of suint, 1886, A., 902.

Buisine, A., and P. Buisine, new source of capric acid, 1888, A., 44.

____ malic acid in suint, 1888, A., 976.

glycollic acid and pyrotartaric acid from suint, 1889, A., 178.

salts, 1889, A., 795.

——— beeswax, 1891, A., 131.

position of white wax, 1891, A., 625.

aulteration of beeswax, 1892,
A., 251.

Buisine, .1., and P. Buisine, utilisation of buint pyrites in the manufacture of iron salts, 1892, A., 1281.

Bujard, Alfons, and Carl Hell, bromazelaic and hydroxyazelaic acids, 1889,

A., 375.

Bujard, Alfons, and A. Klinger, detection of the colouring matter of alkanna root, 1891, A., 372.

Bulach, Withelm, action of p-nitrobenzaldehyde on quinaldine, 1887, A., 976.

— condensation of p-nitrobenzaldehyde with quinaldine, 1889, A., 527.

Bulitsch, Peter, analysis of the water of

a saline lake, 1887, A., 648.

— oxidation of diallyloxalic acid, 1888, A., 449.

----- action of sulphuric acid on diallyloxalic acid, 1888, A., 450.

Bunge, Gustav, inorganic constitutents of muscle, 1885, A., 573.

assimilation of iron, 1885, A., 574.
amount of iron in feetal tissue,
1889, A., 789.

respiration of entozoic worms, 1890, A., 274.

the intake of ion by the fectus, 1892, A., 516.

— iron in the feetal organism, 1892, A., 1502.

— iron in the liver, 1892, A., 1503. Bunge, Nikolaj Andrejevič, kaolin balls for gas analysis, 1889, A., 544.

— electrolysis of fatty acids, 1890, A., 1236.

Bungener, Henry, bitter principle of hops, 1884, A., 1366; 1886, A., 809.
degeneration of brewers' yeast, 1885,

A., 417.

— asparagine in hops, 1886, A., 387. Bungener, Henry, and Leonard Fries, nitrogenous combinations in barley, malt, and beer-wort, 1884, A., 1446.

Bunsen, Robert Wilhelm, condensation of carbonic anhydride by glass, 1884,

A., 146.

capillary gas absorption, 1885, A., 867.

—— decomposition of glass by carbonic anhydride condensed on its surface, 1887, A., 13.

Bunsen, Robert Wilhelm, congratulatory address to, 1892, P., 37, 89.

Bunzel, Hugo, oxidation of α-pipecoline, 1889, A., 904.

Bunzl, Rudolph. See Amé Pictet.

Burch, George J., experiments on flame, 1885, A., 466.

Burch, George J., and James Ernest Marsh, dissociation of amine vapours, 1889, T., 656; P., 127. Burch, George J., and Victor Herbert Veley, variation of E.M.F. of cells of certain metals, platinum, and nitric acid, 1891, A., 514.

Burchard, Oscar, oxidation of hydrogen iodide by oxy-acids, 1889, A., 207.

ethylenephenylhydrazine, 1890, A., 250.

Burchard, Oscar, and Carl Arnold August Michaelis, a-ethylenephenylhydrazine, 1889, A., 138.

Burcker, E., synthesis of toluoylpropionic acid, 1888, A., 951.

- action of camphoric anhydride on

benzene, 1891, A., 324.

Burckhardt, Rudolf, fluoresceins from malic acid, 1886, A., 51.

Burckhardt, Rudolf. See also Georg Lunge.

Burdon Sanderson, John Scott, chemical products of putrefaction, 1886, A., 112. Burfeind, W. H., use of bromine for

gold extraction, 1888, A., 1344. Burgdorf, Carl. See Eugen Bamber-

ger. Burgemeister, A., apparatus for pre-

paring gases, 1890, A., 556.

Burgerstein, Alfred, absorption of water by flower-petals, 1884, A., 1403. - influence of camphor on the germination of seeds, 1888, A., 742.

Burghard and Beutnagel, p-bromo-mbromobenzoic acid, 1884, A., 601.

Burghardt, Charles A., estimation of organic carbon and nitrogen in waters, 1887, A., 619.

- soda or potash and carbon in analysis, 1890, A., 1027.

Buri, Eugen, hydropiperic and piper-

hydronic acids, 1883, A., 485. Burkard, Ernst. See Rudolf Wilhelm Schmitt.

Burkhard, G., detection and estimation of starch in liquids containing dextrin, 1888, A., 326.

Burmeister, Richard, and Carl Arnold August Michaelis, action of phenylhydrazine on ethyl chloromalonate, 1891, A., 1068.

Burmeister, Richard. See also Carl Arnold August Michaelis.

Burney, William B., estimation phosphoric acid, 1892, A., 1125.

Burns, Peter S., dimolecular ethyl cyanide, 1891, A., 888.

dimolecular nitriles, 1892, A., 450.

Burow, Friedrich, process for preparing press cake from maize, etc., 1883, A.,

Burstert, Hermann. See Adolph Claus.

Burton, Bereiley S., derivatives of benzil, 1881, A., 62.

Burton, Boresley S., and Hans (Freiherr) ron Pechmann, action of phosphoric chloride on ethyl acetonedicarboxylate, 1887, A., 467.

 condensation of acetonedicarboxylic acid with phenols, 1891, A., 672.

Burton, Cosmo Innes. See Francis Robert Japp.

Burton, Thomas. See Thomas Carnelley, William T. Wright.

Burton, William Merriam, estimation of sulphur in organic compounds. 1890, Ā., 289.

- estimation of petroleum in turpen-

tine, 1890, A., 669.

Burton, William Merriam, and L. D. Vorce, atomic weight of magnesium, 1890, A., 850.

Burton, William Merriam. Harmon Northrup Morse, Ita Remsen, George H. Williams.

Busatti, Luigi, minerals from Tuscany, 1887, A., 19.

 wollastonite from Sardinia, 1887. A., 709.

Busatti, Luigi.See also Angiolo Funaro.

Busch, A., manufacture of santonin, 1887, A., 677.

Busch, Albert, and Wilhelm Koenigs, substitution products of lepiding. 1890, A., 143**4**.

 synthesis of 3'-chloroguinaldine, 1892, A., 505.

Busch, Max, new synthesis of phenotriazines, 1892, A., 734.

- synthesis of ketoquinazolines and thioquinazolines, 1892, A., 1495.

Busch, Max, and Max Klett, cinnoline derivatives, 1892, A., 1494.

Busch, Max. See also Otto Fischer, Carl Paal.

Busse, preservation of milk, 1883, A., 254.

Busz, Julius, and August Friedrich Kekulé, acetic tripiperidide, 1888, A., 302.

Busz, Karl Heinrich Emil Georg, barytes from Mittelagger, 1885, A., 733. - titanite, 1888, A., 33.

- atelesite from Schneeberg Saxony, 1890, A., 18.

Busz, Karl Heinrich Emil Georg. also Willy Bruhns.

Butler, Francis Henry. See Edward Kinch.

Butleroff, Alexander M., notes on the atomic weights, 1883, A., 846.

Butleroff, Alexander M., and Benvenuto Rizza, asarone, 1885, A., 669. See also

Butleroff, Alexander M.

Benvenuto Rizza.

Butte, L., effect of medicines and especially of valerian extract on the destruction of dextrose in the blood, 1891, A., 754.

Butter, Fritz, hydroxy-a-stilbazole and its derivatives, 1890, A., 1438.

Buttgenbach, Franz, separation of minerals according to the degree of cohesion, 1883, A., 858.

Bya, H., estimation of iron with potassium dichromate, 1888, A., 530.

Byasson, Henri, assay of quinme sulphate, 1884, A., 1080.

Bylert. See Bijlert.

Cabell, J. M., crystalline phosphorous anhydride, 1885, A., 121.

- action of hydrogen sulphide on metallic silver, 1885, A., 124.

- infusorial earth from Richmond, Virginia, 1885, A., 228.

Cabella, A. G., derivatives of phenylcinnamic acid, 1884, A., 1348.

derivatives of phenyl-p-coumaric acid and methylatropic acid, 1888, A., 694.

Caberti, Luigi. See Gactuno Minunni, Emanuele Paternò.

Cahn, Arnold, gastric digestion during deprivation of chlorine, 1886, A., 1052.

gastric juice in acute phosphorus poisoning, 1886, A., 1053.

Cahn, Arnold, and Friedrich Joseph (Freiherr) von Mering, digestion of flesh in normal stomachs, 1888, A., 859.

Cahn, Ernst L., dimethylanthrachry-

sone, 1886, A., 556.

- methylanthragallols, 1887, A., 57. Cahn, Ernst L., and Martin Lange, action of aldehydes on amidosulphonic acids, 1887, A., 962.

Cahn, J., physiological action of chlorates, 1888, A., 978.

Cailletet, Louis Paul, production of low temperatures by the use of liquefied gases, 1884, A., 383, 656, 1248

liquefaction of oxygen, 1885, A., 859.

air thermometer, 1888, A., 772. Cailletet, Louis Paul, and Edmond Bouty, electrical conductivity of solid mercury and other metals, 1885, A., 855,

Cailletet, Louis Paul, and Emmanuel Colardeau, freezing mixtures containing solid carbonic anhydride, 1888, A., 1025.

- determination of critical temperatures and pressures, especially of

water, 1891, A., 779.

Cailletet, Louis Paul, and Emile Mathias, density of liquefied gases and their saturated vapours, 1886, A.,

Cain, John Cunnell, and Julius Berend Cohen, action of acetic acid on phenylthiocarbamide, 1891, T., 327; P.,

Cain, John Uannell. See also George Herbert Bailey.

Cairns, F. I. See Albert Huntingdon Chester.

Calb. See Kalb.

Calderon, L., estimation of the value of a degree in thermometers of short range, 1889, A., 203.

Caldwell, George Chapman, volumetric estimation of phosphoric acid, 1884,

Caldwell, George Chapman, and Samuel IVilson Parr, estimation of fat in milk, 1886, A., 283.

Caldwell, William H. See Henry P. Armsby.

Calker, F. J. P. van, corrosion faces of fluorspar, 1884, A., 403.

 peculiar kernel structure in fluorspar, 1884, A., 403

Calkin, William Sommerville. Spencer Baird Newbury.

Callendar, Hugh L., and Ernest Howard Griffiths, standardising platinum thermometers, 1891, A., 1146.

Calm, Arthur, p-dichlorazobenzenesul-phonic acid, 1883, A., 311. - action of aniline on resorcinol and

quinol, 1884, A., 591. - a reaction of aldehydes, 1885, A.,

387.

Calm, Arthur. See also Max Philip. Calman, Albert. See Eugen Bamberger, William Henry Perkin, junior.

Calmels, G., constitution of simple cyanogen compounds, 1884, A., 1277. - action of primary alcoholic iodides on silver fulminate, 1885, A., 133.

Calmels, G., and Eugène Gossin, constitution of cocame, 1885, A., 912.

Calmels, G. See also Ennest Hardy. Camerer, William, estimation of nitrogen in the urine and freces, 1885, A., 303.

– metabolism in children, 1885, A., 409,

Camerer, William, urea and total nitrogen in human urine, 1888, A., 518.

- estimation of uric acid in human urine, 1889, A., 1040.

 quantitative estimation of uric acid in human mine, 1890, A., 1345.

absorption plates of wood wool, 1891, A., 260.

- nitrogenous substances in human

urine, 1891, A., 1277.

Cameron, (Sir) Charles Alexander, manuring potatoes, 1884, A., 866.

- antiseptic experiments in a mortuary vault, 1884, A., 878.

Cameron, (Sir) Charles Alexander, and John Macallan, compounds of ammonia with selenious anhydride, 1889,

- selenic acid, 1890, A., 688. Cammerer, Joh. Bapt., action of ferric chloride on metallic sulphides, 1892, A., 18, 278.

action of hydrogen peroxide on the oxides of molybdenum, tungsten, and vanadıum, 1892, A., 944.

Campani, Giovanni, existence of manganese in plants, 1885, A., 832. Campani, (liovanni, and Siro Grimaldi,

vanillin in the seeds of Lupinus albus, 1888, A., 983.

— ľupinidine from white lupines,

1891, A., 1521. Campani, *Giovanni*. See also Decio Bizzarri.

Campani, R., action of phosphorus oxychloride on cholic acid, 1889, A., 171.

Campani, R. See also Fausto Sestini. Campari, Giacomo, detection of sugar in urine, 1885, A., 702.

volumetric estimation of urea, 1887, A., 1145.

 preparation of nitrous oxide, 1889. A., 569.

Campbell, Alonzo C., separation of iron from cobalt, nickel, and manganese, 1892, A., 103.

Campbell, Dugald, obituary notice of, 1883, T., 252.

Campbell, Edward D., estimation of sulphur in soluble slags, 1887, A., 526. Campbell, John Morrow. See George Gerald Henderson.

Campbell, Lloyd. See Theodor Zincke. Campredon. See Gassend.

Camps, Rudolf, trimethylenetrisulphone. 1892, A., 591.

trimethylenedisulphonesulphide, 1892, A., 592.

Camps, Rudolf. See also Eugen Baumann.

Canby, R. C., estimation of arsenic, 1890, A., 923.

Cannizzaro, Stanislao, products of the decomposition of santonous acid, 1884, A., 327.

- constitution of santonin, 1886, A., 73.

Cannizzaro, Stanislao, and Giovanni Carnelutti, santonous and isosantonous acids, 1883, A., 77.

Cannizzaro, Stanislao, and Guido Fabris, acid from santonin: isophotosantonic acid, 1887, A., 57.

Cannizzaro, Stanislao. See also Pietro Blaserna.

Cannone, Galileo. See ⊿1 gostino Oglialoro-Todaro.

Cantor, Mathias, chemistry the accumulator, 1891, A., 514. Cantor, Mathias.

See also Rudolf Benedikt.

Cantzler, August. See Julius Wilhelm Brühl, Ludwig Gattermann. See Allain Lecanu.

Canzoneri, Francesco, dibromonaphthalene from β -naphthol, 1883, A., 67. thapsia resin, 1884, A., 460.

- hot mineral spring at Finca Huracatao Salta, Argentine, 1892, A., 574. Canzoneri, Francesco, and Vincenzo Oliveri, monobromo and dibromo-

pyromucic acid, 1885, A., 244, 1125. - reciprocal transformation of the pyrroline, furfuryl, and thiophen groupings, 1885, A., 1144.

- transformation of furfuran into pyrroline, 1887, A., 470. -β-bromofurfuran, 1887, A..

658. Canzoneri, Francesia. brominated Francesco, and Giovanni derivative

toluquinone, 1883, A., 380.

reactions of acetone with amides of the acetic series, 1885, A., 746.

- ethyl acetyl-a8-imidobutyrate, 1885, A., 750.

- action of amides on ethyl acetoacetate, 1885, A., 751.

- reduction of triacetoneamine, 1885, A., 883.

-ethoxylutidine, 1887, A., 499. Canzoneri, Francesco. See also Pedro N. Arata.

Capranica, Stefano, chemistry of perspiration, 1884, A., 189.

Capus, Guillaume, migrations of nitrates in plant tissues, 1886, A., 484. Carbonelli, Carlo Emilio, specific heat of the diamond, 1892, A., 761. Carboni. See Cuboni.

Cardani, Pietro, and Francesco Tomasini, specific heat of superfused water, 1888, A., 102.

Carette, Denis-Honoré, oxidation of sebacic acid, 1886, A., 335.

 oxidation of fatty acids, 1886, A., 611.

Carey, Eustace, and Ferdinand Hurter, preparation of ammonia from animonium sulphate, 1885, A., 1268.

Carhart, Henry S., electromotive force of a Daniell's cell, 1885, A., 321. – standard Clark cell, 1890, A., 202.

Carl, R. W. See Wilhelm Koenigs. Carles, P., souring of wine, 1884, A., 646.

- estimation of alum in wine, 1884, A., 1077.

estimation of lead in tin plate, 1884, A., 1078.

- wines from sugar, 1884, A., 1086. estimation of tannin, 1885, A., 302. - titration of potassium iodide,

1885, A., 1011.

 sulpho-conjugate colouring matters in wines, 1886, A., 105.

- phosphatic urines, supposed to be albuminous, 1886, A., 384.

 testing essential oils, 1886, A., 394. plastering of wine, 1888, A., 759.

is potassium ferrocyanide poison-ous? 1890, A., 281. characteristics of fig wine, 1891, A.,

1135. - phosphoric acid in urine, 1892,

A., 1115. Carlier, Edmond William Wace. See

John Berry Haycraft. Carlier, Eugen, and Alfred Einhorn, 2'-quinolylacetaldehyde, 1891, A., 83. Carlson, Max, acids from the dicyan-

hydrin of benzoylacetone, 1892, A.,

Carmichael, Henry, copper reduction test for the estimation of arsenic, 1886, A., 1074. Carnegie, Douglas John, action of

finely-divided metals on ferric salts: titration of the latter, 1888, T., 468;

P., 48; discussion, P., 49.

— cupric iodide and the interaction of iodides with cupric salts, 1889,

reaction between solutions of ferric chloride and potassium iodide, 1889, A., 1113.

· potassium plumbate: crystalline hydrated thallic oxide, 1890, A., 109. - sulphur tetroxide, 1892, A., 111.

Carnegie, Douglas John. See also M. M. Pattison Muir, Siegfried Ruhemann. Carnelley, Thomas, melting-points of beryllium chloride and bromide, 1884, Λ., 962.

colour of chemical compounds mainly as a function of the atomic weights of the component elements, 1884, A., 1252.

the periodic law and the occurrence of the elements in nature, 1885, A., 13. the periodic law, 1885, A., 344;

1886, A., 503.

- approximate algebraic expression of the periodic law, 1891, A., 13.

Carnelley, Thomas, and John Alexander, colour of some carbon compounds, 1888, P., 64; discussion, P., 65. Carnelley, Thomas, and Thomas Bur-

ton, a new form of pyrometer, 1881, T., 237.

Carnelley, Thomas, and John Dunn, action of hot copper on the mixed vapours of phenol and carbon bisulphide, 1888, P., 53; A., 1095.

Carnelley, Thomas, and William Frew, corrosion of leaden water-pipes, 1888,

A., 555.

 relative antiseptic powers of isomeric organic compounds, 1890, T., 636; P., 90.

Carnelley, Thomas, and John Scott Haldane, the air of sewers, 1888, A., 532. Carnelley, Thomas, and Wm. Mackie, estimation of organic matter in air,

1887, A., 532.
Carnelley, Thomas, and Lucius Trant
O'Shea, melting-points of certain inorganic substances, 1884, T., 409.

Carnelley, Thomas, and James Schleselmann, influence of strain chemical action, 1885, P., 89.

 amidodiphenylsulphonic acid and azo-dyes from diphenyl, 1886, T., 380; P., 184; discussion, P., 185.

Carnelley, Thomas, and Andrew Thomson, bromo-derivatives of diphenyl, tolylbenzene, and ditolyl, 1885, T., 586; P., 88.

derivatives of tolylbenzene,

compounds and of mixtures of potassium and sodium nitrates, and the relation of solubility to fusibility, 1888,

T., 782; P., 80. Carnelley, Thomas, and James Walker, dehydration of metallic hydroxides by heat, with special reference to the polymerisation of metallic oxides and to the periodic law, 1887, P., 110; 1888, T., 59. Carnelutti, Giovanni. Sec Stanislav Cannizzaro. Carnot, Adolphe, sults of aurous oxide,

1884, A., 17.

 colorimetric estimation of gold, 1884, A., 17, 115.

new reactions of gold, 1884, A., 115.

origin and distribution of phosphorus in coal, 1884, A., 1270.

- composition of coal in relation to the plants from which it is derived,

1885, A., 639,

— separation of copper, cadmium, zinc, nickel, etc., 1886, A., 580, 650.
— separation and estimation of copper,

cadmium, and zinc; of nickel and cohalt; and of manganese and iron, 1886, A., 650.

separation of antimony and tin, 1886, A., 1077.

- separation of arsenic, antimony, and tin, 1886, A., 1078.

- reactions of vanadic acid, 1887, A., 896.

- vanadates, 1887, A., 1018.

- estimation of lithium as fluoride, 1888, A., 1342.

- estimation of lithium in mineral

waters, 1888, A., 1342.

— estimation of chromium by hydro-

gen peroxide, 1889, A., 311, 443.

— estimation of chromium, iron, and manganese by means of hydrogen peroxide, 1889, A., 443.

— peroxides of nickel and cobalt:

estimation of nickel and cobalt, 1889, A., 678.

- separation of nickel and cobalt, 1889, A., 747, 1116.

- ammoniocobaltic molybdate, tungstate, and vanadate, 1889, A., 1116.

purpureocobaltic tungstate and vanadate, 1889, A., 1117.

· volumetric estimation of mercury, silver, and thallium, 1889, A. 1246. Cransac - mineral waters of

(Aveyron), 1890, A., 1385. - detection and estimation of small quantities of aluminium in iron and steel, 1891, A., 501.

 estimation of fluorine, 1892, A., 911.

assay of antimony minerals, 1892, A., 918.

fluorine in natural phosphates, 1892, A., 1055.

 fluorine in recent and fossil bones, 1892, A., 1161.

-proportion of fluoring in fossil bones of various ages, 1892, A., 1413. Carnot, Adolphe, and Pierre Marie Proromant, estimation of cadmium, 1885, A., 1094.

Carnot, Adolphe, and Adolphe Richard, crystallised calcium silicophosphate produced in the dephosphorisation of iron, 1884, A., 157.

Caro, N., hydroxyaurin and hydroxyaurincarboxylic acids, 1892, A., 855, 1469.

Carpenter, Henry Sanders, and William Ostler Nicholson, estimation hydrogen peroxide, 1885, A., 430.

-examination of water for organisms, 1885, A., 442.

Carpenter, R. Forbes, solubility of silver chromate in ammonium nitrate, 1887, Λ., 216.

Carpentier, J., mercury galvanometer, 1884, A., 949.

battery with a circulating liquid, 1885, A., 714.

Carpentier, J. See also C. Clamond. Carpi, Serra, examination of olive-oil. 1884, A., 931.

Carrara, (7iacomo, sulphonic derivatives of p-propyl-m-chlorotoluene, 1890, A., 779.

- formation of acid chlorides by the action of sulphonic chloride, 1890, A., 1288.

the bark of Gonolobus Cundurango, 1891, A., 1387.

- thiourea, 1892, A., 1309. condurangin, 1892, A., 1352.

- new method of preparing dimethylethylsulphine and methyl ethyl sul-

phide, 1892, A., 1422. Carrara, (liacomo. See also Pietro Spica. Carré, L., estimation of phenol, 1891, A., 1557.

Carrick, J. T., product of the con-densation of ethyl cyanacetate and benzaldehyde, 1890, A., 1270.

- condensation of athyl cyanacetate and benzaldehyde: ethyl a-cyano-cinnamate, 1892, A., 1086.

Carrière, E. A. (and others), phylloxera and means for its destruction, 1883, A., 680.

Carson, Archibald Irwin, and Thomas Herbert Norton, uranates, 1888, A.,

Carsten, H. J., manuring of marshy

land, 1884, A., 363. Carter, Oscar C. S., delicate test for antimony, 1885, A., 1013.

- detection of adulterations in oils,

1886, A., 103. Casali, Adolfo, detection of chloral, 1885, A., 695.

Casamajor, Paul, ashestos filters, 1883,

detection of anhydrous glucose mixed with refined cane sugar, 1883, A., 884.

the 4 method of sugar analysis, 1885, A., 693.

silver iodide as a blowpipe reagent,

1885, A. 1157. Casamajor, Paul (and others), examination of cane sugar and dextrose: decolouring dextrose solutions, 1884, Λ., 930.

Casanova, Raphael Cosme. See Robert Otto.

Cash, John Theodore, and Wyndham Rowland Dunstan, action of paraffinic nitriles on blood pressure, 1891, A., 1270.

Cash, John Theodore. See also Thomas Lander Brunton.

Casoria, Eugenio. See Paride Palmieri. Cassal, Charles Edward, detection and estimation of boric acid in milk and cream, 1891, A., 619.

Cassel, Henry R., electrolytic extraction of gold, 1886, A., 109.

Castaing, A., extraction of cocaine, 1886, A., 371.

Casthélaz, Charles, commercial phenols, 1885, A., 447.

Casthélaz, John, manganese oxalate, 1889, A., 957.

Casthélaz, John, Bruère et Cie., pre-

paration of iodoform, 1890, A., 577. Castner, Hamilton F., production of alkali metals, 1887, A., 107.

Catheart, William Richard, and Victor Meyer, formation of closed-chain compounds by the elimination of bromine from the benzene nucleus, 1892, A.,

Cathrein, Alois, saussurite, 1883, A.,

chemical composition of diallage, 1883, A., 1068.

 microscopic association of magnetite with titanite and rutile, 1885, A., 27. - alterations of garnets in the amphibole schists of the Tyrol, 1886, A.,

 alteration-pseudomorphs of scapolite after garnet, 1886, A., 129.

- magnetite from Scalotta, 1886, A., 928.

chloritoid-schist from Grossarl, 1888, A., 568.

- calciostrontianite (emmonite) from Brixlegg, 1888, A., 1258.

- minerals of the Tyrol, 1889, A., 23.

Catlett, Charles. See Frank Wigglesworth Clarke.

Cattaneo, Carlo, thermal expansion of liquid bismuth, 1892, A., 259.

See William Cauffman, Maurice.

Ridgely Orndorff.
Causse, Henri Eugene, action of copper on aqueous solutions of sulphurous anhydride, 1886, A., 423.

- combination of chloral with resorcinol, 1886, A., 1020.

- acetalresorcinol, 1887, A., 40.

- action of acetaldehyde on polyvalent phenols, 1887, A., 809.

— estimation of sugar by Fehling's solution, 1889, A., 1036.

dicalcium phosphate, 1890, A., 1056. action of chloral on resorcinol and of aldehyde on pyrogallol, 1891, A., 48.

- bismuth salicylate, 1891, A., 1366. - action of acetates on monocalcium

phosphate, 1891, A., 1422.

dissolution of bismuth chloride in a saturated solution of sodium chloride:

basic bismuth salicylate, 1892, A., dissolution of antimonious chloride

in saturated solutions of sodium chloride, 1892, A., 413. solubility of tricalcium phosphate

and dicalcium phosphate in solutions of phosphoric acid, 1892, A., 684.

o-phenylene hydrogen antimonite, 1892, A., 1078.

- acetoneresorcinol, 1892, A., 1312. Cavallo, Wilhelm. See Ludwig Knorr. Cavazzi, Alfredo, reactions of gaseous hydrogen phosphide, 1884, A., 155.

estimation of bromine in presence of large quantities of chlorides, 1884, A., 215.

- analysis of a meteorite which fell at Alfianello, February 1883, 1884,

estimation of iodine in presence of chlorine and bromine, 1884, A., 366.

- action of hydrogen phosphide on bismuth trichloride, 1885, A., 218.

- new bismuth compounds, 1885, Λ.,

bismuth antimonate, 1885, A.,

action of phosphine on auric chloride, 1885, Ā., 875.

dissolution of aluminium in alkaline hydroxides, 1885, A., 1112.

preparation of cuprous chloride, 1886, A., 771.

reduction of sulphurous acid by hydrogen phosphide, 1886, A., 978. explosive mixture, 1886, A., 980.

- Cavazzi, Alfredo, action of carbon bisulphide on metals, 1888, A., 106.
- preparation of hydrogen arsenide, 1888, A., 221.
- action of silicon tetrafluoride on quinine solutions, 1888, A., 968.
- Cavazzi, Alfredo and Deodato Tivoli, action of hydrogen phosphide on an ethereal solution of bismuth tribromide, 1892, A., 279.
- Caventou, Eugène, and Adum Charles Girard, action of oxalic acid on cinchonine in presence of sulphuric acid, 1888, A., 507.
- Cawley, John, behaviour of preparations of zinc sulphide, 1891, A., 881.
- Cazeneuve, Paul, a new monochlorocamphor, 1883, A., 214.
- physical isomerism of chlorocamphor, 1883, A., 598.
- chloronitrocamphor, 1883, A., 667. - formation of acetylene from iodoform, 1884, A., 418.
- formation of methyl iodide and methylene iodide from iodoform, 1884, A., 896.
- chloronitrocamphors, isomeric 1884, A., 1041.
- trichlorocamphor, 1885, A., 58. bromonitrocamphor, 1885, 270.
- plaster filters to sterilise liquids, 1885, A., 288.
- preparation of nitrous oxide, 1885, A., 613.
- chlorobromocamphor, 1885, A., 668. --- an isomeric chlorobromocamphor, 1885, A., 806.
- use of metallic oxides for the detection of coal-tar colours in wine, 1886, A., 397.
- -- nitrocamphor and its derivatives, 1886, A., 1039.
- isomeric nitrocamphors, 1887, A., 842.
- **B**-chloronitrocamphor, 1887, A., 970.
- nitrocamphorates, 1888, A., 963. nitrocamphor, 1889, A., 617.
- nitrophenol isomeric with α -nitrocamphor, 1889, A., 618.
- -reduction of nitrocamphor to nitrosocamplior, 1889, A., 720.
- detection of impurities in alcohol, 1889, A., 928.
- oxidising action of nitrosocamphor in presence of light, 1889, A., 1203.
- chlorocamphor formed by the action of hypochlorous acid, 1889, A., 1203. isomeride of bromocamphor, 1889,
 - A., 1204.

- Cazeneuve, Paul, acetyl and ethyl derivatives of camphonitrophenol, 1890, A., 63.
- camphonitrophenol phosphate. 1890, A., 63.
- -camphonitrophenol benzoate and phthalate, 1890, A., 64.
- -researches on the constitution of β-nitrocamphor and of α-chloronitrocamphor, 1890, A., 515.
- new bases derived from camphor: camphamines, 1890, A., 516.

 — oxidising and decolorising pro-
- perties of charcoal, 1890, A., 690.
- phenolsulphonic acids from camphor, 1890, A., 791.
- amethylcamphophenolsulphone. 1890, A., 1153.
- phenolic acid from camphor, 1891, A., 324.
- pyrogenic conversion of camphosulphophenols into ordinary phenols,
- 1891, A., 1088.

 violet colouring matter derived from morphine, 1891, A., 1120.
- m-phenylenediamine as a test for active oxygen, 1891, A., 1289.
- a violet from codeine, 1892, A., 360.
- formation of acetylene from bromoform, 1892, A., 421.
- nitroketone from camphosulphophenols, 1892, A., 999.
- ethylnitroketone, and acetylnitroketone from camphosulphophenols, 1892, A., 1085.
- conversion of gallic acid into pyro-
- gallol, 1892, A. 1314.

 instability of carboxyl in phenolic ncids, 1892, A., 1332.
- Cazeneuve, Paul, and A. Chapuis, purification of methylated spirit, 1884, A., 1085.
- Cazeneuve, Paul, and L. Ducher, raisin wines and their richness in nitrogen, 1890, A., 1031.
- Cazeneuve, Paul, and Louis Hugounenq, pterocarpin and homoptero-carpin, 1887, A., 971.
- apparatus for estimating urea. 1888, A., 328.
- estimation of total nitrogen in organic compounds, 1888, A., 991.
- supposed reaction of phloroglucinol, 1888, A., 994.
- homopterocarpin and pterocarpin from red sandal wood, 1889, A., 160.
- Cazeneuve, Paul, and Raphael Lépine, physiological action of resamiline sulphate and safranine, 1886, A., 272.

Cazenueve, Paul, and Raphacl Lépine. toxic effect of three coal-tar yellows, 1886, A., 273.

Cazeneuve, Paul, and Georges Linossier, action of pyrogallol on copper and iron salts, 1885, A., 1059.
Cazeneuve, Paul, and Jules Morel, crys-

tallographic properties of camphor derivatives, 1885, A., 1141. Cazeneuve, Paul, and Nicolle, rapid

estimation of sulphuric acid, 1892, A.,

Cech, Carl Otakar, manufacture of santonin in Turkestan, 1885, A., 108.

Cederström, Anders, pseudobrookite from Havredal, Norway, 1890, A., 219.

Celli, Angelo, and Francesco Marino-Zuco, nitrification, 1887, A., 858.

Ceresole, A. F. Maurice, acetoacetic acids, 1883, A., 41.

- violuric acid, 1883, A., 913.

benzoylacetone and isonitrosobenzoylacetone, 1884, A., 1167.

Ceresole, A. F. Maurice, and Gustare Koeckert, αβ-diisonitrosobutyric acid, 1884, A., 1120.

Ceresole, A. F. Maurice. Sec also Victor Meyer.

Certes, A., influence of high pressures on putrefaction, 1884, A., 1399.

Cervello, Vincenzo, physiological action of p-aldehyde; chloral hydrate, 1884, A., 199.

- Adonis Cupaniana, 1885, A . 833. physiological action of trimethylhydroxyethyl- and trimethylvinylammonium hydroxides, 1885, A., 925.

physiological action of trimethylethoxyammonium and trimethylvinylammonium hydroxides, 1888, A., 309.

Cesaro, G., crystallised voltzine, 1884, A., 1101.

hydrated double silicate of zinc and aluminium, 1884, A., 1105.

koninckite, 1885, A., 878. — richellite, 1886, A., 127.

— destinezite, 1887, Á., 709. — diadochite from Visé, 1888, A.,

barytes from Rumelange, 1891, A.,

Cesaro, G., and G. Despret, nichellite,

1884, A., 1102. Chabot, P., rotatory power of camphor when dissolved in various oils, 1890, A., 1427.

Chabrie, Pierre Camille, fluosilicates of aluminum and glucinum, 1886, A.,

Chabrié, Pierre Camelle, synthesis of aromatic sclenium compounds, 1889, A., 41, 1167.

selenium and oxygen derivatives in the benzene series, 1890, A., 34.

 vapour densities of selenium chlorides, 1890, A., 558.

preparation of carbon fluorides, 1890, A., 558, 1053.

- hydrolysis of halogen carbon compounds, 1891, A., 281.

antiseptic action of methylene

fluoride, 1891, A., 353. - new proteid from human blood serum, 1892, A., 224.

passage of substances in solution through mineral filters and capillary tubes, 1892, A., 1267.

organic halogen and boron derivatives, 1892, A., 1316.

Chabrie, Pierre Camille, and Louis Lapicque, physiological action of selenious acid, 1890, A., 542.

Chairy, action of various compounds on bacteria of the genus Tyrothrix, 1885, A., 289.

Chalaney, Luku, and Emil Knoevenagel, dicyanostilbene, 1892, A., 618.

 stereoisomeric diphenylsuccinonitriles, 1892, A., 619.

Chalmas, Munier. Sec Auguste Michel-

Chalmot, Guillawne J. L. de, condensation products of furfuraldehyde with aromatic bases, 1892, A., 1452.

Chalmot, Guillaume J. L. de, and Bernhard Tollens, estimation of pentaglucoses (pentoses) in vegetables, 1891. A., 768.

Chalmot, Guillaume J. L. dr. See also August Günther.

Chamberlain, J. Chester. See Peter Townsend Austen.

Chamberland, Charles Edouard, filter yielding physiologically pure water,

1884, A., 1440. Chamot, Emile Monnin. Seo Spencer Baird Newbury.

Chance, Alexander M., Schaffner and Helbig's process for the recovery of sulphur, 1884, A., 228.

Chancel, Alexandre Filix, propylamines and their derivatives, 1892, A., 804. propylcarbamide and as-dipropylcarbamide, 1892, A., 1421.

Chancel, Alexandre Félia. See also Edouard Duvillier.

Chancel, Gustave, alkyl nitrous acids, 1883, A., 914.

isomeric ketones, 1885, A., 505.

Chancel, Gustave, characteristic reaction of secondary alcohols, 1885, A., 646.

Chancel, Gustave, and F. Parmentier, some reactions of carbon bisulphide and its solubility in water, 1885, A., 137.

 chloroform hydrate, 1885, A., 363.

 solubility of carbon bisulphide and chloroform in water, 1885, A., 630.

 solubility of calcium o-butyrate and isobutyrate, 1887, A., 547.

- variation of solubility with variation of heat of solution, 1887, A., 632.

estimation of chloroform,

1888, A., 632. Chandelon, Théodore, volumetric estimation of phenol, 1883, A., 124.

- chlorophenols obtained by the action of alkaline hypochlorites on phenol, 1883, A., 1108

studies on peptonisation, 1881, A., 1390; 1885, A., 1252.

detection of strychnine and other

alkaloids, 1885, A., 605. Chaniewski, Stanislaw, formation of fat from carbohydrates in the animal

organism, 1885, A., 280.

Chanlaroff, Mochsin Berg, action of thi-acetic acid on ethyl thiocyanate, 1883, A., 39.

Chantemille, P., hydrogen sulphide apparatus, 1889, A., 14.

Chaper, Maurice, diamonds in a pogmatite in Hindustan, 1881, A., 563, 1269.

Chaperon, G., probable cause of the difference between the observed electromotive force of galvanic couples and that calculated from thermochemical data, 1884, A., 802.

Chaperon, (f. Sec also I. Gouy and Filix de Lalande.

Chaplin, Edward Mitchell, hydrazones of camphoric acid, 1892, A., 1481.

Chapman, Alfred Chaston Arthur William Henry, method for estima-ting fluorine, 1887, A., 295.

zinc dextrosate, 1889, T., 576; P., 118.

- cistern deposits, 1889, A., 1111. - compounds of dextrose with the oxides of nickel, chromium, and iron, 1891, T., 323; P., 66; discussion, P., 66.

Chapman, Henry C., and Albert P. Brubaker, respiratory exchanges in animals, 1891, A., 592.

Chapoteaut, P., essence of sandal-wood, 1883, A., 76.

Chapoteaut, P., gastric juice, 1883, A.,

glucoside from Boldoa fragrans. 1884, A., 845.

Chappell, L. N., variety of chloropal from Albemarle Co., Virginia, 1885, A.,

Chappelle, estimation of total phosphorus in urine, 1890, A., 825.

Chappuis, James, latent heat of vaporisation of certain volatile substances, 1887, A., 627; 1888, A., 773.

Chappuis, James, and Charles Rivière. refraction of carbonic anhydride and cyanogen, 1886, A., 837.

 refractive index and compressibility of cyanogen, 1887, A., 753.

- vapour pressure of liquid

cyanogen, 1887, A., 764. Chappuis, James. See also Georges Maneuvrier, Camille Vincent, Paul Hautefeuille.

Chappuis, Pierre, evolution of heat in the absorption of gases by solids and liquids, 1883, A., 702. Chapuis, A. See Paul Cazeneuve.

Charalampi, alkaloids from the seeds of Delphinium Staphisagria, 1891, A.,

Chardonnet, E. de, reflection of actinic rays: influence of the reflecting surface, 1883, A., 138.

- specific gravity of fibres, 1892, Λ., 1036.

Charlton, Thomas, blowpipe test for mercury, 1890, A., 1343.

Charpentier, Paul, valuation of manganese peroxide, 1885, A., 1162.

errors in the assay of fine gold, 1889, A., 798.

Charpy, ticorges, contraction of solutions, 1889, A., 1102.

- determination of the vapour pressure of solutions, 1890, A., 1364.

- vapour pressure of aqueous solutions of cobalt chloride, 1892, A., 263. - specific gravities of aqueous solu-

tions, 1892, A., 765.

— chemical equilibrium in solutions,

1892, A., 1146.

Charpy, Georges. See also Henri Gautier. Charrin, Albert, toxicity of serum, 1892, A., 228.

Charrin, Albert. See also Albert Arnaud. Chasanowitsch, J., action of phosphorus pentachloride on salicylic acid, 1887, A., 725.

Chasanowitz, Lazarus, and Carl Hell, action of bromine on eugenol, 1885, A., 779.

Chase, R. L., ethyl-o-toluidines, 1886, Λ., 57.

Chassagny, Michel. See Jules Violle. Chassevant, Allyre, lithium copper chloride, 1892, A., 118.

double chlorides of lithium and metals of the magnesium series, 1892, A., 1275.

Chassy, A., electrical transport of dis-

solved salts, 1889, A., 665.
— laws of electrolysis, 1892, A., 1037. Chastaing, Paul L., action of bromine on pilocarpine, 1884, A., 468.

action of chlorine and iodine on pilocarpine, 1885, A., 1081.

alkyl derivatives of pilocarpine,

1885, A., 1250. Chastaing, Paul L., and Ernest Barillot, action of sulphuric acid on morphine and bibasic acids, 1888, A., 165.

Chastaing, Paul L. See also Edme Alfred Bourgoin.

Chaston, Alfred Edward. See Winulham Rowland Dunstan.

Chatard Thomas Marcan, estimation of alkalis in silicates, 1885, A., 296.

 lucasite, a new variety of vermiculite, 1887, A., 349.

analyses of the waters of some American alkali lakes, 1889, A., 29. - urao (native soda), 1890, A., 340.

-estimation of water and carbonic acid in salts, 1890, A., 417.

apparatus for the estimation of water in mineral analysis, 1891, A., 766. separation of titanium, chromium, aluminium, iron, barium, and phosphoric acid in rock analysis, 1891, A., 768.

analyses of pyroxene, 1892, A., 1409.

Thomas Marean. Chatard, See also Frank Wigglesworth Clarke.

Chatelier. See Le Chatelier.

Chatin, Gaspard Adolphe, report on Fua's paper on the hygienic action of maize as fodder, 1883, A., 488.

chemistry of the truffle, 1890, A., 659, 821; 1892, A., 654.

Chattaway, William. See Alfred Henry Allen.

Chautard, Paul, iodaldehyde, 1886, A., 330, 1006.

 detection of acetone in pathological liquids, 1886, A., 495.

- cyanaldehyde, 1888, A., 810.

Chautard, Paul. See also Philippe de Clermont.

Chauveau, Jean Baptiste Auguste, preventive inoculation for splenic fever. 1885, A., 1084.

Chauveau, Jean Baptiste Auguste, and Maurice Kaufmann, relation between the destruction of glucose and the production of animal heat and work, 1887, A., 289.

- heat developed by the activity

of muscles, 1887, A., 1059. Chechoukoff. See Scheschukoff.

Cheesman, Louis M., measurement of rapidly alternating electric currents,

1885, A., 471.

Chelmicki, St. ron, carbonyl-o-amidophenol and thiocarb-o-amidophenol, 1887, A., 477; 1891, A., 52.

Chemin, Ch. O., process for bleaching ozokerite, 1885, A., 101.

Chenevier, A., purification of carbon bisulphide, 1891, A., 1417.

Chervet, A., constants of capillarity of saline solutions, 1885, A., 1105.

Gabriel, distribution Chesneau. hydrogen sulphide between the metals of two dissolved salts, 1890, A., 1367. Chester, Albert Huntingdon, mineralo-

gical notes, 1887, A., 782.

alteration-products of rhodonite, 1888, A., 795

mangano-magnesian magnetite, 1891, A., 274.

Chester, Albert Huntingdon, and F. I.

Cairns, crocidolite from Cumberland, 1888, A., 118.

- estimation of ferrous oxide in insoluble silicates, 1888, A., 196.

Chevalier, Josephine, chemical composition of nerve substance, 1886, A., 385. Chevallier, Adolphe. See Julian Thou-

Chevreul, Michel Eugène, co-existence of ammonium carbonate and potassium sulphate in guano, 1884, A., 359.

atmospheric nitrogen and its relations to vegetation, 1888, A., 979.

Chevreul, Michel Eugène, obituary notice of, 1890, T., 445.
Chiappe, reaction of ashes from wine, 1884, A., 642.

Chibret, antiseptic properties of mercuric cyanide, oxycyanide, and chloride, 1888, A., 1327.

Chibret and Izarn, detection of alkaloids in urine by means of iodine, 1886, A., 748.

Chicandard, A., fermentation of bread. 1883, A., 1179; 1884, A., 235.

Chichkoff, composition of albuminoids, 1885, A., 405.

Chiozza, Luigi, formation of engenol from coniferin, 1888, A., 941.

Chittenden, Russell H., distribution of arsenic in a human body, 1884, A., 319.

Chittenden, Russell H., dehydration of glucose in the stomach and intestines, 1888, A., 79.

Chittenden, Russell H., and Joseph A. Blake, influence of antimonious oxide on metabolism, 1888, A., 80.

 distribution of antimony in the organs and tissues, 1888, A., 81. influence of arsenic and antimony on the glycogenic function of

the liver, 1889, A., 537. Chittenden, Russell H., and Percy R. Bolton, egg-albumin and albumoses, 1888, A., 74.

Chittenden, Russell H., and George W. Cummins, relative digestibility of fish

in gastric juice, 1885, A., 569.

— influence of bile, bile salts, and bile acids on amylolytic and proteolytic action, 1885, A., 999.

- influence of some organic and morganic substances on metabolism, 1888, A., 77.
— myosin, 1889, A., 530.

Chittenden, Russell H., and John Slude Ely, alkalinity and diastatic action of

human saliva, 1883, A., 488.

Chittenden, Russell H., and Ralph Goodwin, myosiu-peptone, 1891, A.,

Chittenden, Russell H., and Horace S. Hart, elastin and elastoses, 1889, A.,

Chittenden, Russell H., and John A. Hartwell, crystalline vitellin and vitelloses, 1891, A., 342.

- proteoses and peptones, 1891, A., 953.

Chittenden, Russell H., and Morrison T. Hutchinson, action of uranium salts on digestive ferments, 1888, A., 78.

Chittenden, Russell H., and Alexander Lambert, physiological action

uranium salts, 1889, A., 537. Chittenden, Russell H., and Churles Norris, relative absorption of nickel

and cobalt salts, 1889, A., 538. Chittenden, Russell H., and Thomas Burr Osborne, proteids of the maize

kernel, 1892, A., 379, 746, 749. Chittenden, Russell H., and Marry M. Painter, casein and cascoses, 1888, A.,

Chittenden, Russell H., and Ernest E. Smith, digestion products of gluten-casein, 1891, A., 342.

Chittenden, Russell II., and Herbert E. Smith, palmitic acid and the palmitins, 1885, A., 508.

- diastatic action of saliva, 1886, A., 638.

Chittenden, Russell II., and Fred P. Solley, digestion of gelatin, 1891, A.,

Chittenden, Russell H., and Charles IV. Stewart, influence of certain therapeutic agents on amylolytic and proteolytic digestion, 1889, A., 533. Chittenden, Russell H., and Henry H.

Whitehouse, metallic compounds of albumin and myosin, 1888, A., 74.

Chittenden, Russell H., Eliot P. Joslin, and Frank S. Meara, ferments in

pine-apple juice, 1892, A., 650. Chittenden, Russell H., Charles Norris, and Ernest E. Smith, influence of alcohol on proteid metabolism, 1891, A., 1272.

Chittenden, Russell H. (and others), caseoses, casein-dyspeptone, and casein-peptone, 1889, A., 530.

- influence of urethane, p-aldehyde, antipyrin, and antifebrin on protoid metabolism, 1889, A., 534. Chittenden, Russell H. See also Willie

Kühne.

Chiussi, 1. See al nyclo Angeli.

Chlopinsky, detection of picrotoxinin in animal liquids and tissues, 1885, A., 449.

Chludsinsky, W., composition of long wool and motino fleeces, 1886, A.,

Choay, Eugine. See Auguste Béhal.

Chodat, Robert, and Philippe Chuit, investigation on Lacturius piperatus,

1890, A., 80.

Chodounský, Kurel, action of zinc dust on chloral, 1888, A., 669.

— decomposition of quinic acid by

dilute hydrochloric acid, 1888, A., 1298.

- solubility of arsenious oxide and sulphide, 1889, A., 945. Chodounský, Kurel. See also Bohusluw

Rayman.

Chorley, John C., analysis of a slag from the manufacture of phosphorus in electrical furnaces, 1892, A., 1401.

Chrapowitzki, synthesis of albumin in chlorophyll-containing plants, 1888, A., 868.

Chree, C., conduction of heat in liquids 1888, A., 641.

Christ, A., composition of a boiler incrustation, 1892, A., 17.

Christ, Adolph. See Adolph Claus. Christ, Constantin. See Rudolph Fittig. Christel, G., formation of sodium sul-

phate in blicks, 1884, A., 127. detection and estimation of trinitrophenol, 1884, A., 221.

Christensen, A., estimation of albumin

in urine, 1889, A., 452.

— estimation of free alkaloids and their molecular weight, 1892, A., 666. Christensen, Odin T., oxides of mangan-

ese, 1884, A., 397.

chromium and manganese compounds analogous to ferro- and ferricyanides, 1885, A., 737.

manganese and fluorine compounds, 1886, A., 854; 1887, A., 335, 448, 892. - derivatives of chromium ammonium

thiocyanate, 1892, A., 798.

— compounds of hydrogen diaminechromium thiocyanate with nitrogenous bases, 1892, A., 1000.

Christomanos, Anastasios Karl, apparatus for determining melting-points, 1890, A., 939.

Chrustschoff, K. r., new type of pyroxene, 1886, A., 776.

porphyritic hyperite from California, 1886, A., 780.

– plagioclase, 1887, Λ., 20.

- artificial production of quartz and tridymite, 1887, A., 559.

- artificial production of quartz and orthoclase, 1887, A., 559.

 anorthite and enstatite, 1890, A., 19. - artificial magnesia-mica, 1890, A., 343.

artificial formation of amphibole, 1891, A., 887.

artificial hornblende, 1891, A., 1439.

Chrustschoff, Paul D., precipitation of mixtures of iodates and sulphates by barium salts, 1887, A., 884.

electrical conductivity of saline solutions, 1889, A., 808, 809.

Chrustschoff, Paul D., and A. Martinoff, coefficients of chemical affinity, 1887, A., 548.

Chrustschoff, Paul D., and V. Pashkoff, electrical conductivity of saline solu-

tions, 1889, A., 809; 1891, A., 141. Chuard, Ernest, new hydrated cupric chloride, 1889, A., 17.

 formation of natural sulphides, 1891, A., 1434.

- nitrification in organic media of acid reaction, 1892, A., 906.

Chuard, Ernest. See also Heinrich Brunner.

See Heinrich Brun-Chuit, Philippe. ner, Robert Chodat.

Chupotsky, A., action of chlorine on tetramethylethylene, 1885, A., 645.

Chupotsky, A., and Nicolai Mariutza, action of chlorine on tetramethylene, 1890, A., 727,

Church, Arthur Herbert, a chemical study of vegetable albinism; experiments with Quercus rubra, 1886, T., 839; P., 236; discussion, P., 237.

- Mahwa flowers, 1886, A., 389.

- occurrence of aluminium in vascular Cryptograms, 1889, A., 182.

Ciamician, Giacomo Luigi, constitution of pyrroline, 1886, A., 626.

 formation of quinol, 1886, A., 695. - transformation of pyrroline into pyridine, 1886, A., 810; 1887, A., 678.

 behaviour of methylindole; constitution of pyrroline, 1887, A., 273.

- tetriodopyrroline, 1887, A., 597. pyrrolylene tetrabromide, 1888, A.,

- lecture experiment on Raoult's law, 1889, A., 336.

physical properties of benzene and

thiophen, 1889, A., 387. derivatives of diallyl, 1890, A.,

conversion of pyrroline into tetramethylenediamine, 1890, A., 1242.

the molecular theory and electrolytic dissociation, 1891, A., 390.

constitution of the tetrole rings, 1891, A., 1195.

-constitution of naphthalenc, 1892, A., 69.

Ciamician, Giacomo Luigi, and Francesco Anderlini, action of methyl iodide on some pyrroline derivatives, 1889, A.,

- action of methyl iodide on amethylpyrroline, 1889, A., 728. tetrabromides of diallyl, 1890,

Ciamician, Giacomo Luigi, and Angelo Angeli, exidation products of brominated thiophens, 1891, A., 893.

- constitution of tetrole-nuclei, 1892, A., 302.

Ciamician, Giacomo Luigi, and Maximiliano Dennstedt, action of nascent hydrogen on pyrroline, 1883, A., 82. 1142.

 derivatives of citraconic acid, 1883, A., 312.

 compounds of the pyrroline series, 1883, A., 350.

- action of evanogen chloride on potassium-pyrroline, 1883, A., 599.

- acetylpyrroline and ψ -acetylpyrroline, 1884, A., 289.

- action of acetic anhydride and henzoic anhydride on pyrroline, 1881, Δ., 1044.

Ciamician, Giacomo Luigi, and Marimiliano Dennstedt, action of hydroxylamine on pyrroline, 1885, A., 246. - action of organic anhydrides

on pyrroline, 1885, A., 378.

- action of potash on boiling pyrroline, 1886, A., 367.

extraction of pyrroline from animal oil, 1887, A., 59.

Ciamician, Giacomo Luigi, and Pictro Magnaghi, action of carbonyl chloride on potassium-pyrioline, 1885, A., 809. - action of nascent hydrogen on methylpyrroline, 1885, A., 809.

- action of heat on acetylpyrroline and carbonylpyrroline, 1885, A.,

- bases derived from pyrroline,

1885, A., 1242.

- action of phosphoric chloride on alloxan, 1886, A., 226.

 condensation products of pyrroline with alloxan, 1886, A., 367.

- pyrrolylene, 1886, A., 521. Ciamician, Giacomo Luigi, and Gaetano Magnanini, indolecarboxylic acids, 1888, A., 483.

pyrrolylene tetrabromides, 1888, A., 799.

 methylindolecarboxylic acid, 1888, A., 958.

Ciamician, Giacomo Luigi, and Paul Silber, pyrocoll, 1884, A., 176.

derivatives of pyrocoll, 1884. A., 292.

- synthesis of pyrocoll, 1884, A., 585, 725.

· blue colouring matter from pyrroline, 1884, A., 740.

- α-carbopyrrolic acid, A., 1044.

derivatives of succinimide,

1884, A., 1115 - methods for the formation of

α-carbopyrrolic acid, 1884, A., 1193. action of alkaline hypochlorites and hypobromites on pyrroline, 1884, A., 1367.

- pyrroline-a-carboxylic acid. 1885, A., 246.

- acetylpyrroline, 1885, A., 808.

- action of nitric acid on methyl pyrryl ketone, 1885, A., 810, 992.

 methylpyrrylketonesulphinic acid, 1885, A., 810.

- bromopyridine, 1885, A., 811. - dimethyl pyrrylene ketone, 1885, A., 993; 1886, A., 74.

- action of halogens on pyrroline, 1885, A., 1077.

Ciamician, Giacomo Luigi, and Paul Silber, nitro-compounds of the pyrroline series, 1886, A., 718.

- action of acetic anhydride on homopyrroline, 1886, A., 719.

- action of alloxan on pyrroline, 1886, A., 897.

 disubstituted derivatives of pyrroline and their constitution, 1886.

- action of light on nitrobenzene, 1887, A., 240.

- - synthesis of pyrroline, 1887, A., 273.

- conversion of pyrroline into pyridine-derivatives, 1887, A., 378.

- determination of positions in the pyrroline series, 1887, A., 597.

- action of acetic anhydride on methylpyrroline and benzylpyrroline, 1887, A., 843.

- constitution of some pyrrolme derivatives, 1888, A., 61.

——— apiole, 1888, A., 606, 847, 1100; 1889, A., 407; 1890, A., 35. derivatives of maleinimide, 1889, A., 384.

dcrivatives of dichloromalein-

imide, 1890, A., 24. safrole, 1890, A., 965.

- eugenol, 1890, A., 966. constitution of apicle and its

derivatives, 1890, A., 1294. - hydrocotoin, a constituent of

coto bark, 1891, A., 578. - reduction of apione, 1891, A., 1500.

 constituents of paracoto bark, 1892, A., 62.

- constituents of coto bark, 1892, A., 873.

- oxymethylene group in isosafrole, 1892, A., 972.

ψ-pelletierine, 1892, A., 1110.

Ciamician, Giacomo Luigi, and Carlo Umberto Zanetti, direct synthesis of homologues of pyrroline, 1889, A., 727.

- conversion of pyrroline into tetramethylenediamine, 1889, A., 1208. - action of hydroxylamine on pyrrolines, 1890, A., 264, 1155; 1891, A., 1502.

phenylsuccinazone, 1890, A., 1120.

- molecular weight of the peptones, 1892, A., 1501.

Ciamician, Giacomo Luigi, and Carlo Zatti, indolecarboxylic acids, 1888, A., 957.

Ciamician, Giucomo Luigi, and Carlo Zatti, indole derivatives, 1889, Δ., 1187.

— — eulyte, 1890, A., 872.

Ciamician, Giacomo Luigi. See also Angelo Angeli.

Cieslar, Adolf, influence of light on the germination of seeds, 1885, A., 419.

Cimbal, O. (and others), cultivation and yield of potatoes, 1884, A., 483; 1885, A., 587.

Ciotto, Francesco, and Pietro Spica, toxicological observations, 1891, A.,

Citron, Heins ich, much in urine, 1887, A., 390.

Ckiandi-Bey, A., antiseptic properties of carbon bisulphide, 1885, A., 97.

Claassen, Edo, analysis of a variety of siderite, 1883, A., 559.

—— mineralogical notes, 1883, A., 1066. —— hitter principle of the cowhere.

— bitter principle of the cowberry, 1885, A., 1254.

vanadium compounds, 1886, A., 428.

solubility of manganese sulphide in fused potassium sulphide, 1887,
 A., 449.
 extraction of vanadium and chro-

mium from iron ores, 1887, A., 449.
—— manganese sulphate, 1887, A., 774.

— manganese sulphate, 1887, A., 774 — catalpin, 1888, A., 1309.

—— cephalanthin, 1890, A., 171.
—— estimation of codeine and morphine,

1890, A., 1198.

--- estimation of citric acid in parts of plants, 1891, A., 129.

Claessen, C. See Gustav Loges. Claessen, Conrad. See Carl Arnold

August Michaelis.
Claisen, Ludwig, action of aldehydes on

ketones, ketonic acids, and malonic acid, 1884, A., 445.

action of aldehydes on phenols, 1887, A., 270.

— condensation of aldehydes with phenols and aromatic amines, 1887, A., 494.

benzaldehyde, 1887, A., 574.

introduction of acid radicles into

ketones, 1887, A., 575.

addition of ethyl malonate to unsaturated compounds, 1887, A., 800.

action of ethyl chlorocarbonate on ethyl sodacetoacetate and sodomalonate, 1889, A., 375; 1892, A., 1070.

Claisen, *Ladwig*, introduction of acid radicles into ketone molecules, 1890, A., 26.

- conversion of ethyl acetoneoxalate into s-hydroxytoluic acid, 1890, A., 361

- preparation of cinnamic acid and its homologues, 1890, A., 891.

— coloured compounds derived from ethyl acetoneoxalate, 1891, A., 422.

— hydrolysis of ethereal salts of organic acids by potassium acetate, 1891, A., 425.

— synthesis of chelidonic acid, 1891, A., 425.

preparation of ethereal salts of furfurylacrylic acid, 1891, A., 427.

—— action of ethyl formate on camphor, 1891, A., 574.

- isoxazoles, 1892, A., 506.

mixed azo-compounds, 1892, A., 710.

on ethyl sodacetoacetate, 1892, A., 1070.

Claisen, Ludwig, and Lion Crismer, action of benzaldehyde on malonic acid and its ethylic salt, 1884, A., 444.

Claisen, Ludwig, and Ernest Francis Ehrhardt, preparation of acetylacetone and its homologues, 1889, A., 850.

Claisen, Ludwig, and Louis Fischer, benzaldehyde, 1887, A., 940; 1888, A., 690.

Claisen, Ludwig, and Etznoyu Hori, action of hydroxylamine on acetoacetaldehyde, 1891, A., 416.

____ synthesis of aconitic acid, 1891, A., 424.

Claisen, Ludwig, and Oscar Lowman, preparation of ethyl benzoylacetate, 1887, A., 588.

benzoylacetone, 1888, A.,

Claisen, Ludwig, and Otto Manasse, nitrosoketones, 1887, A., 944.

nitrosoketones, 1889, A., 584.

— nitrosocamphor and camphorquinone, 1889, A., 619.

Claisen, Ludwig, and Francis Edward Matthews, reaction of ethyl acetoacetate with aldehydes, 1884, A., 443.

Claisen, Ludwig, and Louis Meyerowitz, ketoaldehydes, 1890, A., 357. Claisen, Ludwig, and A. C. Ponder, condensation of acctone with aromatic aldehydes, 1884, A., 1166.

Claisen, Ludwiy, and Peter Adolf Roosen, derivatives of pyrazole, 1891, A., 1106.

Claisen, Ludwig, and Robert Stock, action of hydroxylamine on benzoylacetaldehyde, 1891, A., 451.

Claisen, Ludwig, and Nicolnos Stylos, action of ethyl acetate on acetone, 1887, A., 917; 1888, A., 676.

- acetoacetaldchyde, 1888, A., 671.

Claisen, Ludwig, and Wilhelm Zedel, action of ethyl chlorocarbonate on the sodium derivatives of acetylacetone, ethyl acetoacetate, and ethyl malonate, 1889, A., 377.

- phenylisoxazolone, 1891, A.,

468.

Claisen, Ludwig. See also Carl Beyer, Arthur Il right Bishop, Eduard Brömme.

Clamond, C., and J. Carpentier, thermoelectric pile, 1885, A., 854.

Claparede, Alexandre, and Watson Smith, on a bye-product of the manufacture of aurin, 1883, T., 358.

Clapp, Geo. H. See Alfred E. Hunt. Clapp, Rulph Roger. See William Junies Comstock.

Clar, Conrad, action of water containing carbonic anhydride on the trachyte of Gleichenberg, 1884, A., 569.

Clark, Harry W. See Allen Hazen. Clark, John, separation of cobalt from nickel, 1884, A., 498.

estimation of sulphur in pyrites, 1886, A., 279.

estimation of arsenic in pyrites, 1888, A., 194.

– estimation of phosphoric acid with silver nitrate, 1889, A., 307.

- separation of arsenic, antimony, and tin, 1892, T., 424; P., 68.

- direct estimation of arsenic in minerals and metals, 1892, A., 530.

Clark, Joseph Warner, purification of mercury by distillation in a vacuum, 1885, A., 350.

- electrolytic decomposition, 1886, A., 294.

Clark, William Inglis, ethyl acetate, 1883, <u>A</u>., 1080,

Clarke, Frank Wigglesworth, minerals from Litchfield, Maine, 1886, A.,

- lithia micas, 1887, A., 347.

– studies in the mica-group, 1888, A., 117.

Clarke, Frank Wigglesworth, chemical structure of natural silicates, 1888, A., 659.

- - mickel ores from Oregon, 1888, A., 1045.

- new occurrence of gyrolite, 1890. A., 343.

— theory of the mica group, 1890, A., 460.

-concordance in atomic weight determinations, 1891, A., 390.

- atomic weights, 1891, A., 877.

- Tschermak's theory of the chlorite group and its alternative, 1892, A., 794.

fractional analysis of silicates, 1892, A., 945.

petalite, spessartine, and willemite; 1892, A., 1411.

Clarke, Frank Wigglesworth, and Charles Catlett, platiniferous nickel ore from Canada, 1889, A., 835.

Clarke, Frank Wigglesworth, and Thomas Marcan Chatard, mineralogical notes, 1885, A., 491.

Clarke, Frank Wigglesworth, and Joseph Silus Diller, topaz from Stoneham, Maine, 1886, A., 213.

 turquoise from New Mexico. 1887, A., 116.

Clarke, Frank Wigglesworth, and Charles Seth Evans, antimony tartrates, 1884. A., 298.

Clarke, Frank Wigglesworth, and Omar T. Joslin, phosphides of iridium and platinum, 1884, A., 400. Clarke, Frank Wigglesworth, and Eliot

Abbott Kebler, cadmium iodide, 1884. A., 394.

Clarke, Frank Wigglesworth, and George Perkins Merrill, nephrite and jadeite, 1890, A., 716.

Clarke, Frank Wigglesworth, and Edward Adolph Schneider, constitution of tale, 1890, A., 948.

- constitution of natural silicates, 1891, A., 529.

 constitution of certain micas, verniculites, and chlorides, 1892, A.,

Clarke, Frank Wigglesworth. See also Edward A. Schneider.

Clarkson, Philip S. See William W. Macfarlane.

Classen, Alexander, electrolytic estimations, 1885, A., 190, 597, 1094.

 titanium trioxide, 1888, A., 424, 789. quantitative analysis by electrolysis, 1888, A., 528.

 quantitative separation of titanium from iron, 1888, A., 582.

Classen, Alexander, atomic weight of bismuth, 1890, A., 706; 1891, A., 525.

— pure bismuth, 1892, A., 20.
Classen, Alexander, and Oscar Bauer, use of hydrogen peroxide in analytical

chemistry, 1883, A., 934. Classen, Alexander, and Robert Ludwig, quantitative analysis by electrolysis,

1885, A., 932; 1886, A., 493. Classen, Alexander, and Robert Schelle, quantitative analysis by electrolysis, 1889, A., 76.

Classen, Alexander. See also Josef Bongartz.

Claudon, Edouard, use of condensation in fractionating apparatus, 1885, A., 331.

Claudon, Edouard, and Ed. Charles Morin, alcohols in brandy, 1887, A., 714.

fermentation of sugar with elliptical yeast, 1887, A., 746.

- apparatus for fractional distillation, 1888, A., 646.

Claus, Adolph, dibiomosuccinic acid and diamidosuccinic acid, 1883, A., 43.

- amarine, 1883, A., 203. sulphonic acids of p-cymene, 1883,

A., 918. occurrence and estimation of free

tartaric acid in wine, 1883, A., 935. - cymenesulphonic acids, 1883, A., 1129.

a-nitroanthraquinonesulphonic acid and its derivatives, 1884, A., 1040.

-alkylquinoline derivatives, 1885, A., 814.

— quinoline, 1885, A., 908.

 allotropic modification of amarine, 1885, A., 1063.

formation of propylene from gly-

cerol, 1886, A., 136.

aromatic methyl ketones and their oxidation products, 1886, A., 462.

chlorinated a-naphthaquinones, 1886, A., 714.

- action of concentrated sulphuric acid on aromatic ketones, 1887, A., 251.

- constitution of benzene, 1887, A., 719; 1888, A., 940; 1889, A., 1061; 1890, A., 1283; 1891, A., 44, 897.

2 5-dibromocymene, 1888, A., 583.

- quinolinesulphonic acid, 1888, A., 728.

– a new dihydroxynaphthalene, 1889,

A., 714.

bromoquinolinesulphonic acids, 1890, A., 265.

 bases derived from the halogen alkyl salts of papaverine, 1890, A., 271. Claus, Adolph, alkyl aromatic ketones and their exidation by potassium permanganate, 1890, A., 769, 979; 1891, A., 199, 561, 1222.

- dichloro-a-naphthaquinone dichlor-

ide, 1890, A , 786.

- constitution of naphthalene, 1890, A., 1424; 1891, A., 41.

- alkyl ketones from halogen derivatives of aromatic hydrocarbons, 1891, A., 911.

action of zinc on ethyl dibromo-

succinate, 1891, A., 1338.

— decomposition of glutaric acid at a high temperature, 1892, 40.

oximes and the so-called stereochemistry, 1892, A., 50, 598.

γ-bromoquinoline, 1892, A., 875. aromatic alkyl ketones, and their oximes, 1892, A., 985.

alkyl derivatives of cinchona alkaloids, 1892, A., 1012.

oximes, 1892, A., 1087.

- aromatic alkyl ketoximes, 1892, A., 1200.

- cinchona alkaloidy, 1892, 1249.

quaternary ammonium bases of the quinoline series, 1892, A., 1358.

- alkyl and alkylene derivatives of cinchonic acid, and alkylene derivatives of cinchoxinic acid, 1892, A., 1488.

Claus, Adolph, and Ludwig Beck, nitration and bromination of p-brom-otoluic acid, 1892, A., 1207.

Claus, Adolph, and Heinrich Becker, trinitrotoluene and liquid dinitrotoluene, 1883, A., 1093.

Claus, Adolph, and Curt Beysen, dinitro-p-toluic acids and their derivatives, 1892, A., 177.

Claus, Adolph, and Philipp Böcher, nitration of m-chloro-p-toluic acid, 1892, A., 173.

Claus, Adolph, and Hermann Bopp. sulphonation of m-chloronitrobenzene and m-chloraniline, 1891, A., 1489.

Claus, Adolph, and August Wilhelm Bücher, chlorobenzoic acids, 1887, A., 828

Claus, Adolph, and Hermann Burstert, chlorine substitution products of mxylene, 1890, A., 1105.

Claus, Adolph, and Adolph Christ. bromo-p-cymenesulphonic acid, 1886, A., 1032.

Claus, Adolph, aus, Adolph, and Otto Claussen, methyl m-p-dimethylphenyl ketone, 1886, A., 463,

Claus, Attolph, and Jacobus Cornelis Schwneveld van der Cloet, diehler-anaphthaquinonesulphonic acid, 1888, A., 602.

Claus, Adolph, and Friedrich Collischonn, quinoline, 1887, A., 60. - bromoquinoline, 1887,

Claus, Adolph, and George Cropp, methyl methylpropylphenyl ketone, 1886, A., 463.

Claus, Adolph, and Nils Davidsen, chloro-p-toluic acids, 1889, A., 988.

- nitration of o-chloro-p-toluic acid, 1892, A., 172.

Claus, Adolph, and Hermann Decker, γ-bromoquinoline, 1889, A., 728.

Claus, Adolph, and Friedrich von Dreden, cetyl alcohol, 1891, A., 535.

Claus, Adolph, and August Dreher, m-cresol, 1889, A., 863.

Claus, 1do/ph, and Albert Edinger, isoquinoline, 1889, A., 415.

Claus, Adolph, and Karl Elbs, amarine, 1883, A., 982.

- alkylated diphenyl ketones,

1885, A., 1065. Claus, Adolph, and Max Erler, bromo-

derivatives of diphenic acid, 1887, A., Claus, Adolph, and Wilhelm Fahrion,

carvole and carvacrolsulphonic acid, 1889, A., 880.

Claus, Adolph, and Pund Feist, methyl a-naphthyl ketone, 1887, A., 271.
Claus, Adolph, and Emil Fickert,

ethyl p-xylyl ketone, 1887, A., 253. Claus, Adolph, and C. G. Ludwig

Foecking, methyl duryl ketone, 1888, A., 275.

Adolph, and Eduard Föhlisch, methyl c-duryl ketone, 1889, A., 50.

Claus, Adolph, and Ludwig Gartner, methyl m-xylyl ketone, 1886, A., 463. Claus, Adolph, and Carl Geisler, dibro-

moquinoline, 1890, A., 172. Claus, Adolph, and Franz Glyckherr.

oxidation of quinoline benzyl chloride, 1883, A., 1009.

_1dolph, and Carl Groneweg, 4: 5-dichlorophthalic acid: derivatives of o-xylene, 1891, A., 921.

Claus, Adolph, and Paul Heermann, tribromoquinolines, 1891, A., 82.

Claus, Adolph, and Gumal Hemmann, azophthalic acid, 1883, A., 1126.

Claus, Adolph, and Julius Herbabny, nitration and bromination of o-bromop-toluic acid, 1892, A., 174.

Claus, Adolph, and Jakob Hirsch, mcresols, 1889, A. 389.

Claus, Adolph, and Hermann Hirzel, alkyl derivatives of aniline, 1887, A., 134.

Claus, Adolph, and Rudolf Hoch, action of phosphoric chloride on phthalic anhydride, 1886, A., 705.

Claus, Adolph, and Hans Howitz, aniline derivatives, 1884, A., 1005.

the halogen alkyl oxides of o-hydroxyquinoline and p-hydroxyquinoline, 1890, A., 1323.

- halogen alkyl compounds of p-hydroxyquinoline and the derived quaternary ammonium bases, 1891, Ā., 1252.

– action of bromine on v- and ohydroxyquinoline, 1892, A., 353.

Claus, Adolph, and Ernest Huetlin, papaverine, 1885, A., 996.

Claus, Adolph, and Friedrich Immel. sulphonation of o-toluidine, 1891, A., 1490.

Claus, Adolph, and Urban Arthur Jackson, o-cresol, 1889, A., 128.

Claus, Adolph, and Joseph Joachim, nitration of o-nitro-p-toluic acid, 1892, A., 176.

Claus, Adolph, and Heinrich Kautz, chloro-derivatives of o-xylene, 1885, A., 972.

Claus, Adolph, and Friedrich Morita Kickelhayn, cinchonic acid, 1887, A.,

Claus, Adolph, and Max Knyrim, anaphthol-B-sulphonic acid, 1886, A.,

Claus, Adolph, and Hans Kohlstock,

amarine, 1885, A., 1132. Claus, Adolph, and Theodor Kramer, nitro- and amido-derivatives of quinoline, 1885, A., 908.

Claus, Idolph, and 1 thymol, 1891, A., 899. Einist Krause.

Claus, Adolph, and Jakob Krauss, mcresolsulphonic acids, 1888, A., 280.

Claus, Adolph and Karl Kroseberg, p. tolylglyoxylic. p-tolylhydroxyacetic, and p-tolylacetic acids, 1887, A., 948.

Claus, Adolph, and Heinrich Kunath, bromotoluic acids, 1889, A., 987.

Claus, Adolph, and Hermann Kurz. chloronitrobenzoic acids, 1888, A.,

Claus, Adolph, and Paul Küttner, quinoline-o-sulphonic acid, 1886, A., 628.

quinolinesulphonic 1887, A., 278. acids,

Claus, Adolph, and Hugo von der Lippe. oxidation of pentachloronaphthalens, 1883, A., 921.

81

- Claus, Adolph, and Christian Mann, sulphonation of p-chloronitiohenzene
- and p-chloraniline, 1891, A., 1488. Claus, Adolph, and Friedrich Mann, o-ethyltoluene, 1885, A., 888.
- Claus, Adolph, and Alexander Meixner,
- narceine, 1888, A., 611.
 Claus, Adolph, and Emanuel August Merck, hydrocyanides of organic bases, 1884, A., 338.
- Claus, Adolph, and Hermann Mercklin. neaction of aluminium chloride with hydroxyl compounds, 1886, A., 143.
- Claus, Adolph, and Paul Mielcke, a-naphthol di- and tri-sulphonic acids, 1886, A., 716.
- Claus, Adolph, and Theodor Muchall, quinolinecarboxylic acid, 1885, A., 560.
- Claus, Adolph, and Peter Friedrich Mueller, \$-dichloronaphthaquinone: constitution of ϵ -dichloronaphthalene, 1886, A., 247.
- Claus, Adolph, and Wulter Neukranz, oxidation of mixed fatty aromatic ketones by potassium permanganate, 1891, A., 1364.
- Claus, Adolph, and Carl Nicolaysen, phenylacridine, 1886, A., 68.
- Claus, Adolph, and Otto Pfeiffer, isonitrostearic acid, 1891, A., 541.
- Claus, Adolph, and Otto Philipson, halogen derivatives of naphthylamine, 1891, A., 461.
- Claus, Adolph, and Ernst Pieszczek, oethyltoluene, 1887, A., 240.
- Claus, Adolph, and Gustav Pollitz, 2'bromoquinoline, 1890, A., 521.
- Claus, Adolph, and Moritz Posselt, 1:4hydroxyquinolinesulphonic acid. 1890. A., 522.
- 3-hydroxyquinolinesulphonic acid. 1890, A., 523.
- Claus, Adolph, and Otto Putensen, cyanurates, 1889, A., 30.
- Claus, Adolph, and August Reh, bromination of bromobenzoic acids, 1892. A., 171.
- Claus, Adolph, and Curl Richter, action of phosphorus pentachloride and pentoxide on benzoyl-&-naphthylphenylamine and on benzoyl-di-s-naphthylamine, 1884, A., 1358.
- Claus, Adolph, and Heinrich Riedel, methyl p-tolyl ketone, 1886, A., 462.
- Claus, Adolph, and Paul Riemann, dichloro-p-cresol and dichloro-o-cresol, 1883, A., 1111.
- Claus, Adolph, and Carl Ritzefeld, narceme 1885, A., 996.

- Claus, Adolph, and Georg Runschke, the orientation of 4:6-dichloro-m-xylene, and on some derivatives thereof, 1890, A., 1216.
- Claus, Adolph, and Withelm Ruppel, di-\$-naphthylketone oxide, 1890, A.,
- Claus, Adolph, and Ludwig Scherbel. additive products of amarine-silver: derivatives of amarine, 1886, A., 237.
- Claus, Adolph, and Wilhelm Scheulen, bromonitrobenzoic acids, 1891, A., 564.
- Claus, Adolph, and Walter Schmeisser, sulphonic acids of 4'-bromoquinoline, 1890, A., 266.
- Claus, Adolph, and Emil Schmidt, nitration products of m-xylenesulphonic acid, 1886, A., 708.
- Claus, Adolph, and Oskar Schmidt, Bnaphthol-β-disulphonic acid, 1887, A., 269.
- Claus, Adolph, and Josef August Schulte im Hofe, cumene-o-sulphonic acid and o-cumic acid, 1887, A., 261.
- Claus, Adolph, and Hugo Schweitzer, chlorocresols and toluquinones, 1886, A., 614.
- Claus, Adolph, and Richard Seibert, dibromo-p-toluic acid, 1892, A., 176.
- Claus, Adolph, and Alfred Stavenhagen, dichlorobenzoic acids, 1892, A., 1206. Claus, Adolph, and Puul Stegelitz,
- action of haloid ethereal salts on quinoline, 1884, A., 1050.
- a-diquinoline from azobenzene, 1885, A., 173.
- quinoline-p-sulphonic acid, 1886, A., 628.
- Claus, Adolph, and Theodor Steinkauler. dibromosebacic acid, and some of its derivatives, 1888, A., 183.
- Claus, Adolph, and Albert Stiebel, mnitro-p-chloraniline, 1887 A., 810. - m-nitroquinoline, 1888, A.
- 295. Claus, Adolph, and Hermann Tersteegen, naphthyl methyl ketones, 1891, Λ., 214.
- Claus, Adolph, and Leonhard Tonn, cumenesulphonic acids, 1885, A., 903. Claus, Adolph, and Tretor Tornier, bro-
- minated quinolines, 1888, A., 163. Claus, aldolph, and Franc Tosse, addition products of quinoline, 1883, A., 1008.
- Claus, Adolph, and Ernst Trainer, action of hydrogen chloride on mixtures of aldehyde with alcohols, 1887, A.,
- Claus, Adolph, and Herhard N. Vis, mbiomoquinolines, 1889, A., 280.

Claus, Adolph, and Gerhard N. Vis, 1:2-dibromoquinoline and derivatives of 2-bromoquinoline and 4-bromoquinoline, 1890, A., 173.

Claus, Adolph, and Otto Volz, 2:3-naph-tholsulphonic acid, 1886, A., 246.

Claus, Adolph, and R. Wehr, p-tolylacetic acid, 1891, A., 1365.

Claus, Adolph, and Albert Weil, dibromobenzoic acids, 1892, A., 1205.

Claus, Adolph, and Adolf Welter, bromo-derivatives of quinoline, 1890, A., 173, 1320.

Claus, Adolph, and Otto Welzel, n-propylbenzenesulphonic acid, 1890, A., 503.

Claus, Adolph, and Curl Wenzlik, \(\beta\)-hep-tachloronaphthalene and \(\beta\)-pentachloronaphthalene, 1886, A., 713.

Claus, 1dolph, and Constantin Witt, dinitro- and diamido-amarine, 1885,

A., 1062.

Claus, Adolph, and Robert Wollner, methyl p-xylyl ketone, 1885, A., 1136.

Claus, Adolph, and Olto Würtz, sulphonic acids of 4-bromoquinoline, 1890, A., 267.

Claus, Adolph, and Stanley Wyndham, nitro-derivatives of isophthalic acid, 1889, A., 142.

Claus, Adolph, and Georg Zuschlag, 3:1-bromoquinolinesulphonic acid and 4:3-nitrobromoquinoline, 1890, A., 267.

Claus, Adolph, Hans Howitz, Carl Massan, and Georg Raps, halogen alkyl compounds of hydroxyquinolines, 1892, A., 876.

Claus, Adolph, Georg Raps, Eberhard Herfeldt, and IV. Berkefeld, orientation by conversion of p-dinitro-derivatives into quinones, 1891, A., 1199.

Claus, Adolph, IV. S. Werner, K. (h. Schlarb, and Wilhelm Murtfeld, aromatic ethylene diketones and alkylated benzoyl-\$\textit{\textit{B}}\)-propionic acids, 1887, A., 827.

Claus, Carl Friedrich, strontium hydroxide, 1884, A., 1224.

recovery of sulphur from hydrogen sulphide, 1885, A., 304.

manufacture of strontium hydroxide, 1885, A., 937.

Claus, Richard. See Rudolph Fittig. Clausius, A., 2:2'-dihydroxynaphthalene, 1890, A., 627.

Clausius, R., the limits of electricity and magnetism, 1883, A., 764.

Clausnitzer, F. See Adolph Mayer. Claussen, Otto. See Adolph Claus.

Clautriau, G., hygroscopic behaviour of camphor and thymol, 1891, A., 1497.

Clayton, Edwy Godwin, arsenious oxide solutions, 1891, A., 1418.

Cleeves, John Frederick, and John Churles Platts, analysis of water from the Roundwood Colliery, 1890, A., 222.

Clemence, Addison B., apparatus for estimating carbon in steel, 1884, A., 219.

Cleminshaw, Edward, lecture experiments on spectrum analysis, 1885, A., 1035.

Cleminshaw, Edward. Sec also Francis Robert Japp.

Clemm, August, derivatives of m-hydr-

oxybenzaldchyde, 1891, A., 699. Clerc, Maurice, estimation of sugars in

beet, 1889, A., 314.
Clerk, Dugald, explosion of homogeneous

gaseous mixtures, 1886, A., 761.

Clermont, 1 rthur, preparation of ethers

of trichloracetic acid, 1883, A., 729.
— trichloracetic acid, 1886, A., 222.

quinine hydrochloride, 1887, A., 980.

formation of peptone, 1888, A., 167.

Clermont, Philippe de, and Paul Chautard, iodacctone, 1885, A., 648.

benzene series, 1886, A., 696.

glycerol, 1888, A., 45.

Cleve, Per Theodor, on samarium and its compounds, 1883, T., 362; 1885, A., 636.

---- didymium, 1883, A., 18.

A., 292.

--- atomic weight of lanthanum, 1883, A., 553.

-- atomic weight of didymium, 1883, A., 852.

—— action of hydrogen peroxide on the rure carths, 1885, A., 635.

-- didymium compounds, 1885, A., 1039.

benzene, 1886, A., 545.

nitronaphthalenesulphonic acid, 1886, A., 1037.

chloronaphthalenesulphonic acids, 1887, A., 374; 1892, A., 1477.

compound of quinaldine with formamide, 1887, A., 381.

— action of chlorine on acet-α-naphthalide, 1887, A., 494.

— sulphimido-compounds 1887, A., 834; 1888, A., 698.

— action of chlorine on aceto-βnaphthylamine, 1887, Λ., 961.

- Cleve, Per Theodor, action of chlorine on a- and B-naphthol, 1888, A., 596.
- · γ-amidonaphthalenesulphonic acid. 1889, A., 154.
- δ-amidonaphthalenesulphonic acid. 1889, A., 155.
- derivatives of 1:3-dichloronaphthalene, 1890, A., 626.
- 1:4-nitronaphthalenesulphonic acid, 1890, A., 634.
- 1 1-chloronaphthalenesulphonic acid, 1890, A., 635.
- formation of an explosive substance from ether, 1891, P., 15; discussion, P., 16.
- 1:3:4-dichloronaphthalenesulphonic acid, 1892, A., 344.
- amidonaphthalenesulphonic acid, 1892, A., 345.
- 1 2-dicyanonaphthalene and 1:2naphthalenedicarboxylic acid, 1892, A., 1477.
- · 1.2:2'-a-nitrochloronaphthalenesulphonic acid, 1892, A., 1478.
- Clost, Jacobus Cornelis Schæneveld van der. See Adolph Claus.
- Cloëz, Charles, pentachloracetone, 1884, A., 580.
- mineral water at Brucourt 1884, A., 895.
- apparatus for preparing hydrogen, 1885, A., 631.
- chloracetones, 1887, A., 1091. hydroxytetric acid, 1890, A., 739.
- Cloëz, Charles. See also Edouard Grimaux.
- Cloizeaux. See Des Cloizeaux.
- Clowes, Frank, barium sulphate as a cementing material in sandstone, 1886, A., 35.
- deposits of barium sulphate from mine water, 1890, A., 853.
- Clutterbuck, M. Cuspur. See Rudolph
- Fittig.
 Coals, Robert Dorsey. See Ira Remsen. Cobenzi, Albert. See Conrad Schmitt, Zdenko Hanns Skraup.
- Coblentz, Virgil, seleno- and thio-derivatives of ethylamine and propylamine, 1891, A., 1216.
- Coblentz, Virgil, and Siegmund Gabriel, dithioethylamine, 1891, A., 817.
- Cohley, Th. H., process for preparing a mineral white, 1884, A., 136. Cochenhausen, E. von, determination of
- the hardness of water, 1888, A.,
- Cocheteux, Albert. See Jean Krutwig. Cochin, Denys, action of air on yeast, 1883, A., 746; 1884, A., 939.

- Cochius, F., and Theodor Moeller, estimation of nitrogen by the Schultze-Tiemann (Schloessing's) method, 1891, А., 107.
- Cochran, C. B., action of alcohol on butter fat, 1888, A., 631.
- Coda, Delfo, estimation of zinc in its ones, 1890, A., 1191.
 Cohen, Emil, jadeite from Thibet, 1884,
- A., 407.
- separation of alumina, ferric oxide, and titanic oxide, 1884, A., 640.

 — labradorite rock of the coasts of
- Labrador, 1885, A., 644.
- tale, pseudophite, and muscovite from South Africa, 1887, A., 561.

 — pallasite from Campo de Pucará,
- 1887, A., 904.
- pseudomorph after marcasite, 1888. A., 563.
- —pleochioism of biotite, 1888, A., 565. - genesis of alluvial gold, 1889, Λ ., 835.
- meteoric iron from Portugal, 1889, A., 839.
- garnet from the South African
- diamond fields, 1890, A., 1076. Cohen, Julius Berend, note on some double thiosulphates, 1886, P., 251;
- 1887, T., 38.

 Wiborgh's method for the estimation of sulphur in iron and steel, 1890, A., 1463.
- dibenzanilide, 1890, P., 162; 1891. T., 67.
- Cohen, Julius Berend. See also John Cannell Cain, Thomas Ewan, James Grant, T. Miniati, Robert Walter Oddy, William Reginald Ormandy, Oddy, William Reginald Orm Hans (Freiherr) von Pechmann.
- Cohen, Rudolf, experimental determination of the ratio of the specific heats in superheated steam, 1890, A., 205. Cohn. See Lassar-Cohn.
- Cohn, Emil, specific inductive capacity
- of water, 1890, A., 203. Cohn, Emil, and Leo Arons, determination of the specific inductive capacity of conducting liquids, 1888, A., 394,
- Cohn, Felix O., influence of artificial gastric juice on the acetous and lactic fermentations, 1889, A., 1227.
- Cohn, Georg, benzaldiphenylmaleide and its derivatives, 1892, A., 482.
- Cohn, Georg. See also Stegmund Gabriel. Cohn, Rudolf, behaviour of tyrosine ethyl ether in animal metabolism, 1890, A., 187.
- benzamide in unine after administration of benzaldehyde, 1890, A., 188,

Cohn, Rudolf, occurrence of acetyl derivatives in the urine of animals after ingestion of aldehydes, 1892, A., 1504.

Cohn, Rudolf. See also Max Jaffé.

Cohn, S., solubility of gypsum in solutions of ammonium salts, 1887, A., 333.

Cohn, S. H., process for preparing ochre colours, 1884, A., 781.

Cohn, Wilhelm, basic phosphate of lime as an addition to cattle fodder, 1884, A., 194.

Colardeau, Emmanuel. See Louis Paul Cailletet.

Colas, Et., action of micotine on the heart and blood-vessels, 1891, A., 96.

Colasanti, Giuseppe, reactions of creatinine, 1887, A., 1056.

- reaction of thiocyanic acid, 1890, A., 424; 1891, A., 128.

 new application of Molisch's test, 1891, A., 128.

xanthocreatinine in the urine, 1892, A., 364.

Colasanti, Giuseppe, and Regulus Moscatelli, p-lactic acid in the urino of soldiers after a forced march, 1888, A., 1321.

Colby, Charles Edwards, and Frank Despurd Dodge, action of nitriles on organic acids, 1891, A., 409.

Colby, Charles Edwards, and Charles Swain McLoughlin, action of sulphurous anhydride on benzene, 1887, A., 371.

Colby, George Elden, and Hubert Paul Dyer, analyses of Californian oranges and lemons, 1892, A., 1511.

Coldridge, Ward, interactions of nitrogen chlorophosphide, 1888, T., 398; P., 25.

electrical and chemical properties of stannic chloride, 1890, A., 1065.

Cole, Grenville Alfred Jumes. See John Wesley Judd.

Colefax, Arthur, phenuvic acid: its constitution and relationship with the

phenylmethylfurfurancarboxylic acid of Paal, 1890, P., 178; 1891, T., 190. investigation of the change proceeding in an acidified solution of sodium thiosulphate, where the products of the change are retained in the system, 1891, P., 179; 1892, T.,

action of sulphurous acid on flowers of sulphur, 1891, P., 180; 1892, T.,

volatility of sulphuric acid at ordinary temperatures, 1891, A., 977.

Colefax, Arthur, action of iodine on a mixture of sulphite and thiosulphate.

1892, T., 1083; P., 155. Coleman, Arthur P., the melaphyres of Lower Silesia, 1883, A., 563.

Coleman, Joseph Bernard, rapid method of solution in the cold, 1892, A., 397. Coleman, Joseph James, air or hydrogen thermometer for low temperatures,

1886, A., 1116.

- liquid diffusion, 1887, A., 440. Colin, (... value of disinfectants in chicken-cholera, 1885, A., 180.

Collan, Uno, autocatalysis, 1892, A., 1270.

Collan, Una. See also Edvard Immanuel Hjelt.

Colley, R., Berthelot's law of maximum work and spontaneous endothermic reactions, 1890, A., 681.

Colli, Niccolò de', detection of alum in

wines, 1892, A., 1523.

Collie, John Norman, action of ammonia on ethyl acetoacetate, 1885, A., 373.

condensation product of ethyl amidoacetoacetate with hydrochloric acid, 1887, A., 501.

action of heat on triethylbenzylphosphonium salts, 1887, A., 1106.

- action of heat on tetramethylphosphonium salts, 1888, T., 636; P., 62. - new method of preparing mixed tertiary phosphines, 1888, T., 714;

P., 78. -- Leadhill minerals, 1889, T., 91; P., 121.

methyl fluoride, 1889, T., 110; P. 16; discussion, P., 17.

- some compounds of tribenzylphosphine oxide, 1889, T., 223; P., 45.
--- action of heat on ethyl 8-amido-

crotonate, 1890, P., 165; 1891, T., 172.

- constitution of dehydracetic acid, 1890, P., 169; 1891, T., 179.

- lactone of triacetic acid, 1891, T., 607; P., 114.

- reactions of dehydracetic acid, 1891, T., 617; P., 113.

production of naphthalene derivatives from dehydracetic acid, 1892, P., 215.

- constitution of turpentine and cam-

phor, 1892, A., 864.
Collie, John Norman, and William Shields Myers, production of pyridine derivatives from the lactone of triacetic acid, 1892, T., 721; P., 181.

production of orcinol and

other condensation products from dehydracetic acid, 1892, P., 187.

Collie, John Norman, and S. B. Schryver, action of heat on the chlorides and hydroxides of mixed quaternary compounds, 1890, T., 767; P., 115. Collie, John Norman. See also Thomas

Atkinson Lawson, Edmund Albert Letts.

Collier, Peter, a remarkable platinumnugget, 1883, A., 426.

Collin, August. See Emilio Nölting. Collin, Charles, and Lucien Benoist, reducing vat for indigo, 1885, A., 1096. -- estimation of tannin, 1888, A., 1138.

Collins, J. Henry, Cornish tinstones and tin-capels, 1886, A., 988.

minerals from Porthalla Cove, Cornwall, 1887, A., 1022.

Collins, Walter Hepworth, graphite from the Bagoutal Mountains, Siberia, 1888, A., 428.

Collischonn, Friedrich, estimation of acetone, 1891, A., 370.

Collischonn, Friedrich. See also Adolph Claus.

Collman, Charles. See Isaac Ott.

Collot, A., rapid weighing on precision

balances, 1892, A., 270.

Colman, Harold Govett, derivatives of methylindole, 1888, P., 95.

——some derivatives of Pr 1'-methyl-

indole, 1889, T., 1.

- preparation of glycollic acid, 1892, P., 72.

Colman, Harold Gorett, and William Henry Perkin, junior, synthetical formation of closed carbon-chains. Part II. (cont.) Some derivatives of tetramethylene, 1887, T., 228; P., 12; 1888, T., 185.

-synthetical formation of closed carbon-chains. Part III. (cont.) Derivatives of pentamethylene, 1887,

distillation of calcium tetramethylenecarboxylate with lime, 1887,

- acetopropyl alcohol and acetobutyl alcohol, 1889, T., 352; P., 80. Colorianu, Anton, staurotide, 1886, A.,

- two new nickel arsenates, 1886, A., 508.

- some crystallised arsenates, 1886,

-- basic cupric arsenate, 1886, A., 771. - crystalline metallic molybdates, 1889, A., 760.

Colot, Edmond, temperature of saturated vapours of various liquids under the same pressure, 1892, A., 1143.

Colson, Albert, combination of tetratomic elements, 1883, A., 15.

- an aromatic tribromhydrin, 1883, A., 734.

- a new glycerol, 1884, A., 57.

- xylenes, 1884, A., 1000; 1885, A., 654.

derivatives of m-xylene, 1884, A., 1313.

saponification of haloid ethers of the benzene series by neutral substances, 1885, A., 146.

action of phosphoric chloride on ethers of the benzene group, 1885, A., 252.

- heats of formation of phthalates, 1885, A., 1104.

relations between chemistry and

physics, 1886, A., 961.

— derivatives of hexamethylbenzene and durene, 1886, A., 1016. — crythritol, 1887, A., 353.

- isomerism of position, 1887, A.,

products from the residues of

compressed gas, 1887, A., 787.

— butylenic bases: characteristics of ethylenic diamines, 1888, A., 139. - secondary diamines containing an

ethylene group, 1888, A., 684. -a base derived from diquinoline,

1889, A., 416. artificial and natural alkaloids,

1889, A., 729. colours derived from benziding,

1889, A., 1152. thermochemistry of nicotine, 1890,

— Berthollet's laws, 1890, A., 1367.

- reactions of organic bases, 1890. A., 1368.

-endothermic and exothermic reactions of organic bases, 1891, A., 377. -action of water on normal salts of amines of the paraffins, 1891, A., 797.

stereochemistry of diacetyltarianic

acid, 1892, A., 669, 758.

Colson, Albert, and Henri Gautier, new method of chlorination, 1886, A., 231.

- xylene derivatives, 1886, A., 613.

- action of phosphoric chloride on hydrocarbons, 1886, A., 679.

Colson, Albert. See also Gabriel Robinet, Paul Schützenberger.

Combemale, François Auguste Frédérie, and Joseph Brunelle, physiological action of trimethylamine, 1892 A., 366.

Combemale, François Auguste Frédéric, and Auguste Dubiquet, physiological action of potassium ferrocyanide, 1891,

Combemale, François Auguste Frédéric. See also Albert Mairet.

Combes, Alphonse, on the supposed compound NH₂, 1883, A., 14.

— a base derived from crotonaldehyde,

1883, A., 1079.

- action of chloraldehydes on benzene in presence of aluminium chloride, 1884, A., 837.

- reaction of aluminium chloride: synthesis in the acetic series, 1887, A., 127.

--- homologues of acetylacetone, 1887, A., 653.

-synthesis in the paraffin series by means of aluminium chloride, 1887, A., 656.

- metallic derivatives of acetylacetone, 1888, A., 128.

 syntheses in the quinoline series by means of acetylacetone, 1888, A., 504.

derivatives οf acetylacetone: synthesis of polyatomic alcohols, 1888, A., 666; 1890, A., 1394.

— naphthaquinolines, 1888, A., 968. — action of phenylhydrazine and hydroxylamine on acetylacetone, 1889, A., 57.

— valency of aluminium, 1889, A., 571.

-action af diamines on diketones, 1889, A., 851.
— derivatives of acetylacetone, 1890.

A., 1394.

--- diacetylcarbinyl acetate, 1891, A.,

Combes, Alphonse, and Charles Combes. synthesis of hydropyridic bases, 1889, A., 1073.

Combes, Charles, materite and materodambose, 1890, A., 471.

Comey, Arthur phenyl Messinger, thienyl ketone, 1884, A., 1168.

ethanediquinolyline,

Comey, Arthur Messinger, and Charles Loring Jackson, compound of zinc oxide with sodium hydroxide, 1888, A., 786.

- action of fluoride of silicon on organic bases, 1888, A., 941.

– sodium zinc oxides, 1889, A.,

Comey, Arthur Messinger, and Frank Warren Smith, silicofluorides certain bases, 1888, A., 1283.

Comey, Arthur Messinger. See also Charles Loring Jackson. Arthur. Michael.

Commelin. See Bailhache. Comstock, William James, alkylation of formanilide, 1890, A., 1258.

Comstock, William Jumes, and Ralph Roger Clapp, derivatives of aromatic formyl compounds, 1892, A., 707. Comstock, William James, and Felix

Kleeberg, silver formanilide, 1890, A., 1414.

Comstock, William James, and Wilhelm Koenigs, cinchona alkaloids, 1881, A., 1382; 1885, A., 910, 1248; 1887, A., 281, 1122.

 apocinchine and apochinine, 1888, A., 71. - halogen derivatives of the

cinchona alkaloids, 1892, A., 1010. Comstock, William James, and Hanry Lord Wheeler, alkyl derivatives of isosuccinimide, 1892, A., 701.

– anilides, isoanilides, and their

analogues, 1892, A., 705. Comstock, William James. See also Adolf von Baeyer, Ira Remsen.

Coninck. See Oechsner de Coninck. Conrad, Edwin Charles. See Arthur Bower Griffiths.

nrad, Max, halogen substitution compounds of ethyl acctoacetate, Conrad. 1883, A., 177.

— isarabic acid, 1892, A., 1432. Conrad, Mux, and Carl Idam Bischoff,

tetrethyl acetylenetetracarboxylate, 1883, A., 46.

Conrad, Max, and Carl Brückner, determination of affinity coefficients, 1890, A., 327; 1891, A., 796.

 halogen derivatives of malonic acid, 1892, A., 39.

Conrad, Max, and Friedrich Eckhardt, action of methyl iodide on ethyl phenylamidocrotonate, 1889, A., 508. methylquinaldone

methyllutidone, 1889, A., 519.
Conrad, Max, and Wilhelm Epstein,
lutidine derivatives from lutidinecarboxylic acid, 1887, A., 501.

- action of ammonia on ethyl acetoacetate and its derivatives, 1888, A., 253.

Conrad, Max, and Max Guthzeit, ethyl methenyltricarboxylate and ethvl

acetomalonate, 1883, A., 44.

tetrethyl dicarbontetracarb-

oxylate, 1883, A., 46.

action of chloroform on sodium ethylmalonate, 1883, A., 311.

Conrad, Max, and Max Guthzeit, derivatives of barbituric acid, 1883, A., 314.

halogen-substituted acetoacetates, 1883, A., 1082.

- ethyl dicarbontetracarboxyl-

onic acid on ethyl malonate, 1884, A., 991.

- halogen derivatives of ethyl

heated with dilute acids, 1885, A., 745.

decomposition of galactose and arabinose by dilute acids, 1886,

action of carbonyl chloride on ethyl cupracetoacetate, 1886, A.,

-action of ethyl chlorolevulinate on ethyl sodomalonate, 1886, A., 336.

action of dilute acids on grapesugar and fruit-sugar, 1887, A., 25.

- decomposition of milk-sugar by dilute hydrochloric acid, 1887, A., 26.

formation and composition of

ammonia and primary amines on ethyl dimethylpyronedicarboxylate, 1887, A., 500.

- ethyl dimethylpyronedicarb-

oxylate, 1887, A., 502. Conrad, Max, and Leonhard Limpach, syntheses of quinoline-derivatives by means of ethyl acetoacetate: 4'-hydroxyquinaldine, 1887, A., 679.
——synthesis of the homologues

of 4'-hydroxyquinaldine, 1888, A., 503.

- synthesis of 2':4'-phenylhydroxyquinoline, 1888, A., 505.

 condensation of ethyl tetramethylphenylamidocrotonate, 1888,

 synthesis of dihydroxyquinaldine derivatives, 1888, A., 853.

- 4'-hydroxyquinaldine, 1888, A., 1109.

synthesis of quinoline derivatives by means of alkyl acetoacetates, 1892, A., 78.

Max. Conrad, See also WilhelmHecht.

Conrady, Eugen, calculation of atomic refraction for sodium light, 1889, A.,

Conrady, Eugen. See also Otto Wallach.

Conroy, Michael, tineture of nuv vomica,

1884, A., 946. Constam, Emil Joseph, and Heinrich Goldschmidt, amidossopropylbenzenes, 1888, A., 681.

Constam, Emil Joseph. See also Heinrich Goldschmidt, Victor Meyer.

Constantinidi, Alexander, wheat-gluten as a food, 1887, A., 511.

Contamine, estimation of hydrogen peroxide, 1888, A., 751.
Cook, Ernest H., carbonic anhydride

in the atmosphere, 1883, A., 284.

- detection and estimation of iodine, 1885, T., 47; P., 19; discussion, P., 20. Cooke, Josiah Parsons, method of cor-

recting the weight of a body for the buoyancy of the atmosphere when the volume is unknown, 1884, A., 13.

- new method of determining gas

densities, 1890, A., 321.

Cooke, Josiah Parsons, and Theodore William Richards, relative value of the atomic weights of hydrogen and oxygen, 1888, A., 647, 910.

Cooke, Stephen, reducing action of hydrogen in presence of platinum, 1888, A., 1245.

action of the electric spark on mixtures of nitric oxide with hydrogen, methane, etc., 1889, A., 15.

decomposition of nitric oxide in contact with water and with potash, 1889, A., 15.

Cooksey, Thomas. See Theodor Zincke. Cooper, IV. J., assaying lead ores by fusion with potassium cyanide, 1891, A., 962.

William John. Cooper, See Jumes Alfred Wanklyn.

Coote, Arthur Herbert. See William Richard Eaton Hodgkinson.

Copeman, Sydney Monckton, detection of human blood, 1889, A., 1092.

- crystallisation of hamoglobin, 1891, A., 343.

niyohæmatin, 1891, A., 478.

specific gravity of blood in disease. 1891, A., 761.

Copeman, Sydney Monckton, and Charles Scott Sherrington, proportion of blood to body weight, 1890, A., 1015.

Copeman, Sydney Monckton, and William Bamford Winston, human bile, 1889. A., 792.

Coppola, Francesco, genesis of ptomames. 1883, A., 522, 624; 1885, A., 278,

transformation of the fluorbenzoic acids in the animal organism, 1884, A., 446.

Coppola, Francesco, pyridine-choline, pyridine-neurine, and pyridine-muscarine, 1886, A., 78.

- physiological action of santonin and its derivatives, 1888, A., 310.

physiological action of cafferne. 1888, A., 312.

origin of urea in the animal economy, 1890, A., 184.

Coquillion and Henrivaux, decomposition of hydrocarbons with steam, 1892, A., 288.

Corbetta, Pietro, amount of volatile fatty acids in rancid butters, 1891, A., 130.

Corenwinder, Benjumin, biological researches on the beet-root, 1883, A.,

growth of sugar-beet, 1885, A., 685.

Corin, Gabriel, and Edgard Bérard, proteids of white of egg, 1889, A., ī075.

Corin, Joseph, and Georges Ansiaux, heat-coagulation of proteids, 1891, A., 1521.

Corleis, Ehrenfried, sulphur compounds

of tungsten, 1886, A., 510.
Cornelius, Hans, and Benno Homolka,

hydrazoïns, 1886, A., 1026.
Cornelius, Hans, and Hans (Freiherr) von Pechmann, synthesis of orcinol acetonedicarboxylate, from ethyl 1886, A., 802.

Cornelius, Hans. Sec ยาลอ Robert Moscheles.

Cornevin, Ch., influence of vegetable poisons on the germination of seeds, 1892, A., 228.

- action of pilocarpine on the excretion of milk, 1892, A., 365.

Cornu, Alfred, spontaneously reversible

lines in spectra, 1885, A., 853.

— distinction between spectral lines of solar and terrestrial origin, 1887,

Cornwall, Henry Bedinger, examination of butter colours, 1887, A., 621.

Cornwall, Henry Bedlinger, and Shippen Wallace, Reichert's method of butter analysis, 1887, A., 309.

Corselli, Giacomo, terebic acid, 1891, A.,

Corsi, Arnaldo, prehnite from Tuscany, 1883, A., 441.

Corvi, Antonio, volumetric estimation of

chlorides in urine, 1891, A., 495. Cossa, Alfonso, chemical and microscopical researches on Italian rocks and minerals, 1883, A., 446. —— hieratite, 1883, A., 955.

Cossa. Alfonso, yttrium in the sphene of Biellese syenite, 1884, A., 158.

- diffusion of didymium, 1884, A.,

 normal didymium molybdate and the valency of didymium, 1884, A., 821.

— idocrase, 1886, A., 601. — cerium molybdate, 1886, A., 772. - didymium and cerium tungstates

and molybdates, 1886, A., 981.

- ammoniacal platinum compounds, 1887, A., 642.

— columbite from Graveggia, Val Vigezzo, 1887, A., 645.

platososemiamine chloride, an isomeride of Magnus' salt, 1890, A., 1218.

Cossa, Alfonso, and Andreas Arzruni. chromic tourmaline and the deposits of chrome iron ore in the Urals, 1883, Λ., 414.

Cossa, Alfonso, and Giuseppe La Valle, crystallised hydrated barium silicate,

1886, A., 594. osta, Tullio, relation between the molecular refractive energy and the Costa. dispersive power of aromatic derivatives with saturated lateral chains, 1890, A., 1201.

- molecular weight and refractive energy of sulphur dichloride, 1891, A., 149.

 refractive power of isocyanides and nitriles, 1892, A., 757.
Costa, Tullio. See also Raffaele Nasini.

Coste. See La Coste. Coste, John Henry. See Raphael Mel-

Costobadie, H. A., goods printed with artificial indigo, 1885, A., 1023.

Cotton, S., action of metals on chloral hydrate, 1885, A., 371.

action of oxidising agents on chloral hydrate, 1885, A., 1048.

action of chloral hydrate and iodoform on mercuric salts, 1888, A., 670. - arganin, 1889, A., 160.

Couldridge. See Coldridge.

Coullon, M. See R. Godeffroy Councier, Constantin, ash of leaves of plants grown in the earth under water-culture, 1884, A., 98.

Councier, Constantin (and others). tannin-yielding substances and their

applications, 1885, A., 946.

Courant, E., and Victor von Richter, preparation of alkyl bisulphides, 1886, A., 217.

Courtonne, H., solidification of different mixtures of naphthalene and stearie

acid, 1883, A., 176.

Cousin, H., homocatechol and two nitrohomocatechols, 1892, A., 1443.

Cousins, A. C., relations of mercury to other metals, 1887, A., 1080.

Cousins, Herbert Henry. See James Ernest Marsh.

Coutts, Francis James Henderson. See Watson Smith.

François, Couturier, \$-dipropylene, 1891, A., 282.

Couty, Louis (and others), effect of coffee on the composition of the blood and on nutrition, 1884, A., 1392.

Cowardins, S. P., carbonyl iodide, 1884, A., 40.

Cowles, Eugene H., Alfred H. Cowles, and Charles Frederic Mabery, electrical furnace and reduction of oxides, 1886, A., 401.

Cownley, Alfred John, ether test for quinine, 1883, A., 1174.

cinchonidine in commercial quinine sulphate, 1886, A., 632.

Cownley, Alfred John. See also Benjamin H. Paul.

Cowper, Richard, on the action of chlorine on certain metals, 1883, T.,

Cowper, Richard, and Vivian Byam Lewes, on the oxidation of phosphorus at a low temperature, and the alleged decomposition of phosphorous anhydride by sunlight, 1884, T., 10.

Crafft. See Krafft.

Crafts, James Mason, comparison of mercurial thermometers with the hydrogen thermometer, 1883, A., 144. density of chlorine at high temperatures, 1883, A., 710.

– thermometric measurements, 1883, A., 842,

 use of mercury thermometers with particular reference to the determination of melting and boiling points. 1884, A., 656.

 expansion of elementary gases, 1884, Ā., 889.

— air thermometers, 1888, A., 772. - purification of mercury, 1889, A., 17.

-separation of the xylenes, 1892, A., 1134.

Crafts, James Mason. See also Charles

Crahé (and others), beet cultivation, 1884, A., 208.

Craig, George, estimation of sulphur in iron and steel, 1883, A., 121, 512.

 lecture apparatus for showing combustion of air in coal gas, 1888, A., 1244.

Craig, George, estimation of silica and analysis of siliceous materials, 1890, A., 194.

estimation of sulphur, 1892, A., 382.

Cramer, August, glycogen, 1887, A., 1127.

Cramer, Carl Robert, monoximes of succinic acid, 1891, A., 823.

oximidoacetic acid, 1892, A., 699. Cramer, Theodor. See Theodor Kramer. Cramer, Trangott, vegetarianism from a

physiological standpoint, 1883, A.,

Crampton, Charles Albert, analyses of sugar-cane and beet juices, 1887, A.,

- boric acid as a plant constituent, 1889, A., 794.

- specific gravity of some fats and oils, 1889, A., 801.

Crampton, Charles Albert, and Thomas Cuthbert Trescott, estimation of carbonic anhydride in beer, 1887, A.,

Crampton, Charles Albert. Clifford Richardson.

Crawley, J. T., simplified fat extraction apparatus, 1890, A., 304.

Crayen, Gustav, action of carbon bisul-phide on benzenylamidoxime and p-homobenzenylamidoxime, 1891, A., 559.

Crépieux, Pierre, aromatic hydroxyketones, 1892, A., 62.

Crépieux, Pierro. See also Amé Pictet. Crespi, P., solubility of strychnine, and preparation of some of its salts, 1881. A., 187.

Creutz, M. J., zine from pyrites residues, 1884, A., 788.

Creydt, Robert, estimation of melitose, 1887, A., 306.

Creydt, Robert, and Bernhard Tollens, estimation of raffinose in mixtures, 1886, A., 582.

Criper, William Risdon, analyses of Indian wood, 1883, A., 107.

Cripps, Richard Augustus, estimation of

hydrocyanic acid, 1883, A., 1174.

estimation of the alkaloids Conium, 1888, A., 540.

- reactions of essential oils, 1890, A., 200.

diastatic power of extract of malt, 1890, A., 432.

estimation of volatile oil of coparba, 1892, A., 244.

Cripps, Richard Augustus, and Thomas Southall Dymond, detection of aloes in mixtures, 1885, A., 1015.

Crismer, Léon, liquid paraffin as a reagent for the presence of water in alcohol, ether, and chloroform, 1884, A., 1073.

estimation of iron and stannous salts by potassium chromate, 1884, A., 1078.

safranine as a reagent for grape sugar, 1889, A., 446.

- detection of sugar in urine by means of safranine, 1889, A., 552.

- compounds of hydroxylamine with metallic chlorides, 1890, A., 558.

 test for aldehyde, 1890, A., 1197. potassium mercuro-iodide as a

reagent for aldehydes, 1891, A., 624. preparation of pure hydrogen peroxide solutions, 1892, A., 270.

crystalline products from lemon and bergamot oils, 1892, A., 349. test for hydrogen peroxide, 1892,

A., 381.

reaction of certain essences with manganous salts, 1892, A., 386.

- detection of turnentine and other impurities in essences, 1892, A., 386. detection of tartaric acid in citric acid, 1892, A., 546.

preparation of crystallised hydroxylamine, 1892, A., 771.

- formation of hydroxamic acids of the fatty acids by means of acid anhydrides, 1892, A., 828.

Crismer, Léon. See also Ludwig Claisen. Crispo, D., Belgian method of estimating the soluble phosphoric acid of superphosphates, 1891, A., 1289.

Cristaldi. See Grassi-Cristaldi. Croasdale, Stuart. See Edward Hart.

Crocco. See Grocco.

Croft, Henry II., rattlesnake poison,

1883, A., 104. Crompton, Holland, extension of Mondeléeff's theory of solution to the discussion of the electrical conductivity of aqueous solutions, 1887, P., 126; 1888, T., 116.

Cronander, A., new method of estimating fat in milk, 1887, A., 308.

Cronquist, Albert Weisner, lake deposits of Kolsnaren, Viren, and Högsjön, Sweden, 1883, A., 448.

analysis of a spring water from Rindö, near Stockholm, 1883, A., 449. Crookes, William, radiant matter spectroscopy, 1884, A., 241.

 mutual extinction of the spectra of yttrium and samarium, 1885, A., 1025.

- the earth Ya, 1886, A., 506. - spectra of erbia, 1886, A., 749.

- yttria, 1886, A., 853.

Crookes, William, chemical fractionation, 1886, A., 974.

— new elements in gadolinite and samarskite, 1887, A., 334.
— crimson line of phosphorescent

alumina, 1887, A., 1006.

· radiant matter spectroscopy; examination of the residual glow, 1887, A., 1066.

- sharp line spectrum of phosphorescent aluminium, 1887, A., 1069.

 sharp line spectra of phosphorescent yttria and lanthana, 1887, A., 1070.

— presidential addresses, 1888, T.,

474; P., 41; 1889, T., 250; P., 55. recent researches on the rare earths

as interpreted by the spectroscope, 1889, T., 255. verbal account of volatilisation of

metals in vacuo by electric discharge,

1891, P., 62, Crookshank, Edgar March, and Edward Felix Herroun, cultivation products of the tubercle bacillus, 1891, A., 762.

Cropp, George. See Adolph Claus. Cros, Charles, and Aug. Vergeraud, new photographic paper, 1883, A., 752. Crosa, F. See Michele Fileti.

Cross, Charles Frederick, technical aspects of lignification, 1883, A., 694. rehydration of ferric oxide, 1883, A., 853.

Cross, Charles Frederick, and Edward John Bevan, contributions to the chemistry of lignification, 1883, T., 18; 1889, T., 199.

on the exidation of collulose, 1883, T., 22.

 hydroxycellulose and phenylhydrazine, 1884, A., 897. - oxidation of carbohydrates by

means of chromic acid, 1886, A., 102.

combustion by means of chromic anhydride, 1888, T., 889; P., 76; discussion, P., 76.

- new compounds of magnesium with the halogens, 1888, P., 91.

-contributions to the chemistry of lignification; constitution of jutefibre substance, 1889, T., 199; P., 30. contributions to cellulose chemistry; acetylation of cellulose, 1889, P., 133; discussion, P., 133; 1890, T., 1; 1892, A., 693.

the constituents of flax, 1889,

P., 155; 1890, T., 196.

- apparatus for estimating the amount of gas disappearing in a reaction, 1889, A., 300.

- chemistry of flax-fibre, 1889, A., 742.

Cross, Charles Frederick, and Edward John Bevan, conditions of activity of nitric acid, 1889, A., 1109.

- interaction of hypochlorites and ammonium salts; ammonium hypochlorite, 1890, P., 22; discussion, P., 23.

action of nitric acid on the lignocelluloses, 1891, P., 61.

solvent for cellulose, 1891, A., 890.

- action of nitric acid on vegetable fibres, 1891, A., 1001.

- constitution of the lignocelluloses, 1892, A., 129.

 volumetric estimation of alumina, 1892, A., 535.

- cellulose, 1892, A., 693.

Cross, Charles Frederick, and 1. F. Higgin, decomposition of water by metalloids, 1883, A., 900.

Cross, Charles Frederick. See also Arthur George Green.

Cross, Charles Whitman, hyperstheneandesite, 1884, A., 568.

Cross, Whitman, topaz and garnet in rhyolite, 1886, A., 991.

- phonolites from Colorado, 1890, A., 1075.

- secondary minerals of the amphihole and pyroxene groups, 1890, A.,

 alunite and diaspore from Colorado, 1891, A., 1328.

Cross, Whitman, and L. G. Eakins. ptilolite, 1886, A., 990.

Cross, Whitman, and William Francis Hillebrand, minerals, mainly zeolites, occurring in the basalt of Table Mt., near Golden, Colorado, 1883, A., 164, 956.

 interesting minerals occurring near Pike's Peak, Colorado, 1883, A.,

- minerals of the cryolite group recently found in Colorado, 1884, A.,

· elpasolite, 1887, A., 344. Cross, Whitman. See also Joseph Pax-

son Iddings. Crossley, Arthur William, optical

properties of dulcitol and its derivatives, 1892, A., 1419.

Crova, André, condensation hygrometer, 1883, A., 118.

diffusion photometer, 1885, A., 320.

Crova, André, and Paul Garbe, charge and discharge of secondary batteries, 1885, A., 1099.

Crum-Brown. See Brown.

Cserhati, 17er., ensilage processes, 1888, A., 522.

Cserháti, _1/cx. See also Z. von Szilassy. Cuboni, 4., formation of starch in vine leaves, 1885, A., 683, 1004.

Cuénot, Lucien, blood of the Aplysia, 1890, A., 810.

- respiratory value of hæmocyanin, 1892, A., 1370.

Cuisinier, Léon, manufacture of maltose by Dubrunfaut's method, 1885, A., 205.

glucose and the saccharification

of starch, 1887, A., 351. Cuisinier, Léon, and Heinrich Kiliani, saccharin and lactic acid from sugars. 1883, A., 42.

Culmann, Curl, and Kusimir Gasiorowski, action of stannous chloride on salts of diazo-hydrocarbons: reactions of diazoimido-hydrocarbons, 1889, A.,

Culmann, Julius, action of secondary aromatic amines and hydrazines on bromacetophenone, 1888, A., 1287.

- tetraphenyltetracarbazone, 1890, A., 1268.

See François Ernest E. Cumenge, Mallard.

Cummins, George IV. See Russell H. Chittenden.

Cundall, James Tudor, zinc mineral from a blast furnace, 1889, P., 67. - production of ozone by flames,

1890, P., 26.

- dissociation of liquid nitrogen peroxide, 1891, T., 1076; l'., 129; discussion, P., 129.
Cundall, James Tudor. See also Wil-

liam Ramsay, William Ashwell Shenstone, Claude M. Thompson.

Curatolo, Tommaso, phenylcoumarinsulphonic acids, 1885, A., 539.

- methylguanicil and trimethylguanicil, 1891, A., 539. Curchod. See P. Juillard.

Curchod, Alfred. See Siegmund Levy. Curci, Antonio, physiological action of alkalis and alkaline earths, 1888, A.,

Curie, Jacques. See Charles Friedel. Curtiss, Richard S. See Emil Fischer. Curtius, Theodor, synthesis of acids analogous in constitution to hippuric

acid, 1883, A., 337.

glycocine, 1883, A., 1087. action of nitrous acid on ethyl glycocine hydrochloride, 1884, A.,

- diazo- and diazoamido-derivatives of the paraffin series, 1884, A., 987.

Curtius, Theodor, general reaction for the amido-fatty acids, 1884, A., 994.

—— aceturic acid, 1884, A., 1306. —— synthesis of hippuric acid and hippuric ethers, 1884, A., 1347.

diazoacetic acid: diazoacetamide
 and ψ-diazoacetamide, 1885, A., 883.
 formation of ethyl azin-uccinate
 from ethyl diazoacetate, 1885, A.,

— constitution of diazo- and azocompounds of the fatty series, and of hydrazine, 1889, A., 586.

substitution of the azo-group for ketonic oxygen, 1889, A., 1157.

constitution of diazo-fatty acids, 1891, A., 39.

action of alkalis on acid salts of diazobenzene: ethyl diazobenzoate, 1891, A., 55.

hydrogen nitride (azoimide), 1891,
 A., 56; 1892, A., 112.

— action of sodium on acid amides, 1891, A., 58.

diammonium semisulphate, 1891, A., 1321.

---- nomenclature of compounds containing two atoms of nitrogen linked together, 1891, A., 1350.

Curtius, Theodor, and Franz Goebel, ethercal amidoacetates, 1888, A., 576.

Curtius, Theodor, and Friedrich Henkel, preparation of tetrathionates from Wackenroder's solution, 1888, A., 552.

Curtius, Theodor, and Rudolf Jay, hydrazine, 1889, A., 340.

azine with aldehydes, 1889, A., 393.
preparation of hydrazine from

aldehyde-ammonia, 1890, A., 731. Curtius, Theodor, and Franz Koch,

derivatives of diazosuccinic acid, 1885, A., 885; 1887, A., 33.

-— diazosuccinic, diazosuccinamic, and diazopropionic acids, 1889, A., 376.

Curtius, Theodor, and Hans Lang, triazo-derivatives, 1889, A., 369.

substitution of the azo-group for ketonic oxygen, 1892, A., 451.

Curtius, Theodor, and Georg Lederer, benzylamine, 1887, A., 40.

Curtius, Theodor, and Ludwig Pfiug, secondary asymmetrical hydrazines, 1892, A., 456.

Curtius, Theodor, and Rudolf Radenhausen, hydrogen nitride (azoimide), 1891, A., 521. Curtius, Theodor, and Ferdinand Rauterberg, action of hydrazine hydrate on benzophenone, 1891, A., 1358.

Curtius, Theodor, and Heinrich Schulz, molecular weight of glycocine and its anhydride, 1891, A., 38.

pounds), 1891, A., 263. Curtius, Theodor, and Karl Thun, action of hydrazine hydrate on ketones

and o-diketones, 1891, A., 1355.

action of hydrazine hydrate on isatin and phenols, 1891, A., 1360.

Curtius, Theodor. See also Eduurd
Buchner.

Curtman, Charles Otto, detection of nitric acid by means of pyrogallol, 1886, A., 179.

acid, 1886, A., 648.

— detection of salicylic acid, 1887, A., 185.

detecting aniline colours in wines, 1887, A., 1147.

Curtman, IVilhelm. See Emil Besthorn. Cusson. See L. Roos.

Cutter, William Parker. See Spencer Baird Newbury.

Cybulski, Gustav. See Augustin Bistrzycki.

Cyon, E. dc, borax as an internal disinfectant, 1884, A., 1440.

Czapek, Friedrich, estimation of unic acid in urine, 1888, A., 1225.

Czapski, Siegfried, electromotive force in terms of chemical energy, 1884, A., 650.

Czarnomski, Nicolaus von. See Werner Kelbe.

Czeczetka, G., nitrogen estimations by Kjeldahl's method, 1885, A., 688.

Czimatis, Ludwig, mixed aromatic tertiary phosphines, 1883, A., 57.

Czimatis, Ludwig. See also Cari

D.

Dabney, Charles IV., isopiciamic acid, 1884, A., 308.

Dabney, Charles IV., and B. van Herff, estimation of nitrogen by the coppor oxide method, etc., 1885, A., 593,980.

Daccomo, Girolamo, trichlorophenol: trichloronitro- and amidophenols; tribromonitro- and amidophenols, 1885, A., 889.

___ action of light on iodoform, 1886, A., 1000. Daccomo, Girolamo, filicie acid, 1889,

dithiocarbonic acids, 1892, A., 306.
m-chlorothiophenol, 1892, A., 306. --- o- and p-chlorothiophenol, 1892, A.,

Daccomo, Girolamo, and Victor Meyer. density of nitric oxide at - 100°, 1887, A., 887.

Daccomo, Girolamo. See also Icilio Guareschi.

Däumichen, Paul, tricarballylic acid, 1889, A., 238.

Dafert, Franz W., amylbenzene, 1883,

A., 659.

- researches on periodides, 1883, A., 978.

- derivatives of diethyltoluene, 1883, A., 1093.

 formation of mannitol from dextrose and levulose, 1884, A., 720.

— varieties of starch, 1886, A., 527. ---- oxidation of mannitol, 1886, A.,608.

--- estimation of moisture in starch, 1887, A., 1143.

Kjeldahl's method of estimating

nitrogen, 1888, A., 85.

Dafert, Franz W. See also Gottfried
Adolf Ernst Withchm Ulrich Kreusler. Dagger, John H. J., hydrogen sulphide

apparatus, 1889, A., 14. Dahl, A., preparation of benzylrosani-linedisulphonic acids, 1887, A., 579.

Dahl, Franz. See Hans (Freiherr) von

Pechmann. Dahm, Carl, and Kasimir Gasiorowski, condensation products from carboimides and o-diamines, 1887, A., 247.

Daimler, Carl, action of ethyl iodide and zinc on ethyl malonate, 1887, A., 360.

Daimler, Carl. See also Rudolph Fittig. Dains, Frank Burnett. See Walter Parke Bradley.

Daix, Victor L. Ch., and Antoine Louis Possoz, extraction of sugar from molasses, 1885, A., 943.

Dale, John, obituary notice of, 1890, T., 446.

Dale, Richard S., and Curl Schorlemmer, the phenates of amido-bases, 1883, T., 185.

Dale, T. Pelham, refractive indices of gases, 1890, A., 201.

Dalmon, J., arbutin, 1885, A., 1096. Dambergis, Anastasius K., analysis of mineral springs in Andros, 1887, A., 28.

 mineral springs of Menthana, 1888, A., 238.

- mineral springs of Edepsos, 1892, Δ., 418.

See Carl Theodor Damerow, Frit:. Liebermann.

Damien, B. C., electromotive force of currents yielded by metallic couples in saline solutions, 1886, A., 190.

Damköhler, Hermann. See Robert Otto. Dammüller, Johannes, estimation of saccharose as well as invert sugar or raffinose, 1889, A., 191.

Damoiseau, A., preparation of sodium sulphide, 1885, A., 349.

Damour, Augustin Alexis, zinc aluminite, 1883, A., 443.

aluminium borate from Siberia, 1883, A., 719. — rhodizite, 1883, A., 956.

- chemical composition of a green mica from Syssert, 1883, A., 1066.

- new alumina lime phosphate, 1885, Λ., 640.

- new mineral from the environs of Nantes, 1885, A., 643.

- mimetesite containing lime from Puy-de-Dôme, 1886, A., 210.

- andesine from Ardeche, 1886, Λ., 211.

– meerschaum, 1886, A., 316.

menilite, 1886, A., 775. — a pink clay, 1887, А., 647.

- beryl from Madagascar, 1888, A., 236.

Damour, Augustin Alexis, and Alfred Louis Olivier Legrand Des Cloizeaux, magnesia epidote, 1885, A., 31.

Damour, Augustin Alexis. See also Alfred Louis Olivier Legrand Des Cloizeaux.

Damski, Albert W., isomerism of the thiophenic acids: derivatives of \$-thiophenic acid, 1887, A., 237.

- sulphocamphylic acid, 1888, A., 293.

Damski, Albert IV. See also Michail T. Goldstein.

Dana, 1 rnold (Tuyot, galmite and epidote from Rowe, Massachusetts, 1886, A., 23.

Dana, C. M., digestive power of commercial pepsin, 1884, A., 471.

Dana, Edward Salisbury, emerald-green spodumene from Alexander Co., N. Carolina, 1883, A., 440.

- stibnite from Japan, 1884, A., 22. - crystallographic study of the thinolite of Lake Lahontan, 1886, A.,

- crystallisation of gold, 1886, A., 988.

- columbite, 1887, A., 20. - brookite from Magnet Cove, Arkansas, 1887, A., 116.

Dana, Educard Salisbury, crystallisation of native copper, 1887, A., 341.

— mineralogical notes, 1887, A., 313. — beryllonite, 1889, A., 355.

barium sulphate from Perkins'

Mill, Quebec, 1890, A., 572.

Dana, Edward Salisbury, and Samuel

Lewis Penfield, hanksite, 1886, A.,
315.

meteoric stones, 1887, A., 120.

Dana, Edward Salisbury, and Horuce Lemuel Wells, beryllonite, 1889, A., 470.

als from Honduras, 1891, A., 153.

Dana, Edward Salisbury. See also George Jurvis Brush, William Francis Hillebrand.

Dana, Jumes Divight, metamorphism of massive crystalline rocks, 1883, A., 562.

Danckwortt, Wilhelm, derivatives of morphine, 1891, A., 332.

Dancy, Frank Battle, estimation of phosphoric acid in fertilisers, 1892, A., 1029.

Danger, L. (and others), parasitic diseases of plants and their prevention, 1883, A., 110.

Danguy, R., nitrogen in leather waste, 1885, A., 930.

Daniel, L., inulin in the capitula of Composites, 1890, A., 191.

Danilewsky, Alexandr I., albuminoids, 1884, A., 1388.

Dannenberg, E., detection of blood-stains in presence of iron-rust, 1887, A., 408.

Danner, Edgar William. See Frank Austin Gooch.

Darapsky, L., Chilian alums, 1887, A., 558.

558. ____ zeolites from Chili, 1888, A., 235.

—— atacamite in Chili, 1890, A., 111. —— minerals from Atacama, 1890, A., 155.

---- castanite, 1891, A., 405.

D'Arcy, R. F., compound of boric acid with sulphuric anhydride, 1889, T., 155; P., 4.

Darton, Nolson H., new locality for hayesine, 1883, A., 162, 1062.

ammonia process for water analysis, 1884, A., 696.

Dastre, A., influence of bile on the digestion of fats, 1888, A., 618.

Dastre, .1., physiological rôle of lactose, 1890, A., 186.

Dastre, A., and Maurice Arthus, glycogenesis in ieterus, 1889, A., 1233.
 Dastre, A., and Emile Elic Bourquelot,

assimilation of maltose, 1884, A., 1392.

Dathe, J. H. Ernst, culm conglomerate containing variolite at Hausdorf in Silesia, 1884, A., 408.

- kersantite from Wüstewaltersdorf

in Silesia, 1887, A., 562

amphibolite from Habendorf in Silesia, 1891, A., 23.

Daubrée, Cabriel Auguste, meteorite of Louans, 1883, A., 449.

the Nogoya meteorite, 1884, A., 977.

note on a meteorite in a tertiary lignite, 1887, A., 22.

— meteorite at Djati Pengilon, Java, 1887, A., 1024.

native iron from Canon Diablo, 1892, A., 947.

Daubrée, Gabriel Auguste, and Etienne Stanislas Meunier, native iron of terrestrial origin from Berezowsk, 1891, A., 1434.

Davenport, Bennet F., milk analysis, 1890, A., 670.

Davey, Robert Roscoe Felix, obituary notice of, 1884, T., 615.

David, J., estimation of glycerol in fatty matters, 1883, A., 123.

Davidoff, *D*., methysticin, 1888, Λ., 1207.

Davidoff, (Miss) Olyn, formation of ethyl succinate, 1886, A., 444.

Davidsen, examination of cane-sugar for sulphurous anhydride, 1888, A., 326.Davidsen, Nils. See Adolph Claus.

Davidson, Robert, estimation of iron in chars, 1888, A., 196.

Davies, Herbert E., calcium phosphate from solution in acetic acid, 1892, A., 407.

Davies, Howard Owen. See Wilmot Purker Herringham.

Davies, Robert Higgins, three Chinese fixed oils, 1885, A., 1022.

---- iodine absorption of essential oils, 1890. A., 199.

1890, A., 199.

Davies, S. H., alkyl and acidyl sulphides, 1892, A., 300, 581.

phides, 1892, A., 300, 581.

Davies, S. H. See also Emil Feith.

Davis, George E., bye-product from coal distillation, 1884, A., 525.

Davis, I. Thomas, separation of aluminium and zirconium, 1889, A., 550.

and plessite from the Welland meteoric

iron, 1892, A., 24.

Davy, Edmund William, estimation of nitrites, 1883, A., 515.

Day, Albert Wodehouse, and Siegmund Gabriel, o-cyanobenzyl chloride. 1890, A., 1249.

Day, D. T., changes effected in ethylene

by heat, 1886, A., 781.

Day, Thomas Cuthbert, new method of estimating nitrites, either alone or in presence of nitrates or chlorides, 1888, T., 422; P., 40.

influence of temperature on germinating barley, 1891, T., 664; P.,

Day, William Cathcart. See Ira Rem-

Deane, S. Mandeville, estimation of manganese and of phosphorus in iron and steel, 1887, A., 183.

Debout, C. See Alexei E. Faworsky. Debray, Jules Henri, artificial production of iridosmin, 1883, A., 298.

- preparation of cerium oxide, 1883, A., 713.

solubility of cupric sulphide in alkaline thiomolybdates, 1883, A.,

 a compound of rhodium, 1884, A., 400.

purple of Cassius, 1885, A., 875. crystalline alloys of tin and the platinum metals, 1887, A., 779.

- action of acids on alloys, 1887, A., 779.

products of the action of acids on alloys of the platinum metals, 1887, A., 900.

Debray, Jules Henri, and Joun Alexandre Joannis, decomposition of cupric oxide by heat, 1885, A., 21.

oxidation of copper, 1885, A., 22.

Debray, Jules Henri, and Alexandre Joly, ruthenium oxides, 1888, A., 426. ruthenium peroxide, 1888, A., 559.

rutheniates and per-rutheniates, 1888, A., 920.

Debray, Jules Henri, and E. Péchard, alterations of the carbon electrodes used for the electrolysis of acids, 1887, A., 1009.

Debray, Jules Henri. See also Etienne Henri Sainte-Claire Deville.

Debraye and Legrain, biogenesis of hydrogen sulphide, 1891, A., 102.

Debus, Heinrich, chemical theory of gunpowder, 1883, A., 258.

Davison, John M., kamacite, tamite. | Debus, Heinrich, chemical investigation of Wackenroder's solution and explanation of the formation of its constituents, 1888, T., 278; P., 18.

Deby, Julien, cyprusite, 1887, A., 611. Decastro, J. W. See E. Aug. Mebus. Decaux, action of sunlight, daylight, and the arc-light on colours used in dyeing and painting, 1884, A., 700.

Dechan, Martin, gallem as an indicator, 1885, A., 1012.

 detection and estimation of iodine, bromine, and chlorine, 1886, T., 682; P., 227.

— carmine, 1886, А., 398.

- improved form of apparatus for the separation of iodine, chlorine, and bromine, 1887, T., 690.

Dechan, Martin, and Thomas Maben, milk analysis, 1885, A., 446.

-formation of basic salts in the saponification of fats and oils, 1886, A., 186.

Dechant, J., refractive indices of condensed gases, 1885, A., 621.

Dechen, Heinrich von, silver amalgam from Oberlahnstein, 1885, A., 219.

Decker, Hermann, ethyl phenylhydrazineacetylacrylate, 1889, A., 49.

substituted ammonium compounds, 1891, A., 736, 1247. - so-called γ-bromoquinoline, 1892,

A., 630.

- some ammonium compounds, 1892, A., 729.

- action of alkalis on alkyliodides of the quinoline and acridine series, 1892, A., 879.

Decker, Hermann. See also Adolph Claus.

Deckers, Alfons, and Alfred Einhorn. d-cocaines, 1891, A., 475.

Deering, William Henry. See Sir Fredrick 1 ngustus Abel.

Degen, Jos., indoles from methylphenylhydrazine, 1887, A., 149.

Degener, Paul, influence of chlorides of the alkalis and alkaline carths on the precipitation of lime saccharate, 1883,

- power of certain salts to decompose calcium saccharate, 1886, A., 185.

Degener, Paul, and Felix Allihn, estimation of sugar by alkaline copper solutions, 1883, A., 519.

Degener, Paul, and J. Lach, treatment of animal charcoal, 1885, A., 1170.

Degener, Paul (and others), separation of sugar from molasses, 1884, A.,

Degener, Paul. See also Karl Stammer.

Dehérain, Pierre Paul, influence of the electric light on the development of plants, 1883, A., 105.

- loss and gain of nitrogen in arable land, 1883, A., 373, 749.

- report on experimental plots at Grignon in 1882, 1884, A., 204.

assimilation of the organic matter

by soils, 1884, A., 208.

- effect of potassium and sodium nitrates on the growth of potatoes, 1884, A., 361.

- sodium nitrate and ammonium sulphate as manures, 1884, A., 491.

— stable manure, 1884, A., 924. use of superphosphates, 1884, A.,

925. preparation of farmyard manure,

1884, A., 1412. - fermentation of farmyard manure,

1884, A., 1412. - cultivation of sugar-beet, 1885, A.,

184.

– on rotations, 1885, A., 185.

– cultivation of sugar-beet at Griguon in 1884, 1885, A., 423.

- butyric fermentation in the diffusion vessels of sugar factories, 1885, A., 464.

- experimental culture of wheat at Grignon in 1884, 1885, A., 928.

 increase of nitrogen in grass land, 1886, A., 276.

 valuation of manures, 1887, A., 174.

- production of nitrates in arable

soil, 1887, A., 993; 1889, A., 70. experimental cultivation of sugar-

beet in 1887, 1888, A., 383. farmyard manure, 1888, A., 748.

field experiments at Grignon in 1888, 1889, A., 541.

- loss and gain of nitrogen in soils, 1889, A., 745.

- causes of the exhaustion of arable soil by cropping without manures, 1890, A., 406.

experimental plots at Grignon in

1889, 1890, A., 820.

- exhaustion of cultivated but unmanured soils: drainage waters, 1890, A., 1459.

 experimental plots of mangold and sugar-beet at Grignon in 1890, 1891, A., 493.

composition of drainage waters, 1891, A., 765.

 drainage waters from bare and cultivated soils, 1891, A., 859.

- phosphoric acid of the soil, 1892, A., 233.

Dehérain, Rierre Raul, and Leon Maquenne, reduction of nitrates in the soil, 1883, A., 229, 503.

-reduction of nitrates in arable soil, 1883, A., 229.

- butyric ferment in arable soils, 1883, A., 610.

- fermentation of cane-sugar in contact with arable soil, 1884, A., 351. butyric fermentation excited

by garden soil, 1884, A., 1063.

 evolution of carbonic anhydride and absorption of oxygen by leaves in the dark, 1885, A., 927.

- respiration of leaves in the dark, 1886, A., 170, 273.

absorption of carbonic anhydride by leaves, 1886, A., 1062; 1887, A., 172.

Dehérain, Pierre Paul, and Arthur Meyer, development of wheat, 1883, A., 493.

Dehérain, Pierre Paul (and others), results of the experimental plots at Grignon in 1883, 1884, A., 1068.

Dehoff, L. H., nitro- and chloro-derivatives of β-methyl-δ-oxyquinazoline, 1890, A., 802; 1891, A., 84.

Deichmüller, August, F. Szymanski, and Bernhard Tollens, 8-hydroxybutyric acid in diabetic urine, 1885, A., 830.

Deike, Wilhelm. See Oscar Georg Jacobsen.

Dekkers, Pieter Johannes, tetramethylene glycol, 1891, A., 164.

De la Bellone. See Ferry de la Bellone. Delachanal, Bénédict, asphalt of bitumen of Judæa, 1884, A., 231.

Delachanal, Bénédict. See also Camille Vincent.

Delacharlonny, Marguerite. See Marguerite-Delacharlonny.

Delacre, Maurice, dichlorethyl alcohol, 1887, A., 713.

trichloralcohol: action of zinc ethyl on aldehydes, 1888, A., 663.

- chloro-derivatives of ethyl acetate, 1888, A., 672.

 constitution of benzopinacoline, 1891, A., 456.

 synthesis of s-triphenylbenzene, 1892, A., 993.

De la Groix, Woldemar, influence of dilution on the rate of chemical reactions, 1884, A., 1090.

De la Escosura, Luis, electrolytic estimation of mercury, 1886, A., 650.

Delafond, steel from pig-iron containing phosphorus, 1883, A., 403. Delage, Auguste. See Paul De Rouville.

97

De la Harpe, Ch., and Frédéric Reverdin, nitrosonitroresorcinol, 1888, A., 679; 1889, A., 41.

____ analytical notes, 1889, A.,

De la Harpe, (%. See also Frédéric Reverdin.

De la Rue, Warren, and Heinrich Wilhelm Huyo Müller, electric discharge with the chloride of silver battery, 1885, A., 322.

De la Rue, Warren, obituary notice of, 1890, T., 441.

De la Source. See Magnier de la Source. De la Tréhonnais, cotton cake as fodder for milch cows, 1884, A., 1411.

Delattre, Charles, treatment of the washings from wool, 1883, A., 940.

Delauney, equivalents of the elements, 1888, A., 902.

- relation between the atomic weights of the elements, 1889, A., 1104.

Delebecque, André. Sec Louis Duparc. Delépine, Auguste Sheridan, calcium urate, 1887, A., 469.

cystin in the urine, 1890, A., 1018.
normal storage of iron in the liver, 1890, A., 1177.

 cutaneous pigment as an antecedent of hæmoglobin, 1891, A., 480.

of hæmoglobin, 1891, A., 480.

deposits of iron and glycogen in the tissues, 1891. A., 1274.

Delépine, Marcel, alcoholic solutions of ammonia, 1892, A., 1049.

Delèzinier, A. M., new ptomaine, 1889, A., 1075.

Delisie, Alfred, action of sulphur dichloride on ethyl acetoacetate, 1887, A., 915.

ketosulphides and ketosulphideacids, 1889, A., 488.

reduction of o-sulphobenzoic acid, 1889, A., 1183.

new potash apparatus for use in clementary analyses, 1891, A., 621.

conversion of unsaturated acids into their stereochemical isomerides by soda, 1892, A., 297.

— thetincarboxylic acid, 1892, A., 1433.

Delisle, Alfred, and Georg Lagai, methoxyphenylsulphonic acid, 1891, A., 310.

Delisle, Alfred. See also Rudolph Fittig.

Del Lungo, Carlo, pressure and specific volume of saturated vapours, 1892, A., 263.

Delory, Gust., dyeing with alizarin colours on indigo-blue cloth, 1885, A., 106.

Demant, Bernhard, influence of strychnine and curare on the glycogen of the liver and muscles, 1886, A., 1051.

glycogen in the liver of new-born dogs, 1887, A., 167.

Demarçay, Eugène Anatole, thorium sulphate, 1883, A., 1053.

reactions of tellurium, 1884, A., 663.
methods of spectrum analysis, 1885, A., 465.

colour reaction of rhodium, 1886, A., 125.

—— spectra of didymium and samarium, 1886, A., 837; 1887, A., 1008.

metallic oxides, 1887, A., 329.

—— cerite earths, 1887, A., 551. —— spectrum of gold, 1888, A., 765.

Demarchi, L., and O. Fodera, production of pozzolana 1883, A., 529.

Demarteau, Jules. See Walthere Spring. Demek, W., dopplerite from Aussee, 1883, A., 160.

Demjanoff, Nicolaus I., hexylene dibromide from diallyl, 1891, A., 160.

— pentamethylene glycol and its oxides, 1892, A., 1292.

Demjanoff, Nicolaus I. See also V.
Aristoff, Gabriel Gustavson.

Demme W. new albumin from protections.

Demme, W., new albumin from protoplasm, 1892, A., 86.

Demont, Louis, compound of alcohol and sodium bisulphide, 1891, A., 1170.

—action of alkali sulphides on chloro-

form, 1892, A., 421.

Demski, Hans, and Theodor Morawski, estimation of resin oils in mineral oils, 1886, A., 282.

Demski, Hans. See also Theodor Morawski.

Demuth, Robert, methylacetothiënone, 1886, A., 228, 871.

--- acetyl and carboxyl derivatives of thiophen, 1886, A., 538.

— a second thioxylene, 1886, A., 871.
Demuth, Robert, and Max Dittrich, oximes of haloid benzophenones, 1891, A., 314.

Demuth, Robert, and Victor Meyer, sulphuranes, 1887, A., 906.

_____isodibromosuccinic acid, 1888, A., 360.

determination of vapour densities of substances below their boilingpoints, 1890, A., 440.

Demuth, Robert, and Victor Meyer, action of oxygen on zinc ethyl, 1890, A., 481.

- Guinochet's isomeric tricarballylic acid, 1890, A., 595.

Denaeyer, Alphonse, analysis of peptones, 1890, A., 1351.

 behaviour of albumin when subjected to pressure, 1891, A., 1269. Denaro, Antonio, dichlorovinyl methyl

ether, 1884, A., 1282.

naphtholazobenzene, 1886, A., 246.

- dichloropyromucic acid, 1887, A., 34.

- decomposition of silicic acid by leaves, 1887, A., 70.

See also Tcodoro Denaro, Antonio. Vincenzo Oliveri, Salvatore Leone, Scichilone.

Deniges, Georges, test for uric acid, 1888, A., 1347.

action of sodium hypobromite on nitrogen derivatives of the benzene series, 1889, A., 139.

- reagents for mercaptans, 1889, A.,

-formation of cuprous chloride and bromide from cupric sulphate, 1889, A., 675.

 reaction for copper, 1889, A., 747. - phosphorus trichloride and oxychloride, 1890, A., 664.

 characteristic reaction of hydrogen peroxide, 1890, A., 1185.

distinction between arsenic and antimony, 1891, A., 364.

- detection of chlorides, bromides, and iodides, 1891, A., 495.

- potassium bromide as an indicator in chlorimetry, 1891, A., 615.

- compounds of metallic sulphites with aniline, 1891, A., 1030.

- combination of metallic sulphites with amines of the benzene series, 1891, A., 1031.

- détection of chlorine, and of chlorides in presence of bromides, 1891, A., 1288.

- test for hydrogen peroxide, 1891, A., 1549.

preparation of bromoform from acetone and sodium hypobromite, 1892, A., 126.

- microscopic detection of sulphurous anhydride, 1892, A., 287.

action of pyridine bases on sulphites, 1892, A., 1103.

preservation of solutions of mphenylenediamine and its employment as a reagent, 1892, A., 1124.

Deniges, Georges, and Edmond Bonnans. rotatory and reducing power of lactose, 1888, A., 933.

Denigès, Georges. See also Charles Blarez.

Deninger, Albert, dicresoldicarboxylic acid, 1888, A., 838.

-action of nascent nitrous acid on various amines and phenols, 1890, A., 38.

 nitration of hydroxybenzoic acids, 1891, A., 307.

Denner, C., testing Peru balsam, 1889. A., 196.

Dennig, Adolph, determination of the rate of consumption of oxygen in the tissues by means of the spectroscope, 1884, A , 1391.

Dennis, L. M. See Walther Hempel. Dennstedt, M., process for hardening castings in gypsum, 1886, A., 401.

- hardening of plaster casts, 1891, A., 1421.

Dennstedt, Maximiliano, conversion of pyrroline derivatives into indole derivatives, 1889, A., 400.

- dimethylpyrrolines, 1889, A., 1209. dimethylpyrrolines in Dippel's oil, 1889, A., 1209.

action of acetone on pyrroline, 1890, A., 999.

- conversion of pyrroline into its homologues, 1890, A., 1428. - action of methyl alcohol on pyrro-

line, 1891, A., 1501. Etard's glycoline and Stochr's dimethyldiazine, 1892, A., 633.

Dennstedt, Maximiliano, and Adolf Lehne, a- and \$3-methylpyrroline, 1889, A., 1209.

Dennstedt, Maximiliano, and J. Zimmermann, conversion of pyrroline into

pyridine, 1886, A., 367.

action of acetic chloride on pyridine, 1886, A., 368.

 reduction of acetylpyrroline, 1886, A., 1042.

 action of p-aldehyde on pyrroline, 1886, A., 1048.

action of phthalic anhydride on methylpyrrolines, 1886, A., 1044. action of acetone on pyrroline, 1887, A., 598, 1052.

- action of propionic anhydride

on pyrroline, 1887, A., 844.

action of methylamine and ethylamine on salicylaldehyde, 1888,

 bases formed by the action of hydrochloric acid on pyrrolines, 1888, A., 849.

Dennstedt, Maximiliano, and J. Zimmermann, reduction of pyrrolinephthalide, 1888, A., 849.

See also Dennstedt, Maximiliano. Giacomo Luigi Ciamician.

Denucé, D., preservation of wine by salicylic acid, 1883, A., 535.

Derby, Orville A., Brazilian specimens of martite, 1883, A., 559. — gold in Brazil, 1885, A., 356.

- Šanta Catharina meteorite, 1885, A., 362.

monazite as an accessory stituent of rocks, 1889, A., 573.

- xenotime as an accessory stituent of rocks, 1891, A., 993.

- magnetite ore districts in Brazil, 1891, A., 994.

Deros, A., detection and estimation of zinc and lead in presence of iron, 1884, A., 367.

Dervin, E., preparation of phosphorus oxychloride, 1884, A., 155.

- phosphorus sulphides, 1884, A., 1258.

Desains, Paul, distribution of heat in the ultra-red region of the solar spectrum, 1883, A., 143.

Cecil Henry. Desch, See Raphael Meldola.

Des Cloizeaux, Alfred Louis Olivier Legrand, optical properties of Nevada hübnerite, 1884, A., 407.

— new mineral from Barbin, near

Nantes, 1884, A., 408.

- pachnolite and thomsenolite, 1884,

A., 716. – herderite, 1884, A., 827.

– eudnophite, 1885, A., 641. crystalline form and optical characters of sismondine, 1885, A., 1118.

optical properties of albite, 1886,

-- manganese silicates, 1886, A., 320. crystalline system of cryolite, 1886, A., 430.

- oligoclase and andesine, 1886, A.,

- monoclinic form and optical properties of arsenious anhydride, 1887,

A., 1015.

Des Cloizeaux, Alfred Louis Olivier Legrand, and Augustin Alexis Damour, chalcomenite (selenite of copper), 1883, A., 31.

- chemical composition of herderite, 1887, A., 19.

Des Cloizeaux, Alfred Louis Olivier Legrand, and Edouard Jannettaz, nepheline in the oligoclase of Dénise, 1883, A., 1067.

Des Cloizeaux, Alfred Louis Olivier Legrand, and Felix Pisani, oligoclase, 1887, A., 20.

Des Cloizeaux, Alfred Louis Olivier Legrand. See also Ingustin Mexis Damour, William Earl Hidden.

Desesquelle, Edouard, passage of naphthol into the urine, 1891, A., 98.

Desgrez, Alexandre. See Auguste Béhal.

Deslandres, Henri, relation between the ultra-violet spectrum of water and the telluric bands, A, B, a, 1885, A.,

- band-spectrum of nitrogen, 1886, A., 189.

- spectrum of nitrogen at the nega-

tive pole, 1886, A., 957.

— wave-lengths of two red lines in the spectrum of potassium, 1888, A.,

 ultra-violet band-spectrum of carbon compounds, 1888, A., 637.

– method of investigating faint bands in the spectra of hydrocarbons, 1891, A., 773.

Despeissis, L. H., treatment of syrups by electricity, 1885, A., 205.

Desprax, P., method of estimating the alkalinity of limed beet-syrup, 1883, A., 689.

Despret, G. See G. Cesaro.

Dessauer, Hans. See Eduard Buchner. **Destrem**, A., action of the induction spark on benzene, toluene, and aniline, 1884, A., 1243.

displacement of copper by zinc, 1888, A., 555.

See also G. Berson. Destrem, A.

Destrema, L. See P. Marguerite-Delacharlonny.

Paul. Desvignes, Sec .1 wguste Béhal.

Detmer, Wilhelm, action of various gases, especially nitrous oxide, on plant cells, 1883, A., 105.

- contributions to the dissociation-hypothesis, 1888, A., 489.

influence of foreign matter on the conversion of starch by diastase, 1883, A., 631.

 development of starch-transforming ferments in the cells of the higher plants, 1884, A., 917, 1063.

formation of diastatic ferments in

the cells of the higher plants, 1884, A., 1402.

- formation of hydrochloric acid in plants, 1885, A., 683.

Dettweiler, A., cost of production of stable manure, 1884, A., 637.

Deutzmann, A., furfurylamine, 1892,

Devarda, Arthur, action of superpliesphates on nitrates, 1889, A., 72.

Jodlbauer's modification of Kjeldahl's method for the estimation of nitrogen in nitrates, 1890, A., 292.

Deventer, Charles Marius van, and

Jacobus Henricus van't Hoff, potassium

hypoiodite, 1888, A., 911.

Deventer, Charles Marius van, and Lodowyk Theodorus Reicher, formation of salts in alcoholic solution, 1890, A., 553; 1892, A., 262.

Deventer. Charles Marius van, and Hendrik Justus van de Stadt, theory of the solubility curve, 1892, A., 558.

Deventer, Charles Marius van. also Jacobus Henricus van't Hoff, Lodewyk Theodorus Reicher.

Deville, Sainte-Claire. See Sainte-Claire Deville.

Devoto, Luigi, quantitative estimation of proteids, 1891, A., 1304.

Dewalque, Gustave, hatchettine from Seraing, 1885, A., 220.

Dewar, James, critical liquids, 1885, A., 331. volumes of

Weldon-Pechiney process for manufacturing chlorine from magnesium chloride, 1888, A., 411.

Dewar, James, and Alexander Scott. atomic weight of manganese, 1883, A., 856.

molecular weight of the amines, 1884, A., 257.

Dewar, James. See also Gerrurd Ansdell, George Downing Liveing.

Dewey, Fred. P., estimation of cuprous oxide in metallic copper, 1889, A., 1033.

Dézaunay, V. See Ambroise Andouard. Diakonoff, D., heat of combustion of organic substances, 1886, A., 115.

Diakonoff, N. IV., activity of fungoid ferments, 1886, A., 1060.

molecular respiration of plants, 1887, A., 988.

Dianin, Alexander P., condensation products of acetone and its homologues with phenol, 1889, A., 1187.

Dickhuth, Max. See Carl Theodor Liebermann.

Dickie, Adam, chemical composition of the water of the Clyde sea area, 1888, A., 569; 1889, A., 359.

Dickinson, William Lee, action of leach extract on blood, 1891, A., 482.

Dickinson, William Lee. See also John Newport Langley, Arthur Sheridan Lea.

Dickmann, F., examination of water for contamination by gas-works, 1891, A., 117.

Dicocco, Amos. See Funsto Sestini.
Didier, P., sulphides of ceium and lanthanum, 1885, A., 955.

- anhydrous cerium chloride and cerium silicate, 1886, A., 123.

 cerium tungstates and chlorotungstates, 1886, A., 595.

Dieckmann, W., amidine picrates, 1892, A., 705.

Dieckmann, W. See also Eugen Bamberger.

Dieff, Woldemar, bye-product of the preparation of allyldimethylcarbinol, 1883, A., 1076.

- action of silver acetate on tetrabromodiallylcarbinol, 1887, A., 353.

 oxidation of ricinoleic acid, 1889, A., 1147.

Dieff, Woldemar, and Alexander N. Reformatsky, oxidation of ricinoleic and linoleic acids, 1887, A., 716.

Dieffenbach, Otto, heat of combustion and constitution of organic compounds, 1890, A., 1206.

Diehl, Ludwig, and Alfred Einhorn, condensation products of cinnam-aldehyde with acetone, 1885, A., 1221.

 preparation of o- and p-nitrocinnamaldehyde, 1885, A., 1221.

 condensation products of onitrocinnamaldehyde with acetone, 1885, A., 1222.

 derivatives of o-amidophenylvaleric acid, 1887, A., 485.

Diehl, IV., volumetric estimation of peroxides, 1883, A., 242.

 estimation of manganese, 1886, A., 101.

- aluminium sub-fluoride, 1889, A., 677.

Diesterweg, Rudolf Julius. See Nietzki.

Dieterich, Eugen, examination of fats and oils, 1886, A., 1083.

estimation of morphine in opium, 1891, A., 511.

Dieterici, Konrad, specific volume of aqueous vapour, 1890, A., 207.

vapour pressures of some aqueous salt solutions at 0°, 1891, A., 783. · theory of heat of dissolution and of

osmotic pressure, 1892, A., 676, 765. Dieterle, Wilhelm, and Carl Hell,

adipic acid, 1885, A., 43. Dietrich, undecorticated cotton-seed

meal, 1884, A., 100. -- cattle foods, 1886, A., 1067. Dietrich, E., opium testing, 1887, A.,

Dietrich, Emile, manufacture asphalt, 1885, A., 309.

Dietrich, Franz, and Carl Paal, pyrotritartaric acid delivatives, 1887, A.,

Dietrich, P., treating raw phosphates, 1886, A., 108.

Dietrich, Th., composition of East

Indian wheats, 1889, A., 184.

Dietze, August, Chilian mineralsdarap-kite, lauarite, iodochromite, 1892, A., 124.

Dietze, See also Rudolf August. Nietzki.

Dietzel, Adolf, ethyl acetoacetate and pyruvic acid, 1889, A., 593.
 Dietzell, B. E., preservation of milk,

1883, A., 254.

source of the nitrogen of the Leguminosæ, 1885, A., 418.

prevention of the loss of nitrogen in farmyard manure, 1888, A., 873. Dieudonné, Hermann, estimation of tannin, 1887, A., 187.

Dieulafait, Louis, lithium, strontium, and boric acid in the mineral waters of Contrexeville and Schinznach, 1883, A., 301.

manganese in sea water and in certain marine deposits, 1883, A., 725. occurrence, association, and probable mode of formation of barytes, celestine, and anhydrite, 1884, A., 25.

- manganese in the cipolin marbles of the primary formation, 1884, A., 716.

rabidium, cæsium, lithium, and boric acid in Chili saltpetre, 1884, A.,

origin of phosphorites and ferruginous clays in limestone, 1884, A., 1272.

origin of the phosphorites in the South-west of France, 1885, A., 30.

- origin and formation of masses of calcium phosphate in sedimentary rocks, 1885, A., 127.

composition of the ash of the Equisetaceæ, 1885, A., 583.

concentration of zinc carbonate in dolomites, 1885, A., 640.

- origin of iron, manganese, and zinc minerals in the older secondary limestones, 1885, A., 644.

non-volcanic origin of boric acid, 1885, A., 876.

origin of boric acid, 1885, A., 876. origin of manganese minerals, 1885, A., 1119.

Dieulafait, Louis, application of thermochemistry to geology, 1886, A., 35.

- application of thermochemistry to geology: zinc, 1886, A., 132.

Diez, R., quantitative estimation of

glycerol, 1887, A., 750.

Diller, Joseph Silas, fulgurite from Mt. Thielson, Oregon, 1885, A., 493.

- peridotite of Elliot Co., Kentucky, 1886, A., 993; 1889, A., 680.

gehlenite in a furnace slag, 1889, A., 681.

- native gold in calcite, 1890, A., 569.

Diller, Joseph Silus, and James Eduard Whitfield, dumorticrite from Harlem, New York, and Clip, Arizona, 1889, A., 681.

Diller, Joseph Silas. See also Frank Wigglesworth Clarke.

Dingwall, John. See Percy Faraday Frankland.

Direks, V., myronic acid and estimation of mustard oil in the seeds of Cruci-

ferre and in oil-cakes, 1883, A., 245. Dircks, V., and F. H. Werenskield, estimation of reduced phosphate, 1888, A., 628.

Discalzo, Giulio, thymolphosphoric acid, 1886, A., 52

Discalzo, Giulio. See also Girolamo Mazzara.

Ditte, Alfred, decompositions of salts by fused substances, 1883, A., 11.

compounds of tin disulphide and diselenide, 1883, A., 156.

- stannous oxide and some of its compounds, 1883, A., 294.

 formation of crystallised uranates in the dry way, 1883, A., 296.

crystallisation of chlorine hydrate, 1883, A., 550.

production of brom-apatites, and bromo-wagnerites, 1883, A., 648, 783. crystallised stannates, 1883, A.,

716. - sodo-apatites, 1883, A., 784.

production of crystallised vanadates in the dry way, 1883, A., 784.

— action of hydrochloric acid on

stannous sulphide, 1884, A., 18.

- production of crystalline borates, 1884, A., 711.

- uranium compounds, 1884, A.,824. - action of potassium sulphide on mercuric sulphide, 1884, A., 893.

action of cupric sulphide on potassium sulphide, 1884, A., 963.

action of mercuric sulphide on

potassium sulphide, 1884, A., 964. - fluor-apatites, 1885, A., 126, 225. Ditte, Alfred, vanadic anhydride, 1886, A., 18.

double nitrates of silver and the alkalis, 1886, A.,122.

action of reducing agents on vanadic anhydride, 1886, A., 307.

action of antimony sulphide on potassium sulphide, 1886, A., 309.

- antimony sulphide, 1886, A., 429. - combination of vanadic anhydride with oxy-acids, 1886, A., 599.

ammonium vanadates, 1886, A.,

action of vanadic acid on ammonium salts, 1886, A., 672.

- action of hydracids on vanadic acid,

1886, A., 772.

action of vanadic anhydride on haloid salts, 1886, A., 855. compounds of stannic oxide, 1887,

A., 336.

- metallic vanadates, 1887, A., 639, 705, 898, 899, - estimation of vanadic acid, 1887,

A., 691. - action of carbonic anhydride on

aromatic amines, 1888, A., 49. - action of vanadic anhydride on

potassium fluoride, 1888, A., 114. - aniline salts, 1888, A., 137.

action of vanadic anhydride on alkaline fluorides, 1888, A., 558.

- action of sulphuric acid on aluminium, 1890, A., 701.

- action of nitric acid on aluminium, 1890, A., 702.

- action of the haloid compounds of the alkalis on those of mercury, 1890, A., 1059.

-action of sulphuric acid on metals. 1891, A., 260.

- metallic borates, 1892, A., 565.

- iodic acid and its salts, 1892, A., 1388.

Dittmar, M., reactions of iodine chloride with alkaloids, 1886, A., 158.

Dittmar, William, nickel alkali-proof vessels, 1884, A., 1071.

instability of the double sulphates of the magnesium series, 1888, A., 554.

William, and Charles A. Dittmar. Fawsitt, physical properties of methyl alcohol, 1889, A., 578.

Dittmar, William, and John McArthur. atomic weight of platinum, 1888, A., 425.

Dittrich, Alfred, and Carl Paal, yketonic acids, 1889, A., 257.

Dittrich, E., action of picric chloride on ethyl sodacetoacetate, 1890, A., 1418.

Dittrich, Max, ethers of benziloximes, 1891, A., 317.

s-p-dichlorobenzophenone and its oximes, 1891, A., 1237.

Dittrich, Max, and Victor Meyer, derivatives of ethyl dinitrophenyl acetate, 1891, A., 1224; 1892, A., 178.

Dittrich, Max. See also Karl Auwers, Robert Demuth.

Ditzler, Franz, strychnine chromate, 1886, A., 564.

behaviour of morphine with potassium chromate, 1886, A., 1047.

Divers, Edward, production of hydroxylamine from nitric acid, 1883, T., 443.

the Leclanché cell and the reaction of manganese oxides with ammonium chloride, 1883, A., 272.

the origin of calcium thiosulphate: an emendatory note to a paper on the calcium hydrosulphides, 1884, T., 696.

 constitution of the fulminates, 1885, T., 77.

 constitution of non-saturated oxygenous salts: reaction of phosphorus oxychloride with sulphites and nitrites, 1885, T., 205; P., 26; discussion, P.,

 formation of hyponitrites, 1887, P., 119.

Divers, Edward, and Tumemasa Haga,

on hyponitrites, 1884, T., 78.

— conversion of Pelouze's nitrosulphates into hyponitrites and sulphites, 1885, T., 203; P., 25; discussion, P., 26.

-formation of hyponitrites from nitric oxide, 1885, T., 361; P., 45.

- existence of barium and lead nitrosulphates, 1885, T., 364.

-behaviour of stannous chloride towards nitric oxide and nitric acid, 1885, T., 623; P., 94.

- reactions between mercurous nitrate and nitric oxide or nitrites,

1885, P., 95.

reduction of nitrates to hydroxylamine by hydrogen sulphide, 1886, P., 250; 1887, T., 48.

- relation between sulphites and nitrites of metals other than potassium, 1887, T., 659; P., 100.

oxyamidosulphonates their conversion into hyponitrites,

943; P., 147.

Divers, Edward, and Michitada Kawakita, on the constitution of the fulminates, 1884, T., 13.

Divers, Edward, and Michitada Kawakita, on Liebig's production of fulminating silver without the use of nitric acid, 1884, T., 27.

- on the decomposition of silver fulminate by hydrochloric acid, 1884, T., 75; 1885, T., 69.

composition of Japanese bird-lime, 1888, T., 268; P., 13. Divers, Edward, and Teikichi Naka-mura, hydrocarbon from Japanese

petroleum, 1885, T., 924.

Divers, Edward, and Tetsukichi Shimidzu, on calcium hydrosulphides, 1884, T., 270.

- magnesium hydrosulphide solution, and its use in chemico-legal cases as a source of hydrogen sulphide, 1884, T., 699.

- red sulphur of Japan, 1884, A., 391.

reactions of selenious acid with hydrogen sulphide, and of sulphurous acid with hydrogen selenide, 1885, T., 441; P., 52.

 action of sulphuric and nitric acids on zinc in the production of hydroxylamine, 1885, T., 597; P.,

constitution and reactions of liquid nitric peroxide, 1885, T., 636; P., 93.

- action of pyrosulphuric acid on certain metals, 1885, T., 637; P., 92.

use of sulphuric acid to oxidise metallic sulphides in analysis, 1885,

- mercury sulphites and the constitution of sulphites, 1886, T., 533; P., 139.

Divers, Edward, and MasachikuShimosé, on a new oxide of tellurium, 1883, T., 319.

- on tellurium sulphoxide, 1883, T., 323.

- on a new reaction of tellurium compounds, 1883, T., 329.

- on the reaction between hydrogen chloride and selenium sulphoxide, 1884, T., 194.

-selenium selenochloride, 1884, T., 198.

- selenium sulphoxide, 1884, T., 201.

-lead chamber deposit from Japanese sulphuric acid, 1884, A., 392.

-quantitative separation of .tellurium from selenium, 1885, T., 439; P., 53.

Dixon, Augustus Edward, action of isothiocyanates on the aldehyde-ammonias, 1888, T., 411; P., 38.

- benzyldithiourethane, 1888, P., 34.

- isothiocyanates, 1889, T., 300; P., 45.

- thiocarbinides, 1889, T., 618. - semithiocarbazides, 1890, T., 257;

phenyl salt of phenylthiocarbamic acid, 1890, T., 268; P., 33.

- new benzyl derivatives of thiocar-

bamide, 1891, T., 551; P., 84.

— chemistry of the compounds of thiourea and thiocarbimides with aldehyde-ammonias, 1892, T.

P., 73.
— isomerism amongst the substituted thioureas, 1892, T., 536; P., 111.

-action of bromine on allylthiocarbinide, 1892, T., 545; P., 124.

 di-substituted semithiocarbazides, 1892, T., 1012; P., 153.

Dixon, Harold Baily, velocity of explosion of a mixture of carbonic oxide and oxygen with varying quantities of aqueous vapour, 1883, A., 12.

influence of aqueous vapour on the explosion of carbonic oxide and oxygen, 1883, A., 12.

- the combustion of carbonic oxide and hydrogen, 1885, P., 128; 1886, T., 94.

- conditions of chemical change in gases, 1885, A., 479.

- the combustion of cyanogen, 1886, T., 384; P., 171; discussion, P., 172. preservation of gases over mercury, 1887, A., 105.

Dixon, Harold Baily, and Hubert Foster Lowe, decomposition of carbonic anhydride by the electric spark, 1885, T., 571; P., 83; discussion, P., 84.

Dixon, Harold Baily, and Harry Wood Smith, imperfect combustion in gaseous explosions, 1889, A., 337.

Dixon, W. A., inorganic constituents of some epiphytic ferns. 1883, A., 108. constitution of acids, 1887, A., 443.

Dobbie, James Johnstone, variety of saponite, 1885, A., 229.

Dobbie, James Johnstone, and George Gerald Henderson, red resins known as dragon's blood, 1884, A., 462.

- red resin from Dracuena cinnabari, 1885, A., 808.

Dobbie, James Johnstone, and John B. Hutcheson, easy method of determining the specific gravity of solids, 1885, A., 332.

- Dobbie, James Johnstone, and Alexander Lauder, corydaline, 1892, T., 244, 605; P., 13, 123.
- Dobbie, James Johnstone. See also Thomas Gray.
- Dobbin, Leonard, tertiary butyl mercaptan, 1890, T., 639; P., 105.
- —— detection and estimation of alkaline hydroxides in presence of alkaline carbonates, 1890, A., 293.
- carbonates, 1890, A., 293.

 Dobbin, Leonard, and David Orme
 Masson, action of the halogens on
 salts of trimethylsulphine, 1885, T., 56.
 action of halogens on tetramethylammonium salts, 1886, T.,
- 846; P., 239. **Dobreff**, N., o-dibenzyldicarboxylicacid, 1887. A., 958.
- 1887, A., 958.

 Dobriner, Paul, boiling-points and specific volumes of the normal fatty ethers, 1888, A., 334.
- specific volumes of normal alcoholic iodides, 1888, A., 334.
- Dobrzycki, L. v., p-isobutylhydroxybenzoic acid, 1888, A, 368. Dodge, Frank Despard, Indian grass
- oils, 1890, A., 231; 1891, A., 285.
 —— diphenylfurazan and some deriva-
- tives of oximes, 1891, A., 1237. **Dodge**, Frank Despard. See also Charles
- Edwards Colby.

 Doebner, Oscar Gustav, compounds of benzotrichloride with phenols and phenylamines, 1883, A., 861.
- α-alkylcinchonic acids, 1887, A., 504.
- --- α-alkyleinchonic acids and α-alkyl-
- quinolines, 1889, A., 410.

 compounds of beuzotrichloride with
- naphthols, 1890, A., 901.

 formation of racemic acid by the oxidation of unsaturated acids, 1890,
- A., 1274.

 —— s-alkylisophthalic acids, 1890, A.,
- 1283; 1891, A., 1064.

 formation of inactive tartaric acid by the oxidation of phenol with potasium permanents 1891 A 1020
- sium permanganate, 1891, A., 1020. Doebner, Oscar Gustav, and Adolf Foerster, pyrogallolbenzein, 1890, A.,
- Doebner, Oscar Gustaw, and M. Gieseke, a-phenylcinchonic acid and its homologues, 1888, A., 300.
- Doebner, Oscar Gustav, and P. Kuntze, a-phenylnaphthacinchonicacids, 1889, A., 411
- A., 1212. 2:6-diphenylpyridine, 1889,

- Doebner, Oscar Gustav, and Wilhelm von Miller, quinaldine, 1883, A., 602.
- ———— phenylquinoline, 1883, A.,
- quinaldine bases, 1884, A., 183, 1373.
- 2'-quinolinecarboxylic acid, 1884, A., 185.
- quinaldinecarboxylic acids, 1884, A., 1200.
- homologues of quinaldine, 1884, A., 1374.
- ——— methylquinolines, 1885, A., 1079.
- bye-products of quinaldine,
- 1886, A., 370.

 derivatives of a-phenylquinoline, 1886, A., 721.
- oline, 1886, A., 721.

 Doebner, Oscar Gustav, and Theodor

 Peters, α-cinnamenylcinchonic acid
 and αγ-quinolinedicarboxylic acid,
 1890, A., 176.
- formation of α- and β-phenylenepyridineketonecarboxylic acids, 1890. A., 1007.
- 1890, A., 1007.

 Doebner, Oscar Gustav, and Georg

 Petschow, compounds of ketones with
 dimethylaniline and diethylaniline,
 1888, A., 287.
- Döhn, W., cultivation and feeding value of some varieties of vetches, 1883, A., 612.
- Döll, Eduard, pseudomorphs, 1885, A., 221; 1886, A., 21.
- Doelter, Cornelius, crystalline form of idocrase, 1883, A., 441.
- volcanic rocks of the Cape Verde islands, 1883, A., 720.
- ---- synthesis of pyroxene, 1884, A., 1105.
- effect of heat on vesuvian, apatite, and tourmaline, 1885, A., 26.
- relation between the optical properties and chemical composition of pyroxene, 1885, A., 229.
- augites, 1885, A., 735.
- artificial production of sulphides, 1886, A., 207.
- —— synthetical studies, 1886, A., 517.
 ——synthesis of pyrrhotine, 1888, A., 430.
- artificial production of micas and scapolite, 1888, A., 1045.
- artificial formation of mica, 1889, A., 25.
- --- constitution of certain zeolites, 1890, A., 717.
- —— solubility of minerals, 1890, A., 1070.
- Doelter, Cornelius, and Engen Russak, action of fused magmas on various minerals, 1884, A., 401.

Doelter, Cornelius, and Eugen Hussak, synthetical mineral studies, 1884, A.,

Döring, Adolfo (and others), variadates from the Argentine Republic, 1885,

Dörken, Carl, derivatives of diphenylphosphorous chloride and diphenylphosphine, 1888, A., 832.

Dössekel, hailstorms and their origin. 1883, A., 234.

Dogiel, A., albuminoids of milk, 1885, Ā., 1149.

Dogiel, Johann M. See Wladimir Nikolsky.

Dohme, Alfred Robert Louis, commaione, 1891, A., 455.

Dohme, Alfred Robert Louis. See also Ira Remsen.

Dollfus, Armand, new mode of treating casein, 1884, A., 1449.

Dollfus, G., and Etienne Stanislas Meunier, mineral wax, 1888, A., 115. ollfus, Walther, configualdoximes, 1892, A., 1174 Dollfus, configuration

 configuration of γ-ketoximic acids, 1892, A., 1202.

Domergue, A., and Ch. Nicolas, analysis of tea, 1892, A., 926.

Donald, J. T., samarskite from Berthier Co., Quebec, 1884, A., 894.

Donath, Eduard, imitation of patina, 1884, A., 1444.

 barium manganate, 1887, A., 552. decomposition of chrome iron ore, 1887, A., 619.

- action of hot manganese dioxide on

alcohol vapour, 1889, A., 230.

detection of nitrogen in organic compounds, 1890, A., 663.

- separation and estimation of tellurium, 1891, A., 242.

 separation of manganese and zinc. 1892, A., 384.

- analytical application of barium and hydrogen peroxides, 1892, A., 1031.

Donath, Eduard, and Georg Hattensaur volumetric estimation of zinc and copper, 1891, A., 112.

Donath, Eduard, and Rudolf Jeller, estimation of ferric oxide in presence of alumina, 1886, A., 1076.

- detection and estimation of traces of chromium, 1887, A., 531.

Donath, Eduard, and Joseph Mayrhofer, affinity and its relation to atomic volume, atomic weight, and specific gravity, 1883, A., 1048.

Donath, Eduard, and Franz Müllner. separation of tin oxide from tungstic acid, 1888, A., 531.

Donath, Eduard, and Fran: Muliner, simple formation of thiosulphates, 1888, A., 649.

Donath, Eduard. See also Rudolf Schöffel.

Donath, Julius, dehydromorphine (oxydimorphine), 1886, A., 899.

reactions of morphine, 1886, A., 899.

Donle, Wilhelm, thermoelectric relations of electrolytes, 1886, A., 960.

Donner, Albert, benzeneazo-a-naphthylglycocine, 1892, A., 191, 1100. Donner, Albert. See also Hugo Ecken-

roth, Eugen Lellmann.

Doremus, Charles A., elephants' milk, 1891, A., 98.

Dormeyer, Carl. See Martin Freund. Doroshenko, S., aromatic hydrocarbons in Caucasian petroleum, 1886, A., 142.

Dorp, Willem Arne van. See Sebastiaan Hoogewerff.

Dorsch, Robert, halogen derivatives of isatoic acid, 1886, A., 359.

Doss, Karl Bruno, felspar and olivine from Syria, 1888, A., 432.

- meteorite of Misshof, Kurland, Russia, 1892, A., 1059.

Dott, David Brown, estimation of spirit of nitrous ether, 1885, A., 1013.

 solubility of salicin, 1886, A., 366. – morphine lactate, 1886, A., 813.

- acid morphine acetate, 1887, A., 505.

- morphine hydrate, 1888, A., 506. – estimation of urea, 1890, A., 931. assay of opium, 1892, A., 926.

Dott, David Brown, and Ralph Stockman, formula of morphine, 1888, A., 506.

Dott, David Brown. See also Ralph Stockman.

Dougherty, George T., estimation of antimony, 1885, A., 297.

Douglas, Paul, nitrogenous derivatives of thiophen and furfuran, 1892, A., 831.

Doumer, Emmanuel, refractive power of solutions of simple salts, 1890, A., 433.

refractive power of solutions of double salts, 1890, A., 433.

- refractive powers of salts in solution, 1890, A., 1033.

Doyer, Jucob Wijbrand, determination of solubility coefficients, 1891, A., 387.

Dragendorff, Georg, physiological action of convolvulin and jalapin, 1887, A.,

Dragendorff, Georg, and Edm. Blumenbach, thallin 1887, A., 871.

Dragendorff, Geory, and Woldemar Jacobson, isolation and detection of phenol, 1887, A., 867.

Dragendorff, Georg, and Herm. von Rosen, alkaloids of Lobelia, 1887, A.,

Dragendorff, Georg, and Nalomon Salomonowitsch, myoctonine, 1887, A., 858.

Dragendorff, Georg, and H. Spohn, alkaloids of Aconitum Lycoctonum, 1885, A., 403.

Dragendorff, Georg, and (Buron) Hildebr. Tiesenhausen, chloral hydrate, 1887, A., 866.

Dragoumis, E. J., method of determining thermal expansion for equal

quantities of heat, 1891, A., 142. Drake, Bernard, and J. Marshal Gorham, electric accumulators, 1887, A.,

Dralle, Christrian, oxidation of purpurin, 1884, A., 1040.

- hæmatoxylin and brazilin, 1884, A, 1043.

Dralle, Christian. See also Joh. Friederich Carl Schall.

Draper, Carter Napier, insolubility of balium chlotic in presence of lithium chloride, 1886, A., 422.
— solubility of lithium carbonate,

1887, A., 699.

action of sea water on cast-iron, 1888, A., 421.

Draper, Harry Napier, preparation of hydrogen sulphide, 1885, A., 346.

- use of carbon bisulphide in prisms, 1885, A., 853.

- lakmoid and carminic acids as reagents for alkalis, 1885, A., 931.

· silver ammonio-nitiate, 1887, A., 331.

Draper, Harry Napier, and Carter Napier Draper, behaviour of alkaline solutions of phenolphthalem presence of alcohol, 1887, A., 618.

Drasche, E., analysis of Persian eruptive rocks, 1887, A., 223.

- mineral from Krems, Austria, 1888, A., 233.

Drawe, Paul, hypophosphoric acid and its salts, 1889, A., 841.

Drechsel, Edmund, ammonioplatinum diammonium compounds, 1883, A.,

· action of phthalic anhydride on amido acids, 1883, A., 1126.

experiments on the small scale in sealed tubes, 1883, A., 1167.

 use of phosphoric acid in Pettenkofer's reaction for bile acids, 1883, A., 1176.

Drechsel, Edmund, ele phenol, 1884, A., 1136. electrolysis of

- a new ingredient of the liver, 1886, A., 636.

 electrolysis of n-caproic acid, 1886. A., 1008.

– nitrous acid, 1887, A., 698.

- argentous compounds, 1887, A, 699

formation of complex inorganic acids, 1887, A., 703.

electrolysis with alternating currents, 1888, A., 1234.

electrolysis of phenol with alternating currents, 1888, A., 1276.

- can the mucous membrane of the stomach decompose bromides and iodides ? 1889, A., 426.

decomposition products of casein, 1889, A., 1021.

formation of carbamide from albumin, 1891, A., 95.

- decomposition of albumin, 1892,

A., 515. - cystin and xanthine in the horse's liver, 1892, A., 516.

· new reaction of xanthine and allied compounds, 1892, A., 1534.

Drechsel, Edmund, and Theodor Richard Krüger, lysine, 1892, A., 1500.

Drechsel, Edmund. See also John J. Abel.

Drechsler, G., specific gravity of cereal grains, 1883, A., 111.

- manuring experiments, 1885, A., 186.

- notes on manuring, 1885, A., 187. Drecker, Joseph, expansion, compressibility, and specific heat of solutions of the chlorides of potassium and calcium, 1888, A., 1010.

Dreden, Friedrich von. See Adolph Claus.

Dreher, August. See Adolph Claus. Drehschmidt, Heinrich, absorption of carbonic oxide by cuprous chloride, 1888, A., 88, 1028.

- gas analysis, 1889, A., 185. Dreser, Heinrich, histological chemistry and physiology of the kidney, 1885, A., 923.

 chemistry of the retinal rods, 1886, A., 375.

- acid nicotine tartrate, 1889, A.,730. Dressel, Oskar. See Max Guthzeit.

Drewes, Dietrich. See Robert Otto. Drews, Ad. See Carl Graebe.

Drewsen, Viggo Beutner, methylquinoline, 1883, A., 1149.

Drewsen, Viggo Boutner. See also Adolf von Baeyer.

Dreyfus, late of oxidation of carbon compounds by potassium permanganate, 1888, A., 24.

Dreyfus, Edmond, estimation of the total nitrogen in manure, 1884, A.,

constitution of bleaching-powder, 1885, A , 19.

Dreyfus, Sylvain. See Arthur Bower Griffiths.

Drory, Alexander, o-cyanobenzyl chloride and o-cyanobenzal chloride, 1891, A., 1460.

Drory, William L., salts and derivatives of the truxillic acids, 1889, A., 1196.

Drory, William L. See also Carl Theodor Liebermann.

Drouin, René, succinamonitrile, 1889, A., 686.

 new method of hæmato-alkalimetry: relative alkalinity of the blood of vertebrates, 1891, A., 348.

Drouin, René. See also Emile Justin Armand Gautier.

Drown, Thomas M., sulphur in coal, 1883, A., 383.

- funnel for filtering carbon, 1888, A., 1129.

 loss on ignition in water analysis, 1889, A., 551.

- estimation of phosphorus in iron in presence of silicon, 1889, A., 1245.

Drown, Thomas M., and Alexander G. McKenna, direct estimation of aluminium in iron and steel, 1892, A., 102.

Drown, Thomas M., and Henry Martin, estimation of organic nitrogen in natural waters by Kjeldahl's method, 1889, A., 1035.

Drude, Paul, and Walther Nernst, influence of temperature and the state of aggregation on the behaviour of bismuth in the magnetic field, 1891,

Dryer, Charles R., brucine as a test for tin, 1884, A., 498.

Dubaele, A. See Henri Pellet. Dubelir, Dimitrij P., influence of water and sodium chloride on nitrogenous excretion, 1892, A., 904.

Dubernard, volumetric estimation of

potassium, 1885, A., 1262.

Dubinewitsch, W., pentatomic alcohol, and saturated glycerol from diallylcarbinol, 1890, A., 729.

Dubiquet, Auguste. See Auguste Frédéric Combemale. François

Duboin, André, yttrium compounds, 1888, A., 1249.

Duboin, Andre, yttiium-potassium and yttnium-sodium phosphates, 1889, A., 18.

- artificial reproduction of leucite, 1892, A., 1161.

- artificial formation of potassium

nepheline, 1892, A. 1286.

Du Bois, H. E. J. G., and Heinrich
Rubens, refraction and dispersion in

certain metals, 1891, A., 373. Du Bois Reymond, Emile Henry, impure

chloroform, 1892, A., 745.

Dubois, Ch., and Léon Pade, natural fats, 1885, A., 844; 1886, A., 495.

Dubois, Hermann. See Rudolph Fittig. Dubois, Raphael, preservative effect of ether and chloroform vapour on organic substances, 1884, A., 932. — decolorisation of tincture of litnus

in closed vessels, 1889, A., 67. colouring matter of yellow silk and its relation to vegetable carrotone,

1891, A., 98. Dubois, Raphael, and Paul Roux, action of ethylene chloride on the cornea, 1888, A., 517.

Dubois, Raphael, and Léo Vignon, physiological action of p- and m-phenylenediamine, 1889, Å., 66.

Dubourg, Eliséc. See Ulysse Gayon. Ducher, L. See Paul Cazeneuve. Duclaux, Emile, milk, 1884, A., 762.

 vitality of germs of microbes, 1885, A., 417.

germination in soil rich in organic matter but free from microbes, 1885, A., 428.

· method of estimating the purity of volatile liquids, 1886, Å., 322. — butter, 1886, A., 685.

- chemical changes produced by sun-

light, 1887, A., 93. actinometry, 1887, A., 189.
- comparative action of heat and

solar radiation, 1887, A., 411. butter from various districts, 1887,

- preparation of valeric acid, 1887, A., 1028.

 supposed reaction of spermine, 1892, A., 1300.

Ducretet, apparatus for collecting solid carbonic anhydride, 1884, A., 1253.

See Ludwig Knorr. Duden, Paul. Dudgeon, Patrick, occurrence of linarite

in slag, 1885, A., 226. Dudley, William L., modifications in

the methods of organic analysis, 1889, A., 190.

- curious occurrence of vivianite, 1891, A., 156.

Dudley, William L., colours and absorption spectra of thin metallic films and of incandescent metallic vapours: electrical volatility, 1892, A., 1037.

Dill, Geory, derivatives of levulosecal-

boxylic acid, 1891, A., 547.

Düll, Georg. See also Heinrich Kiliani.

Dünschmann, Max, and Hans (Freiherr) von Pechmann, substitution products of acetonedicarboxylic acid, 1885, A.,

synthesis of citric acid from acetonedicarboxylic acid, 1891, A.,

alkyl derivatives of acetonedicarboxylic acid, 1891, A., 673.

Dürkopf, Ernst, aldehydecollidine hexa-

hydride, 1884, A., 1054.

— reduction and oxidation products of aldehydecollidine, 1885, A., 817.

- constitution of aldehydecollidine, 1886, A., 257.

- preparation of pyridine bases, 1887, A., 499.

pyridine and piperidine bases formed from acetone, 1888, A., 1313. - belladonine, 1890, A., 271.

Dürkopf, Ernst, and Heinrich Göttsch, pyridine derivatives from propaldehyde and propaldehyde-ammonia, 1890, A., 794, 1002.

- a new lutidine, 1890, A., 1002. Dürkopf, Ernst, and M. Schlaugk, constitution of aldehydecollidine, 1887, A., 737; 1888, A., 499.

- a new parvoline, 1888, A., 607. parvoline obtained from propaldehyde-ammonia and p-aldehyde, 1888, A., 1314.

Dürr, Felix. See Conrad Willgerodt. Dufet, Henri, variation of the indices of refraction of water and quartz with the temperature, 1883, A., 762.

- crystalline forms of sodium pyrophosphates and hypophosphates, 1886, A., 768.

- pharmacolite, 1888, A., 794.

Dufet, Henri. See also Alexandre Joly. Dufour, Jean, soluble starch and its physiological function in vegetation, 1886, A., 903. Dufourt, E., influence of alkalis on the

glycogen of the liver, 1891, A., 758. **Dufton**, Samuel Felix, o-quinolinehydr-

azine, 1891, T., 756; P., 124.

- hydrazines of quinoline, 1892, T., 782; P., 142.

Dufton, Samuel Felix. See also Siegfried Ruhemann.

Dugast, composition of different varieties of fodder-cabbage, 1883, A., 373.

Dugast, the chemical study of soils, 1884, A., 677.

- commercial assay of native phos-

phates, 1884, A., 1075.

Duggan, Charles William.

Berry Haycraft. Sec John

Duggan, James Reynolds, relation of antiseptic power to chemical constitution, 1885, A., 1016.

determination of diastatic action,

1886, A., 483.

determination of absolute neutrality, 1886, A., 765.
 Duhem, Pierre, laws of chemical equili-

brium, 1888, A., 548, 646.

 some properties of solutions, 1888, A., 1016.

 osmotic pressure, 1888, A., 1022. – a theorem of Willard Gibbs, 1891, A., 1407.

Duisberg, Carl, addition of bromine to ethyl acetoacetate, 1883, A., 656.

formation of p-tolyl-p-methylisa-tinimide from dichloracetic acid and

p-toluidine, 1885, A., 543. uisberg, Carl. See also Friedrich Duisberg, Carl. JohnPeter Griess, Hans Bayer, (Freiherr) von Pechmann, Wilhelm Pfitzinger.

Dujardin, A. See Joseph Béchamp. Dujardin-Beaumetz, and G. Bardet, hypnotic properties of methyl phenyl ketone, 1886, A., 169.

Dulk, L., gravitation and atomic weight, 1885, A., 722; 1886, A., 591.

Dumas, Jean Baptiste André, history of the preparation of artificial sodium carbonate from common salt, 1884, A., 16.

Dumas, Léon, retentive capacity for plant food possessed by soils, 1883, A., 681.

Dumont. See Schmitz-Dumont.

Du Moulin, copper compounds as poisons, 1886, A., 483.

Dumreicher, Oscar (Freiherr) von, action of aluminium chloride on the monohalogen derivatives of benzene, 1883, A., 53.

Duncan, Cecil Cooke, production of pure metallic copper in a crystalline condition, 1890, P., 95.

Duncan, William, solubility of iodine in chloroform, 1892, A., 769.

Dunlap, F. L. See Paul C. Freer. Dunn, John. See Thomas Carnelley.

Dunnington, Francis P., formation of deposits of oxides of manganese, 1889, A., 21.

- use of hydrogen peroxide in analysis, 1889, A., 546,

Dunnington, Francis P., distribution of titanic oxide on the earth's surface, 1892, A., 791.

Dunstan, Wyndham Rowland, action of polyhydric alcohols on borax, 1884, A., 278.

- scatole in the vegetable kingdom, 1890, A., 191.

 Mussœnda coffee, 1890, 285.

- double cyanides of zinc and mer-

cury, 1890, A., 855.

- mercuric zinc cyanide; a study of the mode of formation and properties of an insoluble double salt, 1892, T.,

666; P., 51; discussion, P., 53.

Dunstan, Wyndham Rowland, and Olaf
Frederick Bloch, artificial salicylic

acid, 1891, A., 454.

Dunstan, Wyndham Rowland, and (Miss) Lucy Everest Boole, tartar emetic, 1889, A., 445.

Dunstan, Wyndham Rowland, and Alfred Edward Chaston, chemical constituents of Scopolia carniolica, 1890, A., 402.

Dunstan, Wyndham Rowland, and Thomas Southall Dymond, formation of hyponitrites, 1887, T., 646; P., 73, 121.

 alleged existence of a second nitroethane, 1887, P., 125; 1888, T., 134.

- decomposition of nitroethane by alkalis, 1888, P., 117.

preparation of ethyl nitrite,

1888, A., 1048. conditions under which hydrogen peroxide is formed from ether, 1890, T., 574, 988; P., 69; discussion, P., 70.

estimation of nitrites, 1890,

A., 193. action of alkalis on the nitrocompounds of the paraffin series: formation of isoxazoles, 1891, T., 410; P., 77.

 the existence of two crystalline acetaldoximes, 1892, T., 470; P., 89, 135.

Dunstan. Wyndham Rowland, and Walter H. Ince, aconite alkaloids. Part I. Crystalline alkaloid of Aconitum Napellus, 1891, T., 271; P., 36; discussion, P., 38.

Dunstan, Wyndham Rowland, and Francis W. Passmore, the aconite alkaloids. Part III. The formation and properties of aconite and its conversion into aconitine, 1892, T., 395; P., 44; discussion, P., 46.

Dunstan, Wyndham Rowland, and Francis Ransom, constitution of liquor soda chlorata, 1883, A., 647.

- action of chlorine on solution of sodium carbonate, 1883, A.,

- detection of alkaloids in the root of Atropa Belladonna, 1885, A., 1448.

estimation of alkaloids in the leaves of Atropa Belladonna, 1886, A., 105.

Dunstan, Wyndham Rowland, and William Frederick John Shepheard, identity of caffeine and theme and the interactions of caffeine and auric chlorides, 1892, P., 212; discussion, P., 213.

Dunstan, Wyndham Rowland, and Frederick William Short, analysis of

nux-vomica, 1883, A., 689, 1175.

— glucoside from Strychnos
Nux-vomica, 1885, A., 395.

— Strychnos Nux-vomica indigenous to Ceylon, 1885, A., 583.

Dunstan, Wyndham Rowland, and John
C. However the courte allealists

C. Umney, the aconite alkaloids. Part II. The alkaloids of true Aconitum Napellus, 1892, T., 385; P.,

Dunstan, Wyndham Rouland, and IV. Lloyd Williams, the metameric amyl nitrites, 1889, A., 365.

Dunstan, Wyndham Rowland, and Edmund James Wooley, isobutyl

nitrite, 1889, A., 364.

Dunstan, Wyndham Rowland.

John Theodore Cash.

Dunwody, R. Gaillard, turpentine, 1891, A., 217.

1891, A., 217.

Dupare, Louis, reduction of o-nitrophenylgycollic acid, 1887, A., 948.

Dupare, Louis, and André Delebecque, waters and basins of the lakes of Aiguebelette, Paladru, Nantua, and Sylans, 1892, A., 1061.

Dupare, Louis. See also Amé Pictet.

Dupetit, Gabriel, poisonous principle of edible, pushrooms, 1888, A. 611.

edible mushrooms, 1883, A., 611; 1884, A., 204.

Dupetit, Gabriel. See also Ulusse Gayon.

Dupré, August, battery with two liquids, 1885, A., 853.

estimation of dissolved oxygen in water, 1886 A., 579.

- permanganate test in water analysis, 1886, A., 581.

Dureau, G., and Henri Pellet, sorgho-

sugar making in America, 1884, A., 699.

Durham, William, solution, 1888, A., 21. Durin, recovery of paraffin and heavy oils from petroleum residues, 1885, A., 463.

Durin, E., hydrocarbons from peat, 1883, A., 652.

rôle of sugar and its development during the growth of the beetroot, 1890, A., 1020.

Dussaud, Frantz, refraction and dispersion of sodium chlorate, 1892, A., 1.

Dutailly, Gabriel. See Charles Lauth. Duter, E., electrical conductivity of sulphur, 1888, A., 640.

electrolysis of distilled water, 1889,

A., 1094.

Dutt, U. K., a-naphthonitrilesulphonic acid, 1883, A., 1001.

Duvillier, Edouard, compounds of the creatinine group, 1883, A., 220, 1153. - creatines and creatinines, 1884, A.,

613; 1885, A., 819; 1887, A., 850. - amidated acids of α-caproic acid,

1884, A., 664. a-ethylamidopropionic acid, 1885,

A., 373. - diethylamido-α-butyric acid, 1885,

A., 750. ethylamidoacetocyamidine, 1886, A., 1046.

trimethyl-a-amidobutyrobetaine, 1887, A., 792.

- action of triethylamine on α-bromo-

butyric acid, 1888, A., 249. diethylamido-a-propionic acid.

1889, A., 1139. - action of triethylamine on ethyl

a-bromobutyrate and ethyl a-bromo-propionate, 1890, A., 234. — preparation of betaines, 1890, A.,

action of ethyl iodide on amidoacids, 1890, A., 956.

action of trimethylamine on ethyl

bromoisovalerate, 1890, A., 956. dimethacrylic acid from isovaleric

acid, 1891, A., 1011. - diethylamidocaproic acid, 1892, A.,

- dimethylamidopropionic acid, 1892,

A., 1302.

Duvillier, Edouard, and Alexandre Félix Chancel, action of ammonia on bromo-

isobutyric acid, 1892, A., 1802.

Duvillier, Edouard, and H. Malbot, action of ammonia gas on methyl nitrate, 1884, A., 577.

tetramethylammonium nitrate, 1885, A., 370.

Dvořák, Vinko, researches in statical electricity, 1883, A., 763.

Dvorkovitch, Paul S., examination of Chinese tea, 1891, A., 1302.

Dyer, Bernard, comparison of dissolved and undissolved phosphates, 1884, A., 774.

manuring turnips, 1885, A., 589. - estimation of iron oxide and alu-

mina in phosphates, 1886, A., 491. Dyer, Hubert Paul. See George Elden Colby.

Dyer, Joseph Osterman, and William Gilbert Mixter, halogen derivative of oxanilide, 1887, A., 251.

Dymond, Thomas Southall, pure benzoic acid from urine, 1884, A., 904.

 estimation of ethyl nitrite in spirit of nitrous ether, 1885, A., 842.

the existence of hyoscyamine in the Iettuce, 1891, P., 165; discussion, P., 166; 1892, T., 90.

Dymond, Thomas Southall. See also Richard Augustus Cripps, Wyndham Rowland Dunstan.

Dyson, (libson, on some compounds of phenol with amido-bases, 1883, T., 466.

action of salicylic aldehyde on sodium succinate in presence of acetic anhydride, 1887, T., 61; P., 249.

- apparatus for determining vapour-

densities, 1887, A., 431.

Dyson, Septimus, on certain brominated carbon compounds obtained in the manufacture of bromine, 1883, T., 36. - examination of gas liquor, 1884, A., 928.

E.

"E. B." See "B. E."
Eakins, L. G., allanite and gadolinite, 1886, A., 779.

- thiantimonites from Colorado, 1889, A., 218.

- new stone meteorite, 1890, A., 574. meteoric iron from North Carolina, 1890, A., 1081.

astrophyllite and tscheffkinite, 1892, A., 22.

triplite and kaolin from the United

States, 1892, A., 1406.
Eakins, L. G. See also Whitman Cross. East, Frederick James. See Raphael Meldola.

Easterfield, Thomas Hill, phenylbromacetic acid, an apparent exception to the Le Bel-van't Hoff hypothesis 1890, P., 151; 1891, T., 71. — trough for Hofmann's vapour-

density apparatus, 1890, A., 681.

Easterfield, Thomas Hill, exidation of mannitol by nitric acid: α-mannosaccharic acid, 1891, T., 306; P., 44.

Easterfield, Thomas Hill, and William James Sell, anhydro-derivatives of citric and aconitic acids, 1892, T., 1003; P., 153.

Eastes, Ernest J., and Wulter H. Ince, analyses of tumbeki, 1886, A., 644.

Eastman, John Robie, new meteorite, 1885, A., 494.

Ebel, Fr., antimonates, 1890, A., 216. Ebeling, A., electromotive force of some thermo-elements, 1887, A., 414.

Ebell, Paul, similarity of behaviour of ultramarine in a very fine state of division to that of metallic sulphides in the colloidal state, 1884, A., 147.

examination of lead dioxide, 1886, A., 742.

Eberhard, Arwed, the meteorite of Sewrjukowo, 1884, A., 417.

Eberhardt, L. A., black pepper oil, 1887, A., 969.

Eberhardt, Paul. See Gustav Kraemer. Ebermayer, Ernst, oxygen in the air of forests, 1886, A., 1066.

absence of nitrates in forest trees,

1889, A., 541.

Ebert, Gustav, coumarin, 1883, A., 471.

action of hydrobromic acid and bromine on coumarin, coumarone, and o-coumaric acid, 1885, A., 391.

Ebert, Gustav. See also Rudolph Fittig. Ebert, Hermann, constitution of ethyl

succinosuccinate, 1885, A., 1122.

application of the method of high interferences to quantitative spectrum

analysis, 1888, A., 766. Ebert, Robert, and Ed. Kleiner, naphthylene dihydrosulphide and dithiocyanate, 1891, A., 460.

Ebert, Robert. See also L. Braun.

Ebner, Victor von, difference between crystalline and anisotropic structures, 1885, A., 631.

Ebstein, Wilhelm, physiological action of pentoses, 1892, A., 1506.

Ebstein, Wilhelm, and Arthur Nicolaier, artificial preparation of sphæroliths of uric acid and its salts, 1891, A., 760.

Eckart, Carl Ulrich, German and Turkish rose oils, 1892, A., 203, 625.

Eckenroth, Hugo, mixed observations, 1885, A., 786.

phenolurea, 1886, A., 946.

synthesis of dimethylindigo from p-chloracetotoluidide and p-tolylglycin, 1891, A. 722.

Eckenroth, Hugo, and Albert Donner, p-chloracetotoluidide and m-p-nitro-

chloracetotoluidide, 1891, A., 195. Eckenroth, Hugo, and J. Ruckel, action of phenylamine and diphenylamine hydrochlorides on some fatty amines, 1888, A., 942.

diphenyl carbonate, 1890, A., 750.

Eckhardt, Franz, m-quinaldineacrylic acid and m-quinaldinealdehyde, 1889, A., 521.

Eckhardt, Franz. See also Carl Joseph Lintner.

Eckhardt, Friedrich. See Max Conrad. Edeleanu, Lazar, derivatives of phenylmethaciylic acid and of phenylisobutyric acid, 1887, A., 583

derivatives of phenylmethacrylic acid, 1888, T., 558; P., 55.

action of sulphur chloride on aniline, 1891, A., 1202.

preparation of unsaturated aromatic

acids, 1891, A., 1225.

— action of phenylhydrazine on carbamide, 1892, A., 1323.

Edeleanu, Lazar, and Demetre Budisteanu, preparation of unsaturated aromatic acids, 1890, A., 891.
Edeleanu, Lazar. See also Constantin

I. Istrati.

Eder, Josef Maria, behaviour of the haloid compounds of silver to the solar spectrum, 1885, A., 703.

—— spectrographic investigation of

different standards of light, 1885, A.,

chemical action of light, 1885, A., 1173.

connection between absorption and photographic sensitiveness, 1886, A.,

sensitising action of dyes on silver chloride and bromide, 1886, A., 497. practical methods of photographing

the spectrum, 1887, A., 93.

new bands and lines in the emission spectrum of the ammonia-oxygen flame, 1891, A., 1805.

Edinger, Albert, pyridines, their relation to quinoline, isoquinoline, and the alkaloids, 1890, A., 794. Edinger, Albert, and Eugen Bossung,

substitution products of isoquinoline, 1891, A., 580.

Edinger, Albert. See also Adolph Claus. Edinger, Ludwig, reaction of the living mucous lining of the stomach, 1883, A., 815.

Edkins, John Sydney, modified fat extraction apparatus, 1891, A., 625.

Edkins, John Sydney, action of pancreatic and rennet extracts on casein, 1891, A., 1272.

absorption of water from the alimentary canal, 1892, A., 1258.

Edkins, John Sydney. See also John Newport Langley.

Edlefsen, behaviour of urine after the ingestion of naphthalene, 1888, A., 1322.

Edler, manuring potatoes with potassium

nitrate, 1883, A., 117. Edler, Emil, 1:3:4:5-nitro-ψ-cumene, ψ -cumidine, and ψ -cumenol, 1885, A., 771.

Edler, Johannes. See Inton Oberbeck. Edlund, Eric, on the heat changes at the poles of a voltameter, 1883, A., 767.

Edwards, George Selwyn. See William

de Wivelestie Abney.
Edwards, tf. IV. See I. II. Manning.
Edwards, Vincent, estimation of insoluble phosphates, 1889, A., 747.

— Kjeldahl's process, 1891, A., 862. estimation of phosphoric acid in slags, 1892, A., 382.

- estimation of nitrogen, 1892, A.,

Effront, Jean, isomeric isobutyl-o-amidotolucnes, 1884, A., 899; 1885, A., 151.

— estimation of starch and sugars.

1887, A., 867.

- action of hydrofluoric acid on diastase, 1891, A., 477.

-action of mineral acids on the lactic and butyric fermentations, 1891, A.,

- action of hydrogen fluoride and of fluorides on yeast, 1891, A., 1532.

new method of yeast purification, 1892, A., 905.

conditions influencing the action of fluorides on fermentation, 1892, A., 906.

Eger, Emil, p-nitro-m-amidobenzenesulphonic acid, 1888, A., 1301.

 derivatives of p-nitro-m-amidobenzenesulphonic acid, 1889, A., 708.

Eggeling, various cattle diseases, 1885, A., 73.

Egger, E., contributions to a knowledge

of rye-grain, 1884, A., 532.

— action of dilute acids on bottle glass, 1885, A., 459.

 testing wine for added water, 1885, A., 842.

detection of free sulphuric acid in

aluminium sulphate, 1889, A., 648.
— indirect estimation of extractive matters in wine, 1889, A., 1091. Egger, Leo. See Guido Goldschmiedt.

Eggertz, Carl Gustaf, humous compounds in soil, 1889, A., 543.

Eggertz, Carl Gustaf, and Lurs Fredrik Nilson, moorland and peat soils, 1890, A., 192.

Egleston, Thomas, tellurium in copper.

1883, A., 531. Egli, Karl, isomeric thiotolens, 1885, A., 766.

- dry distillation of ammonium benzenesulphonate, 1885, A., 799.

Egoroff, Nik. G., absorption spectrum of the carth's atmosphere, 1883, A., 137. absorption spectrum of oxygen, 1886, A., 189.

Ehlinger, Joseph. See Friedrich August Flückiger.

Ehrenberg, Alexander, experiments on mercury fulminate, 1884, A., 419; 1885, A., 38.

sodium fulminate, 1885, A., 1191. - fulminuric acid, 1885, A., 1192.

-chloro-and bromo-fulminuric acids, 1885, A., 1192.

analysis of gases by combustion, 1885, A., 1261.

- is free nitrogen formed during putrefaction? 1887, A., 172, 746; 1888, A., 185.

– sausage poisoning, 1887, A., 392. substituted methylenediamines, 1887, A., 1026.

Ehrenberg, Alexander, and Carl Purfürst, aconitine, 1892, A., 1254. Ehrenstein, Siegismund von, lime in the

separation of beet-juice, 1885, A., 1170. Ehrhardt, Ernest Francis. See Ludwiy Claisen.

Ehrhardt, Otto, specific heat and latent heat of fusion, 1885, A., 625.

Ehrhardt, Robert. See Ludwig Gattermann.

Ehrlich, 11b., m-toluidine, 1883, A.,54. glycocines, glycocine ethers, and oxethylene carbamides of the tolyl and xylyl series, 1883, A., 593.

o-tolylhydantoin, 1883, A., 1106. Ehrlich, Edmund, resazoin and resorufin, 1888, A., 145.

oxidation of \$-naphthol, 1889, A., 1001.

oxidation of o-carboxycinnamic acid, 1890, A., 54.

Ehrlich, Edmund, and Rudolf Benedikt, oxidation of β-naphthol to o-carboxycinnamic acid, 1888, A., 1306.

Ehrlich. Ednund. See also Rudolf Benedikt.

Eichbaum, F., preparation of cheap cocoanut toilet soaps, 1885, A., 944. – curd soaps, 1885, A., 944.

113

Eichelbaum, Georg, a-benzylhomo-ophthalic acid, 1888, A., 1300.

action of hydroxylamine on ocyanobenzyl cyanide, 1890, A., 146. Eichengrün, Arthur, and Alfred Einhorn, p-methoxydihydroxydihydroquinoline and a new case of stereochemical isomerism, 1890, A., 1127.

dihydrobenzaldehyde, 1891, A., 65.

hydrobromanhydroecgonine,

1891, A., 94. methoxydihydroxydihydro-

quinoline, 1891, A., 1098. Eichengrün, Arthur. See also Carl

Graebe. Eichhorn, universal gas-holder, 1891,

A., 1414. Eichkoff, hydroxylamine hydrochloride,

1890, A., 558. Eicker, Karl, phenazines, 1891, A., 470. Eigel, Franz, trachytic rocks from the island of San Pietro, 1887, A., 904.

Eigel, Georg, p-coumaric acid, 1887, A., 1109.

Eijkman, C., tropical anæmia, 1892, A.,

Eijkman, Johan Frederik, poisonous principle of Andromeda japonica, 1883, A., 215, 348.

the alkaloid of Macleaya cordata,

1885, A., 404.

the poisonous constituents of Scopolia japonica, 1885, A., 404.

 active constituents of Skimmia juponica, 1885, A., 553.

active constituents of Nandina domestica, 1885, A., 565.

- Illicium religiosum, 1886, A., 95. - glucosides from Japanese Oleoceic, 1886, A., 1040.

- poison of the tetrodon, 1886, A., 1049.

- substances from Illicium religiosum, 1887, A., 497.

- hydrastine, 1887, A., 505.

cinnamic acid in plants of the Ericaceme family, 1887, A., 517.

- apparatus for determining the reduction of the freezing-point, 1889, A., 336.

Raoult's law of freezing-points, 1889, A., 566.

 determination of the latent heat of fusion from the reduction of the freezing-point, 1889, A., 666.

- apparatus for making vapour density determinations under reduced pressure, 1890, A., 101.
— ethereal oil of betel leaves, 1890,

A., 135.

Eijkman, Johan Frederik, constitution of asaione, 1890, A., 244.

cryoscopic method of determining molecular weights, 1890, A., 324.

conversion of allylbenzene-into propenylbenzene-derivatives, 1890, Λ ., 748.

- shikimic acid, 1891, A., 919.

cryoscopic behavious of aqueous cane-sugar solutions, 1891, Λ ., 972.

Eiloart, Arnold, bromine as a test for quinine, narcotine, and morphine, 1885, A., 96.

reactions with carbonic anhydride, carbon bisulphide, and sulphurous anhydride, 1886, A., 16.

absorbents for carbon bisulphide vapour, 1886, A., 16.

reduction of carbonic anhydride by potassium cyanide, 1886, A., 1000.

calorimetric bomb as a combustion furnace for ultimate analysis, 1889, A., 301.

chlorine compounds of tolane, 1890, A., 899.

relative motion of singly-bound carbon atoms, 1891, A., 533.

stereochemical models of organic molecules, 1892, A., 679.

Eiloart, Arnold. See also George Stillingfleet Johnson.

Einhorn, Alfred, derivatives of o-nitro-cinnamic acid, 1884, A., 65.

o-nitrophenyl-S-alanine, 1884, A., 304.

preparation of o-nitrobenzaldehyde, 1884, A., 744.

- hydroxydchydrocarbostyril, 1881, A., 1338. - condensations with o-nitrocinnam-

aldehyde, 1884, A., 1845. quinolinealdchyde, 1886,

264. – trimethylquinolinealdehyde, 1886,

A., 264. phenyldihydroquinolylmethane, 1886, A., 720.

- quinolyl-a-hydroxypropionic acid, 1886, A., 721.

- ecgonine, 1887, A., 741; 1889, A., 1018.

- cocame, 1888, A., 381; 1889, A., 168.

- a metameric cocame and its homologues, 1889, A., 420.

alkaloids occurring with cocaine, 1889, A., 628.

-conversion of anhydrocegonine into pyridine, 1889, A., 909. ecgonine and anhydroecgonine,

1889, A., 1018.

acids of the pyridine series, 1890, A., 520.

reaction between cocame and atropine, 1890, A., 1010.

– tropidine, 1891, A., 90.

- preparation of a- and B-pyridyllactic acid from a-picoline, 1892, A., 75.

Einhorn, Alfred, and Louis Fischer, nitroatropine, 1892, A., 1014.

- action of hypochlorous acid

on tropine, 1892, A., 1014. Einhorn, Alfred, and Clemens Gehrenbeck, p-nitrophenylbutinecarboxylic acid, 1889, A., 396.

- derivatives of p-nitrocinnam-

aldehyde, 1890, A., 161.

action of o-nitrocinnamaldehyde on malonic acid, 1890, A., 163.

Einhorn, Alfred, and Joseph Ph. Grabfield, p-methoxyphenylacrylic acid, 1888, Å., 477.

Einhorn, Alfred, and Wilhelm Hess, B-lactone of isopropylnitrophenyllactic acid, 1884, A., 1351.

Einhorn, Alfred, and Otto Klein, action of acid chlorides on the methyl salts of ecgonine hydrochloride, 1889, A., 283.

Einhorn, Alfred, and Richard Lauch, action of hypochlorous acid on quinoline-derivatives, 1886, A., 370.

-action of hypochlorous acid on quinoline and its derivatives, 1888, Ã., 501.

Einhorn, Alfred, and Paul Lehnkering, a B-lactone of the quinoline series,

1888, A., 1208. Einhorn, Alfred, and Arthur Liebrecht, action of chloral on a-picoline, 1887, A., 845.

Einhorn, _11fred, and _11bert Marquardt.

d-cocaine, 1890, A., 646, 913.
Einhorn, Alfred, and Gotthold Prausnitz, etherification of the three isomeric nitrophenyl-\$-lactic acids, 1884, Λ., 1351.

Einhorn, Alfred, and Berthold Rassow. dihydroxyanhydroecgonine, 1892, A.,

Einhorn, Alfred. See also Eugen Carlier, Alfons Deckers, Ludwig Diehl, Arthur Eichengrün.

Eisele, Fr., action of p-aldehyde on quinaldine, 1887, A., 975.

Eisenmann, Richard, galvanic element, 1887, A., 757.
Eitner, Paul, action of sulphuric an-

hydride on nitriles, 1892, A., 713.

Einhorn, Alfred, synthesis of alcohol- | Eitner, Paul, and Friedrich Krafft. mechanism of the formation of tricyanides from nitriles and acid chlorides in presence of aluminium chloride, 1892, A., 1183.

Ekbom, Alfred, action of hydriodic acid on 1:4'-nitronaphthalenesulphonam-

ide, 1890, A., 994.

- m-dinitrodiphenyldisulphine, 1891, Λ., 567.

- action of hydriodic acid on 1:3'nitronaphthalenesulphonamide, 1891, A., 573.

Ekbom, Alfred, and Robert Mauzelius, fluoronaphthalenes, 1889, A., 999.

Ekman, F. L., amount and estimation of fusel oil in spirits, 1889, A., 190.

Ekstrand, .Ike Gerhardt, dioxyretistene, 1884, A., 1041.

 derivatives of naphthoic acid, 1884, A., 1360.

- a sulphoxide of naphthalene, 1885, Λ., 170.

- mononitro-α-naphthoic acids, 1885, A., 548.

- mononitro-**β-**naphthoic acids, 1885, A., 904.

mononitrouaphthoic acids, 1886, A., 155.

- naphthoic acids, 1886, A., 715, 948; 1887, A., 373, 840; 1889, A., 52, 152; 1891, A., 77, 932.

Ekstrand, Ake Gerhardt, and Carl J. Johanson, carbohydrates, 1888, A., 246, 439.

Ekstrand, Ake Herhardt, and Robert Mauzelius, molecular weights of maltose and of several inulin-like substances, 1890, A., 227.

Elbel, Kurl, derivatives of normethylnitro-opianic acid, 1887, A., 49.

Elbers, Alfred, compounds of benz-aldehyde with aniline hydrochloride and stannic chloride, 1885, A., 528.

- compounds of hydrazines with ketonic and aldehydic acids, 1885, A., 534.

Elbers, Wilhelm, decomposition of antimony sulphide by boiling water,

1889, A., 108. Elborne, William, English rhubarb, 1885, A., 582.

- Strophanthus, 1887, A., 991.

- Strophanthus and strophanthin, 1887, A., 1116.
Elbs, Karl, syntheses with chloropicrin,

1883, A., 1000.

 reactions of triphenylmethyl bromide, 1884, A., 1030.

amido-derivatives of triphenylmethane, 1884, A., 1031.

Elbs, Karl, aromatic ketones, 1886, A.,

461; 1887, A., 940.
— synthesis of homologues of anthracene, 1886, A., 557.

naphthanthraquinone and naphthanthracene, 1886, A., 1087.

formation of substituted stilbenes,

1887, A., 151. homologues of anthracene and

anthraquinone, 1890, A., 511. quantitative investigation of re-

duction processes, 1891, A., 431.

— p-anthracene, 1892, A., 347.

Elbs, Karl, and Felix Bauer, substituted stilbenes, 1887, A., 151.

Elbs, Karl, and Heinrich Eurich, 2:3-

dimethylanthraquinone, 1887, A., 841.

Elbs, Karl, and Hans Förster, diphenyltrichlorethane, 1889, A., 713.
Elbs, Karl, and Mantred Günther, 1:3-

dimethylanthraquinone, 1887, A.,841.

Elbs, Karl. and Otto Hoermann, diphenoltrichlorethane and p-dihydroxystil-

bene, 1889, A., 997.
Elbs, Karl, and Einar Larsen, phenyl p-xylyl ketone, 1885, A., 261.
Elbs, Karl, and Gustav Olberg, di-p-

xylyl ketone, 1886, A., 463.

Elbs, Karl, and Georg Steinike, phenyl a-naphthyl ketone, 1886, A., 947.

Elbs, Karl, and Ernst Tölle, triphenylacetic acid, 1886, A., 352.

Elbs, Kurl, and Otto Wittich, action of chloropicrin and chloroform on toluene, 1885, A., 517.

Elbs, Karl. See also Adolph Claus.

Elfeldt, Paul, oxazolines and pentoxazolines, 1892, A., 213.

Elfeldt, Paul. See also Siegmund Ga-

Eliasberg, Jacob, and Paul Friedländer. condensation of o-amidobenzaldehyde, 1892, A., 1106.

Eliasberg, S., separation of zinc from cadmium by electrolysis, 1886, A., 281. use of hydrogen peroxide in volu-

metric analysis, 1886, A., 488. Eliassor, W., fate of morphine in the organism, 1885, A., 577.

Elion, Hartog, detection and estimation of salicylic acid, chiefly in beer, 1889, A., 195.

preparation and properties of ethyl sodacetoacetate and ethyl sodethylacetoacetate, 1891, A., 171.

analysis of wort and beer, 1891, A., 368.

manufacture of pure yeast, 1891, A., 1532.

estimation of maltose, dextrose, and dextrin in beer wort, 1892, A., 248. Elkan, Theodor, isomeric aldehydophenoxyacetic acids, 1887, A., 258.

-vanillinoxyacetic acid, 1887, A., 259. Elkeles, G., cineolic acid, 1892, A., 1480. Ellenberger, Wilhelm, results of the

suppression of perspiration of animals, 1883, A., 817

Ellenberger, Wilhelm, and Victor Hofmeister, the digestive fluids and digestion of the horse, 1883, A., 487; 1884, A., 472.

- effects of copper on the organism of ruminants, 1884, A., 474. effects of lead on ruminants,

1885, A., 74.

 researches on the digestion of the horse, 1885, A., 178, 679, 1148. – gastric juice and the histology

of the gastric mucous membrane, 1886, A., 27Ĭ.

- digestion in the pig, 1887, Λ ., 512; 1890, A., 183.

- period required for digestion in the pig, 1887, A., 684.

 digestion and digestive secretions in the horse, 1887, A., 744.

 nitrogenous contents of the digestive juices, 1887, A., 1129. - proteolytic and other ferments

in oats and their action on the digestive organs, 1888, A., 867. - sugar-contents of the horse's

stomach, 1889, A., 176.

- digestion of starch by dogs, 1892, A., 516.

Ellinger, Heinrich Oscar Günther. strength of solutions estimated by their refraction, 1891, A., 1305.

 optical analysis of butter-fat, 1891, A., 1401.

optical estimation of albumin in urine, 1891, A., 1403.

Elliot, Arthur H., apparatus for the rapid analysis of gas, 1884, A., 211.

anthracene from water-gas tar, 1885, A., 549.

Elliott, Walter John. See Sicufried Ruhemann, Charles Muddock Stuart. Ellis, Charles James, Maumené's test for oils, 1887, A., 89.

Ellis, George E. R., use of soap in solution, 1886, A., 1076.

- estimation of copper by titration with potassium cyanide, 1890, A., 547. Ellon, Ludwig. See Conrad Willgerodt.

Elsässer, Emil, specific volumes of the ethereal salts of fatty acids, 1883, A.,

Elsas, Adolph, Nobili's rings and allied electrochemical phenomena, 1887, A., **759.**

Elsbach, Leo, a-naphthaquinone-ethyl-

anilide, 1883, A., 70. Elster, Julius, and Hans Geitel, electricity of flame, 1883, A., 141, 412; 1881, A., 1238.

- the simplest form of induction machine, 1885, A., 1098.

- electrical conductivity of air due to the formation of ozone, 1890, A., 676.

Eltekoff, Alexander P., some oxides of the ethylene series and their action on water, 1883, A., 566.

Eltzbacher, Fritz. See Richard An-•schütz.

Elworthy, Herbert Samuel, modification of Traube's capillarimeter, 1887, P., 119; 1888, T., 102.

Ely, John Slade. See Russell H. Chittenden.

Emde, B., detection of iron in oil, 1889. A., 448.

Emden, Robert, vapour tensions of saline solutions, 1887, A., 764.

vapour pressure of aqueous solutions, 1890, A., 323.

Emerson, William Henry, oxidation of nitromesitylene, 1887, A., 132.

Emerson, William Henry. See also Ira Remsen.

Emery, William Orren, tricarballylic acid, 1890, A., 133; 1891, A., 680.

 constitution of succinic chloride, 1890, A., 236.

action of ammonia, isobutylamine, and aniline on ethyl acetonedicarboxylate, 1891, A., 422.

- ethyl 8-acetyltricarballylate, 1891, A., 423.

- synthesis of tricarballylic acid and of certain othereal salts, 1891, A., 423.

- action of ammonia and of amines on ethyl acetosuccinate and its homologues, 1891, A., 544.

- action of ethyl \$-bromopropionate on ethyl malonate and cthyl acetoacetate, 1891, A., 547.

- action of ammonia and aniline on ethyl a-acetoglutarate, 1891, A, 1187. Emery, WilliamOrren. See also

Richard Anschütz. Emich, Friedrich, biguanide, 1883, A., 973; 1891, A., 1180.

ethylbiguanide and its compounds, 1883, A., 974.

behaviour of the bile acids with gelatin and gelatin peptones, 1885,

– natural purification of waters, 1885, A., 846.

Emich, Friedrich, amides of carbonic acid, 1888, A., 1063; 1889, A., 1060.
 —— guanidine, 1891, A., 1180.

—— preparation of nitric oxide, 1892, Λ., 939.

- behaviour of nitric oxide at high temperatures, 1892, A., 940.

- reaction between nitric oxide and oxygen, 1892, A., 940.

— action of potassium hydroxide on nitric oxide, 1892, A., 940.

Emich, Friedrich. See also Richard L. Maly.

Emmerich, Otto, hydroxybenzylidene compounds, 1888, A., 50.

Emmerich, Rudolf, estimation of milk fat, 1883, A., 246.

Emmerling, Adolph, valuation of fodder,

1884, A., 100. manuring experiments at Kiel, 1884, A., 211.

contributions to a knowledge of the chemical processes in the plant, 1884, A., 670

presence of mildew, etc., in cattle foods, 1884, A., 1411.

formation of albumin in green plants, 1885, A., 289; 1887, A., 615. - new method of estimating soluble

phosphate, 1886, A., 741. - action of nitrous acid on urea, uric acid, and ammonium sulphate, 1886, A., 747.

basic slag as a manure for oats, 1888, A., 1223.

earth-nut meal, 1892, A., 92. Emmerling, Adolph, and Gustav Loges, different soils rich in humus and their behaviour with water, 1884, A., 632.

 composition and digestibility of the proteids of various grasses, 1890, A., 657.

Emmerling, Adolph (and others), manur-

ing of grain, 1884, A., 1213.

———— manurial value of freshly fallen leaves, 1885, A., 686.

Emmerling, Adolph. See also Stephan Odendahl Metger.

Emmert, A., two dihydroxynaphtha-lenes, 1888, A., 57.

Emmert, Aug., and Arthur Richard Friedrich, γ-diethylbutyrolactone, 1883, A., 139.

Emmerton, Frederic A., estimation of phosphorus in pig-iron, steel, and iron ores, 1892, A., 529.

Emo. Angelo. See Stefano Pagliani. Enckhausen, manuring with sea-mud and peat-compost, 1884, A., 867.

Endemann, Hermann, formation of grape sugar from starch, 1885, A., 104,

Endemann, Hermann, examination of glycerol, 1885, A., 443.

Enebuske, Class, platinum compounds of methyl sulphide, 1889, A., 229.

Rodolphe, allotropic arsenic,

1883, A., 554; 1889, A., 211.

— analogy between the allotropic modifications of phosphorus and arsenic, 1883, A., 901.

new group of nitrogen compounds, 1884, A., 725.

formulæ of certain ammonium salts,

1884, A., 729.
— solubility of magnesium carbonate

in carbonic acid, 1885, A., 484. - magnesium hydrocarbonate, 1885,

A., 724.

-combination of magnesium and potassium hydrogen carbonates, 1885, A., 872; 1886, A., 121.

-solubility of calcium carbonate in water containing carbonic anhydride, 1886, A., 120.

 normal magnesium carbonate, 1886, A., 121.

production of ozone by the slow oxi-

dation of phosphorus, 1886, A., 302. -solubility of cupric sulphate in presence of ammonium sulphate, 1886, A., 305.

guanidine thiocyanate, 1886, A., 330.

- manganese cyanacetate, 1886, A., 332.

- lead glycollate chloride, 1886, A., 335.

- indicators of the relative energies of polybasic acids, 1886, A., 420.

- influence of ammonium hydrogen oxalate on the solubility of the normal salt, 1886, A., 443.

- indicator for weak acids, 1886, A.,

 titration of the acids of phosphorus with various indicators, 1886, A.,

 variations in the solubility of chlorides in presence of hydrochloric acid, 1886, A., 505.

combination of zinc chloride with hydrogen chloride, 1886, A., 665.

hydrates of zinc chloride, 1886, A., 665.

· alcoholate of potassium hydroxide, 1886, A., 979.

compounds of stannic chloride with hydrogen chloride, 1886, A., 984.

effect of hydrochloric acid on the solubility of chlorides, 1887, A., 445.

effect of sulphuric acid on the solubility of sulphates, 1887, A., 546. I

Engel, Rodolphe, condensation of acctone with chloroform, 1887, A., 569.

- effect of nitric acid on the solubility

of nitrates, 1887, A., 632.
— solubility of calcium and magnesium chlorides in water at 0°, 1887, A., 771.

- action of ammouia on chlorethanes: direct union of ammonia with unsaturated compounds, 1887, A., 793.

— hydrochloride of ferric chloride,

1887, A., 894.

conversion of fumaric and maleic acids into aspartic acid, 1887, A., 917. action of hydrogen chloride on

cupric chloride, 1888, A., 558.
—influence of hydrochloric acid on the solubility of stannous chloride,

1888, A., 918. hydrochlorides of bismuth and

antimony chlorides, 1888, A., 1042. formation of amidobutyric acid by the action of ammonia on crotonic acid, 1888, A., 1063.

aspartic acids, 1888, A., 1065. hydrochlorides of cupric and cobalt

chlorides, 1888, A., 1248. normal platinum chloride, 1889, A., 20.

volumetric estimation of acids, 1889, A., 306.

hydrochlorides of chlorides, 1890, A., 106.

influence of hydrogen chloride on the solubility of cuprous chloride and of lead chloride, 1890, A., 109.

- oxidation of hypophosphorous acid by spongy palladium, 1890, A., 690.

- two new modifications of sulphur, 1891, A., 976.

- influence of alkaline bases on the solubility of alkaline salts, 1891, A.,

influence of ammonia on the solubility of ammonium chloride, 1892, A., 276.

- reaction between potassium permanganate and hydrogen peroxide, 1892, A., 277.

the variations in colour of cobalt chloride, 1892, A., 569.

Engel, Rodolphe, and Paul Louis Kiener, formation and elimination of a ferruginous pigment in poisoning with tolylenediamine, 1888, A., 81.

– urobilinuria and icterus, 1889,

Engel, Rodolphe, and Jules Ville, estimation of hydroxides in presence of carbonates, 1885, A., 931,

Engel, Rodolphe. See also Marcellin Berthelot.

Engel, Wulfried, new cumidine, 1885, A., 215.

- organic basis of various shells, 1891,

Engelcke, J., dialkyl disulphoisethionic acids, 1883, A., 972.

Engelhardt, Hermann. Otto.

Engelmann, Franz, action of the homologues of acetaldehyde with ammonia and ethyl acetoacetate, 1886, A., 258.

Friedrich Franz. Engelmann, Kudolf IVilhelm Schmitt.

Engelmann, Th. Wilhelm, elimination of oxygen from plant-cells, 1883, A.,

- assimilation by Hamatococcus, 1883, A., 611.

- colour and assimilation, 1883, A., 819.

- colour of leaves in relation to the assimilation of carbon, 1888, A., 381.

- bacterio-purpurin, 1889, A., 180. - blood pigment as a gauge of gaseous exchange in plants, 1889, A., 182.

Engels, Carl. See Josef Messinger. Engels, Paul, and Otio Wallach, decomposition of amylene nitrosate with sodium othoxide, 1891, A., 1005.

Engelsing, Hugo, preparation of anthraquinone compounds, 1881, A., 945. Engländer, Paul. See Siegmund Levy.

Engler, Carl, utilisation of human excreta, 1884, A., 1418.

 ψ-cumene and mesitylene in different mineral oils, 1885, A., 1209.

- direct nitration of acetophenone. 1885, A., 1223.

- connection between illuminating power, flashing point, and holling-

point of petroleum, 1886, A., 402. - dust explosions, 1886, A., 401. formation of petroleum, 1888, A.,

928.

-decomposition of fatty acid by heating under pressure, 1889, A., 586.

 pyridyl ketones, 1891, A., 1503. β-ketone derivatives of pyridine,

1891, A., 1505.

Engler, Carl, and Adolf Baner, action of acetone on o- and p-amidophenol, 1889, A., 524.

Engler, Carl, and Franz Wilhelm Bauer, a-ethyl pyridyl ketone and its conversion into ψ-conhydrine, 1891, A., 1504.

Engler, Carl, and Max Boehm, vaseline, 1887, A., 456.

Engler, Carl, and Ernst Hassenkamp, derivatives of dibromacetophenone, 1885, A., 1223.

Engler, Carl, and Wilhelm Kiby, B. methyl pyridyl ketone, 1889, A., 623.

Engler, Carl, and Heinrich Majmon, a-propyl pyridyl ketone, 1891, A., 1505.

Engler, Carl, and Paul Richm, action of acetone on aniline, 1885, A., 1246; 1886, A., 235.

-action of acetophenone on ammonia, 1886, A., 369.

Engler, Carl, and Peter Rosumoff, amethyl pyridyl ketone, 1891, A., 1503. Engler, Carl, and Constantin Schestopal.

action of acetone on p-amidoazoben. zene, 1887, A., 479.

Engler, Carl, and Ernst Wöhrle, preparation of mandelic acid and its derivatives, 1887, A., 948.

Engler, Carl, and Oskar Zielke, acetaphenone derivatives, 1889, A., 505.

· preparation of nitromandelic acid, 1889, A., 508.

Engler, Carl. Secalso Leo Strippelmann. Enke, Ernst, ethereal salts of alkyloxyquartenylic acids, 1890, A., 865.

Enklaar, J. E., osmosis of salts, 1883, A., 420.

ammonia and nitrous acid in potable water, 1889, A., 1234. Enoch, Carl. See Julius Tafel.

Ensign, Joseph Rulph. See Frank Austin Gooch.

Ephraim, Julius, dithioxamide, 1889 A., 1142.

- derivatives of deexybenzoin, 1890, A., 1143; 1891, A., 1492.

- action of aldehydes on thioamides, 1891, A., 831.

 preparation of amidoquinoline, 1891, A., 1509.

– amidoquinolines, 1892, A., 1488. Eppens, August. See Wilhelm Koenigs. Epstein, Wilhelm, synthetical lutidine,

1885, A., 815. - condensation of cinnamaldehyde with ammonia and ethyl acetoacetate,

1886, A., 257. Epstein, Wilhelm Se Conrad, Max Guthzeit. See also Max

Eraud, Jules. See Louis Hugounenq. Erb, L. See J. V. Janovsky. Erban, F. See Max von Schmidt.

Erben, Bodan, Bohemian minerals, 1887, А., в44.

See Karl von Buchka. Erck, Adolf. Erckmann, G., dissociation tension of ammonium carbamate, 1885, A., 859.

Erdélyi, J., detection of foreign fats in butter, 1892, A., 1532.

Erdmann, Edvard, change of colour in felspar under the influence of light, 1883, A., 438; 1886, A., 27.

Erdmann, Ernst, action of sulphuric acid on cinnamic acid, 1883, A., 474.

Erdmann, Ernst, and Gustav Theodor August Otto Schultz, hæmatoxylin and hæmatem, 1883, A., 349.

Erdmann, Hugo, phenylisocrotonic acid and nitric acid; phenylnitroethylene, 1884, A., 906.

constitution of phenylparaconic

acid, 1884, A., 906.

action of sulphuric acid on the phenylerotonic acids, 1885, A., 528. nitration in the side chains in

aromatic compounds, 1885, A., 662. conversion of lactonic acids into lactones, 1885, A., 963.

nitration of phenylparaconic acid, 1886, A., 67.

- benzallevulinie acid, 1886, A., 241.

conversion of naphthylaminesulphonic acid into dichloronaphthalene, 1888, A., 290.

-ketonaphthol (aceto-a-naphthol), 1888, A., 488.

β-naphthylamine-δ-sulphonic acid and \$-naphthylaminesulphonic acid F, 1888, A., 491.

-constitution of isomeric naphthalene derivatives, 1889, A., 156.

constitution of certain dichloronaphthalenes, 1889, A., 265.

derivatives of benzallevulinic acid, 1890, A., 375.

 β- and δ-benzallevulinic acids, 1890, A., 1129.

preparation of 1:2:4- and 1:3 4dichlorotoluenes, 1891, A., 1462.

action of chlorine on aceto-ptoluidide; preparation of m-chloro-ptoluidine, 1891, A., 1466.

nitration of cinnamic acid and phenylmethacrylic acid in the side chain, 1891, A., 1483.

condensation of levulinic acid with aldehydes, 1892, A., 147.

Erdmann, Hugo, and Richard Kirchoff, disubstituted naphthalenes from the isomeric chlorophenylparaconic acids, 1889, A., 150,

Erdmann, Hugo, and Eduard Schwechten, chloro-derivatives of benzaldehyde, 1891, A., 448.

Erdmann, Hugo. See also Rudolph Fittig, Jakob Volhard.

Eremin, F. A., action of concentrated sulphuric acid on solutions of iron and aluminium sulphates, 1889, A., 347.

Erhart, Ferdinand, glycide pyrotace-mate, 1885, A., 1201.

Erlenbach, Arnold, preparation of s-dichloracetone, 1892, A., 952.

action of sodium on ethyl chloracetate, 1892, A., 953.

Erlenbach, Arnold. See also Rudolph Fittig.

Erlenmeyer, Emil, derivatives of cinnamic acid, 1883, A, 196.

— constitution of the nitrosammes,

1883, A., 1103.

constitution of methylene-blue, 1884, A., 595.

formation of pyrotartaric acid, 1885, A., 753.

isomerism in the cinnamic acid series, 1886, A., 945.

 conversion of cinnamic into isocinnamic acid, 1891, A., 200.

Erlenmeyer, Emil, and Indicas Lipp, cinnamic acid derivatives, 1883, A.,

– synthesis of tyrosine, 1883, A., 994.

Erlenmeyer, Emil, and Josef Rosenhek, carbostyril, 1886, A., 244.

action of hypochlorous acid on quinoline and substituted quinolines, 1886, A., 559.

phenyliodohydraciylic acid, 1887, A., 45.

rlenmeyer, Emil, junior, Plöchl's phenylglycidic acid, 1887, A., 142. — constitution of phenyl-a- and Erlenmeyer,

phenyl-αβ-hydroxypropionic

1887, A., 1046.
— substituted glycocine anhydrides, 1889, A., 708.

behaviour of ammonia and organic bases with sodium phenoxyacrylate, 1889, A., 988.

synthesis of phenylpyruvic acid, 1889, A., 990.

benzallevulinic acid, 1890, A.,

 optically active phenylbromolactic acids and phenoxyacrylic acids, 1891, A., 1482.

Erlenmeyer, Max, milking of cows twice and thrice daily, 1883, A., 227.

Erler, Max. See Adolph Claus. Erlich, Stanislas. See Amé Pictet. Erman, adipocere, 1883, A., 818.

Ernert, Paul. See Robert Behrend. Ernst, Carl, putrefaction of bile, 1892. A., 518.

Ernst, Fritz, reduction of aa-thiophendicarboxylic acid, 1887, A., 237.

— synthetical investigations in the thiophen series, 1887, A., 238.

reduction of a-thiophenic acid, 1887, A., 471.

Ernst, Heinrich II'. See Heinrich Goldschmidt.

Ernst, Otto, derivatives of diphenylamine, 1891, A., 299.

Ernst, Otto. See also Rudolf Nietzki.

Eroféeff. Sec Jeroféeff.

Errera, Giorgio, action of chlorine on boiling cymene, 1884, A., 300; 1885, A., 655.

a-phonylpropylene and a-p-totylpropylene, 1885, A., 772. — ethylphenol, 1885, A., 775.

- resorcinol derivatives, 1886, A., 50. - chloropropylbenzene, 1887, A., 35.

— reaction of stilbene, 1887, A., 53. decomposition of mixed ethers by nitric acid and heat, 1887, A., 1103.

ethyl p-bromobenzoate and pbromobenzoic acid, 1887, A., 1107.

table of vapour tensions of solutions of potassium hydroxide, 1889, A., 205.

derivatives of p-bromo- and pchloro-benzyl alcohols, 1889, A., 247. nitrobenzyl ethyl ether, 1889, A., 248.

- separation and estimation of chlorine, bromine, iodine, and cyanogen, 1889, A., 304.

· action of chromyl dichloride on cymene, 1890, A., 1254.

- nitrocymenesulphonic acids, 1890,

A., 1287.

substitution of halogens in aromatic

hydrocarbons, 1891, A., 1020.

action of chromyl chloride on cymene, 1891, A., 1020.

- some ketones, 1891, A., 1052.

– nitrocymenesulphonic acids, 1891, A., 1066.

- action of potassium hypobromite on the amide of campholic acid, 1892, A., 1345.

Errera, Giorgio, and Giacento Baldracco. p-methylhydratropic acid, 1892, A., 605.

Errera, Leo, glycogen in plants, 1884, A., 354.

glycogen in beer yeast, 1885, A., 1151.

glycogen in ferments, 1885, A., 1254.

 accumulation and consumption of glycogen in fungi, 1888, A., 980.

relation between atomic weight and magnetism, 1891, A., 518.

Erwig, Emil, and Wilhelm Koenigs. pentacetyldextrose, 1889, A., 952.

acetyl-derivatives of quinic acid, 1889, A., 991.

- pentacetylgalactose and pentacetyldextrose, 1889, A., 1131.

– pentacetyllevulose, 1890, A. 732.

Escales, Richard, action of phenylhydrazine on sulphinic acids, 1885, A., 798.

Escales, Richard, and Eugen Baumann,

compounds of phenyl mercaptan with ketonic acids, 1886, A., 878.

disulphones, 1887, A., 123.

Eschellmann, George, loss of nitre in the manufacture of sulphuric acid, 1884, A., 1222.

Eschellmann, George. See also Edmund

Knowles Muspratt. schweiler, Wilhelm, estimation of Eschweiler, formaldchyde by titrating with ammonia, 1889, A., 1250.

- formaldehyde, 1890, A., 954. Eschweiler, Wilhelm. See also Karl Kraut.

Escosura. See De la Escosura.

Eser, Carl, influence of physical and chemical properties of the soil on evaporation, 1885, A., 80.

Essner, Jules Charles, action of hydrogen on acetamide, 1885, A., 245.

siphon for hot liquids, etc., 1892, A., 270.

- precipitation of copper by iron and the action of iron on ferric solutions, 1892, A., 276.

composition of some natural subterranean waters near Port Vendres, 1892, A., 285.

Essner, Jules Churles, and Eugène Gos-

sin, acetyltolucue, 1885, A., 252.

action of benzoic chloride on isodurene in presence of AlCl3, 1885, A., 253.

- action of amyl chlorides and amylene on toluene, 1885, A., 517.

Etard, Alexandre Léon, transformations of cuprosocupric sulphites, 1883, A., 20. - benzylene-o-tolylamine and methyl-

phenanthridine, 1883, A., 179. conversion of hydrocarbons into aldehydes by the action of chromyl

dichloride, 1884, A., 312. hydronicotine and oxytrinicotine,

1884, A., 464. - solubility curves of salts, 1884, A.,

807. solubility of salts, 1884, A., 887.

- solubilities of haloid salts, 1884, A., 960.

Etard, Alexandre Leon, solubility of copper sulphate, 1887, A., 772. decrease in the solubility of sul-

phates, 1888, A., 548, 645.

— preparation of hydriodic acid, 1889, A., 14. relation between the solubility of

salts and their melting-points, 1889,

A., 460.

simultaneous solubility of sodium and potassium chlorides, 1890, A., 103. solubility of saline mixtures, 1890, A., 442.

substitution of salts in mixed solu-

tions, 1890, A., 443.

- coloration of solutions of cobalt and the state of the salts in the solutions, 1892, A., 278.

state of salts in solution; sodium sulphate and strontium chloride, 1892,

A., 397.

- organic liquids as solvents for metallic salts, 1892, A., 558.

-compounds that accompany chloro-

phyll in leaves, 1892, A., 746.

formation of bromaldehydes and bromoketones by the action of bromine on alcohols of the ethyl series, 1892, A., 809.

- the chlorophyllic substances of the pericarp of the grape, 1892, A., 874.

 method of analysis of chlorophyllic extracts; nature of chlorophyllane, 1892, A., 1136.

Etard, Alexandre Léon, and Gusture Bémont, hydroferrocyanic acid and its derivatives, 1885, A., 233.

alkaline ferrocyanides and their compounds with ammonium chloride, 1885, A., 364.

 green ferrocyanides or glaucoferrocyanides, 1885, A., 496.

Etard, Alexandre Léon, and Pierre Lambert, terpene in the oil from compressed gas, 1891, A., 1085.

Etard, Alexandre Leon, and Paul Lebeau, volumetric estimation of copper, 1890, A., 665.

Etard, Alexandre Léon, and Louis Olivier, reduction of sulphates by living organisms, 1883, A., 229.

Etard, Alexandre Léon, and Churles Richet, estimation of the reducing power of urine and of the extractive matter which it contains, 1883, A., 751.

Etard, Alexandre Léon (and others). reduction of sulphates by Algæ, 1883, A., 680.

Etard, Alexandre Léon. See also Emile Justin Armand Gautier.

Etienne, Emil. See Wilhelm Venator. Etti, Carl, compounds of vanillin with pyrogallol and with phloroglucinol, 1883, A., 61.

- tannic acids of oak-bark, 1883, A.,

994. - behaviour of tannin and oak-bark tannin towards various reagents, 1884, A., 1355.

– kinoin in Malabar kino, 1885, A., 59. – tannins, 1890, A., 164, 257.

Ettingshausen, Albert von, influence of magnetic forces on the nature of the heat conductivity of bismuth, 1888 A., 400.

Ettingshausen, Albert von, and Walther Nernst, thermal and electrical behaviour of some bismuth tin alloys in the magnetic field, 1888, A., 546.

Etz, Peter. See Paul Ehrhardt Jannasch.

Euctis, W. E., gibbsite from Brazil, 1884, A., 23.

- chrysocolla from Arizona, 1884, A.,

Eugling, Wilh., composition of Alpine and meadow hay, 1885, A., 929.

- experiments with nitrogenous and peaty soils, 1885, A., 929. casein in milk, and on the action

of rennet, 1885, A., 1083.

· effect of rain on the quality of hay, 1885, A., 1154.
— melted butter, 1885, A., 1171.

Eugling, Wilh., and L. Mähr, inorganie constituents of cheese, 1886, A., 290.

Eugling, Wilh. See also Ferdinand' Hueppe.

Eurich, Heinrich. See Kurl Elbs.

Evans, Charles Seth. See Frunk Wigglesworth Clarke.

Evans, Franklin P., and William Ramsay, the halogen compounds of selenium, 1884, T., 62.

Evans, Norman Philip. See Richard Anschütz.

Evans, Reginald Edward. See Raphael Meldola

Evans, William Percival, rate of decomposition and stereochemistry of chlorhydrins, 1891, A., 796.

- attempts to prepare metallic chromium from chromic fluoride, 1892, A., 19.

Everhart, Edgar. See Albert R. Leeds. Evers, Ferd., bases from dinaphthylthiocarbamide, 1888, A., 600.

- new condenser for laboratory purposes, 1892, A., 400.

Evershed, Frank. See Arthur George Green.

Ewald, August, digestion of elastic fibres and allied structures, 1889, A., 912.

Ewald, August, and C. Fr. W. Krukenberg, guanine in fish, 1884, A., 623. Ewald, Carl Anton, and Isidor Boas, physiology of digestion, 1886, A.,

727. Ewan, Thomas, and Julius Berend Cohen, oxidation products of acenaphthene, 1889, T., 578; P., 123.

Ewan, Thomas, and William Reginald Ormandy, a method of measuring the vapour pressures of solutions, 1892, T., 769; P., 141.

Ewell, Ermin E., and Albert B. Prescott, estimation of foreign acids in artificial salicylic acid, 1889, A., 447.

Ewer and Pick, producing sulpho-colouring matters by electrolysis, 1886, A., 187.

Ewing, A. L., erosion of limestone, 1885, A., 358.

Exner, Franz, new method for determining the size of molecules, 1885, A., 951.

theory of researches on contactelectricity, 1888, A., 208.

electrochemical investigations, 1891, A., 1309.

Exner, Franc, and Josef Tuma, chemical theory of the galvanic element, 1889, A., 456.

Exner, Karl, velocity of light in quartz, 1886, A., 653.

Eyerman, John, mineralogy of the French Creek mines, 1890, A., 113.

- calamine and apophyllite from the United States, 1890, A., 113.

Eykman. See Eijkman.

Eymonnet, Lion, glycerol-phosphoric acid in the urine, 1884, A., 1058.

---- elimination of hypophosphites by

* the mine, 1884, A., 1058.

Eynern, Fritz von, condensation of ethyl acotoacotate and succinic acid, 1889, A., 592.

Eyster, George S., determining lefthanded rotation with the Scheibler-Ventzke-Soleil polariscope, 1884, A.,

 qualitative estimation of the bases without hydrogen sulphide, 1885, A., 1012.

F.

"F. von T." See "T. F. von." Faber, Harald, lactocrite: an apparatus for determining fat in milk, 1887, A., 1144.

Faber, Harald, changes in the composition of milk, 1888, A., 862.

condensed milk and the estimation of casein and lactalbumin, 1890, A.,

Fabingi and Farkas, constant battery with a negative electrode of carbon, 1888, A., 1001.

Fabini, Eduard, colouring matter of red carbolic acid, 1891, A., 1198.

Fabinyi, Rudolf, Raoult's law of freezingpoints, 1889, A., 565.

Fahre. Ch.,potassium and sodium selenides, 1886, A., 505, 589.

heat of transformation of vitieous into metallic selenium, 1886, A., 840. -selenides of the alkaline earths, 1886, A., 840.

- heat of formation of hydrogen

selenide, 1886, A., 961.

-thermochemistry of selenides, 1886,

 heats of formation of crystallised and amorphous selenides, 1886, A., 962. heat of formation of crystallised

tellurides, 1887, A., 1010. - selenium alums, 1887, A., 1014.

- specific of heat of tellurium, 1888, A., 332; 1889, A., 203.

Fabre, Ch. See also Marcellin Berthelot. Fabris, Guido, violet chromium fluoride, 1891, A., 271.

Fabris, Guido. See also Cannizzaro, G. de Negri.

Fabris, Luigi, detection of atropine, 1892, A., 1534.

Fae, Giuseppe, variations in the electrical resistance of antimony and cobalt in a magnetic field, 1887, A., 760.

Fahlberg, Constantin, preparation from hauxite of aluminium sulphate free from iron, 1883, A., 130.

Fahlberg, Constantin, and R. Barge, sulphobenzoic acid and its derivatives, 1889, A., 709.

Fahlberg, Constantin, and Reinhold List, ethylbenzoic sulphinide and ethyl v-sulphaminebenzoate, 1887, A., 835. – o-sulphaminecarboxylic acids,

1888, A., 367.

Fahrig, Ernst, phosphorescence produced by the contact of ozone with certain waters, 1890, A., 1202.

Fahrion, Wilhelm. See Adolph Claus. Failyer, G. H. Sec J. J. Willard.

Fairley, Thomas, estimation of sulphur and impurities in coal-gas, 1887, A.,

- detection of minute quantities of hydrogen peroxide and of uranium, 1891, A., 360,

Falck, Ernst, action of ethyl chlorocarbonate, etc., on benzenylamidoxime, 1885, A., 1216.

products from benzenylamidoxime,

1886, A., 797. Falières. See L. Barthe.

Falières, E., rapid estimation of nitrates, 1884, A., 1074.

 volumetric estimation of carbon bisulphide in thiocarbonates, 1884, A., 1077.

 titration of potassium iodide, 1885, A., 1011.

Falkenberg, Wilhelm, poisoning by aniline, chlorates and mercuric chloride, 1891, A., 853.

Famintzin, A., and Stanislas A. Przybytek, ash of the pollen of Pinus sylvcstris, 1886, A., 172.

Fankhausen, Frana, comparative meteorological observations in forests, 1883, A., 614.

Fankhauser, Johann, diastase, 1886, A., 1061; 1888, A., 867.

See Stefan Schenck. Farbaky, Stefan.

See Fabingi. Farkas.

Farnsteiner, K., action of certain inorganic salts on the specific rotatory power of cane-sugar, 1891, A., 283.

volumetric estimation of combined sulphuric acid, 1892, A., 1515.

Farr, Edward Henry. See John Oldham Braithwaite.

Farrington, Oliver Cummings, crystallised azurite from Arizona, 1891, A.,

 chemical composition of iolite, 1892, A., 793.

Farrington, Thomas, mixture of alcohol and water, 1890, A., 856.

Farský, Franz, chlorine as a plant food, 1883, A., 497.

influence of superphosphates on the quality of the crop, 1884, A., 360. -manuring with potash, 1884, A., 774.

-action of sulphuric acid as a manure, 1884, A., 775; 1885, A., 83; 1886, A., 954.

- fine and coarse grained superphosphates, 1885, A., 82.

Fashender, Heinrich, compounds of aldehydes and ketones with mercaptan, 1887, A., 462.

ethylene disulphides and ethylenedisulphones, 1888, A., 804.

- diethylene tetrasulphide, 1888, A., 805.

Fasnacht, A. E., and C. R. Lindsey, decahydrated lead acctate, 1890, A., 862,

Fauconnier, Adrica, second anhydride of mannitol, 1883, A., 305; 1881, A., 1111.

— reduction of mannitol, 1885, A., 743. -action of aniline on epichlothydrin, 1888, A., 586, 1280.

-action of ammonia on epichlorhydrin, 1888, A., 1265.

propylphycite, 1889, A., 31.

preparation of ethylene cyanide, 1889, Ā., 227.

preparation of epichlonhydnin, 1889, A., 232.

- action of phosphoric chloride on ethyl oxalate, 1892, A., 588.

Fauconnier, Adrien, and J. Sanson, action of hydrogen chloride on glycerol, 1888, A., 244.

Fauconnier, Adrien (and others), derivative of mannitol, 1884, A., 573.

Faulenbach, C., estimation of starch and glucose in food. 1884, A., 930.

Faulkner, Frank, and William Virtue, biological test for malt, 1888, A., 1228.

Faure, A., preparation of metallic chlorides from oxides, 1888, A., 1250.

Faurie, G. A., reduction of aluminium oxide, 1888, A., 28. Fauser, Géza, estimation of hydrogen

sulphide in aqueous solution, 1889, A., 1031. Fawitzky, Alexander P., detection and

estimation of hydrochloric acid in gastric juice, 1891, A., 767. Faworsky, Alexci E., condensation of

crotonylenes, 1885, A., 645.

isomerism of acetylenic hydrocarbons, 1885, A., 736.

· isomeric change of acetylenic hydrocarbons by heating them with alcoholic potash, 1888, A., 798.

isomeric change of disubstituted acetylenes and of dimethylallene under the influence of metallic sodium: synthesis of acetylenecarboxylic acids, 1888, A., 1168.

- action of alcoholic potash on allylene, 1889, A., 360.

dimethylacetylene and its tetrabromides, 1890, A., 1220.

isomeric change in unsaturated hydrocarbons, 1891, A., 1330.

Faworsky, Alexei E., and C. Debout. the geometrical isomerism of the bromo-derivatives of \(\psi\)-butylene, 1890, A., 1218.

Fawsitt, Charles A., wood-naphtha, 1886, A., 289.

action of sulphur chloride on oils, 1889, A., 317.

Fawsitt. Charles 1. See also William Dittmar.

Fawssett, Theodore, estimation of cinchona alkaloids, 1890, A., 309.

Fay, Irving Wetherbee, relation between the heats of formation of chlorides and sulphates in aqueous solution, 1888, A., 401.

Federer, Ernest Charles, test for oil of peppermint, 1887, A., 1001.

Feemster, Joseph Hall, average amount of caffeine in the guarana of commerce compared with that in the seeds, 1883, A., 232.

Feer, Adolf, and Wilhelm Koenigs, derivatives of carbostyril, 1885, A., 1235.

 derivatives of methylhydroquinoline, 1885, A., 1245.

· hydroxypyridine, 1886, A., 1044.

Feer, Adolf, and Heinrich Müller, dyes from diamidoethoxydiphenylsulphonic acid, 1889, A., 258.

Feer, Adolf. See also Carl Graebe. Fehrenbach, Georg. See Alfred B See Alfred Bernhard Nobel.

Fehrlin, Henry Charles, bidesyls, 1889, A., 623.

isomeric hydrazones of o-nitrophonylglyoxylic acid, 1890, A., 1117. Fehrmann, Albert, preparation of lead dioxide, 1883, A., 157.

Fehrmann, IV., auramines, 1888, A., 156.

Feinstein, Bolcslau. See Stanislans von Kostanecki,

Feist, Franz, dehydracetic acid, 1889, A., 957; 1892, A., 584.

– dehydrobenzoylacetic acid, 1891, A., 458.

ethyl diphenylpyronedicarboxy-

late, 1891, A., 459. dehydracetic chloride, 1892, A.,

587. constitution of dehydracetic acid, 1892, A., 587.

- chlorinated diacetylacetone, 1892, Л., 811.

Feist, Franz. See also Rudolph Fittig. Feist, Paul, salts of uvic, carbuvic, and ethylcarbuvic acids, 1889, A., 593.

Feist, Paul. See Adolph Claus. Feit, IV., tungsten compounds, 1888,

A., 344. potassium magnesium bromide,

1889, A., 827. - estimation of thallium and mercury,

1889, A., 927. -kaliborite, a new boron mineral, 1890, A. 341.

Feit, IV., heintzite, 1892, A., 791. - ascharite, a new borate, 1892, A., 792.

Feit, Hr., and C. Kubierschky, thioderivatives of antimonic acid, 1888, A., 789.

preparation of hydrobiomic acid, 1891, A., 1320.

 use of bromic acid in quantitative analysis, 1892, A., 910.

- extraction of rubidium and cæsium compounds from carnallite, 1892, A., 1395.

Feith, Emil, derivatives of mesitylene, 1892, A., 329.

methyl mesitylenecarboxylate, 1892, A., 715.

Feith, Emil, and S. H. Davies, action of hydroxylamine on acetylmesitylone, 1892, A., 314.

Feitler, Sigmund, molecular volumes of aromatic compounds, 1889, A., 1047.

Feldmann, Alfr., preparation of am-

monia, 1885, A., 1017. Feldmann, Marc. See Petr G. Melikoff, Nicolai D. Zelinsky.

Fels, Th., testing mercury oxide for chlorides, 1888, A., 873.

Fenton, Henry John Horstman, limited hydration of ammonium carbamate, 1886, A., 501.

detection of bromides, 1886, A., 833.

Fényes, Desider, barytes from Pésey, 1885, A., 733.

Ferko, Max. See Conrad Willgerodt. Ferko, Paul, pyrogenic reactions, 1887, A., 572.

Fermi, Claudio, gelatin as a reagent for the detection of enzymes, 1891, A., 1523.

-- solubility of fibrin, 1892, A., 897. Fernandez-Krug, Pedro, arsenovanadic acid, 1884, A., 1266.

Fernbach, Aug., apparatus for the cultivation of pure yeast, 1891, A., 352.

Ferrari, Ciro, influence of the weather

on crops, 1885, A., 80.

Ferrari, Prospero, trustworthiness of Berthelot and Fleurieur's method for the estimation of tartaric acid, 1884, Λ., 371.

· detection of sulphuric acid in wine, 1885, A., 692.

Ferratini, A. See Carlo Zatti.

Ferreira da Silva, Antonio Joaquim, reaction of cocaine, 1891, A., 134. - ammonium selenite as a reagent for

alkaloids, 1891, A., 1562.

Ferry, René, sugars present in fungi, 1891, A., 954.

Ferry de la Bellone, detection of blood stains, 1888, A., 1140.

Fert, Jean. See Amé Pictet.

Féry, C. See J. B. Baille. Fesca, Max, and H. Imai, Japanese tobaccos, 1889, A., 69.

Fessenden, Reginald A., volumetric analysis of copper, 1890, A., 926.

Festing, Edward Robert. See William de Wireleslie Abney.

Fèvre, Albert, mononitroresorcinol, 1883, A., 733.

Fiala, Frana, mixed ethers of quinol, 1884, A., 1138; 1886, A., 454. derivatives of methylethylquinol,

1886, A., 454.

Fick, Richard, formation and properties of inosite and its occurrence in the vegetable kingdom, 1887, A., 1089.

Fickert, Emil. See Adolph Claus. Field, (Miss) Eleanor, chromic acid, 1892, T., 405; P., 17.

Fielding, E. See Henry Bassett.
Fielinsky, N., additive products of methylamine and β-methylglycidic acid, 1885, A., 752.

Figuier, Albin, compounds obtained by means of gas batteries and the silent discharge, 1884, A., 1242.

synthesis of hydrocyanic acid, 1886,

A., 521.

- synthesis of ammonium cyanide by the silent discharge, 1886, A., 604.

Filehne, Wilhelm, kairine and kairoline, 1884, A., 474.

transformation of hæmoglobin in the bile, 1891, A., 482.

constitution of pseudephedrine, 1891, A., 1264.

Filehne, Wilhelm. See also Eugen Bamberger.

Filemonowicz, Jak. See Bronislaw Pawlewski.

Fileti, Michele, transformation of scatole into indole and preparation of indole, 1884, A., 458.

— synthesis of scatole, 1884, A., 458. — cumyl ether, 1885, A., 776.

o-isopropylphenol, 1886, A., 789. reciprocal transformation of cymene and cumene derivatives, 1887, A., 36, 471.

preparation of aromatic amides, 1887, A., 42.

- bromoterephthalic acid, 1887, A., 52.

p-propylisopropylbenzene, 1891, A., 1022. 1023. p-dipropylbenzene, 1891, A., 1022.

constitution of cymene, 1891, A., 1344.

Fileti, Michele, analysis of the barium group, 1892, A., 660.

Fileti, Michele, and V. Abbona, hydroxyderivative of cumonitrile, 1892, A.

Fileti, Michele, and G. Amoretti, phenylisopropylglycollic acid and its derivatives, 1891, A., 1059.

Fileti, Michele, and G. Basso, homocumic and homoterephthalic acids, 1891, A.,

1057.

Fileti, Michele, and L. Boniscontro, oxidation products of p-dibromohomocumic acid, 1892, A., 604.
Fileti, Michele, and F. Crosa, chloro-

and biomocymene from cymene thymol, 1887, A., 37.

 nitrobromocymene and nitrochlorocymene, 1889, A., 493.

- oxidation of the chlorocymene and bromocymene from thymol and from cymene, 1889, A., 495.

- preparation of hydrobromic

acid, 1891, A., 976.

- derivatives of cumic acid, 1891, A., 1055.

Filhol, Edouard, and J. B. Senderens. neutral phosphates of the alkalis, 1883, A., 151.

- action of sulphur on oxides, 1883, A., 710; 1884, A., 959.

 action of sulphur on alkaline phosphates, 1883, A., 783.

Filsinger, F., estimation of glycerol, 1888, A., 1133.

estimation of glycerol in crude glycerol, 1889, A., 748.

iodine numbers for cocoa butter, 1891, A., 869.

- analysis of crude glycerol, 1892, A., 544.

Findeisen, feeding horses with flesh-meal, 1883, A., 102.

Finger, Hermann, benzazimide, 1888, A., 948. See also Inton

Finger, Hermann. Weddige.

Fink, E., phosphopalladious compounds, 1892, A., 1285.
 Fink, Isidor, bromination of allyl alcohol,

1888, A., 244.

Fink, J., influence of pressure on the resistance of electrolytes, 1886, A., 586.

Fink, Richard, affinity of certain bivalent metals for sulphuric acid,

1887, A., 885. Finkener, Rud., distinction of castor oil from other fatty oils, 1887, A., 402. - action of carbonic anhydride on the dihydrate of strontium oxide,

1887, A., 217.

Finkener, Rud., points of difference between linseed oil and linseed-oil varnish, 1888, A., 327.

Fino. Vincenco, rhodonite from Viù,

1884, A., 164.

Figuet, Edmond, synthesis of unsaturated nitriles, 1892, A., 1340.

Firbas, Richard, bases contained in the young shoots of Solanum tuberosum, 1890, A., 75.

Firket, Adolphe, artificial fayalite, 1890, A., 20.

Firth, Robert Hammill, poisonous ptomaine in milk, 1887, A., 389.

Firtsch, Georg, rumpfite, 1892, A., 417. - a new method for testing the purity of butter, 1891, A., 868.

Fischedick, Frank H., strychnine citrate,

1886, A., 1047. Fischel, Wilhelm, occurrence of peptone in hens' eggs during incubation, 1886, A., 166.

---- occurrence of peptones in fibromata of the uterus, 1886, A., 167.

Fischer, Silesian farm without cattle, 1884, A., 636.

Bernhard (Breslau), diazoamidobenzene, 1884, A., 1011.

 demercurising gold, 1886, A., 109. - dimethylethylcarbinol, 1887, A., 1142.

- impurities in commercial salicylic acid, 1890, A., 88.

Fischer, Bernhard (Breslau), and Otto dimethylamidoazobenzene as an indicator in alkalimetry, 1885, л., 1159.

Fischer, Bernhard (Breslau), and Her-Wimmer, diazoamido-commannpounds, 1887, A., 819.

- hydroxyazo-compounds, 1887, A., 819.

Fischer, Bernhard (Kiel), and Bernhard Proskauer, disinfection with chloring and bromine, 1885, A., 816.

Fischer, Emil, caffeine, theobromine, xanthine, and guanine, 1883, A., 354.

--- triacetonamine, 1883, A., 790. - triacetonealkamine, 1883, A., 1153.

— diacetonamine, 1884, А., 53. - formation of methylene-blue as a reaction for hydrogen sulphide, 1884,

A., 109. uric acid, 1884, Λ., 996, 1308.

phenylhydrazine a reagent for aldehydes and ketones, 1884, A., 1150.

 triacetonamine and its homologues, 1884, A., 1290,

 compounds of glucoses and sucroses with phenylhydrazine, 1885, A., 53.

Fischer, Emil, constitution of the hydrazines, 1885, A., 257.

- naphthalene as an insecticide, 1885, A., 454.

- chemical examination of nocerine, 1885, A., 957.

-- naphthylhydrazines, 1886, A., 554. synthesis of indole derivatives, 1886, A., 805; 1887, A., 148.

isoglucosamine, 1886, A., 933.

– hydrazines, 1887, A., 138, 932. indoles from phenylhydrazine, 1887, **∆**., 149.

 action of aldehydes, anhydrides, and diazo-compounds on the three methylindoles, 1887, A., 265.

compounds of phenylhydrazine with sugars, 1887, A., 567; 1888, A., 590, 1267; 1889, A., 484.

- carbamide derivatives of dibromopyruvic acid, 1887, A., 918.

-- methylketole, 1888, A., 283.

--- hydrazones, 1888, A., 590. -- reduction of acids of the sugar group, 1889, A., 1149; 1890, A., 597.

some reactions of phenylhydrazine and hydroxylamine, 1889, A., 1163.

- trinitrohydrazobenzene, 1890, A., 40.

 synthesis of mannose, dextrose, and levulose, 1890, A., 466.

- syntheses in the sugar group, 1890, Λ., 1223.

- optical isomerides of grape sugar, gluconic acid, and saccharic acid, 1890, A., 1389.

- acids of the sugar group, 1890, A., 1398.

-- reduction of fruit sugar, 1891, A., 412.

 synthesis of a new glucobiose, 1891. A., 412.

- - d- and i-mannosaccharic acids, 1891, Л., 678.

 configuration of grape sugar and its isomerides, 1891, A., 1178, 1444.

— new isomeride of mucic acid and

the so-called p-mucic acid, 1891, A., 1193.

- new isomeride of galactonic acid and of mucic acid, 1892, A., 299.

Fischer, Emil, and Friedrich Ach. phonylliydrazone, 1890, A., 40. Fischer, Emil, and Carl Bülow, ben-

zoylacetone, 1885, A., 1237. Fischer, Emil, and Richard S. Curtiss, optically isomeric gulonic acids, 1892, A., 822.

Fischer, Emil, and Johann Nicolaus Hertz, reduction of mucic acid, 1892, A., 824.

Fischer, Emil, and Otto Hess, synthesis of indole derivatives, 1884, A., 1180.

Fischer, Emil, and Josef Hirschberger, mannose, 1888, A., 934; 1889, A., 480, 687; 1890, A., 224.

Fischer, Emil, and Friedrich Jourdan, hydrazines of pyroracemic acid, 1884, A., 52.

Fischer, Emil, and Oskur Knoevenagel, compounds of phenylhydrazine with aldehyde, mesitylic oxide, and allyl bromide, 1887, A., 932.

Fischer, Emil, and Hermann Koch, ethyl phthalylacetoacetate, 1883, A., 806.

A., 1289.

diamine derivatives, 1886, A., 527.

Fischer, Emil, and Hans Kuzel, ethyl o-nitrocinnamylacetoacetate, 1883, A., 587, 588.

A., 812. quinazole compounds, 1883,

ethylhydrocarbazostyril, 1883, A., 1132.

benzoylacetone, 1884, A., 59.
hydrazines of ciunamic acid,
1884, A., 440.

Fischer, Emil, and Kurl Landsteiner, glycollic aldehyde, 1892, A., 1424.

Fischer, Emil, and William Frederick Layoock, metacetone, 1889, A., 487. Fischer, Emil, and Jacob Meyer, oxidation of milk sugar, 1889, A., 485.

_____ oxidation of maltose, 1889, A., 1132.

methylation of the indoles, 1890, A., 1421.

Fischer, Emil, and Francis IV.

Passmore, formation of acrose from formaldehyde, 1889, A., 483.

formation of phenylhydrazides, 1890, A., 152.

d-mannose, 1890, A., 1230.

Fischer, Emil, and Franz Penzoldt, sensitiveness of the sense of smell, 1887, A., 983.

Fischer, Emil, and Oscar Piloty, sugars derived from rhamnose, 1891, A., 31.

reduction of saccharic acid, 1891, A., 677.

new pentonic acid and the second inactive trihydroxyglutaric acid, 1892, A., 437.

Fischer, Emil, and Ludwig Reese, caffeine, xanthine, and guanine, 1884, A., 466. Fischer, Emil, and Theodor Schmidt, 2'-phenylindole, 1888, A., 698.

______ 3'-phenylindole, 1888, Λ., 958.

Fischer, Emil, and Rudolph Stahel, xylose, 1891, A., 667.

Fischer, Emil, and Albert Steche, methylation of indole-derivatives,

1887, A., 588. —— methylation of indole, 1887,

Fischer, Emil, and A. J. Stewart, aromatic sugars, 1892, A., 1447.

Fischer, Emil, and Julius Tafel, hydrazines of cinnamic acid, 1885, A., 540.

alcohols, 1887, A., 651.

sugar group, 1888, A., 39, 358.

_______isodulcitol, 1888, A., 806, 1049.

____ oxidation of glycerol, 1888, A., 1264; 1889, A., 478.

Fischer, Emil, and Philipp Wagner, rosindoles, 1887, A., 588.

Fischer, Emil (and others), sugars richer in carbon from glucose, 1892, A., 1164.

Fischer, Emil. See also Franz Penzoldt.
Fischer, Ferdinand, application of electricity in metallurgy, 1883, A., 398.

— practical application of thermoelectricity, 1883, A., 625.

flameless combustion, 1883, A., 626.

—— contributions to the knowledge of sewer gases, 1883, A., 886.

investigation on boiler fires, 1883, A., 942.

influence of artificial lighting on the atmosphere of dwellings, 1884, A., 122.

— illuminating gas and gas-engines, 1884, A., 508.

— retort furnaces with gaseous fuel, 1884, A., 509.

an evaporation experiment, 1884, A., 510.

----application of electricity in chemical industry, 1884, A., 785, 933.

 electrolytic production of metals and chlorine, 1885, A., 941.

gas analyses, 1886, A., 107. composition of generator-gas and water-gas, 1887, A., 1078. Fischer, Gustav. See Otto Fischer. Fischer, Hermann, working up of Stassfurt potash liquors containing a large excess of sodium chloride, 1887,

A., 1079.

Fischer, Leopold Heinrich, tin ores, aventurine glass, and green aventurine quartz from Asia, and clocydolite quartz from Greenland, 1883, A., 435.

pectolite from Alaska, 1886, A.,

210. Fischer, Louis. See Ludwig Claisen,

Alfred Einhorn.

Fischer, Otto, hydroxyquinolines, 1883, A., 91.

---- acridine, 1883, A., 1134.

derivatives of hydroxyquinoline, 1883, A., 1146.

reduction of hydrobenzamide, 1886,

A., 546.

—— flavaniline, 1886, A., 631.

o- and m-quinolinesulphonic acids, 1887, A., 601.

reduction products of benzylidene compounds, 1888, A., 50.

— harmine and harmaline, 1889, A., 780.

— new class of fluorescent colouring matters of the quinoxaline series, 1891, A., 747.

---- o-diamines, 1892, Λ ., 1472.

Fischer, Otto, and Max Busch, new class of fluorescent colouring matters of the quinoxaline series, 1891, A., 1109, 1514.

Fischer, Otto, and Gustav Fischer, p-amidocarbinols, 1891, A., 695.

Fischer, Otto, and Adolf Fränkel, diphenylquinolylmethane, 1886, A., 561.

o-amidotriphenylmethane, 1888, A., 56.

Fischer, Otto, and Eduard von Gerichten, morphine, 1886, A., 563.

Fischer, Otio, and Liulvig German, the violet derivatives of triphonylmethane, 1888, A., 1097.

new synthesis of scatole, 1883, A., 1132.

chloride on nitrosamines, 1887, A.,

____ nitrosamines, 1887, A., 729,

_____ azophenines and indulines, 1887, A., 1105; 1888, A., 1291.

A., 456. dibromonitrosophenol, 1888,

Fischer, Otto, and Eduard Hepp, azophenine and quinoneanilide, 1888, A., 472.

oxidation of o-phenylene-diamine, 1889, A., 499; 1890, A., 800.
p-nitrosodiphenyl-m-phenylenediamine, 1890, A., 613.

———indulines, 1890, A., 764, 908; 1891, A., 1044; 1892, A., 341.

oxidation products of o-diamines and o-amidophenols, 1890, A., 1444.

Fischer, Otto, and Georg Körner, violet derivatives of triphenylmethane, 1884, A., 606, 749.

new method for producing acridine, 1884, A., 748.

derivatives of quinoline-m-carboxylic acid, 1884, A., 1197.

Fischer, Otto, and Henry van Loo, formation of diquinoline, 1884, A., 1372.

formation of β-diquinoline, 1887, A., 63.

Fischer, Otto, and Edward Renouf, derivatives of quinoline and pyridine, 1884, A., 1048.

dine from pyridinesulphonic acid, 1884, A., 1370.

quinoline, 1884, A., 1370.

Fischer, Otto, and Carl Riemerschmid, pyridinesulphonic acid, 1883, A., 923.

Fischer, Otto, and Carl Schmidt, condensation products of aromatic bases with aldehydes, 1884, A., 1315.

Fischer, Otto, and Ludwig Sieder, oamido-p-ditolylamine, 1891, A., 434.

Fischer, Otto, and Ernst Täuber, flavaniline, 1885, A., 400.

A., 820.

Fischer, Otto, and Leonhard Wacker, action of nitroso-bases on phenylhydrazine, 1888, A., 1286; 1889, A., 702.

Fischer, Otto, and Charles A. Wittmack, p-quinolinesulphonic acid and its homologues, 1884, A., 1051.

Fischer, Otto, and Hugo Wreszinski, action of formaldehyde on o-diamines, 1892, A., 1496.

Fischer, Otto. See also Emil Besthorn.
Fischer, Otto W., two tin organic compounds, 1885, A., 377.

129 9

Fischer, Otto W., diquinolines, 1885, A., 399, 1246.

Fischer, Otto W. See also Zdenko Hanns Skraup.

Fischer, Paul, chloronitrobenzenesul-phonic acids, 1892, A., 182.

action of ammonia and aniline on negatively substituted halogenised benzenesulphonic acids, 1892, A.,

Fischer, Richard, separation of nickel from cobalt, 1889, A., 653.

Fischer, Walter. See Paul Jacobson. Fischer, Wilhelm, tension of saturated vapours over liquid and solid sub-

stances, 1886, A., 846. Fisher, Darenport, meteorite from St. Croix Co., Maine, 1888, A., 352.

Fisher, John Hutchison, corrosion of zinc by ammonium chloride and potassium nitrate, 1887, A., 889.

Fisher, Walter William, anhydrous oxalic acid, 1892, P., 186.

Fittbogen, J., action of various forms of phosphoric acid, 1885, A., 1009; 1886, A., 1069.

Fittbogen, J., and Otto Foerster, ensilage of frozen potatoes, 1885, A., 184.

Fittbogen, J., and A. Salfeld, manuring with basic slag, 1887, A., 524. Fittbogen, J. (and others), cultivation

of various crops, 1883, A., 235. influence of calcium sulphide

on barley, 1885, A., 1154.
Fittica, Friedrich Bernhard, a fourth

monobromophenol, 1884, A., 55; 1887. A., 134.

the second monobromobenzene, 1887, A., 134; 1890, A., 962.

Fittig, Rudolph, non-saturated acids, 1883, A., 454.

- action of water on lactones, 1883, A., 730.

 conversion of unsaturated acids into the isomeric lactones, 1883, A., 730.

- so-called tetric, pentic, and hexic acids, 1883, A., 1085.

Perkin's reaction, 1883, A., 1122; 1885, A., 663.

- lactones, 1884, A., 744; 1888, A. 251; 1890, A., 583; 1892, A., 812, 956. condensation products of the lactones, 1885, A., 375.

constitution of vinaconic acid, 1885,

A., 653. condensation of acetoacetates with

bibasic acids, 1886, A., 47. -condensation of aldehydes with bibasic acids, 1886, A., 47.

 constitution of carbopyrotritartaric acid, 1886, A., 225.

Fittig, Rudolph, lactones and lactonic acids, 1888, A., 251; 1890, A., 583; 1892, A., 812, 956.

- oxidation of unsaturated acids,

1888, A., 595.

- condensation of ethereal salts of β -ketonic acids with bibasic acids, 1889, A., 592.

lactonic acids, lactones, and unsaturated acids, 1890, A., 583; 1892, A., 812, 956.

action of sodium and sodium ethoxide on ethereal salts of lactone acids and on lactones, 1890, A., 866.

- action of ammonia on lactones, 1890, A., 879.

-action of bromine on angelic and maleic acids, 1891, A., 39.

- intramolecular change in unsaturated acids, 1891, A., 452.

decomposition of dibromides of unsaturated acids by warm water and dilute alkalis, 1892, A., 959.

Fittig, Rudolph, and Henry C. Brown, salicylaldehyde and pyrotartaric acid, 1890, A., 777.

Fittig, Rudolph, and Constantin Christ.

some new 5-lactones, 1892, A., 962. Fittig, Rudolph, and Richard Claus, new derivatives of coumarin, 1892, A., 988.

Fittig, Rudolph, and M. Caspar Clutterbuck, tetrolic acid, 1892, A., 961.

Fittig, Rudolph, and Carl Daimler, action of ethyl chloracetate and zinc on ethyl oxalate, 1887, A., 361.

Fittig, Rudolph, and Alfred Delisle, propaldehyde and succinic acid, 1890, A., 587.

Fittig, Rudolph, and Hermann Dubois, caprolactone, 1890, A., 868.

- γ-hydroxycapronamide, 1890, A., 880.

Fittig, Rudolph, and Gustav Ebert, coumarilic acid, 1883, A., 474.

Fittig, Rudolph, and Hugo Erdmann, synthesis of a-naphthol, 1883, A., 595; 1885, A., 545.

Fittig, Rudolph, and Arnold Erlenbach. action of sodium on ethyl chloracetate,

1888, A., 1052, 1269. Fittig, Rudolph, and Franz Feist, valeraldehyde and pyrotartaric acid, 1890, A., 591.

Fittig, Rudolph, and Ignaz Fränkel, acetaldehyde and succinic acid, 1890, A., 584.

Fittig, Rudolph, and Arthur Rudolf Hantzsch, identity of methronic acid with sylvanecarboxyacetic acid, 1889, A., 126.

Fittig, Rudolph, and Joseph Hillert, oxidation of hydrosorbic acid, 1892, A., 959.

decomposition of dibromocaproic acid, 1892, A., 960.

Fittig, Rudolph, and William D.

Fittig, Rudolph, and William D. Hoeffken, divalolactone, 1892, A., 814.
Fittig, Rudolph, and Harry W. Jayne, phenylhydroxypivalic acid, 1883, A., 471.

Fittig, Rudolph, and Ewald Kochs, oxidation of crotonic acid and isocrotonic acid, 1892, A., 957.

Fittig, Rudolph, and Jacob Kraencker, ethyl isobutylparaconate, 1890, A., 874.

Fittig, Rudolph, and Huyo Leoni, ethyl phenylparaconate, 1890, A., 894.

Fiftig, Rudolph, and Siegmund Levy, ethyl terpenylate, 1890, A., 873. Fittig, Rudolph, and Louis Liebmann,

Fittig, Rudolph, and Louis Liebmann, benzaldehyde and pyrotartaric acid, 1890, A., 775.

Fittig, Rudolph, and Richard Marburg, vinaconic acid, 1886, A., 224.

Fittig, Rudolph, and Ernst Mayer, oxidation of hydrocinnamenylacrylic acid, 1892, A., 986.

Fittig, Rudolph, and Harry East Miller, chloral and succinic acid, 1890, A., 586.

Fittig, Rudolph, and Lennuel J. Morris. phenyl-γ-hydroxybutyramide, 1890, A., 890.

phenylbutyrolactone, 1890, A., 891.

Fittig, Rudolph, and Paul Obermüller, oxidation of phenylisocrotonic acid, 1892, A., 986.

Fittig, Rudolph, and Gordon Parker, condensation of ketonic acids with bibasic acids, 1889, A., 1146.

Fittig, Rudolph, and Johannes Politis, anisaldehyde and succinic acid, 1890, A., 770.

Fittig, Rudolph, and Hermann Rasch, valerolactone, 1890, A., 867.

 $\frac{}{A., 879.}$ γ -hydroxyvaleramide, 1890,

Fittig, Rudolph, and Rudolf Riechelmann, cenanthaldehyde and pyrotartaric acid, 1890, A., 598.

Fittig, Rudolph, and Friedrich Roeder, a non-saturated acid isomeric with itaconic acid, 1883, A., 730.

tonic soid, 1884, A., 295.

Fittig, Rudolph, and Paul Röders, phenylparaconic acid, 1890, A., 621.

——— phenylitaconic acid, 1890, A., 895.

Fittig, Rullolph, and Moritz Rülmann, action of water and hydriodic acid on valerolactone and isocaprolactone 1885, A., 375.

Fittig, Rudolph, and Rudolf Ruer, oxidation of ethylerotonic acid, 1892, A., 958.

____ oxidation of cinnamic acid, 1892, A., 986.

Fittig, Rulolph, and Augustus Schloesser, condensation of ethyl benzoylacetate, 1888, A., 1089.

Fittig, Rudolph, and Albrecht Schmidt, butaldehyde and succinic acid, 1890, A., 588.

A., 872. ethyl propylparaconate, 1890,

Fittig, Rudolph, and August Schneegans, valeraldehyde and succinic acid, 1890, A., 590.

Fittig, Rudolph, and Jacob Stern, decomposition of phenyldibromovalerie acid, 1892, A., 987.

———— hydrocinnamenylacrylic acid, 1892, A., 988.

 Fittig, Rudolph, and Knut Torsteinson
 Ström, action of sodium ethoxide on butyrolactone, 1892, A., 813.
 Fittig, Rudolph, and Karl Urban,

rittig, Rudolph, and Karl Urban, oxidation of allylacetic acid, 1892, A., 958.

decomposition of dibromovaleric acid, 1892, A., 960.
 Fittig, Rudolph, and Adolf Zanner, iso-

butaldehyde and succinic acid, 1890, A., 589.

Fittig, Rudolph, Carl Daimler, and Harry Frederick Keller, diacetyldicarboxylic acid (ketipic acid) and diacetyl, 1889, A., 490.

Fittig, Rudolph, Paul Obermüller, and Christian Schiffer, decomposition of phenyldibromobutyric acid, 1892, A., 987.

Fitz, Albert, Bacillus butylicus, 1884, A., 765.

schizomycetic fermentation, 1884,
 A., 1062.

Fitzgerald, George Francis, theory of solution, 1891, A., 788.

Fitzpatrick, Thomas Cecil, action of the solvent in electrolytic conduction, 1888, A., 101.

Fjord, N. J., comparison of various systems of butter-making, 1884, A., 185.

FLE

Fjord, N. J., comparison of cream separators, 1884, A., 1447.

feeding of calves and pigs, 1888, A., 1319.

feeding of milch cows, 1889, A., 1076.

Flavitzky, Flavian M., relation between the boiling-points of the monatomic alcohols and their constitutions, 1887, A., 879.

conversion of dextrorotatory terpenes from Russian turpentine by means of hydration and dehydration,

1887, A., 968.

- dextrorotatory terpene from Pinus Cembra, 1890, A., 789.

 correlation of oxygen and hydrogen compounds of the elements, 1892, A., 1270.

Flechsig, E., composition of lupines, 1884, A., 1405.

 analysis of varieties of lupines, beans, and maize grown under like conditions, 1886, A., 95.

Flechsig, E. See also Bernhard Schulze, Hugo Weiske.

Fleck, Hermann, recognition of nitric acid stains on textures, 1885, A., 595.

- oxidation of ammonia in spring water, 1885, A., 704.

- colour reactions of picric acid and dinitrocresol, 1887, A., 624.

Fleichtinger, cause of the acid reaction exhibited by some kinds of paper, 1883, A., 696.

Fleischer, E., on desiccators, 1884, A., 491.

Hermann Anton Moritz, Fleischer, manurial value of sewer slime, 1884, A., 107.

 kainite as potato manure, 1884, A., 108,

- analysis of peat litter, 1884, A., 925.

 comparison of peat and straw litter, 1884, Ā., 1418.

– hop-culture in peat soils, 1885, A.,

use of phosphatic slag from the Thomas' process in agriculture, 1886, A., 277.

- comparison of manure made with straw and with turf litter, 1888, A., 319.

manuring with nitre, 1888, A., 1223.

Fleischer, Hermann Anton Moritz, and Richard Kissling, application of insoluble phosphates to soils, 1883, A., 822.

Fleischer, Hermann Anton Moritz (and others), moss and turf-fibre as cattle litter, 1884, A., 105.

– sea mud, 1884, A., 106. - action of sea-sand on peaty

and sandy soils, 1885, A., 929. - manuring of high-lying moor-

lands, 1886, A., 578. Fleischer, Richard. See Franz Penzoldt.

Fleischhauer, H., condensation of cyanides with ethereal salts, 1892, A., 431.

Fleischl von Marxow, Ernst, double refraction of liquids, 1885, A., 318.

- production of monochromatic light, 1890, A., 549.

Fleischmann, Wilhelm, preserved milk, etc., 1883, A., 254.

- preserved butter, 1884, A., 534.

- butter-making, 1884, A., 534. - loss of weight during the ripening of cheese, 1884, A., 1448.

- C. Thiel's pasteurising apparatus for milk, 1885, A., 105.

- notes on milk, 1885, A., 849.

Fleischmann, Wilhelm, and Johannes Berendes, creaming of milk, 1885, A.,

Fleischmann, Wilhelm, and August Morgen, Scherff's preserved milk, 1883, A., 757.

Fleischmann, Wilhelm, and Rudolph Sachtleben, Becker's creaming process, 1883, A., 253.

 Jacobsen's testing-churn, 1883, A., 253.

experiments with Nielsen and Petersen's centrifugal separator, 1884, A., 135.

Fleischmann, Wilhelm (and others), estimation of fat in skim milk, 1884, A., 1435.

Fleissner, Franz. See Eduard Lippmann.

Flemming, H., glycerolphosphoric acid, 1883, A., 682.

Flessa, Rud., derivatives of naphthalene, 1884, A., 1185. Fletcher, Fredrick William, quinine hydrate, 1886, A., 371. Fletcher, Herbert Morley. See John

Newport Langley.

Fletcher, Lazarus, dilatation of crystals on change of temperature, 1884, A., 1096.

cliftonite, a cubic form of graphitic carbon, 1888, A., 30.

meteoric iron from Nejed, Central Africa, 1888, A., 662.

meteoric iron from Greenbrier Co., West Virginia, 1888, A., 662.

- Fletcher, Thomas, flameless combustion, 1883, A., 523.
- —— coal gas as a source of heat, 1884, A., 697.
- Fleurent, Emile Charles Albert, ammonio-copper ammonium cyanide, 1892, A., 420.
- action of potassium cyanide on ammoniacal cupric chloride, 1892, A., 1065.
- Fleury, Gustave Clément, gum of Grevillea, 1885, A., 238.
- ----- density of porous bodies, 1885, A., 334.
- action of iodine on iron, 1888, A., 654.
- estimation of tannin, 1892, A.,
- Flight, Wulter, two new aluminous mineral species, evigtokite and liskeardite, 1883, T., 140.
- examination of certain meteorites, 1883, A., 169.
- meteorite at Alfianello, 1884, A., 276.
- ---- the Cranbourne meteorite, 1884, A., 416.
- the Rowton and Middlesborough meteorites, 1884, A., 977.
- Flight, Walter. See also (Baron) Heinrich von Foullon.
- Flimm, IV., synthesis of indigo from bromacetanilide, 1890, A., 383.
- Flink, Gustav, a series of diopside varieties from Nordmarken, 1886, A., 777.
- ---- rhodonite from Långban and Pajsberg, 1886, A., 778.
- —— långbanite, 1887, A., 782.
- mineralogical notes, 1888, A., 232.
- —— Swedish minerals, 1889, A., 221. —— rhodotilite and heliophyllite from Sweden, 1890, A., 459.
- pinakiolite and trimerite, new Swedish minerals, 1891, A., 404.
- --- ochrolite from Pajsberg, 1891, A., 1168.
- braunite and friedelite from Sweden, 1892, A., 1405.
- Flink, Gustav, and Azel Hamberg, crystals of sarkinite, 1890, A., 715.
- Flink, Gustav. See also Woldemar Christofer Brögger.
- Flöel, Otto, action of potassium and sodium salts on unstriated muscle, 1885, A., 578.
- Flouren's, G., products of the saccharification of amylaceous substances by acids, 1890, A., 1089.

- Flückiger, Friedrich August, American storax, 1883, A., 407.
- potassium carbonate, 1883, A., 902. carraway oil, 1884, A., 1138.
- testing oil of roses, 1885, A., 934. estimation of morphine in opium,
- 1885, A., 1165; 1890, A., 94.
 tests for atropine, 1886, A., 397.
- --- cocaine and atropine, 1886, A., 632. --- notes on quinine hydrate, 1886, A.,
- 138.
 —— reaction of thiosulphates, 1887, A.,
- 689.
- ---- safrole, 1887, A., 990.
- iodine estimation in Laminaria, 1887, A., 996.
- lithium carbonate, 1887, A., 1000. — test for acetanilide, 1888, A., 761.
- ash determination, 1889, A., 80.
- detection of minute quantities of arsenic, 1889, A., 650.
- Flückiger, Friedrich August, and Joseph Ehlinger, santonin estimation, 1886, A., 495.
- Flückiger, M., the copper oxide reducing constituent of normal urine, 1885, Λ., 924.
- Flug. See Pflug.
- Fock, Albert. See Ferdinand Tiemann. Fock, Andreas, new thermo-regulator, 1885, A., 950.
- explanation of optical activity, 1891, A., 513.
- Fock, Andreas, and Kurl Klüss, thiosulphates, 1890, A., 210, 330, 564, 1057; 1891, A., 879; 1892, A., 12.
- pentathionate, 1890, A., 1210.
- of barium, 1891, A., 16.
- ammonium pyrosulphite, 1891, A., 151.
- chloride, 1892, A., 13.
- Focke, Hermann, testing for mineral and resin oils in fatty oils, 1886, A., 581.
- potash, 1887, A., 1138. Fodera, O. See L. Demarchi.
- Foecking, C. G. Ludwig. See Adolph Claus.
- Föhlisch, Eduard. See Adolph Claus. Föhr, Carl Friedrich, sources of error in estimating iron in ores by the stannous chloride method, 1883, A., 242.
- estimation of minute quantities of silver, 1885, A., 84.

Fölsing, August, action of hydrobromic acid on the ethereal salts of hydroxyacids, 1884, A., 897.

- boiling-points of the ethereal salts of glycollic and salicylic acids, 1884, A., 897.

Foerster, Adolf. See Oscar Gustav Doebner.

Foerster, Fritz, tautomerism of thiocarbamides, 1888, A., 944.

estimation of camphor, 1891, A.,

derivatives of carbonyl chloropla-

tinites, 1892, A., 352.

— action of superheated water and solutions of alkalis and salts on glass,

1892, A., 1401. Foerster, Früz. See also Franz Mylius. Förster, Hans. See Karl Elbs.

Förster, Max von, experiments with compressed gun-cotton, 1884, A., 948. Foerster, Otto, apparatus for the extraction of fat in the cold, 1888, A., 760.

estimation of mustard oil in seeds of the Cruciferæ, 1888, A., 1350. estimation of nitrogen in nitrates

by Kjeldahl's method, 1889, A., 547,

purification of litmus, 1889, A., 1086.

apparatus for drying fodders containing drying oils, 1890, A., 670.

Kjeldahl's method for the estimation of nitric and total nitrogen, 1890, A., 1466.

- estimation of nitrogen in sodium nitrate, 1891, A., 107.

- lacmoid, 1891, A., 241.

- estimation of phosphoric acid by the molybdate process, 1892, A., 1519.

Foerster, Otto. See also J. Fittbogen. Förstner, H., the felspars of Pantelleria,

1884, A., 1104. artificial physical changes in the

felspars of Pantelleria, 1886, A., 601. Fogh, Johann, dimethylanilinequinone-imide, 1888, A., 592.

thermochemistry of thiosulphates, 1890, A., 679.

action of sodium thiosulphate on silver salts, 1890, A., 694.

lead thiosulphate, 1890, A., 700. - decomposition of lead thiosulphate by heat: lead trithionate, 1890, A., 700.

- lead sodium thiosulphates, 1890, A., 700.

sugars, 1892, A., 933.

Fogh, Johann. See also Marcellin Berthelet.

Fokker, Abraham Pieter, hygienic importance of the detection of carbonic oxide, 1885, A., 415.

- fermentation by protoplasm from recently killed animals, 1887, A., 984.

Folkard, Charles Watson, molecular calcium compounds, 1884, A., 892.

bacteriological examination of water, 1887, A., 619.

Folkers, Bernhard, utilisation of skim milk, 1884, A., 534.

Follows, Harold. See Arthur Bower

Griffiths. Fontaine, Wm. F., certain minerals in Amelia Co., Virginia, 1888, A., 959. Foote, Albert E., twin-crystals of zircon,

1885, A., 222.

- discovery of diamonds in meteoric iron, 1892, A., 284.

- new meteoric iron from Maryland, 1892, A., 794.

Foote, Hubert U., apparatus used for precipitating copper by electrolysis, 1885, A., 597.

Forbes, John D., Colorado beetle, 1884, A., 350.

Forbes, Matthew, apparatus for washing precipitates, 1892, A., 1513.

Forerand, Robert de, heat of formation of solid glycollates, 1883, A., 644.

- heat of formation of glycollates, 1883, A., 708.

neutralisation of glycollic acid by bases, 1883, A., 774.

- salts of glycollic acid, 1883, A., 775.

- compounds of hydrogen sulphide with ethers, 1883, A., 961. formation of disodium glycollate,

1883, A., 1085. - barium alcoholates, 1884, Λ., 4.

- sodium alcoholates, 1884, A., 142. - heat of formation of alcoholates, 1884, A., 546; 1885, A., 1102; 1887,

A., 318. - glycollide, 1884, A., 547.

disodium glycollate, 1884, A., 548. - normal and acid sodium sulphites,

1884, A., 803. transformation of glyoxal into gly-

collic acid, 1884, A., 898.

— potassium and barium glyoxalhydrogen sulphites, 1884, A., 989. heat of formation of ammonium

sulphite, 1885, A., 471. - glyoxal-ammonium hydrogen sul-

phite, 1885, A., 627, 648. - sodium methoxide, 1885, A., 1031.

- heat of formation of alkaline alcoholates, 1885, A., 1102.

Forcrand, Robert de, thermochemistry of glyoxylic acid, 1886, A., 297.

cupric sulphate, 1886, A., 524.

combination of methyl alcohol with barium oxide, 1886, A., 781.

action of barium oxide on methyl alcohol, 1886, A., 861.

sodium glyceroxide, 1887, A., 8.
 heats of formation of potassium methoxide and ethoxide, 1887, A., 201.

—— heats of formation of potassium alcoholates, 1887, A., 318.

heats of formation of sodium alkyl

oxides, 1887, A., 319.
—— potassium glyceroxide, 1887, A.,

320.

alcoholates of sodium glyceroxide, 1887, A., 426.

alcoholates of potassium glyceroxide, 1887, A., 427.

---- action of ethylene bromide on alkyl metallic oxides, 1887, A., 544.

bibasic glyceroxides, 1888, A., 642.
sodium glycol oxide, 1888, A., 1238.
polybasic glyceroxides, 1888, A.,

1264. —— compound of sodium glycol with

glycol, 1889, A., 367.
—— alcoholates of monosodium glycol, 1889, A., 562.

combination of chloral with glycol, 1889, A., 689.

- preparation and heat of formation of sodium crythroxide, 1890, A., 935,

action of crythritol on alkali alkyl oxides, 1890, A., 935, 950.

alkaline derivatives of crythritol, 1891, A., 657.

preparation of disodium crythroxide, 1891, A., 999.

constitution and heat of formation of bibasic crythroxides, 1891. A., 1312.

of bibasic crythioxides, 1891, A., 1312.
—— disodium glycol, 1892, A., 421.
—— thermal value of the hydroxyl

groups in glycol, 1892, A., 576.

thermochemistry of sodium isoprop-

oxide, 1892, A., 674.

monosodium mannitol, 1892, A., 800.

thermal function of phenol, 1892,
 1042.

Forerand, Robert de, monosodium catechol, 1892, A., 1184.

—— sodium resorcinol and sodium quinol, 1892, A., 1184.

dimetallic derivatives of dihydric phenols, 1892, A., 1185.

sodium pyrogallol, 1892, A.,

constitution of pyrogallol, 1892, A, 1446.

Forerand, Robert de, and P. Villard, hydrate of hydrogen sulphide, 1888, A., 644, 897.

hydrate of methyl chloride, 1888, A., 897.

Forel, Sylvestre. See Emilio Nölting, Olto Nikolaus Witt.

Foret. See Lucien Bondonneau.

Formanek, Emanuel, formation of uric acid from cyanacetic acid and carbamide, 1892, A., 149.

— influence of hot baths on the excretion of nitrogen and uric acid from the human system, 1892, A., 1503.

Formanek, Julius, solubility of lead chloride in solutions of mercuric chloride, 1887, A., 772.

quantitative separation of chromium and uranium, 1888, A., 531.

dithioxamide (cyanogen disulphy duate), 1890, A., 29.

— estimation of inverted sugar, 1890, A., 836.

--- uranyl chromate and its double salts, 1890, A., 852.

Formento, Ettore, behaviour of some vegetable substances towards coppor and some of its compounds, 1891, A., 491.

Forney, Mc(Mellan, action of iodine pentabromide on essential oils, 1884, A., 370.

Forrer, (an, derivatives of phenylacotaldehyde, 1884, A., 1020.
——indirubin, 1884, A., 1028.

Forsling, Sven Emil, B-naphthylaminesulphonic acid, 1886, A., 890; 1887, A., 962.

Bronner's \$\beta\$-naphthylaminesulphonic acid, 1887, A., 375.

β-chloronaphthalenesulphonic acid, 1889, A., 54.

——action of funning sulphuric acid on Bronner's \$\beta\$-naphthylamine-\$\beta\$-sulphonic acid, 1889, A., 275.

constitution of β-naphthylamine-asulphonic acid, 1889, A., 718.

---- \$\beta\text{-bromonaphthalenesulphonic}\$ acids, 1889, \Lambda., 894.

Forssell, Gideon, action of ethylenediamine on thiamides, 1891, A., 1003; 1892, A., 1247.

action of ethylenediamine on ethyl

dibromosuccinate, 1891, A., 1004. Forster, Josef, use of boric acid for preserving food, 1883, A., 1178; 1884, A., 782.

Forster, Martin Onslow. See Raphael Meldola.

Forster, W. G., preparation of hop-extract, 1884, A., 800.

Fort, J. A., physiological action of coffee, 1883, A., 745.

Forte, Oreste, naphthylamidoacetic acid, 1890, A., 900.

Forte, Orestc. See also Agostino Oglialoro-Todaro.

Forti, C., presence of cholesterol and a soluble carbohydrate in melon seeds, 1891, A., 357.

Fossek, Wilhelm, preparation of isobutaldehyde free from acetone, 1884,

a derivative of isobutaldehyde analogous to hydrobenzoin, 1884, A.,

 synthesis of dihydric alcohols from mixtures of aldehydes, 1884, A., 882.

action of phosphorus trichloride on aldehydes, 1884, A., 833.

- hydroxyphosphinic acids, 1885, A., 504; 1886, A., 529.

- carbonic anhydride in the air of school-rooms, 1887, A., 888.

Fossek, Wilhelm. See also Edm. Swobods.

Foster, Ernest le Neve, thiobismuthite of lead and silver, 1886, A., 515.

oster, William, behaviour of the nitrogen of coal during destructive Foster, distillation, with some observations on the estimation of nitrogen in coal and coke, 1883, T., 105.

- note on the carbon deposited from coal-gas flames, 1892, P., 46.

Foth, G., nitrotoluidinesulphonic acid, 1886, A., 152.

Foullon, (Baron) Heinrich von, crystalline schists of Kaisersberg in Styria, 1884, A., 412.

crystallised copper from Schneeberg, 1885, A., 220.

- products of the alteration of pitch-

blende, 1885, A., 222. native tellurium from Faczebaja, 1885, A., 1116.

antimonite from Czerwenitzka, 1886, A., 22

– crystallised tin, 1886, A., 124.

Foullon, (Baron) Heinrich von, new discoveries of minerals, 1888, A., 429. meteorites of Shalka and Man-

bhoom, 1889, A., 574.

minerals from the Tyrol-bloedite, brucite, and red manganese ore, 1890,

- breunerite and bloedite from Hall

in the Tyrol, 1891, A., 648.

Foullon, (Baron) Heinrich von,
Walter Flight, the Alfianello teorite, 1884, A., 976.

Foullon, (Baron) Heinrich von, ViktorGoldschmidt, epidote muscovite, 1890, A., 344.

Foullon, (Baron) Heinrich von. also Maximilian Josef Schuster.

Fouqué, F., triclinic felspar from Quatre Ribeiras, 1885, A., 642.

- a crystallised slag, 1888, A., 794. Fouqué, F., and Auguste Michel-Lévy, artificial formation of various rocks, 1883, A., 448.

Fouquet, action of hydrocyanic acid on calomel, 1890, A., 223.

Fourmont, new method of testing for chlorates, 1885, A., 430.

Fourneaux, Emile, nitro-p-toluquinoline, 1885, A., 400.

Fourquignon, L., decomposition of white-iron by heat, 1884, A., 1444.

Foussereau, Georges Ernest Marie, influence of temper on the electrical resistance of glass, 1883, A., 701.

 electrical resistance of insulators, 1884, A., 245.

 electrical conductivity of distilled water, 1884, A., 1241.

 electrical resistance of alcohol, 1885, A., 1100.

 decomposition of ferric chloride by water, 1886, A., 844.

decomposition of chlorides in dilute solution, 1886, A., 975.

 effect of pressure on the decomposition of chlorides, 1887, A., 697.

 decomposition of acetates by water, 1887, A., 767.

- decomposition of thiosulphates by acids, 1887, A., 883.

Fowler, Gilbert John, and James Grant. influence of different oxides on the decomposition of potassium chlorate, 1890, T., 272; P., 20; discussion, P., 21.

Fowler, Gilbert John. See also George Herbert Bailey.

Fox, Joseph J. See Percy Furaday Frankland.

Fox, William, action of petroleum on lead, 1888, A., 1249.

William, and Jumes Alfred Wanklyn, butter analysis, 1885, A.,

 determination of glycerol, 1886, A., 395.

Fox. William. See also James Alfred Wanklyn.

Frankel, Adolf. See Otto Fischer. Fraenkel, Albert, and Julius Geppert, effects of rarefied air on the animal

organism, 1884, A.,470. Fränkel, Ignaz. See Rudolph Fittig. Fraenkel, Nahemi, derivatives of thiodiphenylamine, 1885, A., 1130.

Fraenkel, Sigmund. See Richard Kerry. Fragner, Carl, imperialine, 1889, A., 284. amarylline and bellamarine, two

new alkaloids, 1891, A., 1122.
Franc, C. A., new method for effecting discharges on fibre dyed with indigo, 1886, A., 291.

Franceschi, Giambattista, volumetric estimation of arsenic acid, 1892, A., 1519.

- volumetric estimation of gold, 1892, A., 1526.

Francesconi, L., santonic acid, 1892, A., 1352.

Franchimont, Antoine Paul Nicolus, action of anhydrides on aldehydes, ketones, and oxides, 1883, A., 452.

– *p*-aldehyde, 1883, A., 453. reduction of nitrodimethylamine,

1885, A., 963.

action of nitric acid on certain dibasic acids, 1885, A., 964; 1887, A., 466.

action of nitric acid on methylsulphonamides, 1885, A., 969.

- amides and their nitro-derivatives, 1886, A., 448.

action of nitric acid on substituted malonic acids, 1886, A., 533.

- action of nitric acid on amides and alkyl amides, 1888, A., 447.

- influence of negative groups on the properties of compounds, 1888, A., 1052.

--- ureides, 1888, A., 1064.

- sulphacetic acid and its derivatives, 1888, A., 1175.

influence of certain groups on the behaviour of organic compounds with nitric acid, 1889, A., 1145.

- action of nitric acid on the amidines, 1892, A., 951.

— acetaldoxime, 1892, A., 951.

Franchimont, Antoine Paul Nicolas, and Eduard August Klobbie, amides of ethylsulphonic acid, 1887, A., 468.

Franchimont, Antoine Paul Nicolas, and Eduard August Klobbie, methyl-amides and ethylamides of trichloracetic and trimethylacetic acids, 1888, A., 1062.

methylamides and ethylamides of heptylic acid, 1888, A., 1063.

derivatives of carbamide, 1888, A., 1179.

- methyl and ethyl ethyleneamidoformates and their nitro-derivatives, 1889, A., 124.

ureides and their nitroderivatives, 1889, A., 125.

- some nitramines and their derivatives, 1889, A., 492.

- action of nitric acid on organic compounds, 1889, A., 1143.

- action of nitric acid on ethyl methenyltricarboxylate, 1891, A., 426.

- action of nitric acid on methane-di- and tri-sulphonic acids, 1891, A., 426.

Francis, *Ernest E. H.*, toughened filter paper, 1885, T., 183; P., 19.

Francke, G., estimation of starch in grain, 1883, A., 624.

Francksen, Aug., derivatives of propylphonylamine, 1884, A., 1007.

Frank, A., process for the recovery of

slag, 1884, A., 1226.
Frank, Adolph, bromine as a disinfectant, 1884, A., 512.
Frank, Albert Bernhard, hypochlorin

and its formation, 1883, A., 483. - formation and physiological signifi-

cance of gum, 1885, A., 684.

origin and fate of nitric acid in

plants, 1888, A., 979. - loss and gain of nitrogen in agri-

culture, 1889, A., 71. - detection of nitrates in soil, 1889,

A., 649. - the fungus symbiosis of the Legumi-

nose, 1890, A., 1020; 1891, A., 353. - assimilation of nitrogen from the air by Robinia pseud-acacia, 1891, A., 764.

assimilation of free nitrogen by plants in its dependence on species, on nutrition, and on soil, 1892, A., 370.

to what extent is atmospheric nitrogen assimilable? 1892, A., 1507. Frank, Albert Bernhard, and Richard Otto, assimilation of nitrogen by

plants, 1891, A., 855. Franke, Br., hydroxylated solid hydrogen phosphide, 1887, A., 635. — new gas-burette, 1887, A., 687.

Franke, Br., action of sulphuric acid | on potassium permanganate, 1887, A., 893.

· manganese compounds, 1887, A., 1016; 1888, A., 229.

- fire-damp, 1888, A., 570.

Ernst.benzenesulphone - oamidobenzamide and its anhydride, 1890, A., 1289.

action of sulphonic chlorides on o-amidobenzamide, 1892, A., 334.

Frankel, Lee K., electrolysis of metallic thiocyanates and the decomposition of alkali thiocyanates, 1891, A., 1170.

 oxidation of arsenic by the electric current, 1892, A., 752.

Frankel, Lee K. See also Edgar Francis Smith.

See Paul Frankenbacher, Alexander. Jacobson.

Frankfeld, H., cinnamic acid in the products of decomposition of crude cocame, 1889, A., 419.

Frankland, Edward, chemistry of storage batteries, 1883, A., 839; 1890, A., 842.

chemical changes in relation to micro-organisms, 1885, T., 159; P., 9; discussion, P., 12.

Frankland, (Mrs.) Grace C., morphological characterisation of Bacillus ethacetosuccinicus, 1892, T. 275.

Frankland, (Mrs.) Grace C. See also Percy Faraday Frankland.

Frankland, Percy Faraday, the illuminating power of ethylene when burnt with non-luminous combustible gases, 1884, T., 30.

 the composition of coal and cannel gas in relation to their illuminating powers, 1884, T., 189.

 the influence of incombustible diluents on the illuminating power of ethylene, 1884, T., 227.

illuminating power of hydrocar-bons, 1885, T., 235; P., 31.
 removal of micro-organisms from

water, 1886, A., 573.

- a gasometric method of determining nitrous acid, 1888, T., 364; P., 23. action of some specific micro-organisms on nitric acid, 1888, T., 373.

 action of gases on the development of micro-organisms, 1889, A., 738.

Frankland, Percy Faraday, and John Dingwall, decomposition of potassium chlorate and perchlorate by heat, 1887, T., 274; P., 14.

Frankland, Percy Faraday, and Joseph J. Fox, fermentation of mannitol and glycerol, 1890, A., 915.

Frankland, Percy Furuday, and (Mrs.)
(Frace U. Frankland, the nitrifying process and its specific ferment, 1891, A., 352.

Frankland, Percy Furaday, and William Frew, fermentation of calcium glycerate by Bacillus cthaceticus, 1890, P., 173; 1891, T., 81.

_____ optically active glyceric acid, 1890, P., 174; 1891, T., 96.

- a pure fermentation of mannitol and dulcitol, 1892, T., 254; P., 11.

Frankland, Percy Faraday, and Frederick John Hambly, composition of the milk of the bottle-nose whale,

1890, A., 812. Frankland, Percy Faraday, and Frank Jordan, on the gases evolved during the conversion of grass into hay, 1883, T., 294.

Frankland, Percy Faraday, and John S. Lumsden, decomposition of mannitol and dextrose by the Bacillus chiaccticus, 1892, T., 432; P., 70; discussion, P., 71.

Frankland, Percy Furaday, and John MacGregor, fermentation of anabinose with the Bacillus ethaceticus, 1892, T., 737; P., 132.
Frankland, Percy Faraday, and Thomas

Turner, note on the action of allyl iodide upon phenol in presence of zinc or aluminium foil, 1883, T., 357.

Frankland, Percy Faraday, Arthur Stanley, and William Frew, fermentations induced by the Pneumococcus of Friedlander, 1891, T., 253; P., 30. Franzek, Carl J. See Paul Ehrhardt

Jannasch.

Franzenau, August, amphibole from the Aranyer Mountain, 1885, A., 226. - anglesite from Felso-Vissó, 1885,

A., 733. Fraser, Thomas Richard, strophanthin, 1887, A., 1115; 1888, A., 606.

- Strophanthus hispidus, 1890, A., 262.

Frear, William, the time element in gluten determinations, 1885, A., 1014. digestibility of soiling rye, 1889, A., 735.

Freda, Giovanni, mineralogical notices, 1884, A., 272.

chrysocolla from Etna, 1885, A., 643. composition of the piperno of the Collina del Vomero, 1889, A, 222.

composition of saline sublimates from Vesuvius, 1890, A., 571. -recent Vesuvian lavas, 1890, A., 573.

Fredericq, Léon, influence of changes in the composition of the air on respiratory changes, 1885, A., 407.

preservation of oxyhæmoglobin,

189ī, A., 591.

- preservation of hemocyanin, 1891, A., 591.

– hæmocyanin, 1892, A., 1370.

Freer, Paul C., action of sodium on acetone, 1890, A., 956.

 constitution of aliphatic ketones and the action of sodium on acetone,

1891, A., 1181.

ethyl acetoacetate, 1892, A., 953.

 lecture experiment illustrating the effusion of gases, 1892, A., 1150. Freer, Paul C., and F. L. Dunlap,

hydrolysis of substituted ethyl acetates, 1892, A., 1148.

Freer, Paul C., and George O. Higley, action of ethyl chlorocarbonate on acetone-sodium, 1891, A., 1182.

Freer, Paul C., and William Henry Perkin, junior, action of ethylene bromide on the sodium derivatives of ethyl acetoacetate, benzoylacetate, and acetonedicarboxylate, 1887, T., 820; P., 95.

 attempt to synthesize heptamethylene-derivatives, 1887, P., 96;

discussion, P., 97.

synthesis of hexamethylene-derivatives, 1887, P., 96.

 synthetical formation closed carbon chains: derivatives of hexamethylene, 1888, T., 202.

synthetical formation of closed carbon chains; experiments on the synthesis of heptamethylene, 1888, T., 215.

Freer, Pand C. See also Arthur Michael,

William Henry Perkin, junior.

Freinkel, Moses. See Friedrich Kehrmann,

Freire, Domingos, alkaloid from Solumun grandiflorum, 1888, A., 166.

Fremery, J. L. de, analysis of two Californian wines, 1885, A., 812.

Fremery, M., arsenotungstic acids, 1884, A., 965.

Fremy, Edmond, artificial formation of rubies, 1887, A., 556.

Fremy, Edmond, and V. Urbain, cutose, 1885, A., 369.

Fremy, Edmond, and A. Verneuil, action of fluorides on alumina, 1887, A., 1556.

- artificial rubies, 1888, A., 561. – synthesis of rubies, 1891, A., 158 ---

French, Audrew, peculiar crystalline alloy of copper, tin, and lead, 1890, A., 335.

French, William, estimation of gold, tin, and cadmium in alloys, 1892, A., 1030.

Frentzel, Johannes, n-primary-hexyl alcohol, 1883, A., 1075.

Frentzel, Waldemar, polymerisation products of the tolyl cyanates, 1888, A., 454.

– aromatic cvanates and polymerides, 1889, A., 241.

Frenzel, August, rezbanyite, a mineral species, 1884, A. 266. a new

- alloclasite, 1884, A., 266.

- turquoise found at Alexandria, 1884, A., 269.

mineralogical notes, 1888, A.,

analysis of hohmannite, 1888, A.,

Frenzel, August. See also Andreas Arzruni.

Frenzel, Johannes, and Theodor Weyl, estimation of casein in cows' milk, 1885, A., 936.

Frerichs, E., formation of hydrochloric acid in the stomach, 1886, A., 639.

Fresenius, Carl Remigius, new reaction of titanic acid, 1886, A., 181.

estimation of arsenic and boric acids in mineral waters, 1886, A., 649.

separation of gold and platinum from tin, antimony, and arsenic, 1886, A., 651.

- hot springs at Wiesbaden, 1887, A., 352; 1888, A., 928.

— preparation of hydrogen sulphide

free from arsenic, 1887, A., 885.

— mineral spring in the Admirals-

tium, 1890, A., 826, 924; 1891, A., 110.

 separation of barium from calcium, 1891, A., 500, 1552; 1892, A., 100.

- Julianen and Georgen springs at

Eilsen, 1892, A., 796.
Fresenius, Carl Remigius, and Eugen Borgmann, analyses of pure wines, 1883, A., 518.

Fresenius, Carl Remigius, and Th. Wilhelm Fresenius, detection of adulteration in Portland cement, 1884, A., 876.

Portland cement and its adulteration, 1885, A., 616.

Fresenius, Carl Remigius, and E. Hintz, estimation of tin in hardhead, 1886, A., 180.

Fresenius, Carl Remigius, and E. Hintz, detection of arsenic in fabrics, paper, etc., 1888, A., 754.

 estimation of silicon and iron in cryolite, 1889, A., 927.

- analysis of chrome-iron ore, 1890, A., 828.

Fresenius, Heinrich, analysis of the Schützenhof Quelle, Wiesbaden, 1887, A., 647.

 estimation of arsenic in pyrites, 1888, A., 322.

- arsenic in bone-phosphate used for cattle-feeding, 1889, A., 548.

Fresenius, *Heinrich*, and sulphuric acid as a manure, 1884, A., 926.

Th. Wilhelm, arsenic in Fresenius. glass, 1884, A., 220.

- use of asbestos to aid the subsidence of suspended matter, 1888, A., 320.

- estimation of phosphoric acid in sweet wines, 1889, A., 547.

-examination and valuation of spirituous liquors, 1890, A., 1194. the true or Mohr's litre for volu-

metric analysis, 1891, A., 1548. - recognition of potato starch sugar

in wines, 1892, A., 922. Fresenius, Th. Wilhelm, and F. Ruppert, solubility of calcium and strontium chromates in dilute alcohol, and the separation of these metals as chrom-

ates, 1892, A., 914.

Fresenius, Th. Wilhelm. See also Eugen Borgmann, Carl Remigius Fresenius.

Freudberg, A., influence of acids and alkalis on the alkalinity of human blood and on the reaction of the urine, 1891, A., 1528.

Freudenberg, H., a new principle of electrolytic separation of metals, 1892, A., 1521.

Freund, August, formation of sorbose from the juice of mountain ash berries, 1891, A., 658.

Freund, Ernst, volumetric estimation of

sulphuric acid in urine, 1892, A., 1377.

Freund, Ernst, and Fritz Obermayer, the blood in leucocythæmia, 1891, A., 1124

Freund, Martin, malonic acid, 1884,

malonic and tartronic acids, 1884, A., 1123.

- ethyl ferrocyanide, 1888, A., 571. – ethyl platinocyanide, 1888, A.,571.

- hydrastine, 1889, A., 627, 908, 1221; 1890, A., 534.

Freund, Martin, conversion of trinitrohydrazobenzene into nitrosodinitroazobenzene, 1889, A., 977.

— hydrazines, 1890, A., 148. Freund, Martin, and Carl Dormeyer, hydrastine, 1891, A., 1518; 1892, A., 223.

Freund, Martin, and Byron B. Goldsmith, derivatives of ethylmalonic acid, 1888, A., 675.

- action of carbonyl chloride on hydrazides, 1888, A., 686.

- derivatives of carbizine and thiocarbizine, 1888, A., 1187.

Freund, Martin, and Edward Gudeman, tetramethylene derivatives, 1888, A., 1271.

Freund, Martin, and Max Heim, hydrastine, 1891, A., 92. Freund, Martin, and Paul Herrmann,

new hexylamine and a new hexyl alcohol, 1890, A., 473.

Freund, Martin, and Paul Immerwahr, reduction of nitriles, 1890, A., 1407.

Freund, Martin, and Walter Josephi, alkaloids of the root of Corydalis cava, 1892, A., 1366.

Freund, Martin, and Felix Kuh, constitution of carbizines, 1890, A., 1440.

Fround, Martin, and Siegbert Lachmann, hydrastine, 1889, A., 1220. Freund, Martin, and Friedrich Lenze,

tertiary-butylcarbinol. 1890, A., 1388. polymeride of trimethylacetonitrile, 1891, A., 1170.

attempt to prepare tertiary-

butylcarbinol, 1891, A., 1172. Freund, Martin, and Alfred Philips,

hydrastine, 1891, A., 93. Freund, Martin, and Paul Remse, reduction of nitriles, 1890, A., 1422. Freund, Martin, and Albert Rosenberg,

hydrastine, 1890, A., 532. Freund, Martin, and Wladimir Rosen-

stein, cinchonine, 1892, A., 892.

Freund, Martin, and Franz Schönfeld, interaction of nonylamine and nitrous acid, 1892, A., 132.

Freund, Martin, and Wilhelm Will, substances contained in the roots of Hydrastis canadensis, 1887, A., 174.

 hydrastine and its derivatives, 1887, A., 383, 1057.

Freund, Martin, and Hans Wolf, action of thiocarbonyl chloride on aromatic thiocarbamides, 1892, A., 983.

Freund, Martin (and others), biazolones, 1892, A., 508.

Frew, William. See Thomas Carnelley. Percy Faraday Frankland.

Frey, Hans, and M. Horowitz, new method for obtaining aromatic carboxylic acids, 1891, A., 565.

Freydl, Julian, dry distillation of tartaric and citric acids with excess of lime, 1883, A., 658.

- constitution of quinoline derivatives, 1888, A., 296.

new synthesis of rhodanic acid, 1889, A., 961.

- loss of nitrogen in some analyses by Will and Varrentrapp's method, 1890, A., 1194.

Freyer, Frans, and Victor Meyer, boilingpoint of zinc chloride and bromide and ignition temperature of electro-

lytic gas, 1892, A., 680.

Freyss, Georg. See Richard Brasch.

Freytag, Carl Emil Clemens, and von der Becke, feeding horses on earthnut meal, 1884, A., 100.

Freytag, Wilhelm. See Heinrich

Beckurts.

Fricke, estimation of sulphuric acid in

water, 1887, A., 862. Fricke, E., estimation of nitrogen in

nitrates, 1892, A., 527. Frickhinger, H., oxalic acid from the residue of Spiritus atheris nitrosi, 1887, A., 360.

Fridolin, Alexander, chebulinic acid, 1885, A., 396.

- tannin from various plants, 1885, A., 808.

Friedburg, L. H., carbon bisulphide, 1883, A., 535.

- manufacture of tartaric acid, 1883, A., 1178.

- preparation of thiophen, 1890, A., 1400.

– formation of anthraquinone, 1890, A., 1425.

Friedburg, L. H., and John A. Mandel, action of nitrous anhydride on various substances in solution in carbon bisulphide, 1890, A., 1401.

Friedel, Charles, brucite of Cogne, Vale of Aosta, 1884, A., 162.

combustion of diamonds, 1884, A., 1090.

- reply to remarks by Troost concerning chloral hydrate, 1885, A.,746. - crystalline form of quercin, 1887,

A., 1026. - cinchonamine, 1888, A., 165.

– mesocamphoric acid, 1889, A., 898. crystalline form and optical properties of Engel's crystalline modification of sulphur, 1891, A., 977.

benzene hexachloride, 1891, A., 1196.

Friedel, Charles, ethyl camphorates and

isocamphorates, 1892, A., 500.
Friedel, Charles, and Max Balsohn, artificial production of mellite, 1883, A., 427.

Friedel, Charles, and James Mason Crafts, action of methylene chloride on toluene and benzene, 1884, A., 1312.

- decomposition of sulphonic acids, 1885, A., 268.

- decomposing action of aluminium chloride on hydrocarbons, 1885, A., 654.

- separation of mixtures of hydrocarbons of the benzene series, 1886, A., 229.

- action of methyl chloride on o-dichlorobenzene o-dichlorobenzene in presence caluminium chloride, 1887, A., 1101.

action of methylene chloride on methylbenzene in on methylbenzene in prescuce of aluminium chloride, 1887, A., 1102.

 vapour density and molecular weight of aluminium chloride, 1888, A., 1040.

- vapour density of gallium chloride, 1888, A., 1250.

- - vapour density of chlorine and of ferric chloride, 1888, A., 1251. new general method for the synthesis of aromatic compounds, 1889, A., 241.

- decomposition of sulphonic acids in presence of phosphoric acid, 1889, A., 1200.

Friedel, Charles, and Jacques Curie, pyroelectricity of quartz, 1883, A., 897.

pyroelectricity of blende, sodium chlorate, and boracite, 1884, A., 3.

nyroelectricity of the topaz, 1885, A., 469.

Friedel, Charles, and Georges Friedel, action of solutions of alkalis, &c. on

mica, 1890, A., 1080.
Friedel, Charles, and Léon Roux, action of aluminium on aluminium chloride, 1885, A., 873.

Friedel, Charles, and Edmond Sarasin, artificial production of phosgenite, 1883, A., 431.

- formation of albite in the wet way, 1884, A., 163.

Friedel, Charles (and others), composition of dawsonite, 1883, A., 430. Friedel, Charles. See also Marcellin

Berthelot.

Friedel, Georges, melanophlogite, 1891, A., 648.

Friedel. Georges. See also Charles Friedel.

Friedheim, Carl, estimation of sulphur, 1886, A., 739.

 Weil's method for estimating sulphides, 1887, A., 396, 749.

· von der Pfordten's silver suboxide, 1887, A., 1079.

silver suboxide and the action of potassium permanganate on silver, 1888, A., 415.

- meteorites of Alfianello and Concepcion, 1890, A., 115.

- separation of vanadic and tungstic acids, 1890, A., 666.

- tungstovanadic acids, 1890, A., 1066.

- molybdovanadates, 1891, A., 884. Friedheim, Carl, and Hans Leo, estimation of free hydrochloric acid in the presence of acid phosphates by means of calcium carbonate, 1891, A., 1288.

Friedheim, Carl, and W. Schmitz-Dumont, arsenovanadic acids, 1890, A., 1380.

Friedheim, Carl, and M. Szamatólski, so-called phosphovanadic acid and its salts, 1890, A., 1067.

Friedl, W., staurolite, 1886, A., 32. Friedländer, Emil, derivatives of a- and B-naphthols, 1884, A., 79.

Friedländer, Paul, o-amidobenzaldehyde,

1883, A., 331. substitution derivatives of quinoline, 1883, A., 351.

- p-amidobenzyl cyanide, 1884, A., 737.

- nitration of cinnamic acid derivatives, 1885, A., 1137.

- aromatic amido-compounds, 1889, A., 606.

Friedländer, Paul, and Otto Boekmann, naphthaquinonedichlorodiimide, 1889, A., 614.

Friedländer, Paul, and C. F. Göhring, preparation of substituted quinolines. 1883, A., 1148.

o-amidobenzaldehyde, 1884, A., 1019.

Friedländer, Paul, and Robert Henriques. reduction of o-nitrobenzaldehyde, 1883, A., 187.

Friedländer, Paul, and Maurice Julius Lazarus, nitration of m- and o-nitrocinnamic scids, etc., 1885, A., 1138.

Friedländer, Paul, and Jacob Mähly, isoindole, 1883, A., 918.

nitration of p-nitrocinnamic acid, 1885, A., 1137.

Friedländer, Paul, and Ferdinand Müller, derivatives of ψ-carbostyril, 1887, A., 977.

Friedländer, Paul, and Stanislas von Szymanski, nitration of 8-naphthylamine, 1892, A., 1232.

Friedländer, Paul, and Arthur Weinberg, constitution of carbostyril and hydrocarbostyril, 1883, A., 204.

- carbostyril, 1885, A., 989. Friedländer, Paul, and Peter Welmans, dimethyl-a-naphthylamine and di-1889, ethyl-a-naphthylamine, 150.

Friedländer, Paul, and Severin Wleugel, constitution of anthranil, 1884, A., 61.

Friedländer, Paul. See also Jacob Eliasberg.

Friedreich A. See Karl Hazura, Alois Smolka.

Friedrich, Arthur Richard, monohalogen derivatives of crotonic acids, 1883, A., 968.

Friedrich, Arthur Richard. See also Aug. Emmert.

Friedrich. I., lead tetrachloride, 1890, A., 699.

Friedrichs, F., new galvanic battery, 1888, A., 99.

Friedrichs, F. See also Greiner.

Walter M. Friend, See William Dobinson Halliburton.

Fries, Harold, cyanuric derivatives, 1886, T., 314; P., 167.

- cyanuric chloride and other cyan-

uric derivatives, 1886, T., 789.

Fries, Leonard. See Henry Bungener.

Frische, Paul, nitro-derivatives of peresyl benzyl ether, 1884, A., 1837.

Friswell, Richard John, toughened glass beakers, 1885, P., 86.

 note on the action of dilute nitric acid on coal, 1892, P., 9.

Friswell, Richard John, and Arthur George Green, relation of diazobenzeneanilide to amidoazobenzene, 1885, T.,

anilide and its relation to amidoazo-

benzene, 1886, T., 746.
Fritsch, Paul, salts of dichlorhydrin with aromatic acids, 1891, A., 707.

— triglycerides of aromatic acids,

1891, A., 708.

Fritsch, Paul. See also Adolf von Baeyer.

Fritts, Charles E., selenium battery.

1886, A., 107.
Fritz, H., mutual relations of the physical properties of the elements, 1885, A., 117.

Fröhlich, Emanuel, derivatives of ψcumidine, 1884, A., 1318.

derivatives of benzoyl-ψ-cumidine,

1885, A., 154.
Fröhlich, G., measurements of solar heat, 1885, A., 326.
Frölich, C. See Theodor Zincke.

Froelich, Oscar, action of bromine on nitric oxide, 1884, A., 1257.

Fromentin, A. (and others), recovery of beet-juice by lime, etc., 1885, A.,

Fromm, Emil, disulphones, 1888, A., 357. - disulphones and trisulphones, 1890, A., 55.

- phenyldithiobiuret, 1892, A., 844. Fromm, Emil, and Eugen Baumann,

thio-derivatives of ketones, 1889, A.,

Fromm, Emil. See also Eugen Baumann.

Fromme, Curl, electrical researches, 1883, A., 697, 766.

 the tempering of steel, 1885, A.,26. electrolytic polarisation produced by feeble electromotive forces, 1887. A., 317, 541.

maximum galvanic polarisation,

1888, A., 390.

- maximum polarisation of platinum electrodes in sulphuric acid, 1890, A., 316, 675.

Fromme, Georg, and Robert Otto, 8dichloropropionic acid, 1887, A., 912. synthesis of xeronic acid from a-dibromobutyric acid, 1887, A.,

917. Frost, Bruno, constitution of terebic

and teraconic acids, 1885, A., 393. Frost, Howard V., condensation of benzyl cyanide and its substitution products with aldehydes and amyl nitrite, 1889, A., 597.

Frost, O. J., estimation of arsenic by

Pearce's process, 1884, A., 115. Frowein, P. C. F., dissociation of hydrated salts, 1888, A., 337.

Früh, J. J., morphology and chemistry of natural and artificial ulmin, 1884. A., 923.

Frühling, Joseph, γ-hydroxybutyric acid, 1883, A., 42.

Frühling, Joseph. See also Emilio Nölting.

See Otto Wallach. Früstück, Ernst. Fubino, Simone, detection of vegetable fibre in silk or woollen tissue, 1892, A., 667.

Fuchs, Fritz, behaviour of certain gases at low pressures in relation to Boyle's law, 1889, A., 98.

Fuchs, Frit:, method of estimating the basicity of acids, 1889, A., 463.

behaviour of phenols and hydroxyacids towards alkali hydrosulphides, 1889, A., 496; 1891, A., 46.

improvement in the method of estimating carbonic anhydride by volume, 1890, A., 194.

 a new combustion furnace, 1892, A., 1514.

Fuchs, Oskar. See Theodor Zincke. Furth, Alfred, isonitroso acids, 1884.

A., 42. Fürth, Ernst, preparation of n-valeric acid and dipropylacetic acid from ethyl malonate, 1888, A., 1053.

Fürth, Hugo, cochineal dye-stuffs, 1884,

Fulda, Heinrich, sulphonation of quinoline and phenol, 1891, A., 391.

Funaro, Angiolo, felspars from Elba, 1887, A., 560.

– sénégin from *Polygula Senegu*,1890, A., 262.

- composition of limestones from the "Montagnola Schese," 1890, A., 712.

Funaro, Angiolo, and Luigi Busatti. chemico-mineralogical studies on Italian minerals, 1884, A., 270.

Funaro, Angiolo. See also Fansto Sestini.

Furry, Frank Eugène, iodic acid as an indicator, 1885, A., 592.

G.

Gabba, Luigi, reaction with ferric chloride, 1889, A., 947.

Gabriel, (fato, nutritive value of different proteids, 1890, A., 394.

- action of hot water on proteids. 1890, A., 535.

crystalline egg-albumin, 1891, A., 1122.

estimation of cellulose, 1829, A., 923.

Gabriel, Siegmund, o-amidobenzaldehyde, 1883, A., 62.

phenylacetic acid, 1883, A., 64. · hydrocinnamic and cinnamic acids. 1883, A., 195.

so-called nitrosomethylbenzene compounds, 1883, A., 581.

– nitrobenzaldoxime, 1883, A., 916. - aromatic nitroso-compounds, 1883,

A., 919. m-amidobenzaldoxime, 1883, A.,

constitution of phthalylacetic acid. 1883, A., 1127; 1885, A., 164.

- Gabriel, Sieymund, condensation products from phthalic anhydride, 1884, A., 1176.
- phthalacene derivatives, 1884, A., 1189.
- action of sulphuric acid on acetophenone-o-carboxylic acid, 1885, A., **166.**
- benzylidenephthalide, 1885, A., 902, 1228.
- -action of phthalic anhydride on benzyl cyanide, 1885, A., 902.
- methylenephthalide, 1885, A., 1229. - derivatives of isoquinoline, 1886,
- A., 266; 1887, A., 61. -action of nitrous and hyponitric acids on unsaturated compounds, 1886, A., 620.
- phenylisoquinoline, 1886, A., 630. synthesis of isoquinoline, 1886, A., 812.
- -homo-o-phthalimide and its derivatives, 1887, A., 50, 725, 1112.
- homologue of isoquinoline, 1887, A., 739.
- -formation of primary amines from the corresponding halogen deriva-
- tives, 1887, A., 1037.

 benzylidenephthalide and isobenzalphthalide, 1888, A., 143.
- ethylamine derivatives, 1888, A.,
- 439; 1891, A., 815. vinylamine, 1888, A., 668.
- vinylamine and bromethylamine, 1888, A., 1267
- derivatives of trimethylenediamine, 1889, A., 486.
- bromethylamine and its derivatives, 1889, A., 848, 1134.
- amidomercaptan, 1889, A., 870. - ethylene bases, 1889, A., 1166.
- intramolecular change of allylcarbamides into isomeric bases, 1890, A., 127.
- · y-amidobutyric acid, 1890, A.,360. synthesis of homopiperic and piperic acids, 1890, A., 1129.
- γ-chlorobutyronitrile, 1890, A.,
- 1221. -thio-derivatives of ethylamine, 1892,
- A., 130. δ-chlorobutylamine: synthesis of pyrrolidine, 1892, A., 131.
- preparation of primary amines by means of potassium phthalimide, 1892, A., 157.
- c-chloramylamine and synthesis of piperidine, 1892, A., 717.
- Gabriel, Siegmund, and Wolter Aschan. a product of the putrefaction of proteids, 1891, A., 948.

- Gabriel, Sicgmund, and Otto Borgmann, benzyl derivatives, 1883, A., 1121.
- Gabriel, Stegmund, and Georg Cohn, diphenylmaleic anhydride, 1892, A.,
- Gabriel, Siegmund, and Paul Elfeldt, mesophenylpentoxazoline, 1892, A., 212.
- Gabriel, Siegmund, and Julius Hausmann, action of o-cyanobenzyl chloride on ethyl sodacetoacetate, 1889, A., 1172.
- Gabriel, Siegmund, and Hugo Hendess, benzyl derivatives, 1888, A., 144.
- Gabriel, Siegmund, and Martin Herzberg, p-nitrobenzaldoxime and amidobenzaldehyde, 1883, A. 1104.
- derivatives of cinnamic and hydrocinnamic acids, 1883, A., 1123.
- Gabriel, Siegmund, and Philibert Heymann, preparation of anhydro-bases from amidomercaptans of the fatty series, 1890, A., 524.
- oxazolines, 1890, A., 1267. action of alkylene bromides
- on thiamides, 1891, A., 701. Gabriel, Siegmund, and Robert Jansen, quinazolines, 1890, A., 1442; 1892, A., Ž17.
- Gabriel, Siegmund, and Max Koppe, phenylnitromethane, 1886, A., 693.
- Gabriel, Siegmund, and Karl Kroseberg, preparation of glycocine, 1889, A., 590.
- Gabriel, Siegmund, and William Egglrston Lauer, derivatives of propylamine, 1890, A., 472.
- Gabriel, Siegmund, and Albert Neumann, formation of oxazolines, 1892, A., 1331.
- Gabriel, Siegmund, and Richard Otto.
- o-cyanotoluene, 1887, A., 1035. Gabriel, Siegmund, and Jean Weiner, derivatives of propylamine, 1888, A., 1292.
- Gabriel, Siegmund, and Bruno Weise o-cyanotoluene, 1888, A., 261.
- Gabriel, Siegmund. See also Virgil Albert Wodehouse Coblentz, August Wilhelm von Hofmann.
- Gaçon, Adrien, blasting powder, 1885. A., 315.
- Gad, Johannes, and Jean François Heymans, myelin, 1891, A., 846.
- Gadd, Magnus. See Edvard Immanuel Hjelt.
- Gadd, W. Lawrence, and Samuel Lees, estimation of grease, 1891, A., 1144. Gabel, D., margarimeter of Lenne and
- Harbulet, 1883, A., 247. on creaming, 1883, A., 253.

Gäbel, D., composition of cows' milk in Holland, 1881, A., 1396.

Gärtner, Ludwig. See Adolph Claus. Gaess, Fr., nitro- and amido-derivatives of β-naphthyl ethyl ether, 1891, Δ.,

Gaglio, Gaetano, stability of carbonic oxide and oxalic acid in the animal organism, 1888, A., 619.

Gagnaire, effect of fresh stable manure on potatoes, 1885, A., 189.

Gaiffe, A., standard volt, 1885, A., 1099.
Gaines, R. H., liquid nitrous anhydride, 1884, A., 15.

Gal, Henri, passage of alcoholic liquids through porous vessels, 1883, A., 279.
— passage of alcoholic liquids through membranes, 1883, A., 549.

—— action of zinc ethyl on anines and phosphines, 1883, A., 653; 1884, A., 985.

— metallic derivatives of amides; method of distinguishing between monamides and diamides, 1883, A., 913.

Gal, Henri. and Eugène Werner, heats of neutralisation of homologous and isomeric acids, 1887, A., 95.

———— heats of neutralisation of malonic, tartronic, and malic acids, 1887, A., 96.

————— heats of neutralisation of glyceric and camphoric acids, 1887, A., 205.

Gal, Jules, formation of plastic sulphur from sulphur vapour, 1892, A., 1150.

Galewsky, P., action of ammonia on diand tri-halogen substitution products of hydrocarbons, 1890, A., 952.

— diphenylene oxide, 1891, A., 1234.
Galitzin, (Prince) Boris B., sphere of action of molecular forces, 1890, A., 105.

—— Dalton's law, 1891, A., 378.

Galle, Karl, tetrethylbenzene and hexethylbenzene, 1883, A., 1091.

Gallia, Jos., meteorites of Alfianello, 1833, A., 1071.

Gallinek, A., and Victor von Richter, sulphonation of phenylhydrazines, 1886, A., 236.

Gallois, E. See Adrian.

Gallois, François Nurcisse. Seq Ernest Hardy.

Galloway, Robert, estimation of coke and volatile products in coal, 1883, A., 517.

Galloway, William, influence of coal dust on colliery explosions, 1883, A., 127; 1885, A., 463.

Ganelin, S., and Stanislaus von Kostanecki, constitution of o-hydroxyazodyes, 1892, A., 506.

Gans, Iwan, purification of molasses, 1885, A., 103.

Gans, Leopold. See Rudolf Benedikt. Gans, Paul F. See Ludwig Wolff.

Gans, Robert, estimation of potassium hydrogen tartrate and of tartaric and malic acids in wine, 1890, A., 427.

Gans, Robert, and Bernhard Tollens, quince and salep mucus, 1889, A., 541.

Gans, Robert, Winthrop E. Stone, and Bernhard Tollens, formation of saccharic acid as an indication of dextrose, and of furfuraldehyde as an indication of arabinose in carbohydrates, 1888, A., 1059.

Gantter, Friedrich, colouring matter of wine, 1883, A., 1141.

---- estimation of tartaric acid, 1888,

estimation of the dry residue and fat in milk and butter, 1888, A., 537.

estimation of tannin, 1888, A., 540.

—— estimation of tannin by permanganate, 1890, A., 430.

Gantter, Friedrich, and Curl Hell, occurrence of pimelic acid amongst the oxidation products of castor oil, 1885, A., 44.

Garbe, Paul, Joule's laws, 1884, A., 881. Garbe, Paul. See also André Crova.

Gardiner, Walter, function of tannin in vegetable cells, 1884, A., 1209.

Gardner, John Addyman, compounds of tertiary amines with acetic acid, 1890, A., 1156.

Gardner, John Addyman. See also Kurl Auwers, Jumes Ernest Marsh, Frank Pullinger.

Garelli, Felice, action of phenylhydrazine and hydroxylamine on some ketonic acids, 1891, A., 711.

oximes of some ketonic acids, 1892,
 A., 327.

derivatives of cyanacetophenone, 1892, A., 845.

Garnier, Jules, artificial production of a chronium blue, 1891, A., 271.

— volatilisation of nickel and iron in presence of carbonic oxide, 1891, A., 1429.

145

Garnier, Léon, albumin from urine coagulated by nitric acid and soluble in alcohol, 1883, A., 247.

- standard soap solution, 1884, A.,

1072.

- arsenic in bleaching powder and in potassium chlorate, 1886, A., 99.

- action of the pulmonary tissue in the expiration of carbonic anhydride, 1886, A., 1052.

estimation of nitrogen in urine, 1887, A., 863.

 estimation of proteids in liquids from cysts, etc., 1887, A., 872.

Garnier, Léon. See also Charles Fréderic

Schlagdenhauffen.

Garny, Fritz, action of hydroxylamine on derivatives of succinic and glutaric acids, 1892, A., 136.

Garret, J. C., the two bidesyls, 1889, A., 162.

Garrod, (Sir) Alfred Baring, formation of uric acid in the animal economy, 1883, A., 876.

physiology of uric acid, 1885, A., 414.

- place of origin of uric acid in the animal organism, 1887, A., 388. Garrod, Archibald Edward, uro-hæma-

toporphyrin, 1892, A., 744.

hæmatoporphyrinuria, 1892, A., 1506.

Gartenmeister, Rudolf, boiling-points and specific volumes of ethereal salts of normal fatty acids, 1886, A., 966. - Liebreich's inactive space, 1888,

A., 783.

- viscosity of liquid carbon com-pounds and its relation to chemical constitution, 1891, A., 380.

Garzarolli-Thurnlackh, Karl (Edler) von, action of zinc ethyl and zinc methyl on chlorinated aldehydes, 1884, A., 1118.

strychnine, 1889, A., 626.

- γ-trichloro-β-hydroxybutyric acid: synthesis of malic acid, 1892, A., 429. Garzarolli-Thurnlackh, Karl (Edler)

von, and Alfred Popper, action of zinc propyl and zinc isobutyl on butylchloral, 1884, A., 1117.

Garzarolli-Thurnlackh, Karl (Edler) von, and Gustav Schacherl, chlorine

monoxide, 1886, A., 118. Garzino, Lwigi, and dibromodichlorobenzene, 1888, A., 585.

 bromotrimethylcarbinol, 1889, A., 951.

 m-dichlorophenol and m-dibromophenol, 1890, A., 1107.

Garzino, Luigi, chlorodibromo- and bromodichloro-phenol and their conversion into quinones, 1890, A., 1108.

- tetrahydropyrazine, 1892, A., 633. Garzino, Luiyi. See also Icilio Guareschi.

Gasch, Rob., estimation of ferrocyanides in the bye-products of gas works, 1890, A., 834.

Gasiorowski, Kasimir, and VictorMerz, nitriles and carboxylic acids from aromatic amines, 1884, A., 734. - nitriles from aromatic form-

amides, 1885, A., 772.

Gasiorowski, Kasimir, and Anton F. Waijss, diazo-compounds, 1885, A., 525. - chlorinated and brominated hydrocarbons from aromatic amines, 1885, A., 1060.

Gasiorowski, Kasimir. See also Carl Culmann, Carl Dahm, Victor Merz.

Gaskell, Holbrook, and Ferdinand Hurter, preparation of sodium bicarbonate, 1884, A., 712.

Gasparin, P. de, estimation of phosphoric acid in arable soils, 1883, A., 619; 1884, A., 871.

· submersion of vineyards, 1883, A.,

- phosphatic deposits in the southeast of France, 1885, A., 127.

- phosphoric acid in the soil, 1885, A., 588.

complementary manures, 1885, A., 930.

Gassaud, organic nitrogen in chemical manures, 1887, A., 863.

Gassend and Campredon, estimation of phosphoric acid in manures, 1884, A., 217.

Gassend, A., presence of boric acid in products of the soil, 1892, A., 98. - detection of sesame oil in olive oil,

1892, A., 1133. Gastiger, Victor, ethyl-p-tolylnitros-amine, 1885, A., 381.

Gastine, Gubriel, detection and estima-tion of small quantities of carbon bisulphide in air, gases, etc., 1884, A., 1431.

- preparation of starch solution for use in volumetric analysis, 1889, A., 73.

Gatellier, Emile, growth of wheat after sugar-beet, and after potatoes, 1886.

- manuring experiments with various

phosphates, 1888, A., 749. Gatellier, Emile, and Louis Désiré L'Hôte, gluten in wheat, 1889, A., 740, 919.

- Gatenby, Richard, volumetric estimation of alumina, 1887, A., 865.
- Gattermann, Ludwig, s-tribromaniline, 1883, A., 796.
- tolane tetrachloride, 1885, A., 167. derivatives of m-nitro-p-toluidine,
- 1885, A., 975. α- and β-thienone, 1886, A.,
- action of halogenated amines on
- phenylcarbimide, 1886, A., 795. – nitrogen chloride, 1888, A., 412.
- chloroformamide and its use in synthesis, 1888, A., 574.
- silicon and boron, 1889, A., 342. action of sulphur on toluidine, 1889, A., 602.
- isomerism of organic substances containing nitrogen, 1890, A., 1112.
- new dyes of the anthraquinone series, 1891, A., 935.
- method for the isolation of aromatic sulphonic acids, 1891, A., 1226.
- August Gattermann, Ludwig, and Cantzler, aromatic isocyanates, 1892, A., 832.
- Gattermann, Ludwig, and Friedrich Wilhelm Hermann Hager, action of ethylene bromide on nitraniline and
- on nitrotoluidine, 1884, A., 1142. Gattermann, Ludwig, and Wilhelm Haussknecht, formation of thiocyanates from amido compounds, 1890, A., 749.
- spontaneously inflammable hydrogen phosphide, 1890, A., 942. Gattermann, Ludwig, and Richardt Hölzle, replacement of the hydrazine
- group by halogens, 1892, A., 842. Gattermann, Liulwig, and Paul Jacob-
- son, history of primuline, 1889, A., 868.
- Gattermann, Liuliviy, and Idolf Kaiser, p-chloro-m-nitrotoluene and its reduction products, 1886, A., 49.

 — constitution of quinoline
- derivatives from meta-substituted amines, 1886, A., 79.
- Gattermann, Ludwig, and Oscar Neuberg, synthesis of dehydrothiotoluidine, 1892, A., 839.
- Gattermann, Ludwig, and A. Ritschke,
- azoxyphenol ethers, 1890, A., 1119.
 Gattermann, Ludwig, and Molchior
 Römer, action of acetic chloride on halogen derivatives of thiophen, 1886, A., 537.
- Gattermann, Ludwig, and Alexander Rossolymo, modification of the chloroformamide synthesis, 1890, A., 974.

- Gattermann, Ludwig, and Georg Schmidt, preparation of alkyl amidoformic chlorides and alkyl isocyanates, 1887, A., 358.
- chloroformamide: synthesis of aromatic acids, 1887, A., 569.
- Gattermann, Ludwig, and Georg Wichmann, two bye-products in the technical preparation of amidoazobenzene, 1888, A., 829.
- aldehyde-blue, 1889, 503.
- Gattermann, Ludwig, and Eduard Wrampelmeyer, p- and m-phenylene cyanate, 1886, A., 50.
- Gattermann, Ludwig, Robert Ehrhardt, and Henry Charles Christian Maisch, alkylene derivatives of phenylic ethers, 1889, A., 862.
- from phenol ethers by Friedel and Craft's method, 1890, A., 962.
 Gattermann, Ludwig, Edward Sullivan
- Johnson, and Richardt Hölzle, acid hydrazides, 1892, A., 843.
- Gattermann, Ludwig, Adolf Kaiser, and Victor Meyer, constitutional formula of thiophen, 1886, A., 227. Gattermann, Ludwig, Wilhelm Hauss-
- knecht, August Cantzler, and Robert Ehrhardt, diazo-compounds, 1890, A.,
- Gattermann, Ludwig. See also Wilh. Pfitzinger, Robert Eduard Schmidt.
- Gaube, reducing substance in urine, 1890, л., 188.
- uro-phosphates and hippuno-phosphates, 1891, A., 98.
- Gaunersdorfer, Joh., poisoning of plants by lithium salts, 1887, A., 991.
- Gautier, Emile Justin Armand, formation of alkaloids from normal human fluids, 1883, A., 101.

 — new method for the synthesis of
- nitrogenous organic compounds, 1885,
- sterilisation of fermentable liquids in the cold, 1885, A., 287.
 — leucomaines, 1885, A., 676.
- constitution of the proteids, 1885,
- A., 1082.
- ptomames and leucomaines, 1886, A., 634; 1888, A., 303. formation of carbon oxysulphide,
- 1889, A., 212
- note on Maurice Hamiot's paper, "Assimilation of carbohydrates," 1892, A., 742.
- origin of the colouring matters of the vine; ampelochroic acid, 1892, A., 1242.

Gautier, Emile Justin Armunul, and René Drouin, absorption of nitrogen by soils and plants, 1888, A., 746, 871, 1127.

fixation of atmospheric nitrogen by atable soils, 1892, A., 522.

Gautier, Emile Justin Armand, and Alexandre Léon Etard, bases formed by putrefaction, 1883, A., 100.

- putrid fermentation and the alkaloids produced by it, 1883, A., 224.

products of the bacterial fermentation of albuminoids, 1884, A.,

- acid products of the bacterial fermentation of albuminoids, 1884, A., 188.

observation on the poison of batrachians, 1884, A., 764.

Gautier, Emile Justin Armand, and L. Hallopeau, metallic sulphides, 1889,

A., 677, 831.
Gautier, Emile Justin Armand, and Louis Mourgues, alkaloids from cod liver oil, 1888, A., 1315; 1889, A., 63.

- acid from cod liver oil, 1889,

A., 170.

Gautier, Ferdinand, manganese steel, 1885, A., 307.

 influence of silicon on the condition of carbon in cast-iron, 1887, A., 220. Gautier, Henri, p-monochloracetophe-

none, 1885, A., 1061. action of chlorine on anhydrous

chloral, 1886, A., 221. chlorination of acetophenone, 1886,

A., 800. chlorine derivatives of acetophe-

none, 1887, A., 141. influence of light and temperature

on chlorination, 1887, A., 922. apparatus for distillation under

reduced pressure, 1890, A., 329. Gautier. Henri, and Georges Charpy,

iodine in solution, 1890, A., 446. affinities of iodine in solution,

1891, A., 148. - action of nitric acid on iron, 1891, A., 1426.

 direct combination of chlorine and bromine with metals, 1892, A., 118.

Gautier, Henri. See also Albert Colson, *Honri* Moissan.

Gautrand, estimation of ethylsulphuric acid in Rabel water, 1886, A., 1079. Gavazzi. See Cavazzi.

Gawalowski, A., estimation of tannin, 1883, A., 391.

Gawalowski, A., an indicator showing the neutral point in alkalimetry and acidimetry, 1884, A., 363, 1215.
— modification of Zulkowsky's

azotimeter, 1885, A., 593.

- bottles for reagents, 1885, A., 835.

new burette, 1885, A., 835.

— soap analysis, 1885, A., 844.

--- an aspirator, 1886, A., 15. - a new ammonium magnesium phosphate, 1886, A, 204.

- aluminium sulphate, 1886, A., 204. - filters with greased edge, 1887, A.,

separation of mineral oils from saponifiable fats, 1887, A., 1001.

volumetric estimation of sulphuric acid, 1888, A., 751; 1890, A., 825.

separation of ethereal solutions from aqueous liquids, 1889, A., 1086. - block support for tubes, 1892, A., 9.

Gay, Jules, absorption of nitrie oxide by ferrous salts, 1885, A., 1109.

Gayon, Ulysse, fermentation of manure, 1884, A., 773.

- detection and estimation of aldehydes in commercial alcohols, 1888, A., 326.

Gayon, Ulysse, and Elisée Dubourg, abnormal secretion of nitrogenous substances by yeasts and moulds, 1886, A., 733.

alcoholic fermentation of dextrin and starch, 1887, A., 171.

 alcoholic fermentation of invert sugar, 1890, A., 950.

Gayon, Ulysse, and Gabriel Dupetit, fermentation of nitrates, 1883, A., 230.

- reduction of nitrates and nitrites, 1883, A., 609.

 reduction of nitrates by micro-organisms, 1886, A., 823.

- - method of preventing secondary fermentation, 1887, A., 171.

Gayon, Ulysse (and others), a denitrifying ferment in soils, 1883, A., 679.

Gayon, Ulysse. See also Alexis Millardet.

Gaze, Rudolf, berberine and hydroherberine, 1890, A., 1011; 1891, A., 332. - propionates, 1892, A., 140.

Gazzarrini, A., action of sulphur on benzaldehyde, 1888, A., 950.

Gebek, Leopold, azo-compounds of salicylic acid, 1889, A., 780.

Gebhardt, Willibald, secondary amines, 1884, A., 1320; 1885, A., 383. action of ammonia and amines on

thiocarbamide, 1885, A., 387. Gedölst, L., preparation of picrocarmine, 1887, A., 1117.

Gedult, Robert, estimation of reducing ! sugar, 1888, A., 876.

Gee, William Winson Haldane, and H. Holden, electrolysis, 1888, A., 887. irrecipiocal conductivity,

1889, A., 3.

H. Chr., estimation of Geelmuyden,

unic acid, 1892, A., 1032. Geer, Gerhard Jakob (Freiherr) de, manganese mineral from Upsala, 1883, A., 429.

Gehrenbeck, Clemens, simultaneous estimation of hydrogen and nitrogen, 1889, A., 1031.

Gehrenbeck, Clemens. See also Alfred Einhorn.

Gehring, (/usture, butyl monochlor-aretate, 1886, A., 784.

octyl mono-, di-, and tri-chloracetates, 1887, A., 653.

– butyl sebacate, 1887, A., 801.

perchloramyl and perchlorobutyl perchlorosebacates, 1887, A., 801.

- aniline sebacate and diphenylsebacamide, 1887, A., 822.

- sebaceodinitranilide, 1887, A., 935.

Geibel, P. (and others), removal of the leaves of roots, 1883, A., 613. Geigy, Rudolf, and Wilhelm Koenigs,

derivatives of benzophenone, 1885, A., 1236.

Geigy, Rudolf. See also Wilhelm Koenigs.

Geikie, (Sir) Archibuld, the supposed pre-Cambrian rocks of St. David's, 1884, A., 411.
Geinitz, Franz Eugen, phyllite from

Rimogens in the Andennes, 1883, A.,

pseudomorph of nacrite after fluorspar, 1883, A., 1069.

Geisenheimer, (/., iridium dioxide, 1890.

– iridium phosphorus chlorides, 1890, A., 1068.

- combination of iridium phosphochlorides with assenic chloride, 1890, A., 1069.

itidium phosphorus bromides, 1890, A., 1383.

Geisenheimer, G., and F. Leteur, new form of ammonium chloride, 1890, A., 694.

Geisler, Carl. See Adolph Claus.

Geissler, Ewald, estimation of fat in milk, 1885, A., 1014.

Geissmann, Célestin. See Emilio Nölting

Geitel, Adolf C., Borneo tallow, 1888, A., 447.

Geitel, Adolf C., action of sulphuric acid on olere acid and triolern, 1888, A., 578. Geitel, Adolf ('. See also H. I'ssel de

Schepper.

Geitel, Hans. See Julius Elster.

Geldermann, Hugo. See RichurdAnschütz.

Gélis, Alfred, and Thommeret-Gélis, sulphocarbometer, 1883, A., 386.

Geller, Werner. See Eugen Lellmann. Gelzer, Carl, derivatives of p-amidoisobutylbenzene, 1888, A., 266; 1889, A., 42.

Gelzer, Carl. See also Pedro N. Arata. Gendron, galvanic dichromate cell, 1890, A., 1354.

Genieser, Adolf, estimation of the specific gravity of frothy syrups, 1891, A., 142.

Genieser, Adolf. See also Con ad Willgerodt.

Gent, Joseph Franklin, use of maize in brewing, 1884, A., 527.

Genth, Carl, excretion of carbanide, 1885, A., 830.

Genth, Frederick Augustus, zinc blende and prehnite from Cornwall, Lebanon Co., Pa., 1884, A., 266.

- artificial alisonite, 1884, A., 266. - kupfernickel from Colorado, 1884, A., 266.

corundum, 1884, A., 267; 1890, A., 570.

- gahnite, 1884, A., 268,

rutile and zircon from the itacolumite of Edge Hill, 1884, A., 270.

alteration of talc into anthophyllite, 1884, A., 272.

· alteration of orthoclase into albite, 1884, A., 273.

- tale pseudomorphous after magnetite, 1884, A., 273.

- pyrophyllite in anthracite, 1884, A., 273.

- beryl and allanite from Alexander Co., N.C., 1884, A., 274.

- herderite, 1885, A., 488.

mineralogical notes, 1887, A., 342; 1888, A., 563.

- lansfordite, a new mineral, 1888, A., 793.

- an undescribed meteoric iron from East Tennessee, 1890, A., 115.

gadolinite, cacoclasite, and monazite, 1890, A., 457.

corundum from Patrick Co., Virginia, 1890, A., 570.

- jarosite from Utah, 1890, A., 573. - tetradymite, iron pyrites, quartz pseudomorphs, scapolite, allanite, &c.. 1891, A., 154. Genth, Frederick Augustus, picropharmacolite, pitticite, and gibbsite, 1891, A., 275.

- gahnite and columbite from Delaware Co., Pennsylvania, 1891, A.,

- aquilarite, a new species, 1891, A., 1327.

seleniferous bismuthinite

guanajuatite, 1891, A., 1328.

— hubnerite, hessite, bismutite, and natrolite, 1892, A., 793.

Genth, Frederick Augustus, and Samuel Lewis Penfield, lansfordite and nesquehonite, 1890, A., 571.

- ferric sulphates from Chili, 1891 A., 274.

Genth, Frederick Augustus, and Gerhard vom Rath, vanadates and silver iodide from New Mexico, 1886, A., 26.

enth Frederick Augustus, Samuel Lewis Penfield, and Louis V. Pirsson, notes on axinite, endialyte, titanite, and monticellite, 1891, A., 1329.

Gentil, Carl, 8-naphthoque phonic acid, 1885, A., 561. B-naphthoguinolinesul-

Gentil, L. See H. Malbot.

Genvresse, P., combination of aluminium chloride with acetonitrile and chloracetonitriles, 1888, A., 932.

 action of chloracetonitrile on benzene in presence of aluminium chloride, 1888, A., 951.

 chloro-derivatives of ethyl acetoacetate, 1889, A., 122.

 synthesis of tartaric acid, 1892, A., 822,

Genzken, Ulrich. See Carl Arnold August Michaelis.

Georges, peptones in the blood and

urine, 1887, A., 188.
Georgescu, M., action of sulphuric acid on tribromophenol, 1890, A., 883.

benzenesulphonates of aromatic radicles, 1891, A., 568.

- tetrahydroketoquinoxalines, 1892, A., 886.

Georgescu, M., and C. Mincu, francein from 1:3:4:5-tetrachlorobenzene, 1889, A., 970.

Georgescu, M. See also Constantin I. Istrati.

Georgeson, C. C., manuring of rice, 1889, A., 646.

Georgievič, P., boric acid, 1888, A., 1247. Georgievics, Georg von, action of ammonia on anthragallol, 1886, A., 69.

action of sulphuric acid on quinoline, 1888, A., 296, 501.

oxidation of quinoline derivatives, 1891, A., 1389.

Georgievics, Georg von, action of carbonic anhydride and ferric hydroxide on tricalcium phosphate, 1892, A.,

Georgievics, Georg von. See also Hugo

Geppert, Julius, gas analysis apparatus, 1883, A., 378.

Geppert, Julius. See also A7bc1tFraenkel.

Gérard, Ernest, acid of the acetic series, 1890, A., 1395.

- fats from the fungi Lactarius rellereus and L. piperatus, 1891, A., 606. derivatives of daturic acid, 1892,

A., 582. vegetable cholesterol, 1892, A.,

1294. Gerber, A., derivatives of o-toluidine,

1888, A., 484. Gerber, Maximilien, Pinet's hypothesis, 1884, A., 550.

Gerber, Maximilien. See also Auguste Rosenstiehl.

Gerber, Niclaus, addition of goats' milk to cows' milk, 1886, A., 924.

Gerdeissen, Ferd., m-amidoquinaldine, 1889, A., 520.

Gerdes. Bruno, electrolysis of ammonium carbamate and carbonate, 1883, A., 27.

Gerhard, Alfred, so-called soda-granites. 1888, A., 236.

Gerhard, F., new base, C9H12N2O, from epichlorhydrin and phenylhydrazine, 1891, A., 582.

Gerichten, Eduard von, and Hugo Schrötter, morphine, 1883, A., 221.

Gerichten, Eduurd von. See also Otto Fischer.

Gerlach, G. Th., specific gravity, boiling point, and vapour pressure of aqueous glycerol, 1885, A., 499.

-alcohol and mixtures of alcohol with water, 1886, A., 193.

- boiling-points of salt solutions, 1887, A., 1012.

- specific gravity of aqueous solutions, 1888, A., 894; 1889, A., 1044. the density numbers of Groshaus,

1889, A., 813. Gerlach, M., \$\beta\$-ethylthiophen and thiophen-aß-dicarboxylic acid, 1892, A.,

829. Gerland, Conrad. See Theodor Zincke. German, Ludwig. See Otto Fischer.

Gernet, Adolph von. See Arthur Junchim von Oettingen.

Gernez, Désiré, velocity of solidification of bodies in a state of superfusion, 1883, A., 546.

Gernez, Désiré, solidification of superfused sulphur, 1884, A., 389.

-duration of the solidification of superfused sulphur, 1884, A., 553. - crystallisation of sulphur, 1884.

A., 889.

- rate of transformation of prismatic into octahedral sulphur, 1885, A., 952.

 nacreous crystals of sulphur, 1885, A., 1037.

- transformations of sulphur, 1885,

A., 1109.

- rotatory power of compounds formed in solutions of tartaric acid, 1887, A.,

- action of ammonium molybdate on the rotatory power of solutions of tartaric acid, 1888, A., 97.

— action of normal alkaline tung-

states on the rotatory powers of solutions of tartaric acid, 1888, A., 938. combination of normal molybdates

with tartaric acid, 1889, A., 859. action of malic acid on ammonium

molybdate, 1889, A., 1147.

— rotatory power of compounds of malic acid with normal lithium and magnesium molybdates 1890, A., 744.

combination of malic acid with normal potassium and sodium tung-

states, 1890, A., 1102.

- combinations of malic acid with alkali molybdates, 1891, A., 291.

combination of malic acid with

alkaline phosphomolybelates, 1891, A., 545.

- rotatory power of compounds of mannitol with acid molybdates, 1891, A., 1443.

- compounds of sorbitol and perseitol with molybdic acid, 1892, A., 422.

— rotatory power of compounds of perseitol with sodium hydrogen and ammonium hydrogen molybdates,

1892, A., 800.

Gerock, J. E., separation of strychnine from brucine 1889, A., 748.

Gerrard, Alfred IV., crystalline substance from jambosa root, 1885, A., 396. - apparatus for estimating urea, 1885,

-reaction of atropine and related alkaloids, 1886, A., 284.

-reaction of atropine with mercurous salts, 1886, A., 632.

– ulexine, 1886, A., 1048.

 Strophanthus and strophantin, 1887, A., 970.

- percentage glucosometer, 1890, A., 300.

Gerrard, Alfred W., and William Henry Symons, ulexine, 1890, A., 180.

- - ulexine and cytisine, 1891, A., 334.

Gerson, George, derivatives of pyruvic acid, 1887, A., 260.

Gerssdorf, maize as food for horses, 1884, A., 355.

Gessard, C. chromogenic function of Bacillus pyocyancus, 1890, A., 655.

Gessner, August. See Heinrich Goldschmidt.

Geuther, Anton, affinity value of carbon,

1883. A., 779.

— constitution of the compounds of the sulphonates with alkyl sulphates; constitution and dimorphism of sulphates, 1883, A., 973.

- new derivative of mannitol, 1884,

A., 36.

- action of phosphorus trisulphide on phenols, 1884, A., 54.

- yellow and red lead monoxide, 1884, A., 824.

constitution of ethylic acetoacetate

and benzene, 1884, A., 836.
— compounds of sulphurous anhydride, 1884, A., 1256.

constitution of polysulphides and polyoxides, 1884, A., 1260.

calcium oxysulphides, 1884, A.,

- a new ethylic phosphate, 1884, A.,

action of lead hydroxide and silver oxide on aqueous solutions of sodium pentasulphide and thiosulphate, 1885, A., 217.

derivatives of s-isodichlorethyl ether, 1885, A., 227.
arsenic, 1887, A., 888.
polyiodides, 1887, A., 910.

- constitution of ethyl propiopropionate, 1887, A., 915.

bitter principle of calamus root, 1887, A., 972; 1888, A., 162.

constitution of acetoacetic, succinosuccinic, andquinonedicarboxylic acids, 1888, A., 579.

nitrous anhydride and nitrosyl chloride, 1888, A., 785.

action of ammonia on ethylidene oxyacetate, 1888, A., 814.

action of iodobenzene on silver nitrate, 1888, A., 821.

obituary notice of, 1890, T., 448. Gevekoht, Heinrich, preparation of the isomeric nitracetophenones, 1883, A., 191.

- the three nitracetophenones, 1884, A., 445.

Geyger, Adolf. See Albert Töhl. Gfeller, Ernst. See Carl Graebe.

Giacosa Picro, albuminoids of the vitreous humour of the human eye, 1884, A., 198.

composition of the egg and its envelopes in the common frog, 1884, A., 198.

existence of germs in the air at great heights, 1884, A., 225.

transformation of nitriles in the organism, 1884, A., 1061.

Giacosa, Picro, and Adolfo Monari, alkaloids from the bark of Xanthoanylon senegalense, 1888, A., 167.
Giacosa, Picro, and M. Soave, bark of

Giacosa, Piero, and M. Soave, bark of Xanthorylon senegalense, 1890, A., 918. Giannetti, Carlo, colorimetric estima-

tions, 1886, A., 738.

Gibbins, Bevington H., estimation of iron and aluminium by the Glaser method, 1892, A., 755.

Gibbons, Walter, uranium oleate, 1883, A., 692.

Gibbs, Oliver Wolcott, complex inorganic acids, 1884, A., 161, 713; 1885, A., 875; 1886, A., 205, 426, 511; 1887, A., 113.

—— electrolytic estimation of metals as amalgams, 1892, A., 753.

Gibbs, Oliver Wolcott, and Amory Hobart Hare, action of related compounds on animals, 1890, A., 280, 813, 1018.

Gibbs, Oliver Wolcott, and Edward T. Reichert, action of related compounds on animals, 1891, A., 1280, 1393.

Gibson, Charles, differences in the estimation of reverted phosphoric acid by the American official method, 1892, A., 1126.

Gibson, Howard Beirs, and Charles Francis Kahnweiler, derivatives of furfuracrylic acid, 1890, A., 959.

Gibson, John, laboratory fittings, 1888, A., 26.

Gibson, John, and Robert Milner Morrison, peroxides of zinc, cadmium, magnesium, and aluminium, 1886, A., 305.

Gibson, John. See also Alexander Crum Brown.

Giersbach, Julius, and Arthur Kessler, nitration of benzene, 1889, A., 10.

Gieseke, M. See Oscar Gustav Doebner. Giesel, Fritz, cinnamyleocaine occurring in coca leaves, 1890, A., 390.

— methylcocaïne, 1890, A., 1011.

Giesel, Frit:, alkaloid from Javan coea leaves, 1892, A., 361.

Giesel, Fritz. See also Carl Theodor Liebermann.

Gigli, Torquuto, detection of copper in wine, 1888, A., 873.

estimation of iodates in potassium iodide. 1892, A., 657.

Gigli, Torquato. See also Giovanni Briosi.

Giglioli, Italo, phosphorite of Capo di Leuca, 1888, A., 1259.

Gilbault, Honri, compressibility of saline solutions, 1892, A., 766.

Gilbert, H., estimation of boric acid,

1886, A., 742.
—— examination of oil of cassia, 1890,
A., 423.

examination of castor oil, 1890, A...

Gilbert, James P., estimation of silica in silicates by fusion with alkaline carbonates, 1890, A., 1026.

Gilbert, (Sir) Joseph Henry, presidential address, 1883, T., 224.

on ditions of the development and of the activity of chlorophyll, 1886, A., 92.

--- experiments at Rothamsted on the growth of potatoes, 1890, A., 409.

Gilbert, (Sir) Joseph Henry. See also (Sir) John Bennet Lawes.

Gildemeister, Educard. See Julius Bertram, Otto Wallach.

Giles, Wm. B., and A. Schearer, percentage of sulphurous anhydride in aqueous solutions, 1886, A., 199.

Gill, Advan Capen, minerals from the chrome iron ore deposits of Maryland, 1892, A., 1057.

Gill, Augustus H., improved pipette for gas absorptions, 1892, A., 1121, 1371.
Gill, J. M., eitric acid derivatives of

p-toluidine, 1887, A., 40.

Gillet, Albert, detection of clive husks in ground pepper, 1889, A., 88.
 Gillet, Camillo. See Richard Anschutz.

Gilpin, Joseph Elliott, mercurous hypochlorosulphite, 1892, A., 780.

Gilson, Eugen, lecithin, 1888, A., 1214.

suberin and cork cells, 1891, A.,
465.

Gilson, John. See Robert Irvine.

Gimbel, Adolf, nitrosoanthrone, 1887, A., 675.

derivatives of dianthryl, 1887, A., 1049.

Gimbel, Adolf. See also Carl Theodor Liebermann.

Ginsberg, Isidor, apiole, 1888, A., 722, 1206; 1890, A., 518.

- Ginsberg, Siegmund, absorption of sugar from the small intestine, 1890, A.,
- Ginsburg, Jacob, and Stanislas Bondzyński, rhodanie acid, 1886, A., 325. Gintl, Wilhelm Friedrich, estimation of
- carbon in iron and steel, 1886, A., 98. Gintl, Wilhelm Friedrich, and Friedrich Reinitzer, constituents of the leaves of Frazinus excelsior, 1883, A., 216.
- Gintl, Wilhelm Friedrich, and Ludwig
- Storch, regonine, 1887, A., 682.
 Giorgis, Giorgin, action of hydrogen peroxide and of water saturated with carbonic anhydride on magnesium, 1892, A., 17.
- siliceous sand of Monte Scratte, 1892, A., 23. Giorgis, Giorgini.
- See also Augusto Piccini.
- Girard, Adam Charles, estimation of sugar by Fehling's solution as conducted at the municipal laboratory in Paris, 1885, A., 1163.
- Girard, Adam Churles, and Louis Désiré L'Hôte, combinations of aniline with chromic acid, 1887, A., 927.
- aniline chlorate and perchlorate, 1889, A., 497.
- heat of formation of aniline dichromate, 1889, A., 562.
- Girard, Adam Churles, and Jean Albert Pabst, azo-derivatives, 1883, A., 583. - -- absorption spectra of some
- colouring matters, 1885, A., 1098. Girard, Adam Charles, and Xavier Rocques, analysis of alcohols, 1889, A., 115.
- Girard, Adam Charles. See also Eugène Caventou.
- Girard, Aime, destruction and utilisation of the bodies of animals which have died from contagious diseases, 1881, A., 106.
- -- -- formation and accumulation of saccharose in the beet, 1884, A., 476.
- quality of the flour obtained by various methods of grinding, 1884, A., 1447.
- formation of sugar in beets, 1885, A., 75.
- alimentary value of the different parts of the wheat grain, 1885, A., 678.
- fermentation of bread, 1886, A., 185.
- development of the sugar-heet, 1886, A., 1063.
- -- destruction of the nematoids of beet-root, 1887, A., 617.

- Girard, Aimé, estimation of starch in potatoes, 1887, A., 868.
- cultivation of potatoes, 1889, A., 647.
- rotatory power of materite and mateozo-dambose, 1890, A., 471.
- Girard, Charles Antoine. See Achille Müntz.
- Girard, H., post mortem formation of sugar in the liver, 1889, A., 176.
- influence of chlorides on the composition of the gastric juice, 1889, A., 1227.
- Girard, Joseph de, phosphine derivatives of the aldchydes, 1884, A., 1118.
- action of phosphonium iodide on ethylene oxide, 1885, A., 1121.
- combination of hydrogen phosphide with chloral hydrate, 1886, A., 684.
- Girard, Julien, thermal-springs of Hammam Salahine, 1886, A., 996.
- Girardin (and others), phylloxera and insecticides, 1884, A., 481.
- Giraud. See L. Roos. Giraud, H., action of ammonia on solutions of potassium salts, 1885, A.,
- physical peculiarity of triphenylguanidine, 1887, A., 366.
- volumetric estimation of antimony in presence of tin, 1887, A., 400.
- -methylacetanilide, 1889, A., 704. - action of aluminium chloride on dimethylaniline, 1890, A., 137.
 - analysis of methylanilines, 1890, A., 309.
- Giraud, Tictor. See Louis Aubert.
- Gisevius, Paul, specific gravity of minerals and their mechanical separation, 1883, A., 1031.
- Gissmann, Rudolph, oxidation of durene by chromic acid: dinitrodurylic acid, 1883, A., 333.
- Giunti, Michele, source of error in the estimation of nitrates in soils, 1889, A., 438.
- -action of light on the acetic fermentation, 1890, A., 1181.
- Giurleo, Porta, quinine phenolsulphonate, 1884, A., 339.
- Giustiniani, Ercole, action of heat on the hydrogen malates of methylamine and benzylamine, 1892, A., 820.
- Gladding, Thomas S., estimation of phosphoric acid as magnesium pyrophosphate, 1883, A., 240.
- roverted phosphoric acid, 1884, A., 1075, 1424.
- quantitative separation of rosin and fats, 1885, A., 603.

Gladding, Thomas S., examination of land for adulteration, 1890, A., 93.

Gladstone, George, refraction of fluorine, 1886, A., 497.

Gladstone, George. See also John Hall Gladstone.

Gladstone, John Hall, refraction-equivalents of organic compounds, 1884, T., 241.

specific refraction and dispersive energy of essential oils, 1886, T., 609; P., 216; discussion, P., 218.

specific refraction and dispersion of the alums, 1886, A., 293.

- dispersion equivalents, 1888, A.,

- molecular refraction and dispersion of various substances, 1891, T., 290; P., 35.

molecular refraction and dispersion of various substances in solution, 1891, T., 589; P., 103; discussion,

theory of solution, 1891, A., 787. Gladstone, John Hall, and George Gladstone, refraction and dispersion of fluorobenzene and allied compounds, 1891, A., 774. Gladstone, John Hall, and Walter Hib-

bert, optical and chemical properties of caoutchouc, 1888, T., 679; P., 72. - atomic weight of zinc, 1889,

T., 443; P., 101.

- molecular weight of caoutchouc and other allied colloid substances, 1889, A., 1207.

chemistry of secondary batteries, 1891, A., 3, 777.

Gladstone, John Hall, and William

Henry Perkin, senior, correspondence between the magnetic lotation and the refraction and dispersion of light by compounds containing nitrogen, 1889, T., 750; P., 114.

Gladstone, John Hall, and Alfred Tribe. laboratory notes, 1883, T., 341.

- note on the preparation of

marsh-gas, 1884, T., 154.

- electrolyses of dilute sulphuric acid and hydrated salts, 1884, A., 654.

- action of the copper-zinc couple on benzylic bromide, 1885, T., 448; P., 60.

aluminium o-cresylate and its products of decomposition by heat, 1885, P., 111; 1886, T., 25.

Gladysz, Thadée, preparation of calcium and potassium tartrates, 1887, A., 571.

Gläser, G. See Hugo Weidel.

Gläser, Mmir, action of potassium permanganate on sodium thiosulphate, 1885, A., 957; 1887, A., 336.

Gläser, Moria, and Wilhelm Kalmann, analysis of Roncegno water, 1888, A.,

796; 1889, A., 28.

Gläser, Morus, and Theodor Morawski, action of lead peroxide on organic substances in alkalme solution, 1890,

Gläser, Moric. See also Theodor Moraw-

Glaser, Chas., estimation of phosphoric acid, 1885, A., 837.

estimation of reverted phosphoric acid, 1885, A., 837.

estimation of reverted phosphoric acid by the ovalate method, 1885, A., 838.

- estimation of aluminium phosphate, 1892, A , 1523.

Glaser, Chus. See also Arthur Petermann.

Glaser, Eugen, estimation of ferric oxide and alumina in phosphatic manures, 1890, A., 420.

Glaser, F. C., separation of arsenic from saline solutions, 1884, A., 1083.

- manufacture of zinc oxide, 1885, A., 1270.

Glaser, Friedrich, gasometric estimation of nitric acid, 1892, A., 1375.

Glaser, L., forests as a protection against hailstorms, 1884, A., 632.

Glatzel, Emanuel, preparation of manganese from manganese chloride and magnesium, 1890, A., 110.

preparation of crystallised from disulphide (iron pyrites), 1890, A., 338.

preparation of chromium from potassium chronium chloride and magnesium, 1891, A., 152.

-antimony thiophosphate, 1892, A., 413.

Glause, A., and Balthaser Luchsinger. physiological action of some aminonium bases, 1885, A., 415.

Gleditsch, A., and H. Moeller, three isomeric toluric acids, 1889, A., 708.

Gleichmann, Ludwig. See Carl Arnold August Michaelis.

Gleiss, W., lactic acid in pale and red muscle, 1889, A., 177. Glendinning, Tom Aldrich. See Edward

Ralph Moritz.

Glenk, Robert, Cicuta maculata, 1892,

Gley, Eugène, toxic action of onabain and strophantin, 1888, A., 1326.

Gley, Eugene, and Charles Richet, hourly excretion of urea and total nitrogen in urine, 1888, A., 179.

Gley, Eugène, and P. Rondeau, physiological and therapeutical action of hyoscine hydrochloride, 1888, A., 182.

Glinka, Sergei F., crystalline form of calcium hydroxide, 1886, A., 120. Glock, G. See Carl Theodor Lieber-

mann. Glock,

Gustav, p-tolenylimido ethyl ether, 1888, A., 1289.

phenylene-p-diacetoimido ethvl ether, 1888, A., 1290.

Glogner, Max, specific gravity of the blood of Europeans living in the tropics, 1892, A., 363.

Glücksmann, Uarl, oxidation of ketones with potassium permanganate in alkaline solution, 1890, A., 237, 1416.

B-trimethylethylidenelactic acid, 1892, A., 38.

Glyckherr, Franz. See Adolph Claus. Gnehm, Robert, chlorobenzaldeliyde and chlorindigo, 1884, A., 1028.

Gnezda, Julius, cyanogen reaction of proteids, 1890, A., 1032.

Gniewosz, St., and Al. Walfisz, absorption of gases by petroleum, 1888, A., 342.

Gockel, Albert, relation of "Peltier's heat effect" to the available energy of a galvanic element, 1885, A., 856.

seat of the variation of electromotive force with temperature, 1890, A., 1035.

Godchaux, Eugen, action of sclenyl chloride on aromatic tertiary amines, 1891, A., 696.

Godchaux, Eugen. See also Carl Arnold August Michaelis.

Godeffroy, R., and M. Coulon, estimation of wood fibre in paper, 1890, A., 670.

Godefroy (l'Abbé), combined action of potassium dichromate and chlorine on othyl alcohol, 1884, A., 660.

double chlorides of chromium, 1884, A., 1266.

 hydrates of chromic chloride, 1885, A., 852.

- chlorethers, 1886, A., 606.

detection of impurities in commercial alcohols, 1888, A., 875.

Godlewski, Emil, respiration of plants, 1883, A., 498.

circulation of the sap in plants,

1885, A., 927.
Goebel, Franz. See Theodor Curtius.
Goebel, Hugo, estimation of morphine,
1887, A., 869.

Goebel, Hugo, volumetric estimation of sodium carbonate and hydroxide in commercial caustic soda, 1890, A.,

Goedeckemeyer, Carl, action of potassium phthalimide on oxyhalogen compounds, 1888, A., 1294.

Göhring, C. F., action of aldehyde on p-nitrobenzaldehyde, 1885, A., 527.

· action of aldehyde on m-nitrobenzaldehyde, 1885, A., 791

- preparation of oxygen, 1889, A., 465.

Göhring, C. F. See also Paul Friedländer.

Goeldner, M., detection of cocaine hydro-

chloride, 1890, A., 96.
Goercki, Carl. See Theodor Poleck.
Göring, Theodor, preparation of concen-

trated acetic acid, 1885, A., 105. Görz, Adolph, reduction of gold chloride by wood charcoal, 1888, A., 1042.

Goessmann, Charles A., manuial value

of tobacco stems, 1885, A., 589.
— analysis of onions, 1887, A., 1137. - analysis of white soja beans, 1890, A., 192

Göttig, Christian, behaviour of the alkaline hydrosulphides with alkyl salts, 1886, A., 332.

- hydrated sodium sulphide, 1886, A., 980.

water of crystallisation of sodium monosulphide, 1887, A., 331. new hydrate of sodium hydroxide,

1887, A., 550. hydrates of potassium hydroxide,

1887, A., 636. crystallisation of alkalis from

alcohol, 1887, A., 889. - hydrates of lithium hydroxide, 1888,

compounds of sodium hydroxide and methyl alcohol, 1888, A., 437.

compound of potassium hydroxide with methyl alcohol, 1888, A., 933. compound of calcium chloride with

n-propyl alcohol, 1890, A., 465. crystallisation of sodium hydr-

oxide from isobutyl alcohol, 1890, A., 1222.

- ethereal salts of chlorhydrins, 1891 A., 707.

8-dichlorhydrin m-hydroxybenzoate, 1891, A., 1482.

isomeric dichlorhydrin m-hydroxybenzoate, 1892, A., 471.

dichlorhydrin p-hydroxybenzoate, 1892, A., 715.

Göttig, Joseph. See Friedrich Krafft, Rudolf Nietzki.

- Götting, Gustar, constitution of nitroethane, 1888, A., 355.
- Göttsch, Heinrich. See Ernst Dürkopf, Götz, J., andalusite from Marabastad, Transvaal, 1887, A., 562.
- Goguel, Henri, chrysotile from the Pyrenees, 1891, A., 407.
- Goldbeck, Otto, nitrogenous derivatives of p-homosalicylic acid, 1892, A., 318
- Goldberg, Alwin, estimation of nitrogen in nitro-, azo-, and diazo-compounds, 1884, A., 364.
- Goldberg, B., formation of rosaniline, 1892, A., 340.
- Goldberg, Boris, Ph. Kunz, and Karl Kraut, glycocine and its derivatives, 1892, A., 294.
- Goldberg, Georg, isophthalenediamid-oxime, 1890, A., 147.
- Goldenring, Alfred, derivatives of trimethylenediamine, 1890, A., 976.
- Goldmann, Edwin, fate of cystein and formation of sulphuric acid in the animal body, 1885, A., 922.
- Goldmann, Edwin, and Eugen Baumann, cystin in normal urine, 1888, A., 519.
- Goldmann, Friedr., action of bromine on anthranol, 1887, A., 1049.
- derivatives of anthranol, 1888, A.,
- mesoanthramine, 1890, A., 1426. Goldschmidt, Carl. See Eugen Bamberger.
- Goldschmidt, Harald, the diastatic ferment in saliva, 1886, A., 726.
- gastric digestion in the horse, 1886, A., 952.
- intestinal digestion in the horse, 1887, A., 610.
- absorption in the stomach of the horse, 1887, A., 743.
- Goldschmidt, Heinrich, strychnine, 1883. A., 99. action of hydroxylamine on di-
- ketones, 1884, A., 62. - nitrosophenols, 1884, A., 735,1137.
- carvole, 1884, A., 1138.
- the so-called oxycamphor of Kachler and Spitzer, 1885, A., 270.
- camphylamine, 1886, A., 249. reduction of aldoximes and acetoximes, 1887, A., 249, 568.
- camphoroxime derivatives, 1887, A., 496.
- oximes, 1890, A., 251, 1412.
 - isomeric oximes, 1890, A., 1261.
- diazo-compounds, 1891, A., 193. cryoscopic experiments, 1891, A., 1211.
- Goldschmidt, Heinrich, and Victor Badl, diazoamido-compounds, 1889, A.,774.

- Goldschmidt, Heinrich, and Brune Bardach, diazoamido-compounds, 1892, A., 977:
- Goldschmidt, Heinrich, and Robert Brubacher, hydroxyazo-compounds, 1891, A., 1209.
- Goldschmidt, Heinrich, and Emil Joseph Constam, pyridine bases from coal-tar, 1884, A., 611.
- Goldschmidt, Heinrich, and Heinrich W. Ernst, o-anisamine and salicylamine 1890, A., 1411.
- Goldschmidt, Heinrich, and August Gessner, cumylamine, 1887, A.,1039; 1889, A., 773.
- Goldschmidt, Heinrich, and Morit: Hönig, nitrochlorotoluene and chlorotoluidine, 1886, A., 1022; 1887, A., 363.
- Heinrich, and Julien Goldschmidt, Holm, mixed diazo-compounds, 1888, A., 685.
- Goldschmidt, Heinrich, and Kisser, carvole derivatives, 1887, A., 475, 923.
- Goldschmidt, Heinrich, and Carl Kjellin, isomeric p-nitrobenzaldoximes, 1891, A., 1476.
- additive compounds of alkylisvaldoximes, 1891, A., 1477.
- Goldschmidt, Heinrich, and Richard Koreff, camphor, 1885, A., 1071.
- Goldschmidt, Heinrich, and Meissler, experiments to determine the constitution of tautomeric compounds, 1890, A., 499.
- Goldschmidt, Heinrich, and Victor Meyer, benzil, 1883, A., 1120.
- Goldschmidt, Heinrich, and Ettore Molinari, d 1888, A., 1283. diazoamido-compounds,
- Goldschmidt, Heinrich, and Alfred Pollak, hydroxyazo-compounds, 1892. A., 974.
- Goldschmidt, Heinrich, and Natalie Polonowska, diphenylhydroxyethylamine, 1887, A., 492.
- anisamine, 1887, A., 1041. Goldschmidt, Heinrich, and August Poltzer, derivatives of o-amidazocompounds, 1891, A., 839.
- Goldschmidt, Heinrich, and Yngre Rosell, hydroxyazo- and amidoazo-compounds, 1890, A., 614.
- Goldschmidt, Heinrich, andHans Schmid, nitrosophenols, 1881, A., 1327; 1885, A., 775, 1238.
- o-nitrosonaphthols, 1884, A., 1359.
- Goldschmidt, Heinrich, and Leo Schulhof, camphylamine, 1886, A., 557,

Goldschmidt, Heinrich, and Walter Schulthess, thienethylamine, 1887,

Goldschmidt, Heinrich, and Hermann Stöcker, homologues of benzhydrylamine, 1891, A., 1479.

Heinrich, Goldschmidt, and Strauss, dinitrosorcinol and dinitrosoresorcinol, 1887, A., 808.

Goldschmidt, Heinrich, and Eugen Zanoli, oximes of furfuraldehyde, thiophenaldehyde, and cenanthaldehyde, 1892, A., 1433.

Goldschmidt, Heinrich, and Zürrer, camphor, 1884, A., 1364. carvoxime derivatives, 1885,

A., 1058.

carvoxime, 1885, A., 1210. Goldschmidt, Heinrich. See also Emil Joseph Constam.

Goldschmidt, Viltor, application of a solution of potassium and mercury iodides to mineralogical and petrographical researches, 1883, A., 159. graphical researches, 1883, A., 159.

— chemico-mineralogical theories,

1890, A., 219.

Goldschmidt, Viktor. See also (Baron) Heinrich von Foullon.

Goldschmiedt, Guido, products of the distillation of calcium p-hydroxybenzoate, 1883, A., 664.

products of the distillation of

salicylic anhydrides, 1883, A., 664. — pyrenequinone, 1883, A., 869.

— papavoriue, 1884, A., 186; 1885, A., 1080; 1886, A., 83, 478; 1887, A., 163; 1888, A., 1116; 1889, A., 167. - action of sodium on bromo-deriva-

tives of benzene, 1886, A., 541.

- new dimethoxyquinoline, 1887, A., 1119.

--- oxidation products of piperidine, 1888, A., 302.

--- optical rotatory power of papaverine, 1888, A., 611

--- isoquinoline, 1889, A., 165.

- action of potash on alkyl derivatives of papaverine, 1890, A., 179.

--- opianic acid, 1892, A., 179. Goldschmiedt, Guido, and Leo Egger action of potassium cyanide on ethyl opianate, 1891, A., 1871.

Goldschmiedt, Guido, and Rudolf Jahoda action of benzylamine on glycol chlorhydrin, 1891, A., 1351.

- substances contained in the petals of Gentiana verna, 1892, A., 205. - - ellagic acid, 1892, A., 990.

Goldschmiedt, Guido, and Oscar Ostersetzer, papaverine derivatives, 1889, A., 166.

Goldschmiedt, Guido, and Hugo Strache, pyridine-o-dicarboxylic acid, 1889, A., 1016.

papaverinic acid and pyropapaverinic acid, 1890, A., 180.

and Rudolf Goldschmiedt, Guido, Wegscheider, pyrene derivatives, 1883, A., 1001.

Goldsmith, Byron B. See Martin Freund.

Goldstein, Eugen, electric discharge in 1arefied gases, 1883, A., 266. Goldstein, Michael T., 1ise of salt

solutions in capillary tubes, 1889, A., 205; 1890, A., 684.

Goldstein, Michail T., and Albert IV.

Damski, rise of solutions in capillary tubes, 1885, A., 115.

Goldzweig, A., and A. Kaiser, hydroxyketones from fatty acids and phenois,

1891, A., 447. llenkin, Michel, hydrogenation of Golenkin, triphenylmethane, 1888, A., 483. Goll, Otto. See Rudolf Nietzki.

Goller, Erwin, oligoclase and biotite from Gailbach, 1891, A., 1437.

Golubeff, Porphiri Grigor, reduction of isodinitrobenzene, 1885, A., 660.

Gondoin, J., estimation of sodium chloride in wine, 1891, A., 1398. Gonnard, Ferdinand, the granite on the

banks of the Saône, 1883, A., 36. - existence of apatite in the pegmatites of Lyons, 1883, A., 432.

gedrite in the gueiss of Beaunan, near Lyons, 1883, A., 444.

formation of zeolites in the cold, 1884, A., 405.

 vaugnerite at Irigny, 1884, A., 405. - anorthitic rock at Saint-Clement, Puy de Dôme, 1884, A., 411.

zeolites in the dolerites of Chauxde-Bergonne, 1884, A., 829.

pegmatite containing large crystals of chlorophyllite, 1885, A., 34.

 pegmatite on the borders of Vizézy near Montbrison, 1885, A., 131.

· mineralogical notes on the environs of Pontgibaud, 1885, A., 220.

peperite of the Puy de la Piquette, 1888, A., 121.

pseudomorphs in the lead mines of the Puy de Dôme, 1888, A., 348.

genesis of the plumbiferous phosphates and arseno-phosphates Roure and de Rosiers, Pontgibaud, 1888, A., 429.

- association of fluorspar with Babel quartz at Ville-Vieille near Pontgibaud, 1888, A., 561.

- offretite, 1891, A., 407.

Gonnet. See Jablin-Gonnet.

Gonzalez, Carlos p-tungstates, 1887, A., 895.

Gooch, Frank Austin, separation of titanium from aluminium and iron, 1885, A., 1265.

 method of filtration with easily soluble and volatile filters, 1886, A.,

 separation of titanium and aluminium, and of titanium and iron, 1886, A., 492.

- separation and estimation of boric acid, 1887, A., 299.

- separation of sodium and potassium from lithium, magnesium, and calcium, 1887, A., 528.

Gooch, Frank Austin, and Frank Terry Brooks, detection of iodine, bromine, and chlorine in presence of one another, 1891, A., 361.

Gooch, Frank Austin, and Philip Embury Browning, estimation of iodine in haloid salts, 1890, A., 1186.

- reduction of arsenic acid in

analysis, 1891, A., 244.

Gooch, Frank Austin, and Edgar William Danner, separation of antimony from arsenic, 1892, A., 541.

Gooch, Frank Austin, and Joseph Ralph Ensign, direct estimation of bromine in mixtures of alkaline bromides and

iodides, 1891, A., 361.
Gooch, Frank Austin, and Hippolyte Washington Gruener, estimation of antimony, 1892, A., 242.

Gooch, Frank Austin, and Theodor Stuart Hart, detection and estimation of potassium spectroscopically, 1892,

Gooch, Frank Austin, and Frederick William Mar, direct estimation of chlorine in mixtures of alkaline chlorides and iodides, 1890, A., 920.

Gooch, Frank Austin, and Clement Grubb Smith, estimation of chlorates,

1892, A , 236.

Gooch, Frank Austin, and James Edward Whitfield, waters of the Yellowstone National Park, 1889, A., 682,

Goodwin, Ralph.See Russell H. Chittenden.

Goodwin, Wm. Lawton, nature of solution, 1883, A., 550; 1885, A., 865.

Goossens, B. J., the metallic galvanic circuit of Ayrton and Perry, 1883, A.,

Goppelsroeder, Friedrich, application of electrolysis in preparing indigo vats, 1884, A., 942, 1448.

Goppelsroeder, Friedrich, preparation of persulphocyanogen by electrolysis, 1885, A., 107.

 bleaching indigo blue and Turkeyred by electrochemical means, 1885, A., 108.

- formation of hydroxy- and chlorocellulose electrochemically, 1885, A., 208.

Goppert, Heinrich Robert, means of protecting plants against frost, 1884, A., 1067.

Gorboff, Alexander I., oxytetric and hydroxytetric acids, 1888, A., 1179.

Gorboff, Alexander I., and Alex. Kessler, apparatus for fractional distillation under reduced pressure, 1885, A., 950. action of iodoform, methylene

iodide, and iodine on sodium isobutoxide, 1888, A., 814.

Gorceix, Henri, green mica in the quartzites of Ouro Preto, 1884, A., 408. -minerals from the metamorphic rocks of Ouro Preto, Brazil, 1885, A., 30.

- monazite sands from Caravellas, Province of Bahia, Brazil, 1885, A.,

- hydrated titanium oxide from Diamantina, 1885, A., 640.

phillipsite from Brazil, 1886, A., 319.

zeolite from a pyroxenic rock of Brazil, 1886, A., 519.

xenotime from Minas Geraes.

Brazil, 1886, A., 676.
Gordon, Hugh, formation of isomeric toluenesulphonic acids, 1888, l'., 78.

studies on the formation of substitution derivatives, 1891, I'., 62; discussion, P., 65.

Gordon, John, physiological action of sulphonal, 1890, A., 542.

Gore, George, reduction of metallic solutions by means of gases, etc., 1884,

- absorption of an iodine compound by aluminium, 1884, A., 655.

electrolysis of silver fluoride,

chlorate, and perchlorate, 1885, A.,

electro-deposition of carbon and silicon, 1885, A., 110.

- reactions with carbon and some of its compounds, 1885, A., 119.

- magnesium suboxide, 1885, A., 123.

- estimation of ammonia in potable water, 1885, A., 194. - some phenomena of electrolysis,

1885, A., 324.

- Gore, George, unequal electric conduction + Gorgeu, Alexandre, artificial hausmannresistance at cathodes, 1885, A., 324.
- relation of chemical corrosion to voltaic current, 1885, A., 324.

 relation of heat to voltaic and
- thermoelectric action of metals, 1885, A., 325.
- reduction of metallic solutions by means of gases, 1885, A., 1112.
- effect of heat on ammonium and potassium fluorchromates, 1885, A.,
- voltaic balance, 1888, A., 1230.
- effect of chlorine on the electromotive force of a voltaic couple, 1889, A., 90.
- minimum point of change of potential of a voltaic couple, 1889, A., 200.
- -change of potential of a voltaic couple, 1889, A., 200.
- influence of the chemical energy of electrolytes on the minimum point of change of potential, 1889, A., 200.
- effects of different positive metals on the change of potential of a voltaic couple, 1889, A., 201.
- voltaic energy of electrolytes, 1889, A., 665.
- detection of the combining proportions of compounds by the voltaic balance, 1889, A., 665.
- loss of voltaic energy of electrolytes by chemical union, 1889, A., 810.
- molecular constitution of isomeric solutions, 1890, A., 207.
- -voltaic energy of dissolved chemical compounds, 1890, A., 317.
- rate of chemical change, 1890, A., 327.
- sensitive test for impurities in mercury, 1890, A., 827.
- rate of decomposition of chlorine water by light, 1890, A., 849.
- solution compounds, 1890, A., 941. - new method and department of chemical research, 1890, A., 1035.
- changes of properties of amalgams by repeated fusion, 1891, A., 8.
- · changes of voltaic energy of alloys during fusion, 1892, A., 254.

 — relation of E.M.F. to latent heat,
- sp. gr., etc. of electrolytes, 1892, A., 257.
- changes of E.M.F. and temperature by mixing electrolytes, 1892, A., 930. Gorgeu, Alexandre, manganese sulphite,
- 1883, A., 558. double sulphites of manganese and the alkalis, 1883, A., 718.

- ite, 1883, A., 859.
- artificial production of barytes, celestine and anhydrite, 1883, A., 1062.
- artificial production of rhodonite and tephroite, 1884, A., 164.
- artificial production of spessartite, or manganese-garnet, 1884, A., 410.
- manganese chlorosilicate, 1884, A., 562.
- artificial pseudomorphism of silica, 1884, A., 895.
- calcium oxychloride, silicates, and chlorosilicates; artificial production of wollastonite, 1884, A., 1262.
- tricobalt tetroxide, 1885, A., 351. action of air, silicon, and kaolin on haloid salts of the alkalis, 1886, A.,
- aluminium potassium, and aluminium sodium silicates, 1886, A., 667.
- artificial zincite and willemite, 1887, A., 345.
- zinc ferrite: artificial formation of franklinite, 1887, A., 557. artificial production of magnetite,
- 1887, A., 708. action of aluminium and kaolin on
- calcium chloride, 1888, A., 228. effect of roasting on oxides and
- salts of manganese, 1888, A., 653. artificial formation of pyrolusite,
- 1888, A., 792. - formation of manganese oxides in the wet way, 1889, A., 829.
- action of air on manganous carbonate, 1889, A., 830.
- alkali aluminium silicates, 1890, A., 13.
- artificial preparation of wollastonite, 1890, A., 18.
- psilomelanes and wads, 1890, A.,
- action of hydrogen peroxide on oxygen compounds of manganese, 1890, A., 946,
- manganous acid, 1890, A., 1060. - action of hydrogen peroxide on permanganic acid and permanganates,
- 1890, A., 1062. - manganese oxides, 1891, A., 270. decomposition of silver perman-
- ganate, 1892, A., 942. Gorham, J., the pupil photometer, 1885, A., 320.
- Gorham, J. Marshal. See Bernard Drake.
- Gorodetzky, Isak, and Carl Hell, preparation of dibromosuccinic acid, 1888, A., 820.

Gorodetzky, Isak, and Carl Hell, action of silver on ethyl dibromosuccinate. 1888, A., 937.

- dianilidosuccinic acid, 1888,

A., 951.

Gorodetzky, Jul., estimation of fat in milk, 1891, A., 625.

Gortaloff, Arsenius, and Alexander M. Saytzeff, synthesis of methyldipropylcarbinol, 1886, A., 437. osio, B. See A. Sclavo.

Gosio, B.

Goske, Adolf, synthesis of carbazole, 1887, A., 372.

Goske, Adolf. See also August Bernthsen.

Gossage, Alfred Milne, volumetric estimation of uric acid, 1889, A., 450.

Gossart, Emile, the spheroidal state, 1887, A., 768.

- application of capillary phenomena to the analysis of liquids, 1892, A.,

Gossels, William, nitrates in animals and plants, 1887, A., 389.

Gossin, Eugenc, action of isobutyl chloride on benzene, 1884, A., 1312. - action of sulphuric acid on cyanogen iodide, 1885, A., 645.

Gossin, Eugene. See also G. Calmels, Jules Charles Essner.

Gott, Benjamin Scaife, and M. M. Pattison Muir, bismuth iodide and fluoride, 1887, P., 130; 1888, T., 137.

Gottlieb, Emil, composition of certain kinds of wood, 1884, A., 477.

estimation of fat in milk, 1892, A., 549.

Gottlieb, Rudolf, exerction of iron, 1891, A., 1128.

Gottschalk, M., action of nitric acid on pentamethylbenzene, 1888, A., 261.

Gottstein, Leo, two new caprolactones, 1883, A., 454.

- analysis of an English bottle-glass, 1884, A., 1443.

Gouy, A., distortion of polarised elec-

trodes, 1883, A., 897.

— velocity of light in carbon bisulphide, 1886, A., 957.

standard galvanic cell, 1887, A.,

electrocapillary phenomena, and differences of contact potential, 1892, A., 553.

- electrocapillary phenomena, 1892, A., 760.

Gouy, A., and G. Chaperon, osmotic equilibrium and the concentration of solutions by gravitation, 1887, A., 1013.

Gouy, 1., and H. Rigollet, electrochemical actinometer, 1888, A., 883.

Gowland, William, and Yoshimasa Koga, silver containing bismuth, 1887, T., 410; P., 45.

Goyder, George Arthur. See Edward Henry Rennie.

Gozdorf, G. A., assay of minute quanti-

ties of gold, 1887, A., 184. Grabfield, Joseph Ph. Se See Alfred Einhorn.

Grabowski, Nicoluis II., ozokenite and ceresin of Gallicia, 1885, A., 487.

Graebe, Carl, acridine, 1884, A., 607. - synthesis of anthraquinoline, 1884, A., 759.

- detection of nitrogen in organic compounds, 1884, A., 1072.

- formation of acridine, 1884, A., 1182. reduction of phthalimide and phthalide, 1885, A., 165.

- β-sulphophthalic acid, 1885, A., 902.

phthalimidine, 1885, A., 979;

1889, A., 140. - formula of diphenic acid, 1887, A., 589.

acenaphthene, 1887, A., 592.

- boiling-points of diphenylamine and its homologues, 1887, A., 812.

- tetrachlorophthalic acid, 1887, Λ.,

auramine, 1888, A., 158. phenylsalicylic acid; diphenylene

ketone oxide, 1888, A., 477. synthesis of euxanthone, 1889, A.,

886. - the euxanthone group, $1890, \Lambda_{*}, 504$.

- benzil-o-carboxylic acid, 1890, A., - formation of quinalizarin from ali-

zarin, 1891, A., 463. - chloranil, 1891, A., 1027.

Graebe, Carl, and Charles Aubin, condensation of diphenic and o-diphenylcarboxylic acids, 1887, A., 589.

· diphenic anhydride and adiphenyleneketonecarboxylic 1889, A., 145.

Graebe, Carl, and Ad. Drews, dinitroβ-naphthol, 1884, A., 1035.

Graebe, Carl, and Arthur Eichengrün, hydroxyketone dyes: dihydroxyxanthone, 1891, A., 706.

action of heat on salicylic acid, 1892, A., 1208.

- hydroxyketone dyes, 1892. A., 1224.

- --- behaviour of aromatic hydroxyketones with sulphuric acid and with ammonia, 1892, A., 1226.

Graebe, Carl, and Adolf Feer, euxanthone group, 1887, A., 152.

Graebe, Carl, and Ernst Gfeller, oxidation of acenaphthene, 1892, A., 863. Graebe, Carl, and Philippe A. Guye, hydrides of naphthalene, 1884, A.,

608. - diphthalyl, 1885, A., 267;

1886, A., 882. Graebe, Carl, and Puul Juillard, di-

phthalic acid, 1888, A., 154. - benzil-o-carboxylic acid, 1888,

A., 1095.

Graebe, Carl, and Kasimir Lagodzinski, phenylanthranilic acid and acridone, 1892, A., 1086.

Graebe, Carl, and Auguste Landriset, action of potassium cyanide phthalaldehydic acid, 1891, A., 1225.

Graebe, Carl, and Alfred Philips, oxidation of alizarin green and alizarin indigo-blue, 1891, A., 1240.

Graebe, Carl, and Amé Pictet, methylphthalimide, 1884, A., 1019.

substituted phthalinidines,

1889, A., 141.

Graebe, Carl, and Alfred Rée, compounds obtained by the aid of sulphophthalic acid, 1886, T., 522; P., 211. Graebe, Carl, and Hermann Schmalzi-

gaug, diphthalyl, 1885, A., 797.

Graebe, Carl, and Oscar Schultess, thioxanthone, 1891, A., 1058.

Graebe, Carl, and Leo Weltner, bromanil, 1891, A., 1028.

Graebe, Carl, and Bruno Zschokke, thiophthalic amhydride, 1884, A., 1025. Graebe, Carl. See also René Bohn,

Heinrich Brunck.

Graeff, Friedrick, naphthalene derivatives, 1884, A., 80.

- action of reducing agents on nitrotoluidine, 1885, A., 1127.

Graetz, Loc, electrical conductivity of solids at high pressures, 1887, A., 5. - internal friction of liquids, 1888,

A., 776.

 electrical conductivity of fused and solid salts, 1890, A., 1037.

Grätzel, A., creosote from beechwood tar, 1883, A., 393.

Graetzel, Richard, preparation of magnesium, 1885, A., 940.

Graf, Bernhard, Dammaia resin, 1889, A., 621.

Graf, Paul, constituents of cocoa fat, 1889, A., 35.

Graffenberger, L., composition of the bones of aged rabbits, 1891, A., 1275. estimation of free hydrochloric acid in the stomach, 1892, A., 236.

Graffenberger, L, decomposition of fibrin, gelatin, peptone, and asparagine in the human body, 1892, A., 904.

Graham, Robert Orlando. Remsen.

Gram, Chr. A., active principles of Asclepias curassavica, A. incarnata, and Vincetoxicum officinale, 1887, A., 377.

- origin of ptomames, 1887, A., 387. Gram, Johan, p-diamidodiphenylmethane, 1892, A., 618.

Gramont, (Comte) Arnaud de, action of aldehyde on propyl glycol, 1884, A., 35.

eartificial production of boracite in the wet way, 1890, A., 1384.

- artificial datholite, 1891, A., 1437.

Grande, Ernesto, phenetoilphthaloylic acid, 1890, A., 1128.

- phenolphthalein ethyl ether, 1892, A., 1096.

Grandeau, Henry, decomposition of phosphates by potassium sulphate at high temperatures, 1883, A., 151. phosphates, 1885, A., 872.

Grandis, Valentino, influence of muscular work, hunger, and temperature on the exhalation of carbonic anhydride, 1890, A., 1334.

- crystals occurring in the nuclei of liver cells, 1891, A., 587.

- action of glycerol on egg-albumin, 1891, A., 589.

- chrysophanic acid, 1892, A., 1354. Grandmougin, Eugène, and Oscar Michel, homonucleal amidonaphthols and related derivatives, 1892, A., 861.

Grandmougin, Eugène. See also Emilio Nölting, Olto Nikolaus Witt.

Grandval, Alexandre, and Henri Lajoux, detection and estimation of nitric acid in the air, water, soils, etc., 1885, A., 1093.

Grandval, Alexandre. See also Henri Lajoux.

Granger, A., copper phosphides, 1892, A.,

- mercury phosphide, 1892,A.,1398. Grant, James, and Julius Berond Cohen, estimation of alkalis in presence of sulphites, 1890, A., 1468.

Grant, Jumes. See also Gilbert John Fowler.

Granval, and Valser, falsification of oleic acid by linoleic acid, 1889, A., 799.

Grasset, Joseph, anæsthetic action of cocaine, 1885, A., 285.

 anæsthetic action of cocaïne hydrochloride, 1885, A., 415.

161 11 Grasset, Joseph, and Sidoine Jeannel, physiological action of cocaine, 1885, A., 571.

Grassi-Cristaldi, Giuseppe, action of phenylhydrazine on santonin, 1888, A., 295.

santoninphenylhydrazone, 1890,
 A., 904.

Grassi-Cristaldi, Giuseppe. See also Pietro Gucci.

Grassmann, P., loss occasioned by improper methods of pickling wheat, 1887, A., 293.

Gratama, Willem Dignes, double sulphide of aluminium and potassium, 1885, A., 350.

Graves, E. Ernest. See Richard Taylor Plimpton.

Gravill, Edward Day, estimation of ammonium carbonate in Spiritus ammonia aromaticus, B. P., 1887, A., 398.

Grawitz, Sam, dyes from aniline chromates, 1888, A., 54.

dyeing with aniline black in the dry way, 1892, A., 323.

Gray, John, obituary notice of, 1883, T., 252.

Gray, John, apparatus for determining the flashing point of heavy mineral oils, 1892, A., 542.

Gray, Thomas Andrew, electrolysis of silver and copper: application of electrolysis to the standardizing of electric current and potential meters, 1887, A., 315.

electrolysis of copper, 1888, A., 545. Gray, Thomas Andrew, and James Johnstone Dobbie, electric qualities of glass, 1885, A., 470.

Green, Arthur George, isomeric sulphonic acids of \$\mathcal{B}\$-naphthylamine, 1888, P., 103; discussion, P., 103; 1889, T., 33.

the constitution of primuline and allied sulphur compounds, 1889, T., 227; P., 46; discussion, P., 48.

Green, Arthur George, and Frank Evershed, volumetric estimation of nitrous acid, 1887, A., 396; 1892, A., 751.

Green, Arthur George, and Thomas Atkinson Lawson, o- and p-nitro-derivatives of p-toluidine, 1891, T., 1013; P., 129.

Green, Arthur George, and Sumuel Rideal, new volumetric method for the estimation of nitrous acid, 1884, A., 870.

Green, Arthur George, Charles Frederick: Gross, and Edward John Bevan, new photographic method, 1891, A., 138. Green, Arthur George. See also Richard John Friswell, Henry Forster Morley.

Green, Edgar Moore, value of Brucke's method for the removal of interfering substances from urine in testing for glucose, 1886, A., 745.

glucose, 1886, A., 745. Green, Joseph Reynolds, edible bird's nest, 1886, A., 685.

___ proteid substance in latex, 1886, A., 828.

- changes in the proteids of seeds during germination, 1887, A., 987.

action of sodium chloride in dissolving fibrin, 1888, A., 304.

— influence of calcium sulphate on the coagulation of the blood, 1888, A., 306.

— germination of the Jerusalem artichoke, 1890, A., 656.

Green, Walter D., error in the estimation of urea by Russell and West's apparatus, 1886, A., 747.

Green, Walter D. See also John Mar, shall.

Greenall, Thomas H. See Thomas Edward Thorpe.

Greene, William H., estimation of urea, 1884, A., 507.

 diethoxymethane, and preparation of methylene dichloride, 1885, A., 38.

—— new synthesis of saligenin, 1885, A., 53.

action of hydrochloric acid and of chlorine on acetylbenzoic anhydride, 1885, A., 55.

ene dichloride and benzene in presence of aluminium chloride, 1885, A., 58.

aceto-m-nitrobenzoic anhydride, 1890, A., 53.

Greene, William H., and Samuel C. Hooker, lapachol in beth-a-barra wood, 1889, A., 794.

Greene, William H. See also Samuel C. Hooker.

Greenish, Thomas, pipitzahoic acid, 1885, A., 396.

Greenwood, Marion, digestion in rhizopods, 1886, A., 1053; 1888, A., 79.

 digestion in Hydra, 1889, A., 287.
 action of nicotine on invertebrates, 1891, A., 485.

Grégoire, J., cultivation of "gombo," 1883, A., 613.

Gréhant, Nestor, elimination of carbonic oxide after partial poisoning, 1886, A., 641.

physiological action of the products of incomplete combustion of illuminating gas, 1888, A., 517. Gréhant, Neslor, poisoning by carbonic oxide, 1888, A., 622.

-physiological action of hydrocyanic acid, 1889, A., 1232.

- poisoning by hydrocyanic acid applied to the surface of the eye, 1891, A., 99.

detection of minute quantities of carbonic oxide, 1892, A., 99.

absorption of carbonic oxide by the blood of a living mammifer, 1892, A., 743.

Gréhant, Nestor, and Jean Pierre Peyrou, gas contained in floating and

submerged leaves, 1885, A., 1153. Gréhant, Nestor, and Ch. Eugène Quinquaud, estimation of chloroform in the blood of an anæsthetised animal, 1884, A., 375.

 poisonous action of urea. 1884, A., 1398.

- formates in the organism, 1887, A., 513.

 respiration of yeast cells at different temperatures, 1888, A., 623. - estimation of glucose by fer-

mentation, 1888, A., 875.

- disengagement of carbonic anhydride by anaerobic yeast, 1889, A., 539.

- amount of urea in blood and

muscle, 1889, A., 914. Greiner, and F. Friedrichs, instruments for measuring liquids, 1888, A., 1332.

Greinert, ammonia, nitrous acid, and nitric acid in potable waters, 1885, A., 297.

Grenet. See A. Pagnoul.
Greshoff, Maurits, decomposition and
estimation of iodoform by silver nitrate, 1889, A., 445.

alkaloids and other active principles from plants growing in the Dutch Indies, 1891, A., 334.

Gresly, L., reduction of and condensa-tion of homologues of benzoylbenzoic acid, 1886, A., 1028.

triphenylmethanecarboxylic acid. 1886, A., 1035.

Gressly, O., and Marcellus Nencki, constitution of carbonyl-o-amidophenol, 1890, A., 1413.

Grete, Ernst August, nitrogen estimation in saltpetre by potassium xanthate, 1883, A., 1031

estimation of phosphoric acid, 1883, A., 1031.

 volumetric estimation of phosphoric acid, 1888, A., 1841. Grevingk, Ed., nitro- and amido-deriv-

atives of m-xylene, 1885, A., 144.

Grevingk, Ed., azo-derivatives of mxylenol, 1886, A., 348.

Grewingk, Constantin Caspar Andreas, iron containing nickel from Sanarka in the Ural Mountains, 1884, A., 401. Griepenkerl, Julius. See Otto Wallach. Griepentrog, Hugo, synthesis of tri-

phenylmethane, 1886, A., 887. Griesbach, H., coagulation of blood, 1892, A., 1112.

Griess, John Peter, constitution of the azimido-compounds, 1883, A., 56.

diazo-derivatives, 1883, A., 180, 1102; 1884, A., 1148; 1885, A., 788; 1886, A., 459; 1887, A., 817; 1888, A., 588, 826.

- creatine-compounds of the aromatic group, 1883, A., 669.

introduction of the diazo-group into so-called aromatic para-compounds, 1884, A., 1013.

- action of potassium cyanate on mnitramidobenzoic acid, 1885, A., 54. - acid ammonium bases, 1885, A.,

1220.

derivatives of cyanocarbimidoamidobenzoic acid, etc., 1885, A., 1225.

m- and p-hydroxynitrobenzoic acids, 1887, A., 485.

detection of organic matter in water, 1888, A., 993.

Griess, John Peter, and Carl Duisberg, benzidine and benzidinesulphonic acids, 1890, A., 57.

Griess, John Peter, and George H.

Harrow, presence of choline in hops,

1885, T., 298; P., 35.

action of aromatic diamines

on sugars, 1887, A., 475, 930; 1888, A., 267.

 hexamethylenetriamine, 1888, A., 1268.

- action of ethyl acetoacetate on hexamethylenetetramine, 1888, A.,

Griessmayer, Victor, loss of sugar by long steaming of the "mash," 1883. A., 186.

- the ferment of chica beer, 1883,

true nature of starch-cellulose, 1887, A., 686.

Griffith, Agnew, detection of stannic sulphide in presence of antimonious sulphide, 1887, A., 183.

Griffiths, Arthur Bower, chemico-microscopical researches on the cell-contents of certain plants, 1883, T., 195.

analysis of a new guano from Australia, 1883, A., 375.

Griffiths, Arthur Bower, growth of plants under special conditions, 1883, A., 496.

- analysis of some minerals, 1883,

A., 858.

- an ammonia-phosphatic deposit in the vicinity of Cape Town, 1883, A.,
- experiments on the value of iron sulphate as a manure for certain crops, 1884, T., 71.

- excretory product from the liver of the cuttle fish, 1884, A., 94.

- guano recently discovered in Aus-

- tralia, 1884, A., 107.

 analysis of the brine-spring of Stoke Prior, Worcestershire, 1884, A.,
- aldehydic nature of protoplasm, 1884, A., 202.

chlorophyll; a compound of iron

- with a glucoside, 1884, A., 848.

 phenol in the stem, leaves, and cones of Pinus sylvestris, 1884, A., 863. - paraffin-shale from Servia, 1884. A., 879.
- farmyard manure, 1884, A., 1070. application of iron sulphate in agriculture, 1885, T., 46; P., 130.

platinum carbides formed at low

temperatures, 1885, A., 487.

— uric acid from the green glands of .1stacus fluviatilis, 1885, A., 680.

- pancreatic function of the cephalopod liver. 1885, A., 829.

use of ferrous sulphate in agricul-

ture, 1886, T., 114.

— agricultural experiments with iron sulphate as a manue during 1886,

1886, P., 260; 1887, T., 215. action of salicylic acid on ferments, 1886, A., 386.

- nephridia and liver of Putella rul-

gata, 1888, A., 178.

- existence of salicylic acid in certain genera of the Liliaceæ, 1889, P., 122.
- direct absorption of ammoniacal salts by plants, 1892, A., 229.
- blood of Invertebrata, 1892, A., 648. - hæmocyanin, 1892, A., 898.
- pinnaglobin, a new globulin, 1892, A., 1016.
- chlorocruorine, 1892, A., 1256.
- ptomaines of infectious diseases, 1892, A., 1258.

- leucomaine, 1892, A., 1367. - pupin, 18**9**2, A., 1501.

Griffiths, Arthur Bower, and Edwin Charles Conrad, salicylic acid in the cultivated pansy, 1885, A., 75.

Griffiths, Arthur Bower, and Sylvain Dreyfus, calamine, 1886, A., 989.

Griffiths, Arthur Bower, and Harold Follows, examination of the organ of Bojanus in Anodontu, 1885, A., 921.

Griffiths, Arthur Bower, and (Mrs.) Frances Elizabeth Griffiths, influence of certain rays of the solar spectrum on root absorption, 1888, A., 623.

Griffiths, Ernest Howard, determination of boiling and freezing points by means of the platinum thermometer, 1891, A., 251.

Griffiths, Ernest Howard. Hugh L. Callendar. See also

Griffiths, (Mrs.) Frances Elizabeth. See Arthur Bower Griffiths.

Grigorieff, Petr, mineral manure de-posits, 1883, A., 529.

analyses of some Moscow waters, 1883, A., 622.

Grimaldi, Giovan Pictro, variation of temperature of the maximum density of water with pressure, 1886, A., 9.

expansion of ether at various pressures, 1886, A., 498.

physical properties of thiophen, 1886, A., 613.

thermic expansions of liquids at various pressures, 1887, A., 626.

influence of a magnetic field on the thermoelectric properties of bismuth, 1888, A., 102.

theory of liquids, 1888, A., 1113. - measurement of the specific heat of liquids at temperatures above their boiling-points under ordinary pressures, 1892, A., 761.

Grimaldi, Giovan Pictro. See also Damiano Macaluso.

Grimaldi, Siro, methylnonylphenyl-hydrazone, 1890, A., 1394.

- diamylphenylhydiazone, 1891, A , 302.

See also Gioranni Grimaldi, Siro. Campani.

Grimanx, Edouard, some derivatives of morphine, 1883, A., 358.

phenolquinoline, 1883, A., 668. - ferric ethylate and colloidal ferric

hydrate, 1884, A., 573. a nitrogenous colloid derived from

amidobenzoic acid, 1884, A., 905. - some reactions of albumin, 1881. A., 911.

— colloids, 1884, A., 957.

- colloidal derivatives of femic hydioxide, 1884, A., 966.

- coagulation of colloids, 1884, A., 1250.

- Grimaux, Edouard, proteids and the coagulation of colloids, 1885, A., 1146.
- glyceraldehyde, 1887, A., 794.
 fermentation of glyceraldehyde, 1888, A., 247.
- —— homofluorescein, 1890, A., 1111.
- reactions of oxy-alkyl derivatives of dimethylaniline, 1891, A., 693.
- quinine methiodides, 1892, A., 1863.
- Grimaux, Edouard, and Albert Arnaud, conversion of cupreine into quinine, 1891, A., 1121; 1892, A., 892.
- ine, 1892, A., 1253. Grimaux, Edouard, and Charles Cloëz, erythrene derivatives, 1887, A., 352.
- A., 730. derivatives of erythritol, 1890,
- Grimaux, Edouard, and Léon Lefèvre, conversion of glucoses into dextrins, 1886, A., 1003.
 - ____ diethoxyacetone, 1889, A., 235.
- o-anisidine, 1891, A., 1031.
- Grimbert, Léon, rotatory dispersion, 1888, A., 329.
- detection of urobilin in urine, 1889, A., 324.
- Grimbert, Léon, and Barré, copper precipitate formed in ordinary water, 1890, A., 851.
- Grimbert, Léon. See also Emile Cl. Jungfleisch.
- Griner, Georges, isomeride of benzene, 1887, A., 1038.
- Gripper, Harold, rapid method of determining the composition of lubricating oils, 1892, A., 665.
- Grissom, Rolt G., action of chlorous anhydride on heptylene, 1883, A., 929.

 Grissom Rolt G. and R. Thorn, new
- Grissom, Robt. G., and B. Thorp, new halogen compounds of lead, 1888, A., 916.
- Grittner, Albert, estimation of mineral oils in fat oils, 1891, A., 505.
- ---- estimation of zinc and nitrogen in pickled railway sleepers, 1891, A., 620.
- detection of rosin oil in fatty and mineral oils, 1892, A., 548.
- Grittner, Albert, and Jacob Szilasi, estimation of resin in soaps and fats, 1886, A., 747.
- Griveaux, F., electrochemical energy of light, 1884, A., 382.

- Griveaux, F., decomposition of the haloid salts of silver by the action of light, 1889, A., 199.
- Grobert, J. v., estimation of the mineral matter in sugar, 1890, A., 670.
- Grocco, Pietro, creatinine in urine, 1887, A., 513.
- detection of albumin in urine, 1892, A., 667.
- Groddeck, Albrecht von, sericite rocks in ore deposits, 1883, A., 168.
- the kersantite vein of the Upper Harz, 1884, A., 409.
- topaz and tourmaline from Tasmania, 1886, A., 603.
- tin-ore deposits of Mt. Bischoff, 1888, A., 434.
- copper ores containing tourmaline: geological occurrence of boron minerals, 1888, A., 566.
- --- clay slate and sericite slate, 1888, A., 795.
- tournaline-bearing copper ores from Chili, 1890, A., 114.
- Grodzki, M., test for acetal, 1883, A., 790.
 —— occurrence of valerolactone in pyroligneous acid, 1884, A., 1118.
- Gröger, Mar, hydrometer for demonstrating alterations in weight in chemical changes, 1884, A., 1253.
- oxidation of the fatty acids of tallow, 1885, A., 883.
- oxidation of palmitic acid, 1888, A., 250.
- dihydroxystearic acid, 1889, A., 690.
- new gas burners, 1890, A., 106.
 estimation of neutral fats, 1890, A., 200.
- iodometric estimation of acids and alkalis, 1891, A., 360.
- potassium iodate as original standard for iodometry, acidimetry, and alkalimetry, 1891, A., 614.
- a new oxyiodide of lead, 1892, A., 1280.
- Groenewold, Eme, aloin from Barbados, Curação, and Natal aloes, 1890, A., 639
- Grohmann, Alexander, derivatives of p-bromo-m-nitrobenzoic acid, 1891, A., 305.
- action of ammonia and aniline on halogen substituted nitrobenzoicacids, 1892, A., 326.
- Groll, Alexander, m-nitrodimethylaniline, m-nitrodiethylaniline, and their reduction products, 1886, A., 347.
- Groll, S., and Ludimar Hermann, amount of hemoglobin in the blood during inanition, 1889, A., 531.

Groneweg, Curl. See Adolph Claus. Groos, Adolf, compounds of pyridine and mercury salts, 1890, A., 643.

Groshans, J. A., aqueous solution, 1884, A., 143.

specific gravity of substances in the solid state and in aqueous solution, 1885, A., 333.

the law of density numbers, 1886,

A., 194, 411.

extension of the law of density numbers to thermochemistry, 1886, A., 498.

– relation between the absolute boiling points and specific volumes of liquids. 1886, A., 590.

formula for the molecular volumes

of compounds at the boiling-point, 1889, A., 100. -calculation of the molecular volumes

of benzene, naphthalene, anthracene, etc., 1889, A., 336.

Prout's hypothesis, especially in relation to the atomic weights of carbon and oxygen, 1889, A., 463.

Grosjean, John Joseph Beaumont Jeanneret, contributions to the chemistry of tartaric and citric acids, 1883, T.,

 obituary notice of, 1883, T., 253. Grosjean, Leonard, aa-dithionaphthol, 1890, A., 1306.

 decylene and its derivatives, 1892, A., 691.

Grosjean, Léonard. See also Friedrich Krafft, Armand Jorissen.

Gross, Friedrich, phenylhydroxyethenyl-

amidoxime, 1885, A., 898.
— derivatives of phenylhydroxyethenylamidoxime, 1885, A., 1218.

Gross, Hermann. See Eugen Lellmann. Gross, L. See Albert Hilger.

Theodor. Grosset, See Fador F. Beilstein.

Grossmann, Gustav, reduction of amarine, 1889, A., 1191. See also Karl

Grossmann, Gustav. Kraut.

Grossmann, Mar, bismuth subnitrate, 1884, A., 1092.

Groth, Lorentz Albert, preparation of magnesium, 1885, A., 940. Groth, Paul Heinrich, natural barium

nitrate, 1883, A., 431. - natural fluorine compounds, 1884,

A., 265. Grothmann, Rudolf. See Eugen Lell-

Grouven, Hubert, nitrogen estimation. a method of general application, 1883, A., 1028.

Grouven, Hubert, recovery of sulphur from soda waste, 1885, A., 614.

Groves, Charles Edward, contributions to the chemistry of the naphthalene series; \$-naphthaquinone, 1884, T., 291.

Groves, E. W., estimation of uric acid. 1892, A., 546.

Groves, E. W. See also Wilmot Parker Herringham.

Gruber, Max, elimination of nitrogen in the free state from the animal body, 1884, A., 1391.

Volhard's volumetric estimation of the chlorides in wine, 1884, A., 1424.

culture of anaerobic bacteria: morphology of butyric fermentation, 1887, A., 1135.

Gruber, Oscar von, preparation of sulphuric anhydride from nitrosyl sulphates, 1885, A., 199.

estimation of ferric oxide and alumina in phosphates, 1891, A., 501.

- Glaser's method for the estimation of ferric oxide and alumina in phosphates, 1891, A., 963.

Grundler, J., iodine in human unine after the external application of iodoform, 1885, A., 418.

Grüne, Hans. azo-opianic acid, 1887, A., 48.

Grüneberg, Hermann. See Vorster. Gruener, Hippolyte Washington. See Frank Austin Gooch.

Grünewald, IV., o-thioxen and o-thiophendicarboxylic acid, 1888, A., 48.

Grünewald, IV., and Victor Meyer, vapour density of ferric chloride at various temperatures, 1888, A., 422. Gruenhagen, Alfred, aqueous humour, 1889, A., 535.

Gruenhagen, Alfred, and Isidor Krohn, absorption of fat in the intestine, 1890, A., 183.

Grünhagen, Heinrich, action of methylene chloride on p- and o-toluidine, 1890, A., 887.

Grünhut, Leo, Rose's process for the estimation of alcohol, 1892, A., 1031. Gruning, Wilhelm, chemistry of the

Nymphæaceæ, 1883, A., 369.

Grünwald, Anton Uarl, chemical structure of oxygen and hydrogen, and their dissociation in the sun's atmosphere, 1887, A., 1070.

- mathematical analysis of the spectia of magnesium and carbon, 1888, A., 389, 882.

-spectral analysis of cadmium, 1889, A., 455.

Grunwald, Anton Carl, spectroscopic evidence of an element occurring in tellurium and antimony, and also in copper, 1890, A., 434.

- Hasselberg's so-called second or compound hydrogen spectrum and the structure of hydrogen, 1892, A., 1381.

Grünwald, Hermann, estimation of glycerol by oxidation, 1890, A., 198.

Grüssner, Anton, and Karl Hazura, oxidation of unsaturated fatty acids, 1889, A., 956.

Grüssner, Inton. See Benedikt, Karl Hazura. See also Rudolf

Grützner, Bruno, stability of potassium permanganate solution, 1892, A., 1524.

runer, Louis Emmanuel, relative oxidisability of cast and malleable Gruner, iron and steel, 1883, A., 755.

Grunmach, Leo, influence of the state of aggregation of substances on their electrical resistance, 1889, A., 201.

electrical conductivity of solid

mercury, 1890, A., 98.

Guareschi, Icilio, localisation of arsenie in a case of poisoning, 1884, A., 199. - thioaldchyde and carbovaleraldine,

1884, A., 294. - naphthalene derivatives, 1884, A.,

842; Ī886, A., 807. a-chlorophthalic acid, 1886, A.,

- conversion of naphthalene derivatives into substituted phthalides, 1886, A., 807.

- γ-dichloronaphthalene and chloronaphthalic acid, 1887, A., 887.

- strychninesulphonic acids, 1887, A., 853.

Weyl's creatinine reaction, 1887,

A., 1122.

--- camphorimide, 1888, A., 496. — ptomaines, 1888, A., 731,

- a-bromophthalic acid, 1888, A., 1300.

-β-chloro-α-bromonaphthalene, 1889, A., 614.

platinum thiocyanate and platino-

thiocyanates, 1892, A., 286. - γ-substituted hydantoins: carb-

amido-acids, 1892, A., 827.
— action of ethyl cyanacetate on organic bases, 1892, A., 1071.
Guareschi, Icilio, and Pietro Biginelli,

chlorobromonaphthalene, 1887, A.,

Guareschi, Icilio, and Girolamo Daccomo, chloronitro- and bromonitro-quinones, 1885, A., 891.

Guareschi, Icilio, and Luigi Garzino. isobutylene bromide: bromotrimethylcarbinol, 1888, A., 436.

Guareschi, Icilio, and Anyelo Mosso, ptomaines, 1883, A., 1156; 1884, A., 618.

Gubbe, Otto, optical rotatory power of invert sugar, 1885, A., 1194.

Gubkin, J., electrolytic separation of the metal on the free surface of the solution of its salt, 1888, A., 101.

Gucci, Pietro, action of carbon bisulphide on m-phenylenediamine, 1885, A.,

156; 1886, A., 1023.

— new method for separation of copper from cadmium, 1885, A., 193.

 separation of nickel from cobalt, 1886, A., 1077.

reaction between m-phenylene. diamine and carbon bisulphide, 1888, A., 588.

- separation of copper and arsenic, 1888, A., 630.

 santoninoxime and its derivatives, 1890, A., 902.

Gucci, Pietro, and Ciuseppe Grassi-Cristaldi, derivatives of santonin. 1892, A., 869.

Guckelberger, Gustar, ultramarine, 1883, A., 714. Gudeman, Edward, anhydro-bases from

as-m-xylidine, 1888, A., 1282.

- aldine formation, 1889, A., 613. Gudeman, Edward. Sec also Murtin Freund.

Gümbel, U. Wilhelm (Ritter) von, the so-called andesites of South and Central America, 1883, A., 448.

glauconite, 1888, A., 119. Guenez, E., volumetric estimation of tannin, 1890, A., 931.

benzoic fluoride, 1891, A., 200.
 arsenic cyanide, 1892, A., 1164.
 Günther, August, and Bernhard Tollens,

quantitative estimation of furfuraldehyde and of pentaglucoses (pentoses), 1890, A., 1352. ———— fucose,

an isomeride

rhamnose, 1890, A., 1898.
Günther, August, Guillaume J. L. de
Chalmot, and Bernhard Tollens, estimation of furfuraldehyde and of pentoses, 1892, A., 338.

 formation of furfuraldehyde from glycuronic acid derivatives. and from albumin, 1892, A., 1433.

Günther, Ernst, intramolecular change. in benzildioximes, 1888, A., 485.

 intramolecular change of α- and βbenzildioxime, a-benzilmonoxime, and deoxybenzoinoxime, 1889, A., 1067.

Günther, Fritz, iodoform and bromoform, 1887, A., 787.

Gunther, H. K., derivatives of p-cyano-

benzyl chloride, 1890, A., 977.
Günther, Manfred. See Karl Elbs.
Güntz, E., guano from Aves Island,
1884, A., 489.

Günzberg, Alfred, free hydrochloric acid in the stomach contents, 1888,

Gürber, August, physiological action of lupetidine and allied substances in relation to their chemical constitution, 1891, A., 854.

Guérin, Gabriel. See Raphael Lépine. Gürke, Oskar, preparation of gallem, 1885, A., 850.

Guglielmo, Giovanni, modification of

the Sprengel pump, 1891, A., 524.

Guignard, Léon, localisation of active principles in the seeds of Cruciferæ,

1891, A., 490.

Guignet, Charles Ernest, existence of glycyrrhizin in several vegetable families, 1885, A., 395.

chlorophyll and its compounds,

1885, A., 551.
— crystallisation by diffusion, 1887, A., 101.

- soluble Prussian blue, 1889, A., 475,

colloidal cellulose, 1889, A., 847. --- combination of cupric oxide with starches, sugars, and mannitols, 1889, A., 1133.

- action of cuprammonium sulphate on sorbitol, 1890, A., 21.

- conversion of gallic acid and tannin into benzoic acid, 1891, A., 1481.

Guilbert, Jules. See Maurice Hanriot. Guillaume, L., mineral phosphates in anable soil, 1883, A., 118.

- chemical manures and farmyard

manure, 1883, A., 501.

Guillaume-Gentil, B., estimation of phosphoric acid in urine, 1891, A., 619.

Guillemin, Georges, alloys of copper and cobalt, 1885, A., 1114.

- micrographic analysis of alloys, 1892, A., 1399.

Guimaraes, Aug. R., nutrition of dogs, 1884, A., 344.

Guinard, L., effect of morphine on cats, 1891, A., 486.

Guinochet, analysis of the contents of a cyst formed under the tongue, 1885, A., 285.

Guinochet, E., action of bromine on aconitic and carballylic acids, 1889, A., 588.

Guinochet; E., isomeride of tricarballylic acid, 1890, A., 238.

- tricarballylates, 1890, A., 480. - dibromotricarballylic acid, 1890, A., 594.

Guitermann, A. L., o-azoxytoluene, 1887, A., 932.

Guitermann, A. L. See also Rudolf Nietzki.

Guldberg, Cato M., laws of molecular volumes and of boiling-points, 1890, A., 1043.

Gumlich, G., excretion of nitrogen in urine, 1892, A., 1503.

Gumpert. Franz, decomposition of benzonitrile by fuming sulphuric acid,

1885, A., 52, - phenyl cyanate, 1885, A., 656.

— phenyl 180cyanate, 1886, A., 342. Gundermann, Wilhelm, purification of

molasses, 1883, A., 835.
Gunning, Jan IVillam, examination of potable water, 1885, A., 841.

estimation of raffinose in the products of beet-sugar manufacture, 1889, A., 656.

 modification of Kjeldahl's method, 1889, A., 796.

preparation of raffinose from molasses, 1892, A., 422.

Gunter, Evan, bromoxylic acid and hydroxyxylic acid, 1884, A., 1347. Guntz, Antoine, heat of formation of

potassium fluorides, 1884, A., 5.

thermochemical study of hydro-

fluoric acid, 1884, A., 544. - heat of formation of fluorides, 1881,

A., 545. — sodium fluorides, 1884, A., 546. — hydrogen potassium fluoride in solution, 1884, A., 704.

- heat of formation of antimony oxychlorides, 1884, A., 707.

thermochemistry of antimony fluoride, 1884, A., 884.

- transformation of prismatic antimony oxide into the octahedral oxide, 1884, A., 894.

thermochemical researches fluorine compounds, 1884, A., 1245.

heat of formation of antimony, bromide, and iodide, 1885, A., 1101. - non-metallic fluorides, 1886, A., 850.

action of acids and bases on solutions of tartar emetic, 1886, A., 856.

- heat of formation of tartal emetic, 1887, A., 544.

antimony tartrate, 1887, A., 657. - heat of formation of zinc ethyl, 1888, A., 15.

- Guntz, *Antoine*, silver sub-fluoride, 1890, A., 1055.
- - argentous compounds, 1891, A., 983.
- —— silver sub-chloride, 1891, A., 1322.
 —— action of light on silver chloride, 1891, A., 1420.
- and manganese, 1892, A., 568.
- Guntz, Antoine. See also Marcellin Berthelot, Ernest Bichat, and Albin Haller.
- Guradze, S. (Kottlischowitz), artificial manures in potato-growing, 1881, A., 102.
- Guradze (Kottulin) (and others), potato culture, 1884, A., 483.
- Gurkens, Franz, physiological action of nickel salts, 1885, A., 681.
- Gurlt, meteorite in a tertiary lignite, 1887, A., 22.
- Gustavson, Gabriel, conversion of the propyl into the iso-propyl group, 1883, A., 565.
- bromide on hydrocarbons, 1883, A., 577.
- --- reactions of aluminium salts with organic compounds, 1885, A., 363.
- thermic data for the compounds of aluminium bromide with hydrocarbons, 1885, A., 472.
- action of aluminium bromide on ethylene and the alkyl bromides, 1886, A., 999.
- preparation of trimethylene, 1888,
 A., 240.
- action of aluminium chloride on acetic chloride, 1888, A., 575.
- valency of boron, 1889, A., 465.
 action of chlorine on trimethylene, 1891, A., 159.
- rationale of reactions in the presence of aluminium chloride, and bromide, 1891, A., 182.
- ----reaction capacity of chlorotrimethylene and some allied compounds, 1891, A., 888.
- action of zine dust and alcohol on chlor-α-dibromhydrin, 1892, A., 1293. Gustavson, Gubriel, and Nicolaus I.
- methylene bromides, 1889, A., 950. Guthrie, Frederick, eutexia, 1885, A., 329.
 - —— salt solutions and attached water, 1885, A., 337.

- Guthrie, Frederick, thermal and volume changes attending mixture, 1885, A., 3:19.
- 1886, A., 197.
- Guthrie, Frederick Bickell, solubility of salts in fused sodium nitrate, 1885, T.. 94.
- Guthzeit, Mar, diethylic acetylenetetracarboxylate, 1883, A., 46.
- Guthzeit, Max, and Oskar Dressel, ethyl dicarboxyglutarate, 1888, A., 1061.
- ——— ethyl ethoxy-α-pyronedicarboxylate, 1889, A., 860.
- tuted glutaric acids and of compounds containing closed carbon chains, 1890, A., 877.
- alkyl derivatives of ethyl dicarboxyglutaconate: synthesis of αα-dialkylglutaric acids, 1891, A., 178.
- Guthzeit, Max, and Wilhelm Epstein, action of phosphoric sulphide on ethyl dimethylpyronedicarboxylate, 1887, A., 920.
- Guthzeit, Max. See also Max Conrad. Guttmann, Paul, estimation of sugar in urine by fermentation, 1890, A., 836
- Gutzeit, H., occurrence of solid hydrocarbons in the vegetable kingdom, 1889, A., 68.
- Gutzkow, F., Reynold's process for parting gold from bars, 1885, A., 708.
 estimation of bromine in sea water, 1889, A., 74.
- Guyard, Antony, nitrogen iodide, 1881, A., 152, 818.
- detection of manganese in commercial zinc and calamine; detection of bismuth in lead, 1884, A., 368, 640.
- of bismuth in lead, 1884, A., 368, 640.

 use of boric acid and hæmatin in alkalimetry, 1884, A., 638.
- 1884, A., 1304.
 —— furfuraldehyde, 1884, A., 1304.
- --- estimation of ammoniacal nitrogen in soils, 1884, A., 1423.
- —— estimation of calcium in presence of aluminium, iron, magnesium, and phosphates, 1884, A., 1427.
- —— action of air on solutions of tannin and the estimation of tannin, 1884, A., 1138.

Guye, Philippe 1., molecular constitution of compounds at their critical

points, 1890, A., 443.

-chemical constitution of carbon compounds and the sign and variations of their rotatory power, 1890, A., 722.

active amyl derivatives, 1891, A., 281.

- fluorene hydrides, 1891, A., 314. - determination of the molecular weight at the critical point, 1891. A.,

molecular dissymmetry, 1892, A., 399, 758.

- stereochemistry and the laws of rotatory power, 1892, A., 759.

Guye, Philippe A. See also Carl Graebe. Guyot, Paul, industrial value of crude alunite, 1883, A., 250.

analyses of the coal of the Muaraze,

1883, A., 299.

- colcination of alunite, 1883. A., 397.

commercial treatment of Roman alunite, 1886, A., 402.

- estimation of lime in animal charcoal, 1886, A., 1075.

Guyot-Dannecy, analysis of potassium thiocarbonate, 1883, A., 241.

Guyot de Grandmaison, Edmond, description of a crystal of euclase, 1885, A., 228.

Gylling, Hjalmar, andesine at Orijarvi in Finland, 1884, A., 970.

H.

Haack, Konrad, mercury arsenates and

phosphates, 1891, A., 400.

— separation of phosphoric and arsenic acids from mercury, and of nitric acid, chlorine, and sodium from mercury. phosphoric, and arsenic acids, 1892, A, 530.

Haaf, Curl, guanamines, 1891, A., 416. Haarmann and Reimer, preparation of

vanillin, 1884, A., 1343. Haarmann, Rudolf. See Fertlinand

Tiemann. Hass, B., estimation of hydrogen potassium tartrate and free tartaric acid in wines, 1888, A., 1347.

Hass, Henrich, separation of titanium from tin, 1890, A., 1029.

Hass, Heinrich. See also Albert Hilger. Hass, Rob., peroxides of the zinc-magnes-

ium group, 1885, A., 20. Haase, Emil. See Wilhelm Staedel. Habel, Louis, reddish coloration of (yanide solutions, 1885, A., 233.

Haber, Frile, piperonal 1891, A., 701.

Haber, Fritz. See also Carl Theodor Liebermann.

Haberland, IV., and G. **Hanekop**, sodium platosammonium sulphite, 1888, A., 790.

Habermann, Josef, basic sulphates, 1881, Λ., 151.

- arbutin, 1884, A., 175.

- diethyl alizarin ether, 1881, A., 1187.

- acetonequinol, 1885, Λ ., 53. - basic salts, 1885, A., 351.

- fagine, 1885. A., 676.

electrolysis of carbon compounds, 1887, A., 94.

detection of methyl alcohol in wood spirit, 1889. A., 84.

preparation of hydrogen, 1889, A., 465.

Habermann, Josef, and Mar Hönig, (Brunn), action of cupie hydroxide on sugars, 1883, A., 38; 1881, 1111.

Haccius, C., kephir, 1885, A., 942.

Haedicke, Julius, and Bernhard Tollens, formation of galactose and levulose from raffinose, 1887, A., 791.

Haedicke, Julius, Reinhard W. Bauer. and Bernhard Tollens, galactose from Carragheen moss, 1887, A., 791.

Hägele, Curl. See Carl Hell. Haegele, E., condensation products of

amidophenols, 1892, A., 1451. Hahle, Friedrich Hermann, m-nitro-pamidophenol and its derivatives, 1891, A., 430.

 preparation of phenoldicarboxylic acids, 1891, A., 1367.

Hähle, Friedrich Hermann. See also Rudolf Wilhelm Schmitt.

Hänisch, Emil, and Max Schroeder, obtaining sulphur from furnace gases, 1886, A., 288.

Hänsch. See Schmidt.
Häpke, L., meteorite from Durango, 1885, A., 230.

Haerlin, cause of the acid reaction exhibited by some kinds of paper, 1883, A., 260, 759.

Haeussermann, Curl, estimation of p. toluidine in o-toluidine, 1888, A.,

Haeussermann, ('arl, and ('arl Beck, action of chlorine on o-nitrotoluene, 1892, A., 1437.

Hafner, _11bert, compounds of the benzyl

series, 1889, A., 982.

— derivatives of p-nitrobenzyl chloride, 1890, A., 486.

Hafner, Richard, chlorination and bromination of aniline, o-toluidine, and p-toluidine. 1890, A., 37.

- action of bromine on p-toluidine in the presence of concentrated sulphuric acid, 1890, A., 137.

Haga, Hermanus, amalgamation cur-

rents, 1883, A., 412.
aga, Tamemasa, effects of dilution and the presence of sodium salts and carbonic anhydride on the titration of hydroxylamine by iodine, 1887, T., 794.

Haga, Tumemasa. See also Edward Divers.

Hagelberg, Louis, thiocyano- and selenocyano-derivatives, 1890, A., 949.

Hagemann, Gustav Adolph, avidityformula, 1887, A., 633.

Hagemann, Oskar, reducing substances in horses' urine, 1889, A., 535.

Hagemann, Oskar. See also Nathan Zuntz.

Hagemann, Wilhelm, preservation of butter, 1883, A., 251.

See Carl Theodor Lieber-Hagen, .1. mann.

Hagen, Dietrich von. See Theodor Zincke.

Hagen, Mar, lupanine, 1886, A., 163. - trimethyluracil, 1888, Á., 582.

Hagenbach, Eduard, Stokes's law of fluorescence, 1883, A., 537.

Hagenbach, Eduard. See also Rudolf Nietzki.

Hager, Friedrich Wilhelm Hermann, action of ethyl chlorocarbonate on p-nitraniline, 1885, A., 119.

- nitration of p-bromaniline, 1886,

A., 52.

 derivatives of diphenylurethane, 1886, A., 59.

Hager, Friedrich Wilhelm Hermann. See also Ludwig Gattermann.

Hager, Hermann, detection of arsenic microscopically, 1883, A., 381.

- test for bismuth subnitrate, 1881, A., 116.

examination of fatty almond-oil, 1884, A., 120.

- examination of coparba balsam, 1884, A., 377.

-examination of potash, 1884, A., 928. --- nitric peroxide in bismuth subnitrate, 1885, A., 354.

– new reaction for sodium, ammonium, and lithium salts, 1885, A., 441.

- detection of arsenic in presence of antimony, 1885, A., 838.

- reactions for distinguishing chlorides, bromides, and iodides mixed together, 1885, A., 1010.

Hager, *Hermann*, diphenylamine as a reagent for free chlorine, 1886, A., 96. - naphthol as a reagent for free

chlorine and bromine, 1886, A., 97. - diphenylamine as a reagent for

nitric acid, 1886, A., 99.

- naphthol and sulphuric acid as a test for nitric and nitrous acids and free chlorine, 1886, A., 99.

- adulteration of honey with sugars, 1886, A., 282.

- examination of mustard oil, 1886, A., 394.

- testing aluminium sulphate, 1887,

A., 182.

butter testing, 1887, A., 309.

- detection of arsenic, 1887, A., 397. - use of copper containing arsenic for the dearsenification of hydrochloric acid: Reinsch's test for arsenic, 1887, A., 397.

guaiacum resin, 1887, A., 752.

– crystalline silicic acid, 1888, A., 915. - estimation of alcohol in essential

oils, 1889, A., 445. - detection of ceresin, ozokerite, and

paraffin in beeswax, 1890, A., 421. -detection of paraffin in becswax, 1891, A. 122.

Hague, Arnold, deposition of scorodite from arsonical waters in the Yellowstone Park, 1888, A., 122.

Hague, Arnold, and Joseph Parson Iddings, volcanoes of Northern California, Oregon, and Washington, 1884, A., 28,

Hahn, Martin, influence of sulphonal on proteid metabolism, 1891, A., 1523.

Haig, Alexander, excretion of mic acid, 1888, A., 1322.

influence of sodium phosphate on the exerction of uric acid, 1890, A., 397. -estimation of uricacid, 1892, A., 1133.

Haines, Reuben, helvite from Virginia. 1883, A., 437.

iodine number for lard oil by the Hübl method, 1892, A., 664.

Hairs, Eugène. See Armund Jorissen. Haitinger, Ludwig, occurrence of organic hases in commercial amyl alcohol, 1883, A., 127.

nation of sulphur on sodium phenate, 1883, A., 988.

- dehydracetic acid, 1885, A., 761. remarks on Perkin's note on the action of aniline on methyl dehydracetate, 1885, A., 762.

- emission spectra of neodymium and presendymium oxides, and of luminous solids containing needymium, 1892, Л., 2.

Haitinger, Ludwig, and Adolf Lieben, chelidonic acid, 1885, A., 47, 965.

—— nitrogenous derivatives of chelidonic acid, 1885, A., 811.

Haitinger, Ludwig. See also Adolf Lieben.

Halagian, Gregorio. See Matteo Spica. Halberstadt, Eymont. See Täuber.

Halberstadt, Wilh., separation of vanadic acid from metals, 1883, A.,

- atomic weight of platinum, 1885, A., 355.

Haldane, John Scott, aromatic substances in febrile urine, 1889, A., 65. respiration apparatus, 1892, A.,

1257.

Haldane, John Scott, and Murcus Seymour Pembrey, estimation of moisture and carbonic anhydride in air, 1890, A., 1188.

Haldane, John Scott, and James Lorrainc Smith, air vitiated by respiration, 1892, A., 1502.

Haldane, John Scott. See also Thomas Carnelley.

Hall, Francis P., action of certain vegetable acids on lead and tin, 1883, A., 1038.

Hall, John A., some analogous phosphates, arsenates, and vanadates, 1886, P., 259; 1887, T., 94.

- some ethereal salts of vanadium

acids, 1887, T., 751. Hall, Wm. F., action of nascent hydrogen and nascent oxygen on nitric acid, 1892, A., 680.

Hallberg, Carl Swante Nicanor, ergot, 1883, A., 640.

Haller, Albin, isomeric campholurethanes, 1884, A., 755.

– ethyl benzoylcyanacetate, 1886, A., 240.

cyanacetophenone, 1886, A., 240; 1887, A., 826.

- action of potash on ureas, 1886, A., 691.

isomerism of camphols and camphors, 1886, A., 890; 1887, A., 375. - cyanocamphor, 1886, A., 891.

camphol from valerian, 1886, A., 1040.

- ethyl cyanacetate, 1887, A., 797. preparation of ethyl cyanomalonateand ethyl benzoylcyanacetate, 1887,

A., 1030. - racemic camphol and its derivatives, 1887, A., 1050.

 inactive borneols yielding active camphois, 1887, A., 1050.

Haller, Albin, homologues of ethyl acetocyanacetate, 1888, A., 818.

- cyanacetates of the benzene series, 1888, A., 823.

- influence of negative radicles on the functions of certain groups, 1888, A., 937.

cyanacetates of the cinnamyl series, 1888, A., 1298.

normal and acid ethereal salts of camphols, 1889, A., 620.

phthalates of camphols, 1889, A., 621.

ethereal salts of cyanomalonic acid, 1889, A., 858.

cyanacetophenone and its derivatives; synthesis of aromatic a-ketonic acids, 1889, A., 873.

camphor and borneol of rosemary: separation of camphor and borneol, 1889, A., 1002.

acetates and benzoates of active and racemic camphols; preparation of a dextro-borneol identical with Dryobalanops borneol, 1889, A., 1002.

camphor derivatives, 1889, A., 1205.

influence of solvents on the rotatory power of isocamphols, 1889, A., 1206.

active and inactive bornylphenylurethanes and isobornylphenylurethanes, 1890, A., 518.

camphorates of the a-borneols, 1890, A., 790.

alkyl dicyanacetates, 1890, A., 1395. influence of solvents on the rotatory powers of camphols and isocamphols, 1891, A., 575.

compounds of camphors and aldehydes, 1891, A., 1498.

- derivatives of cyanocamphor, 1891, A., 1499.

action of sodium alkyl oxides on camphor: preparation of alkylcamphors, 1892, A., 72.

modes of formation of substituted imides, 1892, A., 1204.

alkyleyanocamphors and alkyl benzeneazocamphocarboxylates, 1892, A., 1344.

- function of camphoric acid, 1892, A., 1346.

constitution of camphoric acid, 1892, A., 1347.

Haller, Albin, and Georges Arth, ethyl succinimidoacetate and camphorimidoacetate, 1887, A., 1031.

Haller, Albin, and Léonce Barthe, ethyl cyanosuccinate and ethyl cyanotricarballylate, 1888, A., 937.

Haller, Albin, and Antoine Guntz, Halliburton, William Dobinson, hæmaheat of neutralisation of ethyl cyanomalonate, acetoacetate, and benzoylcyanacetate, 1888, A., 894.

Haller, Albin, and Alfred Held, ethyl acetocyanacetate, 1887, A., 799, 1029. methyl acetocyanacetate,

1888, A., 579.

ethyl chloracetoacetates, 1889, A., 588.

y-cyanoacetoacetates, 1891, A., 171.

· synthesis of citric acid, 1891, A., 178.

haloid derivatives of ethyl acetoacetate, 1892, A., 697.

- ethyl biomacetoacetate and cyanacetoacetate, 1892, A., 818.

Haller, Albin, and Jules Minguin, hydroxycamphocarboxylic acid from camphocarboxylic acid, 1890, A., 638.

Haller, Steph., action of alcohol on diazo-compounds, 1884, A., 1322.

– ψ-cumidine, 1885, A., 522.

trimethylquinizine derivatives, 1885, A., 818.

- sylvic and pimaric acids, 1885, A., 1241.

Hallgarten, Fritz, derivatives of anthianol, 1888, A., 1202.

propyl derivatives of anthianol, 1889, A., 894.

Halliburton, William Dobinson, proteids of serum, 1885, A., 571.

chitin, 1885, A., 991.
composition of the cartilage of certain Invertebrata, 1885, A., 1251. - hæmoglobin and metahæmoglo-

bin crystals of rodents, 1886, A., 637.

- blood of decapod Crustacca, 1886, Λ., 639.

cellulose in Protozoa, 1886, A., 640.

-blood proteids of lower Vertebrata, 1886, A., 1050.

- colouring matter of serum, 1886, A., 1050.

proteids of cerebrospinal fluid, 1887, A., 614.

- muscle plasma, 1887, A., 984.

- coagulation of the blood, 1888, A., 974.

the nature of fibrin ferment, 1889 A., 63.

- cerebrospinal fluid, 1889, A., 793. proteids of liver and kidney cells, 1890, A., 1014.

- pathological effusions, 1890, A., 1173.

— proteids of milk, 1891, A., 339.

toporphyrinuria, 1891, A. 1279.

· mucin in myxœdenia, 1892, A., 1117.

Halliburton, William Dobinson, and Walter M. Friend, stromata of red corpuscles, 1889, A., 1231.

Hallock, Edward J., analysis of columbite, 1883, A., 434.

Hallock, William. new method of forming alloys, 1888, A., 1163; 1891, A., 805.

chemical action between solids. 1889, A., 817.

Hallopeau, L. See Emile Justin Armand Gautier.

Halphen, Georges, absorption of bromine by fatty acids, 1890, A., 88.

Hamberg, Axel, chemistry of sea water, 1885, A., 322, 679.

- native lead from Pajsberg, Sweden, 1890, A., 337.

- flinkite and heliophyllite from Sweden, 1891, A., 20.

- minerals from the Harstigen mine, Sweden, 1892, A., 1411.

Hamberg, Axel. See also Gust. Flink. Hambly, Frederick John, detection of

nickel and cobalt, 1892, A., 1525. Hambly, Frederick John. See also Percy Faraday Frankland, Thomas Edward Thorne.

Hamburger, Hartog Jakob, estimation of urea by bromine, 1885, A., 450.

permeability of the red corpuscles in relation to their isotonic coefficients, 1890, A., 809.

Hamburger, Hartog Jakob. See also Eduard Mulder.

Hamilton, Robert, purification of hydrofluoric acid, 1890, A., 687.

precipitation of phosphorus from solutions of iron and steel, 1892, A., 911. Hamlet, William Mogford, fusel oil in

beer, 1888, A., 1263. Hammarsten, Olof, metalbumin and paralbumin, 1883, A., 874.

separation of serum-albumin and globulin by means of magnesium sulphate, 1885, A., 611.

- the mucin group, 1885, A., 677. - the sulphur of casein, 1885, A., 914.

estimation of sulphur in proteids, 1885, A., 931.

mucin of the submaxillary gland, 1888, A., 167.

· mucoid substance in ascitic fluid, 1891, A., 1127.

- hæmatoporphyrin in urine, 1892, A., 649.

Hammarsten, Olof, detection of hæmatoporphyrin in urine, 1892, A., 1136.

Hammerbacher, Friedrich, influence of pilocarpine and atropine on lactation, 1884, A., 1396.

Hammerich, Hugo, action of sulphuric acid on iodo-m-xylene, 1890, A., 1106.

derivatives of dibenzylcarbamic, p-ditolylcarbamic, and benzyl-p-tolylcarbamic acids, 1892, A., 1083.

tetrabenzyloxamide and tetra-ptolyloxamide, 1892, A., 1084.

action of silver cyanide on dibenzylchlorocarbamide and p-ditolylchlorocarbamide, 1892, A., 1084.

Hammerschlag, Albert, chemical composition of Bacillus tuberculosis, 1889, A., 638.

Hammerschlag, W., chloro- and bromoderivatives of anthracene, 1886, A.,

Hamonet, (L'Abbé) Jules, preparation of ketones, 1889, A., 235.

preparation of ethereal salts of β ketonic acids, 1890, A., 235; 1891, A., 1185.

Hampe, Wilh., Keith's process for de-

silvering of lead, 1883, A., 134.

— separation of zinc from metals of the same group, 1885, A., 932.

· volumetric estimation of mangan-

сье. 1886, А., 101. electrolytic conductivity of halogen

compounds, 1888, A., 211, 887.

— preparation of boron and silicon by

electrolysis, 1889, A., 103.

 electrolysis of cryolite, 1889, A., 676. · aluminium sub-fluoride, 1889, A., 676.

estimation of bismuth in silver slags, 1892, A., 919.

estimation of silicic acid in fluorides, 1892, A., 1127.

estimation of manganese by the chlorate method, 1892, A., 1132.

Hanamann, Joseph, composition of horsechestnuts, 1885, A., 928.

 keeping of topped and untopped beet, 1885, A., 1009.

 manuring of barley, 1889, A., 743. **Hand**, Adolf, benzene derivatives, 1886, A., 1017.

-metamerism in derivatives of benzene, 1890, A., 881.

Handl, Alois, and Richard Přibram, viscosity of liquids, 1892, A., 1143.

Handler, Sophie, reduction of oxyhemoglobin in the heart, 1889, A., 1225. Handy, Junes O. See Alfred E. Hunt. Hanekop, G. See W. Haberland.

Hankel, Wilhelm Gottlieb, actinoelectric and piezoelectric properties of quartz and their relation to the pyroelectric, 1883, A., 412.

- thermoelectric properties of min-

erals, 1883, A., 540.

- observations on thermo- and actinoelectricity of quartz, 1883, A., 950; 1885, A., 1187.

 electricity developed in the disengagement of gases, 1885, A., 2.

Hankin, Ernest Hanbury, albumose isolated from anthrax cultures, 1889, A.,

- bacteria-killing globulin, 1891, A.. 352.

Hankó, Jr., sylvanite and nagyágite from Nagyag, 1890, A., 711.

Hanks, Henry G., borax deposits, 1885, A., 957.

- occurrence of hanksite in California, 1889, A., 471.

Hannay, James Bullantine, limit of the liquid state, 1883, A., 145.

Hannén, Ferdinand. See Arthur Rindell.

Hanriot, Maurice, strychnine derivatives, 1883, A., 669.

conversion of brucine into strychnine, 1884, A., 88.

- hydrogen peroxide, 1885, A., 344. pyrogenic decomposition of organic

acids, 1886, A., 224.

— action of hydrogen peroxide on benzoic acid, 1886, A., 801.
— anemonin, 1887, A., 843.
— amidoisoxazole, 1891, A., 1108.

- action of hyroxylamine on ketonic nitriles, 1892, A., 79.

- assimilation of carbohydrates, 1892, A., 742.

Hanriot, Maurice, and Charles Blarez, solubility of strychnine in acids, 1883, A., 924.

Hanriot, Maurice, and Louis Bouveault, products of the polymerisation of ethyl cyanide, 1889, A., 841.

Hanriot, Muurice, and Jules Guilbert, action of bromethylene on benzene in presence of aluminium chloride, 1884, A., 733.

Hanriot, Maurice, and Charles Richet. estimation of the carbonic anhydride expired, and the oxygen absorbed in respiration, 1887, A., 507.

relation between muscular activity and the chemical effect of respiration, 1887, A., 1058.

- absorption of carbonic anhydride, and graphic record of the carbonic anhydride expired, 1888, A., 512. Hanriot, Maurice, and Churles Richet, | Hantzsch, Arthur Rwlolf, ammonium influence of diet on the elimination and absorption of carbon, 1888, A., 615.

-influence of diet on respiratory changes, 1888, A., 615.

physiological action of nickel-

carbon oxide, 1892, A., 365.

Hanriot, Maurice, and Octave SaintPierre, action of potassium on triphenylmethane, 1889, A., 882.

oxidation of triphenylmethane, 1890, A., 168.

Hansemann, Gustuv, diffusion of gases through a porous septum, 1884, A., 1251.

Hansen, Adolph, ferments, 1886, A., 1059.

 quantitative estimation of chlorophyll, 1886, A., 1083.

colouring matter of chlorophyll, 1888, A., 867; 1890, A., 171.

Hansen, Arthur von. See Friedrich Krafft.

Hansen, ('. (and others), cheese from skim milk with foreign fats added, 1884, A., 942.

Hansen, Emil Chr., organisms in the air around Carlsberg, 1884, A., 126.

- alcoholic ferments, 1885, A., 1168. Hansen, H. See Max Schrodt.

Hanssen, .1., brucine, 1885, A., 63, 276, 565,819; 1886, A., 564; 1887, A., 505.

- relation of brucine to strychnine, 1885, A., 1146.

- action of carbonyl chloride on ethyland trimethylenediphenyldiamine, 1887, A., 577.

Hanssen, Aug., methods of butter ana-

lysis, 1885, A., 197.

Hantke, Ernst, o-crosolsulphonic acids, 1888, A., 281.

Hantzsch, Arthur Rudolf, synthesis of pyridine derivatives from cthyl acetoacetate and aldehydeammonia, 1883, A., 82.

- action of aldehydeammonia on methyl acetoacetate, 1883, A., 1082.

- condensation products of ethyl acetoacetate, 1883, A., 1083.

--- reaction of ethyl acetoacetate with o-amidophenol, 1883, A., 1111.

- decomposition products of the pyridine series, 1884, A., 1045; 1885. Λ., 397.

· constitution of pyridine, 1881, A.,

constitution of synthetical pyridine derivatives and of isocinchomeronic acid, 1885, A., 1078.

- constitution of synthetical hydropyridine derivatives, 1886, A., 77.

derivatives of ethereal salts of pyridine- and quinoline-carboxylic acids, 1886, A., 369.

isomeric pyridinedicarboxylic acids,

1886, A., 477.

furfuran derivatives of the naphthalene series, 1886, A., 707.

action of phosphorus sulphide on complex furfuran derivatives, 1886, A., 1014.

--- constitution of nitranilic acid, 1886, A., 1021.

- furfuran derivatives from resorcinol, 1887, A., 262.

constitution of quinone derivatives, 1887, A., 719.

 conversion of benzene derivatives into fatty compounds, 1888, A.,

synthesis of thiazoles and oxazoles, 1888, A., 574.

decomposition products of bromanilic acid, 1888, A., 1190.

decomposition products of chloranilic acid, 1888, A., 1190; 1890, A.,

- action of sodium on ethyl isobutyrate, 1889, A., 372.

- azoles, 1889, A., 413.

- thiazoles from thiamides, 1889, A.,

products of the action of chlorine on phenol in alkaline solution, 1889, A., 853.

- conversion of pentamethylene derivatives into benzene, pyridine. and thiophen derivatives, 1890, A., 129.

· breaking the pentamethylene ring, 1890, A., 1091.

cyanacetone, 1890, A., 1094, 1095. formation of pyrroline derivatives, 1890, A., 1155.

 diazothiazoles and their decompositions, 1890, A., 1165.

haloid derivatives of ethyl aceto-

acetate, 1890, A., 1238.

— stereochemical isomerism of asymmetrical monoximes, 1890, A., 1263.

stereochemically isomeric oximes of p-tolyl phenyl ketone, 1890, A., 1273; 1891, A., 68.

stereochemically isomeric oximes of phonyl thienyl ketone and phonylglyoxylic acid, 1890, A., 1274.

-attempts to prepare stereochemical isomerides of nitrogen compounds, 1891, A., 35.

condensation products of aromatic aldehydes with aromatic amines, 1891, A., 50.

Hantzsch, Arthur Rudolf, determination of the special configuration of stereoisomeric oximes, 1891, A, 439.

- configuration of asymmetrical oximes which do not form stereometric isomerides, 1891, A., 442.

oximes of aldehydes and a-ketonic acids, 1891, A., 443.

- stereo-isomeric ketoximes, 1891, A., 445.

action of hydroxylamine on \$\beta\$ketonic acids and β-diketones, 1891, A., 739.

isomerism of oximes, 1891, A.,823. nomenclature of stereo-isomeric nitrogen compounds and of rings containing nitrogen, 1892, A., 312.

configuration of fatty ketoximes, 1892, A., 426.

aliphatic stereo-isomeric glyoximes, 1892, A., 693.

action of hydroxylamine on chloral, 1892, A., 699.

so-called ethyl carbacetoacetate, 1892, A., 819.

decomposition products of anilic acid, 1892, A., 834.

 configuration of the aldoximeacetic acids or β-oximidopropionic acids, 1892, A., 1069.

isomeric oximes and hydrazones, 1892, A., 1083.

 relations between constitution, configuration, and chemical behaviour of oximes, 1892, A., 1175.

Hantzsch, Arthur Rudolf, and Leonidas Arapides, methylthiazole, 1888, A., 573.

Hantzsch, Arthur Rudolf, and Felix Hermann, acetoacetic acid and ethyl succinosuccinate, 1888, A., 675.

- desmotropy, 1888, A., 954. Hantzsch, Arthur Rudolf, and Friedrich Kraft, stereochemical isomerism of

nitrogen compounds, 1892, A., 338. Hantzsch, Arthur Rudolf, and Eduard Lang, commarone-α-carboxylic acids, 1886, A., 706.

Hantzsch, Arthur Rudolf, and Kurl Loewy, quinone derivatives from ethyl

succinosuccinate, 1886, A., 354.

Hantzsch, Arthur Rudolf, and Arturo Miolati, dissociation constants of stereo-isomeric nitrogen compounds, 1892, A., 1268.

Hantzsch, Arthur Rudolf, and George Pfeiffer, furfuran derivatives of the phenanthrene series, 1886, A., 716.

Hantzsch, Arthur Rudolf, and Georg

Popp, thiazole, 1888, A., 1269. Hantzsch, Arthur Rudolf, and Heinrich Schiffer, constitution of ethyl chloracetoacetate, 1892, A., 697.

Hantzsch, Arthur Rudolf, and Kar Schniter, action of chlorine and bromine on pyrogallol, 1887, A., 925.

— — constitution of chlor- and brom-anilic acid, 1887, A., 1036.

Hantzsch, Arthur Rudolf, and Victor Traumann, amidothiazoles from thiocarbamide, and halogenated ketones and aldehydes, 1888, A., 573.

Hantzsch, Arthur Rndolf, and Julius Hugo Weber, thiazole compounds,

1888, A., 256.

Hantzsch, Arthur Rudolf, and Ludwig Weiss, s-pyridinetetiacarboxylic acid and 3:5-pyridinedicarboxylic acid, 1886, A., 477.

Hantzsch, Arthur Rudolf, and Alfred Werner, arrangement in space of the atoms in the molecule of carbon compounds containing nitrogen, 1890, A., 348.

stereochemically isomeric nitrogen compounds, 1890, A., 970; 1891, A., 34.

Hantzsch, Arthur Rudolf, and (Fraulein) Olga Wohlbrück, ethyl propiopropionate, 1887, A., 717.

Hantzsch, Arthur Rudolf, and Aloys Zeckendorf, derivatives of ethyl quinone-p-dicarboxylate, 1887, A., 727; 1888, A., 278.

Hantzsch, Arthur Rudolf, and Hans Zürcher, polycoumarins, 1887, A., 830.

Hantzsch, Arthur Rudolf.
Rudolph Fittig. See also

app, Joseph, p-quinolinesulphonic acids, 1884, A., 757. Happ,

Harada, Toyokitri, the Lugano district, 1883, A., 167.

Harcourt, Augustus George Vernon, an instrument for correcting gaseous volume, 1883, A., 378.

Hardaway, H., analysis of shot, 1887, A., 446.

Harden, Arthur, on the action of silicon tetrachloride on the aromatic amido-compounds, 1886, P., 251;1887, T., 40.

β-nitroso-α-naphthylamine, 1890, A., 630.

Harding, Sclwyn Lewis, sodium dichromate cell, 1887, A., 412.

Hardy, Ernest, and G. Calmels, pilocarpine, 1886, A., 724.

— jaborine, 1886, A., 815.

- decompositions of pilocarpine. 1886, A., 900.

- reactions of pilocarpine, 1886, A., 1048.

synthesis of pilocarpine, 1887, A., 1057.

Hardy, Ernest, and François Narcisse Gallois, anagyrine. 1888, A., 1317.

Hardy, Henry J. See John Uliver Arnold.

Hare, Hobart Amory. See Oliver Wolcott Gibbs.

Harker, J. A., reaction of hydrogen with chlorine and oxygen, 1892, A.,

Harley, George, and Harald S. Harley, composition of pearls, 1889, A., 178. Harley, Vaughan, disappearance of

sugar from the blood, 1892, A., 363. Harley, Vaughan, and Sophus Torup,

unusual pigment in urine, 1891, A.,

Harmuth, Albert (and others), lupine sickness in sheep, 1883, A., 228. Harnack, Erich, Carlsbad salts, 1883,

A., 396.

- estimation of iodine in human urine, 1884, A., 1423; 1885, A., 296. - bases in jaborandi leaves, 1886,

preparation and properties of eggalbumin free from ash, 1890, A., 272; 1891, A., 476; 1892, A., 645.

- composition of albumin, 1890, A., 392.

Harpe. See De la Harpe.

Harper, Duvid Neil. See Samuel Lewis Penfield.

Harries, Carl D., reduction of salicylaldehyde, 1892, A., 168.

- methyl o-hydroxycinnamyl ketone and its derivatives, 1892, A., 169. Harrington, Bernard James, diorites of

Montreal, 1883, A., 561.

- Canadian minerals, 1888, A., 431. - göthite, serpentine, and garnet from Canada, 1891, A., 647.

 so-called amber of Cedar Lake, Canada, 1892, A., 573.

Harris, Edward P., silicon, 1890, A., 108.

 action of chlorocarbonylamide on aromatic hydrocarbons in presence of aluminium chloride, 1890, A., 158.

Harris, Vincent Dormer, compounds of hæmatin, 1886, A., 1052.

Harris, Vincent Dormer, and Howard Henry Tooth, micro-organisms and proteolytic digestion, 1889, A., 64.

Harrison, Gessner, mirror amalgam, 1887, A., 447.

Harrow, George II., rapid method of estimating nitrates in potable waters, 1891, T., 320; P., 67; discussion, P.,

Harrow, George II. See also John Peter Griess.

Hart, Edward piscidin, the active principle of Jamaica dogwood, 1881. A., 332.

- detection of iodine, bromine, and chlorine, 1885, A., 295.

new forms of laboratory apparatus.

1885, A., 481. Hart, Edward, and Stuart Croasdale, standardising acidimetric and alkalimetric solutions, 1891, A., 959. Hart, Ferd. See Franz Josef König.

Hart, Horace S. See Russell H. Chittenden.

Hart, Peter, estimation of the relative amounts of sodium hydroxide and carbonate in soda ash, 1888, A., 89.

See Frank Theodore Stuart. Hart, Austin Gooch.

Hart, Thomas, motions of camphor on the surface of water, 1885, A., 951.

Hart, William Beaumont. See Watson Smith.

Hartig, Robert, reserve materials in trees, 1889, A., 740.

Hartig, Robert, and Rudolf Weber, wood of the beech, 1889, A., 1084.

Hartley, Arthur. See Edward Ralph Moritz.

Hartley, Walter Nocl, on the spectrum of beryllium, with observations relative to the position of that metal among the elements, 1883, T., 316.

- on homologous spectra, 1883, T.,

- reversal of metallic lines in overexposed photographs of spectra, 1883, A., 263.

researches on spectrum photography, 1883, A., 263.

on scovellite, 1884, T., 167. photographic investigations of the ultra-violet spark spectra emitted by metallic elements and their combinations under varying conditions, 1884, A., 137.

- line spectra of boron and silicon, 1884, A., 242.

· self-purification of peaty waters, 1884, A., 781.

- relation between the molecular structure of carbon compounds and their spectra, 1885, T., 685; P., 59; 1887, T., 152.

use of moist electrodes, 1885, A.,

- delicacy of spectrum photography, 1885, A., 466.

 atomic weight of beryllium, 1885, A., 484. absorption spectra of alkaloids, 1885, A., 1174.

177 12 Hartley, Walter Noel, relation between the molecular structure of carbon compounds and their absorption spectra. Part VIII. A study of coloured substances and dyes, 1886, P., 245; 1887, T., 152.

 spectroscopic notes on the carbohydrates and albuminoids from grain, 1886, P., 247; discussion, P., 247; 1887, T., 58.

chlorophyll from the deep sea, 1886, A., 367.

- constitution of the double chromic oxalates, 1887, P., 4.

 absorption spectra of isomeric cresols, dihydroxybenzenes, and hydroxybenzoic acids, 1888, T., 641.

— identity of natural and artificial

salicylic acid, 1888, T., 664; P., 65.

— definition of the term atomic

weight and its reference to the periodic 1888, P., 66.

 black marble of Kilkenny, 1888, 119.

- lakmoid and litmin, 1888, A., 295. spectra of blue and yellow chlorophyll, with some observations on leaf-green, 1890, P., 161; 1891, T., 106.

 films of vaporised metal, 1890, A., 692.

relations between the lines of various spectra, 1891. A., 773.

- the acid action of drawing paper of different makes, 1892, P., 19; discussion, P., 21.

origin of colour and fluorescence,

1892, P., 188.

 methods of observing the spectra of easily volatile metals and their salts, and of separating their spectra from those of the alkaline earths, 1892, P., 200.

action of heat on solutions of chromium salts, 1892, A., 571.

Hartley, Walter Noel, and Ramage, manganese borate, its constitution and properties, 1892, P., 201.

Hartmann, Albert, action of carbonyl chloride on o-diamines, 1890, A., 975. Hartmann, Albert. See also Carl Theo*dor* Liebermann.

Hartmann, E., complete chlorination of fatty compounds of high molecular

weight, 1891, A., 811. Hartmann, Fritz. See Otto Wallach.

Hartmann, Willy, specific rotation of d-camphoric acid and its salts, 1888, A., 378.

Hartog, P. J., sulphites, 1887, A., 886; 1889, A., 1106.

Harton. See Darton.

Hartshorn, George Trumbull, and Charles Loring Jackson, anilinetrisulphonic acid, 1888, A., 1093.

George Trumbull. Hartshorn. also Henry Barker Hill, Charles Loring Jackson.

Hartung, Ludwig, hexamethylenamine. 1891, A., 1179; 1892, A., 1173.

Hartwell, John A. See Russell H. Chittenden.

Hartwich, C., detection of foreign starches in chocolate, 1889, A., 192.

Hartwig, Karl, electrical conductivity of solutions, 1888, A., 399.

- molecular conductivity of acids in various solvents, 1891, A., 1308.

Hartz, J. D. Aug., preparation of daturine from Stramonium seeds, 1885, A.,

Harvey, J. IV. Chalmers, modified process for the estimation of chlorine in bleaching powder, 1883, A., 507.

volumetric estimation of mangan-

ese dioxide, 1883, A., 513. volumetric estimation of chromic

acid in chromates and dichromates, 1883, A., 686.

Harvey, Sydney, conversion of starch into glucose by means of hydrochloric acid, 1887, A., 125.

estimation of nitrates in water, 1887, A., 184.

Harz, Karl Otto, champion spice, 1884, A., 865.

effect of nitrogenous manures on tobacco, 1888, A., 990.

Harz, Karl Otto (and others), American red clover, 1884, A., 920.

Harz, Kurt, quinoline derivatives from propaldehyde, 1886, A., 261.

Haschek, A., refractive indices of turbid media, 1889, A., 197.

Hasebroek, Karl, coagulation of the blood, 1883, A., 608.

action of hydrogen peroxide on bismuth salts, 1887, A., 340.

a first product of gastric digestion, 1887, A., 609.

- fate of lecithin in the body, 1888, A., 173.

 chylous pericardial fluid, 1888, A., 736.

Haselhoff, Emil. See Wilhelm Roser. Hasenclever, Robert Wilhelm, manufacture of phosphate from basic slags, 1885, A., 615.

Haslam, Arthur R., detection of albumin in urine, 1883, A., 885.

volatilisation of zinc from German silver alloys, 1885, A., 707.

Haslam, Arthur R., action of lime on quinine, 1885, A., 1267.

solubility of barium sulphate in hydrobromic and hydriodic acids, 1886, A., 422.

Haslam, Arthur R. See also Richard Anschütz.

Hassack, Carl, behaviour of basic copper carbonate with nascent hydrogen, 1885, A., 1270.

Hassack, Carl. See also Alto Arche. Hasse, H., amidotoluenedisulphonic acid, 1886, A., 150.

Hasselbach, Eduard, hydrodiphthallactonic acid and hydrodiphthalyl,

1888, A., 485.

Hasselberg, Clas Bernhard, second spectrum of hydrogen, 1885, A., 317.

Hasselberg, Frank See Clast Engler.

Hassenkamp, Ernst. See Carl Engler. Hasterlik, Gustav. See Rudolf Nietzki. Hatch, Frederick H., hypersthene ande-

site from Peru, 1885, A., 1189.

Hatle, Eduard, and H. Tauss, mineralogical observations in Styria, 1888, A., 429; 1891, A., 21.

baryto-celestine from Werfen in Salzburg, 1889, A., 22.

Hatschek, Alexander, and Alexander Zega, action of p-toluidine on resorcinol and quinol, 1886, A., 455.

Hattensaur, Georg, composition of Molinia caerulea, 1890, A., 658.

Hattensaur, Georg. See also Eduard Donath.

Hatton, Frank, obituary notice of, 1883, T., 257.

Haubensak, W., estimation of the total alkaloids in quinine bark, 1891, A., 1402.

Haubner, Gustav, action of sulphurous anhydride on crotonaldehyde, 1892, A., 424.

Hauer, Franz von, barytes in the Carpathians, 1888, A., 33.

Hauer, Franz von (and others), the Klausenburg meteorite, 1883, A., 1070.

Hauff, Friedrich, β-naphthylhydrazine, 1890, A., 61.

Haug, J. J., and C. Hoffmann, substitute for caoutchouc, 1885, A., 712.
 Hausdörfer, Arthur, diphenyl-αγ- and

αδ-diketopiperazines, 1889, A., 1013.
—— constitution of diphenylamine- and phenylnaphthylamine-blue, 1890, A.,

1308. Hausdörfer, Arthur. See also Carl

Adam Bischoff.

Haushofer, Karl von, microscopic analysis, 1885, A. 689; 1887, A., 300, 301.

Haushofer, Karl von, crystallographical investigations, 1886, A., 341.

detection of small quantities of germanium, 1889, A., 78.

with phosphates, 1890, A., 84.

— microscopical test for tantalum and niobium, 1890, A., 86.

Hausmann, Julius, action of o-cyanobenzyl chloride on ethyl sodomalonate:

α-hydrindone, 1889, Å., 1172.
—— nitrobenzil and its isomeric dioximes, 1890, A., 624.

Hausmann, Julius. See also Siegmund Gabriel.

Hausser, Jean Louis, p-nitro-o-toluenesulphonic acid, 1891, A., 73.

mitrosulphobenzoic acid, 1892, A., 479.

Hausser, Jean Louis. See also Paul Thiébaut Muller.

Haussknecht, Georg, derivatives of phenylacetic acid and phenylglyoxylic acid, 1889, A., 506.

— electrical phenomena developed in the formation of solid carbonic anhydride, 1891, A., 777.

Haussknecht, Wilhelm. See Ludwig Gattermann.

Haussmann. See Eduard Lauber.

Haussner, Georg, minjak-lagam balsam, 1884, A., 354.

Hautefeuille, Paul, and James Chappuis, action of the silent discharge on oxygen and nitrogen in presence of chlorine, 1884, A., 710.

combination of phosphoric acid with silica, 1883, A., 782.
phosphates, 1883, A., 782.

phosphates, 1883, A., 782.
polymorphism of silicon phosphate, 1885, A., 120.

combinations of phosphoric acid with titanic, zirconic, and stannic acids, 1886, A., 670.

hydrated silicon phosphate, 1887, A., 329.

———— ferric and aluminium phosphates, 1888, A., 420.

water and hydrogen chloride, 1890, A., 8.

Hautefeuille, Paul, and A. Perrey, phosphoric anhydride, 1884, A., 1258.

apparent volatilisation of silicon at 440°, 1885, A., 872.

A., 874.

Hautefeuille, Paul, and A. Perrey, mineralising action of alkaline sulphides: formation of cymophane, 1888, A., 562.

production of phenacite and emerald, 1888, A., 1044.

- beryllium silicates, 1889, A., artificial production of zircon,

1889, A., 355.

ferric orthoclase, 1889, A., 357. - sodium beryllium silicates, 1890, A., 562.

- crystallisation of alumina and other oxides, 1890, A., 1071.

Hautefeuille, Paul, and L. Péan de Saint-Gilles, artificial production of micas, 1887, A., 560.

Hawkins, Ernest Mostyn. See Raphael Meldola.

Hawkins, J. Dawson, minium from Leadville, 1890, A., 570.

- silver silicate, 1890, A., 849. Hawkins, J. Dawson, and Edwin N. Hawkins, plattnerite from Idaho, 1890, A., 339.

Hawkridge, *Pcrcy*, lecture experiment; volumetric composition of certain gaseous compounds, 1889, A., 336.

Hay, Matthew, new alkaloid in Cannabis indica, or Indian hemp, 1883, A., 1155. physiological action of nitroglycerol, 1885, A., 681.

 chemistry of nitroglycerol, 1885, A., 742.

Hay, Matthew, and David Orme Masson, composition of nitroglycerol, 1885, A., 742.

Haycraft, John Berry, action of a secretion obtained from the medicinal leech, 1885, A., 571.

- new method for the estimation of uric acid, 1886, A., 748.

- method for estimating the specific gravity of the blood, 1891, A., 1123. estimation of uric acid in urine,

1891, A., 1297.

Haycraft, John Berry, and Edmond William Wace Carlier, coagulation of the blood, 1888, A., 1121.

Hayeraft, John Berry, and Charles William Duggan, heat-coagulation of certain proteids, 1890, A., 272.

Hayeraft, John Berry, and Harold Scofield, bile pigments, 1890, A., 181.

Hayeraft, John Berry, and R. T. Williamson estimation of the clicking.

liamson, estimation of the alkalinity of blood, 1889, A., 449. Hayduck, Michael Maximilian, influ-

ence of alcohol on the development of yeast, 1883, A., 104.

Hayduck, Michael Maximilian, utilisation of malt combings in the manufacture of pressed yeast, 1884, A.,

- hop and its constituents, 1888, Λ ., 187.

Hayem, Georges, poisons and drugs which act on hamoglobin, 1884, A.,

- conversion of hæmoglobin into metahæmoglobin, 1886, A., 637.

Hayes, Charles Willard. See Richard N. Brackett, Ira Remsen.

Hayes, Edward Harold, reduction of the results of experiments on the hydrate theory of solution, 1891, A., 973.

Hayes, Hammond Vinton, and John Trowbridge, cause of irregularities in the action of galvanic batteries, 1886, A., 293.

Haymann, Felix Hugo, action of sulphurous anhydride on tiglic aldehyde, 1889, A., 487.

Haynes, I. S., absorption of ammonia by acid solutions in nitrogen determinations, 1888, A., 752.

Hazard, J., estimation of quartz in siliceous rocks and soils, 1884, A.,

Hazen, Allen, estimation of chlorine in

water, 1890, A., 86.

— estimation of ammonia in sand and sewage, 1890, A., 1024.

 estimation of the dissolved matter in water, 1892, A., 920.

 colour standard for natural waters, 1892, A., 1527.

Hazen, Allen, and Harry IV. Clark, effect of temperature on the Nessler test, 1890, A., 1024.

- estimation of nitrates in water, 1892, A., 243.

Hazura, Karl, nitroresoccinolsulphonic acid, 1883, A., 1114.

- acids from drying oils, 1887, A., 359, 913; 1888, A., 816.

- acid from hemp-seed oil, 1887, A., oxidation of unsaturated fatty

acids with permanganate, 1888, A.,

– drying oils, 1889, A., 956. - examination of commercial oleïn

for linoleic acid, 1890, A., 306. Hazura. Karl, and Kudolf Benedikt, chloro- and bromo-derivatives of phloroglucinol, 1886. A., 52.

Hazura, Karl, and A. Friedreich, acids from drying oils, 1887, A., 798.

- Hazura, Kurl, and Inton Grüssner. acids from drying oils, 1888, A., 817, 1270.
- olive oil, 1889, A., 374.
- oxidation of unsaturated fatty acids by permanganate, 1889, A., 375. non-drying oils, 1889, A., 1058.

 Hazura, Karl, and Paul Julius, resor-

cinol oxide, 1884, A., 1139.

Hazura, Kurl. See also Alexander Bauer, Rudolf Benedikt, Anton Grüssner, Hugo Weidel.

Headden, IV. P., columbite from Colorado, 1887, A., 347.

- columbite and tantalite from the Black Hills of South Dakota, 1891, A., 886.

griphite; a new phosphate from

Dakota, 1891, A., 1328.

Headden, W. P., and Benj. Sadler, Marsh-Berzelius method for the detection of arsenic, 1886, A., 489. Heaton, Charles W., zinc in drinking-

water, 1884, A., 697.

Heaton, Charles IV., and S. Archibald Vasey, simple method of estimating uica, 1891, A., 133.

- analysis of peptones, 1892, A., 1535.

Hebebrand, August, compounds of quinol and toluquinol with amines, and of quinone with nitranilines, 1883, A., 60.

Hebebrand, August. See also Theodor Zincke.

Hebebrand, H., action of chlorine on hydroxyquinoline, 1889, A., 60.

Hebenstreit, Paul, sulphoneyanamides, 1890, A., 501.

Hébert, Alexandre, formation of ammonia in arable soil, 1889, A., 1240.

- analysis and composition of straw, 1890, A., 1459.

- development of wheat and formation of starch in the grain, 1891, A., 1285.

- development of cereals, 1892, A., 1119.

occurrence in plants of a gum giving lise to xylose by saccharineation, 1892, A., 1371.

Hecht, *Hermann*, action of monamines on citric acid, 1887, A., 154.

Hecht, Joseph L., dichlorosalicylic acid, 1890, A., 1418.

Hecht, Otto, propylthiocarbimide and some new thiocarbamides, 1890, A., 476.

- dialkyl cyanothiocarbamides, 1890, A., 1103.

thiocarbamides, cyanocarbamides, and cyanothiocarbamides, 1892, A., 702. Hecht, Otto, thiobiusets, 1892, A., 703. Hecht, Otto. See also Fr. Iwig.

Hecht, Wilhelm, and Max Conrad, determination of affinity constants, 1889,

Hecht, Wilhelm, Max Conrad, and Carl Bruckner, determination of affinity coefficients, 1890, A., 4, 1046.

Heckel, Edouard, ice-plant (Mesembryanthemum crystallinum), 1883, A.,

sodium benzenesulphinate as an antiseptic for wounds, 1888, A., 182.

utilisation and transformations of alkaloids during the germination of seeds, 1890, A., 543.

Heckel, Edouard, and Charles Fredéric Schlagdenhauffen, chemistry of Globu-

laria, 1883, A., 1025. ———— baık of "Bois piquant," 1884,

A., 848.

kola-nut, 1884, A., 863. chemical composition of Artemisia gallica, 1885, A., 684.

Chaulmoogra seeds, 1885, A., 927.

-root of Danais fragrans, 1886,

A., 173. gutta percha from Bassia

Parkii, 1886. A., 249. ———"Doundaké," or African qui-

nine, 1886, A., 267. cholesterol in vegetable fats, 1886, A., 829.

- lecithin in plants, 1886, A., 1064.

— — vernonin, 1888, A., 964. — — juice of *Bassia latifolia*, 1889,

A., 434. – oleo-gum-resin secreted by

araucarias, 1889, A., 1236. Heckmann, Jacob, ethylic dinitrophenyl-

acetoacetate, 1884, A., 178. Hecquet d'Orval, E., salt and herring offal as manure, 1884, A., 866.

Hector, D. S., action of hydrogen peroxide on phenylthiccarbamide, 1889,

A., 872. - derivatives of aromatic thiocarbanides, 1890, A., 526.

- action of oxidising agents on aliphatic thiocarbamides, 1892, A., 29Ž.

Hector de Rochefontaine, *Olivier d*'. See J. Peter.

Heddle, Matthew Forster, stilbite, 1883, A., 441.

- ill-determined minerals, 1886, A.,

- minerals new to Britain, 1886, A., 432.

Heddle, Matthew Forster, identity of bruiachite and fluorspar, 1891, A., 273.

dudgeonite, hydroplumbite, and plumbonacrite, 1891, A., 275.

Hedin, Sven Gustuv, condensation products of amido-acids with benzenesulphonic chloride, 1891, A., 202.

Hedrick, W.A., p-amido-o-sulphobenzoic acid, 1888, A., 280.

Heen, Paul de, note on the general law which governs the expansibility of liquids, 1884, T., 408.

Heermann, Paul, nitro-derivatives of aethoxynaphthalene, 1891, A., 1379. organic phosphorus compounds,

1892, A., 875.

- 1:4-amidonaphthol ethyl ether and its derivatives. 1892, A., 1097.

Heermann, Paul. See also Adolph

Hefelmann, Rudolf, desulphurisation of thiocarbamides by mercuric cyanide, 1886, A., 349.

Heffter, Arthur, p-amidotoluene-o-sulphamide, 1884, A., 73.

p-amidotoluene-o-thiosulphonic acid, 1884, A., 454.

- action of chloral on glucose, 1889,

 preparation of gluconic acid, 1889, A., 857.

lecithin in the liver, 1891, A., 1275. **Hegel**, Sigm., indole derivatives, 1886, A., 551.

Hehner, Otto, analysis of beeswax, 1884, A., 779.

analysis of honey, 1885, A., 444. estimation of methyl alcohol in presence of ethyl alcohol, 1887, A., 1142.

estimation of glycerol and its nonvolatility with aqueous vapour, 1887, A., 1148

- mixed lard and the detection of

cotton-seed oil, 1889, A., 319.

— estimation of glycerol in soap lyes and crude glycerol, 1890, A., 425.

estimation of boric acid, 1892, A., 384.

Heiber, Fritz, action of methylchloroform and ethylchloroform on alkaline solutions of phenols, 1892, A., 308.

diethyl hydrofurfuryllutidinedicarboxylate and its derivatives, 1892, A., 1362

Heiden, Joachim Christian Eduard, superphosphatic gypsum as an absorber of ammonia, 1885, A., 83. preservation of farmyard manure,

1886, A., 277.

Heiden, Joachim Christian Eduard, experiments with farmyard manure, 1888, A., 872; 1890, A., 411.

growth of maize and peas in nutritive solutions, 1888, A., 1328.

- value of basic slag as a manure compared with soluble phosphate and bone meal, 1889, A., 299.

manuring experiments in heavy soil, 1889, A., 300.

Heiden, Joachim Christian Eduard (and others), ratio of nitrogen to phosphoric acid in seeds, 1884, A., 1404.

- how to bring heavy, raw soils into cultivation, 1884, A., 1412.

- potatoes with lime as a manure, 1884, A., 1419.

Heidenhain. Heinrich, Goldenberg's method for estimating tartaric acid, 1889, A., 657.

Heidenreich, Arthur, and Victor Meyer, formation of diphenylamine from obromobenzoic acid, 1892, A., 1188.

Heidensleben, E., toluidonitiobenzoic acid and naphthylamidonitrobenzoic acid, 1891, A., 306.

Heidlberg, Theodor, o- and p-chlorodi-

methylaniline, 1887, A., 471.

Heidlberg, Theodor. See also Karl Heumann.

Heilborn, Ernst, connection between the critical data of liquids and their chemical constitution, 1891, A., 380.

specific heat of mercury, 1891, A., 632.

critical state of liquids, 1891, A., 969.

Heilmann, Ernst, xylalphthalide and its derivatives, 1890, A., 625. - *m-*xylalphthalide. 1891, A., 200.

Heim, Carl, electrical conductivity of supersaturated salt solutions, 1886, A., 654.

- use of magnesium in primary batteries, 1888, A., 1002.

Heim, Ernst, nitro-derivatives of phenyl- β -naphthylamine, 1888, A., $4\overline{8}8$.

- action of ammonium sulphide on some dinitro-compounds, 1888, A., 1096.

Heim, F., blue colouring matter in the blood of Crustaceæ, 1892, A., 898. Heim, F. See also J. E. Abelous.

Heim, Max, hydrastine; a correction, 1890, A., 1333.

Heim, Max. See also Martin Freund. Heim, Rudolf, phenolic phosphates, 1883, A., 1108.

- conversion of phenols into nitriles and acids, 1883, A., 1111.

Heine, H. See L. Just.

Heiner, G., estimation of resin in soap, 1885, A., 933.

Heinichen, Otto, dibromosulphanilic acid and its derivatives, 1890, A., 165.

Heinrich, Reinhold, influence of the percentage of moisture in peaty soils on vegetation, 1883, A., 681.

- dependence of cultivation on the depth of the soil, 1885, A., 80.

Heintze, Julius, ultramarine, 1891, A., 400.

Heintze, O., crystallography of some organic compounds, 1886, A., 235.

Heinz, R., physiological action of saline solutions and various drugs, 1891, A., 601.

Heinzelmann, G., influence of salicylic acid on fermentation, 1884, A., 764.

· fermentation experiments with gluten instead of diastase in the mash, 1884, A., 789.
— strong yeast, 1884, A., 789.

Heinzerling, Chr. See Carl Moldenhauer.

Heisch, Charles, analysis of pepper, 1887, A., 312.

— obituary notice of, 1892, T., 489. Heise, Robert, synthesis of hydrocarbons. 1891, A., 685.

Heise, Robert, and Albert Tohl, action of aluminium chloride on aromatic hydrocarbons, 1892, A., 1309.

Helbing, H., reaction of strophanthin, 1887, A., 1001.

Held, Alfred, ethylic ethylacetocyanaceand methylacetocyanacetate, tate 1884, A., 727.

derivatives of ethyl acetocyanace-

tate, 1889, A., 1141.

Held, Alfred. See also Albin Haller. Hell, Carl, determination of the molecular weight and atomicity of the higher fatty alcohols, 1884, A., 1433. brominating organic acids, 1888,

A., 814. s-diethylsuccinic acids, 1889, A.,

377.

- fichtelite, 1889, A., 614. - isomeric pimelic acid from amylene bromide, 1891, A., 1017.

Hell, Carl, and Carl Hägele, the hydro-

carbon C₆₀H₁₂₂, 1889, A., 575. Hell, Carl, and Christo Iordanoff, derivatives of palmitic acid, 1891. A., 820. - cyanopalmitic acid, tetradecylmalonamic acid, and tetradecylma-

lonic acid, 1891, A., 821.

Hell, Carl, and Eduard Alexandre Kehrer, action of bromine on levu-

linic acid, 1884, A., 1297.

Hell, Carl, and Chuna Kitrosky, formation of nitriles on oxidation with nitric acid, 1891, A., 812.

Hell, Carl, and Georg Lumpp, n-butylmalonic acid—an isomeric pimelic

acid, 1885, A., 44.
Hell, Carl, and Wilhelm Mayer, action of silver on ethyl bromisovalerate, 1889, A., 372.

Hell, Carl, and Robert Poliakoff, amidoand anilido-derivatives of succinic acid, 1892, A., 819.

- action of α - and β -naphthylamines on ethyl bromosuccinate, 1892,

A., 860.

Hell, Carl, and Rudolf Rempel, derivatives of n-suberic acid, 1885, A.,

Hell, Carl, and Adolf Ritter, action of the haloid acids on wormseed oil, 1884, A., 1363; 1885, A., 172. Hell, Carl, and Theodor Rockenbach,

last runnings obtained in the purification of aniline and toluidine, 1889, A., 600.

Hell, Carl, and Matthäus Rothberg, action of finely divided silver on ethyl bromopropionate, 1889, A., 371. - formation of dimethylsuccinic

acid, 1889, A., 959. Hell, Carl, and Joseph Sadomsky, new derivatives of stearic acid, 1891, A., 1335.

 cyanostearic acid, hexadecylmalonamic acid, and hexadecylmalonic

acid, 1891, A., 1451.

Hell, Carl, and Gotthilf Schüle, n-pentylmalonic acid, 1885, A., 757.

Hell, Carl, and Hermann Stürcke, wormseed oil, 1884, A., 1363. Hell, Carl, and Sergius Twerdomedoff,

derivatives of myristic acid, 1889, A., 956.

- fatty oil of Cyperus esculentus, 1889, A., 1029.

Hell, Carl, and Friedrich Urech, carbon thiobromides, 1883, A., 907.

 formation of a new colouring matter by the action of heat on carbotrithiohexabromide, 1883, A., 907.

Hell, Curl, and Mejer Wildermann, action of alcoholic potassium cyanide on halogen derivatives of amylene,

1891, A., 161.

— halogen derivatives of anylene (trimethylethylene), 1891, A., 533.

Hell, Carl. See also Alfons Bujard. Lazarus Chasonowitz, Wilhelm Dieterle, Friedrich Gantter, Isak Gorodetzky.

Helle, Johannes, o-tolidinedisulphonic acid, 1892, A., 1466.

Heller, Gustav, action of carbonyl chloride, carbonyl sulphide, and alkyl chlorocarbonates on phenylhydrazine, 1891, A., 1212.

Heller, William Mayhowe, formation of sulphones on sulphonating naphthalene derivatives by means of chlorosulphonic acid, 1889, P., 121.

Hellmann, Heinrich, difference of positive and negative discharge, 1883, A.,

949.

Hellon, Robert. See Joseph Tcherniac.
Hellriegel, Hermann, plants from seed of various sizes, 1884, A., 352.

— influence of the amount of soil on the development of roots of various plants, 1884, A., 626.

plants, 1884, A., 626.

— influence of light and heat on plants, 1884, A., 855, 1206.

influence of constant temperature in the soil on plants, 1884, A., 916.

influence of water on the growth of plants, 1884, A., 1401.

evaporative surfaces of plants, and influence of moisture in soils on plant

growth, 1885, A., 421.

— preservation of dried, washed sugar-beet mark sections, 1885, A., 685.

Hellriegel, Hermann, and H. Wilfarth,

absorption of nitrogen by plants, 1888, A., 742.

Graminez and Leguminose, 1889, A., 640.

Hellriegel, Hermann (and others), researches on sugar-beet, 1884, A., 485.
 Hellström, Paul, derivatives of αβ-dichloronaphthalene, 1889, A., 149.

Helmers, Otto, additive products of aromatic thiocarbimides, 1887, A., 581.

Helmholtz, Hermann Ludwig Ferdinand von, electrolysis of water, 1888, A., 100.

Helms, A., cinchocerotin, 1884, A., 331. Helwes, F., rennet in human urine, 1889, A., 536.

Helwig, Hermann. See Eugen Bamberger.

Hembert, Felix, and Henry, preparation of hydrogen, 1886, A., 184.

Hamilian, Walerius ron, diphenyl-pxylylmethane and its products of oxidation, 1884, A., 321.

diphenyl-m-xylylmethane and diphenyl-o-xylylmethane, 1887, A., 266.

Hemilian, Walerius von, and Heinrich Silberstein, triphenylamidomethane, 1884, Å., 1032.

Hemmann, Gumal. See Adolph Claus.
Hemmelmayr, Franz von, oxidation of sodium alkyl oxides by atmospheric oxygen, 1891, A., 1332.

methylene derivatives of carbamide and of thiocarbamide, 1891, A., 1339. base obtained from pyridine, 1892,

A., 504.

Hempel, Albert, o-nitroethylaniline and its derivatives, 1889, A., 600.

alkyl-o-phenylenediamines and their derivatives, 1890, A., 611.

Hempel, Rudolf, derivatives of suberic acid, 1885, A., 756.
Hempel, Walther, influence of the

Hempel, Walther, influence of the chemical nature and pressure of gases on the generation of electricity by an induction machine, 1884, A., 701; 1885, A., 1098.

estimation of oxygen in air, 1885,

A., 592.

— behaviour of the different modifications of carbon towards iron, 1885,

— apparatus and arrangements of the laboratory at Dresden, 1885, A., 951.
— percentage of oxygen in the air, 1885, A., 1091; 1887, A., 885.

source of error in gas analysis, 1887, A., 1062.

gas burette which is independent of atmospheric pressure and temperature, 1887, A., 1062.

- evaporation of liquids, 1888, A., 546.

preparation of cakes of ammonium chloride and ammonium carbonate, 1888, A., 553.

anhydrous magnesium chloride, 1888, A., 554.

- absorption of carbonic oxide by cuprous chloride, 1888, A., 556.

—— combination of carbon with iron under pressure, 1888, A., 557.

apparatus for evaporating by the aid of heat applied from above, 1890, A., 5.

— direct production of crystalline sodium carbonate and chlorine from sodium chloride, 1890, A., 10.

estimation of phosphorus in phosphorus in phosphor-tin, 1890, A., 83.

combustions under a high pressure, 1890, A., 1050.

reactions at high temperatures and pressures, 1891, A., 258.

error in the principle of the ordinary exsiccator, 1891, A., 259. —— new desiccator, 1892, A., 521. Hempel, Wulther, and L. M. Dennis, volumetric estimation of volatile hydrocarbons, 1891, A., 1141.

Hencke, Carl, p-amidodiphenylamine,

1890, A., 609.

Henderson, George Gerald, action of triphenylmethyl bromide on ethylic sodiomalouate, 1886, P., 251; 1887, T., 224.

ethyl triphenylcarbinylmalonate: β -triphenylpropionic acid, 1887, A.,

671

—— on diphenylisosuccinic acid and β -diphenylpropionic acid, 1891, T., 731; P., 123.

Henderson, George Gerald, and John Morrow Campbell, action of chromium oxychloride on nitrobenzene, 1890,

T., 253; P., 10.

Henderson, George Gerald, and Robert Watson Smith, action of chromium oxychloride on pinene, 1888, P., 116; 1889, T., 45.

Henderson, George Geruld. See also

James Johnstone Dobbie.

Hendess, Hugo. See Siegmund Gabriel.
 Hendrixson, Walter Scott, so-called dihydroxymaleic acid, 1890, A., 958.
 Hendrixson, Walter Scott. See also

Henry Barker Hill.

Henecke, Alb., extractive matter in Tyrolese wine, 1882 vintage, 1884, A., 130.

Henius, M., benzil derivatives, 1885, A., 1067.

Henke, Gustav, colocynthin, 1884, A.,

——milky juice of certain Euphorbiace.e, 1887, A., 72.

Henkel, Friedrich. See Theodor Curtius.

Henkel, Theodor, citric acid a normal constituent of milk, 1891, A., 1276.

Henneberg, Hugo, heat conductivity of mixtures of ethyl alcohol and water, 1889, A., 459.

Henneberg, Johann Wilhelm Julius, feeding sheep with sugar, 1885, A., 1252.

— influence of the consumption of water on the alimentation of animals, 1889, A., 287.

Henneberg, Johann Wilhelm Julius, and Friedrich Carl Adolf Stohmann, digestion of cellulose, 1886, A., 86.

Henneguy, L. Felix (and others), phylloxera, 1881, A., 99.

Henninger, Arthur, on alcohol in wine, 1883, A., 631.

-- reduction of crythritol by formic acid, 1884, A., 897.

Henninger, Arthur, and J. Sanson, formation of a glycol in the alcoholic fermentation of sugar, 1888. A., 571.

Henninger, Arthur. See also Charles 1dolphe Wurtz.

Henningsen, H. H., rearing calves on skim milk, 1884, A., 852.

Hénocque, Albert William Léon, action of potassium nitrite on blood, 1885, A., 682.

hæmatoscopy; a new method of blood analysis, 1887, A., 312; 1888, A., 204.

--- activity of reduction of oxyhemoglobin, 1888, A., 512.

Henocque, Albert William Léon, and Georges Baudoin, reduction of oxyhemoglobin in typhoid fever, 1888, A., 865.

Henrich, Ferdinand, absorption coefficients of gases, 1892, A., 1043.

Henrichsen, S., magnetism of organic compounds, 1888, A., 769; 1892, A., 672.

Henrichsen, S. Ser also Severin Wleügel. Henrichsen, Wilhelm. See Eugen R. Ostermayer.

Henriques, Robert, new nitro-derivatives of phenol, 1883, A., 327.

a new method of preparing secondary amidoazo-derivatives, 1885, A., 168.

Henriques, Robert, and Michael ron Ilinski, preparation of the nitrosonaphthols, 1885, A., 801.

Henriques, Robert. See also Paul Friedländer.

Henrivaux. See Coquillon. Henry. See Felia Hembert.

Henry, Louis, a-monochlorallylic alcohol and its derivatives, 1883, A., 173.

and its derivatives, 1883, Å., 173.

— "reaction aptitudes" of the halogens in mixed haloid ethers, 1883, Å., 787.

—— phenol derivatives, 1883, A., 802.
—— derivatives of mannitol hexylene,

1884, A., 33.
— monochlorethyl chloracetate, 1884,

A., 421.

—— haloid derivatives of ethane, 1884,

A., 571.

— methylene bromide, 1884, A., 718. — action of iodine chloride on chlorcthylene, 1884, A., 719.

- distinct types of glycollic acids,

1884, A., 730.

—— action of iodine chloride on bromethylene, 1884, A., 830.

Henry, Louis, as-chloriodethylene and bromiodethylene, 1884, A., 831.

monobiomomethylchloroform (bromotrichlorethane), 1884, A., 978.

propargyl iodide, 1884, A., 979. solubility and fusibility in the oxalic acid series, 1885, A., 335.

 haloid substitution derivatives of propionie acid, 1885, A., 372.

pyrotartaronitrile and succinonitrile, 1885, A., 646.

- trimethylene iodide, 1885, A., 736. volatility of cyano-derivatives con-

- taining oxygen, 1885, A., 880. primary haloid derivatives of ethyl ether, 1885, A., 882.
- amides of the oxalic series, 1885, A., 886.
- volatility of chloronitriles, 1885, A., 1044.
- physical properties of chloracetates, 1885, A., 1121.
- methylene derivatives, 1886, A., 43. volatility of mixed derivatives,
- 1886, A., 135. - normal and primary chlorobutyl
- derivatives, 1886, A., 215. polymerisation of the metallic
- oxides, 1886, A., 303. γ-bromo- and γ-iodo-butyric acids, 1886, A., 440.
- volatility of oxynitriles, 1886, A., 605.
- malonodinitrile, 1886. A., 786.
- normal dinitriles, 1886, A., 860. haloid derivatives of acetonitrile,
- 1886, A., 1001. volatility of methane derivatives, 1887, A., 24.
- determination of the relative value of the four units of activity in the carbon atom, 1887, A. 711.
- synthetical acetonitrile, 1887, A., 712.
- synthetical acetic acid and its derivatives, 1887, A., 796.
- cyanacetic acid, 1887, A., 796.
- volatility of poly-oxygen carbon compounds, 1888, A., 796, 797.
 glycollic nitrile: direct synthesis
- of glycollic acid, 1890, A., 739.
- Henry, Paul, direct synthesis of primary alcohols, 1892, A., 27.
- reciprocal transformation of lactones and hydroxy-acids, 1892, A., 1303.

 Henry, William Arnom, influence of
- fodder on the production of lean and fat in pigs, 1888, A., 1319.

Hensch, Arpad, influence of cultivation on the moisture of the soil, 1885, A.,

588.

- Henschel, Eduard. Sec Carl Bernhard
- Henschke, Alfred, chelidonine, sanguinarine, and chelerythrine, 1887, A., 854. - chelidonine, 1887, A., 854; 1889,
- A., 62. Henschke, Hermann, constituents of Scopolia root, 1888, A., 82.
- Henschke, Hermann. See also Ernst Albert Schmidt.
- Hensel, Ferdinand. See Richard Anschütz.
- Hensen, Victor von, fertility of a soil as dependent on the action of worms, 1883, A., 237.
- Hensgen, C., potassium and ammonium manganese chromates, 1886, A., 426.
- antimony and bismuth sulphates, 1886, A., 513.
- -animonio-meicuric chromates, 1887, A., 218.
- sublimation of antimony trichloride, 1891, A., 1160.
- Hentschel, IV., conversion of phenyl ethers of carbonic acid into salicylic acid, 1883, A., 588.
- diphenylcarbamide and triphenylguanidine, 1883, A., 1107.
- preparation of chloracetic acid, 1884, A., 990.
- preparation of acid anhydrides, 1884, Ā., 991.
- preparation of carbamide, 1884, A., 995.
- preparation of phenyl cyanate, 1884, A., 1002.
- action of sulphuric acid on carbanilide, 1884, A., 1016.
- -conversion of ethyl carbanilate into amidobenzoic acid, 1885, A., 792.
- preparation of methyl chloroformate, 1885, A., 883.
- phenyl cyanate, 1885, A., 888. derivatives of methyl carbanilate, 1887, A., 143.
- aconitic acid, 1897, A., 467. - derivatives of chlorinated methyl
- formate, 1887, A., 1027. - chlorinated methyl formates, 1887,
- A., 1099; 1888, A., 248, 249.

 Raoult's law of freezing points,
- 1888, A., 1143. - diacetamide, 1890, A., 1239.
- apparatus for the estimation of nitrogen in animonium salts, 1890, A., 1341.
- Henzold, Otto, new method of forming anthracene, 1883, A., 1137.
- frozen milk, 1887, A., 745. - estimation of water in butter, 1891, A., 1300.

Henzold, Otto. See also Gottfried Adolf Ernst Wilhelm Ulrich Kreusler, Max Schrodt.

Hepburn, G. Grant, griqualandite, 1887, A., 709.

Hepp, Eduard. See Otto Fischer.

Hepp, Paul, trinitro-derivatives benzene and toluene, 1883,

addition products of nitro-derivatives with hydrocarbons, 1883, A., 317.

Heppe, G., adulteration of petroleum with solar oil, 1885, A., 599.

 testing oil of cassia, 1885, A., 697. adulteration of lemon oil with oil of turpentine, 1885, A., 1163.

estimation of small quantities of silver in lead flux, 1891, A., 1292.

Heraeus, Wilhelm, reducing and oxidising properties of bacteria, 1888, A., 313.

Hérard, Ferdinand, amorphous antimony, 1888, A., 1256.

- amorphous bismuth, 1889, A., 572. Herb, Josef, reduction products of terephthalic acid, 1890, A., 1130.

Herbabny, Julius. See Adolph Claus. Herberts, H., liquid carbonic anhydride, 1886, A., 107.

Hereth, Fr. S., volumetric estimation of alkaloids by Mayer's reagent, 1888, A., 203.

Herfeldt, Eberhard. See Adolph Claus. Herff, B. van. See Charles W. Dabney. Hergenhahn, E., glycogen in the liver

and muscle, 1890, A., 1334. **Héricourt**, Jules, and Charles Richet, toxic action of blood and of various tissues, 1892, A., 228.

Heritsch, A., general law of the diminution of volume of salts by solution in water, 1889, A., 461.

Herles, F., estimation of sugar in molasses, 1889, A., 191.

formation of raffinose, 1890, A.,

Hermann, .1dolf. Sec Rudolf Leuckart. Hermann, Bernhard. See Conrud Willgerodt.

Hermann, Carl. See Carl Paal. Hermann, Ludimar, action of trichloracetic acid, 1885, A., 575.

reduced hæmoglobin, 1889, A.,

Hermann, Ludimar. See also S. Groll. Hermans, J. Th. H., contamination of the atmosphere by products of respiration, 1884, A., 510.

Hermens, Richard. See Carl Arnold August Michaelis.

Herre, W., preparation of waterproof and incombustible paper, 1885, A.,

Herringham, Wilmot Parker, and Howard Owen Davies, excretion of uric acid, 1892, A., 365.

Herringham, Wilmot Parker, and E. W. Groves, excretion of uric acid, urea, and ammonia, 1892, A., 365.

Herrmann, August, digestion of fibrin by trypsin, 1887, A., 1130.

Haycraft's method of estimating uric acid in urine, 1888, A., 1225.

Herrmann, Felix, constitution of ethyl succinosuccinate, 1883, A., 1084.

formation of ethyl succinosuccinate from ethyl dihydroxyterephthalate, 1886, A., 550, 706.

- crystals containing mixtures, 1886, A., 972.

ethyl quinonedihydro-p-dicarboxylate, 1886, A., 1027.

- configuration of the molecule of benzene, 1888, A., 1026; 1890, A., 1105.

configuration of the hexamethylene molecule, 1890, A., 1105. errmann, Felir. See also Arthur

Herrmann, Felix.
Rudolf Hantzsch.

Herrmann, Paul, and Bernhard Tollens, reactions of saccharin, 1885, A., 962.

 —— sugar of Symphoricarpos 1 acemosus, 1886, A., 92.

Herrmann, Paul. See Martin Freund. Herroun, Edward Felix, electromotive force of certain tin cells, 1886, A., 752.

abnormal electromotive forces, 1889, A., 457.

Herroun, Edward Felix. See also William Popplewell Bloxam, Edgar March Crookshank.

Hersch, Carl, analyses of zeolites, 1888, A., 924.

Herstein, B., truxillopiperidides and truxillopiperididic acids, 1889, A., 1213. Hertes, M. See *Friedrich* Holdefleiss.

Herth, Robert, hemialbumose or pro-peptone, 1884, A., 1388; 1886, A., 567.

Hertkorn, J., silicates of the phenols, 1885, A., 1056.

Herty, Charles H., double halogen salts of lead, 1892, A., 779. Hertz, Heinrich R., electric discharges,

1883, A., 700.

-researches on the glow discharge, 1883, A., 949.

- benzene as an insulator, 1884, A.,

- influence of ultra-violet light on the electric discharge, 1888, A., 13.

Hertz, Johann Nicolaus, molecular weights of sulphur, phosphorus, and iodine in solution, 1891, A., 260.

Hertz, Johann Nicolaus. See also Emil Fischer.

Hertzog, Alfred C., removal of exhausted solutions from gas apparatus,

1890, A., 557.

Herz, Josef, estimation of sulphurous acid in beer, 1886, A., 102.

detection of artificially coloured red wine, 1887, A., 91.

detection of alum in flour, 1887,

A., 530.

- detection of alkanna-red in wine, 1890, A., 311.

Herz. Richard, triphenylamine derivatives, 1890, A., 1409.

Herz, Richard. See also Carl Arnold 1 ugust Michaelis.

Herzberg, Martin, cinnamic and hydrocinnamic acids. p-nitrobenzaldehyde, 1885, A., 661.

Herzberg, Martin. See also Siegmund Gabriel.

Herzberg, Wilhelm, and Max Polonowsky, action of nitrous acid on tetramethyldiamidobenzophenone, A., 185.

Herzberg, Wilhelm. See also Friedrich Carl Adolf Stohmann.

Herzfeld, Alexander, maltose and isomeric gluconic acids, 1883, A., 652.

– maltose, 1884, A., 171. gluconic acids from different sources, 1884, A., 423.

— maltodextrin, 1886, A., 221.

- a new compound of saccharose, 1886, A., 863.

estimation of carbon in the organic constitutents of water, 1887, A., 184. - estimation of invert sugar, 1887, A., 185.

levulose, 1888, A., 667.
products of the action of red mercuric oxide and baryta water on glucoses, 1888, A., 807.

pectin substances, 1892, A., 291. Herzfeld, Alexander. and Ernst Bornstein, oxidation of levulose, 1886, A., 862.

Herzfeld, Alexander, and Heinrich Winter, levulose, 1886, A., 438, 862. Herzfeld, Alexander. See also Ernst Bornstein.

Herzfeld, J., derivatives of toluquinoline, 1884, A., 1198, 1199.

Herzig, Josef, action of nitrous acid on guaiacol, 1883, A., 464.

guaiaconic and guaiaretic acids, 1883, A., 470.

Herzig, Josef, quercetin and its derivatives, 1884, A., 846; 1886, A., 251; 1888, A., 1309; 1890, A., 64; 1891, A., 1386.

- derivatives of phloroglucinol, 1886, A., 232.

— rhamnetin, 1886, A., 252. — isodulcitol, 1887, A., 906.

— action of sulphuric acid on bromoderivatives of benzene, 1888, A., 1275.

- euxanthone, 1891, A., 1349; 1892, A., 1354.

– fluorescin, gallein, and aurin, 1892, A., 1319.

- euxanthic acid and euxanthone, 1892, A., 1354.

Herzig, Josef, and Simon Zeisel, bisecondary p 1888, A., 822. pentethylphloroglucinol,

- desmotropy in phenols, 1888, A., 822; 1889, A., 247, 966; 1890, A., 243, 1404; 1891, A., 75.

- passivity of certain polyketones towards hydroxylamine and phenylhydrazine, 1889, A., 254.

detection of diresorcinol in

synthetical phloroglucinol, 1891, A., 125.

Herzig, Josef. See also Ludwig (Ritter) Barth (von Barthenau), Hugo Weidel. Herzog, Max, silvering of glass and mirrors, 1885, A., 1020.

— preparation of aluminium, 1886,

A., 401.

Hesekiel, Ad., methylpiperidine: 8picoline hexahydride, 1885, A., 812. - β-picoline: synthesis of homologues

of pyridine, 1886, A., 256. Hesemann, F., and L. Köhler, mbrome-m-nitrobenzoic acid and its derivatives, 1884, A., 599.

Hess, E., and Balthusur Luchsinger, toxicological contributions, 1885, A.,

Hess, H., specific heat of some solid organic compounds, 1889, A., 92.

Hess, Otto, benzoyl derivatives of aromatic amines, 1885, A., 783.

- action of bromacetophenone on Phenylhydrazine, 1886, A., 547. Hess, Otto. See also Emil Fischer.

Hess, Wilhelm, and August Bernthsen, amido- and hydroxy- derivatives of phenylacridine, 1885, A., 800.

Hess, Wilhelm. See also August Bernthsen, Alfred Einhorn.

Hesse, Albert. See Otto Wallach. Hesse, Oswald, hydrocinchonidine, 1883,

- anhydrous grape-sugar from aqueous solution, 1883, A., 175.

- Hesse, Oswald, cuprea bark, 1883, A., 601,
- hydroconquinine and conquinine, 1883, A., 602.
- quinone, 1884, A., 430.
- trimethylamine aurochloride, 1884, A., 577.
- morphine, 1884, A., 613; 1888, A., 1115.
- ψ -morphine, 1884, A., 616; 1886, A., 1047; 1887, A., 163. quinine and homoquinine, 1884,
- A., 1384.
- alkaloids from the bark of Remijia Purdicana, 1885, A., 64.
- synthesis of homoquinine, 1885, A., 276.
- dicinchonicine, 1885, A., 675.
- opionin, 1885, A., 1074.
- fat or wax from cinchona bark, 1885, A., 1075.
- cupreïne and homoquinine, 1886, A., 83.
- quinine hydrate, 1886, A., 813. - cinchonidine in quinine sulphate,
- 1886, A., 813. lactucerin, 1886, A., 1020; 1888,
- A., 722. - cinchol, 1887, A., 58.
- China bicolor, 1887, A., 76.
- alkaloids of the Berberideæ, 1887,
- A., 283. n-quinine chromate, 1887, A., 404.
- alkaloids of coca leaves, 1887, A., 1125; 1889, A., 731.
- estimation of quinine sulphate, 1887, A., 1145.
- hydroquinine, 1888, A., 69.
- cinchona alkaloids, 1888, A., 379. - water of crystallisation of morphine,
- 1889, A., 417.
- coca bases, 1889, A., 731.
 new compounds of the cinchona alkaloids, 1889, A., 908.
- morphine from Paparer Rhocas, 1890, A., 646.
- quinine, cinchonine, and their isomerides, 1890, A., 1166.
- atropamine, 1891, A., 228.
- *iso*cinchonine, 1891, A., 583; 1892, A., 222.
- alkaloids of Belladonna, 1891, A., 748; 1892, A., 1498.
- saponin, 1891, A., 938.
- behaviour of cupreine and quinine with methyl iodide, 1892, A., 221.
- quinine hydrochlorides, 1892, A.,
- sulphonic acids of cinchona alkaloids, 1892, A., 514.

- Hesse, Oswald, Aristolochia argentina, 1892, A., 894.
- -conversion of cupreme into quinine, 18**92**, A., 1010.
- cincholine and fluoroline, 1892, A., 1492.
- Hesse, W., estimation of micro-organisms in the air, 1885, A., 611.
- Heumann, Karl, synthesis of indigo and allied dyes, 1891, A., 75, 311.
- synthesis of indigo with phenylglycocine, 1891, A., 206, 456.
- diethylindigo and o-tolylindigo, 1891, A., 837.
- non-formation of an indigo derivative by fusing p-tolylglycocine with alkalis, 1891, A., 928.
- Heumann, Kurl, and Theodor Heidlberg, influence of substituted elements and radicles on the shade of some dyes, 1886, A., 942.
- pyrosulphuric chloride, 1883, A., 710. Henmann, Kurl, and P.
- action of heat on sulphuric monochloride and dichloride, 1883, A., 781.
- thionyl chloride and pyrosulphuric chloride, 1883, A., 1051.
- Heumann, Karl, and Eugen Mentha. chlorazobenzene and hydrazobenzene, 1886, A., 874.
- Heumann, Karl, and L. Oeconomides, action of phenol on diazoamidobenzene, 1887, A., 480.
- reaction of diazoamido-compounds with phenols, 1887, A., 664.
- Heumann, Karl, and Robert Paganini, action of phosphorus pentachloride on hydroxyazobenzene, 1891, A., 301.
- Heumann, Karl, and Hermann Rey, dyes of the benzein-group, 1890, A., 157.
- Heumann, Karl, and Joachim Wiernik. diphenylethane derivatives, 1887, A., 673.
- phenyl derivatives of ethane, 1887, A., 1039.
- Heumann, Karl. See also Géza Billitz, René Bohn, Eugen Mentha, A. Pierson.
- Heupel, Albert. See Curl Paal.
- Heuser, A., and Carl Stochr, methyldipyridyls, 1891, A., 80; 1892, A., 75.
- Hensler, C., nickel ore from Gosenbach, 1890, A., 711.
- Heusler, Friedr., dry decomposition of diazoamido-compounds, 1891, A., 555. behaviour of cinnamaldehyde towards alkali hydrogen sulphites, 1891, A., 1052.

Heusler, Friedr., action of acetic | anhydride on diazoamido-compounds, 1892, A., 458.

- lignité tar, 1892, A., 1075.

Heusler, Friedr., and Heinrich Conr. Klinger, selenides from the Andes, 1886, A., 22.

Heusler, Friedr. See also Richard Anschütz, Otto Wallach.

Heusser, Emil, method for preparing hydrocarbons, 1884, A., 788.

Hewelke, O., antiseptic properties of sodium fluoride, 1891, A., 237.

Hewitt, John Theodore, chlorinated phenylhydrazines, 1891, T., 209; P., 3.

citraconfluorescein, 1891, T., 301; P., 59.

Heycock, Charles Thomas, and Francis Henry Neville, lowering of the freezing point of sodium by the addition of other metals, 1889, T., 666; P., 127.

- application of Raoult's depression of melting-point method to alloys, 1889, P., 41; discussion,

- molecular weights of metals when in solution, 1890, T., 376, 656; P., 38, 158.

on the freezing-points of triple alloys of gold, cadmium, and tin, 1891, T., 936; P., 124.

on the lowering of the freezingpoints of cadmium, bismuth, and lead when alloyed with other metals, 1892, T., 888; P., 145.

 isolation of a compound of gold and cadmium, 1892, T., 914; P., 146.

Heydecke, Ernst. Heydecke, Ernst. See Robert Otto. Heyden, Friedrich Wilhelm von, pre-

paration of substituted salicylic acids, 1886, A., 468.

Heydenreich, L., sterilization of liquids by means of Papin's digester, 1884, A., 864.

Heydrich, C., triphenylamine and its derivatives, 1885, A., 1213; 1886, A., 553.

C., obtaining sugar from molasses, 1886, A., 403.

Heyer, Carl, strontia dihydrate, 1887,

estimation of water in strontia

dihydrate, 1887, A., 217.

Heyes, John Frederick, tetravalency of oxygen, 1888, A., 551.

Bernhard, synthesis Heymann, indigotindisulphonic acid (indigocarmine), 1891, A., 1069; 1892, A., 69.

Heymann, Bernhard, and Wilhelm Koenigs, oxidation of homologues of phenol, 1886, A., 512; 1887, A., 241, 1035.

- lepidine compounds, 1888, A., 852, 1113.

See Siegmund Heymann, Philibert. Gabriel.

Heymans, Jean François. See Johannes Gad.

See John Hall Glad-Hibbert, Wulter.

Hickethier, and Friedrich Holdefleiss. preservation of stable manure, 1886, A., 390.

Hidden, William Earl, notes on some N. Carolina minerals, 1883, A., 163, 1063.

 anatase and xenotime from Burke Co., N. Carolina, 1883, A., 435.

— mineralogical notes, 1885, A., 878. - hanksite, 1886, A., 315.

- two masses of meteoric iron of unusual interest, 1886, A., 995.

 twin-crystals of molybdenite, 1887, A., 116. - remarkable crystal of herderite,

1887, A., 117. - phenacite from Colorado, 1887, A.,

118. - new meteoric iron from Texas,

1887, A., 119. - Mazapil meteoric iron, 1887, A.,

564. - edisonite, a fourth form of titanic

anhydride, 1889, A., 354. xenotime, 1889, A., 355.

Hidden, William Earl, and Alfred Louis Olivier Legrand Des Cloizeaux, N. Carolina mineral localities, 1887. A., 118.

Hidden, William Earl, and James B. Mackintosh, herderite from Oxford Co., Maine, 1885, A., 359.

- sulphohalite, 1889, A., 217. aueilite, a new thorium

mineral, 1889, A., 221. - yttria and thoria minerals from Llano Co., Texas, 1890, A., 457.

— polycrase of N. and S. Carolina, 1890, A., 854; 1891, A.,

1329. Hidden, William Earl, and Samuel Lewis Penfield, hamlinite, 1891, A., 20. Hiepe, Carl, application of hydrogen

peroxide in analysis, 1890, A., 419. Hiepe, Carl. See also Conrad Schmitt. Higgin, A. F. See Charles Frederick See Charles Frederick Cross.

Higgs, George, sensitisers for rays of low refrangibility, 1891, A., 1145.

Higley, George O. See Paul C. Freer. See Max Jaffé. Hilbert, Paul.

Hildebrand, Friedrich, influence of weather on vegetation, 1884, A.,

Hilditch, Thomas, atomic weight of

oxygen, 1884, A., 659.

Hilgard, Eugene Woldemar, effect of lime as a soil constituent on the development of plants, 1888, A., 318.

Hilgenstock, G., dephosphorisation of iron, 1884, A., 520. phosphorus in the blast furnace,

1885, A., 616.

- tetrabasic calcium phosphate and the basicity of the silicate in basic slag, 1888, A., 223.

Hilger, Albert, and Fritz van der Becke, change in the nitrogenous substances of barley during germination, 1891, A., 489.

Hilger, Albert, and Fr. Brande, taxine, the alkaloid of the yew tree, 1890, A.,

Hilger, Albert, and O. Buchner, constituents of Iceland moss, 1890, A.,

Hilger, Albert, and L. Gross, composition of vines, 1886, A., 1062.

Hilger, Albert, and Heinrich Haas, separation and estimation of tin and titanium, 1890, A., 666.

Hilger, Albert, and K. Lampert, weathering of granite, 1886, A., 995.

Hilger, Albert, and L. Mutschler, cyclamin and saponin, 1886, A., 366. Hilger, Albert, and Keizo Tamba, detection of cyanogen compounds, 1891, A., 1555.

Hilger, Albert. See also Victor Thylmann.

Hill, Henry Barker, constitution of the substituted acrylic and propionic acids, 1883, A., 310.

- substituted pyromucic acids, 1883,

A., 912.

action of alkalis on mucobiomic acid, 1884, A., 731.

- monobromo- and dibromo-py10mucic acids, 1885, A., 1125.

- dibromacrylic acid, 1886, A., 687. — furfuracrylic acid, 1888, A., 256.

methylfurfuraldehyde and the corresponding methylpyromucic acid, 1889, A., 695.

Hill, Henry Barker, and George Trumbull Hartshorn, furfuran derivatives, 1885, A., 762.

Hill, Henry Barker, and Walter Scott Hendrixson, constitution of methylpyromucic acid, 1890, A., 601.

Hill, Henry Barker, and Louis L. Jackson, chloropyromucic acids, 1887, A., 469; 1890, A., 482, 600.

Hill, Henry Barker, and Charles Frederic Mabery, tetrasubstituted propronic acids, 1883, A., 309.

Hill, Henry Barker, and Arthur William Palmer, sulphopyromucic acid, 1885, A., 1204.

mucohydroxybromic and mucohydioxychloric acids, 1888, A., 451.

 substituted pyromucic acids, 1889, A., 37, 386.

Hill, Henry Barker, and Charles Robert Sanger, action of potassium nitrite on mucobromic acid, 1883, A., 47.

 substitution derivatives of pyromucic acid, 1884, A., 1305.

- bromopyroniucic acid, 1886, A., 446.

Hill, Henry Barker, and Edward Knights Stevens, phenoxymucobromic acid, 1885, A., 531.

Hill, J. Rutherford, solubility of strontium nitrate in alcohol, 1889, A., 345. igniting point of sulphur, 1890, A., 849.

Hill, Samuel Alexander, the constituent of the atmosphere which absorbs radiant heat, 1883, A., 7.

Hill, T. Eustace, Werner-Schmid method of milk analysis, 1892, A., 390.

Hillebrand, William Francis, lollingite and other minerals from Colorado, 1884, A., 826.

- new minerals—zunyite and guitermanite—from Colorado, 1885, A., 878. -rare minerals from Utah, 1886, A., 516.

- emmonsite, an iron telluride, 1887, A., 344.

 descloizite from new localities. 1890, A., 341.

- uraninite, 1890, A., 456; 1891, A., 527; 1892, A., 283.

 occurrence of nitrogen in uraninite, 1891, A., 527.

– mineralogical notes; antlerite,1891, A., 1435.

- new analyses of uraninite, 1892, A., 283.

- samarskite from Colorado, 1892, A., 416.

Hillebrand, William Francis, Edward Salisbury Dana, tyrolite from Utah, 1890, A., 853.

Hillebrand, William Francis, and William Harlow Melville, isomorphous thorium and uranous sulphates, 1892, A., 571.

Hillebrand, William Francis, and H. S. Washington, nare copper minerals from Utah, 1888, A., 1013.

Hillebrand, William Francis. See also Whitman Cross.

Hiller, E., percentage of alkaloids in lupines, 1885, A., 832.

Hillert, Joseph. See Rudolph Fittig. Hillringhaus, Albert, derivatives β-naphthylhydrazine, 1890, A., 61.

Hills, Thomas Hyde, obituary notice of,

1892, T., 489.

Hillyer, Homer Winthrop, self-regulating gas-generator, 1890, A., 847. Hillyer, Homer Winthrop. See See also

Ira Remsen.

Hilsebein, Emil, action of phosphoric chloride on meconic acid, 1885, A.,

Hilt, Jeun. See Philippe Barbier.

Hiltner, Lorenz, approximate estimation of adulteration of earth-nut cake and meal, 1892, A., 1535.

Hiltner, Lorenz. See also Friedrich Nobbe.

Hindorf, R., influence of magnesium and calcium chlorides on germination, 1888, A., 1126.

Hinrichs, Gusturus Detlef, calculation of the melting- and boiling-points of normal paraffins, 1891, A., 1330.

- calculation of the boiling-point of a liquid under any pressure, 1891, A., 1406.

molecular volumes, 1891, A., 1408. - mechanical determination of the arrangement of the carbon atoms in organic compounds, 1891, A., 1441.

calculation of the specific heat of

liquids, 1892, A., 2.
— calculation of boiling-points of normal isomeric ethereal salts of the fatty series, 1892, A., 260.

pressure of saturated water vapour,

1892, A., 396.

— boiling-points of paraffin deriva-tives, 1892, A., 797.

boiling-point curves of the normal

paraffins, 1892, A., 947.

establishment of fundamental formulæ for the calculation of moment

of inertia, 1892, A., 948.

— mechanical determination of the boiling-points of compounds with simple terminal substitution, 1892, A., 948, 1039.

- mechanical determination of the boiling-points of alcohols and acids,

1892, A., 1039.

Hinrichsen, W., m-xylylamidomethane, 1889, A., 131, 391.

Hinsberg, Oscar, oxalicacid derivatives of m-nitro-v-toluidine and 3:4-diamidotoluene, 1883, A., 323.

derivatives of anhydroamidotolyloxamic acid, 1883, A., 1129.

quinoxalines, 1884, A., 1052; 1885, A.,909; 1886, A., 82, 561, 722; 1887, A., 382.

- reagent for a comatic diamines, 1885, A.. 934.

-constitution of the aldehydines, 1886, A., 943.

- nomenclature of the quinoxaline series, 1887, A., 382.

action of o-tolylenediamine on dextrose, 1887, A., 476.

- action of monatomic aldehydes of the fatty series on m-p-tolylenediamine, 1887, A., 816.

– zirconium, 1887, A., 896.

action of glyoxal on aromatic amines, 1888, A., 372.

hydroxyquinoxalines, 1889, A., 280.

1:1'-naphthylenediamine,1889, A., 717.

- piaselenoles, 1889. A., 785.

 piazothioles and piaselenoles, 1890, A., 160, 972.

-formation of ethereal salts and amides in presence of water and alkali, 1891, A., 49.

selenium, 1891, A., 393.

benzenesulphonamides and mixed secondary amines, 1892, A., 64.

behaviour of certain ketonic acids towards hydrogen sodium sulphite, 1892, A., 148.

benzenesulphonitramide, 1892, A., 850.

· methylhydroxytoluquinoxaline and the constitution of the compounds obtained from a-hydroxy-acids and a-diamines, 1892, A., 1359.

action of amido-bases on sodium glyoxalsulphonate, 1892, A., 1458.

Hinsberg, Oscar, and László von Udránszky, benzoyl derivatives, 1890, A., 370.

Hinsberg, Oscar. See also Wilhelm Autenrieth.

Hinsdale, Samuel J., colorimetric method for estimating tannin in barks, 1890. A., 1348.

 colorimetric method for estimating morphine in opium preparations, 1890, A., 1349.

estimation of gallotannic acid, gallic acid, and tannin, 1892, A., 390. Hintz, E., determination of acctone in wood spirit, etc., 1888, A., 759.

Hintz, E., and H. Weber, analysis of commercial sodium fluoride, 1891, A.,

- analysis of commercial barium hydroxide, 1891, A., 499.

See also Curl Remigius Hintz, E. Fresenius.

Hintze, Carl, pseudomorphic senarmontite crystals, 1883, A., 430.

— microlite, 1885, A., 732.

– arsenolamprite, 1886, A., 773. Hintze, Carl. See also Richard Anschütz.

Hinz, Edwin, p-benzoylquinaldine and *p*-diquinaldine, 1888, A., 300.

Hiortdahl, Thorstein Hallager, colemanite, 1885, A., 730.

 crystallography of ferrocyanides, 1886, A., 522.

Hirn, Gustave Adolphe, property of carbon similar to that of spongy platinum, 1888, A., 1028.

Hirsch, Abraham, copper arsenates, 1891, A., 644.

Hirsch, Jakob. See Adolph Claus.

Hirsch, Leopold, guanidines and guanidine cyanides, 1888, A., 947.

Hirsch, Philipp, derivatives of β-bromopropylamine, 1890, A., 859.

Hirsch, Robert, p-nitro-o-cresol and toluquinonechlorimide, 1885,

chloronitro-derivatives the aromatic series, 1887, A., 834.

- α-naphthylamine-δ-monosulphonic acid, 1888, A., 1200.

 theory of the formation of anilineblue, 1889, A., 503.

 diphenyl ether and dinitrodiphenyl ether, 1889, A., 510. o-methylbenzidine, 1891,

210.

- new synthesis by means of diazocompounds, 1891, A., 437; 1892, A., 1198.

- stability of diazo-compounds in aqueous solution, 1891, A., 554.

Hirsch, Robert, and Franz A. Kalckhoff, action of aromatic bases on naphtholviolet, 1891, A., 77.

Hirschberger, Josef. See Emil Fischer. Hirschfeld, Eugen, black pigment of the choroid, 1889, A., 788.

- influence of artificial gastric juice on the acetic and lactic fermentations,

1891, A., 488.

Hirschfeld, Felix, proteid metabolism in man, 1889, A., 174.

— influence of increased muscle activity on the decomposition of albumin, 1891, A., 1524.

Hirschhausen, L. ron. detection of berbeiine, hydrastine, and oxyacanthine. 1885, A., 606.

Hirschl, Josef Adolf, value of the phenylhydrazine test for sugar, 1890, A., 835.

Hirschler, August, influence of carbohydrates, etc., on the putrefaction of proteids, 1886, A., 729.

pancreatic digestion, 1886, A., 729.

lactic acid in animals, 1887, A., 167. separation of nitrogenous substances by means of phosphomolybdie acid, 1887, A., 310.

Hirschsohn, Eduard, Siam benzom,

1885, A., 620.

detection of cotton-seed oil in olive oil, 1889, A., 658.

- detection of ordinary turpentine in Venice turpentine, 1890, A., 307. testing oil of cassia, 1891, A., 504.

– formation of an asphalt-like substance from oil of cassia, 1891, A.,

Hirschwald, Julius, behaviour of silica and its compounds in fused microcosmic salt, 1890, A., 825.

Hirzel, Hermann. See Adolph Claus. Hise, Charles Richard van, enlargement of hornblende fragments, 1886, A., 318.

- iron ores of the Penokee-Gogebic series of Michigan and Wisconsin, 1889, A., 473.

 iron ores of the Marquette district, Michigan, 1892, A., 794.

Hitchcock, Romyn, examination of water and air for sanitary purposes, 1883, A., 514.

 action of light on silver chloride, 1890, A., 213; 1891, A., 1155.

Hittorf, Johann Wilhelm, luminosity of flame, 1883, A., 697. Hitzemann, C., and Bernhard Tollens,

hexyl iodide from sorbite, 1889, A., 841.

Hjelt, Edvard Immanuel, lactones from allylmalonic, diallylmalonic, and diallylacetic acids, 1883, A., 456.

— allylsuccinic and carbocaprolactonic acids, 1883, A., 656.

- dicarbocaprolactonic acid, 1883, A.,

 identity of isopropylsuccinic acid with pimelic acid, 1884, A., 296.

reduction of pyrotartaric chloride, 1884, A., 297.

- pyrotartrylfluorescein, 1884, A., 1019 ethylidenethenyltricarboxylic acid,

1885, A., 243. o-xylenyl chloride, 1886, A., 143.

193 13 **Hjelt**, Edvard Immanuel, oxidation of | phthalic alcohol, 1886, A., 455.

- phthalide from o-toluic acid, 1886, A., 469.

 action of sulphuric acid on phthalic alcohol, 1886, A., 791.

 s-diethylsuccinic acids, 1888, A., 254.

allylethylsuccinic acids, 1890, A., 133; 1892, A., 697.

xylylene sulphides, 1890, A., 134.

 velocity of lactone-formation in the case of various hydroxy-acids, 1891, A., 822.

- allylmethylsuccinic acid, 1892, A.,

 o-hydroxymethylbenzoic acid, 1892, A., 715.

Hjelt, Edvard Immanuel. and Uno Collan, ledum camphor, 1883, A.,

Hielt, Edvard Immanuel, and Magnus Gadd, \u03c4-cumenyl alcohol, 1886, A.,

Hjelt, Edvard Immanuel, and Walter Oswald Sivén, s-dibromacetone, 1889, A., 234.

Hjelt, Edvard Immanuel. Carl Adam Bischoff. See also

Hlava, Jaroslav, formation of fibrin, 1884, A., 912.

Hoadley, J. C., platinum water pyrometer, 1883, A., 769.

Hobbs, Perry L., derivatives of o-tolidine, 1888, A., 708.

Hobbs, William H., allanite and epidote as rock-forming minerals, 1890, A., 460.

Hoch, Rudolf. See Adolph Claus. Hochheim, Paul, amidoximes, 1890, A.,

Hochstetter, Heinrich, melilotic acid and anhydride, 1885, A., 390.

Hock, Karl, coloured essential oils, 1884. A., 82.

Hock, Karl. See also Mar Carl Traub.

Hockauf, J., botryrogen, 1887, A.,

 halotrichite from the Tyrol, 1888. A., 923.

Hodges, E. Battenburg, barium sulphite, 1889, A., 16.

Hodgkin, John, natural and renewed succirubra bark, 1884, A., 919.
 Hodgkinson, William Richard Eaton,

fluorene, 1885, P., 36.

-action of sodium on ethereal salts of phenylacetic scid, 1886, P., 188. action of sodium on ethereal salts;

benzyl o-toluate, 1891, P., 167.

Hodgkinson, William Richard Eaton, and Arthur Herbert Coote, action of phenylhydiazine on mono- and dicarboxylic acids at elevated temperatures, 1892, P., 219.

Hodgkinson, William Richard Eaton and Leonhard Limpach, a new method of preparing dinaphthalene oxide, C20H12O; constitution of its tetrasulphonic acid, 1891, T., 1096; P., 135.

- some new bases; 6:1:4:3-ethyldimethylamidobenzene, 1892, T., 420; P., 56.

 methoxyamido-1:3-dimethylbenzene and some of its derivatives, 1892, P., 166.

Hodgkinson, William Richard Euton. and Frederick K. S. Lowndes, lecture apparatus for making sulphuric anhydride, 1888, A., 647.

 combustion of oxygen in ammonia, and of hydrogen in nitric acid, 1888, A., 1244.

 action of incandescent platinum on gases and vapours, 1889, A.,

- decomposition of potassium chlorate in contact with metallic oxides, 1889, A., 343.

Hodgkinson, William Richard Eaton, and Francis Edward Matthews, note on derivatives of fluorene, C18H20, 1883, T., 163.

Hodgkinson, William Richard Eaton. See also Francis Edward Matthews. Hoeffken, William D. See Rudolph

Fittig. Hogbom, Arvid Justaf, double tungstates of rare metals, 1885, A., 25. pyrrhoarsenite and berzelite, 1889,

A., 217. Höglund, \underline{A} . See Otto Pettersson.

Höhnell, Franz Xavier R. (Freiherr) von, and Johann F. Wolfbauer. "butter-beans," 1884, A., 1209.

- fat of the fruit of Vateria indica, 1886, A., 223.

R., substitution-derivatives from methylene chloride, 1887, A., 905.

Hölbling, Victor, volumetric apparatus. 1889, A., 1086.

Hölbling, Victor. See also J. Sobieczky. Hölz, Otto, bromamidophenols, 1885, A., 1211.

 brominated derivatives of ψ-butylene, 1889, A., 575.

Hölz, Otto. See also Georg Roll, Wilhelm Staedel.

Hölzer, A., sources of error in polarising, 1883, A., 3.

Hölzer, A., compound of phenol with sulphurous anhydride, 1883, A., 585. preparation of glycollic acid, 1881, A., 583.

Hölzle, Richardt. See Ludwig Gatter-

Hönig, Max (Brunn), action of potassium permanganate on sodium thiosulphate, 1885, A., 1111.

- action of bromine and water on levulose, 1886, A., 328.

- valuation of indigo, 1890, A., 311. estimation of crude fibre and starch,

1891, A., 865. Hönig, Mar (Brunn), and Franz Berger, action of chloroform on naphthalene in presence of aluminium chloride,

1883, A., 68. Hönig, Mux (Brunn), and L. Jesser, carbohydrates, 1888, A., 126.

Hönig, Max (Brunn), and Stanislaus Schubert, sulphates of some carbohydrates, 1886, A., 44.

carbohydiates, 1887, A., 125. lichenin, 1888, A., 127. – inulin, 1888, A., 246.

Hönig, Max (Brunn), and E. Zatzek, action of potassium permanganate on certain sulphur compounds, 1884, A., 151.

 direct estimation of carbonic anhydride in presence of sulphides, sulphites, and thiosulphates, 1884, A., 216.

- action of potassium permanganate on thiosulphuric acid, 1886, A., 504.

Hönig Max (Brinn). See also Josef Habermann.

Hönig, Max (Geneva), derivatives of phthalide, 1886, A., 242.

preparation of terephthalaldehyde, 1889, A., 505.

Hönig, Moritz, nitrochlorotoluenes and chlorotoluidines, 1887, A., 1034.

Hönig, Moritz. See also Heinrich Goldschmidt.

Hönigsberg, P., digestibility of flesh, 1883, A., 815.

Hoermann, August. See Carl Paal. Hoermann, Otto. See Karl Elbs.

Hötte, B., phenyl-p-amide, 1885, A., 1220.

action of phenylhydrazine on anhydrides of dibasic acids, 1886, A., 353; 1887, A., 669.

Hoff, Jacobus Henricus van't, transformations of sulphur, 1885, A.,

- the "critical point" in chemical decompositions, 1885, A., 1181.

Hoff, Jacobus Henricus van't, dissociation of the hydrate HBr. 2H₂O, 1886, A., 501.

point of transition and point of fusion, 1888, A., 404.

- osmotic pressure in the analogy between solutions and gases, 1888, A., 778.

relation between the affinity in absolute measure and Ostwald's constants of affinity, 1889, A., 932.

nature of osmotic pressure, 1890,

A., 555.

solid solutions and molecular weight determination of solid substances, 1890, A., 1044.

theory of solutions, 1891, A., 790; 1892, A., 1045.

Hoff, Jucobus Hinricus van't, and Churles Marius van Deventer, transition temperature in chemical decomposition, 1886, A., 968.

Jucobus Henricus van't, and Hoff, Lodewyk Theodorus Reicher, theory of the dissociation of electrolytes, 1889, A., 202.

- 1 elation between osmotic pressure, reduction of the freezing-point, and electrical conductivity, 1889, A.,

temperature of transformation in double decomposition, 1889, A., 930.

Hoff, Jacobus Henricus van't. See also Walthère Spring, Charles Marius van

Hoff, H. J. van't, junior, malic acids, 1885, A., 1201; 1886, A., 48.

Hoffmann, August, compound of pyrotartaric acid with hippuric acid, 1887, A , 44.

Hoffmann, C. See J. J. Haug.

Hoffmann, Carl, bismuthic acid, 1884. A., 824.

action of hydroxylamine on acet-

amide, 1887, A., 911.

trichlorodihydroxypentenecarboxylic acid, 1889, A., 856.

 hydroxamic acids of the fatty series, 1890, A., 127.

Hoffmann, Carl. See also Richard Möhlau.

Hoffmann, Eduard, isomeric cuminildioximes, 1890, A., 1143.

- oximes of halogenated benzophenones, 1891, A., 1236.

Hoffmann, Eduard, and Victor Meyer, first product of the reduction of nitrocompounds with tin and hydrochloric acid or stannous chloride, 1892, A., 291.

Hoffmann, Eduard, and Victor Meyer, benzoyl compounds. 1892, A., 604.

Hoffmann, G. Christian, native platinum from Canada, 1889, A., 109.

Hoffmann, Heinrich O., dry assay of tin ores, 1891, A., 246, 502. Hoffmann, Hermann, fate of certain

ferments in the organism, 1889, A.,

Hoffmann, Julius, alkyl derivatives of methyluracil, 1890, A., 31.

Hoffmann, Leo, and Wilhelm Koenigs, tetrahydroquinoline, 1883, A., 1143.

Hoffmann, Ludwig, and Gerhard Kruss. gold sulphides, 1887, A., 1019; 1888,

Hoffmann, M., digestibility of casein from heated milk, 1883, A., 487, 815. Hoffmann, Otto, nitrosonaphthol and its

derivatives, 1885, A., 545. nitrosonaphtholsulphonic acids.

1892, A., 346.

Hoffmann, Richard. See Leopold Rügheimer.

Hoffmann, Theodor. See Carl Paal. Hoffmeister, Wilhelm, estimation of cellulose and wood gum, 1886, A.,

- cellulose and its forms, 1890, A., 581.

- cellulose-gum, 1892, A., 129. Hoffmeyer, Hermann. See Richard

E. Meyer. Hofmann, August Wilhelm von, conhydrine and its derivatives, 1883, A., 220; 1885, A., 401.

- lecture experiments, 1883, A., 279.

— crystalline cumidine, 1883, A., 324. - action of bromine on amines in alkaline solution, 1883, A., 789; 1884, A., 1114.

- piperidine and pyridine, 1883, A., 813.

- conine, 1884, A., 1200. - behaviour of ethylidene chloride, with ethylamine and amylamine, 1884, A., 1275.

action of ammonium chloride on glycol at high temperatures, 1884, A., 1284.

conversion of primary amines into mitriles, 1884, A., 1288.

- acediamine, 1884, A., 1289.

- conversion of aromatic amines into the ethers of the corresponding phenols, 1884, A., 1314.

tetramethylated amidobenzene, 1884, A., 1820.

caffeic acid in hemlock, 1884, A., 1353.

Hofmann, Ingust Withelm von, dinaphthylsulphone, 1884, A., 1362.

- reaction for pyridine bases, 1884, A., 1438.

 phosphorus chloronitride, 1885, A., 15.

- the conine group, 1885, A., 562. - conversion of phenyl cyanate into phenyl cyanurate, 1885, A., 774.

- crystallised methyl-violet, 1885, A., 791.

- pentamethylaniline, 1885, A., 1128. - thiocyanuric acid, 1885, A., 1193.

- replaced melamines, 1886, A., 39. - isomelamines; constitution of melamine and of cyanuric acid, 1886, A., 41.

- action of bromine on amides, 1886,

- phenylmelamines, 1886, A., 233. cyanuric ethers, 1886, A., 929.

chlorinated methyl isocyanurate and the constitution of cyanuric acids, 1886, A., 931.

quinoline-red, 1887, A., 380. - o-amidophenyl mercaptan, 1887,

A., 823, 1039.

- amidonaphthyl mercaptans, 1887, A., 839.

anhydro-bases of fatty diamines, 1888, A., 1050.

amines of the methyl and ethyl series, 1889, A., 688.

- dissociation phenomena, 1891, A., 143. - diethylenediamine, 1891, A., 169.

ethylene bases, 1891, A., 414. the action of heat on the hydro-

chlorides of ethylene bases, 1891, A.,

polymeric methylthiocarbimide, 1892, A., 798.

Hofmann, August Wilhelm von, communication of condolence on death of, 1892, P., 99.

Hofmann, August Wilhelm von, and Siegmund Gabriel, action of iodine on thiobenzamide, 1892, A., 1109. Hofmann, August Wilhelm von, and

Frederick Mahla, diethyldithiophosphinic acid, 1892, A., 1422.

Hofmann, August Wilhelm von. also Hugo Amsel, Alfred Behrmann. Hofmann, G., selenazole compounds:

selenocyanogen, 1889, A., 726. Hofmann, Karl Berthold, estimation of lithium by spectrum analysis, 1886, A., 178.

Hofmeister, Franz, distribution of peptone in the animal body, 1883, A., 675.

Hofmeister, Franz, proportion of peptone in the gastric mucous membrane, 1883,

A., 677.

— assimilation of food, 1886, A., 728. action of salts on proteids, 1889, A., 425.

preparation of crystalline eggalbumin, 1890, A., 182.

- crystalline egg-albumin, 1892, A., 515.

Hofmeister, Victor, digestion of cellulose by the horse, 1885, A., 916.

- nitrogenous constituents of the contents of the intestine which arise from the body, 1888, A., 861.

Hofmeister, Victor. See also Wilhelm

Ellenberger.

Hogarth, James, obituary notice of, 1884. T., 615.

Hogg, Thomas W., influence of sulphur

on Eggertz's carbon colour test, 1889, A., 76.

- estimation of carbon in iton, steel, etc., 1889, A., 308.

influence of copper on the determination of iron in ferro-alloys, 1889, A., 798.

estimation of chromium in steel, 1892, A., 538.

Holde, qualitative test for resin oil in vegetable and mineral oils, 1889, A.,

 estimation of acidity in lubricating oils, 1891, A., 505.

Holdefleiss, Friedrich, manuring beet. 1884, A., 103.

– earth-nut cake, 1884, A., 256.

palm-cake and palm-meal, 1884, A., 631.

electrical researches, 1885, A., 1152

sugar as an addition to cattle-food, 1886, A., 727.

Holdefleiss, Friedrich, and M. Herter. production and cost of farmyard manure, 1884, A., 867.

Holdefleiss, Friedrich, and Friedrich Strohmer, lime waste from sugar factories, 1886, A., 647.

Holdefleiss, Friedrich. See also Hickethier.

Holden, E. L. See C. C. Hutchins.

See William Winson Holden, H. Haldane Gee.

Holder, James Gordon. See Lewis *Mills Norton.

Holdermann, E., estimation of sodium and lithium, 1887, A., 864.

Holland, Philip, estimation of alkalis in silicates, 1887, A., 181.

– quartzite, 1887, A., 451.

Holland, Philip, gold quartz from the Transvaal, 1888, A., 428.

quartz conglomerate from Witwatersrand, Transvaal, 1888, A., 568. - estimation of titanium in natural

silicates 1889, A., 448.

Holland, Rich. J., alteration of the conductivity of a solution by the addition of a small quantity of a non-electrolyte, 1892, A., 1382.

Holland, Thomas H., large porphyritic crystals of felspar, 1891, A., 276.

Holle, O., tertiary phosphines and arsines, 1892, A., 984.
Holleman, Arnold Frederik, nitration of cymene, 1886, A., 1017.

phenylacetylene and diphenyldiacetylene, 1888, A., 261.

products of the action of nitric acid on acetophenone, 1888, A., 275.

- 8-nitrocymene, 1888, A., 454. simple procedure for the determination of molecular weights by Raoult's method, 1888, A., 552.

 product of the action of nitric acid on acetophenone, 1889, A., 49.

compounds containing the group C₂N₂O₂, 1891, A., 64.
— constitution of fulminic acid; di-

benzoylcarbamide, 1891, A., 446.

constitution of mercuric fulminate, 1892, A., 25.

- dinitrosacyls, 1892, A., 971. - isonitrosoanilacetone, 1892, A., 985.

testing the purity of platinic chloride, 1892, A., 1526.

Holleman, Arnold Frederik. See also Louis Aronstein, Henry J. F. de Vries.

Hollrung, M. See F. Kudelka.

Hollrung, M. U., rubellan, 1884, A., 1105; 1886, A., 213.

Holm, Emil, addition of phenolphthalein to margarine, 1891, A., 872.

Holm, J., fluorene derivatives, 1883, A., 921.

Holm, Indien. See Heinrich Goldschmidt.

Holmes, Edward Morell, Japanese oils, 1885, A., 1023.

Holmes, Jesse H., p-xylenedisulphonic acid, 1891, A., 1374.

Holovokschiner, E., diastatic and other ferments in urine, 1886, A., 902.

Holst, Albert, and Robert Otto, formation of dithionic acid from sodium sulphite, 1891, A., 978.

Holst, Albert. See also Robert Otto. Holst, Georg, and Heinrich Beckurts, strychnine and brucine ferro- and ferri-cyanides, 1887, A., 852.

Holst, Georg. See also Robert Otto. Holst, Nils Olof, rhyolites from Sweden, 1891, A., 1437.

Holt, A., stereometric relations of erucic and brassidic acids, 1892, A., 429, 812, 1427.

Holterman do Rego, J. detection of acid coal-tar colours in wine, 1887, A., 405. Holthof, Carl, estimation of arsenic,

1884, A., 1428.

 simple fusion salt, 1885, A., 687. - precipitation of manganese with bromine, 1885, A., 690.

- estimation of copper by converting the sulphide into oxide, 1890. A..665. Holton, olton, Fral. A., new qualitative methods, 1886, A.. 279.

Holtzapfel, Wilhelm. See Rudolf Leuck-

Holtzwart, Rudolf, dimolecular methyl cyanide, 1889, A., 113, 683.

Holverscheit, Robert, quantitative estimation of vanadium, and the separation of vanadic acid from phosphoric acid, 1890, A., 1343. Holzapfel, J., dari as a source of alcohol,

1885, A., 102.

Holzmann, Ernst, thio-derivatives of diethylaniline and dimethylaniline, 1887, A., 723.

thio-derivatives of some secondary and tertiary amines, 1888, A., 1080.

Holzmann, Ernst. See also Victor Merz. Homans, J., R. Steltzner, and A. Sukow, truxillic acids, 1891, A., 1495.

Homén, Viktor Theodor, electrical con-

ductivity of air under reduced pressure, 1886, A., 3.

Homolka, Benno, action of potassium cyanide on nitrated benzaldehyde, 1884, A., 1342.

condensation products of a-ketonic acids, 1885, A., 758.

- cantharidin, 1886, A., 723.

Homolka, Benno, and Wilhelm Low. action of potassium cyanide on nitroterephthaldehyde, 1886, A., 701.

Homelka, Benno, and Friedrich Stolz, iodopropargylic acid, 1885, A., 1198.

Homolka, Benno. See also Adolf von Baeyer, Hans Cornelius.

Honigmann, Moritz, producing a coating of ferrosoferric oxide on iron, 1885, A., 1271.

Hood, John J., estimation of iron by petassium permanganate, 1885, A., 297.

rate of the chemical absorption of gases, 1885, A., 341.

rate of chemical change as a function of temperature, 1886, A., 301.

Hood, John J., retardation of chemical change. 1886, A., 502.

—— theory of fractional precipitation, 1887, A., 325.

- preparation of ammonium dichrom-

ate, 1887, A., 449.

Hood, J. IV., nickel ore from Piney
Mountain, Oregon, 1885, A., 1190.

Hoogewerff, Sebastiaan, and IVillen
Arne van Dorp, the quinciline of coaltar and of the cinchona alkaloids, and its oxidation by potassium permanganate, 1883, A., 89.

colouring matters from lepid-

ine, 1885, A., 673.

- isoquinoline and its derivatives, 1886, A., 78; 1887, A., 505.

— oxidation of isoquinoline,

1886, A., 478.

 benzylamine and phenylethylamine, 1887, A., 245.

- action of potassium hypobromite on amides, 1888, A., 1194; 1889, A., 981.

constitution of berberine,

1889, A., 168. -action of potassium hypobrom-

ite on phenylsuccinimide, 1891, A., 196. transformation of α -diketones

in alkaline solution, 1891, A., 835. - action of alkali hypochlorites and hypobromites on some imides and on phthalodiamide, 1891, A., 1216.

 γ-amidoquinoline, 1892, A., 725.

Hooker, Samuel C., purpurogallin, 1888, A., 292.

 similar reactions of carbazole and pyrroline, 1889, A., 260.

estimation of nitrates in natural waters, 1889, A., 312. - detection of "saccharin," 1889, A.,

448 - derivatives of lapachic acid, 1891,

A., 1239.

constitution of "lapachic acid" (lapachol) and its derivatives, 1892, Ť., 611; P., 125.

Hooker, Samuel C., and William H. Greene, constitution of lapachic acid and its derivatives, 1889, A., 999.

Hooker, Samuel C. See also Eugen William H. Greene, Bamberger, Francis Robert Japp.

Hooper, David, optical method of analysis of quinine sulphate, 1886, A., 1086.

ash of cinchona barks, 1887, A., 394.

— laurel-nut oil, 1889, A., 541.

- Hooper, David, gymnemic acid, 1889, A., 723.
- tannin in Indian and Ceylon teas, 1890, A., 820.
- new alkaloid in Tylophora asthmatica, 1891, A., 1266.
- mineral substance in teak, 1892, A., 230.
- Hoorn, G. H., detection of salicylic acid in beer, 1889, A., 446.
- Hope, James, estimation of cobalt and nickel, 1890, A., 1470.
- Hopkins, F. Gowland, note on the yellow pigment in butterflies, 1889, P., 117.
- Hopkins, F. Gowland. See also Ernest Henry Starling.
- Hopkins, William Beechey. See George Herbert Bailey.
- Hoppe, Eduard, action of ammonia on methylethylacraldehyde, 1889, A., 120.
- Hoppe-Seyler, Ernst Immanuel Felix, action of oxygen on fermentation, 1883, A., 489.
- metahæmoglobin, 1883, A., 814. - fermentation of cellulose, 1883, A., 821.
- activity of oxygen in presence of nascent hydrogen, 1883, A., 848.
- activity of oxygen, 1883, A., 1048. chemical changes in soil and in drainage-water, 1884, A., 633.
- -action of oxygen on the activity of the lower organisms, 1884, A., 1899.
 — scaps as constituents of blood plasma and of chyle, 1885, A., 573.
- decomposition products of the colouring matter of the blood, 1885, A., 826.
- separation of casein from albumin, 1885, A., 845, 1015.
- action of mascent hydrogen in increasing the activity of oxygen, 1886,
- A., 120. - formation of methane and carbonic anhydride from cellulose, 1886, A.,
- 577, 932. decomposition products of hæmo-globin, 1886, A., 726.
- estimating hydrogen in the presence
- of methane, 1887, A., 618. methane fermentation of acetic
- acid, 1887, A., 1135. - humous substances, 1889, A., 285.
- blood pigments, 1889, A., 787.
- autoxidation, 1889, A., 1106. muscle pigments, 1889, A., 1281. oxidation in the blood, 1890, A.,
- 651.
- urine and blood in cases of melanotic sarcoma, 1891, A., 484.

- Hoppe-Seyler, Ernst Immanuel Felix, colorimetric estimation of hæmoglobin, 1892, A., 1264.
- extraction of the dissolved gases in water, 1892, A., 1526.
- Hoppe-Seyler, Georg, knowledge indigo-forming substances in the unine, 1884, A., 1058.
- effects of phenylhydrazine on the organism, 1885, A, 574.
- -discriminating between chrysophanacid and santonin-colouring matters in urine, 1887, A., 406.
- ethereal hydrogen sulphates in morbid urines, 1888, A., 179.
- calcium salts in urine, 1891, A., 484.
- urobilin in various diseases, 1891, A., 1278.
- test for sugar in urine, 1892, A., 1529.
- Horbaczewski, Ian, synthesis of uric acid, 1883, A., 179; 1885, A., 1050; 1887, A., 918; 1888, A., 256.
- behaviour of elastin in peptic digestion, 1883, A., 927.
- artificial uric and methyluric acids, 1885, A., 1050.
- products of the action of hydrochloric acid on proteids, 1886, A., 85. - digestion of elastin with pepsin, 1886, A., 270.
- constitution of uric acid, 1887, A.,
- 918; 1888, A., 256.

 origin of uric acid in mammals, 1890, A., 184.
- -formation of uric acid and of xanthine bases, and the production of leucocytoses in mammals, 1891, A.,
- · formation of uric acid from nucleïn, 1892, A. 646.
- Horbaczewski, Iun, and Franz Kanera, influence of glycerol, sugar, and fat on the secretion of mic acid in man, 1886, A., 822.
- Hori, Etanoyu, and Henry Forster Morley, n- and isopropyl-p-toluidine, 1890, P., 145; 1891, T., 33.
- Hori, Etznoyu. See also Ludwig Claisen. Horn, Franz Maximilian, oil from the seeds of Curcas purgans, 1888, A., 674.
- analysis of boot-blacking, 1890, A., 1478.
- Hornberger, Richard, mineral constituents of the seeds of forest trees, 1884, A., 353; 1885, A., 1255.
- composition of Sinapis albu during various stages of growth, 1885, A., 1087.

Hornberger, Richard, manurial value of bracken, 1886, A., 485.

spring sap of the birch and horn-

beam, 1888, A., 313.

amount of mineral matter and manurial value of the cupules of the beech from different soils, 1890, A.,

Hornberger, Richard, and Ernst von Raumer, researches on the growth of the maize plant, 1883, A., 491.

Hornberger, Richard. See also Bernard Borggreve.

Hornstein, Ferdinand Friedrich, magnetism of magnetite, 1886, A., 654.

Horowitz, M. See Hans Frey. Horsley, John, tests for butter and butterine, 1885, A., 696.

Horstmann, August Friedrich, specific volumes at the boiling-points and other temperatures, 1886, A., 759.

molecular volumes, 1887, A., 545.

- physical constants of benzene, 1888, A., 1069.

rôle of solid substances in chemical

equilibrium, 1890, A., 1365. Horton, H. E. L., hexamethyleneamine derivatives, 1888, A., 1051.

Horton-Smith, Percival, peptonised foods,

1891, A., 953.

Horvat, V., dry distillation of starch with lime, 1887, A., 460.

Horwitz, A., analysis of wool oils, 1890, A., 305.

Hoskinson, Winfield Scott. See Edgar Francis Smith.

Hossfeld, Wilh., soil-temperature in relation to the air-temperature, 1884, A., 357.

Hote. See L'Hôte.

Hotter, Eduard, synthesis of phenylaceturic acid, 1887, A., 368. phenaceturic acid and its deriva-

tives, 1888, A., 1298.

– aconitic triamide, 1889, A., 861. - occurrence of boron in the vegetable kingdom and its physiological meaning, 1890, A., 1338.

See also Friedrich Hotter, Eduard. Nobbe.

Houdart, E., preservation of wines, 1884, A., 130.

Houdas, J., digitaleme, 1892, A., 222. Houdé, A., sparteine and its salts, 1886, A., 370.

Houdes, A., crystallized 1884, A., 1055. colchicine,

Hough, Oliver, iddation of p-bromobenzoic acid: salts of p-bronio-m-nitrobenzoic acid, 1892, A., 714.

Houlding, William, acids formed by displacing NH2 in Bronner's 8-naphthylaminesulphonic acid by halogens, 1889, P., 74.

Houllevigne, L., electrolysis of a mixture of two salts in aqueous solution, 1890, A., 678.

Houzeau, Auguste, variation of the amount of ammonia in rain-water, 1883, A., 753.

 estimation of total nitrogen, 1885, A., 1011; 1888, A., 752.

Hovey, Edmund Otis, cordierite-gneiss, 1889, A., 25.

Howard, Alfred. See Benjumin Illing-

Howard, John Eliot, effect of altitude on the alkaloids of the bark of Cinchona succirubra, 1883, A., 1165.

Howard, Wm. C., thebaine, 1884, A., 1201.

separation of hygrine from cocame, 1887, A., 1126.

Howard, Wm. C., and Wilhelm Roser. thebaine, 1886, A., 813.

Howe, Jas. Lewis, ethyl derivatives of anhydrobenzodiamidobenzene, 1884, A., 741.

- a nitrile of anhydrobenzodiamidobenzene, 1884, A., 741.

action of nitric acid on mercuric sulphide, 1886, A., 595.

Howell, Edwin E., two new iron meteorites, 1891, A., 277.

- new meteorites, 1892, A., 1413. Howitt, Alfred William, the rocks of Noyang, 1884, A., 972.

- metamorphic and plutonic rocks at Omeo, 1889, A., 222

Howitz, Hans. See Adolph Claus. Hubacher, Karl, thiazoles, 1891, A., 220.

Hubbard, Lucius Lee, nosean-bearing ejections from the Lancher Sea, 1890, A., 220.

Huber, Armin, physiological action of dinitrobenzene, 1892, A., 366.

Hübl, (Baron) A. von. examination of beeswax, 1884, A., 506.

general method of examining fats, 1884, A., 1435.

Hübner, Hans Julius Anton Edward, substituted benzoic acids, 1884, A., 314, 599,

Hübner, Hans Julius Anton Edward, and Rob. Schüpphaus, formanhydroisodiamidotoluene, 1884, A., 1143.

Hübner, Hans Julius Anton Edward, Alfred Tölle, and Wilh. Athenstädt, action of dimethyl-p-toluidine and dimethylaniline on ethylene bromide, 1884, A., 1317.

Hübner, Richard, derivatives of isethi-

onic acid, 1884. A., 1126.

— derivatives of benzenesulphonic acid, 1884, A., 1180.

Hüfner, Carl Gustav, on the oxygen pressure under which, at a temperature of 35°, the oxyhæmoglobin of the dog begins to give up its oxygen, 1883, A., 678.

- crystalline metahæmoglobin from

the dog, 1885, A., 276.

- action of water free from oxygen on oxyhæmoglobin, 1886, A., 567.

- absorption of gases by grey vulcanised caoutchouc, 1888, A., 783. - tension of oxygen in the blood, and

in solutions of oxylaemoglobin, 1888, A., 1214; 1889, A., 426.

Hüfner, Carl Gustuv, and Max Bücheler, oxyhæmoglobin of the horse, 1885, A., 277.

Hueppe, Ferdinand, behaviour of unorganised ferments at high temperatures, 1883, A., 101.

- changes which milk undergoes through the agency of micro-organ-

isms, 1885, A., 416.

- plants free from chlorophyll acting like chlorophyll-containing plants, 1888, A., 623.

decomposition of carbonic anhydride by plants deprived of chlorophyll, 1888, A., 1125.

Hueppe, Ferdinand, and Wilh. Eugling, preservation of milk, 1885, A., 1170. - blue milk. 1885, A., 1171.

Hueppe, Ferdinand (and others), lactic ferment in milk, 1885, A., 1170.

Sec Adolph Claus, Huetlin, Ernst. Conrad Willgerodt.

Hufschmidt, Fritz, separation of arsenic

from antimony and tin, 1885, A., 86. - volumetric estimation of nitrogen, 1885, A., 1011.

Hughes, Frank. See Ruphael Meldola. Hughes, John, anaylsis of hoofs and horns, 1887, A., 408.

analysis of concentrated superphosphate, 1889, A., 1245.

Hughes, Robert Edward, action of aluminium chloride on benzenoïd acid chlorides, 1891, P., 70.

Hugounenq, Louis, estimation of urea, 1884, A., 122.

- amyl monochloracetate, 1886, A., 784.

chlorine derivatives of anisoil,

1887, A., 923.

- 1-8-hydroxybutyric acid in the blood of a diabetic patient, 1887, A., 986.

Hugounenq, Louis, perchlorination of phenol, 1889, A., 1149.

- chloranisorls, 1890, A., 240.

 chlorobenzenes obtained from anisoil, 1890, A., 365.

- tetrachlorophenol, 1891, A., 297.

- extraction of the colouring matter of wines, 1891, A., 1563.

· influence of wine on peptic digestion, 1892, A., 87.

Hugounenq, Louis, and Jules Eraud, toxalbumin secreted by the microbe of blennorrhagic pus, 1891, A., 1521.

Hugounenq, Louis, and Jules Morel, sodium potassium carbonate, 1888, A.,

Hugounenq, Louis. See also Paul Cazeneuve.

Huhn, Adolf, aromatic carbodiimides, 1886, A., 1035.

Hullemann, T., ethyl o-formate, 1890, A., 582.

Hulwa, Franz, self-purification of sewage-contaminated rivers, 1884. A., 932.

Humpidge, Thomas Samuel, atomic weight of beryllium, 1884, A., 261; 1885, A., 1184; 1886, A., 506.

 displacement of chlorine by bromine in silver chloride, 1884, A., 1245.

Hundeshagen, Franz, synthesis of lecithin, 1884, A., 280. - phosphododecamolybdic acid, 1889,

A., 760. - estimation of phosphoric acid by

ammonium molybdate, 1889, A., 797. Hundt, Christian. See Albert Ladenburg.

Hungerbühler, J., composition of ripe potatoes, 1886, A., 485.

Hunt, Alfred E., Geo. H. Clapp, and Jumes (). Handy, analysis of aluminium, 1892, A., 1130.

Hunt, Bertrum, synthesis of tannin, 1885, A., 1228.

- estimation of tannin, 1886, A., 285. Hunt, Edward, obituary notice of, 1884,

T., 616. Hunt, Lewis Govartz. See Charles

Stuart Stanford Webster.

Hunt, Thomas Sterry, decay of rocks geologically considered, 1884, A., 567. law of volumes in chemistry, 1887, A., 99.

- integral weights in chemistry, 1887,

A., 1077. dissociation of fused metallic sul-

phides, 1888, A., 1254. the foundations of chemistry, 1889,

A., 10. coefficient of mineral condensation in chemistry, 1891, A., 258.

Hunt, Thomas Sterry, natural classification of minerals, 1892, A., 415.

Hunter, M., and Karl Harry Ferdinand Rosenbusch, monchiquite, a lock of the elæotite-syenite class, 1892, A., 1058.

Hunter, William, pernicious anæmia, 1888, A., 1324; 1890, A., 1017.
—— method of raising the specific gravity of the blood, 1890, A., 393.

influence of oxygen on the formation of ptomaines, 1891, A., 1267.

— tuberculin, 1891, A., 1283. Huntington, Alfred Kirby, reactions of the Mexican amalgamation process, 1883, A., 134.

preparation of tungstic acid, 1885,

A., 1272.

Huntington, Oliver Whipple, crystalline structure of iron meteorites, 1887, A., 119.

- Coahuila meteorites, 1887, A., 455. new meteoric iron from North Dakota, 1891, A., 531.

the prehistoric and Kiowa Co. pal-

lasites, 1892, A., 1059. Huntly, George Nevill, action of phosphoryl trichloride on phosphorus pentoxide, 1890, P., 178; 1891, T., 202. Huntly, George Nevill. See also Francis

Robert Japp. Huppert, Kurl Hugo, estimation of acetone in urine, 1891, A., 370.

 Hamburger's method of estimating small quantities of iron, 1892, A., 1525.

Huppert, Karl Hugo, and Heinrich Záhoř, densimetric estimation of proteids, 1888, A., 1226.

Hurff, George B. See Peter Townsend Austen.

Hurion, variation in the electric resistance of bismuth when placed in a magnetic field, 1885, A., 469.

Hurst, George H., algaborilla, 1887, A.,

- ochres, siennas, and umbers, 1889, A., 678.

Hurier, Ferdinand, future of the chlorine industry, 1884, A., 225.

Hurter, Ferdinand. See also Eustuce Carey, Holbrook Gaskel.

Husemann, Theodor Gottfried, ptomaines and their significance in toxicol-

ogy, 1884, A., 469. Huskisson, P. L., crystallisation of phosphoric acid, 1885, A., 347.

Huss, N., estimation of phosphorus in iron and steel, 1886, A., 1073.

Hussak, Eugen, serpentine from the Alps, 1883, A., 562.

Hussak, Eugen, dichroite from Asama-Yama, 1884, A., 407.

 distribution of cordierite in rocks, 1885, A., 1190.

gianular limestone of Stainz in Styria, 1887, A., 780.

- artificial preparation of wollastonite, 1890, A., 220.

Hussak, Eugen. See also Cornclius Doelter, Anton Pelz.

Husson, C., detection of blood-stains on washed clothes, 1884, A., 376.

Huston, Henry Augustus, action of ammonium citrate on high grade aluminium phosphate, 1892, A., 1127.

Hutcheson, John B. See James Johnstone Dobbie.

Hutchings, W. M., analysis of silicates, 1887, A., 181.

Hutchins, U. C., and E. L. Holden, existence of certain elements and discovery of platinum in the sun, 1887, A., 1065.

Hutchins, C. C. See also John Trowbridge.

Hutchinson, Arthur, note on the reduction of aromatic amides, 1890, T.,

957; P., 139; 1891, A., 561. Hutchinson, Arthur. See also M. M. Pattison **Muir.**

Hutchinson, Morrison T. See Russell H. Chittenden.

Hybbeneth, F, amidobenzene-m-sulphamide, 1884, A., 72.

Hyland, J. Shearson, mesolite from Co. Antrim, 1891, A., 1169.

- spherulitic rocks from Co. Down, 1891, A., 1169.

I.

Iddings, Joseph Paxson, occurrence of fayalite, 1886, A., 319.

origin of primary quartz in basalt, 1889, A., 26.

obsidian cliff, Yellowstone Park, 1891, A., 26.

Iddings, Joseph Parson, and Whitman Cross, allanite as an accessory constituent of rocks, 1886, A., 317.

Iddings, Joseph Parson, and Sumuel Lewis Penfield, fayalite in the obsidian of Lipari, 1891, A., 158.

- minerals in hollow spherulites of rhyolite, 1892, A., 23.

Iddings, Joseph Paxson. See also Arnold Hague.

Igelström, Lars Johan, apatite from Horrsjoberg, Sweden, 1884, A., 269. empholite, 1885, A., 31; 1886, A.

Igelström, Lars Johan, hyalophane from Jakobsberg in Wermland, Sweden, 1885, A., 227; 1886, A., 212.

- berzeliite, 1886, A., 25.

- xanthoarsenite, 1886, A., 25.

— manganostilbite, 1886, A., 25. - apophyllite from Wermland, 1886,

A., 28. — persbergite, 1886, A., 31.

- manganese minerals from Wermland, 1886, A., 34.

- native bismuth from Sweden, 1886,

. A., 674.

polyarsenite, 1887, A., 346.

 braunite from Jakobsberg, Wermland, 1887, A., 643.

 hæmatostibite from Orebo, 1887, A., 645.

minerals from the Sjo mine, Sweden, 1887, A., 902.

- manganese-bearing idocrase from Sweden, 1888, A., 235.

- jacobsite from the Sjo mine, 1888, A., 562.

- jacobsite from Nordmarken, 1888, A., 563.

- pyrrhoarsenite, a new mineral from the Sjo mine, 1888, A., 565.

— arseniopleiite, a new Swedish mineral, 1889, A., 22.

 pyrrhoarsenite and other Swedish antimoniates, 1889, A., 218.

native lead in Sweden, 1890, A., 111.

pleonectite, a new mineral from Sweden, 1890, A., 112.

- anthochroite, a new mineral from Sweden, 1890, A., 114.

- barytic felspar from Sweden, 1890, A., 343.

new Swedish minerals, 1890, A., 1075.

identity of violan and antho-chroite, 1891, A., 407.

— plumboferrite, a new Swedish mineral, 1891, A., 1435.

jacobsite and braunite Sweden, 1892, A., 1404.

Ihl, Anton, phonols as reagents for carbohydrates, 1885, A., 694.

- colour reactions of beet-sugar, 1887, A., 534.

-colour reactions of starch and gum, 1887, A., 534.

 testing beet-sugar for purity, 1888, A., 876.

colour-reactions of some ethereal oils, 1889, A., 802.

pour by platinum black, 1886, A., 766. Ihmori, I., absorption of mercury va-

Ihmori, I., condensation of water vapour by solid substances, 1888, A., 24.

Ihne, Egon, influence of solar rays on the temperature of tiees, 1884, A., 917.

Ikuta, Massuo, p-nitrosodiphenylamine, 1888, A., 467.

- action of ethyl acetoacetate on quinone: synthesis of benzofurfuran derivatives, 1892, A., 608.

es, Malvern Wells, occurrence of smaltite in Colorado, 1883, A., 559. Iles, Malvern

vanadium in the Leadville ores, 1883, A., 562. - decomposition and analyses of slags,

1885, A., 192. - lead slags, 1888, A., 416.

Ilinski, Michael von, action of ammonia on nitroso-β-naphthol, 1884, A., 1035.

- Dumas' nitrogen apparatus, 1884, A., 1072.

— nitrosonaphthols and their denratives, 1885, A., 169; 1886, A.,

- dinitrosonaphthalene, 1886, A., 472. Ilinski, Michael von, and Georg von Knorre, separation of nickel and cobalt, 1885, A., 840.

separation of iron and alumin-

ium, 1886, A., 100. Ilinski, Michael von. See also Robert Henriques, Carl Theodor Lieber-

Illingworth, Benjamin, and Alfred Howard, thermal relationship between water and certain salts, 1885, A., 339.

Hosvay de Nagy Hosva, Ludwig, physical properties of carbon oxysul-phide, 1883, A., 48.

conditions for the formation of native sulphur, 1885, A., 729. detection of nitrous acid in saliva,

1890, A., 278.

nitrous acid in the atmosphere, 1890, A., 406.

formation of ozone and nitrogen oxides during combustion, 1890, A.,

- is it possible to form ozone by lowering the temperature of a flame? Is there ozone near a flame? 1891, A., 798.

detection of sulphur not combined with hydrogen in illuminating gas, 1891, A., 862.

Hosvay de Nagy Hosva, Ludwig. also Marcellin Berthelot.

See Max Fesca, Imai, H. Kellner.

Imhäuser, August. See Karl Auwers. Immel, Friedrich. See Adolph Claus.

Immendorff, Heinrich, carrotene and the green colouring matter of chlorophyll grains, 1890, A., 641.

the nitrogen question, 1892, A., 374.

Immendorff, Heinrich. See also Richard Anschütz.

Immerheiser, Carl, constitution of \$\beta\$naphthylamine-α-sulphonic acid, 1889, A., 514.

- oxidation of β-naphthaquinolinesulphonic acid, 1889, A., 527.

Immerheiser, Carl. See also Ludwig Medicus.

Immerwahr, Paul. See Martin Freund.
Ince, Walter H., "phenyltribroniomethane C₆H₅, CBr₃," 1885, P., 131.

- ferric chloride as a test for organic substances. 1887, A., 400.

- formation of phenylindoles by isomeric change, 1889, P., 90.

 phenylated indoles, 1890, A., 57. - action of amines on diketopentamethylene, 1890, A., 1090.

Ince, Walter H. See also Wyndham Rowland Dunstan, Ernest J. Eastes. Ingé, L. See W. Bishop.

Ingle, Harry. See Arthur Smithells. Inoko, Yoshito, toxic principle of Amanita pantherina, 1892, A., 232.

Iordanoff, Christo. See Carl Hell.

Iowanowitsch, Kosta, decomposition of tartaric acid in the presence of glycerol, 1885, A., 1125.

Irish, P. H. See Karl ron Buchka. Irvine, Robert, action of bleaching agents on writing ink, 1888, A., 764.

Irvine, Robert, and William Smellie Anderson, action of metallic and other salts on calcium carbonate, 1891, A.,

Irvine, Robert, and John Gilson, manganese deposits in marine muds, 1891, Ā., 995.

Irvine, Robert. and J. Sims Woodhead, secretion of calcium carbonate by animals, 1889, A., 429; 1890, A.,

Irvine, Robert, and George Young, solubility of various forms of calcium carbonate in sea water, 1889, A.. 344.

Irvine, Robert. See also John Murray. Irving, Alexander, action of sunlight on phosphorous anhydride, 1884, A.,

decomposition of ammonia electrolysis, 1886, A., 848.

Isaac, John F. V., acetic acid from cellulose and other carbohydrates: liguocellulose and ferric ferricyanide, 1892, A., 1421.

Isaachsen, D., change of colour of salt solutions, 1891, A., 1319. Isambert, Nicolas Ferdinand Irénée,

ammonium hydrogen sulphide, 1883, A., 548.

 vapour of carbamide, 1883, A., 645. — dissociation of phosphine hydro-bromide, 1883, A., 646.

 vapour tensions of ethylamine and diethylamine hydrosulphides, 1883,

A., 727. - ammonium hydrosulphide and eyanide, 1883, A., 775.

phosphorus sulphides, 1883, A., 1049; 1886, A., 767.

dissociation of ammonium carbonate in presence of an excess of one of

its elements, 1884, A., 388.

dissociation, 1884, A., 549.

— action of sulphur on amorphous phosphorus, 1885, A., 483.

- preparation of ammonia, 1885, A.,

- action of hydrogen chloride on iion, 1886, A., 425.

- phosphorus pentasulphide, 1886, A., 767.

action of lead oxide on ammonium chloride, 1886, A., 770.

- compressibility of solutions gases, 1888, A., 20.

- compressibility of an aqueous solution of ethylamine, 1888, A., 216.

Isbert, Adolf, ethylacetoacetic acid and its derivatives, 1886, A., 1009. estimation of phosphoric acid,

1887, A., 526. Isbert, _1dolf, and _1/bert Stutzer, esti-

mation of phosphoric acid, 1888, A., 194.

Isbert, Adolf, and Venator, estimation of alkaline hydroxides in presence of carbonates, 1888, A., 1130.

- analysis of sodium sulphate, 1890, A., 194.

Isbert, Adolf. See also Albert Stutzer. See Georg Lunge. Isler, Max.

Israel, Adolf, ethyl propiopropionate, 1886, A., 334.

Istel, Ernst, indulines, 1892, A., 492. Istrati, Constantin I., monochlorethylbenzene, 1885, A., 251.

chlorobenzenes, 1886, A., 229.

-chlorinated ethylbenzenes, 1886, A., 230, 343.

- action of sulphuric acid on chlorobenzenes, 1888, A., 259.

nitrochlorethylbenzenes, 1888, A., 260.

- franceins, 1888, A., 591; 1890, A., 51.

Istrati, Constantin I., action of sulphuric acid and selenic acid on aromatic compounds, 1890, A., 50.

— francein from 1.2.4-trichloro-benzene, 1890, A., 51. — action of heat on a mixture of

sulphuric acid and sulphonic derivatives, 1890, A., 51.

- composition of Roumanian rock-

salt, 1890, A., 217.

- conversion of p-dichlorobenzene into m-dichlorobenzene, 1890, A., 882. - action of fuming nitric acid on hexachlorobenzene, 1890, A., 882.

- new method of iodation in the aromatic series, 1891, A., 1197.

- iodopentachlorobenzene, 1891, A.,

Istrati, Constantin I., and Lazar Edeleanu, action of acetic anhydride on glucose, 1892, A., 1293.

Istrati, Constantin I., and M. Georgescu, action of iodine in presence of sulphuric acid on calcium benzenesulphonate, 1891, A., 1226.

- iodobenzene, 1892, A., 1310. Istrati, Constantin I., and Ion Petricu. action of chlorine on benzene in presence of sulphuric acid, 1891, A., 1196.

Itallie, Leopold van, new test for thymol, 1889, A., 657.

- iodine in Fucus vesiculosus and Chondrus crispus, 1890, A., 402.

Iwabuchi, R., Japanese materials for the manufacture of ultramarine, 1885, A., 460.

Iwan, Alexander, bauxite, 1883, A., 397.

Iwig, Fr., and Otto Hecht, dry distillation of some silver salts of the acetic series, 1886, A., 439.

 products of the oxidation of mannitol, 1886, A., 525, 782.

- calcium malates, 1886, A., 870.

Izarn. See Chibret.

J.

Jablin-Gonnet, Charles Jules Auguste, action of benzyl chloride on as-mxylidine, 1892, A., 314, 1320.

Jablochkoff, Paul, new form of voltaic battery, 1885, A., 468.

– new pile or auto-accumulator, 1885, A., 854.

Jack, Robert L., gold beds of Mount Morgan, Queensland, 1886, A., 21. Jackson, A. Wendell, colemanite, 1885,

A., 358, 876.

Jackson, Charles Loring, reduction of camphor to borneol, 1885, A., 991.

— constitution of ethyl bromodi-

nitrophenylmalonate, 1889, A., 880. compounds from bromonitroben-

zenes, 1890, A., 983.

Jackson, Charles Loring, and Wilder Dwight Bancroft, tetrabromodinitrobenzene, 1889, A., 696; 1890, A., 982.

Jackson, Charles Loring, and William Burdelle Bentley, tribromonitroben-zene, 1892, A., 1182.

- products of the action of nitric acid on ethyl bromotrinitrophenylmalonate, 1892, A., 1217.

Jackson, Charles Loring, and Arthur

Messinger Comey, action of silicon fluoride on organic bases, 1887, A.,

Jackson, Charles Loring, and George Trumbull Hartshorn, p-bromobenzyl compounds, 1884, A., 665.

-action of chromium hexafluoride on benzoic acid, 1885, A.,

so-called anilinetrisulphonic acid, 1890, A., 1287.

Jackson, Charles Loring, and Albert Edward Menke, certain substances obtained from turmeric, 1883, A., 480; 1885, A., 271.

turmeric oil: turmerol, 1883, A., 482.

- method of preparing borneol from camphor, 1884, A., 666. - action of phosphorus tri-

chloride on aniline, 1885, A., 254. Jackson, Charles Loring, and George Dunning Moore, additive product of tribromodinitrobenzene and bromodinitrobenzene, 1888, A., 821.

 ethyl bromodinitrophenylacetoacetate, 1889, A., 781.

- action of ethyl sodiomalonate on tribromotrinitrobenzene, 1890, A., 497.

·action of ethyl sodacetoacetate on tribromodinitrobenzene, 1890, A., 772.

Jackson, Charles Loring, and William Sanford Robinson, action of ethyl sodiomalonate on tribromodinitrobenzene, 1888, A., 1091; 1890, A., 377.

Jackson, Charles Loring, and George William Rolfe, quantitative estima-tion of hydroxyl, 1887, A., 749.

Jackson, Charles Loring, and William Homer Warren, reactions of sodium alkyl oxides and phenoxides with tribromodinitrobenzene and tribromotrinitrobenzene, 1891, A., 1024.

Jackson, Charles Loring, and John F. Wing, action of sodium on tribenzylamine, 1886, A., 616.

 direct conversion of aromatic sulphonic acids into the corresponding amido-compounds, 1886, A., 623.

benzenetrisulphonic acid, 1886, A., 623; 1888, A., 152.

dimethylbenzylamine, 1887,

- conversion of aromatic sulphonates into amido-compounds, 1887,

action of nitric acid on s-trichlorobenzene, 1888, A., 136.

-tribromotrinitrobenzene, 1888, A., 1276.

Jackson, Charles Loring. See also Arthur Messinger Comey, Arthur William Palmer, George Trumbull Hartshorn.

Jackson, Edward, test for titanium and the formation of an oxide of the metal, 1883, A., 828.

Jackson, Herbert, note on the action of sulphuric acid (sp. gr. 1.84) upon potassium iodide, 1883, T., 339.

bromine as a test for strychnine, 1883, A., 1175.

- action of arsenious anhydride on

glycerol, 1884, A., 896.

Jackson, Louis L. See Karl Auwers, Henry Barker Hill.

Jackson, O. R. See Adolf von Baeyer. Jackson, Urban Arthur. See Adolph Claus.

Jacobi, Hermann, oximes of sugars, 1891, A., 664.

Jacobj, Carl, Knop-Hufner method of estimating urea, 1886, A., 104.

Jacobsen, Emil, dye-stuffs from pyridine quinoline bases, 1884, 799.

Jacobsen, Emil, and Paul Julius, condensation of cinnamic acid with gallic

acid, 1888, A., 56.

Jacobsen, Emil, and Carl Ludwig Reimer, action of phthalic anhydride on quinoline, 1883, A., 812.

- coal-tar quinoline, 1883, A.. 922.

condensation products of methylated quinolines and pyridines, 1884, A., 335.

Jacobsen, Oscar Georg, isodurene, isodurylic acids, and the third trimethylbenzene, 1883, A., 52.

phosphorescence of sulphur, 1883, A., 710.

hydroxyhydroxytoluic \mathbf{and} phthalic acids, 1883, A., 1124.

Jacobsen, Oscar Georg, o-xylidines, 1881, A., 737; 1886, A., 235.

- nitro-o-toluic acids, 1884, A., 745. - substances accompanying benzoic acid prepared from gum benzoin, 1881, A., 1168.

bromo-substitution derivatives of

o-xylene, 1885, A., 142.

— constitution of the benzenetetracarboxylic acids, 1885, A., 166.

- formation of hydrocarbons by the reversal of Friedel and Craft's reaction, 1885, A., 516.

- bromo-substitution derivatives of p-xylene, 1885, A., 518. - monochloro-m-xylene, 1885, A.,

1052. - 1:3:4-m-xylenol, 1886, A., 345.

- action of sulphuric acid on durene, 1886, A., 694:

– ψ-cumenesulphonic acids, 1886, A., 709.

- hydrocarbons from tar oils boiling between 170° and 200°, 1887, A., 35.

hemellithene, 1887, A., 36.
ethylxylenes, 1887, A., 37.

- action of sulphuric acid on pentamethylbenzene, 1887, A., 660. - purification of hydrogen sulphide

from hydrogen arsenide, 1887, A., 885. - action of sulphuric acid on bromodurene, 1888, A., 137.

 synthesis of c-tetramethylbenzene, 1889, A., 39.

- tetrethylbenzene, 1889, A., 40. - pentethylbenzene and its decomposition by sulphuric acid, 1889, A., 40.

- c-m-xylenol, 1889, A., 41. - pentamethylbenzoic aci acid and durenecarboxylic acid, 1889, A., 871. action of sulphuric acid on a-

bromo-ψ-cumene, 1889, A., 994. Jacobsen, Oscar Georg, and Wilhelm Deike, synthesis of hemcllithene,

1887, A., 659. Jacobsen, Oscar Georg, and Hermann

Ledderboge, amido-m-xylenesulphonic

acid, 1883, A., 593.

Jacobsen, Oscar Georg, and Heinrich
Meyer, sulphamic and hydroxy-acids from ψ -cumene, 1883, A., 589.

Jacobsen, Oscar Georg, and E. Schnapauff, durene derivatives, 1886, A.,

Jacobsen, Oscar Georg, and F. Wierss, derivatives of o-toluic acid, 1883, A., 1121.

Jacobson, H., vegetable fats, 1889, A.,

Jacobson, John, unorganised ferments. 1892, A., 899.

Jacobson, J. C., degeneration of yeast, | Jacquemin, Georges, production

1885, A., 102. Jacobson, Paul, anhydro-compounds of o-amidophenyl mercaptan, 1886, A.,

oxidation products of phenyl-thiourethane, 1886, A., 876.

 o-amidated aromatic ketones, 1887, A., 961.

action of carbon bisulphide on benzeneazo-\(\beta\)-naphthol, 188\(\bar{8}\), A.,487.

 o-amidated aromatic mercaptans. 1888, A., 1306.

- phenylene diazosulphide, 1889, A., 135.

dehydrothiotoluidine, 1889, A., 498.

Jacobson, Paul, and Walter Fischer, reduction products of azo-compounds,

1892, A., 839.

Jacobson, Paul, and Alexander Frankenbacher, formation of thioanhydro-

compounds, 1891, A., 1048.

Jacobson, Paul, and Emanuel Ney, aromatic o-amidomercaptans, 1889, A., 771.

Jacobson, Paul, and Vincent Schencke, action of carbon bisulphide on azo compounds and hydrazones, 1890, A., 248.

Paul.See also Alfred Jacobson, Biedermann, Ludwig Gattermann.

Jacobson, Woldemar. See Georg Dragendorff.

Jacoby, Otto, action of hydroxylamine on capronitrile, 1886, A., 785.

- derivatives of acetophenone, benzylidenacetone and benzil, 1886, A.,

Jacoby, Richard, action of chlorine on carbonyl-o-amidophenol, 1888, A.,

Jacquelain, Victor Auguste, preparation and purification of carbon for electric lighting, 1883, A., 752.

Jacquemin, Eugène Théodore, silicate containing copper and silver, 1891, A., 275.

Jacquemin, Georges, preparation of cyanogen, 1885, A., 880.

- estimation of cyanogen in gaseous mixtures, 1885, A., 933.

- separation of urethane, 1886, A., 1085.

- Saccharomyces ellipsoideus and its use in the preparation of wine from barley, 1888, A., 738.

estimation of urethane in urine,

1888, A., 878.

the "bouquet" of fermented liquids, 1890, A., 1180.

ethereal salts by fermentation, 1890, A., 1454.

- preparation of lactic acid, 1891, A., 1454.

Jacquet, Eugène, use of antimony oxal-

ate in printing, 1885, A., 1276.

Jaeckle, Alphons, higher homologues of the synthetical pyridines and piperidines, 1888, A , 1103.

Jäderholm, Arel, study of metahæmoglobin, 1885, A., 407.

Jäger, Erich, and Gerhard Kruss, volumetric estimation of carbonic acid,

1889, A., 651. – chromium, 1889, A., 1117.

Jager, Gustav, relative size of molecules calculated from the electric conductivity of salt solutions, 1888, A., 217.

electrical conductivity of solutions of neutral salts, 1888, A., 397. - comparative properties of the elec-

trical conductivities of salt solutions, 1888, A., 398.

 storchiometry of solutions, 1892, A., 1382.

Jaeger, Julius, condensation of guanidine with ethereal salts of B-ketonic acids, 1891, A., 1007.

Jaeger, Wilhelm, velocity of sound in vapours, and the determination of the vapour density, 1889, A., 460.

Jachne, O., ethereal salts of phosphorous acid, 1890, A., 858.

Jackel, Hugo, thiophendisulphonic acid. 1886, A., 339, 613.

Jaenke, Heinrich. See Theodor Zincke. Jaffa, Mejer Edward, composition of the ramie plant (Boehmeria), 1892, A., 1511.

Jaffé, Max, precipitate produced by picric acid in normal urine, 1886, A., 1056.

Jaffé, Max, and Rudolf Cohn, behaviour of furfuraldehyde in the animal organism, 1887, A., 1032.

- metabolism of furfuraldehyde in fowls, 1889, A., 289.

- ethyl carbamate in the alcoholic extract of normal urine, 1890, A., 654.

Jaffé, Max, and Paul Hilbert, acetanilide and acetotoluide in relation to animal metabolism, 1888, A., 735.

Jaffé, Max, and H. Levy, glycocine derivatives of a-thiophenic acid, 1889, A., 239.

Jagnaux, R., analyses of emery, 1886, A., 675.

Jahn, Carl, synthetical formation of formaldehyde, 1889, A., 766.

Jahn, Hans, method for preparing carbonic oxide, 1883, A., 655.

- electrolytic researches, 1883, A., 1042.

 validity of Joule's law for electrolytes, 1885, A., 1029; 1888, A., 10.

 work done in the decomposition of electrolytes, 1885, A., 1100.

- galvanic polarisation, 1886, A, 839.

equivalence of chemical change and current energy, 1886, A., 840.

— electrochemistry and them

thermochemistry of some organic acids, 1890, A., 99.

· thermochemistry of d-tartaric and *l*-tartaric acids. 1891, A., 969.

Jahn, Hans. See also Leopold con Pebal,

Jahns, E., constituents of larch fungus, 1884, A., 353.

eucalyptol, 1885, A., 394.

 alkaloids of fenugreek seeds, 1886, A., 85.

trigonelline, 1888, A., 166.
- alkaloids of the areca nut, 1889, A., 420; 1891, A., 94, 1520; 1892, A., 737.

 oil of myrtle, 1889, A., 616. Jahoda, Rudolf, papaverine salts, 1887,

A., 164. - diamidopyrene, 1888, A., 161.

- pyrenoline, 1888, A., 164.

 standardisation of permanganate, 1890, A., 196.

o-nitrobenzyl sulphide, 1890, A., 487.

Jahoda, Rudolf. See also Guido Goldschmiedt.

Jaksch, Rudolf von, acetonuria, 1883, A., 1161; 1885, A., 680.

occurrence of volatile fatty acids in

urine, 1886, A., 384. - ethyl carbamate, a hypnotic, 1886,

A., 572. - phenylhydrazine as a test for sugar

in urine, 1886, A., 744. - lipaciduria, 1886, A., 1056.

-ferments in human fæces and in the contents of cysts, 1888, A., 180. the urine in melanuria, 1889, A., 637.

estimation of free hydrochloric acid in gastric juice, 1889, A., 1242. peptone in the blood and organs of

leuczemic patients, 1892, A., 519. James, Frank L., deposition of silver on glass, 1885, A., 616.

James, J. William, on ethylene chlerobromide and some compounds obtained from it, 1883, T., 37.

James, J. William, ethyl acetoacetate, 1885, T., 1.

 preparation of ethylene chlorothiocvanate and β-chlorethylsulphonic acid, 1885, T., 365; P., 47.

— tautine delivatives, 1885, T., 367; P., 46; discussion, P., 47; 1886, T., 486; P., 212; discussion, P., 213.

 action of chlorine on ethyl thiocyanate, 1885, A., 365.

 action of phosphorus pentachloride on ethyl diethylacetoacetate, 1886, T., 50; P., 114.

- synthesis of ethyl acetoacetate

from cyanacetone, 1886, A., 333.

 action of chlorine on methyl throcyanate, 1887, T., 268; P., 15.

formation of ethylic cyanacetoace-

tate, 1887, T., 287; P., 25.

Jameson, John, Jameson coking process, 1886, A., 288.

Jamieson, James, influence of light on the development of bacteria, 1884, A.,

Jamin, Jules Celestin, critical point of gases, 1883, A., 898.

 compressibility and liquefaction of gases, 1884, A., 5.

Jamin, Jules Célestin, and Georges Maneuvrier, reaction current of the electric arc, 1883, A., 4.

Jandous, Al., composition of ivy bearies, 1883, A., 499.

— oil of peppermint, 1888, A., 962.

Jandrier, Edmond, nitroacenaphthene, 1887, A., 964.

nitro-derivative of antipyrin, 1892, A., 730.

Janeček, Gustav, determination of atomic weight from specific heat, 1887, A., 419.

electrolysis of the acids of phosphorus, 1888, A., 914.

sensitiveness of the hæmatin spectrum and the formation of hæmin crystals as proof of the presence of

blood, 1892, A., 1369.

Jannasch, Paul Ehrhardt, epistilbite and heulandite, 1883, A., 442.

 discovery of fluorine in the idocrase from Vesuvius, 1883, A., 1067.

composition of idocrase, 1884, A.,

analysis of the foyaite from the Serra de Monchique, Portugal, 1884, A., 970.

-solubility of the labradorite from St. Paul Island, 1884, A., 971.

monobromo-p-xylene, 1885, A., 251. percentage of water in clinoclase, 1885, A., 642.

- Jannasch, Paul Ehrhardt, strontia in heulandite, 1887, A., 453.
- analyses of Norwegian rocks, 1887,
 A., 562.
- ---- heulandite, 1887, A., 903.
- biotite from Christiania, 1888, A., 1260.
- estimation of water in silicates, 1889, A., 546.
- decomposition of natural sulphides by air containing bromine, 1889, A., 1243.
- new method of analysing pyrites, 1889, A., 1243.
- decomposition of pyrites in a stream of oxygen, 1889, A., 1244.
- estimation of sulphuric acid in presence of iron, 1889, A., 1244.
- ---- estimation of sulphur in inorganic sulphides, 1890, A., 1187.
- new method for decomposing silicates, 1891, A., 619.
- Jannasoh, Paul Ehrhardt, and K. Aschoff, estimation of sulphur in galena and minerals containing lead, 1892, A., 658.
- Jannasch, Paul Ehrhardt, and Th. Bickes, analysis of galena, 1892, A., 663.
- Jannasch, Paul Ehrhardt, and Peter Etz, separation of the metals of the hydrogen sulphide group by means of bromine vapour, 1892, A., 385, 540, 754.
- Jannasch, Paul Ehrhardt, and Carl J. Franzek, separation of manganese, nickel, and cobalt, 1892, A., 240.
- Jannasch, Paul Ehrhardt, and Georg Wilhelm Kalb, composition of tourmaline, 1889, A., 472.
- Jannasch, Paul Ehrhardt, and Joseph Frank MacGregory, separation of manganese and zinc, 1891, A., 963.
- Janfiasch, Paul Ehrhardt, and Victor Meyer, organic elementary analysis, 1886, A., 649.
- Jannasch, Paul Ehrhardt, and Robert Niederhofheim, separation of metals in alkaline solution by hydrogen peroxide, 1892, A., 537.
- Jannasch, Paul Ehrhardt, and Theodore William Richards, estimation of sulphuric acid in presence of iron, 1889, A., 926.
- Jannasch, Paul Ehrhardt, and Hans Vogtherr, decomposition of chrome iron ore by hydrochloric acid under pressure, 1892, A., 240.

- Jannasch, Paul Ehrhardt, and Vincent Wasowicz, estimation of sulphur in inorganic sulphides; analysis of molybdenite, realgar, and ornment, 1892, A., 657.
- Jannasch, Paul Ehrhardt. See also Johann Friedrich Carl Klein.
- Jannettaz, Edouard, study of "congrain," and measure of the foliation in schistose rocks by means of their thermic properties, 1883, A., 300.
- buratite from Laurium, 1887, A.,
- uranite from Madagascar, 1889, A.,
- pharmacolite from the Vosges, 1890, A., 342.
- —— native silver and dioptase from the French Congo, 1891, A., 647.
- wernerite from Chili,1891, A., 1488. Jannettaz, Edouard, and Léopold Michel, relation between the chemical composition and optical characters in the group of pyromorphites and mimetesites, 1883, A., 433.
- nephrite or jade of Siberia, 1883, A., 436.
- Jannettaz, Edouard, Neel, and Clermont, crystallisation under great pressure, 1884, A., 548.
- Jannettaz, Edouard. See also Alfred Louis Olivier Legrand Des Cloiseaux. Janny, Alois, acetoximes, 1883, A., 580, 581.
- Janovsky, J. V., substitution products of azobenzene, 1883, Δ., 324; 1884, A., 1145.
- nitro- and amido-derivatives of azobenzone, 1883, A., 867.
- amidoazobenzene-p-sulphonic acid, 1883, A., 1101.
- substitution products of azobenzene
 and as-triamidobenzene, 1884, A., 1145.
 reduction of nitroazo-compounds
- and azonitrolic acids, 1885, A., 789.

 —products of the reduction of nitroazocompounds: nitrolic acids, 1885, A.,
 1181.
- nitro- and bromo-derivatives of azobenzene, 1886, A., 794.
 - azo-compounds, 1887, A., 663. azotoluenesulphonic acid, 1888, A., 370.

209 14

- Janovsky, J. V., toluidinesulphonic acids, 1888, A., 956.
- azotoluene, 1889, A., 250.
- azoxytoluene, 1889, A., 865. azotoluenes and azoxytoluenes, 1890, A., 140.
- new reaction for dinitro-compounds, 1891, A., 685.
- Janovsky, J. V., and L. Erb, intermediate reduction products of nitroazo-compounds, 1885, A., 894.
 - derivatives of azo-compounds, 1886, A., 1024.
- — halogen derivatives of azobenzene and hydrazobenzene, 1887, A., 478.
- direct substitution products of p-azotoluene: hydrazobiomobenzenes: hydrazobromotoluenes, 1887, A., 479.
- Janovsky, J. V., and K. Reimann, substitution products of p-azotoluene, 1888, **A.**. 686.
- two isomeric azoxytoluenes fiom p-nitrotoluene, 1889, 392.
- Janowsky, Ferd., cultivation of potatoes,
- 1886, A., 390, 577.

 Jansen, Robert. See Siegmund Gabriel. Janssen, Hermann, replacement of the methylene hydrogen atoms in benzyl cyanide, 1889, A., 596.
- Janssen, Hermann. See also Rudolf Leuckart.
- Janssen, Pierre Jules César, telluric rays and the spectrum of water vapour, 1883, A., 261.
- spectroscopic examination of the constituents of the atmosphere, 1886, A., 1.
- absorption spectra of oxygen, 1886, A., 749; 1888, A., 765.
- Japp, Francis Robert, on the constitution of lophine, 1883, T., 9.
- on the condensations of compounds which contain the dicarbonyl group with aldehydes and ammonia, 1883, T., 197.
- addition of acetone under the influence of caustic alkalis, 1883, A.,
- ammonia derivatives of benzil, 1884, A., 313.
- diphenylglyoxaline and methyldiphenylglyoxaline, 1887, T., 557; P., 34.
- the gravivolumeter, an instrument by means of which the observed volume of any single gas gives directly the weight of the gas, 1891, T., 894, P., 68.

- Japp, Francis Robert, and Cosmo Innes Burton, conversion of ditolaneazotide into diphenanthryleneazotide, 1886, T., 843; P., 236.
- azines, 1887, T., 98; P., 268. anhydracetonebenzil, 1887, T., 420; P., 30.
- condensation compounds of benzil with ketones, 1887, T., 431; P., 32.
- Japp, Francis Robert, and Edward Cleminshaw, constitution of glycocine, 1887, T., 552; P., 33.
- Japp, Francis Robert, and Samuel C. Hooker, on the action of aldehydes and ammonia on benzil, 1884, T., 672.
- Japp, Francis Robert, and George Nevill Huntly, action of phenylhydiazine on an unsaturated y-diketone, 1888, T., 184; P., 11.
- Japp, Francis Robert, and Felix Klingemann, constitution of certain socalled mixed azo-compounds, 1887, P., 140; 1888, T., 519.
- formation of dihydrazides of a-diketones, 1888, P., 11.
- new method of obtaining monohydrazides of a-diketones, 1888, P., 11.
- condensation of a-diketones with ethyl acetoacetate, 1888, P., 114.
- αβ-dibenzoylcinnamene and the constitution of Zinin's lepiden and its derivatives, 1889, P., 136; 1890, T., 662.
- formation of benzamarone, 1889, A, 265.
- reduction of a-diketones, 1890, P., 31.
- ethyl phenanthroxyleneaceto-
- acetate, 1891, T., 1.

 Japp, Francis Robert, and Norman Harry John Miller, hydrocyanides of the diketones and their saponifica-
- tion, 1884, A., 329. - — additive and condensation compounds of diketones with ketones, 1885, T., 11.
- preparation and hydrolysis of hydrocyanides of the diketones, 1886, P., 249; 1887, T., 29.
- Japp, Francis Robert, and (Miss) Marif Elizabeth Owens (Mrs. Hooker), condensation compounds of benzil with ethyl alcohol, 1885, T., 90.
- Japp, Francis Robert, and Julius Raschen, action of phosphoric sulphide on benzophenone, 1886, T., 478; P., 204. - compound from benzil and isopropyl alcohol, 1886, T., 832; P.,

203.

Japp, Francis Robert, and Julius Raschen, compound from benzoin and acetone, 1890, T., 783; P., 139.

Japp, Francis Robert, and Frederick William Streatfeild, on the condensation-product of phenanthraquinone with ethylic acetoacetate, 1883, T.,

Japp, Francis Robert, and Richard C. Tresidder, action of nitriles on benzil,

1884, A., 313.

Japp, Francis Robert, and Alfred E. Turner, compounds of phenanthraquinone with metallic salts, 1889, P., 160; discussion, P., 160; 1890, T., 4.

Japp, Francis Robert, and George Henry Wadsworth, ρ -desylphenol, 1890, T., 965; P., 71.

Japp, Francis Robert, and W. H. Wilson, ammonia derivatives of benzom.

1886, T., 825; P., 203.

Francis Robert, and William Pulmer Wynne, action of aldehydes and ammonia on benzil, 1886, T., 462; P., 201.

- imabenzil, 1886, T., 473; P., 202.

Jaquet, Alfred, hemoglobin of dogs' blood, 1888, A., 731.

– hæmoglobin, 1890, A., 273.

Jarius, M., action of saline solutions on germination, 1886, A., 90.

Jarman, Joseph L., pyrolusite from Augusta Co., Virginia, 1889, A., 47Õ.

Jarman, Joseph L., and Jumes F. McCaleb, red copper slag containing artificial cuprite, 1889, A., 467.

Jarolimek, Anton, relation between pressure and temperature in the satunated vapours of water and carbonic

anhydride, 1883, A., 417.

— relation between the tension and temperature of saturated vapours,

1883, A., 951.

Jassoy, Augusta, peucedanin, 1890, A., 1154.

ostruthin, 1890, A., 1154.

Jaunsnicker, Karl. See Carl Adam Bischoff.

Jawein, Ludw., crystalline compound from "kamala," 1887, A., 498.Jawein, Ludw., and Albert Thillot,

molecular weights of m-phosphates, 1889, A., 674.

Jaworski, Wulery, relative absorption

of neutral salts in the human stomach,

1884, A., 193.

 behaviour of carbonic anhydride, oxygen, and ozone in the human stomach, 1885, A., 280.

Jaworski, Walery, action of acids on the functional activity of the human stomach, 1888, A., 616.

Jay, Henry, detection of coal tar colours in wines, 1885, A., 298.

 a substance used to colour wines, 1885, A., 309.

- ash determinations, 1885, A., 598.

dry extract, 1885, A., 602.

- vinicolore, 1885, A., 711. , Rudolf. See Adolf von Baeyer, Jay, Rudolf. Theodor Curtius.

Jayne, Harry W., phenylbutyrolactone and phenylparaconic acid, 1883, A., 472.

Jayne, Harry W. See also Rudolph Fittig.

Jean, Ferdinand, detection of cuttonseed oil in olive oil, 1888, A., 1136.

oil testing, 1890, A., 89.

- apparatus for the analysis of oils, 1890, A., 671.

the oleorefractometer, 1891, A., 505, 625.

analysis of a mixture of wax, paraffin, stearin, and stearic acid, 1891, A., 1400.

- estimation of glycerol, astringent acids, and colouring matter in wine, 1892, A., 225, 246.

Jean, Ferdinand. See also Emile Hiluire Amagat.

Jeannel, Guillaume, solubility of chlorides in presence of hydrochloric acid. 1886, A., 972. Jeannel, Sidvine. See Joseph Grasset

Jeanprêtre, John. See (Mrs.) Helen C. S. Abbott Michael.

Jeanrenaud, .1., condensation of phenylacetaldehyde with ammonia and ethyl acetoacetate, 1888, A., 965.

action of hydroxylamine on ethereal

salts, 1889. A., 870. Jedlicka, Carl. See Slegmund Levy. Jehn, Carl, insoluble fatty acid of goats'

butter, 1884, A., 535.

— action of polyatomic alcohols on solutions of boric acid and hydrogen sodium carbonate, 1887, A., 790; 1888, A., 1172.

Jeller, Rudolf. See Eduard Donath. Jellinek, Gustav, diquinoline, 1886, A.,

purification of flavopurpurin, 1888, A., 1204.

Jellinek, Gustav. See also Curl Theodor Liebermann.

Jenckel, Ludolf. See Otto Wallach. Jenisch, Carl. See Hans (Freiherr) von Pechmann.

1884, A., 533.

analyses of tobacco leaves and stems, 1886, A., 177.

Jenkins, Edward H. (and others), maize as dry food and as silage, 1889, A... 743.

Jennings, E. P., estimation of titanium and phosphorus in iron ores, 1889, A.,

Jensch, Edmund, tetracalcium phosphate and basic converter slag, 1887, A. 216.

- composition of some ancient ceramics from Brandenburg, 1887, A., 218.

manurial action of the free lime in basic slag, 1888, A., 525.

- calcium sulphite as a preventive of loss of nitrogen in manure heaps, 1889, A., 184.

estimation of zinc in manganiferous fine deposits, 1890, A., 294.

Jensen, H. Otto, formation of nitroprussides without the use of nitric acid, 1885, A., 739.

Jensen, J. L., cure for potato disease, 1883, A., 233.

- protection of potatoes against disease, 1885, A., 1154.

Jentys, Stef., intramolecular respiration of plants, 1887, A., 686.

- influence of compressed oxygen on the growth of plants, 1888, A., 1125.

Jentzsch, Albin, chrysoidincarbamide: amidophenylenecarbamide, 1889, A., 45.

Jereméeff, Pavel V. ron, Russian caledonite and linarite, 1885, A., 1186. - apatite from Turkestan, 1886,

A., 600. Jerofeeff, M., and Paul A. Latschinoff, meteorite from Novo-Urei, 1889, A., 224.

Jessel, Henry. See William Ridgely Orndorff.

Jesseman, Alexander, obituary notice of, 1883, T., 254.

Jessen, Ernst, experiments on the time required for digestion of meat and milk, 1884, A., 470.

Jesser, L. See Max Hönig. Jesurun, J. A., m-isocymophenol, 1886,

Joseph. See Adolph Claus. Joannis, Jean Alexandre, copper oxides,

1885, A., 872.
— modifications of cupric oxide, 1886, A., 666.

alloys of sodium and potassium, 1888, A., 1238,

Jenkins, Edward H., American milk, Joannis, Jean Alexandre, combination of potassium and sodium with ammonia, 1890, A., 209, 560.

- heat of formation of potassammonium and sodanimonium, 1890, A., 319. sodamide and disodammonium chloride, 1891, A., 642.

-combination of ammonia with chlor-

ides, 1891, A., 643.

- action of sodammonium and potassammonium on metals, 1892, A., 275. definite alloys of sodium, 1892, A., 773.

Joannis, Jean Alexandre. See also Jules Henri Debray.

Jobst, Jul. von, preparation and utilisation of grape-seed oil, 1885, A., 710. Jochum, Paul, action of sodium thio-

sulphate on metallic salts, 1886, A., 17. Jodin, F. Victor, function of silica in the growth of maize, 1884, A., 201,

comparative growth of peas and maize in mineral and organic solutions. 1884, A., 1208.

chlorophyll, 1886, A., 476.

Schutzenberger's oxymetric solution, 1886, A., 648.

— action of mercurial vapour on

leaves, 1887, A., 395.

- unicellular Algæ, 1888, A., 1124. Jodlbauer, Max, estimation of nitrogen in nitrates by Kjeldahl's niethod, 1886, A., 834.

estimation of sugar by alcoholic fermentation, 1888, A., 994.

Jödicke, Friedrich. See Ludwig Knorr. Jörgensen, Sofus Mads, chemistry of the chromamnionium compounds, 1883, A., 554; 1885, A., 23.

- contributions to the chemistry of rhodammonium compounds, 1883, A., 1058.

relation between luteo- and roscosalts, 1884, A., 1093.

chromammonium compounds; luteochromium salts, 1885, A., 23.

roseocobalt salts, 1885, A., 726.

compounds, cobalt-ammonium 1885, A., 874; 1887, A., 775; 1890, A., 953, 1213; 1892, A., 783.

constitution of double platinum salts, 1886, A., 857.

roseorhodium salts, 1887, A., 113. nitratopurpureorhodium salts,

1887, A., 114. xanthorhodium salts, 1887, A., 111.

– metallic diamine-compounds, 1889, A., 351; 1890, A., 953.

— constitution of the cobalt bases,

1890, A., 953.

Jörgensen, Sofus Mads, constitution of ; the cobalt, chromium, and rhodium bases, 1890, A., 1213; 1892, A., 783.

—luteorhodium salts, 1891, A., 1325. acid luteorhodium and roseorhod-

ium nitrates, 1891, A., 1327. roseochromium salts, 1892, A., 782.

Joffre, Jules, new method of detecting dyes on yarns or tissues, 1883, A., 523.

agricultural value of retrograde phosphates, 1887, A., 861.

resistance to light of colouring matters fixed in tissues, 1889, A., 12.

Johannsen, Wilhelm Ludwig, influence of oxygen at high pressure on the disengagement of carbonic anhydride, 1886, A., 274.

respiration of plants under abnormal conditions, 1886, A., 575.

- continuation of respiration in dead vegetable cells, 1888, A., 741.

· mealy and steely barley, 1888, A., 748.

distribution of amygdalin and emulsin in almonds, 1888, A., 869. gluten and its presence in wheat

grain, 1889, A., 296.

Johannson, Ernst, detection of colocyn-

thein, elaterin, and bryonin, 1885, A., 606.

Johanny, Gustav, action of hydrocyanic acid on unsaturated aldehydes, 1891, A., 37.

Gustur, and Simon Zeisel, Johanny, colchicine, 1889, A., 282.

Johanson, Curl J. See Ake Gerhardt

Ekstrand.

Johansson, J. E., behaviour of serum albumin towards acids and neutral salts, 1885, A., 913.

John (Edler von Johnesberg), Conrad Heinrich, rocks of the eruptive mass of Jablonica, 1891, A., 652.

John (Edler von Johnesberg), Conrad Heinrich. See also Friedrich Teller.

John, O., action of organic acids on salivary digestion, 1891, A., 592.

Johnson, physiological action of boric acid and borax, 1886, A., 572.

Johnson, Alfred E., colorimetric estima-

tion of nitrates in potable waters, 1890, A., 832.

Johnson, Edward Sullivan. See Ludwig Gattermann.

Johnson, Frank, precipitation of copper as thiocyanate, 1890, A., 547.

Johnson, (Sir) George, pieric acid as a test for albumin and sugar in urine, 1883, A., 1176.

tests for albumin in urine, 1885, A., 845.

Johnson, George Stillingfleet, action of potash on albumin, 1883, A., 674.

electrochemical researches nitrogen, 1884, A., 383.

- modification of Dumas' method for the estimation of nitrogen, 1885, A., 189.

- silver carbonate, 1886, A., 980. - creatinines, 1888, A., 506; 1889,

A., 165.

 detection of acetic acid in presence of morphine, 1888, A., 633.

· barium sulphite, 1889, A., 16. solubility of 'white precipitate' in solution of ammonia containing ammonium carbonate, 1889, A., 755.

 atomic weight of oxygen, 1889, A., 935.

reducing agents in normal human

urine, 1892, A., 1504. Johnson, George Stillingfleet, and Arnold Eiloart, estimation of nitrogen by

combustion, 1886, A , 488. Johnson, John G., poisoning by canned

goods, 1885, A., 1016.

Johnson, Karl Rudolf, some phosphates of polyvalent metals, 1889, A., 756.

Johnson, Samuel William, nitrogen estimation by combustion with calcium hydroxide, 1884, A., 1422.

Johnstone, Alexander, decomposition of insoluble silicates, 1889, A., 440.

detection of antimony in minerals, 1889, A., 444.

detection of mercury in minerals, 1889, A., 797.

detection of minute quantities of iron in minerals, 1889, A., 797.

— prolonged action of sea water on

pure magnesium silicate, 1890, A., 451. - detection of metallic silver in the

presence of lead, 1890, A., 826. detection of tin in minerals, 1890, A., 830.

- detection of traces of iodine in the presence of much chlorine, 1891, A., 242.

- action of water on mica, 1892, A., 573.

Johnstone, M., fertility of heavy loam increased by lime, 1892, A., 523.

Johnstone, William, use of acetic acid in milk analysis, 1886, A., 583.

- Flitwick water, 1887, A., 1087. precipitation of hop-bitter by lead

acetate, 1888, A., 763. volatile alkaloid in pepper, 1889, A., 298.

 estimation of soluble and insoluble fatty acids in butter, 1890, A., 93; 1891, A., 868.

Johnstone, William, analysis of pepper and the occurrence of piperidine therein, 1890, A., 95.

- composition of butter fat, 1891, A., 849.

 estimation of glycerol by alkaline permanganate, 1892, A., 544.

Johnstone, William. See also James
Alfred Wanklyn.

- Johnston-Lavis, Henry James, celestine containing free sulphur, 1891, A., 272. Johnstrup, Johannes Frederik, occur-rence of cryolite in Greenland, 1886, A., 431.
- Jolin, Severin, the acids of pig's bile. 1887, A., 742; 1888, A., 1218; 1889, A., 422.

- conditions of absorption of various hemoglobins, 1890, A., 182.

- Jolles, Adolf, washing and drying precipitates without exposure to the air, 1886, A., 1070.
- new chloroform reaction, 1887, A., 866.
- potassium manganite, 1888, A., 229.
- preparation of potassium manganate, 1888, A., 556; 1889, A., 798.
- determination of chlorine in plant ashes, 1889, A., 73.

 volumetric estimation of stannous chloride, 1889, A., 189.

- volumetric estimation of antimonious and arsenious acids, 1889, A., 311.
- volumetric estimation of antimonic acid, 1889, A., 444.
- estimation of tartaric acid vinegar, 1890, A., 428.
- detection of bile constituents in urine, 1891, A., 135.
- new test for albumin, 1891, A., 136.
- detection of albumin in bacterial urines, 1891, A., 136.
- the chemical detection of glycosuria, 1891, A., 369.
- -new method of estimating uncombined hydrochloric acid in gastric juice, 1891, A., 613.

detection and estimation of iodine in urine, 1891, A., 1288.

Jolles, Oscar, a- and B-naphthylglycines and their derivatives, 1889, A., 1199.

Jolly, Léopold, clinical examination of urine by means of Fehling's solution, 1886, A., 744.

Joly, Alexandre, boron, 1884, A., 156. decomposition of the acid phosphates of the alkaline earths in the presence of water, 1884, A., 556.

Joly, Alexandre, barium hydrogen phosphates, 1884, A., 891.

-saturation of phosphoric acid by bases, 1885, A., 348.

- action of boilc acid on some colouring matters, 1885, A., 440.
- crystallised hydrate of phosphoric acid, 1885, A., 482.
- preparation of arsenic acid, 1885, A , 871.
- hypophosphoric acid, 1886, A, 200.
- hydrates of arsenic acid, 1886, A., 202
- hydrates of hypophosphoric acid, 1886, A., 303.
- thermochemistry of hypophosphoric acid, 1886, A., 408.
- preparation and titration of o-phosphoric acid, 1886, A., 418.
- decomposition of hypophosphoric acid, 1886, A., 593, 662.
- thermochemistry of bibasic phosphates and their congeners, 1887, A., 202.
- bimetallic phosphates, 1887, A., 214.
- silver phosphates and arsenates, 1887, A., 215.
- double phosphates and assenates of strontium and sodium, 1887, A., 637.
- trimetallic phosphates, 1887. A., 877.
- ruthenium nitrosochlorides, 1889, A., 352.
- atomic weight of ruthenium, 1889, A., 352, 835.
- nitroso-compounds of ruthenium, 1889, A., 678.
- annmoniacal derivatives of ruthenium, 1889, A., 948.
- chloro-salts and atomic weight of iridium, 1890, A., 1067.
- ammoniacal derivatives of ruthenium nitrosochloride, 1891, A., 401.
- osmium, osmiamic acid, and osmiamates, 1891, A., 1433.
- saline compounds of the lower ruthenium oxides with the higher oxides, 1892, A., 282.
- action of light on authenium peroxide, 1892, A., 282.
- ruthenium chloride and hydroxy. chloride, 1892, A., 688.
- Joly, Alexandre, and Henri Dufet. sodium arsenate and sodium phosphate, 1886, A., 769.
- Joly, Alexandre, and Emile Leidié, . electrolytic estimation of ihodium, 1891, A., 1141.

Joly, Alexandre, and Emile Leidié, detection and separation of metals of the platinum group in presence of other metals, 1891, A., 1554.

Joly, Alexandre, and Maurice Vezes. ruthenium potassium nitrites, 1890, A., 17.

Joly, Alexandre. See also Jules Henri Debray.

Joly, John, specific gravity determination, 1888, A., 103

 harmotome in Wicklow, 1888, A., 116.

- beryl and iolite of Glencullen, 1888, A., 117.

- specific heats of gases at constant volume, 1889, A., 459.

-method for determining the absolute density of a gas, 1891, A., 379.

- determination of the melting-point of minerals, 1892, A., 414.

Joly, Nicolas, glairin or baregin, 1883, A., 302.

Jolyet, Félix, and Clément Sigalas. dissolved nitrogen in blood, 1892, A.,

Jonas, August, and Hans (Freiherr) von methyl-n-phenylosotri-Pechmann, azole and its derivatives, 1891, A., 1111.

Clemens, method of rapid evaporation for the estimation of silicon in pig iron, 1889, A., 1246. - reduction of ferric sulphate in

volumetric analysis, 1889, A., 1248. - phosphorus in pig-iron, steel, and iron ore, 1891, A., 363.

Jones, E. J., decomposition of α -methylpropyl-8-hydroxybutyric acid by heat 1885, A., 376.

Jones. Edward William Taylor, estimation of iron oxide and alumina in phosphates, 1886, A., 491.

examination of starch and wort, 1888, A., 199.

 lard adulterated with cotton-seed oil, 1889, A., 320.

- lactose, 1890, A., 22.

Jones, Ernest Lloyd, specific gravity of human blood, 1887, A., 608; 1891, A., 1527.

Jones, Francis, detection of chlorine, bromine, and iodine, 1884, 492.

Jones, Harry Clary. See Harmon Northrup Morse.

Jones, Henry Chapman, determination of the boiling-point with small quantities of material, 1891, A., 1146.

volumetric estimation of mercury,

1892, T., 364; P., 46.

Jones, Henry Williams, estimation of emetine, 1886, A., 1086.

Jones, Jesse, decomposition of minerals containing titanium, 1892, A., 664.

Jones, R., estimation of iron oxide and alumina in phosphates, 1891, A., 114. analysis of phosphates, 1892, A., 99.

Jonsson, Bengt., effects of running water

on plants, 1885, A., 419.

Jordan, A. E., and Thomas Turner, condition of silicon in pig iron, 1886, T., 215; P., 155; discussion, P., 156.

Jordan, Frank. See Percy Faraday Frankland.

Jordan, Whitman Howard, action of manures on the quantity and quality of a wheat crop, 1883, A., 681.

effect of various manures on the ash of tobacco, 1886, A., 177.

Jordan, Whitman Howard, James Monroe Bartlett, and Lucius Herbert Merrill, composition and digestibility of some foods, with observations on the determination of digestibility of protein and carbohydrates, 1889, A., 913.

See Iordanoff. Jordanoff.

Jorissen, Armand, germination of linseed and sweet almonds, 1885, A., 181.

Jorissen, Armand, and Léonard Grosjean, solanidine of potato sprouts, 1890, A., 1182; 1891, A., 473.

Jorissen. Armand, and Eugène Hairs, linamarin, 1892, A., 502.

Josephi, Walter. See Martin Freund. Joslin, Eliot P. See Russell H. Chittenden.

Joslin, Omar T. See Frank Wigglesworth Clarke.

Joubert, J., method of determining the ohm, 1883, A., 4.

crystallisation of sodium ammonium p-tartrate, 1886, A., 533.

Joukowsky. See Schukowski. Joule, James Prescott, obituary notice of, 1890, T., 449.

Joulie, H., loss of nitrogen during the fermentation of manure, 1884, A., 1070, 1413.

- estimation of phosphoric acid in commercial products, 1885, A., 931.

absorption of nitrogen by cultivated soils, 1886, A., 275.

Joulie, H. See also Julius Kühn.
Jourdan, Friedrich, decomposition of benzil by potassium cyanide, 1883, A., 805.

- new synthesis of derivatives of hydroacridine and acridine, 1885, A., 987,

Jourdan, Friedrich. See also Emil

Jowanowitsch. See Iowanowitsch.

Judd, John Wesley, evidence afforded by petrographical research of the occurrence of chemical change under great pressure, 1890, T., 404; P., 35. — conversion of a felspar into a

conversion of a felspar into a scapolite, 1891, A., 277.

Judd, John Wesley, and Grenville Alfred James Cole, trachylyte of the Western Isles of Scotland, 1884, A., 570.

Jünemann, manufacture of sugar and purification of beet juice by means of magnesia and alumina, 1885, A., 1021.

Jüptner, Hanns (Fretherr) von, Haswell's method for the volumetric estimation of mercury, 1883, A., 242.

Wiborgh's gasometric method for the estimation of carbon in iron and steel, 1889, A., 186; 1892, A., 1030.

Jürgens, Alexander, aconitine, 1886, A., 565.

A., 759.

Juillard, P., and Curchod, depression of the melting-point, 1892, A., 555.

Juillard, Paul, diphthalic acid, 1888, A., 707.

- isomeride of o-phenylphthalidecarboxylic acid, 1888, A., 955.

— Turkey-red oil, 1892, A., 819.

Juillard, Paul and Heorges Tissot, preparation of hydrobenzoin and of deoxybenzoin, 1891, A., 1492.

deoxybenzoin, 1891, A., 1492.

Juillard, Paul. See also Curl Graebe.

Julhe, method of hardening plaster.
1885, A., 707.

Julius, Paul, behaviour of silver chloride, bromide, and iodide with bromine and iodine, 1884, A., 393.

—— action of bromine and iodine on silver chloride, bromide, and iodide, 1884, A., 556.

new reaction of benzidine, 1884, A., 1181.

hydrobromapoquinine, 1886, A., 83.
 Magdala-red, 1886, A., 712.

new diamidodinaphthyl, 1887, A., 56.

use of Congo-red in titrating aniline, 1887, A., 90.

dinaphthyl derivatives, 1888, A.,

Julius, Paul. See also Rudolf Benedikt, Karl Hasura, Emil Jacobsen.

Jumella, Heari, relation between the assimilation and transpiration produced by chlorophyll, 1890, A., 190.

—— chlorophyllic assimilation of trees with red leaves, 1891, A., 102.

See also *Emil* **Jumelle**, *Henri*, assimilation by lichens, 1891, A., 1132.

Jung, Otto, daphnetin, 1886, A., 558. Jung, Otto. See also Wilhelm Will.

Jungck, Siemens-Martin process, 1885, A., 98.

Jungfer, Paul, estimation of traces of bismuth and antimony in commercial copper, 1888, A., 324.

Jungfieisch, Emile Cl., decomposition of optically inactive compounds, 1884. A., 1303.

---- quinine sulphate, 1887, A., 405.

____ camphoric acids, 1890, A., 790.
Jungfleisch, Emile Cl., and Leon Grimbert, levulose, 1888, A., 1266.

_____ invert sugar, 1889, A., 479. ____ analysis of sugars, 1890, A.,

analysis of sugars, 1890, A. 301.

Jungfleisch, Emile Cl., and Eugène Léger, optical isomerides of cinchonine, 1888, A., 380.

derivatives of cinchonine, 1888, A., 507.

____ cinchonigine, 1888, A., 612.

A., 906. a-hydroxycinchonine, 1889,

——— isocinchonine, 1891, A., 1121; 1892, A., 222.

chonine, 1892, A., 1253.

Junghahn, Alfred. See Arnold Reissert. Jungk, J. F. Carl, analysis of malt extract. 1884. A. 529

tract, 1884, A., 529.

Jurisch, Konrad W., decomposition of ammonium chloride by phosphoric acid, 1888, A., 650.

Juslin, Wilh., n-a-oxyvaleric acid, 1885, A., 187.

Just, Feodor, influence of asymetrical carbon-atoms on the ethanes derived from active amyl alcohol, 1881, A., 169.

method for introducing nitrogenous radicles into ethyl malonate, 1885,

A., 513.
——ethyl diacetofumarate, 1886, A., 141.
——action of benzanilidoimide chloride

on ethyl sodomalonate. 1886, A., 149,
——synthesis in the quinoline series,
1886, A., 161, 811, 812.

imidochlorides and their reactions,

1886, A., 617.

action of phenylhydrazine on amidocompounds of benzene, 1886, A., 699.

phenylhydrazine and acid amides,

1886, A., 700.

oximido-compounds and phenylhydrazine, 1886, A., 701.

Just, L., injury to vegetation by sulphurous acid, 1888, A., 318.

Just, L., and H. Heine, damage done to plants by acid vapours, 1889, A.,

Just, Richard. See Eugen Lellmann. Juttke, Julius, water of crystallisation of alums, 1888, A. 112.

Juvalta, Nicolaus, is the benzene nucleus destroyed in the body ? 1889, A., 289.

K.

Kablukoff, Iwan A., glycide of hexylic glycerol, 1885, A., 617.

- the laws governing the reactions of direct addition, 1888, A., 1154.

-butallyl methyl pinacone, 1888, A., 1170.

derivatives of hexyl glycerol, 1888,

- electrical conductivity of hydrogen chloride in different solvents, 1890,

Kachler, J., presence of mannitol in the cambium sap of pines, 1886, A., 1062. - behaviour on dry distillation of the silver salts of organic acids, 1892, A., 37.

Kachler, J., and Fr. V. Spitzer, action of nitric acid on hydroxycamphor from \(\beta\)-dibromocamphor, 1883, A., 215. bromodinitiomethane, 1883,

A., 961. - action of sodium on camphor,

1883, A., 1006. -mode of formation of the isomeric dibromocamphors, 1883, A.,

1007. - reaction of the two isomeric dibromocamphors with nitric acid,

1883, A., 1008. - hydroxycamphor from \$-dibromocamphor, 1883, A., 1008.

- borneol from camphor, 1884, A., 754.

- camphoronic acid, 1885, A., 59, 807.

the so-called campholenic acid, 1885, A., 173.

 hydroxycamphoronic acids, 1889, A., 158.

Kaehler, horse-chestnuts as cattle food, 1884, A., 1411.

Kaemmerer, Hermann, preparation of nitric oxide, 1886, A., 200.

Kaeswurm, August, condensation of aromatic bases with aldehydes, 1886, A., 552.

Kafka, Emil, benzaldehydesulphonic acid, 1891, A., 720.

Kahlbaum, Georg IV. 1., dependence of the boiling-point on pressure, 1884, A., 141, 950; 1885, A., 1176; 1886, A., 590; 1887, A., 206.

- refractive indices of the three methyl acrylates, 1885, A, 1173.

- do the statical and dynamical methods of measuring vapour tensions give different results ? 1886, A., 193. temperature regulator, 1887, A.,

206.

- boiling-points of the fatty acids, $C_2H_4O_2$ to $C_5H_{10}O_2$, 1887, A., 207.

- apparatus for measuring the tension of vapours, 1887, A., 207. Kahn, Myrtil, quinoline derivatives

from n-butaldehyde, 1886, A., 262.

Kahnweiler, Charles Francis. Howard Berrs Gibson.

Kaiser, A. See 1. Goldzweig.

Kaiser, Adolf, nitro-p- and m-acetamidobenzoic acids, 1886, A., 149.

Kaiser, Adolf. See also Ludwig Gattermann.

Kaiser, Heinrich, and Joh. Schmieder, changes in milk by freezing, 1887, A., 745.

Kaiser, Joseph, diphenyl derivatives, 1890, A., 897.

Kalantaroff, A., Russian cheese, 1884, A., 700.

Kalb, Georg Wilhelm, composition of tourmaline, 1891, A., 24.

See also Paul Kalb, Georg Wilhelm. Ehrhardt Jannasch.

Kalckhoff, Franz A., amidophenols,

1883, A., 734, 1109. Kalckhoff, Frans A. See also Robert Hirsch.

Kalecsinszky, Alexander, apparatus for chemical laboratories, 1886, A., 15. - native gold from Thibet, 1887, A.,

- phillipsite from Somosko, 1890, A.,

718. - helvine from Hungary, 1892, A.,

1412. Kalischer, S., production of electricity by condensation of aqueous vapour,

1884, A., 138. - new secondary element, 1887, A.,

electromotive force produced by light in selenium, 1887, A., 693.

effect of light on the conductivity of selenium, 1888, A., 99.

- apparent manifestation of chemical as mechanical attraction, 1888, A.,

electromotive force of selenium, 1889, A., 3; 1890, A., 97.

Kall, Henry von der, action of thiocarbamides on hydroxylamine, 1891, A., 1222.

Kallen, J. P., and Albert Stutzer, examination of clover at different stages of growth, 1884, A., 100.

Kallir, Jacob, water of crystallisation of dissolved cobalt salts, 1888, A., 23.

Kalmann, Wilhelm, estimation of phosphorus in iron and steel, 1886, A., 280.

standardising iodine solutions, 1886, A., 579; 1887, A., 618.

- estimation of sulphurous acid in presence of thiosulphuric acid, 1887, A., 618.

Kalmann, Wilhelm, and Alois Smolka, estimation of manganese in spiegeleisen, ferromanganese, &c., 1885, A.,

Kalmann, Wilhelm, and Jos. Spüller, examination of crude soda lyes and 1ed liquors, 1887, A., 1063.

Kalmann, Wilhelm. See also Moria Gläser.

Kamensky, George, electric conductivity of copper antimony alloys, 1885, A.,

Kamnitzer, Isaak, medicinal properties of the root bark of the pomegranate. 1885, A., 850.

Kanera, Franz. See Ian Horbaczewski.

Kanonnikoff, Innocentius I., reflactive power of organic compounds in solution, 1883, A., 1041.

- specific refractive energy, 1885, A., 1. - refractive power of chemical com-

pounds, 1885, A., 949. azo-compounds with mixed and substituted radicles, 1886, A., 145.

reflactive power of organic compounds, 1886, A., 335.

 relation between the rotatory and refractive powers of chemical compounds, 1889, A., 326, 453; 1891, A., 138.

specific rotary power of tartaric acid and its salts, 1892, A., 1308.

Alfredo Antunes, Kanthack, poison, 1892, A., 1118.

Kapf, Siegmund, and Carl Paal, ethyl phenacylbenzoylacetate, 1888, A., 839. - derivatives of ethyl phenacyl-

benzoylacetate, 1889, A., 147. Kappel, S., formation of ozone and hydrogen peroxide, 1883, A., 282.

nitrification in presence of copper and other metals, 1883, A., 286.

formation of nitrites, 1887, A., 106.

Karau, Georg, tetravinylpyridine, 1892, A., 1483.

See also Albert Laden-Karau, Georg. burg.

Karbe, J., knugite as manune for potatoes, 1884, A., 926.

Karchowski, Dionysius von. Sec Albert Töhl.

Karcy, M., glyoxalcenanthyline and its

denivatives, 1887, A., 911.

Karmenski, S. S., physiological action of acetophenone, 1889, A., 1076.

Karpinsky, Alexander, metamorphic graphite: garnet in the Utal Mountains, 1888, A., 115.

Karstens, Harald. See Friedrich Krafft. Kassner, Georg, lactucerin, 1887, A., 605.

- solanine, 1887, A., 860.

elementary analysis of highly volatile organic liquids, 1888, A., 197.

millet oil and some of its products of decomposition, 1888, A., 673. -decomposition products of panicole,

1888, A., 1183.

- volumetric estimation of mercuric chloride, 1889, A., 78.

basic zinc-ammonium carbonate, 1889, A., 1049.

- new method of preparing potassium ferricyanide, 1890, A., 352

- new application of potassium ferricyanide, 1890, A., 352.

barium, strontium, and calcium plumbates, 1890, A., 561.

lead oxides, 1890, A., 699. volumetric estimation of potassium ferricyanide, 1890, A., 834.

estimation of peroxides of the alkaline earths, 1891, A., 245.

utilisation of atmospheric oxygen, 1891, A., 392.

Kast, Alfred, fate of certain chlorine compounds in the organism, 1887, A.,

aromatic products of putrefaction in human sweat, 1887, A., 1132.

 output of chlorides in its relation to metabolism, 1888, A., 513.

Kast, Alfred. See also Eugen Baumann.

Kast, Herm. See P. Behrend.

Kastle, J. H., p-nitro-o-sulphobenzoic acid, 1889, A., 711.

- separation of copper from cadmium. 1890, A., 295.

Katayama, Kuniyosi, test for carbonic oxide poisoning in blood, 1889, A., 88, 650.

Kathrein, St., tannin in mine, 1891, A., 964.

Katzer, Friedrich, minerals from Bohemia, 1888, A., 922.

geology of the district of Ričan, 1889, A., 357.

Kauder, E., cryptopine, 1887, A., 1122.

tritopine and other rare opium bases, 1891, A., 227.

Kauder, Ernst, action of phosphorus pentachloride on succinic chloride, 1884, A., 40.

- action of phosphorus pentachloride on succinyl compounds and on tartaric acid, 1885, A., 651.

Kauffmann, Georg, B-naphthacoumarin,

1883, A., 1136. Kaufmann, Herbert. See Rudolf Nietzki, Otto Nikolaus Witt.

Kaufmann, Maurice, diastatic ferment of the liver, 1890, A., 185.

See also Jean Kaufmann, Maurice. Baptiste Auguste Chauveau.

Kaulfuss, Alexander, apparatus for distilling zinc methyl and zinc ethyl. 1888, A., 255.

Kautz, Heinrich. See Adolph Claus. Kawakita, Michitala. See Edward Divers.

Kay, Percy, antimony potassium oxalate, 1888, A., 675.

Kayser, Heinrich, condensation of carbonic anhydride on glass, 1885, A.,

- new form of thermopile, 1886, A..3. disintegration of glowing platinum, 1888, A., 1014.

Kayser, Heinrich, and Carl Runge, spectra of the alkali metals, 1891, A., 137.

 spectra of the elements of the second periodic group, 1891, A., 965.

Kayser, Johann Emanuel Friedrich Robert, examination of an apple-must and of the cider obtained therefrom, 1884, A., 98.

 estimation of tartaric acid in wine, 1884, A., 504.

 chemistry of wine, 1884, A., 1445. substances contained in saffron,

1885, A., 59. casein-glue, a substitute for gum

arabic, 1885, A., 1024.

 bleaching and dyeing bone and ivory, 1886, A., 188.

· lokao, or Chinese-green, 1886, A., 254.

Kayser, Walter, and Arnold Reissert, julole, 1892, A., 883.

Kayser, Walter. See also Arnold Reissert.

Kebler, Eliot Abbott. See Frank Wiggelsworth Clarke.

Kebler, John Thayer, and Thomas Herbert Norton, acenaphthene and chlorine, 1888, A., 961.

Kebler, Lynun F., estimation of nitrogen in nitrates by Kjeldahl's method,

1891, A., 1397.

Keeler, James Edward, absorption of radiant heat by carbonic anhydride, 1885, A., 626.

Kees, Alfred. See Ferdinand Tiemann. Kegel, Eduard. See Oscar Emil Beyer. Kegel, Otto, isomeric naphthyl phenyl ketones, 1888, A., 1307.

Kegel, Otto. See also Theodor Zincke. Kehrer, Eduard Alexandre, condensation of levulinic acid with furfuraldehyde, 1892, A., 442.

Kehrer, Eduard Alexandre. Carl Hell, A. Ludwig.

Kehrmann, Friedrich, a new class of cobaltic salts, 1887, A., 220.

structure of complex inorganic acids, 1887, A., 777.

- phosphotungstic acids, 1887, A., 777.

- potassium manganic oxalate, 1887, A., 800.

- separation of phosphoric acid from tungstic acid, 1887, A., 866.

 iodophenolsulphonic acids, 1888, A., 595, 841; 1889, A., 993, 1184.

 phosphotungstates and arsenotungstates, 1888, A., 788.

- di-iodophenolsulphonic acid, 1888, A., 842. action of alkali nitrites on halogen

derivatives of quinones, 1888, A., 940. - influence of the presence of halogens and alkyl-groups on the displacement of oxygen in quinone derivatives by the isonitroso-group, 1889, A., 243.

action of alkalis and ammonia on halogen-substituted quinones, 1889, A., 707; 1890, A., 136.

iodophenolsulphonic acids and iodoquinones, 1889, A., 993, 1184.

oxidation of aromatic diamines, 1889, A., 1154.

derivatives of s-dinitroresorcinol, 1890, A., 241.

isomerism of halogen thymoquinones, 1890, A., 367.

dependence of substitution phenomena on the atomic or molecular weights of certain atoms or groups, 1890, A., 484.

quinoneimides and amidoquinones, 1890, A., 756.

constitution of eurhodine, induline, and allied dyes, 1890, A., 1265.

- **Kehrmann**, *Friedrich*, influence of mass on chemical processes, 1891, A., 257.
- ----- action of alkalis and amines on halogen substituted quinones, 1891, A., 903.
- ---- thymol, 1892, A., 1078. •
- dinitrosoazobenzene, 1892, A., 1198.

 Kehrmann, Friedrich, and Richard

 Braseh, tolunitranilie acid: nitroderivatives of toluquinol, 1889, A.,
- 969.

 Kehrmann, Friedrich, and Moses Freinkel, complex inorganic acids: phosphotungstic acids, 1891, A., 1159; 1892, A., 1160.
- Kehrmann, Friedrich, and Josef Messinger, action of hydroxylamine on nitrosophenols, 1890, A., 1403.
- A., 297. thymoquinonedioxime, 1891,
- ————— relations of the eurhodines to the indulines and saffianines, 1891, A., 746, 1213.
- 945, 1109; 1892, A., 1108.
- so-called dinitrosoazobenzene, 1892, A., 889.
- nomenclature of rings consisting of two carbon and three nitrogen atoms, 1892. A., 889.
- Kehrmann, Friedrich, and Nicolas Pickersgill, electrolysis of cobalt salts of oxalic acid. 1891. A. 1189.
- oxalic acid, 1891, A., 1189.

 Kehrmann, Friedrich, and Wilhelm

 Tiesler, derivatives of m-dichloroquinone, 1890, A., 241.
- action of hydroxylamine hydrochloride on p-dihydroxyquinones, 1890, A., 493.
- Kehrmann, Friedrich, and Oscar Weichardt, derivatives of nitrohydroxynaphthaquinone, 1889, A., 1197.
- Kehrmann, Friedrich. See also Rudolf
- Keim, A., and F. Thenn, preserving and colouring stone-work, 1884, A., 880.
- Keim, Wilhelm, ripening of cherries; fermentation of cherry and currant juice; colouring matters of red and black currants, 1891, A., 1539.
- Keiser, Educard Harrison, estimation of sulphur in organic compounds, 1884, A., 500.
- new apparatus for gas analysis, 1886, A., 647.
- --- lecture experiment on nitrogen oxides, 1886, A., 660.

- Keiser, Eduard Harrison, action of chlorine on pyridine, 1887, A., 277.
- —— new pyrometer, 1887, A., 1073.

 —— combustion of weighed amounts of
- hydrogen, 1887, A., 1078.

 atomic weight of oxygen, 1887,
- A., 1078; 1891, A., 1154.

 atomic weight of palladium, 1890,
 A., 17.
- synthesis of fumaric acid, 1890, A., 594.
- silver and copper compounds of acetylene, 1892, A., 1416.
- Keiser, Edward Harrison. See also Hurmon Northrup Morse, Ira Remsen.
- Kekulé, August Friedrich, carboxy tartionic acid, 1884, A., 41.
- --- formaldehyde, 1892, A. 1423. --- congratulatory address to, 1890, P., 29.
- Kekulé, August Friedrich, and Otto Strecker, trichlolophenomalonic acid, 1884, A., 1122.
- Kekulé, August Friedrich. See also Richard Anschütz, Julius Busz.
- Kelbe, Werner, oxidising action of dilute nitric acid on m-isobutyltoluene, 1883, A., 796.
 - displacement of the sulphonic group by chlorine, 1883, A., 806.
- A., 807.
- action of acid amides on aromatic amines, 1883, A., 915.
- amines, 1883, A., 915.

 hydrolysis of aromatic sulphonic acids by means of superheated steam, 1886, A., 355.
- presence of ordinary cymene and an aromatic hydrocurbon, C₉II₁₂, in resin spirit, 1886, A., 939.
- retene from rosin oil, 1888, A., 605.
- Kelbe, Werner, and Albert Baur, butyltoluenes in rosin spirit, 1884, A., 300.
- Kelbe, Werner, and Nicolaus von Czarnomski, β-m-isocymenesulphonic acid, 1884, A., 1355.
- action of bromine and water on α-m-isocymenesulphonic acid: constitution of α- and β-m-isocymenesulphonic acids, 1887, A., 147.
- Kelbe, Werner, and Michael Koschnitzky, action of bromine on p-cymencsulphonic acid, 1886. A., 884.
- sulphonic acid, 1886, A., 884.

 Kelbe, Werner, and J. Lwoff, occurrence of methyl alcohol in the products of the dry distillation of colophony, 1883, A., 788.
- Kelbe, Werner, and Karl Pathe, ψcumene derivatives, 1886, A., 804.

Kelbe, Worner, and Gustav Pfeiffer, m- and p-isobutylbenzoic acids and

sobutylbenzene, 1886, A., 877.
Kelbe, Werner, and H. Stein, action of bromine on xylenesulphonic acids, 1886, A., 1032.

Kelbe, IVerner, and Constantin Warth,

m-isocymidine, 1884, A., 46.

Keller, A., products of the action of aromatic carbodimides on o-diamines, 1891, A., 1468.

Keller, H., influence of ethyl alcohol on metabolism in man, 1889, A.,

Keller, Harry Frederick, kobellite from Colorado, 1890, A , 218.

s-tetrabromodiacetyl, 1890, A., 359.

Keller, Harry Frederick, and Alfred Church Lane, chloritoid from Champion, Michigan, 1891, A., 1439.

Keller, Harry Frederick. See also Rudolph Fittig, Alfred Church Lane, Edgar Francis Smith.

Keller, Paul, cyanmethine, 1885, A.,

Kellner, Oscar, researches on the digestibility of purified lupine seeds by the horse, and observations on the working power of the horse when fed with lupines and oats, 1883, A., 102.

- notes on the chemical alterations of green fodder during its conversion

into ensilage, 1884, T., 612.

development and nutrition of Japanese silkworms, 1884, A., 667; 1887, A., 68.

- vegetables used as food in Japan,

1884, A., 674.

-action of ferrous oxide on vegetation, 1886, A., 486.

- composition of tea-leaves, 1887, A., 73.

estimation of absorbed bases in soils, 1887, A., 77.

 relative nutritive value of fat and carbohydrate, 1888, A., 173.

 digestibility of rice-straw, 1890, Λ., 546.

Kellner, Oscar, and H. Imai, examination of certain soils in Japan, 1884,

Λ., 680. Kellner, Oscar, and J. Sawano, rice culture in Japan, 1884, A., 672.

– changes in fodder during ensilage, 1885, A., 1087.

preparation of silage, 1890,

Kellner, Oscar, and T. Yoshii, development of free nitrogen in putrefaction and nitrification, 1888, A., 185.

Kellner, Oscar, Yoshinao Kozai, and Yōtarō Mori, changes occurring during

ensilage, 1891, A., 1287.

Kellner, Oscar, Yōtarō Mori, and Muncshige Nagaoka, inverting ferment, 1890, A., 281.

Kellner, Oscar, Yoshinao Kozai, Yōtarō Mori, and Muneshige Nagaoka, manuring experiments with rice, 1891, A., 1547.

Kellner, Oscar, H. Sakano, D. Sato, and S. Shinjo, action of lime as a manure, with special regard to paddy fields, 1892, A., 93.

Kellner, Oscar (and others), use of carbolic acid in the disinfection of

sewage, 1884, A., 697.

- development and nourishment of the silk-worm, 1884, A., 1202.

 absorption by soils, 1887, A., 76.

- behaviour of urea in soils, 1887, A., 524.

Kemp, James F., dionite dyke in Orange Co., New York, 1888, A., 1045.

- porphyrite bosses in New Jersey, 1890, A., 345.

 minerals from Port Henry, New York, 1891, A., 158.

Kemp, William Joel, decomposition of soda waste by means of carbonic anhydride, 1885, A., 1017.

Kempff, Karl, action of benzylamine on methylene chloride, 1890, A., 887.

Kempner, G., influence of air somewhat deficient in oxygen on animals, 1884,

Kendall, Jumes Alfred, new method of generating electricity, 1884, A., 652.

Kennepohl, (4., estimation of phosphoric acid in basic slag, 1888, A., 321.

estimation of iron and aluminium in the presence of calcium and phosphoric acid, 1889, A., 188.

Kenngott, Gustav Adolf, calculation of analyses of augites and amphiboles from Finland, 1883, A., 1065.

 analysis of humite, 1883, A., 1068. - minerals from Brazil, 1884, A., 564.

priceite, colemanite, and pandermite, 1885, A., 1117.

nephrite from Jordansmuhl in Silesia, 1885, A., 1119.

 crocidolite and arfvedsonite, 1886, A., 128.

composition of idocrase, 1891, A.,

 formula of axinite, 1891, A., 1168; 1892, A., 125.

Kenngott, Gustav Adolf, formulæ of Vesuvian minerals, 1892, A., 417. - formula of tourmaline, 1892, A.,

1410.

Kent, Walter Henry, and Bernhard Tollens, lactose and mucic acid. 1884, A., 980. milk-sugar, and galactose,

1885, A., 647.

Keppich, Paul, solubility of the silver, calcium, and barium salts of n-caproic and diethylacetic acids, 1889, A., 122.

Keppler, Ferdinand, and Victor Meyer, 1:3-dinitropropane, 1892, A., 1061, 1415.

Kerez, Conrad, action of the aluminium halogen compounds on the halogen derivatives of the paraffins, 1886, A., 435.

Kern, Eduard, a new milk ferment, 1883, A., 229.

Kern, Ernst, artificial digestion of meadow-hay, 1883, A., 1025.
 Kern, Ernst, and H. Wattenberg, effect

of increasing the proteids in food rations of grown animals, 1891, A. 753.

Kern, Ernst, H. Wattenberg, and Theodor Pfeiffer, influence of work on the material-exchange of sheep, 1891, A.,

Kern, Scrgius, Russian basic steel, 1883, A., 1036.

Kernbaum. Alexander. PaulWalden.

Kerner, George, and Albert Weller, testing quinine sulphate, 1887, A.,

Kerp, Wilhelm. See Richard Anschütz. Kerry, Richard, decomposition of albumin by the bacillus of malignant œdema, 1890, A., 542.

Kerry, Richard, and Sigmund Fraenkel, action of the bacillus of malignant cedema on carbohydrates, 1890, A., 1454; 1892, A., 91.

- action of the bacillus of malignant odema on lactic acid, 1892, A., 91.

Kershaw, J. B. C., improved form of Orsat's apparatus for the estimation of oxygen, 1884, A., 695.

Kerstein, Wilhelm, hydrastine, 1890,

Wilhelm. Kerstein. See also Ernst Albert Schmidt.

Kertész, A., detection of magenta in extract of archil, 1885, A., 1015.

Kessler, Alex. See Alexander I. Gorboff. Kessler, Arthur. See Julius Giersbach. Kessler, L., hardening of soft calcareous rocks by means of fluosilicates of soluble bases, 1883, A., 940.

Kestner. See Scheurer-Kestner. Kette, W., three processes for obtaining albuminoid matter from potato-waste, 1884, A., 948.

influence of kiugite on the percentage of starch in potatoes, 1884 A., 1401.

Ketteler, Eduard, dispersion in rock salt, 1887, A., 754.

refraction of liquids between wide limits of temperature, 1888, A., 541;

1889, A., 197.

— new theory of molecular volume and refraction, 1889, A., 326.

Keutgen, C. H., action of sulphui on glycerol, 1890, A., 577.

Key, M., influence of light on the growth of yeast, 1886, A., 387. Kiby, Wilhelm. See Carl Engler.

Kickelhayn, Friedrich Moritz.

Adolph Claus. See Rodolphe Kiener, Paul Louis. Engel.

Kienlen, P., extraction of selenium from

a waste product, 1883, A., 16. Kiesewetter, Paul, and Gerhard Krüss, absorption spectra of the rare earths, 1888, A., 1038.

Kietz, Albert, researches on digestion in the stomach, 1883, A., 815.

Kijner, S. N., action of hydrogen chloride and bromide on ethyl allyl

ether, 1891, A., 164. Kikuchi, Yasushi, anorthite from Miyakejima, Japan, 1890, A., 718.

- cordierite as contact mineral, 1892, A., 1056.

Kiliani, Heinrich, saccharin and saccharic acid, 1883, A., 565.

· saccharone and saccharin, 1883, A., 962.

a new saccharin from milk-sugar, 1884, A., 283.

- preparation of glycollic acid from glycerol, 1884, A., 295.

- *iso*saccharin, 1885, A., 741.

— m-saccharin, 1885, A., 745. trihydroxyadipic acid, 1885, A., 967.

galactonic acid, 1885, A., 967. constitution of isosaccharic acid, 1886, A., 48.

- cyanhydrin of levulose, 1886, A., 219, 438.

– ethylpropylacetic acid, 1886. A., 441. - action of hydrocyanic acid on dextrose, 1886, A., 526.

constitution of dextrosecarboxylic acid. 1886, A., 687.

- lactone of levulosecarboxylic acid, 1886, A., 869.

- Kiliani, Heinrich, n-pentahydroxypimelic acid and its lactone, 1886, A., 936.
- arabinose, 1887, A., 229, 465,
- arabinosecarboxylic acid, 1887, A.,
- action of sodium amalgam on arabinose, 1887, A., 714.

 double lactone of m-saccharic
- acid, 1888, A., 46.
 action of hydrocyanic acid on galactose, 1888, A., 581.
- -m-saccharic acid, 1888, A., 821; 1889. A., 590.
- oxidation of arabinose with nitric acid, 1889, A., 32.
- oxidation of galactosecarboxylic acid, 1889, A., 589.
- aldehydegalactonic acid, 1889, A.,
- composition of digitonin, 1890, A., 996.
- digitonin and digitogenin, 1891, A., 576.
- digitonin, 1892, A., 501.
- digitalonic acid, 1892, A., 1241.
- -- digitalin, 1892, A., 1482. preparation of digitogenin, 1892,
- A., 1483. Kiliani, Heinrich, and Heorg Düll preparation of levulosecarboxylic acid,
- 1890, A., 596. Kiliani, Heinrich, and Samuel Kleemann, conversion of gluconic acid into n-caprolactone, 1884, A., 730, 993.
- Kiliani, Heinrich, and Carl Bernhard Wilhelm Scheibler, constitution of sorbinose, 1889, A., 116.
- quercitol, 1889, A., 581. Ħcinrich. Kiliani, See also Léon Cuisinier.
- Kimball, James Putnam, specular iron
- ores of Cuba, 1885, A., 356.

 genesis of iron ores by replacement
- of limestone, 1892, A., 126.

 Kimmins, Charles William, periodates, 1887, T., 356; P., 22; 1889, T., 148;
- Kinch, Edward, soja bean, 1883, A.,
- note on the nitrogenous matters in grass and ensilage from grass, 1884, T., 122.
- composition of the food of Scotch hill sheep, 1885, A., 291.
- amount of chlorine in rain-water collected at Circucester, 1886, P., 258; 1887, T., 92.
- · plattnerite, 1887, A., 451.
- dufrenite from Cornwall, 1891, A., 274.

- Kinch, Edward, Francis Henry Butler, and Henry Alexander Miers, variety of dufrenite from Cornwall, 1887, A.,
- King, Alfred John, Clerget's method of sugar analysis by inversion, 1884, A., 503.
- King, Charles Millard, fat extraction
- apparatus, 1888, A., 1134. Kingzett, Charles Thomas, on camphoric peroxide and camphorate of barium, 1884, T., 93.
- -rape oil, beef fat, and mutton dripping, 1885, A., 446.
- atmospheric oxidation of turpentine, camphor oil, and oil of sunflower, 1888, A., 605.
- estimation of hydrogen peroxide,
- 1889, A., 301.

 Kinkelin, Friedrich, preparation of mnitrocinnamaldehyde, 1885, A., 791.
- Kinkelin, Friedrich. See also Wilhelm von Miller.
- Kinnicutt, Leonard P., modification of Noack's method of preparing carbonic oxide, 1884, A., 260.
- Kinnicutt, Leonard P., and George Dunning Moore, action of an alcoholic solution of silver nitrate on ethyl phenyldibromopropionate, 1891, A., 1055.
- Kinnicutt, Leonard P., and John Ulric Nef, volumetric estimation of com-
- bined nitrous acid, 1884, A., 493.

 Kinnicutt, Leonard P., and George M. 8-phenyltribromopropionic Palmer, acid, 1884, A., 603.
- Kinnicutt, Leonard P., and George W. Patterson, estimation of chromium in chrome iron, 1891, A., 366.

 Kinnicutt, Leonard P., and
- Sweetser, Schulze's process for the estimation of the halogens in aromatic compounds, 1885, A., 1010.
- Kinzel, Wilhelm, estimation of pyridine bases in gas liquor, 1890, A., 1349. oxidation products of p-amido-
- phenetoil, 1892, A., 158. Kierskou, Hjalmar Frederik Christian,
- separation of wheat-meal from ryemeal, 1884, A., 376.
- Kipping, Frederick Stanley, synthetical formation of closed carbon chains in the aromatic series, 1887, P., 93; discussion, P., 94; 1888, T., 21.
 - action of phosphoric anhydride on fatty acids, 1890, T., 532, 980; P., 24, 67, 115.
- formation of a hydrocarbon, C18H12, from phenylpropionic acid, 1892, P., 107.

Kipping, Frederick Stanley, the reduction products of dimethyldiacetylpentane, 1892, P., 198.

- synthesis of hydrindone, 1892, P.,

Kipping, Frederick Stanley, and John Edwin Mackenzie, aa-dimethyl-aadiacetylpentane, 1890, P., 116.

ethyl aa'-dimethyl-aa'-diacetylpimelate and its decomposition products, 1891, T., 569; P., 110.

Kipping, Frederick Stanley, and William Henry Perkin, junior, aw-diacetylpentane and aw-dibenzoylpentane, 1889, T., 330; P., 79.

 action of dehydrating agents on aw-diacetylpentane; synthesis of methylethylhexamethylene, 1889, P.,

143; 1890, T., 13.

 action of reducing agents on aω-diacetylpentane: formation of dimethylheptamethylene, 1889, 145.

derivatives of phenylhexamethylene, 1889, P., 161; 1890, T., 304.

aw-diacetyl-aw-diethylpentane, 1890, T., 29.

- action of reducing agents on aa'-diacetylpentane: synthesis of dimethylhydroxyheptamethylene, 1891, T. 214; P. 24; discussion, P., 25.

Kipping, Frederick Stanley. See also Henry Edward Armstrong.

Kircher, Georg, chlorinated anthra-quinones, 1884, A., 1039.

tetrachlor-o-benzoylbenzoic acid, 1887, A., 831.

Kirchner, Lcopold, phenyllutidinedicarboxylic acid and phenyllupetidinedicarboxylic acid, 1892, A., 1486.

Kirchner, Wilhelm Julius Otto Leopold (and others), ensilage experiments with various fodders, 1885, A., 422.

Kirchner, Wilhelm Julius Otto Leopold. See also Albert Wüst. Kirchoff, Richard. See Hugo Erdmann.

Kirk, *Robert*, alcaptonuria, 1888, A., 1121; 1890, A., 188.

— uroleucic acid, 1890, A., 188.

Kirkaldy, Patrick H., urea oxalate, 1892, A., 1421.

Kirkland, John Booth. See David Orme Masson.

Kirman, Walter. See Thomas Edward Thorpe.

Kirpal, Alfred, first product of the reduction of nitro-compounds with stannous chloride, 1892, A., 1067.

Kisch, W., estimation of free oxygen dissolved in water, 1892, A., 98.

Kisch, II'. See also Frant Josef König. Kislakowsky, Eugene, D., meteorite of Turgaisk, 1892, A., 418.

Kislakowsky, Eugene D. Alexander P. Sabanéeff. See also

Kissel, J., constitution of nitroparaffins, 1885, A., 364.

 action of zinc ethyl on nitroethane, 1888, A., 436.

-action of methyl iodide and of chloroform on nitroisopropane, 1892, A., 1290.

Kisser, Elias. See Heinrich Goldschmidt, Ernst Schulze.

Kissling, Richard, tobacco fat, 1884, A., 173.

 estimation of nicotine in tobacco, 1890, A., 430.

- sodium carbonate: detection of traces of alkali hydroxides, 1891, 364.

See also Hermann . Kissling, Richard. Anton Moritz Fleischer.

Kistiakowski, Władimir A., aqueous solutions of double salts, 1891, A., 6. Kiticsan, S., distillation of wine, 1883, A., 934.

Kitrosky, Chuna. See Carl Hell. Kitschelt, Max. See Eugen Bamberger.

Kitt, Moritz. See Hugo Strache. Kittler, Erasmus, electromotive force of a Daniell's element, 1883, A., 409.

Kjeldahl, Johan Gustav Christophe Thorsager, invertin, 1883, A., 225.

- a new method of determining nitrogen in organic substances, $1884, \overline{\Lambda}., 361.$ Kjellin, Čarl. See Heinrich Goldschmidt.

Klason, Johan Peter, cyanuric acid: diand tri-thiocyanuric acids, 1886, A., 324.

-n-melamines, 1886, A., 522. - melam compounds, 1886, A., 524. - estimation of sulphur and halogens in organic compounds, 1886, A., 918.

— cyanunic radicle and its compounds

with halogens, 1886, A., 1001. sugar formed in the inversion of

lichens, 1887, A., 25.

toluenedisulphonic acids, 1887, A., 264, 491.

- synthesis of cyanphenin, 1887, A., 363.

substitution of amidogen by the hydrothionyl- and groups, 1887, A., 478. oxysulphuryl-

- free thiocyanic and cyanuric acids and their compounds with ethers and alcohols, 1887, A., 789

carbon oxysulphide, 1887, A., 1015.

Klason, Johan Peter, action of chlorine on carbon bisulphide and of sulphur on carbon tetrachloride, 1887, A., 1015.

-- action of acids on thiocyanic acid, 1887, A., 1025.

- thio-derivatives of ethyl carbonate, 1887, A., 1029.

- estimation of thiocyanic acid, 1887.

A., 1144. - estimation of sulphur, chloring,

bromine, and iodine in organic substances, 1888, A., 320.

preparation of sulphides and hydrosulphides of methyl and ethyl, 1888, A., 356.

- alkyl polysulphides, 1888, A., 356. · perthiocyanic and dithiocyanic acids, 1889, A., 227.

preparation of chlorine gas for laboratory purposes, 1890, A., 445.

thiocarbimidoacetic acid and thiohydantoin, 1891, A., 179.

Klatt, Virgil, and Philipp Lenard, phosphorescence of copper, bismuth, and manganese in the sulphides of the alkaline earths, 1890, A., 201.

Klauber, Alfred, xylylhydrazine, 1890, A., 1410.

- α -m-xylylhydrazine, 1891, A., 1362. Klaudy, Josef. See Theodor Morawski. Klawitter, Chili saltpetre for barley, 1884, A., 1419.

Kleber, Clemens, action of ethyl sodiomalonate on chloromethyl ether, 1888, A., 1056.

Kleber, Clemens. See also Friedrich Carl Adolf Stohmann.

Kleeberg, Felix. See William James Comstock, William Gilbert Mixter.

Kleeberg, IV., action of formaldehyde on phenols, 1891, A., 1199.

Kleemann, Samuel, method of preparing diacetyl cyanide, 1885, A., 505.

 action of alkalis on nitracetanilides and nitracetonaphthalides, 1886, A.,

 neculiar reaction of malonic acid, 1886, A., 935.

 reduction of nitro-opianic acid, 1887, A., 584.

Kleemann, Samuel, and WilhelmWense, α-diamidophenanthraquinol, 1885, A., 1240.

Kleemann, Samuel. See also Heinrich Kiliani, Carl Theodor Liebermann.

Klein, Daniel, borotungstates, 1883, A., 23, 786; 1884, A., 559, 1266.

 modification of the usual statement of the law of isomorphism, 1883, A., 147.

Klein, Duniel, antimony derivatives of mucic and saccharic acids, 1884, A.,

- compounds of tellurous anhydride

with acids, 1884, A., 1256.

general reaction of polyhydric alcohols in presence of borax and p-tungstates, 1884, A., 1284.

action of tellurous and telluric

acids on p-tungstates, 1885, A., 218.

- telluryl tartrate and citrate, 1886, A., 336.

tellurous anhydride, 1886, A., 767. Klein, Daniel, and Armand Berg, corrosion of boilers by solutions of sugar,

1886, A., 1004. Klein, Daniel, and Jules Morel, action of nitric acid on telluium, 1885, A.,

- action of water and nitric acid on basic tellurium nitrate, 1885, A., 17.

 tellurous anhydride, 1885, A., 870.

Klein, Edward Emmanuel, bacteriological research from a biologist's point of view, 1886, T., 197; P., 148; discussion, P., 149.

Klein, Emil, electrical conductivity of double salts, 1886, A., 407.

Klein, F., examination of argol and wine lees, 1886, A., 182.

Klein, G., experiments with manures containing thiocyanates, 1885, A., 76. - adulteration of linseed-cake and rape-cake, 1885, A., 425.

Klein, Johann Friedrich Carl, cryolite, pachnolite, and thomsenolite, 1883,

Klein, Johann Friedrich Carl, and Paul Ehrhardt Jannasch, ullmannite from Lolling and from Sarrabus, 1888. A.,

Klein, Joseph, estimation of phosphoric acid in basic slag, 1886, A., 740, 835.

— estimation of formic acid and of

organic matter in water, 1887, A., 1000. detection of mercury, 1889, A.,

651. - detection of manganese, 1889, A.,

653. Klein, Joseph. See also Richard An-

schütz Klein, Otto, α-picolylfurylalkine and αpipecolylfurylalkine, 1890, A., 1437.

Klein, Otto. See also Alfred Einhorn. Klein, Wilhelm, optical modifications produced in crystals by the action of heat, 1885, A., 622.

15

225

Kleiner, Ed. See Robert Ebert.

Kleinert, estimation of phenol in commercial carbolic acid, 1881, A.,

halymetric estimation of alcohol in beer, 1884, A., 641.

Kleinstück, U., specific gravity and composition of tin-lead alloys, 1889, A., 1051.

determination of the specific gravity of solids, 1891, A., 11.

- specific gravity of Japan wax, 1892.

A., 428. Klemenčič, Ignaz, dielectric constant of certain gases and vapours, 1885,

Л., 1030. Klement, Constantin, rocks from the Congo, 1888, A., 34.

- meteorite of Saint-Denis-Westrem, 1888, A., 238.

- water from artesian wells, 1888, A., 239. ilmenite from the Ardennes, 1888,

A., 430. - apatite, chlorite, and mica from

Belgian localities, 1891, A., 528. Klement, Constantin. See also (Rev.)

Alphonse François Renard. Klemp, G., valuation of zinc dust, 1890, A., 1190.

estimation of aluminium in commercial aluminium, 1891, A., 114.

Klenze, ron, digestibility of cheese. 1885, A., 1252.

Klepl, Arthur, preparation of methyl chlorocarbonate, 1883, A. 311.

compound of phenol with carbonic anhydride, 1883, A., 584.

· hydroxybenzoic acid, 1883, A.,

dry distillation of p-hydroxybenzoic acid, 1884, A., 446.

Klett, Max. See Eugen Baumann, Max Busch.

Klewitz, Adolph, and Gustav Krieger, removal of juice from sugar-beet, 1884, A., 647.

Kliche, Theodor copper oxysulphides, 1890, A., 1211.

Kliebhan, G., recognition of pyrogallol. 1888, A., 198.

- separation of resins, 1888, A., 761. Klien, Georg, composition of barley and peas, 1887, A., 73.

value of nitrogen in sodium nitrate

and in ammonium sulphate, 1888, A., 872.

Klimenko, Euthyme, ethylenelactic acid from flesh extract, 1890, A., 235. p-acrylic and hydracrylic acids, 1891, A., 170.

Klimenko, Euthyme, and Lucau Buchstab, action of phosphoric chloride on citric and aconitic acids, 1891, A.,

Klimenko, Euthyme, and George Pekatoros, action of hydrogen chloride and metallic chlorides on the photochemical decomposition of chlorine water, 1889, A., 1093.

Klingel, Julius, amidoacetophenone and allied substances, 1884, A., 1343.

 y-amidacetophenone, o-amido-macetyltoluene, and some of their derivatives, 1886, A., 60.

Klingemann, Felia, action of aromatic amines on acetylcitric anhydride, 1889, A., 768.

- quantity of nitric oxide produced in the combustion of nitrogenous organic compounds with copper oxide, 1890, A., 292.

1-methyl-3-diphenyl-4:5-diphenylpyrrolone, 1891, A., 736.

is alcohol eliminated by the milk? 1892, A., 365.

- action of phenylhydrazine on unsaturated y-diketones, 1892, A., 995. desylacetic acid, 1892, A., 1002.

Klingemann, Felix, and William Frederick Laycock, action of ammonia and of methylamine on the oxylepidines, 1890, P., 149; 1891, T., 140.

Klingemann, Felix. See also Richard Anschütz, Francis Robert William Frederick Laycock.

Klingenberg, Karl, oxidation of aromatic substances in the animal organism, 1891, A., 1529.

See Alfons Bujard. Klinger, A.

Klinger, Heinrich Conr., basic double salts, 1883, A., 904.

isobenzil, 1883, A., 920; 1886, A., 888.

 action of sunlight on organic compounds, 1888, A., 888; 1889, A., 405. Klinger, Heinrich Conr., and Adolf

Kreutz, action of methyl iodide on sodium arsenite, 1889, A., 363.

Klinger, Heinrich Conr., and Albert Maassen, sulphines and the valency of sulphur, 1888, A., 357; 1889, A., 1135.

Klinger, Heinrich Conr., and Pitschke, oxidation of p-toluidine, 1885, A., 151.

- siegburgite, 1885, A., 220. m-dinitroazoxybenzene o-azoxytoluene, 1886, A., 53.

Klinger, Heinrich Conr., and Ludolf Schmitz, dibutyryl and diisovaleryl, 1891, A., 890.

Klinger, Heinrich Conr., and Ludolf Schmitz, new synthesis of isobenzil, 1891, A., 932.

Klinger, Heinrich Conr., and Otto Standke, benzilic acid and its derivatives, 1889, A., 885.

- action of sunlight on organic

compounds, 1891, A., 900.
—— isobenzil, 1891, A., 931.
Klinger, Heinrich Conr., and Johann Znurdeeg, trinittoazoxybenzenes and

trinitroazobenzenes, 1890. A., 761. See also Heinrich Conr.

Klinger, Friedr. Heusler.

Klinkenberg, Wilhelm, proportion of nitrogen in the form of amides, albumin, and nuclein in different feedingstuffs, 1883, A., 748. Klinkenberg, Wilhelm,

andAlbert Stutzer, nuclein, 1883, A., 814.

Klinkenberg. Wilhelm. See also Albert Stutzer.

Klobb, Constant Timothie, compounds of ammonia with metallic permanganates, 1886, A., 983; 1888, A., 230; 1890, A., 947.

mineralising influence of ammonium sulphate, 1892, A., 1399.

Klobb, P., crystallised anhydrous sulphates, 1892, A., 941.

Klobbie, Eduard August, nitramine from mesidine, 1888, A., 466.

-action of nitrous acid on amidoderivatives, 1891, A., 292.

Klobbie, Eduard August. See also Antoine Paul Nicolas Franchimont.

Klobukoff, Nicolaus von, apparatus for the determination of vapour densities at low temperature, 1885, A., 9.

estimation of vapour densities of liquids of high boiling-points, 1885, A., 9.

alkaline tetrathionates, 1885, A., 1110.

 volumetric estimation of sulphur, 1885, A., 1159.

- relation between molecular structure and absorption of light, 1885, A., 1173.

 air pump regulator, 1886, A., 118. -apparatus for operations in a vacuum, 1886, A., 178.

new apparatus for electrochemical research, 1886, A., 653; 1887, A., 200; 1888, A., 769; 1889, A., 1094.

 decomposition of ethyl ether by the induction spark, 1886,

safety retort for preparing gases, 1888, A., 1244.

Klobukoff, Nicolaus von, cryoscopic hehaviour of solutions of iodotorm in benzene and acetic acid. 1889, A., 821.

cıyoscopic behavious of solutions of morphine compounds in benzene, acetic acid, and water, 1889, A., 933.

— modifications of precipitated cadmium sulphide, 1889, A., 946.

apparatus for cryoscopical investigations, 1889, A., 1013.

- cryoscopic behaviour of the aqueous of the sugars obtained solutions synthetically from formaldehyde, 1890, A., 465.

 influence of capillarity and diffusion on the solvent action of liquids, 1890,

A., 555.

use of the induction spark for detecting traces of arsenic, 1890, A., 922. Klockmann, Friedrich, eukanite, uman-

gite, and luzonite from the Argentine, 1891, A., 1435.

Kloos, Johan Herman, the granite district of the Black Forest, 1884, A., 1273.

alteration of labradorite into an albite and a zeolitic mineral, 1886, A., 128.

- hornblende containing manganese and zinc from Franklin, 1886, A., 678. martinite from the West Indies, 1888, A., 233.

Kloos, Johan Herman. See also Robert Otto.

Klopsch, Reinhard, benz-β-naphthylamide and B-dinaphthylamine, 1885, A., 990.

estimation of the oil in linseed cake, 1888, A., 1349.

Klotz, Karl, a-amidolepidine, 1888, A., 1113.

Klotz, Karl. See also Ludwig Knorr, *Eugen* Lellmann.

Klüss, Karl, dithionates, 1888, A., 784, 1156.

Klüss, Karl. See also Andreas Fook. Klug, Ferdinand, products of the arti-

ficial digestion of glue, 1891, A., 232. Kluge, Paul, mono- and di-chloroxylene: chloro-p-xylidine, 1885, A., 1208

Knape, Emil, formyl and oxalyl derivatives of o-amidobenzamide, 1891. A., 908.

Knapp, Friedrich Ludwig, preparation of ultramarine-blue from silica, 1885, A., 847.

- formation of ultramarine in the wet way, 1886, A., 306; 1887, A., 110. – ultramarine-blue, 1888, A., 1163. – Magnus' "black sulphur," 1891, A., 877.

Knapp, L., testing for santonin, 1888, A., 1137.

Knauer, Ferdinand (and others), peculiarities and cultivation of the beet-seed, 1885, A., 587.

Knebel, W., derivatives of phenyl salicylate (salol), 1890, A., 1284; 1891, A., 915.

Knecht, Edmund, dyeing of wool and silk with basic coal-tar dyes, 1888, A., 832.

---- theory of dyeing, 1889, A., 49.

Knecht, Edmund, and James Robert
Appleyard, the theory of dyeing, 1889,
A., 869.

Knerr, Ellsworth B. See Edyar Francis Smith.

Knieriem, Woldemar von, manuring experiments at Peterhof, 1884, A., 636.
 assimilation of cellulose, 1885, A.

916.

—— cellulose in the nutrition of herbivorous animals, 1888, A., 515.

value of commercial foods, 1890, A., 395.

— effect of artificial manuring on clover land and meadows, 1891, A., 492.

Kniesche, Theodor, tungsten, 1887, A., 14.

Knietsch, Rudolf, properties of liquid chlorine, 1891, A., 14.

— synthesis of indigotindisulphonic acid (indigocarmine), 1891, A., 1231.

Knöfler, Oskar, volumetric estimation of the alkaline earths, etc., 1886, A., 180.

—— extraction apparatus, 1890, A., 663. Knöfler, Oskar, and Paul Ernst Boessneck, condensation of chloral hydrate with tertiary aromatic amines, 1888, A., 267.

Knoevenagel, Emil, negative nature of organic radicles, 1888, A., 705.

bidesyls, 1888, A., 706.
preparation of anhydrous diazosalts, 1891, A., 54.

Knoevenagel, Emil. See also Luka Chalaney.

Knoevenagel, Oskar. See Emil Fischer. Knoll, Albert, codeïne, 1889, A., 625.

Knop, Adolf, augites of the Kaiserstuhl Mountains, 1885, A., 734.

crystallised niobic anhydride, 1887,
 A., 642.

---- biotite, 1887, A., 646.

---- pseudobiotite, 1887, A., 646.

peridote of Schelinger Matten, 1887, A., 1086.

Knop, Adolf, minerals and rocks in the diamond fields of South Africa, 1891, A., 25.

—— undetermined silicates from the Kaiserstuhl, 1891, A., 650.

Knop, Johann August Ludwig Wilhelm, percentage of ash in the sugar-cane, 1883, A., 110.

Knop, W., analysis of silicates, 1883, A., 379.

 quantitative separation of potash and soda from ferric oxide, alumina, lime, and magnesia in silicates, 1884, A., 110.

on concentrated nutritive fluids for plants, 1884, A., 1205.

researches on the sugar-cane, 1884, A., 1212.

retrogression of superphosphates, 1884, A., 1214.

remarks on the analysis of soils, 1885, A., 193.

absorption of non-alimentary substances by plants, 1886, A., 171.

azotometry and the azotometer, 1886, A., 1072.

---- estimation of ammonia in arable soil, 1887, A., 297; 1888, A., 533.

Knops, Carl, molecular refraction of fumaric, maleic, mesaconic, citraconic, and itaconic acids, and of thiophen, 1888, A., 938; 1889, A., 198.

Knorr, Ludwig, action of ethyl acetoacetate on phenylhydrazine, 1884, A., 302

—— synthesis of quinoline derivatives, 1884, A., 334, 1198; 1887, A., 847.

— piperylhydrazine, 1884, A., 467.

action of ethyl acetoacetate on
hydrazine-quinizine derivatives, 1884,
A., 1153.

synthesis of pyrroline derivatives, 1884, A., 1368.

constitution of quinizine deriva-

tives, 1884, A., 1377.
—— synthesis of furfuran derivatives from ethyl diacetosuccinate, 1885, A., 247.

action of ethyl diacetosuccinate on ammonia, 1885, A., 994.

— action of ethyl diacetosuccinate on phenylhydrazine, 1885, A., 995.

ammonia as a reagent for certain double ketones, 1886, A., 331.

— synthetical experiments by means of ethyl acetoacetate, 1887, A., 159, 275, 601. Knorr, Ludwiy, a correction; action of ethyl acetoacetate on o-phenylene-

diamine, 1887, A., 247.
— cinnamylhydrazine, 1887, A., 665. pyrazole-derivatives, 1887, A., 663.

identity of phenylmethylpyrazoloneazobenzene with phenylhydrazineketophenylmethylpyrazolone, A., 724.

syntheses with ethyl acetoacetate, 1888, A., 1111.

constitution of carbopyrotritar-

taric acid, 1889, A., 384.

 derivatives of ethyl diacetosuccinate, 1889, A., 385.

- hydrolysis of ethyl diacetosuccinate: acetonylacetone and diacetosuccinic acid, 1889, A., 385.

morphine, 1889, A., 417, 905.

- preparation of acetonylacetone from ethyl diacetosuccinate, 1889, A., 1139. - syntheses in the oxazine series, 1889, Λ., 1218.

- acetoacetanilide, 1892, A., 708.

Knorr, Ludwig, and Otto Antrick, constitution of quinoline, 1885, A., 273. Knorr, Ludwig, and Albert Blank, action

of substituted acetoacetates on phenylhydrazine, 1884, A., 1380.

- action of ethylic benzoylacetoacetate on phenylhydrazine, 1885, A.,

- action of ethylic acetobenzalacetate on phenylhydrazine, 1885, A.,

Knorr, Ludwig, and Curl Bülow, action of ethylic succinosuccinate on phenylhydrazine, 1884, A., 1380.

 action of ethylic diacetosuccinate on phenylhydrazine, 1884, A.,

Knorr, Ludwig, and Wilhelm Cavallo. carbopyrotritartaric acid, 1889, A., 384.

Knorr, Ludwig, and Paul Duden, pyrazole derivatives, 1892, A., 731.

Knorr, Ludwig and Friedrich Jodicke, action of ethylic nitrobenzoylacetoacetates on phenylhydrazine, 1885, A., 1247.

- reduction of hydroxylepidine and methyllepidone, 1887, A., 278.

pyrazolone derivatives from ethyl benzoylacetate, 1887, A., 1121.

Knorr, Ludwig, and Heinrich Laubmann, pyrazoles and pyrazolines, 1888, A., 725; 1889, A., 409.

Knorr, Ludwiy, and Hugo Taufkirch, β-methylamidocrotonanilide, 1892, A., 708.

Knorre, Georg von, tungsten compounds, 1883, A., 650.

tungstates of barium, strontium, and calcium, 1885, A., 486.

p-tungstates, 1885, A., 1154; 1886, A., 597.

- use of nitroso-a-naphthol in quantitative analysis, 1887, A., 530.

volumetric estimation of antimonic acid, 1889, A., 312.

Knorre, Georg von, and Paul Olschewsky, potassium and sodium salts of antimonic acid, 1885, A., 1184.

- antimonates, 1888, A., 231.

Knorre, Georg von, and Eugen Oppelt, pyrophosphates, 1888, A., 413.

Knorre, Georg von. See also Michael von Ilinski.

Knowles, Joshua, and J. Arthur Wilson, estimation of milk sugar, 1891, A., 1298.

Knublauch, Oskar, estimation of sulphur in coal-gas, 1883, A., 382.

- estimation of ferrocyanide in gas lime, 1890, A., 871.

Knudsen, Peter, phenylethenylamidoxime, 1885, A., 897.

derivatives of phenylethenylamidoxime, 1885, A., 1218.

Knyrim, Max. See Adolph Claus, Hennig Christoph Julius Zimmermann.

Kobb, Gustaf J., spectrum of germanium, 1887, A., 313.

Kobbé, Karl. See Kurl Friedrich Otto Seubert.

Kobek, Hans, derivatives of thymol, 1884, A., 56.

Kobert, E. Rudolf, constituents of ergot of rye, 1885, A., 821.

– croton oil, 1887, A., 798.

– quillajic acid, 1889, A., 55.

- saponins, 1891 A., 1581. - note to Nicolai Kruskel's paper, Agrostemma Githago (corn cockle), 1892, A., 350.

- cyanmethæmoglobin and detection of hydrogen cyanide, 1892, A., 361.

Kobus. See Max Heinrich Märcker. Koch, _intal, new locality for vivianite, 1885, A., 731.

occurrence of celestine and baryta near Torda, 1890, A., 713.

Koch, U. F. Aug., excretion of urea and inorganic salts under the influence of increased temperature, 1884, A., 1394.

Koch, Ernst, butylchloral hydrate and chloral hydrate as antidotes for strychand picrotoxin, 1887, A., nine 391.

behaviour of tertiary amines towards nitrous acid, 1887, A., 1041.

Koch, Ernst, dibromo- and dichloroxylenes and their transformations by means of sulphuric acid, 1890, A., 1247.

Koch, Franz, analyses of Transylvanian minerals, 1885, A., 735.

—— amorphous minerals from Budapest, 1891, A., 1438.

Koch, Franz. See also Theodor Curtius, József Alexander Krenner.

Koch, Hermann, action of ethyl chloracetate on benzenylamidoxime, 1890, A., 260.

condensation products from thiouramidoximes, 1891, A., 560.

Koch, Hermann. See also Emil Fischer. Koch, Karl Richard, elasticity of crystals of the regular system, 1884, A., 1096.

spectra of gases at low temperatures,

1890, A., 313.

Koch, Karl Richard, and Adolph Wüllner, galvanic polarisation at small electrodes, 1892, A., 759.

Koch, L., manuring with bone-meal,

1884, A., 637.

— manuring experiments with Chili saltpetre, 1885, A., 187.

Koch, Ludwig, direct assimilation of vegetable remains by chlorophyll-containing plants, 1888, A., 739.

Koch, Max, peridotite from the Harz, 1891, A., 24.

Koch, Robert, disinfectants, 1883, A., 249.

estimation of the free acid in tannin liquor by titiation, 1887, A., 871, 1144.

— Vienna gravimetric method for estimating tannin in concentrated solutions, 1888, A., 1138.

—— Sim and-Kohnstein method of estimating the acids in tanning liquors, 1889, A., 195.

Koch, Robert, and Pierre Miquel, microorganisms in soils, 1884, A., 486.

Koch, Robert (and others), cattle plague and protective inoculation, 1884, A., 96.

Koch, Synesius, wulfenite, 1883, A., 435. Kochendoerfer, Ernst. See Adolf von Baeyer.

Kochs, Evall. See Rudolph Fittig.
Kochs, Wilhelm, estimation of sulphur
in albuminoids, 1887, A., 396.
Kock, Eduard, formation of haloid sub-

-stitution derivatives of amido-compounds by the reduction of nitro-derivatives of hydrocarbons, 1887, A., 810.

triplenylmethane derivatives,

1887, A., 836.

Kock, Eduard, aromatic nitroso-bases, 1888, A., 469.

Kobner, Eduard. See Karl Auwers. Kobrich, Alex., estimation of nickel on

nickeled iron, 1886, A., 836.
— estimation of organic matter in natural water, 1887, A., 533.

estimation of ash in organic substances, 1888, A., 325.

Koechlin, Horace, fixation of artificial colouring matters by means of metallic modants, 1883, A., 256.

—— indophenol, 1883, A., 695.

— gallocyanins, 1883, A., 796. — new chromo-mordanting process, 1885, A., 208.

Kochlin, P. See Karl Heumann. Kockert, Gustave. See A. F. Mannice

Ceresole.

Koefoed, H. Emil, acids of butter, 1892,
A., 1113.

Kohlert. See Wilhelm Clemens

Lossen
Kohler, Albin, action of guanidine on

ethyl acetoacetate, 1886, A., 443.
—— nitro-derivatives of methyluracil,
1887, A., 128.

Kohler, Hugo, 2-ethoxyphenylurethane and some of its derivatives, 1884, A., 1159.

— formation of anthracene, 1885, Λ ., 806.

solubility of antimony oxide in glycerol, 1886, A., 428.
 products of the distillation of coal-

— products of the distillation of coaltar, 1890, A., 463.

Köhler, L. See F. Hesemann.

Koehler, O., quantitative separation of arsenic and antimony, 1889, A., 926. —— myrrh, 1890, A., 1317.

Kohne (and others), use of dried potatoes, 1883, A., 614.

Kohnke (and others), butter making and the souring of cream, 1884, A., 1448.

Kohnlein, Benjamin, preparation of paraffins, 1883, A., 787.

Kolliker, Alfred, derivatives of triphenylcarbinyl bromide, 1885, A., 990.

Kolliker, Alfred. See also William Allen, Otto Wallach.

Konig, Alfred (and others), researches on the behaviour of insoluble phosphates in peaty soils and in dilute solvents, 1883, Λ., 681.

Konig, Arlleur, substitution of hydrogen perovide for mitric acid in galvanic batteries, 1883, A., 765.

- Konig, Ernst. See Robert Behrend. König, Franz Josef, nutritive value of
- skim milk, 1883, A., 102. - cultivation of lupines, 1883, A.,
- purification of contaminated waters. 1883, A., 691; 1886, A., 286.
- comparative estimation of nitrogen in guano, 1883, A., 1030.
- weathering of bone manure, 1884, A., 360.
- manufacture of bone meal, 1884, A., 1419.
- · poisonous effects of ammonium thiocyanate, 1885, A., 76.
- a new germinator, 1885, A., 419. analyses of cotton seeds. 1885, A., 425.
- investigation of bone meal, 1885. A., 851.
- manuring experiments, 1885, A., 1010.
- composition of the inner brown skin of the earth-nut, 1887, A., 519.
- maintenance and increase of the amount of combined nitrogen on the farm, 1888, A., 523.
- mode of stating the results of wine analyses, 1889, A., 799.
- examination of acid and compressed fodders, and the estimation of total nitrogen therein, 1890, A., 1477.
- importance of asparagine for feed-
- ing, 1891, A., 1525.

 Schutzenberger's process for the estimation of free oxygen, 1892, A.,
- Konig, Franz Josef, and Carl Bohmer, changes occurring during, and the action of water in irrigation, 1886, A., 176.
- purification by irrigation of water flowing from factories, 1886, A., 287.
- Konig, Franz Josef, and Ferd. Hart, examination of butter and fats, 1891, A., 1301.
- Konig, Franz Josef, and W. Kisch, examination of commercial pentones, 1889, A., 803.
- Konig, Franz Josef, and M. Wesener, discrimination of fruit and beet syrups, 1889, A., 1089.
- Kônig, Franz Josef (and others), ensilage and acidification of green fodder, 1885, A., 183.
- Konig, Geory, alkaloids of the roots of Sunguinaria canadensis and Chelidonium majus, 1891, A., 843.

- König, (hory, exidation products of mercapturic acids, 1892, A., 1090. Koenig, Georg. See Friedrich Krafft.
- Konig, George Augustus, alaskaite, a new bismuth mineral, 1883, A., 429.
- orthite from Virginia, 1885, A., 229.
- cosalite, alaskaite, and beegerite, 1886, A., 515.
- stromeyerite from Mexico, 1887. A., 643; 1888, A., 560.
- manganese-zinc serpentine from Franklin, New Jersey, 1887, A., 646; 1888, A., 565.
- schorlomite, a variety of melanite, 1888, A., 434.
- new mineral from Franklin, New Jersey, 1889, A., 473.
- mazapilite, anhydrite, eleonorite, etc., from North America, 1890, A., 218.
- paramelaconite and footeite, 1892, A., 415.
- Konig, Karl, hydroxysulphonaphthoic acids, 1889, A., 719; 1890, 636.
- Koenig, Theodor, and Ctto (Freiherr) von der Pfordten, titanium, 1888, A., 788.
- titanium compounds, 1889, A., 947. 1122.
- Konig, W., o-hydroxyquinaldinecarboxylic acid, 1888, A., 610.
- Koenigs, Wilhelm, formation of lepi-dine derivatives from chinine and cinchine, 1890, A., 1433.
- condensation of unsaturated hydrocarbons with phenols, 1891, A., 208, 571.
- dry distillation of organic silver salts, 1892, A., 293.
- condensation of chloral with ketones, 1892, A., 694.
- Koenigs, Wilhelm, and R. W. Carl. condensation of isoamylene and cinnamene with phenols, 1892, A., 446.
- Koenigs, Wilhelm, and August Eppens, camphorone, 1892, A., 626.
- Koenigs, Wilhelm, and Rudolf Geigy, pyridine derivatives, 1884, A., 1195, 1368.
- Koenigs, Wilhelm, and Georg Korner, hydroxycinchonic acid, 1884, A., 84. Koenigs, Wilhelm, and Carl Mai. condensation of unsaturated hydrocar-
- bons with phenols, 1892, A., 1443. Koenigs, Wilhelm, and John Ulric Ne, phenylquinaldinic acid and phenyl-
- quinoline, 1886, A., 1045. - 4'-phenylquinoline and the derived diquinolyls, 1887, A., 599.

Koenigs, Wilhelm. See also Albert Busch, William James Comstock, See also Albert Busch, William James Comstock, Emil Erwig, Adolf Feer, Rudolf Geigy, Bernhard Heymann, Leo Hoffmann.

Körner, A., derivatives of phenyldi-bromoisobutyric acid, 1888, A., 368.

analysis of olein, 1891, A., 1144. Körner, Georg. See Otto Fischer, Wilhelm Koenigs.

Körner, Guglielmo. See Wilhelm Körner. Körner, Hermann, p-dipropylbenzene,

1883, A., 321. Körner, Moritz, derivatives of benzoyl-

o-amidobenzamide, 1887, A., 1044. Körner, Moritz. See also Anton Weddige.

Körner, Theodor, derivatives of phenyla-dibromoisobutyric acid, 1889, A., 372.

Körner, Wilhelm, caffeic acid from cuprea bark, 1883, A., 66.

- syringin, 1889, A., 159. Körner, Wilhelm, and Pictro Biginelli, fraxin and fraxetin, 1892, A., 628.

Körner, Wilhelm, and Christian Böhringer, alkaloids of angustura bark, 1884. A., 341.

Körner, Wilhelm, and Angelo-Menozzi, action of methyl iodide on leucine and analogous compounds, 1884, A., 425. - a-amido*iso*succinic acid, 1887,

A., 801.

- action of ammonia on ethyl bromosuccinate, 1887, A., 1031. - transformation of fumaric and maleïe acids into aspartic acid and asparagine, 1887, A., 1100.

 derivatives of isosuccinic acid. 1888, A., 132.

action of methylamine on ethyl maleate and fumarate, 1890, A.,

Körner, Wilhelm, and Vezio Wender, benzene derivatives, 1888, A., 1278.

Koeth, Dael (Freiherr) ron, culture of various descriptions of sugar-beet, 1883, A., 1026.

Kötzle, Arthur. See Wilhelm Wislicenus

Koga, Yoshimasa. See William Gowland,

Kohl, Georg Friedrich, formation of calcium oxalate in plants, 1890, A.,

physiological importance of calcium oxalate in plants, 1891, A., 857.

Kohler, Lorenz, benzylidene compounds, 1888, A., 49.

m - hydroxy - p - nitrosodiphenylamine, 1888, A., 587.

Kohlrausch, Friedrich, electrical conductivity of water, 1885, A., 323.

- coefficient of conductivity of electrolytes in very dilute solutions, 1886, A., 113.

theory of the electrolysis of solutions, 1888, A., 1231.

electrical resistance of mercury, 1889, A., 201.

solubility of glass in cold water, 1892, A., 277.

Kohlrausch, Friedrich, and Wilhelm Friedrich Kohlrausch, electrochemical equivalents of silver and copper,

1884, A., 1089.

Kohlrausch, Karl, action of methylhydrazine on dialdehydes and diketones, 1890, A., 24.

Kohlrausch, Otto, preparation of sugar from Sorghum succharatum, 1885, A., 1021.

Kohlrausch, Otto, and Friedrich Strohmer, experiments with beet-root, 1890, A., 1022.

Kohlrausch, Wilhelm Friedrich, specific conductivity of sulphuric and pyrosulphuric acids, and the specific gravity of concentrated sulphuric acid, 1883, A., 413.

electrical conductivity of silver haloid salts, 1883, A., 769.

Kohlstock, Hans. See Adolph Claus. Kohn, Charles A., ammonium compounds and other derivatives of a-1'-hydroxyquinoline, 1886, T., 500;

P., 210. - first synthetically prepared base isomeric with quinine, 1890, A., 523. test for glycerol, 1890, A., 1473.

- application of electrolysis to qualitative analysis, 1892, A., 540.

Kohn, Otto. See Emilio Nolting.

Kohner, Adolf, estimation of cadmium and its separation from copper, 1887. A., 398.

Kohnstein, B., estimation of free sulphuric acid in vinegar, 1885, A., 933. detection of grape-sugar in leather,

1886, A., 745.

Kohnstein, B., and Ferd. Simand, estimation of the free acids contained in tannin liquor, 1885, A., 935.

Kokosinski, Ed., estimation of tannin in hops, 1891, A., 870. Kokscharoff, Nicolai Iwan von, tur-quoise (calaite) in Russia, 1886, A., 516; 1887, A., 1021.

- mursinskite, 1888, A., 116.

Koláček, Fram., alteration of freezing-points, 1887, A., 879.
Kolb, Adulbert. See Wilhelm Staedel.

Kolbe, Adolf Wilhelm Hermann, antiseptic properties of carbonic anhydride, 1883, A., 395; 1884, A., 508.

preparation of phenetoil, 1883, A.,

— isatin, 1883, A., 1130; 1885, A., 58. - chemical constitution of acetylisatin and acetylisatinic acid, 1884, A.,

experiments on the preparation of nitrophenetoil, 1884, A., 433.

preparation of anthranilic acid, 1885, A., 159.

chemical constitution of isatin, 1885, A., 665.

Kolbe, Carl, brom-addition derivatives of the crotonic acids and of methacrylic acid, 1883, A., 573.

Kolenko, B. von, pseudomorphs of horn-blende after olivine, 1885, A., 1188.

Kolf, A. P. van der, and Frederik Hendrik van Leent, ethyl cinchonate and cinchonamide, 1889, A., 1017.

Koll, Alexander, chlorocrotonic acids, 1889, A., 488.

aß-benzenylnaphthylenediamine,

1891, A., 1239. Kollbeck, F. See See E. IV. Neubert.

Koller, Gustav, derivatives of p-phenylbenzophenone, 1892, A., 186.

Kollert, J., electric properties of flames,

1884, A., 651; 1885, A., 2.
Kollrepp, Alexander, derivatives of chlorinated p-nitrophenols, 1886, A., 1018.

Kolotoff, Sergei S., action of amines on methaldehyde, 1885, A., 647.

 action of oxymethylene on amines, 1886, A., 138.

nitro-compounds of the fatty series,

1889, A., 1140. Komnenos, Telemachos, action of fatty aldehydes on malonic acid and its ethyl salt, 1884, A., 422.

Kondakoff, Iwan L., action of chlorine on trimethylethylene, 1885, A., 736; 1886, A., 136.

action of chlorine on amylene, 1888, A., 123.

 methylisopropenylcarbinol, 1888, A., 125.

- tertiary ethyl amyl ether, 1888, A., 802.

action of chlorine on isopropylethylene, 1889, A., 113.

trimethylethylene glycol from methylisopropenylcarbinol, 1889, A., 115. oxidation of angelic and tiglic

acids, 1889, A., 374. - amylene from tertiary amyl iodide, 1889, A., 1127.

Kondakoff, Iwan L., action of hydrochloric acid on dimethylallylene, 1889, A., 1127.

halogen derivatives of amylene, 1891, A., 809.

constitution of tiglic and angelic acids, 1892, A., 1304.

Koninck, Lucien Lovis de, detection of chlorides in the presence of bromides

and iodides, 1886, A., 179. - detection of ammonia, nitric or nitrous acids, and thiosulphuric acid, 1887, A., 297.

reaction of thiosulphates, 1887, A., 297.

- estimation of carbon in iron, 1888, A., 1341.

estimation of hydrogen sulphide, 1889, A., 437.

reduction of ferric bromide by boiling, 1890, A., 111.

- gasometric absorption of oxygen, 1891, A., 616.

estimation of free oxygen by means of nitric oxide, 1892, A., 97.

Koninck, Lucien Louis de, and Adolphe Lecrenier, separation of arsenic, antimony, and tin from gold and platinum, 1888, A., 1344.

- estimation of available oxygen in peroxides by means of gaseous hydrochloric acid, 1891, A., 1136.

Koninck, Lucien Louis de, and Marcel Ledent, action of alkali sulphides on metals of the iron group, 1892, A., 537.

Koninck, Lucien Louis de, and Edouard

ides, bromides, and iodides, 1892, A., 527.

Koningh, Leonard de, chromium and barium in foods, 1890, A., 195.

Koningh, Leonard de. See also John Muter.

methylcarbinol, 1885, A., 497. Kononowitsch,

Konowaloff, Dmitri P., pyrosulphuric chloride, 1883, A., 553, 782, 900. heat of formation of pyrosulphuric

chloride, 1884, A., 250.

thermal effect of mixing liquids,

1884, A., 1244.

— mixed liquids of constant boiling.

point, 1884, A., 1247.

-contact action in dissociation, 1886, A., 9.

- decomposition of liquid tertiary amyl acetate, 1888, A., 340. - theory of liquids, 1888, A., 1019.

Konowaloff, Dmitri P., action of acids on tertiary amyl acetate, 1888, A., 1053.

- formation and decomposition of ethereal salts; compounds of amylene (trimethylethylene) with acids, as cases of chemical equilibrium, 1888, A., 1167.

Konowaloff, Dmitri P. See also Nicolai A. Menschutkin.

Konowaloff, Michael I., hexahydro-ψcumene and its relation to nononaphthene, 1888, A., 679.

nononaphthene and its deriva-

tives, 1891, A., 184.

— action of dilute nitric acid on nononaphthene, 1892, A., 443.

— nitration of hydrocarbons of the

methane series, 1892, A., 575.

Konther, F., treating celestine and heavy spar, 1886, A., 108.Koosen, J. H., depolarisation of an elec-

tric cell by bromine, 1885, A., 3.

— property of the alkalis of increasing the E.M.F. of zinc, 1888, A., 209.

Kopp, Adolph. See Arthur Michael. Kopp, Hermann Franz Moritz, specific volumes of liquid substances, 1884, A., 147.

mixed crystallisation, 1884, A., 958.

- relation between the specific heat and composition of solid organic compounds, 1886, A., 587.

molecular heat of solid compounds,

1888. A., 893.

 molecular volume of liquids, 1889, A., 566.

Kopp, Karl, substitution products of stilbene and thionessal, 1892, A., 718. Koppe, Max. See Siegmund Gabriel.

Koppeschaar, W. F., examination of commercial quinine sulphate, 1886, A., 182.

Koral, M., inversion of cane sugar by benzoic acid and the hydroxybenzoic acids, 1886, A., 932.

Koreff, Richard, a-naphthaquinone derivatives, 1886, A., 363.

Koreff, Richard. See also Heinrich Gold-

schmidt. Korn, Otto, idocrase from Kedabék in

the Caucasus, 1883, A., 1067.
— derivatives of nitro-\beta-naphtha-quinone, 1884, A., 1186.

dinaphthyldiquinone, 1885, A., 392.

Kornatzki, Oscar, p-bromotoluenedisul-phonic acid, 1884, A., 70.

- azotoluenedisulphonic acids, 1884, A., 71.

Kornauth, C., and Alto Arche, metaholism in pigs fed with corn cockle, 1892, A., 1018.

Kornblum, Arthur. See Conrad Willgerodt.

Kornblum, Herwarth, excretion of nitrogen in kidney disease, 1892, A., 743.

Korschelt, O., Japanesc soils—a natural cement, 1883, A., 131.

Kortright, Frederick Lawrence. See William Ridgely Orndorff.

Koschnitzky, Michael. Sec Werner

Kosmann, Hans Bernhard, roasting of zinc-blende, 1883, A., 399.

- minerals from Upper Silesia, 1883, A., 955; 1884, A., 969.

--- clays, 1885, A., 1020.

 estimation of phosphoric acid, iron, and alumina in slags, 1886, A., 489.

thallium in raw zinc, 1886, A., 851.

- nature of steel, 1890, A., 215.Kossakowsky, Ludwig. See Joh. Fried-

erich Curl Schall. Kossel, Albrecht Carl Ludwig Martin

Leonhard, xanthine and hypoxanthine, 1883, A., 924.

– chemistry of the nucleus, 1884, Λ .,

- guanine, 1885, A., 286.

- new base in the animal organism, 1885, A., 566.

pentone-like constituent of the cell nucleus, 1885, A., 572.

- adenine, 1885, A., 1080; 1888, A., 303.

- nucleïn, 1886, A., 566. new vegetable base, 1888, A., 1114.

- chemical composition of the notochord, 1891, A., 1126.

 derivatives of phenylamidoacetic acid, 1892, A., 467.

Kossel, Albrecht Carl Ludwig Martin Leonhard, and Martin Krüger, saponification by means of sodium ethoxide, 1891, A., 1143.

Kossel, Albrecht Carl Ludwig Martin Leonhard, and Kuno Obermüller, method of saponification, 1890, A., 1474.

Kossel, Albrecht Carl Ludwig Martin Leonhard. See also Gustav Bruhns.

Kossovič, P., citric acid in Oxycoccus pulustria, 1888, A., 314.

Kost, U., modification of the methylviolet reaction for the detection of free hydrochloric acid in gastric juice, 1888, A., 996.

- Kostanecki, Stanislans von, introduc-tion of the carboxyl group into phenols, 1886, A., 242.
- synthesis of β -orcinol, 1887, A., 39. - formation of euxanthic acid, 1887, Λ., 272.
- dinitrocresorcinol, 1888, A., 263. dyes which can be fixed with mor-
- dants, 1888, A., 274. - synthesis of anthracoumarins from cinnamic and m-hydroxybenzoic acids.
- 1888, A., 291. - nitroso-derivatives of resorcinolazo-dyes, 1889, A., 137.
- isomeric phenyldiazoresorcinols, 1889, A., 138.
- substances which form coloured compounds with mordants, 1889, A.,
- nitroso- and dinitroso-naphtharesorcinol, 1889, A., 887.
- azo-colours from naphtharesorcinol, 1890, A., 261.
- tinctorial properties of nitrosoxyquinolines, 1891, A., 579.
- gentisin, 1891, A., 1244, 1386. - xanthones and hydroxyxanthones of the naphthalene and quinoline series, 1892, A., 1098.
- Kostanecki, Stanislaus von, and Bolcslau Feinstein, constitution of styphnic acid, 1889, A., 130.
- Kostanecki, Stanislaus von, and Bonno Nessler, syntheses of hydroxyxan-thones, 1891, A., 1060; 1892, A., 504.
- Kostanecki, Stanislaus von, and Stefan Niementowski, synthesis of nitrococcusic acid. 1885, A., 531.
- isomeric dihydroxydimethylanthraquinones, 1885, A., 1240.
- Kostanecki, Stanislaus von, and Max Reicher, quinolinedihydroximes, 1891, A., 580.
- Kostanecki, Stanislaus von, and Rudolf Rutishauser, hydroxyxanthones, 1892, A., 1096.
- Kostanecki, Stanislaus von, and Edmund Schmidt, gentisin, 1891, A., 1386.
- Kostanecki, Stanislaus von, and S. Seidmann, bye-products in the pre-paration of hydroxyxanthones, 1892, A., 1097.
- Kostanecki, Stanislaus von, and J. D. Zibell, o-hydroxyazo-dyes, 1891, A.,
- Kostanecki, Stunislaus von. Augustin Bistrzycki, S. See also Ganelin. Carl Theodor Liebermann.
- Kostitscheff, Paul A., formation and properties of humus, 1891, A., 611.

- Kostiurin, Stephan, action of pepsin on amyloid, 1887, Δ., 506.Kotcheroff. See Kutscheroff.
- Kothe, Richard, syntheses of dialkyl-
- phthalides, 1889, A., 257. alkyl-derivatives of hydroxylamine,
- 1892, A., 316. Kotô, Bundjiro, Japanese rocks, 1887,
- A., 564. glaucophane, 1887, A., 1086.
- piemontite, 1889, A., 25.
- Kotoff, A. See Ernst Leopold Salkowski. Kottenhahn, Werner, m-bromobenzo-
- phenone and its oximes, 1891, A., Kottmann, Gustav, use of strontium
- chloride in purifying syrups, 1883, A., 252.
- Kouklin, E., action of potassium sulphate on strontium carbonate, 1892, A., 1276.
- Kovář, František, delvauxite and diadochite from Vysočany, Bohemia, 1890, A., 715.
- Kowalewsky, Nicolaus, uranyl acetate as a reagent for albumin, 1886, A., 285.
- formation of methæmoglobin in blood by the action of alloxantin, 1887, A., 508.
- action of alloxantin on blood, 1888, A., 732.
- action of ozone on guaiacum resin, 1889, A., 900.
- Kowalski, M., hydroxyquinones, 1892, A., 45, 1098.
- Koydl, Theodor, precipitation of raffinose by ammoniacal lead acetate, 1892, A., 1294.
- Kozai, Yoshinao, preparation of teas, 1892, A., 1371.
- Kozai, Yoshinao. See also Oscar Kellner.
- Koziorowski, K., artificial production of rock-forming minerals, 1890, A., 718.
- Kozowski. N., manganese ores of Transcancasia, 1891, A., 647.
- manganese ore in Ekaterinoslav, 1891, A., 648.
- Kraaz, Rudolf. See Ferdinand Tiemann.
- Krabbe, Gustav, action of the diastase ferment on starch grains within the plant, 1891, A., 605; 1892, A., 92.
- Kraemer, Charles, phenol colouring matters, 1884, A., 1340.
- Kraemer, Charles. See also Heinrich Brunner.
- Kraemer, Gustur, and Wilhelm Bött-cher, relation between petroleum and the hydrocarbons of coal-tar and shaletar, 1887, A., 648.

coal-tar, 1891, A., 205.

with methylbenzene derivatives, 1891, A., 206.

Kraemer, Gustar, Adolf Spilker, and Paul Eberhardt, cinnamene derivatives of aromatic hydrocarbons and their conversion into anthracene, 1891, A., 207.

Kraencker, Jacob. See Rudolph Fittig. Krafft, Friedrich, preparation of n-pnimary decyl, dodecyl, tetradecyl, hexadecyl, and octadecyl alcohols, 1883, A., 1075.

preparation of the higher olefines, 1884, A., 571.

higher homologues of acetylene, 1884, A., 1108.

—— cetyl alcohol and cetylacetic acids, 1884, A., 1280.

— higher normal paraffins, 1886. A., 998.

—— benzene derivatives of high molecular weight, 1887, A., 252; 1888, A., 1087.

—— isolation of the higher normal paraffins from lignite petroleum, 1888, A. 1047.

ricinolec acid, 1888, A., 1271.
 synthesis of cyanphenin, 1889, A., 951.

—— myristic aldehyde, 1890, A., 1234. —— dibenzamide, 1890, A., 1289.

— dinaphthyl sulphides and dinaphthylsulphones, 1890, A., 1311.

Krafft, Friedrich, and Alfred Beddies, action of bromine on the higher fatty acids, 1892, A., 695.

Krafft, Friedrich, and Edouard Bourgeois, naphthyl sulphides, 1891, A., 76.

A., 700. imidosulphonie acids, 1892,

Krafft, Friedrich, and Philipp Brunner, residue obtained by the distillation of castor-oil in a vacuum, 1885, A., 373.

Krafft, Friedrich, and Justic Burger, higher homologues of acetic chloride, 1884. A., 1125.

1884, A., 1125.

Krafft, Friedrich, and Joseph Göttig, benzene derivatives of high molecular weight, 1889, A., 129.

Krafft, Friedrich, and Léonard Grosjean, hexadecylene bromide derivatives, 1890, A., 1218.

Krafft, Friedrich, and Arthur von Hansen, tricyanides, 1889, A., 696.

Krafft, Friedrich, and Harald Karstens, di-p-toluamide and di-o-toluamide, 1892, A., 712.

Krafft, Friedrich, and Georg Koenig, new series of tricyanides, 1890, A., 1252.

Krafft, Friedrich, and Julius Mai, mynistic aldehyde, 1889, A., 1017.

Krafft, Friedrich, and Albert Moye, conversion of palmitonitrile into hexadecylamine, 1889, A., 688.

Krafft, Friedrich, and Hugo Noerdlinger, boiling-points in the oxalic and olere acid series, 1889, A., 690.

acid series, 1889, A., 690.

Krafft, Friedrich, and Ludwig Reuter, higher homologues of acetylene, 1892, A., 1163.

Krafft, Friedrich, and Alfred Roos, alkyl salts of sulphonic acids, 1892, A., 1219.

Krafft, Friedrich, and Rudolf F. Schönherr, thionaphthols, 1889, A., 715.

Krafft, Friedrich. See also Paul Eitner, Rhadikaram D. Phookan.

Kraft, Gustave. See Amé Pictet. Kraft, Friedrick, synthesis with ethyl sodiocarbamate, 1891, A., 42.

possibility of the existence of an asymmetric nitrogen atom, 1891, A., 51.

Kraft, Friedrich. See also 11thur Rudolf Hantzsch.

Krakau, Alexander A., action of alkalis on cinchonine and other cinchona alkaloids, 1885, A., 1081.

---- action of caustic alkalis on cinchonine, 1886, A., 161.

Kramer, Ernst, mucous fermentation, 1890, A., 76.

Kramer, Theodor. See Adolph Claus.
Krandauer, influence of manures on the composition of barley, 1888, A., 870.

Krannhals, E., electrical conductivity of some solutions at temperatures between 18° and 100°, 1890, A., 676.

Kranzfeld, Jucob. See Eugen Bamberger.
Krapirvin, Sergei G., and Nicolai D.
Zelinsky, vapour density of ethyl
isocyanurate at different temperatures,
1889, A., 1128.

Krapirvin, Sergei (1. See also Nicolui D. Zelinsky.

Krasnicki, Emil (Ritter) von, solubility of calcium and batium formates, acetates, and propionates, 1888, A., 359. Krasser, Fridolin, presence of albumin in vegetable tissues: microchemical test for albuminoids, 1887, A., 407.

Kratschmer, Florum, carbohydrates in human liver, 1885, A., 679.

estimation of carbonic anhydride,

1886, A., 179.

— use of sodium bromate in volumetric analysis, 1886, A., 280.

- apparatus for nitric acid determina-

tion, 1888, A., 193.
Kratschmer, Florian, and Johann
Sztankovánszky, volumetric estimation of phosphoric acid, 1883, A.,

Krauch, C., Otto's method for the estimation of fusel oil in brandy,

1883, A., 123.

— poisoning of plants, 1883. A., 612. — effect of water containing zinc sulphate and common salt on soils and plants, 1883, A., 1027.

Kraus, Alfred, methylation of s-orcinol, 1891, A., 1347.

- action of nitrous acid on resorcinol diethyl etherand on triethylresorcinol, 1892, A., 44.

Kraus, Carl, easily oxidisable substances in plant-sap, 1884, A., 918.

- manuring hops, 1888, A., 319. Kraus, Gregor, acidity of cell-sap, 1884,

A., 1209.

physiology of tannin, 1889, A., 917.

-calcium oxalate in the bark of trees, 1892, A., 1370.

Kraus, J., so-called soluble starch, 1887, A., 173.

Krause, Albert, note on the diamond, 1890, A., 1210.

- isomeric forms of o-nitrophenylglyoxylic hydrazone, 1891, A., 302.

Krause, Albert, and Victor Meyer, some vapour-density determinations, 1890, A., 1365.

 slow combustion of gaseous mixtures, 1891, A., 1153.

Krause, Albert H. See Charles Frederic Mabery.

Krause, Ernst. See Adolph Claus.

Krause, H., absorption and condensation of carbonic anhydride on clean glass surfaces, 1889, A., 751.

Krause, H. von, the loss of nitrogen during the fermentation of nitrogenous organic matters, and the means for its prevention, 1890, A., 1340.

Constantin, separation and estimation of nickel and cobalt, 1891, A., 1139.

Krauss, Ed., glycogen in muscle after section of the nerve and the tendon, 1889, A., 61.

Krauss, Jukob. See . Idolph Claus.

Krauss, Karl, papaveroline, 1591, A.,

Kraut, Karl, chloride of lime and chloride of lithia, 1883, A., 17; 1884, A., 16.

– Magnesia alba, 1883, A., 153.

- action of nitric acid on mercuric

iodide, 1886, A., 204.

— behaviour of plumbiferous zinc on remelting, 1886, A., 594.

-chromammonium compounds, 1886,

- oxidation of ammonia in presence of platinum or palladium, 1887, A., 635.

- indirect estimation of alkalis in presence of lithium, 1888, A., 195.

- nickel ammonium ovalate, 1889, A., 788.

- formation of glycocine from chloracetic acid, 1890, A., 1395. Kraut, Karl, and York Schwartz,

hipparaffin, 1884, A., 838. Kraut, Kurl, Wilhelm Eschweiler, and

Gustav Grossmann, formaldehyde, 1890, A., 1092.

Kraut, Karl. See also C. Heinrich Brandhorst, Boris Goldberg.

Krawkoff, N., obtaining non-organised ferments in pure aqueous infusions, 1888, A., 862.

- unorganised ferments, 1889, A., 515.

Krebs, Georg, an elementary demonstration of Avogadro's law, 1885, A.,

Krechel, Georges, analysis of white carrot fodder, 1885, A., 292.

Krecke, Friedrich. See Carl Paal. Kreckeler, Karl, isobutyrothiënone and propiothiënone, 1886, A., 538.

action of sulphuric acid on aromatic ketones, 1887, A., 141.

- pentathiophen group, 1887, A., 239.

Kreckeler, Karl, and Bernhard Tollens. niethylhydroxyglutaric acid levulinic acid, 1885, A., 1202.

Kreiling, Ph., occurrence of lignoceric and arachidic acids in earth-nut oil, 1888, A., 578.

Kreis, Hans, different methods of distillation compared, 1884, A., 1248.

 nitration of thiophen derivatives, 1884, A., 1314.

Kreis, Hans. See also Richard E. Meyer, Victor Meyer.

Kremel, Alois, estimation of morphine in opium, 1888. A., 635.

- estimation of cafferne in guarana, 1888, A., 876.

estimation of emetine, 1888, A., 1351. estimation of alkaloids in nux-

vomica, 1889, A., 323.

- estimation of colchicine in colchicum seeds, 1891, A., 512.

Kremers, Eduard, citronellic aldehyde, 1892. A., 1068.

Kremers, Edward. See also F. .1. Sieker.

Kremp, manurial experiments with various phosphates, 1887, A., 1137.

Kremser, W., variations in mainfall, 1885, A., 425.

Krenner, Josef Alc.rander, jadeite, 1883, A., 1066.

minerals of the cryolite group from Greenland, 1885, A., 27.

 stibnite from Japan, 1885, A., 221. - orpiment and realgar from Bosnia, 1985, A., 730.

-optical properties of allacite, 1885, A., 731.

- emplectite from Rézbánya, 1886, A., 126.

zygadite, 1886, A., 518.

pseudobrookite from Vesuvius. 1890, A., 712.

Krenner, József Alexander, and Franz Koch, szaboite. 1886, A., 432.

Kresling, Karl, pollen of Pinus sylvestris, 1892, A., 232.
Kretschy, Michael, oxidation of ky-

nurine and kynurenic acid, 1883, A., 674.

kynuric acid, 1884, A., 750.

Kretschy, Michael. See also Ludwig (Ritter) Barth (von Barthenau).

Kretzschmar, Curt. See Rudolf Wilhelm Schmitt.

Kretzschmar, Ludwig, test for life, 1883. A., 489.

Kretzschmar, Max, estimation of iron and aluminium in phosphates, 1886, A., 393.

- estimation of alkalis, 1886, A., 490.

estimation of fat, 1887, A., 402. detection of boron in milk, etc., 1887, A., 864.

estimation of potassium in ashes and minerals, 1887, A., 864.

 commercial assay of alums, 1892, A., 535.

Kreusler, Gottfried Adolf Ernst Wilhelm Ulrich, apparatus for the reduction of measured gas-volumes to normal conditions, 1884, A., 775.

Kreusler, Gottfried Adolf Einst Wilhelm Ulrich, estimation of nitrogen, 1885, Λ., 130.

- percentage of oxygen in the atmosphere. 1886, A., 199; 1887, A., 631.

- thermo-regulator, 1886, A., 301. - method of observing the respiration of plants, 1886, A., 574.

observations on the growth of potatoes, 1887, A., 71.

- is nitric acid formed in the organism of higher plants? 1887, A., 686.

assimilation and expiration of plants, 1888, A., 186, 742.

- detection of nitrates in soils, 1889, A., 547.

direct combination of chlorine with metals, 1892, A., 401.

Kreusler, Gottfried Adolf Ernst Wilhelm Ulrich, and Franz W. Dafert, glutinous 1ice, 1886, A., 390.

Kreusler, Gottfried Adolf Ernst Wilhelm Ulrich, and Otto Henzold, alkaline reaction of glass as a source of error in analysis, 1884, A., 775.

Kreusler, Gottfried Adolf Ernst Wilhelm Ulrich, and Hans Heinrich Landolt, examination of H. Grouven's method of nitrogen estimation, 1884, A., 1215.

See Heinrich Conr. Kreutz, Adolf. Klinger.

Kreuzhage, C., and Emil Theodor von Wolff, importance of silicic acid in the culture of oats, 1884, A., 1211.

Kreuzhage, C. See also Emil Theodor

ron Wolff.

Kreysler, Eduard, phosphates of the phenols, 1885, A., 1054.

— reactions of the phosphates of the

aromatic series, 1885, A., 1055.

Krieger, Gustav. See Adolph Klewitz. Krippendorff, Franc, hydroxycomazine. 1885, A., 1243.

Kritschenko. See Petrenko-Kritschenko.

Kritschewsky, Leo. See Schwarzenbach. Kröber, Th., derivatives of o- and ptolubenzylamine, 1890, A., 968.

Krömer, Hermann, commercial \u00f3-cumidine, 1891, A., 1351.

Krohl, Paul, action of oxalic acid and its derivatives on the animal economy, 1892, A., 1019.

Krohn, Carl W., hydroxy-β-isodurylic acid, 1888, A., 594.

- α -naphtholdiazobenzene and α naphthylaminediazobenzene, 1889, A., $15\bar{2}$.

Krohn, Carl IV. See also Richard Möhlau.

Krohn, Isidor. See Alfred Gruenhagen.

Krohn, L. Monrad, analysis of red wine by means of electrolysis, 1885, A., 298.

Krőlikowski, S., and Marcellus Nencki, behaviour of o-hydroxyquinolinecarboxylic acid and its derivatives in the organism, 1888, A., 864.

Kronberg, H., incineration of organic

substances, 1888, A., 993. Krone, Werner, p-hydroxybenzenylamidoxime, 1891, A., 700.

Kronfeld, E., bromine derivatives from amidonaphthaquinonimide, 1884, A.,

hydroxynaphthaquinonimide and amidonaphthaquinonimide, 1884, A.,

Kronstein, Abraham, preparation of stribromhydrin. 1892, A., 577.

Kroseberg, Karl. See Adolph Claus, Siegmund Gabriel.

Krouchkoll, variation of the constant of capillarity of the surfaces of water

and ether, and water and carbon bisulphide under the action of electromotive force, 1883, A., 1047. - currents produced by immersion

and emersion and by the movement of a metal in a liquid, 1884, A., 2. - polarisation of copper, 1887, A., 757.

Kroupa, Gustav, volumetric estimation of mercury, 1884, A., 695.

- detection of mercury, 1886, A., 921. Krüger, Albert, chloroxylenes and their oxidation products, 1885, A., 1053.

- the sulphur of proteids, 1889, A., 528. chemistry of gluten, 1889, A., 910.

Krüger, Friedrich, absorption of light by oxyhæmoglobin, 1887, A., 1126. coagulation of fibrin, and intravascular clotting, 1888, A., 305.

resistance of hæmoglobin towards different decomposing agents, 1888, A., 510.

differences between arterial and venous blood in different blood-vessels, 1890, A., 808.

Krüger, Friedrich, C. Meyer, and M. Pernou, iron in the liver and spleen, 1891, A., 848.

Krüger, Martin, betaines of pyridine bases, 1890, A., 1431; 1891, A., 941, 1388.

- adenine, 1892, A., 219, 890. - estimation of small quantities of calcium, 1892, A., 914.

Krüger, Martin. See also Albrecht Carl Ludwig Martin Leonard Kossel.

Krüger, Paul, derivatives of benzenylamidoxime, 1885, A., 895.

Krüger, Paul. See also Ferdinand Tiemann.

Krüger, Theodor Richard, derivatives of melidoacetic acid, 1891. A., 162. Krüger, Theodor Richard. See slso

Edmund Drechsel.

Krüss, Gerhard, sulphur compounds of molybdenum, 1884, A., 160, 1267, 1268. - preparation of nitriles, 1884, A., 1314.

copper peroxide, 1885, A., 124.

 influence of temperature on spectroscopic observations, 1885, A., 209. quantitative spectrum analysis, 1885, A., 835.

relation between the composition and absorption spectra of organic compounds, 1885, A., 949.

standardising solutions of potassium permanganate, 1885, A., 1013.

molecular movements, 1886, A., 14. gold oxides, 1887, A., 15.

universal spectroscope. 1887, A., 179. - atomic weight of gold, 1887, A., 340, 1019; 1888, A., 345.

- sublimed auric chloride, 1887, A.,

gold, 1887, A., 450, 554, 778. - new source of germanium, 1888, A.,

relations between the composition

and absorption spectrum of organic compounds, 1888, A., 1141.

- erbium and didymium, 1891, A., 1421.

Krüss, Gerhard, and Hermann Moraht. double thiocyanates of iron and notassium, 1889, A., 1129.

spectrocolorimetric estimation of iron and thiocyanates, 1889, A., 1247. - beryllium, 1890, A., 697, 1375; 1891, A., 881.

Krüss, Gerhard, and Lars Fredrik Nilson, equivalent and atomic weight of thorium, 1887, A., 704.

-potassium germanium fluoride, 1887, A., 704.

reduction of potassium niobium fluoride with sodium, 1887, A., 706.

earths and niobic acid from fergusonite, 1887, A., 706.

 components of the rare earths yielding absorption spectra, 1887, A.,

890; 1888, A., 208, 390. Krüss, Gerhard, and Spiridon Occonomides, relation between the composition of organic compounds and their absorption spectra, 1883, A., 1041.

Krüss, Gerhard, and Karl Ohnmais, thiovanadates, 1890, A., 1381; 1891, A. 989

- Krüss, Gerhard, and F. W. Schmidt, halogen compounds of gold, 1888, A., 28, 1256.
- Krüss, Gerhard, and Hans Solereder, reduction of inorganic sulpho-salts by hydrogen, 1887, A., 111.

Krüss, Gerhard. See also Max Althausse, Ludwig Hoffmann, Erich Jaeger, Puul Kiesewetter.

Jaeger, Paul Kiesewetter. Krug, W. H., estimation of iron and aluminium in the presence of phosphoric acid, 1892, A., 755.

Kruis, Josef. See Edwislav Rayman.
Kruis, Karl, fermentative strength of beer-yeast in distillery mash, 1884, A., 939.

estimation of extract of malt, 1884, A., 1439.

reducing power of certain sugars, 1885, A., 1013.

Krukenberg, C. Fr. W., cornem, 1881, A., 1390.

—— chemical constitution of cartilage, 1895, A., 405.

conchiolin, 1885, A., 826.
 skeletins, 1886, A., 481.

— hyalogens, 1886, A., 481.

solubility of chitin, 1886, A.,

- chemical formation of albumin, 1888, A., 73.

Krukenberg, C. Fr. W., and Henry Wagner, carnine, 1885, A., 674.

composition of the contractile tissues, 1885, A., 920.

Krukenberg, C. Fr. W. See also August Ewald.

Krummacher, Otto, influence of muscular work on proteid metabolism, 1891, A., 479.

Kruskal, Nicolai, Agrostemma Githago (corn cockle), 1892, A., 350.

Krutwig, Jean, separation of iodine and chlorine in the dry way, 1884, A., 1073.

rate of oxidation of tartaric acid, 1889, A., 239.

Krutwig, Jean, and Albert Cocheteux, estimation of iron by means of permanganate, 1883, A., 1168.

Kubel, IV., magnesium acetate, 1886, A., 530.

____preparation of lead carbonate, 1887, A., 446.

- analysis of Carlsbad salt, 1892, A., 659.

— action of magnesium acetate on magnesium oxide and on lead oxide, 1892, A., 1178. Kubierschky, C., thiophosphoric acids, 1885, A., 632.

Kubierschky, C. See also IV. Feit.
Kuckein, Franc., tissue-waste in the fowl during starvation, 1883, A., 603.

Kuckert, Otto, action of alkylamines on ethyl acetoacetate, 1885, A., 751.

Kudelka, F., and M. Hollrung, large and small hulled heet-root seed, 1885, A., 832.

Kügelgen, Arwed von, detection of sanguinatine and chelidonine, 1885, A., 008.

Kügler, Kurl, maticocamphor, 1884, A., 611.

Kühling, Otto, derivatives of pyrrolidone, 1889, A., 1211.

—— preparation and properties of certain pyrrolidone derivatives, 1890, A., 793.

— alloxanlydrazone, 1892, A., 442. Kühling, Otto. See also Curl Theodor

Liebermann.
Kühn, Carl Bernhard, action of phenyl
isocyanate on amido-compounds, 1885,

A., 260, 979. Kühn, Carl Bernhard, and Eduard Henschel, substituted biurets, 1888, A., 474.

Kühn, Carl Bernhard, and Nathan Landau, \$\beta\$-dinaphthylcarbamide chloride, 1890, A., 634.

—— β-dinaphthylcarbamide chloride and β-tetranaphthylcarbamide, 1890, A., 1311. Kühn, Carl Bernhard, and Martin Lie-

Kühn, Carl Bernhard, and Martin Liebert, preparation of phenyl cyanate, 1890, A., 962.
 Kühn, Carl Bernhard, and Joseph Riebert

Kühn, Carl Bernhard, and Joseph Riesenfeld, action of carbonyl chloride on benzylamine, 1892, A., 812.

Kühn, Carl Bernhard, and Oscar Saeger, estimation of arsenic by Marsh's method, 1890, A., 1187.

Kühn, Gustav (and others), digostibility of meadow-hay and wheat bran treated with hot and cold water, 1883, A., 816.

digestibility of wheat-chaff and the changes which it undergoes by different methods of preparation, 1884, A., 772.

Kühn, Johannes, examination of ophites from the Pyrenees, 1883, A., 448.

Kühn, Julius, Phoma Gentiana, a newly observed parasitic fungus, 1883, A., 1025.

Kühn, Julius, and H. Joulie, diseases of sugar-beet, 1883, A., 111.

Kühn, M., estimation of fat in sour milk, 1890, A., 304.

- composition of the milk of cows in the early and late periods of lactation, 1891, A., 97.

 examination of potato spirit liquor, 1891, A., 105.

 estimation of sugar in milk, 1891, A., 127.

 estimation of fat in milk, 1891, A., 1402.

Kuhne, Willie, hemialbumose in unine, 1884, A., 854.

silicic acid as a culture medium for organisms, 1890, A., 1338.

Kuhne, Willie, and Russell H. Chittenden, decomposition products of albumin, 1884, A., 849.

- new form of albumose, 1884, A., 1389; 1885, A., 278.

-- globulin and globuloses, 1886, A., 818.

peptones, 1886, A., 819.

 myosin and myosinoses, 1889, A., 423.

 neurokeratin, 1890, A., 807. Kühnlenz, F. A., bottle for washing and absorbing gases, 1890, A., 288.

Külz, Richard, laserpitin, 1884, A., 182. estimation of glycogen, 1886, A., 494.

gases of parotid saliva, 1887, A.,

Külz, Rudolph Eduard, cystin, 1885, A., 140.

action of trichlorethyl and trichlorobutyl alcohol in the animal organism, 1885, A., 283.

- new lævorotatory substance, ψ-hydr--cxybutyric acid, 1885, A., 284.

-active \$-hydroxybutyric acid, 1887, A., 290.

 Indian-yellow and glycuronic acid, 1887, A., 498.

decomposition of bromides and iodides by the stomach, 1887, A., 508. - compounds of glycuronic acid, 1890, A., 1286.

- formation of glycogen in muscle with an artificial circulation, 1890, A., 1335.

 cystin in pancreatic digestion, 1891, A., 235.

Külz, Rudolph Eduard, and Almroth Edward Wright, phloridzin diabetes, 1890, A., 1337.

Kümmell, Gottfried, rotatory dispersion of tartrates, 1891, A., 1145.

- separation of precipitates at the boundary of electrolytes, 1892, A., 1038.

Kueny, Liulwig, benzoyl derivatives of carbohydrates, etc., 1890, A., 578.

Kursten, Rudolf, constituents of Rhizomic podophylli, 1891, A., 1133.

Kurzel, Camillo, action of sulphuric acid on s-iodo-ψ-cumene, 1889, A., 995.

Kues, Werner, and Carl Paal, B-benzo-

hydroxythiotolen, 1886, A., 536.

- synthesis of α-phenylthiophen, 1887, A., 238.

diketonic acids, 1887, A.,

Küsel, Albert, constitution of aniluvitonic acid, 1886, A., 1027.

Küss, H., epsomite from the Peychagnard anthracite mine, 1886, A.,

Kustel, roasting of gold telluride, 1883, A., 691.

Küster, Friedrich Wilhelm, freezingpoints of isomorphous mixtures, 1890, A., 1209; 1892, A., 396.

Küster, Friedrich Wilhelm. See also Theodor Zincke.

Kuttner, Paul. See Adolph Claus. Kuh, Felix. See Martin Freund

Kuhara, Mitsuru, o-tolylphthalimide, 1887, A., 586.

- specific volumes of camphor and borneol, 1889, A., 785; 1890, A.,

Kuhlberg, Alfons von. See Carl Adam Bischoff.

Kuhlmann, E, estimation of normal carbonates in "bicarbonates," 1887, A., 528.

Kuhlwein, Ad., formation of amidines, 1890, A., 371.

Kuhn, aqueous humour, 1889, A., 177. Kuijper, H. F., alcohol in the brain in cases of inebriation, 1884, A., 370.

Kulisch, Paul, action of hydrogen

phosphide on solutions of metallic salts, 1886, A., 200.

- estimation of nitrogen in wine, must, and lees, 1886, A., 652.

Kumagawa, Muneo. See Ernst Leopold Salkowski.

Kumpf, Georg, nitrobenzyl chlorides and iodides, 1884, A., 1004.

- p-nitrophenyl benzyl ethers and phenyl p-nitrobenzyl ethers, 1884, A., 1005.

Kunath, Heinrich. See Adolph Claus. Kundt, August, electromagnetic rotation of the plane of polarisation of light by iron, nickel, and cobalt, 1885, A., 5. refractive indices of the metals, 1888, A., 997.

241

Kundt, August, variation with temper- ! atme of the velocity of light in metals, 1889, A., 749.

Kuntze, L., parallel experiments on peat dust and Chili saltpetre as manures for sugar-beet, 1885, A., 429.

Kuntze, P. See Oscar Gustar Doebner. Kuntzmann, M., preparation of cuprous acetylide, 1892, A., 421.

Kunz, George Frederick, white garnet from Wakefield, Canada, 1884, A., 828.

native antimony from New Bruns-

wick, 1886, A., 311.

meteoric iron from Glorieta Mountain, New Mexico, 1886, A., 321; 1887, A., 120.

meteoric iron from West Virginia,

1886, A., 520.

meteoric iron from Augusta Co.,

Virginia, 1887, A., 454.

meteorites from Kentucky and Mexico, 1887, A., 564.

- mineralogical notes, 1888, A.,346. - Powder-mill Creek meteorite, 1888, A., 353.

some American meteorites, 1888,

phenacite, apatite, cyanite, etc., 1889, A., 24.

- two new masses of meteoric iron, 1889, A., 358.

fluorspar, opal, amber, diamond, 1890, A., 337.

-five new American meteorites.1891. A., 278.

brookite, octahedrite, quartz, and ruby, 1892, A., 1055.

meteoric iron from Colfax Township, North Carolina, 1892, A., 1059. - ineteoric iron from Ferguson, North Carolina, 1892, A., 1059.

Kunz, George Frederick, and Ernst Weinschenk, aerolite from Kansas, 1892, A., 795.

Kunz. Hermann, new constituents of Atropa Belladonna, 1886, A., 255. emetine, 1887, A., 980.

- morphine hydriodide, 1888, A., 855.

-the constituents of Acorus Uulamus. 1888, A., 1221.

Kunz, James, manufacture of milk sugar in Switzerland, 1885, A., 848.

- hacteriological and chemical investigation of some bacilli, 1888, A.,

Kunz, Ph. Sec Georg Goldberg. Kunze, E., nitro-p-diphenols 1889, A., 262.

Kupelwieser, Frant, manufacture of iron and steel, and methods of testing them, 1881, A., 519.

Kupfferschläger, Isidore F. J., punification of sulphuic acid, 1886, A., 302. titiation of zinc powder, 1887, Λ ., 865.

separation of calcium, barium, and strontium, 1889, A., 77.

detection of free chlorine in hydrochloric acid, 1890, A., 289.

Kuriloff, Basil B., terpenes from oil of Pinus Abics, 1890, A., 789.

terpenes from the resin of Punus _1bics, 1892, A., 625.

action of hydrogen peroxide on the hydrated oxides of cadmium, zinc, and

magnesium, 1892, A., 1278. Kurnakow, Nicolai S., silver compound of thiocarbamide, 1892, A., 441.

Kurtenacker, Ludwiy. Sec Rudolf Nietzki.

Kurz, Hermann. See Adolph Claus. Kusserow, R., derivatives of anilido-succinic acid, 1889, A., 1064.

acids obtained by heating m-hydrazobenzoic acid with stannous chloride,

1890, A., 778. See also Karl Löscher. Kusserow, R.

Kutscher, Emil, function of tannin in

plants, 1884, A., 628. Kutscheroff, M., action of hydrocarbons of the acetylene series on mercuric salts, 1883, A., 172; 1884, A., 572.

action of the hydrocarbons of the acetylene series on mercuric oxide and its salts, 1884, A., 719.

Kutschig, Carl von, reaction product of phosphorus pentasulphide and carli-amide, 1888, A., 1064.

Kutzleb, Victor, causes of clover sickness, 1883, A., 233. Kuwschinoff, Iwan E., action of zinc

methyl on valeraldehyde, 1888, A., 125.

Kuzel, Hans. Sec Emil Fischer.

Kwasnick, H., action of barium peroxide on metallic salts, 1892, A., 108.

Kwasnick, Wilhelm, use of calcium plumbate in the estimation of ash in food and drugs, 1890, A., 833.

- Kuromoji oil, 1891, A., 464; 1892, A., 1480.

- action of ammonia on zinc chloride, 1891, A., 1157.

action of ammonia on cadmium chloride, 1892, A., 566.

crystalline constituent of Genipu brasiliensis, 1892, A., 1509. Kwasnick, Wilhelm. See also Carl

Thümmel.

Kwisda, Adolf, action of hydriodic acid ' on amido-acids, 1892, A., 38.

Kym, Otto, thio-derivatives of \$-dinaphthylamine, 1889, A., 51.

- aromatic carbamide chlorides,1890, A., 633.

- β-dinaphthylcarbamide chloride and \$\beta\$-tetranaphthylcarbamide, 1890, A., 993.

· thio-derivatives of aromatic amines, 1890, A., 1306.

Kyritz, G. M., acid derivatives of oamidoquinoline, 1890, A., 1324.

L.

Laar, Conrad, use of diphenylamine and aniline in qualitative analysis, 1883,

possibility of several structural formulæ for the same chemical compound, 1885, A., 722.

hypothesis of interchangeable union, 1886, A., 504.

Laatsch, Hermann, ethylidene oxychloride, 1883, A., 788.
Labbé, D., and Oudin, therapeutic and

physiological effects of ozone, 1891, A., 1531.

Laborde, J. B. Vincent, physiological action of the soluble salts of strontium,

1891, A., 99; 1892, A., 227. Laborde, J. B. Vincent, and Magnan, toxic action of alcohols and artificial

bouquets, 1888, A., 737.
Laborde, J. B. Vincent, and Alfred
Riche, physiological action of nickel
salts, 1888, A., 738.

Lach, B., aldoximes, 1883, A., 1104; 1884, A., 1154.

shaded and unshaded sugar-beets, 1885, A., 1155.

valuation of ozokerite, 1885, A.,

 treating vegetable tallow, 1885, A., 1275.

Lach, J. See Paul Degener.

Lachaud, Marcel, and Churles Lepierre, double chromates, 1890, A., 1065.

lead chromate, 1892, A., 567. - thallium chromate, 1892, A., 567.

- analysis of chrome-yellow, 1892,

 new iron salts, 1892, A., 943. See also Charles Lachaud, Marcel. Lepierre.

Lachmann, Siegbert. See Martin Freund. Lachowicz, Bronislaw, action of the chlorides of phosphorus on phenanthraquinone, 1883, A., 666.

Lachowicz, Bronislaw, reduction of dichlorophenanthrene, 1884, A., 81.

– Galician petroleum, 1884, A., 166. some paraffins and their derivatives, 1884, A., 166.

preparation of acid anhydrides, 1884, A., 990.

- replacement of ketonic chlorine atoms by hydrogen, 1884, A., 1039.

action of acid chlorides on inorganic compounds, 1886, A., 222. constants of benzene, 1888, A.,

1068.

- piperidine dyes, 1888, A., 1314. action of amines on nitrogenous organic compounds, 1889, A., 132.

-acid character of the salts of the heavy metals, 1889, A., 569.

-formation of berzaldoxime, 1890, A., 141.

 residual affinity of inorganic salts, 1890, A., 444.

dissociation of ferric phosphate in presence of water and of saline solutions, 1892, A., 1282.

Lachowicz, Bronislaw, and Franz Xaver Bandrowski, compounds of organic bases with metallic salts, 1888, A.,

Lachowicz, Bronislaw, and Murcellus Nencki, parahæmoglobin, 1885, A., 1251.

La Coste, Wilhelm, nitro- and amidobromoquinolines, 1883, A., 90.

bromoquinolinesulphonic acids, 1883, A., 96.

– nitroquinolines, 1883, A., 811. quinoline iodides, 1885, A., 814.

- estimation of vapour densities at a diminished pressure, 1885, A., 1180.

m-chloroquinoline, 1886, A., 159. La Coste, Wilhelm, and J. Bodewig, m-chloroquinoline, 1884, A., 1196.

- methylformyl-o-amidochlorobenzoic acid and methyl-ψ-chlorisatin, 1885, A., 792.

La Coste, Wilhelm, and C. Sorger, p- and o-phenylquinolines, 1886, A., 80.

Coste, Wilhelm, and Fredrik Valeur, quinolinedisulphonic acids and their derivatives, 1886, A., 628; 1887, A., 379.

- derivatives of α-quinolinedisulphonic acid, 1887, A., 973.

 β-quinolinedisulphonic acid. 1888, A., 297.

La Coste, Wilhelm. See also Carl Arnold August Michaelis.

Lacroix, Alfred, melanite from Lantigué (Rhône), 1883, A., 438.

Lacroix, Alfiel, accidental formation of cerussite crystals on Roman coins, 1885, A., 224.

- artificial gypsum crystals, 1885, A., 226.

wulfenite from Beaujolais, 1885, A., 226.

diagnosis of zeolites, 1885, A., 1187. - olivine from the Isle of Bourbon,

1886, A., 775. lamellar thomsonite, 1887, A., 350.

-white epidote from the Beagle Canal, Terra del Fuego, 1887, A., 350. critical examination of some

minerals, 1887, A., 350.

plumbocalcite from Wunlock Head, 1887, A., 557.

identity of dreelite and barytes, 1888, A., 33.

- albite in Norwegian pegmatites, 1888, A., 236.

- anorthite from Saint-Clément, 1888, A., 432.

varieties of gothite from two Saone-et-Loire, 1888, A., 563.

- barium sulphate, 1889, A., 838. rock containing sodium-amphibole, astrophyllite, pyrochlorite, and zircon,

1889, A., 1054. - French minerals, 1891, A., 408. fouqueite, a new mineral, 1892, A., 1056.

Ladd, E. F., composition and relative digestibility of feeding stuffs, 1886, A., 646.

artificial versus animal digestion, 1887, A., 513; 1889, A., 734.

sugars and starch in fodders and their determination, 1888, A., 748.

— changes occurring in Timothy-grass (Phleum pratense), 1888, A., 1220.
— influence of food on the composi-

tion of butter, 1889, A., 1023. Ladenburg, Albert, benzene formulæ, 1883, A., 51; 1890, A., 881.

constitution of atropine, 1883, A.,

670. - imines, 1883, A., 910; 1886, A.,

139. - lecture experiments, 1883, A., 1048.

preparation of chlorhydrins, 1883, A., 1077.

- synthesis of γ-ethylpyridine, 1883, A., 1151.

synthesis in the pyridine series, 1885, A., 1151; 1884, A., 1195.

action of methyl alcohol on piperidine hydrochloride, 1883, A., 1154. - hydrotropidine, 1883, A., 1155.

behaviour of diamines towards nitrous acid, 1884, A., 738.

Ladenburg, Albert, bases of the pyridine and piperidine series, 1881, A., 759; 1885, A., 992.

- piperethylalkine bromide, 1884, Λ ., 760.

 synthesis of piperidine, 1884, A., 760.

- synthesis of homologues of piperidine, 1884, A., 1054.

synthesis of pyridine and piperidine bases, 1884, A., 1195.

a-isopropylpiperidine, 1884, A., 1386.

derivatives of dimethylpiperidine, 1885, A., **5**65.

method for determining positions in the pyridine series, 1886, A., 158.

ethylpyridine and ethylpiperidine, 1886, A., 159.

piperidine from pentamethylenediamine, 1886, A., 269.

synthesis of conine, 1886, A, 478; 1887, A., 160.

penta- and tetra-methylenediamines, 1886, A., 528.

hopeme, 1886, A., 563.

constitution of benzene, 1886, A., 613; 1887, A., 362; 1888, A., 1181. pyridine bases, 1887, A., 59.

piperidine bases, 1887, A., 64. · identity of cadaverine with pentamethylenediamine, 1887, A., 125, 1057.

specific rotation of piperidine bases, 1887, A., 164, 282.

pyrrolidine, 1887, A., 499, 1052. the cinnamene of the pyridine series, 1887, A., 737.

 the piperideme series, 1887, A., 740.

- constitution of tropine, 1887, A., 740.

- γ-picoline and γ-pipecoline, 1888, Λ., 498.

– dipicolylmethane, 1889, A., 161. relations between atropine and

hyoscyamine, 1889, A., 167. molecular weight determinations

from osmotic pressure, 1889, A., 820. synthesis of oxypyridine and piperidine bases, 1890, A., 67; 1891, A., 1092.

conversion of tropidine into tropine. 1890, A., 1167, 1333.

- the second 8-picoline and the constitution of pyridine and benzene, 1890, A., 1432.

β-picoline, 1891, A., 325.

 diethylenediamine (piperazine), 1891, A., 416, 1333.

— piperidinecarboxylic acids, 1891,

A., 735; 1892, A., 1486.

Ladenburg, Albert, tropine, 1891, A.,

- hyoscine, 1892, A., 1366.

 nipecotinic acid, 1892, A., 1485. dimethyldipiperidyl. 1892, A., 1487.

Ladenburg, Albert, and Julius Abel, ethylenimine (spermine), 1888, A., 441, 1268.

Ladenburg, Albert, and George Adam, new alkaloid from Conium maculatum, 1891, A., 1119.

Ladenburg, Albert, and Christian Hundt, formation of optically active tropic acids and optically active atropines, 1890, A., 74.

Ladenburg, Albert, and Georg Karau, ssonipecotinic acid, 1892, A., 1486.

Ladenburg, Albert, and Carl Oelschlägel, pseudephedrine, 1889, A., 1020.

Ladenburg, Albert, and Friedrich Carl
Petersen, duboisine, 1877, A., 740.
Ladenburg, Albert, and Carl Franz
Roth, belladonine, 1884, A., 761.

hyoscine, 1884, A., 761.

- synthetical piperidine, 1884,

A., 1202.

commercial picoline, 1885, A., 557.

- isolation of the so-called α lutidine, 1885, A., 815.

a new lutidine, 1885, A., 994.

- bases from animal oil, 1887, A., 157.

Ladenburg, Albert, and Ludwig Schrader, isopropylpyridines, 1884, A., 1048.

Ladenburg, Albert, and Josef Sieber, trimethylenimine, and a new synthesis of B-picoline, 1890, A., 1394.

Ladiore or Ladrière, F., phosphatic minerals at Montay and Forest, 1889, A., 222.

Ladureau, Albert, cultivation of the sugar-beet, 1883, A., 114.

sulphurous anhydride in the air of Lille, 1884, A., 710.

- the ammoniacal ferment, 1885, A., 181; 1886, A., 386.

- sugar-beet and phosphates, 1885, A., 1157.

inverting ferment of cane sugar, 1886, A., 169.

— Algerian soils, 1889, A., 436. Ladureau, Albert, and Mousseaux, wheat experiments in 1887, 1888, A.,

Lafar, Franz, cochineal-carmine, 1891, A, 578.

Lafitte, Prosper de (and others), on phylloxera, 1883, A., 233.

Lafon, Ph., new reaction of digitalin, 1885, A., 1014.

- new reaction for codeme, 1885, A., 1095.

Lafont, Justin, action of glacial acetic acid on lævogyrate camphene, 1887, A., 969.

- action of formic acid on French terebenthene, 1888, A., 495.

 action of acetic acid on citrene, 1888, A., 718.

- action of acids and anhydrides on terpilenols, 1888, A., 845.

Lafont, Justin. See also Gustave Bouchardat.

Lagai, Georg, ethoxyphenylsulphonic acids, 1892, A., 1089.

Lagai, Georg. See also Alfred Delisle. Lagarde, Henri, photometric intensity of the lines of the hydrogen spectrum, 1883, A., <u>5</u>37.

Lagarde, Henri. See also Julien Thoulet.

Lagodzinski, Kasimir. See Carl Graebe.

Lagorce, E., detection of cochineal in alimentary substances, 1889, A., 324. Lagorio, Alexander E., crystallographic form of hæmin, 1885, A., 567.

Lagrange, Prosper, estimation of glu-

cose, 1884, A., 370.
Lahousse, Emile, gases of peptone blood, 1889, A., 531.

Laible, estimation of phosphoric acid, 1887, A., 526.

Lailler, A., elimination of phosphoric acids in the urine in insanity and epilepsy, 1885, A., 73.

Alexander, hydroxylamine Lainer, hydrochloride in quantitative analysia, 1888, A., 1343.

- a new anhydrous double chloride of gold and potassium, 1890, A., 1217.

 estimation of silver and gold by means of hydroxylamine hydrochloride, 1892, A., 662.

Laist, Alexander, and Thomas Herbert Norton, copper antimonide, 1888, A., 658.

Lajoux, Henri, and Alexandre Grandval, mercury salicylates, 1889, A., 1062. Lajoux, Henri. See also Alexandre Grandval.

Lala, Ulysse, compressibility of mixtures of air and carbonic anhydride, 1891, A., 253.

- compressibility of mixtures of air and hydrogen, 1891, A., 634.

Lalande, Filir de, copper oxide battery. 1891, A., 1405.

Lalande, Félix de, and tt. Chaperon, copper oxide battery, 1884. A., 1, 511.
 Lalieu, t., estimation of free oxygen

in water, 1888, A., 874.

—— direct estimation of oxygen and nitrogen in natural waters, 1889, A., 551.

Lamb, Thornton Charles. See George Herbert Bailey.

Lambert, Alexander. See Russell II. Chittenden.

Lambert Auguste, action of horax on polyhydric alcohols, 1889, A., 845, 864.

A., 1403.

Lambert, Pierre. See Alexandre Léon Etard.

Lambling, Eugene Frédérie, application of spectrophotometry to chemical physiology, 1889, A., 73.

reducing action of indigo-white on oxyhemoglobin, 1889, A., 530.

waxy degeneration of the kidney, 1889, A., 536.

 estimation of methemoglobin in the presence of oxyhemoglobin, 1889, A., 660.

Lampe, Hermann. See Rudolf Leuckart. Lampe, Otto. See Carl Arnold August Michaelis.

Lampert, Friedrich, derivatives of trichloro-p-amidophenol, 1886, A., 616.

Lampert, K. See Albert Hilger. Landau, Nathan. See Curl Bernhard

Kühn. Landau, Willy, action of ammonia and amines on arsenious bromide, 1889,

A., 211.

Landero, de, and Ramil Prieto, some laws of chemical combination, 1887,

A., 99.
Landero, C. F. de, tellurium-silver-bis-

muth from Jalisco, Mexico, 1887, A., 1084.

pink grossularite from Mexico, 1891, A., 993.

Landmann, B., estimation of acetic acid in wine by distillation with steam, 1884, A., 641.

Landolf, Fr., decomposition of α-fluoboracetone by water, 1883, A., 655.

Landolt, Hans Heinrich, time of existence of thiosulphuric acid in aqueous solution, 1884, A., 554.

solution, 1884, A., 554.
—— solid carbonic anhydride, 1884,
A., 992.

— laboratory apparatus, 1885, A., 481.

Landolt, Huns Heinrich, supposed optical rotatory power of picoline, 1886, A., 368.

rate of chemical change between iodic and sulphurous acids, 1886, A.,

polaristrobometric analysis, 1888, A., 386.

nitrification of ammonium salts, 1888, A., 1328.

— molecular refraction, 1890, A., 1.
— exact determination of the meltingpoint of organic substances, 1890,

À., 1.

Landolt, Hans Heinrich. See also tettfried Adolf Ernst Wilhelm Ulrich Kreusler.

Landolt, Hans Heinrich, junior, action of halogens on chloranilic and bromanilic acids, 1892, A., 834.

Landolt, Indiv. Sec theory Lunge. Landrin, Edouard, analysis of puzzuolanas and estimation of their comparative value, 1883, A., 628.

— action of different varieties of silica on lime water, 1883, A., 712.

hydraulic silica and its functions in
 hydraulic cements, 1883, A., 754.
 action of water on the "lime of

Theil"; existence of a new compound, "Pouzzo-Portland," 1888, A., 830.
— influence of calcination and of car-

bonic anhydride on the setting of hydraulic cements, 1884, A., 933.

residues, 1885, A., 451.

— analysis of cinchonas, 1889, A.. 802. Landrin, Edouard. See also Henri Moissan.

Landriset, Auguste. See Carl Graebe.
Landsberg, Ludwig, preparation of vanillin, 1887, A., 483.

displacement of the amido group by the sulphonic group, 1890, A., 1137.

Landsberg, Max, imides of bibasic acids, 1883, A., 475.

essential oil of Dancus Carota, 1889, A., 277.

Landshoff, Ludwig, β-naphthylaminesulphonic acid, 1883, A., 1135.

preparation of naphthylamine compounds, 1885, A., 312.

Landsteiner, Karl, influence of nutrition on the composition of blood-ash, 1892. A., 225.

Landsteiner, Karl. See also Emil Fischer.

Landwehr, Herm. Ad., new method for preparing and estimating glycogen, 1884, A., 1287. Landwehr, Herm. Md., assimilation (resorption) of fat, 1885, A., 999.

– aniinal guin, 1957, A., 26; 1889, A., 175.

- reagent for the hydroxyl group. 1987, A., 121.

- free hydrochloric acid of the gastric juice, 1887, A., 287.

- precipitation of dextrin by iron. 1887, A., 401.

Lane, Alfred Church, Harry Frederick Keller, and Fred Fraley Sharpless, chloritoid, grimerite, and riebeckite from Michigan, 1892, A., 793.

Lane, Alfred Church. See also Harry Frederick Keller.

Lang, Eduard, dissolutylketine, 1885, A., 963.

- action of zine alkyl compounds on ethyl malonate, 1887, A., 261.

- furfuran derivatives from phloroglucinol, 1887, A., 262.

--- decomposition of ethyl acetomalonate and its homologues, 1887, A., 717.

Lang, Eduard. See also Arthur Rudolf Hantzsch.

Lang, Hans. See Theodor Curtius. Lang, Julius, bauxite from Langsdorf.

1885, A., 357. reverse actions between antimony sulphide and hydrochloric acid, 1886,

reactions occurring in the preparation of water-gas and heating gas,

1888, A., 1029. Lang, Wilhelm, action of pyridine on metallic salts, 1888, A., 850.

oxalyl-o-amidophenyl mercaptan and oxalyl-o-amido-α-naphthyl mercaptan, 1892, A., 1079.

Langbeck, H. W., detection of adulter-

ated essential oils, 1885, A., 599. Langbein, E., analysis of nickel, 1886,

A., 1077; 1888, A., 531. Langbein, Hermann. So Carl Adolf Stohman See Friedrich Stohmann, Johannes Wislicenus.

Lange, (/crhard, acidity of cell-sap, 1888, A., 744.

lignin, 1889, A., 1235; 1890, A.,

estimation of cellulose, 1890, A., 303. Lange, Gerhard. See also Eugen Lellmann.

Lange, K., and A. Zufall, new method for the preparation of some aromatic nitroketones, 1892, A., 1459.

Lange, Martin, formation of resamiline by the nitrobenzene process, 1885, A., 1130.

Lange, Martin, synthesis of mixed azodyes from aromatic diamines, 1886, A., 886

 sulphonation of acetonaphthalide, 1988, A., 160.

- action of sulphur on the salts of aromatic hydroxy-compounds, 1888, A., 375.

Lange, Martin. See also Ernst L, Cahn.

Lauge, Otto, α and γ-picolines, 1886, A., 256.

- estimation of nitrogen and phosphotic acid in organic substances, 1889, A., 547.

Lange, Otto. See also Carl Franc Roth. Langeli, Tommaso, trimethylpropylammonium iodide and hydroxide, 1887, A., 461.

Langer, Alfons, constituents of lycopodium spores, 1889, A., 741.

- oily acids from Lycopodium, 1889, A., 1059.

Langer, Carl, and Victor Meyer, dissociation of chlorine and bromine, 1883, A., 546.

density of sulphurous anhydride at a white heat, 1885, A., 950.

Langer, Carl. See also Ludwig Mond. Langer, Jos., isomeric thiophensulphonic acids, 1884, A., 1133; 1885, A., 765, 887

Langer, Theod., amount of carbonia anhydride in beer, 1883, A., 535.

absorption of carbonic anhydride

by beer, 1884, A., 1233.

Langermann, G., estimation of hydrochloric acid in the contents of the stomach, 1892, A., 1125.

Langhaus, G., psilomelane, 1889, A., 216. Langkopf, Otto, estimation of fat in milk in dairies, 1890, A., 1346.

Langlebert, A., properties of linseed and sesame seed, 1884, A., 852.

Convallaria majalis (lily of the valley), 1885, A., 271.

Langlet, N. A., action of β -iodopropionic acid on ethyl thiocarbamate, 1892, A., 440.

Langley, John Newport, decomposition of digestive ferments, 1883, A., 815. influence of atropine on salivary

secretion, 1888, A., 1216, influence of nicotine and atropine. on salivary secretion, 1890, A., 397.

Langley, John Newport, and William, Lee Dickinson, physiological action of pituri and nicotine, 1890, A., 1178.

 action of poisons on nerve fibres and peripheral nerve-cells, 1891, A., 485.

Langley, John Newport, and John Nydacy Edkins, pepsinogen and pepsin, 1586, A., 1051.

Langley, John Newport, and Herbert Morley Fletcher, secretion of saliva, 1389, A., 534.

Langley, John W., an explanation of Gladstone and Tribe's "2-3 law in chemical dynamics," 1884, T., 633.

apparent manifestation of chemical attraction as mechanical attraction. 1888, A., 1009.

Langley, Samuel Pierpont, observations on the solar spectrum, 1883, A., 137.

 amount of atmospheric absorption, 1885, A., 319.

- invisible lunar and solar spectra, 1889, A., 325.

Langlois, Marcellin, specific heats of liquids, 1887, A., 419.

Langlois, Paul, physiological action of nickel-carbon oxide, 1892, A., 365.

Langsdorff, Karl Alex. von, fattening calves, 1883, A., 815.

Lapicque, Lovis, quantity of iron in the spleen and liver of young animals, 1890, A., 185.

estimation of iron in blood, 1890, A., 297.

colorimetric estimation of iron, 1892, A., 240.

Louis. See also Pierre Lapicque, Camille Chabrie.

Lapparent, Albert de, relation between solfataras and acidic eruptive rocks. 1889, A., 474. Larkin, Th., new sulphate furnace, 1885,

A., 1268.

Larsen, Einar. See Kurl Elbs. .

Lasareva, (Miss) Pelagia E., mutual displacement of haloids, 1892, A., 1270.

 displacement of hydrogen by haloids in aromatic hydrocarbons, 1892, A.,

Lasaulx, Arnold Constantin Peter Franz von, twin-crystals of dichroite from the Lancher See, 1884, A., 407.

reaction to determine the presence of metallic iron, 1884, A., 1078. conversion of rutile into ilmenite,

1884, A., 1104.

 pseudomorphs after rutile, 1885, A., 28.

- optical properties and micro-structure of corundum, 1886, A., 23.

meteoric iron of Santa Rosa, Columbia, 1886, A., 133.

liparites and sanidophyres from the Siebengebirge, 1886, A., 603.

Lasaulx, Arnold Constantin Peter Franz ron (and others), Kiakatoa ashes, 1881, A., 971.

Lasch, K., sodium nitroprusside as a reagent for sugars, 1885 A., 600.

Laskowsky. See Liaskowski.

Lasne, Henri, estimation of fluorine, 1889, A., 74. analysis of natural phosphates,

1890, A., 293.

Laspeyres, Ernst Adolph Hugo, artificial crystals of manganese-iron-olivine, 1884, A., 410.

– kallilite, a new nickel orc, 1891, A., 1167.

- sychnodymite, a new cobalt ore, 1891, A., 1167.

- korynite from Silesia, 1891, A., 1167.

- polydymite, ullmanite and wolfsbergite, 1892, A., 121.

Lassar-Cohn, sodium and potassium ethyl tartrates, 1887, A., 918.

- electrolysis of organic potassium salts, 1889, A., 1056.

 condensation of phenylenediamines with butaldehydes, 1890, A., 138.

- cholic acid and dehydrocholic acid, 1892, A., 741.

- presence of myristic acid in oxgall, 1892, A., 1114, 1503.

László, Eduard, estimation of dissolved solids in wine, 1891, A., 123.

Latham, Peter Wallwork, composition of albumin, 1886, A., 635.

- blood changes in disease, 1888, A., 1324.

Latschenberger, Johann, detection and estimation of ammonia in animal liquids, 1884, A., 1215.

formation of the colouring matter of bile, 1888, A., 620.

Latschinoff, Paul A., new acid analogous to cholic acid, 1886, A., 270.

-cholanic and bilianic acids, 1886, A., 566.

- choleic acid, 1886, A., 718.

cholidanic and ψ -cholidanic acids, 1886, A., 817.

isocholanic and isobilianic acids, 1886, A., 817.

– bile acids, 1887, A., 682.

crystalline form of cholcic acid, 1887, A., 683.

empirical formula of cholic acid.

1888, A., 303. Latschinoff, Paul A. See also M. Jeroféeff.

Latten, Matthius. See Theodor Zincke. Lattermann, Georg, pseudobrookite, 1889, A., 680.

Laube, Gustav Carl, occurrence of hornstone and barytes at Teplitz, 1856,

 $\Lambda_{*}, 21.$

- estimation of small quantities of sodium chloride in presence of potassium chloride, 1886, A.. 920.

decolorizing power of bone black,

1887, A., 619.

Lauber, Eduard, "red spots" in light rose dye, 1885, A., 108.Lauber, Eduard, and Haussmann, thio-

cyanates, 1883, A., 256.

Lauber, Eduard, and A. Steinheil, use

of soap in dyeing, 1883, A., 894.

Lauber, Eduard, and Carl Weinreb,

chromium chlorate, 1885, A., 1272. Laubmann, Heinrich, compounds of

phenylhydiazine with ketone alcohols, 1888, A., 366.

1:5-diphenylpyrazoline, 1888, A., 726.

Laubmann, Meinrich. See also Ludwig Knorr.

Lauch, Richard, preparation of additive products of hypochlorous acid, 1885, A., 1194.

Lauch, Richard. See also Alfred Ein-

Lauder, Alexander. See James Johnstone Dobbie.

Lauenstein, Carl, viscosity of aqueous salt solutions, 1892, A., 1044.

Lauer, William Eggleston, derivatives of propylamine, 1890, A., 1089.

Lauer, William Eggleston. Siegmund Gabriel.

Laugier, Prosper, action of selenious acid on manganese dioxide, 1887, A., 775. Laujorrois, P. J., potassium dichromate

as an antiseptic, 1885, A., 704. Laun, Wilhelm, aromatic alkines, 1884,

A., 1011.

- piperpropylalkine, 1884, A., 1054. Laurent, Emile, the bacillus of panary fermentation, 1887, A., 70.

- formation of glycogen in beer yeast,

1888, A., 981.

- formation of starch by plants from organic solutions, 1888, A., 1126.

value of nitrates and ammonium salts as foods for ferments and other plants, 1891, A., 1135.

Laurent, Emile. See also Th. Schloes-

ing, junior.

Laurie, Arthur Pillans, measurement of the electromotive forces produced by the combination of cadmium and iodine in presence of water, 1886, T., 700; P., 227.

Lattermann Goorg, the Lautenthal Laurie, Arthur Pillons, electromotive brine spring, 1891, A., 652. forces developed during the combinforces developed during the combination of zine and iodine in presence

of water, 1886, A., 751.

— constitution of copper-zinc and copper-tin alloys, 1887, P., 117; discussion, P., 118; 1888, T., 104.

— electromotive force of a constant cell with moving plates, 1887, A., 314.

— electromotive force of a voltaic cell

having an aluminium plate as eler-

trode, 1887, A., 315.

— alloys of lead, tin, zinc, and cadmium, 1889, T., 677; P., 147.

Laurie, Arthur Pillans. See also Thomas Edward Thorpe.

Lauth, Charles, Boulier's pyrometer, 1884, A., 543.

- manufacture of Sèvres blue, 1884, A., 644.

- moulding of porcelain, 1885, A., 307. - colour reactions of aromatic amines, 1891, A., 433.

derivatives of dimethylaniline,

1891, A., 457. - oxidation of azo-compounds, 1892,

preparation of \$-alizarinamide.

1892, A., 864. diamidosulphobenzide and its derivatives, 1892, A., 1093.

m-diamidotetramethylbenzidine, 1892, A., 1222.

Lauth, Charles, and Gabriel Dutailly, so-called crackle china, 1889, A., 18.

- porcelain glazes, 1889, A., 214. La Valle, (liuseppe. See Alfonso Cossa.

Lavenir, A., martite, 1892, A., 1055. Laves, E., oxidation of phenyl trithioformate, 1890, A., 988.

chemical and physiological relations of sulphones, 1892, A., 153.

- trithio-o-formates, 1892, A., 611. · formation of trisulphones from disulphones, 1892, A., 613, 850.

Lavis. See Johnston-Lavis.

Lavrand, Hubert. See Albéric Baelde. (Sir) John Bennet, ensilage, 1885, A., 1088, 1255.

- history of a field newly laid down to permanent grass, 1889, A., 920.

Lawes, (Sir) John Bennet, and (Sir) Joseph Henry Gilbert, composition of the ash of the entire animals, and of certain separate parts of some of the animals used as human food, 1883, A., 1019.

on the composition of the ash of wheat-grain and wheat-straw grown at Rothamsted in different seasons, and by different manures, 1884, T., 305.

Lawes. (Ni) John Bennet, and (Sir) Joseph Henry Gilbert, estimations of nitrogen in the soils of experimental fields at Rothamsted, and bearing of the results on the question of the sources of nitrogen in our (10ps, 1884, A., 682.

of the Manitoba mairie soils, 1985, T.,

380: P., 35.

at Rothansted from 1864 to 1883, 1885, A., 583.

manures, 1886, A., 177.

tion, 1888, A., 745.

the fixation of free nitrogen, 1890, A., 814.

—— sources of nitrogen of our leguminous crops, 1892, A., 367.

Lawes, (Sir) John Bennet, (Sir) Joseph Henry Gilbert, and Robert Warington, contributions to the chemistry of "fairy rings," 1883, T., 208.

sulphurie acid in the rain-water collected at Rothamsted, 1881, A., 209.

subsoils at Rothamsted, 1884, A., 357. Lawson, *Thomas Atkinson*, action of diazo-compounds on β-naphthylamine, 1885, A., 802.

— αβ-diamidonaphthalenc, 1885, A., 1288.

Lawson, Thomas Atkinson, and John Norman Collie, action of heat on salts of tetramethylammonium, 1888, T., 624; P., 61.

Lawson, Thomas Atkinson. See also Arthur George Green, Theodor Zincke. Laycock, William Frederick, isophorone,

1890, A., 1235.

Laycock, William Frederick, and Felin Klingemann, an examination of the products obtained by the dry distillation of bran with lime, 1892, P., 138.

Laycock, William Frederick. See also Emil Fischer, Felix Klingemann.

Lazarus, Maurice Julius, fractional distillation in a current of steam, 1885, P., 46; discussion, P., 46; A., 716.

Lazarus, Maurice Julius. See also Adolf con Baeyer, Paul Friedländer. Lea, Arthur Sheridun, ferment from the seeds of Withania coagulans, 1884, A.,

535.
——soluble ferment from the Torula

urea, 1886, A., 641.

artificial and natural digestions, 1890, A., 536.

Lea, Arthur Sherulan, and William Lea Dickinson, action of remain (rennet) and fibrin-forment, 1890, A., 1175.

Lea, Mathew Carry, combinations of silver chloride, bromide, and iodide with coloning matters, 1885, A., 350.

---- action of light and reducing agents on silver salts: formation of photosalts, 1888, A., 1.

— combination of silver chloride with metallic chlorides, 1888, A., 109.

— allotropic forms of silver, 1890, A., 210. 334; 1891, A., 803; 1892, A., 15, 116.

--- darkened silver chloride not an ovychloride, 1890, A., 335.

— blue silver, 1892, A., 15.

Lean, Berun, and William Arthur Bone, behaviour of ethylene on explosion with less than its own volume of oxygen, 1892, T., 873; P., 144.

oxygen, 1892, T., 873; P., 144. Leather, John Walter. See Richard

Anschütz.

Lebeau, Paul, estimation of free halogens, and of iodides in presence of chlorides and bromides, 1890, A., 825.

Lebeau, Paul. See also Alexandre Lion Etard.

Lebedeff, A., reduction of cetyl iodide, 1885, A., 736.

Lebedeff, Alexander N., nutrition by fat, 1883, A., 740.

- pathological formation of fat, 1881, A., 1392.

Lebedinzeff, Arsenius, modification of Pettenkofer's method of estimating carbonic anhydride in air, 1891, A., 1290.

Le Bel, Joseph Achille, geometrical formulæ of malere and fumaric acids, 1883, A., 44.

formation of amyl alcohol in alcoholic fermentation, 1883, A., 908.

Russian petroleum, 1887, A., 225.
 mineral matter in natural petroleum, 1889, A., 226.

constitution of petroleum, 1890, A., 223.

absence of rotatory power in amine salts, 1890, A., 228.

— derivatives of ammonium chloride, 1890, A., 475.

— dissymmetry and optical activity of alkyl derivatives of ammonium chloride, 1891, A., 1002.

rotatory power of diacetyltartanic derivatives, 1892, A., 669.

Le Bel, Joseph Achille, and Mux Wassermann, reduction of hexahydric alcohols, 1885, A., 1046.

- Lebensbaum, Mar, amount of ovygen taken up in the decomposition of hamoglobin into albumin and hamatin, 1887, A., 854.
- Le Blanc, Max. isoquinoline and its derivatives, 1888, A., 1114.
- homo-o-phthalic acid, 1889, A., 256.
- studies in chemical optics with reference to the dissociation theory, 1890, A., 313.

----- amalgams, 1890, A., 1204.

- ---- electromotive force of polarisation, 1891, A., 1405.
- Le Blane, Mar, and Arthur Amos Noyes, augmented solubility, 1891, A., 388.
- Le Bon, Gustave, properties of antisepties, and of the volatile products of decay, 1884, A., 225.
- Leco, Marco T., toxicological detection of mercury chlorides, 1886, A., 743; 1891, A., 864.
- —— thiophen in aniline, 1887, A., 471.
 —— estimation of glycerol in sweet wines, 1892, A., 1263.
- wines, 1892, A., 1263. Lecco, Murco T. See also Victor Meyer. Lechartier, H., assimilability of the phosphoric acid in rocks and soils, 1884, A., 868.
- ----- analysis of soils, 1884, A., 921.
- use of potash manures in Brittany,
 1885, A., 83.
 use of cider mark as manure and
- fodder, 1885, A., 834.

 application of the densimeter to
- cider must, 1885, A., 842.
- effect of the presence of magnesia in Portland cement, 1886, A., 770.
- --- cider ash, 1887, A., 520.
- freezing of ciders, 1888, A., 188.
 incineration of vegetable matter, 1890, A., 196.
- composition and cultivation of the Jerusalem artichoke, 1892, A., 1024.
- Le Chatelier, Henry Louis, the setting of plaster of Paris, 1883, A., 712.
- —— hydraulic silica, 1883, A., 755.
 —— hardening of cements, 1883, A., 831.
- decomposition of salts by water, 1884, A., 807; 1885, A., 630.
- compounds of haloid salts with oxy-salts of the same metal, 1884, A., 1261.
- —— decomposition of cements by water, 1884, A., 1443.
- general statement of the laws of chemical equilibrium, 1885, A., 117.

 chemical reactions in the setting of hydraulic mortar, 1885, A., 306.

- Le Chatelier, *Henry Louis*, laws of solution, 1885, A., 310, 473; 1887, A., 548.
- dissociation of chlorine hydrate, 1885, A., 471.
- —— numerical laws of chemical equilibrium, 1886, A., 196; 1888, A., 548, 549, 782.
- ----- application of the numerical laws of chemical equilibrium to the dissociation of chlorine hydrate, 1886, A., 299
- —— influence of temperature on the electromotive force of thermoelectric couples, 1886, A., 587.
- dissociation of calcium carbonate, 1886, A., 760.
- principle of equivalence in phenomena of chemical equilibrium, 1886, A., 762.
- thermodynamics and chemistry, 1887, A., 431.
- constitution of clays, 1887, A., 785.
- molecular heats of gases, 1888, A., 213, 772.
- oxidation of silver, 1888, A., 651.
 constitution of hydraulic cements, 1888, A., 1030.
- dissociation of carbonic anhydride, 1889, A., 205.
- solubility of salts, 1889, A., 671.
 equilibrium between hydrogen, chlorine, and oxygen, 1890, A., 8.
- —— electrical resistance of iron and its alloys at high temperatures, 1890, A., 549
- —— expansion of silica, 1890, A., 1371. —— electrical resistance of metals, 1891,
- A., 4. molecular changes in metals as shown by their electrical conductivity,
- 1891, A., 1808.
 —— second law of thermodynamics and its application to chemical phenomena, 1892, A., 3.
- reproduction of acid rocks, 1892, A., 23.
- metallic borates, 1892, A., 404. — optical measurement of high temperatures, 1892, A., 761.
- equilibrium of chemical systems under unequal pressures, 1892, A., 937.
- Le Chatelier, Henry Louis. See also François Ernest Mallard.
- Leclere, A., cutaneous excretion of albumin by the horse, 1888, A., 1320.
 estimation of starch in folder, etc., 1890, A., 1197.

of iron, 1891, A., 1397.

Le Conte, Joseph, and William Bradley Rising, metalliferous vein tormation at Sulphur Bank, 1883, A., 1070.

Lecoq de Boisbaudran. See Boisbau-

Lecouteux, E_{\bullet} , composition of pig-dung, 1883, A., 117.

Lecrenier, Adolphc, estimation of nickel by precipitation as sulphide, 1890, A., 297.

 electrolytic estimation of antimony, 1890, A., 421.

Lecrenier, Adolphe. See also Lucien Louis de Koninck, Walthere Spring. Ledderboge, Hermann. See Oscar Georg

Jacobsen. **Ledebur**, C. H. A., estimation of oxygen and carbon in iron, 1883, A., 121.

· colorimetric estimation of man-

ganese, 1883, A., 242.
— so-called "burning" of iron and

steel, 1884, A., 935. crucible steel, 1885, A., 616.

- oxidation and reduction, 1885, A., 631.

Ledent, Murcel. See Lucien Louis de Koninck.

Lederer, Georg. See Theodor Curtius. Lederer, Leonard, β-bromopropaldehyde and β-bromopropionic acid, 1891, A., 37.

synthesis of indigo from phenylglycocine, 1891, A., 75, 311, 928.

 synthesis of pyrazolone derivatives, 1892, A., 634.

amido- and methamido-crotonanilide, 1892, A., 965.

 nomenclature of pyrazolones, 1892, A., 1004.

Lederer, Leonard, and Carl Paal, synthesis of pyrroline derivatives, 1886, A., 75.

Ledermann, Bernhard, tetrabenzylphosphonium compounds, 1888, A., 475.

Ledingham, Laurence Napier, weight voltameter for measuring electric currents, 1884, A., 654.

Ledoux, Albert R., Pipe Creek meteorite, 1891, A., 532.

Ledroit, J. M., so-called trachyte-do-lerites of the Vogelsberg, 1887, A., 904. Leduc, Anatole, new method of directly measuring absolute magnetic intensity, 1884, A., 1243.

density of oxygen and hydrogen and the composition of the air, 1890,

A., 1370.

 gravimetric composition of the air, 1891, A., 1416.

Leclere, estimation of silica in presence | Leduc. Anatole, specific gravities of oxygen, hydrogen, and mtrogen, 1891,

Δ., 1116.

– copper hydrides, 1891, A., 1422. - dilatation of phosphorus and its change of volume at the meltingpoint, 1892, A., 7.

composition of water and Gay Lussac's law of volumes, 1892, A., 1271.

- atomic weight of oxygen, 1892, A., 1388

Lee, Charles Tennant, indigo assaying, 1884, A., 1438.

Lee, Herbert C. See Edward Ralph Moritz.

Leeds, _11bcrt R., insoluble residue from the distillation of castor oil, 1883, A.,

cenanthalaniline, cenanthalxylidine, and cenanthalnaphthylamine, 1883, A., 659.

acrolem-ureide and condensed

ureides, 1883, A., 664. — cryptidine, 1883, A., 669.

conversion of carbonic oxide into carbonic anhydride by nascent oxygen, 1884, A., 15.

soan analysis, 1884, A., 223. estimation of organic matter in

water, 1884, A., 369.

titration of organic matter in potable waters by means of permanganate, 1884, A., 499.

moist phosphorus, air, and carbonie oxide, 1884, A., 660.

presence of hydrogen peroxide, and ammonium nitrite, and absence of ozone in the products of the combustion of hydrogen and hydrocarbons in air, 1884, A., 818.

- analysis of flour, 1884, A., 1080. - composition and methods of analysis of human milk, 1885, A., 282.

Leeds, Albert R., and Edgar Everhart, analysis of mustard, 1884, A., 878.

Leent, Frederik Hendrik van. Cornelis Adriaan Lobry de Bruyn (van Troastenburg), A. P. van der Kolf.

Lees, Samuel. See W. Lawrence Gadd. Lefèvre, Camille, action of alkaline arsenates on the alkaline earths, 1889, A., 826.

action of potassium and sodium arsenates on oxides of the magnesium series at high temperatures, 1890, A.,

action of potassium and sodium arsenates on metallic sesquioxides, 1890, A., 1377.

Lefèvre, Camille. See also René Thomas-Mamert.

Lefèvre, Léon. See Edouard Grimaux. Leffmann, Henry, geyser waters and

deposits, 1884, Λ ., 30. — examination of butter, 1885, Λ ., 196.

Leffmann, Henry, and William Beam, estimation of the total organic nitrogen in water by Kjeldahl's method, 1889, A., 796.

— estimation of fat in milk, 1892, A., 1532.

Lefort, Jules, arsenic in mineral waters, 1885, A., 232.

Legal, Emmo, acetone in urine, 1888, Ă., 1346.

Léger, Eugène, phenolphthalem as an indicator, 1885, A., 931.

 characteristic reaction for bismuth, 1889, A., 79.

combination of camphor with phe-

nols, 1890, A., 1427. Léger, Eugène. See See also Emile Cl. Jungfleisch.

Legler, Ludwig, a new product of the slow combustion of ether, 1883, A., 860; 1886, A., 327; 1889, A., 579.

 estimation of methaldehyde, 1883, A., 1035. estimation of glycerol in fermented

liquids, 1887, A., 1142.

Legrain. See Debraye. Legros, Emile. See Walthère Spring.

Lehmann, C. Friedrich. See Otto Wal-

Lehmann, Curt, effects of alkalis and acids on respiration, 1885, A., 279.

Lehmann. Curt (and others), pion spice," 1884, A., 473.

Lehmann, Curt. See also Nuthan

Lehmann, Franz, and J. H. Vogel, digestibility of meadow-hay, beans, barley, swedes, and rice meal, 1891, A., 595.

Lehmann, Franz. See also Theodor Pfeiffer.

Lehmann, G. W., and W. Mager, estimation of arsenic in ores, mattes, and in copper, 1886, A., 100, 920.

Lehmann, Karl Bernhard, physiological action of Liebig's extract of meat, 1886, A., 89.

 formation of adipocere, 1889, A., 433.

Lehmann, Karl Bernhard, and Rintaro Mori, poison of corn cockle seeds, 1890, A., 1458.

Lehmann, Max, nitrouracil derivatives, 1890, A., 32.

Lehmann, Otho, crystallisation, 1885, A., 215.

melting-points of substances in contact, 1885, A., 330.

spontaneous change of form of homogeneous solid substances, 1885, A., 1033.

 crystallisation of mixtures, 1858, A., 342.

- fluid crystals, 1890, A., 106.

 transfer of ions in fused and solid silver iodide, 1890, A., 317.

— electrolysis of mixed solutions,

1890, A., 317.

electrolytic crystallisation and dimorphism of lead, 1890, A., 437.

- crystalline liquids, 1891, A., 249. - artificial colouring of crystals, 1892, A., 269.

-spheres of condensation and evapor-

ation, 1892, A., 1149. Lehmann, Th., estimation of alkalis in urine, 1885, A., 609.

Lehmann, Th. See also Richard Julius Petri.

Lehmann, Victor, methods of detecting lead, silver, and mercury in the body in cases of poisoning, 1883, A., 687.

 further contributions to the distribution and elimination of lead, 1883, A., 1163.

self-fermentation of yeast, 1885, A., 1151.

chinethionic acid, 1889, A., 286. Lehne, Adolf. See Maximiliano Dennstedt.

Lehnkering, Paul. Sec Alfred Ein-

horn. Leibius, Adolph, notes on gold, 1886, A., 774.

Leicester, James J., action of quinones on o-diamines, o-nitranilines, and nitrop-toluidine, 1890, A., 1445.

Leidié, Emile, rhodium sesquichloride, 1888, A., 790.

- rhodium sesquisulphide, 1888, A., 919.

– rhodium salts, 1888, A., 1256. rhodium nitrites, 1890, A., 1382.

 double salts of nitrites of rhodium, 1891, A., 808.

Leidié, Emile. See also Alexandre Joly.

Leighton, George W., crystalline scale formed in the manufacture of sodium hydrogen carbonate, 1887, A., 108.

mica from Leon Co., Texas, 1887, A., 119.

Leipen, Robert, compounds of ethylidenelactic acid, 1888, A., 580. – caffeïne, 1889, A., 1017.

Leitgeb, *Hubert*, crystalline deposits in dahlia tubers, 1887, A., 1136.

asparagine and tyrosine in dahlia

bulbs, 1889, A., 433.

Leiveh, Th., tetrahedrite from the Alaska vein, Colorado, 1886, A., 21. crystallographic investigations,

1886, A., 543.

- 2:6-dimethylpyridine platinochloride, 1887, A., 378.

- conyrine platinochloride, 1887, Λ .,

Lellmann, Eugen, phenylenethiocarb-amides, 1883, A., 185.

the three isomeric phonylenediamines, 1883, A., 324.

-derivatives of diphenyl, 1883, A., 343. a case of physical isomerism, 1883, A., 343.

- cyanic acid derivatives of the three isomeric phenylenediamines, 1883, A.,

nitro- and amido-derivatives of benzenesulphoneanilide and benzenesulphone-p-toluidide, 1883, A., 800.

difference in chemical behaviour of aromatic diamines, 1884, A., 49. derivatives of naphthalene, 1884,

A., 751.

Wachendorff's chloronitrotoluene, 1884, A., 1133.

 theory of benzene, 1885, A., 251. constitution of dinitro-p-xylenes,

1885, A., 973.

 general method for determining the constitution of aromatic diamines, 1885, A., 976; 1886, A., 625.

- new tolylenediamine, 1885, A.,

- preparation of β -nitronaphthalene, 1887, A., 590.

- phenylpiperidine, 1887, A., 604. existence of two series of 4-(ana) derivatives of quinoline, 1887, A., 973.

 piperylene nitrogen chloride, 1888, A., 970.

coniceïnes, 1889, A., 901; 1890, A., 1328.

polymerisation of compounds containing doubly-bound carbon atoms, 1889, A., 903.

estimation of the coefficients of affinity of organic bases and acids, 1889, A., 1104.

reduction of acetyl-o-nitrobenzylp-toluidine and of benzoyl-o-nitrobenzylaniline, 1891, A., 726.

m-chloro-p-acetotoluidide, 1892, A., 450.

- affinity coefficients of acids, 1892, A., 1269.

Lellmann, Eugen, and Hermann Alt. quinoline, 1887, A., 502.

Lellmann, Eugen, and Bernhard Arnold, intramolecular formation of an azo-group, 1892, A., 316.

- substance containing a ring of eighteen members, 1892, A., 890.

Lellmann, Eugen, and Emil Benz, compounds prepared from methylphenylchloroformamide and diphenylchloroformamide, 1891, A., 1214.

Lellmann, Eugen, and Otto Bonhöffer, introduction of carboxyl into aromatic derivatives by the action of diphenylcarbamide chloride, 1887, A., 254, 935.

Lellmann, Eugen, and Harald Boye, colouring matter from tetrahydro-

quinoline, 1890, A., 1005.

-intramolecular transformation between a diazo-salt and a phenolresidue, 1890, A., 1116.

Lellmann, Eugen, and Max Büttner, piperidine bases, 1890, A., 1002.

- β-methylpiperidine bases, 1890, A., 1003.

Lelimann, Eugen, and Albert Donner, phen-a-phenyl-p-azoxime, 1890, A.,

constitution of the quinoxalines obtained from tolylenediamine and bromacetophenone, 1890, A., 524.

Lellmann, Eugen, and Werner Geller. piperidine, 1888, A., 970.

- tertiary phenylpiperidine, 1888, A., 1107.

- derivatives of tertiary phenylpiperidine, 1888, A., 1107.

- formation of colouring matters from p-amidophenylpiperidine, 1888, A., 1108.

Lellmann, Eugen, and Hermann Gross, affinity coefficients of bases, 1891, A., 638, 1149.

Lellmann, Eugen, and Rudolf Grothmann, derivatives of salicylic acid, 1885, A., 265.

Lellmann, Eugen, and Richard Just, derivatives of piperidine, 1891, A., 1244.

- behaviour of piperidine bases towards aromatic halogen compounds, 1891, A., 1245.

Lellmann, Eugen, and Karl Klotz, dichlorotoluenes and dichlorobenzoic acids, 1886, A., 452.

Lellmann, Eugen, and Gerhard Lange, quinoline, 1887, A., 737; 1888 A.,

Lellmann, Eugen, and Walter Lippert, formation of bases of the quinoline series, 1891, A., 1509.

Lellmann, Eugen, and Fritz Mack, dinitrodimethylamidodiphenylamine. 1890, A., 1410.

LEL]

- Lellmann, Eugen, and Withelm Otto Müller, y-conceine, conyrine, and inactive coniine, 1890, A., 802.
- Lellmann, Eugen, and Hans Pekrun, benzyl-derivatives of piperidine, tetrahydroquinoline, and pyridine, 1891, A., 88.
- Lellmann, Eugen, and Albert Remy, βnitronaphthalene, 1886, A., 471.
- naphthalene derivatives, 1886, A., 623.
- Sandmeyer's reaction, 1886, A., 625.
- Lellmann, Eugen, and Hermann Reusch, ψ -quinoline-ana-nitrile, 1888, Λ ., 499. quinoline and tetrahydro-
- quinoline, 1889, A., 905.
 Lellmann, Eugen, and Carl Schleich,
- nitrobenzyl-derivatives of ethylmalonate, 1887, A., 490.
- formation of colouring matters from p-diamidodiphenylpiperazine, 1889, A., 904.
- Lellmann, Eugen, and Johannes Schliemann, affinity coefficients of acids, 1892, A., <u>1</u>269.
- Lellmann, Eugen, and Otto Schmidt, ring formation with elimination of hydrogen bromide or nitrous acid, 1888, A., 289.
- Lellmann, Eugen, and Richard Schwaderer, piperideine and dipiperideme, 1889, A., 901.
- Lellmann, Eugen, and Carl Stickel, benzylene derivatives, 1886, A., 793.
 Lellmann, Eugen, and Emil Würthner,
- matic and fatty diamines, 1885, A., 977. Lellmann, Eugen, and Hans Ziemssen, derivatives of 1-methylquinoline and
- 3-methylquinoline, 1891, A., 1257.
- Lemberg, Johann, formation and alteration of silicates, 1885, A., 1187; 1890, A., 113.
- Lemme, George, separation of bismuth from lead, 1890, A., 421.
- Lemoine, Georges, chemical action of light: decomposition of oxalic acid by ferric chloride, 1884, A., 381.
- sulphur salts derived from phosphorus trisulphide, 1884, A., 555.
- hydrocarbons from American petroleum and their derivatives, 1884, A.,
- influence of heat on the decomposition of oxalic acid by ferric chloride, 1887, A., 324.

- Lemoine, Georges, chemical effect of light: measurement of physical absorption, 1891, A., 965.
- dissociation of amylene hydrobromide under low pressures, 1891, A., 970.
- Lenard, Philipp, and Max Wolf, luminescence of pyrogallol, 1888, A., 1000.
- Philipp. Lenard, See also Virgil Klatt.
- Lendrich, Karl, constituents of Meny-anthes trifoliata and of Erythracu Centaurium, 1892, A., 1262.
- Lengfeld, Feli.r, relative stability of the
- alkyl bromides, 1889, A., 476. Lengfeld, Felix. See also Eugen Bamberger.
- Lenk, Hans, eruptive rocks of the Rhone, 1890, A., 115.
- Lenné, A., use of peat as litter, 1883, Δ., 238.
- Le Nobel, C., testing for acetone in acetonuria, 1885, A., 449.
- a new terpene, 1885, A., 668.
- action of reducing agents hematin: presence of products of reduction in pathological urine, 1887, A., 1127.
- Lenz, Leop., estimation of nitrogen by Kjeldahl's method, 1888, A., 193.
- horse fat, 1889, A., 1076. Lenz, Wilhelm, examination of bismuth subnitrate, 1883, A., 382.
- purification of hydrogen sulphide, 1884, A., 215, 776.
- assay of commercial potassium iodide, 1884, A., 366.
- titrations with potassium perman-ganate solution, 1885, A., 598.
- pepper powder, 1885, A., 701. - colour reactions of alkaloids, 1886,
- A., 581. - testing indigo dyes on fabrics, 1887, A., 1147.
- recent processes for testing quinine, 1889, A., 86.
- discrimination of jute fibres from those of flax and hemp, 1890, A.,
- Lenze, Friedrich. See Martin Freund. Leo, Hans, formation and migration of fat in phosphorus poisoning, 1885, A.,
- fate of pepsin and trypsin, 1886, A., 381.
- trypsin in urine, 1887, A., 69. reducing substance in diabetic
- urine, 1887, A., 513. Leo, Hans. See also Carl Friedheim.
- Leon, John Temple. See Churles Romley Alder Wright.

Leonard, Norman, blue flame produced Lépine, Itaphuel, action of acetonaph-by sodium chloride in a coal fire, 1889, thalide and dihydroxynaphthalene A., 336.

Leonardi, Aristide. See Girolamo Mazzara.

Teodoro, amides of α - and β naphthoic acids, 1884, A., 1362. micro-organisms in potable water,

1886, A., 286.

- changes induced in water by the development of bacteria, 1887, A.,

detection of cotton-seed oil in fats and in olive oil, 1890, A., 930.

 reduction of nitrates by microorganisms, 1890, A., 1453.

- nitrification and denitrification in soils, 1891, A., 101.

reducing power of micro-organisms,

1891, A., ĬÕ2.

Leone, Teodoro, and Intonio Denaro, detection of blood stains, 1890, A.,

Leone, Teodoro, and Antonio Longi, properties of olive, sesame, and cotton oils, 1887, A., 536.

Leone, Teodoro, and Oreste Magnanimi, nitrification of organic nitrogen, 1892, A., 367.

Leone, Teodoro, and Vincenzo Oliveri, β -

dipyridyl, 1886, A., 78.

Leonhard, Alexander V., occurrence of millerite in St. Louis, 1886, A., 125.

Leoni, Hugo. See Rudolph Fittig. Lepetit, physiological action of zinc sulphate, 1886, A., 641.

Lepetit, Robert Albert Emile, reaction of nitrobenzaldehydes with ethyl acetoacetate and ammonia, 1887, A.,

pyridine derivatives from m-nitrobenzaldehyde, 1887, A., 1053.

- action of nitrogen iodide on some organic substances, 1890, A., 1402. Lepetit, Robert Albert Emile. See also

Alfred Biedermann.

Lepéz, Carl, and Ludwig Storch, behaviour of m-stannic acid to bismuth and iron oxides, 1889, A., 1052. Lepéz, Carl. See also Carl Zulkowski.

Lepierre, Charles, a property of sulphur, 1891, A., 1417.

- water analysis, 1891, A., 1554. Lepierre, Charles, and Marcel Lachand, thallium compounds, 1891, 1422.

- nickel and cobalt, 1892, A., 1282.

Lepierre, Charles. See also Marcel Lachaud.

on blood, 1888, A., 184.

- presence in chyle of a ferment which destroys sugar, 1890, A., 810.

formation of sugar from peptones

in blood, 1892, A., 1502.
Lépine, Raphael, and Pierre Aubert, relative toxic effect of the organic and saline constituents of urine, 1885, A., 1085.

Lépine, Raphael, and Etienne Barral, destruction of glucose by blood and

chyle, 1890, A., 1172. - destruction of sugar in blood,

1891, A., 596.

— isolation of the glycolytic ferment of the blood, 1891, A., 755. -hæmatic glycolysis: estimation

of glycogen in the blood, 1892, A.,

glycolytic power of blood and artificial production of diabetes, 1892, A., 364.

- variations of the glycolytic and saccharific power of blood in diseases, 1892, A., 517.

Lépine, Raphael, and Gabriel Guérin. partially oxidised sulphur in urine, 1884, A., 347.

Lépine, Raphael, and Eugène Porteret, secretion of urine when pressure is exerted on the urinary canals, 1888, A., 1321.

Lépine, Raphael (and others), proportion of incompletely oxidised phosphorus contained in the urine, 1881, A., 913.

Lépine, Raphael. See also Paul Cazeneuve.

Leplay, Hippolyte, chemistry of white Silesian beetroot, 1883, A., 235, 368.

- chemistry of the maize plant, 1883, A., 366, 747.

vegetation of the sugar-beet in the second year, 1885, A., 293.

selective fermentation of invert

sugar, 1885, A., 1152.

— absorption of potash and lime by the beetroot, 1886, A., 830.

— formation of organic acids, nitro-genous compounds, and potassium nitrate in beetroot, 1888, A., 868. — behaviour of the hydroxides of

calcium and the alkalis with sugars, 1890, A., 579.

Leprince, cascarine, 1892, A., 1483. Lepsius, Bernhard, dissolved oxygen in

deep well waters, 1885, A., 1266.

— percentage of water in different wood papers, 1886, A., 112.

Lepsius. Bernhard, lecture experiment | Lescœur. Henri, hydrates of sodium for demonstrating the valency of metals, 1888, A., 410.

- water from the Tonnissteiner medicinal spring, 1888. A., 435.

action of the electric are on gaseous substances, and its use for demonstrations, 1890, A., 1047.

 lecture experiment for the demonstration of valency, 1890, A., 1050.

Lerch, Joseph Zd., chelidonic acid, 1885, A., 45.

 red dye from chloral hydrate, 1887, A., 793.

– o-nitrosulphanilic acid, 1889. A.,

Lerch, Otto, magnesium bromide and iodide, 1884, A., 262.

Lerch, Zdenko. See Rudolf Nietzki. Le Roux, François Pierre, inversion of the E. M. F. of a copper-iron junction

at a high temperature, 1885, A., 110. Leroy, G. A., preparation of alkaline nitrites, 1889, A., 825.

detection of free chlorine in hydrochloric acid, 1890, A., 547.

- volumetric estimation of sulphur

dichloride, 1891, A., 617.
— separation of iron from cobalt and nickel, 1891, A., 1139.

Leroy, Jules Albert, bromobenzenes, 1888, A., 258.

action of phosphoric chloride on methyl naphthyl ketones, 1892, A., 495.

Le Royer, Alexandre, B-dichlorophthalic acid, 1887, A., 831.

Lesage, Pierre, influence of salt on the formation of starch in vegetable organs containing chlorophyll, 1891, A., 856.

-influence of salt on the quantity of starch contained in the vegetating organs of Lepidium satirum, 1891, A., 1133.

 quantity of starch in the tubercles of the radish, 1892, A., 92.

- sodium chloride in plants, 1892. A., 651.

Lescour. Henri, hydrates of baryta, 1883, A., 1052.

dissociation of hydrated cupric sulphate, 1886, A., 842.

 velocity of dissociation, 1887, A., 100.

relation between the efflorescence and deliquescence of salts and the maximum vapour tensions of their saturated solutions, 1887, A., 208.

 vapour tension of sodium acetate, 1887, A., 322.

arsenate, 1857, A., 698.

- hydrates of barium chloride, 1557, A., 766.

dissociation of hydrated oxalic acid, 1887, A., 915.

- dissociation of saline hydrates and analogous compounds, 1889, A., 815. – iodic acid, 1890, A., 106.

--- compounds which have a tension of dissociation equal to the vapour pressure of their saturated solutions, 1890, A., 553.

Lescour, Henri, and Désiré Mathurin, water of crystallisation of the alums, 1889, A., 7.

Leser, 'feorges, o-xylene derivatives. 1884, A., 1313.

Lesnik, M., and Marcellus Nencki, behaviour of a- and B-naphthols in the system, 1886, A., 822.

Lespiean, Robert, nitration of propylbenzene, 1890, A., 962.

- Raoult's ebullioscope, 1891, A., 9. dibromopropylene, 1892, A., 420.

— picene, 1892, A., 623.

Lessen, Abraham Herman van, nitrites of potassium, lead, and copper, 1891, A., 1157.

Lesseps, Ferdinand Marie (Vicomic) dc. water from artesian well in the Tunisian Chotts, and from the spring at Oued Ref, 1887, A., 455.

Lesser, E., separation and estimation of arsenic, antimony, and tin, 1888, A., 754.

Letellier, Augustin, colouring matter of Purpura lapillus, 1889, A., 1207; 1890, A., 1452.

Leteur, F., stanuibromides, 1892, A., 121.

Leteur, F. See also G. Geisenheimer. Edmund Albert, and Robert Frederick Blake, identity of Hofmann's dibenzylphosphine with tribenzylphosphine oxide, 1890, A., 492.

benzylphosphines and their derivatives, 1890, A., 766.

Letts, Edmund Albert, and John Norman Collie, salts of tetrethylphosphonium and their decomposition by heat, 1886, P., 164.

- new method of preparing tin tetrethide, 1886, P., 166.

Leube, Wilhelm Olivier, alteration of cane sugar in the human stomach, 1884, A., 91.

- new pathological colouring matter in urine, 1888, A., 179. - glycogen in diabetic urine, 1889,

17 257

A., 65, 293.

Leuchs, Karl. See Robert Behrend. Leuckart, Rwinf, neactions of aromatic cyanates, 1885, A., 773.

s- and us-dimethylsuccinic acids, 1885, A., 1200.

 tribenzylamine, 1885, A., 1215. nι-nitro-μ-

- o-nitrotolylglycine: toluonitrile, 1886, A., 351. - carveol, borneol, and menthol, 1887,

A., 376. - aromatic mercaptans, 1890, A., 306.

— syntheses by means of phenyl cyan-

ate, 1890, A., 759.

action of ammonium formate on ketones, 1890, A., 783.

Leuckart, Rudolf, and Eugen Bach, action of ammonium formate on benzaldehyde and benzophenone, 1886, A., 1023.

bornylamine, 1887, A., 376. Leuckart, Rudolf, and Adolf Hermann, nitrotolylglycine and oxydihydrotoluquinoxaline, 1887, A., 383.

Leuckart, Rudolf, and Wilhelm Holtzapfel, azobenzeneacetoacetamide, 1889, A., 864.

Leuckart, Rudolf, and Hermann Janssen, action of ammonium formate on deoxybenzoin, 1889, A., 883.

Leuckart, Rudolf, and Hermann Lampe, dibornylamine, 1889, A., 1003.

Leuckart, Rauloff, and Moritz Schmidt, action of phenyl cyanate on phenols, 1885, A., 1224.

Levallois, Albert, action of cuprammonium solutions of cellulose on polarised light, 1884, A., 577, 833.

- polarimetric investigation of various forms of cellulose, 1884, A., 1288. - estimation of fragrant essential

oils, 1885, A., 301.

 optical activity of cellulose, 1885, A., 369.

· rotatory power of solutions of cellulose in Schweizer's solution, 1885, A., 500.

- characteristics of olive oil, 1887, A., 535.

- effect of chemical manures on the composition of soja, 1888, A., 870.

Levat, alcohol from melon juice, 1884, A., 233.

Lévay, Eduard, relation between electrical and chemical energy in galvanic

cells, 1891, A., 513.
Levi, Louis E., benzylhydroxyanthranol, 1885, A., 1240.

 isomeric thiotolenic acids, 1886, A., 539.

- diphenylthienylmethane, 1886, A., 787.

Levi, Louis E.. thiophen-green, 1887, Δ., 481.

— biophen, 1891, А., 551.

Levin. See Lew.

Levinstein, Iwan, B-naphtholtrisulphonic acid, 1883, A., 737.

- English and Scotch coal-tar xylenes, 1884, A., 898.

- preparation of nitro-derivatives of aromatic amines, 1885, A., 1127.

Levoir, L. C., setting of cement, 1886,

apparatus for the electrolytic estimation of metals, 1889, A., 548.

Lévy, Albert, composition of rain water, 1889, A., 299.

- ammonia in rain water, 1892, A.,

Levy, H. See Max Jaffé.

Lévy, Lucien, colour reactions of titanic. niobic, tantalic, and stannic anhydrides, 1887, A., 304.

colour reactions of arsenic, arsenious, vanadic, and molybdic anhydrides, and of antimony and bismuth oxides, 1887, A., 305.

estimation of titanic acid, 1887, A., 1064.

- zine titanates, 1888, A., 27, 1254. - estimation of titanic oxide, 1888, A., 196.

alloy of titanium, silicon, and aluminium, 1888, A., 423.

 titanium peroxide, 1889, Λ., 572. - action of titanium chloride on metals, 1890, A., 1066.

Levy, Liulicia, muscle pigments, 1889, A., 633.

Levy, Mar, the so-called liver of Helir pomatia, 1891, A., 235.

Levy, Siegmund, chlorine and bromine derivatives of quinone, 1883, A., 1117.

constitution of chloranilic acid, 1885, A., 1210.

- oxidation of coparba balsam, 1886, A., 250.

- action of ammonia and ethylenediamine on tetrachlorodiacetyl, 1890, A., 475.

Levy, Siegmund, and Americo Andreocci, action of phosphorus pentachloride on ethyl succinosuccinate, 1888, A., 840.

dichloroterephthalic acid and dichlorodihydroterephthalic acid, 1888, A., 1091.

Levy, Siegmund, and Alfred Curched, s-tetrachloracetone, 1889, A., 1136. - action of phosphorus penta-

chloride on ethyl succinosuccinate, 1889, A., 1179.

- Levy, Siegmund, and Paul Engländer. dimethylsuccinic acid, an oxidation product of coparba balsam, 1886, A.,
- oxidation of coparba balsam, 1888, A., 133.
- Levy, Siegmund, and Carl Jedlicka, action of bromine on bromanilic and chloranilic acids, 1887, A., 1106.

tetrachlorinated diacetyl. 1888, A., 443.

- products of decomposition of chlor-, brom-, and nitr-anilic acids, 1889, A., 390.

Levy, Siegmund, and Friedrich Carl Witte, action of phenylhydrazine on tetrachloracetone, 1889, A., 1160.

Levy, Siegmund, Friedrich Carl Witte, and Alfred Curchod, derivatives of tetrachlordiacetyl and tetrachloracetone, 1890, A., 232.

Levy, Siegmund. See also Rudolph Fittig. Lew, Ignuz, and Paul Riehm, tetramethylquinoline, 1886, A., 721.

Lewaschew, Scryius W., formation of trypsin, 1886, A., 381.

Lewes, Viviun Byam, the luminosity of coal-gas flames, 1892, T., 322; P., 2; discussion, P., 6.

the origin of acctylene in flames, 1892, P., 47.

- analysis of the products of incomplete combustion, 1892, A., 407.

Lewes, Vivian Byam. See also Richard Cowper.

Lewin, Louis, behaviour of "Folia uvæ ursi" and arbutin in the animal organism, 1884, A., 915.

Lewis, David Swanson. See Francis

Humphreys Storer.

Lewis, Henry Curvill, substance resembling dopplerite from a peat-bog near Scranton, 1883, A., 427.

- American locality for helvine, 1885,

A., 227.

Lewis, William J., crystal of stephanite from Wheal Newton, 1884, A., 405. crystalline form of miargyrite,

1885, A., 1116. Lewith, S., action of salts on the pro-

teids of serum, 1889, A., 424. Lewkowitsch, Julius, separation of in-active mandelic acid into two optically

active isomerides, 1883, A., 1124. I-mandelic acid, 1883, A., 1124.

- optically active glyceric and lactic acids, 1884, A., 296.

— conversion of active mandelic acid

into inactive, 1884, A., 318. optical rotatory power of leucine,

1884, A., 1115.

Lewkowitsch. Julius, notatory power of benzene derivatives, 1888, T., 781; P., 87.

 improved Soxhlet extractor and apparatus for distilling in a vacuum, 1889, T., 359; P., 90.

 preparation of glyceric acid, 1889, P., 14.

Sawarri fat, 1889, P., 69.

- estimation of glycerol in crude glycerol, 1889, A., 748; 1890, A., 300.

- Benedikt's acetyl values, 1890, P., 72, 91.

 analysis of fats, 1891, A., 509. - estimation of cholesterol, 1892, A., 544.

Lewy, Lco, separation of aniline, ptoluidine, and o-toluidine, 1881, A., 16. --- toluidines, 1886, A., 872.

- aniline and its homologues, 1887, A., 131.

Lewy, Mar, action of acid amides on bromacetophenone, 1888, A., 55.

- bases from bromacetophenone and acetamide, 1888, A., 593.

-oxazoles and their derivatives. 1888, A., 1101.

Lextreit, Marius Auguste, strychnine sulphate, 1883, A., 223.

action of picric acid on terebenthene, 1886, A., 71.

- borneol or camphor from picrate of turpentine. 1886, A., 557.

Leybold, W., burette jet, 1887, A., 688.

- estimation of hydrogen cyanide in coal gas, 1891, A., 367.

Leydhecker, Aug., cultivation of winter flax, 1884, A., 921.

Leydhecker, Aug. (and others), potato-culture, 1883, A., 114.

Leymann, Hermann, action of \$\beta\$-chlorethylenesulphonic chloride on aniline,

1885, A., 786. Leymann, Hermann. See also Wilhelm

Lezé, R., analysis of some cider apples, 1884, A., 203.

 living motors and the theory of heat, 1890, A., 807.

- estimation of fat in milk, 1890, A., 837.

- detection of margarine in butter, 1891, A., 1300.

Lezé, R., and Allard, estimation of fat in the products from milk, 1892, A.,

L'Hôte, Louis Désiré, purification of arseniferous zinc, 1881, A., 962; 1885, A., 307.

L'Hôte, Louis Désiré. some properties of zinc, 1886, A., 201.

preparation of vanadyl chloride, 1886, A., 204.

detection and estimation of aluminium in wine and in grapes, 1887, A., 690.

estimation of nitrogen by Kjeldahl's method, 1889, A., 438.

estimation of organic nitrogen, 1889, A., 746.

- mineral water of Penon de los Banos, Mexico, 1891, A., 279.

the nitrogenous substance of arable

soil, 1891, A., 492. L'Hôte, Louis Désiré. See also Emile

Gatellier, Adam Charles Girard.
Liaskowski, N., analyses of beetroot seed, 1891, A., 764.
Liborius, Paul, bacterial life in relation

to oxygen, 1887, A., 291. Licht, Otto. See Rudolph Bergreen. Lidoff, Alexander P., analysis of petro-

leum-coke, 1883, A., 408.
— solubility of fibroin, 1885, A., 406.

 formation of hydroxylamine, 1885, A., 722.

· method for determining active chlorine in bleaching powder, 1886, A., 487.

 estimation of tannic acid in Caucasian wild sumach, 1889, A., 541.

Lidoff, Alexander P., and Wladimir A. Tichomiroff, action of the galvanic current on chlorates, 1883, A., 149; 1884, A., 542.

Lieben, Adolf, dry distillation of silver salts of organic acids, 1892, A., 811.

– errors arising in chemical operations owing to the use of gas-flames, 1892, A., 1374.

preparation of crotonaldehyde, 1592, A., 1424.

Lieben, Adolf, and Ludwig Haitinger, chelidonic acid, 1883, A., 870.

- nitrogenous derivatives of chelidonic acid, 1881, A., 1196.

Lieben, Adolf, and Simon Zeisel, condensation products of aldehydes and their derivatives, 1883, A., 570, 963.
— tiglic aldehyde and its deri-

vatives, 1886, A., 783. Lieben, Adolf. See also Ludwig Haitinger.

Liebenberg, Adolf (Ritter) con, part played by lime in the germination of

seeds, 1883, A., 490.
—influence of intermittent heat on the germination of seeds, 1885, A.,

manuring barley, 1888, A., 189.

Liebenberg, 100f (Rutter) ron, manur-

ing oats, 1888, A., 189.

— manuring of winter wheat and winter rye, 1888, A., 189.

Lieber, Kuri, application of aluminium

palmitate, 1883, A., 405. Liebermann, Carl Theodor, action of concentrated sulphuric acid on dinitroanthraquinone, 1883, A., 597.

decomposition of rosaniline by

water, 1883, A., 1097. constitution of azonaphthol dyes,

1884, A., 609. a-nitroanthraquinonesulphonic

acid, 1884, A., 1040. - the quinovin group, 1881, A., 1191.

- sylvic and pimaric acids, 1884, A., 1364.

derivatives of quercetin, 1884, A., 1365.

behaviour of a-naphthaquinone and benzoquinone towards sulphuric acid, 1885, A., 802.

- the wax and fat of cochineal, 1885, A., 1045.

 oxyquinoterpene, 1885, A., 1075. - cochineal and carmine, 1885, A.,

1076. constitution of alkyl hydroxy-

anthranols, 1885, A., 1240.

 quercetin and rhamnetin, 1886, A., coccerin from living cochineal,

1586, A., 441. azo-opianic acid and a new indigoderivative, 1886, A., 468.

- behaviour of opianic and nitroopianic acids towards phenylhydrazine, 1886, A., 550.

- derivatives of opianic acid, 1887,

constitution of azo-opianic acid, 1887, A., 257.

- isomeride of hemipinimide, 1887, A., 258.

thiophen reaction with nitroussulphuric acid, 1888, A., 325.

leuco-compounds from anthraquinone dyes, 1888, A., 492, 717.

therapeutic substitutes for chrysarobin, 1888, A., 518. - methyloxyanthranol, 1888, A., 715.

new apparatus, 1888, A., 1155.

- spectia of the alkoxyanthraquinones, 1888, A., 1203.

a new dihydroxyanthraquinone (hystazarin), 1888, A., 1203.

- isatropylcocaine, 1888, A., 1210. - cinnamylcocame, 1889, A., 283.

- cocaines, 1889, A., 419.

– coca bases, 1889, A., 732.

- Liebermann, Carl Theader, hygnine, Liebermann, Carl Theader, and 1889, A., 732. Hagen, action of concentrated
- --- isometic truxillic acids, 189, A., 1194; 1890, A., 1424.
- —— occurrence of isocinnamic acid in the alkaloids of cocaine, 1890, A., 194.
- ---- isocinnamic acid, 1890, A., 620.
- --- isocinnamic and allocinnamic acids, 1890, A., 1417; 1891, A., 832.
- theory of the truxillic acids, 1890, A., 1424.
- --- oxidation of ecgonine, 1990, A., 1449.
- tropic acid and oxidation products of d- and l-eegonine and of tropine, 1891, A., 749.
- --- ullocinnamic acid, 1891. A., 832.
- Java coca leaves, 1891, A., 1265.
- ---- ψ-tropine, 1891, A., 1520.
- --- heat evolved in the isometic change of the ovime of opianic anhydride, 1892, A., 459.
- —— stereoisomeric and polymeric einnamic acids, 1892, A., 469. Liebermann, Carl Theodor, and Otto
- Liebermann, Carl Theodor, and Otto Bergami, cocceryl alcohol and coccerylic acid, 1887, A., 650.

- tives, 1890, A., 514.

 Liebermann, Carl Theodor, and Fritz

 Damerow, silver phenylacetylide,
 1892, A., 831.
- Liebermann, Carl Theodor, and Mar Dickhuth, acetylhydrindigotin and acetylindigo, 1892, A., 480.
- Liebermann, Carl Theodor, and William L. Drory, δ- and γ-isatropyleocaine, 1889. A., 733.
- Liebermann, Carl Theodor, and Fritz Giesel. commercial preparation and partial synthesis of cocame, 1889, A., 168.
- bye-products from the synthesis of cocaine, 1890. A., 647, 803. Liebermann, Carl Theodor, and Adolf Gimbel, preparation of anthranol and
- dianthryl, 1887, A., 965. Liebermann, Carl Theodor, and G. Glock, anthraquinonecarboxylic acid, 1884, A., 1188.
- Liebermann, Carl Theodor, and Fritz
 Haber, bisdioxymethyleneindigo, 1890,
 A., 1140.

- Liebermann, Carl Theodon, and A. Hagen, action of concentrated sulphuric acid on dinitioanthraquinone, 1883, A., 72.
- ——— derivatives of anthrol salts, . 1883, A., 73.
- and tri-allylamine, 1883, A., 1086.
- Liebermann, Carl Theodor, and Albert Hartmann, condensation of allocinnanic acid with phenols, 1891, A., 1184.
- with hydrocarbons, 1892, A., 1228.
- Liebermann, Curl Theodor, and Michael von Hinski, polythymoquinone, 1886, A., 239.
- Liebermann, Carl Theodor, and Gustav Jellinek, ethylated hydroxyanthraquinones, 1888, A., 715.
- Kleeman, Carl Theodor, and Samuel Kleeman, methylpropylacetic acid, 1884, A., 1120.
- A., 47.
- Liebermann, 'arl Theodor, and Stantslaus ron Kostanecki, p-azociesol, 1884, A., 736.

- Liebermann, Carl Theodor, and Otto Kühling, oxidation of hygrine, 1891,
- Liebermann, Carl Theodor, and Ludwig Limpach, ψ-tropine and some ψ-tropeines, 1892. A., 891.
- Liebermann, Carl Theodor, and Carl Paal, allylamine derivatives, 1883, A., 908.
- Liebermann, Carl Theodor, and Melchior Römer, alkannin, 1887, A., 1051.
- Römer, alkannin, 1887, A., 1051. Liebermann, Carl Theodor, and Hermann Sachse, diiodocinnanic acid, 1891, A., 1483; 1892, A., 470.
- Liebermann, Carl Theodor, and Carl Bernhard Wilhelm Scheibler, reduction of saccharin, 1883, A., 1078.
- Liebermann, Carl Theodor, and Wilhelm Scholz, formation of allocinnamic acid from phenylpropiolic acid, 1892, A.,848.

Liebermann, Carl Theodor, and Paul Seidler, opiamm, 1887. A., 580.

Theodor, and Liebermann, Cuil Allphons Seyewitz, purity of benzeue, 1891, A., 684.

Liebermann, Carl Theodor, and Leopold Spiegel, chrysene hydrides, 1889. A., 405.

perhydrides of the higher aromatic hydrocarbons, 1889, A., 719. Liebermann, Curl Theodor, and Wil-

helm Wense, hydroxyanthraquinone dyes, 1887, A., 593.

Liebermann, Carl Theodor, and Otto Nikolaus Witt, azines of chrysoquinone, 1887, A., 1049.

Liebermann, Carl Theodor, William L.
Drory, and Otto Bergami. γ- and δisatropic acids, 1889. A., 395.

Liebermann, Leo, detection of sulphur-

ous acid in wine. 1883, A., 384.

volumetric method for the estimation of fat in milk. 1884, A.. 372.

- estimation of milk fat. 1885, A., 695. - detection of albumin in urine. 1887, A., 1150.

— animal dextran, 1888, A., 177.

- nuclein from yeast: artificial preparation of nuclein from albumin and m-phosphoric acid, 1888, A., 510.

- nuclein, 1889, A., 1021.

- m-phosphoric acid in the nuclein of yeast, 1891, A., 477.

gum arabic and gum senegal, 1891, A., 866.

Liebert. Martin. See Carl Bernhard Kühn.

Liebig, cause of the rapid curdling of milk during thunder-storms, 1892, A., 1370.

Liebisch, Theodor, apparatus for measuring the angle of the optic-axes, 1885, A., 622.

Liebmann, Adolf, isobutylphenol and amylphenol. 1883, A., 59.

Liebmann, Adolf, and Arthur Studer, detection of rosaniline salts, 1887, A.,

Liebmann, Louis. See Rudolph Fittig. Liebrecht, Arthur, reduction of nicotine, 1886, A., 161; 1887, A., 161.

Liebrecht, Arthur. See also Alfred Einhorn.

Liebreich, Oscar, the dead space in chemical reactions, 1888, A., 1242; 1990,

A., 1207; 1891, A., 1150.
—lanolin and the detection of the cholesterol fats in man, 1891, A..

Liebscher, Georg, bitter milk, 1885, A., 105,

Liebscher, thory, cultivation of Swedish and German cereals, 1885, A., 122.

 cultivation of various sugar-beets, 1885, A., 421.

- manuing sugar-beet, 1885, A., 429.

preservation of sliced beets in silos, 1886, A., 275.

supply of food constituents at different periods of plant growth, 1888, A., 382

Liechti, L., and Wilhelm Suida, composition of Turkey-red oil, 1881, A., 238; 1885, A., 315.

- chemistry of mordants. 1884, A., 791.

behaviour of different ferric oxide mordants with silk, 1885, A., 315.

Liechti, Paul Robert, 1ind of Garcinia Mangostana, 1892, A., 205.

Lietzmann, E., permeability of vegetable membranes for air, 1888, A., 1023.

Lifschütz, Isaac, action of concentrated sulphuric acid on nitroanthraquinone. 1884, A., 1187.

action of concentrated sulphuric acid on a-nitroanthraquinonesulphonic acid, 1884, A., 1189.

action of nitric and sulphuric acids on vegetable fibre, 1891, A., 814.

Lifschutz, Isaac. See also Adolf Pinner.

Lignon, Maurice. See Georges Linessier.

Likiernik, Arthur, lupeol, 1891, A., 551, 1446.

-constituents of the seed nods of Pisum sativum and Phaseolus vulgaris. 1891, A., 606.

Likiernik, Arthur. See also Ernst Schulze.

Lill, Max von, and Leopold Schneider, manganese ores, 1884, A., 24.

Limb, C., electrolysis of barium chloride, 1891, A., 1421.

See also Edmi Julia Man-Limb, /'. mené.

Limbourg, Philipp, antiseptic action of bile acids, 1889, A., 291.

- solution and precipitation of proteids by salts, 1889, A., 787.

Limpach, Leonhard, naphtholtrisulphonie acid, 1883, A., 1136.

- laws of substitution of the aromatic amines, 1888, A., 464.

- methylation of s-m-xylidine, 1888, A., 464.

Limpach, Leonhard. See also Max Conrad, William Richard Eaton Hodgkinson.

Limpach

amido-p-cresyl methyl ethers, 1889.

A., 698.

 synthesis of the sixth duhydroxytoluene, 1892, A., 147.

Limpach, Ludwig. See also Carl Theodor Liebermann.

Limpricht, Heinrich, nitrotoluidines, 1885, A., 974.

-oxidation of amidobenzenesulphonic acids, 1885, A., 984.

- azobenzenethiosulphonic and azobenzenesulphinic acids, 1885, Α., 984.

hydrazine compounds, 1885, A..

sulphonic and disulphonic acids, 1885, A., 1232.

- sulphazides, 1887, A., 723.

 hydrazinesulphonicacids and triazocompounds, 1889, A., 397.

behaviour of amline towards substitution derivatives of hydroxybenzoic acids at high temperatures, 1890, A.,

hydrazobenzenedisulphonic acid, 1890, A., 987.

- benzidinedisulphonic acid, 1891, A., 929.

azo-derivatíves, 1891, A., 1036.

- preparation of nitrososulphonic acids, 1892, A., 475.

Limpricht, Heinrich, and Franz Hermann Friedrich Carl Meyer, azobenzene-, hydrazobenzene-, and benzidinedisulphonamides, 1892, A., 973.

Limpricht, Heinrich, and Otto von Rechenberg, action of aniline on amidosalicylic acid, 1890, A., 158.

Linck, Gottlob Ed., analyses of felspar, augite, and mica, 1886, A., 212.

crystallography of cadmium borotungstate, 1887, A., 334.

 the basalts of Alsace, 1888, A., 567. Linde, Otto, estimation of hydrocyanic acid, 1887, A., 1143.

Lindeck, Stephan, electromotive force of amalgams, 1889, A., 2.

Lindemann, Th. r., action of epichlorhydrin on phenols, 1891, A., 1198.

Linder, S. Ernest, and Harold Picton, hydrosulphides, 1890, P., 49.

- some metallic hydrosulphides, 1891, P., 176; 1892, T., 114. Linder, S. Ernest. See also Harold

Picton.

Lindet, Lion, presence of mannitol in the anana, 1884, A., 629.

- compounds of gold chlorides with phosphorus chlorides, 1884, A., 968.

impach Ludu of, m-amido-p-cresyl Lindet, Leon, gold phosphobromides and methyl ether, 1889. A., 199. phosphochlorobromides 1885. A. 1115.

> compounds of autic chloride with sulphur and selenium tetrachlordes, 1886, A., 310.

new solvents of anhydrous auric

chloride, 1886, A., 430.

— action of alcohols on aurophosphorous chloride, 1887, A., 227.

- bases in alcoholic liquids, 1888, A., 634.

- action of chlorine on gold, 1888,

influence of temperature on the production of higher alcohols by fermentation, 1888, A , 1263.

saccharification of dextrin by diastase, 1889, A., 581.

 simultaneous estimation of saccharose and raffinose, 1889, A., 1249.

- influence of carbonic anhydride on the products of fermentation, 1890, A., 281.

extraction of raffinose from molasses, and separation of raffinose from saccharose, 1890, A., 732.

presence of furfuraldehyde in commercial alcohols, 1890, A., 1400.

production of higher alcohols in fermentation, 1891, A., 411.

origin of the higher alcohols contained in commercial spirits, 1891, A., 813.

Lindgren, Waldemar, arsenates from Längban, 1883, A., 434.

- minerals of the Pacific coast, 1889, A., 472.

- analcime as a rock-forming mineral, 1892, A., 1413.

Lindgren, Waldemar. See also Il'illiam Harlow Melville.

Lindner, J., bromonitrophenols and their amido-derivatives, 1885, A., 771. Lindner, P., new lactic ferment occur-

ring in malt-wort, 1888, A., 622. Lindo, David, estimation of phosphoric acid as magnesium pyrophosphate,

1884, A., 493. estimation of phosphoric acid; the

oxalic acid method as compared with the molybdic method, 1884, A., 929. - vitreous and ordinary amorphous

silica, 1884, A., 1258. new sugar reactions, 1887, A., 751.

estimation of potash in commercial manures, 1888, A., 89.

preservation of solutions of hydrogen sulphide, 1888, A., 750.

phenol, etc., as tests for nitrites, nitrates, and chlorates, 1888, A., 1337, Lindo, David, Griess' sulphanilic acid test for nitrous acid modified, 1888, A., 1340.

tests for Fahlborg's "saccharin," antipyrin, and antifebrin, 1888, A., 1350.

resorcinol as a test for nitrates, 1889, A., 75.

test for "saccharin," 1889, A., 86.
analysis of glass, 1889, A., 1246.

analysis of glass, 1889, A., 1246. Lindsey, C. R. See A. E. Fasnacht. Lindsey, J. B., and Bernhard Tollens.

dextrose from sulphite-cellulose and from fir-wood, 1892, A., 801.

wood-sulphite liquor and lignin, 1892, A., 802.
so-called artificial pectic acid

from fir-wood, 1892, A., 827. Lindsey, J. B. See also Fred. C. Weld. Lindström, Axel Fredrik, occurrence of

kaolin in N. Sweden, 1884, A., 278. Lindström, Gustaf, analysis of ganomalite, 1884, A., 972.

— copper mineral from Sunnerskog, Sweden, 1887, A., 343.

— phosphoric anhydride in felspar, 1887, A., 347.

analysis of natrolite, 1889, A., 219.
hyalotekite from Långban, 1889,

A., 219.

analyses of idocrase, 1890, A., 718.

bismuth minerals from (fladham-

mar, 1891, A., 20.
Lindt, Otto, microchemical test for bru-

cine and strychnine, 1885, A., 449. Linebarger, *Charles Elijah*, hydroxyanthranol, 1892, A., 346.

reaction between benzene and benzal chloride in presence of aluminium chloride, 1892, A., 719.

— reaction between triphenylmothane and chloroform in presence of aluminium chloride, 1892, A., 722.

A., 766.

formation of layers in solutions of salts in mixtures of water and organic liquids, 1892, A., 1146.

Linebarger, Charles Elijah. See also John Harper Long.

Ling, Arthur R., isomeric change in the phenol series, 1886, P., 268; discussion, P., 268; 1887, T., 147, 782; 1889, T., 583; P., 125.

metallic derivatives of halogen nitrophenols, 1888, P., 122; 1889,

T., 56.

studies on isomeric change. No. IV. Halogen derivatives of quinone. Part I., 1890, P., 32; 1892, T., 558; l'., 105.

Ling, Arthur R., and Julian L. Baker, halogen derivatives of quinone. Part II., 1892, T., 589; P., 106.

Link, Carl, berberine and hydroberberine, 1892, A., 1498.

Link, C., purification of naphthalene, 1886, A., 713.

Link, Walther. See Hermann Roemer. Linn, Alvin Frank. See Ira Remsen, Harmon Northrup Morse.

Innemann, Educard, extraction of zirconia and the qualitative composition of zircons, 1885, A., 1042.

original oxidation of propylene oxide, 1885,

A., 1044.

absorption phenomena of zircons, 1885, A., 1173.

oxy-coal-gas blowpipe and the zirconium light, 1886, A., 417.

austrium, a new metallic element, 1886, A., 773.

Linossier, Georges, volumetric estimation of iron, 1885, A., 840.

- compound of hamatin with nitric

oxide, 1887, A., 854.

— localisation of barium in the organism after chronic poisoning with a barium salt, 1888, A., 183.

spectroscopic examination of blood, 1888, A., 1139.

— general method for the separation and volumetric estimation of acid, 1889, A., 75, 795.

— effect of carbonic oxide on germination, 1889, A., 645, 739.

— estimation of oxygen dissolved in water, 1891, A., 616.

—— aspergillin, a vegetable hæmatin, 1891, A., 751, 1089.

--- resolution of inactive lactic acid by Penicillium glaucum, 1892, A., 297.

Linossier, Georges, and Maurice Lignon, estimation of chlorine, 1889, A., 302. Linossier, Georges, and Gabriel Roux,

alcoholic fermentation and conversion of alcohol into aldehyde by "Champignons du Mugnet," 1890, A., 1179; 1891, A., 854.

Linossier, Georges. See also Paul Cazeneuve.

Lintner, Carl Joseph, nitrogenous constituents of barley and malt, 1884, A., 790.

—— determination of diastatic activity, 1886, A., 386.

diastase, 1887, A., 165; 1888, A., 497.
 compounds of starch with the

alkaline earths, 1889, A., 316,

Lintner, Carl Joseph, diastatic ferment of ungermmated wheat, 1890, A., 650. - action of potassium permanganate on statch, 1891, A., 537.

---- non-nitrogenous extract-substance from barley, malt, and beer, 1891, A., 957.

Lintner, Carl Joseph, and Franz Eckhardt, diastase, 1890, A., 519.

Lipp, Andreas, phenylglyceric acid, 1883, A., 994.

- - indole, 1884, A., 1030.

- methylated indoles, 1885, A., 167.
- - δ-hexylene glycol and oxide, 1856, A., 218.

- ___ p- and o-nitrophenyloxyacrylic acid, 1887, A., 142.

- tetrahydropicoline, 1887, A., 277.
- n-acotopropyl alcohol, 1889, A., 813.

--- γ-pentylene glycol and its

anhydride, 1890, A., 20.

synthesis of tetrahydropyridine derivatives, and their conversion into piperidine derivatives, 1892, A., 1213.
 1-methyl-Δ²-tetrahydro-2-hydroxy-

ethylpyridine, 1892, A., 1211.

Lipp, Indreas. See also Emil Erlenmeyer.

Lipp, F. See Leopold Schneider.

Lippe, Huyo von der. See Adolph Claus. Lippert, Walter. See Hugen Lellmann. Lippit, T. P., native ferrous and aluminium sulphate from Mexico, 1884, A., 24.

Lippmann, Edmund O. von, occurrence of coniferin in the woody structure of the beetroot, 1883, A., 611.

occurrence of a new acid in bectjuice, 1883, A., 913.

- non-identity of arabinose and

galactose, 1885, A., 41.
- occurrence of leucine and tyrosine

in bactroot molasses, 1885, A., 215. raffinose, 1886, A., 221.

- occurrence of coniferin and vanillin in asparagus, 1886, A., 387.

- a new galactan: properties of galactose, 1887, A., 652.

- catechol in raw best-sugar, 1888, A., 262.

---- organic constituents of beetroot juice, 1888, A., 314.

--- rare constituents of the ash of sugar-beet, 1889, A., 295.

--- gummy exudation from the sugarboot, 1891, A., 284.

- - organic acids in beet-juice, 1892, A., 231.

Lippmann, Edmund O. von (and others), heet-sugar, 1881, A., 939. Lippmann, Edmund O. con (and others), preparation of sugar from molasses, 1885, A., 102.

Lippmann, Educad, addition of bromine to ethyl acctoacetate, 1883, A., 177.

— diamidocumic acid, 1863, A., 191.
— action of benzoic peroxide on amylene, 1885, A., 366.

benzoic peroxide, 1887, A., 151.

—— ethyl hydroxyquinoline carbonate, 1888, A., 164.

dithiocarboxylic acids of resorcinol and pyrogallol, 1890, A., 163.

preparation of homologues of quinine, 1892, A., 222.

Lippmann, Eduard, and Fran: Fleissner, azylines, 1883, A., 55, 181, 868, 1100; 1884, A., 178.

pounds, 1885, A., 1212.

- - action of potassium cyanide on dinitrodimethylaniline, 1886, A., 235.

quinoline, 1890, A., 171.

quinoline, 1890, A., 265.

--- hydroxyquinolinesulphonic acids, 1890, A., 268.

- --- action of hydriodic acid on quinine and cinchonine, 1891, A., 1517; 1892, A., 639.

--- action of hydriodic acid on quinine: isoquinine, 1892, A., 81.

— action of hydriodic acid on cinchonine, 1892, A., 639.

- -- the hydriodo-compounds of the cinchona alkaloids, 1892, A., 1863.

Lippmann, Friedrick, constitution of allyl cyanide, 1892, A., 27.

Lippmann, (Iubriel, a mercurial galvanometer, 1884, A., 881.

a mercurial electrodynamomotor, 1881, A., 949.

Lipski, A. A., comparative estimation of preparations of pepsin, 1887, A., 66. Lissenko, Konon I., decomposition of petroleum by heat, 1888, A., 436.

List, Ed., formic acid in 11111. 1884, A., 378.

organic and inorganic constituents of grapes, 1887, A., 860.

List, K., detection of nitrobenzene in | presence of oil of bitter almonds, 1889, A., 552.

List, Reinhold, action of thiocarbamide on ethyl acetoacetate, 1886, A., 113; 1887, A., 127.

List, Reinhold. See also Constantin Fahlberg.

Litthauer, Siegfried, action of phosphonium iodide on benzaldehyde, 1889, A., 1168.

Livache, Ach., action of certain metals on oils, 1883, A., 756.

acceleration of the oxidation of

drying oils, 1884, A., 532.

preparation of standard solutions of carbon bisubalida 1997 84.

- oxidation of oils, 1886, A., 687. - solid product of the oxidation of drying oils, 1891, A., 1454.

Liveing, George Downing, and James Dewar, spectra of carbon and its compounds, 1883, A., 1, 261.

- disappearance of some spectral lines and the variation of metallic spectra due to mixed vapours, 1883, Ā., 2.

- spectrum of water, 1883, A., 140.

- an arrangement of the electric arc for the study of radiation of vapours, 1883, A., 262.

- the ultra-violet spectra of elements, 1883, A., 262.

origin of the hydrocarbon flame spectrum, 1883, A., 641.

- note on the absorption of ultra-violet rays by various substances, 1883, A., 837.

 reversal of hydrogen lines, 1883, A., 838.

order of reversibility of lithium lines, 1883, A., 839.

- spectral lines of metals developed by exploding gases, 1885, A., 317.

-spectroscopic studies on gaseous explosions, 1885, A., 465.

- spectrum of the oxyliydrogen flame, 1888, A., 637.

 ultra-violet absorption spectrum of oxygen, 1889, A., 1.

- spectrum of magnesium, 1889, A., 89.

 ultra-violet spectra of nickel and cobalt, 1889, A., 89.

 absorption spectra of oxygen, 1890, A., 675.

Livermore, William Downing. Levois Mills Norton.

Liversidge, Archahald, the Bingera meteorite, 1886, A., 133. — the Demliquin or Barratta meteorite.

1886, A., 131.

— some New South Wales minerals, 1886, A., 77 l.

- Australian meteorites, 1891, A., 279.

—— hot spring waters, 1891, A., 280. —— removal of gold from suspension and solution by fungoid growths,

1891, A., 401. Liweh. Sec Leiveh.

Ljubavin, Nicolai N., action of ammonium cyanate on glyoxal, 1883, A.,

investigation of a saltpetre earth from Turkestan, 1885, A., 128.

- freezing of colloidal solutions, 1890, A., 685.

insoluble Lloyd, Frederick James, phosphate, 1884, A., 213.

changes which take place in the

conversion of hay into silage, 1881, A., 772.

— superphosphate, 1884, A., 867.

milk of abnormal quality, 1890, T., 201; P., 3; discussion, P., 3. Lloyd, J. U., separation by capillary attraction, 1885, A., 477.

- asiminine, 1887, A., 981.

Lloyd, Rachel, conversion of the higher homologues of phenol into amines, 1887, A., 721.

conversion of some homologues of phenol into primary and secondary amines, 1889, A., 700. loyd, Rachel. See also Churley

Lloyd, Rachel. Frederic Mabery.

Lobach, Walter, anomalous rotatory dispersion in iron, nickel, and cobalt, 1890, A., 673.

Locher, Max, action of potassium ferrocyanide on diazobenzene nitrate, 1888, A., 589.

Locher, Max. See also J. Henri Ziegler. Lochert, H., compounds of glycol with some aldehydes, 1888, A., 670.

action of bromine on the compounds of glycol with aldehydes, 1888, A., 671.

- acetals of n-propyl glycol, 1888, A., 935.

diethylmuscarinepyridine, 1891, A., 82.

Lockyer, Joseph Norman, spectra of meteorites, 1888, A., 638.

Loczka, Josef, smithsonite from Pelsöcz Ardó, 1885, A., 730.

 wollastonite from Rézbánya, 1885, A., 731,

- Loczka, Jóssef, mineralogical notes, 1886, A., 513.
- analyses of Hungarian arsenical pyrites, 1886, A., 514.
 arsenopyrite from Servia, 1889, A.,

215.

-- constitution of arsenopyrite, 1889,

- A., 216.
 Hungarian minerals, 1892, A.,
- 1054.
- Lodeman, storage of acorns, 1884. A., 100.
- Lodge, Oliver Joseph, seat of the E.M.F. in the voltaic cell, 1885, A., 1027; 1886, A., 751.
- theory of solution, 1891, A., 789. Lodin, Arthur, brown coal of Istria and Dalmatia, 1885, A., 125.
- -- new mineral from Val Godemard, Hautes Alpes, 1885, A., 230.
- Lodsinsky, reactions in secondary cells, 1888, A., 1141.
- 1888, A., 1141.

 Lodter, Wilhelm. See Engen Bamberger.

Loë, II. See Josef Plochl.

- Loeb, Jacques, influence of light on oxidation in animals, 1889, A., 172.
- Loeb, Morris, action of carbonyl chloride on ethenyldiphenyldiamine, 1885, A., 1213.

amidine derivatives, 1887, A., 42.
 molecular weight of iodine in its solutions, 1888, T., 805.

use of aniline as an absorbent of

cyanogen in gas analysis, 1888, T., 812; P., 87.

is chemical action affected by magnetism? 1891, A., 1145.

- Loeb, Morris, and Halther Nernst, kinetics of substances in solution, 1889, A., 327.
- Löb, Wallher. See Georg Pulvermacher.
- Löbbecke, manuring experiments with precipitated phosphate, 1885, A., 429. Loebisch, Wilhelm Franz, mucin from

the tendons of the ox, 1886, A., 166. Loebisch, Wilhelm Franz, and Hans

- Malfatti, strychnine, 1889, A., 167. Loebisch, Wilhelm Franz, and Paul Schoop, strychnine derivatives, 1886,
 - A., 267; 1887, A., 282.

 ——xanthostrychnol and strychnol, 1886, A., 811.
- Löbner, C. A., bleaching wool with hydrogen peroxide, 1886, A., 292.
- Löfasz, Jul. Fr., separation of kainite from rock salt, 1885, A., 614.
- Löhr, Philipp, alkyl compounds of cadmium and magnesium, 1891, A., 682.

- Löhr, Richard. See Adolf con Baeyer. Löndahl, Hjalmar, platinum compounds of butyl, isobutyl, and benzyl sulphides, 1889, A., 368.
- Lösch, A. A., brueite from the Utal, 1887, A., 315.
- Lösch, Alexander, theme estimation, 1887, A., 1002.
- Löscher, Kan, action of bromine on iodoform, 1888, A., 436.Löscher, Kan, and R. Kusserow, action
- Löscher, Karl, and K. Kusserow, action of aniline on bromofumarimide, 1888, A., 1281.
- Lösekann, Gerhard, estimation of formaldehyde, 1889, A., 1036.
- —— formaldehyde, 1892, A., 123. Lösekann, Gerhard, and Theodor Ad. Aug. Meyer, estimation of zinc, 1886, A., 836.
- Löw, Mori: ethylation of salicylaldehyde, 1892, A., 57.
- Loew, Oscar, chemical character of living protoplasm, 1883, A., 819.
- --- compounds of silver with albuminoids, 1881, A., 343.
- microchemical detection of nuclein, 1885, A., 610.
- A., 823.
- ---- different degrees of resistance in protoplasm, 1885, A., 827.
- poisonous action of hydroxylamine, 1885, A., 830.
- —— diastase, 1887, A., 387. —— catalytic actions, 1887, A., 440.
- ---- formose, 1887, A., 459; 1889, A., 581.
- sugar-like nature of formose, 1888, A., 215.
- A., 571.
- unorganised forments, 1888, A., 607.

 formation of saccharoses from formaldehyde, 1889, A., 581.
- --- rôle of formaldeliyde in the assimilation of plants, 1889, A., 640.
- - black, 1890, A., 453.

 catalytic formation of ammonia
- from nitrates, 1890, A., 689.

 formation of volatile fatty acids
- from dextrose, 1890, A., 731.

 formation of nitrons acid and ammonia from free nitrogen, 1890, A.,
- --- elaboration of nitrates in the plant, 1890, A., 1182.

Loew, Oscar, catalytic decomposition of ammonium nitrite, 1891, A., 16.

catalytic reduction of the sulpho-

group, 1891, A., 237.

poisonous action of hydrazine, 1891, A., 239.

action of azoimide on living

organisms, 1892, A., 90.

influence of phosphoric acid on the formation of chlorophyll, 1892, A.,

1261, 1372.

Loew, Oscar, and Thomas Bokorny, use of magenta with sulphurous anhydride as a microchemical test for aldehyde, 1883, A., 829.

- chemico-physiological study

of Algre, 1888, A., 315.

presence of albumin in cell fluid, 1888, A., 983.

- behaviour of the vegetable cell with very dilute alkaline silver solutions, 1890, A., 401.

Loew. Oscar (and others), changes occurring in preserved milk, 1883, A., 634.

Wilhelm, indigocarboxylic acid, Löw. 1885, A., 799.

- action of fuming nitric acid on p-xylene bromide, 1885, A., 1208.

- terephthalaldehyde, 1886, A., 461. Wilhelm. Löw. See also Benno Homolka.

Loewe, E., constitution of dinitro-βnaphthol, 1890, A., 1424.

Loewe, Julius, adulteration of cochineal. 1883, A., 408.

storage of oxygen in zinc gasholders, 1883, A., 619.

- qualitative and quantitative separation of bismuth from copper, 1884. A., 497.

- preparation of bismuth free from arsenic, and atomic weight of bismuth. 1884, A., 558.

-use of lime-water in zinc gasometers. 1885, A., 835.

Löwenberg, Georg Ludwig, aromatic carbonates, 1886, A., 789.

Loewenherz, Richard, molecular refraction of nitrates, 1890, A., 1201.

molecular refraction of substances containing nitrogen, 1891, A., 373.

– di-m-ditolyl, 1892, A., 852. - as-amido*iso*phthalic acid, 1892, A., 1464.

Loewenherz, Richard. See also Ernst Täuber.

Löwig, preparation of caustic potash and soda, 1884, A., 15.

Löwit, Moriz, blood tablets and thrombosis, 1889, A., 427.

Loewy, .1., influence of saline materials on gaseous metabolism in man, 1889, A., 533.

Loewy, Karl, benzene derivatives from ethyl succinosuccinates, 1886, A., 1028.

Loewy, Karl. See also Arthur Rudolf Hantzsch.

Loges, Custov, estimation of humus in soils, 1883, A., 247, 830.

- nitrogenous organic compounds in the soil, 1886, A., 96.

estimation of phosphoric acid in basic slag, 1887, A., 527.

Loges, (lustare, and ('. Claessen, estimation of free fatty acids in folder, 1891, A., 770.

Loges, Gustav. See also Adolph Emmerling.

Julius, y-phenoxypropyl-Lohmann, amine, 1891, A., 1467.

Lohse, Osic., isochromatic gelatin plates, 1885, A., 612.

Loiseau, Disiri, action of carbonic anhydride on calcareous solutions of ' sugar, 1884, A., 419.

- fermentation of raffinose by beer yeast, 1890, A., 22.

Lombard de Bouquet, Emile, preparation of di- and tri-calcium phosphates, 1884, A., 892, 1263.

Lommel, Eugen Cornelius Joseph, fluorescence of iodine vapour, 1883, A., 763. fluorescence of calespar, 1881, A., 649.

- freezing apparatus, 1885, A., 5.

variation of induction machines, 1885, A., 1098.

incandescence of ultra-red rays, 1886, A., 5. - phosphorescence, 1857, A., 410.

Lonatschewski-Petruniaka, Timofei I., absorption of carbonic oxide by cuprous chloride, 1889, A., 187.

action of sulphuric and hydrochloric acids on wood petroleum gas, 1889, A., 187.

Long, John Harper, phenolphthalein as an indicator, 1885, A., 885.

- densities and refractive indices of oils, 1889, A., 85.

polarisation of tartrate solutions. 1889, A., 380.

- behaviour of phenolphthalem with ammonia, 1889, A., 746.

circular polarisation of certain tartrate solutions, 1890, A., 31:3; 1891, A., 249.

solubility of thallium iodide and estimation of thallium, 1891, A., 1295.

- Long, John Harper, and Charles Elijah Linebarger, American fusel oil, 1890, A., 859.
- Long, John Hurper, and Henry Edward Sauer, precipitation of antimony from solutions of potassium antimony tartrate, 1891, A., 1139.

tartrate, 1891, A., 1139. Longi, Intonio, iodide of argentammonium, 1883, A., 1052.

- testing for hydrocyanic, hydrochloric, hydrobromic, hydroleric, chloric, bromic, iodic, hydroferrocyanic, and hydroferricyanic acids, 1883, A., 1172.
- estimation of the quantities of gases dissolved in watery liquids, 1884, A., 364.
- detection of nitric acid in presence of other acids capable of interfering with its reactions, 1884, A., 365.
- - p-toluidine as a test for nitric acid, 1884, A., 365.
- - volumetric estimation of nitric acid, 1884, A., 306; 1885, A., 595.
- — estimation of nitrous and nitrie acids, 1884, A., 366.
- estimation of nitrogen in saps, etc., 1885, A., 1092.
 Longi, Intonio. See also Teodoro Leone.
- Longi, Intonio. See also Teodoro Leone. Longmore, James, preparation of a dyestuff from cotton-seed oil, 1885, A., 108. Loo, Henry van. See Otto Fischer.

Looff, (lustar, reactions of arsenic, 1890, A., 1343.

- -- estimation of morphine in opium, 1890, A., 1349; 1891, A., 771.
- Loos, Dirk de, Krakatoa ashes, 1884, A., 975.
- mineral water from Aruba, 1884, A, 978.
- Lopatine, Nicolus, action of aniline on ethyl dibromosuccinate, 1887, A., 1046.
- Lopatkin, Michael, action of allyl iodide and zine on epichlorhydrin, 1885, A., 497.
- Lord, Nathaniel Wright, ammonium fluoride as a blow-pipe reagent, 1881, A., 927.
- oxalic developer for gelatin plates, 1886, A., 106.
- Lorentz, Georg. See Otto Wallach.
- Lorentz, Hendrik Antoon, kinetic molecular theory of dilute solutions, 1891, A., 637.
- Lorenz, Norbert von, analysis of materials containing tartaric acid, 1888, A., 327.
- discrimination of phosphoric acid of mineral origin from that of animal origin in artificial manures, 1888, A., 1340.

- Lorenz, Norbert von. analysis of argol. 1890, A., 303.
- Lorenz, Richard, valency of boron, 1888, A., 1216.
- action of dry hydrogen sulphide on metals: synthesis of minerals, 1891, A., 990.
- Lorenzen, Joh., minerals in the sodalitesyenite of S. Greenland, 1883, A., 960.
- analyses of metallic iron from Greenland, 1885, A., 639.
- —— minerals from Greenland, 1886. A., 519, 676.
- Lorenzen, Julius. See Eugen Bamberger.
- Lorin, a particular case of catalytic action, 1885, A., 181.
- ---- inosite, 1888, A., 245.
- action of some organic acids on ethyl oxalate, 1888, A., 937.
- Lory, Charles, microscopic crystals of albite in calcareous rocks of the Western Alps, 1887, A., 1023.
- Losanitsch, Simu M., formation of dibromodinitromethane and of Villiens' tetrapitroethylene bromides, 1883, A., 564.
- dibromodinitromethane, 1884, A.,
- ---- chlorine derivatives of dibromodinitromethane, 1884, A., 1107.
- avalite, 1884, A., 1272.
 direct displacement of the amido-
- group in aromatic amines by halogens, 1885, A., 521.
- melting-point and crystalline form of thiocarbanilide, 1886, A., 876.
- mineral waters from Servia, 1887, A., 618.
- --- Servian coal, 1888, A., 31.
- --- aromatic dithiocarbamates, 1892, A., 55.
- --- meteorite of Jelica, 1892, A., 795.
 Loschmidt, J., stereochemical studies, 1890, A., 602.
- Lossen, Clemens. See Wilhelm Clemens
- Lossen, Karl August, paleopicrite from Stoppenberg in the Harz, 1889, A., 573.
- Lossen, Withelm Chemens, specific volumes of liquids, 1883, A., 13; 1886, A., 972.
- structure of hydroxylamine derivatives, 1881, A., 1324; 1885, A., 895.

- Lossen, Wilhelm Clemens, atomic and specific volumes, 1886. A., 972.
- representation of atoms in space, 1888, A., 218.
- boiling-points and specific volumes, 1888, A., 335.
- structural formula of hydroxylamine and its derivatives, 1889, A., 1064.
- formulæ for calculating the molecular volumes of organic compounds, 1890, A., 323.
- tetrazotic acids, oxy- and dioxytetrazotic acids, 1891, A., 1038.
- —— amidines, 1892, A., 51.
- —— decomposition of glutaric acid at a high temperature, 1892, A., 297.
- constitution of the hydroxamic acids, 1892, A., 461.
- so-called physically isomeric hydroxylamine derivatives, 1892, A., 711.
 Lossen, Withelm Clemens, and Albert
- Köhler, hydrolysis of ethereal salts of polybasic acids, 1891, A., 1013.
- Lossen, Withchn Clemens, and Clemens Lossen, phenethenyldioxytetrazotic acid, 1891, A., 1041.
- totrazotic acid, 1891, A., 1041.
- Lossen, Wilhelm Clemens, and Franz Mierau, action of nitrous acid on some organic bases, 1888, A., 684.
- benzenyldioxytetrazotic acid, 1891, A., 1040.
- Lossen, Wilhelm Clemens, and Mar Neubert, m-nitrobenzenyldioxytetrazotic acid, 1891, A., 1040.
- Lossen, Wilhelm Clemens, and Curl Rahnenführer, composition and crystalline form of barium isophthalate, 1892, A., 179.
- Lossen, Wilhelm Clemens, and Gerhard Voss, metallic formates, 1892, A., 140.
- Lossen, Wilhelm Clemens, and Albert Zander, specific volumes of liquids, 1884, A., 1252.
- Lotman, G., estimation of raffinose in beet sugar, 1889, A., 192.
- Lott, Frank E., Heisch's method for detecting sewage contamination in water, 1888, A., 533.
- Lotz, Dumont. See Winthrop E. Stone. Louguinine. See Luginin.
- Louis, Henry, bismutite from the Transvaal, 1888, A., 31.
- Louise, Emile, action of anhydrous aluminium chloride on acctone, 1883, A., 176.
- a new hydrocarbon, 1883, A., 323, benzoylmesitylene, 1883, A., 577.
- an aromatic diketone, 1884, A., 901.

- Louïse, Emile, tribenzoylmesitylene, 1884, A., 1000.
- henzoylmesitylenic acids, 1886, A., 352.
- henylmesitylenylearbinol, 1886, A., 512.
- synthesis of hydroxypropylenediisoamylamine, 1889, A., 118.
- Louise, Emile, and G. Perrier, metallic compounds of aromatic ketones, 1892, A., 1205.
- Louïse, Emile, and Léon Roux, vapour density of aluminium methide, 1888, A., 583.
- aluminium alkyls, 1889, A., 37.
- Louise, Emile. See also Leon Roux. Love, Ernest Frederick John, comparing
- spectra, 1888, A. 542.

 Lovén, Johan Martin, thiolactic and
- thiodilactylic acids, 1884, A., 1298.
 ——some new sulpho-derivatives of the fatty acids, 1885, A., 241.
- action of nitrous acid on sulphonediacetic acid, 1886, A., 222.
- synthesis of a sulphur derivative of cinnamic acid, 1886, A., 211.
- thio-derivatives of hutyric, isobutyric, and isovaleric acids, 1886, A., 332.
- synthesis of aconitic acid from acetylenedicarboxylic acid, 1890, A., 237.
- Lovett, Robert II., strychnine poisoning, 1888, A., 1217.
- Lovibond, Joseph William, new method of colour analysis by means of the tintometer, 1890, A., 1461.
- Loviton, Léon, determination of melting and solidifying points, 1886, A., 417.
- discrimination of thin metallic films, 1886, A., 1076.
- antimony and tin, 1888, A., 992.
- Low, Albert II., volumetric method for the estimation of arsenic, 1884, A., 116.
- with potassium cyanide, 1886, A., 920.

 Lowe, Clement Ward, dibenzyl other, 1887, T., 700.
- Lowe, Hubert Foster. See Harold Buily Dixon.
- Lownan, Oscar. See Ludwig Claisen. Lowndes, Frederick K. S. See William
- Richard Eaton Hodgkinson. Loye, Paul. See P. Brouardel.
- Lubarsch, Oscar, absorption of gases by mixtures of alcohol and water, 1890, A., 103.
- Lubbe, Arthur, aconitine, 1891, A., 91.

LUB]

Lubisch, Th., toughened glass, 1883, A., 399.

Lucas, Lorenz, anthracene hydride, 1888, A., 1201.

- hydrides of anthracene and phenanthrene, 1890, A., 637.

Lucchesi, Adolfo. See Ubaldo Antony. Luchini, A., reagent for alkaloids, 1886, Δ., 182.

Luchsinger, Balthasar. See 1. Glause, E. Hess.

Lucion, Marcel, precipitation of barium sulphate in the presence of bromine, 1889, A., 187.

Lucion, Marcel. See also Walthere Spring.

Lucion, R., action of chlorine on carbonic

anhydride, 1889, A., 673. Luck, E., filicic acid, 1889, A., 276.

Luckenbach, (%, derivatives of benzyl cvanide, 1884, A., 1134.

- derivatives of isophthalonitrile and terephthalonitrile, 1881, A., 1157.

Luckow, C., separation of metals by means of oxalic acid, 1886, A., 922; 1887, A., 529.

-- volumetric estimations and separations by means of potassium ferroeyanide and ferricyanide, 1892, A., 1129, 1527.

Ludwig, A., and Eduard Merandro Kehrer, a furfurallevulinic acid, 1891, A., 1156.

Ludwig, Ernst, danburite from the Scopi in Graubündten, 1883, A., 437. - chemical composition of epidote, 1883, A., 443.

- - estimation of uric acid, 1886, A., 102.

Ludwig, Ernst, and (Rev.) Alphonse François Renard, analyses of idocrase from Ala and Monzoni, 1884, A., 408.

Ludwig, Ernst, and Gustev Tschermak, meteorite from Angra dos Reis, 1887, Λ., 1087.

Ludwig, Ernst, and Eduard Zillner. (not Hofmeister), estimation of mercury in animal tissues, 1890, A., 962.

Ludwig, Eugen, action of sulphurous acid on methylethylacraldehyde, 1889,

A., 121; 1892, A., 951. Ludwig, Itobert, hydroxybenzeldehyde and coumaric acid, 1885, A., 663.

Ludwig, Robert. See also Alexander Classen, Ferdinand Tiemann.

Lübavin. See Ljubavin. Luedecke, Otto, tinder ore from the Harz, 1883, A., 1061.

- pyrostilpnite from St. Andreasberg, 1884, A., 403.

– calcium hydroxide as a boiler incrustation, 1886, A., 506.

Luedecke, Ollo, crystallography of some polyiodides, 1887, A., 910.

- minerals from the Stassfurt saltmines, 1887, A., 1085.

- heintzite, a new borate from Stassfurt, 1891, A., 528; 1892, A., 791.

Luedeking, Charles, specific heats and specific gravities of the acids of the acetic series, 1886, A., 439.

- post-mortem detection of chloroform,

1887, A., 305.

- anomalous density of liquid bismuth, 1888, A., 790.

chemistry of combustion, 1888, A.,

 physical properties of colloid solutions, 1889, A., 98.

- conductivity of solutions of zinc sulphate containing gelatin, 1889, A., 809.

- prolonged action of the electric discharge on iodine, 1890, A., 687.

-- analysis of the barium group, 1891, Λ., 364.

-- hydrated lead oxide, 1891, A., 611. synthesis of crocorte and phænicocrocoste, 1892, A., 792.

Luedeking, Charles, and H. A. Wheeler, barytes from Missouri, 1892, A., 792.

Luedeking, Charles. See also H. A. Wheeler, Eilhard Wiedemann.

Lüders. Sec Weppen.

Lüdy, Ernst, aldehydic condensation products of carbanide, 1889, A., 1059. - detection of carbamide, 1889, A.,

Lueger, clarification of turbid river-water, 1885, A., 198.

Lüpke, R., proparation of hydrogen phosphide, 1891, A., 397.
 Luff, Arthur Pearson, relations of pro-

maines to infectious fevers, 1889, A., 1026.

Luff, Gust, nitrohydroxycinnamic acids, 1889, A., 507.

Lugan, W. See M. Notta.

Luginin, Walimir F., heats of combustion of ketones and of carbonic ethers, 1884, A., 547.

— heats of combustion of certain

carbon compounds, 1885, A., 327.

heats of combustion of ethereal salts of fatty seids, 1885, A., 327; 1886, A., 192.

heats of combustion of compounds of the fatty series, 1886, A., 192.

- heats of combustion of fatty acids and their derivatives, 1886, A., 757.

- heats of combustion of fumaric, maleic, and the pyrocitric acids, 1888, A., 893.

Luginn, Windimir F., heats of combustion of the solid isomeride of benzene, 1888, A., 893.

—— heats of combustion of camphoric acids, 1889, A., 6.

- heats of combustion of terpilene, terpin hydrate and terpin, 1889, A.,

heats of combustion of camphois and borneols, 1889, A., 328.

 heats of combustion of m-aldehyde, crythrol, and tricarballylic acid, 1889, A., 668.

Luginin, Wladimir F. See also Murcellin Berthelot.

Lukjanow, Serget M., relation of water and solid constituents in the organs and tissues in normal and starving animals, 1889, A., 632.

— bile during inanition, 1892, A., 225. Lumpp, Georg. See Carl Hell.

Lumsden, John S. See Percy Furnday Frankland.

Luna. See Ramon de Luna.

Lundin, Eug., estimation of arsenic in iron and iron ores, 1885, A., 838.

Lundström, Carl Herman. See Anton Sjögren.

Lunge, Georg, recent progress in the soda industry, 1883, A., 524.

--- estimation of caustic alkalis in presence of carbonates, 1883, A., 828.

estimation of sulphur in pyrites, 1884, A., 492.

the salt-works of Giraud, France, 1884, A., 513.

formation of sulphuric acid in the

lead chambers, 1884, A., 698.

density of milk of lime, 1884, A., 712.

titration of sulphurous acid and its

salts, 1884, A., 776.
—action of soda, lime, and magnesia

on the salts of ammonia and amines; titration of aniline, 1884, A., 776.

- chlorides of lithia and lime, 1884, A., 820.

manufacture of sulphuric acid from pyrites in America, 1884, A., 1082.
density of sulphuric acid, 1884, A., 1256; 1885, A., 216.

dride, 1885, T., 457; P., 61.

- reaction between nitric oxide and oxygen, 1885, T., 465; P., 61; discussion, P., 62.

recovery of sulphur from hydrogen sulphide, 1885, A., 454.

--- reducing action of coke on nitric acid, 1885, A., 986.

Lunge, (/corg, solubility of nitric oxide in sulphuric acid, 1885, A., 954.

estimation of potassium permanganate and of pyrolusite by means of hydrogen peroxide, 1885, A., 1162.

modification of the nitrometer for use as a ureometer, etc., 1885, A., 1267. action of chlorates on metallic evaporating pans, 1886, A., 184.

— bleaching vegetable substances with chloride of lime, 1886, A., 188.

indicators for volumetric analysis, 1886, A., 278.

— Clark's process for estimating sulphur in pyrites, 1886, A., 280.
— supposed error in working with the

nitrometer, 1886, A., 391.
—— uses of the nitrometer, 1886, A., 391.

estimation of urea, 1886, A., 396.
 occurrence of sulphur in the island of Saba, 1886, A., 430.

- estimation of bleaching powder by means of hydrogen peroxide, 1886, A., 738

into calcium chlorate, 1887, A., 11.

analysis of explosives, 1887, A., 86.
 detection of nitrogen compounds in seleniferous sulphuric acid, 1887, A., 998.

—— theory of the vitriol-chamber process, 1888, P., 3; discussion, P., 4; 1889, A., 103.

estimation of sulphur in pyrites, 1888, A., 85; 1890, A., 413.

improved form of nitrometer, 1868, A., 526.

estimation of sulphuric acid in presence of iron, 1889, A., 1244.

estimation of salphur in burnt pyrites, 1890, A., 193.

detection of traces of nitrous acid, 1890, A., 415.

oxide by ammonia, 1890, A., 420.

the gas-volumeter, 1890, A., 660.
gas volumetric analyses of potassium permanganate, bleaching powder, and manganese dioxide, 1890, A., 1468.

the gas-volumeter and gravivolumeter, 1891, P., 168, 171.

analysis of sodium aluminate, 1891, A., 365.

volumetric estimation of alumina, 1891, A., 365; 1892, A., 535.

analytical methods for alkali works, 1891, A., 496.

— purification of sulphuric acid for Kjeldahl's process, 1891, A., 617.

measurement of gases, 1891, A., 1135.

Lunge, thong, levelling instrument for Lupton, Nathaniel Thomas, incleone gasometric work, 1892, A., 100.

- improvement in gas volumetrie

apparatus, 1892, A., 521.

– gas volumetrie analysis, 1892, A., 538.

- action of certain liquids on aluminium, 1892, A., 687.

— analysis of sodium nitrite, 1892,

Λ., 1029.

Lunge, Georg, and Rudolf Burckhardt, fluoresceins from maleic acid, 1881, Λ., 1340.

Lunge, Geory, and Max Isler, specific gravity of sulphuric acid, 1891, A.,

Lunge, Georg, and Ludwig Landolt, various bleaching liquids, 1886, A.,

Lunge, Georg, and Leo Marchlewski, revised hydrochloric acid tables, 1892, A., 11.

- new apparatus for the estimation of combined and free carbonic acid, 1892, A., 531.

Lunge, Georg, and Paul Naef, bleaching powder and analogous compounds, 1883, A., 953.

Lunge, Georg, and Oscar Neuberg, determination of vapour densities, 1891, A., 635.

Lunge, Georg, and Hermann Rey, revised nitric acid tables, 1892, A.,

Lunge, Georg, and Ignaz Rosenberg, coal-tar lutidines, 1887, A., 499.

Lunge, Georg, and Jucob Schmid, limits of the conversion of sodium carbonate into hydroxide, 1886, A., 203.

Lunge, Georg, and Robert Edward Schmidt, analysis of the hot springs of Leuk, 1886, A., 996. Lunge, Georg, and Rudolf Schoch, calcium hypoiodite, 1883, A., 17.

— action of ammonia on bleaching powder, 1887, A., 700.
Lunge, Georg, and Joachim Wiernik,

specific gravity of ammonia solutions, 1890, A., 107.

Lunge, Georg, and Adolf Zeckendorf, estimation of carbonic anhydride in the air for hygienic purposes, 1889, A., 440.

Lunge, Georg, Victor Meyer, and Ernst Schulze, fusel oil in spirit, 1885, A.,

Lungo. See Del Lungo.

Lunt, Joseph. See (Sir) Henry Enfield Roscoe.

Lupke, Robert, rôle of potassium in plants, 1890, A., 917.

from from Coahuila, Mexico, 1885, A., 880.

- analyses of bituminous coals from Alabama, Tennessee, and Kentucky, 1885, A., 1185.

Lupton, Sydney, compounds of chromium, 1888, P., 81.

- reduction of the results of expeniments with special reference to the hydrate theory of solution, 1891, A., 973.

Lusk, Graham, influence of carbohydrates on proteid metabolism, 1891, A., 846.

Lusk, Grahum. See also Carl ron Voit. Lussana, Silvio. See Manfredo Bellati. Lustgarten, Sigmund, detection of iodoform, naphthol, and chloroform, 1883, A., 243.

Lustig, Giuseppe, synthesis of aromatic mercaptans, 1891, A., 1350.

Lustig, Siegfried, carvacrol and its derivatives, 1886, A., 316.

Lustig, Siegfried. See also Theodor Poleck.

Luther, E., examination of urine for sugar, 1891, A., 1559.
Luther, R., Knop-Hufner method of

estimating urea, 1889, A., 1039.

Luther, R. See also Fedor F. Beilstein. Lutz, E., descent of the series from myristic acid to lauric acid, 1886, A., 685.

Jean, spheroidal state, 1881, Luvini, A., 957.

- electrical conductivity of gases and vapours, 1887, A., 4.

Lux, Friedrich, detection of fat oils in mineral oils, 1886, A., 103.

- determination of the specific gravity of gases, 1886, A., 412.

- new gas balance, 1890, A., 823. Luxardo, Ottorino, existence of basic substances in maize, 1883, A., 1156.

Luzi, Willi, graphite, 1892, A., 406. --- carbon, 1892, A., 565.

-- allotropism of amorphous carbon, 1892, A., 945.

- artificial corrosion of the diamond,

1892, A., 1894. Luzi, Willi. See also Richard B. Luzzato, E. See Luigi Zambelli. Sec also Richard Beck.

Luzzatto, G., antimonite from Valdagno, 1887, A., 1084.

- natrolite from Monte Baldo, 1890, Α., 114; 1892, Λ., 690.

Luzzatto, M., Liebig's method for the estimation of carbamide, 1885, A., 610. Lwoff, J., fatty acids in resin, 1887, A., 658.

273 18 Lwoff, J. See also Werner Kelbe. Lwoff, Michael D., and Maxim I. Scheschukoff, action of hydrochloric acid on isopropenylcarbinol, 1885, A.,

Lyons, Albert Brown, cocame and its salts, 1886, A., 479.

– hydrastine, 1886, A., 633.

estimation of cocaine, 1886, A., 1087.

-evaluation of ipecacuanha, 1889, A., 803.

Lyons, Robert Edward. See Thomas Charlton van Nüys.

Lyte, Farnham Maxwell, estimation of chlorine, bromine, and iodine in presence of one another, 1884, A., 694. - sodium aluminate, 1885, A., 638.

M.

Maas, Hermann, Carl Buchmann, and Richard Wasmund, putrefaction alkaloids in boiled meat, 1885, A., 676.

Maassen, Albert, amidocresols, 1884, A., 1145.

Maassen, Albert. See also Heinrich Conr. Klinger.

Maben, Thomas, solubility of calcium hydroxide in water at different temperatures, 1884, A., 891.

- apricot, peach, and walnut oils, 1886, A., 644. aben, Thomas.

Maben, See also Martin Dechan,

Mabery, Charles Frederic, decomposition of chlorotribromopropionic acid by alkaline hydroxides, 1884, A., 663.

- products of the dry distillation of wood at low temperatures, 1884, A.,

B-bromotetrachloropropionic acid, 1885, A., 508.

products from the Cowles' electrical

furnace, 1887, A., 551.

— substituted acrylic and propionic acids, 1887, A., 570.

- new method of preparing anhydrous aluminium chloride, 1890, A.,

Mabery, Charles Frederic, and Albert H. Krause, action of aromatic amines on bromopropiolic acid and on sub-

stituted acrylic acids, 1890, A., 371.

Mabery, Charles Frederic, and Rachel Lloyd, a- and B-chlorodibromacrylic acids, 1885, A., 510.

Mabery, Charles Frederic, and Hudson Nicholson, \$-dibromodichloropropionic acid and \$-bromodichloroacrylic acid, 1885, A., 507.

Mabery, Charles Frederic, and George II. Palmer, o-iodotoluenesulphonic acid, 1885, A., 538.

Mabery, Charles Frederic, and Franklin

U. Robinson, substituted acrylic and propionic acids, 1884, A., 663.

Mabery, Charles Frederic, and Albert W. Smith, substituted acrylic and propiolic acids, 1890, A., 27.

- sulphur compounds in raw petroleum and in petroleum residues. 1890, A., 350.

- sulphur compounds in Ohio petroleum, 1891, A., 1172.

Mabery, Charles Frederic. See also Eugene H. Cowles, Henry Barker Hill.

Macadam, William Ivison, butyrellite, 1887, A., 17. - tale used in paper making, 1887.

A., 452. natural and artificial manures.

1888, A., 625.

 fossil resins from the coal measures. 1889, A., 353. - analyses of various minerals, 1891,

A., 272.

Macagno, Ippolite, estimation of tannin in sumach, 1887, A., 624. Macallan, John. See (Sir) Charles Alex-

ander Cameron. Macaluso, Damiano, spontaneous oxida-

tion of mercury, 1884, A., 263.

Macaluso, Damiano, and Giovan Pietro Grimaldi, influence of hygroscopic condensation in glass vessels on the determination of the density of aqueous vapour, 1883, A., 507.

McArthur, John. See William Dittmar, Macarthur, R., estimation of zinc as sulphide, 1883, A., 828.

McBryde, John Bolton, chemical study of the cotton plant: feeding value of

the cotton plant, 1892, A., 1510.

McCaleb, James F., titanic oxide in soils, 1888, A., 745.

- relative rates of dissolution of gypsum and anhydrite, 1889, A., 466. hydration of calcium sulphate, 1889, A., 466.

 specific gravity of calcium sulphate, 1889, A., 467.

McCaleb, James F. See also Joseph L. Jarman.

McCallum, Hugh, Unmellia oleifora seeds, 1883, A., 1166.

MacCauley, Arthur IV. Sec Edgar Francis Smith.

McCay, Leroy W., water analysis, 1883, A., 829.

- new volumetric method for the estimation of arsenic, 1883, A., 1034.

McCay, Lecoy W., cobalt-, nickel-, and McGowan, George, trichloromethylsul-iron-pyrites, 1881, A., 1098. McGowan, George, trichloromethylsul-phonic chloride, 1881, A., 1126.

· notes on Reichert's method of butter analysis, 1885, A., 197.

- reduction of arsenic acid solutions by means of sulphurous anhydride, 1885, A., 634.
- massive safflorite, 1886, A., 209. - separation of arsenic from the alkaline earths, 1886, A., 393.
- estimation of arsenic, 1886, A., 579. Reich's method of estimating arsenic, 1886, A., 712.
- arsenic pentasulphide, 1887, A., 213.
- estimation of arsenic as pentasulphide, 1888, A., 528.
- action of hydrogen sulphide on arsenic acid, 1889, A., 15.
- separation of copper from arsenic by the electric current, 1891, A., 111.
- interaction of hydrogen sulphide and the alkali o-arsenates, 1891, A., 265.
- test for chromium, 1892, A., 1133. - separation of thioarsenic and
- thioxyarsonic acids, 1892, A., 1519.

 Macchiati, Luigi, xanthophyllidrin, 1886, A., 1041; 1889, A., 900.
- colouring matter of the cones of Abies excelsa, 1890, A., 641.
- McCulloch, Norman, estimation chromate in the presence of dichromate, 1887, A., 304.
- · volumetric estimation of cobalt in presence of nickel, 1887, A., 1141.
- estimation of iodine, 1888, A., 526. volumetric estimation of iodine in presence of bromine and chlorine, 1888, A., **626**.
- -- volumetric estimation of cobalt, 1889, A., 442.
- --- volumetric estimation of bromine in the presence of chlorine and iodine, 1890, A., 821.
- MacEwan, Peter, commercial sodium nitrite, 1884, A., 511.
- testing Peruvian balsam, 1885, A.,
- detection of phenol in creasote, 1885, A., 1013.
- natural camphor oils, 1886, A., 72. Macfadyen, Allan. See Thomas Lauder Brunton.
- Macfarlane, Wm. W., and Philip S. Clarkson, action of chlorine on hæmntoxylin and logwood extract, 1890, A., 905.
- McGlashan, J., volumetric estimation of boric acid and of ammonia in ammonium salts, 1889, A., 75.

- trichlorethylsulphonic acid, and the derivatives of methylsulphonic acid, 1885, A., 367.
- derivatives of thiocarbamide, 1886.
- T., 190; P., 113.

 dihaloid derivatives of thiocarhamide, 1887, T., 378; P., 36.
- - sulphinic compounds of carbamide, and thiocarbamide, 1887, T., 666; P., 101.
- iodometric estimation of nitric acid in nitrates, 1891, T., 530; P., 84. iodometric estimation of chloric acid in chlorates, 1891, P., 169; 1892,
- T., 87. McGregor, James Clordon, density of weak aqueous solutions of salts, 1887, A., 209.
- variation of density with concentration of weak solutions of certain salts, 1891, A., 251.
- See Percy Faraday MacGregor, John. Frankland.
- MacGregory, Joseph Frank. See Paul Ehrhardt Jannasch.
- Mach, E., Peronospora viticola, 1881, A., 1406.
- over-heated hay, 1886, A., 275. - percentage of sulphuric acid in plants destroyed by sulphurous anhydride, 1888, A., 745.

 — lime and ash in Tyrolese and other
- wines, 1888, A., 1332.
- production of the so-called sweet
- fodder, 1890, A., 82.

 Mach, E., and K. Portele, amount of extract in Tyrolese wines, 1883, A.,
- detection and estimation of lactic and butyric acids in wines, 1890, A., 1344.
- of cranberry-juice, 1890, A., 1455.
- Machado, Jordano, petrography of the south-western Brazilian frontier between Minas and S. Paolo; agirine,
- Machenhauer, N., preparation of a yellow rosaniline dye, 1885, A., 310.

 Macivor, Ralph W. Emerson, New Zealand graphite, 1887, A., 555.

 perbromic acid, 1887, A., 698.

 bismuthic gold, 1887, A., 707.

 minerals occurring in Australian
- minerals occurring in Australian
- bat-guano, 1887, A., 708.

 a New Zealand sulphur island, 1888, A., 427.
- chrome iron ore in Australia, 1888, A., 428.

MacIvor, Rulph IV. Emerson, exhaustion of the virgin soils in Australasia, 1888, A., 523.

· gold, alunite, and sulphur from New South Wales: native antimony from Queensland, 1888, A., 560.

- occurrence of epsomite on White Island, New Zealand, 1888, A., 563.

Mack, Fritz. See Eugen Lellmann. Mack, Karl, pyroelectric properties of

boracite, 1884, A., 655.

M'Kellar, W. G., convenient solution for use in titrating Weldon muds for

manganese peroxide, 1890, A., 548. McKelvey, John William siliceous earth from Morris Co., New Jersey, 1885, A., 361.

McKendrick, John Gray, and William Snodgrass, physiological action of nickel-carbon oxide, 1891, A., 1130.

McKenna, 1 lexander G., precipitation of manganese as ammonium manganous phosphate, 1891, A., 1138.

McKenna, Alexander (1. Sec also Thomas M. Drown.

Mackenzie, G. S., rare copper minerals from Utah, 1887, A., 19.

Mackenzie, John Edwin, and William

Henry Perkin, junior, synthesis of hexahydroterephthalic acid, 1892, T., 172; P., 12.

Mackenzie, John Edwin. See also Frederick Stanley Kipping, Arthur George Perkin.

MacKerrow, W., bromine carriers, 1892, A., 155.

Mackey, William MDonnell. See Edmund James Mills.

Mackie, Wm. See Thomas Carnelley. Mackintosh, James B., volumetric estimation of manganese, 1884, A., 220.

- volumetric estimation of manganese; influence of organic matter and iron, 1885, A., 85.

estimation of graphite in minerals, 1885, A., 689; 1890, A., 923.

- analysis of titanic iron from Brazil, 1885, A., 878.

estimation of phosphorus in iron and steel, 1886, A., 488.

action of hydrofluoric acid on silica and silicates, 1886, A., 979. improved form of Elliot's gas-

apparatus, 1887, A., 1137. separation of nickel and cobalt

from iron, 1887, A., 1141.

crystalline sub-sulphide of iron and nickel, 1889, A., 214. - native iron sulphates from Chili,

1890, A., 454.

Mackintosh, James B. See also William Eurl Hidden.

McLeod, Herbert, on evaporation in vaeuo, 1883, T., 381.

- pressure of mercury vapour at the ordinary temperature, 1881, A., 385.

- sunshine recorder, 1885, A., 320.

 electrolysis of aqueous solutions of sulphuric acid, with special reference to the forms of oxygon evolved, 1886, T., 591; P., 215; discussion, P.,

note on the electrolysis of ammonic sulphate, 1886, P., 248; discussion, P., 248.

- decomposition of potassium chlorate by heat in presence of manganic peroxide, 1889, T., 184; P., 26; discussion, P., 26.

McLoughlin, Charles Swain. See Charles Edwards Colby.

MacMunn, Charles Alexander, colour-ing matters of the so-called bile of invertebrates and of the bile of vertebrates; and some unusual urine pigments, etc., 1883, A., 1159; 1884, A.,

- enterochlorophyll, 1885, A., 1242. - chromatology of the Actinia, 1885, A., 1251.

- myohamatin and the histohamatins, 1886, A., 568.

- hematin and bile pigments, 1886, A., 638.

- hæmatoporphyrin, 1886, A., 638; 1888, A., 304.

 uric acid in insects and molluses, 1886, A., 1056.

- invertebrate chromatology, 1887. A., 613.

myohæmatin, 1887, A., 983; 1889, A., 1024; 1890, A., 652.

- urohæmatoporphyrin and allied pigments, 1888, A., 614.

· chromatology of sponges, 1888, A., 619. pigment of the urine, 1889, A.,

531. - animal chromatology, 1889, A., 1231.

McMurtry, George Cannon, thionyl thio. cyanate, 1888, P., 115; 1889, T.,

- mercuric chlorothiocyanate, 1888, P., 116; 1889, T., 50.

Macnair, Duncan Scott, separation of acetic and formic acids, 1887, A., 751.

- apparatus for vapour density determinations, 1887, A., 765.

Macnair, Duncan Scott, derivatives of furoin and furil, 1890, A., 1245.

-- detection of chlorine and bromine in the presence of iodine, 1892, A., 1514.

Macnair, Duncan Scott. See also William Bott.

Macpherson, José, occurrence of aerenite, 1883, A., 562.

Macquaire, P., liquid from a cyst, 1886, A., 1055.

MacWilliam, John Alexander, new test for proteids, 1891, A., 872.

- salicylsulphonic acid as a test for albumoses and peptones, 1892, A., 552.

Madan, Henry George, refractive power of m-cinnamene, 1885, P., 106.

Maeckler, Hermann. See Rudolf Nietzki.

Mähly, Jacob. See Paul Friedlander. Mähr, L. See Will. Eugling.

Märcker, Max Heinrich, manuring Al-

pine meadows, 1883, A., 238. -- manuring with sulphuric acid, 1883, A., 681.

- - - decomposition of diffusion residues from beet-root, 1883, A., 1025.

- -- cultivation and preservation of potators, 1884, A., 101.

 influence of manuring on the composition of potatoes, 1881, A., 102.

--- manuring experiments with rye and wheat, 1881, A., 103.

- palm oil residues as fodder, 1881, A., 355.

- -- yield of crops under steam cultivation, 1884, A., 359.

- - value of various nitrogenous man-

ures, 1881, A., 488: - examination of Aves guano, 1881, A., 489.

- Stassfurt salts as absorbents in stables, 1884, A., 491.

---- composition of Savony barley, 1881, A., 630.

-- a cause of the differences noticed in the estimation of superphosphates, 1884, A., 639.

 poisonous action of ammonium thiocyanate on plant life, 1884, A.,

- effect of high farming on the amount of nutritious matter in straw, 1884, A., 772.

- fertility of a soil which had been removed from its original position and subsequently replaced, 1881, A.,

— woody fibre as fodder, 1884, A., 861.

Märcker, Max Heinrich, varieties of sugar-beet, 1884, A., 865.

- manuring potatoes, 1884, A., 865. - diffusion residues as cattle food, 1884, A., 921.

- manuring barley and oats with nitrogen and phosphates, 1884, A.,

- potash manures for potatoes, 1885, A., 83.

- loss of weight in the ensilage of beet leaves, 1885, A., 423.

- solution of wool-dust, 1885, A., 428.

– Sidney Island guano, 1885, A., 429. - manurial value of peat waste, 1885, A., 687.

- value of sugar as food for stock, 1885, A., 1149.

--- Chili saltpetre or ammonium sulphate, 1885, A., 1156; 1886, A., 616. - - frothy fermentation, 1885, A., 1168.

- properties of malting barley, 1855, Λ., 1169.

- growth of barley from varieties of seed, 1886, A., 274.

-- composition of certain fodder plants, 1886, A., 645.

- action of nitre as compared with ammonium sulphate, 1886, A., 954. - -- diffusion residues, 1887, A., 521.

- value of the phosphoric acid in

basic slag, 1887, A., 687.

— composition of spring wheats grown in 1887, 1889, A., 183.

- composition and nutritive value of oats, 1889, A., 181.

- effect of manuring with ammonium sulphate and with sodium nitrate, 1890, A., 287.

- - economy of phosphoric acid in the growth of beet-root, 1891, A., 612.

Märcker, Max Heinrich, and Kobus, chemical changes induced by the sprouting of grain, 1881, A., 200.

Märcker, Max Heinrich (and others), cultivation of cereals, 1881, A., 482.

-- cultivation of Vicia villosa and of Pisum arvense, 1881, A., 769.

· cultivation of sugar-beet, 1881, A., 1211.

drying of "diffusion cuttings," 1885, A., 79.

Märcker, Max Heimich. See also Ollo Beseler.

Magalhaes, Antonio José du Cruz. Sec Rarl von Buchka.

Magdeburg, thustar. See theory Vortmann.

Magel, Gustav, mispickel from Auerbach, 1884, A., 1100.

Mager, W. See G. W. Lehmann.

Magerstein, Vinc. Th., volume-weight of some manures, 1884, A., 1213.

comparative manurial values of Chili saltpetre and ammonium sulphate, 1887, A., 77.

experiments with Chili saltpetre, 1887, A., 78.

addition of wood-ashes to superphosphates, 1888, A., 749.

Maggi, Leopoldo, prothistological examination of potable waters, 1884, A., 369.

Magnaghi, Pictro. See Giucomo Luigi Ciamician.

Magnan. See J. C. Vincent Laborde.

Magnanimi, Oreste, isopropylphenylcinnamic and p-methylcoumaric acids, 1886, Λ ., 467.

 chloro-derivatives of acetals, 1887, Λ., 28.

Magnanimi, Oreste. See also Teodoro Leone, Salvatore Scichilone, Giovanni Spica.

Magnanini, Gaetuno, piperiline, 1887,

transformation of homologues of indole into those of quinoline, 1887, A. 1113; 1890, A., 1322.

action of acetic anhydride on levulinic acid, 1888, A., 819.

-acetyl-compounds of ψ -methylketole

and scatole, 1888, A., 957.

— conversion of methylketole into quinaldine, 1888, A., 957.

derivatives of as-dimethylpyrroline,

1889, A., 57, 408.

- behaviour of pyrroline and its derivatives as regards Raoult's law, 1889, A., 901.

molecular weights of the insideanhydrides of pyrrolinecarboxylic and indolecarboxylic acids, 1890, A., 67.

emission spectrum of ammonia. 1890, A., 97.

absorption spectrum of nitrosyl chloride, 1890, A., 97. — aldol, 1890 A., 861.

- action of ammonia on dehydrodiacetyllevulinic acid, 1890, A., 864.

molecular weights of pyrroline de-1ivatives, 1890, A., 906.

conversion of the homologues of indole into quinoline derivatives, 1890, A., 1322.

behaviour of mannitol towards boric acid, 1890, A., 1357.

electromotive force of a metal in a series of electrolytes, 1891. A., 3.

Magnanini, Guetano, influence of mineral acids on the velocity of the reaction between bromic and hydriodic acids, 1891, A., 144.

- electrical conductivity of boric acid solutions in presence of dulcitol, 1891,

A., 251.

- reaction between ferric salts and soluble thiocyanates, 1891, A., 1150. catalytic influence of acids on the velocity of the reaction between hydrogen peroxide and hydriodic acid, 1892, A., 110.

- influence of boric acid on the electrical conductivity of aqueous solutions of organic acids, 1892, A., 256.

freezing-points of aqueous solutions of boric acid and mannitol, 1892, A., 263.

- absorbent power of coloured salts and electrolytic dissociation, 1892, A., 757.

influence of boric acid on the electrical conductivity of dilute alcoholic solutions of organic acids, 1892, A.,

Magnanini, Guctano, and Angelo Angeli, constitution of lepidine, 1889, A.,729.

Magnanini, Gaetano, and Man Scheidt, action of phenylhydrazine and hydroxylamine on dehydrodiacetyllevulinie acid, 1892, A., 1429.

Magnanini, Gactano. See also Giacomo $L \omega igi$ Ciamician.

Magnier de la Source, Louis, influence of plastering on the composition of wine, 1884, A., 646.

- mode of combination and detection of sulphuric acid in plastered wines, and the free acid in wines, 1891, A., 768.

Mahla, Frederick, new compound of potassium, iron, and cyanogen, 1889, A., 359.

Mahla, Frederick. See also August Wilhelm con Hofmann.

Mahler, Pierre, calorimetry, 1892, A., 260. distillation of coal, 1892, A., 395. Mai, Carl. See Wilhelm Koenigs.

Mai, Julius, elimination of carbonic anhydride by the aid of sodium methoxide, 1889, A., 1126.

- compounds of sulphur and phosphorus, 1892, A., 11.

-action of oximes on diazo-compounds, 1892, A., 163.

action of hydroxylamine on diazobenzene and p-diazotoluene chlorides, 1892, A., 710.

action of diazo-compounds on oximes, 1892, A., 1079.

Mai, Julius, and K. Aschoff, preparation of collidine, 1892, A., 725.

Mai, Julius. See also Friedrich Krafft. Maiden, Joseph Henry, resin of Myoporum platycarpum, 1889, T., 665; P., 127.

Mainzer, Karl, products of the decomposition of mixed aromatic thiocarbamides by acids, 1883, A., 1106.

phenethyl compounds, 1884, A., 1000.

Mairet, Albert, biological function of phosphoric acid, 1884, A., 1392.

- influence of intellectual activity on the elimination of phosphoric acid by the urine, 1884, A., 1394.

Mairet, Albert, and François Auguste Frédéric Combemale, physiological action of acetophenone, 1886, A., 385. therapeutic action of urethane, 1886, A., 640.

 physiological action of methylal, 1887, A., 391.

- toxic action of colchicine, 1887. A., 515.

therapeutic action of colchicine, 1887, A., 614.

– therapeutic action of methylal, 1887, A., 684.

Mairet, Albert, Pilatte, and François Auguste Frédéric Combemale, action of antiseptics on higher organisms: thymol, 1885, A., 1085.

- action of antiseptics on higher organisms: iodine and silver nitrate, 1885, A., 1253.

Maisch, Henry Charles Christian, stearopten from essence of patchouli, 1885, A., 394.

preparation of boron, 1890, A., 331. Maisch, Henry Charles Christian. See also Ludiviy Gattermann.

Maisch, John Michael, adulteration of

suffron, 1886, A., 581.

Maissen, Pictro, additive products of some terpenes, 1883, A., 1140.

— Alfianello meteorite, 1884, A., 415. Maissen, Pietro, and Emrico Rossi, estimation of nitrogen in ammonium magnesium phosphate, 1890, A., 291.

Majert, Wilhelm, and Albrecht Schmidt,

butylamines, 1887, A., 357.
 salts of dissobutylamine, 1887,

A., 461.

Malbot, H., preparation of n-propylam. incs, and isoamylamines, $1887, \Lambda., 652$. - amines of the paraffin and benzene series, 1888, A., 41.

- propylene iodide, 1888, A., 1262. preparation of alkyl chlorides from

alcohols, 1889, A., 687.

action of hydriodic acid on allyl iodide, 1889, A., 766.

- purification of amyl iodide, 1890, Λ., 116.

 heats of combustion of isodibutylene and isotributylene, 1890, A., 320. - preparation of octyl chloride, 1890, A., 577.

isobutylamine, 1891, A., 36.

diisobutylamine ethyl oxalate, 1891, A., 284.

- action of aqueous ammonia on isopropyl iodide and chloride, 1891, A., 413.

- action of aqueous ammonia on isobutyl chloride in closed vessels at 100°, 1891, A., 817.

Malbot, H., and L. Gentil, action of zinc chloride on isobutyl alcohol in presence of hydrochloric acid, 1889, A., 842.

Malbot, H., and A. Malbot, isopropylamines, 1891, A., 166.

formation of tetralkylammonium iodides, 1892, A., 133.

- action of isoamyl iodide on trimethylamine, 1892, A., 805. - action of isobutyl iodide on

trimethylamine, 1892, A., 804 - action of capryl iodide on trimethylamine, 1892, A., 806.

- action of propyl iodide on trimethylamine; trimethylpropylammonium iodide, 1892, A., 1294.

— — action of isopropyl iodide on trimethylamine; trimethylpropylam-monium iodide, 1892, A., 1295.

---- action of allyl iodide on trimethylamine; trimethylall monium iodide, 1892, A., 1295. trimethylallylam-

Malbot, II. See also Edouard Duvillier. Malenfant, alteration of syrup of tolu,

1883, A., 407.
Malerba, Pasquale, fatty constituents of common chestnuts, 1881, A., 202. - effect of allantoin on the estimation of urea in urine, 1886, A., 583,

· the viscous material formed by the Baclerium gliserogenum, 1891, A., 1391.

Malfatti, Hans, digestion of various foods in the human intestines, 1886, A., 379.

– nucleïns, 1892, A., 224, 1501.

Malfatti, *Huns*, and *Paul* Schoop, determination of vapour densities at low pressure, 1888, A., 336.

Malfatti, Hans. See also Wilhelm Fran: Loebisch.

Mallard, François Ernest, action of heat on heulandite, 1884, A., 829.

determination of the refractive indices of boracite, 1886, A., 209.
 crystalline compounds prepared by

Ebelmen, 1888, A., 348.

— lussatite, a new form of silica,

1890, A., 569.

tridymite and chrystobalite, 1890,

A., 1070.

—— native iron from Canon Diablo, 1892, A., 947.

Mallard, François Ernest, and Henry Louis Le Chatelier, nature of the vibratory movements which accompany the propagation of flame in mixtures of combustible gases, 1883, A., 148.

duced during the combustion of gascous mixtures, 1883, A., 542.

combustion of gaseous mixtures, 1883, A., 844.

——— dimorphism of silver iodide, 1884. A., 16.

combustion of explosive gaseous mixtures, 1884, A., 549.

and the temperature of transformation of silver iodide, 1884, A., 1260.

Mallard, François Ernest, and E. Cumenge, boleite, 1892, A., 123.

Mallat. A., estimation of starch in

Mallat, A., estimation of starch in gluten bread, 1885, A., 445. Mallet, Frederick Richard, native lead

and chromite from the Andaman Islands, 1885, A., 1185.

—— so-called nepaulite, 1886, A., 207.
Mallet, John William, properties of pure aluminium, 1883, A., 151.

crystalline form of sipylite, 1883,

estimation of organic matter in notable water, 1883, A., 1171.

potable water, 1883, A., 1171.

meteoric iron from Wichita ('o., Texas, 1885, A., 493.

— silver in Cotopaxi volcanie ash, 1887, A., 451.

atomic weight of gold, 1890, A., 708.
creurrence of silver in volcanic

dust, 1891, A., 277.

Jean Servais Stas and the measurement of the relative masses of the atoms of the chemical elements (memorial lecture), 1892, P., 201; discussion, P., 207.

Mallèvre, Allred, effect of acetic acid on respiratory changes, 1891, A., 344.

Malot, Ch., estimation of phosphoric acid, 1887, A., 1063.

estimation of phosphorus in iron and steel, 1892, A., 528.

Maltschewsky, Paul L., estimation of tannin in tea, 1891, A., 132.

Maly, Richard L., andesite from Trifail in Steiermark, 1885, A., 735.

—— oxidation of albumin with permanganate, 1885, A., 824; 1888, A., 1120.

oxidation of gelatin with potassium permanganate, 1889, A., 629.

conversion of thiocarbamide into carbamide, 1890, A. 1399.

Maly, Richard L., and Rudolf Andreasch, caffeine and theobromine, 1883, A., 1016.

Maly, Richard L., and Friedrich Emich, behaviour of the bile acids with albumin and poptones; autisoptic action of the bile acids, 1883, A., 673.

Manasse, Otto, vanadates of the alkaline earths, 1887, A., 339.

action of anyl nitrite on nitrosoketones, 1888, A., 1088.

Manasse, Otto. See also Ludvoig Claisen. Manasse, Paul, lecithin and cholesterol in red blood corpuscles, 1890, Λ., 1017.

Manché, Eduard, effect of muscular work on the glycogen in the muscles, 1889, A., 428.

Mandel, John A. Sec L. H. Friedburg. Mandelin, Karl Fr., viola-quercitrin, 1884, A., 1191.

---- aconitine, 1885, A., 911.

Mandl, Alex., cyanhydrin of nitrosodipropylaniline, 1886, A., 792.

Maneuvrier, Georges, formation of the electric are without contact of the electrodes, 1887, A., 626.

Maneuvrier, Georges, and James Chappuis, electrolysis with alternating currents, 1888, A., 1005.

Maneuvrier, Georges. See also Jules Célestin Jamin.

Mangin, Louis, pectic compounds in plants, 1890, A., 80.

of gases by plants, 1890, A., 190.

intercellular matter, 1890, A., 656.
callose, a new fundamental substance in vegetable membrane, 1890, A., 734.

Mangin, Louis. See also Gaston Bonnier.

- Mangold, Carl, analysis of beeswax, 1892, A., 1031.
 - -stéreochemistry of trihydroxystearie acids prepared from ricinolene acid and from ricinelardic acid, 1892, A., 1301.
- Mangon, Hervé, the ice plant (Misembryanthemum crystallinum), 1883, A., 499.
- Manhés, Pierre, extraction of nickel and cobalt from their ores, 1885, A., 201.
- Mankiewicz, detection of phosphorus, 1887, A., 526.
- Mann, preparation of chemically pure hydrogen peroxide, 1889, A., 101.
- Mann, Christian, test for citric acid, 1885, A., 813.
- --- detection and estimation of chlorine in thiocyanates, 1890, A., 663.
- Mann, Christian. See also Adolph Claus.
- Mann, Friedrich. See Adolph Claus. Mann, Paul, rutile as a product of the decomposition of titanite, 1883,
- A., 33.

 -- chemical composition of augites from phonolites and similar rocks,
- 1885, A., 34.

 Manning, I. II., decomposition of potas-
- sium eyanide, 1888, A., 930.

 Manning, I. II., and I. W. Edwards, salts of camphoric acid, 1888, A., 963.
- Manning, Thomas Davys. See Alfred Herbert Tubby.
- Mannley, (1., estimation of indigo, 1887, A., 1147.
- Manns, Albert, malachite-green and derivatives of p-amidodiphenyl-methane, 1889, A., 261.
- Manoury (and others), recovery of beet juice by lime, etc., 1885, A., 709.
- juice by lime, etc., 1885, A., 709. Mansbridge, William, new method for the estimation of unsaponifiable matter in fats, 1892, A., 1533.
- Manseau, M. M., detection and estimation of santonin, 1892, A., 666.
- Mansfeld, Movitz, modification of the Reichert-Meissl method of butter analysis 1889 A. 85.
- analysis, 1889, A., 85.

 Mansfeld, W., compounds of diethylene bisulphide, 1885, A., 525; 1887, A., 122.
- Manteau, A., manurial experiments at Reims, 1881, A., 1419.
- Manzoni, *U. Scurati*, preparation of sodium hyposulphite, 1885, A., 723.
- - chromium and aluminium sulphates, 1885, A., 725.

- Maquenne, Léon, action of ozone on hydrocarbons, 1883, A., 37.
- --- decomposition of formic acid by the silent discharge, 1883, A., 457.
- ammonio-cobalt compounds, 1883, A., 557.
- action of carbonic oxide on steam, 1883, A., 860.
- decomposition of carbon compounds by the silent discharge, 1881,
 A., 542.
- A., 1251.
- sulphur liberated by the decomposition of hydrogen persulphide, 1885, A., 1037.
- methyl alcohol in the products of the distillation of leaves with water, 1886, A., 271.
- ---- inosite and its derivatives, 1887, A., 355, 459, 908.
- — identity of dambose with inosite, 1887, A., 909.
- --- galactosecarboxylic acid, 1888, A., 580.
- derivatives of saccharic and mucic acids, 1888, A., 676.
- perseitol, 1888, A., 807.
- —— molecular weight and valency of perseitol, 1889, A., 32.
- combination of benzaldehyde with polyhydric alcohols, 1889, A., 116.
- heptine from perseitol, 1889, A., 361.
- --- hyponitrites, 1889, A., 911.
 --- preparation of concentrated formic
- acid, 1889, A., 955. — fucusol, 1890, A., 33.
- --- rolation between sugars and furfuran derivatives, 1890, A., 33.
- -- Eucalyptus honey, 1890, A., 122.

 --- new sugar with an aromatic nucleus, 1890, A., 214.
- --- 8-inosite, 1890, A., 355.
- derivatives of β-pyrazole, 1890, A., 1439.
- --- B-pyrazoledicarboxylic acid, 1891, A., 330.
- ---- trehalose, 1891, A., 1000.
- use of phenylhydrazine for the estimation of sugars, 1891, A., 1142.
- —— direct combination of nitrogen with alkaline earth metals, 1892, A., 566. —— harium carbide, 1892, A., 685.
- -- nitrides of barium and strontium 1892, A., 776.
- action of sulphuric acid on hydrocarbons with a closed chain, 1892, A., 967.
- ----hydrocarbon derived from perseitel, 1892, A., 1065.

- Maquenne, Léon, natural synthesis of the vegetable hydrocarbons, 1892, A.,
- Maquenne, Lion, and Charles Tanret, racemo-inosite, 1890, A., 471.
- Maquenne, Léon. See also Pierre Paul Dehérain,
- Mar, Frederick William, so-called perofskite from Magnet Cove, Arkansas, 1891, A., 529.
- estimation of barium as sulphate, 1891, A., 1137.
- Mar, Frederick William. See also Frank Austin Gooch.
- Marburg, Richard. See Rudvlph Fittig. Marcacci, Arturo, action of alkaloids in the animal and vegetable kingdoms, 1887, A., 859.
- conversion products of starch, 1891, A., 357.
- Marcano, Vicente, direct fermentation of starch, 1883, A., 365.
- —— bread making, 1884, A., 132.
- formation of alcohol in the fermentation of bread, 1884, A., 532.
- transpiration of plants in the tropics, 1884, A., 1403.
- peptonic fermentation of meat, 1885, A., 181; 1888, A., 1318.
- alcoholic fermentation of the juice of the sugar cane, 1889, A., 915.
- Marcano, Vicente, and Achille Müntz, ammonia in the atmosphere and in the rain water of the tropics, 1892, A., 381.
- Marcano, Vicente. See also Achille Müntz.
- Marcet, William, volumetric estimation of carbonic anhydride, 1887, A., 528.
- A., 301.
- human respiration, 1890, A., 914.
 human respiration, air being rebreathed in a closed vessel, 1891, A., 1270.
- the respiratory exchange of gases, 1891, A., 1270.
- Marceuse, Wilhelm, formation of lactic acid during muscular activity, 1887, A., 508.
- Marchand, Eugine, suspended matter in water, 1884, A., 117.
- volumetric estimation of potash, 1884, A., 695.
- Marchand, Felix, toxic action of chlorates, 1888, A., 977.
- Marchesini, Hincomo, carbaminethio-acetophenone, 1892, A., 1317.
- Marchetti, C., picrates of α- and β-naphthol, 1883, A., 344.

- Marchlewski, Leo, reaction between hydrogen arsenide and silver nitrate, 1891, A., 1154.
- ____ colour of nitric acid, 1892, A., 113.
- --- aqueous solutions of tartaric and racemic acids, 1892, A., 961.
- Marchlewski, Lev. See also Georg Lunge.
- Marck, B. van der, pierotoxin, 1888, A., 848.
- estimation of alkaloids in coca leaves, 1890, A., 310.
- Marckwald, Wilhelm, decomposition products of thialdine thiocyanate, 1886, A., 864.
- —— methylthialdine, 1886, A., 1005.
- trithioacetaldehyde, 1888, A., 127. furfuran derivatives, 1888, A.,
- 135, 677.
 _____ furfuralmalonic acid, 1888, A.,
- 678.

 quinoline ring formation: constitution of benzene, 1890, A., 1001.
- —— action of acid chlorides on bases in presence of alkalis, 1891, A., 181.
- imidazoles and the constitution of glyoxaline, 1892, A., 1326.
- Marckwald, Wilhelm, Moritz Neumark, and R. Stelzner, hydantoïns and bases derived from them, 1892, A., 149
- Marckwald, Wilhelm. See also Alfred Wohl.
- Marckwaldt, Lco, derivatives of phenylhydrazine, 1889, A., 392.
- Marcus, Ernst, nitrogenous derivatives of some aromatic dihydroxyaldehydes, 1892, A., 317.
- Marcus, S. H. and William Oechsner de Coninck, physiological action of βcollidine, 1883, A., 101.
- Mareck, Friedrich, electrolytic preparation of nitrogen chloride, 1885, A., 347.
- Marek, Gusteen, diffusion of sugar in beet, 1883, A., 121.
- —— influence of soil, size of seed, etc. on the quality and yield of sugarbeet, 1884, A., 103.
- ---- sugar-beet, 1881, A., 356.
- distribution of sugar in the root of the beet, 1884, A., 766.
- effects of drying and remoistening dry beets and of frost on them, 1881, A., 767.
- loss of sugar in beet-root, 1891, A., 103.

- Marek, W., expansion of water, 1892, A., 106.
- Mareš, František, excretion of urea and uric acid from the system, 1887, A., 856.
- formation of uric acid in mammals, 1892, A., 1257.
- Marfori, Pio, berberine, 1889, A., 627.

 physiological action of guaiacol, 1891, A., 99.
- Margary, Latigi, bromine derivatives of \$\beta\$-naphtholazobenzene, 1884, A., 326.

 decolorising action of ferric salts
- on indigo, 1884, Λ., 457.
 —— derivatives of α- and β-naphtholazobenzene, 1885, Λ., 546.
- -- synthesis of dyes on tissues, 1885, A., 710.
- Margottet, J. See Paul Hautefeuille. Marguerite-Delacharlonny, P., transformation of blood into a solid inodorous manure, 1883, A., 239.
- aluminium sulphate, 1883, A., 714.
- --- hydrated aluminium sulphate, 1884, A., 820; 1885, A., 124. --- volatilisation of dissolved sub-
- --- volatilisation of dissolved substances during the evaporation of the solvent, 1887, A., 211.
- -- presence of sodium sulphate in the atmosphere, 1889, A., 945.
- —— normal aluminium sulphate, 1890, A., 1381.
- Marguerite-Delacharlonny, P., and L. Destremx, action of ferrous sulphate in various soils, 1889, A., 436.
- Margules, Max, Dalton's law, 1891, A., 520.
- Margulies, Otto, action of methyliodide and potash on phloroglucinol, 1889, A., 197.
 - -- hexamethylphloroglucinol, 1889, A., 1153.
- Marie, Theod., exidation of ceretic acid by nitric acid, 1890, A., 1237.
 - -- preparation of cerotic acid, 1891, A., 288.
 - monobromoverotic acid, 1892, A., 1302.
- Marié-Davy, Edme Hippolyte, nitrilication in the soil, 1883, A., 116.
- Marignae, Jean Charles Calissard de, verification of some atomic weights, 1884, A., 813.
 - crystallisation, 1885, A., 215.
- Marino-Zuco, Francesco, the so-called ptomaines in relation to toxicological researches, 1884, A., 342.
- ptomaines, 1881, A., 313, 1056.
 chemical examination of the suprarenal capsules, 1889, A., 200.

- Marino-Zuco, Francesco, destruction of organic matter in toxicological investigations, 1889, A., 653.
- a higher homologue of cholesterol, 1890, A., 757.
- new alkaloid from *Chrysanthemum* cinerariaefolium, 1891, A., 333; 1892, A., 84.
- Marino-Zuco, Francesco. See also Angelo Celli, Augusto Piccini.
- Mariutza, Nicolai, action of acids on methylisopropenylcarbinol, 1890, Δ., 728.
- Mariutza, Nicolai. See also A. Chupotsky.
- Markl, Inton, the system on which rice may be used in brewing, 1884, A., 235.
- Markovsky, Gortscho, E. M. F. of gas batteries, 1892, A., 393.
- Markownikoff, Wiadimir B., action of zinc propyl on acetic chloride, 1881, A., 1280.
- --- astrakanite, 1885, A., 732.
- --- Turkestan manna, 1885, A., 943.
 --- aromatic hydrocarbons of Caucasian petroleum, 1886, A., 1015.
- occurrence of thenardite in Russia, 1888, A., 793.
- in distillation, 1888, A., 1155.
- derivatives of heptamethylene, 1890, A., 728.
- Caucasian petroleum, 1891, A., 185.
- rose oil, 1891, A., 219.
 presence of ethylene linkages in terpenes, 1891, A., 464.
- hydrobonzoic acids, 1892, A., 714.
 naphthenes and their derivatives in the general system of organic compounds, 1892, A., 1182, 1311.
- -- fetramethylenedicarboxylic acids, 1892, A., 1306.
- naphthenes and polymethylenes, 1892, A., 1310.
- Markownikoff, Widdinir B., and W. Ogloblin, chlorination of hydrocarbons from Caucasian petroleum, 1883, A., 564.
- A., 1276.
- Markownikoff, Wadimir B., and Joh. Spady, constitution of the hydrocarbons, C_nH_{2n}, from Caucasian petroleum, 1887, A., 922.
- Marneffe, U. de, decomposition of the silicates in soil by lime and gypsum, 1891, A., 1135.

Marpmann, G., schizomycetic fermentation, 1883, A., 363.

progress in the knowledge of bacteria, 1883, A., 364.

- lactic fermentation, 1886, A., 733. - alantic acid and alantole, 1888, A., 378.

Marquard, G., Japanese bronzes, 1885, $\Lambda., 201.$

Marquardt, _1/bcrt, tribenzylamine derivatives, 1886, A., 615.

-alkyl compounds of hismuth, 1887, A., 802; 1888, A., 1066.

Marquardt, Albert, and Carl Arnold August Michaelis, ethyl telluride, 1888, A., 1066.

Marquardt, Albert. See also Giovanni Angelo Barbaglia, Alfred Einhorn,

Carl Arnold August Michaelis. Marquardt, L., estimation of zine in zine fume, 1886, A., 490.

new thickening material for mineral lubricating oils, 1886, A., 651.

Marsenille, Jérôme van. See Walthere Spring.

Marsh, Charles W., ammonia process for water analysis, 1883, A., 514. detection of chlorine, bromine,

iodine, and sulphur in organic compounds, 1889, A., 796.

reduction of barium sulphate to barium sulphide on ignition with filter paper, 1889, A., 1032.

Marsh, James Ernest, a new monobromocamphor, 1890, T., 828; P., 139. - action of acids on litmus, 1890,

A., 792.

- camphoric acids, 1890, A., 995. Marsh, James Ernest, and Herbert

Henry Cousins, the sulphonic derivatives of camphor, 1891, T., 966; P.,

Marsh, James Ernest, and John Addyman Gardner, researches on the terpenes; on camphene, 1891, T., 648; P., 123.

researches on the terpenes; on turpentine, 1591, T., 725.

Marsh, James Einest, and R. Stockdale, production of camphor from turpen-tine, 1890, T., 961; P., 140. Marsh, James Ernest. See also George

J. Burch.

Marshall, *Hugh*, cobaltic alums, 1888, A., 557.

oxidation of cobalt salts by electrolysis, 1891, T., 760; P., 121.

-the persulphates, 1891, T., 771; P., 124.

potassium persulphate, 1891, A., 982.

Marshall, John, new ureometer, 1887, Λ., 310.

- Huffner's reaction in bile, 1887, Δ., 390.

 glycosuric acid, 1887, A., 1047. transfusion of mixtures of blood and salt solution, 1891, A., 317.

Marshall, John, and Walter D. Green, action of cacodylic acid on the animal economy, 1886, A., 730.

Marshall, John, and Charles S. Potts, arsenic in glass and in alkali hydroxides, 1889, A., 341.

Marshall, John. See also Horatio C. ₩ood.

Marshall, T. Rhymer, and William Henry Perkin, junior 1:2-methylethylpentamethylene, 1889, P., 143.

- ωω, diacetylbutane, 1890, T., 241.

- acetyltrimethylenecarboxylic acid, 1890, P., 137.

- - the synthetical formation of closed carbon chains. Part 1 (cont.). The action of ethylene bromide on the sodium compounds of cthyl aretoacetate and ethyl benzoylacetate, 1891, T., 853; P., 124.

Marshall, William. See Thomas Purdie. Martin. See Saint-Martin.

Martin, Edward II'., detection of artificial colouring matters in butters, etc., 1887, A., 1149.

Martin, Henry. See Thomas M. Drown. Martin, Sidney Harris Cor, papain, 1886, A., 74.

 precipitation of peptones, 1886, A., 636.

— papain digestion, 1886, A., 611. - nature of papain and its action on vegetable proteids, 1886, A., 642.

proteids of wheat flour, 1886, A., 1065.

– vegetable globulins, 1887, A., 507. -- proteids of the seeds of jequirity, 1887, A., 990.

— detection of proteids in urine, 1888, A., 763.

- proteid poisons, 1889, A., 1026. - toxic action of the albumose from jequirity seeds, 1890, A., 398.

— pathology of proteids, 1891, A., 761. chemical pathology of diphtheria, anthrax, and infective endocarditis, 1892, A., 741.

anthrax in man, 1892, A., 1117. Martin, Sidney Harris Cor, and Dawson Williams, influence of bile on digestion, 1888, A., 618.

- - influence of bile on pancreatic digestion, 1891, A., 96.

Martin, Sidney Harris Cor, and Richard physiological Norres Wolfenden, principle of action of the active jequirity, 1890, A., 398.

Martin, Sulney Harris Cox. See also Thomas Lanuler Brunton.

Martinand, beer yeast, 1889, A., 181. alcoholic fermentation of milk, 1889, A., 916.

Martini, Alexander, and Adolf Weber, silicates of the phenols, 1883, A., 983.

Martini, Giuseppe, metallic derivatives of phenylhydiazine, 1892, A., 1454. artinoff, A. See Paul D. Chrust-

Martinoff, A. schoff.

Martinoff, B., and Stefan N. Schukowski, action of ethyl iodide and zine and of allyl iodide and zine on ethereal malonates, 1888, A., 820.

Martinon, estimation of hydrogen peroxide, 1885, A., 430.

action of hydrogen peroxide on phenols, 1885, A., 658.

- reducing action of hydrogen per-

oxide, 1885, A., 1036.
— action of hydrogen peroxide on chromium oxides, 1886, A., 984.

Martinotti, Friedrich, estimation of nitrogen by Kjeldahl's method, 1889, Λ., 1088.

- estimation of total phosphoric acid

in manure, 1891, A., 1897.

Martiny, Benno, and Wilhelm Fleischmann, loss of weight during the ripening of cheese, 1884, A., 1448.

Martius, Carl Alexander, new class of azo-dyes, 1886, A., 887.

Marx. Louis, companison of the barleys

of different countries, 1885, A., 422.

Marx, Mar, reduction of trimethylgallamide: acetylgallamide, 1891, A., 1218.

Marxow, Fleischl von. See Fleischl von Marxow.

Maschke, Leopold, S-naphthylamine derivatives, 1887, A., 888.

- trimethylnaphthalene, 1887, A., 841.

Mason, Arthur T., alkylenediamines, 1886, A., 329.

- condensation derivatives of ethyl-

enediamine, 1887, A., 493.

— action of ethylenediamine on succinic acid, 1888, P., 96; 1889, T.,

 acetamide and phenanthraquinone, 1888, P., 96; 1889, T., 107.

- piazine derivatives, 1888, P., 107; 1889, T., 97.

Mason, William P., viscosity of oils, 1885, A., 196.

Mason, William P, ash in bones of different ages, 1888, A., 80.

- manganiferous spring waters, 1890. A., 854.

 carbazole method for the estimation of nitrates in water analysis, 1892, A.,

Massalski, Wareg, estimation of ammonia as nitrogen in manutes, 1884, л., 638.

Massan, Carl. See Adolph Claus.

Massie, F. A., colourless mimetite from the Richmond mine, 1883, A., 163. Massignon, J., and E. Vatel, new pro-

cess for the manufacture of chromates. 1891, A., 1430.

Massol, Chestare, potassium and sodium malonates, 1888, A., 1239.

— heat of neutralisation of malonic

acid, 1888, A., 1240.

- calcium and strontium malonates, 1889, A., 691.

- ammonium malonates, 1889, A., 857. - barium malonates, 1889, A., 958.

potassium hydrogen malonate, quadromalonate, and quadroxalate, 1890, A., 740.

- lithium malonates, 1890, A., 1396. – silver malonate, 1890, A., 1397.

- thermochemistry of bibasic organic acids, 1891, A., 968; 1892, A., 395, 7140.

ethyl hydrogen malonate and othyl potassium malonate, 1891, A., 1012.

 thermochemistry of propionic acids and of the alkaline propionates, 1891, A., 1313.

- thermal constants of active malie acid and of potassium and sodium

malates, 1892, A., 260.
— tartronic acid and alkali tartronatos, 1892, A., 675.

- heat of formation of potassium tricarballylate, 1892, A., 762.
— citric acid, 1892, A., 763.

dibromomalonic acid, 1892, A., 1140.

 thermochemistry of bibasic organic acids; methylmalonic and methylsuccinic acids, 1892, A., 1140.

glutaric acid, 1892, A., 1141. Massol, Gustave. See also Jean Lion

Soubeiran, Masson, David Orme, the action of nitrous anhydride on glycerol, 1883, T., 348.

- sulphine salts containing the othylene radicle; I. Diothylenesulphidemothylsulphine salts, 1886, T., 288; P., 167.

Masson, David Orme, sulphine salts containing the ethylene radicle; II. Delm's reaction between ethylene bromide and ethyl sulphide, 1886, T., 249; P., 168.

- relation between the boiling-points, molecular volumes, and chemical characters of liquids, 1891, A., 379.

deductions from the gaseous theory

of solution, 1891, A., 791.

Masson, David Orme, and John Booth Kirkland, action of bromine and chlorine on the salts of tetrothylphos-

triethylsulphine, tetrethylphosphonium, and analogous bases, 1889, T.,

135; P., 20.

Masson, David Orme, and U. T. M. Wilsmore, does magnesium form compounds with hydrocarbon radicles? 1891, P., 16; discussion, P., 19.

Masson, David Orme. See also Leonard

Dobbin, Matthew Hay.

Massute, Friedrich, constituents of Quassia amara and Picraena circelsa, 1890, A., 791.

Masure, Felix, evaporation of water from the soil, 1883, A., 615.

evaporation of water into the

atmosphere, 1885, A., 1260.

Mathëus, J., azo-dyes of the hydroxyquinolines, 1888, A., 851.

- a new quinolinequinone, 1888, A., 965.

Mathias, Emile, measurement of the latent heat of vaporisation of liquefied gases, 1888, A., 773.

specific heats of saline solutions, 1889, A., 4.

Mathias, Emile. See also Louis Paul Cailletet.

Mathieu-Plessy, E., tribasic aluminium

oxalate, 1884, A., 296.

— acetic acid and alkaline thiosulphates, 1885, A., 1038.

Mathurin, Desire. See Henri Lescœur. Matignon, Camille, heats of formation

of uric acid and alkaline urates, 1890, A., 1040.

- ureïdes from normal acids, 1891,

 products of oxidation of uric acid, 1891, A., 1448.

– parabanic and oxaluric acids, 1891,

 characteristic difference between alcohol radicles united directly with carbon or with nitrogen, 1892, A., 106.

Matignon, Camille, substitution of radicles in union with carbon and nitrogen respectively: explosives, 1892, A., 1141.

 thermochemistry of guanidine and nitroguanidine, 1892, A., 1142.

Matignon, Camille. See also Murcellin Berthelot.

Mattei, Eugenio di, supposed toxic action of aqueous solutions obtained from fresh animal organisms, 1884, A., 199.

Matteucci, Vittorio. Sec Greido Pellizzari.

Matthes, Paul, behaviour of as-dinaphthylamine when combining with benzene, 1890, A., 385.

- azo-derivatives of secondary βnaphthylamines, 1890, A., 992.

Matthews, Francis Edward, on some condensation products of aldehydes with acetoacetic ether and with substituted acetoacetic ethers, 1883, T.,

action of nitric acid on ammonium chloride, 1888, P., 102.

- ethyl cinnamyldiethacetate, 1888,

P., 102; 1889, T., 38.

- a- and 8-modifications of benzene hexachloride, 1890, P., 175; discussion, P., 176; 1891, T., 165.

- α- and β-modifications of chlorobenzene hexachloride, 1891, P., 181.

action of sulphuric acid on the aand \$B-modifications of chlorobenzene hexachloride, 1892, T., 103.

Edward, Francis Matthews, William Richard Eaton Hodgkinson, ethyl acetoacetate, 1883, A., 311.

Matthews, Francis Edward. See also Ludwig Claisen, William Richard Eaton Hodgkinson.

Matthey, Edward, metallurgy of hismuth, 1887, A., 900; 1888, A., 656; 1891, A., 1161.

liquation of gold and platinum, 1890, A., 947.

Matthiessen, ConradHenry, and William Willert Mixter, o-azo-p-bromacetanilide, 1887, A., 251.

Mattirolo, Ettore, natrolite of Monte Catini, 1891, A., 1438.

breithauptite from Sarrabus, Sardinia, 1892, A., 790.

Matvéeff, V., action of allyl iodide and zinc on ethyl malonate, 1889, A., 121.

Matzdorff, Albert, α-picolylethylalkine and its derivatives, 1890, A., 1436. Matzudaira, C., dibenzylaniline and its

derivatives, 1887, A., 812.

Maugini, Francesco, meteorie sand, 1885, Λ., 231.

- chalybeate water of Raffanelo, 1888, A., 1261.

Maumené, Edmé Jules, cenocyanin, 1883, A., 215.

— chlorine hydrates, 1883, A., 780. - hydrates of baryta, 1883, A.,

- melting points of salts, 1884, A., 3.

- melting points of nitrates, 1884, A., 384. - presence of manganese in wines and other vegetable and animal pro-

ducts, 1884, A., 879; 1885, A., 421. - decomposition of cupric oxide by

heat, 1885, A., 124.

alleged selective fermentation, 1885, A., 1085.

- invert sugar and selective fermenta-

tion, 1886, A., 90. - alkaline hydrates, 1886, A., 121.

—decomposition of potassium chlorate by heat, 1886, A., 591.

- alcoholate of potassium hydroxide, 1886, A., 980.

- combination of potassium alum with water, 1886, A., 981.

- composition of suint, 1886, A., 1055.

water of crystallisation of alums, 1887, A., 218.

- action of nitric acid on sugar, 1887, A., 567.

- alloys of platinum, iron, and copper, 1887, A., 778. — "saccharin," 1887, A., 836.

inactose of neutral sugar, 1888, A.,

- chydrazaine or protoxide of ammonia, 1889, A., 14.

- preparation of the nitrogen hydride, N₂H₂, 1891, A., 262.

Maumené, Edmé Jules, and C. Limb, method for obtaining definite hydrates,

1888, A., 644. **Maupas**, E., glycogen in Infusioriae, 1886, A., 383. ciliated

-amylaceous granules in Gregarine, 1886, A., 383.

Mauritz, Alfred. Seo Julius Tafel. Mauro, Francesco, ammonium fluoroxymolybdates, 1889, A., 106; 1891, A.,

fluoroxy-salts of molybdenum, 1890, A., 702.

Mauthner, Julius, cystine, 1884, A., 1054; 1885, A., 822.

Mauthner, Julius, and Wilhelm Suida, indole from o-toluidine derivatives, 1886, A. 886.

Mauthner, Julius, and Willichm Suida, aromatic derivatives of oxamide and

oxamic acid, 1889, A., 139.

— phenylglycin-o-carboxylic acid:—glycocine derivatives, 1889, A., 143.

 indole from phenylamidoacetic acid, 1889, A., 1068. — glycocine, 1891, A., 38.

Mauzelius, Robert, action of sulphuric acid on a-naphthylamine hydrochloride, 1888, A., 375.

1:4'-naphthalenesulphonic acid,

1888, A., 376.

- alkyl salts of sulphacetic acid and ethylidenedisulphonic acid, 1888, A., 821.

1:4'-fluoronaphthalenesulphonic acid, 1889, A., 1001.

1:4'-iodonaphthalenesulphonic

acid, 1890, A., 168. Mauzelius, Robert. See also Alfred Ekbom, Ake Gerhardt Ekstrand.

Maximovitch, J., antiseptic properties of naphthols, 1888, A., 621, 978.

Maxwell, Walter, soluble carbohydrates in the seeds of leguminous plants, 1889, A., 644; 1890 A., 917.

— solubility of the constituents of seeds, 1889, A., 1028.

— sugar-yielding insoluble carbo-hydrates in seeds, 1890, A., 544.

- behaviour of the fatty substances, and the rôle of lecithins during normal germination, 1891, A., 489.

cutimation of the fatty substances in vegetable organisms, 1891, A., 511.

choline and betaine in cotton-seed foods, 1892, A., 380.

Maxwell, Walter. See also Ernst Schulze, Harvey Washington Wiley. See also Ernst Mayer, Adolf, antiseptics, 1888, A.,

action of invertin, 1883, A., 486.

--- comparative value of artificial and natural butter as articles of food, 1884, A., 92, 622.

— dopplerite, 1884, A., 265.
— compost manure, 1884, A., 360.
— chlorophyll, 1884, A., 1366.
— valuation of hay by chemical analysis, 1885, A., 699.

feeding value of various roots, 1885, A., 1259.

analyses of chicory root, 1886, A., 388.

-simple method of detecting adulterated butter, 1886, A., 895.

nature of Nageli's starch-cellulose, 1887, A., 460.

Mayer, Adolf, exhalation of oxygen by fleshy-leaved plants in absence of carbonic anhydride, 1887, A., 988.

analyses of 1ubbish heaps employed to improve soils, 1888, A., 191.

- melting-point and chemical composition of butter as affected by nutrition, 1889, A., 173.

- composition of canary-seed, 1889, A., 794.

- manurial value of several marine products, 1889, A., 1085.

-combustibility of tobacco, 1890,

A., 1458.

 climatic conditions for the development of nicotine in tobacco plants, 1891, A., 858.

— soil analyses, 1891, A., 958.

Mayer, Adolf, and F. Clausnitzer, analysis of gas-lime, 1883, A., 506.

Mayer, Adolf (and others), the temperature most favourable to the action of invertin, 1883, A., 101.

- valuation of seeds, 1884, A.,

200.

See also L. Brockema. Mayer, Adolf. Mayer, Ernst. See Rudolph Fittig.

Mayer, Friedrich, reduction of trinitro-∳-cumene, 1887, A., 36, 659.

nitro-\psi-cumidinesulphonic acid. 1887, A., 953.

action of nitrous acid on hexamethylenamine, 1889, A., 33.

- qualitative analysis of the ammonium sulphide precipitate, 1890, A., 84.

 preparation of cthylsulphonic acid, 1890, A., 748.

Mayer, Friedrich. See also Bernhard Tollens.

Mayer, Leopold, new process for producing a bronze coloured surface on iron, 1881, A., 127.

Mayer, Leopold, and Emil von Schmid, estimation of phosphoric acid, 1883, A., 241.

Mayer, Leopold, and Otto Wagner, analyses of bauxite, 1883, A., 888.

Mayer, Richard, pyridinecarboxylic acids obtained from berberine, 1892, A., 1357.

Mayer, Wilhelm. See Carl Hell. Mayer, William Turner. See Gustavus Michaelis.

Octave, F'elixcrystallised hæmoglobin, 1889, A., 1223.

Mayrhofer, Joseph, estimation of nitric acid in potable water, 1885, A., 691.

Mayrhofer, Joseph. See also Eduard Donath.

Mays, Karl, neutral litmus paper, 1891, Λ., 1519.

Mays, T. J., action of brucine and strychnine, 1888, A., 312.

Mazzara, Girolamo, asopropyl-, diisadipropyl-m-cresols, propyl-, and 1883, A., 463.

-compound of quinine with chloral, 1884, Ā., 186.

action of benzaldehyde and sulphuric acid on a mixture of aniline and nitrobenzene, 1881, A., 442.

mono- and di-chloracetate

quinme, 1884, A., 165.

· action of anomatic addeligites on

quinine, 1884, A., 466.

- action of potassium and phenols on diamidotriphenylmethane, 1885, A.,

- azo-derivatives, 1885, A., 901.

- diamidotriphenylmethane, 1885, A., 904.

constitution of phenylazothymol, 1885, A., 1131.

phenylazocarvaciol and diphenylazocarvaerol, 1885, A., 1132.

- azo-derivatives of carvaerol, 1886, A., 59.

- derivatives of cymene, 1886, A., 1016.

- derivatives of bromothymol, 1890, A., 366.

 thymol derivatives, 1890, A., 602. constitution of bromonitrothymol, dinitramidocymene, dinitrothymol, dinitrocymene, and the isomeric chloro- and bromo-thymoquinones, 1890, A., 753.

- constitution of derivatives of carvacrol, thymoquinone, and thymol, 1890, A., 881.

- new hydroxythymoguinone, 1890, A., 965.

 constitution of thymol and cymena derivatives, 1891, A., 46.

- constitution of thymoquinone and carvaerol derivatives, 1891, A., 47.

constitution of thymol and carvacrol derivatives, 1891, A., 188. constitution of thymoquinones and 8-hydroxythymogninone derivatives,

1891, A., 297. - carbazole, 1891, A., 570.

bromamidocarvacrol, 1892, A., 595.

Mazzara, Girolamo, and Giulio Discalzo. thymol derivatives, 1886, A., 1019.

Mazzara, Girolamo, and Aristide Leonardi, Ladenburg's method for distinguishing o-diamines, 1891, A., 1354.

Girolamo, and Aristide. Leonardi, behaviour of aldehydes with o-amidophenols, 1891, A., 1363.

- carbazole, 1892, A., 616. Mazzara, azzara, Girolamo, and Giuseppe Plancher, bromo-derivatives of carvacrol, 1892, A., 156.

- derivatives of carvacrol, 1892, A., 309.

Mazzara, Girolamo, and Giovanni Pos-setto, action of benzyl chloride on

quinine, 1884, A., 465. --- azo-derivatives of thymol,

1885, A., 893.

 diamidomethoxytriplienylmethane, 1885, A., 1141.

- --- azo- and diazo-compounds of thymol, 1886, A., 545.

Mazzara, Girolamo, and Engenio Vighi, thymol derivatives, 1890, A., 883.

Mazzotto, Domenico, cryohydiates of mixtures of salts, 1891, A., 388. Meara, Frank S. See Russell H. Chit-

tenden.

Mebus, E. Aug., and J. W. Decastro, preparation of strontium carbonate, 1885, A., 1269.

Medgyesy, B., bluish-grey mineral crusts from Rodna, 1886, A., 515.

Medicus, Ludwig, acridine, 1884, A.,

 detection of saccharose in wine, 1885, A., 693.

detection of salicylic acid in wine, 1890, A., 1475.

 estimation of lead, 1892, A., 1522. Medicus, Ludwig, and Carl Immerheiser, fermentability of dextrins, 1892, A., 922.

Meem, John C., limonite-pseudomorphs after iron pyrites, 1887, A., 116.

Meerson, S., derivatives of diamido-α-naphthol, 1888, A., 713.

- an isomeride of oximidonaphthol, 1888, A., 1200.

Mehne, P., condensation of furfuraldehyde with chloraldohyde, 1888, A., 458. Mehne, Paul, nitrosotoluidines, 1888, л., 463.

Méhu, Camille Jean Marie, extraction of indigotin and indirubin from urine, 1884, A., 1059.

 examination of urine for albumose and peptone, 1885, A., 451.

- solubility of mercuric iodide in oils, etc., 1886, A., 110.

– urea estimation, 1887, A., 1001. - sugar in urine, 1887, A., 1060.

Meidinger, Heinrich, electroplating zinc with nickel, 1884, A., 231. — polished brass, 1884, A., 521.

Meineke, C., estimation of phosphorus in steel and iron, 1887, A., 396.

- volumetric estimation of mangan-

ese, 1887, A., 531.

— analysis of clays, 1887, A., 1139.

— estimation of manganese, 1887, A., 1139.

- estimation of phosphorus in iron by molybdate, 1888, A., 1130.

estimation of manganese as sul-

phide, 1888, A., 1132.

estimation of ion by nitroso-\$-

naphthol, 1888, A., 1132.
— separation of manganese and allied metals from the sesquioxide group and phosphoric acid, 1889, A., 309. analysis of the raw materials and

products of the iron industry, 1889, A., 441.

– atomic weight of chromium, 1891, A., 882

Meissl, Emerich, detection of benzoic and boric acids in milk, 1883, A., 385.

testing of yeast, 1884, A., 931.

exchange of material in the pig. 1886, A., 381.

comparison of basic slag with

superphosphate, 1889, A., 745.

Meissl, Emerich, and Franz Böcker, constituents of the beans of the Soju hispida, 1883, A., 1024; 1884, A., 918.

Meissler, Aloys, ethyl isobutyl ether 1887, A., 1088.

Meissler, Aloys. See also Heinrich Goldschmidt.

Meissner, Franz, heat evolved when powders are moistened, 1887, A., 9.

Meister, Johannes, condensation of urothane with ethyl acotoacotate, 1888, A., 675.

Meixner, Alexander. See Adolph Claus.

Meldola, Raphael, on the constitution of some bromine-derivatives of naphthalene (third notice), 1883, T., 1.

- researches on secondary and tertiary azo-compounds, 1883, T., 425; 1881, T., 106; 1885, T., 657. — on the action of dibrom-α-naphthol

on amines, 1883, A., 536; 1884, T., 156.

 rosaniline colouring matters, 1883, A., 807.

- constitution of the haloid derivatives of naphthalene, 1885, T., 497; P., 71; discussion, P., 74.

- constitution of the naphthalene derivatives, 1886, P., 172; discussion, P., 174,

289 19 Meldola, Raphael, Wallach's explanation of the isomeric transformation of diazoamidobenzene into amidoazo-

benzene, 1887, P., 27.

— preparation of dinitionaphthylamine: m - nitrophenylazodimethyl-

amidobenzene, 1887, A., 152.

— constitution of diazoamido-com-

pounds, 1887, A., 818. - displacement of the amido-group

by the acetyl-group by aid of the diazo-reaction, 1888, A., 487.

— synthesis of heterogeneous mixed

alkyldiazoamido-compounds, T., 610; P., 127.

- evidence as to the quantivalence of oxygen derived from the study of the azonaphthol compounds, 1889, A., 404. formation of triazine derivatives,

1890, T., 328; P., 37.

— the action of nitrous acid on 1-a-

amido-2-\$\beta\$-naphthol, 1892, P., 218.

Meldola, Raphael, and John Henry Coste, benzyl derivatives of the phenyl-

enediamines, 1889, T., 590; P., 116. Meldola, Raphael, and Cecil Henry Desch, some homonucleal tri-derivatives of naphthalene, 1892, T., 765; P., 141.

Meldola, Raphael, and Frederick James East, researches on the constitution of azo- and diazo-compounds: compounds of the naphthalene \$-series,

1888, T., 460; P., 47. eldola, Raphael, a Meldola, andReginaldEdward Evans, note on the oxidation of p-diamines, 1889, P., 115.

Meldola, Raphael, and Martin Onslow Forster, researches on the triazine

series, 1891, T., 678; P., 123.

Meldola, Raphael, and Ernest Mostyn
Hawkins, a method for determining the number of NH₂ groups in certain organic bases, 1892, P., 133.

organic bases, 1892, P., 133.

Meldola, Raphael, and Frank Hughes, formation of indene derivatives from dibrom-α-naphthol, 1890, T., 393; P., 57.

third naphthaquinone, a 1890, T., 631; P., 88; discussion, P., 89.

 note on the action of nitric acid on dibrom-α-naphthol, 1890, T., 808; P., 139.

– azo-derivatives of β -naphthylamine, 1891, T., 372; P., 83.

Meldola, Raphael, and Gilbert Thomas Morgan, constitution of azo- and diazo-derivatives: compounds of the naphthalene \$\beta\text{-series, 1889, T., 114;} P., 11.

Meldola, Ruphael, and Gilbert Thomas Morgan, azonaphthols, 1889, T., 603; P., 127.

Meldola, Raphael, and Edward Ralph Moritz, Kjeldahl's method of estimat-

ing nitrogen, 1888, A., 628.

Meldola, Raphael, and Edgar Henry
Rider Salmon, amines and amides derived from the nitranilines, 1888, T., 774; P., 87.

Raphael, and Frederick Meldola, William Streatfeild. methodinvestigating the constitution of azoand diazo-derivatives and analogous

compounds, 1886, T., 624; P., 222.
——constitution of azo- and diazocompounds; diazoamido-compounds,

ethonyltriamidonaphthalene, 1887,

T., 691.

isomerism of the alkyl derivatives of mixed diazoamido-compounds, 1889, T., 412; P., 98.

 determination of molecular weights of polymeric compounds by Raoult's method, 1889, A., 1105.

researches on normal and mixed diazoamides, 1890, T., 785; P., 139.

 ethylene derivatives of diazoamido-compounds, 1892, P., 119.

Melikoff, Petr G., addition of hypochlorous acid to β-crotonic acid, 1883, A., 311.

 derivatives of the isomeric crotonie acids, 1883, A., 969.

- homologues of glycidic acid, 1881, A., 1301; 1885, A., 650.

glycidic acids, 1886, A., 1008. derivatives of tiglic acid, 1887, A., 29.

constitution of chlorohydroxybutyric seid and dichlorobutyric seid, 1887, A., 30.

- action of hypochlorous acid on angelic acid, 1888, A., 1177. Melikoff, Petr G., and Marc Feldmann,

hydroxycitraconic acid and its derivatives, 1890, A., 29.

Melikoff, Petr (1., and Pavel Inv. Petrenko-Kritschenko, chlorhydroxy-

acids of the fatty series, 1890, A., 736.

derivatives of angelic and tiglic acids, 1890, A., 862.

— derivatives of isocrotonic acid,

1892, A., 295

aβ-dimethylglyceric from angelic acid, 1892, A., 297.

- Melikoff, Petr U., and Nicolai D. Zelinsky, ethyl glycidate, 1888, A., 1056.
- Mellin, E., triphenylbenzene, 1890, A., 1423.
- and its derivatives, 1890, A., 239.
- Mellon, William II., free acid in superphosphates, 1888, A., 527. Melnikoff, Michail P., zoisite from
- Orenburg, 1892, A., 690.

 Melville, William Harlow, crystalline
- form of tribromacrylic acid, 1883, A.,
- metacinnabarite from California, 1891, A., 273.
- powellite, 1891, A., 886.
- Harlow, Melville, William and Waldemar Lindgren, minerals from the Pacific Coast, 1892, A., 1107.
- Melville, William Harlow. See also William Francis Hillebrand.
- Memminger, C. G., analysis of 'tobacco , stems, 1884, A., 99.
- platinum silicide, 1886, A., 121. - allanite from Nelson Co., Virginia,
- 1886, A., 127.

 Mendeléeff, Dmitri I., on the expansion of liquids, 1884, T., 126.
- phenomena of condensation, 1885,
- A., 114. - specific gravity of sulphuric acid, 1885, A., 121.
- distillation of American petroleum, 1885, A., 708.
- -correlation of physical properties of solution with concentration, 1886, A., 413.
- contact actions, 1886, A., 415. — the compounds of ethyl alcohol with water, 1887, T., 778.
 — specific gravity of sulphuric acid
- solutions, 1888, A., 343.
- periodic law of the chemical clements, 1889, T., 631.
- dissociation of substances in
- solutions, 1890, A., 325.

 the discovery of nitrogen hydride,
- 1891, A., 394. Mendenhall, Thomas Corroin, electrical resistance of soft carbon under pressure, 1887, A., 315.
- Mendini, D., monobromo- and dibromocitraconimide, 1885, A. 1126.
- Mengarini, Flavio, effects of an electric
- current on wine, 1888, A., 188.

 Menges, density of liquid oxygen, 1884, A., 553.
- Menges, C.L.R.E.apparatus for breaking electric circuit in atmosphere of hydrogen, 1885, A., 3.

- Menke, Albert Eduard, action of ferric sulphate on iron, 1887, A., 703.
- Menke, Albert Eduard. Sec also Charles Loring Jackson, McIrell Amusu Scovell.
- Mellinghoff, W., p-cyanobenzyl chloride . Mennell, Einst, meconic acid and some of its derivatives, 1883, A., 656.
 - -- nitrogenous derivatives of comenic acid, 1885, A., 1203.
 - Menozzi, Angelo, n-hydroxyvaleric acid. 1884, A., 1122.
 - Menozzi, Angelo, and Giuseppe Appiani, derivatives of glutamic acid, 1892, A., 298.
 - Menozzi, Angelo, and Cesare Belloni. a-methylamidovaleric acid, 1887, A., 797.
 - Menozzi, Angelo. See also Wilhelm Körner.
 - Menschikoff, Porficius, action of zinc ethide and zinc iodocthide on dipropyl ketone, 1888, A., 218.
 - Mensching, Justus, and Victor Meyer, vapour density of zine, 1887, A., 218.
 - vapour density of potassium iodide, 1887, A., 550.
 - behaviour of phosphorus, arsenie, and antimony at a white heat, 1887, A., 888.
 - - pyrometer, 1888, A., 331. Mensching, Justus. See also Karl Polstorff.
 - Menschutkin, Nicolai A., decomposition of tertiary amyl acetate by heat, 1883, A., 178, 309.
 - decomposition of acetanilide by water, 1883, A., 326.
 - mutual displacement of bases of neutral salts in homogeneous systems, 1883, A., 550, 708.
 - influence of isomerism on etherifi-
 - cation, 1884, A., 726.

 formation of amides from ammonium salts, 1884, A., 886, 1294.
 - influence of temperature on the rate of certain reactions, 1884, A., 1295. rate of formation of ethereal salts, 1888, A., 105, 901.
 - affinity coefficients of alkyl halogen compounds and of amines, 1890, A., 1366.
 - Menschutkin, Nicolai A., and Dmitri P.
 Konowaloff, vapour density of tertiary amyl compounds, 1884, A., 1119.
 - vapour densities of some ethereal salts, 1886, A., 299.

 Menschutkin, Nicolai A., and Michael
 - Th. Wassilieff, decomposition of acctic anhydride by water, 1890, A., 359. affinity coefficients of alkyl iodides and bromides, 1892, A., 1289.

Mente, _1dolf, amides of phosphorus and sulphur, 1889, A., 210.

Mente, Molf. See also Hermann Ost. Mentha, Eugen, chloro-p-azotoluene, 1887, A., 248.

Mentha, Eugen, and Kurl Heumann, p-chlorazobenzene derivatives, 1887,

cyanazobenzene and p-azobenzenecarboxylic acid, 1887, A., 248.

Karl Mentha, Eugen.See ณโรด Heumann

Menton, Kart,adjacent o-xylidine, 1891, A., 1203.

Menzies, William Jones, purification of sulphuric acid, 1885, A., 304.

Mer, Emile, influence of internal causes on the presence of starch in leaves,

1891, A., 604. Mercier, Pierre, action of borax in developers for photographic plates, 1891, A., 139.

Merck, Carl Emanuel, cocaine, 1885, A., 565.

 preparation of peptone, 1886, A., 1051.

- ecgonine, 1887, A., 284.

- Strophanthus and strophanthin, 1887, A., 1116.

- furfurethenepyridine, 1888, A., 1314.

- meconarceïne and narceïne meconate, 1889, A., 906.

– alkaloids of sabadilla seeds, 1891, A., 844.

– ψ-codeïne, 1891, A., 1121.

- dextrose from ipecacuanha root, 1891, A., 1133.

- terpin hydrate from Eucalyptus oil, 1892, A., 1235.

- subsidiary alkaloids of Belladonna, 1892, A., 1255.

Merck, Emanuel August. See Adolph Claus.

Merck, Willy, henzoyleogonine, 1885, A.,

artificial cocaïne, 1885, A., 1249.
artificial preparation of cocaine and its homologues, 1886,

Mercklin, Hermann. See Adolph Claus. Mering, Friedrich Joseph (Freiherr) von, does potato-sugar contain any

deleterious matter? 1883, A., 136. -action of potassium ferricyanide on blood, 1884, A., 1398.

- estimation of chlorides in dogs' urine, 1884, A., 1423.

- physiological action of potassium chlorate, 1885, A., 1002,

Mering, Friedrich Joseph (Freiherr) von. See also Arnold Cahn, Hans Thierfelder.

Merling, Georg, belladonine, 1881, A., 1055.

- bromo-derivatives of dimethylpiperidine, 1884, A., 1385.

action of bromine on dimethylpiperidine, 1887, A., 164.

-behaviour of dimethylpiperidine and allied hases towards hydrogen chloride, 1891, A., 1506.

- tropine, 1892, A., 358.

Mermet, 1., lecture experiments, 1887, A., 769.

Merrill, George Perkins, prochlorite from the Columbia district, 1886, A., 520. – new meteorite from California, 1888, A., 1046.

- serpentine from Montville, New Jersey, 1890, A., 716.

Merrill, George Perkins, and R. L. Packard, azure-like pyroxenic rock from New Mexico, 1892, A., 1057.

Merrill, George Perkins. See also Frank Wigglesworth Clarke.

Merrill, Lucius Herbert. See Whitman Howard Jordan.

Mertens, Eduard, action of amines on phthalylacetic acid, 1887, A., 51.

Mertens, Karel Hendrik, nitration of methylanilines, 1886, A., 1022.

Merz, J., amount of fat in hone-meal, 1891, A., 106.

Merz, Victor, conversion of phenols into nitriles and carboxylic acids, 1883, A., 802.

magnesium nitride, 1892, A., 409.

Merz, Victor, and Kasimir Gasiorowski. conversion of alcohols of the ethyl series into amines, 1884, A., 984.

Merz, Victor, and Ernet Holzmann. formation of hydrogen bromide and

hydrogen iodide, 1889, A., 751.

Merz, Victor, and Paul Müller, aniline and diphenylamine from phenol, 1887. A., 243.

conversion of phenols into

amines, 1887, A., 576. erz, Victor, and Christoph Ris, methylphenazine, 1886, A., 546. -o- and p-nitranilines, 1886, Λ .,

872.

- action of ethylenediamine on

catechol, 1887, A., 722.
Merz, Victor, and Wilhelm Weith, nitro-derivatives of naphthalene, 1883, A., 343.

- bromine derivatives, 1884, A., 588.

Merz, Victor, and Wilhelm Weith, exhaustive chlorination of aromatic substances, 1881, A., 588.

-- dimethylaniline derivatives,

1886, A., 792.

Victor. Merz, See also Kusimir Gasiorowski.

Merz, W., dimethylquinaldine, 1881, A., 1053.

Meschtschersky, Iwan, barium compounds of hismuth peroxide, 1883, A., 158.

Meslans, Maurice, propyl and isopropyl fluorides, 1889, A., 575.

---- fluoroform, 1890, A., 721.

- — allyl fluoride, 1891, A., 109.

-- fluorhydrins from glycerol, 1892, Λ., 799.

 acetic fluoride, 1892, A., 1068, 1069.

Meslans, Muurice. See also Henri Moissan. Mesnard, E., essence of sandal wood,

1892, A., 1379. Messerschmitt, J. B., spectrophoto-

metric observations, 1885, A., 1097. Messinger, Josef, thioxylen from coal-

tar, 1885, A., 767, 1052, 1205. - hydroxylation of pyridine deriva-

tives, 1886, A., 868. - wet methods of organic analysis,

1889, A., 80. - estimation of acctone in methyl

alcohol, 1889, A., 313.

--- wet method for the estimation of carbon in organic substances, 1890, A., 1467.

Messinger, Josef, and Carl Engels, action of hydrogen phosphide on aldehydes and ketonic acids, 1888, A., 441; 1889, A., 35.

Messinger, Josef, and Nicolus Pickersgill, reduction products of iodo-

phenols, 1890, A., 1402.

Messinger, Josef, and Georg Vortmann, new class of iodised phenols, 1889, A., 1150.

- - - - volumetric estimation of phenols, 1890, A., 1473.

Messinger, Josef. See also Friedrich Kehrmann.

Mester, Bruno, scatoxylsulphuric acid and scatole-pigment, 1888,

-- cystinuria, 1890, A., 189.

Metger, Stephan Odendahl, and Adolph Emmerling, some causes of discrepancy in the analyses of superphosphate, 1886, A., 740.

Mettegang, Hans. See August Bernthsen.

Metz, Em. Ed., densimetric estimation of the phosphorus in iron, 1891, A., 961.

Metzdorf, Rich., bacillus of cattle plague, 1884, A., 1398.

Metzeler, Kurl, indine derivatives of quinone, 1888, A., 1278.

Metzger, Siegm., p-dibromoquinoline, 1884, A., 757.

Meulen, Hendrik Gjalts Landmeter van See Eduard Mulder.

Meunier, Eticane Stanislas, lithological determination of the ineteorite of Estherville, Emmet ('o., Iowa, 1883, A., 37.

- — formation of bauxite and of pisolitic iron-ore, 1883, A., 1005.

- formation of bauxite and gypsum, 1884, A., 406.

-- analysis of the rocky portion of the syssiderite of Atacama, 1881, A., 471.

-- the Pallas meteoric iron, 1884, A., 116.

geological history of the syssiderite of Lodran, 1884, A., 417.

- deposit from a spring at Carmaux, 1885, A., 644.

- - synthesis of anorthite, 1885, A., 960. - - mineral waters from Java, 1887, A., 224.

meteoric iron at Fort Duncan, Texas, 1887, A., 617.

- - artificial formation of tose-spinel or balas ruby, 1887, A., 707.

- - artificial production of chromite, 1889, A., 351.

- meteorite at Eagle Station, Kentucky, 1889, A., 765.

--- meteorite from Phu-hong, 1890. A., 222.

– meteorite from Mighei, Russia, 1890, A., 316.

- chrome-iron, 1890, A., 568.

mineral waters of Malaisie and a tin mineral in process of formation, 1890, A., 1081.

-- fluoring and the synthesis of minerals, 1891, A., 21.

- artificial formation of daubréclite, 1891, A., 990. - artificial production of hyalite at

the ordinary temperature, 1891, A., 991. Meunier, Etienne Stanislas. See also

(fabriel Auguste Daubrée, G. Dollfus. Meunier, Jean, action of potassium carbonate on benzyl and benzylene

chlorides, 1883, A., 50. preparation of benzene hexachloride, 1884, A., 733.

- Meunier, Jαn, determination of vapour densities by gaseous displacement under low and variable pressures, 1884, A., 886.
- isomeride of benzene hexachloride, 1885, A., 52.
- benzene \$\beta\text{-hexachloride}, 1885, A., 518.
- new modes of formation of catechol, 1885, A., 1059.
- benzene hexabromide, 1885, A., 1126.
- -- combination of mannitol with benzaldehyde, 1888, A., 950.
- compounds of mannitol, 1888, A.,
- mannitol dibenzoate, 1888, A., 1265.
- --- benzoic acetals of manuitol, 1889, A., 233.
- dibenzoic acctal of sorbite, 1889, A., 479.
- ---- combination of mannitol with aldehydes of the acetic series, 1889, A., 580.
- benzoic acetals of sorbite, 1890, A., 730.
- --- conversion of glucose into sorbite, 1890, A., 1389.
- reduction of benzene hexachloride, 1892, A., 594.
- Meunier-Dollfus, Charles. See Auguste Scheurer-Kestner.
- Meurer, Victor, support for funnels while drying, 1888, A., 192.
- Meusel, E., effects of thiocyanates on vegetation and fermentation, 1887, A., 519.
- Mewes, Wilhelm, halogen substitution products of cthyl acetoacetate and their behaviour with sodium ethoxide, 1888, A., 817.
- Meyenburg, Friedrich von. See Kurl Auwers.
- Meyer, Adolf Bernhard, unwrought jadeite from Switzerland, 1885, A., 1188.
- new locality for nephrite in Asia, 1886, A., 210.
- actinolite rock from Dalecarlia, 1886, A., 990.
- nephrite from Alaska, 1887, A., 222.
- so-called jadeite from Switzerland. 1889, A., 839.
- Meyer, Alexander, phenylacetic acid and benzyl cyanide, 1888, A., 693.
- Meyer, Arthur, nature of Pringsheim's hypochlorin crystals, 1883, A., 483.

 gentianosis, 1883, A., 810.
- --- lactosin, 1884, A., 980.

- Meyer, Arthur, formation of starch in leaves supplied with glycerol, mannitol, and sugars, 1886, A., 902.
- Meyer, Arthur. See also Pierre Paul Dehérain.
- Meyer, C. See Friedrich Krüger.
- Meyer, Edonard. Scc Emile Wertheimer.
- Meyer, Ernest Sigismund Christian von, cyanethine and bases derived from it, 1883, A., 352.
 - —— cyanmethine, 1883, A., 653.
- --- chemical constitution of anthraquinone, anthracene, etc., 1881, A., 1186.
- mitrogenous organic compounds, 1885, A., 140.
- --- isatoic acid, 1885, A., 666.
- A., 145.
- a substance in commercial phenylhydrazine, 1886, A., 349.
- preparation of anisic acid, 1886, A., 352.
- synthesis of cyanphenin, 1887, A., 363.
- —— preparation of iodobenzene from phenylhydrazine, 1887, A., 1012.
- hydrocyanic acid and cyanogen iodide, 1888, A., 242.
- ethyl cyanide, 1888, A., 800.
- --- formation of cyanethine from ethyl cyanide, 1888, A., 802.
- polymeride of ethyl cyanide, 1889, A., 114.
- ----new method of obtaining eyanethine and similar bases, 1889, A. 360.
- -- constitution of cyanethine and its analogues, 1889, A., 577.
- —— polymerides of the nitriles, 1889, A., 577.
- -- cyanethine and its derivatives, 1889, A., 685.
- ---- hydroxy-m-diazines [hydroxypyr-imidines], 1890, A., 68.
- benzoyl derivatives of acetonitrile, 1890, A., 1251.
- a source of error in the estimation of sulphuric acid, 1890, A., 1312.
- -- polymerisation of the nitriles, 1892, A., 576.
- Meyer, Ernst Sigismund Christian von, and Theodor Bellmann, isatoic acid, 1886, A., 358.
- Meyer, Ernst Sigismund Christian ran. See also Carl Riess.
- Meyer, F., earth-nut and rye meals as food for milch cows, 1885, A., 1252.

Meyer, Franz Hermann Friedrich Carl. See Heinrich Limpricht.

Georg,aldehydeammonium eyer, Georg, andenydea. bases, 1883, A., 568, 1090.

--- some anomalous reactions, 1883, A., 1078.

- incombustible paper and colours, 1884, A., 379.

- refractive index of ice, 1887, A., 753.

- thermal alteration in a Daniell cell and in an accumulator, 1888, A., 393.

- a derivative of boric and phosphoric acids, 1890, A., 108.

- determination of the molecular weights of some metals, 1891, A., 984.

Meyer, H., estimation of cinchona alkaloids, 1883, A., 388.

Meyer, Hans, lactates, 1886, A., 1009. Meyer, Heinrich, derivatives of dimethyl-a-resorcylic acid, 1888, A., 148.

Meyer, Heinrick. See Oscur Georg

Jacobsen. Meyer, Hugo, electric resistance of psilomelane, 1883, A., 701.

Meyer, Jacob. See Emil Fischer.

Meyer, Julius Lothar, formation and decomposition of acetanilide, 1883, A., 56.

- recognition of suint in suct and

other fats, 1883, A., 750. - basis of thermochemistry, 1883,

A., 773. - air-baths, 1883, A., 900; 1889, A.,

754. - calculation of gas analyses, 1881,

T., 601. - temperature regulator, 1881, A., 883.

- ethyl glycollate, 1881, A., 992. chlorine and bromine carriers, 1885, A., 1182.

- formation of quinolines from metasubstituted amines, 1886, A., 161.

- ferric chloride as a carrier of iodine, 1886, A., 311.

--- combustion of carbonic oxide, 1886, A., 661.

- - halogen carriers, 1887, A., 326. action of carbon tetrachloride on

oxides, 1887, A., 552. - apparatus for fractional distillation under reduced pressure, 1887, A., 884.

 oxygen carriers, 1888, A., 216.
 preparation of hydrogen iodide, 1888, A., 219.

-- nitric anhydride, 1889, A., 341. --- decomposition of amides with alcohols, 1889, A., 380.

Meyer, Julius Lothur, nitration, 1889, л., 387.

– gas heating, 1889, A., 751.

nature of osmotic pressure, 1890, Λ., 441.

Julius Lothar, and Karl Meyer, Friedrich Otto Seubert, gas analysis under diminished pressure, 1884, T., 581.

- unit adopted for the atomic weights, 1885, T., 426; 1889, A., 753, 819.

Prout's hypothesis, 1885, T., 434. Meyer, O., simple method of examining

yeast, 1885, A., 452.

Meyer, Punt J., action of dichloracetic acid on aromatic amines, 1884, A., 47. Meyer, Peter. See Richard Anschütz.

Meyer, Richard E., benzene formulæ, 1883, A., 51.

- microscopic investigation of dyed cotton fabrics, 1883, A., 751.

- hydroxylation by direct exidation, 1883, A., 983, 1072.

- phenylacetic acid, 1886, A., 63. - action of chlorine and bromine on

organic bromides and iodides, 1886, A., 929. - synthesis and constitution of the

two propylbenzoic acids, 1886, A.,

- benzencazomalonic acid, 1888, A., 369; 1891, A., 922.

· cymene, 1891, A., 688.

-— phthaleins, 1891, A., 1029.
— action of phthalic chloride on phenols, 1891, A., 1485.

Meyer, Richard E., and Hermann Hoff-

meyer, fluorescein, 1892, A., 970.

- the fluorescein group, 1892, Λ., 1228.

Meyer, Richard E., and Hans Kreis, hydroxyazo-compounds, 1883, A.,

Meyer, Richard E., and Erwin Müller, synthesis of cumic acid, 1883, A.,

Meyer, Richard E., and Otto Oppelt, fluorescem, 1889, A., 246.

Meyer, Theodor Ad. Aug., behaviour of basic slag with water charged with carbonic anhydride, 1886, A., 663.

- estimation of iron and alumina in phosphates, 1892, A., 536.

Meyer, Theodor Ad. Aug. See also Herhard Lösekann.

Meyer, Victor, benzene from various sources, 1883, A., 315.

- isonitroso-compounds, 1883, A., 569.

- Meyer, Victor, vapour density determinations, 1883, A., 618; 1886, A.,
- hydrochloride, hydroxylamine 1883, A., 646.
- thiophen, a substance contained in
- coal-tar benzene, 1883, A., 1091.

 coal-tar toluene, 1883, A., 1092.

 lecture experiments, 1884, A., 552. - the thiophen and pyrroline groups,
 - 1884, A., 586. chlorine monoxide for lecture ex-
- periments, 1884, A., 710. vapour density apparatus, 1884,
- A., 956. - ferrous chloride, 1884, A., 965.
- action of hydroxylamine chelidonic and meconic acids, 1884, A., 993.
- isomerism in the thiophen series, 1884, A., 1131.
- constitution of phthalic chloride and of anthraquinone, 1884, A., 1187. - preparation of pure thiophen, 1885,
- Λ., 141. - synthesis of thiophen, 1885, A., 515.
- constitution of thiophen derivatives, 1885, A., 763.
- thiotolen and thiophen, 1885, A., 887.
- the thiophen group, 1885, A., 1051; 1886, A., 534.
- drying and heating apparatus, 1886, A., 278.
- drying apparatus, 1886, A., 417. – thionaphthene, 1886, A., 713.
- relation of *«*-thiophenic acid to the n-thiophenearboxylic acids, 1887, A., 129.
- thiodiglycol compounds, 1887, A., 228.
- preparation of 8-iodopropionic acid, 1887, A., 232; 1888, A., 360.
- properties of some metals, 1887, A., 445.
- negative nature of the phenyl group, 1887, A., 572.
- stability of corrosive sublimate solution, 1887, A., 774; 1888, A., 228. - physiological action of chlorinated
- ethyl sulphides, 1887, A., 857. – *iso*phthalaldehyde, 1887, A., 940. – remarks on Japp and Klingemann's paper on the constitution of certain so-called mixed azo-compounds, 1888,
- P., 79. - question of the existence of true mitroso-compounds, 1888, A., 147. · negative nature of organic radicles,

1888, A., 147, 702.

- Meyer, Victor, o-cyanophenol, 1888, A.,
- lecture experiments with nitrogen chloride, 1888, A., 343.
- constitution of mixed azo-compounds, 1888, A., 366.
- Raoult's method of determining molecular weights, 1888, A., 407.
- thio-derivatives of deoxybenzom and its analogues, 1888, A., 484.
- -Genther's views on the constitution of the nitro-derivatives of the fatty hydrocarbons, 1888, A., 570.
- molecular weight of sulphur, 1888, A., 1028.
- remarks on Biltz's paper on the molecular weight of sulphur, 1888, A., 1028.
- ring-formation with elimination of a nitro-group from the benzenenucleus, 1889, A., 516.
- aromatic nitriles; benzyl cyanide and hydratroponitrile, 1889, A., 596. - results and aims of stereochemical research, 1890, A., 719.
- molecular weight of the desaurins, 1890, A., 1144.
- bismuth bromide, 1891, A., 1161. oximes, 1891, A., 1181.
- benzylthiocarbimide, 1891, A., 1214. - lecture experiments on oxy-hydrogen gas, 1892, A., 562.
 - aliphatic nitro-compounds, 1892, A., 575.
- commercial benzoic chloride, 1892, A., 604.
- Meyer, Victor, and A. F. Maurice Ceresole, constitution of nitroso-compounds, 1883, A., 572.
- Meyer, Victor, and Emil Joseph Constam, azaurolic acid, 1883, A., 40.
- Meyer, Victor, and Hans Kreis, the thiophen group, 1884, A., 45.
- homologues of thiophen, 1881, A., 1131.
- substances accompanying toluene from coal-tar, 1881, A., 1132.
- Meyer, Victor, and Marco T. Lecco, preparation of phenylhydrazine, 1881, A., 597.
- Meyer, Tictor, and Adolph Müller, constitution of nitrosomalonic acid, 1883, A., 790.
- Victor, and Franz Müller. substitution in the aliphatic series, 1892, A., 577, 1414.
- Meyer, Victor, and Friedrich Münchmeyer, lactones, 1886, A., 883.
- Meyer. Victor, and Ernst Nägeli, oxoctenol, 1883, A., 1076.

Meyer, Victor, and K. Neure, byc-products of the thiophen-manufacture, 1887, A., 805.

Meyer, Victor, and Ludwiy Oelkers, negative nature of organic radicles; examination of deoxybenzom, 1888, A., 703.

Meyer, Victor, and G. G. Pond, physicochemical experiments, 1885, A., 1033.

Meyer, Victor, and Eduard Riccke, the carbon atom and valency, 1888, A., 519.

Meyer, Victor, and Trangett Sandmeyer, artificial formation of thiophen, 1884, A., 45.

Meyer, Victor, and Ernst Schulze, action of hydroxylamine salts on plants, 1884, A., 1210.

Meyer, Victor, and Otto Stadler, pyrroline dyestuffs, 1881, A., 1045.

- analysis of volatile organic sulphur compounds, 1881, A., 1215. - — nitration of thiophen, 1885,

A., 141.

-- - - direct preparation of dibromothiophen from coal-tar benzene, 1885,
 - A., 971.

Meyer, Victor, and Wilhelm Wachter, iodosobenzoic acid, 1892, A., 1460.

Meyer, Victor, and Arthur Walley Warrington, bases from aldoximes, 1886, A., 783.

amines, 1887, T., 683; P., 101.

Meyer, Victor, and Hermann Wege, new method of formation of desaurins, 1892, A., 340.

Meyer, Victor. See also Paul Askenasy, Karl Auwers, Heinrich Biltz, Erich Braun, William R. Catheart, Girulanu Daccomo, Robert Demuth, Mau Dittrich, Franz Freyer, Ludwig Gattermann, Heinrich Goldschmidt, W. Grünewald, Arthur Heidenreich, Eduard Hoffmann, Paul Ehrhardt Jannasch, Ferdinand Keppler, Albert Krause, Carl Langer, Georg Lunge, Justus Mensching, Frederic P. Treadwell, Max Wittenberg.

Meyerhoffer, Wilhelm, accelerating and retarding influences in chemical pro-

cesses, 1889, A., 9.

 reversible transformation of copper potassium sulphate, 1889, A., 819.
 saturated solutions of compounds of cupric and potassium chlorides,

1890, A., 561.

factors of energy, 1891, A., 975.
 interval of change, 1892, A., 1145.

Meyerowitz, Louis. See Ludwig Claisen. Meysztowicz, IV., pyrosulphites, 1888, A., 344.

Mezger, Karl, cocame chromate, 1890, A., 839.

Michael, Arthur, synthesis of salicin and of anhydrosalicylic glucoside, 1883, A., 77.

--- action of aromatic hydroxy-acids

on phenols, 1881, A., 310.

 - action of sodium ethoxide on bromethylidene bromide, 1884, A., 418.
 - action of acetic anhydride and

acetic chloride on maize and potatostarch, 1881, A., 420.

--- convenient method for preparing bromacetic acid, 1884, A., 421.

A., 426.

--- synthetical researches in the glucoside group, 1884, Λ., 439; 1885, Λ., 521.

 new synthesis of cinnamic acid, 1884, A., 446.

action of aldehydes on phenols, 1881, A., 597.

--- some convenient quantitative lecture apparatus, 1884, A., 658.

--- constitution of resocyanin, 1881, A., 736.

--- decomposition of einchonine by sodium ethoxide, 1886, A., 162.

 action of phosphorus pentachloride on salts of organic acids, 1886, Λ., 614.

--- isomerism of paraffinoid hydrocarbons, 1886, A., 687.

earbons, 1886, A., 687.

--- citraconic acid as a reagent for aromatic amines, 1886, A., 697.

- formation of anilides, 1886, A., 697. action of aniline on bromomaleus and chlorofumaric acids, 1886, A., 698. nitration of phenylhydrazine, 1886,

A., 699.
convenient method of preparing brominated fatty acids, 1887, A., 358.

--- behaviour of acetic acid and its derivatives to phosphorus pentachloride, 1887, A., 359.

--- constitution of trimethylenetricarboxylic soid, 1887, A., 468.

- action of phosphorus pentachloride on acetanilide, 1887, A., 481.

reduction of the isomeric bromocinnamic acids, 1887, A., 668.

cinnamic acids, 1887, A., 668.

- action of ethyl sodarctoacetate and sodomalonate on the ethyl salts of unsaturated acids, 1887, A., 672.

formation of indigo-blue from anitrophenylpropiolic acid, 1887, A., 672. Michael, Arthur, reactions with ethyl sodacetoacetate and ethyl sodomalonate, 1887, A., 716.

condensation of aldehydes with

phenols, 1887, A., 825.

behaviour of ethyl exalate with resorcinol, 1887, A., 949.

constitution of levulinic and ma-

leïc acids, 1888, A., 134.

 constitution of ethyl sodacetoacetate and ethyl sodacetomalonate, 1888, A., 674.

- action of ethyl sodomalonate on

resorcinol, 1888, A., 956.

- constitution of ethyl sodacetoacetate, 1888, A., 1054; 1892, A., 1178, 1428.
- a criticism on "The arrangement in space of the atoms in the molecule of organic compounds," 1888, A., 1147.
- geometrical constitution of the crotonic acids and of their halogen substitution products, 1889, A., 1057.

regularities in the addition of halogen compounds to unsaturated acids, 1889, A., 1140.

displacement of the sodium in ethyl sodiophenylsulphoneacetate by alkyls, 1890, A., 781.

— levulinic acid; acetonediacetic acid

dilactone, 1891, A., 1337. - action of zinc on ethyl dibromo-

succinate, 1892, A., 40. Michael, Arthur, and George M. Browne,

isomerism in the cinnamic acid series, 1886, A., 702; 1887, A., 582. - conversion of ethyl bromo-

cinnamate into ethyl benzoylacetate, 1886, A., 703.

· isomerism in the crotonic acid series, 1887, A., 656, 1029. aromatic hydroxylamines,

1887, A., 663.

Michael, Arthur, and Arthur Messinger Comey, ethyl phenylsulphoneacetates, 1884, A., 319.

-action of aldehydes on phenols, 1884, A., 598.

Michael, Arthur, and Paul U. Freer, action of hydriodic acid on the crotonic acids, 1889, A., 1057.

- additive products of ethyl sodacetoacetate and sodomalonate with ethereal salts of unsaturated acids, 1891, A., 914.

Michael, Arthur, and Adolph Kopp, formation of crotonaldehyde and Bhydroxybutyraldehyde from acetaldehyde, 1884, A., 420.

Michael, Arthur, and George M. Palmer, conversion of organic isocyanates into thiocarbimides, 1885, A., 526.

 action of sodium phenylsulphinate on methylene iodide, 1885, Λ., 536.

 properties of phenylsulphoneacetates, 1885, A., 986.

- simultaneous oxidation and reduction by means of hydrocyanic acid, 1886, A., 155.

- resacetophenone, 1886, Λ., 239.

- anilides, 1886, A., 698.

— anilides of unsaturated polybasic acids, 1888, A., 461.

Michael, Arthur, and John Hunter Pendleton, alloisomerism in the crotonic acid series, 1888, A., 1176.

alloisomerism in the cinnamic

acid series, 1889, A., 1063.

Michael, Arthur, and John P. Ryder, action of aldehydes on phenols, 1886, A., 695; 1887, A., 723.

Michael, Arthur, and Oscar Schulthess, alloisomerism; dehalogenisation of ethyl salts of as-halogenised acids, 1891, A., 1184.

- additive products of ethyl sodacetoacetate and sodomalonate with ethereal salts of unsaturated acids, 1892, A., 590.

Michael, Arthur, and Georg Tissot, homologues of malic acid, 1891, A.,

Michael, Arthur, and John F. Wing, optically inactive aspartic acid, 1885, A., 377.

- additive compound of phenylhydrazine and hydrogen chloride, 1885, A., 963.

action of methyl indide on asparagine, 1885, A., 968.

- action of alkyl iodides on amido-acids, 1886, A., 148.

Michael, (Mrs.) Helen U. S. Abbot, and John Jeanprêtre, mandelic acid and its nitrile, 1892, A., 1088.

 formation of aromatic nitriles, 1892, A., 1094.

Michael, (Mrs.) Helen C. S. Abbot. See also Helen U. S. Abbot.

Michael, Richard, carboxylic acids from synthetically prepared pyridine bases, 1885, A., 60.

- syntheses of pyridine derivatives from ethyl acetoacetate, aldehydes, and ammonia, 1885, A., 1244.

Michaelis, Carl, electric conductivity of impure incremy, 1885, 322.

- Michaelis, Carl Arnold August, diacetonylphosphorous chloride and diacetonylphosphinous acid, 1881, A., 991.
- - acctonylphosphorus compounds, 1885, A., 747; 1886, A., 609.
- 1025; 1889, A., 1158.

 —— valency of bismuth, 1887, A., 340.
- organo-bismuth compounds, 1887, A., 368.
- -- tellurium dichloride, 1887, A., 1078.
- -- aromatic boron and silicon compounds, 1889, A., 505.
- -- inorganic derivatives of phenylhydrazine, 1889, A., 1163; 1892, A., 1321.
 - -thiophenylmethylpyrazolone, 1890, A., 1269. thionylamines, 1891, A., 715.
- Michaelis, Carl Arnold August, and Richard Burmeister, ethyl malonate phenylhydrazide and 1-phenyl-3:5-pyrazolidone, 1892, A., 1001.
- pyrazolidone, 1892, A., 1001.
 Michaelis, Carl Arnold Angust, and
 Conrad Claessen, asymmetrical secondary aromatic hydrazines containing
 unsaturated alcohol radicles, 1889,
 A., 1161.
- Michaelis, Carl Arnold August, and Ludwig Czimatis, trimethylphosphobenzobetarne, 1883, A., 55.
- Michaelis, Carl Arnold Angust, and Ulrich Genzken, tolylstibines, 1881, A., 1135; 1888, A., 145.
- A., 1135; 1888, A., 145. Michaelis, Carl Arnold August, and Ludwig Gleichmann, aromatic isophosphines, 1883, A., 185.
- Michaelis, 'arl Arnold August, and Eugen Godchaux, action of thionyl chloride on tertiary aromatic amines, 1890, A., 610.
- action of thionyl chloride on secondary aromatic amines, 1891, A., 71.
- --- aromatic sulphines, 1891, A., 714.
- Michaelis, Carl Arnold August, and Richard Hermens, β-succinylphenylhydrazide: 1-phenyl-3:6-σ-piperazone, 1892, A., 1194.
- Michaelis, Carl Arnold August, and Richard Herz, thionylamines, 1891, A., 310.

- Michaelis, Carl Arnold August, and Wilhelm La Coste, valency of phosphorus, 1885, A., 1182.
- 1885, A., 1214.
- Michaelis, Carl Arnold August, and Otto Lampe, synthesis of phenylpyrazolidine, 1892. A. 355
- azolidine, 1892, A., 355.

 Michaelis, Carl Arnold August, and
 Albert Marquardt, aromatic bismuth
 compounds, 1889, A., 1061.
- Michaelis, Curl Arnold August, and Fritz Oster, action of the chlorides of phosphorus, arsenic, boron, and silicon on aromatic hydrazines, 1892, A., 1324.
- Michaelis, Carl Arnold August, and Ulrich Pactow, benzylarsines, 1885, A., 526.
- Michaelis, Carl Arnold August, and Bernhard Philips, ethyl thioacetoacetate, 1890, A., 582.
- Michaelis, Cuil Arnold August, and Alfred Polis, triphenylbismuthine and its derivatives, 1887, A., 368.
- Michaelis, Carl Arnold August, and Igna: Rabinerson, aromatic mercury compounds, 1890, A., 1269.
- on tertiary aromatic amines, 1892, A., 1321.
- Michaelis, Carl Arnold August, and August Reese, aromatic arsenic and antimony compounds, 1883, A., 327.

 aromatic antimony com-
- pounds, 1886, A., 881.

 Michaelis, Carl Arnold August, and
 Fritz Rotte, aromatic phosphorus
- compounds, 1892, A., 1084.

 Michaelis, Carl Arnold August, and Jules Buhl, inorganic derivatives of phenylhydrazine, 1890, A., 617.
- Michaelis, Carl Arnold August, and Adolf Schenk, action of phosphorus chloride on tertiary amines, 1891, A., 435.
- Michaelis, Carl Arnold Angust, and Franz Schmidt, isomeric mono- and di-benzoylphenylhydrazines, 1887, A., 365.
- 1887, A., 820.
- action of acid chlorides on sodium phenylhydrazine, 1889, A., 1159.
- Michaelis, Carl Arnold August, and Carl Schulte, arsenobenzene, arsenonaphthalene, and phenylcacodyl, 1888, A., 187.

Michaelis, Carl Arnold August, and Hugo von Soden, nitro- and amidotriphenylphosphine oxide. 1884, A., 1180.

 anilides of o-phosphoric acid, 1885, A., 1134.

 triphenylphosphine and its derivatives, 1885, A., 1134.

Michaelis, Carl Arnold August, and Ludwig Weitz, trianisylaisine and its derivatives, 1887, A., 367.

Michaelis, Carl Arnold Angust. See also Oscar Burchard, Richard Burmeister, 111bert Marquardt, 11dolf Schenk.

Michaelis, thustavus, and macam.
Turner Mayer, preparation of chloro-

form, 1886, A., 999.

Michaelis, Leopold, nicotenylamidoxime,

1892, A., 206. Michaelis, W., Portland cement and its adulteration, 1883, A., 530.

Michailoff, V., preparation of albumin, 1885, A., 69.

 new reaction for proteids, 1855, A.. 198.

 animal colouring matters, 1885, A., 676.

 new method of separating globulins from albumins, 1886, A., 164.

- coagulation of albumin, 1888, A., 73.

detection and estimation of indican and its homologues in urine, 1888, A., 880.

gelatinous state of proteid substances, 1889, A., 171.

Michaud, Gustavo, cyclamose, a new sugar, 1886, A., 782.

- cyclamin, 1888, A., 496.

– sapotin: a glucoside, 1892, A., 724. Michel, E., setting of cement, 1886, A.,

Michel, Lcopold, formation of crystallised selenates in the dry way, 1888, A.. 650. preparation of pyromorphite and

mimetesite, 1889, A., 21. Michel, Léopold. See also Edouard

Jannettaz.

Michel, Oscur. See Eugene Grandmougin.

Michel-Lévy, Auguste, micaceous por-phyrite of Morvan, 1883, A., 447.

basic eruptive rocks of Maconnais and Beaujolais, 1884, A., 411.

- determination of the double refraction of minerals, 1885, A., 621.

 nephelinic tephrite in the valley of the Jamma, 1886, A., 433.

-blue tourmaline from Chapey, 1886, A., 214.

Michel-Lévy, luguste, and Munier-Chalmas, new forms of crystallised silica, 1890, A., 712.

See also F. Michel-Lévy, _lugustc. Fouqué.

Michler, Wilhelm, and Hugh Salvin Pattinson, 1884, A., 747. tetramethylbenzidine,

Micko, C.. separation of malic acid from succinic and tartaric acids, 1892, A., 1531.

Miczyński, Zygmunt Napoleon, solubilities of the acids of the oxalic series

and of their salts, 1886, A., 935.

Middendorff, M. von, hamoglohin in blood passing to and from the liver

and spleen, 1889, A., 1023.
Mielcke, Paul. Sec Molph Claus.
Mielcke, W., calculation of phosphonic acid estimations, 1889, A., 439.

Mierau, Franz. See Wilhelm Clemen. Lossen.

Mierisch, W. Bruno, volcanic blocks of Monte Somma, 1888, A., 431.

Miers, Henry Merander, crystallography of bromostrychnine, 1885, T., 144; P., 5.

crystallography of tricupic sulphate, 1885, T., 377.

-hemihedrism of cupitte, 1885, A., 358. - crystallography of bournonite, 1886, A., 312.

- pyrargyrite and proustite, 1891, A., 273.

Miers, Henry Meander, and George · Thurland Prior, proustite containing antimony, 1888, A., 657.

Miers, Henry Alexander. See also Edward Kinch.

Miersch, Walther, formation of hydrindone derivatives from halogen cinnamic acids, 1892, A., 1222.

Miesler, Julius, electromotive dilution constants of silver and copper salts, 1887, A., 1072.

 electromotive dilution constants, 1888, A., 13.

- distribution of electromotive force in the cells of batteries, 1888, A., 330, 392.

Miklucho-Maclay. M. N. von, list waenite from the Poroschnaja Mountain near Nischne-Tagilsk, 1885, A., 221.

rutile and cassiterite in the Greifenstein granite, 1885, A., 1185. Milch. Inton. See Robert Otto.

Milch, Ludwig, new borate from Stassfurt, 1891, A., 528.

Miles, F. P., formation of potassium silicide, 1887, A., 150.

 supposed meteorite from Highland Co., Virginia, 1887, A., 155.

Miles, Manly, nitrifying microbes, 1887, Miller, Oscar, α-hydroxyphthalic acid, Λ., 1134.

Milkowski, Z. von, estimation of starch in grain, 1890, A., 928.

- examination of brewers' "pitch,"

1891, A., 512.

Mill, Hugh Robert, salinity of the waters of the Firth of Forth, 1886, A., 322.

Millar, James Hill. See John Joseph Sudborough, William Augustus Tilden.

Millard, Edgar J., molybdate test for hypophosphites, 1889, A., 518.

Millardet, Allevis, and Ulysse Gayon, copper in vines treated with lime and copper sulphate, 1886, A., 738.

Miller, Alexander Kenneth, hydrolysis

of sulphonic acids, 1886, P., 231.

- action of bromine on toluenc-psulphonic acid, 1886, P., 235; discussion, P., 235.

- recent papers by A. von Bacycr and J. Thomsen on the constitution of benzene, 1887, T., 208; P., 5.

- compound of amylene with nitric oxide, 1887, P., 108; discussion, P., 110.

- interaction of bromine and toluene; preparation and properties of o- and p-bromotolucues and of the dibromotoluenes derivable therefrom; o- and p-bromotoluenesulphonic acids, 1892, T:, 1023; P., 155.

Miller, Alexander Kenneth, and T. Baker, composition of shale spirit, 1887, P., 97.

Miller, Alexander Kenneth. See also Henry Edward Armstrong, Thomas Edward Thorpe.

Miller, Arch. R., preserving standard tartar-emotic solutions, 1887, A., 403. iller, Harry East. See Rudolph

Miller, Harry East.

Fittig.

Miller, Heinr. von, and Carl Opl. recovery of hydrogen sulphide from

alkali waste, 1881, A., 1142.

Miller, Heinrich Oswald, proparation of canarine, 1885, A., 365; 1886, A., 186.

Miller. James Bruce, See William Bott.

Miller, John A., nitriles, 1889, A., 254. anisonyl-, salicenyl-, and methylsalicenyl-amidoximes, 1890, A., 144.

Miller, N., ferment organisms of the alimentary canal, 1887, A., 288. Miller, Norman Harry John.

Fruncis Robert Japp.

Miller, Oscar, detection of free sulphuric acid in presence of aluminium sulphate, 1888, A., 1168.

1884, A., 1177.

- α-naphthaquinone, 1855, A., 667. Miller, Wilhelm von, American storax, 1883, A., 407.

--- nitrosalicylaldehydes, 1887, A., 938. - action of aniline on mixtures of fatty aldehydes, 1887, A., 974.

condensation of quinaldine with aldchydes, 1887, A., 975.

action of sulphur on quinaldine, 1888, A., 966.

regularities in the oxidation of quinoline derivatives, 1890, A., 1321. oxidation of quinoline derivatives,

1891, A., 1094. - synthesis of quinaldine, 1891, A.,

1101; 1892, A., 1245.

- fluorescent derivatives of aromatic diamines, 1891, A., 1103.

Miller, Wilhelm von, and Friedrich Kinkelin, α-m-diquinoline, 1885, A., 1144.

- p-quinaldine-a-acrylic acid, 1886, A., 264.

– quinoline derivatives, 1886, A., 560.

- reduction of m-nitro-α-methylcinnamaldehyde, 1886, A., 701, 799. – — nitrocoumaraldehydes, 1887, A., 939.

---- condensation of isobutaldehyde and methylal with aniline, 1887,

– action of aniline on a mixture of propaldchyde and acetal, 1887, A.,

- α-m-nitrophenyl-p-methoxyquinoline and its derivatives, 1887, Ā., 978.

o-commarie and o-commarinic series, 1889, A., 989.

- transition from the coumarie to the quinoline series, 1889, A., 990. Miller, Wilhelm ron, and Josef Plochl,

aldeliyde-green, 1891, A., 1070.

– colouring matters from hydroquinaldine, 1891, A., 1102.

Miller, Wilhelm von, and Georg Rohde, synthesis of indene derivatives, 1889, Ã., 984; 1890, A., 1138.

- Etard's reaction, 1890, A., 978. - hydrocinnamaldehyde, 1890,

A., 979. oxidation of cymene and iso-

propylbenzene by chromyl chloride, 1891, A., 898. α-phenylhydrocinnamic acid, 1892, A., 1211.

- phenylhydrindone, 1892, A., 1220.

Miller, Wilhelm ron, and Joh. Spady, quinoline-a-acrylic acid, 1886, A., 264. quinoline-aldehyde, 1886, A.,

370.

Miller, Wilhelm von, Josef Plochl (and others), Schiff's bases, 1892, A., 1189.

Miller, Wilhelm con. See also Oscur *Gustav* Doebner.

Miller, William Lash, dihydroxytartaric acid, 1889, A., 1149.

Millian. Ernest, detection of cotton-seed oil, 1888, A., 633.

detection of sesame oil in olive oil,

1888, A., 1349.

detection of cotton-seed oil in olive oil, 1888, A., 1349.

Millot, A., oxidation products obtained from carbon by electrolysis, 1883, A.,

 electrolytic estimation of zinc, 1883, A., 122.

Gladding's process for the estimation of retrograde phosphates, 1884, A., 639.

oxidation of carbon (electrodes) by the electrolysis of a solution of ammo-

nia, 1885, A., 1125.

 electrolysis of aqueous ammonia with carbon electrodes, 1886, A., 979. oxidation of the azulmic matter obtained by the electrolysis of ammonia with carbon electrodes, 1888, A., 242.

Mills, Edmund James, meeting-points and boiling-points as related to chemical composition, 1885, A., 329.

— numerics of the elements, 1885,

A., 344.

 chemical formula for wool-keratine, 1886, P., 147. - action of heat on potassium chlor-

ate and perchlorate, 1887, A., 767. Mills, Edmund James, and William M'Donnell Mackey, lines of no chemical change, 1885, A., 341.

Mills, Edmund James, and James Muter, bromine absorptions, 1886, A., 119.

Mills, Edmund James, and Jokichi Takamine, on the absorption of weak reagents by cotton, silk, and wool, 1883, T., 142.

Mills, Thomas Wesley, urine of the tortoise, 1887, A., 170.

Milne, J. M., notes on Nesslerising, 1888, A., 87.

extraction of fats by Soxhlet's apparatus, 1888, A., 95.

estimation of ammonia, 1888, A.,

Milone, Ugo, salts of salicylic acid, 1885, A., 1139.

Milthaler, Julius, variation in the specific heat of mercury with temperature, 1889, A., 750.

Minangoin, N., cultivation of soughtun in France, 1885, A., 79.

Mincu, C. See M. Georgescu.

Minet, Adolphe, electrolysis of fused aluminium oxide and fluoride, 1890, A., 552.

electrolysis of fused aluminium

fluoride, 1890, A., 1040.

— electrolysis of fused aluminium chloride, 1891, A., 152.

electrometallurgy of aluminium,

1891, A., 525.

 electrolysis of fused compounds of boron and silicon, 1891, A., 1321.

Minguin, Jules, action of sodium benzyl oxide on cyanocamphor, 1891, A., 463. - action of cyanocamphor on sodium

phenoxide and sodium naphthoxide,

1891, A., 464.

methyl and ethyl methylcamphocarboxylates: preparation of methylcamphor, 1891, A., 1500.

action of sodium benzyl oxide on ethyl camphocarboxylate, 1892, A., 74.

-methylcamphocarboxylates, methylcamphor, and azo-derivatives of eyanocamphor, 1892, A., 1343.

Minguin, Jules. See also Albin Haller. Miniati, T., H. Booth, and Julius Berend Cohen, fractional reduction of o- and p-nitrotoluenes, and analysis of o- and p-toluidines, 1888, A., 202.

Minkowski, Oskar, occurrence of hydroxybutyric acid in the urine in cases of diabetes mellitus, 1885, A., 113.

hydroxybutyric acid in diabetic urine, 1885, A., 413.

- absorption of fat, 1890, A., 1171. Minnigerode, Bernh., the symmetry and elasticity of crystals, 1885, A., 1105.

Minor, Wilhelm, estimation of zinc in calamine, 1890, A., 418.

estimation of cadmium in the products of zinc manufacture and in calamine, 1891, A., 112.

estimation of cadmium as sulphide by precipitation with sodium sulphide solution, 1891, A., 112.

estimation of ash in raw sugar, 1891, A., 127.

estimation of free hydrochloric acid in stannous chloride solutions, 1891, A., 241.

estimation of metallic zinc in zinc dust, 1891, A., 863.

estimation of zinc carbonate and silicate in calamine containing lead, 1891, A., 863,

Mintz, Naum. See Carl Adam Bischoff. Minunni, Gaulano, action of p-toluidine and of aniline on phloroglucinol, 1888,

A., 1081; 1891, A., 190.

— constitution of benzhydroxamic

acid, 1890, A., 256.

sodium compounds of aromatic anilides and amines, 1891, A., 696.

 constitution of the amido-derivatives of hydroxylamine, 1891, A.,697.

- thiophen, 1891, A., 1342. - constitution of isomeric oximes, 1891, A., 1354.

- isomerism of oximes 1892, A., 291.

Minunni, Gaetano, and Luigi Caberti, new mode of formation of benzoic anhydride, 1891, A., 565.

- action of phenylhydrazinc on the benzaldoximes, 1891, A., 1361.

Minunni, Gactano. See also Emanuele Paternò.

Miolati, Arturo, so-called isothiocyan-ethylsulphine, 1891, A., 893.

- constitution of rhodanic acid, 1891, A., 943.

new method of preparing fatty hydroxamic acids, 1892, A., 698.

- melting points of mixtures, 1892, A., 1139.

Miolati, Arturo. See also Arthur Rudolf Hantzsch.

Miquel, Pierre, action of different anti-septies, 1884, A., 1220.

the soluble ferment of urea, 1891,

A., 100. - estimation of urea, 1891, A., 132. Miquel, Pierre. See also Robert Koch. Mischel, Ernst. See Leopold Rügheimer.

Mittelbach, Franz, uric acid in the urine of Herbivora, 1888, A., 1215.

Mittelmeier, Hans. See Carl Bernhard Wilhelm Scheibler.

Mittmann, Otto, bay oil, 1889, A., 1072. Miura, Moriji, melanin, 1887, A., 855.

Mixter, William Gilbert, Sauer's method of estimating sulphur, 1883, A., 239. reductions with zinc and ammonia,

1884, A., 301, 665.

reduction of benzoyl-o-nitranilide, 1884, A., 1327.

acid propionates and butyrates, 1887, A., 231.

- decomposition of ethereal nitrates by alkaline solutions, 1892, A., 692.

Mixter, William Gilbert, and Felix Kleeberg, nitro-derivatives of oxalotoluide, 1889, A., 771.

Mixter, William Gilbert, and Frank Otto Walther, nitro-derivatives of oxanilide, 1888, A., 141.

Mixter, William Gilbert, and Charles Percy Willcox, nitro-derivatives of dibromoxanilide, 1888, A., 112.

Mixter, William Gilbert. See also Joseph Oslerman Dyer, Conrad Henry Matthiessen, Thomas Burr Osborne.

Mochsin Beg Chanlaroff, butyrolactone and α-ethylbutyrolactone, 1885, A., 374.

Moddermann, Tjoden, presence of nitrites in plants, 1889, A., 295.

Modeen, Hjalman, action of hydroxylamine on ethyl cyanacetate, 1892, A., 139.

Möhlau, Richard, bromacetophenone, 1883, A., 332.

action of bromacetophenous on phenol, 1883, A., 332.

- acetophenoneanilide, 1883, A., 332. --- diphenyldiisoindole, 1883, A., 342.

 azo colouring substances from diphenyldiisoindole, 1883, A., 342.

- synthesis of methylene-blue, 1881, A., 306.

- indophenol-like dyes and indophenols, 1881, A., 593. --- methylene-blue, 1884, A., 740.

 - — helianthin, 1884, A., 1149. diphenyl-ψ-amphiphenacylnitrile, 1885, A., 560.

- indophenol and indoaniline, 1886, A., 146.

- nitrosophenol hypochlorite, 1886, A., 453.

action of concentrated hydrochloric acid on nitrosodimethylaniline, 1886, A., 941.

- colouring properties of benzidine azo-dyes, 1886, A., 947.
— synthesis of acridine, 1886, A., 1033.

 identity of diphenyldissoindole and 3'-phenylindole, 1888, A , 483. — oxazine dyes, 1892, A., 887.

Möhlau, Richard, and Carl Hoffmann, alkyl hypochlorites from isonitrosocompounds, 1887, A., 795.

Möhlau, Richard, and Carl IV. Krohn. action of sulphur on methylaniline and dimethylaniline, 1888, A., 364.

Möllenhoff, (her), methylphenylpyrazolone and its derivatives, 1892, A., 1245.

Möller, (Austav, Eggertz's method of estimating sulphur in iron, 1887, A.,

Moeller, H. See A. Gleditsch.

Möller, Hermann, respiration in plants, 1885, A., 832.

tetrahydroquinaldine, Möller, Max, 1888, A., 297. - quinaldine alkyl iodides, 1888, A.,

298. . 303

Moeller, Thunder. See F. Cochius.

Möller, W., law of emanation of light from incandescent substances, 1885, A., 623.

Moer, J. ran de, cytisine and ulexine, 1891, A., 946

Moerk, Frank X., testing for fixed oils, 1890, A., 200.

estimation of hypophosphites, 1890, A., 293.

assay of ferric hypophosphite, 1891, A., 1290.

Mörner, Carl Th., nutritive value of edible fungi, 1886, A., 1053.

micro-chemical observations on hyaline cartilage, 1888, A., 860.

 chemical composition of cartilage, 1889, A., 736.

physiological action of gallic and tannic acids, 1892, A., 904.

Mörner, (Hraf) Karl And Humpus, pigments of melanotic salcomata, 1887, A., 168; 1888, A., 518.

- metabolism of acetamide in the human body, 1889, A., 289.

Mörner, (Graf) Karl Acel Hampus, and John Sjöquist, estimation of unea, 1891, A., 758, 1561.

Mohler, Ed., detection of henzoic acid in foods, 1890, A., 1031.

 detection of impurities in alcohol, 1890, A., 1472

- analysis of brandy and alcohol, 1891, A., 503.

 sensitive reaction for tartaric acid, 1891, A., 867.

- purification of crude alcohol, 1891. A., 997.

Mohler, Johana, pyridine bases from coal tar, 1888, A., 727.

Mohr, Carl, estimation of reverted phosphoric acid, 1885, A., 688.

- precipitation of phosphoric acid as ammonium magnesium phosphate in presence of ammonium citrate, 1886, A., 831.

estimation of phosphoric acid, 1887, A., 864.

Mohr, (... benzylsulphonic acid, 1881, A., 69.

Mohr, Paul, action of aniline on benzene hexachloride, 1890, A., 614.

fat of bone marrow, 1890, A., 652.

Mohr, Paul. See also Conrad Willgerodt. Moine, Francesco, action of bibasic acids on thiocarbimides, 1887, A., 489.

Moissan, Henri, chromous sulphate, 1883, A., 22.

chromic acid and hydrogen peroxide, 1884, A., 20.

Moissan, Hann, chromic acid and chromic anhydride, 1881, A., 1267.

- phosphorus trifluoride, 1885, A., 15; 1891, A., 261.

- arsenic trifluoride, 1885, A., 121; 1891, A., 265.

- action of the induction spark on phosphorus tufluoride, 1885, A., 215. - preparation of phosphorus trifluoride, 1885, A., 482.

— chromyl chloride, 1885, A., 638. - potassium chromocyanide, 1885, A., 738.

combination of bromine with phosphorus trifluoride, 1885, A., 955.

— phosphorus pentafluoride, 1886, A., 303; 1887, A., 212.

action of red-hot platinum on phosphorus fluorides, 1886, A., 592. - phosphorus oxyfluoride, 1886, A.,

767. electrolysis of hydrogen fluoride, 1886, A., 849, 976.

hydrofluorides potassium fluoride, 1888, A., 553.

ethyl fluoride, 1888, A., 1262; 1889, A., 363.

 density of fluorine, 1890, A., 208. platinum tetrafluoride, 1890, A., 217.

colour and spectrum of fluorine, 1890, A., 329.

- action of fluorine on different forms of carbon, 1890, A., 557.

- carbon tetrafluoride, 1890, A., 941. atomic weight of fluorine, 1891, A.,

preparation of phosphorus oxyfluoride, 1891, A., 261.

-- boron triiodide, 1891, A., 979. – preparation of crystalline barium

and calcium fluorides, 1891, A., 1155. - carbon tetriodide, 1891, A., 1420.

- silver fluoride, 1891, A., 1421. action of phosphorus pentafluoride on heated spongy platinum, 1891, A.,

- place of fluorine in the classification of the elements, 1892, A., 11.

- action of fluorine on phosphorus trifluoride, 1892, A., 12.

– boron phosphoiodides, 1892, A., 114. boron phosphides, 1892, A., 272. amorphous boron, 1892, A., 681,

1153. preparation of amorphous boron,

1892, A., 682. - boion iodide, 1892, A., 1154.

— carbon diiodide, 1892, A., 1291.

— boron trisulphide, 1892, А., 1392. - boron pentasulphide, 1892, A., 1394,

- Moissan, Henri, and Henri Gautier, specific gravity of gases, 1892, A., 1267.
- Moissan, Henri, and Edouard Landrin, aricine, 1890, A., 803.
 Moissan, Henri, and Maurice Meslans,
- methyl and isobutyl fluorides, 1889, A., 364.
- Moissan, Henri. See also Henri Becquerel, Marcellin Berthelot.
- Moitessier, Joseph, influence of muscular work on the elimination of creatinine, 1892, A., 364.
- estimation of creatinine in urine, 1892, A., 1135.
- Moitessier, Joseph. See also Henri Bertin-Sans.
- Moldenhauer, Carl, and Chr. Heinzerling, purification of glycerol, 1884, A., 938.
- Moldenhauer, Fernando, estimation of zinc by the ferrocyanide process, 1892, A., 915.
- Molinari, A. See Monari.
- Molinari, Ettore, apparatus for the estimation of fat in milk, 1891, A., 1299.
- Molinari, Ettore. See also Heinrich Goldschmidt.
- Molisch, Hans, deviation of roots from the normal direction of growth, 1885, A., 1153.
- new sugar reactions, 1886, A., 923. distinguishing animal from vegetable fibre, 1886, A., 1088.
- new test for coniferin, 1887, A., 692. - relations between inorganic salts containing nitrogen, and plants, 1887, A., 989.
- matter excreted by roots, 1889, A.,
- root excretions and their influence on organic matter, 1890, A., 656.
- Molisch, Hans, and Simon Zeisel, new source of coumarin, .1889, A., 644.
- Moll, Jan Willem, microchemical detection of tannin, 1887, A., 311.
- Moltschanowski, Nicolai IVus, Klinger's method of preparing azoxybenzene, 1883, A., 180.
- hydrazocumic acid, 1888, A., 277. liquefaction of propylene, allylene, and trimethylene, 1889, A., 1126.
- Monari, Adolfo, new sulphonic acids, 1885, A., 970.
- formation of xanthocreatinine. in the organism, 1887, A., 613; 1888, A., 174.
- change of chemical composition of muscle by fatigue, 1888, A., 174.

- Monari, Adolto, changes of glycogen, sugar, and lactic acid of the muscle while performing work, 1890, A., 185.
- Monari, _1dolfo. Sec also Piero Giacosa.
- Monckhoven, D. van, widening of the lines in the hydrogen spectrum, 1883, A., 139.
- influence of temperature on the spectra of non-metals, 1883, A., 140. Monckman, James, effect of occluded
- gases on the thermoelectric properties of compounds, 1889, A., 92.
- Mond, Ludwig, recovery of hydrochloric acid as a bye-product in the ammonia-
- soda process, 1885, A., 199.

 Mond, Ludvoig, and Carl Langer, new form of gas-battery, 1890, A., 841.
- iron-carbonyls, 1891, T., 1090; P., 149.
- Mond, Ludwiy, and Ruffacle Nasini, some physical properties of nickelcarbon oxide, and of other nickel compounds, 1891, A., 1322.
- Mond, Ludwiy, and Friedrich Quincke, volatile compound of iron with earbonie oxide, 1891, T., 604; P., 117; discussion, P., 118.
- Mond, Ludwig, Curl Langer, and Friedrich Quincke, action of carbonic oxide on nickel, 1890, T., 749; P., 112.
- Mondésir, Paul de, particular case of the formation of sodium hydrogen carbonate, 1887, A., 699.
- artificial production of trous or urao, 1887, A., 771.
- Leguminose in acid soils, 1889, A., 434.
- calcium in soils, 1889, A., 542. - inorganic acid substance in soils,
- 1892, A., 1513. Monheim, estimation of starch in grain, 1888, A., 11**3**4.
- Monnet, Eugène, reduction of copper salts by sugars, 1889, A., 1055.
- colouring matter of wines, 1890, A., 311.
- Monnier, Denis. See G. A. Henry Auriol.
- Monnier, Dimitri, Skrivanoff's cell, 1884, A., 881.
- Montemartini, Clemente, composition
- of serpentine rocks, 1889, A., 111.

 composition of some rocks from the shore at Nice, 1889, A., 223.
- velocity of decomposition of nitrous acid in aqueous solution, 1891, A.,
- serpentine rock from Borzanasca, 1892, A., 1058.

20 305

Montemartini, Clemente, reaction between nitric acid and metals, 1892, A., 1278, 1402.

- action of nitric acid on zinc. 1892,

A., 1279.

Monteverde, Nicolai A., calcium and magnesium oxalates in plants, 1891, A., 857.

- influence of carbohydrates on the accumulation of asparagine in plants,

1892, A., 91.

- chlorophyll, 1892, A., 1355.

Montgomery, James Walker, obituary

notice of, 1890, T., 453.

Moody, Gerald Tattersall, m-xylenesulphonic acids, 1888, P., 77; 1891, P., 189.

- combustion of magnesium in water

vapour, 1891, P., 20.

- studies on isomeric change. Part I. Sulphonic acids derived from anisoils, 1892, P., 90.

studies on isomeric change. Part II. o-Xylenesulphonic acids, 1892, P., 213.

studies on isomeric change. Part III. Phenetoïlsulphonic acids, 1892, P., 214.

Moody, Gerald Tattersall, and Thomas Goddard Nicholson, p-xylenesulphonic acids, 1890, T., 958; P., 140.

Moody, W., celestine, 1885, A., 458. Moore, B., velocity of reaction in mixtures of isohydric and nonisohydric solutions of acids, 1892, A.,

Moore, George Dunning. See Richard Anschütz, Charles Loriny Jackson, Leonard P. Kinnicutt.

Moore, Gideon E., and Victor Leopold (Ritter) von Zepharovich, calaite, pseudomorphous after apatite, from California, 1885, A., 958.

Moore, Ira, condensation products from carbodiimides aromatic

diamines, 1889, A., 983; 1890, A., 246. Moore, Russel IV., Koettstorfer's method for the examination of butter for foreign fats, 1885, A., 300.

- Hiibl's method for the examination of oils and fats, 1885, A., 1014.

— carrot colour in butter, 1887, A., 310.

Moore, Thomas, separation of zine from nickel, 1885, A., 193.

quantitative chemical analysis by

electrolysis, 1886, A., 921. estimation of nickel in ores,

mattes, and slags, 1887, A., 303. modified ferric chloride cell, 1887, A. 1071.

Moore, Thomas, peculiar formation in nickel regulus, 1887, A., 1081.

direct precipitation of nickel oxide in presence of iron, 1887, A., 1141.

- separation of iron, nickel, cobalt, manganese, zine, and aluminium, 1888, A., 631.

volumetric estimation of nickel, 1889, A., 747, 1033.

- nickel ore from New Caledonia, 1891, A., 157.

- volumetric estimation of manganesc, 1891, A., 962.

estimation of cobalt in manganese ores, 1892, A., 917.

Moos, F., condensation products of ethyleneaniline with aldehydes, 1887, Δ., 577.

Moraht, Hermann. See Herhard Krüss. Morawski, Theodor, a delicate reaction for pine-wood resin, 1889, A., 660.

estimation of glycerol, 1890, Λ .,

Morawski, Theodor, and Huns Demski, examination of oils containing unsaponifiable fats, 1886. A., 103.

Morawski, Theodor, and Moric Gläser, action of citraconic acid on naphthylamine, 1888, A., 1096.

Morawski, Theodor, and Josef Klaudy, chlorine and bromine derivatives of citraconanil, 1888, A., 53.

Morawski, Theodor, and Johann Stingl, sugars of the soja bean, 1887, A., 686.

— fat of the soja bean, 1887, A., 687.

Morawski, Theodor. See also Hans Demski, Moriz Gläser, Johann Stingl. Morax, V., ethereal hydrogen sulphates

in urine, 1886, A., 729.

Mordagne, Johan, Adonis vernalis, 1886, A., 94.

Moreaux. See Adrian.
Morel, Jules, hydrate of potassium stannichloride, 1891, A., 1160.
— action of horic acid on germination,

1892, A., 651.

Morel, Jules. See also Puul Cazeneuve. Louis Hugounenq, Daniel Klein.

Morgan, Gilbert Thomas. See Raphael Meldola.

Morgan, J. Jus., rapid estimation of silicon, sulphur, and manganese in iron and steel, 1887, A., 1140.

estimation of silicon in iron and steel, 1888, A., 195.

Morgan, J. Jus. (and others), estimation of sulphur in iron and steel, 1888, A., 1334.

Morgan, J. M., derivatives of o-nitrocinnamic acid, 1884, A., 747.

Morgan, Thomas M., extraction of indigotin from commercial indigo, 1891, A., 722.

Morgen, August, feeding value of fresh and dried diffusion residue, 1883, A., 680.

—— loss of nitrogen by organic matters during putrefaction, 1884, A., 1214, 1417.

Morgen, August. See also Wilhelm Fleischmann.

Morgulis, E. See Georg Vortmann.

Mori, Antonio, the first product of plant-assimilation, 1883, A., 365.

Mori, Rintaro. See Karl Bernhard Lehmann.

Mori, Yotaro. See Oscar Kellner.

Morin, Ed. Charles, brandy from a wine from the Charente Inferioure, 1888, A., 125.

—— *n*-amyl alcohol from the fermentation of glycerol by *Bacillus butylicus*, 1888, A., 125.

— bases formed by alcoholic fermentation, 1888, A., 572.

Morin, Ed. Charles. See also Edouard Claudon.

Morin, Henri, action of cadmium on ammonium nitrate, 1885, A., 1039.
——essence of rosewood, 1888, A., 1308.

Moritz, Edward Ralph, and Tom Aldrich Glendinning, diastatic action, 1892, T., 689; P., 112.

Moritz, Educard Ralph, and Arthur Hartley, malt extracted by different waters, 1884, A., 1415.

Moritz, Edward Ralph, and Herbert C. Lee, behaviour of tannin in hops towards the albuminoids in malt, 1881, A., 527.

Moritz, Edward Ralph. See also Raphael Meldola.

Moritz, Fritz, and Wilhelm Prausnitz, phloridzin diabetes, 1890, A., 1336.

Moritz, J., freezing of wine, 1883, A., 135.

analysis of wine, 1884, A., 645.
inversion of cane sugar in sparkling

wines, 1886, A., 608.

Moritz, J., and P. Seucker, manuring

of vines, 1888, A., 190.

Morley, Edward W., quantity of moisture remaining in a gas dried by sulphuric acid, 1886, A., 278.

inoisture remaining in a gas after drying it with phosphoric anhydride, 1888, A., 192. Morley, Edward W., atomic weight of oxygen, 1888, A., 649.

—— earbon as an impurity in hydrogen affecting determinations of its atomic weight, 1890, A., 1369.

volumetric composition of water, 1891, A., 976.

Morley, *Henry Forster*, substitution in the benzene nucleus, 1887, T., 579; P., 61.

Morley, Harry Forster, and Arthur George Green, constitution of propylene chlorhydrin, 1885, T., 132; P., 3.

pylene chlorhydrin benzoate, 1885, T., 134; P., 3; discussion, P., 4.

Morley, Henry Forster, and W. Johnston Saint, thioxalic ether, 1883, T., 400.

Morley, Henry Forster. See also Etznogu Hori.

Morpurgo. J., detection of nitrobenzene, 1890, A., 1194.

Morrell, Robert Selby. See Siegfried Ruhemann.

Morris, George Harris, products of the action of sulphur on resin, 1889, P., 102.

Morris, George Harris. See also Harace T. Brown.

Morris, Lenntel J. See Rudolph Fittig. Morrison, Robert Milner. See John Gibson.

Morrison, William, albertite from Strathpeffer, Ross-shire, 1886, A., 311.

—— claterite from Ross-shire, 1891, Λ., 272.

Morse. Harmon Northrup, apparatus for the correct reading of gas volumes over water, 1885, A., 1009.

--- estimation of the value of zine dust, 1885, A., 1012.

Morse, Harmon Northrup, and William Shirley Bayley, haydenite, 1884, A., 1271.

--- supposed dissociation of sinc oxide: atmosphere within a platinum vossel heated by a Bunsen flame, 1888, A., 652.

boric acid, 1888, A., 755.

removal of iodate from iodide of potassium, 1888, A., 1246.

A., 1247.

analysis of butter, electronar-

garine, etc., 1888, A., 1347.

Morse, Harmon Northrap, and Harry Clary Jones, action of metallic cadmium on the halogen cadmium salts: cadmium sub-hydroxide and suboxide, 1890, A., 1376.

weight of cadmium, 1892, A., 1397.

Morse, Harmon Northrup, and Edward Harrison Keiser, apparatus to determine the equivalents of certain elements, 1885, A., 481.

Morse, Harmon Northrup, and Alvin Frank Linn. estimation of nitric acid,

1887, A., 181.

Morse, Harmon Northrup, and Cameron Piggot, estimation of butter in milk, 1887, A., 752.

Morse, Harmon Northrup, and John White, dissociation of the oxides of zine and cadmium in the vapours of their respective metals, 1889, A., 755.

 dissociation of magnesium oxide by means of metallic magnesium, 1891, A., 643.

transportation of solids in a vacuum by the vapours of metals, 1892, A., 1386.

1892, A., 1386.

Moscatelli, Regulus, lactic acid of the thymus and thyroid, 1888, A., 860.

— sugar and allantoin in ascrite fluid,

1889, A., 291.

--- catechol in the urine of hydrophobic rabbits, 1892, A., 1115.

Moscatelli, Regulus. See also Giuseppe Colasanti.

Moschatos, Hermann, and Bernhami Tollens, additive products of hexamethylenamine, 1891, A., 663.

Moscheles, Robert, chloralimido-compounds, 1891, A., 1003.

Moscheles, Robert, and Huns Cornelius, tetric acid and its homologues, 1888, A., 1272.

acid, 1889, A., 489.

Moscheles, Robert, and R. Stelzner, analysis of coffee substitutes, 1892, A., 1534.

Mosenthal. Henry dc, exhibition of Lipmann's "coloured" photographic negatives, 1891, P., 70.

Moser, James, electrical properties of salt solutions, 1886, A., 4.

of salt solutions, 1886, A., 925.

increase of photoelectric currents, 1888, A., 9.

Moser, James, resolution of electromotive forces of galvanic elements into their differences of potential, 1888, A., 209.

Moses, William Everett. See William Albert Noyes.

Mosso, Angelo. See Icilio Guareschi. Mosso, Ugolino, chlorophenols, 1888, A., 456.

physiological action of cocaine, 1888, A., 864; 1891, A., 486.

Mosso, Ugolino. See also Vittorio Aducco.

Mott. Frederick Walker, pernicious anemia, 1890, A., 1177.

Mott, Frederick Walker, and S. Archibald Vasey, pernicious anamia, 1890, A., 400.

Moulin, Al., atomic weights and the densities of liquids, 1891, A., 1315.

Moullade, A., estimation of tannin by means of iodine, 1890, A., 1848.

Moulton, Charles IV., estimation of nitric acid, 1885, A., 930.

—— derivatives of phthalic sulphinide, 1891, A., 1063.

Moulton, John Fletcher. See William Spottiswoode.

Mourgues, Louis, mannitol hexachlorhydrin, 1890, A., 1388.

Mourgues, Louis. See Emile Justin Armanl Gautier.

Mousseaux. See Albert Ladureau. Moussette, fermentation of bread, 1883, A., 1179.

Moutier, J., combination of sodium and potassium with ammonia, 1890, A., 679.

Moye, Albert. See Friedrich Krafft. Muchall, Theodor. See Adolph Claus Muck, Fritz, recovery of barium and

strontium compounds, 1884, A., 394.
——estimation of antimony,1888, A., 197.
——estimation of alkalis in water,

1890, A., 299. Mügge, Otto, thenardite, 1884, A., 969.

Mühe, Ed. Heorg. See Conrad Willgerodt. Mühlhäuser, Otto, manufacture of

methylene-blue, 1887, A., 480.

manufacture of resoreinol, 1887,

A., 574.

manufacture of dimethylaniline,

1887, A., 576.

manufacture of benzaldehyde

greens, 1887, A., 579.

manufacture of methyl-violet, 1887,

A., 821.

manufacture of rosaniline, 1888,
A., 472.

manufacture of benzyl-violet, 1889, A., 609.

- Mühlhäuser, Ollo, Egyptian-blue, 1890, A., 215.
- Muhsam, Johnar. See Franz Röhmann. Muel, E., manuring forest trees, 1883, A., 617.
- Mullenhoff, R., heat of formation of ferrous sulphide, 1885, A., 950.
- Muller, feeding with dry and steeped maize, 1885, A., 1149. Müller (and others), cattle plague and
- Müller (and others), cattle plague and Pasteur's protective inoculation, 1884, A., 473.
- Muller, Adolph, isonitroso-acids, 1883, A., 1129.
- action of hydroxylamine on carboxytartronic acid; ethers of isonitrosophenylacetic acid, 1884, A., 581.
- Müller, Idolph. See also Victor Meyer. Müller, Albert (Mannheim), action of ethylacetoacetate on hydrazobenzene, 1886, A., 899.
- Muller, Albert (Mannheim). See also Hennig Christoph Julius Zimmermann.
- Müller, Albert (Freibung). See Convad Willgerodt.
- Müller, Mexander, cleaning of glass laboratory vessels, 1883, A., 395.
- utilisation of butter-milk in bread making, 1883, A., 1037.
- making, 1883, A., 1037.
 —— sanitation of large towns, and value of the refuse matter from them, 1884, A. 642.
- —— filtration of sewage through peat, 1885, A., 1268.
- urinary fermentation, 1886, A., 276.
 self-purification of polluted waters, 1886, A., 399.
- sea-sludge and its absorptive power for lime and potash, 1889, A., 1241.
- Mueller, Carl Alfred Ernst, oil of lime seed, 1892, A., 92.
- Müller, Carl Oskar, formation of albuminoids in plants, 1887, A., 70.
- Müller, Eduard, oxidation product of triamidobenzene, 1889, A., 700.
- Müller, Eduard. Secalso Rudolf Nietzki. Müller, Erwin. Sec Richard E. Meyer.
- Müller, Ferdinand. See Julius Wilhelm Brühl, Paul Friedländer.
- Müller, Fr. (and others), Chili saltpetre for sugar-beet, 1884, A., 1418.
- Müller, Franz. See Victor Meyer. Müller, Friedrich, proteid substance in urine, 1886, A., 87.
- aniline poisoning, 1887, A., 514.

 presence of hydrogen sulphide in
- urine, 1888, A., 178.

 Müller, Friedrich C. G., evolution of gas from steel castings, 1884, A., 787.

 lecture experiments, 1886, A., 976.

- Müller, Friedrich C. et. (and others), progress in metallurgy, 1885, A., 1167.
- Muller, tinstar, benzenylamidoximeemboxylicheids, 1885, A., 1227; 1886, A., 802.
- Muller, Gustav. See also Carl Amthor.
 Müller, Hans, preparation of potassium sulphate 1885. A. 1268.
- sulphate, 1885, A., 1268.

 Muller, Heinrich (Leipzig), benzenylanilidoxime, 1886, A., 875.
- substituted amidoximes, 1890, A.,
- -- chloro-substitution products of ethyl chloroformate, 1890, A., 1095.

 Willer Heinrich (Muhlhaman) Son
- Müller, Heinrich (Muhlhausen). See Aldolf Feer.
- Muller, Henrich Wilhelm Hugo, presidential addresses, 1886, T., 329; P., 179; 1887, T., 452; P., 47.
- Müller, Heinrich Wilhelm Hugo. See also Warren De la Rue.
- Müller, Hermann (Hersfeld), preparation of indigo, 1885, A., 850.
- Müller, Hermann (Thurgau), contributions to the knowledge of the interchange of material in amylaceous plant
- organs, 1883, A., 497.
 influence of temperature on the fermentation of must, 1884, A., 647.
- ratio of starch to sugar in tobacco leaves, 1886. A., 901.
- —— action of diastase and invertin, 1887, A., 166.
- formation of sugar in grapes, 1887, A., 517.
- physiological rôle of vine leaves, 1887, A., 685.
- Müller, Hermann (Thurgau) (and others), vine diseases and their remedies, 1884, A., 481.
- Müller, Hermann (Munich), and Huns (Freiherr) von Pechmann, mixed α-diketones, 1889, A., 1170.
- ---- a-ketoaldehydes, 1890, A.,51.

 Müller, Hermann (Munich). See also

 Hans (Freiherr) von Pechmann.
- Müller, Johannes, diffusion of ammonia through water and through alcohol, 1891, A., 1147.
- Müller, Karl, manuring experiments with eats, 1888, A., 525.
- Müller, Max, purple of Cassius, 1885, A., 352.
- action of water on lead, 1888, A., 225.
- estimation of free oxygen in water, 1890, A., 412.
- Müller, Otto, absorption of carbonic anhydride by mixtures of alcohol and water, 1889, A., 816.

Müller. Paul, primary and secondary xylylamines from xylenols. 1887, A., 663.

Müller, Paul. See also Victor Merz, Morie Nathanson.

Mueller, Peter Friedrich. See Adolph Claus.

Müller, Rudolf. See Eugen Bamberger.
Müller, Wilhelm (Berlin), chiastolite,
1888, A., 566.

garnet from Kedabek in Cancasia.
1891, A., 1169.

Müller, Wilhelm (Braunschweig), double salt of cocame, 1891, A., 585. —— cocame chromate, 1891, A., 585.

Müller, Wilhelm (Munich), m-methylcinnamic acid and its derivatives, 1887, A. 724.

Müller, Wilhelm (tto. See Eugen Lellmann.

Müller, X., Weiller's silicon bronze, 1885, A., 308.

Müller-Erzbach, Wilhelm, specific gravity of, and chemical affinities of elements in various allotropic modifications, 1883, A., 779.

— relation of the heats of combustion of isomeric organic compounds to their densities, 1883, A., 1044.

law of smallest volumes, 1884, A., 12.

— melting points of haloid salts in relation to the contraction occurring during their formation, 1884. A., 709.

dissociation of salts containing water and relation of the dissociation to the molecular volume of the combined water, 1884, A., 952.

tension of aqueous vapours of hydrated salts, 1885, A., 213.

—— dissociation of salts containing water of crystallisation, 1886, A., 10: 1887, A., 207.

- influence of moisture on the oxidation of hydrogen, 1886, A., 199.

dissociation of copper sulphate, 1887, A., 208; 1888, A., 104.

--- dissociation of sodium phosphate, 1887, A., 436.

dependence of chemical affinity on temperature, 1887, A., 628.

rate and vapour tension of dissociation, 1887, A., 696.

hydrates of barium and strontium hydroxides, 1887, A., 765.

dissociation of crystallised lead acetate and sodium thiosulphate, 1888, A., 213.

determination of vapour-pressure from the rate of evaporation 1888, A., 1016.

Müller-Erzbach, Wilhelm, dissociation of some alums and of sodium acetate, 1888, A., 1022.

—— equilibrium in the retention of water by dilute sulphuric acid and hydrated salts, 1888, A., 1021.

water of crystallisation of the alums, 1889, A. 331.

— statical and dynamical methods of measuring the vapour pressure of chemically combined and of absorbed water, 1889. A., 1045.

dissociation of salts containing water, and the constitution of the combined water, 1890, A., 206.
 Müller-Jacobs, Armand, composition of

Müller-Jacobs, Armand, composition of Turkey-red oil and its mode of action, 1884, A., 946.

— abridged process for Turkey-red dyeing, and printing with alizarin, 1884, A., 1236.

- determination of the nature of the crude oil in Turkey-red oil, 1885, A., 95

— Turkey-red oil, 1885, A., 313.

Müllner, Franz. See Eduard Donath. Münchmeyer, Friedrich, the hydroxylamine reaction, 1886, A., 350.

—— action of hydroxylamine on diketones, 1886, A., 877; 1887, A., 373.

—— action of hydroxylamine and phenylhydrazine on dialdehydes and ketones, 1887, A., 482.

Münchmeyer, Friedrich. See also Victor Meyer.

Muencke, A., apparatus for preparing pure carbonic anhydride, 1885, A., 634.

Muencke, Robert, high pressure digestors, 1886, A., 112.

Münster, Chr. A., garnierite from Norway, 1892, A., 1409.

Müntz, Achille. estimation of carbon bisulphide in thiocarbonates, 1883, A., 935.

 oxidation of iodine during nitrification, 1885, A., 870.

 oxidation and reduction under the influence of microscopic organisms in the soil, 1885, A., 1151.

formation of beds of sodium nitrate, 1886, A., 210.

- existence of the elements of milksugar in plants, 1886, A., 575.

—— constituents of milk-sugar in plants, 1886, A., 643.

ripening of seeds, 1887, A., 173.
 distribution of the nitric ferment and its function in the disintegration of rocks, 1887, A., 1135.

Muntz, Achille, water of the Nile, 1888, Λ., 1261.

--- - fertilising properties of the water of the Nile, 1859, A., 616.

- -- function of ammonia salts in the nutrition of higher plants, 1890, A., 79, 287.

- decomposition of tocks and formation of anable soils, 1890, A., 1183.

- decomposition of organic manures in soils, 1890, A., 1183.

- green manutes as suppliers of nitrogen, 1890, A., 1184.

- increase of the quantity of hamoglobin in the blood according to the conditions of existence, 1891, A., 751.

--- formation of nitrates in soil, 1891, A., 1395.

- -- ammonia in rain water and in the atmosphere, 1892, A., 909.

Muntz, Achille, and Emile Aubin, estimation of carbonic anhydride in the atmosphere, 1883, A., 121; 1884, A.,

 atmospherie nitrification, 1883, A., 233.

--- origin of combined terrestrial mitrogen, 1884, A., 104.

- combustible organic matter

in the air, 1885, A., 118. - analysis of air from Cape

Horn, 1886, A., 418. Müntz, Achille, and Churles Antoine Girard, alimentary value of oats, 1885, Λ., 281.

· digestibility of substances used as food for horses, 1885, A., 282. production of farm-yard manure, 1887, A., 175.

- value of animal débuis as

nitrogenous dressing, 1892, A., 96. Müntz, Achille, and Vicente Marcano, perseitol, a sugar analogous to manniiol, 1884, A., 1285.

- formation of deposits of nitrates in tropical regions, 1885, A., 1012.

- black rivers in equatorial regions, 1889, A., 226.

--- -- formation of deposits of nitrates, 1889, A., 680.

- nitrates in the rain of tropical districts, 1889, A., 923.

Müntz, Achille. See also Vicente Marcano.

Münzer, Hugo. See Victor von Richter. Münzing, Ludwig, compound of vanadic pentoxide with sulphuric acid, 1890, A., 336.

Muhlert, Franz, y-thiophenic acid, 1886, A., 229,

Muhlert, Franz, diethylthiophen, 1886, Λ_{-} , 535.

- methylthiophensulphonic acid. 1586, A , 787.

--- action of acetamide on o-chloro-

quinoline, 1887, A., 818. uhlert, Fran:. See also August Muhlert, Fran:. Bernthsen.

See Edgur Francis Muhr, Frank Smith,

Muir, Mutthew Monerieff Puttison, and Richard Haliburton Adie, contributions from the laboratory of Gonville and Caius College, Cambridge. X. Interaction of zinc and sulphuric acid, 1887, P., 106; discussion, P., 107; 1888, T., 47.

Muir, Mutthew Monerieff Puttison, and Douglas John Carnegie, No. VIII. On bismuthates, 1886, P., 253; 1887, T., 77.

Muir, Mutthew Monerieff Puttison, and Arthur Hutchinson, No. XIII. Cubical form of bismuthous oxide, 1889, T., 143; P., 2.

Muir, Matthew Monerieff Pattison. also Benjamin Scaife Gott.

Mulder, Eduard, properties of n-cyanic acid, 1883, A., 304.

- a reaction of the compounds of n-cyanuric acid and cyanetholine, 1883, A., 305.

· synthesis of optically active carbon compounds, 1883, A., 457.

- late of decomposition of ozone, 1886, A., 9.

- cyanogen bromide, 1886, A., 38. additive compounds of n-ethyl cyanurate and cyanogen bromide, 1886, A., 38.

- n-cyanuric acid derivatives, 1886, A., 38, 860.

- - polymerisation of cyanogen bromide, 1886, A., 859.

- reaction of cyanogen bromide with ethyl alcohol, 1886, A., 859.

constitution of p-cyanogen and cyamelide, 1888, A., 1046.

 urethane and some of its derivatives, 1888, A., 1063.

action of iodine, iodoform, and methylene iodide on sodium ethoxide, and of iodine on ethyl sodium carbamate, 1889, A., 363.

action of sodium and potassium ethoxides on ethyl tartrate, 1890, A., 595.

- transformation of ethyl disodotartrate by ethyl chloride, 1891, A.,

– tartrotartaric acid, 1892, A., 965.

Eduard, and Harlog Jakob Hamburger, action of sodium ethoxide on the sodium salt of s-dibromosuccinic acid, 1883, A., 312.

— estimation of the halogens

in carbon compounds, 1883,

379.

- Mulder, Eduard, and Hendrik Gjalts Landmeter van der Meulen, ozone in presence of platinum-black, 1883, A., 284.
- Mulder, Eduard, and Christiaan Welleman, action of ethyl dibromosuccinate, bromomaleate, and tartrate on potassium ethoxide, 1889 A., 376.

Muller, Joseph Auguste, extraction of amines from commercial methylamine, 1885, A., 501.

heats of formation of salts of the

amines, 1885, A., 716.

- action of carbonic anhydride on potassium chloride in presence of amines, 1885, A., 1038.
- heats of combustion of amines, 1886, A., 409.
- decomposition of the amines of the fatty series, 1886, A., 783.

- new class of ferrocyanides and

ferricyanides, 1887, A., 649.

- influence of temperature and pressure on the action of potassium chloride on crude methylamine carbonate, 1887, A., 771.
- heats of formation of alkaline carbonates in very dilute solutions, 1889, A., 810.
- carbonylhydroferrocyanic acid and carbonylferrocyanides, 1890, 116.
- estimation of nitric acid by diphenylamine, 1890, A., 415.
- volumetric estimation of carbonates in arable soils, 1890, A., 417.
- dissociation of amine hydrochlorides and salts of the fatty acids in
- solution, 1890, A., 684.

 estimation of hydrogen chloride in solutions of hydroxylamine hydrochloride, 1891, A., 107.

 preparation of crotonaldehyde,
- 1892, A., 809.
- occurrence of a tetracarbon aldehyde
- in a brandy, 1892, A., 810.

 Muller, Paul Thiébaut, action of bibasic acid chlorides on ethyl sodocyanacetate, 1891, A., 1337.
- ethereal nitrosocyanacetates, 1891, A., 1450.
- action of ethyl salts of unsaturated acids on ethyl sodocyanacetate, 1892, A., 1181.

- Muller, Paul Thiebaut, and Jean Louis Hausser, velocity of decomposition of diazo-compounds by water, 1892, A.,
- Munier, J., butter testing, 1883, A., 247. Munier-Chalmas. See luguste Michel-Lévy.
- Munk, Hermann, influence of movement on the secretion of milk, 1884, A., 1205.
- Munk, Immanuel, formation of neutral fat from fatty acids in the animal system, 1884, A., 852.
- influence of asparagine on the climination of albumin, 1885, A., 412.
- absorption, formation, and storage of fat in animals, 1885, A., 827.
- assimilation of fats, 1885, A., 1148. formation of fat in the dog from carbohydrates, 1887, A., 288.
- influence of glycerol and fatty acids on gaseous metabolism, 1891, A., 345.
- absorption of fats in the absence of bile, 1891, A., 593.
- muscular work and excretion of urea, 1891, A., 847.
- decomposition of albumin during fasting, 1891, A., 1524.
- Munk, Immanuel, and Albrecht Rosenstein, human lymph and chyle, 1891, A., 755, 849.
- Munro, John May Herbert, ash of strawberries, 1885, A., 183.
- black soil from Manitoba, 1885, A., 834,
- formation and destruction of nitrates and nitrites in artificial solutions, and in river and well waters, 1886, T., 632; P., 218.
- composition of spurrey (Spergula arvensis), 1886, A., 173.
- potassium chloride as a plant poison, 1886, A., 389.
- embolite from Australia, 1886, A., 430.
- composition of Bokhara clover (Melilotus leucantha), 1886, A., 828.
- composition of goat's rue (Haleya
- officinalis), 1886, A., 829.
 influence of the ferric oxide in basic cinder on the growth of plants, 1887, A., 178.
- formation of nitrites during the nitrification of ammoniacal solutions, 1888, A., 82.
- Munro, John May Herbert. See also John Wrightson.
- Munroe, Charles E., flashing test for gunpowder, 1884, A., 927.
- spontaneous decomposition of "explosive gelatin," 1884, A., 947. - metallic felt filters, 1888, A., 1333.

Muraközy, Karoly von, vivianite from the Szentes artesian well, 1890, A., 711.

Murmann, Ernst, derivatives of a-phenylquinoline, 1892, A., 1003.

Murray, John, and Robert Irvine, silica and the siliceous remains of organisms in modern seas, 1891, A., 995.

Murray, Thomas Smith, electrolysis of

potassium acetate solutions, 1892, T.,

10; P., 134. Murtfeld, Wilhelm. See Adolph Claus. Muschketoff, Iroan IV. von. See II'ilhelm von Beck.

Musculus, Friedrich, starch, 1884, A.,

Musgrave, R. N., analysis of beautifully crystallised albite from Amelia Co., 1883, A., 34.

– nitrites in human saliva, 1883, A.,

Muspratt. Edmund Knowles, and George Eschellmann, preparation of potassium chlorate, 1885, A., 17.

- preparation of sodium chlorate, 1885, A., 17.

Musset, Franz, tannin, 1884, A., 1439. - purification of iodine from chlorine,

1891, A., 392.

test for thiosulphate in sodium hydrogen carbonate, 1891, A., 498.

Mussi, Ubaldo, ecgonine, 1891, A., 333. - the latex of Figus Carica, 1892, A., 653.

Muter, James. See Edmund James Mills.

Muter, John, detection of methylated nitrous other, 1891, A., 123.

analysis of carbolic and sulphurous disinfecting powders, 1891, A., 124. detection of cocoa-nut fat in butter,

1892, A., 391.

Muter, John, and Leonard do Koningh, assay of commercial carbolic compounds, 1888, A., 92.

- analysis of fats and oils, 1890, A., 91.

analyses of laid, 1891, A., 130. Muth, E., preparation of ammonium albuminate, 1884, A., 945.

Muthmann, Wilhelm, lower oxides of molybdenum, 1887, A., 553.

- argentous compounds, 1887, A., 636. - messelite, a new mineral, 1890, A.,

· isomorphism of sulphur, selenium, and tellurium, 1891, A., 1417.

Muthmann, Wilhelm, and John Ulric Nef, cinchonic acid, 1887, A., 598. Mutschler, L. See Albert Hilger.

Myers, William Shields. See John Norman Collie.

Myhlertz, Fred. G., estimation of manganese in slags, 1891, A., 366.

Mylius, Ernst, thalleroquinine reaction, 1887, A., 311.

 red coloration of phenol, 1887, A., 807.

Mylius, Franz, sarcosine, 1884, A., 994. - derivatives of uric acid, 1884, A., 1128.

- α - and β -hydrojuglones, 1885, A., 169.

- pipitzahoic acid or perezone, 1885, A., 777.

– hydroxyjuglone, 1885, A., 803. - relations of α - to β -hydrojuglone,

1886, A., 69. — cholic acid, 1886, A., 480, 952; 1887, A., 606, 982; 1888, A., 508. — quinoland formicacid, 1886, A., 706.

alcoholates of conchinine, 1886, A.,

900. iodide of starch, 1887, A., 568.

--- Pettenkofer's reaction, 1887, A.,

-- testing glass by colour reactions, 1889, A., 549.

Mylius, Franz, and Fritz Foerster, solubility of glass in water, 1889, A., 828.

 estimation of small quantities of alkali: recognition of the neutrality of water, 1891, A., 1136.

- derivatives of carbonyl chloro-

platinite, 1891, A., 1162. examination of glass for chemical purposes, 1892, A., 411.

 preparation and assaying of pure platinum, 1892, A., 789.

N.

Naar, Alex., derivatives of cinnamaldehyde, 1891, A., 562.

Naccari, Andrea, specific heats of some metals, 1888, A., 1236.

Nachbaur, K., embryos of ungerminated rye, 1883, A., 107.

Nadeschdin, A., expansion of fluids and change of substances from the liquid to the gaseous state, 1888, A., 775.

Näf, Eduard, nitroso-derivatives of the thiazoles, 1891, A., 1515.

Naef, Paul, action in sulphuic acid chambers, 1886, A., 400.

Nacf. Paul. See also Georg Lunge. Nägeli, Ernst, hydroxylamine reaction. 1883, A., 728.

- reactions of hydroxylamine, 1884, A., 610.

- camphoroxime, 1884, A., 1190.

Nägeli, Ernst. See also Victor Meyer, Ernst Schulze, Ferdenand Tiemann.

Nafzger, Fr., acids contained in beeswax, 1884, A., 1297.

Nagai, Nagajosi, peonol, 1892, A., 58.

dehydrodiacetylpæonol, 1892, A.,
845.

Nagamatsz, Afsusuke, functions of chlorophyll, 1887, A., 516.

Nagaoka, Muneshiye. See Oscar Kellner.

Nahnsen, R., dithienyl, 1881, A., 1132.
—— the thiophen group, 1885. A., 50.

—— 8-thiophenic acid, 1885, A., 51.
—— action of ethyl chlorocarbonate and sodium amalgam on dinitrothiophen, 1885, A., 1207.

Nahrwold, Robert, conduction of electricity through gases, 1888, A., 769.——electrification of a gas by a glowing

platinum wire, 1888, A., 1231.
Namias, Radolfo, volumetric estimation

of iron, 1892, A., 240.

estimation of tungsten in rich alloys and in steel, 1892, A., 539.

volumetric estimation of mercury, 1892, A., 663.

extended use of arsenious acid in volumetric analysis, 1892, A., 1274.

Nantier, 1., manuring experiments with potatoes, beet, and maize, 1884, A., 635.

— influence of superphosphates on the production of sugar, 1886, A. 832.

superphosphate manuring sugar-beet, 1887, A., 295.

experimental plots at La Somme, 1888, A., 1127.

— enrichment of phosphatic chalk: origin of the rich phosphate of Beauval, 1889, A., 837.

Napolitano, Mariano, derivatives of peresolglycollic acid, 1883, A., 1126.

Narr, F., conductivity of electricity through gases, 1888, A., 397.

Nasini, Raffuele, atomic refraction of sulphur, 1883, A., 264; 1884, A., 149.
 specific rotatory power of photosantonic acid, 1884, A., 464.

specific refraction in reference to

the double bond, 1885, A., 210.
— molecular refraction of carbon compounds, 1887, A., 626.

— dispersive power of organic compounds, 1891, A., 138.

nature of osmotic pressure, 1891,

A., 522.

— distinction of allylbenzene from propylbenzene derivatives by means of their dispersive powers, 1891, A., 551.

— application of Ketteler's formula to optical chemistry, 1892, A., 253.

Nasini, Raffach, and Oscar Bernheimer, relation between refractive power and chemical constitution, 1885, A., 1097.

chemical constitution, 1885, A., 1097.

Nasini, Refuele, and Tullio Costa, molecular refractive energy of some tiethylsulphine derivatives, 1891, A., 1305.

their analogies with compounds of aromatic amines, 1892, A., 34.

Nasini, Ruffuele, and Alberto Scala, molecular refractive energies of derivatives of carbon bisulphide, 1887, A, 753.

of thiocyanates and thiocalbimides, 1887, A., 754.

____ allyl trisulphide, 1887, A., 1088.

—— — sulphines and the valency of sulphur, 1889, A., 115; 1890, A. 1234.

Nasini, *Ruffacle*, and *Vittorio* Villavecchia, specific rotatory power of cane sugar in dilute solutions, 1892, A., 801.

Nasini, Ruffaele. See also Ludwiy Mond, Emanuele Paternò.

Nasmyth, Thomas Goodall, air of coal mines, 1888, A., 1026.

Nasse, Otto, new reaction for pyrogallol, 1884, A., 1078.

by salts, 1889, A., 99.

primary and secondary oxidation, 1889, A., 172.

physiological oxidation, 1892, A., 1018.

Nastvogel, Oklar, compounds of dibromopyruvic acid with hydrazines, 1889, A., 237.

—— homologues of diphenyl-αγ-diketopiperazine, 1889, A., 1012.

—— α-anilidopropionic acid and α-anilidobutyric acid, 1890, A., 1159. —— isomerism of the diphenyl-αγ-di-

—— isomerism of the diphenyl-αγ-dimethyl-βδ-diketopiperazines, 1890, Λ., 1160.

——diphenyl-αγ-diethyl-βδ-diketopiperazines, 1890, A , 1160.

Nastvogel, Oskur. See also Curl Adam Bischoff.

Natanson, Eduard, cooling of carbonic anhydride on expansion, 1887, A., 880.

Natanson, Educid, and Ladislaus Natanson, dissociation of nitrogen tetroxide, 1885, A., 862; 1886, A., 657.

Natanson, Ladislaus, law of thermodynamical coincidence and its application to the theory of solution, 1892, A., 557.

- Natanson, Ladislans. See also Educid Natanson.
- Nathanson, More, and Paul Muller, derivatives and reactions of tetramethyldiamidobenzophenone, Λ., 1188.
- Natterer, Konrud, ay-dichlorocrotonaldehyde, a condensation product of chloraldehyde, 1883, A., 964.
- compound formed by the addition of hydrochloric acid to ay-dichloro-crotonaldehyde, 1884, A., 1293. — dichlorether, 1885, A., 365.
- --- action of zinc ethyl on αγ-dichloro-
- crotonaldehyde, 1885, A., 497.
- -- p-chloraldehyde, 1885, A., 1196.
- Natton, kola nuts (Stereulia acuminata), 1885, A., 712.
- Naudin, Laurent, essence of angelica
- root, 1883, A., 809.
 extraction of perfumes and essential oils, 1884, A., 378.
- —purification of alcohol, 1884, A., 615. anthemene, a hydrocarbon from
- Roman chamomile, 1885, A., 37.

 Naudin, Laurent, and A. Bidet, electrolysis of sodium chloride, 1884, A., 541.
- Nauen, Olto, triphonylmethylamine, 1884, A., 899.
- Naumann, Alec., Kahlbaum's so-termed "specific remission," 1885, A., 717.
- dissociation tension of ammonium carbamate, 1885, A., 859.
- stereochemical and mechanical views with reference to single and multiple union of atoms and the changes of one into the other, 1890, A., 555.
- reconversion of heat into chemical energy by production of water-generator gas and carbonic anhydride generator gas, 1892, A., 673.
- Naumann, Alex., and Carl Pistor, 10duction of carbonic anhydride carbonic oxide by carbon, 1885, A., 1036.
- behaviour of carbonic onlydride with hydrogen at a high tem-
- oxide and steam, 1886, A., 120.
- Nawratil, Arnulf, examination of Galician petroleum, 1883, A., 533.
- Arthur Hurnson, Naylor, William bitter principle of Hymenodictyon excelsum, 1883, A., 1141.
- hymenodictyonine, 1885, A., 565. Naylor, William Arthur Harnson, and John Oldham Braithwaite, test for arsenie, 1883, A., 513.

- Nebelthau, Eberhard, lactic acid in the urine of cold-blooded animals after extingation of the liver, 1888, A, 1323.
- formation of glycogen in the liver, 1891, A., 1526.
- formation of glycuronic acid during
- inanition, 1891, A., 1529.

 Neergard, Th. von, imagation as preventitive of injury from frost, 1881, A., 357.
- Neesen, Friedrich, specific heat water, 1883, A., 511.
- influence of magnetisation on the resistance of magnetic liquids, 1885, A. 213.
- Nef, John Ulrie, derivatives of durene, 1886, A, 61.
- derivatives of durylic acid, 1886, A., 241.
- quinometetracarboxylic acid, 1886, A., 550.
- benzoquinonecarboxylic reids, 1887. A., 255.
- nitranilie acid from chloranil, 1887, A., 926.
- carboxyl-derivatives of benzoquinone, 1888, T., 428; P., 38.

 — constitution of the anilic acids,
- 1889, A., 497.
- tautomeric compounds, 1889, A., 509; 1890, A., 983.
- constitution of quinone, 1890, A., 1270; 1891, A., 1348.
- ethyl acetoacetate, 1892, A., 140. - divalent carbon, 1892, A., 1438.
- Nef, John Ulric. See also Leonard P. Kinnicutt, Wilhelm Koenigs, Wilhelm Muthmann.
- Negbaur, W., practical form of the Latimer-Clark standard cell, 1892, A., 669.
 - standard cell for small differences of potential, 1892, A., 670.
- potential differences at the surfaces of contact of very dilute solutions, 1892, A., 671.
- Negreanu, Demetre, specific inductive power of liquids, 1887, A, 113.
- determination of the velocity of etherification by means of electrical conductivity, 1888, A., 1025, 1213.
- Negri, 11. de, and Cuido Fabris, olive oil. 1891, A., 1559.
- Negri, Gior. Buttista, natrolite, 1891, A., 1438.
- Nehring, Paul. See Heinrich Beckurts. Neilson, Thomas, estimation of sulphur in coal, etc., 1891, A., 1137.
- Neisser, . Ernst, glycogen, 1889, A., 171.

Neitzel, Erich, derivatives of diacetyl- ! vanillone, 1892, A., 61.

Nelson, F. E., standard solution for Clark's soap test, 1890, A., 198.

Nemirowsky, J., action of carbonyl chloride on ethylene glycol, 1884, A.,

- action of carbonyl chloride on glycol chlorhydrin, 1885, A., 741.

Nencki, Leon, methyl mercaptan as a constituent of human intestinal gases,

1890, A., 540. Nencki, Marcellus. plastered wine, 1884, A., 233

method of preparing glycocine, 1884, A., 583.

albumin of the splenic fever bacillus, 1885, A., 177.

preparation of tetramethyldiamidotriphenylmethane, 1889, A., 510.

- testing of reagents used in elementary analysis, 1889, A., 1085.

decomposition of albumin anaerobic ferments, 1890, A., 78.

compounds of volatile fatty acids with phenols, 1890, A., 488.

Nencki, Marcellus, and A. Bourquin, rhodanic acids, 1885, A., 40.

Nencki, Marcellus, and A. Rotschy, hæmatoporphyrin and bilirubin, 1890, A., 76.

Nencki, Marrellus, and (Frau) Nadina Sieber, urorosein, 1883, A., 100.

 colouring matter of the blood. 1885, A., 69, 825.

- venous-hæmoglobin crystals, 1886, A., 374, 482.

- hæmatoporphyrin, 1888, A., 971.

— animal melanin, 1888, A., 976.

gases evolved during the putrefaction of serum-albumin, 1890, A., 78.

formation of p-lactic acid during the fermentation of sugar, 1890, A., 78.

Nencki, Marcellus. See also O. Gres-S. Królikowski, Bronislan Lachowicz, M. Lesnik.

Nernst, Walther, heats of formation of mercury compounds, 1888, A., 1012. electromotive activity of the ions, 1889, A., 1095.

reciprocal influence on the solubility of salts, 1890, A., 3.

osmotic experiment, 1890, A.,

new principle of determining molecular weights, 1890, A., 1368; 1891, A., 389.

Nernst, Walther, distribution of a substance between two solvents, 1891, A., 1148.

solubility of mixed crystals, 1892,

A., 560. - potential-difference of dilute solu-

tions, 1892, A., 671.

Nernst, Walther, and Friedrich Robert
Pauli, electromotive activity of the ions, 1892, A., 671.

Nernst, Walther. See also Paul Drude, Albert von Ettingshausen, Morris Loeb, Wilhelm Ostwald, Uustar Tammann

Nessig, Wilhelm Robert, the more recent eruptive rocks of Elba, 1884, A., 567.

Nessler, Benno, synthesis of hydroxyxanthones, 1891, A., 1494.

Nessler, Benno. See also Stanishuus ron Kostanecki.

Nessler, Julius, 1ed wine manufacture in Germany, 1884, A., 130.

- clouding and fining of wines, 1884, A., 233.

manuring experiments on tobacco, 1884, A., 362, 490.

- wool-dust, 1884, A., 637.

gypsum for manure, 1884, A., 637. improvement of inferior wine by addition of the husks of superior grapes, 1884, A., 938.

Nessler. Julius, and Muz Barth. examination of alcoholic liquors, 1883, A., 518.

- wine analysis, 1884, A., 1432. volatility of glycerol at 100°, 1884, A., 1434.

Nettlefold, Frederick, absorption nitric oxide by sulphuric acid, 1887, A., 526.

- sodium nitrate in gun-cotton, 1887. A., 715.

 nitrocellulose, 1887, A., 792. dye from seaweed, 1888, A., 1313.

Neubeck, Friedrich, molecular volumes of aromatic compounds, 1888, A., 895.

Neuberg, Oscar, vapour density of ammonium chloride, 1891, A., 1407.

See also Ludwig Neuberg, Oscur. Gattermann, Georg Lunge, Isidor Traube.

Neubert, Alfred, derivatives of phen-

ethylamine, 1886, A., 873.

Neubert, E. W., and F. Kollbeck, iron pyrites containing nickel and cobalt, 1891, A., 1435.

Neubert, Mux. See Willielm (Temeny Lossen.

Neubert, Oskar. See Mar Schmoeger. Neudörfer, Julius. See Rudolf BeneNeufeld, 11bert, halogen derivatives of phenylhydrazine, 1889, A., 251.

Neufville, Rudolf de, and Hans (Freiherr) von Pechmann, diphenyltriketone, 1891, A., 318.

Neugebauer, Adolf. See Julius Tafel. Neugebauer, Edmund L., ethylic γ hydroxyvalerate and γ-hydroxyvaleramide, 1885, A., 651.

- estimation of the hardness of natural waters, 1891, A., 116.

Neuhöffer, G., detection of thiosulphates

in water, 1886, A., 99.

Neukranz, Walter. See Adolph Claus.
Neumann, Albert, substituted phthalimides and their conversion into the corresponding primary amines, 1890, A., 890.

Neumann, Albert. See also Siegmund Gabriel.

Neumann, Carl von, nickel and carbon elements, 1887, A., 757.

Neumann, Ernst, pathological pigments, 1888, A., 864.

Neumann, (teorg, double salts of ferric with other metallic chlorides, 1886, Λ., 124.

- apparatus to extract solutions with

liquids, 1886, A., 198.

nitrophenyl benzoate and nitrobeuzoates, etc., 1886, A., 350, 939; 1887, A., 254.

- preparation of oxygen and of sulphurous anhydride with Kipp's apparatus, 1887, A., 769.

estimation of metallic iron in slags, 1887, A., 1140.

estimation of thallium, 1888, A., 529.

 double salts of sesquichlorides with other metallic chlorides, 1888, A., 655.

- methods for obtaining constant streams of hydrogen chloride, ammonia, and nitrogen, 1888, A., 784.

 apparatus for quantitative analysis, 1888, A., 1332.

 – valuation of crude sodium acetate, 1888, A., 1346.

-- estimation of zinc in presence of moreury, 1889, A., 549.

- halogen moreuric acids, 1889, A., 1049.

- α-o-stannic acid, 1892, A., 412. - behaviour of copper and of the

noble metals towards some gases and vapours, 1892, A., 942.

Neumann, Georg, and Franz Streintz, behaviour of hydrogen towards lead and other metals, 1892, A., 567.

Neumann, Georg. See also Franz Streintz.

Neumann, Georg Sigismund, sulphurie acid as an iodine carrier, 1887, A., 573.

Neumann, Sigmund, eudiometric estimation with mixtures of ammonia and oxygen, 1889, A., 1031.

- estimation of quinine in quinine tannate, 1890, A., 672.

Neumark, Moritz. See Wilhelm Marckwald.

Neumayer, Johannes, action of yeast on the animal and human organism, 1891, A., 237.

Neumeister, Richard, albumoses and peptones, 1887, A., 285; 1888, A., 509; 1890, A., 804.

vitelloses, 1887, A., 286.

 physiological action of albumoses and peptones, 1888, A., 516.

products of the action of superheated steam on fibrin, 1889, A., 910. - proteid absorption, 1891, A., 233.

Neure, K., substituted benzyl cyanides, 1889, A., 597.
Neure, K. See also Victor Meyer.

Neville, Francis Henry. See Charles Thomas Heycock.

Newall, Hugh Frank, recalescence of steel, 1888, A., 892. Newall, Hugh Frank. See also Joseph

John Thomson.

Newbury, Spencer Baird, preparation and reactions of crotonaldchyde, 1881, A., 294.

specimens of nickel ore from Nevada, 1885, A., 489.

action of light on silver chloride, 1885, A., 956.

- so-called silver sub-chloride, 1886, Λ., 770.

apparatus for distillation in a vacuum, 1889, A., 12.

copper sulphites, 1892, A., 1051.

Newbury, Spencer Baird, and Merritt Wright Barnum, action of alcohols on propaldehyde, 1891, A., 284.

Newbury, Spencer Buird, and William Sommerville Calkin, action of alcohol on crotonaldehyde, 1891, A., 285.

Newbury, Spencer Buird, and Emile Mounin Chamot, action of alcohols on acraldchyde, 1891, A., 285.

Newbury, Spencer Baird, and William Purker Cutter, safety of commercial

kerosene oils, 1889, A., 82. Newbury, Spencer Baird, and William Itidgely Orndorff, action of dilute nitric acid on acctone, 1891, A., 287.

Newbury, Spencer Baird. See also William Ridgely Orndorff.

Newlands, John A. R., the periodic law, 1884, A., 958.

Newman, H. E., derivatives of ethylenephenyldiamine and its homologues, 1891, A., 1206.

Newth, C. S., preparation of hydrobromic acid, 1892, A., 270.

 lecture experiment; dissociation of phosphonium bromide, 1892, A., 401. Ney, Emanuel, deoxybenzoin and de-

saurins, 1888, A., 1197.

Ney, Emanuel. See also Paul Jacobson.

Nicati, William, and Maximilion Rietsch, odour and poisonous effects of the products of the fermentation produced by the Comma bacillus, 1885, A., 180; 1886, A., 169. Nichols, Edward Leamington, duration

of colour impressions on the retina, 1885, A., 468.

-chemical behaviour of iron in the magnetic field, 1886, A., 668.

 electrical resistance of the alloys of ferro-manganese and copper, 1890, A.,

Nichols, William Ripley, and C. R. Allen, sewage, 1886, A., 1072.

Nicholson, Hudson H. Frederic Mabery. See Charles

Nicholson, Thomas Goddard. See Gerald Tuttersall Moody.

Nicholson, William Ostler. See Henry Sunders Carpenter.

Nickel, Emil, formation, detection, and significance of furfuraldehyde, 1891, A., 867.

physiology of the tannins and trihydroxybenzenes, 1891, A., 1395.

- graphical chemistry of glass, 1892, A., 1158.

Nickel, Otto, quantitative estimation of oxalic acid in urine, 1887, A., 401.

Nickels, Benjamin, estimation of "light hydrocarbons and non-nitrifiable substances" in benzene, 1886, A., in benzene, 1886,

obituary notice of, 1890, T., 452. Nicol, William Walker James, on the volume alteration attending the mixture of salt solutions, 1883. T., 135.

coefficients of expansion of sodium sulphate solutions, 1883, A., 17.

- nature of solution, 1881, A., 253; 1886, A., 300.

molecular volumes of salt solutions, 1884, A., 658; 1885, A., 334.

 connection between pseudo-solution and true solution, 1885, A., 115.

boiling-points of saline solutions, 1885, A., 331.

- saturation of salt solutions, 1885, A., 340; 1886, A., 763.

Nicol, William Walker James, supersaturation of salt solutions, 1886, A., 300; 1887, T., 389; P., 40; discussion,

water of crystallisation, 1886, T., 690; P., 220; discussion, P., 221; Λ.,

vapour pressures of water from salt solutions, 1887, A., 321.

— expansion of salt solutions, 1887,

A., 760.

 specific gravities of aqueous glycerol solutions, 1888, A., 437. - mutual solubility of salts in water,

1892, A., S.

Nicolaeff. See Nikolaeff. Nicolaier, Arthur. See Wilhelm Ebstein.

Nicolas, th. See A. Domergue. See Murius Vizern.

Nicolas, Cl. Nicolas, M., preparation of pure phosphoric acid, 1891, A., 398.

Nicolaysen, Carl, Norwegian oil of caraway, 1890, A., 902.

Nicolaysen, Carl. See also Adolph Claus.

Nicolle, Auguste. See Paul Cazeneuve. Nicotera, Luigi, synthesis of thymol-cinnamic acid, 1890, A., 892.

Niebling, Richard, Kjeldahl's method of estimating nitrogen, 1890, A., 415. artificial digestion of agricultural feeding stuffs, 1890, A., 1451.

Niederhäuser, Emil, Schneider's method for the estimation of malic acid in wine, 1891, A., 128.

Niederhofheim, Robert. See Paul Ehrhurdt Jannasch.

Niederist, (fustar, trimethylene glycol and trimethylene bases, 1883, A., 150.

Niederstadt, meat extract from S. America, 1883, A., 406.

- flowers of Rosa contifulia, 1881, A., 97.

- constituents and properties of some water plants, 1884, A., 108.

Niedschlag, W., decomposition of saccharose by boiling with lime, 1887, A., 1026.

Nieme, Alexander, and Hans (Freiherr) ron Pechmann, citracumalic acid, a condensation product of acctonedicarboxylic acid, 1891, A., 675.

Niementowski, Stefan, anhydro-compounds, 1886, A., 544; 1887, A., 937; 1892, A., 837.

m-homoanthranilic acid, 1888, A., 837.

derivatives of m-toluquinazoline and m-homoanthranilic acid, 1889, A., 1005.

Niementowski, Stefan, some nitrated diazamido-compounds, 1890, A., 39. a-methylphthalic acid, 1892, A.,

607.

Niementowski, Stefan, and Maryan Obremsky, m-formotoluidine and its derivatives, 1887, A., 935.

Niementowski, Stefan, and Br. Rozanski, nitrotoluic acids, 1888, A., 1088.

- synthesis of isatoic acid, 1889, A., 996.

Niementowski, Stefan. See also Stunislaus von Kostanecki.

Niemeyer, M., chlorinated quinones and quinols, 1885, A., 1065.

Niemilowicz, Ladislaus, analogues of choline, 1886, A., 933.

action of hydrobromic and sul-

phuric acids on primary alcohols, 1890, A., 465.

-tribromopropaldehydeandtribromopropionic acid, 1890, A., 861.

Nies, Friedrick, and Adolf ∡Luqust Winkelmann, volume change of metals on fusion, 1883, A., 545.
Niessing, U. (and others), diseases of

plants and their prevention, 1883, A., 612.

Nietzki, Rudolf, quinones and quinols, 1883, A., 465.

colouring matters of the safranine series, 1883, A., 731; 1887, A., 219.

- quinone-derivatives, 1884, A., 58. - colouring matters formed by the simultaneous oxidation of p-diamines and monamines, 1884, A., 740.

 p-amidoacetanilide and some azoderivatives, 1884, A., 1016.

— azo-colours, 1884, A., 1036.

-- preparation of quinone and quinol, 1886, A., 790.

 constitution of nitranilie acid, 1887, A., 131.

- — constitution of safranine, 1887, A., 250.

- -- formation of eroconic acid from benzene derivatives, 1887, A., 805.

– hexa-derivatives of benzene, 1887, A., 929.

— formation of azines from o-diamines and polyamines, 1890, A., 178.

– constitution of chodizonic acid, 1891, A., 189.

 synthesis of Weselsky's resorcinolblue, 1892, A., 163.

Nietzki, Rudolf, and Theodor Benckiser, acetyl-derivatives of aromatic amidosulphonic acid, 1884, A., 1021.

--- o-nitranilinesulphonic acid; new method of preparing o-nitraniline, 1885, A., 535.

Nietzki, Rudolf, and Theodor Benckiser. hexahydroxybenzene derivatives and their relation to croconic and rhodizonic acids, 1885, A., 779.

 benzene derivatives obtained by the action of carbonic oxide on potassium, 1885, A., 1127.

- croconic and leuconic acids, 1886, A., 449, 540.

Nietzki, Rudolf, and Julius Diesterweg, bisazo-compounds, 1888, A., 1082.

Nietzki, Rudolf, and Otto Ernst, derivatives of diphenylamine and phenazine, 1890, A., 1114.

Nietzki, Rudolf, and Joseph Göttig, βα-azonaphthalene, 1887, A., 590.

Nietzki, Rudolf, and Otto Goll, azonaphthalene, 1885, A., 545.

- azonaphthalene and derivatives, 1886, A., 215.

- --- azo-compounds of naplithalenc, 1886, A., 714.

Nietzki, Rudolf, and A. L. Guitermann. naphtholearboxylic acids, 1887, A., 732.

— quinonedioximes, 1888, A.. 471.

Nietzki, Rudolf, and Eduard Hagentetramidobenzene and its derivatives, 1887, A., 476.

Nietzki, Rudolf, and Gustar Hasterlik, action of dioxyquinones on odiamines, 1891, A., 944.

Nietzki, Rudolf, and Herbert Kaufmann, derivatives of trinitroquinol, 1892, A., 314.

Nietzki, Rudolf, and Friedrich Kehrmann, secondary and tertiary quinones, 1887. A., 473.

- -- quinonedioxime and dinitrosobenzene, 1887, A., 575.

-- --- hydroxyquinones, 1888, A., 263.

Nietzki, Rudolf, and Ludwig Kurtenacker, penta-derivatives of benzene, 1892, A., 596.

Nietzki, Itudolf, and Zdenko Lerch, o-nitranilinesulphonic acid, 1889, A., 144.

Nietzki, Rudolf, and Hermann Maeckler, resorcinol and oreinol colouring matters, 1890, A., 762.

Nietzki, Rudolf, and Eduard Müller, s-tetramidobenzene, 1889, A., 604.

Nietzki, Rudolf, and Richard Otto, safranines and dyes related thereto, 1888, A., 831.

- action of quinonedichlorimide on naphthylamine, 1888, A., 813. - --- indamines and indophenols, 1888, A., 949.

Nietzki, Rudolf, and Bernhard Pollini, | nitrotoluidinesulphonic acids, 1890, A., 502.

Nietzki, Rudolf, and Joseph Preusser, amido-derivatives of quinone and quinol, 1886, A., 1024.

- constitution of dinitroquinol: formation of nitranilic acid, 1887, Λ., 574.

Nietzki, Rudolf, and Johann Rechberg, diamidoquinol ether and dihydroxyquinone ether, 1890, A., 967.
Nietzki, Rudolf, and Robert Rösel,

tetramidotoluene, 1891, A., 192.

Nietzki, Rudolf, and Hans Rosemann, oximes of leuconic acid and their reduction products, 1889, A., 769. Nietzki, Rudolf, and Friedrich Ruppert,

o- and m- cresotic acids, 1891, A., 308.

Nietzki. Rudolf, and AntonSchmidt, benzenetriphenazine, 1888, A., 690.

- nitrogenous quinone deriva-

tives, 1888, A., 943. Nietzki, Rudolf, and Friedrich Schmidt, dihydroxyquinone and tetrahydroxybenzene, 1888, A., 1181.

derivatives of s-dihydroxy-

quinone, 1889, A., 968. Nietzki, Rudolf, and Ludwig Schmidt, c-tetramidobenzene, 1889, A., 974.

Bencelikt Rudolf, Nietzki, andSchundelen, action of dinitrochlorobenzene on polyhydric phenols, 1892, A., 310.

Nietzki, Rudolf, and Theodor Steinmann, purpurogallin, 1887, A., 733.

Nietzki, Rudolf, and Joseph Zübelen. nitration of naphthionic acid, 1889, A., 513.

 β-naphthol-α-sulphonic acid, 1889, A., 515.

Nietzki, Rudolf, August Dietze, and Maeckler, Weselsky's Hermann resorcinol dyes, 1890, A., 156.

Niewerth, Hermann, preparation of strontia, 1884, A., 712.

Nihoul, Edouard. See Lucien Louis de Koninck.

Nikitinski, Jakov J., estimation of the quantity of ash in tea, 1885, A.,

Nikolaeff, Petr D., chemical composition of waluewite, 1883, A., 1068.

- apatite from Turkestan, 1886, A.,

- analyses of garnet and analeime, 1886, A., 601.

Nikoliukin, J., lead tetrachloride, 1886, A., 123.

Nikolsky, Władimir, and Johann M. Dogiel, physiological action of curare,

1891, A., 487.
Nikolsky, Woldemar, and Alexander M. Saytzeff, hydrocarbon, C12H20, prepared from allyldimethylcarbinol, 1883, A., 1074.

Nikolsky, Woldemur. See also Alerius Albitzky.

Nilson, Lars Fredrik, determination of the equivalent of thorium, 1883, A.,

- metallic thorium, 1883, Λ ., 152. - the thorite of Arendal, 1883, A.,

299; 1884, A., 406. - crystalline form, specific heat, and atomicity of thorium, 1883, A., 553,

- variations in the fat of milk, 1888, A., 861.

butter analysis, 1889, A., 801.

 amount of nitrogen in cows' milk, 1890, A., 652,

- composition of the Leguninose, 1892, A., 521.

 the lactocrite compared with other methods for estimating fat in milk, 1892, A., 550.

Nilson, Lurs Fredrik, and Pettersson, vapour density of beryllium chloride, 1884, A., 820.

- determining vapour densities, 1886, A., 298.

 physical constants of germanium and titanium and their compounds, 1887, A., 778.

- two new chlorides of indium, and the vapour density of indium, gallium, iron, and chron chlorides, 1888, T., 814; P., 87. chromium

- vapour density of aluminium chloride, and the valency of metals of the aluminium group, 1888, A., 788.

- molecular weight of aluminium chloride, 1889, A., 1118.

Nilson, Lurs Fredrik. See also Carl Gustuf Eggertz, Gerhard Krüss.

Nippgen, J. A., artificial manures for vineyards, 1884, A., 637.

Nishack, methylsulphonic acid, 1883, A., 972.

Nissen, U., αβ-dichlorocinnamic acid, (phenylpropiolic acid dichloride), 1892, A., 1464.

Nissen, Detlev. See Robert Behrend. Nissen, II., influence of alkalis on the secretion and composition of bile, 1891, A., 950.

Nitsche, F., detection of hydrocarbons in fat and oils, 1886, A., 395.

Noack, simple burner for monochromatic light, 1886, A., 14.

Noack, Einst, new method for preparing carbonic oxide, 1883, A., 574.

- phenyl salts of phosphorous acid, 1883, A., 735.

Noack, Karl, fluidity of acotic acid, 1886, A., 971.

Noah, Ernst, synthesis of xanthopurpurin and purpurin, 1886, A., 475.

pentahydroxyanthraquinone and anthrachrysone, 1886, A., 556.

 tetrahydroxyanthraquinones, 1887, A., 56.

Noah, Georg, derivatives of diethylthiocarbamide, 1890, A., 1241.

Nobbe, Friedrich, cultivation and feeding value of some varieties of vetches, 1883, A., 612.

— Jensen's method of protecting potatoes from disease, 1886, A., 1067. · American red clover, 1889, A., 299.

Nobbe, Friedrich, Edmund Schmid. Loren: Hiltner, and Eduard Hotter, nitrogen assimilation of the Legu-

minose, 1891, A., 1533.

Nobbe, Friedrich (and others), poisonous effects of arsenic, zinc, and lead on

vegetable organisms, 1884, A., 1407.

Nobel, Alfred Bornhard, and Georg
Fehrenbach, preparation of sulphuric
anhydride, 1885, A., 1018.

Nobel, Le. Sec Le Nobel.

Noellner, Alexander, some artificial products from cryolite, 1883, A., 30.

Noël-Paton, Diarmid, human chyle, 1890, A., 394.

- proteids in urine, 1890, A., 1174. muscular work and proteid metabolism, 1891, A., 596.

oël-Paton, Diarmid, and John Mackintosh Balfour, human bile, Noël-Paton, 1891, A., 598. Nölting, Emilia, dissociation of tri-

chloromethyl sulphochloride, 1883,

— rosaniline derivatives, 1888, A., 54. phenols from coal-tar of high boiling-point, 1884, A., 1003.

o-nitrobenzyl chloride, 1884, A.,

1005; 1885, A., 52. presence of isocyanates in the first runnings of the distillation of crude

benzene, 1885, A., 463. azylines, 1885, A., 895.

- constitution of the phthalic acids, 1886, A., 67.

 nitration of benzyl chloride, 1886, A., 344.

--- trinitro-m-cresol, 1886, A., 845.

Nölting, Emulio, a-iodonaphthalene, 1886, A., 362.

- nitration of dimethylaniline, 1886, A., 543.

- substitution in azo-compounds, 1888, A., 270.

- the sulphonic acid of methyl phenylcarbamate, 1889, A., 144.

 dyes of the triphenylmethane group, 1891, A., 727; 1892, A., ĭ87.

- nitration of butyltoluenesulphonic acid and butylxylenesulphonic acid, 1892, A., 718.

Nölting, Emilio, and Alfred Abt, constitution of azimido-compounds,

1888, A., 273.
Nölting, Emilio, and Thiebaut Baumann, derivatives of cumidine and amidoazobenzene, 1885, A., 384.

- azo-derivatives, 1885. 385.

------ quinones, 1885, A., 390. ------ formation of quinones, 1885, A., 892.

 derivatives of ψ-cumiding, 1885, A., 893.

Nölting, Emilio, and Guido de Bechi, constitution of phthalyl chloride,

1884, A., 1024.
Nölting, Emilio, and Felia Binder, diazoamido-derivatives, 1885, A., 385; 1888, A., 271.

Nölting, Emilio, and Robert Bourcart, action of sulphuric acid on protocatechuic acid, 1883, A., 65.
Nölting, Emilio, and August Collin,

trinitroresorcinol, 1884, A., 1004.

--- nitro-o-toluidine (m. p. 107°) and its derivatives, 1884, A., 1006.

- nitration of benzene derivatives, 1884, A., 1011.

--- note on pyridinedicarboxylic acid, and on blue colouring matters from resamiline, 1884, A., 1048.

Nölting, Emilio, and Sylvestre Forel, xylidines, 1885, A., 381.

- the six isomeric xylidines, 1886, A., 58.

- amidoazo-derivatives of the three xylenols, 1886, A., 58.

Nölting, Emilio, and Joseph Frühling, p-xyloquinolinesulphonic acid, 1889, A., 164.

Nölting, Emilio, and Utlestin Geissmann, nitro-derivatives of p-xylene.

1886, A., 344.
Nölting, Emilio, and Eugène Grandmougin, o-azo-compounds of anaphthol (8-naphthaquinone hydrazones), 1891, A., 1074.

Nölting, Emilio, and Eugène Grandmougin, molecular change in the formation of bisazo-compounds of a-naphthol, 1891, A., 1075.

constitution of the hydrazones
 of β-naphthaquinone, 1891, A., 1076.
 azoimide, 1891, A., 1478.

Nölting, Emilio, and Otto Kohn, azoand bisazo-compounds of cresols, 1884, A., 900.

383. a new cumidine, 1885, A.,

A., 386. tetramethylazyline, 1885,

A., 389. terephthalophenone, 1885,

____xylidinesulphonic acids, 1886, A., 355.

——— sulphonic acids of m- and pxylidines, 1889, A., 611.

Nölting, Emilio, and Albert Gullatin Palmer, occurrence of ethylbenzene in commercial xylene, 1891, A., 1197. Nölting, Emilio, and Benedict Pick,

identity with Wroblewski's o-xylidine, 1889, A., 181. Nölting, Emilio, and Emmanuel von

Salis, nitro-derivatives of the cresols, 1883, A., 59.

Nölting, Emilio, and Churles Schwartz, triquinylmethane, 1891, A., 1106. Nölting, Emilio, and Louis Steeklin,

Nölting, Emilio, and Louis Stoecklin, nitration of aromatic amines, 1891, A., 692.

Nölting, Emilio, and Théodore Stricker, mono- and di-alkyl derivatives of m-diamines, 1886, A., 543. —— iodophenols, 1888, A., 262.

dodphenois, 1888, A., 262.
 azoxylenes; diamidodixylyls, and the colouring matters derived therefrom, 1889, A., 135.

Nölting, Emilio, and Emile Trautmann, derivatives of toluquinoline and mxyloquinoline, 1891. A., 325.

xyloquinoline, 1891, A., 325.

derivatives of the methylquinolines and of m-dimethylquinoline, 1892, A., 726.

Nolting, Emilio, and Eduard Weingärtner, colouring matter from pamidophenol, 1885, A., 381.

othenyldiphenyldiamine,

decomposition products of acetanilide hydrochloride, 1885, A., 978.

Nölting, Emilio, and Eduard Weingärtner, identity of isorcinol and cresorcinol, 1886, A., 346.
Nölting, Emilio, and Paul Werner,

Nölting, Emilio, and Paul Werner, diphenyl derivatives from alkyl-

quinols, 1891, A., 209.

— diphenyl bases, 1891, Λ., 211.

Nölting, Emilio, and Eugen Wild,
preparation of mononitrophenols from
their primary amines, 1885, Α., 973.

their primary amines, 1885, A., 973.
Nölting, Emilio, and Otto Nikolaus Witt, o-amidoazo-compounds, 1884,

A., 742.

Nölting, Emilia, Otto Nilolaus Witt, and Sylvestre Forel, p-xylidine, 1886, A., 57.

Nölting, Emilio. See also Otto Nikolaus Witt.

Noerdlinger, Hugo, bicuhyba fat. 1886, A., 139.

free fatty acids in oils, 1889, Λ., 799.

analysis of fats, 1890, A., 929.

decamethylenedicarboxylic acid, 1890, A., 1237.

Noerdlinger, Hugo. See also Friedrich Krafft.

Nötzli, F., investigation of tannins, 1886, A., 496.

Nordenskiöld. Gustaf, pholidelite, a

Nordenskiöld, Gustaf, pholidolite, a new mineral, 1892, A., 1408. Nordenskiöld, Nils Adolf Erik (Buron)

von, uranium silicate from Garta, 1885, A., 1119.

—— liquid inclusions in Brazilian topaz, 1886, A., 674.

— cosmical powder from San Fernando, Chili, 1887, A., 22.

— equivalent of gadolinium oxide, 1887, A., 109.

gearksutite from Ivigtut, Greenland, 1887, A., 344.

arksutite from Ivigtut, Greenland, 1888, A., 231.

kainosite from Hittero, Norway, 1888, A., 234.

—— endidymite, 1889, A., 219.

— mineralogical notes, 1889, A., 220.
Nordenskiöld, Otto, cyanogen additive products of some amidoximes, 1890, A., 1120.

the Ljungby meteorite, 1892, A., 1000.

Nordenström, Olof (lustaf, allanite, from Gyttorp, Sweden, 1892, A., 1409.

Nordmann, Eduard, p-carvacrotic aldehyde, 1885, A., 162.

- ethenylamidoxime and its deriva-

tives, 1885, A., 238. ordström, Theodor, the pyrolusite Nordström, mines of Bolet, 1883, A., 31.

- silver amalgam from the Sala mines, 1883, A., 426.

Norris, Charles. See Russell H. Chittenden.

Norris, George L., estimation of mangamese in slags and ores, 1892, A., 385.

North, Barker, Gawalowski's method for the volumetric estimation of sulphuric acid, 1889, P., 5.

North, Barker. See also Thomas Edward Thorpe.

North, William, influence of bodily labour on the elimination of nitrogen, 1885, A., 412; 1886, A., 569.

Norton, Lowes Mills, and Anson Warren Allen, action of dilute nitric acid on anilides, 1885, A., 1213.

Norton, Lewis Mills, and Clement Walker Andrews, action of heat on liquid paraffins, 1886, A., 601.

Norton, Lewis Mills, and Jumes Gordon Holder, oxidation of benzene, 1886, A., 49.

Norton, Lewis Mills, and William Downing Livermore, action of dilute nitric acid on substituted amido-compounds, 1887, A., 1038.

Norton, Lewis Mills, and Arthur Amos Noyes, action of heat on ethylene, 1887, A., 226.

- butines, 1889, A., 361.

Norton, Lewis Mills, and Charles Oliver Prescott, continuous otherification, 1885, A., 496.

Norton, Lewis Mills, and Herbert Appleton Richardson, linolete acid, 1888, A., 44.

Norton, Lowis Mills, and Henry Jules Williams, action of bromine on isobutylene, 1887, A., 712.

Norton, Thomas Herbert, metallic nitroprussides, 1888, A., 932.

Norton, Thomas Herbert, and Arthur Henry Otten, apparatus for fractional distillation, 1888, A., 646.

- — amine salts of p-tolucuesulphonic acid, 1888, A., 698.

Norton, Thomas Herbert, and Theodore William Schmidt, metallic salts of benzenesulphonic acid, 1888,

Norton, Thomas Herbert, and Ernst Twitchell, alloys of calcium and zinc, 1888; A. 651.

Norton, Thomas Herbert, and John Hermunn Westenhoff, amine salts of benzenesulphonic acid, 1888, A., 698.

— action of silicon-tetralluoride on acetone, 1888, A., 936.

- bromination of acctone, 1888, A., 936.

Norton, Thomas Herbert. See also Archibald Irwin Carson, John Thayer Alexander Laist, Joseph Kebler. Tcherniac.

Notta, M., and G. Lugan, detection of morphia in the urine, 1885, A., 447.

Nourrisson, Charles, anisonlphthaloylic acid, 1886, A., 1029.

- bromo-o-toluic and bromophthalic acids, 1887, A., 668.

Novi, Ivo, influence of sodium chloride on the chemical composition of the biain, 1891, A., 1274.

Novy, Fredrik (4., homologues of cocame, 1887, A., 1126.

Nowoczek, 1., sugar-beet culture and manuring, 1884, A., 921.

Noyes, Arthur Amos, exceptions to the gaseous laws in solutions, $1890, \Lambda., 442$. solubility of mixtures of electrolytically dissociated substances, 1891,

A., 142. - determination of the electrolytic dissociation of salts by means of solubility experiments, 1892, A., 1143.

Noyes, Arthur Amos. See also Max Le Blanc, Lowis Mills Norton.

Noyes, William Albert, oxidation of the nitrotoluenes by potassium ferricyanide, 1883, A., 577.

- oxidation of benzene derivatives with potassium ferricyanide, 1884, A., 299; 1886, A.,142, 801; 1889, A.,394.

– p-nitrobenzoic sulphinide, 1886, A., 803.

- atomic weight of oxygen, 1889, A., 672; 1890, A., 1370; 1891, A., 1154. - unit of atomic weights, 1891, A., 523.

detection and estimation of titanium, 1891, A., 1295.

- lecture experiment; burning sulphur in oxygen, 1892, A., 679.

- dibenzylcarbinamine, 1892, A., 1093.

Noyes, William Albert, and William Everett Moses, oxidation of m-nitrotoluene, 1886, A., 143.

Noyes, William Albert, and Charles Walker, oxidation of m-bromotoluene, 1886, A., 788.

- oxidation of benzene dorivatives with potassium ferricyanide, 1887, A., 727.

Noves. William Albert, and Wulter Brown Wiley, oxidation of benzene derivatives with potassium ferricyanide, 1889, A., 711.

Noyes, William Albert. See also Adolf von Baeyer.

Nüys, Thomas Charlton van, apparatus for the estimation of carbonic an-

hydride in air, 1886, A., 835. - estimation of carbonic anhydride

in air, 1887, A., 300.

Nüys, Thomas Charlton van, and Benjamin F. Adams, junior, carbonic auhydride in the air, 1887, A., 549.

Nüys, Thomas Charlton van, and Robert Edward Lyons, estimation of albumin in urine, 1890, A., 1199.

carbonic anhydride in the

urine, 1892, A., 649.

Nuricsán, Josef, method of preparing carbon oxysulphide, 1892, A., 15.

Nussberger, G., stereoisomeric dioximes from ethyl acetoacetate and benzoylacetate, 1892, A., 1175.

Nuth, Georg, action of p-amidodimethylaniline on aldehydes, 1885, A., 784.

- furfuran-derivatives, 1887, A., 803. Nyiredi, E., mean composition of the celestine bed of Koppand, 1890, A., 713.

Nylander, Emil, alkaline bismuth solution as a test for glucose in urine, 1884, A., 1433.

Obach, Eugen, purification of carbon bisulphide, 1883, A., 43.

specific inductive capacity and latent heat of vaporisation, 1892, A.,

Oberbeck, Anton, electrodynamic interference of alternating currents, 1883, A., 897.

 electrical behaviour of precipitated membranes, 1891, A., 517.

Oberbeck, Anton, and Johannes Edler, electromotive force of galvanic elements, 1891, A., 514.

Obermayer, Fritz, modification of Jaffe's

indican test, 1891, A., 248. bermayer. Fritz. Sec also Ernst Obermayer, Fritz. Freund, Heinrich Paschkis.

Obermeyer, Joseph, methyl mercaptan and its derivatives, 1888, A., 124.

Obermüller, Kuno, reaction of cholesterol, 1890, A., 982.
——cholesterol, 1891, A., 298.

saponification with sodium ethoxide, 1892, A., 139.

estimation of cholesterol, 1892, A., 248.

Obermüller, Kuno. See also Albrecht Carl Ludviy Martin Leonhard Kossel. Obermüller, Paul. See Rudolph Fittig.

Obernetter, J. B., silver bromide gelatin-emulsion, 1883, A., 395.

Obolenski, Iwan N., detection of colchicine in corpses, 1891, A., 135.

Obrégia, .Inastasius, action of potassium cyanide on halogen derivatives of ketones, 1892, A., 324.

Obremsky, Maryan. See Stefan Niementowski, William Henry Perkin,

Ochsenius, Carl, blue rock salt, 1886, A., 515.

- phosphoric acid in Chili saltpetic, 1887, A., 558.

- minerals from the Douglashall salt mine, 1889, A., 838.

Oddo, Giuseppe, diazo-derivatives of the aromatic series, 1891, A., 553. – triazobenzene, 1891, A., 696.

α- and β-naphthylazoacetoacetic acids and their derivatives, 1891, A., 1381.

- relation between the chemical constitution and physiological action of aromatic compounds, 1892, A., 366.

stereochemistry of the camphor group, 1892, A., 724.

the camphor group, 1892, Λ ., 721. Oddo, Giuseppe, and E. Barabini, \$-isoamylnaphthalene, 1891, A., 730.

Oddy, Robert Walter, and Julius Berend Cohen, comparison of the methods in use for estimating organic nitrogen, 1890, A., 1466.

Odernheimer, Edgar, furfiderivatives, 1881, Λ., 585. furfuraldehyde

- Laubenheimer's reaction, 1881, A., 1038.

-action of hydroxylamine on meconic, comenic, and fromeconic acids, 1884, A., 1302.

Oebbeke, Konrad, Krakatoa ashes, 1881, A., 974.

microcline and muscovite from Forst in the Tyrol, 1886, A., 518.

- arsenical pyrites from Wunsiedel, 1890, A., 711.

- kreittonite from Bodenmais, 1891, A., 527.

Oechsner de Coninck, William, quinoline from cinchonine, 1883 A., 88.

 hydrates of pyridic bases derived from cinchonine, 1883, A., 220.

 bases of the pyridine and quinoline series, 1883, A., 738.

· isomerism in the pyridine series. 1883, A., 740. - 'Anderson's reaction,' 1884, A., 612. Oechsner de Coninck, William, action of pyridine bases on alcoholic iodides, 1881, A., 612.

- coal-tar lutidine, 1884, A., 910. synthesis of pyridic hydrides.

1884, A., 1047.

decomposition of pyridine methiodides and ethiodides by the action of alkalis, 1885, A., 272.

pyridine derivatives from brucine,

1885, A., 273.

- brucine, 1885, A., 564.

- α-picoline, γ-lutidine, and pyridine, 1885, A., 671

— homonicotic acid, 1885, A., 671.

– reactions of alkaloids,1885,A.,818. --- colouring matters derived from quinoline bases, 1886, A., 82.

– pyridine alkaloids, 1886, A., 476. – alkaloids, 1886, A., 897; 1887, A., 58, 603, 851.

volatile alkaloids, 1888, A., 328, 539.

mann,

fate of pyridine in the organism, 1888, A., 511.

ptomaines, 1888, A., 730, 1118; 1889, A., 421, 733; 1890, A., 1170; 1891, A., 845.

estimation of total nitrogen in urine, 1889, A., 649.
— reactions of amidobenzoic acids,

1892, A., 847, 1380. Oechsner de Coninck, William.

also Bochefontaine, S. H. Marcus Occonomides, L., ketines, 1887, A., 29. Oeconomides, L. See also Karl Heu-

Occonomides, Spiridon. See Adolf von Baeyer, Gerhard Krüss.

Oelker, .1., derivatives of bromopiperonal, 1891, A., 1171.

Oelkers, Laulwig, examic acid, 1889, A., 902, 1142.

-occurrence of mercury in tape-worms, 1890, A., 396.

Oelkers, Ludwig. Sec also 1'ictor Meyer.

Oelschlägel, Uarl. See Albert Ladenburg.

Oettel, Felix, volumetric method for estimating fluorine, 1887, A., 179. – analysis of German silver, 1888,

A., 323.

- lecture experiment, 1888, A., 910. Oettingen, Arthur Joachim von, and Adolph von Gernet, explosion of watergas, 1888, A., 549.

Off, Hussein. See Henry Droop Richmond.

Offermann, Heinrich, 615. Heinrich, estimation Ogáta, Mussanori, poisonous nature of sulphuous anhydride, 1885, A., 577.

Ogáta, Mussanori (and others), experiments in digestion, 1881, A., 912.

Ogier, Jules, pyrosulphurie chloride, 1883, A., 423, 646.

ogier, Jules. See also Marcellin Berthelot.

Ogle, John, gum tragacanth, 1890, A., 228.

Oglialoro-Todaro, Agostino, synthesis of acetylphenyl-p-commaric and phenyl*p*-coumaric acids, 1884, A., 176.

- action of nitric acid on teucrin,

1884, A., 332.

preparation of chloride of phosphorus from phosphates, 1884, A., 392. sulphuis from the fumaroles of Montecito in the Island of Ischia, 1884, A., 1098.

- methylatropic acid, 1886, A., 468. synthesis of phenoxycoumarin,

1888, A., 277.

synthesis of benzyleinnamic acid, 1891, A., 76.

Oglialoro-Todaro, Agostino, and Galileo Cannone, o-cresolglycollic acid, 1890. A., 375.

Oglialoro-Todaro, Agostino, and Oreste Forte, cresoleinnamie acid and m-cresolglycollic acid, 1891, A., 320.

- action of hydriodic acid and amorphous phosphorus on picrotin, 1892, A., 319.

Oglialoro-Todaro, Agostino, and Emilio Rosini, o-nitrophenylcinnamic acid and phenylhydrocarbostyril, 1891, A., 211.

Ogloblin, *II*". See Wladimir B. Markownikoff.

Ogston, C. II. (and others), estimation of phosphoric acid, 1884, A., 871.

Ohlmüller, Wilhelm, decrease in weight of individual organs in children dying from atrophy, 1883, A., 606.

Ohnmais, Karl. See Gerhard Krüss. Oishi, H., Japanese camphor oil, 1885, A., 270.

Olberg, Gustav. See Karl Elbs.

Oldach, H., &-methyltetramethylenediamine and 6-methylpyrrolidine, 1887, A., 735.

Oliveri, *Vincenso*, chemical nature of phlorol, 1884, A., 174.

- action of acid chlorides on chloral allylate, 1884, A., 1117.

- action of nitrous anhydride on p-bromaniline nitrate, 1885, A., 781. – estimation of tarturic acid in winelees, 1885, A., 843.

Oliveri, Vincenzo, chromium oxyfluoride, 1886, A., 983.

supposed ptomames of cholera. 1886, A., 1019.

- constitution of quassin, 1988, A., 1311; 1889, A., 278.

- synthetical hydratropic acid, 1890, A., 375.

- essence of lemons, 1891, A., 1496. Oliveri, Vincenzo, and Antonio Denaro, quassin, 1884, A., 1192; 1885, A.,

Oliveri, Vincenzo, and Alberto Peratoner. supposed isomerides of pyromucic acid and of furfuraldehyde, 1890, A..

Oliveri, Vincenco, and Matteo Spica. volumetric estimation of glycerol in wine, 1891, A., 369.

Oliveri, Vincenco. See also Francesco Canzoneri, Teodoro Leone, Emanuele

Olivier, Louis, method of measuring the chemical effect of radiation, 1885, A.,

Olivier, Louis. Léon Etard. See also Alexandre

Ollech, H. V., estimation of "half soluble" phosphoric acid, 1883, A., 508.

Olschewsky, Paul. See Georg von Knorre.

Olszewski, Kurl, density and coefficient of expansion of liquid oxygen, 1884, A., 816.

 temperature of solidification of some gases and liquids, 1884, A.,

- liquefaction of hydrogen, 1884, A., 889.

 critical temperature and pressure of air; relation between its boilingpoint and the pressure, 1884, A., 1257.

critical temperature and pressure of nitrogen; boiling-points of nitrogen and ethylene, 1884, A., 1257.

- liquid carbonic oxide, 1885, A., 14.

-solidification of nitrogen and carbonie oxide, 1885, A., 475.

· liquefaction and solidification of methane and nitric oxide, 1885, A.,

 production of very low temperatures, 1885, A., 1101.

- use of boiling oxygen, nitrogen, carbonic oxide, and atmospheric air for producing cold, 1885, A., 1101.

liquefaction and solidification of hydrogen compounds, 1886, A., 977.

Olszewski, Karl, absorption spectrum of liquid oxygen and of atmospheric air, 1887, A., 625.

- boiling-point of ozone solidification of ethylene, 1887, A., 631; 1859,

A., 821.

- density of liquefied methane, oxygen, and nitrogen, 1887, A., 694. - absorption spectrum and colour of

liquid ovygen, 1891, A., 773. szewski, Karl. See also Surgis-Olszewski, Karl. See al mund A. von Wroblewski.

O'Neill, (Mailes, products from indigoblue, 1892, A., 991.

Onimus, conversion of liquid batteries into dry piles, 1884, A., 1240.

Onufrowicz, A., action of copper on benzotrichloride, benzal chloride, and benzyl chloride, 1884, A., 1133.

Onufrowiez, Stanislas, sulphides of B-naphthol, 1889, A., 404; 1891, A.,

Opificius, L., analysis of lead peroxide, 1889, A., 187.

estimation of noble metals in potassium cyanide solutions containing them, 1889, A., 189.

Opitz, Ernst, fat and ethereal oil of sabadilla secds, 1891, A., 1281.

fats of Amanita pantherina and Boletus luridus, 1891, A., 1285.

Opl, Carl. See Heinr. von Miller. Oppelt, Eugen. See Georg von Knorre. Oppelt, Otto. See Richard E. Meyer.

Oppenheim, Rudolf. See Beinhard Rathke.

Oppenheimer, Ernst, xylenylamidoxime and its derivatives, 1890, A., 49.

Oppenheimer, Hugo, action of ammonia on terephthalaldehyde, 1886, A., 517.

action of potassium cyanide on terephthalaldehyde, 1886, A., 876. condensation of terephthalaldehyde with hydrocarbons, 1886, A., 946.

Ordonneau, Ch., composition of brandy from wine, 1886, A., 436.

-cause of acidity of grapes: tartromalic acid, 1892, A., 589,

Orloff, P., hexyl glycerol (trihydroxyhexane), 1886, A., 138, 681.

Orlowski, Anton L., use of ammonium thiosulphate instead of sulphuretted hydrogen in qualitative analysis, 1861. A., 363.

Ormandy, William Reginald, and Julius Berend Cohen, new method for the estimation of nitrates and nitrites in water, 1890, T., 811; P., 139. Ormandy, William Reginald. See also

Thomas Ewan.

Orndorff, William Ridgely, decomposition of some diazo-compounds with formic and acetic acids, 1889, A., 15.

 ρ-propaldehyde and m-propaldehyde, 1890, A., 955.

Orndorff, William Ridgely, and Maurice Cauffman, decomposition of some diazo-compounds of nitronaphthalenes with alcohol, 1892, A., 622.

Orndorff, William Ridgely, and Henry Jessel, decomposition of acetone with

bleaching powder, 1889, A., 34. Orndorff, William Ridgely, and Frederick Laurence Kortright, decomposition of some diazo-compounds of naphthalene with alcohol, 1891, A., 1073.

Orndorff, William Ridgely, and Spencer Baird Newbury, preparation of aldol and crotonaldehyde, 1892, A., 1423.

Orndorff, William Ridgely. See also Spencer Baird Newbury, Iru Remsen. Orsman, William James. See William James Russell.

Orth, Albert, mechanical and chemical analysis of soils, 1883, A., 621.

Orval, Hecquet d'. See Hecquet d'Orval. Osann, Alfred, basaltic rocks from the Faroe Islands, 1884, A., 415.

· sandinites from São Miguel, 1888, A., 566.

 Labrador-porphyries of the Vosges, 1888, A., 569.

eruptive rocks of the Cabo de Gata, 1891, A., 26.

Osann, Alfred. Sec also August Bernthsen.

Osborne, Thomas Burr, separation of zine in ores, 1885, A., 595.

 separation of zinc and nickel, 1885, A., 595.

- estimation of niobium, 1886, A., 393. higher oxides of copper, 1887, A., 334.

- filtering "crude fibre" and silver

chloride, 1888, A., 1351. proteids of oat kernels, 1891, A.,

1285, 1390; 1892, A., 1120. Osborne, Thomas Burr, and William Gilbert Mixter, p-nitroformanilide,

1887, A., 250. Osborne. Thomas Burr. See also Russell II. Chittenden.

Oser, Johann, elementary analysis by an electrothermal method, 1891, A., 621.

O'Shea, Lucius Trant, a contribution to the history of the constitution of bleaching powder, 1883, T., 410.

- retention of lead salts by filter paper, 1886, P., 206.

O'Shea, Lucius Trant. See also Thomas Carnelley.

Osmond, Floris, estimation of small quantities of hydrogen sulphide, 1885, A., 688.

- – colorimetric estimation of manganese, 1885, A., 690.

- calorimetric study of the effect of tempering and hammering on melted steel, 1885, A., 856.

- heating and cooling of east steel. 1887, A., 14.

· heating and cooling of melted steel, 1887, A., 21.

- effect of manganese, etc. on the properties of steel, 1887, A., 639.

· colorimetric estimation of phosphorus, 1887, A., 999.

 influence of certain foreign metals on the properties of steel, 1890, A., 566.

- influence of foreign substances on iron and steel: relation between their atomic volume and the allotropic modifications of iron, 1890, A., 567.

carburation of iron by the diamond, 1891, A., 807.

· calorimetric researches on the condition of silicon and of aluminium in cast iron, 1892, A., 19.

Osmond, Floris, and Jean Worth, cellular structure of fused steel, 1885, A., 485.

- residues from steel and zinc by the action of acids, 1887, A., 894. Osmond, Floris. See also Georges Witz. Ossipoff, Iwan P., oil of hops, 1884, A.,

459. volatile fatty acids in commercial lupuline, 1886, A., 1007.

heats of combustion of some organic substances, 1889, A., 5.

action of maleic acid on aniline, 1889, A., 124.

isomerism of fumaric and malcic acids, 1889, A., 124.

action of phosphorus sulphides on dibromosuccinic acids, 1889, A., 237.

ethereal salts of fumaric and maleïe acids, 1889, A., 237.

- heats of combustion of several organic acids, 1889, A., 459.

heats of combustion of stilbene and the isomeric nononaphthenes, 1889, A., 460.

chlorination of ethyl acetoacetate, 1889, A., 1056.

heats of combustion of organic isomerides, 1890, A., 680.

- heat of hydration of maleic anhydride, 1890, A., 680.

- ethyl αβ-diacctopropionate, 1890, A., 863.

Ost, Hermann (Leipzig), derivatives of meconic acid containing nitrogen and their conversion into pyridine, 1883, A., 791.

- action of hydroxylamine and ethylamine on comanic acid, 1884, A., 1302.

· nitrogenous derivatives of meconic acid, 1885, A., 48.

Ost, Hermann, and Adolf Mente. oxalimide, 1887, A., 234.

Ost, Hermann (Hanover), estimation of sugars with copper potassium carbonate, 1890, A., 1031; 1891, A., 125, 1298.

refractive power of levulose and invert sugar, 1891. A., 1000.

Oster, Fritz. See Carl Arnold August Michaelis.

Ostermayer, Eugen R., diquinolines, 1885, A., 560.

- action of phosgene gas on quinoline, 1885, A., 672.

 methiodides of the quinoline series, 1885, A., 672.

- action of iodine chloride on quinolines, etc., 1885, A., 672.

- iodated azo-colouring matters, 1885, A., 673.

methochlorides of pyridine and quinoline bases, 1885, A., 813.

- caffeïne chloriodide, 1885, A., 1250. estimation of water of crystallisation in organic compounds, 1886, A., 96.

- iodophenolsulphonic acids, 1888, A., 596.

Ostermayer, Eugen R., and Wilhelm Henrichsen, synthesis of a-diquinoline, 1885, A., 173.

Ostermayer, Eugen R., and Josef Rosenhek, derivatives of the isomeric dinaphthols, 1885, A., 171.

Ostersetzer, Julius, nitrogen in artificial manures, 1885, A., 436.

Ostersetzer, Oscar, apparatus for the direct estimation of carbonic anhydride, 1888, A., 322.

compounds of phthalimide with phenols, 1891, A., 55.

Ostersetzer, Oscar. See also Guido Goldschmiedt.

Ostwald, Wilhelm, action of acids on acetamide, 1883, A., 575.

manufacture and correction of barettes, 1883, A., 619.

action of acids on methyl acctate, 1884, A., 581.

determination of chemical affinities. 1884, A., 812.

inversion of cane-augar, 1884, A., 1113; 1885, A., 882.

Ostwald, Wilhelm. electrical conductivity of acids, 1885, A., 323.

trustworthiness of alternating currents for measuring electrical resistances, 1885, A., 856.

electrochemical studies, 1885, A., 1029; 1888, A. 331; 1889, A., 202.
— influence of the composition and

constitution of acids on their electrical conductivity, 1886, A., 294.

electrical conductivity of bases, 1886, A., 585.

coefficients of affinity of bases, 1887, A., 324.

- nature of chemical affinity, 1888, A., 338.

- study of contact electricity, 1888, A., 886.

- chromic acid, 1888, A., 1009.

- theory of solution, 1888, A., 1020; 1891, A., 789.

- studies in chemical dynamics, 1888, A., 1024.

theory of the dissociation of electrolytes, 1888, A., 1142; 1889, A.,

- apparatus for determining the conductivity of electrolytes, 1889, A., 4. estimation of the basicity of acids from the conductivity of their sodium salts, 1889, A., 327.

- isomalic acid, 1889, A., 377.

– dropping electrodes, 1889, A., 807. - constants of affinity of organic acids and their relation to composition and constitution, 1889, A., 818.

unit of atomic weights, 1889, A., 819, 932.

— electrical properties of semi-per-meable walls, 1890, A., 1854.

 clectrical conductivity of distilled water, 1890, A., 1357.

- magnetic rotation, 1891, T., 198; P., 1; discussion, P., 2.

conductivity of isomeric organic acids and their salts, 1891, A., 517, 632.

- autocatalysis, 1891, A., 1151.

- the dissociation of liquid mitrogen peroxide, 1892, T., 242; P., 13.

the magnetic rotation of dissolved

salts, 1892, P., 12.

- chemical action at a distance, 1892, A., 268.

- colour of the ions, 1892, A., 1137. - polybasic acids, 1892, A., 1145.

studies on energetics, 1892, A., 1149. Ostwald, Wilhelm, and Walther Nornst, free ions, 1889, A., 558.

O'Sullivan, Cornelius, on the estimation of starch, 1884, T., 1.

- O'Sullivan, Cornelius, researches on the gums of the arabin group. Part I. Arabic acid; its composition and the products of its decomposition, 1884, T., 41.
- --- presence of raffinose in bailey, 1885, P., 119; 1886, T., 70.
 --- sugars of some cereals and the germinated grain, 1885, P., 120; discussion, P., 120; 1886, T., 58; P.,

arabinon, the saccharon of arabinose, 1889, P., 166; 1890, T., 59.

- researches on the gums of the arabin group. Part II. Geddie acids, gedda gums, 1891, T., 1029; P.,131.
 O'Sullivan, Cornelius, and Frederick William Tompson, invertase: a contribution to the history of a particular to
- tribution to the history of an un-organised ferment, 1890, T., 831; P., 107.

- estimation of cane-sugar, 1890, P., 160; 1891, T., 46.

- O'Sullivan, James, specific rotatory and cupric reducing power of invert sugar and of dextrose obtained from canesugar by means of invertase, 1892,
- T., 408; P., 56.

 the hydrolytic functions of yeast, 1892, T., 593, 926; P., 124, 147.
- Oswald, Ferdinand, constituents of the fruit and seeds of Illicium unisatum, 1891, A., 957.
- Ott, Adolf, estimation of proteids in urine, 1885, A., 451.

 — relations of the phosphates in

urine, 1886, A., 167.

- separation of globulin from albumin in urine, 1887, A., 406. Ott, Isaac, and Charles Collmar, albu-
- moses, peptone, and neurine as pyrexial agents, 1888, A., 1325.
- Ott. Philipp, phenylhydroxypivalic acid, 1885**, A., 6**63.
- propylideneacctic acid, 1891, A., 1458.
- Otte, Rudolf, and Hans (Freiherr) von Pechmann, homologues of diacetyl, 1889, A., 11**3**7.
- Otte, Rudolf. See also Hans (Freiherr) wa Pechmann
- Otten, Arthur Henry. Sec **Thomas** Herbert Norton.
- Otten, Gerald. See Carl Paal.
- Otto, faults in butter manufacture, 1884, Л., 185.
- Otto, Alex. See Otto Wallach.
- Otto, II., tetracalcium phosphate and basic slag, 1887, A., 445.
- soluble phosphates in superphosphates, 1888, A., 553.

- Otto, Jacob G., metahamoglobin, 1881, Λ., 911.
- changes which proteid matters undergo by the action of the pancreatic ferment, 1884, A., 1056.
- amount of sugar and reducing substances in blood, 1885, A., 829.
- Otto, Jarob G. See also Carl ron Voit, Jacob Worm-Muller.
- Otto, Paul. action of carbonic chloride on glycol chlorhydrins, 1891, A., 1373
- Otto, Richard. See Albert Bernhurd Frank, Siegmund Gabriel, Rudolf Nietzki.
- Otto, Robert, value of Lenz's method for the purification of hydrogen sulphide, 1884, A., 638.
- action of potassium permanganate on mercury diphenyl, 1884, A., 1135.
- synthesis of aromatic sulphones, 1885, A., 535.
- formation of sulphones from alkyl sulphonated acids of the series $C_n \tilde{H}_{2n} O_2$, 1885, A., 536.
- sulphoneketones, 1886, A., 801. - conditions necessary for the complete removal of arsenic from hydro-
- chloric acid, 1886, A., 850.

 phenyl benzenesulphonate, 1886, A., 883.
- sulphobenzide-m-sulphonic acid, 1886, A., 1031.
- decomposition of sulphobenzide and of sulphotoluidine, 1886, A., 1031. - synthesis of aromatic polysulph-
- ides, 1887, A., 923.

 action of cyanuric chloride and chlorocyanuricdiamide on phenols, 1887, A., 1033.
- analogy between ketonic acids and the alkylsulphones of the fatty acids, 1888, A., 360.
- formation of monosulphones, 1888, A., 482.
- methylenechlorophenylsulphone,
- 1888, A., 483. - action of carbonyl chloride on sodium formate, 1888, A., 672.
- discovery of the normal tricyanides, 1889, A., 951.
- synthesis of s-diphenylsulphoneacctone, 1889, A., 1186.
- sulphone derivatives, 1890, A., 379.
- molecular weight of the solid a-dichloropropionitrile, 1890, A., 726. — cukairite from Argentine, 1890, A., 948.
- ethoxyaerylie acid from α-dichloropropionic acid, 1890, A., 957,

mercaptide with isobutylene bromide, 1890, A., 962.

· benzenesulphonates of aromatic

radicles, 1891, A., 569.

- behaviour of sulphonic chlorides towards thiophenols and thio-alcohols in presence of alkalis, 1891, A., 720.
- · unsaturated sulphones, 1891, A., 1067.
- hydrolysis of sulphones, 1891, A., 1229.
- Otto, Robert, and Heinrich Beckurts, pyrocinchonic and dichloradipic acids from a-dichloropropionic acid, 1885, A., 753.
- Otto, Robert, and Raphael Cosme Casanova, disulphones, 1888, A., 255.
- Otto, Robert, and Hermann Damköhler,
- disulphones, 1885, A., 261, 537.

 Otto, Robert, and Dietrich Drewes, magnesium lead chloride, 1891, A., 151.
- magnesium lead iodide, 1891, A., 984.
- magnesium lead bromide, 1892, A., 566.
- Otto, Robert, and Hermann Engelhardt, action of sulphinates on dihalogenated fatty acids, 1886, A., 883.
 - phenylsulphineacetic acid. 1887, A., 263.
- Otto, Robert, and Ernst Heydecke, aromatic thiosulphonates, 1892, A.,
- Otto, Robert, and Albert Holst, ethyl and methyl morphine carbonates, 1892, A., 638.
- Otto, Robert, and Georg Holst, a-dichloro-substitution products of dimethyl-succinic acid, 1890, A., 957.
- action of phenylhydrazine on pyrocinchonic, a-dichloro-s-dimethylsuccinic, and a-dichloropropionic anhydrides, and on pyrocinchonic chloride, 1890, A., 1327.
- Otto, Robert, and Johan Herman Kloos, artificial periclase, a product of the magnesium chloride industry, 1891, A., 991.
- Otto, Robert, and Anton Milch, synthesis of aromatic sulphinic anhydrides, 1888, A., 281.
- Otto, Robert, and Wilhelm Otto, sulphoneketones, 1888, A., 282.
- analogy between alkyl-sulphonated fatty acids and ketonic acids, 1888, A., 577.
- action of ethyl chlorocarbonate on salts of fatty and aromatic , acids, 1888, A., 813.

- Otto, Robert, behaviour of sodiophenyl- Otto, Robert, and Wilhelm Otto, action of alkaline sulphinates on tribalogen substituted hydrocarbons, 1888, A., 811. - formation of ethereal salts by means of ethyl chlorocarbonate, 1891, A., 288.
 - Otto, Robert, and Adelbert Rössing, constitution of the sulphinic acids, 1885, A., 1231.
 - ethyl phenylthiocarbonate, 1886, A., 692.
 - oxidation of aromatic sulphonic ethers, 1886, A., 710.
 - saponification of thiosulphinates, 1886, A., 711.
 - triethylsulphine 1886, A., 861.
 - reaction of organic disulphides with potassium sulphide, 1887, A., 226.
 - ganic radicles, 1887, A., 242.
 - sulphobenzidedisulphonic acid, 1887, A., 263.
 - action of potassium hydroxide on mixed alkyl bisulphides, 1887, A.,
 - action of potassium hydroxide phenylene-m-diphenylsulphone. on 1887, A., 372.
 - aromatic sulphonates containing bivalent alcohol radicles, 1887. A., 953.
 - reduction of aromatic thiosulphonates containing alkyl radicles by means of hydrogen sulphide, 1887, A., 954.
 - behaviour of aromatic sulphinic acids towards hydrogen sulphide, 1887, A., 1047.
 - butancdicarboxylic
 - 1888, A., 45.

 behaviour of alkyl halogen compounds towards ethyl sodiophenylsulphoneacetate, 1889, A., 991.
 - short communications, 1889, A., 994.
 - preparation of sulphones, 1890, A., 780.
 - displacement of the sodium in ethyl sodiophenylsulphoneacetate by alkyl radicles, 1890, A., 1137.
 - phenylsulphoneacetonemercaptole, 1891, A., 568.
 - action of sodium phenylmercaptide on ethyl chloracetoacetate, 1891, A., 712.
 - aromatic and aliphatic thiosulphonic acids, 1891, A., 926. - aromatic thiosulphonic acids,

Otto, Robert, and Adelbert Rössing, tautomerism of sulphinic acids, 1892,

Bunte's salt [ethyl thiosulphate], 1892, A., 799.

Otto, Robert, and Julius Tröger, synthesis of ketonic acids by the action of acid chlorides on propionitrile, 1889, A., 957.

--- products of the action of propionitrile on chlorides of the fatty acids: triethyl tricyanide, 1890, A.,

othylsulphoneacetone and diethylsulphoneacetone, A.,

- aromatic sulphonic iodides,

1891, A., 718.

- action of zinc ethyl on aromatic sulphonic iodides, 1891, A., 719. – aromatic thiosulphonic acids, 1891, A., 719.

– action of iodine on sodium benzenesulphinate in the presence of mercaptans, 1891, A., 924.

thioanhydrides of aromatic thiosulphonic acids and polythiosul-

phonic acids, 1891, A., 924.
Otto, Robert, and Karl Voigt, solid a-dichlorethyl cyanide and its conversion into triethyl cyanuride, 1887, A., 1024.

Otto, Robert. See also Heinrich Beckurts, Georg Fromme, Albert Holst.

Otto, Th., synthesis of acetovanillone from guaiacol and acetic acid, 1892, A., 61.

Otto, Wilhelm. See Robert Otto.

Oudemans, Anthonic Cornelis, junior, laws of the variation of the specific rotatory power of alkaloids under the influence of acids, 1883, A., 81.

- specific rotatory power of apocin-chonine and hydrochlorapocinehouine under the influence of acids, 1883, A.,

 variation of specific rotatory power, 1886, A., 406.

- specific gravity and index of refraction of ethyl ether, 1886, A., 437.

- decomposition by heat of potassium chloro- and fluo-chromates, 1886, A.,

- cupreïne, 1889, A., 1018.

- metallic derivatives of cupreïne, 1891, A., 474.

Oudin. Sec D. Labbé.

Ouvrard, Leon Victor Rene, action of alkaline phosphates on the alkaline earths, 1888, A., 1033.

Ouvrard, Léon Victor René, double phosphates in the magnesium group, 1888, A., 1035.

phosphates of the cerite metals, 1888, A , 1037.

phosphates of lithium, beryllium, lead, and uranium, 1890, A., 1055.

- double phosphates of tin, titanium,

and copper, 1890, A., 1379. - alkali zirconates, 1891, A., 1431.

- zirconates of the alkaline earths,

1891, A. 1431. - lithium nitride, 1892, A., 565.

Ouvrard, Léon Victor René. See also Louis Joseph Troost

Owen, F. A., estimation of indigetin for commercial purposes, 1890, A., 96; 1891, A., 1404. Owens, (Miss) Mary Elizabeth (Mrs.

Hooker). See Francis Robert Japp.

Paal, Carl, action of acetic chloride on benzaldchyde in presence of zine dust, 1883, A., 62, 805.

action of bromacetophenone on ethyl sodacetoacetate, 1884, A., 598.

action of benzoic chloride on benzaldehyde in presence of zinc dust, 1884, A., 1163.

- action of acetic chloride on benzophenone in presence of zinc dust, 1881, A., 1167.

derivatives of the ethereal salts of acctophenoneacctoacctic acid, 1884, A., 1177.

derivatives of ethyl acetophenoneacetoacciate and of ethyl acctonylacetoacetate, 1885, A., 218.

acetonylacetone, 1885, A., 505. synthesis of thiophen and pyrrol-

ine derivatives, 1885, A., 516.

— synthesis of thioxylen derivatives, 1885, A., 1205.

- action of phosphoric sclenide on acetorylacetone, 1885, A., 1207.

- constitution of pyrotritartaric acid, 1887, A., 657.

- epichlorhydrin, 1889, A., 31. - derivatives of allylamine, 1889, A.,

synthesis of indazole derivatives, 1891, A., 723.

- indazole derivatives, 1892, A., 67. - unsaturated aliphatic amines, 1892, A., 578.

- peptone salts from glutin, 1892, A., 895.

Paal, (larl, and Anton Bodewig, quinazolines, 1891, A., 913.

of o-nitrobenzyl chloride on phenylhydrazine, 1892, A., 1455.

Paal, Carl, and Nicolaus P. Braikoff, pyrroline derivatives, 1890, A., 263.

Paal, Carl, and Mar Busch, synthesis of quinazoline derivatives, 1890, A., 71.

Paal, Carl, and Carl Hermann, propargylamine and derivatives of allylamine, 1890, A., 228.

Paal, Carl, and Albert Heupel, unsatur-

ated fatty amines, 1892, A., 30.

Paal, Carl, and August Hoermann, ethyl diphenylacetoacetate, 1890, A., 258.

Paal, Carl, and Theodor Hoffmann, γ-ketonic acids, 1890, A., 1099.

Paal, Carl, and Friedrich Krecke, dihydroquinazolines, 1890, A., 1443. methylphenyldihydroquin-

azoline and its derivatives, 1892, A.,

Paal, Carl, and Gerald Otten, derivatives of aromatic amines, 1890, A., 1415.

Paal, Carl, and Anton Püschel, 1:3methylphenylthiophen and 1:2-thioxen, 1887, A., 1101.

Paal, Carl, and Carl Worner Thielmann o-dimethylpyrrylphenol Schneider, and m-dimethylpyrrylbenzoic acid, 1886, A., 559.

— synthesis of pyrroline derivatives, 1887, A., 273.

Paal, Carl, and Carl Strasser, synthesis of pyridine and piperidine derivatives, 1888, A., 62.

Paal, Carl, and Julius Tafel, thiophen

from erythritol, 1885, A., 763.

- thiophen from mucic acid,

1885, A., 764. Paal, Curl. See also Franz Dietrich, Alfred Dittrich, Siegmund Kapf, Werner Kues, Leonard Lederer, Carl Theodor Liebermann.

Pabst, Jean Albert, indophenol, 1883, A., 69.

- raspberry juice, 1886, A., 387.

Pabst, Jean Albert. See also Adam Charles Girard.

Pabst, Theodor, fruit of Cupsicum annuum, 1892, A., 1263.

See George Perkins Packard, R. L.Merrill.

Padberg, Curl. See Georg Vortmann. Padé, Léon, analysis of coffees, 1887, A.,

detection and estimation of sodium hydrogen carbonate in milk, 1889, A., 1244.

Padé, Léon. See also Albert Arnaud. Ch. Dubois.

Paal, Carl, and Anton Bodewig, action Papeke, V., substitution in benzoin and in analogues of desoxybenzom and benzyl cyanide, 1888, A., 701.

See Curl Arnold Paetow, Ulrich. August Michaelis.

Paganini, Robert, action of phosphorus pentachloride on oxyazo-derivatives, 1891, A., 556.

See also Karl Heu-Paganini, Robert. mann.

Page, Alfred G., preparation of chloral, 1884, A., 1117.

- action of chlorine on organic compounds in presence of inorganic chlorides, 1885, A., 36.

Page, Charles Curtis, Amazon stone from

Amelia Co., Virginia, 1885, A., 130.

Page, David, obituary notice of, 1890,
T., 453.

Page, M., estimations of the alkalis in an Indian lepidolite, 1884, A., 27.

Page, IV. T., metallic iron accompanying native gold in Montgomery ('o., Virginia, 1883, A., 29.

new sulphide received as tetrahedrite from Great Eastern Mine,

Colorado, 1883, A., 161.
Pages, Calinte. See Maurice Arthus. Pagliani, Stefano, determination of the density of solids and liquids, 1881, A., 213.

- physical properties of petroleums, 1881, A., 277.

-crystallisation of salts during the electrolysis of their solutions, 1888, A., 892.

deductions from van't Hoff's theory, 1890, A., 845, 1205.

new method of measuring electromotive force and electrical resistances, 1892, A., 105.

Pagliani, Stefano, and Angelo Emo, alisorption of ammonia-gas by alcohols, 1884, A., 278.

Pagnoul, A., composition of beet-root, 1884, A., 356.

- salt and herring offal as manure, 1884, A., 866.

composition of residues obtained in the heet sugar manufacture, 1884, A., 699.

 relations between the density. richness in sugar, and purity of the juice of the sugar-beet, 1886, A., 915.

- manurial experiments with sugarbeets, 1887, A., 748.

- richness and density of wheat, 1888, A., 1128.

- loss and gain of nitrogen by soil, 1890, A., 1023,

- Pagnoul, 1., cultivation of wheat in sterile siliceous soils, 1891, A., 101; 1892, A., 909.
- -- nitric and ammoniacal nitrogen as manures, 1891, A., 1545.
- Pagnoul, 1., and Grenet, butter analysis, 1889, A., 192.
- Pahl, . Idolf, constitution of amidoisobutylbenzene, 1881, A., 1009.
- See Helge Bäck-Paijkull, (funnar. ström.
- Paijkull, Lincoln, mucin of bile, 1888, А., 169.
- Pailhade. See Rey-Pailhade.
- Paillard, C. J., non-magnetisable alloys of palladium, 1889, A., 573.
- Painter, Harry M. See Russell II. Chittenden.
- Palla, Eduard, recent formation of marcasite at Marienbad, 1887, A., 901.
- Palladin, Wladimir, rôle of oxygen in plant life, 1888, A., 1125.
- formation of organic acids in growing plants, 1888, A., 1126.
- products of decomposition of proteids in plants, 1889, A., 642.
- carbohydrates as exidation products of vegetable albumin, 1889, A., 1235.
- amount of proteids in green and in ctiolated leaves : acquisition of green colour and growth of ctiolated leaves, 1892, A., 520.
- Palm, R., extraction of colouring matters by a solution of borax, 1884, A.,
- reagents for vegetable alkaloids, 1884, A., 120.
- chemical properties of the violet colouring matter in ergot and its detection in flour, 1884, A., 376.
- separation and estimation of digitalin, digitalom, and digitin, 1881, A.,
- separation of picrotoxin from its solutions, 1886, A., 284.
- -- detection and estimation of lactic
- acid. 1887, A., 307.

 ---- detection of traces of albumin, 1887. A., 407.
- estimation of milk constituents, 1887, A., 1003.
- detection of picrotoxin in beer, etc., 1888, A., 877.
- chemical nature of the peptones,
- 1888, A., 972.
 Palmaer, Wilhelm, action of sulphuric acid on a-nitronaphthalene, 1889, A.,
- iridioammonium compounds, 1889, A., 352; 1891, A., 102, 1185.

- Palmer, Albert Gallatin. Sec Emilio Nölting, Iru Remsen.
- Palmer, Arthur William, pentamide-toluene, 1889, A., 390.
 reduction of s-triamidenitroben-
- zene, 1892, A., 1198.
 Palmer, Arthur William, and Churles Loring Jackson, pentamidobenzene, 1888, A., 825; 1890, A., 217.
- Palmer, Arthur William. Sec also Henry Barker Hill.
- Palmer, Chase S., constitution of allyl
- cyanide, 1889, A., 686.

 Palmer, Chuse S. See also Iru Remsen.

 Palmer, George H. See Charles Frederic
- Mabery. Palmer, George M. See Leonard P. Kinnicutt, Arthur Michael.
- Palmer, T. U., testing logwood extracts, 1889, A., 1091.
- Palmieri, Luigi, production of electricity by the condensation of aqueous vapour, 1888, A., 99.
- Palmieri, Paride, and Engenio Casoria, tests for archil, cochineal, and magenta in wine, 1889, A., 655.
- Palmquist, (Miss) lugusta. See Utlo Pettersson.
- **Pampe**, F., contribution to the problem of Irothy fermentation, 1883, A., 892.
- Pampel, Oskur, and Georg Schmidt, aromatic ketones, 1887, A., 252.
- Panajotow, (teorg, 1:3-dimothylquin-aldine, 1887, A., 381.
- 1:3-dimethylquinoline-a-aldehyde, 1890, A., 1158.
- detection of Turkish geranium essence in attar of roses, 1891, A., 1555.
- Panactović, W., synthesis of anthraquinone, 1884, A., 1039.

 —— p-methylisatoic acid, 1885, A., 666; 1886, A., 361.
- Panoff, M., nitrogen in sputum, 1889, A.,
- Papasogli, (liorgio, spontaneous oxidation of essential oils, 1889, A., 615.
- -- detection of artificial coloration in wine, 1891, A., 1563.

 — cotton and its products, 1892, A.,
- Papasogli, (liorgio. Sec also .ldolfo Bartoli.
- See Adolf von Baeyer. Pape, Curl.
- August. See Eduard Papendieck, Buchner
- Pappel, Alfred, and Henry Droop Richmond, milk of the gamoose, 1890, T., 754; P., 114.
- Parous, Eugen, detection of invert sugar in the presence of cane-sugar, 1889, A., 318.

Parcus, Eugen, and Bernhard Tollens, multi-rotation of sugars, 1890, A., 1084.

Parcus, Eugen. See also K. Beythien. Parenti, Cesare, coloration of organic substances by thiocyanic acid, 1890, Λ., 726.

- ethylene dithiocyanate, 1891, A., 29. Parenti, Cosurc. See also Hugo Schiff. Parker, Gordon. See Rudolph Fittig. Parker, H. U., di-p-tolylene sulphoxide.

1890, A., 1136.

Parlato, Emilio. See Richard Anschütz. Parmentier, F., a hydrate of molybdic acid, 1883, A., 158.

- particular case of solution, 1887, A., 547.

- presence of sodium sulphate in the atmosphere, 1889, A., 826.

estimation of small quantities of boric acid, 1891, A., 1551.

— lead chlorosulphide and bromosul-

phide, 1892, A., 685.

flameless incandescence produced by coal gas, 1892, A., 768.

abnormal dissolution; saturated solutions, 1892, A., 1047. - preservation of mineral waters,

1892, A., 1162. – aluminium in mineral waters, 1892,

A., 1287. - chalybeate mineral waters, 1892,

A., 1289. Parmentier, F., and L. Amat, dimorphism of sodium thiosulphate, 1884,

A., 819. Parmentier, F. See also Gustave Chancel. Parnell, Edward William, and Jumes Simpson, utilisation of alkali waste, 1886, A., 288.

Parr, Sumuel Wilson, proteids of cows'

milk, 1886, A., 272. Parr, Sumuel Wilson. See also George Chupman Caldwell.

Parry, John, spectroscopic examination of vapours evolved on heating iron, etc. at atmospheric pressure, 1884, A., 801; 1885, A., 318.

Parsons, Charles A., effect of high temperature and pressure on carbon, 1889, A., 212.

Parsons, Charles L., analysis of fruits from the Southern States, 1889, A.,

volumetric estimation of fat in milk, 1890, A., 92.

Partheil, Alfred, allyltrimethylammonium compounds, 1890, A., 356.

- volumetric estimation of iron in ferrum reductum, 1890, A., 827. – cytisine, 1891, A., 231, 750.

Partheil, Alfred. See also Ernst Albert Schmidt.

Partridge, Edward 1., atomic weight of cadmium, 1891. A., 399.

Paschen, Einst, derivatives of o-homosalicylaldehyde and of o-homo-p-hydroxybenzaldehyde, 1892, A., 320.

Paschen, Friedr., relation between potential difference and striking distance in various gases at different pressures, 1889, A., 806.

surface-tension of polarised mercury in different electrolytes, 1890, A., 552,

contact difference of potential of metals, 1891, A., 139

- development of E.M.F. between mercury and an electrolyte, 1891, A., 374.

Paschkis, Heinrich, detection of mercuny in animal tissues, 1883, A., 1169. occurrence of phytosterol, 1885, A.,

291. · fluorescent constituent of .ltropa

Belladonna, 1886, A., 156, 577. Paschkis, Heinrich, and Fritz Obermayer, pharmacological investigations of ketones and acetoximes, 1892, A., 1506.

Paschkis, Heinrich, and Arthur Smita, lobeline, 1890, A., 1169.

Paschkowetzky, Salomon, aromatic secondary chlorocarbamides and tetra-substituted carbamides, 1892, A., 164.

- thiophenylcarbamides, 1892, A., 321.

Paschkowetzky, Salomon. See also Joh. Friederich Carl Schall.

Pashkoff, V. See Paul D. Chrustschoff.

Passerini, Napoleone, composition of the fruit of tomatoes (Solunum lyco-

persicum), 1891, A., 956.

Passmore, Francis W. See Wyndham Rowland Dunstan, Emil Fischer.

Passon, Mar, alkylisation of secondary and primary bases by potassium alkyl sulphates, 1891, A., 1118.

Pasteur, Louis, various cattle diseases, 1885, A., 73.

Pasteur, Louis (and others), researches on the diseases of animals, 1884. A., 623.

Pastrovich, Peter, Reichenbach's picamar, 1883, A., 1004.

— cœrulignol; Reichenbach's oxidis-

ing principle, 1883, A., 1005.

detection of artificial colouring matters in wine, 1884, A., 502.

Patein, (lustuve, cyanogen compounds of sulphines, 1888, A., 661.

- Patein, Gustave, sulphines, 1889, A., 234; 1890, A., 880.
- error in the detection of albumin, 1889, A., 1252.
- ---- analysis of pathological liquids, 1891, A., 851.
- action of boron fluoride on nitriles, 1891, A., 1441.
- -- transformation of albumin, 1892, A., 362.
- --- detection of normal carbonate in hydrogen alkali carbonates, 1892, A., 1130.
- Paterno, Emanuele, lapachic acid, 1883, A., 210.
- --- cymenesulphonic acids, 1883, A., 999; 1884, A., 321.
- cymene from homocumic acid, 1884, Λ., 426.
- molecular lowering of the freezing point of benzene by phenols, 1889, A., 101, 933.
- molecular depression of the freezing point of benzene by iodoform, 1889, A., 566.
- constitution of filicic acid, 1889, Λ., 615.
- behaviour of colloid substances with respect to Raoult's law, 1890, A., 105.
- -hot mineral spring at Sclafani, 1892, A., 25.
- Paternò, Emanuele, and Luigi Caberti, derivatives of lapachic acid, 1891, A., 1 194.
- Paternò, Emanuele, and (lacturio Minunni, derivatives of lapachic acid, 1890, A., 1310.
- Emunuele, and Raffuele Paternò, Nasini, freezing points and molecular weights of organic substances in solution, 1886, A., 970.
- molecular weight of sulphur, phosphorus, bromine, and iodine in solutions, 1888, A., 1027.
- —molecular weight of citraconic, itaconie, mesaconie, fumarie, and malore acids, 1888, A., 1059.
- determination of molecular weights by Raoult's method, 1890, A., 725.
- Paterno, Emanuelo, and Vincenso Oliveri, fluobenzene and fluotoluene, 1884, A., 426.
- and Paternò, Ernanuole, Alberto Peratoner, attempts to prepare titanium ethyl, 1889, A., 591.
- the two diiodides of acetylene, 1890, A., 1219.
- posoddina isomeride acctylene diiodide, 1891, A., 654.

- Pathe, Karl. See Werner Kelbe. Patrick, C. E., volumetric estimation of fat in milk, 1889, A., 1250.
- Patrouillard, (%., use of oxalic acid as a test for arsenates in alkaline salts, 1883, A., 213.
- Patterson, George W. See Leonard P. Kinnicutt.
- Patterson, Harry Jacob, estimation of fat in feeding stuffs, 1890, A., 930.
- Patterson, L. C., fibrons bisilicate from Nelson Co., Virginia, 1886, A.,
- Patterson, Thomas Law, estimation of colouring matters by means of their absorption spectra, 1890, A., 1476.
- Pattinson, Hugh Salvin. See Wilhelm Michler.
- Pattinson, John, rate at which bleaching powder loses its available chlorine when kept at different temperatures, 1888, A., 552.
- testing lard for cotton-seed oil and beef stearin, 1890, A., 428.
- Pattinson, John, and Hugh Salvin Pattinson, estimation of manganese in its ores and alloys, 1892, A., 536.
- Paturel, C., estimation of humus in soil by Raulin's process, 1891, A., 627.
- Pauchon, E., maximum solubility of sodium sulphate, 1884, A., 556.
- Paucksch, H., derivatives of amidoethylbenzenes, 1884, A., 1142; 1885, A., 255.
- Paul, Benjamin II., liquid extract of cinchona, 1883, A., 693.
- cinchona bark grown in Jamaica, 1883, A., 1165.
- cocame and its salts, 1886, A., 84; 1888, A., 1118.
- cocame benzoate, 1886, A., 633. - estimation of cafferne, 1891, A., 1403.
- Paul, Benjamin II., and Alfred John Cownley, new alkaloids of Cuprea bark, 1885, A., 563.
- cupreme and homoguinine, 1885, A., 997.
- amount of caffeme in various kinds of coffee, 1887, A., 394.
- --- coffee, 1887, A., 1002. - estimation of theme in tea, 1888, A., 539; 1891, A., 358.
- alkaloid from tea, 1889, A., 416.
- cimamylcocame in coca leaves, 1890, A., 310.
- Paul, G. A., feeding calves with skim milk, 1883, A., 675.
- Paul, Lewis (fordon, identity of certain mixed ethereal oxalates, 1886, P., 168.

Paul, Theodor, apparatus for hot filtration, 1892, A., 1150.

See also Einst Otto Paul, Theodor. Beckmann.

Pauli, Friedrich Robert. See Wulther Nernst.

Pauly, Conrad, detection of potassium by means of sodium bismuth thiosulphate, 1887, A., 1138.

Pavel, O., nitrososulphides and nitrosocyanides, 1883, A., 297.

Pavloffski, V., transferring photographs to porcelain or wood, 1885, A., 612.

Pavy, Frederick William, physiology of carbohydrates in the animal system, 1883, A., 1160.

Pawlewski, Bronislaw, critical temperatures of ethereal salts, 1883, A., 276;

1884, A., 252. -stability of trimethylcarbinol, 1883, A., 565.

determination of vapour density, 1883, A., 951.

- ethyl phenylcarbonate, 1884, A., 1005.

action of aluminium chloride on a mixture of alcohols of the paraffin series with ethyl chlorocarbonate, 1884, A., 1279.

p-xylene in Galician petroleum, 1885, A., 1126.

 action of phosphorus pentachloride on santonin, 1886, A., 157.

 action of chloracetone on diphenylthiocarbamide, 1888, A., 473.

- thiophen, 1888, A., 1068. - action of chlorosulphonic acid on phenylthiocarbamide, 1889, A., 1165. - o-tolyl-β-imidobutyric acid, 1889. A., 1171

– paraffin, 1890, A., 463.

- influence of pressure on dissociation, 1891, A., 381.

ethyl chlorocarbonate, 1892, A.,

Pawlewski, Bronishuo.and Filemonowicz, solubility and estimation of paraffin, 1889, A., 82.

Pawlinoff, Alexander I., and Georg Wagner, constitution of furfuralde-

hyde, 1884, A., 1304.
Pawloff, Dmitri P., physiological action of hyoscine hydrochloride, 1890, A., 1019.

Pawloff, Wludimir, tetric acid, 1883, A., 730.

tetric acid and its homologues, 1884, A., 41.

Pawolleck, B., estimation of chromic oxide by titration, 1884, A., 640.

Paysan, II., o-amidotoluene-p-sulphonamide, 1884, A., 72.

o-amidotoluene-p-thiosulphonic acid, 1884, A., 453.

Peacock, Josiah Comegys, volatile oil from Aristolochia reticuluta, 1892, A., 70.

Peake, William Henry Aston, obituary notice of, 1884, T., 617.

Péan de Saint-Gilles, L. See Paul Hautefeuille.

Pearce, George A. C., obituary notice of, 1883, T., 254.

Pearce, Richard, goslarite from Montana. 1887, A., 346.

— supposed new mineral from Montana, 1890, A., 710.

Pearson, Kurl, a certain atomic hypothesis, 1888, A., 902.Pebal, Leopold von, mechanical separa-

tion of minerals, 1883, A., 158.

- remarks on Popper's researches on the decomposition of chlorine water by sunlight, 1886, A., 302.
— nickel carbide, 1886, A., 854.

sodium ferrocyanide, 1886, A., 860.

conjectured thermochemical law respecting non-reversible electrolytic actions, 1887, A., 1072.

Pebal, Leopold von, and Hans Jahn, specific heat of antimony and its compounds, 1886, A., 655.

Péchard, E., m-tungstic acid, 1889, A., 832.

- oxalomolybdic acid and its salts, 1889, A., 858.

– phosphotungstic acid, 1889, A., 1121.

 phosphotri-m-tungstic acid and its salis, 1890, A., 704.

- new oxygen compound of molybdenum, 1891, A., 988.

- new oxygen compound of tungsten, 1891. A., 988.

interaction of chromic acid and barium hydroxide in presence of oxygen, 1891, A., 1431.

estimation of molybdenum, 1892, A., 917.

- permolybdates, 1892, A., 1160. permolybdic acid, 1892, A., 1283.

- heat of formation of permolybdic acid, 1892, A., 1389.

Péchard, E. See also Henri Baubigny, Jules Henri Debray.

Pechmann, Hans(Freiherr) ron, synthesis of dihydronaphthoic acid, 1883, A., 808.

a condensation product of malic acid, 1881, A., 1124.

Pechmann, Hans (Freiherr) von, formation of countarins; synthesis of daphnetin, 1881, A., 1173.

acetonedicarboxylic acid, 1885,

A., 138; 1891, A., 670.

synthesis of pyridine derivatives: coumalinic acid, 1885, A., 175.

- constitution of pyridine derivatives derived from coumalinic acid, 1885, A., 558.

isonitroso-derivatives, 1887, A., 1103.

constitution of glutazine, 1888, A., 67.

decomposition of isonitroso-com-

pounds, 1888, A., 146. decomposition of nitrosoketones,

1888, A., 248.

- diacetyl and its homologues, 1888, A., 248.

- α-diketones, 1888, A., 811.

— osazones, 1888, A., 1287.

 condensation products of quinone and ethyl acetoacetate, 1889, A., 42. - diphenyl triketone, 1889, A., 712.

- reduction of diacetyl, 1889, A., 1137.

oxidation of 5-methylethylethylene glycol, 1890, A., 1222.

- action of nitrous acid on ethyl acetonedicarboxylate, 1891, A., 738.

- formation, properties, and constitution of osotriazoles, 1891, 1110.

decomposition products of hydroxy-acids; coumalin and coumalinic acid, 1891, A., 1457.

preparation of dehydracetic acid, 1892, A., 296.

preparation of fatty 1:2-diketones. 1892, A., 425.

- ethyl acetonedicarboxylate, 1892, A., 431.

- introduction of acid radicles into ethyl acetoacetate, 1892, A., 696.

 constitution of ethyl acetoacetate and of the so-called ethyl formylacetate, 1892, A., 816.

Pechmann, Hans (Freiherr) von, and Otto Baltzer, α -pyridone, 1892, A., 208.

Pechmann, Hans (Freiherr) von, and Julius Berend Cohen, compounds of phenols with ethyl acetoacetate, 1884, A., 1331; 1885, A., 56.

Pechmann, Hans (Freiherr) von, and Franz Dahl, reduction products of 1:2-diketones, 1890, A., 1234.

Pechmann, Hans (Freiherr) von, and Carl Duisberg, substituted coumarins, 1884, A., 66.

Pechmann, Huns (Freiherr) von, and Carl Jenisch, reduction of acctonedicarboxylic acid, 1892, A., 147.

alkylacetonedicarboxylic

acids, 1892, A., 148.

- — action of diazobenzene on acetonedicarboxylic acid, 1892, A., 161.

action of phenylhydrazine on acetonedicarboxylic acid, 1892, A., 162. Pechmann, Huns (Freiherr) von, and Hermann Müller, aromatic diketones,

1888, A., 1087.

Pechmann, Hans (Freiherr) von, and

Rudolf Otte, homologues of diacetyl, 1888, A., 1052.

Pechmann, Hans (Freiherr) von, and Henry N. Stokes, action of aumonia on ethyl acetonedicarboxylate, 1885, A., 1202.

Pechmann, Hans (Freiherr) von, and Karl Wehsarg, dissonitrosoacetone, 1887, A., 28.

- dinitrosoacetone, 1889, A., 31. hydrazoximes, 1889, A., 47.

Pechmann, Hans (Freiherr) von, and William Welsh, some new coumarins, 1884, A., 1346.

pyridine derivatives from malic acid, 1885, T., 145; P., 5; A., 174.

Pechmann, Hans (Freiherr) von. also Otto Baltzer, Beverley S. Burton, Hans Cornelius, Max Dünschmann, August Jonas, Hermann Müller, August Jonas, Rudolf de N de Neufville, Alexander Nieme, Rudolf Otte, Henry N. Stokes.

Peckham, Stephen Farnum, origin of

bitumens, 1885, A., 488.

Peckolt, Theodore, "mate," or Paraguay tea, 1884, A., 479.

Pedler, Alexander, action of light on phosphorus: properties of amorphous phosphorus, 1890, T., 599.

- action of chlorine on water in the light: action of light on certain chlorine acids, 1890, T., 613; P., 65. - explosion of hydrogen sulphide and of the vapour of carbon bisulphide with air and oxygen, 1890, T., 625; P., 66.

Pehkschen, Carl, alkaloids of Veratrum album, 1891, A., 87.

Peile, Henry, analysis of Shotley Bridge Spa water, 1888, A., 569.

Peine, Georg, derivatives of cinnamaldehyde, 1884, A., 1344.

Peirce, Benjamin Osgood, and Robert Wheeler Willson, measurement of the internal resistance of batteries, 1890, A., 315.

Pekatoros, George. See Euthyme Klimenko.

Pekelharing, Cornelis Advianus, coagulation of the blood, 1892, A., 87. - fibrin ferment, 1892, A., 1112.

Pekrun, Hans. See Eugen Lellmann. Peligot, Eugène Melchior, carbon bisulphide in aqueous solution as a remedy for phylloxera, 1885, A., 77.

water from Uriage, Isère, 1886, A., 37.

Pellacani, Paolo, and Giacomo Bertoni, physiological action of ethyl lactate, 1888, A., 309.

Pellat, Henri, absolute electrodynamometer, 1887, A., 200.

- contact potential of a metal and its salts, 1889, A., 661.

electrical behaviour of metals in salt solutions, 1892, A., 393.

Pellatt-Rickmann. See Rickmann.

Pellet, Henri, animal charcoal in sugar refining, 1885, A., 205.

sugar-beet seed as fodder for cattle, 1885, A., 425.

· direct estimation of sugar in beet, 1885, A., 842, 1163.

estimation of sugars in beet by

digestion with water, 1889, A., 314. Pellet, Henri, and L. Biard, composition and properties of raffinose, 1886,

Pellet, Henri, and A. Dubaele, manufacture of sugar without bone-charcoal or sulphurous anhydride, 1883, A., 835.

Pellet, Henri. Ed. Robinet. See also G. Dureau,

Pellizzari, Guido, benzylic ethers of the dihydroxybenzenes, 1884, A., 437.

 amidobenzoic acid derivatives of succinic, sebacic, and phthalic acids, 1885, A., 533.

combinations of ammonia with ammonium salts, 1885, A., 723.

reduction of nitrobenzyl chloride, 1885, A., 770.

derivatives of amidobenzoic acid,

1886, A., 548. - phenylhydrazine derivatives, 1886,

A., 1025. oxidising action of alloxan, 1887,

A., 1100. isomeric phthalophenylhydrazines,

1888, A., 54.

-compounds of alloxan with aromatic amines, 1888, A., 142, 681.

alloxan hydrogen sulphites of organic bases, 1889, A., 239.

-cholamide and hippuramide, 1889, A., 286,

Pellizzari, Guido, compounds of alloxan with pyrazolic bases, 1889, A., 517; 1890, A., 645.

– anilguanidine, 1891, A., 1471. - amidobenzoic derivatives of ethyl

acetoacetate, 1891, A., 1484. - phenylguanazole, 1892, A., 356.

- nitroguanidine, 1892, A., 579. Pellizzari, Guido, and Vittorio Matteucci, amidosulphonic acids, 1888,

A., 1302. Pellizzari, Guido, and Deodato Tivoli, action of cyanogen chloride on phenyl-

hydrazine, 1892. A., 1323. Pellizzari, Guido. See also Donato Tommasi.

Pelz, Anton, and Eugen Hussak, the trachyte region of the Rhodope, 1884, A., 414.

emberton, Henry, junior, potash alum from felspar, 1883, A., 424. Pemberton,

 working of sulphuric acid chambers, 1883, A., 887.

manufacture of sulphuric acid, 1884, A., 126.

chromite, 1891, A., 992.

Pembrey, Marcus Seymour. See John Scott Haldane.

Pendlebury, William Henry, and Miss Margaret Seward (Mrs. McKillop), gradual chemical change, 1889, A., 462.

Pendleton, John Hunter, pentiodide, 1884, A., 19. antimony

Pendleton, John Hunter. See also Arthur Michael.

Pendrié, A., cyanogen and its com-pounds in the products of coal distillation, 1889, A., 653.

Penfield, Samuel Lewis, occurrence and

composition of some American varieties of monazite, 1883, A., 162.

 phenylhomoparaconic acids, 1883, A., 473.

descloizite from Mexico, 1884, A., 24.

- analyses of lithiophilite, 1884, A., 26.

occurrence of alkalis in beryl, 1885. A., 490.

crystallised tiemannite and metacinnabarite, 1886, A., 314.

analcime from Lake Superior, 1886, A., 318.

 brookite from Magnet Cove, Arkansas, 1886, A., 989. vanadinite from Arizona and New

Mexico, 1887, A., 347.

· phenacite from Colorado, 1887, A.,

hertrandite from Mt. Ontero, Colorado, 1889, A., 24.

Penfield, Sumuel Luris, spangolite, 1890, A., 1073.

- connellite from Cornwall, 1891, A., 157.

- crystals of copper pyrites, 1891, A., 273.

- anthophyllite from Franklin, North Carolina, 1891, A., 529.

· beryllium minerals from Colorado, 1891, A., 530.

aurichalcite, 1891, A., 886.

Penfield, Samuel Lewis, and David Neil Harper, herderite and beryl, 1886,

· chemical composition of ralstonite, 1887, A., 345.

Penfield, Samuel Lewis, and Erwin Starr Sperry, howlite, 1888, A., 116. - mineralogical notes, 1889, A.,

356. Penfield, Samuel Lewis, and Francis Lewis Sperry, pseudomorphs garnet, 1887, A., 117.

- triclinic felspars, 1888, A., 350.

Penfield, Samuel Lewis. See also George Jarvis Brush, Edward Salisbury Frederick Augustus Genth, William Earl Hidden, Joseph Parson Iddings, Horace Lemuel Wells.

Penrose, Richard Alexander Fullerton,

limonite in Texas, 1892, A., 1405.

Penzoldt, Franz, and Emil Fischer, new test for aldehydes, 1883, A., 829.

Penzoldt, Franz, and Richard Fleischer, influence of respiration on elimination, 1884. A., 91.

Penzeldt, Franz. See also Emil Fischer. Peratoner, Alberto, oxidation of the methyl ethers of mono- and di-bromo-isopropylphenols, 1887, A., 472.

substituted mono- and di-bromo-

salicylic acids, 1887, A., 486.

— constitution of dibronosalicylic arid, 1887, A., 487.

– sparteine, 1892, A., 1362.

Peratoner, Alberto, and Ballassuri Strazzeri, synthesis of pyrone, 1891, A., 1333.

Peratoner, Alberto. See also Vincenco Oliveri, Emanuele Paternò.

Percival, John, B-methoxynaphthalenesulphonic acids, 1889, P., 73.

Perdrix, Léon, a bacterium which ferments starch and produces amyl alcohol, 1892, A., 90.

Perger, Hugo (Ritter) von, estimation of morphine in opium, 1884, A., 1217.

action of ethyl acctoacetate and acetonedicarboxylate on hydrazocompounds, 1886, A., 898, 1046.

Périer, *Léon*, solubility of sugar in water, 1889, A., 816

Perkin, Arthur George, on some derivatives of diphenylene ketone oxide, 1883, T., 187.

action of nitric acid on anthracene, 1889, P., 13; 1891, T., 634.

action of nitric acid on oxanilide and similarly constituted substances, 1892, T., 458; P., 56.

Perkin, Arthur George, and John Edwin Mackenzie, action of nitric acid on anthracene, 1892, T., 865; P., 144.

Perkin, Arthur George, and William Henry Perkin, junior, derivatives of anthiaquinone, 1885, T., 679; P., 97; 1888, T., 831; P., 87.

– kamala, 1887, A., 272. Perkin, Frederick M., derivatives of piperonyl, 1891, T., 150; P., 27.

Perkin, William Henry, senior, note on the preparation of diphenylene ketone oxide, 1883, T., 35.

preliminary notes on some diazoderivatives of nitrobenzyl cyanide, 1883, T., 111.

presidential addresses, 1884, T., 209; 1885, T., 300; P., 43.

on the magnetic rotary polarisation of compounds in relation to their chemical constitution; with observations on the preparation and relative densities of the bodies examined, 1884, T., 421.

constitution of undecylenic acid as indicated by its magnetic rotation; magnetic rotation of mono- and diallylacetic acids and of ethyl diallyl-malonate, 1886, T., 205; P., 153.

— formation of acids from aldehydes

by the action of anhydrides and salts, and formation of ketones from the compounds resulting from the union of anhydrides and salts, 1886, T., 317; P., 165.

magnetic rotation of mixtures of water with fatty acids, alcohol, and sulphuric acid, 1886, T., 777.

— tartaric and racemic acids and the

magnetic rotation of their ethercal salts, 1887, T., 362; P., 29.

- magnetic rotation and densities of chloral, chloral hydrate, and hydrated aldehydes, 1887, T. 808; P., 82.

— magnetic rotatory power of the ethyl salts of maleic and citraconic acids and their isomerides, 1887, P., 98. on the magnetic rotatory power of some of the saturated and unsaturated bibasic acids and their derivatives: also of mesityl oxide, 1888, T., 561.

Perkin, William Henry, senior, apparatus for maintaining a constant pressure when distilling under reduced pressure, 1888, T., 689; P., 71.

chlorofumatic and chloromalete acids and the magnetic rotatory power of some of their derivatives, 1888, T., 695; P., 75.

action of the chlorides of propionyl and butyryl on phenol, 1889, T.,

melting points of some salicylic and anisic compounds, 1889, T., 549; P., 105.

—— the magnetic rotation of saline solutions, 1890, P., 141; discussion,

P., 145.

magnetic rotatory power of solutions of ammonium and sodium salts of some of the fatty acids, 1891, T., 981; P., 125.

-—— the refractive power of certain organic compounds at different temperatures, 1891, P., 115; discussion, P., 116; 1892, T., 287.

— the magnetic rotation of sulphuric and nitric acids and of their aqueous solutions; also of solutions of sodium sulphate and lithium nitrate, 1892, P., 161.

Perkin, William Henry, senior. See also John Hall Gladstone.

Perkin, William Henry, junior, on the condensation-products of cananthaldehyde, Part I., 1883, T., 45, 67.

on the condensation-products of isolutaldehyde obtained by means of alcoholic notes; 1883 T. 90.

alcoholic potash, 1883, T., 90.

action of trimethylene bromide on ethyl acetoacetate, benzoylacetate, and malonate, 1883, A., 1083.

 benzoylacetic acid and some of its derivatives, 1884, T., 170; 1885, T., 240; P., 17, 81.

— action of ethylene bromide on ethyl acetoacetate and benzoylacetate, 1884, A., 64.

ethyl malonate, 1884, A., 832.

existence of the trimethylene ring, 1884, A., 992.

Perkin, William Henry, junior, trimethylene derivatives, 1884, Λ., 1154.

on ethyl malonate, 1884, A., 1300.

—— synthetical formation of closed carbon chains. Part I. On some derivatives of trimethylene, 1885, T., 801.

trimethylene iodide, 1885, A., 495. dehydracetic acid, 1885, A., 515;

1887, T., 484; P., 35.

- action of aniline on methyl dehydracetate, 1885, A., 761.

trimethylenedical boxylic acid, 1885, A., 1049; 1886, A., 688; 1887, T., 849.

— pentamethylenedicarboxylic acid, 1886, A., 225.

o-phenylenediacrylic acid, 1886, A.,

tetramethylenedicarboxylic acid, 1886, A., 934.

 synthetical formation of closed carbon chains. Part I. (cont.). Trimethylenedicarboxylic acid, 1887, T., 849.

ethyl acetoacetate, benzoylacetate, and acetonedicarboxylate, 1887, A., 32.

141; 1890, T., 204.

T., 587; P., 90.

Perkin, William Henry, junior, action of methylene iodide on the disodium compound of ethyl pentanetetracarboxylate: synthesis of hexamethylene derivatives, 1891, T., 798.

- formation of anthraquinone from o-benzoylbenzoic acid, 1891, T., 1012. note on a new acid from camphoric

acid, 1892, P., 55, 68.

Perkin, William Henry, junior, and Gustav Bellenot, p-nitrobenzoylacetic acid, 1884, A., 1023; 1885, A., 794.

p-nitrobenzovlacetic acid and some of its derivatives, 1886, T., 440; P., 193.

Perkin, William Henry, junior, and Uarl Bernhart, dehydracetic acid, 1884, A., 1121.

Perkin, William Henry, junior, and Albert Calman, benzoylacetic acid and its derivatives, 1886, T., 154; P., 139.

Perkin, William Henry, junior, and Paul C. Freer, ethyl acetotrimethylenecarboxylate, 1887, A., 33.

Perkin, William Henry, junior, and Maryan Obremsky, ac-diacetyladipic acid, 1886, A., 936.

Perkin, William Henry, junior, and Bertrum Prentice, synthesis of homologues of pentanetetracarboxylic acid and of pinelic acid, 1891, T., 818; P., 124.

new synthesis of the hexamethylenedicarboxylic acids, 1891, T., 990; P., 43.

Perkin, William Henry, junior, and Augustus Schloesser, diphenylfurfuran, 1890, T., 944; P., 162.

Perkin, William Henry, junior, and W. Sinclair, synthetical formation of closed carbon-chains. Part II. (cont.).

Derivatives of tetramethylene, 1891, P., 191; 1892, T., 37.

Perkin, William Henry, junior, and James Stenhouse, benzoylacetic acid and some of its derivatives, 1891, T.,

996; P., 42.

-synthetical formation of closed carbon chains. Part I. (cont.). Action of propylene bromide on the sodium compounds of ethyl acetoacetate and benzoylacetate, 1891, P., 190; 1892, T., 67.

Perkin, William Henry, junior, and John Bishop Tingle, acetylcarbinol

(acetol), 1889, P., 156.
Perkin, William Henry, junior. See also Adolf con Baeyer, Arthur Wright Bishop, D. Rainy Brown, Harold Garatt Colman, Paul C. Freer, Frederick Stanley Kipping, John Edwin Mackenzie, T. Rhymer Marshall, Arthur George Perkin.

Perl, Juques, thiosulphonic acids and sulphinic acids of toluene, 1885, A.,

Perman, Edgar Philip, boiling-points of sodium and potassium, 1889, T., 326; P., 78.

- experiments on vapour density, 1891, A., 253.

Pernoù, M. See Friedrich Krüger. Perret, Michel, estimation of tannin in vegetable products, 1884, A., 696.

Perrey, A. See Paul Hautefeuille. Perrey, Ad., use of copper sulphate to

destroy mildew, 1885, A., 77.

Perrier, G., m-phenyltoluene, 1892, A.,

Perrier, G. See also Emile Louïse. Perron, adulteration of milk, 1890, A., 428.

- estimation of lead in tin, 1890, A., 665.

Perry, George H. See Thomas Edward Thorpe.

Perry, John. See William Edward Ayrton.

Perry, Nelson IV., fusion, casting, dephosphorising, and plating of iridium, 1885, A., 462.

Personne, J., an alcohol from birdlime, 1884, A., 1365.

Pesci, Leone, Phellandrium aquaticum, 1884, A., 331.

phellandrene, 1886, A., 1038.

· action of potassium nitrite on ferric chloride, 1888, A., 1252.

- d-terebenthene, 1889, A., 157. new ammoniacal mercury compounds and a new reaction for mercurammonium compounds, 1890, A., 1211. - so-called ammoniacal mercury com-

pounds, 1891, A., 268; 1892, A., 685.

— action of phthalic anhydride on amidoterebenthene, 1891, A., 1086.

- mercuricanilido-compounds, 1892,

A., 1448. Pesci, Leone, and Ciro Bettelli, terebenthene derivatives, 1887, A., 272. Peter, action of oils on polarised light, 1888, A., 760.

Peter, Arnold, condensation products of thiophen with aldehydes, 1884, A., 1000.

- acetothiënone and some of its derivatives, 1885, A., 141.

 β-acetothiënone and its derivatives, 1885, A., 764. - isomeric thiophenic acids, 1885, A.,

765. Peter, H. von. See Mar Schrodt.

- **Peter,** J., estimation of non-volatile residue in wine, 1885, A., 692.
- estimation of sulphur in steel and iron, 1885, A., 1161.
- Peter, J., and Olivier d' Hector de Rochefontaine, crystallised anhydrous zinc acetate, 1885, A., 371.
- Petermann, Arthur, composition of fodders, 1883, A., 111.
- manurial value of "dissolved wool," 1883, A., 500.
- analysis of materials used in the preparation of composts, 1883, A., 504. dialysis of arable land 1884, A., 113.
- analysis of heather, bracken and
- broom, 1884, A., 207.

 manurial value of nitrogenous refuse: dried blood, 1884, A., 211.
- composition of chicory, 1884, A., 648.
- beet culture with artificial manures, 1884, A., 1420.
- estimation of reverted phosphoric acid, 1885, A., 837.
- waste products as manures, 1888, A., 749.
- organic nitrogenous manures, 1888, A., 990.
- estimation of sugar in beet, 1888. A., 994.
- -application of potassium chloride to sugar-beet on heavy soil, 1888, A., 1128.
- bats' guano from Cuba, 1889, A.. 436.
- assimilation of the phosphoric acid in basic slag, 1889, A., 647.
- manuring with fish guano, 1889, A., 647.
- the nitrogen question, 1890, A., 816.
- Peters, Karl, linoleie acid, 1887, A.,
- Peters, Kurl. See also Carl Wilhelm Will, Karl Zulkowski.
- Peters, Theodor, action of ammonia on alkylated acetoacetates, and of alcohols on the carboxyl group in acctoacctate, 1888, A., 253.
- action of alcohols on ethyl acetoacetate, 1890, A., 1096.
- behaviour of ethereal salts of alkyl substituted acetoacetic acids with ammonia, 1890, A., 1097.
- Peters, Theodor. See Oscar Gustav Doebner.
- Peters, W., adulteration of vegetable fatty oils, 1889, A., 316.
- Petersen, nutritive value of hay grown on marsh lands, 1885, A., 929.

- Petersen, Indreas S. F., ethereal oil of Asurum curopacum, 1888, A., 680.
- Petersen, Emil, fluorine derivatives of vanadium and its analogues, 1889, A., 107, 1123; 1890, A., 15; 1891, A., 881.
- heat of neutralisation of fluorides, 1890, A., 1.
- -neutralisation phenomena of aluminium and beryllium, 1890, A., 680.
- allotropic state of some clements, 1892, A., 405.
 Petersen, Friedrich Carl, py.rolidine,
- 1888, A., 498. Petersen, Friedrich Carl. See also Albert Ladenburg.
- **Petersen**, Johannes August, enstatite and labradorite from the Cheviots, 1886, A., 211.
- Peterson, H., estimation of iron and chromium in alloys, 1885, A., 194.
- Petersson, Walfr. gadolinite and holmite, 1891, A., 1168.
- gadolinite, 1892, A., 1410.
- Petit, Auguste, assay of cinchona bank, 1885, A., 447.
- titration of organic matter in
- water, 1885, A., 841. Petit, Paul, heat of formation of aniline,
- 1888, A., 773. - thermochemistry of nitrogen derivatives of benzene, 1888, A., 1013.
- heats of formation of toluidines, benzylamine, and methylaniline, 1888, A., 1239.
- decomposition of benzidine hydrochlorides by water, 1889, A., 260.
- production of dextrin, 1892, A., 577. product of the oxidation of starch, 1892, A., 1171.
- distribution and condition of iron in barley, 1892, A., 1509.
- Petit, Paul. See also Marcellin Berthelot.
- Petraczek, J., aldoximes, 1883, A., 559. Petrenko-Kritschenko, Pavel Iw., derivatives of deoxybenzoin, 1892, A., 1227.
- Petrenko-Kritschenko, Parel Iv. also Petr G. Melikoff.
- Petri, Richard Julius, behaviour of aldehyde, glucose, peptone, albuminous substances, and acetone towards diazobenzenesulphonic acid, 1884, A., 1322.
- reduction of nitrates by the cholera bacteria, 1890. A., 76.
- Petri, Richard Julius, and Th. Lehmann, estimation of the total nitrogen in urine, 1881, A., 1410.
- Petricu, Ion, method of chlorinating aromatic compounds, 1890, A., 882.

Petricu, Ion. See also Constantin I. Istrati.

Petrieff, Basil M., isomerides of fumatic and maleic acids, 1884, A., 1301.

new aniline colours, 1884, A., 1322.

Petroff. See Tichomiroff.

Petrowitsch, M., does every wine contain tartar? 1886, A., 652.

- lime in tanning materials, 1890, A., 312.

Petschow, Georg. See Oscar Gustav Doebner.

Pettenkofer, Max Josef von. Adolf von Baeyer and Julius Ludwig Ulemens Zimmermann, the Liebig memorial statue at Munich, 1884, A., 880.

Pettersson, Otto, physical properties of sea-water and ice, 1884, A., 889.

 apparatus for gas analysis, 1887. A., 179.

— air analysis on a new principle, 1887, A., 180.

 volumetric estimation of gases dissolved in water, 1889, A., 1034.

 estimation of carbonic anhydride, 1890, A., 1188.

Pettersson, Otto, and 1. Höglund, analysis of the atmosphere, 1890, A., 412.

Pettersson, Otto, and (Miss) Augusta Palmquist, portable apparatus for the estimation of carbonic anhydride in the atmosphere, 1887, A., 999.

Pettersson, Otto, and A. Smitt, estimation of free and combined carbon in iron and steel, 1890, A., 1027.

Pettersson, Otto, and Klas Sondén, alisorptive power of water for atmospheric gases, 1889, A., 935.

Pettersson, Otto. See also Lurs Fredrik Nilson.

Pettigrew, Harlan P., oil of birch, 1884, A. 459.

– oil of gaultheria, 1885, A., 528.

Peyron, Jean Pierre, variations in the composition of the gases in leaves, 1886, A., 273.

- variations of the internal atmosphere of plants, 1889, A., 641.

Peyrou, Jean Pierre. See also Nestor Gréhant.

Pezzolato, A., estimation of nicotine in presence of ammonia, 1891, A., 771. **Pfaff**, Frank (Zurich), reduction of sub-

stituted phenols, 1883, A., 802. - a new homologue of resorcinol,

1883, A., 918.

Pfaff, Franz (Strassburg), poisonous constituents of "Timbo," 1891, A., 938. Pfaff, Friedrich, absolute hardness of minerals, 1886, A., 20.

Pfannenstill, Erik, xylenedisulphonic acids, 1892, A., 1340.
Pfaundler, Leopold, explosion of a tube

containing liquid carbonic anhydride, 1883, A., 422.

explosion of a zinc gasometer contaming oxygen, 1883, A., 524.

action of compressed carbonic an-

hydride on glass, 1885, A., 868.

Pfeffer, Wilhelm, intramolecular res-

piration, 1886, A., 170.

— absorption of aniline colours by living cells, 1887, A., 747.

- oxidation in the living cell, 1889, A., 1028.

- reduction of silver nitrate in the

living cell, 1889, A., 1028.

Pfeiffer, Emil (Jena), occurrence of hydrogen sulphide and sulphur in the Stassfurt salt deposits, 1890, A., 336.

Pfeiffer, Emil (Wiesbaden), milk analysis, 1883, A., 521.
—— influence of salts on certain digestive processes, 1885, A., 827.
Pfeiffer, Emanuel IV. R., electrical con-

ductivity of solutions of carbonic anhydride, 1885, A., 212.

- electrical conductivity of aqueous alcohol, 1885, A., 1029.

electrical conductivity of alcohol, 1886, A., 4.

electrical conductivity of mixtures of ethylalcohol and ether, 1886, A., 115.

- conductivity of pure water and its temperature coefficients, 1888, A., 11. change in freshly prepared solutions, 1890, A., 204.

- action of water on glass, 1892, A., 120.

Pfeiffer, George, preparation of halogen derivatives of pyridine bases from the pyridinecarboxylic acids, 1887, A., 844.

Pfeiffer, George. See also Arthur Rudolf Hantzsch.

Pfeiffer, Gustav. See Werner Kelbe. Pfeiffer, Hermann, partially miscible solutions, 1892, A., 1046.

Pfeiffer, Ludwig. See Josef Brandl. Pfeiffer, Otto. See Adolph Claus.

Pfeiffer, Theodor, artificial and natural digestion of nitrogenous matter, 1883, A., 227.

estimation of urea by titration. 1885, A., 450; 1888, A., 539.

estimation of products of metabolism in fieces, 1886, A., 571.

- estimation of the nitrogen of products of metabolism, 1886, A., 1053. - natural and artificial digestion, 1887, A., 167.

Pfeiffer, Theodor, and Franz Lehmann, Kjeldahl's method of estimating nitrogen, 1886, A., 179.

digestibility of fresh and dried beet residues, 1886, A., 1054. addition of sugar to cattlefoods, 1887, A., 511.

- fat equivalent of starch, 1888, A., 973.

Pfeiffer, Theodor (and others), formula

of starch, 1883, A., 307.

Pfeiffer, Theodor. See also Ernst Kern. Pfitzinger, Wilh., trimethylquinoline, 1885, A., 1246.

quinoline derivatives from isatinic acid, 1886, A., 370; 1889, A., 412.

- αγ-dimethyl-p-toluquinoline, 1888, A., 1207.

Pfitzinger, Wilh., and Carl Duisberg, constitution of &-naphthol-a-sulphonic acid and \$-naphthol-a-disulphonic acid, 1889, A., 5ī5.

Pfitzinger, Wilh., and Ludwig Gattermann, constitution of primulin, 1889,

A., 867.

Pflüger, Eduard Friedrich Wilhelm, titration of urea with mercuric nitrate, 1888, A., 201.

- synthetical processes in the animal

organism, 1889, A., 174. Pflüger, Eduard Friedrich Wilhelm. and Leopold Bleibtren, estimation of urea, 1890, A., 308.

Pflüger, Eduard Friedrich Wilhelm, and Karl Bohland, simple method of estimating nitrogen in urine, 1885, A., 608.

 Hüfner's method of estimating urea, 1887, A., 90.

- estimation of urea in human urine with sodium hypobromite, 1887, A., 90.

Pflüger, Eduard Friedrich Wilhelm, and Friedrich Schenck, titration of urea by hypobromite after Hamburger's method, 1886, A., 396.

Pflug, Constantia, ignatieffite, a new variety of aluminite, 1887, A., 1085. Pflug, Ludwig, p-xylidine, 1890, A.,

606. Pfing, Ludwig. See also Theodor Cur-

Pfordten, (tto (Freiherr) von der, estimation of phosphoric acid, 1883, A.,

reduction of molybdenum compounds, 1883, A., 122.

reduction of tungsten compounds, 1883, A., 554, 785.

reduction of molybdenum and tungsten compounds, 1884, A., 559.

Pfordten, Otto (Freiherr) von der, reduction of molybdenum sulphide, 1884, A., 965.

· titanium, 1884, A., 1093; 1887, A., 14, 337.

estimation of molybdenum and tungsten, 1884, A., 1429.

- purification of hydrogen sulphide from arsenic, 1885, A., 347.

- new reagent for the absorption of oxygen, 1885, A., 836.

formation of red silver solutions by reduction, 1885, A., 955.

condensation of hydrocyanic acid, · 1885, A., 1120.

- lowest compounds of silver, 1887. A., 699.

lowest oxide of silver, 1888, A., 221, 1029.

- mercurous oxide, 1888, A., 1037. Pfordten, Otto (Freiherr) von der.

also Wilhelm Bruns, Theodor Koenig. Pfrenger, Max, phenol of birchwood

tar, 1891, A., 432. Pfuel, von, cultivation of two varieties of sorghum, and preparation of sugar

therefrom, 1885, A., 79. Pfülf, Aug., hydrazinebenzenesulphonic acids, 1887, A., 933.

- indoles, 1887, A., 956.

Pfungst, A., reactions with nitromethane, 1885, A., 1197.

action of nitromethane on some chlorhydrins, 1886, A., 862.

Philip, Max, action of o-toluidine on quinol and resorcinol, 1886, A., 941.

Philip, Max, and Arthur Calm, derivatives of ρ -hydroxydiphenylamine, 1885, A., 155.

Philip. Max. See also Eugen Bamberger.

Philipp, Julius, silver hypophosphate, 1883, A., 1052.

- basic potassium beryllium oxalate, 1883, A., 1085.

Philipp, Otto. See Bernhard Fischer. Philips, Alfred. See Martin Freund, Curl Graebe.

Philips, B. (and Co.), analysis of tartar and wine-lees, 1891. A., 372.

Philips, Bernhard, triphenylarsine, 1886, A., 618.

 asymmetrical secondary hydrazines, 1887, A., 1101.

- action of alkyl bromides and of benzyl chloride on phenylhydrazine: preparation of asymmetrical secondary phenylhydrazines, 1889, A., 1158.

Philips, Bernhard. See also Curl Arnold August Michaelis.

Philips, S. J., conversion of maltose into glucose, 1883, A., 38.

Philipson, Otto. See Adolph Claus.

Phillips, Francis C., absorption of metallic oxides by plants, 1883, A.,

Phillips, Harcourt, valuation of calcium acetate, 1886, A., 747.

Phillips, Henry Joshua, estimation of caustic and carbonated alkalis in presence of each other, 1886, A., 920. estimation of sulphur in copper,

1891, A., 362.

estimation of turpentine in paints and varnishes, 1891, A., 1302.

Phillips, W. B., reversion of phosphoric acid by heat, 1885, A., 615.

Phipson, Lamb, colouring Thomas matter (ruberine) and alkaloid (agarythrine) in Agaricus ruber, 1883, A.,

constant production of oxygen by Protococcus pluvialis in sunlight, 1884,

- production of other by the action of Aspergillus glaucus on lemon juice, 1884, A., 855.

-chemical phenomena of the respiration of plants, 1884, A., 1403; 1885, Δ., 420.

- identity of regianin and juglone, 1885, A., 1142.

- caffetannic acid, etc., in Virginia

creeper, 1885, A., 1255.

— estimation of phosphoric acid in contaminated waters, 1888, A., 533.

- rhinanthin, 1888, A., 1310.

– tin in sugar, 1889, A., 1036. - vegetable hæmatin, 1891, A., 815. Phomina, E., compounds of the cuxanthone series, 1890, A., 389.

- α- and β-naphthylphenylene ketone oxide and methyldiphenylene ketone oxide, 1890, A., 901.

Phookan, Rhadikaram D., and Friedrich Krafft, derivatives of sebacic acid, 1892, A., 1180.

Piccard, Jules, cantharidin, 1886, A., 723. – cantharene, 1892, A., 1480.

Piccini, Augusto, oxidation of titanic acid, 1883, A., 1055.

double fluorides and oxyfluorides of .itanium, 1884, A., 264.

- double titanium fluorides, 1886, A.,

 detection of nitric acid in presence of nitrous acid, 1886, A., 740.

 mineral associated with the columbite of Val Vigezzo, 1887, A., 1085.

- new oxide of thallinm, 1888, A., 110.

Piccini, Augusto, titanium trioxide, 1888, A., 789.

fluorine derivatives of pertitanic acid, 1888, A., 1255.

action of ammonia on solutions of ammonium titanofluoride, normal 1891, A., 271.

- new series of fluoroxy-compounds of molybdenum, 1892, A., 784.

Piccini, Augusto, and Giovanni Giorgis, new fluorine compounds of vanadium,

1889, A., 214; 1892, A., 785. Piccini, Augusto, and Francesco Marino-Zuco, action of nitrites on ferrous salts, 1886, A., 418.

Pichard, P., plastering of wines; rapid estimation of cream of tartar, 1883, A., 755.

- potassium tartrate in plastered wine and estimation of tartaric acid, 1884, A., 372.

absorptive power of different kinds of soil for water, 1884, A., 633.

comparative nitrifying action of certain salts, 1884, A., 924, 1417. - removal of mildew in vines, 1885,

A., 590. influence of calcium sulphate and

of clay on the absorption of nitrogen

by soils, 1889, A., 1239. · nitrogen in the soil: nitrification and fixation of atmospheric nitrogen,

1890, A., 545. · influence of iron and calcium sulphates on nitrification, 1891, A., 1543.

influence of the proportion of clay and organic nitrogen in fallow soils on the absorption of atmospheric nitrogen, the actention of nitrogen, and nitrification, 1892, A., 656.

- comparative nitrification of humus and undecomposed organic matter, 1892, A., 906.

Pichler, Adolf, phyllites of the Tyrolean Alps, 1884, A., 274.

See Ewer. Pick.

See Hugo Weidel. Pick, B.

Pick, Benedict. See Emilio Nolting. Pick, H., relation of the red colouring matter of the phanerogams to the

migration of starch, 1884, A., 1402. phenylhydrazine com-Pickel, Max, pounds, 1886, A., 545.

Pickering, Spencer Percival Umfreville, on the constitution of molecular compounds; molecular weight of basic ferric sulphate, 1883, T., 182.

– note on a basic ammonio-copper sul-

phate, 1883, T., 336.
testing for barium or sulphuric acid, 1883, A., 210.

[Pic

Pickering, Percival Spencer Umfreville, supersaturation, 1883, A., 645.

basic sulphate of copper, 1883, A., 853; 1885, A., 1113.

modifications of sodium sulphate, 1884, T., 686.

- heat of hydration of salts, 1884, A., 803; 1886, P., 257; 1887, T., 75.

- heats of dissolution of potassium and lithium sulphates, 1885, T., 98.

 calorimetric estimations of magnesium sulphate, 1885, T., 100.

modifications of double sulphates, 1885, P., 101; 1886, T., 1, 12.

— constitution of hydrated

double salts, 1885, P., 112; discussion, P., 113.

- atomic valency, 1885, P., 122. estimation of oil in cattle cake.

1885, A., 844.

crystalline basic copper sulphate, 1885, A., 1113.

influence of temperature on the heat of chemical combination, 1886, T., 260; P., 161.

water of crystallisation, 1886, T..

- decomposition of sodium carbonate by fusion, 1886, P., 257; 1887, T., 72.

- molecular weights of liquids and

solids, 1886, A., 198.
— influence of temperature on the heat of dissolution of salts. 1887, T., 290; P., 20; discussion, P., 21.

- thermal phenomena of neutralisation and their bearing on the nature of solution, and the theory of residual affinity, 1887, T., 593; P., 77; discussion, P., 78.

- determination of the constitution of carbon compounds from thermochemical data, 1887, A., 423.

heat of dissolution of substances in various liquids, 1888, T., 865; P., 92; discussion, P., 93.

 nature of solutions as elucidated by the heat evolved on their dilution: calcium chloride, 1888, P., 35; dis-

cussion, P., 37. - thermochemical constants, 1888,

the principles of thermochemistry, 1888, P., 99; discussion, P., 100; 1889, T., 14.

– solution, 1888, A., 21.

nature of solution, 1888, A., 22; 1889, A., 1101.

 constitution of basic salts, 1888, A., 111.

Pickering, Percival Spencer Unifreville, constancy in the heat produced by the reaction of certain salts on each other, 1888, A., 333.

- heat of neutralisation of sulphuric

acid, 1889, T., 323; P., 79.

the nature of solutions as elucidated by a study of the density, electric conductivity, heat capacity, heat of dissolution, and expansion by heat of sulphuric acid solutions, 1889, P., 86; 1890, T., 64; A., 845.

- the expansion of water and other liquids, 1889, P., 89; 1891, A., 8.

the nature of solutions as elucidated by a study of their freezing temperatures, 1889, P., 106.

- isolation of a tetrahydrate of sulphuric acid existing in solution, 1889, P., 128.

the law of the freezing points of solutions, 1889, P., 149; discussion,

P., 154; 1890, P., 9.

isolation of a new hydrate of sulphuric acid existing in solution, 1889 A., 941.

 nature of solutions as elucidated by the freezing points of sulphuric acid solutions, 1890, T., 331.

— theory of dissociation into ions

and its consequences, 1890, P., 171; discussion, P., 172; 1891, A., 972.

new form of mixing calorimeter, 1890, A., 440.

gradual alteration in glass produced by altering its temperature a few degrees, 1890, A., 440.

theory of osmotic pressure, 1890.

the supposed hydrates of alcohol, 1890, A., 857.

- a recent criticism by Lupton of the conclusions drawn from a study of various properties of sulphuric acid solutions, 1891, P., 105; discussion, P. 106; A., 973.

the nature of solutions as elucidated by a study of the densities, heat of dissolution, and freezing points of solutions of calcium chloride, 1891. P., 105; A., 973.

- determinations of the heat canacity and heat of fusion of some substances to test the validity of Person's abso-

lute law, 1891, A., 519. theory of solution, 1891. A., 786, 791.

- deductions from the gascous theory of solution, 1891, A., 793. cryoscopy of dilute solutions, 1891,

A., 971; 1892, A., 678, 1045.

Pickering, Percival Spencer Unifreville, association versus dissociation in solutions, 1891, A., 972.

note on the refractive indices and magnetic rotations of sulphuric acid solutions, 1892, P., 162; discussion, P., 163.

the hydrate theory of solutions, 1892, P., 164; discussion, P., 164.

— the isolation of two predicted hydrates of nitric acid, 1892, P., 185.

strong solutions and the dissociation hypothesis, 1892, A., 108.

- chemical action at a distance, 1892,

A., 269.
—— contraction on mixing sulphuric acid and water, 1892, A., 271.

densities of sulphuric acid solutions,

1892, A., 271, 272.

—— theory of residual chemical affinity; an explanation for the physical nature of solution, 1892, A., 559.

- hypothetical manganese tetrachlor-

ide, 1892, A., 687.

recognition of changes of curvature by means of a flexible lath, 1892, A., 767.

— heat of dissolution of gases in liquids, 1892, A., 1042.

Pickering, Percival Spencer Umfreville. Sec also (Miss) Emily Aston.

Pickersgill, Nicolas. See Friedrich Kehrmann, Josef Messinger.

Pictet, Amé, α-phenylindole, 1886, A.,
711.
—— formation of secondary aromatic

amines, 1888, A., 364.

A., 758.

amides, 1891, A., 57.

Pictet, Ame, and Hendrik Jon Ankersmit, phenanthridine, 1890, A., 390; 1891, A., 837; 1892, A., 196.

Pictet, Ame, and Rudolph Bunzl, action of zinc chloride on acetanilide, 1889, A., 971.

Pictet, Amé, and Picree Crépieux, alkylformanilides, 1888, A., 688.

Pictet, Amé, and Louis Duparc, ethylindole, 1888, A., 370.

Pictet, And, and Stanislas Erlich, chrysidines, 1891, A., 216.

chrysidines, 1892, A., 197.

Pictet, Ane, and Jean Fert, action of zinc chloride on methylacetanilide, 1890, A., 1112.

Pictet, Amé, and Gustare Krafft, chloriodides of organic bases, 1892, A., 1356.

Pictet, Amé, and Stefan Popovici, pyrogenic synthesis of isoquinoline, 1892, A., 730.

Pictet, Amé. See also Carl Graebe.

Pictet, Itaoul, determination of the specific weight and vapour pressure of mixtures of sulphurous and carbonic anhydrides, 1888, A., 1015.

at very low temperatures, 1892, A.,

1138.

Picton, Harold, the physical constitution of some sulphide solutions, 1892, T., 137; P., 176.

Picton, Harold, and S. Ernest Linder, solution and pseudo-solution, 1891, P., 177; discussion, P., 177; 1892, T., 148.

Picton, Hurold. See also S. Ernest. Linder.

Pieper, Richard, four metameric benzanisethylhydroxylamines, 1883, Λ., 460.

Pierson, A., and Kurl Heumann, action of ethyldichloramine on aromatic amines and on hydrazobenzene, 1883, A., 915.

Piesse, George William Septimus, obituary notice of, 1883, T., 255.

Piest, Karl. See Ferdinand Tiemann. Pieszczek, Ernst, constituents of the bark of Nerium Oleander, 1890, A.,

detection of tin, antimony, and arsenic, 1892, A., 918.

Pieszczek, Ernst. See Adolph Claus.
Pigeon, Léon, platinum tetrachloride, 1889, A., 834.

heat of formation of platinic chloride, 1890, A., 439.

thermochemistry of platinic chloride and its compounds, 1891, A., 966.

—— compounds of platinic chloride with hydrogen chloride, 1891, A., 1325.

heat of formation of platinic bromide and its principal compounds, 1892,
 A., 3.

Piggot, Cameron. See Harmon Northrup Morse.

Pilatte. See Albert Mairet.

Pillitz, Wilhelm, argentous exide, 1883, A., 288.

Piloty, Oscar. See Emil Fischer.

Piltschikoff, N., initial phases of electrolysis, 1889, A., 663.

—— electrolytic polarisation by metals, 1889. A., 663. 'inard, G., on a bed of coal discovered in Algiers, and on the layers of white sand accompanying the same, 1883, A., 160.

?inette, J., boiling-points and specific volumes of phenols and their ethers, 1888, A., 335.

- soap analysis, 1892, A., 550.

estimation of fat in milk by Schmid's method, 1892, A., 1134.

Pingel, Carl, methyl propiopropionate, 1888, A., 819.

Pinkus, Georg, action of trimethylene chlorobromide on some aromatic amines and amides, 1892, A., 1491.

Pinner, Adolf, action of hydrocyanic acid and ethylene cyanide on hydrochloric acid and alcohol, 1883, A.,

conversion of nitriles into imides, 1883, A., 731, 1089.

 condensation of acetone, 1883, A., 1079.

derivatives of ethyloximide and ethylsuccinimide, 1883, A., 1088.

 action of acetic anhydride on the amidines, 1883, A., 1099; 1884, A., 722.

action of heat on amidine hydrochlorides, 1884, A., 723.

action of hydroxylamine on the imido-ethers and amidines, 1884, A., 739.

action of phenylhydrazine on the imido-ethers, 1884, A., 743, 1323.

imido-ethers from acetone cyanhydrin and allyl cyanide, 1884, A., 1292.

 preparation of glyoxal derivatives from trichlorolactic acid, 1884, A., 1298.

action of benzoic chloride on amidines, 1884, A., 1324.

— remarks on Lossen's paper on

hydroxylamine derivatives, 1884, A.,

decomposition of benzonitrile by fuming sulphuric acid, 1885, A., 142. action of acetic anhydride on benz-

amidine, 1885, A., 158.

— action of ethyl acetoacetate on amidines, 1885, A., 158, 751; 1886, A., 45.

m-diazines (pyrimidines), 1885, A., 158, 751; 1886, A., 45; 1887, A., 1053; 1889, A., 1004, 1006; 1890, A., 69; 1891, A., 60.

- preparation of tartronic acid, 1885.

A., 759; 1886, A., 48.

action of carbamide on phenylhydrazines, 1887, A., 1042.

Pinner, Adolf, action of carbanide on hydrazines, 1888, A., 687, 1084.

- hydantoins, 1888, A., 1102. - benzaldchyde, 1889, A., 983.

- amidines and m-diazines (pyrimidines), 1889, A., 1004; 1891, A., 60. action of benzamidine on ethyl

acetylmalonate, 1890, A., 496.

- action of secondary amines on imido-ethers, 1891, A., 37.

 conversion of nitriles into imidoethers, 1891, A., 59.

- diphenyloxycyanidine, 1891, A., 59. amidines, 1891, A., 60.

action of benzamidine on the ethereal salts of atomatic o-hydroxy-

acids, 1891, A., 60. - imido-ethers, 1891, A., 61.

 imido-ethers and their derivatives, 1891, A., 468.

 mixed acid amides, 1892, A., 982. furfuran compounds, 1892, A., 1006.

- so-called dibenzimidine, 1892, A., 1110.

- nicotine, 1892, A., 1497.

Pinner, Adolf, and Isaac Lifschutz, action of carbamide on the chloralcyanhydrins, 1887, A., 1032.

-action of carbamide on cyanhydrins, 1887, A., 1054.

Pinner, Adolf, and Adolf Spilker, hydantoins, 1889, A., 704.

Pinner, Adolf, and Richard Wolffenstein, nicotine, 1891, A., 473, 945; 1892, A., 1010.

Pinnow, Johannes, action of benzenesulphonic chloride on amidoximes, 1892, A., 460.

Pinnow, Johannes. See also Curl Wilhelm Will.

Piolti, Giuseppe, cossaite from the Upper Susa valley, 1890, A., 344.

Pionehon, Joseph, specific heats and changes of state at high temperatures, 1887, A., 201.

specific heat and latent heat of fusion of aluminium, 1892, A., 1281.

Piotrowski, Severin, addition of chlorine and of halogen acids to oleic and elaidic acids, 1890, A., 1396.

Pirani, Emilio, galvanic polarisation, 1885, A., 623. Piragruber, H., separation of platinum

from rare metals, 1888, A., 656.

Pirsson, Louis V., mordenite, 1891, A.,

 fowlerite variety of rhodonite from New Jersey, 1891, A., 530. – gmelinite from Nova Scotia, 1892,

A., 21.

Pirsson, Louis T. See also Frederick Augustus Genth, Walter Harvey Weed.

Pisanello, Giuseppe, hydrogenation of propionitrile, 1887, A., 457.

 sulphonic derivatives of salicylic acid, 1889, A., 1062.

Pisani, Felix, cuprodescloizite from Mexico, 1892, A., 1055.

See also Alfred Louis Pisani, Felix. Olivier Legrand Des Cloizeaux.

Pisenti, Gustavo, physiological action of thallin, 1888, A., 311.

Pistone and de Regibus, inulin, 1884, A., 284.

Pistor, Carl, mineral spring "Romerbrunnen" at Echzell, Wetterau, 1885, A., 362.

Pistor, Carl. See also Alex. Naumann. Pitcher, Fred. Byron, absorption spectra of blue solutions, 1889, A., 325.

Pitkin, Lucius, action of concentrated sulphuric acid on lead and its alloys, 1885, A., 460.

Pitsch, Otto, are nitrates indispensable to the growth of field crops? 1888, A., 84.

Pitschke, R. Sec Heinrich Conr. Klinger.

Pitteurs, de, molecular modifications of silver bromide, 1885, A., 349.

Piutti, Arnaldo, phthalamidobenzoic acid, 1883, A., 999.
action of phthalic anhydride on

secondary monamines, 1884, A., 448. - diphenylamine derivatives of succinic acid, 1885, A., 782.

derivatives of diphenylamine-

phthalein, 1885, A., 783.

phthalylaspartic acid, 1885, A., 796; 1886, A., 621. - α-naphthylphthalimide, 1886, A.,

- fumaric and succinic derivatives of monamines, 1886, A., 792.

– a new asparagine, 1886, A., 870, 1013.

action of phthalic anhydride on amidophenols, 1886, A., 1026.

- synthesis of ethereal salts of trimesic acid, 1887, A., 491, 587.

 reciprocal transformation of the optically active asparagines, 1887, A., 802.

 synthesis of aspartic acid, 1888, A., 677.

- synthesis of the asparagines, 1889,

A., 381; 1891, A., 175. constitution of the monethyl aspartates and the asparagines, 1889, A., 383. Piutti, Arnaldo, ethyl fumanimide, 1889, A., 590.

asparagines, 1889, A., 591. - ethyl oximidosuccinates, 1890, A.,

1239. - monoximes of succinic acid, 1891. A., 1191.

Pizzarello, Antonio, decomposition of carbon compounds by the electric spark, 1886, A., 10.

explosions of electrolytic gas and volatile carbon compounds, 1886, A., 762.

Pizzi, Augusto, composition of the leaves of Maclura aurantiaca, 1891, A., 490, 954.

Plaats, J. D. van der, atomic weights of carbon, phosphorus, tin, and zinc, 1885, A., 348.

physical properties of bromine, 1886, A., 849.

vapour tension of mercury at ordinary temperatures, 1886, A., 963. desiccation of gases, 1888, A., 409.

Plancher, Giuseppe. See Girolamo Mazzara.

Planchon, Tictor, estimation of glycerol by oxidation, 1888, A., 1345.

detection of margarine in butter, 1889, A., 318.

Planck, Max, chemical equilibrium in dilute solutions, 1888, A., 780.

molecular constitution of dilute solutions, 1888, A., 895.

hypothesis of the dissociation of salts in very dilute solutions, 1888, A., 1144.

 vapour tension of dilute solutions of volatile substances, 1888, A., 1146.

development of electricity and

heat in electrolytes, 1890, A., 677. difference of potential between two dilute solutions of binary electrolytes.

1890, A., 1355. osmotic pressure, 1891, A., 14.

· recent developments of the mechanical theory of heat, 1892, A., 395. theory of diffusion and electrolysis.

1892, A., 935.

 theories of osmotic pressure and of electrolytic dissociation, 1892, A., 1143.

Planta, Adolf von, chemical composition of hazel pollen, 1885, A., 182.

- composition of the pollen of the common pine, 1886, A., 91.

nectar, 1886, A., 575.

food of larval bees, 1888, A., 733; 1889, A., 1022.

nitrogenous constituents of the tubercles of Stachys tuberifera, 1890, A., 1183.

Planta, Adolf von, and Ernst Schulze, new crystalline carbohydrate, stachyose, 1890, A., 1088; 1891, A., 1446.

Planta, Adolf von. See also Ernst Schulze.

Plateau, Felix, influence of fresh water on marine animals, and rice versa, 1884, A., 621.

Plath, Gottfried, β-ethyl-α-stilbazole and its derivatives, 1889, A., 163, 901.

Plath, H., nitrification of ammonia and its salts, 1888, A., 521.

Platts, John Charles. See John Frederick Cleeves.

Platz, B., estimation of sulphur in iron, 1887, A., 1141.

--- estimation of zinc in iron ores, 1890, A., 1192.

Plauchud, E., reduction of sulphates by "sulfuraires" and formation of natural mineral sulphides, 1883, A., 610.

Pleissner, Max, oil of polei, 1891, A., 986. Plenge, Henry Charles, alom, 1885, A., 808.

Plessner, Paul, influence of temperature on the magnetism of salts of metals of the iron group, 1890, A., 678.

Pletzer, Ad., action of cold and warm baths on the temperature of the animal body, 1884, A., 621.

Plimpton, Richard Tayler, metallic derivatives of acetylene, 1892, P., 109.

Plimpton, Richard Tayler, and E. Ernest Graves, on a new method of estimating the halogens in volatile organic compounds, 1883, T., 119.

Plöchl, Josef, constitution of the halogen cinnamic acids, 1883, A., 194.

—— phenylglycidic acid, 1884, A., 604; 1887, A., 254.

1887, A., 254.

derivatives of benzoylimidocin-

namic acids, 1884, A., 1348.

o-nitroglycocines and their reduction products, 1886, A., 351.

— quinoxalines, 1886, A., 722. — synthesis of pyridine bases, 1887,

A., 598.

reaction of formaldehyde, 1888, A., 1051.

Plöchl, Josef, and Friedr. Blümlein, constitution of benzoylearbinol, 1883, A., 983.

Plöchl, Josef, and W. Loë, nitro- and sulpho-derivatives of phenylamidoacetic acid, 1885, A., 899.
Plöchl, Josef, and L. Wolfrum, con-

Piochi, Josef, and L. Wolfrum, condensation of salicylaldehyde with hippure acid, 1885, A., 898.

Plöchl, Josef. See also Wilhelm con Miller. Plósz, Pul, new crystalline colouring matter in urine, 1883, A., 814.

— a urinary pigment, 1884, Λ., 1059.

Plugge, Picter Cornelis, behaviour of strychnine in the animal organism: product of the action of potassium permanganate on strychnine, 1884, A., 188.

---- opium alkaloids, 1887, A., 280,

851; 1888, A., 378.

volumetric estimation of acids in salts of the alkaloids, 1887, A., 621.
 composition of papaverine, 1887,

A., 852.
—— test for narcenne, 1887, A., 870.

andromedotoxins in the Ericaceae, 1889, A., 644.

mercury nitrate as a test for certain aromatic compounds, 1890, A., 669.
 reaction for cerous oxide, 1892, A., 239.

Plunkett, William, obituary notice of, 1884, T., 618.

Podwyssozki, Władimir V., method of preparing extracts of pepsin, 1887, A., 65.

Poehl, Alexender, formation of peptone and its conversion into proteid substances, 1883, A., 603.

—— peptone, 1883, A., 926.

putrefaction alkaloids, 1883, A., 1157.

biological and chemical properties of micro-organisms, 1886, A., 731.
spermine, 1891, A., 538.

Pöhlmann, Robert, mica-diorites and kersanlites of Southern Thuringia and the Frankenwald, 1881, A., 1273.

Poetsch, Wilhelm, action of carbonic oxide on a mixture of sodium acetate and sodium isopentylate, 1883, A., 729.

recovering the waste acids from nitroglycerol works, 1885, A., 619.

Pohl, Julius, estimation of globulin, 1888, A., 878.

— artificially prepared nuclous, 1889, A., 424.

—— precipitation of colloid carbohydrates by salts, 1890, A., 122.
—— aristolochin, 1892, A., 874.

Pohl, Osokar, action of acid chlorides on arsenic trioxide, 1889, A., 767.

— etherification by uranium salts, 1890, A., 727.

Pohl Osokar See also Robustan

Pohl, Osokar. See also Bohuslav Rayman.

Poincaré, Emile Léon, respiration of air charged with petroleum vapour, 1884, A., 1057. Poincaré, Lucion, electrical conductivity

of tused salts, 1889, A., 457.

— batteries with fused electrolytes and the thermoelectric forces at the surface of contact of metal and salt, 1890, A., 551.

 polarisation of electrodes, 1890, A , 933.

See also Edmond Poincaré, Lucien. Bouty.

Pointet, Gaston, preparation of crystalline monocalcium phosphate, 1891, A., 1421.

Poleck, Theodor, analysis of a mineral spring at Salzbrunn, 1883, A., 563.

- asarone, 1884, A., 1191. - constitution of safiole, 1884, A.,

1339; 1886. A., 697; 1890, A., 136. — mineral waters of Waimbrunn in Silesia, 1886, A., 997.

 oxysulphides of mercury, 1890, A., 109.

 German and Turkish rose oil, 1891, A., 323.

Poleck, Theodor, and Carl Goercki, chlorosulphides of mercury, 1888, A.,

Poleck, Theodor, and Stegfried Lustig, derivatives of carvacrol, 1885, A.,

Poleck, Theodor, and Isaak Samelson, jalapin, 1885, A., 669.

Poleck, Theodor, and Carl Thummel, new silver compounds, 1884, A., 156. vinyl alcohol a constant constituent

of ethyl ether, 1890, A., 118.

Polenske, Edward, rapid method of estimating arsenic, 1890, A., 83.

Poleteeff, Gregorius, boiling-points of secondary alcohols containing secondary radicles: diisopropylcarbinol, 1889, A., 477.

boiling-point of diisopropylearbinol, 1891, A., 889.

Poliakoff, Robert. See Carl Hell. Polikier, Heinrich, tartranilide, 1892,

A., 54. -synthesis of indole from tartaric

acid and aniline, 1892, A., 66. Polikier, Heinrich. See also Joseph Berlinerblau.

Polis, Alfred, aromatic silicon compounds, 1885, A., 973; 1886, A., 618.

— estimation of silicon in organic

compounds, 1886, A., 649.

aromatic lead compounds, 1887, A., 572; 1888, A., 283; 1889, A., 400.

– tin tetraphenyl, 1890, A., 166. Polis, Alfred. See also Carl Arnold August Michaelis.

Politis, Georgies, relation of phosphoric acid to nitrogen in urine during feeding with brain, 1885, A., 293.

Politis, Jeun E., rapid estimation of saccharine compounds, 1889, A., 1088.

Politis, Johannes. See Rudolph Fittig. Polko, Georg, butenyltricarboxylic and ethylsuccinic acids, 1888, A., 134.

Pollacci, Egidio, testing for free sulphuric acid in wines and vinegar, 1884, A., 215.

- spontaneous oxidation of sulphur, 1885, A., 347.

 peroxides as oxidising agents, 1886, A., 507.

methods for detecting vinoline, 1888, A., 877.

Pollak, Alfred. See Heinrich schmidt.

Pollak, E., absence of nitric acid in wine-must, 1889, A., 541.

Pollard, William. See Karl Friedrich Otto Seubert.

Pollatschek, Arnold, estimation of small quantities of sugar in urine, 1888, A., 995.

Pollini, Bernhard. See Rudolf Nietzki. Pollitz, Gustav. See Adolph Claus.

Pollitzer, S., nutritive value of some digestion products of albumin, 1886, A., 377.

Pollitzer, S., and Nathan Zuntz, nutritive value of albumin and flesh peptone, 1886, A., 901.

Polonowska, Natulic, so-called ethyl carbacetoacetate, 1886, A., 1011. oximes of benzil, 1888, A., 485.

Polonowska, Natalic. See also Heinrich Goldschmidt.

Polonowsky, Max, action of phenylhydrazine on dioximes, 1888, A.,

- condensation of glyoxal with ethyl malonate and acetoacetate, 1888, A., 1067.

condensation of gloxal with ethyl arctoacctate, 1888, A., 1175.

Polonowsky, Max. See also Withelm Herzberg.

Polstorff, Karl, oxydimorphine, 1886, A., 900.

conessine (wrightine), 1886, A., 901. Polstorff, Karl, and Carl Bülow, separation of mercuric sulphide from sulphides of the arsenic and copper

groups, 1891, A., 1292.
Polstorff, Karl, and Justus Mensching, Mitscherlich's test for phosphorus,

1886, A., 919.

Polstorff, Karl, and Paul Schirmer, conessine (wiightine), 1886, A., 872.

Poltzer, August. See Heinrich Goldschmidt.

Pomeranz, Caesar, cubebin, 1888, A., 162, 1100.

 methysticin, 1889, A., 278; 1890, A., 257.

- phenol contained in Sassafras oil. 1890, A., 1111.

- bergaptene, the stearoptene of

bergamot oil, 1892, A., 71.

Pomeroy, Charles T., estimation of chlorine, sulphuric acid, and chromium in presence of organic matter, 1884, A., 109.

Pomey, Etienne Marie, compound of propyl alcohol and phosphoplatinous chloride, 1887, A., 458.

- compound of o-toluidine with cupric chloride, 1887, A., 472.

compound of p-toluidine with cupric chloride, 1887, A., 472.

Poncy, C. de, separation and estimation of methyl alcohol in presence of ethyl

alcohol, 1885, A., 298.

Pond, G. G. See Victor Meyer.

Ponder, A. C. See Ludwig Claisen. Ponomareff, Iwan, ethereal salts of cyanuric acid, 1884, A., 1278.

synthesis of allantoxanic acid from parabanic acid, 1885, A., 760.

 constitution of cyanuric acid, 1886, A., 216.

Pons, Enrico. See Hugo Schiff, Luiyi Vanni.

Pool, F. V., new dropping flask, 1885, A., 930.

Pope, William Jackson, the crystalline forms of the sodium salts of the substituted anilic acids, 1892, T., 581; P., 106.

Pope, William Jackson. See also Henry Edward Armstrong.

Popoff, M., influence of cooking on the digestion of beef and fish, 1890, A.,

- mechanism of the production of urea in the animal organism, 1892,

Popoff, Nadine, formation of serum albumin in the alimentary canal, 1889, A., 632.

Popoff, S.A., some new dimetics, 1886, A., 485.

Popovici, Maximilian, quantitative estimation of nicotine, 1889, A.,

Popovici, Stefan. See Amé Pictet. Popp, Georg, thiazoles from amidothiazoles, 1889, A., 724.

Popp, Georg. See also Arthur Rudolf Hantzsch.

Poppe, Oscar, m-xylylmalonic 1890, A., 498. acid.

- formation of dibenzyl derivatives, 1590, A., 504.

Popper, Alfred, decomposition of aqueous solutions of hypochlorous acid and of chlorine in sunlight, 1885, A., 631; 1886, A., 301.

- atomic weight of antimony, 1886, A., 856.

Popper, Alfred. See also Kurl (Edler) von Garzarolli-Thurnlackh.

Porro, Benedetto, Italian petroleums, 1883, A., 1180.

Portele, Carl, reduction of extractive matter by cleaning of wine, 1881, A.,

- so-called sour-10t of grapes, 1885, A., 1153.

- composition of maize, 1886, A., 274.

Portele, Carl. See also E. Mach. Porteret, Eugène. See Raphael Lépine. Posewitz, Tivadar, occurrence of diamonds in Borneo, 1886, A., 674.

Posner, Curl, albumin in normal urine, 1887, A., 390.

detection of albumin, propertone, and peptone, 1888, A., 1140.

Pospechoff, Wladimir Dmitri, azocumene, 1886, A., 458.

 azo-ψ-cumene, 1888, A., 140.
 derivatives of υ-azotoluene, 1888, A., 825; 1889, A., 501.

Posselt, Morite. See Adolph Claus. See Girolamo Choranni. Possetto. Mazzara.

Possoz, Antoine Louis. See Victor L. ርћ. Daix.

Post, Julius, retrograde phosphorie acid, 1884, A., 774.

Potier, Alfred, electrochemical measurement of currents, 1889, A., 557.

Potilizin, Alexei L., analysis of waters accompanying petroleum, and of those ejected by mud-volcanoes, 1883, A., 171.

displacement of chlorine by biomine, 1884, A., 955.

hydrates of cobaltons chloride, 1884, A., 967.

relation between the heat of formation and initial rate of formation of salts, 1886, A., 116.

- products and rate of decomposition of the salts of halogen oxy-acids by heat, 1888, A., 219; 1889, A.,

-mutual substitution of the halogens in their compounds with oxygen, 1888, A., 220.

Potilizin, Alexei L., influence of temperature on the direction of chemical change, 1889, A., 335.

- supersaturated solutions, 1890, A.,

 properties of sodium perchlorate: supersaturated solutions, 1890, A., 333. - strontium chlorate and its de-

composition by heat, 1890, A., 696. - hydrates of cobalt chloride and their alterations in colour, 1892, A.,

--- lithium bromate, 1892, Λ., 1275. rate of decomposition of calcium chlorate by heat, 1892, A., 1275.

Pott, Emil, manuring of hops, 1884,

Λ., 1422.

Pott, Robert, Fokker-Salkowski method of estimating uric acid in normal and pathological urines, 1890, A., 301.

Potts, Charles S. See John Marshall. Pouchet, 1. Gabriel, sugar from the lungs of phthisical patients, 1883, A., 929.

ptomaines and analogous com-

pounds, 1884, A., 617.

- changes in the composition of certain secretions during cholera, 1885, A., 576.

· alkaloid in Koch's cultivating

fluids, 1885, A., 1250.

- compounds of phenoxides with cuprous and mercurous chlorides, 1888, A., 586.

Pouchet, G., artificial melanin, 1891, A., 1123.

Poulenc, Camille, phosphorus trifluorodichloride, 1891, A., 1417.

potassium and cobalt nickel potassium fluorides, 1892, A., 781.

– nickel and cobalt fluorides, 1892. A., 1159.

Poulson, E., poisonous constituent of the ethereal extract of ferns, 1892, A., 380.

Edward Bagnall, essential Poulton, nature of the colouring of phyto-phageous larve, etc., 1885, A., 1253.

Poutokin, allyldimethylcarbinol, 1881, A., 1283.

Power, Frederick B., hydrastine, 1885, A., 675.

 fluorescent principle of Hydrastis canadensis, 1886, A., 1041.

Power, John Byrne, excretion of nitrogen

from the skin, 1883, A., 227.

Praël, Edmund, examination of com-

mercial copaïba balsam, 1886, A., 281. Prafulla Chandra Ray, mixed double sulphates of the copper-magnesium group, 1889, A., 346.

Prager, Albert, derivatives of naphthalene, 1885, A., 1239.

Prager, Bernh., aromatic substituted ψ -thiocarbamides, 1890, Λ ., 159.

Prange, A. J. 1., allotropic silver, 1891, A., 266.

Pratesi, Leonardo, diethyl methylene ether, 1884, A., 171.

- hexamethylenamine, 1884, Λ ., 287. trioxymethylene, 1885, A., 240.

- formation of oxymethylene from ethyl nitrate, 1885, A., 504.

·action of formaldehyde on aniline,

1885, A., 782.

- action of nitric acid on phenylglycollic acid, 1892, A., 607.

supersaturated aqueous solution of carbonic anhydride, 1892, A., 1274. o-p-dinitrophenylglycollic acid,

1892, A., 1333. Pratt, John Wuller, rapid estimation of fixed ammonia, 1885, A., 190.

Pratt, Julius Howard, experiments with Lippmann's capillary electrometer, 1888, A., 639.

Prausnitz, Gotthold, B-lactone of mnitrophenyllactic acid, 1884, A., 1174. - methylethylpyridylalkine, 1890,

A., 1436. derivatives of 2-methyl-5-ethyl-

pyridylalkine, 1892, A., 1358. Prausnitz, Gotthold. See also Alfred

Einhorn. Prausnitz, Wilhelm. digestion of beans in the human alimentary canal, 1889,

A., 1226. formation and fate of glycogen, 1890, A., 810.

Prausnitz, Wilhelm. See also Fritz Moritz.

Prazmowski, Aldem, root nodules of the pea, 1891, A., 607.

Röttger, Precht. II. See F. Wittjen.

Preece, William Henry, effects of temperature on the electromotive force and resistance of batteries, 1883, A., 840; 1884, A., 243.

new standard of illumination, 1885, A., 321.

– charging secondary batteries, 1885, A., 1175.

Preis, Karl, arsenic compounds, 1888, A., 914; 1890, A., 1058.

- potassium silicofluoride, 1890, A., 694.

 estimation of phosphoric acid in the presence of silica, 1890, A., 825.

Preis, Karl, and Bohuslar Rayman, compounds of tin with bromine, 1883, Λ., 424.

353 23 Preis, Keel, and Boleuster Rayman, decomposition of sodium thioarsenate by silver nitrate, 1887, A., 444, 889.

Preis, Karl.See also Bohusluv Raýman.

Prelinger, O., pictic acid as a test for guanidine, 1892, A., 950.

Prendel, Round 1., wilnite, 1890, A.,

– tourmaline from Siberia, 1892, A., 573.

Prentice, Bortrum. Sce William Henry Perkin, junior.

Presch, Wilhelm, behaviour of sulphur in the organism: detection of thiosulphuric acid in the urine, 1890, A., 812.

Prescott, Albert B. See Erwin E. Ewell.

Prescott, Charles Oliver. See Lewis Mills Norton.

Pressler, Heinrich. See Ernst 11/bert Schmidt.

Preusser, Joseph, estimation of tungsten in its alloys, 1889, A., 798.

substitute for the calcium chloride tube in elementary analysis, 1889, A., 925.

Preusser, Joseph. See also Rudolf Nietzki.

Preussner, Ludwig, remarkable bed of sulphur, 1889, A., 215.

Prevost, Edward William, injury to plants by kiln smoke, 1888, A., 744.

Prevost, Edward William, and Russell Swanwick, experiments on potatoes with different manures, 1884, A.,

Přibram, Richard, specific rotation of optically active substances in very dilute solution, 1887, A., 755.

- beryl from the Ifinger, 1888, A., 432.

- influence of inactive substances on the polaristrobometric estimation of grape-sugar, 1888, A., 1133.

- influence of inactive substances on the specific rotatory power of tartaric acid, 1888, A., 1229.

- change in the rotatory power of tartaric acid in mixed solutions, 1889, A., 378.

Přibram, Richard. See also Alois Handl

Price, R. C., tscheffkinite, 1888, A., 661. Priebs, Bernhard, action of benzaldehyde on the mononitro-derivatives of the paraffins, 1884, A., 313.

- action of benzaldehyde on nitromethane and nitroethane, 1885, A., 160.

Priobs, Bernhard, nitro-derivatives of furfuran, 1885, A., 971.

Prieto, Ravul. See de Landero.

Prillieux, E., use of sulphate of copper and lime as a preventive of mildew, 1886, A., 737.

Primics, Georg, mineralogical notes from Transylvania, 1885, A., 733.

Pringle, Allexander, some probable new elements, 1887, A., 107.

Pringsheim, Ernst, chemical action of light on a mixture of chlorine and hydrogen, 1888, Λ ., 205.

unstable equilibrium of atoms, 1889, A., 672.

Pringsheim, Nathanael, emission of oxygen by plants, 1886, A., 612; 1888, A., 741.

decomposition of carbonic anhydride by chlorophyll, 1887, A., 685.

dependence of assimilation of green cells on their respiration of oxygen, 1888, A., 186.

Prinz, Hugo, experiments to combine sulphur with sulphu, 1884, A., 1255.

constitution of disulphur dichloride,

1884, A., 1255.
Prinz, IV illiam Alfred Joseph, inclusions in sapphire, ruby, and spinel, 1883, A., 1062.

Prior, Eugen, estimation of the acidity of malt, 1887, A., 87.
Prior, George Thurland.

Sec Honry ∡llexunder **Miers.**

Přiwoznik, Ed., formation of sulphuric acid by burning illuminating gas, 1892, A., 1151.

formation of sulphuric acid and ammonium sulphate by burning coal gas, 1892, A., 1389.

Probert, Isuac, galvanic batteries for the electric light, 1884, A., 1240.

Probert, Isauc, and Alfred Wuller Soward, effect of absorbed gases on the electrical conductivity of carbon,

1883, A., 769.

Probst, O., derivatives of thiocarbamide and carbamide, 1892, A., 966.

Procter, Henry Richardson, gravimetric estimation of tannin, 1888, A., 96.

Gantter's method of estimating tannin, 1890, A., 1477.

— analysis of gambier, 1892, A., 928. Propper, Max, action of nitric acid on ethyl acetoacetate and chloracetate. 1883, A., 573.

Prollius, Fritz, valuation of gelatin, 1884, Λ., 647.

Proromant, Pierre Muric. See Adolphe Carnot.

- Proskauer, Bernhurd. See Bernhurd Fischer.
- Proskowitz, Em. ron, manuring sugarbests with basic slag, 1888, A., 319.
- Prost, Eugene, chloritoid containing manganese, 1886, A., 129.
 - platinum salts, 1886, A., 987.
- action of zine on benzyl chloride, 1886, A., 1034.
- colloidal cadmium sulphide, 1888, A., 653.
- extraction of lead from residues obtained in the manufacture of zine, 1888, A., 915.
- See also Wulthère Prost, Eugène. Spring.
- Provins, (). See Boury.
- Prud'homme, Muurice, action of bisulphites on chlorates, 1885, A., 207.
- nitroprussides, 1890, A., 1387. - reactions of potassium ferricyanide,
- 1891, A., 410. mordants and the periodic law,
- 1891, A., 523.
- bleaching of cotton by hydrogen peroxide, 1891, A., 1447.
- cuprammonium oxide, 1892, A., 18. Prud'homme, Maurice, and Folia Binder, chromic acid and chromates, 1883, A.,
- Prud'homme, Maurice, and Ch. Rabaut, conversion of aromatic amines into the chlorine derivatives of the hydrocarbons, 1892, A., 705.
- Prunier, Henri, volumetric estimation of calcium oxide and carbonate, 1885, A., 296.
- volumetric estimation of alumina in lime and cement, 1885, A., 441.
- detection of albumin, 1886, A., 748. Prunier, Léon, butylic glycerol triacetin,
- 1884, A., 1284. - simultaneous estimation of sulphur
- and carbon, 1890, A., 290. - action of sulphides on chloral and
- chloroform, 1890, A., 291. - assay of quinine sulphate by the ammonia process, 1891, A., 772.
- fractional crystallisation of quinine sulphate, 1891, A., 963.
- Przybytek, Stunislus A., second au-
- hydride of erythritol, 1884, A., 979. - salts of mesotartaric acid, 1884, A., 1124.
- diallyl dioxide, 1885, A., 741. - formation of furfuran and thiophen from the dioxide C4H6O2, 1886, A., 419.
- -action of hypochlorous acid on the hydrocarbon C₈H₁₆, 1888, A., 123.
- diirobutenyl oxide, 1888, A., 241.

- Przybytek, Stanislas 1., erythrene dioxide, 1888, A., 245.
- diisocrotyl and its derivatives, 1889, A., 362.
- Przybytek, Stunislus 1. See also 1. Famintzin.
- Puchot, Ed., butylene and its derivatives, 1884, A., 166.
- aldehyde resin, 1887, A., 1090.
- Pückert, Maxim, conversion of crotonylene hydrobromide into bromo-v-butylone, 1889, A., 576.
- bromine additive products of angelic and tiglic acids, 1889, A., 587.
- Püschel, Anton. See Carl Paal.
 Püttner, E. von, preparation of magnesium, 1885, A., 1112.
 - Pufahl, ()., arsenomolybdic acid, 1884, Λ., 715.
 - Pukall, Wilhelm, resorcinol derivatives,
- 1887, A., 661.
 Pukall, Wilhelm. See also Carl Wilhelm Will.
- Pulfrich, Carl, refraction of light by ice and by water cooled below zero, 1888, Λ., 881.
- Puliti, Julius. See Robert Schiff.
- Pullinger, Frank, action of zinc on dilute
- sulphuric acid, 1890, T., 815; P., 136. Pullinger, Frank, and John Addyman Gardner, vapour density of ammonium
- chloride, 1891, P., 2.

 Pullinger, William, volatile platinum compounds, 1891, T., 598; P., 111; discussion, P., 111.
- platinum tetrachloride, 1892, T., 422; P., 54.
- Pulvermacher, Georg, homo-o-phthalimide, 1887, A., 1111.
- reaction of trithioformaldehyde and formaldehyde, 1892, A., 579.
- mandelamide, 1892, A., 1203. condensations with formaldehyde.
- 1892, A., 1450. Pulvermacher, Georg, and Walther Lob. carbazole, 1892, A., 1466.
- Pum, Hustur, unsaturated acids, 1888, A., 1058.
- benzoyl derivatives of glucosamine, 1892, A., 134.
- action of hydriodic acid on cinchonine, 1892, A., 514.
- Purdie, Thomas, action of sodium alkyl oxides on ethercal fumarates, 1885, T.,
- composition of the milk of the porpoise, 1885, A., 1253.
- action of metallic alkyl oxides on mixtures of ethereal salts with alcohols, 1887, T., 627; P., 78; discussion, P., 79.

Purdie, Thomas, and William Marshall, action of alcohols on ethereal salts in presence of small quantities of sodium alkyl oxides, 1888, T., 391; P., 25.

addition of the elements of alcohol to the ethereal salts of unsaturated acids, 1891, T., 468; P., 82.

- resolution of methoxysuccinic acid into its optically active components, 1892, P., 217.

Thomas, and J. WallacePurdie, Walker, resolution of lactic acid into its optically active components, 1892, T., 754; P., 132.

optically active ethoxysuc-cinic acid, 1892, P., 217.

Purfürst, Carl. See Alexander Ehrenberg.

Purgetti, Attilio, tribromophenol, 1887, Δ., 573.

 organic sulphuretted compounds, 1890, A., 1419.

a-toluamide and its derivatives,

1891, A., 59.

— nitro- and amido-derivatives of phenylacetamide, 1891, A., 562.

- new thiosulphates, 1892, A., 1418. Pusch, Theodor, test for the presence of tartaric acid in citric acid, 1885, A., 445.

Puscher, C., process for rendering cement and lime less subject to atmospheric influences, 1883, A., 398, 530. argentine, 1883, A., 405.

· production of a gold-coloured or green surface on brass, 1884, A.,

Puschl, C., relations of gases to the laws of Marriotte and Gay Lussac, 1888, A., 16.

highest boiling-point of liquids, 1888, A., 17.

- relation of hydrogen to Marriotte's law, 1888, A., 18.

- relation of gases to Marriotte's law at high temperatures, 1888, A., 547.

- expansion of water by heat, 1892, A., 1382.

Putensen, H., weeds in soils, 1884, A., 211.

Putensen, Otto. See Adolph Claus. Puydt, J. de, Dubrunfaut's lime osmose process, 1884, A., 941.

Quantin, Henri Emile, some reactions of chromyl dichloride, 1885, A., 23. - soil of Tunis, 1885, A., 686; 1887, A., 860.

' Quantin, Henri Emile, estimation of soluble potash in soils, 1885, A., 1262.

- reduction of calcium sulphate by anaerobic ferments, 1886, A., 573.

reduction of copper sulphate during alcoholic fermentation, 1887, A., 171. volumetric estimation of sulphates,

1887, A., 181; 1889, A., 1089. action of carbon tetrachloride on

chromyl dichloride and ferric phosphate, 1887, A., 330.

action of carbon tetrachloride on

inorganic chlorides, 1888, A., 785.

true role of soda-lime in the estimation of nitrogen, 1889, A., 306.

Quenda, Enrico, methylresore inolphthalovlic acid, 1891, A., 70.

-γ-substituted hydantoins, 1892, A., 828.

- action of ethyl cyanacetate on aniline, 1892, A., 1072. Quenot, Jules. See Emile Aubin.

Quessaud, Jean Muric, estimation of silver and copper in the same liquid, 1885, A., 441.

Quincke, Friedrich, derivatives of accnaphthene, 1887, A., 592.

nitro-derivatives of acenaphthene, 1888, A., 843.

electrolysis of copper chloride, 1889, A., 458.

- aluminium methide, 1889, A.,695. Quincke, Friedrich. See also Ludwig

Quincke, Georg Hermann, electrical researches, 1883, A., 945.

- behaviour of dielectric fluids under strong electric charges, 1886, A., 959. · relations between compressibility and indices of refraction of liquids, 1892, A., 669.

Quincke, Julius, gasometric alkalimetry and the employment of potassium ferricyanide in gasometry, 1892, A., 526.

Quinquaud, Ch. Eugènc. See Nator Gréhant.

R,

Raabe, F. F., assay of commercial toluidine, 1892, A., 925.

Raabe, Frederik Willem, direct determination of the heat of combination

of certain gases, 1883, A., 274.

Rabaut, Ch., action of benzyl chloride on a-toluidine, 1892, A., 48.

- action of benzyl chloride on o- and p-toluidines, 1892, A., 313. Rabaut, Ch. See also Maurice Prud'-

homme.

Rabe, II., turbine for laboratory purposes, 1888, A., 617.

-action of phosphoric chloride on B-hydroxynaphthoic acid. 1889, A., 514.

Rabinerson, Ignat. See Carl Arnold dugust Michaelis.

Rabinowitsch, Simon. See Ernst Carl Theodor Zincke.

Rabot, Eugène, poisoning by nicotine,

1885, A., 416.

Rabourdin, H., adulteration of pepper, 1885, A., 303.

Raby, L., new reactions for codeme and

asculine, 1885, A., 302.

Rach, Carl, action of hydrocyanic acid on ethyl acetosuccinate, 1886, A., 1012.

Rach, Uurl. See also Carl Adam Bischoff.

Rachford, Benj. Know, influence of bile on the fat-splitting properties of pan-ercatic juice, 1891, A., 948.

Racine, carbonic oxide detector, 1890, A., 191.

Racine, S., phthalaldehydic acid, 1886, A., 549; 1887, A., 951.

- derivatives of p-toluic acid, 1887, A., 945.

derivatives of o-phthalaldehydic acid, 1888, A., 693. Rack, G. See F. Wilkens.

Raczkowski, de. See Auguste Trillat. Radau, Carl, salts of variadic acid, 1889. A., 351.

Rademaker, C. J., polygonic acid, 1886, A., 949.

Radenhausen, Rudolf. See Theodor Curtius.

Radiguet. See Donato Tommasi.

Radziszewski, Browislaw, glyoxaline and its homologues, 1883, A., 308.

-- synthesis of oxaline bases, 1883, Λ., 728.

- theory of phosphorescence, 1883, A., 763.

— new glyoxalines, 1883, A., 1086. - oxidation of oxalines and glyoxalines, 1884, A., 986.

·oxidations by hydrogen peroxide, 1885, A., 496.

Radziszewski, Bronislaw, and Julian Schramm, synthesis of a terpene, 1884, A., 1190.

Radziszewski, Bronislaw, and L. Szul, glyoxalisoamyline and its derivatives, 1884, A., 985.

Radziszewski, Bronislaw, and Paul Wispek, derivatives of the xylenes, 1885, A., 889.

Radziwillowicz, cystin, 1889, A., 430.

Raffelt, R., mineralogends of gold and Bohemia, 1886, A., 31.

Rahnenführer, Carl. See acid with Clemens Lossen. ¹19, 635.

Raich, S., decomposition of ammonomia, salts by bromine water, 1888, A., 10_..

Raikow, P., a-methyleinnamic acid, 1888, A., 369.

Raimann, Emil, the fat of cochineal, 1886, A., 441.

Raimond, E., volumetric estimation of manganese, 1885, A., 840.

Rake, Beaven, cultivation of Burillus leprar, 1888, A., 1124.

Ramage, Hugh. See Wulter Norl Hartley.

Ramann, Emil, result of removing débris from the surface of sandy soil, 1885, A., 81.

Rammelsberg, Carl Friedrich, double chloride of potassium and thallium, 1883, A., 424.

- thallium and lithium phosphates. 1883, A., 424.

- potassium sesquicarbonate, 1883, A., 646.

vanadates and phosphates of the

alkali metals, 1881, A., 395. isomorphous minerals which are not chemically analogous, 1884, A., 1096.

- natural borates, 1885, A., 28.

– double uranium acetates, 1885, A.,

analysis of uranium compounds, 1885, A., 690.

cupro-descloizite, 1885, A., 731. isomorphous silicates, 1886, A., 30.

-the Branchville mica, 1886, A., 129. the scapolite, chabazite, and phillip-

site groups, 1886, A., 318. crystalline silico-carbonate from

soda liquors, 1887, A., 12. occasional products in the soda

manufacture, 1887, A., 331. atomic weight of yttrium metals

in their natural compounds, 1888, A.,

manganese and uranium oxides, 1888, A., 232.

- cudinlyte, 1888, A., 234. composition of idocrase, 1888, A.,

431.

– gadolinite, 1889, A., 219.

- ammoniacal mercury compounds, 1889, A., 347.

- forricyanides, 1889, A., 950.

– new case of isomorphism of uranium and thorium, 1890, A., 15. - sigterite, a new felspar, 1891, A.,

22.

Und Friedrich, chemical annualine, 1891, A., 21. phosphates, 1892, A., 103.

de Luna, cholera, 1881, A., 319.

asy, Wilhelm, nepheline-synthetic of the Kula Paniusula 1891, A., 531

the Kola Peninsula, 1891, A., 531.

Ramsay, Wilhelm, and Hugo Berghell,

rocks of the Jiwaara in Finland, 1892, A., 1058.

Bamsay, William, presence of a reducing agent, probably hydrogen peroxide, in natural water, 1886, P., 225.

—— molecular weights of nitrogen trioxide and nitrogen peroxide, 1888, T., 621; P., 59; discussion, P., 60.

molecular weights of the metals. 1889, T., 521; P., 39.

nitrogen trioxide and peroxide, 1890, T., 590; P., 7; discussion, P., 8.

—— dissociation of selenium chloride, 1891, A. 11.

—— theory of solution, 1891, A., 788.

—— solution, 1891, A., 793.
—— pedectic motion in relation to colloidal solutions, 1892, P., 17; discussion, P., 19.

cussion, P., 19.

Ramsay, William, and James Tudor
Cundall, oxides of nitrogen, 1885, T.,
187; P., 22; discussion, P., 23.

nitrous anhydride, 1885, T., 672; P., 90.

Ramsay, William, and Sydney Young, the decomposition of ammonia by heat, 1884, T., 88.

influence of pressure on the temperature of volatilisation of solids, 1884, A., 252.

—— determination of the vapour pressures of solids and liquids, 1885, T., 42.

temperatures, 1885, T., 640.

the vapour pressures of mercury, 1885, P., 115; 1886, T., 37.

the liquid to the solid state on vapour pressures, 1885, A., 629; 1887, A., 430.

alcohol, 1885, A., 1178.

and iodine, and iodine monochloride, 1886, T., 453; P., 181; discussion, P., 182.

of chloral ethyl alcoholate, 1886, T., 685; P., 225.

evaporation and dissociation; acetic acid, 1886, T., 790; P., 225.

Ramsay, William. and Sydney Young, determination of boiling-points, 1886, P., 181; discussion, P., 181.

1886, A., 5.

methods of measuring vapour pressures give identical results? 1886, A., 410.

————— continuous transition from the liquid to the gaseous state at all temperatures, 1887, A., 763.

temperatures, 1887, A., 763.

the mixture of propyl alcohol and water, 1888, P., 101; discussion, P., 102.

Ramsay, William. See also (Miss)
Emily Aston, Franklin P. Evans,
(Colonel) Henry Charles Reynolds,
(Miss) Kutherine J. Williams.

Randall, W. Wyatt, o-sulpho-p-toluic acid and its derivatives, 1891, A., 1228.

Ransom, Francis, detection of strontium, 1883, A., 509.

estimation of ipecacuanha, 1887, A., 1147.

constituents of henbane s ed., 1892, A., 231.

Ransom, Francis. See also Wyndham Rowland Dunstan.

Ransom, William Bramscell, diabetes and glycerol, 1887, A., 985.

Ranvier, Louis Antoine, per-ruthenic acid in histology. 1887, A., 1060.

Raoult, François Murie, law of freezing of aqueous solutions of carbon compounds, 1883, A., 7, 952.

freezing points of alkaline solutions, 1884, A., 254.

— freezing points of solutions of salts of the alkali metals, 1884, A., 701, Raoult, François Marie, freezing points of solutions of salts of bivalent metals, 1881, A., 808.

- general law of freezing of solvents and deductions therefrom, 1881, A.,

freezing points of saline solutions, 1884, A., 1248.

- action of water on double salts, 1885, A., 122.

· influence of dilution on the reduction of the freezing point of aqueous solutions, 1885, A., 858.

cryoscopy as a means of determining molecular weights, 1886, A.,

extension of the law of solidification, 1886, A., 763.

vapour tensions of ethereal solutions, 1887, A., 207; 1888, A, 1145.

- influence of concentration on the vapour tension of ethereal solutions, 1887, A., 631.

cryoscopic studies on racemic acid and racemates, 1888, A., 361.

freezing points of dilute aqueous solutions, 1888, A., 1242.

vapour tensions of alcoholic solutions, 1889, A., 7.

-vapour pressures of solutions, 1891, A., 386.

- freezing points of dilute solutions of cane sugar, 1892, A., 678.

– determination of the freezing points of very dilute solutions, 1892, A.,

Raoult, François Murie, and Albert Recoura, vapour pressures of solutions in acetic acid, 1890, A., 554.

Rapp, Martin, nitration of the phenyl and cresyl ethers of phosphoric acid, 1884, A., 1337.

Raps, (long. See Adolph Claus.

Rasch, Hermann. See Rudolph Fittig. Raschen, Julius, indoles from tolylhydrazine, 1887, A., 956.

Raschen, Julius. See also Francis Robert Japp.

Raschig, Fritz, action of copper chlorides on metallic sulphides, 1884, A., 962. - action of bromine on dimethyl-

amine, 1885, A., 1195.

- iodide of nitrogen, 1886, A., 16. - action of hydrogen peroxide on autimony sulphide, 1886, A., 20.

 organic iodides of nitrogen, 1886, A., 44.

reduction of chloropicrin and dinitrochloromethane, 1886, A., 323. – Berthollet's explosive silver, 1886,

A., 850.

Raschig, Fritz, compounds of gold and nitrogen, 1887, A., 112.

reaction of nitrous acid with sulphurous acid, 1887, A., 519, 635.

- compound of iodine with ammonia, 1888, A., 26.

preparation of the alkali salts of hydroxylaminedisulphonic acid and of hydroxylamine, 1888, A., 913.

theory of the lead chamber process. 1889, A.. 103.

Rasiński, Faustin, biuret dicyanamide 1883, A., 658.

fractional distillation of mineral oils in a current of steam, 1884, A., 936; 1885, A., 950. Rassow, Berthold. See Alfred Einhorn.

Rath, Gerhard rom, iron glance and augite from Ascension, 1883, A., 436.

- colemanite, 1885, A., 224.

quartz from Burke Co., North Carolina, 1886, A., 27.

-meteorites in the public collections of Mexico, 1886, A., 133.

— cristobalite from Mexico, 1887,

A., 559.

Rath, Gerhard vom. See also Churles Bodewig, Frederick Augustus Genth. Rathgen, Friedrich, estimation of sugar

liqueurs, confectionery, in chocolate, 1888, A., 1345.

Rathgen, Friedrich. See also Ernst Carl Theodor Zincke.

Rathke, Bernhard, derivatives of thiocarbamide, 1884, A., 1017.

- nature of selenium sulphide and of alloys, 1885, A., 954.

constitution of dicyanodiamide and melamine, 1886, A., 217.

compounds of perchloromethyl mercaptan with aromatic amines, 1886, A., 458.

-preparation of methyl-violet, 1886. A., 460.

– thiammeline, 1887, A., 650.

- melamines, 1887, A., 650; 1890, A., 1082.

triphenylthiammeline and a third triphenylammeline, 1887, A., 662.

eyanuric derivatives of taurine, 1888, A., 582.

phonylisocyanuric acid: a fourth triphenylmclamine, 1888, A., 591.

methyl chlorothioformate; polymeric thiocarbonyl chloride, 1888, A., 1169.

- the carbon of spiegeleisen, 1891, A., 646.

- crystalline ferromanganese, 1891, A., 646.

Rathke, Bernhard, and Rudolf Oppenheim, triphenylguanylthiocarbamide and dieyanodiamide, 1890, A., 1125.

Ratimoff, Wasilij 1., antisepties, 1885. A., 612.

Rattner, Carl, negative nature of organic radicles, 1888, A., 701.

Ran, Henry M., indigo testing, 1885, A., 934.

Raudnitz, R. W., digestibility of boiled milk, 1889, A., 1225; 1890, A., 650.

Baulin, J., estimation of nitrogen in organic substances, 1887, A., 862.
agricultural experiments, 1888.

A., 85.

action of micro-organisms on certain

colouring matters. 1889, A., 67.

phosphates and cereals, 1889, A.,
435, 1242.

estimation of potassium and humus

in soils, 1890, A., 668.

—— influence of the nature of the soil on vegetation, 1892, A., 1121.

Raumer, Ernst von, lime and magnesia in plants, 1884, A., 917.

— an unfermentable dextrorotatory

constituent of honey, 1890, A., 356.

Raumer, Ernst von. See also Richard

Hornberger.

Raupenstrauch, G. Adolf, solubility of

Raupenstrauch, G. Adolf, solubility of salts in water at various temperatures, 1885, A., 1181.

condensation of n-butaldehyde, 1887, A., 794.

solubility of gypsum, 1889, A.,

Rauter, Mustav. silicon tetrachloride, 1892, A., 1273.

Rauter, Custav. See also Karl Friedrich

Rauterberg, Ferdinand. See Theodor Curtius.

Raveill, J. W., p-bromo-m-nitrobenzoie acid, 1884, A., 600.

Bawson, Christopher, valuation of indigos, 1885, A., 697; 1888, A., 761.
— indigo testing, 1885, A., 1015.

——detection and estimation of magenta in orchil and cudbear, 1888, A., 877.

Bawson, Sidney George, estimation of cuprous chloride in copper liquors, 1884, A., 872.

the atomic weight of chromium, 1889, T., 213; P., 31.

preparation of boron and silicon, 1889, A., 211.

tests for tannic and gallic acids, 1889, A., 447.

oxylaloid derivatives of chromium, 1889, A., 678.

Ray, Frederick O., leaves of Esculus Hippocastanum and of Acer dasycarpum, 1886, A., 1065.

Raydt, W., liquid carbonic anhydride as a fire extinguisher, 1883, A., 408.

Rayleigh, John William Strutt (Lord), the constant of electromagnetic 10tation of light in carbon bisulphide, 1885, A., 325.

- densities of hydrogen and oxygen,

1888, A., 643.
—— composition of water, 1890, A., 330.

Rayleigh, John William Strutt (Lord), and (Mrs.) Eleanor Midded Sidgwick, electrochemical equivalent of silver, 1885, A., 469.

Baýman, Bohuslar, isoduleitol, 1887, A., 906.

— cholesterol, 1887, A., 926.

action of arsenious sulphide on acid chlorides, 1887, A., 950.

— rhannose (isoduleitol), 1888, A., 1049.

Raýman, Bohuslav, and Karel Chodounský, rhammodiazine, 1889, A., 485.

Rayman, Bohuslar, and Josef Kruis, isodulcitol, 1888, A., 667.

Rayman, Bohuslar, and Osokar Pohl, rhamnodiazine, 1890, A., 355.

Raýman, Bohuslav, and Karl Preis, bromine compounds of tin, 1881, A., 1265.

compounds at high temperatures, 1881, A., 1311.

Rayman, Bohuslar. See also Karl Preis.

Raynaud, Hipp. See H. Suilliot. Readman, Junes B., chemical composition of the cobalt and nickel ores of

New Caledonia, 1886, A., 320.

Reale, Nicolu, compounds extracted from

Anagyris fietida, 1888, A., 188. Reber, C., fixing artificial dyes by ferro-

and ferri-cyanides, 1885, A., 946. Reboul, Edmond, action of triethylamine on s-trichlorhydrin and on the two dichloropropylenes, 1883, A., 307.

oxallyldiethylamine, 1884, A., 577.

hydroxyallyldiamines, 1884, A., 578.

— butyl ethers, 1889, A., 366, 477. — bromobutylenes, 1892, A., 127.

Reboux, Emile, manufacture of sugar without bye-products, 1885, A., 464.

Rebs, Heiarich, sulphur compounds, 1888, A., 1155.

Rebuffat, Oracio, phonyleinnamylaerylie acid and diphenyldiethylene, 1885, A., 1137.

—— condensation of hippuric acid with aldehydes, 1886, A., 547.

phenylamidoacetic acid derivatives, 1857, A., 1108.

action of aniline on chloracetic acid, 1891, A., 50.

— Perkin's reaction, 1891, A., 69. — diphenyldiethylene derivatives,

1891, A., 76.
Rechberg, Johann. See Rudolf Nietzki.
Rechenberg, Otto von. See Heinruch

Limpricht.

Recknagel, (**, a physical property of milk, 1884, A., 911.

Recoura, Albert. hydrochloride of chromous chloride, 1885, A., 875.

 heat of transformation of chromous chloride into chromic chloride, 1885, A., 1102.

isomeric modifications of chromic chloride, 1886, A., 508.

of chromic oxide, 1886, A., 597.

chromic chloride, 1886, A., 669.

preparation of hydrobromic acid, 1890, A., 687.

isomeric forms of chromic bromide, 1890, A., 1063.

action of heat on solutions of chromic salts: green salts of chromium, 1891, A., 1430.

—— green chromic sulphate, 1892, A.,
411.

isomeric forms of chromic sulphate,

1892, A., 411.
—— chromosulphuric acid and metallic chromosulphates, 1892. A., 783.

ehromosulphates, 1892, A., 783.

Recoura, Albert. See also Murcellin

Berthelot, and François Muric Raoult.

Reder, P., experiments on the nitrogen of peat, 1885, A., 188.

Redwood, Boverton. See (Sir) Frederick Augustus Abel.

Redzko, V., derivatives of stilbene and isostilbene, 1890, A., 783.

Rée, Alfred, β-sulphophthalic acid, 1885,Λ., 1062; 1886, T., 510.

---- constitution of monochlorophthalic acid, 1886, A., 353.

Rée, Alfral. See also Carl Graebe.
Reed, J. Hustings, dimethylnaphthaquinoline, 1886, A., 370.

Reed, J. Hastings, methylnaphthaquinolines and β-naphthacridine, 1887, A., 681.

Reed, Lester, estimation of gluten in flour, 1884, A., 122.

---- action of boric acid on calcium carbonate, 1885, A., 484.

Reese, August. See Carl Arnold August Michaelis.

Reese, Chas. L., analysis of pinite from Madison Co., W. Carolina, 1885, A., 130.

comparative oxidation of solutions of sulphurous acid and sodium sulphite, 1885, A., 217.

estimation of sulphurous anhydride, 1885, A., 296.

Reese, Ludwy, action of phthalic anhydride on amido-acids, 1888, A., 148, 369.

— ash determination, 1888, A., 758.
Reese, Ludwig. See also Emil Fischer.
Reformatsky, Alexander N., synthesis of diethylmethylcarbinol, 1888, A.,
244.

Reformatsky, Alexander N. See also Woldemar Dieff.

Reformatsky, Sergius N., the hydrocarbon C₁₀H₁₈, prepared from allyldipropylearbinol, 1883, A., 1073.

the hydrocarbon C₈H₁₄ prepared from allyldiethylearbinol, 1885, A., 232.

—— preparation of polyhydric alcohols, 1885, A., 882.

 synthesis of diatomic monobasic acids, 1887, A., 717.

—— new synthesis of dihydric monobasic acids from ketones, 1888, A., 819.

—— synthesis of some glycerols by means of hypochlorousacid, 1890, A., 120.

—— first oxide of the pentahydric alcohol from diallylearbinol, 1890, A., 353.

from diallylearbinol, 1890, A., 354.

—— linoleic acid, 1890, A., 362.
—— action of bromine on trimethylacetic acid, 1890, A., 1096.

action of zinc and ethyl chloracetate on ketones and aldehydes, 1891, A., 169.

— action of zinc and ethyl monochloracetate on the aldehydes, 1892, A., 1300.

Regéczy, Em. N. von, diffusion of albumin solutions, 1885, A., 405.

Regel, Carl ran, exidation of α - and β hydroxypiperic acids, 1887, A., 488.

Regelsberger, Frudrick Feed., ammoniacal compounds of manyl chloride, 1885, A., 638.

- assay of aluminium and it- alloys, 1892, A., 102, 535.

- estimation of silicic acid in fluorides, 1892, A., 1128.

Regibus, de. See Pistone.

Regnard, Paul Marie Léon, action of chlorophyll on carbonic anhydride, 1886, A., 254.

-influence of the age of yeast on the alcoholic fermentation, 1888, A., 184.

measurement of the quantity of light that enters water, 1891, A., 2.

Regnauld, Jules, and E. Villejean, composition of a pathological liquid, 1884, A., 1060.

purification of methyl alcohol, 1884, A., 1279.

- physiological action of dichloromethane compared with that of chloroform, 1885, A., 285.

oleaginous seeds of the Symphonia fasciculata, 1885, A., 290.

inhalation of methane and monochloromethane, 1885, A., 926.

 inhalation of dichloromethane and tetrachloromethane, 1885, A., 926.

See Holterman do Rego. Reh, August. See Adolph Claus.

Reher, L., α- and γ-ethylquinolines, 1887, A., 279; 1888, A., 66.

Reibenschuh, Anton Franz. methylbiguanide and its compounds, 1883, A., 974.

Reich, F., and Th. Richter, estimation of arsenic, 1886, A., 1073.

Reich, Kurl, solubility of sodium carbonate and sodium hydrogen carbonate in solutions of sodium chloride, 1892, A., 116.

Reichardt, Eduard. volumetric analysis, 1884, A., 213.

detection of arsenic, 1884, A., 368.

amount of fatty acids in butter, 1884, A., 1219.

drinking water supplies, 1885, A., 612.

action of potable waters on lead pipes, 1888, A., 344, 554.

mineral water of the Ottili Spring. Suhl, 1889, A., 1054.

elementary analysis of volatile liquids, 1889, A., 1088. Reichardt, Eluard, and Upmeyer, es-

timation of iodine, 1889, A., 1086.

Reicher, Lodenyk Theodorus, the temperature of allotropic transformation of sulphin, 1885, A., 346.

– nate of formation of maleic an-

hydride, 1885, A., 757.

· velocity of saponification, 1885, A., 1034; 1886, A., 416; 1987, A., 767.

-temperature of conversion of copper calcium acetate, 1888, A., 360.

Reicher, Lulewyk Theodorus, and Charles Marius van Deventer, thermal behaviour of cupric chloride solutions, 1890, A., 1206.

Reicher, Lodewyk Theodorus. See also Charles Marius van Deventer, Jacobus Henricus van't **Hoff.**

Reicher, Mar. See Stanistaus ron Kostanecki.

Reichert, E., quantitative estimation by measurement of electrical conductivity, 1889, A., 545.

Reichert, Edward T. See Oliver Wolcott Gibbs.

Reichl, C., test for glycerol and woody fibre, 1884, A., 118.

- new reaction for albuminoids, 1889, A., 1092; 1890, A., 1350.

Reichold, Albert, phenyl-p-tolylamine, 1890, A., 609.

Reichwald, Rudolph, fumarine, 1890. A., 272.

Reid, Alex. F., improvements in burettes, 1892, A., 1027.

Reid, Educard Waymouth, osmosis with living and dead membranes, 1890, A., 277, 1176.

- absorption without osmosis, 1892, A., 646.

Reidemeister, C., sodium calcium car-

bonate, 1887, A., 12. Reimann, K. See J. F. Janovsky. Reimarus, Carl, action of alkyl iodides

on dibenzylthiocarbanide, 1887, A., 43.

Reimer. See Haarmann.

Reimer, Carl Ludwig, and Carl Wilhelm **Will,** fat of the fruit of *Myristica* surinamensis, 1885, A., 1197.

-erucic and brassic acids, 1887, A., 233.

- constituents of rape-seed oil, 1887, A., 1030.

Reimer, Curl Ludwig. See also Emil Jacobsen.

Reinders, Geert, manuring experiments in Holland, 1883, A., 617.

Reinglass, Paul, m-cyanobenzal chloride and m-cyanobenzaldehyde, 1891, A., 1344.

Reinhardt, Carl, modified Kipp's hydrogen sulphide apparatus, 1885, A., 1261.

- Reinhardt, Carl. permanent potassium iodide and starch solution, 1886. A.,
- --- melting points of fats, 1886, A.,
- titanium nitrocyanide, 1888, A., 1047.
- estimation of small quantities of manganese in iron rich in silicon, 1888, A., 1132.
- estimation of chromium and copper in iron and steel, 1890. A., 85.

- filter holder for drying and weigh-

ing, 1890, A., 193.

- estimation of iron by means of potassium permanganate in hydrochloric acid solutions, 1890, A., 296. - volumetric estimation of chromium
- in chrome iron orc, 1890, A., 298. - rapid gravimetric estimation of sul-
- phur in iron and steel, 1890, A., 1464. estimation of phosphorus in pigiron by means of Braun's centrifugal apparatus, 1892, A., 912.
- Reinhardt, Gustur. See Otto Wallach. See Johannes Wis-Reinhardt, H. licenus.
- Reinhardt, Heinr., and Wilhelm Staedel. methylation and ethylation of aniline
- and toluidine, 1883, A., 578. Reinhart, J. H., drying of exhausted beet residues, 1884, A., 1411.
- Reinitzer, Benj., behaviour of chromium, iron, and aluminium acetates, 1884, A., 39.
- Reinitzer, Friedrich, hydrocarrotene, and carrotene, 1887, A., 265. —— cholesterol, 1888, A., 1076.
- physiology of the tannins, 1890,
- A., 186.
- estimation of lupulin in hops, 1890, A., 431.
- nature of gum ferment, 1890. A., 998,
- Reinitzer, Friedrich. See also Wilhelm Friedrich Gintl.
- Reinke, Johana, autoxidation in plant cells, 1883, A., 819.
- easily oxidisable constituents of plants, 1883, A., 880.
- effects of light on the respiration of oxygen by plants, 1884, A., 916, 1066
- chlorophyll in the living cell and assimilation of carbon, 1885, A., 182.
- destruction of chlorophyll solution by light, 1885, A., 991.
- oxidation in the plant, 1888, A., 741. Reinke, O., estimation of starch, 1891,

A., 127.

- Reinsch, Paul Frederick, chemical composition of coal, 1885, A., 876.
- Reis, Moritz Adolf ron, behaviour of basic slag with water charged with carbonic anhydride, 1886, A., 663; 1888, A., 222.
- simplification of the molybelate method for estimating phosphorus, 1886, A., 835.
- estimation of phosphoric acid in basic slag, 1889, A., 439.
- estimation of phosphorus and sulphur in iron, 1889, A., 648.
- estimation of arsenic in iron, 1890, A., 194.
- estimation of manganese by the chlorate method, 1892, A., 1132.
- Reis, Morite Adolf ron, and F. Wiggert, volumetric estimation of cobalt, 1891, A., 620.
- estimation of sulphur in iron, 1891, A., 1549.
- Reisenegger, Hermann, compounds of the hydrazines with the ketones, 1883, A., 798.
 - hydrazine compounds of phenol and anisoil, 1884, A., 440.
- Reiset, Jules, exhalation of nitrogen gas during the respiration of animals, 1883, A., 675.
 - blue milk, 1883, A., 742.
- putrefaction: formation of manures, 1889, A., 739.
- Reiss, Rud., seminose, 1889, A., 687. - nature of reserve cellulose and its mode of solution during germination
- of seed, 1891, A., 356. Reisse, Eugen, decomposition products of the sodium salts of the chlorolactic acids, 1890, A., 1997.
- Reissert, Arnold, action of phenylhydrazine on cyanhydrins, 1884, A., 1152.
- action of aniline on dibromosuccinic acid, 1886, A., 791.
- condensation products from β-anilido-acids, 1888, A., 276, 694.
- constitution of pyranilpyroic acid, pyranilpyroinlactone, and anilsuccinic acid, 1888, A., 954.
- pyranilpyroic acid, 1889, A., 142. pyranilpyroic acid and mesaconilic
- acid, 1889, A., 1174. pyridine and pyrroline derivatives from anilidopyrotartaric acid, 1890,
- A., 642. - citraconanil and pyranilpyroinlactone, 1890, A., 1102.
- melting points of organic compounds, 1890, A., 1204.
 - condensation products of anilido-glutaric acid, 1891, A., 567.

Reissert. Arnold, juloles, 1891, A., 736; 1892, A., 496.

dyes obtained from ketomethyljuloline and methyllepidone, 1892, A., 498.

- a-phenylhydrazidopropionic acid, 1892, A., 1456.

Reissert, Arnold, and Alfred Junghahn, 3'-methyl-a-naphthindole, 1892, A., 1479.

Reissert, Arnold, and Walter Kayser, action of phenylhydrazine on the hydroxy-acids and their ethyl salts, 1890, A., 155; 1891, A., 438.

as-phenylhydrazidoacetic acid, 1891, A., 1054.

Reissert, Arnold, and Ferdinand Tiemann, condensation products from β-anilido-acids, 1886, A., 551.

Reissert, Arnold. See also Walter Kayser.

Reissmann, A., bumping during distillation, 1888, A., 547.

Reitmair, Otto, "citrate" method of phosphoric acid estimation, 1890, A., 416; 1891, A., 243.

- estimation of calcium in presence of phosphorie acid, iron, aluminium, and manganese, 1890, A., 417.

- alterability of some food fats, 1891, A., 770.

Reitmair, Otto. See also Albert Stutzer. Remmler, W., separation of bismuth and lead, 1892, A., 385.

Rémont, _11bert, rapid method of estimating salicylic acid in wines, 1883, A., 245.

- estimation of salicylic acid in milk and butter, 1883, A., 522.

- estimation of the wool, silk, and cotton in tissues, 1885, A., 96.

Rémont, 11bert. See also 11fred Riche.

Rempel, R., apparatus for the estimation of starch, 1885, A., 813.

Rempel, Rudolf. See Curl Hell.

Remse, Paul, condensation products of p-nitrobenzyl cyanide, 1891, A.,

Remse, Paul. See also Martin Freund. Remsen, Ira, action of alcohol on diazocompounds, 1885, A., 525.

- new class of compounds analogous to the phthaleins, 1885, A., 539.

- v-sulphobenzoic acid and its derivatives, 1889, A., 881.

donble halogen salts, 1889, A.,931; 1892, A., 779.

Remsen, Ira, and William Shirley Rayley, p-bromobenzoic sulphinide, 1887, A., 145.

Remsen, Ira, and William Merriam Burton, action of acids on benzoic sulphinide and analysis of "saccharin," 1890, A., 91.

Remsen, Ira, and Robert Dorsey Coale,

sinapine, 1884, A., 1387.
Remsen, Ira, and William James Comstock, oxidation of substitution products of aromatic hydrocarbons, 1881, A., 319.

Remsen, Ira, and William Catheart Day, oxidation of \$\beta\$-cymenesulphon-amide, 1884, \$\Lambda\$. 456.

Remsen, Ira, and Alfred Robert Louis Dohme, v-sulphobenzoic acid and its derivatives, 1889, A., 992.

Remsen, Ira, and William Henry Emerson, oxidation by means of potassium permanganate, 1887, A., 146.

Remsen, Ira, and Robert Orlando Graham, decomposition of diazo-compounds, 1889, A., 975.

Remsen, Ira, and Charles Willard Hayes, sulphonefluorescein, 1888, A., 153.

Remsen, Ira, and Homer Winthrop Hillyer, methods for determining the relative stability of alkyl bromides, 1887, A., 122.

Remsen, Ira, and Edward Harrison Keiser, behaviour of air and moist phosphorus towards carbonic oxide, 1884, A., 149, 711.

- white phosphorus, 1881, A., 154.

- oxidation of p-dipropylsulphonamide, 1884, A., 457.

- estimation of carbon in ordinary phosphorus, 1885, A., 482.

Remsen, Iru, and Alvin Frank Linn, sulphonephthaleïns, 1889, A., 710. Remsen, Ira, and William Ridgely

Orndorff, decomposition of diazo-compounds, 1888, A., 268.

Remsen, Ira, and Albert Gallatin Palmer, decomposition of diazo-compounds by alcohol: p-diazotoluene-o-sulphonic acid, 1887, A., 136.

– benzoic sulphinide, 1887, A., 144.

 p-ethoxybenzoic sulphinide, 1887, A., 144.

Remsen, Ira, and Chase S. Palmer, benzoyltoluenesulphonamide, 1887, A., 145.

Remy, Albert. See Eugen Lellmann. Renard, Adolphe, products of the distillation of colophony, 1883, A., 599; 1884, A., 83.

– an isomeride of laurene, 1884, A., 173.

- Renard, Molphe, resin oils and essences, Retgers, Jun Willem, influence of foreign 1881, A., 843.
- dyeing cotton yarn with anilineblack in the cold. 1884, A., 912.
- —— electrolysis of salts, 1886, A., 115, 407.
- propionic acid, 1886, A., 1007.

 action of heat on heptine, 1887,
- A., 565.
 —— metallic propionates, 1887, A., 651.
- estimation of indigo in textile fabrics, 1887, A., 871; 1890, A., 931.
- diterobenthyl, 1888, A., 161, 721.
 hydrocarbons in resin oils, 1888,
 A., 846.
- --- phenylthiophen, 1890, A., 134.
- —— phenyldithienyl, 1890, A., 1120.
- rithienyl, 1891, A., 427.

 Renard, (Rev.) Alphonse François, mon-
- azite and zircon from the quarries of Nil St. Vincent, 1883, A., 561.
- Bastogne region, 1883, A., 958.
 Renard, (Rev.) Myhonse François, and
- Renard, (Rev.) Alphonse François, and Constantin Klement, crocydolite and fibrous quartz from the Alps, 1886, A., 603.
- Renard, (Rev.) Alphonse François. See also Ernst Ludwig.
- Rennie, Edward Henry, p-benzylphenol and its derivatives: an isomeric benzylphenol, 1886, T., 406; P., 184; discussion, P., 184.
- glycyphyllin, the sweet principle of Smilax glycyphylla, 1886, T., 857; P., 239.
- colouring matter of Dros ra Whittakeri, 1887, T., 371; P., 36.
- mennie, Elward Henry, and George
- Arthur Goyder, the resins of Ficus rubiginess and F. nucrophylla, 1892, T., 916; P., 116.
- Renouard, Alfred, cotton cake, 1883, A., 111.
- Renouf, Edward, derivatives of triphenylmethane, 1883, A., 981.
- Renouf, Edward. See also Otto Fischer. Retgers, Jan Willem, minerals from the Krakatoa ashes, 1886, A., 602.
- determination of the specific gravity of salts which are soluble in water, 1889, A., 812, 1101.
- —— specific gravity of isomorphous mixtures, 1889, A., 931.
- isomorphism, 1890, A., 328, 1208; 1891, A., 116, 1151; 1892, A., 1018.
- —— décomposition of potassium mancanate by ammonium salts, 1891, A. 1159.

- Retgers, Jun Willem, influence of foreign substances on the form, purity, and size of crystals separating from a solution, 1892, A., 937.
- Reuland, Jos., derivatives of diphenyline, 1890, A., 166.
- Reusch, Hans H., volcanic ashes from the last eruption of Krakatoa, 1884, A., 415.
- the Tysnes meteorite, 1886, A., 927. Reusch, Hermann. See Eugen Lellmann.
- Reuss, Karl, density of solutions of pure and commercial aluminium sulphate, 1885, A., 458.
- Reuter, Aug., action of zine chloride on camphor, 1883, A., 810.
- cstimation of the three xylenes in coal-tar, 1881, A., 1431.
- Reuter, Fordinand. See Richard Anschütz.
- Reuter, Ludwig, constituents of Urtica urens, U. dioica, and U. pilulifera, 1890, A., 545.
- synthesis of cymene, 1892, A., 1310.

 Reuter, Ludwig. See also Julius Wilhelm Brühl, Friedrich Krafft.
- Revelli, C. A. See F. Ballario.
- Reverdin, Fráléric, and Ch. De la Harpe, estimation of p-nitrotoluene, 1889, A., 84.
- estimation of aniline and methylaniline, 1889, A., 1038.
- analysis of methylanilines, 1890, A., 430.
- amidonaphtholsulphonicaeids, 1892, A., 996.
- Reverdin, Frédéric. Sec also Ch. De la Harpe.
- Rey, Hermann, burette float for opaque liquids, 1891, A., 1288
- Rey, Hermann. See also Kurl Henmann, Georg Lunge.
- Reychler, Albert, silver nitrate and ammonia, 1883, A., 902; 1884, A., 261.
- silver nitrite and ammonia, 1881, A., 157.
- A., 721, 1261; 1885, A., 18.
- estimation of pressure in closed tubes, 1887, A., 1014.
- preparation of phenylhydrazine, 1887, A., 1042.
- artificial diastase, 1889, A., 621. conversion of crucic acid into
- behenic acid, 1889, A., 1140.

 —— preparation of carvacrol, 1892, A.,
 1311.
- some derivatives of carvacrol, 1892, A., 1312.
- constitution of curvene, 1892, A., 1350.

Revchler, Albert. See also P. de Wilde. Reyer, E., on solidification, 1885, A., 1180.

Reymond. See Du Bois Reymond.

Reynier, Emile, observations on Trouve's paper on the bichromate battery, 1883, A., 700.

electromotive - measurement of force, 1884, A., 246.

- variation of electromotive force in accumulators, 1884, A., 881.

Reynolds, (Colonel) Henry Churles, and William Ramsay, equivalent of zinc, 1887, T., 854; P., 81.

Reynolds, James Emerson, comparative effect of two metameric bodies on the growth of Nicotiana longiflora, 1883, Λ., 495.

- on the synthesis of galena by means of thiocarbamide, and the deposition of lead sulphide as a specular film, 1884, T., 162.

- atomic weight of beryllium, 1881,

A., 261.

- action of silicon tetrabromide on thiocarbamide, 1887, T., 202; P., 1; discussion, P., 2.

- new chlorobromide of silicon, 1887,

T., 590; P., 72.

- composition of Prussian blue and Turnbull's blue, 1887, T., 644; P., 86. — action of bromine on potassium ferricyanide, 1838, T., 767; P., 87.

action of silicon tetrabromide on allyl- and phenyl-thiocarbamides; action of othyl alcohol on the compound (H4N2CS) SiBr4, 1888, T., 853;

- silicotetraphenylamides and a- and 5-silicotetranaphthylamides, 1859, T., 474; P., 98.

-silico-organic compound of a new

type, 1889, A., 504.

additive compounds of "thiocarbamide" which afford evidence of its constitution, 1891, T., 383; P., 78; discussion, P., 79.

- some silver compounds of thiourea,

1892, T., 249; P., 14.

 silicon compounds and their derivatives; action of silicon tetrachloride on substituted phenylamines, 1892, T., 453; P., 73.

Rey-Pailhade, Joseph de, organic compound which hydrogenises sulphur,

1888, A., 1101.

philothion, 1888, A., 1101.

attraction of animal tissues for sulphur, 1889, A., 633.

alcoholic extract of yeast, 1890, A., 905.

Rhoussopoulos, Otto, quinoline derivatives, 1883, A., 96.

- action of chloroform and iodoform on quinoline, 1883, A., 600.

methylenediquinoil hydrochloride,

1883, A., 1150.

— cthyl ethylenedicarbamate, 1891, A., 1195.

- methanetriquinoïl or triquinylmethane, 1891, A., 1261.

Ribalkin, M., chemical equilibrium between hydrogen chloride and hydrogen in conjunction with metals, 1890, A., 685.

Riban, Joseph, conversion of tricalcium phosphate into chlorine compounds of phosphorus, 1883, A., 287.

estimation and separation of zinc,

1888, A., 1343.

estimation of zinc in presence of iron and manganese, 1890, A., 1193. colorimetric estimation of iron, Λ., 1132.

 basic zinc nitrate, 1892, Λ., 1156. — alteration of chalybeate mineral waters, 1892, A., 1288.

chalybeate mineral waters, 1892, A., 1289.

Ricciardi, Leonardo, composition of various layers of a lava current from Etna, 1883, A., 36.

composition of the banana at different stages of maturity, 1883, A.,

diffusion of vanadium in the mineral and vegetable kingdoms, 1884, A., 159.

supposed recombination of oxyhydrogen mixture in the dark, 1884, A., 1092.

products of the eruption of Mount Etna, 1886, A., 857.

volcanic rocks of Assah, 1886, A.,

origin of hydrogen chloride, sulphurous anhydride, and iodine in the gases of volcanoes, 1887, A., 643.

 composition of volcanic rocks, 1887, A., 1023.

- composition of rocks and minerals from Vulture-Melfi, 1887, A., 1087. examination of the rocks of the Vulsinian volcanoes, 1889, A., 224.

- diffusion of alumina in plants, 1890, A., 818.

Richard, action of cocaine on the Invertebrata, 1885, A., 1002.

Richard, Adolphe. See Adolphe Carnot. Richard, Bernhard, constitution of Bquinaldinesulphonic acid, 1891, A., 329.

Richard, L., estimation of starch in gluten bread, 1885, A., 299.

Richards, Jos. IV., specific heat of aluminium, 1892, A., 673.

Richards, Theodore William, heat produced by the reaction of silver nitrate with solutions of metallic chlorides, 1888, A., 400.

- relation of the atomic weights of silver and copper, 1888, A., 916.

- atomic weight of copper, 1888, Λ ., 917; 1891, A., 805.

vapour density determinations, 1889, A., 460.

- cuprammonium compounds, 1891, A., 399.

- cuprammonium acetobromide, 1892, A., 953.

Richards, Theodore Will am. See also Josiah Parsons Cooke, Paul Ehrhardt Jannasch.

Richardson, Albert Ernest, specific gravity of a liquid, a function of its boiling point and molecular weight, 1891, A., 780.

Richardson, Arthur, vapour pressures of alcohols and organic acids, 1886, T., 761.

 action of heat on nitrogen peroxide, 1887, T., 397; P., 39.

- action of light on the hydrides of the halogens in presence of oxygen, 1887, T., 801.

- action of light on moist oxygen, 1889, P., 134; discussion, P., 134.

- action of light on pure ether in presence of moist oxygen, 1890, P., 146; discussion, P., 147; 1891, T., 51.

– sealing tubes under pressure, 1890, A., 941.

 decomposition of silver chloride by light, 1891, T., 536; P., 81.

- measurement of light intensity by the expansion of chlorine, 1892, A.,

Richardson, Benjamin Ward, action of oxygen on animals, 1887, A., 855.

Richardson, Clifford, composition of American wheat, 1884, A., 1404.

- chemical alterations in green fodder during ensilage, 1885, T., 80.

- chemical composition of wheat and maize as influenced by environment, 1885, A., 585.

- chemical composition of the products of roller milling, 1885, A., 1021. - variations in the chemical composition and physical properties of

American cats, 1887, A., 293.

— American barley, 1887, A., 616.

Richardson, Clifford, and Churles Albert Crampton, composition of the wheat

germ, 1886, A., 734.

Richardson, Geo. M., double halogen salts of tin, 1892, A., 784.

Richardson, Herbert Appleton. See

Len is Mills Norton.

Richardson, IV. II., new phenylhydrazine salts, 1888, A., 1286.

probable o-quinone derived from anthraquinone, 1888, A., 1308.

Richarz, Frant, products of the electrolysis of dilute sulphuric acid, 1885,

- formation of hydrogen peroxide at the anode during the electrolysis of dilute sulphuric acid, 1888, A., 12.

- electrolytic formation of persulphuric acid and hydrogen peroxide at the anode, 1888, A., 769.

 constitution of peroxides, 1888, Λ., 769.

- electrical behaviour of platinum in persulphuric acid and the galvanic polarisation in the formation of the latter, 1889, A., 1041.

· polarisation of platinum electrodes in dilute sulphurie acid, 1890, A., 551.

galvanic polarisation of platinum electrodes in dilute sulphuric acid with high current density, 1890, A., 676.

Riche, Alfred, and Albert Rémont, mascate pea, 1884, A., 1068.

Riche, Alfred. See also J. B. Vincent Laborde.

Richet, Churles, comparative poisonous action of metals on bacteria, 1884, A.,

- physiological action of rubidium salts, 1886, A., 88.

- physiological action of lithium, potassium, and rubidium salts, 1886, A., 88.

- toxic action of alkali salts, 1886, A., 385.

Richet, Churles. See also Alexandre Léon Etard, Eugène Gley, Maurice Hanriot, Jules Héricourt.
Richmond, Henry Droop, extraction of

fat from milk solids, 1890, A., 91.

 estimation of soluble and insoluble fatty acids in butter, 1890, A., 93.

estimation of iodoform, 1892, A., 1528.

Richmond, Henry Droop, and Hussein Off, indications of a possible new element in an Egyptian mineral, 1892,

T., 491; P., 87. Richmond, Henry Droop. See also Alfred Pappel, Edward Cox Seaton.

Richmond, W. T., a convenient temperature regulator, 1881, A., 656.

Richter, Jugust Karl, thymol derivatives, 1883, A., 1112.

Richter, Carl. Sec Adolph Claus.

Richter, Educad, reactions of carbonic oxide blood, 1890, A., 1200.

Richter, Ernst, α- and β-naphthenylamidoximes, 1887, Δ., 374.
derivatives of the two isomeric

naphthenylamidoximes, 1890, A., 62. β - trichloro - α - hydroxypropenylamidoxime, 1892, A., 321.

Richter, Ernst Ludwig, two p-toluidinedisulphonic acids, 1886, A., 151.

- oil of Lallemantia ibericu, 1888, A., 83.

Richter, Paul, increased output of nitrogen in cerebral hyperthermia, fever, and artificial overheating, 1891, A., 600.

physiological action of antipyreties,

1891, A., 602.

Richter, R., carbonyldiphenyl oxide and hydroxyphenylene ketone, 1884, A.,

- a new form of hot filtering funnel and an apparatus for obtaining sublimates, 1884, A., 364. Richter, Th. See F. Reich. Richter, Victor von, cinnoline derivatives,

1883, A., 1105. so-called critical pressure of solid substances, 1886, A., 656.

- action of chromyl chloride on nitrotoluene, 1886, A., 694.

- chromogenic carbons; constitution of rosaniline salts, 1888, A., 1185.

- new chromogenic groups, 1888, A.,

Richter, Victor von, and Hugo Münzer, benzeneazoketone, 1884, A., 1342.

Richter, Victorion, and Georg Schüchner. action of chromyl chloride on cymene, 1884, A., 1342.

Richter, Victor von. See also E. Courant. A. Gallinek.

Ricketts, Pierre de P., franklinite ores from New Jersey, 1884, A., 27.

Rickmann, James Pellutt. See Jucob Buynes Thompson.

Rideal, Samuel, delicate tests for antimony, arsenic, and tin, 1885, A., 1013.

— action of ammonia on chromyl chloride, 1886, T., 367; P., 175.
— isodimorphism, 1886, A., 503.
— blue colouring matter of decaying

wood, 1886, A., 810.

- action of ammonia on tungsten compounds, 1888, P., 113; discussion, P., 113; 1889, T., 41.

Rideal, Samuel, organic boron compounds, 1889, A., 769.

 colorimetric estimation of nitrates in potable waters, 1890, A., 831.

Rideal, Sumuel. See also Arthur George Green.

Ridsdale, Charles Henry, simplified chromometer, 1888, A., 625.

- estimation of vanadium, 1888, A., 628.

Ridsdale, Charles Henry. See also John Edward Stead.

Rieche, Friedrich, the four isomeric nitro-m-methoxybenzaldehydes, 1889, A., 1169.

Riechelmann, Rudolf. See Rudolph

Fittig.

Riecke, Eduard, measurement of the quantity of electricity produced by a Zamboni's pile, 1884, A., 138.

— continued dissociation and the

vapour density of sulphur, 1891, Λ , 381. thermal potential for dilute solu-

tions, 1891, A., 786. Riecke, Eduard. Sec also Victor Meyer. Riedel, C., quinoline- and pyridine-carboxylic acids, 1883, A., 1152.
 Riedel, Heinrich. See Adolph Claus.

Riedel, Hermann, nitrogen in fæces, 1885, A., 414.

Rieger, Joseph, glyoxalbutyline and glyoxalisobutyline, 1889, A., 119.

Richm, Paul, condensation products of acetone and acetophenone with aniline and ammonia, 1887, A., 599.

Richm, Paul. See also Carl Engler. Igna't Lew.

Riemann, Pard. See Adolph Claus.

Riemerschmied, Carl, B-hydroxyquinoline, 1883, A., 1147.

Riemerschmied, Carl. See also Otto Fischer.

Riesenfeld, Joseph. See Carl Bernhard Kühn.

Riess, Carl, derivatives of eyanethine, 1885, A., 235.

Riess, Carl, and Ernst Sigismund Christion com Meyer, cyammethethine, 1885, A., 616.

Theophilus, Pet 1 us electric shadows, 1883, A., 416.

Rietsch, Maximilien, biliary acids, 1855, A., 577.

Rietsch, Maximilien. See also William Nicati.

Riffard, E., artificial manuing of sugarcanes, 1883, A., 506.

Riggs, Rob. B., the Grand Rapids meteorite, 1886, A., 321. - an non of doubtful origin, 1888.

Δ., 121.

- Riggs, Rob. B., new meteoric iron, 1888, Λ., 121.
- so-called indicolite from Haarlem, 1888, A., 351.
- composition of tourmaline, 1888, A., 659.
- separation of iron, manganese, and calcium, 1892, A., 916.
- Righi, Augusto, conductivity of bismuth for heat in a magnetic field, 1887, A., 1009; 1888, A., 102.
- rotation of isothermic lines of bismuth placed in a magnetic field, 1888, A., 102.
- electromotive force of selenium, 1889, A., 555.
- Rigollot, H., absorption spectrum of iodine solutions, 1891, A., 374.
- Rigollot, H. See also A. Gouy.
- Rilliet, Albert A. See J. Louis Soret. Rimbach, Eberhard, correction of ther-
- mometric readings for the column outside the heating medium, 1890, A.,
- behaviour of optically active substances in mixtures of two solvents, 1892, A., 1137.
- Rimpau, W. (and others), sugar-beet culture, 1883, A., 114.
- --- basic slag and other phosphates as manure for moorlands, 1887, A., 294.
- Rindell, Arthur, and Ferdinand Hannén, nitrogen estimation by Kieldahl's method, 1886, A., 648.
- Ringer, Sydney, influence of inorganic salts on development, 1890, A., 393. action of lime on casein and on
- milk, 1891, A., 340. cascinogen, 1891, A., 951.
- calcium salts and coagulation,
- 1892, A., 1112. Ringer, Sydney, and Harrington Sains-
- bury, influence of salts on clotting, 1890, A., 1176.
- action of salts on heat coagulation, 1891, A., 954.
- Rinicker, hailstorms and their origin, 1883, A., 234.
- Binman, Ludwig, composition of firwood charcoal, 1883, A., 533.
- Rinne, Friedrich, rutile from Imfeld, 1885, A., 1186.
- milarite, 1885, A., 1187.
- the Dachberg, a volcano of the Rhone, 1889, A., 110.
- relations between minerals of the heulandite and desmine groups, 1892, A., 417.
- gismondine from Westphalia, 1892, A., 1056.

- Ris, ('hristoph, phenyl-β-naphthacridine, 1881, A., 1357.
 behaviour of β-dinaphthylamine,
- 1886, A., 917.
- phenazine, 1886, A., 1021.
- thio-β-dinaphthylamine, 1886, A., 1036.
- derivatives of di-β-naphthylamine, 1888, A., 57.
- action of catechol on alkylene
- diamines, 1888, A., 468.
 Ris, Christoph, and Adolf Weber, derivatives of β -dinaphthylamine, 1884, A.,
- Ris, Christoph. See also Victor Merz. Rischbieth, Paul, preparation of levulinic acid, 1887, A., 799.
- isonitrosogalactose, 1888, A., 40. isonitrosovaleric acid and y-valer-
- oximidolactone, 1888, A., 44. Rischbieth, Paul, and Bernhard Tollens, raffinose or melitose from molasses, cotton-seeds, and encalyptus manna,
- 1886, A., 138. Rising, William Bradley. See Joseph Le Conte.
- **Risler.** Eugène, influence of temperature on the development of wheat, 1885, Λ., 422.
- Rist, E., 2-methylquinaldine, 1891, A., 329.
- Ritschke, A. See Ludwig Gattermann. Ritsert, Eduard, testing acetanilide, 1890, A., 1349.
- Ritter, Adolf. See Carl Hell. Ritter, Aemil, improvement of sheep manure by kainite, 1885, A., 834.
- Ritthausen, Carl Heinrich Leopold, skim milk as food, 1883, A., 102.
- behaviour of conglutin from lupines towards saline solutions, 1883, A., 360.
- proteids in peach-kernels and sesame-cake, 1883, A., 360.
- legumin, 1883, A., 675. - melitose from cotton-seeds, 1884,
- A., 1286. occurrence of citric acid in the
- seeds of Leguminosæ, 1884, A., 1304. solubility of vegetable protein compounds in water containing hydrochloric acid, 1884, A., 1390.
- occurrence of vicin in broad beans (Vicia faba), 1884, A., 1405.
- Ritthausen, Carl Heinrich Leopold, and Felix Weger, betaine in cotton-seed, 1885, A., 50.
- Ritzefeld, Carl. See Adolph Claus.
- Riva-Rocci, Scipione, estimation of peptones in stomach contents, 1892, A., 1136.

24

Rivière, Charles, law of cooling, 1883, Δ., 144.

Rivière, Charles. See also Jumes Chappuis.

Rizza, Benvenuto, camphor from the ethereal oil of Ledum palustre, 1888, A., 845.

Rizza, Benvenuto, and Alexander M. Butleroff, asarone, 1884, A., 1042; 1888, A., 458.

Rizza, Benvenuto. See also Alexander M. Butleroff.

Rjasantzeff, action of zinc ethide on succinic chloride, and of zinc ethide and zinc methide on phthalic chloride; pyrotartaric chloride, 1889, A., 1059.

Robb, William L., position of amalgams of zinc and cadmium in electropotential series, 1884, A., 382.

William. See Heinrich Robert. Brunner.

Roberts, galvanic elements, 1888, A.,

Roberts, Isaac Phillips, and Henry Hiram Wing, depreciation of manure by exposure to wet and fermentation. 1891, A., 1395.

Roberts, W., manurial experiments with various phosphates, 1887, A., 1137.

Roberts, (Sir) William, Pfciffer's test for latent gout, 1890, A., 401.

- uric acid, 1890, A., 540.

oberts-Austen, William Chandler, assay of nickel coins, 1886, A., 101. Roberts-Austen,

mechanical properties of metals in relation to the periodic law, 1889, A.,

certain properties of metals considered in relation to the periodic law, 1891, A., 1161.

Roberts-Austen, William Chundler, and Thomas Wrightson, density of metals

in the liquid state, 1884, A., 708. Robertson, George Borwick, obituary notice of, 1884, T., 618.

Robertson, George Henry. See Alexander Wynter Blyth.

Robertson, James D., new variety of zinc sulphide, 1891, A., 154. Robertson, Robt., blue quartz from Nelson Co., Virginia, 1885, A., 129. albite from Amelia Co., Virginia, 1885, A., 130.

- analysis of chrysocolla from Gila Co., Arizona, 1885, A., 130.

Robin, Albert, estimation of potassium hydrogen tartrate in urine, 1890, A.,

Robin, Maurice, ferric peptonate, 1885, A., 1147.

Robineau, Fornand. See Lucien Soret. Robinet, Ed., and Honri Pellet, antiseptic action of salicylic acid, 1883, A., 128.

Robinet, Gabriel, derivatives of mesitylene, 1883, A., 577.

Robinet, Gabriel, and Albert Colson, mesitylene, 1883, A., 1095.

Robinson, Franklin C., blue clay from Farmington, Maine, 1888, A., 352.

- so-called Northport meteorite, 1888, A., 662.

Robinson, Franklin C. See also Churles Frederic Mabery.

Robinson, Henry, atomic weight of cerium, 1885, A., 217.

Robinson, Henry Halliburton. Sec Thomas Edward Thorpe.

Robinson, W.C., spessartine, 1889, A., 473. Robinson, William Sanford. Charles Loring Jackson.

Rocci. See Riva-Rocci. Rochefontaine. See Hector de Rochefontaine.

Rocholl, H., estimation of sulphur in pig-iron, 1883, A., 512.

Rockenbach, Theodor. See Carl Hell. Rockwood, Elbert William. See Wiebur Olin Atwater.

Rocques, Xavier, detection of impurities in alcohols, 1888, A., 993.

composition of natural brandies and the way of distinguishing them,

1889, A., 84. Rocques, Xavier. See also Adum Charles Girard.

Rodatz, P., constitution of some azobenzenedisulphonic acids, 1883, A., 477.

- brominated azobenzenedisulphonic acids, 1883, A., 478.

Rodatz, Paul.

Adolf Stohmann. See Friedrich Carl

Roder, Anton, indoles from m-hydrazinebenzoic acid, 1887, A., 149.

Rodewald, Hermann, relation between chemical metamorphosis and transformation of forces during the germination of seeds, 1884, A., 1207.

estimation of the heat and of the

carbonic anhydride given out by parts of plants, 1888, A., 979. — transformations of force and of

material in plant respiration, 1889,

detection of margarine in butter. 1892, A., 1034.

Rodger, James Wyllie. See Thomas Edward Thorpe.

Rodiczky, E.von, cultivation of Peruvian rice in Austria, 1884, A., 769.

Rodzianko, (Mudame) Alexandra N., mono- and di-nitro-p-azobenzoic acids, 1889, A., 111.

— some properties of humin and humic acid, 1892, A., 1373.

Roeder, Friedrich, vinaconic acid, 1885, A., 653.

Roeder, Friedrick. See also Rudolph Fittig.

Röders, Paul. See Rudolph Fittig.

Röhmann, Frant, observations on a dog with biliary fistula, 1883, A., 818. importance of ammonia for the

formation of glycogen, 1887, A., 68.

Röhmann, Franz, and Jelmur Muhsam, amount of dry residue and fat in arterial and venous blood, 1891, A., 347.

Röhmann, Franc, and Wilhelm Spitzer, determination of the affinity of organic acids by means of lacmoid, 1892, A., 37.

Röhrig, Armin, sulphites, 1888, A., 649. Römer, Adolf, influence of mass on the chlorination of combustible gases,

1886, A., 845. Roemer, Hermann (Beilin), new nitroand amido-anthraquinones, 1883, A.,

dinitroanthraquinone and di-oamidoanthraquinone: a new method of preparing anthrarufin, 1883, A., 737.

- reduction in the anthracene series, 1883, A., 1137.

- amidoalizarin, 1885, A., 1068. Roemer, Hermann (Berlin), and Walther Link, amidomethylanthranol, 1883, A., 1137.

- nitro-, amido-, and hydroxymethylanthraquinones, 1883, 1138.

Roemer, Hermann (Halle). See Ernst Albert Schmidt.

Römer, Molchior, nitration of a-thio-phonic acid, 1887, A., 362. Römer, Molchior. See also Ludwig

Gattermann, Carl Theodor Lieber-

Römer, Peter, process for preparing dichromates, 1884, A., 783. Röntgen, Wilhelm Conrad, absorption

of heat by water vapour, 1885, A., 5. electromagnetic action of dielectric

polarization, 1885, A., 1030. Röntgen, Wilhelm Conrad, and J. Schneider, compressibility of dilute salt solutions and of solid sodium chloride, 1888, A., 22.

compressibility of water, 1888, A., 548.

Röntgen, Wilhelm Conrad, and J. Schneider, compressibility of sylvin, rock-salt, and aqueous solutions of potassium chloride, 1889, A., 1019. Röse, Bruno, detection of fusel oil in

spirituous liquors, 1885, A., 600.

- detection of salicylic acid in beer and wine, 1886, A., 924.

- analysis of fats, 1887, A., 621. - estimation of alcohol, 1888, A., 1133.

estimation of fat in milk, 1888,

A., 1135. Röse, Bruno, and Ernst Schulze, some

constituents of Emmenthaler cheese, 1885, A., 207.

Rösel, Robert. See Rudolf Nietzki. Roeser, liquids from hydatid cysts, 1891, A., 97.

Rösing, Ernst, oxidation of albumin in presence of sulphur, 1892, A., 741.

Rössing, Adelbert, condensation products of the derivatives of salicylaldehyde, 1885, A., 388.

– inner condensations, 1886, A., 65. - s-diphenyl glyceryl ether, 1886,

A., 345. - analogy of ketonic acids to sul-

phonecarboxylic acids, 1890, A., 781. Rössing, Adelbert. See also Robert Otto. Roessler, C., lead assaying in the wet way, 1885, A., 596.

Rössler, Heinrich, method for the separation of gold, silver, lead, and copper from sulphides by air-blast, 1883, A., 400.

 occurrence of oxide of cobalt, 1888, A., 658.

 estimation of silver in alloys of silver and copper, 1888, A., 755.

Rössler, Oscar, detection of small amounts of carbonic anhydride and other gases, 1888, A., 88.
Röttger, F., and H. Precht, estimation

of sodium chloride in presence of potassium chloride, 1885, A., 1263.

Rottger, Hermann, examination of wax, 1890, A., 429.

assay of bees-wax for vegetable wax, 1892, A., 551.

detection of resin in bees-wax, 1892, A., 923.
Roger, G. H., substances which favour

infection, 1891, A., 100.

Rohart, F., new properties of ferric sulphate, 1883, A., 1178.

Rohde, Georg, action of aniline on a mixture of acetaldehyde and prop-

aldehyde, 1887, A., 974. — 2':3'-dimethylquinoline, 1889, A., 523,

Rohde, Georg. See also Wilhelm von Miller.

Rohrbach, Carl Ernst Martin, application of a solution of barium mercury iodide to petrological purposes, 1883, A., 1060.

-anew liquid of high specific gravity, refraction equivalent, etc., 1881, A., 145.

minerals from the eruptive rocks of the Cretaceous formation of Silesia and Moravia, 1886, A., 928.

— chiastolite, 1889, A., 25. Roland, Léon. See Walthère Spring. Rolfe, George William. See Charles Loring Jackson.

Roll, Georg, and Otto Hölz, benzyl ethers of brominated nitrophenols, 1885, A., 1209.

Rolland, Ch., comparative manurial value of Chili saltpetreand ammonium sulphate, 1889, A., 1085.

Rolleston, Humphry Davy, temperature in nerves, 1890, A., 536.

Roloff (and others), observations on diseases of animals, 1884, A., 95,

See Manfredo Romanese, Riccardo. Bellati.

Romanis, Robert, water of Rangoon, 1883, A., 128.

analysis of tobacco ash, 1883, A., 372.

specific volume of some soluble chlorides, 1884, A., 956.

- gold from Burmah, 1887, T., 221. — certain products from teak, 1887, T., 868; P., 114.

tectoquinone, 1888, P., 116.

Burmese petroleum, 1889, A., 949.
obituary notice of, 1890, T., 455.

Romburgh, Pieter van, action of benzoic anhydride on epichlorhydrin, 1883,

action of benzoic anhydride on monochloracetone, and on pyruvyl benzoate, 1883, A., 63.

conversion of organic chlorides into iodides by means of calcium iodide, 1883, A., 303.

· isomeric monochlorallyl iodides. 1883, A., 449.

non-existence of pentanitrodimethylaniline, 1885, A., 660.

- reaction of primary and secondary amines, 1886, A., 455. nitro-derivatives of substituted

benzamides, 1886, A., 546. – d-hexyl alcohol, 1887, A., 228.

- decomposition of the nitrates of amines by heat, 1887, A., 230.

Romburgh, Pieter van, methylisopropylacetic acid, 1887, A., 232.

-isodinitrodimethylauiline, 1887, Λ .,

water from the wells of Zemzem, 1887, A., 455.

BB-methylethylpropionic acid, 1888, A., 446.

nitramines derived from alkyl aromatic diamines, 1888, A., 1079.

trinitro-m-phenylenedimethyldinitramine, 1888, A., 1185.

nitramine derived from tetramethyldiamidobenzophenoue, 1888. A., 1196.

nitro-derivatives of tetramethyldiamidodiphenylmethane, 1889, A., 146.

trinitrophenylmethylnitramine, 1889, A., 971.

action of chromic anhydride on alkylanilines, 1889, A., 971.

tetranitrophenylmethylnitramine and its conversion into m-phenylenediamine derivatives, 1889, A., 1154.

action of nitric acid on dimethylo-anisidine, 1892. A., 159.

action of nitric acid on alkyl phenylcarbamates, 1892, A., 711.

Romegialli, Abelardo, acetous fermentation, 1886, A., 732. Romig, Eugen. See Richard Anschütz.

Romm, G., euonymin, 1886, A., 72.

Rommier, Alph., cultivated wine yeast, 1884, A., 1399; 1885, A., 205. wine and brandy from raspberries

and strawberries, 1887, A., 292.

— influence of yeast on the bouquet of wines, 1890, A., 281. effect of copper salts on elliptical

yeast, 1890, A., 814. preparation of wine yeasts, 1890,

A., 1179. Ronalds, Edmund, obituary notice of, 1890, T., 456.

Rondeau, P. See Eugène Gley.

Roode, Rudolf de, combustion with lead chromate, 1890, A., 926.

derivatives of benzoic sulphinide, 1891, A., 1226.

Roos, Alfred. See Friedrich Krafft.

Roos, Ernst, carbohydrates in the urine, 1891, A., 1392.

diamines in disease, 1892, A., 518.

Roos, J., thio-derivatives of quinoline. 1888, A., 500.

Roos, L., and E. Thomas, method of distinguishing between plastered wines and wines mixed with sulphunic acid, 1891, A., 123.

Roos, L., and E. Thomas, vegetation of the vine, 1892, A., 908.

Roos, L., Cusson, and Giraud, volumetric estimation of tannins in wines, 1890, A., 431.

Roosen, Oscar. See Robert Behrend. Roosen, Peter Adolf. See Ludwig Claisen.

Roozeboom, Hendrik Willem Bakhuis, dissociation of the hydrates of sulphurous anhydride, chlorine, and bromine, 1886, A., 117.

dissociation of the hydrate of hydrogen bromide, 1886, A., 117, 414. - solubility of hydrogen bromide at different temperatures and pressures, 1886, A., 119.

dissociation of liquids, 1886, A., 499.

- dissociation of the compound of hydrogen bromide with ammonia,

1886, A., 500. - solubility of chlorine in chromium

oxychloride, 1886, A., 500.

— solubility of nitric oxide in bromine, 1886, A., 501.

thermal study of hydrobromic acid solutions and hydrate, 1887, A., 628. conditions of equilibrium of two substances in the solid, liquid, and gaseous states, 1887, A., 629.

the hydrate HBr.2H₂O, 1887, A., 630.

- new hydrate of hydrobromic acid HBr.H₂O, 1887, A., 631.

-combinations of ammonium bromide

with ammonia, 1887, A., 631. — hydrates of gases, 1888, A., 897. — the different forms of heterogeneous

chemical equilibrium, 1888, A., 1147. - triple and multiple points regarded

as transition points, 1888, A., 1151.

astrakanite and hydrated double

salts, 1888, A., 1164.

— conditions of equilibrium between solid and liquid compounds of water with salts, 1889, A., 752.

sudden changes in the solubility of salts caused by the formation of two layers in the liquid, 1890, A., 4.

- combination of alkali metals with

ammonia, 1890, A., 450.
— solution equilibrium of thorium sulphate and its hydrates, 1890, A., 686.

solubility of mixed crystals, especially of two isomorphous sub-

stances, 1892, A., 265.
— solubility of mixed crystals of potassium and thallium chlorates, 1892, A., 266.

Roozeboom, Hendrik Willem Bakhuis, waters of the North Sea. 1892, A., 419.

solubility curves of pairs of salts, 1892, A., 1384.

Roque, Germain. See Joseph Teissier. Alfonso, ferrous ammonium sulphate as a reagent for nitric acid, 1886, A., 99.

Rosa, Edward B., specific inductive capacity of electrolytes, 1891, A., 778.

Roscoe, (Sir) Henry Enfield, spontaneous polymerisation of volatile hydrocarbons, 1885, T., 669.

- diamond-bearing rocks of South Africa, 1885, A., 131.

Roscoe, (Sir) Henry Enfield, and Joseph Lunt, Schutzenberger's process for the estimation of dissolved oxygen in water, 1889, T., 552; P., 124.

Roscoe, (Sir) Henry Enfield, and Frank Scudder, note on the action of watergas on iron, 1891, P., 126; discussion, P., 128.

Rose, maize ensilage for cows, 1885, A., 1149.

Rose, H. J., liquid extract of senega,

1884, A., 540. Rosell, Yngvc. See Heinrich Goldschmidt.

Rosemann, Hans. See Rudolf Nietzki. Rosen, Herm. von. See Georg Dragendorff.

Rosenbach, Ottomar, occurrence and detection of indigo-red in urine, 1890, A., 1032.

Rosenberg, Albert. See Martin Freund. Rosenberg, Alexander, comparative experiments with alkali albuminate, acid albumin, and albumin, 1885, A.,

Rosenberg, Benjamin, diastatic ferment in urine, 1891, A., 760.

Rosenberg, Josef, tribromothiophen and compounds of dinitrothiophen, 1885, A., 1051.

derivatives of brominated thiophens, 1886, A., 228.

trichlorothiophen and its derivatives, 1886, A., 534.

anhydrides of aromatic sulphonic acids, 1886, A., 551.

Rosenberg, Iyna: See Georg Lunge. Rosenbladt, Th., action of potassium thiocarbonate on nickel and cobalt salts, 1886, A., 492.

double nitrites of caesium and rubidium, 1887, A., 12.

solubility of some gold compounds, 1887, A., 16.

Rosenbladt, Th., estimation of borie acid, 1887, A., 299.

- separation of mercury and palladium, 1887, A., 302.

Rosenbusch, Karl Harry Fordinand,

sagvandite, 1884, A., 564.
Rosenbusch, Karl Harry Fordinand.
See also M. Hunter.

Rosenfeld, Mux., demonstration of the increase of the weight of bodies on combustion, 1884, A., 258.

— lecture experiments. 1884. A., 258; 1886, A., 848; 1887, A., 633.

new apparatus for electrolysis, 1885, A., 715.

 lecture experiment—electrolysis of hydrochloric acid, 1887, A., 633. reduction of oxygen compounds

with sodium, 1891, A., 150.

- estimation of nitric and nitrous acids in potable waters, 1891, A., 496. - sodium, 1891, A., 982.

Bosenheim, Arthur, acid, 1889, A., 762. vanadotungstic

estimation of vanadic acid in vanadotungstates, 1891, A., 247.

- action of platinic hydroxide on tungstates, 1891, A., 1323.

Rosenheim, Theodor, amount of acid in the stomach on an amylaceous diet, 1888, A., 617.

- acids in healthy and disordered stomachs during a carbohydrate diet, 1888, A., 972.

-influence of proteid on the digestion of foods free from nitrogen, 1891, A.,

Rosenhek, Josef. See Emil Erlenmeyer, Eugen R. Ostermayer, Schmitt.

Rosenstein, Albrecht. Sec Immanuel

Rosenstein, Whalimir. See Martin Freund.

Rosenstiehl, Luguste, influence nucleal methyl on the properties of o-toluidine, 1892, A., 1319.

Rosenstiehl, Auguste, and Murimilian Gerber, possible number of homologous isomeric resanilines, 1884, A., 739.

Rosenthal, Carl, detection of harmoglobin in urine, 1886, A., 956.

Rosenthal, Emil, homoterephthalenediamidoxime and its derivatives, 1890, A., 147.

Resenthal, G., preparation of alumina, 1886, A., 108.

Rosenthal, Josef, calorimetric investigations on foods, 1890, A., 182.

electrical conductivity of solid

electrolytes, 1891, A., 1307.

Rosenthal, Th., \$\beta\$-sulphopropionic acid. 1886, Λ., 866.

Roser, Wilhelm, xeronic and pyrocinchonic acids, 1883, A., 98.

- isopropylanecinie or pimelie acid, 1884, A., 423.

- terebic acid, 1884, A., 459.

- diquinoline from benzidine, 1881, A., 1371; 1885, A. 275.

- so-called whthalylacetamide, 1885, Λ., 159.

-conversion of ketonic acids into lactones, 1885, A., 165.

phthalyl derivatives, 1885, A., 165, 267, 797; 1886, A., 243. - the camphor group, 1886, A., 249.

- synthesis of indonaphthene derivatives, 1887, A., 729, 836.

preparation of p-dinitrodibenzyl, 1887, A., 836.

narcotine, 1888, A., 1115, 1316; 1889, A., 417; 1890, A., 528.

action of strong sulphuric acid on diphenylsuccinic acid, 1888, A., 1301.

indene derivatives, 1888, A., 1303. - methylindenecarboxylic acid, 1888, A., 1303

Roser, Wilhelm, and Emil Haseloff, isomerism in the cinnamic acid series, 1887, A., 830.

 dibromindone derivatives. 1888, A., 1304.

Roser, Wilhelm. See also II'm. C. Howard.

Rosin, Heinrich, indigo-red (indirubin) in urine, 1891, A., 850.

Rosini, Emilio. See Agostino Oglialoro-Todaro.

Rospendowski, Ludomir. isomerie naphthyl phenyl ketones, 1886, A., 625.

Rossi, Enrico. See Pictro Maissen.

Rossin, Otto, m-hemipinic acid, 1892, A., 180.

Rossiter, Edmund Charles. See Henry Edward Armstrong.

Rossmässler, F. A., manufacture of lubricating oils from Baku naplitha, 1885, A., 620.

Rossol, Alexander, contribution to the histochemistry of plants, 1884, A.,

Rossolymo, Alexander, substitution of the methylene-hydrogen atoms in benzyl cyanide, 1889, A., 861.

Rossolymo, Mexander. See also Ludwig Gattermann.

Rosumoff, Peter. See Carl Engler. Roszkowski, Jan ron, influence of temperature on the limits of the explosion of gaseous mixtures, 1891, A., 975.

Roth, Carl Fran:, methyltropidine, 1884, A., 761.

- pyridine condensation, 1886, A., 477.

 apparatus for determining melting points, 1886, A., 1070.

Roth, Carl Franz, and Otto Lange, 2:6-dimethylpyridine and the corresponding carboxylic acid, 1886, A., 558.

Roth, Carl Franc. See also Albert Ladenburg.

Roth, J., zobtenite, 1888, A., 661.

Roth, L., process for solidifying mineral oils, 1885, A., 309.

Roth, Samuel, trachytes of the Eperies-Tokay mountains, 1886, A., 131.

Rothberg, Matthaus. See Carl Hell. Rothe, Fritz. See Carl Arnold August Michaelis.

Rotheit, J., preparation of carbostyril, 1884, A., 1183.

Rothenbach, Fritz, double salts of tungstic and vanadic acids, 1891, A., 18.

Rother, Oskar, the cohesion of saline solutions and of their admixtures, 1884, A., 1251.

Rother, R., ferrous citrate and its double and secondary salts, 1883, A.,

- bismuth and pepsin, 1885, A., 712.

Rothschild, Fred. W., carbamide derivatives of amidocinnamic acid, 1890, A., 1123; 1891, A., 198.

Rotondi, Ermenegildo, electrolysis of pyrogallol, 1884, A., 175.

- electrolysis of sodium chloride and its industrial applications, 1884, A., 248.

saponification of fats by electricity, 1885, A., 1274.

Rotschy, .1. See Marcellus Nencki. Rougemont, Wilhelm. See Heimich Beckurts.

Rousseau, Gustare, an aromatic glycol, 1884, A., 180.

- manganites of the alkaline carths, 1885, A., 1114; 1886, A., 425.

formation and dissociation of barium and strontium manganites, 1886, A., 507.

– sodium manganite, 1886, A., 982. - formation of manganites from

permanganates, 1887, A., 552. - potassium manganites, 1887, A., 892.

— barium cobaltite, 1889, A., 1115. - - platinates of the alkalis and alkaline carths, 1889, A., 1125.

Rousseau, Gustave, formation of crystallised metallic oxychlorides: copper oxychlorides, 1890, A., 1058.

erystallised ferric oxychloride, 1890, A., 1063; 1892, A., 119.

crystallised basic cupric nitrate, 1890, A. 1376.

- hydrated sodium manganites, 1891, A., 645.

-formation of saline hydrates at high temperatures, 1892, A., 119.

hydrated potassium manganites, 1892. A., 569.

Rousseau, (Fusture, and Jules Bernheim, formation of crystalline ferric hydroxides in the dry way, 1888, A.,

- decomposition of barium ferrate at high temperatures, 1888, A.,

crystallised hydrated potas-

sium ferrite, 1888, A., 1252.
Rousseau, Gustave, and Brise Bruneau, new method for preparing barium permanganate, 1884, A., 891.

Rousseau, Gustuve, and André Saglier, crystallised barium manganite, 1884, A., 1261.

Rousseau, Gustave, and Georges Tite, action of water on basic copper salts, 1891, A., 1423.

- silver nitrosilicate: existence of a nitrosilicic acid, 1892, A., 684.

- cadmium hydrosilicate, 1892, A., 1157.

- basic nitrates, 1892, A., 1157. decomposition of basic nitrates by water, 1892, A., 1272.

Rousseau, L., flesh meal, 1885, A., 620. Rouvier, Guston, iodide of starch, 1892, A., 578, 801, 1171.

Rouville, Paul de, and Auguste Delage, porphyrites at Gabian, 1889, A., 110.

Roux, volumetric estimation of pentones in urine, 1892, A., 1264.

Roux, (Inbriel. See Georges Linessier. Roux, J., estimation of casein in milk, 1891, A., 1404.

Roux, Leon, preparation of propyl- and amyl-naphthalenes, 1884, A., 1357.

action of aluminium chloride on a-naphthalene compounds, 1886, A., 806.

amplication of the aluminium chloride method to the naphthalene series, 1888, A., 1305.

Roux, Léon, and Emile Louise, vapour density of aluminium ethide, 1888, A., 453.

 molecular weights of aluminium compounds, 1889, A., 757.

Roux, Lon. See also Philippe Barbier, Charles Friedel, Emile Louise, Camille Vincent.

Roux, Paul. See Raphael Dubois.

Rovighi, Albert, ethereal hydrogen sulphates in the urine, and the disinfection of the alimentary canal, 1892, A., 226.

Rowan, G. H., apatite from Amelia Co., Virginia, 1885, A., 126.

- kaslinite from Calhoun Co., Alabama, 1885, A., 228.

Rowell, William Augustus, preparation of chromic acid, 1886, A., 108.

Rowell, William Augustus. See also D. Urquhart.

Rowland, Henry A., water battery, 1887, A., 412.

Rowland, Henry A., and Louis Bell, action of a magnet on chemical action, 1889, A., 9.

Roy, Le. See Le Roy. Roy, P. C., conjugated sulphates and isomorphous mixtures of the coppermagnesium group, 1887, P., 53; discussion, P., 53.

Royer, Le. See Le Royer.

Rozański. Br., isomeric dinitro-p-toluic

acids, 1890, A., 52. ozański, Br. See also Stefun Nie-Rozański, Br. mentowski.

Rubens, Heinrich. See H. E. J. G. Du Bois.

Rubleff, T., trimethylthiazole, methylethylthiazole, and thiazolecarboxylic acids, 1891, A., 223.

Rubner, Max, substitute values of the chief organic alimentary principles in the animal body, 1884, A., 189.

— value of bran for human food,

1884, A., 622.

· influence of stature on the interchange of matter and energy, 1884,

A., 1393.

thermal equivalent of a solution of urea, 1885, A., 328.

- influence of meat extract on the temperature of the body, 1885, A., 409.

action of lead acetate on glucose and lactose, 1885, A., 444.

- calorimetric investigations, 1885,

A., 949, 1252. formation of fat from earbohydrates in carnivorous animals, 1886, A., 482.

 detection of carbonic oxide in blood, 1891, A., 496.

Rubricius, H., estimation of manganese in iron and steel, 1892, A., 1030, 1521. Rubzoff, Peter P., action of ammonia on

succinimide, 1886, A., 141.

Ruddiman, Edsel A., estimation of quinine by Kerner's method, 1889, A., 323.

Rudelius, Carl, platinum compounds of propyl and asopropyl sulphides,

1889, A., 367. Rudenko, "neutral sulphur" and meta-bolism, 1891, A., 1523.

Rudinskaïa, (Miss), action of ammonia on parabanic acid, 1886, A., 141.

Rudolph, Otto, phenylhydrazones, 1889, A., 251.

Rübencamp, Robert, aldehyde and ethylidene derivatives, 1885, A., 136.

Ruckel, J. Sec Hugo Eckenroth.

Rücker, Arthur William, the range of molecular forces, 1888, T., 222; P., 7. -density and composition of dilute

sulphuric acid, 1892, A., 271.

Rucker, Arthur William. See also Thomas Edward Thorpe.

Rudel, Carl, alkaloids of Berberis Aquifolium and B. vulgaris, 1892, A., 641.

Rudorff, Friedrich, solubility of mixtures of salts, 1885, A., 865.

· lecture experiment—displacement of one salt from solution by another, 1885, A., 869.

compounds of arsenious oxide, 1885, A., 955.

compound of arsenious oxide with halogen salts, 1887, A., 107.

 constitution of solutions, 1888, A., 342, 899; 1889, A., 98; 1890, A., 1044. calcium copper acctate, 1888, A., 446.

compounds of assenious acid with sodium iodide, 1889, A., 103.

 electrolytic estimation of copper, 1889, A., 188.

 weighing dried filters, 1891, A., 613.

aeff, L., \$-dinaphthyl-p-phenylene-diamine, 1889, A., 894.

Rufin, Alfred, first grass and altermath, 1885, A., 586.

Rugheimer, Leopold, derivatives of malonic acid, 1884, A., 729.

- method for the synthesis of quinoline derivatives, 1884, A., 1050; 1886, A., 161.

- action of phosphorus pentachloride on hippuric acid, 1886, A., 702.

- practical thermo-regulator, 1887, A., 698.

derivatives of tetrene and synthesis of tribenzamidophloroglucinol, 1889, A., 249.

- hippuroflavin, 1889, A., 252.

-dibenzamidodihydroxytetiene, 1859, A., 391.

- Rügheimer, Leopold, compounds obtained by the action of sodium ethoxide on ethyl hippurate, 1889, A.. 1210.
- introduction of bivalent radicles into piperidine, 1891, A., 1246.

 — the compound C₃₈H₂₃N₄O₆ obtained
- by the action of sodium ethoxide on
- ethyl hippurate, 1892, A., 1002.
 —— condensation of aldehydes with henzoylpiperidine, 1892, A., 1364.
 Rügheimer, Leopold, and Richard Hoff-
- mann, ethyl malonanilidate, malon-ptoluidic acid, and methyltrichloroquinoline, 1884, A., 1023.
- isomeric malonotoluidic acids, 1886, A., 147.
- -toluquinolines substituted in the pyridine ring, 1886, A., 159. Rügheimer, Leopold, and Ernst Mischel,
- diamidoacetone, 1892, A., 952.
- Rügheimer, Leopold, and Carl Schramm, quinoline derivatives, 1887, Λ_{-} , 738.
- action of phosphorus pentachloride on aniline ethylmalonate and o-toluidine ethylmalonate, 1888, A., 502.
- Rühlmann, Moritz. See Rudolph Fittig. Ruer, Rudolf. See Rudolph Fittig.
- Rurup, L., estimation of manganese in iron and steel, 1892, A., 916.
- Ruffle, John, moisture and free acid in superphosphates and similar fertilisers, 1888, A., 87.
- correct analysis of superphosphates, 1888, A., 387.
- modified "Orsat" apparatus, 1890, A., 411.
- Rufi, Hans, n-propylthiophen derivatives: glyoxylic acids of the thiophen series, 1887, A., 804.
- Rufi, Huns. See also Stanislus Bondzyński.
- Ruhemann, Arnold, p-xylalphthalide, 1892, A., 473.
- Ruhemann, Siegfried, formation of pyridine derivatives from citric acid: constitution of pyridine, 1887, T., 403; P., 44.
- action of ammonia on alkyl salts of fatty acids, 1888, A., 255.
- amide of dihydroxyisonicotinic acid, 1888, A., 728.
- action of chloroform and alcoholic potash on hydrazines, 1889, T., 242; P., 37, 168; 1890, T., 50.
- contributions to the knowledge of mucic acid. Part III. Hydromuconic acid, 1890, T., 937; P., 139.
- constitution of citrazinamide, 1890, A., 736.

- Siegfried, the isomeric Ruhemann, a-bromocinnamic acids, 1892, T., 278; P., 28.
- · formation of benzyldihydroxypyridine from benzylglutaconic acid, 1892, P., 218.
- Siegfried, and Frederic Ruhemann, Frost Blackman, benzophenylhydr-
- azine, 1889, T., 612; P., 127.

 mucic acid. Part I. Hydromuconic acid, 1890, T., 370; P., 38.
- Ruhemann, Siegfried, and Douglas John Carnegie, action of acetone on ammonium salts of fatty acids in presence of dehydrating agents, 1888, T., 424; P., 39.
- Ruhemann, Siegfried, and Samuel Felix Dufton, mucic acid. Part IV. Action of phosphorus pentachloride on mucic acid, 1890, P., 151; 1891, T., 26.
- Part mucic acid. Muconic acid, 1891, T., 750; l'.,
- Ruhemann, Siegtried, and Walter John Elliott, isonitrile of phenylhydrazine, 1888, T., 850; P., 88.
- mucic acid. Part Action of phosphoric chloride on mucic acid, 1890, T., 931; P., 139.
- Ruhemann, Siegfried, and Robert Selly Morrell, action of ammonia on ethereal salts of organic acids, 1891, T., 743 ; P., 123.
- dicarboxyglutaconic 1892, T., 791; P., 143.
- Ruhemann, Siegfried, and Sidney Skinner, anacardic acid, 1887, T., 663; l'., 102.
- Ruhemann, Siegfried. See also Sidney Skinner.
- Ruhl, Jules, thiophenylhydrazine, 1891, Л., 301.
- p-thiophenylhydrazine and thionylthioaniline, 1892, A., 1326.
- Ruhl, Jules. See also Carl _1rnold _lugust Michaelis.
- Rumpf, Johann, analysis of miargyrite from Přibram, 1883, A., 428.
- Rumpf, Theodor, estimation of phenols in human urine, 1892, A., 544.
- Runeberg, Johan Wilhelm, filtration of albumin solutions through animal membranes, 1883, A., 1160; 1885, A., 567.
- Rung, F., and M. Behrend, glyoxaline, 1892, A., 1493.
- Runge, Carl. See Heinrich Kayser.
- Runschke, Georg. See Adolph Claus. Runyon, Edward Wheelock, manufacture of phosphoric acid, 1884, A., 260.

Rupe, Hans. Sec Adolf von Baeyer. Ruppel, Wilhelm. See Molph Claus. Ruppert, F. See Th. Wilhelm Fresenius.

Ruppert, Friedrich. See Rudolf Nietzki. Rupprecht, 4.. rocks and minerals from Corsica, 1891, A., 1440.

Rusag, K., analysis of commercial scheelite, 1889, A., 311.

Russanoff, Andrei A., condensation products of benzaldehyde with phenol and thymol, 1889, A., 1188.

- condensation of benzaldehyde with

phenols, 1891, A., 1234.

- phenylglyoximes, 1892, A., 321. action of silver nitrite on methyl-

ene iodide, 1892, A., 1415. Russell, William James, spectroscopic observations on dissolved cobaltous chloride, 1885, P., 67; discussion, P., 68.

presidential addresses, 1890, T.,

426; P., 41; 1891, T., 434; P., 53. Russell, William James, and William James Orsman, relation of cobalt to iron as indicated by absorption spectra, 1889, P., 14; discussion, P., 15.

Russmann, Arthur, separation of barium, strontium, and calcium, 1888, A., 629;

1891, A., 111.

Russo, M. See Hugo Weidel.

Rutgers, J., nutritive value of vegetable proteids compared with animal proteids, 1888, A., 515.

Rutishauser, Rudolf. See Stanislaus von Kostanecki.

Ruttan, Robert Fulford, trimethyldiethylamidobenzene, 1886, T., 813.

Ruys, J. Mar, allotropic transformation of sulphur at very low temperatures, 1885, A., 346.

Rydberg, Johannes Robert, structure of the line spectra of the elements, 1890, A., 674.

Ryder, John P. See Arthur Michael.

S.

Saare, O., change in the composition of potatoes by ripening, 1884, A., 1400. starch-refuse as fodder, 1885, A., 1155.

 acidity of potato starch, 1891, A., 358.

Saare, O. (and others), preparation and investigation of starch, 1885, A., 618.

Sabanéeff, Alexander P., diallyl, 1885, A., 495.

action of sulphuric acid on olere acid, 1886, A., 442.

Sabanéeff, Allexander P., hexabiemotetramethylene, 1889, A., 1128.

cryoscopic investigation of colloidal substances, 1890, A., 1215; 1891, A., 145.

Sabanéeff, Alexander P., and Eugene D. Kislakowsky, colorimetric estimation of minimal quantities of iron, 1888, A., 757.

Sabatier, Paul, compounds of silicon with sulphur, 1883, A., 15.

mineral water of Salies-du-Salat,

1885, A., 231.

- composition of hydrogen persulphide: a nacreous variety of sulphur, 1885, A., 952.

hydrogen persulphide, 1885, A.,

1037.

absorption spectra of chromic acid and alkaline chromates, 1886, A., 838.

 thermochemistry of the chromates, 1886, A., 962.

division of a base between two

acids, 1886, A., 973. hydrochloride of ferric chloride,

1887, A., 894.

— rate of transformation of metaphosphoric acid, 1888, A., 404; 1889, A.,

671. hydrochloride of cupric chloride, 1888, A., 1036, 1037.

hydrochloride of cobalt chloride,

1888, A., 1041.

heats of dissolution and formation of hydrated metallic chlorides, 1889, А., 1043.

- hydrated metallic chlorides, 1889, A., 1049.

boron hydride, 1891, A., 979. - boron sulphide, 1891, A., 981.

boron selenide, 1891, A., 981.

- silicon selenide, 1891, A., 1419. Sabatier, Paul, and J. E. Senderens, action of nitric oxide on metals and

metallic oxides, 1892, A., 1151, 1271. - action of nitric peroxide on metals and metallic oxides; nitrometals, 1892, A., 1390.

Sabine, Walluce Clement. See Juhn Trowbridge.

Sacc, Frédéric, potatoes and sweet potatoes, 1884, A., 208.

- deposit of saltpetre at Cochabamba, Bolivia, 1884, A., 1271.

- a saltpetro deposit near Anané, Bolivia, 1885, A., 359.

composition of the seeds of the cotion tree, 1885, A., 425.

Sachs, Ferdinand Austar Julius ren. correlative growths in the vegetable kingdom, 1884, A., 626,

Sachs, Berdinand Gustav Julius von, activity of assimilation by leaves, 1885, A., 289.

— metastasis in leaves, 1885, A., 821. — chlorosis in plants, 1887, A., 76. Sachs, François, and Riccardo de Bar-

bieri, influence of the lead precipitate on polarisation, 1885, A., 694.

Sachs, H., thiophenchlorophosphine and its derivatives, 1892, A., 966. Sachs, Joseph. See Emil Warburg.

Sachs, Otto, compounds from diazo-

phenols and B-naphthylamine, 1886, A., 235.

Sachse, Hermann, additive-derivatives of dianthranyl, 1888, A., 718.

configuration of the benzene molecule, 1888, A., 1181.

- derivatives of dianthranyl, 1888, A., 1201; 1890, A., 638.

- geometrical isomerides of the hexamethylene derivatives, 1890, A., 1386. Sachse, Hermann. See also Carl Theodor Liebermann.

Sachsse, Robert, chlorophyll, 1885, A.,

a new colouring matter from chlorophyll, 1885, A., 670.

Sachsse, Robert, and Arthur Becker. kaolin in arable soil, 1892, A., 1026.

WilhelmSachtleben, Riulolf. Sec Fleischmann.

Sack, Erwin, apparatus for the indirect estimation of carbonic anhydride, 1889, A., 1032.

Sack, P., determination of the maximum conductivity of very dilute copper sulphate solutions, 1891, A., 965.

Sadler, Benj., minerals from Fritz Island, Penusylvania, 1883, A., 441. Sadler, Benj. See also W.P. Headden.

Sadomsky, Joseph. See Carl Hell. Saeger, Uscur. Sec Carl Bernhard

Kühn. Sänger, Alfred, formation of hypophos-

phoric acid and its ethereal salts, 1886, A., 419. Saglier, André, new cuprammonium

nodide, 1886, A., 851; 1887, A., 772. combinations of aniline with copper salts, 1888, A., 941.

Saglier, André. Sec also (fustuve Rous-

Sagnier, Henry, straw, peat, and sawdust as litter, 1885, A., 429.

Sainsbury, Harrington. See Sydney Ringer.

Saint, W. Johnston. See Henry Forster Morley.

Saint-André. See Boursier.

Sainte-Claire Deville, Elizano Henri, and Jules Henri Debray, explosive alloys of zinc with certain platinum metals, 1883, A., 19.

Saint-Edme, Ernest, passivity of iron and nickel, 1888, A., 788.

passivity of colalt, 1889, A., 1114.
Saint-Gilles. See Péan de Saint-Gilles.
Saint-Loup, Ilemy, pigments of the Aplysie, 1891, A., 96.

Saint-Martin, Louis de, special form of gasometer, 1883, A., 847.

respiration in a super-oxygenated

atmosphere, 1884, A., 911. - influence of sleep on the activity

of respiratory combustion, 1888, A., 305. decomposition of chloroform by

alcoholic potash, 1888, A., 570. - estimation of carbonic oxide, 1892,

Λ., 1128. Saint-Pierre, Octave. See Maurice Han-

Sakano, H. See Oscur Kellner.

Sakurai, Jōji, methylene chloriodide, 1885, T. 198; P., 20.

molecular volumes of aromatic compounds, 1890, A., 683.

- determination of the temperature of steam arising from boiling salt solutions, 1892, T., 495; P., 92.

-modification of Beckmann's boilingpoint method of determining molecular weights of substances in solution, 1892, T., 989 ; P., 151.

 note on an observation of Gerlach of the boiling-point of a solution of Glauber's salt, 1892, P., 94.

Salet, Georges, blue flame produced by common salt in a coal fire, 1890, A., 560.

Salfeld, A., comparative manuring experiments, 1883, A., 116.

Salfeld, A. See also J. Fittbogen. Salfeld, E., permanence of carbonic oxide hæmoglobin, 1884, A., 343.

Salis, Emmanuel von. See Emilio NoI-

Salkowski, Ernst Leopold, formation of carbamide from sarcosine, 1884, A., 1394.

phenaceturic acid in the urine of the horse, 1885, A., 413.

- behaviour of scatolecarboxylic acid in the organism, 1885, A., 575.

 composition of horses' urine, 1885, A., 924.

--- decomposition of proteids by fermentation, 1885, A., 998.

 soparation of phenylacetic and phenylpropionic acids, 1886, A., 351. Salkowski, Ernst Leopold, new methods of detecting oxalic acid in urine, 1886, A., 395.

Huther's method of estimating urea, 1886, A., 396.

— Neubauer's method of estimating creatinine in urine, 1886, A., 397.

— poison of Mytilus cdulis, 1886, A., 568.

— aromatic substances in the animal organism, 1886, A., 730.

— estimation of sulphuric acid and

ethereal hydrogen sulphates in urine, 1886, A., 739.

isethionic acid in the body, and thiosulphuric acid in the urine, 1887, A., 68.

peculiar modification of urobilin, 1888, A., 73.

--- examination of cod-liver oil and vegetable oil, 1888, A., 201.

has creatinine basic properties? 1888, A., 505.

colour reactions of proteids, 1888,
 A., 508.

 Hoppe-Seyler's soda-test for carhonic-oxide hamoglobin, 1888, Λ., 540.

behaviour of benzoic anhydride in the organism, 1888, A., 864.

 ferment from putrefactive bacteria which dissolves fibrin, 1888, A., 1326.
 formation of volatile fatty acids in the ammoniacal fermentation of urine, 1889, A., 431.

—— evolution of hydrogen sulphide in urine, and the behaviour of sulphur in the organism, 1889, A., 432.

formation of sugar and other substances in yeast, 1889, A., 1027.

—— estimation of uric acid in urine, 1889, A., 1250.

— hematoporphyrin in urine, 1891, A., 601, 1130.

- peptotoxin, 1891, A., 1267.

— influence of amido-acids on gastric digestion, 1892, A., 742.

Salkowski, Ernst Leopold, and 1. Kotoff, influence of phenylacetic acid on proteid metabolism, 1888, A., 513.

Salkowski, Ernst Leopold, and Munco
Kumagawa, hydrochloric acid in gastric juice, 1891, A., 593.
Salkowski, Ernst Leopold, and Heinrich

Salkowski, Ernst Leópold, and Heinrich Hermuna Salkowski, putrefaction alkaloids, 1883, A., 925, 1159.

putrefaction of albumin and formation of scatole and indole, 1855, A., 567.

Salkowski, Ernst Leopold, and Heinrich Hermann Salkowski, scatoleearboxylic acid, 1885, A., 569.

Salkowski, Ernst Leopold, and Ken Taniguti, acctone in urine, 1891, A.,

624.

Salkowski, Heinrich Hermann, hydroxyphenylacetic acid, 1884, A., 1175.
—— melting-points and separation of

melting-points and separation of mixtures of phenylacetic and hydroxycinnamic acids, 1885, A., 602.
 derivatives of p-hydroxyphenyl-

derivatives of ρ -hydroxyphenyl-acetic acid: ethereal oil of white mustard 1889, A., 1173.

mustard, 1889, A., 1173.
— thiocarbamides, 1891, A., 1474.
Salkowski, Heinrich Hermann. See

also Ernst Leopold Salkowski. Salmon, Edgar Henry Rider. See

Raphael Meldola.
Salomon, F., estimation of rice-statch,

1883, A., 124.

—— starch and its transformation under the influence of acids, 1884,

1., 36.

Salomon, (feory Anton, paraxanthine, a new constituent of human urine, 1883, A. 601; 1885, A., 403; 1886, A., 266; 1889, A., 293; 1891, A., 1120.

urine, 1885, A., 413.

paraxanthine and heteroxanthine, 1886, A., 266.

xanthine derivatives in urine, 1887,
 Λ., 739; 1891, Λ., 1528.

—— lactic acid in the blood, 1889, A., 64.
—— physiological action of paraxenth-ine, 1889, A., 293.

Salomon, Otto L., ψ-meconine, 1887, A., 585.

Salomon, Wilhelm, distribution of ammonium salts and formation of urea, 1885, A., 921.

Salomonowitsch, Salomon. See Georg Dragendorff.

Salomonson, H. W., nitrophenylparaconic acid, 1885, A., 1224; 1888, A., 480.

Perkin's reaction, 1888, A., 476. Salvatori, S., derivatives of ethyl aceto-

thienoneoxalate, 1892, A., 303. Salvatori, Silvio, examination of butter, 1890, A., 305.

Salzeberger, theory, alkaloids of the rhizome of Veratrum album, 1891, A., 230.

Salzer, Leopold, purification of alcohol prepared from molasses or beet-100t, 1883, A., 630.

Salzer, Theodor, water of crystallisation of normal and acid potassium succinates, 1884, A., 584.

- Salzer. Theodor, water of crystallisation of salts, 1884, A., 806; 1892, A., 581.
- hypophosphotic acid, 1886, A., 420. - method for preparing pentathionic acid, 1886, A., 850.
- ammonium calcium ferrocyanide, 1886, A., 860.
- detection of thiosulphate in sodium hydrogen carbonate, 1887, A., 79.
- volumetric estimation of iodine, 1887, A., 862.
- behaviour of some acids towards chromic acid and permanganate, 1888, A., 996.
- detection of hypochlorous acid in chlorine water, 1891, A., 242.
- alkali citrates, 1892, A., 149. iodometry, 1892, A., 1514. alzmann. Heinrich. See Heinrich
- Salzmann, Heinrich. Conrad Christoph Willgerodt.
- Salzmann, S., anilic acids, 1887, A.,
- Samanoff, N., azo-xylene, 1883, A., 180. Sambuc, Théophile, milk adulteration, 1885, A., 299.
 - iron in wine, 1888, A., 384.
- Samek, J., manuring of clover, 1888, A., 1223.
- Samelson, Isaak, estimation of glycerol in wine, 1887, A., 86.
- detection of artificial colouring in red wine, 1887, A., 187.
- estimation of fatty acids in soap, 1889, A., 194. Samelson, Isaak.
- See also Theodor Poleck.
- Sanarelli, Giuseppe, absence of uric acid and of alkaline reaction in the
- urine of Carnivora, 1888, A., 178.
 Sanborn, Jeremiah Wilson, animal nutrition, 1887, A., 856.
 Sandberger, Kurl Luchrig Fridolin von,
- rutile in phlogopite, 1883, A., 34.
- identity of spathiopyrite and saf-
- florite, 1884, A., 405.

 basalt from Naurod, near Wiesbaden, 1884, A., 414.
- amalgam from the Friedrichssegen mine, near Oberlahnstein, 1884, A., 563.
- fairfieldite from Rabenstein, 1885, A., 640.
- manganese in apatite, 1885, A., 640. – horie acid in mica, 1885, A., 643.
- zircon in stratified rocks, 1886, A., 24.
- minerals from Chili and Bolivia, 1886, A., 431.
- manganese apatite from Saxony, 1886, A., 432.

- Sandberger, Karl Ludwig Fridolin ron. occurrence of iodine in phosphorites, and of lithium in psilomelane, 1887,
- A., 222. - mineral veins, 1887, A., 221; 1888, Λ., 237.
- graphite from Ceylon, 1887, A., 901.
- percylite, caracolite, and phosgenite from Chili, 1887, A., 902.
- new mineral in the St. Bernard lode at Hausach, 1888, A., 561.
- modifications of zinc blende, 1889, A., 836.
- new meteorite from Chili, 1890, A., 347.
- arsenical pyrites, 1890, A., 454.
- lithionite-granites, 1891, A., 652. - falkenhaynite from Joachimsthal, 1891, A., 1167.
- minerals from the Fichtelgebirge, 1892, A., 1406.
- Sanderson. See Burdon-Sanderson. Sandmeyer, Trangott, displacement of amido-groups in aromatic derivatives by chlorine, 1884, A., 1311.
- substitution of the amido-group in aromatic derivatives by chlorine, bromine, and cyanogen, 1885, A., 149.

 — conversion of the three nitranil-
- ines into nitrobenzoic acids, 1885,
- conversion of the three nitrohenzoic acids into phthalic acids, 1885, A., 981.
- ethyl hypochlorite, 1885, A., 1045. ethyl and methyl hypochlorites,
- derivatives of carbonic anhydride, 1886, A., 611.
- action of ethyl imidocarbonate on aromatic ortho-compounds, 1887, A., 135.
- action of nitrous acid on acetone, 1887, A., 568.
- substitution of the amido- by the nitro-group in aromatic compounds, 1887, A., 720.
- diazobenzone, a correction, 1890,
- A., 1115. Sandmeyer, Trangott. See also Victor Meyer.
- Sanger, Charles Robert, estimation of arsenic in wall paper, 1892, A., 382.
- Sanger, Charles Robert. See also Henry Barker Hill.
- Sankey, Matthew Henry Phineas Riall. resistance of electrolytic cells, 1890, A., 317.
- Sannino, Antonio. See Livio Sostegni. Sans. See Bertin-Sans.

Sanson, André, irritant properties of oats, 1884, A., 914.

 digestion in mules, 1889, A., 533. Sanson, J. See Addient Fauconnier, Arthur Henninger.

Sansoni, Francesco, crystal forms of the Andreasberg calcite, 1886, A., 209. Santini, Sarcrio, colouration of the

hydrogen flame, 1885, A., 209, 465. Saposchnikoff, W., formation and mi-

gration of carbohydrates in leaves, 1891, A., 763.

Sarasin, Edmond. See Charles Friedel. Sarasin, Edmard, refractive indices of fluorspar, 1886, A., 22.

Sarasin, Edouard. See also J. Louis Soret. Sardo, Salvatore, synthesis of phenyl-melilotic acid, 1884, A., 176.

- catalpic acid, 1885, A., 272.

Sarrau, Emile, critical point of oxygen, 1884, A., 149.

characteristic equation of carbonic anhydride, 1886, A., 203.

Sarrau, Emile, and Paul Vieille, chemical equilibrium of homogeneous gascous systems, 1888, A., 339.

Sartig, Johannes, o-amido-m-xylenesulphonic acid, 1886, A., 153.

Sartori, Giuseppe, chemistry of sheep's milk cheese, 1891, A., 951.

Sato, D. See Oscar Kellner.

Sattig, dried beer grains as horse fodder, 1886, A., 1066.

Sattler, Wilhelm. See Wilhelm Wislicenus.

Sauer, Adolf, analysis of labradorite from Krakatoa ashes, 1886, A., 211. minerals from Oberwiesenthal,

1886, A., 601. - amorphous carbon (graphitoid) in

the Saxony Erzgebirge, 1887, A., 341. - minerals in granulite, 1888, A., 34. riebeckite and the new formation of albite in granite-orthoclase, 1889,

A., 109. Sauer, Ewald, new drying apparatus for elementary analysis, 1892, A., 657.

Sauer, Ewald. See also Friedrich Rudolph Weber.

Sauer, Henry Edward. See John Hurper

Long. Saul, J. E., test for tannic acid, 1887, A., 406.

Saunders, Charles Edward, diazobenzene perbromide, 1892, A., 316.

double halogen salts of manganese, 1892, A., 780.

double halogen salts of antimony, 1892, A., 788.

Saupe, Max, estimation of the fatty acids in soap, 1890, A., 1475,

Sautermeister, Otto, testing metallic iron for arsenie, 1892, A., 1030.

Savary, W., atripaic acid, 1885, A., 653. Savery, Thomas James, manium nitrate and acetate from residues, 1884, A., 397.

Savin, M., alkaline and acid albumin derivatives, 1888, A., 858.

Sawano, J. See Oscur Kellner.

Saytzeff, Alexander M., synthesis of tertiary alcohols from ketones, 1885, A.,

oxidation of olesc acid, 1885, A., 1019.

oxidation of oleïc and elaidic acids, 1886, A., 140.

stereoisomerism of oleic and elaidic acids, 1892, A., 812.

Saytzeff, Alexander M. See also Sergius Barataeff, Arsenius Gortaloff, Woldemur Nikolsky, Alexander Tschebotareff, Dmitrius Ustinoff. Saytzeff, Aleaius, minerals

Alexius, minerals from the Central Ural, 1889, A., 837.

Saytzeff, Michael M., Constantin M. Saytzeff, and Alexander M. Saytzeff, hydroxystearic acids of different series, 1887, A., 30.

- isoleïc acid, 1888, A., 815. Scacchi, Arcangelo, new sublimates from the crater of Vesuvius, 1883, A., 1064.

 crystalline forms of potassium and ammonium hydrogen tartrates, 1886, A., 612.

Scacchi, Eugenio, crystallography of phenylcoumarin and coumarin, 1885, A., 901.

minerals from Vesuvius, 1886, A., 600; 1887, A., 17; 1891, A., 22.

altered cordierite from Tuscany, 1887, A., 1086.

Scala, Alberto, propylxanthic acid, 1887, A., 800.

 estimation of formic acid in presence of acetic and butyric acids, 1891, A., 248.

- estimation of the impurities in alcohol by Rose's method, 1891, A., 1555.

Scala, Alberto. See also Raffacle Nasini. Schaal, Eugen, injurious action of a cupriferous oil used in Turkey-red dyeing, 1883, A., 256.

preparation of acids from hydrocarbons, 1886, A., 290.

Schaap, (Miss) J., separation of salicylic acid from benzoic acid, 1892, A., 1532. Schacherl, Gustav, synthesis of a new tetrabasic acid and an isomeride of

aconitic acid, 1885, A., 1125.

Schacherl, Gustav. Sec also Karl (Edler) ron Garzarolli-Thurnlackh.

Schacht, Carl Julius Adolf, estimation of potassium chlorate in organic mixtures, 1886, A., 179.

estimation of iron, 1888, A., 631. Schachtebeck, Ferdinand. See Karl ron Buchka.

Schade, O., animal and vegetable persin, 1886, A., 271.

Schäfer, Adolph, oximes of asymmetrical ketones, 1891, A., 1235.

Schäfer, Edward Albert, is free hæmoglobin present in the blood plasma of the splenic vein ? 1890, A., 1016.

Schäfer, Louis, estimation of cinchonidine in quinine sulphate, 1887, A., 623; 1888, A., 636.

- testing neutral quinine salts, 1888, A., 636.

Schaeffer, Charles A., a new tantalite locality, 1885, A., 359.

Schaeppi, Henry, recovery of sulphur by

Mond's process, 1883, A., 129.
Schär. Edward, action of hydrocyanic acid on seeds, 1886, A., 575.

cubebin, 1887, A., 970. Schärges, C. See Max Carl Traub.

Schärtler, L., diastase, 1887, A., 1117. Schafarzik, Ferencz, native mercury, ein-

nabar, and chromium ores from Servia, 1885, A., 730. Schalfeeff, *Michael I.*, preparation of hæmin, 1885, A., 566.

- specific volumes of chlorine, bromine, and iodine in carbon compounds, 1885, A., 717.

- action of ammonia on hæmin,1886, A., 165.

Schall, Joh. Friederich Carl, action of iodine on sodium phenoxide, 1883, A., 1109.

- diiodophenol, 1883, A., 1109. - relation between molecular weight and velocity of evaporation, 1884, A., 551, 950; 1885, A., 112.

attraction of homogeneous molecules, 1885, A., 111.

 relation of expansion of substances in gaseous, vaporous, and liquid states to absolute temperature, 1885, A., 1179.

 modification of Pettersson and Ekstrand's method of vapour density determinations, 1885, A., 1179.

relation between specific gravity, capillarity, and cohesion, 1885, A., 1180.

relation between capillarity and specific gravity of members of homologous series, 1885, A., 1180.

Schall, Joh. Friederich Carl, relation of diameters of molecules, 1885, A., 1182.

 lecture experiment: specific heat of zinc, 1887, A. 634.

- determination of vapour densities, 1887, A., 695, 882; 1888, A., 335; 1890, A., 681, 1042; 1892, A., 934.

 demonstration of Avogadro's hypothesis, 1887, A., 698.

determination of the vapour density of high boiling substances under re-

duced pressure, 1887, A., 882. solid o-iodophenol, 1888, A., 262. - determination of vapour densities under diminished pressure, 1889, A., 331; 1892, A., 553.

-m-amido-p-tolyl methyl ether, 1889,

A., 698.

composition of ant oil, 1892, A., 948.

- sodium phenyl sulphide, 1892, A., 970.

Schall, Joh. Friederich Carl, and Christian Dralle, action of chlorine, bromine, and iodine on sodium p-cresolate, 1885, A., 145.

- new brazilin derivatives, 1888, A., 295; 1889, A., 55, 1004; 1890, A., 996.

oxidation of brazilin: new derivatives of resorcinol, 1892, A., 502. Schall, Joh. Friederich Carl, and Ludwig Kossakowsky, study of evaporation, 1891, A., 1316.

Schall, Joh. Friederich Carl, and Salomon Paschkowetzky, stereoisomerism of carbodiphenylimide and carbodi-p-tolylimide, 1892, A., 1452. Schall, Joh. Friederich Carl, and Johan-

nes Uhl, action of iodoform on the additive product obtained from sulphurous anhydride and sodium phen-

oxide, 1892, A., 1076.
Schapiroff, B. M., physiological action of tertiary alcohols, 1887, A., 857.

Schardinger, Franc, a new optically active modification of lactic acid, obtained by the bacterial decomposition of cane sugar, 1891, A., 666.

Scharf, Paul, gas battery, 1891, A., 374. Scharfenberg, Oswald, action of p-toluidine, phenylhydrazine, and α-naphthalene on itaconic acid, 1890, A., 368.

Scharfenberg, Oswald. See also Theodor Zincke.

Scharizer, Rudolf, idrialite, 1883, A., 427.

 constitution of the amphiboles containing alumina, 1885, A., 32.

micas of the pegmatite-granite of Schüttenhofen, 1888, A., 432.

Scharizer, Rudolf, tourmaline of Schuttenhofen, 1889, A., 761.

Schatz, F., oiling and the operations connected therewith in Turkey-red dyeing, 1883, A., 635.

Schatzki, Eugen, action of allyl and isobutyl iodides on zinc and acetone, 1885, A., 237.

— diallyloxalic acid, 1885, A., 511; 1887, A., 361.

preparation of ethyl oxalate, 1885, A., 512.

preparation of ethyl acetate, 1887, A., 360.

Schatzmann, Paul, attempts to prepare hydrothiazole derivatives, 1891, A., 744.

Schaub, C., manufacture of starch, 1884, A., 1234.

Schaumann. H., estimation of albumin in urine, 1889, A., 88.

Scheel, Carl, expansion of water, 1892, A., 7.

Scheerer, analysis of the Mansfeld copper slate, 1883, A., 1069.

Scheffer, Emil, estimation of nicotine, 1885, A., 604.

Scheffer, Joh. Daniel Reinier, diffusion of some organic and inorganic compounds, 1883, A., 1047; 1888, A., 1144.

Scheibe, Anton, origin of citric acid in milk, 1891, A., 1276. Scheibe, Anton. See also Eugen Wildt.

Scheibe, Anion. See also Lugen Witt.
Scheibe, Edmund, separation of morphia
in chemico-legal investigations, 1883,
A., 1036; 1884, A., 373.

Scheibler, Carl Bernhard Wilhelm, recovery of sugar from molasses by means of strontium hydroxide, 1883, A., 252, 536; 1884, A., 133.

- saccharin, 1884, A., 171.

action of sodium amalgam on glucose and saccharin, 1884, A., 574.

ntilisation of phosphatic slags, 1884, A., 783.

— non-identity of arabinose and lactose, 1884, A., 1287.

glutamic acid, 1884, A., 1308.
 nomenclature of sugars, 1885, A.,

744. — separation of raffinose from the

 separation of raffinose from the molasses of beet-root sugar, 1885, A., 962.

---- raffinose, 1885, A., 1046.

—— production of rich phosphate of lime in connection with an improvement of the Thomas' process, 1886, A., 926.

— behaviour of the alkaline earths and their hydroxides towards dry carbonic anhydride, 1886, A., 927. Scheibler, Carl Bernhard Wilhelm, estimation of water in the hydrates of strontium oxide, 1887, A., 217.

—— separation and estimation of melitors in cane sugar, 1887, A., 306.

determination of the specific gravity of viscid substances, 1891, A., 520.
 solubility of sugar in mixtures of alcohol and water, 1891, A., 536.

Scheibler, Carl Bernhard Wilhelm, and Huns Mittelmeier, melitose (raffinose),

____ starch, 1891, A., 33, 284.

____ gallisin, 1891, A., 536. ____ so-called isoarabonic acid, 1892,

A., 1180.
Scheibler, Carl Bernhard Wilhelm (and

Scheibler, Carl Bernhard Wilhelm (and others), strontia process for separating sugar from molasses or syrup, 1884, A., 527.

Scheibler, Carl Bernhard Wilhelm. See also Heinrich Kiliani, Carl Theodor Liebermann.

Scheid, Bernhard, quinone, 1884, A., 429.
Scheidel, August, preparation of vanillin from the gum of the olive tree, 1886, A., 238.

preparation of quinoxalines, 1886, A., 1046.

Scheiding, Fr., estimation of nitric nitrogen as nitric oxide, 1891, A., 107.

analysis of dynamite, 1891, A., 623.

Scheidt, Mar. See Gactano Magnanini, Wilhelm Wislicenus.

Schelle, Robert. See Alexander Classen. Schenck, Friedrich, relation of dextrose to the proteids of the blood, 1891, A., 350.

— estimation of sugar in the blood, 1891, A., 504.

Schenck, Friedrich. See also Eduard Friedrich Wilhelm Pfüger.

Schencke, Vincent. See Paul Jacobson. Schenck, Stefan, and Stefan Farbaky, electric accumulators, 1886, A., 106.

Schenk, Adolf, and Carl Arnold August Michaelis, derivatives of dimethylaniline containing phosphorus; and mercury dimethylaniline, 1888, A., 834.

Schenk, Adolf. See also Carl Arnold August Michaelis.

Schepper, H. Yessel de, and Adolf C. Geitel, examination of fat, 1883, A., 125.

Scherbel, Ludwig. See Adolph Claus. Scherks, Emil, hydroxymaleïc acid, 1884, A., 993. Scherks, Emil. hydroxymaleic and hydroxycitraconic acids, 1885, A., 513.

- hydrindonaphthenecarboxylicacid,

1885, A., 533.

Scherler, Otto, action of chlorine and of nitric acid on methylnaphthalenes, 1892, A., 403.

Scherpenberg, P. A. von, behaviour of bismuth with sulphur and selenium, 1890, A., 216.

Schertel, Araulf, volume-weight of sulphuric acid, 1883, A., 288.

Schertel, Arnulf. See also Alfred Wilhelm Stelzner.

Scheschukoff, Maxim I., action of chlorine on isolutylene, 1884, A., 1276.

---- separation of butylenes, 1885, A.,

action of chlorine on butylenes, 1885, A., 645.

- action of hydriodic acid on isobutylene, 1886, A., 680.

Scheschukoff, Maxim I. See also Michael D. Lwoff.

Schestakoff, Woldemar, composition of a bye-product obtained in the preparation of diallylearbinol, 1885, A., 237.

Schestopal. Constantin, tetramethyldiquinolyline from benzidine, 1887, A., 1120.

Schestopal, Constantin. See also Curl Engler.

Schetlik. See Setlik.

Scheufelen, Adolf, iron compounds as carriers of bromine, 1885, A., 1182; 1886, A., 340.

Scheulen, Wilhelm. Sce Adolph Claus. Scheurer, Albert, gaseous chlorine as a discharge in calico printing, 1884, A., 1234.

—— history of alizarin-blue, 1885, A., 106.

dycing with alizarin on indigo, 1885, A., 711.

— fixation of alumina as a discharge on indigo-blue, 1885, A., 1276.

Scheurer-Kestner, Augusta, formation of nitrous acid in the evaporation of water, 1883, A., 850.

notes on the soda industry, 1883, A., 887; 1884, A., 643, 1442.

heat of combustion of coal, 1884, A., 122.

coking of coal with conversion of its nitrogen into ammonia, 1884, A.,

— consumption of fuel for heating boilers, 1884, A., 780. Scheurer Kestner. .1ugustc. reaction between ferric oxide and certain sulphates at high temperatures. 1885, A., 125.

burners, 1885, A., 199, 706.

--- heat of combustion of the coal of Ronchamp, 1885, A., 848.

composition and heat of combustion of coal from Ruhr, 1885, A., 1020.

— use of Korting's apparatus for forcing gases through sulphuric acid chambers, 1885, A., 1166.

Thompson's calorimeter, 1888, A., 750.

heat of combustion of coals from the North of France, 1888, A., 774.

—— use of the calorimetric bomb for the determination of the heat of combustion of coal, 1891, A., 520.

— Turkey-red oil, 1891, A., 542, 665. polymerides of ricinoleic acid, 1891,

A., 1454.

phate in presence of silica, 1892, A., 565.

anhydride by carbon at high temperatures, 1892, A., 681.

power of coal, 1892, A.. 1143.

Scheurer-Kestner, Auguste, and Charles Meunier-Dollfus, an English coal, 1888, A., 345.

Schiaparelli, Cesarc, saponin from Saponaria officinalis, 1884, A., 332.

Schiaparelli, Cesare, and Modesto Abelli, nitroresorcinols, 1884, A., 174.

Schidlowski, Franc I., estimation of carbonic anhydride in air, 1889, A., 651.

Schieffelin, William Juy. See Eugen Bamberger.

Schierholz, C., separation of iodine, bromine, and chlorine, 1892, A., 1028.

Schiff, Felix, derivatives of o-dibromobenzene, 1891, A., 44.

Schiff, Hugo, methylarbutin, 1883, A.,

protocatechutanuicacid and anlydrides of aromatic hydroxycarboxylic acids, 1888, A., 335.

— glucosides, 1883, A., 347.

ducts of terebene, 1883, A., 1141.

----- arbutin, 1884, A., 432.

—— m-amidobenzamide, 1884, A., 455. —— oxalamido-acids, 1884, A., 906.

—— alanine and ethyl oxalate, 1884, A., 995.

385 25

Schiff, Hugo, condensation product from salicylaldehyde, 1884. A., 1164.

salicylaldehyde, 1884, A., 1164.
—— aspartic acid, 1885, A., 377.

- oxaldiamidopropionie acid, 1885, A., 760.

- phosphorsellinic acid, 1885, A., 795.
 lecture experiments on the occlusion of hydrogen by palladium, 1885, A., 1035.
- —— so-called isophloridzin, 1885, A., 1142.
- gas regulator, 1886, A., 15.
 oxalamidobenzoic acid, 1886, A.,
- 549.
 —— colour bases from furfuraldehyde,
- 1886, A., 612, 1013.
 —— tartramido- and malamido-benzoic acids, 1886, A., 621.
- —— furfuraldehyde, 1887, A., 571.
- --- compounds of sugars with aldehydes and ketones, 1888, A., 572.
 - isomerides of tannic acid, 1888, A., 840.
- aldehyde and ketone sulphites of organic bases, 1889, A., 234.
 phloroglucinotannic acid, 1889, A.,
- 1063.
 constitution of filicic acid, 1890,
- constitution of phenanthroline bases, 1891, A., 1258.
- amidotolylurethane, 1892, A., 1208.
 polymethylene bases from benzidine and tolidine, 1892, A., 1223.
 Schiff, Hugo, and Cesare Parenti,
- Schiff, Hugo, and Cesare Parenti, ethyleneamidobenzamic acid, 1885, A., 266.
- Schiff, Hugo, and Enrico Pons, an amide of gallic acid, 1885, A., 796.
- Schiff, Hugo, and Ruccardo Sestini, compounds of arsenious anhydride with potassium bromide and iodide, 1885, A., 723.
- Schiff, Hugo, and Angelo Vanni, fluorescent derivatives of aromatic diamines, 1890, A., 138.
- eneoxamethane, 1890, A., 1124.
 benzidine, 1890, A., 1297.
- isomeric ethyl amidotolylcarbanates, 1891, A., 702.
- amidotolyloxamic acid, 1891, A., 833.
- A., 907.
- amidotolyloxamic and urethanotolyloxamic acids, 1892, A., 599, 1208.

- Schiff, Hugo. See also Guido Bargioni. Schiff, Julius, safrole, 1884, A., 1338.
- Schiff, Robert, constant of capillarity of liquids at their boiling-points, 1883, A., 549; 1884, A., 808; 1885, A., 717.
- molecular volume of liquid substances, 1883, A., 1044; 1884, A., 386.
 change in volume on melting,
- 1884, A., 1089.

 estimation of the specific gravity
 of liquids at higher temperatures,
- 1885, A., 950.

 physical properties of thiophen,
- 1885, A., 971.

 specific heats of homologous series of liquid organic compounds, 1887, A., 6; 1888, A., 14, 771.
 - heat of evaporation of homologous carbon compounds, 1887, A., 9.
- demonstration of the coefficient of expansion as a lecture experiment, 1887, A., 1013.
- —— epichloramine, 1892, A., 29. —— chloralimide, 1892, A., 134.
- special case of isomerism, 1892, A., 1067.
- Schiff, Robert, and Julius Puliti, introduction of hydrocarbon radicles into the pyridine group, 1883, A., 1151.
- the pyridine group, 1883, A., 1151. Schiff, Robert, and N. Tarngi, oximes of chloral and butylchloral, 1892, A., 33. Schiff, Sally. See Convail Willgerodt.
- Schiffer, Christian. See Rudolph Fittig. Schiffer, Heinrich, derivatives of gallic acid and of pyrogallol, 1892, A., 715.
- Schiffer, Heinrich. See also Arthur Rudolf Hantzsch.
- Schilbach, Carl, berberine salts, 1887, A., 604.
- Schilbach, Carl. See also Ernst Albert Schmidt.
- Schiller-Wechsler, Max, anilidopyrotartaric acid, 1885, A., 900.
- Schilling, Emil, caffeine methylliydroxide, 1885, A., 674.
- Schilling, Emil. See also Ernst Albert Schmidt.
- Schillinger, A., and Severin Wleigel, anthroxanaldehyde and anthroxanic acid, 1884, A., 60.
- Schimmel (and Co.), constitution of betel oil, 1892, A., 833.
- estimation of cinnamaldehyde, 1892, A., 924.
- essential oils, 1892, A., 1347. Schimper, Andrews Franz Wulhelm, chlorophyll, 1884, A., 1367.
- formation and migration of carbonates in leaves, 1886, A., 826.
 formation of calcium oxalate in

Schimper, Americas Franz Wilhelm, assimilation of mineral salts by green plants, 1891, A., 604.

Schindler, Carl, volumetric estimation of phosphoric acid, 1888, A., 753.

 volumetric estimation of molybdenum and lead, 1888, A., 757.

Schindler, Franz, valuation of hay, 1885, A., 1154.

Schindler, S., adenine and guanine, and their derivatives, 1889, A., 790.

separation and estimation of adenine and guanine and their derivatives, 1889, A., 802.

Schindler, Titus, crotonaldoxime, 1892, A., 32.

- crotonaldoxime and allyl cyanide,

1892, A., 580. Schirmer, Paul. See Karl Polstorff. Schischowski, J., composition of maize, 1885, A., 291.

Schjerning, Niels Christian Henrik, estimation of calcium and magnesium in gun-cotton, 1889, A., 1032; 1892, A., 1520.

manganese compounds, 1892, A., 1052.

Schkateloff, Wladimir V., chemical composition of the Russian white resin from Pinus sylvestris, 1889, A.,

Schlaepfer, Rodolphe, composition of mica and chlorite, 1891, A., 530.

Charles Fréderic. Schlagdenhauffen, presence of arsenic in the waters of Barèges, 1883, A., 302.

origin of arsenic and lithium in waters containing calcium sulphate, 1883, A., 302.

- volumetric estimation of manganesc, 1885, A., 442.

- magnesia in sodium and hydrogen calcium phosphates, 1890, A., 664.

Schlagdenhauffen, Churles Frederic, and Leon Garnier, arsenic in the soil of cemeteries, 1885, A., 1009.

Schlagdenhauffen, Charles Fralcric. See also Edouard Heckel.

Schlarb, H. Ch. See Adolph Claus. Schlaugk, M. See Ernst Dürkopf.

Schlegel, C., combustion of hydrocarbons and their derivatives with mixtures of oxygen and chlorine, 1885,

Schleh, heaping potatoes, 1884, A., 772. Schleich, Carl. See Eugen Lellmann.

Schleicher, Bruno,a-bromisovaleric acid: pimelic acid: synthesis of tetraconic acid, 1892, A., 427.

Schleicher, Erhart, bromothiophen and ethylthiophen, 1886, A., 227.

Schleicher, Erhart, limited exidation of ethylthiophen, 1886, A., 534.

isopropylthiophen, 1886, A., 534. ketones of the thiophen group, 1886, A., 539.

Schleiermacher, August, heat conductivity of mercury vapour, 1889, A.,

- boiling-point determinations with small amounts of material, 1891, A., 873.

Schleif, William, crystalline principle from the bark of Diospyros virginiana, 1891, A., 324.

Schleselmann, Jumes. See Thomas Carnelley.

Schlesinger, Adolf, diastatic action of human saliva, 1891, A., 1522.

Schlicht, A., estimation of oil of mustard, 1892, A., 1035.

Schlick, Karl, physiological action of strychnine, 1891, A., 486.

Schlickum, Oskar, estimation of morphine, 1887, A., 622.

testing quinine sulphate, 1887, A.,

Schliemann, Johannes. See Eugen Lell-

Schlieper, Adolf, indoles from the naph-

thylhydrazines, 1887, A., 153, 963. Schlieper, Adolph, and Baum, fixing in-

digo on cotton, 1884, A., 136.
Schlieper, F. W., reduction of m-bromonitrophenol, 1892, A., 704.
Schlömann, Wilhelm. See Karl Schotten.

Schlesing, Jean Jacques Théophile, magnesia industry, 1885, A., 1166. —— estimation of annuonia in soils,

1886, A., 740, 831, 1075.

- relation between atmospheric nitrogen and vegetable soils, 1888, A., 747, 870, 1330; 1889, A., 1237; 1890, Λ., 822.

- slow combustion of organic substances, 1888, A., 979; 1889, A., 639. estimation of carbon and nitrogen in vegetable soils, 1888, A., 1335.

- loss of nitrogen in the decomposition of organic matter, 1889, A., 638.

nitrification of ammonia, 1889, A., 1239; 1890, A., 282.

- fermentation of manure in absence of oxygen, 1890, A., 282.

· absorption of ammonia from the air by vegetable soils, 1890, A., 821. · fermentation of farmyard manure,

1892, A., 1123. Schlæsing, Th., junior, the atmosphere in soils, 1890, A., 81. - fermentation of farmyard manure,

1892, A., 1123.

Th., junior, and Emile Schlæsing Laurent, fixation of gaseous nitrogen by Leguminosæ, 1891, A., 353.

· fixation of free nitrogen by plants, 1892, A., 378, 523, 1021.

Schloesser, Augustus, succinic acid and ethyl benzoylacetate, 1889, A., 594.

Schloesser, Augustus. See also William Henry Perkin, junior, Rudolph Fittig. Schluttig, E., imperfectly known silicates, 1887, A., 784.

Schmalzigaug, Hermann. See Carl Graebe.

Schmeisser, Walter. See Adolph Claus. Schmelck, Ludwig, investigation of petroleum lamps, 1885, A., 452.

Schmelck, Ludwig. See also Hercules Tornöe.

Schmelz, Carl, source of the glycogen of muscle, 1889, A., 429.

Schmid, Edmund. See Friedrich Nobbe. Schmid, Emil von. See Leopold Mayer. Schmid, Hans. See Heinrich Goldschmidt.

Schmid, Heinrich, use of Baeyer's artificial indigo, 1883, A., 257.

researches by Witz on the oxidation of cellulose, 1884, A., 528.

 fixing perthiocyanogen in printing, 1884, A., 796.

Turkey-red oil, 1885, A., 313. Schmid, Jacob, fisetin, the colouring

matter of fustet wood or young fustic, 1886, A., 894.

Schmid, Jacob. See also Georg Lunge. Schmid, Werner, estimation of fat in milk, cream, etc., 1888, A., 1347.

Schmidt, Adolf. water vapour in gas generators, 1885, A., 705.

Schmidt, Albrecht, and Georg Wichmann, piperazine, 1892. A., 210. Schmidt, Albrecht. See also Indolph Fittig, Wilhelm Majert.

Schmidt, Alessandro, pseudobrookite,

1883, A., 435. hæmatite from the Hargita-Gebirge,

1884, A., 405.

isomorphism of jordanite and meneghinite, 1885, A., 639.

- arsenopyrite from Servia, 1889, A., 21.

- zircon, 1891, A., 1169.

Schmidt, Alfred. See Karl Friedrich Ollo Seubert.

Schmidt, Anton W. See Rudolf Nietz-

Schmidt, Carl (Basel), minerals of the oclitic iron ore of the Windgallen, 1886, A., 780,

Schmidt, Carl (Munich). See Otto Fischer.

Schmidt, Christoph, action of potassium phthalimide on halogen compounds containing oxygen, 1890, A., 372.

Schmidt, Christoph. See also Otto Nikolaus **W**itt.

Schmidt, Edmund. See Stanislaus von Kostanecki.

Schmidt, Emil. See Adolph Claus. Schmidt, Ernst Albert, action of hydrochloric acid on xanthine, 1883, A., 871.

occurrence of caffeine in cacao, 1883, A., 873.

action of hydrochloric acid on caffeine, 1883, A., 873.

 nonoic acids from different sources, 1884, A., 295.

· caffeine methhydroxide, 1884, A., 338.

- berberine, 1884, A., 339; 1892, A., 1498.

- picrotoxin, 1884, A., 815.

· zinc methylethylacetate, 1886, A., **567.**

- angelic acid, 1886, A., 867; 1891, A., 891.

jervic acid, 1886, A., 868.

- chelidoninic acid, 1886, А., 869.

- malic acid, 1886, A., 869. — caffeine, 1886, A., 899.

- occurrence of vanillin in asafertida. 1886, A., 906.

alkaloids of Scopolia Hlardnackiana (Hladnikiana), 1888, A., 856.

conversion of hyoscyamine into atropine, 1888, A., 970.

- alkaloids of the Papaveracce, 1889, A., 62.

- root constituents of Scopolia atropoidcs, 1891, A., 228.

- choline, 1892, A., 219, 905. preparation of pure trimethylamine from crude trimethylamine hydro-

chloride, 1892, A., 805. action of hydriodic acid and of hydrobromic acid on neurine and

choline, 1892, A., 808. -choline, neurine, and allied compounds, 1892, A., 905.

hyoscine (scopolamine), 1892, A., 1255, 1498.

Berberis alkaloids : berberine and hydroberberine, 1892, A., 1498.

Schmidt, Ernst Albert, and Hermann Henschke, alkaloids of Scopolin ju-

ponica, 1888, A., 856. Schmidt, Ernst Albert, and Wilhelm Kerstein, Berberis alkaloids, 1890, A.,

Schmidt, Ernst Albert, and Alfred Partheil, derivatives of allyltrimethylammonium hydroxide, 1892, A., 950.

Schmidt, Einst Albert, and Heinrich

Pressler, theobromine, 1883, A., 872.
Schmidt, Ernst Albert, and Hermann
Roemer, occurrence of the higher fatty acids in the free state in vegetable fats, 1884, A., 96.

Schmidt, Ernst Albert, and Curl Schilbach, action of potassium permangan-

ate on berberine, 1887, A., 604. Schmidt, Ernst Albert, and Emil Schil-

ling, caffeine, 1885, A., 995.
Schmidt, Ernst Albert, and Julius Weiss, allyltrimethylammonium chloride and iodide, 1892, A., 949.

Schmidt, Ernst Albert, and Max Wernecke, cafferdine, 1891, A., 331. Schmidt, Ernst Albert, and Friedrich

Wilhelm, Berberis alkaloids, 1588, A., 1212.

Schmidt, Frunz (Aachen), and Hänsch, disturbing phenomena observed in polarising operations, 1885, A., 321. Schmidt, Franz (Berlin). See Car See Carl

Arnold August Michaelis.

Schmidt, Friedrich (Marburg), alkylhydrastines and their derivatives, 1890, A., 1167.

Schmidt, Friedrich (Basel). See Rudolf Nietzki.

Schmidt, F. IV. See Gerhard Krüss. Schmidt, Georg, isatoic acid, 1888, A.,

Schmidt, Georg. See Ludwig Gattermann, Oskar Pampel.

Schmidt, Gerhurd Carl, change of volume on dissolving salts in water, 1890, A., 844.

 vapour pressures of homologous compounds, 1891, A., 969; 1892, A., 396.

critical temperatures of mixed liquids, 1892, A., 262.

Schmidt, Hermann, titration of acid

tungstates, 1886, A., 597. Schmidt, Ludwig. Sec Rudolf Nietzki.

Schmidt, Muz, action of sulphurous anhydride on nitroso-compounds, 1890, A., 1305; 1892, A., 476. Schmidt, Max von, and F. Erban, separ-

ation of resins, 1887, A., 406. See also Rudolf

Schmidt, Max von. Benedikt.

Schmidt, Moritz. See Rudolf Leuckart. Schmidt, Oskar. See Adolph Claus.

Schmidt, Otto. See Eugen Lellmann. Schmidt, Robert Eduard, composition of lac-dye, 1887, A., 734.

alizarinsulphonic acids: conversion of anthraquinone-a-and-\$-disulphonic acids into flavopurpurin and anthropurpurin, 1891, A., 934.

Schmidt, Robert Eduard, new dyes of the

anthraquinone series, 1891, A., 935.
Schmidt, Robert Edward, and Ludwig
Gattermann, hydroxy-derivatives of
alizain-blue, 1891, A., 1382.

Schmidt, Robert Eduard. Georg Lunge. See also

Schmidt, R. II., absorption and digestion of fat oils by plants, 1892, A., 1118.

Schmidt, Th., comparative sweetness of cane and starch sugars, 1887, A., 1026.

Schmidt, Theodor. See Emil Fischer. Schmidt, TheodoreWilliam.

Thomas Herbert Norton. Schmidt-Mülheim, Adolf, milk secretion,

1884, A., 93.

Schmiedeberg, Oswald, oxidations and syntheses in the animal organism, 1883, A., 361.

- decomposition and synthesis in the animal organism, 1883, A., 361.

active principle of the root of

Apocynum cannabinum, 1883, A., 1141.

Schmieder, Joh. See Heinrich Kaiser. Schmitt, Charles Ernest, adulteration of butter, 1883, A., 521.

- artificial butter colourings, 1884, A., 236.

— orantin and carottin, 1884, A., 910. estimation of the volatile fatty acids in butter analysis, 1884, A., 1434.

- methods of butter analysis, 1885, A., 197.

 composition of butter from cows', goats', and ewes' milk, 1885, A., 309.

Schmitt, Conrad, detection of "sac-charin," 1888, A., 996.

Schmitt, Conrad, and Albert Cobenzl, gallisin, the unfermentable part of commercial glucose, 1884, A., 981.

- constitution of fatty acids, 1884, A., 1125.

Schmitt, Conrad, and Carl Hiepe, estimation of fixed organic acids in wine, 1883, A., 384.

Schmitt, Conrad, and Josef Rosenhek, gallisin, 1885, A., 134.

Schmitt, Marie Xavier Joseph, physiclogical action of camphors and their combinations with chloral, 1892, A., 227.

Schmitt, Rudolf Wilhelm, preparation of salicylic acid, 1885, A., 709.

 Kolbe's synthesis of salicylic acid, 1885, A., 982.

- formation of zinc propionate by the action of carbonic anhydride on zinc ethyl, 1891, A., 288,

Schmitt, Rudolf Wilhelm, and Julius Altschul, p-hydroxyquinolinecarboxylic acid, 1888, A., 67. Altschul,

Schmitt, Rudolf Wilhelm, and Einst Burkard, naphtholcarboxylic acids,

1888, A., 59.

Schmitt, Rulolf Wilhelm, and Friedrich Franz Engelmann, o-hydroxyquinolinecarboxylic acid, 1887, A., 738; 1888, A., 66.

Schmitt. Rudolf Wilhelm, and Friedrich Hermann Hähle, catecholcarboxylic acids, 1891, A., 1366.

Schmitt, Rudolf Wilhelm, and Curt. Kretzschmar, p-diphenoldicarboxylic acid, 1888, A., 56.

Schmitter, A. G., source of nitrogen of plants, 1890, A., 1023.

- new experiments on soil inoculation, 1892, A., 1512.

Schmitz, Ludolf. See Heinrich Conr. Klinger.

Schmitz, S., modification of the calcium chloride drying tube used in elementary analysis, 1885, A., 687.

- estimation of nitrogen in coal and

coke, 1886, A., 1071.

Schmitz-Dumont, W., phur, 1892, A., 1389. insoluble sul-

Schmitz-Dumont, W. See also Ourl Friedheim.

Schmoeger, Max, Blumenthal's prepared rennet, 1884, A., 535.

- Soxhlet's arcometric butter-fat estimations, 1885, A., 603.

polarimetric estimation of sugar in milk, 1885, A., 693.

- milking of cows, 1885, A., experiments with the small Danish

separator, 1886, A., 290.

estimation of sugars by means of Ost's copper solution, 1892, A., 387.

- acetylated lactose and the optically different modifications of lactose, 1892, A., 948.

Schmoeger, Max, and Oskur Neubert influence of distillers' waste on milk secretion. 1884, A., 194.

Schmoeger, Max (and others), notes on milk and butter, 1884, A., 236.

- blue milk, blue cheese, and ropy milk, 1884, A., 942.

Schmunk, Ludwig. See Theodor Zincke. Schnapauff, E., cumidic acids, 1887, A.,

Schnapauff, E. See also Oscar Georg Jacobsen.

Schneegans, August, Perkin's reaction in the paraffin series, 1885, A., 649. - vanillin from Rosa canina, 1890, A., 1270,

Schneegans, August. See also Rudolph Fittig.

Schneidemühl, Georg. See Carl Arnold. Schneider, Alfred, amides of tubasic fatty acids, 1888, A., 464.

- new manganese ore from Dillenberg, 1888, A., 1260; 1890, A., 459. - inesite from Dillenberg, 1890, A.,

345. damascenine from Nigella damas-

cena, 1890, A., 1317. Schneider, C., artificial production of

diastase, 1884, A., 1366. C. Schneider, (Karlsruhe),

hornblendes, 1891, A., 649. Schneider, Carl Weiner Thickmann.

See Carl Paal.

Schneider, Edward Adolph, separation of the two isomeric toluidinesulphonic acids, 1887, A., 146.

action of sulphuric acid on hydrazinetoluenesulphonic acids, 1887, A.,

- compound of manganese sesquioxide with copper oxide, 1887, A.,

treatment of natural silicates with hydrochloric acid as a means of ascertaining their structure, 1889, A.,

analysis of a soil from Washington Territory, 1889, A., 435.

relation of the hydrated sesquioxides to the salts of iron and aluminium, 1890, A., 946.

- relative basicity of the hydrated sesquioxides of iron and aluminium, 1890, A., 1062.

- colloidal sulphides of gold, 1891, A., 1162.

colloidal silver, 1892, A., 117, 775, 941.

organosols, 1892, A., 775.

Schneider, Edward Adolph, and Frank Wigglesworth Clarke, action of ammonium chloride at its dissociation temperature on silicates, 1892, A., 772.

Schneider, Edward Adolph. See also Carl Barus, Frank Wigglesworth Clarke.

Schneider, Ernst Robert, atomic weight of bismuth, 1885, A., 354; 1891, A., 271, 1324.

precipitation of halogen salts of silver, 1885, A., 1010.

- action of silver cyanide on sulphur chloride, 1885, A., 1193.

— behaviour of iodine with realgar

and arsenic iodosulphide, 1887, A., 213.

Schneider, Ernst Robert, action of arsenious sulphide on iodine, 1888, A., 414.

- action of cuprous chloride on potassium iron sulphide: artificial copper pyrites, 1889, A., 354.

- artificial copper-bismuth glance, 1890, A., 337. - artificial silver-bismuth glance,

1890, A., 710.

- action of hydrogen on potassium thallium sulphide, 1891, A., 16.

 composition of commercial and of commercially pure bismuth, 1891, A., 1324.

- two new seleno-salts, 1892, A., 281. -reduction of potassium platinum thiostannate: potassium thioplatinosate, 1892, A., 944.

See Walhelm Conrad Schneider, J.

Röntgen.

Schneider, Leopold, wolfram, 1895, A., 1187.

estimation of phosphorus in iron and steel, 1887, A., 527.
influence of phosphorus on iton,

1888, A., 421.

- new method for the estimation of

manganese, 1888, A., 873.

— water of crystallization, 1890, A., 1209.

Leopold, and F. Lipp, Schneider, analysis of tungsten steel, 1885, A.,

Schneider, Leopold. See also Max von

Schneider, Max, estimation of hydrogen potassium tartrate, fiee tartaric acid, malic acid, and mineral salts in wine, 1891, A., 371.

estimation of malic acid in wine, 1891, A., 371.

Schneidewind, W., substitution in organic compounds containing negative radicles, 1888, A., 704.

Schnell, Auton, nitromethylsalicylaldehyde and its derivatives, 1884, A., 1164. m-nitromethylsalicylaldehyde and its derivatives, 1887, A., 140.

Schnelle, Wilhelm, and Bernhard Tollens, multirotation of rhamnose and of the saccharoses, 1892, A., 1420.

· polarisation phenomena of rhamnonic acid and rhamnolactone, 1892, A., 1431.

polarisation phenomena of galactonic acid and galactonolactone, 1892, A., 1432.

- polarisation phenomena of gluconic acid and glucolactone, 1892, A., 1432.

Schnelle, Wilhelm. See also Fred. C. Weld.

Schniderschitsch, Hans, constitution of the cinchona alkaloids: cinchonidine,

1889, A., 626.
Schniter, Karl, isometic chloro- and bromo-thymoquinones, 1887, A., 720.

— preparation of quinones; halogen derivatives of toluquinone, 1887, A., 1036.

Schniter, Karl. See also Arthur Rudolf Hantzsch.

Schnitzer, Franz, preserving ground coffee, 1884, A., 880.

Schober, J. B., examination of the ores from Amberg and of the accompanying phosphates, 1883, A., 432.

Schoch, Rudolf. See Georg Lunge. Schoder, Robert. See Adolf von Baeyer. Schöffel, Rudolf, and Ednard Donath,

volumetric method of estimating manganese especially in iron and steel, 1884, A., 116.

volumetric estimation of

manganese, 1887, A., 399. Schoeller, August, hystazarin, 1888,

A., 1203; 1889, A., 719. Schoelter, *Richard*, liver waters of La Plata, 1887, A., 786.

Schoen, G. A., estimation of p-toluidine, 1890, A., 839.

Schön, Ludwig, occurrence of oleic acid. in earth-nut oil, 1888, A., 578.

Schönbrodt, Reinhold, delivatives of

ethyl acetoacetate, 1890, A., 27. Schöndorff, B., influence of drinking large quantities of water on the excretion of uric acid, 1891, A., 348.

Schöne, Emil Bogdanovich, spectrum of ozone, 1885, A., 713.

Schöne, Hugo, chlorocarbonylsulphamyl, 1885, A., 512.

amyl thiochlorocarbonate and its action on compounds containing nitrogen, 1886, A., 337.

Schönemark, H. (and others), manufal experiments with precipitated phosphates and basic slag, 1886, A., 1069.

Schönfeld, Franz. See Martin Freund. Schönfeld, Fritz. See Richard Anschütz.

Schönflies, Arthur, theories of the structure of crystals, 1892, A., 572. Schönherr, Rudolf F. See Friedrich Krafft.

Schöpff, Martin m-nitrobenzenylamidoxime, 1885, A., 896.

derivatives of m-nitrobenzenylamidoxime, etc., 1885, A., 1217.

– diphenylamine derivatives, 1889, A., 772.

Schöpff, Martin, substitution of the anilido-group for halogen atoms in the benzene nucleus, 1890, A., 374; 1891, A., 304.

o-nitrodiphenylamine and its de-

livatives, 1890, A., 1113.

- bromobenzonitriles, 1891, A., 295. - displacement of halogen atoms in

the benzene-ring, 1892, A., 335.
— Friedel-Crafts' synthesis, 1892, A., 387, 594,

acridone derivatives, 1892, A., 1223.

action of aniline on \(\beta\)-naphtholcarboxylic acid, 1892, A., 1476.

Scholl, Roland, conversion of ketoximes into ψ -nitroles, 1888, A., 443.

 constitution of fulminic acid, 1891, A., 282.

action of hydroxylamine on isonitrosoketones, 1891, A., 287.

 action of nitrogen tetroxide on aromatic ketoximes and on glyoximes, 1891, A., 315.

the simplest normal oxime and its polymerides, 1891, A., 663.

Scholtz, Mur, action of ammonia on o-xylylene biomide, 1891, A., 1353. Scholvien, Louis, mercury fulminate,

1885, A., 39. fulminic acid, 1886, A., 137.

 behaviour of ethyl ether with sulphuric acid: separation of ethyl ether from ethyl bromide, 1891, A., 410.

Scholz, R., heats of dissolution of salts

in water, 1892, A., 676. Scholz. Wilhelm. See Carl Theodor Liebermann.

Schoop, Paul, manufacture of magenta, 1886, A., 290.

preparation of dimethylaniline, 1887, A., 474.

Schoop, Paul. See also Wilhelm Franz

Loebisch, Hans Malfatti.
Schoor, W. K. J., action of certain substances on dextrin, 1885, A., 369. Schorlemmer, Curl, thionyl chloride, 1885, P., 52.

Schorlemmer, Carl, and Thomas Edward Thorpe, normal paraffins, 1883, A., C51. Schorlemmer, Curl. See also Richard

S. Dale.

Schott, E. A. (and others), purification of sugar-beet juice, 1883, A., 136. Schotten, Karl, conine, 1883, A., 220.

oxidation of piperidine, 1883, A., 813; 1885, A., 176.

source of hippuric acid in the urine, 1884, A., 1057

- bile acids, 1886, A., 565; 1887, A., 606.

Schotten, Kurl, conversion of piperidine into 5-amidovaleric acid and into oxypiperidine, 1888, A., 1104.

action of acid chlorides on bases in presence of alkalis, 1891, A., 295.

oxidation of hydrated pyridine bases: conversion of tetrahydroquinoline into isatin, 1891, A., 722.

- isatin-blue, 1891, A., 928, 1191. bromisatin-blue: compounds of mono- and di-bromisatin with piperi-

dine, 1891, A., 1491.

Schotten, Karl, and Joseph Baum. a new oxidation-product of conine, 1885, A., 176.

Schotten, Karl, and Wilhelm Schlömann, oxidation of piperidine and tetrahydroquinoline delivatives, 1892, A., 354.

Schottländer, Paul, gold compounds, 1883, A., 853.

- crystalline form of potassium auro-

bromide, 1887, A., 1079. - metals of the cerium group, 1892,

A., 686.

Schrader, Ludwig. See Albert Ladenburg.

Schramm, Carl, isonitrosoketones, 1883, A., 573.

 acetoximic acids, 1883, A., 590 organic hydroxylamine derivatives, 1884, A., 51.

Schramm, Carl G. See Leopold Rügheimer.

Schramm, Julian, position of thallium in the chemical system and its presence in sylvin, 1883, A., 954.

action of bromine on aromatic hydrocarbons, 1883, A., 977.

action of sodium on methyl othyl ketone, 1883, A., 1079.

- diethyl ketone, 1883, A., 1080. formation of p-bromobenzyl bromide by the action of bromine on p-bromotolnene, 1885, A., 379.

· influence of sunlight on the bromination of aromatic compounds, 1885, A., 518, 888.

influence of light on the action of halogens on aromatic compounds, 1885, A., 767; 1886, A., 451; 1887, A., 807; 1889, A., 240; 1891, A., 898.

- isomeric changes on synthesizing aromatic compounds by means of aluminium chloride, 1889, A., 127.

Schramm, Julian, and Iynaz Zakrzewski, spectium researches on the energy of the action of bromine on aromatic compounds, 1888, A., 9. Schramm, Julian. See also Bronislan

Radziszewski.

- Schrauf, _11brecht, the so-called liebigite from Joachimsthal, 1883, A., 955.
- kelyphite, 1884, A., 972.
- dispersion equivalent of the diamond, 1885, A., 14.
- dispersion equivalent of sulphur, 1886, A., 406.
- expansion coefficient of sulphur, 1886, A., 408.
- molecule of crystalline benzene, 1887, A., 922.
- Schrauf, Albrecht (and others), danburite from Switzerland, 1883, A., 956.
- Schreber, Karl, electromotive forces of thin layers of hydrated peroxides,
- 1889, A., 661. Schreder, Josef, constitution of isuvitie
- acid, 1885, A., 798. Schreder, Josef. See also Ludwig (Ritter) Barth von Barthenau.
- Schreib, H., estimation of fat in milk,
- 1888, A., 1135.
 Schreiber, R., phenoxyethylamine and p-cresoxyethylamine, 1891, A., 552.
- Schreinemakers, Frans Antoon Hubert, equilibrium of double salts of lead and potassium iodides with their aqueous solutions, 1892, A., 560.
- Schreiner, peat as manure, 1885, A., 428.
- Schrewe, manuring potatoes, 1886, A., 578.
- Schrobe, A., evaporation of alcohol from wooden vats, 1884, A., 526.
- Schrodt, Max, annual report of the experimental dairy farm at Kiel, 1884, A., 1396.
- quality of butter made by different processes, 1885, A., 105.
- new conserving agent for milk and butter, 1885, A., 612.
- presence of nitrites and nitrates in milk as proof of adulteration, 1887, A., 87.
- feeding with carth-nut and palm cake, 1888, A., 174.
- Schrodt, Max, and H. Hansen, influence of oat- and wheat-bran on the secretion of milk, 1884, A., 854.
- composition of the ash of cows' milk, 1884, A., 1397.
- feeding milch cows with ensiled sugar-beet sections, 1885, A.,
- influence of malt coombs on the yield of milk, 1885, A., 929.
- Schrodt, Max, and Otto Henzold, butter fat, 1891, A., 757.
- Schrodt, Max, and H. von Peter, sunflower-seed cake as fodder for milch cows, 1884, A., 483.

- Schrodt, Max (and others), milk, 1883. A., 254.
- Schroeder (Gottingen), glycyrrhizin in Myrrhis odorata, 1886, A., 172.
- Schröder, Georg, cobalt and nickel oxides, 1890, A., 1213.
- Schröder, H., constitution of liquid compounds, 1883, A., 422.
- dependence of molecular refraction of liquid carbon compounds on their chemical constitution, 1883, A., 538.
- boiling-points of the corresponding ketones, ethereal salts, and chlor-anhydrides, 1883, A., 990.
- Schröder, Iwan F., specific gravity of solutions of mercuric chloride, 1886, A., 412.
- Schroeder, Theodor Julius Reinhold von (and another), influence of acid smoke on vegetation, 1885, A., 76.
- Schröder, M. J., detection of antifebrin in phenacctin, 1889, A., 660.
- Schroeder, Max, action of carbonic oxide on mixtures of sodium alcoholate and sodium salts of organic acids, 1881, A., 38.
- Schroeder, Max. See Emil Hänisch. Schroeder, V., derivatives of benzylidene-
- phenylhydiazine, 1884, A., 1323. Schroeder, Waldemar von, formation of urea in the dog-fish, 1890, A., 1451.
- Schroeter, Georg, o-cresolbenzein, 1890, A., 898.
- Schroeter, Hermann J. M. See Henry Trimble.
- Schrötter, Hugo, action of dilute mineral acids on saccharic acid, 1888, A., 1060.
- ethereal derivatives of proteids, 1889, A., 1224.
- Schrötter, Hugo. See also Eduard von Gerichten.
- Schryver, S. B., the asymmetry of mitrogen in substituted ammonium compounds, 1891, P., 39.
- Schryver, S. B. See also John Norman Collie.
- Schubart, Louis H., p-homobenzenylamidoxime, 1886. A., 797.
- · v- and o-homobenzenylamidoximes and their derivatives, 1890, A., 47.
- action of carbon bisulphide on the potassium compound of p-homobenzenylamidoxime, 1890, A., 49.
- Schuberg, Friedrich, stony concretions in animals, 1884, A., 348.
- Schubert, Arthur Louis, and Zdenko Hanns Skraup, action of hydriodic acid on quinine and quinidine, 1892, A., 640.
- Schubert, B., occurrence of minerals at Jordansmuhl in Silesia, 1883, A., 35.

Schubert, Stanislaus, diisobutylquinol, 1883, A., 60.

- action of heat on starch granules, 1885, A., 368.

See also Mar Schubert, Stanislaus. Hönig.

Schucht, Ludwig, electrolysis, 1884, A., 541.

Schudel, Berthold, dipropyl propylidenic oxide, 1884, A., 1283.

Schübeler, Friedrich Christian, action of long days on vegetation, 1885, A., 419. Schüchner, Georg. See Victor von

Richter.

Schüchtermann, H., working up basic slag, 1885, A., 940.

Schüle, Gotthilf. See Carl Hell. Schüler, Georg, dihydroxyanthracene from a-anthraquinonesulphonic acid (flavol), 1883, A., 74.

Benedikt. See Schündelen, Nietzki.

Schupphaus, Rob., action of chlorine on boiling benzene, 1885, A., 52. Schüpphaus, Rob. See also Hans Julius

Anton Edward Hübner.

Schürmann, Ernst, affinity of the heavy metals for sulphur, 1889, A., 468.

Schürmann, Ernst. See also Karl Friedrich Otto Seubert.

Schütt, Franz, polaristrobometric analysis of a mixture of sodium and potassium chlorides, 1888, A., 1341.

determination of the molecular refraction of solid compounds in their solutions, 1890, A., 1033; 1892, A., 929.

Schütt, Franz August Johann Friedrich, reduction of brom-o-phenol, 1883, A., 1109.

p-bromo-o-amidophenol, 1885, A., 1211.

- phycophæin, 1888, A., 496.

phycoerythrin, 1889, A., 622 pigments of the Peridinia, 1890, A.,

1172. Schütte, W., alkaloids of the Solanaceæ,

1892, A., 231.

Schutz, Emil. quantitative relationship of pepsin to peptones, 1885, A., 1147.

Schütz, H., derivatives of p-diphenol, 1889, A., 402. Schütze, M., colour and constitution of

compounds, 1892, A., 561.

Schütze, R., waste water from starch factories, 1886, A., 1066.

animal cellulose, 1890, A., 227. Schützenberger, Leon. See Paul Schützenberger.

Schützenberger, Paul, a metallic radicle, 1884, A., 822.

respiratory combustion, 1884, A.857.

Schützenberger, Paul, proteids, 1886, A., 270.

- gelatin, 1886, A., 818.

synthetical studies on albuminoids

and proteids, 1888, A., 971.

— condensation of carbonic oxide under the influence of the silent

discharge, 1890, A., 691.
— condensation of carbonic oxide, 1890, A., 692.

 condensation of benzene and acetylene under the influence of the silent discharge, 1890, A., 961.

- effects of the silent discharge, 1890, A., 1358.

- platinum thiocarbide, 1891, A., 19. synthesis of proteids, 1891, A., 588. volatility of nickel in presence of

hydrogen chloride, 1891, A., 1429. compounds of carbon and silicon,

1892, Å., 1050. — nickel, 1892, A., 1158.

constitution of peptones, 1892, A., 1500.

Schützenberger, Paul, and Albert Colson, silicon, 1883, A., 15.

Schützenberger, Paul, and Léon Schützenberger, certain forms of carbon, 1891, Ā., 265.

Schuftan, Adolf, m-nitro-α-stilbazole, its reduction products and anisylidenepyridylalkine, 1890, A., 1437.

Schukowski, Stefan N., action of ethyl iodide and zinc on ethyl malonate, 1888, A., 1179; 1889, A., 958. Schukowski, Stefan N. See also B.

Martinoff.

Schulhöfer, L., action of stannous chloride on nitrophenylindazolecarboxylic acid, 1891, A., 1231.

Schulhof, Leo. See Heinrich Goldschmidt.

Schuller, Alois, distillation in a vacuum, 1883, A., 545.

Schulte, Carl, phenylarsine sulphides, 1883, A., 186.

Schulte, Carl. See also Carl Arnold August Michaelis.

Schulte im Hofe, Josef August. See Adolph Claus.

Schulten, August Benjamin (Baron) de, artificial production of a crystallised hydrated silicate, 1883, A., 33.

– artificial analcime, 1883, A., 34. - barium potassium phosphate and barium sodium phosphate, 1883, A.,

crystallised aluminium orthophosphate, 1884, A., 1263.

 new crystallised magnesium phosphate and arsenate, 1885, A., 724,

- Schulten, August Benjamin (Buron) de, artificial production of strengite, 1885, A., 1043.
- crystallised magnesium and cadmium hydroxides, 1885, A., 1183.
- silver potassium carbonate, 1888, A., 110.
- artificial pyrochroite, 1888, A.,345. - action of calcium carbonate on cadmium chloride and bromide, 1888, A., 1036.
- crystallised cobalt and nickel hydroxides, 1889, A., 1114.
- preparation of crystalline normal lithium phosphate and arsenate, 1890,
- cadmium phosphates and arsenates, 1890, A., 11.
- crystalline anhydrous zinc phosphate and zinc arsenate, 1890, A., 214. artificial formation of malachite,
- 1890, A., 454.
- preparation of artificial molybdenite, 1891, A., 20.
- synthesis of kainite and tachhydrite, 1891, A., 405.
- See Carl Graebe, Schulthess, Oscar. Arthur Michael.
- Schulthess, Walter. See Heinrich Goldschmidt.
- Schultz (and others), the Lupitz method of cultivation, 1884, A., 105.
- Schultz, B., oxidation products of solid dibromo-p-xylene, 1885, A., 1053.
- Schultz, Gustav Theodor August Otto, preparation of quinaldine, 1884, A., 337.
- molecular changes of hydrazocompounds, 1884, A., 902.
- azo-colours, 1884, A., 1036. - formation of quinaldine, 1884, A.,
- 1373.
- isomeric naphthylaminesulphonic acids, 1888, A., 290.
- α-naphthylamine-ε-sulphonic acid, 1890, A., 388.
- Schultz, Gustav Theodor August Otto. See also Richard Anschütz, Fritz Bender, Ernst Erdmann.
- Schultz, John J., alkaloids of Coptistri-
- folia, 1885, A., 403. Schultz, Moritz, 2:6-methylethylpyridine and 2:4-methylethylpyridine, 1888, A., 64.
- Schultze, B., precipitation of tin from acid solutions by metallic iron, 1890, A., 853.
- Ernst, nitrogenous constitu-Schultze, ents of human urine, 1890, A., 280. Schultze, Wilh. Hermann, electrolytic
- behaviour of mica at high temperatures, 1889, A., 664.

- Schulz, Ernst (? Ernst Schulze), reserve materials, especially tannin, contained in evergreen leaves, 1889, A., 540.
- **Schulz**, Fr. (and others), cultivation of
- potatoes, 1883, A., 680. hulz. Friedrich. See Conrad Will-Schulz, Friedrich. gerodt.
- Schulz, Heinrich. See Theodor Curtius. Schulz, Hermann, apparatus for frac-tional distillation in a vacuum, 1891, A., 259.
- Schulz, Oscar, action of acetic, propionic, and butyric acids, etc. on benzenyl-
- amidoxime, 1885, A., 897.

 action of anhydrides of bibasic acids on benzenylamidoxime, 1885, A., 1219.
- molecular weight of the acids of the oleïc series, 1889, A., 1140.
- apparatus for the estimation of carbonic anhydride in air, 1892, A.,
- action of quinone and its derivatives, 1892, A., 1115.
- Schulz, Paul Friedrich Hugo, antisentic action of nickelous chloride, 1884, A.,
- veast poisons, 1889, A., 181.
- Schulze, Bernhard, estimation of sulphuric acid in presence of alkaline chlorides, 1883, A., 240.
- chemistry of asparagine, 1884, A., 42.
- influence of potassium bromide on nutrition, 1884, A., 850.
- estimation of fatty acids in soap, 1887, A., 307.
- silage of maize, 1887, A., 521. silage of vegetable matter, 1887, A., 521.
- Schulze, Bernhard, and E. Flechsig, formation of amides during the germination of seeds in the dark, 1886.
- A., 90, Schulze. Bernhard. See also Hugo Weiske.
- Schulze, Carl, and Bernhard Tollens. simple apparatus for evaporating under reduced pressure, 1892, A., 1386.
 - disappearance of the multirotation of sugars in ammoniacal solution, 1892, A., 1419.
- xylose and its optical properties, 1892, A., 1420.
- the pentosans of woody fibre, 1892, A., 1420. Schulze, C. Richard, amount of water
- of crystallisation contained in some
- salts, 1887, A., 766.

 rate of dissociation of hydrated salts, 1888, A., 104.

- Schulze, Ernst (Zurich), extraction of asparagme from liquids, 1883, Λ., 315.
- ---- cholesterol, 1883, A., 586.
- —— detection of asparagine and glutamine in vegetable juices and extracts, 1884, A., 373.
- estimation of ammonia in vegetable extracts, 1884, A., 493.
- —— estimation of amides in vegetable extracts, 1884, A., 1438.
- acid amides from the decomposition of albumin, 1885, A., 581.
- amido-acids formed from albumin, 1885, A., 916.
- estimation of asparagine and glutamine, 1885, A., 935.
- formation of sulphates in germination, 1885, A., 1153.
- mitrogenous constituents of pumpkin sprouts, 1886, A., 173.
- quantitative estimation of nitrogen in plants, 1886, A., 955.
- plants, 1887, A., 747.
- are nitrates formed in the organisms of higher plants? 1887, A., 859.
- detection of saccharose in vegetable substances, 1888, A., 621.
- —— some nitrogenous constituents of the seedlings of Soja himida, 1888, A., 868.
- matter in silage undergoes, 1888, A., 1329.
- reserve substances in evergreen leaves, 1889, A., 540.
- chemical composition of the memluane of plant cells, 1889, A., 916; 1890, A., 1456; 1891, A., 238, 1178; 1892, A., 907.
- presence of betaine and choline in the seeds of Vicia sativa, 1889, A,
- effect of feeding on the secretion of amidic substances, 1890, A., 278.
- formation of cane sugar in etiolated plant shoots, 1890, A., 282.
- plant shoots, 1890, A., 282.

 cholesterol in plants, 1890, A., 1457.
- ---- isocholesterol, 1890, A., 1474.
- A., 490.
- formation of nitrogenous organic bases by the decomposition of proteids in the vegetable organism, 1891, A., 856.
- _____ test for guanidine, 1892, A., 926. β-galactan, 1892, A., 1171.

- Schulze, Ernst (Zmich), and Johann Barbieri, formation of phenylamidopropionic acid by the action of stannous chloride on proteids, 1883, A., 1122.
- phenylamidopropionic and phenylamidovaleric acids from lupine shoots, 1883, A., 1122.
- Schulze, Ernst (Zurich), and Emil Bosshard, glutamine, 1883, A., 658.

- —— allantom, asparagine, hypoxanthine, and guanine as plant constituents, 1885, A., 1007.
- ent of plants, 1886, A., 157.
- the decomposition of proteids, 1886, A., 373.
- Schulze, Ernst (Zurich), and Elia Kisser, decomposition of proteids in green plants kept in the dark, 1889, A., 642.
- Schulze, Ernst (Zünich), and Arthur Likiernik, preparation of lecithin from plant seeds 1891 A 413
- decomposition of arginine, 1891, A., 1521.
- Schulze, Ernst (Zurich), and Ernst Nägeli, phenylamidopropionic acid obtained from the decomposition of proteids, 1887, A., 369.
- Schulze, Ernst (Zurich), and Adolf von Planta, pollen of Corylus Arclianu and Pinus sylvestris, 1886, A., 736.
- Schulze, Ernst (Zurich), and Theodor T. Seliwanoff, presence of saccharose in unripe potatoes, 1888, A., 623.
- Schulze, Ernst (Zurich), and Eduard Steiger, new alkaloid from lupines, 1886, A., 725.
- carbohydrate in red clover and lucerne, 1889, A., 643.
- lecithin in the seeds of plants, 1889, A., 645.
- non-nitrogenous reserve substances of the seeds of Lupinus luteus, 1890, A., 284.
- Schulze, Ernst (Zurich), Eduard Steiger, and Walter Maxwell, vegetable cell membranes, 1890, A, 283.

Schulze, Ernst (Zurich), Eduard Steiger, and Walter Maxwell, chemical composition of some leguminous seeds,

1891, A., 1541. Schulze, Ernst (Zurich). See also Georg Lunge, Victor Meyer, Adolf von Planta, Bruno Röse, Eduard Steiger.

Schulze, Ernst (Bonn). See Otto Wallach. Schulze, Hans Oscar, arsenious sulphide

in aqueous solution, 1883, A., 295.

— antimonious sulphide in aqueous solution, 1883, A., 784.

- phosphorus subsulphide, 1883, A., 1049.

- pyrosulphates, 1885, A., 216.

- action of sulphurous acid on selenious acid, 1886, A., 302.

- minerals from Tarapaca, 1891, A., 1436.

Schulze, Julius, preparation of ammonium thiocyanate, 1883, A., 1074.

preparation of acetamide and other amides of the acetic series, 1883, A., 1088.

Schulze, Julius. See Hermann Alt. Schulze, K. E., occurrence of diphenyl

in coal-tar oil, 1884, A., 1030. $-\alpha$ - and β -methylnaphthalene, 1884,

A., 1183, 1184. a simple method of estimating

halogens in the side chains of aromatic compounds, 1884, A., 1422.

 a simple method of obtaining thiotolen and thioxylen, 1885, A., 251. phenols of high boiling point con-

tained in coal-tar, 1885, A., 667. - method of obtaining thiophen and

its homologues, 1885, A., 763. - occurrence of benzoic acid in coaltar oils, 1885, A., 792.

--- 1:2:4:5-durene, 1886, A., 232.

--- β -hydroxanthranole, 1886, A., 247. — anthrapinacone, 1886, A., 248.

 constituents of coal-tar, 1887, A., 471.

 titration of pyridine bases, 1888, A., 539.

Schulze, Ludwig, elementary composition of wheat-starch, 1884, A., 284.

Schulze, IV., derivatives of m-amidoheuzamide, 1889, A., 778.

Schumann, Arno, action of titanium chloride on phenol, 1888, A., 679.

Schumann, J., amalgams, 1891, A., 986. Schumann, Max, compressibility aqueous chloride solutions, 1887, A., 696.

Schumann, Otto, boiling-point and pressure, 1885, A., 1176.

Schumoff, G., nitrocymene and azocymene, 1888, A., 469.

Schunck, Edward, constitution of chlorophyll, 1884, A., 666; 1885, A., 1241; 1887, A., 972; 1889, A., 279.

—— supposed identity of rutin and quercitrin, 1888, T., 262; P., 12.

Schuppe, Nicolai Carl, chemical com-

position of woody tissues, 1884, A., 285.

Schurz, Heinrich. See Karl Bohland. Schuster, Arthur, atmospheric dust, 1884, A., 225.

electric discharge through gases, 1888, A., 396.

Schuster, Fr., action of benzaldehyde on 2:6-lutidine, 1892, A., 1360.

Schuster, Maximilian Josef, braunite from Jakobsberg, 1888, A., 428.—albite of the Kasbek, 1868, A., 432.

- beryl from the Ifinger, 1888, A.,

432. Schuster, Maximilian Josef, and (Baron) Heinrich von Foullon, andesine from

Bodenmais, 1890, A., 344. Schwabe, Paul, constituents of the bark

of Rhumnus Frangula, 1889, A., 68. Schwackhöfer, Franz, calorimetrie estimation of fuels, 1885, A., 691.

Schwaderer, Richard. See Eugen Lellmann.

Schwalb, Carl Friedrich Hermann, non-acid constituents of beeswax, 1885, A., 962; 1887, A., 124.

Schwartz, August, reciprocal action between hæmoglobin and protoplasm, 1889, A., 629.

Schwartz, Charles. See Emilio Nölting. Schwartz, Frank, morphological and chemical composition of protoplasm, 1888, A., 983.

Schwartz, York, estimation of lead in tin alloys, 1888, A., 992.

- hexamethylenamine, 1891, A., 818. Schwartz, York. See also Karl Kraut. Schwarz, Alvis, nature of hop mildew and means of counteracting it, 1884, A., 629.

Schwarz, Anton, Pasteurising beer, 1881, A., 527.

Schwarz, C., estimation of potassium chlorate in organic mixtures, 1886, A., 179.

-detection of iodine in urine, 1888, A., 626.

- detection of sugar in urinc, 1889, A., 85.

detection of chloral or chloroform in liquids, 1889, A., 85.

Schwarz, Carl, Roman alunite, 1885, A., 307.

Schwarz, Carl Leonhard Heinrich, a., β -, and γ -pyrocresols, 1883, A., 204.

Schwarz, Carl Leonhard Heinrich, lecture experiment illustrating the combination of zinc with sulphur, 1883, A., 292.

- modification of V. Meyer's vapour density apparatus, 1883, A., 899.

- so-called pyrocresol, 1884, A., 79. preparation of hydrogen and carbonic oxide, 1886, A., 660.

Schwarz, Paul, &-picoline, 1891, A., 1092.

Schwarz, Paul W. See Walter M. Stein.

Schwarze, Reinhold, polymerisation of nitriles: cyanalkines, 1890, A., 1158.

Schwarzenbach, and Lee Kritchewsky, palladium-hydrogen as a reagent, 1886, A., 1071.

Schwebel, Paul Heinrich, specific rotatory power of salts of nicotine, 1883, A., 354.

Schwechten, Eduard, isomeric dichlorobenzaldehydes and naphthols derived therefrom, 1890, A., 619.

Schwechten, Eduard. See also Hugo Erdmann.

Schweinitz, hweinitz, Emile Alexander octylthiophen, 1886, A., 535. von.

 octylbenzene, 1886, A., 540.
 ptomaines formed in the cultivation of swine fever bacillus, 1891, A.,

Schweissinger, Otto, detection of atro-

pine, 1885, A., 448.

— iodised tannic acid as a reagent, 1885, A., 691.

Schweitzer, Hugo. See August Bernthsen, Adolph Claus.

Schweitzer, Rudolf, acetylation aromatic substitution products, 1891, A., 684.

 naphthylglycollic acid and βnaphthyl methyl ketone, 1891, A., 729.

acctyliodobenzene and iodomandelic acid, 1891, A., 830.

- boiling-points of some compounds of high molecular weight, 1891, A.,

Schweitzer, Wilh., othyl-p-phenylenediamine, 1886, A., 347.

– safranine, 1886, A., 348.

 derivatives of hydroxyquinol, 1889, A., 389.

Schweizer, Albert, arachidic acid and nondecylic acid, 1885, A., 508.

Schwenk, O. See L. Böhm.

Schwerin-Lowitz, (Graf) von, manuring experiments, 1884, A., 636.

Schwicker, Alfred, sulphites and thiosulphates, 1889, A., 942.

Schwicker, Alfred, use of iodic and bromic acids in quantitative analysis, 1892, A., 1027.

- new reagent for acetone, 1892, A., 1032.

Schydlowski. See Schidlowski.

Scichilone, Sulvatore, allyloxybenzoic acids, 1883, A., 335.

Scichilone, Salvatore, and Antonio Denaro, mannitine, a new alkaloid from mannitol, 1883, A., 50.

Scichilone, Salvatore, and Oreste Magnanimi, distillation of strychnine with

zinc dust, 1883, A., 99.
Sclavo, A., and B. Gosio, new fermentation of statch, 1891, A., 1284.

Scofield, Harold. See John Berry Haycraft.

Scott, Alexander, composition of water by volume, 1888, A., 411.

Scott, Alexander. See also James Dewar.

Scott, (Major-General) Henry Young Darracott, obituary notice of, 1881, T., 619.

Scovell, Mclvell Amasa, estimation of nitrates by Kjeldahl's method, 1889, A., 308.

Scovell, Melvell Amasa, and Albert Menke, composition 1887, A., 747. Educare potatoes, 1887, A., 747.

Frank. See (Sir) Henry Edward

Scudder, Frank.

Scully, John, effect of bismuth on the ductility of silver, 1888, A., 108.

Scurati-Manzoni, Giuseppe, action of aluminium sulphite on manganic

hydroxide, 1884, A., 700. Seamon, William H., forgusonite from Brindletown, Burke Co., N. Carolina, 1883, A., 32.

- analysis of a niobate which has been improperly called cuxenite, from Mitchell Co., N. Carolina, 1883, A., 32.

 supposed meteorite found in Augusta Co., Virginia, 1883, A., 37. — native palladium-gold from Tagu-

aril, Brazil, 1883, A., 160.

- alloys of gold, silver, etc., found in grains along with the native platinum of Columbia, 1883, A., 160.

- analysis of a mineral allied to orthite, 1883, A., 164.

zinciferous clays of south-west Missouri, 1890, A., 573.

Seaton, Edward Cox, and Henry Droop Richmond, estimation of quinine, 1891, A., 134.

Sebelien, John, proteids of cows' milk, 1885, A., 1000.

Sebelien, John, influence of the concentration of the cream in butter

making, 1889, A., 300.

- estimation of proteids with special . reference to milk, 1889, A., 450; 1891, A., 951.

peptone and similar substances,

1890, A., 182.

Sedlitzky, N. Ludwig, solubility of salts of isovaleric, methylethylacetic, and isobutyric acids, 1888, A., 250.

Sée, Germain, sparteme sulphate, 1886,

A., 273.

Sée, Germain, and Bochefontaine, physiological action of cinchonamine, 1885, A., 571, 682.

Seeberger, Ludwig. See Eugen Bamberger.

Seegen, Josef, poptone the source of sugar in the liver, 1883, A., 818.

sugar in blood: its source and signification, 1885, A., 411.

conversion of peptone by the liver, 1886, A., 382.

- sugar in the blood with reference to nutrition, 1886, A., 382; 1887, A., 66.

- non-fermentable reducing substance

in blood, 1886, A., 383.

- presence of sugar in urine on a diet of cane sugar, 1886, A., 383.

- power of the liver to form sugar from fat, 1887, A., 67.

changes in carbohydrates in the

alimentary canal, 1888, A., 171.

— from what material does the liver

form sugar ? 1888, A., 172.

- estimation of sugar in blood, 1891, A., 248; 1892, A., 743.

Seelig, Eduard, trichlorotoluenes, 1885, A., 769.

chlorination of toluene, 1887, A.,

362. action of chlorine and bromine on

benzyl acetate, 1889, A., 598. displacement of halogens by the amido-group, 1891, A., 36.

derivatives of glycerol, 1892, A., 288.

Seeling, Ludwig, feeding cattle with lupines, 1884, A., 1211.

Seemann, B., preparation of soaps from oil seeds, 1885, A., 1023.Seger, H., analysis of clay from Lothain,

1883, A., 627.

influence of titanic acid on the fusibility of refractory earths, 1884, A., 784.

Seibert, Richard. See Adolph Claus. Seidel, Max. oxidation of mercury di-phenyl with potassium permanganate, 1884, A., 1135.

Seidel, Max, action of ethyl chlorocarbonate on phenyl- and diphenylthiocarbamide, 1886, A., 357.

Seidel, Paul, formation of triphenodioxazine by the oxidation of o-amido-

phenol, 1890, A., 490. derivatives of carbonyl-o-amidophenol and of thiocarbo-o-amido-

phenol, 1891, A., 53. - fulminuric acid, 1892, A., 690.

sulphonic acid obtained from 1:4amidonaphthol, 1892, A., 721.

fulminuric and deoxyfulminuric acids, 1892, A., 1417.

Seidler, Paul. See Carl Theodor Lieber-

mann. Seidmann, S. See Stanislaus von Kos-

tanecki. Seifert, Rich., diiodoquinone and diiodoquinone-chlorimide, 1884, A., 431.

formation of amines from the amides of the fatty series, 1885, A., 963.

action of carbonic anhydride on sodium acetanilide: new synthesis of dicarboxylic acids, 1885, A., 983.

· action of sodium mercaptide on phenyl salts, 1885, A., 1057.

behaviour of aniline with substituted hydroxybenzoic acids at a high temperature, 1890, A., 490.

Seissl, Josef, ketonic acids, 1889, A., 489. Seitz, Fr., β-naphthaquinaldine, 1889, A., 525.

Seitz, Otto, halogenated amines of the fatty series, 1891, A., 1472.

Selden, Charles C. See Richard Anschütz.

Seligmann, Gustav, minerals from Switzerland, 1886, A., 126.

Selitrenny, Leon, decomposition of gelatin hy anaërobic ferments, 1890, A., 513.

Seliwanoff, Theodor T., reaction for fruit sugar, 1887, A., 459.

— composition of etiolated potato

sprouts, 1888, A., 624.

- formation of cane sugar from starch, 1889, A., 1132. Seliwanoff, Theodor T. See also Ernst

Schulze.

Sell, Eugen, amyl alcohol in brandy from different parts of the German Empire, 1890, A., 1388.

Sell, William James, series of salts containing chromium and urea, 1883. A.. 178.

·volumetric estimation of chromium, 1887, A., 303.

- base containing chromium and earbamide, 1889, A., 695.

See also Thomus Sell, William James. Hill Easterfield.

Sella, Alfonso, sellaite, 1888, A., 657. native nickel in river sand, 1891, A., 526.

Selle, Friedrich, alkaloids of the root of Stylophorum diphyllum, 1890, A., 649. alkaloids of Chelidonium majus, 1891, A., 229.

Sellin, A. IV., Paraguay tea, 1884, A., 354. Selmons, F., action of sulphurous acid on periodic acid, 1888, A., 338.

Sembritzki, Ferdinand, succinenylamidoxime and its derivatives, 1888, A., 935.

succineuediamidoxime, 1890, A., 125.

Semenoff, Basil M., fumaric and maleic acids, 1889, A., 1146.

Semmler, Friedrich Wilhelm, ethereal oil of Allium ursinum, 1887, A., 1089. - Indian geranium oil, 1890, A., 951;

1891, A., 30, 323.

- nutmeg oil and mace oil, 1890, A.,

1150. - Indian geranium oil: oxidation of geraniol, 1891, A., 30.

- ethereal oils contained in asafœtida, 1891, A., 322, 464.

Indian geranium oil: geranaldehyde: geranic acid, 1891, A., 323.

olefinic constituents of ethereal oils, 1891, A., 539.

 anhydrogeraniol, olefinic terpenes, and the formation of closed carbon chains, 1891, A., 655.

 myristicin and its derivatives, 1892, A., 311.

Semmler, Friedrich Wilhelm, and Ferdinand Tiemann, oxygen compounds of ethereal oils, 1892, A., 868.

Semmola, Eugenio, new experiments in electrolysis, 1883, A., 540.

- secondary electrolysis, 1886, A., 654. Semmons, William, energite from Mon-

tana, 1887, A., 707. Semper, August. See August Bernthsen. Sempotowski, Leo, isomeric derivatives of ethylbenzene, 1890, A., 54.

Senator, Hermann, action of heat on the animal system, 1884, A., 1393.

Senderens, J. B., action of sulphur on ammonia and metallic bases in presence of water, 1887, A., 327.

- action of non-metals on solutions of silver and copper nitrates, 1887, A.,

action of metals on dilute solutions of silver nitrate, 1887, A., 550.

new hydrate of potassium hydrogen sulphate, 1890, A., 450.

Senderens, J. B., action of sulphur on metallic solutions, 1892, A., 770.

Senderens, J. B. Sec Filhol, Paul Sabatier. See also Edouard

Senf, Adolf, cyananiline and some of its derivatives, 1885, A., 1060.

cyananiline, cyanphenylhydrazine,

etc., 1887, A., 928. Senff, Max Gustav, dry distillation of

wood, 1885, A., 619. Senff, Paul, m-benzyltoluene, m-tolyl phenyl ketone, and m-benzoylbenzoic acid, 1884, A., 427.

Senger, Oscar, absinthin from Artemisia Absinthium, 1892, A., 1240.

Senhofer, Carl, scricite from the quartz-phyllite of Wiltau, 1885, A., 736. Senier, Alfred, formyl and thioformyl

compounds obtained from aniline, etc., 1885, T., 762.

contributions to the history of cyanuric chloride and cyanuric acid, 1886, T., 311; P., 166.

- action of hexabromacetone on urea, 1886, T., 693, 743.

Senier, Harold, vescicating principle of croton-oil, 1884, A., 909.

purgative principle of croton-oil, 1884, A., 947.

Seńkowski, Michael, derivatives of mmethylphenylacetic acid, 1889, A., 255.

trimethylphenylmethane,

A., 1296.

· isomeric change in the synthesis of aromatic amines and phenols, 1892, A., 44.

Serda, R., and J. Wiedemann, succinamic acid. 1891, A., 175.

Serno, nitric acid in plants, 1890, A., 1021.

Serrant, E., a-hydroxybenzenesulphonic acid, 1885, A., 1016; 1886, A., 707. - aseptol, 1885, A., 1166.

- rosolene, 1886, A., 185.

Sestini, Fausto, preparation of thiocarbonates for the destruction of phylloxera, 1883, A., 405.

relations between atomic weight and physiological function, 1885, A., 1150.

- composition of stable manure, 1888. A., 1332.

properties of some beryllium salts and of the corresponding aluminium compounds, 1891, A., 151.

Sestini, Fausto, and Raffaello Campani, detection of quinine and phenacetin in urine, 1892, A., 665.

Sestini, Fausto, and Amos Dicocco, maize heads as fodder, 1885, A., 1087. Sestini, Fuusto, and Angiolo Funaro, the sum of mean temperatures in relation to the cultivation of corn and maize, 1884, A., 672.

Sestini, Fausto, and Leone Sestini, animoniacal fermentation of uric acid, 1890, A., 1399.

Sestini, Riccardo. See Hugo Schiff.

Sětlík, Brětislav, preparation of nitrogen tetroxide, 1888, A., 913.

technical analysis of commercial sodium sulphide, 1890, A., 84.

- estimation of sulphuric acid in fuming sulphuric acid, 1890, A.,

- analysis of wolframite and scheelite, 1890, A., 420.

Setschenoff, Iwan M., constitution of salt solutions inferred from their behaviour to carbonic anhydride, 1889, A., 1044.

- analogies between solutions of a gas and of a salt, 1892, A., 397. Seubert, Karl Fixediich Otto, analysis

of gaseous halogenated hydrocarbons, 1886, A., 181.

action of potassium chlorate on chloral hydrate, 1886, A., 331.

decomposition of trichloracetic acid, etc. by water, 1886, A., 332.

- chlorostannic acid, 1887, A., 554. – manganese benzoate, 1887, A., 582. benzyl chloracetates, 1888, A., 456.

- atomic weight of osmium, 1888, A., 921; 1891, A., 884.

- atomic weight of platinum, 1888, A., 1043; 1891, A., 885.

- physical constants of halogen substitution products of benzene and toluene, 1890, A., 2.

atomic weights of the platinum

metals, 1891, A., 885.

basic zinc sulphite, 1891, A., 1157. Seubert, Karl Friedrich Otto, and Karl Kobbé, double salts of rhodium, 1890, A., 1383.

- atomic weight of thodium,

1891, A., 646. Seubert, Karl Friedrich Otto, and William Pollard, vapour density and melting point of cyanogen iodide, 1890, A., 949.

melting point and crystalline form of aluminium chloride, 1891, A., 1426.

Seubert, Karl Friedrich Otto, and Gustav Rauter, copper oxalate and cuprammoninm oxalate, 1892, A., 1431. ubert, Karl Friedrich Otto, and

Seubert, Karl Friedrich Otto, and Alfred Schmidt, action of magnesium on chlorides, 1892, A., 776.

Seubert, Karl Friedrich Otto, and Ernst Schurmann, bromostannic acid, 1887, A., 554.

Seubert, Karl Friedrich Otto. Julius Lothar Meyer.

Seucker, P. See J. Moritz.

Seutter, Erhard von, additive product of papaverine with o-nitrobenzyl chloride, 1889, A., 281.

- additive compound of papaverine

with phenacyl, 1889, A., 418.

Sewall, Henry, preventive inoculation of rattlesnake venom, 1888, A., 1326.

Seward, (Miss) Margaret (Mrs. McKil-See William Henry Pendlelop). bury.

Seyberlich, Alfred, and Alexander Trampedach, saccharification of starch by nitric acid, 1887, A., 792.

Seyda, Anton, sulphonic acids of quinol. 1883, A., 1115.

- detection and estimation of organic and inorganic poisons in corpses, 1891, A., 117.

Seyewitz, Alphonse, m-phenylenediamine from resorcinol, 1890, A., 245. dihydroxydiphenylamine, 1890, A., 369.

action of phenylhydrazine on

phenols, 1892, A., 49. Seyewitz, Alphonse. Theodor Liebermann. See also Carl

Seyfert, Friedrich, composition of iodide of starch, 1888, A., 1050.

estimation of starch by baryta, 1888, A., 1134.

estimation of phosphoric acid in the presence of ammonium citrate, 1889, A., 548.

Seyfferth, Eugen, derivatives of picolinic and nicotinic acids, 1887, A., 157.

Seyfriedsberger, Gerard Joseph, mercury sulphates from a furnace at Idria, 1890, A., 710.

Seyler. See Hoppe-Seyler. Shamel, C. H., eupatorin, 1892, A., 1103.

Shand, Alexander, electrolysis of copper

and zinc, 1887, A., 1000. Sharpless, Fred Fraley. See Alfred Church Lane.

Shaw, Saville, on the preparation of the pentathionates, 1883, T., 351.

Shaw, William Napier, atomic weights of silver and copper, 1887, A., 444.

theory of solution, 1891, A., 791. Shawcross, Henry Joseph, new photo-

graphic copying paper, 1886, A., 106. Shearer, A. See Wm. B. Giles. Shegog, Thomas Alexander. See Walter Ernest Adeney.

Sheldon, Samuel, alternate currents and electrolytes, 1888, A., 769.

Shenstone, William Asharell, the alkaloids of Nux vomica. No. II. On brucine, 1883, T., 101; 1885, A., 276.

a modified Liebig's condenser, 1883, T., 123.

Jafferabad aloes, 1983, A., 480. strychnine, 1885, T., 139; P., 5.

 crystalline tricupric sulphate, 1885, T., 375; P., 51.
— modified Bunsen burner, 1885, T.,

378; P., 51.

— safety taps, 1887, P., 108; discussion, P., 108. - improved vacuum joints and taps,

1890, T., 958; P., 140.

- adhesion of merculy to glass in the presence of halogens, 1892, T., 452; P., 70.

Shenstone, WilliamAshwell, Charles Ridgeway Beck, platinous chloride and its use as a source of chlorine, 1892, T., 445; P., 70.

Shenstone, William Ashwell, and James Tudor Cundall, ozone from pure oxygen: its production and its action on mercury with a note on the silent discharge of electricity, 1887, T., 610; P., 75.

 volumetric relations of ozone and oxygen, 1887, T., 625; P., 76;

discussion, P., 76.

 the influence of temperature on the composition and solubility of hydrated calcium sulphate and of calcium hydroxide, 1888, T., 544; P., 51.

Shenstone, William Ashwell. See also William Augustus Tilden.

Shepard, Charles Upham, senior, two new minerals, monetite and monite, with a notice of pyroclasite, 1883, A., 1063.

- corundum gems in India, 1884, A., 23.

- meteoric iron from Georgia, 1884, A., 30.

Shepard, Charles Upham, junior, meteoric iron from Trinity Co., California, 1886, A., 320.

meteorite of Fomatlán, Jalisco, Mexico, 1886, A., 321.

Shepheard, William Frederick John. See Wyndham Rowland Dunstan.

Shepherd, Harcourt H. B., estimation of nitrogen in mixtures containing nitrogenous organic matter, moniacal salts, and nitrates, 1883, A., 685.

-use of ammonium citrate in the analysis of precipitated phosphate. 1886, A., 579.

Shepherd, Harcourt H. B., alcohol method for estimating from and aluminium oxides in phosphates, 1891, A., 1138. Sher, S., relation between the total sul-

phuric acid of the mine and that existing as ethereal sulphates, in test and work, 1889, A., 430.

Sherrington, Charles Scott. See Sydney

Monckton Copemann.

Shields, John, preparation and pro-perties of ethyl hydrogen fumarate and ethyl hydrogen maleate, 1891, T., 736; P., 123.

- conductivity of lead dioxide, 1892, A., 672.

occlusion of hydrogen by lead,

1892, A., 942. Shimer, Porter IV., titanium carbide in

pig-iron, 1887, A., 703. estimation of phosphorus in iron and steel, 1889, A., 76.

Shimidzu, Tetsukichi. See Edward Divers.

Shimosé, Masachika. Edward See Divers.

Shimoyama, Junichiro, estimation of the quinine alkaloids, 1885, A., 845.

estimation of quinine, 1885, A., 935. - glutinous rice, 1888, A., 1127.

- chemistry of buchu leaves, 1888, A., 1205.

Shinjo, S. See Oscar Kellner.

Shore, Lewis Erle, fate of peptone, 1891, A., 479.

effect of peptone on the clotting of blood and lymph, 1891, A., 481.

Short, Fred Garland, analysis of milk, 1887, A., 751.

-estimation of fat in milk, 1889, A., 1037.

Short, Fred Garland. See also Henry P. Armsby.

Short, Frederick William. See Wyndhum Rowland Dunstan.

Shutt, Frank Thomas, asbestos method of milk analysis, 1891, A., 1299.

- Babcock's method for estimating fat in milk, 1891, A., 1559.

- analyses of apple-tree leaves, 1892, A., 1372.

Siboni, Giuseppe, condensation products of nitrobenzaldehydes with hydroxybenzenes, 1892, A., 621.

Sickenberger, E., natural cement from Cairo, 1891, A., 26.

Sidersky, D., separation of strontium and calcium, 1883, A., 508; 1884, A.,

- apparatus for estimating carbonic anhydride in carbonates, 1887, A., 999. Sidersky, D., volumetric estimation of sulphates, 1889, A., 306.

· indirect analysis of the sugar-beet, 1889, A., 314.

- apparatus for drying substances in a partial vacuum, 1890, A., 1185.

Sidgwick, (Mrs.) Eleanor Mildred. See (Lord) Rayleigh.

Sieben, J., composition of starch syrup, and of honey, 1885, A., 693.

Sieber, Josef, diethylenediamine, 1890, A., 476.

Sieber, Josef. See also 11/bert Laden-

burg.

Sieber, (Frau) Nadina, and A. Smirnow, behaviour of the three isomeric nitrobenzaldehydes in the animal organism, 1887, A., 684.

Sieber, (Frau) Nadina. See also Marcellus Nencki.

Siebert, Carl, constituents of Scopolia utropoides, 1890, A., 658.

 constituents of Anisodus luridus, 1890, A., 658.

-lupanine, the alkaloid of the blue lupine, 1892, A., 223.

See Carl Adam Siebert, Herman. Bischoff.

Siebold, Louis, estimation of hydrocyanic acid, 1885, A., 600.

Siedel, Joh., amount of fat and dry matter in the milk of some hill-breed cows, 1891, A., 1275.

Sieder, Ludwig. See Otto Fischer. Siegfeld, Moritz, action of aniline on

benzil, 1892, A., 1470.

Siegfeld, Moritz. See also Karl Auwers. Siegfried, Max, exidation of phenol by nitrobenzene, 1885, A., 1060.

- ethylenelactic acid, 1890, A., 128. decomposition products of proteids, 1891, A., 590.

- hæmoglobin, 1891, A., 845.

See also Johannes Siegfried, Max. Wislicenus.

Sieker, F. A., and Edward Kremers, menthene, 1892, A., 1479.

Siemaschko, Josef von, meteorite of Ochansk, 1891, A., 532.

Siemens, (Sir) Charles William, obituary notice of, 1884, T., 624. Siemens, Ernst Werner von, luminosity

of flame, 1883, A., 539.

a unit for the measurement of

light, 1885, A., 1. Siemiradzki, Josef von, anorthite rocks from St. Thomas, 1886, A., 993.

Sienecki, Anton. See Carl Adam Bischoff.

Sievers, W., crystallised salts of mercury, 1888, A., 419.

Siewert, Max. IV., oxalic acid in potatoes and in malt, 1883, A., 232.

- influence of cotton-seed cake on the secretion of milk, 1884, A., 669.

- creaming by centrifugals on various systems, 1885, A., 1022.

manuring rye with basic slag, etc., 1887, A., 294.

 influence exerted by sodium chloride on the digestion of albumin in fodder, 1888, A., 859.

Sigalas, Clément. See Félix Jolyet.

Sighicelli, C., physiological action of cocaine, 1888, A., 312.

Sigmund, Wilhelm, fat decomposing ferments in plants, 1890, A., 1455; 1892, A., 1261.

Silber, Paul G. See Giacomo Luiga Ciamician.

Silberstein, Heinrich, diazo-derivatives of s-tribromaniline, 1883, A., 660. - betaines, 1885, A., 160.

Silberstein, Heinrich. See also Walerius von Hemilian.

Silliman, Benjamin, junior, martite of the Cerro de Mercado, or Iron Mountain of Durango, Mexico, and iron ores of Sinaloa, 1883, A., 162.

- turquoise of New Mexico, 1883, A., 431.

Silow, P., alloys, 1889, A., 933.

Silva. See Ferreira da Silva.

Silva, Roberto Duarte da, synthesis of from diphenylethane ethylidene chloride, 1884, A., 1356.

- formation υf n-propylbenzene, 1885, A., 972.

- aromatic hydrocarbons, 1885, A., 1054.

Simand, Ferdinand, estimation of tannin, 1883, A., 391.

examination of tannin extracts, 1884, A., 931.

Simand, Ferd., and B. Weiss, investigation of taunin extracts, 1886, A., 1084.

Simand, Ferd. See also B. Kohnstein. Simonini, Angelo, action of iodine on the silver salts of fatty acids, 1892, A., 1301.

Simon-Legrand, old sugar-beet seeds as cattle-food, 1884, A., 631.

Simon-Thomas, J. C. A., preparation and nitration of dibenzylmalonic acid, 1888, A., 479.

 propylnitramine and isopropylnitramine, 1891, A., 167.

- attempted synthesis of nitramine of the quinoline group, 1892, A., 725. Simpson, James. See Edward William Parnell.

Sinclair, W. See William Henry Perkin, junior.

Sindall, R. W., β-bromonaphthalene-sulphonic acid, 1889, P., 118.

Sinibaldi, J., estimation of oxygen, carbonic anhydride, and carbonic oxide, 1888, A., 322.

Sipoez, Ludwig, analyses of scapolite, 1883, A., 440.

 rare minerals from Hungary, 1886, A., 312.

Sisley, Paul. See Léo Vignon.

Sivén, Walter Osmuld. See Edvard Immanuel Hjelt.

Siwoloboff, Alexander W., new anhydride of mannitol, 1885, A., 367.

 determination of the boiling-points of small quantities of liquids, 1886, A., 497.

- mannitol dichlorhydrin, 1886, A.,

Sjögren, Anton, ganomalite, 1884, A., 972.

- tephroite, 1884, A., 972.

- katapleite, 1886, A., 34.

- place of spodiosite in the mineral system, 1887, A., 346.

- sarkinite, a new manganese arsenate, 1887, A., 346.

- periclase from Nordmarken, 1889.

A., 216.

- allacite from Långban, 1889, A., 217. Sjögren, Anton, and Carl Herman Lundström, barysite, a new lead silicate, 1890, A., 456.

Sjögren, Sten Anders Hjalmar, composition of minerals of the chrondrodite group, 1883, A., 436.

 occurrence of gedrite as an essential constituent of certain rocks, 1884, A.,

manganese arsenates from Nordmarken in Wermland, 1885, A., 959.

— galena with octahedral cleavage from Wermland, 1886, A., 21.

opal from Nagasaki, Japan, 1886. A., 27.

physical properties of graphite, 1886, A., 774.

the Transcaspian naphtha district, 1890, A., 115.

Sjöquist, John, new method of estimating free hydrochloric acid in the stomach contents, 1889, A., 302.

Sjöquist, John. See also (Graf) Karl *Āzel Hampu*s Mörner.

Sjöström, A., Marchand's method for estimating fat in milk, 1891, A., 508. Skalweit, Johan Alfred, estimation of glycerol in wine and beer, 1887. A.,

306.

Skalweit, Johan Alfred, butter testing, 1887, A., 308.

Skinner, Sidney, phosphonium chloride, 1887, A., 882.

the physical properties of solutions of some metallic chlorides, 1892, T., 339; P., 27.

Skinner, Sidney, and Siegfried Ruhemann, action of phenylhydrazine on urea and some of its derivatives, 1888, T., 550; P., 54; A., 274.

 citric and aconitic acids, 1889, T., 235; P., 54.

Skinner, Sulney. See also Siegfried Ruhemann.

Skraup, Zdenko Hunns, syntheses in the quinoline series, 1883, A., 92.

constitution of quinine and quinidine, 1884, A., 86; 1889, A., 626.

new method of preparing phenanthroline, 1885, A., 393. benzoylecgonine and its conversion

into cocaine, 1885, A., 1249. p-quinanisoil, 1886, A., 79.

colour reactions for determining the constitution of the pyridine-, quinoline-, and allied-carboxylic acids, 1886, A., 898.

- constitution of cinchonine, 1887, A., 164.

constitution of the cinchona alkaloids, 1889, A., 281, 626.

constitution of quinine, 1889, A., 626.

constitution of glucose, 1889, A., 1130.

benzoyl compounds of alcohols, phenols, and sugars, 1889, A., 1152.

— phloroglucinol, 1890, A., 136.

- kynurin, 1890, A., 174. - conversion of malere acid into fumaric acid, 1890, A., 1397; 1891,

A., 1338. theory of double linkage, 1891, A.,

compounds of the cinchona alka-

loids with hydriodic acid, 1892, A., 83. Skraup, Zdenko Hanns, and Philipp Brunner, constitution of quinoline derivatives, 1886, A., 810.

– *m*-quinolinecarboxylic acid, 1887, A., 160.

Skraup, Zilenko Hanns, and Albert Cobenzi, a- and \$-naphthaquinolines. 1883, A., 1010.

Skraup, Zdenko Hanne, and Otto IV. Fischer, methylphenanthroline, 1885, A., 392.

Skraup, Zdenko Hanns, and Georg Vortmann, dipyridyl 1883, A., 85. derivatives, Skraup, Zdenko Hanns, and Dietrich Wiegmann, morphine, 1889, A., 1018.

codeine methiodide, 1890, A.,

Skraup, Zdenko Hanns, and Julius Würstl, constitution of the cinchona alkaloids, 1889, A., 1073.

Skraup, Zdenko Hanns. See also Arthur Louis Schubert.

Skubich, change of volume of solutions of salts, 1892, A., 766.

Skvortzow, *Nicholas*, physiological action of iron, 1888, A., 1325.

Sleenbuch, Christian, constant gas generator, 1887, A., 634.

Slocum, Frank L., phenylangelic, phenylmethacrylic, and ethylphenyllactic acids, 1885, A., 662.

Slyke, Lucius L. van, analyses of the milk of ripe and unripe cocoanuts, 1891, A., 764.

Smetham, Alfred, composition of silage, 1884, A., 770.

Smirnow, A. See (Frau) Nadina Sieber. Smita, Arthur. See Heinrich Paschkis. Smith, A., preparation of carbons for

electric lamps, 1885, A., 1267.

Smith, Albert IV., influence of substituting radicles on the configuration of aromatic ketoximes, 1892, A., 487.

Smith, Albert W. See also Charles Frederic Mabery.

Smith, Alexander, desylacetophenone, 1890, T., 643; P., 105.

Smith, Arthur Percy, violet flame produced by common salt in a coal fire, 1890, A., 1202.

Smith, Clement Grubb. See Frank Austin Gooch.

Smith, E. D., improved method of estimating caffeine in coffee, 1888, A., 539.

Smith, Edgar Francis, p-m-dibrom-onitrobenzoic acid, 1884, A., 601.

minerals from Lehigh Co., 1884, A., 661.

mineralogical notes, 1885, A., 960.
the electrolytic method as applied

to iron, 1888, A., 1344.

oxidation with the galvanic cur-

1ent, 1889, A., 926.
—— vanadium in potassium hydroxide,

1890, A., 706.
—— electrolysis of metallic phosphates,

1890, A., 1028; 1891, A., 1140.

oxidation of sulphides by the electric current, 1890, A., 1342.

 decomposition of chrome iron ore by means of the electric current, 1891, A., 1294, 1398. Smith, Edgar Francis, and Robert Hart Bradbury, estimation of molybdic and tungstic acids, 1892, A., 241.

Smith, Elgar Francis, and Lee K. Frankel, the electrolytic method applied to the separation of mercury from copper, 1889, A., 797.

cadmium from zinc, 1889, A., 1033.

A., 664, 1029.

Smith, Edgar Francis, and Winfield Scott Hoskinson, electrolysis of molybdenum solutions, 1886, A., 102.

Smith, Edgar Francis, and Harry Frederick Keller, electrolytic estimation of palladium, 1890, A., 831.
 action of hydrogen sulphide

on certain metallamines, 1891, A., 272.
Smith, Edgar Francis, and Ellsworth B.
Knerr, substitution products of sali-

cylic acid, 1886, A., 704.

A., 923.

Smith, Edgar Francis, and Arthur IV.
MacCauley, electrolytic separation of mercury from copper, 1892, A., 289.

Smith, Edgar Francis, and Frank Muhr, electrolytic estimations, 1891, A., 1296, 1396.

———— electrolytic separation of iron, 1892, A., 917.

A., 920.
Smith, Edgar Francis. See also Daniel
B. Brunner, N. Wiley Thomas.

Smith, Erastus G., chrysotile from Shipton, Canada, 1885, A., 361.

action of bromine on propenylphenylaminediamine, 1885, A., 524.

iron pyrites, 1886, A., 992.

Smith, Ernest E. See Russell H. Chittenden.

Smith, Frank Warren. See Arthur Messinger Comey.

Smith, Franklin S., ozokerite, 1885, A., 356.

Smith, Franklin S. See also Peter Townsend Austen.

Smith, Frederick, respiration in the horse during rest and work, 1890, A., 392.

---- chemistry of the urine of the horse, 1890, A., 914.

sweat of the horse, 1891, A., 349.
Smith, Frederick John, a high pressure electric accumulator, 1884, A., 246.

Smith, Harry Wood. See Harold Baily Dixon.

Smith, Henry John Stephen, obstuary notice of, 1883, T., 255.

Smith, Herbert E., do bones contain keratin? 1884, A., 1398.
Smith, Herbert E. See also Russell H.

Chittenden.

Smith, J. Denham. Sec E. F. Teschemacher.

Smith, James Hill, obituary notice of, 1884, T., 627.

Smith, James Lorrain. See John Scott Haldane.

Smith, John Henry, detection and estimation of organic substances, 1888, A.,

- new method for estimating organic nitrogen, 1889, A., 307; 1892, A.,

Smith, John Lawrence, hiddenite, an emerald-green variety of spodumene and triphane, 1883, A., 440.

- methods of analysing columbates by means of hydrofluoric acid, 1884, A., 111.

- peculiar concretions in iron meteorites, 1884, A., 976.

columbates containing earthy

oxides, 1885, A., 1012. Smith, Miles H. See John Williams. Smith, Robert Angus, examination of

waters, 1885, A., 86. Smith, Robert Watson. See George

Gerald Henderson. Smith, S. Henry, estimation of urea, 1891, A., 512.

Smith, Walter B. crystal beds of Topaz Butte, 1887, A., 452.

Smith, Walter George. composition of the precipitate obtained on heating

urine, 1885, A., 681.

Smith, Watson, note on pentathionic acid in connection with Shaw's paper on "the preparation of the penta-thionates," 1883, T., 355.

note on the behaviour of the nitrogen of coal during destructive distillation, and a comparison of the amounts of nitrogen left in cokes of various origin, 1884, T. 144.

 methods for coking coal, 1884, A., 224.

note on β-phenylnaphthalene, 1889, P., 70; discussion, P., 71.
Smith, Watson, and William Beaumont

Hart, sodium carbonate, 1887, A., 330. Smith, Watson, Francis James Henderson Coutts, and Horace Edward Brothers. the phenol constituents of blast furnace tar, 1885, P., 104; 1886, T. 17.

See also Alexandre Smith, Watson. Claparède, Adolf Staub.

Smith, William J., substance containing sulphur formed in cruciferous plants, 1888, A., 869. - physiological action of sulphonal,

1892, A., 1507.

Smith, William J. See also Thomus Edward Thorpe.

Smithells, Arthur, on some fluorine compounds of uranium, 1883, T..125.

- note on the structure of luminous flames, 1891, P., 164; 1892, T., 217. - the origin of flame coloration, 1892,

P., 8. Smithells, Arthur, and Hurry Ingle, the structure and chemistry of flames, 1891, P., 159; discussion, P., 163; 1892, T., 204.

Smitt, A. See Otto Pettersson.

Smolka, Alois, isobutylbiguanide, 1881, A., 287.

basic nitrates of lead, 1885, A., 725.

mannitol lead nitrate, 1885, A., 743.

new picrates, 1886, A., 453.

- action of potassium permanganate on dextrose in neutral solution, 1887, A., 566.

 action of bromine on carbamide, 1887, A., 656.

- allyldiguanidine and its derivatives, 1888, A., 42.

- picramates, 1888, A., 52.

- constitution of the derivatives of cyanamide, 1890, A., 1222.

Smolka, Alois, and A. Friedreich, new method for the preparation of biguanides: derivatives of phenylbiguanide, 1888, A., 830.

- ammeline, 1889, A., 111; 1890, A., 856.

- derivatives of eyanamide, 1889, A., 951.

 phenylammeline and phenylisocyanic acid, 1890, A., 618.

Smolka, Alois. See also Wilhelm Kalmann.

Smyth, Charles Henry. peridotite in central New York, 1892, A., 1057.Snape, Henry Lloyd, action of pheny

cyanate on alcohols and phenols, 1885 T., 770.

- aromatic cyanates and carbamates

1886, T. 254; P., 158. Snijders, Aurnout Johannes Cornelis influence of filters on water, 1888,

- detection of salicylic acid in been, 1889, A., 195.

Snodgrass, William. See John Gray McKendrick.

Snow, Herbert Waldemar, testing oil of peppermint for adulterations, 1890, Λ., 199.

- iodine absorption as a test for essential oils. 1890, A., 307.

Soave, Marco. See Piero Giacosa. Sobernheim, hematoporphyrinuria,

1892, A., 1118. Sobieczky, J., and Victor Hölbling, improved wash bottle, 1888, A., 990. Socin, C. 1., in what form is iron

absorbed? 1891, A., 478. Sodeau, William Hornce, silven sul-

phite, 1892, A., 684.

See Curl Arnold Soden, Hugo von. August Michaelis.

Söderbaum, Henrik Gustar, platoso-oxalic acid, 1886, A., 532.

o-amidobenzyl alcohol, 1890, A., 1254.

- dioximidosuccinic acids, 1891, A., 825.

 configuration of ω-ismitrosoacetophenone (benzoylformoxime), 1891, A., 1043.

 cvanisonitrosoacetic acid, 1891, A., 1184.

action of hydroxylamine on dibromopyruvic acid, 1892, A., 815.

Söderbaum, Henrik Gustav, and Oskur Widman, preparation and oxidation products of nitrocymene, 1888, A., 1076. derivatives of o-amidobenzyl

alcohol, 1889, A., 972; 1890, A.,178. phenyl-o-benzylenediamine and p-tolyl-o-benzylenediamine, 1890, A., 1258.

Söderbaum, Henrik Gustav. See also Per Wilhelm Abenius.

Söldner, Friedr., the salts of milk and their relation to the behaviour of casein, 1889, A., 634.

Sohneke, Leonhard, electrification of ice by water friction, 1886, A., 960. - production of the current in the

galvanic circuit, 1889, A., 556.

Sohnke, J., behaviour of micro-organisms in artificial mineral water, 1887, л., 393.

Sohst, Otto, and Bernhard Tollens, crystallised saccharic acid, 1888, A., 820.

Sokoloff, Eugen, action of zinc isoamyl and zinc isobutyl on aldehyde, 1888, A., 125.

the hydrocarbons $C_8 H_{16}$ and $C_9 H_{18}$ obtained from methyldipropylcarbinol, and ethyldipropylcarbinol, 1888, A., 1168.

Sokoloff, Eugen, action of methyl iodide and zinc on ethyl propyl ketone, 1888, Δ., 1170.

- action of ethyl iodide and zinc on ethyl propyl ketone, 1888, A., 1170.

Sokoloff, Nicolai B., action of feeble bases on nitroethane, 1888, A., 797.

action of alkalis on the nitro-compounds of alkyl radicles, 1889, A., 365. action of alkyl iodides on sodium

nitroethane, 1889, A., 365. Soldaini, Arturo, ptomames, 1884, A.,

· alkaloids of Lupinus albus, 1892,

Soldaini, E., copper solution for the estimation of glucose, 1890, A., 198. Solereder, Hans. See Gerhard Krüss.

William Johnson, artificial deposition of calcite crystals on the spicules of a sponge, 1888, A., 115.

Solley, Fred P. See Russell H. Chittenden.

Solly, Richard Harrison, crystallographic examination of the crystals of antimonio-potassic chlorobromide, 1883, T., 293.

Solonina, Basil M., action of feeble mineral acids on allyl alcohol, 1885, A., 741; 1888, A., 806.

Solowieff, Alexander, application of dialysis to the study of the gelatinous state of proteid substances, 1888, A., 856.

Solthien, separation of silver from alloys, 1883, A., 243.

Soltmann, Rudolf, melanite from the Kaiserstuhl, 1891, A., 651.

Soltsien, Paul, essential oils, 1887, A., 375.

titration of chromates, barium salts,

and sulphates, 1891, A., 115.
Solvay, Ernst, obtaining hydrochloric acid from calcium chloride, 1885, A., 705.

Sommer, Ad., preparation of hydrobromic acid, 1884, A., 1091.

Sommerlad, Hermann, basalt rocks containing hornblende, 1883, A., 169.

nepheline rocks from the Vogelsberg, 1884, A., 275.

— leucite- and nephcline-basalt from

the Vogelsberg, 1885, Λ ., 33.

Sondén, Klas, analysis of petalite from Uto, 1883, A., 440.

modification of Scheibler's azotometer, 1883, A., 508.

- hygienic air analysis, 1888, A., 192. the liquoscope: an instrument for comparing the refractive indices of liquids, 1891, A., 959.

Sondén, Klas. See also Otto Pettersson. Adolf, behaviour Sonnenschein, tannin with Fehling's solution, 1885, A., 1163.

drving fats, 1886, A., 1083.

 estimation of acetic acid in acetates by direct titration, 1887, A., 869.

Sonnenthal, S., dissociation in dilute solutions of tartrates, 1892, A., 588, 1144.

Sonnerat, E., hydrogen peroxide in medicine, 1884, A., 1082.

Sorabji, (Khan Bahadur) Bomanji, on some new paraffins, 1885, T., 37.

Soraner, Paul Carl Moritz, studies on evaporation, 1884, A., 627.

— failure of oat crops, 1889, A., 742.

Soret, A., occlusion of gases by electrolytic copper, 1889, A., 105, 946.

Soret, Charles, refractive indices of

alums, 1885, A., 109, 1097.

— monosymmetrical sodium alum, 1886, A., 595.

- crystallographical notices, 1886, A., 619.

Soret, J. Louis, ultra-violet absorption spectra of proteids, 1884, A., 242.

absorption spectrum of blood in

the violet and ultra-violet, 1884, A., 381.

Soret, J. Louis, and Albert A. Rilliet, absorption of ultra-violet rays by derivatives of the paraffins, 1890, A., 434.

Soret, J. Louis, and Edouard Sarasin, circular polarisation of quartz, 1883, Λ., 140.

 absorption spectrum of water, 1884, A., 701.

Soret, Lucien, and Fernand Robineau, nickeloxydiamine nitrite, 1890, A., 216.

Sorge, Kurt, natural gas of Pennsylvania, 1888, A., 30.

Sorger, C. See Wilhelm La Coste.

Sorokin, Basilius I., lactic acid from levulose, 1886, A., 141.

- anilides of glucoses, 1886, A. 526. anilides of galactose and levulose,

1886, A., 683. relation between the constitution and specific rotatory power of organic

compounds, 1888, A., 768. - anilides of glucoses and some of their transformations, 1888, A., 807.

action of aniline on isosaccharin,

1888, A., 819.
Sostegni, Livio, examination of humus from peat, 1885, A., 1082.

 constituents of rice starch, 1886, A., 221; 1888, A., 126.

Sostegni, Livio, detection of foreign colouring matters in wine, 1889, A., 1091.

Sostegni, Livio, and Antonio Sannino. formation of hydrogen sulphide during the alcoholic fermentation, 1890, A., 1454.

Sostmann, E. See Karl Stammer.

Soubeiran, Jean Léon, wood oil from Cochin China, 1885, A., 394.

Soubeiran, Jean Léon, and Gustave Massol, water from the Red Spring of Zacanne (Tarn, France), 1885, A.,

Source. See Magnier de la Source. Soward, Alfred Walter. See Isaac Probert.

Sowinski, W. ron, hydrogenation of the naphthoic acids, 1891, A., 1380.

Soxhlet, Franz, citric acid in cows' milk, 1889, A., 178.

sterilisation of milk, 1892, A., 518.

Soxhlet, Franz, and Arno manufacture of starch sugar, 1883,

A., 39.

Soxhlet, V. H., preparation of flavin, 1892, A., 503.

- indigo-green, 1892, A., 991.

Spady, Joh., quinoline derivatives from isovaleraldehyde, 1886, A., 263. Spady, Joh. See also Wladimir B.

Markownikoff, Wilhelm von Miller.

Spallanzani, Pennegrino, volatile fatty acids of butter, 1890, A., 186.

Spalteholz, Walter, colouring matter from coal-tar quinoline, 1883, A., 1150; 1885, A., 400.

Spampani, Giuseppe, substitution of manganese for iron in plant nutrition, 1891, A., 1394.

Spehr, K., ephedrine from Ephedra monostachya, 1892, A., 893.

Spence, J. Napicr, estimation of starch, 1888, A., 632.

Spence, Pcter, obituary notice of, 1884, T., 622.

Spencer, Guilford Lawson, method of estimating phosphoric acid in manures, 1885, A., 436.

- estimation of theine in tea, 1891. A., 134, 963.

Speranski, influence of glass surfaces on velocity of reaction, 1890, A., 1208.

Sperry, Erwin Starr.See Samuel Lewis Penfield.

Sperry, Francis Lewis. Sec Samuel Lowis Penfield.

Speyers, Clarence Livingston, electromotive force of metallic salts, 1890, A., 843; 1892, A., 255.

Spezia, Giorgio, beryl from Craveggia, Piedmont, 1883, A., 958.

— the gneiss of Beura, 1883, A., 960.

 melanophlogite, 1884, A., 1104. - flexibility of itacolumite, 1887, A.,

(sometimes Spica Spica-Marcataio) Giovanni, psoromic acid, an acid extracted from Psoroma crassum, 1883, A., 80.

Spica, Giovanni, and Giuseppe Biscaro, Arum italicum, 1886, A., 94.

Spica, Giovanni, and Oreste Magnanimi, hydroxybromotoluquinone, 1884, A., 175.

Spica, Giovanni. See also Francesco Canzoneri.

Spica, Mutteo, action of thiobenzamide on chloral, 1886, A., 1026.

- naphthoxyacetic acids, 1887, A.,

 derivatives of isopropylformamide, 1887, A., 1028.

- chemical nature of Aristolochiu Serpentaria, 1888, A., 82.

- behaviour of strontium tartiate with plastered wines, 1892, A., 93.

 volumetric estimation of phosphoric acid, 1892, A., 912.

Spica, Matteo, and Gregorio Halagian, water supply of Odessa, 1888, A., 35.

Spica, Matteo, and Giovanni de Varda, derivatives of isopropyl chlorocarbonate, 1887, A., 1028.

Spica, Matteo. See also Tincenzo Oliveri.

Spica, Pictro, camphor-cymene and the so-called second sulphonic acid of pcymene, 1883, A., 320.

- m-cymene and a new isomeride of

thymol, 1883, A., 459.

- Barosma crenata, 1885, A., 1142. examination of oils and wines, 1888, A., 95.

- diosmin, 1888, A., 1310.

- mineral water of Monte di Malo, 1892, A., 1287.

Spica, Pietro, and Giacomo Carrara, thiazole compounds, 1892, A., 215.

Spica, Pietro. See also Francesco Ciotto. Spiegel, Adolf, euxanthic acid, 1883, A., 219.

- vulpic acid, 1884, A., 811.

new class of atomatic sulphonic acids, 1885, A., 987.

Spiegel, Leopold, estimation of nitrates in well waters, 1887, A., 691.

 estimation of nitrates in mineral waters, 1889, A., 438.

 constitution of fichtelite, 1890, A., 385.

Spiegel, Leopold, estimation of nitric acid, 1890, A., 1025.

- action of phenylhydrazine on cantharidin, 1892, A., 999.

Spiegel, Leopold. See also Carl Theodor Liebermann.

Spiegler, Eduard, acetoximes of the fatty series, 1884, A., 1115.

- diphenylacetoxime, 1884, A., 1155. - the euxanthone group, 1884, A., 1182.

sensitive reaction for albumin in urine, 1892, A., 928.

Spiethoff, Heinrich, chemistry of urine, 1885, A., 703.

Spilker, Adolf, nitrogen compounds of

salicylic acid, 1890, A., 141. Spilker, Adolf. See also Gustav Kraemer, Adolf Pinner.

Spiller, John, ancient mortar from a Roman wall in London, 1889, A.,

Spindler, Heinrich, action of inorganic iodides on organic chlorides and

bromides, 1886, A., 434. Spindler, Paul, nitration of benzene derivatives, 1883, A., 975; 1884, A., 1310.

Spiridonoff, N., dihydroxystearic acid obtained by the oxidation of oleic acid, 1889, A., 123.

Spiro, Karl. See Wilhelm Wislicenus. Spitz, Gustav, mixed ethers of resorcinol, 1885, A., 381.

Spitzer, Alfons, methyl derivatives of phloroglucinol, 1890, A., 1110.

tetramethylphloroglucinol, 1890, A., 1407.

Spitzer, Fr. V. See J. Kachler.

Spitzer, Jacob, estimation of undissolved starch in sweet mash, 1886, A., 746.

Spitzer, Wilhelm, action of opium and morphine on the intestine, 1891, A., 852.

Spitzer, Wilhelm. See also Franz Röhmann.

Spohn, H. See Georg Dragendorff. Spohr, Ivan, action of neutral salts and of temperature on the inversion of cane sugar, 1885, A., 1181; 1886, A.,

502.- modification of Siemens' pyrometer, 1886, A., 112.

- influence of neutral salts in chemical reactions, 1888, A., 1025.

Spong, Harry. See De Burgh Birch. Sponnagel, Friedrich (/corg, enamelling casks, 1885, A., 316.

Spottiswoode, William, and John Fletcher Moulton, movement of gas in vacuum discharges, 1883, A. 5.

Spottiswoode, William, obituary notice ' Spring,

of, 1884, T., 628.

Sprague, Charles T., ethyl thiaceto-acetate, 1891, T., 329; P., 59.

Sprague, Charles T. See also Karl von

Buchka.

Sprengel, Hermann Johann Philipp, specimens and photographs illustrating effects of explosives, 1886, P., 198, 213. Spring, Walthere, expansion of iso-

morphous salts, 1883, A., 146. formation of arsenides by pressure,

1883, A., 650.

formation of sulphides by pressure, 1883, A., 904.

- colloidal copper sulphide, 1883, A.,

perfect elasticity of solid bodies, 1884, A., 256.

 colour of water, 1884, A., 259. - crystallisation of substances under

pressure, 1884, A., 549.

- duplothiacetone, 1884, A., 580. - a differential dilatometer and its use in an investigation on the formation of alum, 1884, A., 887.

expansion of alums, 1884, A., 892. - heat liberated by the compression

of solids, 1884, A., 949.

- influence of repeated compressions on the amount of sulphides formed by pressure, 1884, A., 959.

- action of mass, 1885. A., 480. - specific heat of alloys of lead and

tin, 1886, A., 961.

the periodic law, 1887, A., 211.

- reaction between barium carbonate and sodium sulphate under the in-

fluence of pressure, 1887, A., 332.

— influence of temperature on the rate of action of certain acids on marble, 1887, A., 882.

 rate of the reaction between Iceland spar and hydrochloric acid, 1888, A.,

900; 1890, A., 843.

 proportion of carbon and hydrogen in carbonaceous schists, 1888, A., 925. compression of the moist powder of solid substances, 1888, A., 1243.

 chemical action between substances in the solid state, 1888, A., 1243. metallic lustre, 1889, A., 206.

- cause of rails rusting less quickly when in use than when not, 1889, A.,

- a new tin oxide, 1889, A., 1051. - increase of chemical energy at the free surface of liquid substances, 1890, A., 828.

rate of solution of carbonates in acids, 1890, A., 843.

Walthere, the formation of trithionate by the action of iodine on a mixture of sulphite and thiosulphate, 1892, P., 91.

— equilibrium of chemical systems

under unequal pressures, 1892, A., 1148.

Spring, Walthere, and Edmond ran Aubel, action of acids on zinc containing lead, 1887, A., 1074.

Spring, Walthere, and Georges de Boeck, colloidal copper sulphide, 1888, A.,

- soluble manganese oxide, 1885,

Δ., 228.

Spring, Walthere, and Edouard Bourgeois, formation of sulphunic acid in the preparation of dithionic acid, 1886, A., 978.

- action of iodine on sodium hydrogen sulphite, 1892, A., 681.

Spring, Walthère, and Jules Demarteau, constitution of potassium polysulphides, 1889, A., 1110.

Spring, Walthère, and Jacobus Henricus von't Hoff, chemical decomposition produced by pressure, 1888, A., 341.

Spring, Walthère, and Adolphe Lecrenier, halogen compounds of sulphur, 1886, A., 977.

constitution of Guthrie's chlorethyl bisulphide, 1888, A., 664.

- action of chlorine on the sulphides of alcohol radicles: preparation of new chlorine derivatives, 1888, A., 664.

Spring, Walthère, and Emile Legros, alkylthiosulphuric acids, 1883, A., 47.

Spring, Walthère, and Marcel Lucion, constitution of manganese peroxide, 1890, A., 566.

Walthère, and Jérôme van Spring, Marsenille, thiopinacone, 1892, A., 1317.

Spring, Wulthere, and Eugene Prost, liberation of chlorine during the decomposition of chlorates, 1889, A., 1105. Spring, Walthère, and Léon Roland,

amount of carbonic anhydride in the air, 1886, A., 504.

Walthere, and Emile Tart, a-dichloropropaldehyde, 1890, A., 955.

Spring, Walthère, and Camille Wins-singer, action of chlorine on sulphoderivatives of organic oxysulphides, 1883, A., 659: 1884, A., 1127.

- action of chlorine on sulphonic- and oxythio-derivatives of heptyl, 1888, A., 989.

Springer, Alfred, reduction of nitrates by ferments, 1884, A., 350. Spüller, Jos. See Wilhelm Kalmann.

Squibb, Edward R., preparation of cocame, 1886, A., 371.

valuation of crude cocame from Peru, 1890, A., 838.

Srpek, Joh. Ottokar, action of furfuraldehyde on quinaldine, 1887, A., 976.

Srpek, Otto, hydroquinoline derivatives, 1890, A., 177.

substitution in aromatic hydrocarbons, 1891, A., 41.

Staats, Georg, photochromatic properties of silver chloride, 1887, A., 1071;

1888, A., 1001. Stachowsky, Olgerd K., estimation of carbon in arable soils, 1888, A., 531.

Stackler, soluble naphthol compounds, 1892, A., 1116. Stade, G., the working of a sugar re-

finery, 1884, A., 791. Stadelmann, Ernst, hydroxybutyric acid

in diabetic urine, 1885, A., 924; 1887, A., 464.

-ferments in normal urine, 1888, A.,

formation of ammonia in the pancreatic digestion of fibrin, 1888, A., 512.

pepsin in normal and pathological urine, 1889, A., 430.

proteinchrome and proteinchromogen, 1890, A., 804.

Stadler, Otto, mercaptans, 1884, A., 1328.
— nitrothiophens, 1885, A., 764.
— reduction of nitro- to amidothiophen, 1885, A., 971.

compounds of thiophen, 1885, A.,

Stadler, Otto. See also Victor Meyer. Stadt, Hendrik Justus van de. See Charles Marius van Deventer.

Stadthagen, Max, cystine not present in normal urine, 1885, A., 830.

Staedel, Wilhelm, relation between boiling-points and specific volumes,

1883, A., 302.

— the history of the m-nitriles, 1883, A., 323.

- hydrobromides and hydriodides of aromatic bases, 1883, A., 578.

 bromacetophenone and acetophenone derivatives, 1883, A., 586.

substitution products of alkyl derivatives of phenols, 1883, A., 662.

nitrocresols, 1883, A., 662. bromonitro- and bromamido-anisoils

and phenetoils, 1883, A., 662. -action of nitric acid on phenols, 1883, A., 861.

– nitrophenols and nitrocresols, 1883, A., 864.

- ethylamidocresols, 1883, A., 866. — aromatic ketones, 1883, A., 990.

Staedel, Wilhelm, dinitrotoluene, 1885. A., 142.

---- m-cresol, 1886, A., 232.

- removal of methyl from tertiary aromatic amines, 1886, A., 940.

preparation of phenylacetic acid, 1886, A., 945.

phenacyl compounds, 1888, A., 1093. nitro-m-cresols, 1889, A., 497.

Staedel, Wilhelm, and Hermann Bauer, introduction of methyl into m-nitraniline, 1886, A., 940.

azo-compounds, 1886, A., 943.
Staedel, Wilhelm, and Emil Haase,
derivatives of diphenylmethane and benzophenone, 1890, A., 1422. Staedel, Wilhelm, and Otto Hölz, com-

mercial xylidine, 1886, A., 145.

Staedel, Wilhelm and Adalbert Kolb, nitro-m-cresols, 1891, A., 186.

Staedel, Wilhelm (and others), new alkyl derivatives of phenols, 1883, A., 585.

Staedel, Wilhelm. See also Heinrich vom Baur, Heinr. Reinhardt.

Stahel, Rudolph, derivatives of diphenylhydrazine and methylphenylhydrazine, A., 1259.

Stahel, Rudolph. See also Emil Fischer. Stahl, J, ethylxylenes, 1890, A., 882.

molybdic acid as a reagent for alomatic hydroxy-compounds, 1892, A., 1133.

Stahl, Wilh., analysis of copper, 1887,

- celestine in *Nautilus aratus*, 1887, л., 781.

 hexagonal crystals of zinc sulphide, 1889, A, 20.

estimation of zinc in blende con-

taining manganese, 1890, A., 827.

— metallurgical assay of lead waste, 1891, A., 365.

Stallard, George, bromophthalic acids, 1886, T., 187; P., 138.

bromination of naphthalene-S-sul-

phonic acid, 1887, P., 113.

Stamati, gastric juice of crayfish, 1889, A., 534.

Stammer, Karl, and Paul Degener, percentage of sugar in beet, 1884, A., 133.

Stammer, Karl, and E. Sostmann. cstimation of sugar in beet-root, 1884, A., 642.

Standke, Otto. See Heinrich Cour. Klinger.

Stanford, Edward Charles Cortis, new substance obtained from some of the commoner species of marine Alga, 1883, A., 943.

Stanford, Edward Charles Cortis, iodine in cod-liver oil, 1884, A., 504.

Stanley, Arthur, sodium dichromate, 1887, A., 110.

Stanley, Arthur. See also Percy Faraday Frankland.

Stapleton, Joseph, preparation of alkaline potassium permanganate solution for water analysis, 1888, A., 516.

Stark, A. Campbell, test for antipyrin, 1890, A., 309.

Starkl, Gottfried, bole from Steinkirchen near Budweis in Bohemia, 1883, A., 444

—— polyhydrite from St. Cristoph mine, Breitenbrunn in Saxony, 1883, A., 444.

schuchardtite, 1885, A., 32.

— copaline from Hutteldorf, near Vienna, 1886, A., 21.

 minerals from the mica-diorite of Christianberg, Bohemia, 1886, A., 32.
 pycnophyllite from Aspang, 1886, A., 33.

Starling, Ernest Henry, and F. Gowlund Hopkins, the urine in a case of phosphorus poisoning, 1892, A., 650.

Starting, A., preparation of benzoic acid, 1889, A., 874.

Stas, Jean Servais, purification of bromine, 1886, A., 592.

---- silver, 1890, A., 561.

P., 75.

memorial lecture on, 1892, P., 204; discussion, P., 207.

Staub, Adolf, and Watson Smith, on a bye-product of the manufacture of aurin, Part II., 1884, T., 301.

derivatives of isodinaphthyl,

derivatives of isodinaphthyl, 1885, T., 104.

Staub, Adolf. See also Puul Tönnies.

Stanb, Adolf. See also Paul Tönnies.
Stanb, Mariz, contributions to the doctrine of thermic constants in plants, 1884, A., 1067.

Staute, Herna., pinnoite, a new borate from Stassfurt, 1884, A., 1271; 1885, A., 1117.

Stavely, William W., examination of crude phenol and cresol, 1890, A., 425. Stavenhagen, Alfred. See Adolph Claus. Stead John Edward, chemistry of the

Stead, John Edward, chemistry of the Bessemer converter, 1883, A., 832. — method of estimating carbon in

iron and steel: a new form of chromometer, 1883, A., 1032.

gas sampling and testing apparatus, 1890, A., 411.

estimation of minute quantities of aluminium in iron and steel, 1890, A., 548. Stead, John Edward, and Charles Henry Ridsdale, crystals in basic converter slag, 1887, T., 601; P., 65; discussion, P., 65.

Steche, Albert, derivatives of β-naphthindole, 1888, A., 284.

Steche, Albert. See also Emil Fischer. Steedman, Charles Ernest, oxidation of ethyl alcohol in the presence of turpentine, 1887, P., 87.

Stefan, Josef, relation between the theories of capillarity and of evaporation, 1887, A., 323.

one another, 1889, A., 1046.

—— evaporation and dissolution considered as processes of diffusion, 1891, A., 384.

Steffens, F. W., kainite and bone meal in sandy soil, 1884, A., 868.

Stegelitz, Paul. See Adolph Claus.
Steger, V., porphyry from Horka, Prussia, 1887, A., 223.

Steiger, Eduard, carbohydrate from the seed of Lupinus luteus, 1886, A., 608.
—— estimation of galactose, 1889, A., 1089.

Steiger, Eduard, and Ernst Schulze, arabinose derived from wheat bran and rye bran, 1891, A., 33.

Steiger, Eduard. See also Ernst Schulze. Stein, Gottlieb, aluminium thiocyanate free from iron, 1884, A., 540.

estimation of manganese in foods, 1889, A., 188.

— double fluorides of antimony, 1890, A., 216.

Stein, Gustar E., the melaphyres of the Little Carpathians, 1883, A., 447.

Stein, H. See Werner Kelbe. Stein, Stanislaus von, method of obtain-

ing hæmoglobin crystals, 1885, A., 406. Stein, Walter M., and Paul W. Schwarz, estimation of ammonia by distillation, 1889, A., 1087.

Steinbrügge, Hermann, diagnosis of keratin in animal tissues, 1886, A., 106.

Steinecke, Victor, leucitophyre from Persia, 1890, A., 220.

Steiner, Anton, conversion of fulminates into hydroxylamine, 1883, A., 1074; 1884, A., 277.

Steiner, Arnold. See Otto Billeter. Steiner, Emil, formation of patina, 1885, A., 308.

Steinhart, O. J., anisylamines, 1888, A., 51.

Steinheil, A. See Elluard Lauber. Steinike, Georg. See Karl Elbs. Steinkauler, Theodor. See Adolph Claus. Steinmann, Theodor. See Rudolf Nietzki. Steinscheider, Josef, copper phosphates, 1891, A., 1423.

Stellwaag, August, rise of temperature induced in soils by the condensation of liquid and gaseous water and of gases, 1883, A., 615.

- composition of barley fat, 1886, A., 1065.

composition of fats of folders, 1890, A., 657. Steltzner, R. See J. Homans.

Stelzner, Alfred Wilhelm, melilite and melilite-basalts, 1883, A., 719.

the biotite-holding amphibole-granite from Syene, 1884, A., 413.

the olivine of the melilite-basalt of Hochbohl, 1884, A., 829.

the Freiberg gneiss, 1884, A., 829.
Stelzner, Alfred Wilhelm, and Arwulf Schertel, black zinc blende of Freiberg, 1887, A., 451.
Stelzner, R. See Wilhelm Marckwald, Robert Moscheles.

Stengel, Fr., dialkyl disulphobenzoates, 1883, A., 999.

Stenger, Franc, thermal conductivity of tourmaline, 1885, A., 5.

- electrical conductivity of gases, 1885, A., 1028.

absorption bands of chlorophyll, 1887, A., 693.

modifications of the absorption spectra of a substance, 1888, A., 543.

Stenglein, mashing temperature, and the favourable temperature for yeast sowing, 1884, A., 789.

Stenhouse, James. See William Henry Perkin, junior.

Stephan, Carl, fluidity and galvanic conductivity, 1883, A., 769.

Stephan, Richard, amido-acids, 1887, A., 142.

Stephan, Richard. See also Ferdinand Tiemann.

Stephens, Charles William, estimation of milk sugar in milk, 1886, A., 582.

Stern, Arthur Landaucr, action of bromine on phosphorus trichloride, 1886, T., 815.

Stern, D., hydrazobenzene and benzidine, 1884, A., 1015.

Stern, H., origin of the bile colouring matters, 1887, A., 290.

Stern, Jacob. See Rudolph Fittig.

Stern, Richard, oxyhæmoglobin in the bile, 1891, A., 599.

Sternberg, obtaining sugar from molasses, 1886, A., 403.

Sternberg, Alfred, preparation of ferroeyanides, 1886, A., 110.

Stettenheimer, Ludwig. See Eugen Bamberger.

Steude, M., thiazole derivatives from bromopyruvic acids and from ethyl bromacetoacetate, 1891, A., 742.

Steudemann, Hugo, m-nitrophenylthiocarbimide, 1883, A., 801; 1884, A.,

- o-nitro-p-tolylthiocarhamide, 1884, A., 307.

Stevens, Edward Knights. See Henry Barker **H**ill.

Stevenson, Thomas, solvent action of water on zinc, and effects of drinking water contaminated with zinc, 1884, A., 878.

Stewart, Andrew, thio-derivatives of oamidobenzamide, 1892, A., 54.

Stewart, A. J. See Emil Fischer. Stewart, Charles IV. See Russell II. Chittenden.

Stewart, George Neil, electrolysis and putrefaction of bile, 1891, A., 591.

- electrolysis of animal tissues, 1891, A., 597.

estimation of inorganic salts in small quantities of blood, 1891, A.,

heat production in nerves during excitation, 1892, A., 365.

Stiassny, Eduard, preparation of methylpropylacetic acid, 1892, A., 581.

Stich, respiration of plants under oxygen tension and when injured, 1892, A., 1259.

Stickel, Carl. See Eugen Lellmann. Sticker, Georg, influence of the secretion of gastric juice on the quantity of chlorine in urine, 1888, A., 620.

Stiebel, Albert. See Adolph Claus. Stieglitz, Alfred, quinonecarboxylic acids, 1891, A., 455.

Stieglitz, Julius, behaviour of amidoximes towards diazobenzene-derivatives, 1890, A., 254.

Stierlin, Richard, derivatives of ethyl benzoylacetate, 1888, A., 1088, 1298.

benzils, 1889, A., 512. Stift, A., influence of "saccharin" on digestion, 1889, A., 1022.

estimation of ash in raw sugar,

1891, A., 1297. Stillman, Thomas B., composition of boiler scale, 1890, A., 944.

Stillmark, Hermann, ricin, 1890, A., 535. Stilwell, Charles M., opium analysis, 1887, A., 403.

Stingl, Johann, and Theodor Morawski. the soja bean, 1886, A., 829. Stingl, Johann. See also Theodor Mo-

rawski.

Stock, William Frederick Keating, estimation of nitrogen in organic substances, 1892, A., 1516. Stock, Robert. See Ludwig Claisen.

Stock, Robert. See Ludwig Claisen. Stockbridge, H. E., lupulin, 1890, A., 657. Stockdale, R. See Jumes Ernest Marsh. Stockman, Ralph, active principle of

senna leaves, 1885, A., 991.
— amorphous cocaine, 1887, A., 980.

---- hygnine, 1888, A., 508.

physiological action of borneol, 1888, A., 1216.

- excretion of balsams in the urine,

1891, A., 600.

Stockman, Ralph, and David Brown Dott, physiological action of morphine and its derivatives, 1890, A., 1178.

physiological action of thebaine and narcotine and their derivatives, 1891, A., 762.

Stockman, Ralph. See also David Brown Dott.

Stocks. See Heinrich Fresenius.

Stocks, *Herbert B.*, iodide of starch, 1888, A., 126, 668.

Stoddard, John T., flashing-point of petroleum, 1883, A., 383, 517; 1884, A., 1431.

Stöcker, Hermann. See Heinrich Goldschmidt.

Stoecklin, Louis. See Emilio Nölting. Stochr, Carl, hydro-p-countain acid, 1884, A., 1349.

strychninesulphonic acid, 1886,
 A., 269; 1888, A., 73.

strychnine, 1887, A., 604; 1891, A., 86.

scatole from strychnine, 1887, A., 682.

--- 3-methylpyridine and 3-methylpiperidine, 1888, A., 63.

constitution of ecgonine, 1889, A., 908.

α-picoline and α-isobutylenepyridine, 1891, A., 81.

—— β-methylpyridine, 1891, A., 219. —— synthetical pyridine bases of the β-series, 1891, A., 579; 1892, A., 628.

B-series, 1891, A., 579; 1892, A., 628. new class of organic bases, 1891, A., 581.

— dimethyldiazine, 1892, A., 507.

— pyridine and piperidine bases of

the \$\beta\$-series, 1892, \$\beta\$., 628.

Stochr, Carl, and Max Wagner, \$\beta\$-dimethyldipyridyl, 1892, \$\beta\$., 629.

Stochr, Carl. See also Ludwig Berend,

A. Heuser.

Stössner, Educard, effects of deep or shallow sowing on cereals, 1887, A., 747. Stohmann, Friedrich Carl Adolf, estimation of the fuel value of coal according to Scheurer-Kestner, 1884, A., 930.
 calorimetric investigations, 1885,

A., 857.

thermochemical rolations of the acids and alcohols of the fatty series, 1886, A., 295.

heat equivalent of the hydroxyl groups in the hydroxybenzenes, 1886,

A., 656.

eombustion of benzenc, 1886, A., 842.

Thomsen's investigations, 1887, A., 425.

— heats of combustion of organic compounds, 1887, A., 878, 1011; 1888, A., 1013; 1891, A., 251.

relations of the heats of combustion of solid bibasic acids to those of gaseous hydrocarbons, 1891, A., 252.

Stohmann, Friedrich Carl Adolf, and Clemens Kleber, hydrogonation of closed chains, 1891, A., 376, 1146; 1892, A., 1040.

constitution of camphoric

acid, 1892, A., 1040.

Stohmann, Friedrich Carl Adolf, and Hermann Langbein, thermochemistry of fats and fatty-acids, 1891, A., 11.

calorific value of food constituents and their derivatives, 1892, A., 4.

Stohmann, Friedrich Carl Adolf, and Paul Rodatz, heats of combustion of lauric and myristic acids, 1885, A., 1176.

heats of combustion of the

fatty acids, 1886, A., 296.

Stohmann, Friedrich Carl Adolf, and Heinrich Wilsing, specific and latent heats of myristic and lauric acids, 1885, A., 1177.

benzene and of other hydrocarbons of the aromatic series, 1889, A., 1042.

oxylic acids of the aromatic series, 1889, A., 1096.

acids of the oxalic series and of fumaric and maleic acids, 1889, A., 1097.

thermochemistry of methyl alcohol and solid methyl salts, 1890, A., 100. Stohmann, Friedrich Curl Adolf, Paul Rodatz, and Wilhelm Herzberg, heat of combustion of benzene, 1886, A.,

-heat equivalent of hydr-

oxybenzenes, 1886, A., 655.

- heat of combustion and formation of homologous phenols, 1887, A., 98.

- heat equivalents of the homologues of benzene, 1887, A., 427.

- - heat equivalents of ethers of the phenol series, 1887, A.,

 heat equivalents of benzoyl compounds, 1887, A., 878; 1888, A., 333.

Stohmann, Friedrich Carl Adolf. See also Johann Wilhelm Julius Henne-

Stojentin, M. von, action of ethoxalyl chloride on diphenylthiocarbamide and triphenylguanidine, 1884, A., 1159.

action of ethyloxalic chloride on derivatives of carbamide and guani-

dine, 1885, A., 1195.

Stokes, Alfred Walter, an apparatus for the comparison of colour tints, 1887, P., 135.

rapid estimation of fat in milk,

1890, A., 304.

 extraction of fat from milk solids, 1892, A., 391.

Stokes, Alfred Walter, and Richard Bodmer, estimation of mixtures of milk and cane sugar, 1886, A., 582.

Stokes (Sir) George Gabriel, crystalline reflection in potassium chlorate, 1885,

A., 1175.

- the interactions occurring in flames, 1892, P., 22.

- optical proof of the existence of suspended matter in flames, 1892, A., 111.

Stokes, Henry N., phthalic sulphinide,

1885, A., 539. action of phosphorus oxychloride

on ethyl silicates and silicon ethoxychlorides, 1891, A., 814, 1171.

Stokes, Henry N., and Hans (Freiherr) von Pechmann, action of ammonia on ethyl acetonedicarboxylate; synthesis of pyridine derivatives, 1887, A., 155.

Stokes, Henry N. See also Hans (Freiherr) von Pechmann, Frederic P. Treadwell.

Stoklasa, Julius, distribution of phosphates in Bohemia, 1885, A., 877.

- weathering of sandstone, 1886, A., 35.

Stoklasa, Julius, recognition of phospholic acid of mineral origin, 1889, A., 1032; 1890, A., 83.

– monocalcium phosphate, 1890, A., 695.

 composition of bone-meal, 1891, A., 105.

- estimation of water in superphos-

phates, 1891, A., 110.

- the soluble phosphoric acid compounds of superphosphates, 1891, A., 880.

Stokvis, Barend Joseph, turbidity of albuminous urine on heating, 1885, A., 680.

Stolba, Franz, disintegration of zircon, 1884, A., 821.

- preparation of zinc free from arsenic, 1885, A., 461.

action of hydrochloric acid on

sphalerite, 1887, A., 442.

estimation of calcium and magnesium in presence of manganese, 1887, A., 865.

estimation of chlorine, 1888, A.,

751. - reduction with lead, 1888, A., 756. - ammonium borofluoride, 1890, A.,

560. Stolle, E., m-ditolyl, 1888, A., 699.

Stolte, H., selenio-carbon compounds, 1886, A., 781.

phenylseleniocarbimide and diphenylseleniocarbamide, 1887, A., 43.

Stoltler, L., crystals in cementation steel, 1883, A., 629.

Stolz, Friedrich, iodopropargylic acid, 1886, A., 530.

p-ethoxyphenylhydrazine and dimethyl - p - ethoxyphenylpyrazolone, 1892, A., 1080.

Stolz, Friedrich. See also Benno Homolka

Stone, Fred. Beddow, test for bismuth, 1888, A., 197.

Stone, George C., volumetric estimation of manganese, 1884, A., 499.

- analyses of franklinite, 1888, A., 791.

Stone, George H., asphalt of Utah and Colorado, 1892, A., 21.

Stone, Winthrop E., composition of cultivated strawberries, 1890, A., 659. -carbohydrate in peach gum, 1890,

A., 1022. carbohydrates of the sweet potato.

1890, A., 1022. pentaglucoses [pentoses], 1891, A., 411.

- estimation of poutoses in vegetables, 1892, A., 247.

Stone, Winthrop E., digestibility of pentose carbohydrates, 1892, A., 645. constituents of the nitrogen-free

extract, 1892, A., 653.
Stone, Winthrop E., and Dumont Lotz, xylose from maize cobs, 1891, A., 1001.

Stone, Winthrop E., and Bernhard Tollens, arabinose, 1889, A., 480.

- fermentation of galactose, arabinose, sorbose, and other sugars, 1889, A., 480.

Stone, Winthrop E. See also Robert Gans, Bernhard Tollens.

Stoney, George Johnstone, logarithmic law of atomic weights, 1888, P., 55.

Stood, A., action of water containing sodium chloride on soils and plants, 1889, A., 795.

Storch, Ludwig, precipitation of iron by hydrogen sulphide, 1883, A., 1169.

solubility of metallic sulphides in thio-acids, 1883, A., 1169.

— action of ammonium salts on glycerol, 1886, A., 1044.

qualitative and quantitative test for resin oils in mineral and lubricating oils, 1888, A., 536.

stannic sulphide and thiostannic acid, 1889, A., 1053.

constitution of thiocarbamides, 1891, A., 548.

Storch, Ludwig. See also Wilhelm Friedrich Gintl, Carl Lepéz.

Storch, Mathias Wilhelm Samuel, fossil milk, 1888, A., 1223.

- changes in milk by udder tuberculosis, 1890, A., 652.

the souring of cream, 1891, A.,

Storer, Francis Humphreys, methods used by fishermen for barking and in other ways preserving nets and sails, 1884, A., 800.

Storer, Francis Humphreys, and David Swanson Lewis, gases occluded by coke, 1884, A., 377.

Storp, Ferd. (and others), effect of water holding sodium chloride and zinc sulphate in solution on the soil and on plants, 1884, A., 856.

Stortenbeker, Willem, compounds of chlorine with iodine, 1889, A., 102; 18**92, A**., 1387.

estimation of iodine, 1889, A., 185; 1890, A., 1185.

Stracciati, Enrico. See Adolfo Bartoli. Strache, H., propylenediamine and trimethylenediamine, 1888, A., 1172.

Strache, Hugo, oxidation products of quinoidine, 1890, A., 179.

Strache, Hugo, pyridine-o-carboxylic acids, 1890, A., 1157.

- estimation of aldehydic and ketonic oxygen, 1892, A., 546, 1530.

Strache, Hugo, and Moritz Kitt, oxidation of phenylhydrazine with Fehling's solution, 1892, A., 1322.

Strache, Hugo. See also Guido Gold-

schmiedt, Ilugo Weidel.

Stransky, Alfred, bases formed by the action of potash on additive products of papaverine, 1889, A., 166.

Stransky, Sigmund, numerical relations of the atomic weights, 1889, A., 567.

- veratrine, 1891, A., 585.

Strasburger, Eduard, experiments on grafting between plants of different species, 1886, A., 645.

Strasburger, Jos., derivatives of phenanthraquinone, 1884, A., 328.

- *p-*amidofluorene, 1884, A., 754. Strasser, Carl. See Carl Paal.

Strasser, Ludwig. See Eugen Bamberger.

Strassmann, Hans, derivatives of oxylene, 1888, A., 474.

action of hydroxylamine on bromacetophenone, 1889, A., 610.

isomeric methyldeoxybenzoms, 1889, A., 883.

—indazole derivatives, 1890, A., 781. Straus, Julius. See Heinrich Goldschmidt.

Strazzeri, Baldassare. See Alberto Peratoner.

Streatfeild, Frederick William. Henry Edward Armstrong, Francis

Robert Japp, Raphael Meldola. Strebel (and others), cultivation of cereals, 1883, A., 612.

- cultivation and preservation of certain cereals, 1885, A., 833.

Strecker, Kurl, specific heat of gascous compounds of chlorine, bromine, and iodine with one another and with

hydrogen, 1883, A., 417.

— leproduction of Siemens' mercury unit, 1885, A., 1027, 1099.

Strecker, Otto. See August Friedrich

Kekulé.

Streintz, Franz, galvanic polarisation, 1883, A., 410; 1888, A., 99, 544.

galvanic polarisation of aluminium, 1887, A., 415,

theory of the secondary battery, 1890, A., 315; 1892, A., 1381. - a silver mercury cell and its rela-

tion to temperature, 1890, A., 550. Streintz, Frunz, and Georg Neumann, theory of secondary batteries, 1890, A., 1354.

Streintz, Frant. See also Georg Neu-

Streng, Ford., o-nitrotolucne, 1891, A., 1197.

Streng, Johann August, hornblendediabase from Graveneck, 1884, A., 275. - diabase rich in apatite from Graveneck, 1884, A., 275.

- a new microchemical reaction for sodium, 1884, A., 366.

- microchemical reactions, 1885, A., 294; 1886, A., 487; 1889, A., 78.

- diopside from Zermatt, 1885, A.,

 dolerite of Londorf, 1889, A., 110. Strick, G. H., estimation of silicon in iron, 1887, A., 527.

Stricker, Theodorc. See Emilio Nolting. Striegler, estimation of invert sugar in molasses, 1891, A., 769.

Striegler, M., ammelide, 1885, A., 1194. - melanurenic acid, 1886, A., 435.

Strippelmann, Leo, and Carl Engler, investigation of Bentheim asphalt and analogous occurrences in Italy, 1884, A., 522.

Ström, Knut Torsteinson. See Rudolph Fittig.

Strohecker, Jones Ruelolph, cerium, yttrium, and beryllium oxides and ammonium chloride in diluvial clays, 1886, A., 314.

- oxides of cerium in practical use, 1886, A., 424.

- ceriferous Hainstadt clays, 1887, A., 119.

- process for obtaining the rare earths from the ceriferous Hainstadt clays, 1888, A., 28.

Strohl, Alexandre. See Otto Billeter. Strohman, August, crystallised mercurous bromide and iodide, 1888, A., 111.

Strohmer, Friedrich, estimation of glycerol in aqueous solution by its re-

fractive power, 1884, A., 877.

— manurial value of the lime waste of sugar factories, 1884, A., 925.

- testing of cayenne pepper, 1885, Δ., 452.

- detection of colouring matters in wine and confectionery, 1886, A.,

– buffalo's milk and butter, 1888, Д., 976.

Strohmer, Friedrich (and others), estimation of sugar-beet and sugar, 1884, A., 1219.

Strohmer, Friedrich. See also Friedrich Holdefleiss, Otto Kohlrausch. Stromeyer, Wilhelm, sugar-compounds,

1887, A., 791.

Strommenger, W., oxidation of acctophenone, 1886, A., 462.

Strouhal, Vincent, and Carl Barus, galvanic temperature coefficient, 1884, A., 140.

Stroumbo, S., production of white light by mixing the colours of the spectrum, 1887, A., 1.

Strüver, Giovanni, columbite from Craveggia in Piedmont, 1885, A., 732.

- volcanic fragments from the Lake of Bracciano, 1887, A., 21.

- brookite from Beura (Ossola), 1891, A., 527.

Struve, Heinrich, milk, 1883, A., 1174. - dialysis of putrescible substances, 1883, A., 1176.

chloroform-water and ether in dialysis, 1884, A., 375.

- kephir, 1884, A., 1086, 1235. - analyses of human milk, 1884, A.,

studies on blood, 1885, A., 71.

Stschükareff, A. N., velocity of reaction between metals and halogens, 1891, A., 1149.

degree of saturation of the d-terpene from Russian turpentine, 1892, A., 1350.

reduction of the hydrate of terpinol, 1892, A., 1351.

Stuart, Charles Maddlock, on the condensation products formed by benzaldehyde with malonic and isosuccinic acids, 1883, T., 403.

- nitrobenzalmalonic acids, 1885, T.,

155; P., 4.

- relation of benzalmalonic acid to its mononitro derivatives, 1886, T., 357; P., 177.

- action of cinnamic and salicylic aldehydes on malonic acid, 1886, T., 365.

- improved method of ventilating chemical laboratories, 1886, A., 15.

- halogen substituted derivatives of benzalmalonic acid, 1887, P., 118; 1888, T., 140.

- action of phosphorus pentachloride on salicylaldehyde, 1888, T., 402; P., 24.

Stuart, Churles Muddock, and Walter John Elliott, action of chromium oxychloride on orthosubstituted toluenes, 1888, T., 803.

Studemund, proteid requirements of healthy men, 1891, A., 1272.

Studer, Arthur. See Adolf Liebmann. Stürcke, Hermann, chemical composition of carnatiba wax, 1884, A., 1280.

417 27

See also Carl Stürcke. Hermann.

Stütz, Ed., saponin, 1884, A. 463.

Stuffer, Ernst, decomposition of sulphones, 1890, A., 987.

- hydrolysis of sulphones, 1891, A.,

 condensation products of glyoxal and some mercaptans, 1891, A., 186.

Stuhl, Max, new automatic mercury air-pump with arrangement for selfaction by means of water pressure, 1891, A., 640.

- glass air-pump, 1891, A., 1414. Stumpf, Max, amount of gluten in starch, 1883, A., 236.

- alteration in the secretion of milk under the influence of drugs, 1883, A., 818.

Stutzer, Albert, occurrence of nuclem in moulds and in yeast, 1883, A.,

 manuring vines, 1884, A., 103, 1421.

- analyses of wines from Palestine, etc., 1884, A., 646.

- amount of easily digestible proteids in germinating maize, 1884, A.,

 phosphoric acid soluble in the soil, 1885, A., 439.

- nitrogenous substances insoluble in gastric juice, 1885, A., 827.

- proteid digestion, 1886, A., 377. - digestion of "saccharin," 1886,

A., 379.
— Chili saltpetre as manure, 1887,

A., 77.

- artificial digestion, 1887, A., 388. analyses of nitrogenous metabolites

in faces, 1887, A., 613.

— relation of proteids to digestive ferments, 1887, A., 1129.

-estimation of phosphoric acid, 1889,

Δ., 186.

artificial digestion of proteids, 1890, A., 275.

action of dilute hydrochloric acid and of pepsin with hydrochloric acid on the digestible albumin of fodders, 1890, A., 651.

- effect of "saccharin" on the digestion of proteids, 1890, A., 1450.

estimation of ferric oxide and alu-

mina in phosphatic manures, 1891, A., 245.

estimation of nitric nitrogen by aluminium, 1891, A., 617.

- action of certain organic acids on the digestion of proteids, 1891, A., 751.

Stutzer, 21/bert, effect of salt on digestion, 1891, A., 752.

— influence of heat on the digesti-bility of fodder, 1891, A., 752.

- influence of fat on the digestibility of proteids, 1891, A., 752.

- analyses of fodders, 1891, A., 858. — digestibility of raw and boiled meat, 1892, A., 1367.
— analyses of healthy and diseased

sugar-cane, 1892, A., 1372.

food value of brushwood, 1892, A., 1511.

- composition of frozen and unfrozen beet-chips, 1892, A., 1512.

Stutzer, Albert, and Adolf Isbert, relation of carbohydrates in food to digestive ferments, 1888, A., 170.
Stutzer, Albert, and Wilhelm Klinken-

berg, decomposition of nitrogenous animal manures, 1883, A., 615.

Stutzer, Albert, and Otto Reitmair, estimation of fusel oil in spirits, 1891, A.,

Stutzer, Albert, and Hugo Werner. feeding cows with "sections," 1886, A., 953.

Stutzer, Albert (and others), inferior manures, 1884, A., 490.

Stutzer, Albert. See also J. P. Kallen, Wilhelm Klinkenberg, Adolf Isbert. Stylos, Nicolaos. See Ludwig Claisen.

Suchowsky, N., respiration in compressed air, 1885, A., 677.

Sudborough, John Joseph, action of nitrosyl chloride on metals, 1891, T., 655; P., 123.

— isomeric change in the stilbene series, 1892, A., 1224.

Sudborough, John Joseph, and James Hill Millar, action of heat on nitrosyl chloride, 1890, P., 167; 1891, T., 73,

270. Süllwald, A., estimation of nitrogen in pure and mixed nitrates, 1892, A., 528.

Süssenguth, Hermann, bromo-ψ-cumic acid and dibromomesitylenic acid, 1883, A., 469.

Suida, Wilhelm, derivatives of ethylbenzene, 1890, A., 134.

Suida, Wilhelm. See also L. Liechti, Julius Mauthner.

Suilliot, 14, and Hipp. Raynaud, manufacture of iodoform, 1889, A., 1055. Sukow, A. See J. Homans.

Sulc, O., molecular weights of some acids of the oleic series, 1890, A., 737.

Sundberg, Carl, the pepsin ferment,

1885, A., 921. Sundell, August Fredrik, analysis, 1887, A., 1066.

Sutherland, William, specific heats at high temperatures, 1889, A., 4.

molecular refraction, 1889, A., 451

- new periodic property of the elements, 1891, A., 12.

Sutkowski, J., quinoneoximes, 1887, A., 41.

- oximes of p-xyloquinone, 1887, A.,

Sutton, Francis, hay and ensilage from a poor quality of grass, 1883, A., 1026.

Sutton, Frank S., post-mortem imbibition of arsenic, 1886, A., 89.

Russell. EdwardSwanwick, See William Prevost.

Swart, A. J., laws of dissociating gases, 1891, A., 780.

Swarts, Théodore, contributions to the history of the isomerism of the dibromocamphors, 1883, A., 214.

Sweetser, R. C.See Leonard Kinnicutt.

Swiatecki, Jan, alkalinity of the blood after large doses of sodium sulphate, 1891, A., 347.

Swinburne, J., some points on electrolysis, 1892, A., 257.

Swoboda, Edm., and Wilhelm Fossek, dihydric alcohols derived from isobutaldehyde, 1891, A., 31.

Sworn, Sidney Augustus, constitution of the aromatic nucleus, 1890, A., 238.

Sykes, Walter John, examination of vinegar, 1892, A., 251.

Symons, William Henry, starch varieties detected by the swelling process, 1884, A., 370.

- detection of sodium in lithium carbonate, 1890, A., 547.

Symons, William Henry. See also .11fred IV. Gerrard.

Szabó de St. Miklós, Júzsef, garnet and cordierite in the trachytes of Hungary, 1883, A., 166.

pharmacosiderite and urvölgyite from a new locality, 1886, A., 517.

Szamatólski, M. See Carl Friedheim. Szechényi, ((4) af) E.von, junior, cultivation of Sorghum sacchuratum, 1885,

A., 833. Szilasi, Jacob, green ultramarine, 1889, A., 758.

analyses of human milk, 1892, A., 517.

Szilasi, Jacob. See also Albert Grittner. Szilassy, Z. von, and Alex. Cserháti, experiments with green maize, 1891, Δ., 1395.

Sztankovánszky, Johann. See Florian Kratschmer.

Szul, L. See Bronislaw Radziszewski. Szymanski, F., malt-peptone, 1885, A.,

hemialbumose from vegetable albumin, 1885, A., 997.

- allylsulphuric acid, 1886, A., 43. - methylpropylpinacoline, 1886, A.,

- microchemical detection of pro-

teids in seeds, 1886, A., 1088. Szymanski, F. See also August Deichmüller.

Szymanski, Stanislas von. See Paul Friedländer.

T.

"T., A. v.," estimation of butter in cream, 1885, A., 844.

"T., F. v.," new fodder plant, 1884, A., 100.

Tacchini, Pictro, meteoric dust and analyses of the soil of Sahara, 1884, A., 165.

Tacke, Bruno, apparatus for preparing oxygen quickly, 1884, A., 1254.

- inflammable gases in the animal system, 1884, A., 1395.

- disengagement of free nitrogen during putrefaction, 1889, A., 738. Taege, Carl, nitrosalicylaldchyde and

nitrocoumarin, 1887, A., 939.
— m-nitrocoumarin, 1891, A., 918.

Täuber, Ernst, estimation of phosphorus by the molybdate method, 1883, A., 750.

some new diphenyl derivatives. 1890, A., 782.

- synthesis of a diamidocarbazole from benzidine, 1891, A., 227.

 o-dinitrodiphenyl and o-diamidodiphonyl, 1891, A., 570.

-diphenyleneazone, 1892, A., 183, 482. -synthesis of diamidocarbazole, 1892, A., 480.

formation of an o-amidoditolylamine from p-hydrazotoluene, 1892. Δ., 853.

Täuber, Ernst, and Egmont Halberstadt, new synthesis of diphenylene oxide, 1892, A., 1470.

Täuber, Ernst, and Richard Loewenherz, synthesis of carbazole derivatives, 1891, A., 834.

- dimethylcarbazole, 1891, A., 1491.

Täuber, Ernst. See also Otto Fischer, Tafel, Julius, benzoyl derivatives of phonylhydrazine, 1885, A., 1060.

Tafel, Julius, method for preparing primary amines, 1886, A., 939.

γ-amidovaleric acid, 1886, 1008; 1887, A., 463; 1889, A., 961. - reduction of dihydroxytartaric acid

diphenylhydrazide, 1887, A., 467. furfurylamine, 1887, A., 470.

apparatus for shaking, 1889, A.,

-reduction of hydrazones, 1889, Λ .,

strychnine 1890, A., 1447; 1891, A., 1262; 1892, A., 1012.

colour reactions of acid anilides, 1892, A., 709.

- acid hydrazides, 1892, A., 710. oxidation of reduced pyridine and quinoline bases, 1892, A., 1104.

Tafel, Julius, and Carl Enoch, formation of alkyl derivatives of amides, 1890, A., 491, 973.

Tafel, Julius, and Alfred Mauritz, phenacyl sulphide, 1891, A, 302.

Tafel, Julius, and Adolf Neugebauer, methylpyrrolidine, 1889, A., 1015.

- dimethylpyrrolidine and diamidohexane, 1890, A., 1000. Tafel, Julius. See also Friedrich Böl-

sing, Emil Fischer, Carl Paal.
Taffe, Henri, rapid method for the

analysis of tallow, 1890, A., 305. Tahara, Yoshisumi, crystalline con-

stituents of the seed of Cataputia minor, 1891, A., 288.

— synthesis of panol: application of Perkin's reaction to aromatic ke-

tones, 1891, A., 1223.

adonin, a glucoside from Adonis amurcusis, 1891, A., 1501.

 o-hydroxyacetophenoue, 1892, A., 844.

- constitution of dehydrodiacetylpronol and of dehydrodiacetylresacetophenone, 1892, A., 846.

Takahashi, Djuntaro, scopoletin, 1889,

- scutellarin, 1890, A., 64.

Takamine, Jokichi. See Edmund James Mills.

Takayama, J., Japanese teas and tobaccos, 1885, A., 582.

Tamba, Keino. See Albert Hilger,

Tamm, Adolf, analysis of iron, 1883, A.,

estimation of phosphorus in iron and in iron-ores, 1884, A., 875. analysis of iron and iron ores,

1888, A., 529.

Tammann, Gustar, tension of aqueous vapour of salt solutions, 1885, A., 862.

Tammann, Gustav. fate of sulphur in germination, 1885, A., 1004.

- detection and estimation of fluorine, 1886, A., 97.

- influence of small amounts of impurity on the vapour tension of liquids, 1888, A., 213.

dynamical method of determining vapour pressure, 1888, A., 403.

— occurrence of fluorine in the organism, 1888, A., 732.

osmose through precipitated diaphragms, 1888, A., 898.

- action of ferments, 1889, $\Lambda.$, 566. vapour pressure of aqueous solutions, 1889, A., 668.

-constitution of alloys, 1889, A., 932.

- hydrogen peroxide, 1890, A., 106. - isomerism of the m-phosphates, 1891, A., 7.

electrical conductivity of precipitated membranes, 1891, A., 140.

Nasse's experiments on the excitability of frog-muscle in salt solutions, 1892, A., 515.

measurement of osmotic pressure, 1892, A., 556.

- unorganised ferments, 1892, A., 899.

m-phosphates, 1892, A., 1050. permeability of precipitated membranes, 1892, A., 1383.

Tammann, Gustav, and Walther Nernst, maximum tension with which hydrogen is set free from solution by metals, 1892, A., 561.

Tanatar, Simcon M., thermochemical

data respecting succinic and isosuccinic acids, 1890, A., 320.

action of alcoholic potash on bromosuccinic acid, 1890, A., 1238; 1892, A., 1305.

- action of methylene iodide and chlorine on ethyl malonate, 1891, A., 174.

reaction between methylene iodide and ethyl malonate, 1891, A., 175; 1892, A., 1304.

transformation of maleic and fumaric acids, 1892, A., 1805.

 complete transformation of fumaric acid into maleic acid, 1892, A., 1206.

Tanatar, Simeon M., and C. Tschele-béeff, dilactylic acids, 1891, A., 177. Taniguti, Ken, analysis of urine, 1890, A., 1199.

Taniguti, Ken. Sec also Ernst Leopold Salkowski.

Tanret, Churles, caffeine, 1883, A., 97. vincetoxin, 1885, A., 552.

Tanret, Charles, cornutine and ergotine, 1885, A., 821.

- terpinol, 1885, A., 990. - alkaloids produced by the action of ammonia on glucose, 1885, A., 1047.

— composition of the rind of the bitter orange, 1886, A., 576.

— nitrogen derivatives of terebenth-

ene, 1887, A., 595.

- action of hydrogen on nitro-derivatives of terebenthene, 1887, A., 675. bases formed by alcoholic ferment-

ation, 1888, A., 573.

- oxidation of hydrazocamphenes, 1888, A., 719.

- sugars from hesperidin and isohesperidin, 1888, A., 963.

- ergosterin, 1889, A., 407.

- sugar from the quebracho, 1890, A., 226.

- levosin, a new carbohydrate from cereals, 1891, A., 661.

Tanret, Charles. See also Léon Ma-

Tappeiner, Anton Josef Franz Hermann, comparative investigation of intestinal gases, 1883, A., 928.

- fermentation of cellulose, 1883, A., 1077; 1885, A., 178; 1887, A., 1131.

- marsh gas fermentation in the mud of ditches, swamps, and sewers, 1883, A., 1177.

gases of the alimentary canal of Herbivora, 1884, A., 852.

- researches on the fermentation of cellulose, especially with reference to its solution in the alimentary canal, 1885, A., 178.

- new formation of hippuric acid, 1886, A., 482.

Taquet, Ch., chromic selenite, 1883, A., 717.

- chromic hydrogen selenite, 1884, Λ., 397.

preparation of chlorine, 1885, A., 1017.

Sea Walthère Spring. Tart. Emile. Tarugi, N. See Robert Schiff.

Tassel, Emile, combination of phosphorus pentafluoride with nitrogen peroxide, 1890, A., 1052.

Tassinari. Gubriele, action of sulphur dichloride on phenol, 1887, A., 807. - dihydroxythiobenzenes, 1889, A.,

245.

-action of thionyl chloride on the phenols, 1891, A., 186.

constitution of dihydroxythiobenz-

enes, 1892, A., 1316.

Tassinari, V., tobacco and bacteria, 1888, A., 1327.

Tatarinoff, P., gelatin peptone, 1884, A., 344.

Tate, George, estimation of minute quantities of gold, 1890, A., 830.

Tate, William, dry reactions in qualitative analysis, 1891, A., 959.

Tatlock, Robert R., estimation of iron in alum and aluminium sulphate, 1888, A., 90.

Tauber, Eduard, fate of morphine in the animal organism, 1891, $\bar{\Lambda}$., 479.

Tauber, Georg, precipitation of barium sulphate in the presence of bromine,

1889, A., 187.
Taufkirch, Huyo. See Ludtwig
Tauss, H. See Eduard Hatle. See Ludwig Knorr.

Tautphoeus, Carl von, influence of different systems of applying manures,

1885, A., 1156.

Tavel, Ernst, and Wilhelm Oswald
Alexander Tschirch, iodine trichlor-

ide, 1892, A., 1388.

Taylor, Albert B., easy method of finding the specific gravity of liquids. 1888, A., 547.

Taylor, J., Rupert's drops, 1883, A., 422.

- preparation of hydrogen sulphide from coal gas, 1883, A., 824.

Taylor, IV. J., detection of cyanides in presence of compound cyanides, 1885, A., 196.

Tch. See also under Ch., Cz., Tsch.

Tcherniac, Joseph, water of crystallisation of barium thiocyanate, 1892, A.,

– monochloracetone, 1892, A., 1425. thiocyanacetone, 1892, A., 1425.

 estimation and preparation of thiocyanacetone, 1892, A., 1426.

Tcherniac, Joseph, and Robert Hellon, thiocyanacetone, 1883, A., 654.

Tcherniac, Joseph, and Thomas Herbert Norton, thiocyanopropimine, 1883, A., 568.

- propimine thiocyanate, 1884, A., 664.

Tcherniac, Joseph (and others), manufacture of thiocyanates, 1883, A., 639. Tchonrawoff. See Tichomiroff.

Teall, J. J. Harris, the Cheviot

andesites, 1884, A., 413.

- quartz-felsites and augite-granites from the Cheviot district. 1886, A., 520.

 plagioclase from the Tynemouth dyke, 1887, A., 784.

- augite from the Whin Sill, 1887, Λ., 1022.

andesine from Sutherlandshire, 1887, A., 1022.

Teall, J. J. Harris, minerals from the Lizard, 1891, A., 276.

Tecklenburg, the clay-ironstone of Rheinhesse, 1883, A., 448.

Teclu, Nicolae, the nature of flame, 1891, A., 1309.

new laboratory burner, 1892, A.,

Teed, Frank Litherland, decomposition of potassium chlorate by heat, 1885, P., 105; discussion, P., 106; 1886, P.,

-estimation of iodides in presence of chlorides and bromides, 1885, A.,

 potassium chlorate and perchlorate, 1887, T., 283; P., 23; discussion, P.,

Clark's soap test, 1890, A., 421. Tegetmeier, Franz. See Emil Warburg.

Teisler, Emil. See Johannes Wislicenus. Teissier, Joseph, and Germain Roque, toxic effects of albuminous urine,

1888, A., 1326. Teissier, Jules, analysis of a mixture of silver chloride, cyanide, thiocyanate, ferricyanide, and ferrocyanide, 1889,

Teixeira-Mendes, S. F., succinic acid ferment and its action on cane sugar, 1885, A., 1152.

- a new alcoholic ferment which does not invert sugar, 1885, A., 1168.

Telbisz, Johann, estimation of tartaric acid in the crude products of tartaric acid factories, 1891, A., 129.

Teller, Friedrich, and Conrad Heinrich John (Edler von Johnesberg), dioritic rocks of Klausen in the Tyrol, 1883, A., 1069.

Teluschkin, W., vivianite, 1892, A.,

Tenne, C. August, sigterite and albite from Sigterd, 1891, A., 1438.

Tenney, Frank, estimation of lead as lead dioxide by means of the electric current, 1884, A., 777.

Ter-Grigoriantz, hemialbumosuria, 1883. A., 1162.

Terne, Bruno, iron in bone-black, 1892. A., 1053.

Terreil, A.. mineral water at Montrond (Loire), 1883, A., 1071.

crystallised ammonio-silver chloride and iodide, 1884, A., 890.

- crystallised argentammonium chloride and bromide, 1885, A., 18.

- analysis of chrysotile, 1885, A., 490.

- the red colouring matters of wine and vegetables, 1885, A., 1142.

Terreil, A., melting and solidifying points of fats and their mixtures, 1890, A., 929.

- chromiferous clay from Brazil, 1892, A., 1057.

- nickel and cobalt reactions, 1892, A., 1132.

Terrisse, André, naphthalfluorescein and naphthaleosin, 1885, A., 667.

Tersteegen, Hermann. See Adolph Claus. Smith, estimation of morphine in opium, 1888, A., 635, 1137.

Tesmer, Hermann, compounds of polyhydric alcohols with phenyl cyanate, 1885, A., 774; 1886, A., 49.

Teuchert, irrigation of meadows by waste water from beet-sugar factories, 1883, A., 500.

Thabuis, Fr., deposit from the spring at Chabetout, 1886, A., 215.

Thade, Alexander, distribution of water in heliotropically inclined parts of plants, 1884, A., 352. Thaer, Albrecht, nitrogen necessary for

cultivated plants, 1885, A., 75.

Thal, Karl, action of nitrous acid on ethyl acetosuccinate and diacetosuc-

cinate, 1892, A., 1074.

Thalén, Tobias Robert, spectral researches on scandium, ytterbium, erbium, and thulium, 1883, A., 954.

Than, Carl von, examination of illuminating gas, 1883, A., 629.

Thate, Alexander, action of reducing agents on o-nitrophenoxyacetic acid, 1884, A., 1170.
Thelen, Heinrich. See Theodor Zincke.

Thenard, (Baron) Arnould Paul Edmond, black phosphorus, 1883, A.,

Thenn, F. Sec A. Keim.

Theurer, Carl August, xanthogallol, 1888, A., 1084.

Thiel, H., experiments with ensilage in Holland, 1887, A., 1062.

Thiele, Albert, 1892, A., 442. B-isopropylthiophen,

Thiele, Johannes, preparation of chlorine in a Kipp's apparatus, 1890, A., 6.

- automatic apparatus for evolving gases from liquids, 1890, A., 6.

preparation of nitric oxide, 1890,

-detection and estimation of antimony and arsenic, 1890, A., 1193. · separation and estimation of anti-

mony, 1891, A., 1295. · nitroguanidine and amidoguanidine, 1892, A., 1295.

- azodicarboxylic acid, 1892, A., 1429.

Thieme, Paul, action of ammonia and methylamine on derivatives of the ethyl and methyl salts of nitrohydroxybenzoic acids, 1891, A., 915.

Thierfelder, Hans, physiology of the formation of milk, 1884, A., 914.

- formation of glycuronic acid during inanition, 1886, A., 572.

- casein peptone, 1886, A., 1051. glycuronic acid, 1887, A., 235,

717; 1889, A., 377.

— identity of brain sugar with galac-

tose, 1890, A., 121.

- reduction of glycuronic acid by sodium amalgam, 1891, A., 294.

Thierfelder, Huns, and Friedrich Joseph (Freiherr) von Mering, physiological action of the tertiary alcohols, 1885, A., 1002.

Thierry, Maurice de, new absorption spectroscope, 1886, A., 113.

-estimation of hydrogen peroxide, 1886, A., 579.

Thiesing, H., methylenedibenzamide, 1892, A., 467.

Thillot, Albert. See Ludw. Jawein. Thile, E., estimation of small quantities of silver in burnt pyrites, 1887, A., 79.

- estimation of phosphoric acid from the weight of the molybolate precipitate, 1887, A., 526.

Thorner, Wilhelm, apparatus for collecting and analysing the gases dissolved in water, 1885, A., 691.

- estimation of carbon in iron and steel, 1892, A., 913.

Thoiss, G., adenine, 1889, A., 786.

Thoma, Max, absorption of hydrogen by metals, 1889, A., 568.

Thomas, Charles, examination of wine coloured by atomatic sulphonic derivatives, 1883, A., 625.

- detection of Bordeaux-red in wine,

1884, A., 370. Thomas, E. See L. Roos. Thomas, Edward G. P. See Otto Nilolaus Witt.

Thomas, Ernst. See Ludwig Berend. Thomas, N. Wiley, and Edgar Francis Smith, electrolysis of bismuth solutions, 1883, A., 1034.

Thomas, Simon. See Simon-Thomas. Thomas-Mamert, Rene, and Cumille Lefèvre, action of acetylacetone on carbonyl chloride, 1889, A., 235. Thommeret-Gélis. See Alfred Gélis.

Thompson, Charles, lithium citrate, 1883, A., 1086.

Thompson, Charles. See also Charles Romley Alder Wright.

Thompson, Claude Metford, m-azophenylglyoxylic acid, 1883, A., 998.

tetramethylammonium cyanide, 1884, A., 286.

Thompson, Claude Metford, and James Tudor Cundall, action of potassium on tetralkyl ammonium iodides, 1888, T., 761; P., 79.
Thompson, F. A., alkaloids of Gelse-

mium root, 1887, A., 981.

Thompson, George de Roos. See Charles Herbert Bothamley.

Thompson, Jacob Baynes, and James Pellatt Rickmann. bleaching yarns and fabrics, 1884, A., 1234.

- bleaching vegetable fibres, 1886, A., 187.

Thompson, Silvanus Phillips, electromotive forces of metals in cyanide solutions, 1888, A., 392.

Thoms, Hermann, acoin and its desivatives, 1886, A., 895.

- ammonio-zinc chlorides, 1887, A., 551.

-estimation of hydrogen peroxide, 1887, A., 862.

-bitter principle of Calamus root, 1888, A., 162.

constituents of Calamus roots. 1888, A., 984.

– zinc-ammonium compounds, 1890, A., 452.

— ethoxycaffeine, 1890, A., 1166. - detection of traces of copper in distilled water, 1891, A., 620.

valuation of oil of cloves, 1892, A.,

constituents of the buds of Chrysanthemum cinerariafolium, 1892, A.,

Thomsen, Hans Peter Jurgen Julius, thermochemical investigation of the chlorides of iodine, 1883, A., 543.

thermochemical investigation of the chlorides of sulphur, selenium, and tellurium, 1883, A., 543.

method of estimating the heat of

formation of difficultly combustible volatile carbon compounds, 1883, A.,

 heat of formation of the chlorides of phosphorus and arsenic, 1883, A.,

544.

· heat of formation of the chlorides and oxides of antimony and bismuth, 1883, A., 544.

heat of formation of carbon tetrachloride and ethylene perchloride, 1883, A., 544.

· hydrogen gold chloride, 1883, A.,

Thomsen, Hans Peter Jürgen Julius, heats of combustion and formation of carbon bisulphide and carbonyl sulphide, 1884, A., 249.

heat of formation of the ovychlorides of carbon, phosphorus, and

sulphur, 1884, A., 250.

- heats of solution and hydration of the alkaline earths and their hydrates, 1884, A., 250.

- cadmium oxide, 1884, A., 263.

- molecular weight of fluid water, 1885, A., 870.

constitution of thiophen, 1885, A., 1126.

- heat of combustion of benzene, 1886, A., 842.

- supposed influence of multiple bonds of union on the molecular refraction of the hydrocarbons, 1887, A., 198.

constitution of benzene, 1887, A., 362.

– avidity formula, 1887, A., 633. heat of combustion of organic substances, 1887, A., 761; 1891, A., 632.

preparation of aurosoauric chloride, 1888, A., 559.

 heat of formation of mercury compounds, 1888, A., 1011.

- thermochemistry of hydrazine and of hydroxylamine, 1892, A., 1143.

Thomsen, Th., conditions of equilibrium in aqueous solution, 1886, A., 12.

equilibrium of aqueous solutions; existence of acid salts and double salts in aqueous solutions, 1886, A.,

- conditions of equilibrium in aqueous solutions; action of aqueous soda on some normal sodium salts, 1887, A., 440.

Thomson, Andrew, colorimetric estimation of small quantities of iron, 1885, T., 493; P., 65; discussion, P., 66.

Thomson, Andrew. See also Thomas Carnelley.

Thomson, Arved, phosphoric acid soluble in the soil, 1886, A., 392.

behaviour of sandy soil towards

superphosphate, 1891, A., 105.

Thomson, Joseph John, combination of gases, 1885, A., 341.

dissociation of some gases by the electric discharge, 1887, A., 1013.

passage of electricity through hot gases, 1890, A., 1037.

Thomson, Joseph John, and Hugh Frank Newall, electric discharge, 1888, A.,

Thomson, Joseph John, and Richard Threlfall, production of ozone, 1887, A., 327.

 passage of electric discharges through pure nitrogen, 1887, A., 328. Thomson, Robert T., litmus, methylorange, phenacetolin, and phenolphthalem as indicators, 1883, A., 682, 824.

- use of rosolic acid as an indicator; additional notes on phenolphthalem and methyl-orange, 1883. A., 827.

- litmus, rosolic acid, methyl-orange, phenacetolin, and phenolphthalem as indicators, 1884, A., 691, 869.

- lakmoid and other indicators, 1885, A., 1157.

estimation of aluminium in presence of much iron, 1887, A., 182.

estimation of alumina and iron oxide in manures, 1887, A., 302.

Thomson, Robert T., and Horatio Ballantyne, revision of constants employed in the analysis of fats and oils, 1892, A., 547.

Thomson, William, Adams' method for milk analysis, 1887, A., 186.

Thorne, Leonard Temple, note on an apparatus for fractional distillation under reduced pressures, 1883, T., 301. conversion of ketonic acids into

unsaturated lactones, 1885, A., 1200. Thorp, B. See Robt. (4. Grissom.

Thorpe, Thomas Edward, on the atomic weight of titanium, 1884, A., 395; 1885, T., 108; P., 1; discussion, P., 3. - on the sulphides of titanium, 1885, T., 491; P., 69.

note on the formation of titanous

chloride, 1885, P., 70.

the decomposition of carbon disulphide by shock (a lecture experiment), 1889, T., 220; P., 33; discussion, P., 34.

a lecture experiment to illustrate the phenomena of coal dust explosions, 1892, T., 414; P., 53; discussion, P., 53.

remarks regarding alterations in Society's rooms, 1892, P., 157.

Thorpe, Thomas Edward, and Thomas H. Greenall, on morindin and morindon, 1886, P., 256; discussion, P., 257; 1887, T., 52.

Thorpe, Thomas Edward, and Frederick John Hambly, on manganese trioxide, 1888, T., 175; P., 2.

- note on Chataid's method for estimating small quantities of manganese, 1888, T., 182; P., 2; discussion, P., 2.

Thorpe, Thomas Edward, and Frederick John Hambly, the vapour density of hydrogen fluoride, 1888, T., 765; P., 87; 1889, T., 163; P., 27; discussion, P., 28.

——— on phosphoryl trifluoride, 1889, T., 759; P., 132. Thorpe, Thomas Edward, and Walter

Kirman, fluorsulphonic acid, 1892, T., 921; P., 160; discussion, P., 161. Thorpe, Thomas Edward, and Arthur

Pillans Laurie, on the atomic weight of gold, 1887, T., 565, 866; P., 57, 106; discussion, P., 60, 106.

Thorpe, Thomas Edward, and Alexander Kenneth Miller, on frangulin, 1891, P., 158; 1892, T., 1. Thorpe, Thomas Edward, and Barker

North, diethylphosphorous acid, 1890, T., 634; P., 75.

Thorpe, Thomas Edward, and George H. Perry, note on the interaction of iodine and potassium chlorate, 1892, T., 925; P., 161. Thorpe, Thomas Edward, and Henry

Halliburton Robinson, frangulin,

1890, T., 38; P., 165. Thorpe, Thomas Edward, and James Wyllic Rodger, Potilizin's law of the mutual displacement of chlorine and bromine, 1888, P., 20.

- thiophosphoryl fluoride, 1888,

T., 706; P., 87; 1889, T., 306; P., 77. Thorpe, Thomas Edward, and Arthur William Rücker, on a relation between the critical temperatures of bodies and their thermal expansions as liquids, 1884, T., 135; 1887, A.,

- on the critical temperature of heptane, 1884, T., 165.

Thorpe, Thomas Edward, and William J. Smith, on morindon, 1888, T., 171; P., 2.

Thorpe, Thomas Edward, and Alfred Edwin Tutton, on phosphorus tetroxide, 1886, T., 833; P., 235.

– phosphorous oxide, 1890, T., 545; P., 61; 1891, T., 1019; P., 156; discussion, P., 157.

Thorpe, Thomas Edward, and John William Young, on the atomic weight of silicon, 1887, T., 576; P., 60.
corpe, Thomas Edward. See also

Thorpe, Carl Schorlemmer.

Thoulet, Julien, determination of the coefficient of cubic dilatation of minerals, 1885, A., 218.

- attraction between dissolved substances and solids immersed in the solutions, 1885, A., 476, 866.

Thoulet, Julien, solubility of minerals in sea water, 1889, A., 682.

- solubility of some substances in

sea water, 1890, A., 719.

— diffusion of fresh water into sea water, 1891, A., 970.

 water from the Arctic Ocean, 1892, A., 1287.

Thoulet, Julien, and Adolphe Cheval-lier, specific heat of sea water of different densities, 1889, A., 666. Thoulet, Julien, and Henri Lagarde,

specific heats of small quantities of

substances, 1883, A., 6.

new method of determining specific heats, 1885, A., 6.

Threlfall, Richard, theory of explosions, 1886, A., 761.

- specific heats of the vapours of acetic acid and nitrogen tetroxide, 1887, A., 429.

Threlfall, Richard. See also Joseph John Thomson.

Thresh, John Clough, the Orchard alum spring, 1883, A., 171.

proximate constituents of Hedy-

chrum spicatum, 1885, A., 582.

— new form of apparatus for continuous percolation with boiling liquids, 1885, A., 835.

a new method of estimating the oxygen dissolved in water, 1890, T., 185; P., 1; discussion, P., 3.

- estimation of ethyl nitrite in spirit of nitrous ether, 1890, A., 927.

Thudichum, John Louis William, alkaloids in human mine, 1888, A., 1119.

Thümen, Felix Churles (Baron) von, fairy rings, 1885, A., 425.

Thumen, Felix Charles (Baron) von (and others), vine diseases, 1883, A., 110.

Thummel, Carl, behaviour of mercuric chloride with hydrogen ammonium carbonate, 1887, A., 774.

mercury oxychlorides, 1889, A., 1050.

- cattle marrow, 1890, A., 1172.

Thummel, Uarl, and Wilhelm Kwasnick, Macassar oil, 1891, A., 1133.

Carl. See also Theodor Thümmel, Poleck.

Thummel, Oskar, process for finishing silken goods with amber, 1884, A., 799.

Thursch, H., zircon and titanium minerals, 1886, A., 126.

Thun, Karl. See Theodor Curtius.

Thurnauer, G., preparation of aromatic thioryanates, 1890, A., 749,

Thurnlackh. See Garzarolli-Thurnlackh.

Thylmann, Victor, and Albert Hilger, products of alcoholic fermentation, especially with reference to glycerol, 1889, A., 579.

Tichborne, Charles R. C., new form of apparatus for estimating ammonia in potable waters, 1883, A., 382.

- preparation of a volumetric solution for estimating the hardness of water, 1883, A., 516.

Tichomiroff and Petroff, meteorite from

Ochansk, 1889, A., 358.

Tichomiroff, Aleksandr A., chemical changes attending the development of the embryo in the eggs of Bombyx Mori, 1885, A., 1000, 1150.

Tichomiroff, Wladimir A. See Alex-

ander P. Lidoff.

Tieghem, Philippe Edouard Léon van, and Gaston Bonnier, effect of drying on the germination of seeds, 1884, A., 629.

Tiemann, (Johann Carl Wilhelm) Ferdinand, a-phenamidoisobutyric acid and its amide and nitrile, 1883, A., 199.

 triphenyl o-formate, 1883, A., 340. - glucosamine hydrochloride, 1884,

A., 724.

- action of hydroxylamine on nitriles, 1884, A., 734.

- amidoximes and azoximes, 1885, A., 895; 1890, A., 41, 140, 141, 253; 1891, A., 538, 697; 1892, A., 135, 317.

glucovanillin and glucovanillyl alcohol, 1885, A., 980.

reactions of amidoximes, 1885, A., 1216.

- dehydrodivanillin, 1886, A., 238. – a glucoside allied to coniferin, 1886, A., 250.

- glucosamine, 1886, A., 329.

- specific rotatory power and crystalline form of glucosamine, 1886, A., 329.

 reduction products of aromatic aldehydes, 1886, A., 460.

 preparation of amidoximes, 1886. A., 875.

thiocoumarin and its derivatives, 1886, A., 880.

- nitrile of salicylic acid, 1888, A., 276. amidoxime of oxalic acid, 1889,

A., 1142. action of hydroxylamine on thio-

carbimides, 1889, A., 1165.

mononitrated hydroxybenzaldehydes and their methyl ethers, 1889, A., 1168.

 action of acetaldehyde and of ethyl acetoacetate on benzenylamidoxime, 1890, A., 44.

Tiemann, (Johann Carl Wilhelm) Ferdinand, o-hydroxybenzylamine, 1891, A., 50.

azoximes, 1891, A., 538.

- amidoximes, 1891, A., 538, 697.

– sulphur derivatives of amidoximes, 1891, A., 557.

- production of o-chloranisaldehyde from v-nitrotoluene, 1891, A., 703.

- isoeugenol, diisoeugenol, and their derivatives, 1892, A., 45.

- oxidation products of safrole, 1892, A., 46.

-pæonol-phenylhydrazone and oxime, 1892, A., 59.

— acctovanillone, 1892, A., 59.

– vanilloylcarboxylic acid, 1892, A.,

reduction of aromatic aldehydes, 1892, A., 167.

- constitution of the hydroxamic acids, 1892, A., 300, 461.

action of nitrous acid on benzenylamidethoxime, 1892, A., 323.

 action of benzenesulphonic chloride on amidoximes, 1892, A., 460.

preparation of benzenylhydrazoxiniamidobenzylidene, 1892, A., 461. phenyl-a-hydroxycrotonic acid,

1892, A., 471.

Tiemann, Ferdinand, and Albert Fock. amidoximes and azoximes, 1886, A.,

Tiemann, Ferdinand, and Rudolf Haarman, isosaccharic acid, 1886, A.,

Tiemann, Ferdinand, and Alfred Kees, reactions of the glucosides, helicin and glucovanillin, 1885, A., 1072.

glucosides prepared from helicin, 1885, A., 1073.

Tiemann, Fordinand, and Rudolf Kraaz, derivatives of homoferulic acid, 1883, A., 198.

- constitution of eugenol, 1883, A., 200.

Tiemann, Ferdinand, and Paul Krüger. amidoximes and azoximes, 1884, A., 1325.

relation of benzenylamidoxime derivatives to the benzhydroxamic group, 1885, A., 790.

Tiemann, Ferdinand, and Robert Ludwig, m-hydroxybenzaldehyde and some of its derivatives, 1883, A., 188.

 isomeric nitrobenzaldehydes, 1883, A., 586.

Tiemann, Ferdinand, and Ernst Nägeli. action of sodium amalgam on aqueous solutions of benzenylamidoxime, 1885, A., 895,

Tiemann, Ferdinand, and Karl Piest, phenylphenamidoacetic acid and its amide and nitrile, 1883, A., 198.

Tiemann, Ferdinand, and Richard Stephan, nitriles of α-phenamido-, α-p-toluamido-, and α-o-toluamido-propionic acids and their amides and nitriles, 1883, A., 199.

Tiemann, Ferdinand, and Wilhelm Will. constitution of esculetin, 1883, A., 199.

Tiemann, Ferdinand. See also Arnold Reissert, Friedrich Wilhelm Semmler. Tiemann, Walter, oxidation of gluconic

Tiemann, Walter, oxidation of gluconic acid with Fehling's solution, 1891, A., 426.

Tiesenhausen, Hillebr. (Baron). See Georg Dragendorff.

Tiesler, Withelm. See Friedrich Kehrmann.

Tietze, Emil Ernst August, turquoise from Nischapur, Persia, 1886, A., 25.

Tiffereau, action of direct sunlight on nitric acid mixed with carbon bisulphide, 1885, A., 1110.

Tigerstedt, Arthur. See Carl Adam Bischoff.

Tilden, William Augustus, hydrocarbons of the formula (C₅H₈)_n, 1883, A., 75.

note on the melting points, and their relation to the solubility of hydrated salts, 1884, T., 266.

on the decomposition of terpenes by heat, 1884, T., 410.

by Heat, 100±, 1., 410.

heat of dissolution of salts, 1886, A., 499; 1887, P., 66; discussions, P., 68.——the constitution of the terpenes and benzene, 1888, T., 879; P., 89;

discussion, P., 91.

—— on limettin, 1892, T., 344; P., 33. —— spontaneous conversion of isoprene into caoutchoue, 1892, A., 1482.

Tilden, William Augustus, and Charles Ridgeway Beck, crystallised substances obtained from the fruits of various species of Citrus, 1890, T., 323; P., 30.

Tilden, William Augustus, and James Hill Millar, formation and nitration of phenyldiazoimide, 1892, P., 215.

Tilden, William Augustus, and William Ashwell Shenstone, solubility of salts in water at high temperatures, 1884, A., 254.

Tillmanns, Heinrich, anhydrides of the diphenylsuccinic acids, 1890, A., 1135.

Timiriazeff, Clonens A., chlorophyll and the distribution of energy in the solar spectrum, 1883, A., 697.

- chemical action of light on chloro-

phyll, 1885, A., 714.

chlorophyll: the reduction of carbonic anhydride by plants, 1886, A., 626.

relation between the intensity of radiation and the decomposition of carbonic anhydride, 1889, A., 1234.
 protophyllin in etiolated plants,

1889, A., 1236.

Timm, J. (and others), cultivation of potatoes, 1884, A., 1411.

Timoféeff, Wladimir F., solubility of oxygen and hydrogen in water and in

alcohol, 1891, A., 15.

effusion of gases through a narrow aperture at different temperatures, 1891, A., 381.

—— heat of dissolution of carbon compounds in various alcohols, 1891, A., 1313.

— specific heats of some solutions, 1891, A., 1406.

Tingle, John Bishop, action of ethyl oxalate on camphor, 1890, T., 652; P., 99.

Tingle, John Bishop. See also William Henry Perkin, junior.

Tissandier, Gaston, apparatus for the constant production of gas, 1885, A., 722.

Tissier, Louis, the fourth primary amyl alcohol, 1891, A., 998.

Tissot, George. See Arthur Michael. Tissot, Georges. See Paul Juillard.

Tistschenko, Wetschinston E., action of halogen hydrides on oxymethylene, 1888, A., 803.

--- action of halogens on oxymethylene, 1888, A., 804.

—— action of zinc organic compounds on oxymethylene: synthesis of primary alcohols, 1888, A., 804.

Tite, Georges. See Gustave Rousseau. Tivoli, Deodato, compounds of platinum

and arsenic, 1885, A., 728.

— action of hydrogen arsenide on arsenious anhydride, 1888, A., 221.

action of hydrogen arsenide on potassium permanganate, 1890, A., 1210.

— dehydracetic acid, 1891, A., 1455.
Tivoli, Devdato. See also Alfredo Cavazzi, Guido Pellizzari.

Tobias, Georg, formation of anilides, 1883, A., 325.

formanilide and its homologues, 1883, A., 325.

Tobias, Georg, behaviour of alkali phosphates to various indicators, 1883, A., 380.

diazosulphonic acids, 1890, A., 1149. Tobin, Thomas William, explosive and dangerous dusts, 1883, A., 836.

Tobisch, influence exerted by the weight of potato "sets," 1883, A., 236.

Tocher, Jumes Fowler, detection of sesame oil in olive oil, 1891, A., 1400.

Töhl, Albert, s-m-xylidine and s-xylenol, 1885, A., 522.

- c-o-xylidine and o-xylenol, 1886, A., 57.

 derivatives of 1:2:3:4-tetramethylbenzene (prehnitene), 1888, A., 584. synthesis of p-propyltoluene and

p-isopropyltoluene, 1891, A., 1022. halogen derivatives of methylben-

zenes, 1892, A., 967. - action of sulphuric acid on bromo-

prehnitene, 1892, A., 968. action of sulphuric acid on chloro-

durone, 1892, A., 968. - chlorodurenesulphonic acid, 1892,

A., 1465.

Töhl, Albert, and Adolf Geyger, s- and as-ethyl-m-xylenes, 1892, A., 968.

Töhl, Albert, and Dionysius ron Kar-chowski, ethyl-ψ-cumene and the action of sulphuric acid on it, 1892, A.,

Töhl, Albert. See also Robert Heise. Tölle, Alfred. See Hans Julius Anton Edward Hübner.

Tölle, Ernst. See Kurl Elbs.
Tönnies, Paul, action of nitrous acid on

anethoil, 1888, A., 264.
Tönnies, Paul, and Adolf Stanb, action of nitrous acid on furfurbutylene, 1884. A., 1129.

Törnebohm, Alfred Elis, occurrence of iron ores at Taberg, in Smaaland, 1883,

phonolites of Elfdalen, 1884, A., 276. Törring, Hans (Graf) con, amount of glycerol in the residuary liquors of brandy distillation, 1889, A., 735.

estimation of glycerol in wine and

beer, 1890, A., 426.

Tollens, Bernhard, ammoniacal silver solution as a reagent for formaldehyde, 1883, A., 125.

 behaviour of dextrose with ammoniscal alkaline silver solution, 1884, A., 283.

oxymethylene and formaldehyde, 1884, A., 293.

 simple method of demonstrating Spring's compression experiments, 1884, A., 958.

Tollens, Bernhard, derivatives of formaldehyde, 1884, A., 988.

action of baryta on acetaldehyde and formation of aldehyde-gum, 1881, A., 989.

melting point of monochloracetic acid, 1884, A., 990.

— circular polarisation of cane-sugar, 1884, A., 1285.

circular polarisation of dextrose, 1885, A., 40.

raffinose (melitose ?) from molasses, 1885, A., 368.

melitose from Eucalyptus manna, 1886, A., 527.

- formaldehyde, 1886, A., 1006.

normal solutions and the retention of Mohr's system, 1886, A., 1070.

- behaviour of sugar towards acids

and phenol, 1887, Å., 534.

rotatory power of levulose and invert sugar, 1891, A., 1178.

- reactions of xylose and arabinose, 1892, A., 290.

Tollens, Bernhard, and Friedrich Mayer, determination of the molecular weight of raffinose and formaldehyde, 1888, A., 809.

estimation of the molecular weight of p-formaldehyde, 1889, A., 369.

Tollens, Bernhard, and Winthrop E. Stone, fermentation of galactose, 1888, A., 808.

Tollens, Bernhard, and P. Wigand, penterythritol, a tetrahydric alcohol, 1892, A., 127.

Tollens, Bernhard, Friedrich Mayer, and Homer J. Wheeler, molecular weight of arabinose and xylose, 1889, A., 367.

Tollens, Bernhard (and others), carbohydrates, 1892, A., 218.

Tollens, Bernhard. See also Edwin West Allen, K. Beythien, Kurt Bieler, Justus Block, Gwillaume J. L. de Chalmot, Robert Creydt, August Deichmüller, Robert Gans, August Günther, Julius Haedicke, Paul Herrmann, C. Hitzemann, Walter Henry Kent, Karl Kreckeler, J. B. Parcus, Paul Rischbieth, Villedru Schnelle, Carl Schulze, Otto Sohst, Winthrop E. Stone, John H. Wash-burn, Carl Wehmer, Fred. C. Weld, Charles Wellington, Homer Wheeler.

Tomasini, Francesco. See Pictro Cardani. Tomaszewski, Franc, specific inductive capacity of liquids, 1888, A., 395.

Františck. Tomíček. See Bohuslav Brauner.

Tomlinson, Charles, boiling of liquids in a vessel contained in a water-bath, 1885, A., 474.

– motions of camphor on water, 1885,

Λ., 1180.

 decolorisation of iodide of starch by heating, 1886, A., 328.

- cohesion and submersion figures, 1887, A., 209.

Tomlinson, Herbert, recalescence of iron, 1888, A., 546.

 magnetic properties of nickel, 1888, A., 892.

Tommasi, Donato, action of light on silver bromide, 1883, A., 3.

zinc-carbon couples in electrolysis, 1883, A., 4.

- nascent hydrogen, 1883, A., 7.

- action of aluminium on cupic chloride, 1883, A., 19.

- stability of cupile hydroxide, 1883, Δ., 19.

ferric hydrates, 1883, Λ., 24.

- electrolysis of hydrochloric acid, 1883, A., 142.

- laws of thermal constants of substitution, 1883, A., 143; 1884, A., 883.

- heat of formation of glycollates, 1883, A., 708.

 heat of combination of glycollates, 1883, A., 775.

 heat of formation of fluorides, 1884, A., 545; 1885, A., 8.

- non-existence of ammonium hydroxide, 1884, A., 1247; 1885, A., 484. - dehydrating action of salts, 1884,

A., 1251.

- heat of formation of some soluble compounds and the law of thermal substitution constants, 1885, A., 8.

- heat of formation of hydrogen

compounds, 1885, A., 716. — electro-pseudolysis, 1885, A., 1029. electrolysis of some chemical compounds, 1886, A., 408.

- law of thermal constants, 1886, A., 408.

- eflluviography, 1886, A., 959.

Tommasi, Donato, and Guido Pellizzari, change which ferric hydrate undergoes after a time, 1883, A., 24.

Tommasi, Donato, and Radiguet, battery with carbon electrodes, 1884, A., 1240. electric couple with carbon elements,

1887, A., 756.
Tompson, Frederick William. See Cornelius O'Sullivan.

Toms, G., silage, 1884, A., 864. Tonn, Leonhard. See Adolph Claus. Tony-Garcin, detection of cane sugar, glucose, and dextrin in wines, 1887, A., 692.

- acidimetry with red wines, 1888, A., 93.

Tooth, Howard Henry. See Vincent Dormer Harris.

Topf, G., iodometric studies, 1887, A., . 688, 997.

Topsöe, Haldor, estimation of chlorides, bromides, and iodides in presence of sulphuretted hydrogen, 1883, A., 508. Tornani, Achille. See Dioscoride Vitali.

Tornier, Victor. See Adolph Claus.

Tornöe, Hercules, trimethylene: for mation of allyl alcohol from s-dichlothydrin, 1888, A., 665.

allyl alcohol and its preparation from dichlorhydrin and sodium, 1891,

A., 1442. Tornöe, Hercules, and Ludwig Schmelck. solid and gaseous constituents of sea

water and oceanic deposits, 1884, A., Tortelli, Massimo, synthesis of m-quinol-

inecarboxylic acid, 1887, A., 503.

Torup, Sophus, production of the proteids of the blood, 1889, A., 532.

Torup, Sophus. See also Christian Bohr,

Vaughan Harley.

Tosse, Franz. See Adolph Claus. Toth, Julius, estimation of phenol in crude carbolic acid, 1886, A., 744.

comparison between methods for the estimation of tartaric acid, 1891, A., 128.

Tozzetti, Targeoni (and others), phylloxera, 1884, A., 355.
Trainer, Erust. See Adolph Claus.

Trampedach, Alexander. Sec Alfred Seyberlich.

Trapesonzjanz, Chattcheres. See Carl Adum Bischoff.

Traub, Max Carl, action of phthalic anhydride on quinoline, 1883, A., 667. - composition of cocoa butter, 1884,

A., 10. Traub, Max Curl, and Kurl Hock, a lakmoid, 1885, A., 148.

Traub, Max Curl, and C. Schärges, coal-tar quinoline, 1885, A., 173.

Traube, Hermann, nephrite from Jordansmühl in Silesia, 1885, A., 361, 1189. analyses of diallage, labradorite, etc.,

1886, Å., 212.

- laubanite. laumontite, 1887, A., 903.

eclogite from Frankenstein in Silesia, 1889, A., 681.

zine bearing aragonite from Tarnowitz, 1889, A., 763.

Traube, Hermann, pyrargyrite from Kajénal in Transylvania, 1890, A., 1070.

- syenites and hornblende-schists near Glatz in Lower Silesia, 1890, A., 1076.

 the proportion of molybdenum in scheelite, 1891, A., 406.

aube, *Isidor*, action of cyanogen chloride on amido-acids, 1883, A., Traube, Isidor, action 192.

 contributions to the knowledge of m-carbamidobenzoic acid and carb-amidodibenzoic acid, 1883, A., 194.

– capillary phenomena in relation to constitution and molecular weight,

1885, A., 116.

preparation of cyanamide, 1885,

A., 739.

capillary constants of certain aqueous and alcoholic solutions, 1885, A., 866.

- influence of temperature on the capillary meniscus angle, 1885, A., 1033.

specific viscosity of organic liquids, 1886, A., 657.

estimation of fusel oil, 1886, A., 743. size of maximum drops of alcohols, etc., 1886, A., 844.

- dependence of the size of drops on external influences, 1886, A., 844.

capillary constants and the meniscus angle, 1887, A., 101.

weight of drops and their relation to capillarity, 1887, A., 210.

- the stalagmometer: estimation of fusel oil in spirituous liquors, 1888, A., 91, 198; 1892, A., 543.

examination of spirituous liquids,

1889, A., 654.

dissociation hypothesis, 1891, A., 255, 638, 874.

the association hypothesis in its relation to the theories of Clausius and van't Hoff, 1891, A., 390.

freezing points of dilute aqueous solutions of non-electrolytes and electrolytes, 1891, A., 971.

· electrical conductivity and freezing point, 1891, A., 971.

- capillary constants of organic substances in aqueous solution, 1891, A., 1408.

capillary constants of salts at their

melting points, 1892, A., 7.

— cryoscopic behaviour of dilute solutions, 1892, A., 8.

estimation of fusel oil in spirits, 1892, A., 543.

 cryoscopic communications, 1892, A., 765.

Traube, Isidor, molecular volumes of dissolved substances, 1892, A., 1383.

Traube, Isidor, and Oscar Neuberg, formation of layers in mixtures of alcohol, water, and salts or bases, 1888, A., 783.

action of iodine on the alcohols of the C_nH_{2n+2}O series, 1891, A., 656.

Isidor. See also Lugust Traube, Bernthsen, Guilo Bodländer.

Traube, Moritz, oxidation of carbonic oxide by palladium hydride and oxygen, 1883, A., 150.

- activity of oxygen, 1883, A., 282. - action of platinum and palladium on carbonic oxide and hydrogen, 1883, A., 422.

oxidation, 1883, A., 709.

action of nascent hydrogen on oxygen gas, 1883, A., 900.

- cupric iodide, 1884, A., 962. test for hydrogen peroxide, 1884,

A., 1073. - cooperation of water in the slow oxidation of zinc, lead, iron, and

palladium-hydrogen, 1885, A., 1105. - slow oxidation of copper in presence of dilute sulphuric acid or of a solution of ammonium carbonate, 1885, A., 1107.

cooperation of water in the combustion of carbonic oxide, and formation of hydrogen peroxide during such combustion, 1885, A., 1108.

— formation of hydrogen peroxide

during the combustion of hydrogen, 1885, A., 1108.

constitution of hydrogen peroxide, 1886, A., 660.

- oxygen molecular compounds,1886, A., 661.

· change of valency; combinations of molecules with atoms, 1886, A., 661. electrolytic formation of hydrogen peroxide at the anode, 1888, A., 210.

autoxidation, 1889, A., 937; 1890, A., 208.

 constitution of peroxides, 1889. A., 939.

formation of hydrogen peroxide from persulphuric acid, 1889, A., 940. behaviour of persulphuric acid towards nitrogen: evaporation hydrogen peroxide, 1889, A., 941.

– sulphuryl peroxide (holoxide), 1891, A., 978; 1892, A., 401.

Traube, Wilhelm, additive compounds of cyanic acid, 1889, A., 393. - derivatives of allophanic acid, 1889,

A., 964.

Traube, Wilhelm, aromatic sulphonamic acids, 1890, A., 1137; 1891, A., 569.

amides and imides of sulphuic acid, 1892, A., 1389.

Traube-Mengarini, M., gases in the swimming-bladder of fishes, 1890, A.,

Traumann, Victor, amidothiazoles and their isomerides, 1889, A., 414.

Traumann, Victor. See also Arthur Rudolf Hantzseh.

Trautmann, Emile, dyes of the primuline group, 1891, A., 195.

Trautmann, Emilc. See also Emilio Nölting.

Travali, G. Russo. See L. de Blasi.

Treadwell, Frederic P., estimation of sulphur, 1891, A., 1137; 1892, A., 1375.

milarite, 1892, A, 1056.

Treadwell, Frederic P., and Victor Meyer, molecular weight of isoindole,

1883, A., 665. Treadwell, Frederic P., and Henry N. Stokes, source of error in the estimation of benzene in coal gas, 1889, A.,

Treadwell, Frederic P., and Bernhard Westenberger, nitrosoketones, 1883, A., 572.

Trechmann, Charles O., epistilbite, 1883, Λ., 442.

Trenkler, Bruno, indoles, 1889, A., 259. Trescot, Thomas Cuthbert. See Churles ∠1 lbcrt Crampton.

Tresidder, Richard C., preparation of diquinoline, 1884, A., 84.
Tresidder, Richard C. See also Francis

Robert Japp.

Treupel, (7., carbohydrates of putrefying human urine, 1892, A., 226.

Trève, Auguste Robert Stanistas, prevention of boiler explosions, 1883, A., 250, 835,

Trever, Jos. E., solutions of double salts, 1891, A., 973.

- mutual solubility of salts in water, 1892, A., 264.

Trey, Heinrich, basicity of thiosulphuric

acid, 1885, A., 870.
— influence of some normal salts on the hydrolysis of methyl acetate, 1887, A., 102.

Tribe, Alfred, conditions affecting area of electrification, 1884, A., 247.

 distribution of electricity on hollow conductors in electrolytes, 1884, A., 248.

Tribe, Alfred. See also John Hall Gladstone.

Tribe, Alfred, obituary notice of, 1886. T., 352.

Trillat, Auguste, and de Raczkowski, azo- and alkyl-compounds of chrysaniline and the colouring matters derived therefrom, 1892, A., 1095.

Trillich, H., estimation of carbonic acid in potable waters containing magnesium, 1890, A., 197.

Trimble, Henry, chestnut-wood tannin,

1892, A., 716.
Trimble, Henry, and Hermann J. M. Schroeter, oils of wintergreen and of birch, 1890, A., 256.

 oil of camphor, 1890, A., 261. Trimble, Henry. See also Helen C. S.

Abbot (Mrs. Michael).

Trinius, Paul, derivatives of hydratropic acid; artificial formation of phloretic acid, 1885, A., 529. Trobach, Konrud, new method of sugar

extraction, 1885, A., 848.

Tröger, Julius, bases obtained with nascent formaldehyde, 1888, A., 286.

- action of sodium on 180hutyl cyanide and isoamyl cyanide, 1888, A., 801.

Tröger, Julius. See also Robert Otto. Trötsch, J., influence of water of crystallisation on the electrical conductivity of salt solutions, 1891, A., 141.

Troilius, Mugnus, estimation of manganese and phosphorus in iron and steel,

1885, A., 597. Troisier, E. See Emile Elie Bourquelot. Troost, Louis Joseph, boiling-point of selenium, 1883, A., 17.

permeability of silver to oxygen, 1884, A., 961.

remarks on some criticisms of Friedel concerning chloral hydrate, 1885, A., 746.

 vapour density of thorium chloride, 1885, A., 1113.

- thorium ni-phosphate, 1885, A.,

Troost, Louis Joseph, and Léon Victor René Ouvrard, thorium potassium and zirconium potassium sulphates, 1886, A., 853.

- thorium silicates, 1887, Λ., 1016.

 thorium sodium and zircouium sodium phosphates, 1887, A., 1017.

Troschke, carnallite, a cheap substitute for kainite, 1884, A., 868.

 preservation of ammonia in stable manure, 1885, A., 187.

- water culture of lupines, 1885, A., 420.

Troschke, composition of furze (Ulex curopaeus), 1885, A., 684.

 cultivation and composition of sorghum, 1885, A., 1155.
 German and American clover, 1886,

A., 646.

composition of white mustard during growth, 1886, A., 913.

——composition of lupines, 1887, A., 518. Trottarelli, *Giacomo*, meteorite from Collescipoli, 1891, A., 533.

Trottarelli, Giacomo. See also Antonio Verri.

Trouvé, Gustave, modification of the bichromate battery, 1883, A., 700.

 reply to the observations of Reynier on bichromate batteries, 1883, A., 765.
 Trowbridge, John, measurement of strong

electric currents, 1885, A., 855.

Trowbridge, John, and C. C. Hutchins, oxygen in the sun, 1887, A., 1065.

existence of carbon in the sun, 1887, A., 1065.

Trowbridge, John, and Wallace Clement Sabine, metallic spectra in the ultraviolet, 1889, A., 1.

Trowbridge, John. See also Hammond Vinton Hayes.

Truchot, Ch., determination of the limits of electrolysis, 1884, A., 2.

thermochemistry of alkaline fluor-

silicates, 1884, A., 884.

thermochemistry of animonium

fluorsilicates, 1885, A., 626. Truffi, Ferruccio. See Giacomo Bertoni. Truhlar, Jos., thio-p-toluidine, 1887,

A., 472.

Trussewitsch, A. A., surface tension of

the halogens, 1891, A., 257.

Trzeinski, Wawrzymez, action of dibromobarbituric acid on thiocarbamide and thiocyanates, 1883, A., 913.

 condensation of aromatic aldehydes with phenols, 1884, A., 590.

— condensation product of 3-naphthol with benzaldehyde, 1884, A., 1185.

Tschacher, Oswald, condensation of nitrobenzaldehyde with hydrocarbons, 1887, A., 44.

Tschajtschinsky, (Fraulein) M., serpentine from Finland, 1890, A., 715.

Tschaplowitz, F., nourishment of fruit trees, 1886, A., 390.

—— estimation of carbonic anhydride, 1891, A., 1291.

Tschebotareff, Alexander, and Alexander M. Saytzeff, synthesis of ethyldipropylcarbinol, 1886, A., 437. Tschelebéeff, C. Sce Nimcon M. Tanatar.
Tschelzoff, Ivan M., heat of formation of picrates, 1885, A., 1103; 1886, Λ., 841.

Tschermak, *Guslav*, the scapolite group, 1884, A., 566; 1887, A., 560.

___ classification of metcorites, 1884, A., 975.

proportion of chlorine in scapolite, 1885, A., 1187.

Tschermak, Gustav. See also Ernst Ludwig.

Tschernal, Nicolai A., dilatation of salt solutions, 1889, A., 204, 330, 1101; 1890, A., 318.

Tscherven-Iwanoff, N., polymeride of trichloracetonitrile, 1891, A., 1332.
polymerides of dichloracetonitrile

and trichloracetonitrile, 1892, A., 1291.

Tscheuschner, E., calculation of glass-batches, 1885, A., 937.

Tschirch, Wilhelm Oswald Alexander, microchemical reaction methods, 1883, A., 376.

on the preparation of pure chlorophyll, 1884, T., 57.

Hyacinthus orientalis, 1885, A., 1254.

— aleurone-grains in the seeds of Myristica surinamensis, 1887, A., 1061.

influence of sterilisation of soil on the growth of plants, 1888, A., 985.

--- estimation of chlorophyll in leaves and extracts, 1890, A., 672.

A., 1287.

Tschirch, Wilhelm Oswald Alexander. See also Ernst Tavel.

Tschirwinsky, Nicolai P., formation of fat in the animal organism, 1881, A., 345, 912.

Tschuschke, 1., manuring sugar-beet, 1883, A., 823.

Tubby, Alfred Herbert, and Thomas Davys Manning, human succus entericus, 1892, A., 1368.

Türin, V. von, determination of the molecular weight of metals, 1890, A., 1046.

Tuma, Josef. See Franc Exner.

Tummeley, Eduard, azo-compounds of salicylaldehyde, salicyl alcohol, and salicylamide, 1889, A., 779.

Turner, Alfred E. See Francis Robert Japp.

Turner, Charles, preparation of o-nitrauiline, 1892, A., 837.

Turner, Thomas, on the estimation of silicon in iron and steel 1884, T., 260; 1887, A., 1140; 1888, A., 195.

- selective alteration of the constituents of cast-iron, 1885, T., 474; P.,

 influence of silicon on the properties of cast-iron, 1885, T., 577, 902; P., 85, 100; discussion, P., 85, 101; 1886, T., 130; P., 133, 266; discussion, P., 134, 267; 1887, T., 129; 1888, T.,844.

- estimation of carbon in iron and

steel, 1885, A., 1161.
— influence of remelting on the properties of cast-iron, 1886, T., 493; P., 209.

Turner, Thomas. See also Arthur Edward Barrows, Percy Faraday Frankland, A. E. Jordan.

Turpin, Eug., explosives, 1884, A., 1452. Turpin, George Sherbrooke, septadecyl-

amine, 1888, A., 1174.

- the action of pictic chloride on amines in presence of alkali, 1891, T., 714; P., 123.

Tursini, Alfonso, action of perthiocyanic acid on some aromatic monamines,

1884, A., 1140. Tust, Karl, bromo-opianic acid, 1892, A., 1209.

Tust, Paul, tetrachlorobenzoic acid from tetrachlorophthalic acid, 1887, A., 1046; 1888, A., 836.

Tutein, Friedrich. See Adolf von Baeyer.

Tutton, Alfred Edwin, crystallographical relations of the derivatives of dibenzoylcinnamene, 1890, T., 714; P., 189.

— crystalline form of the calcium

salt of the new optically active glyceric

acid, 1891, T., 233; P., 29.

— crystallographical characters of aconitine from Aconitum Napellus, 1891, T., 288; P., 39.

Tutton, Alfred Edwin. See also Thomas Edward Thorpe.

Tuxen, Chr. Fr. A., rain as a source of nitrogen for vegetation, 1892, A., 233. Twerdomedoff, Scrgius. See Carl Hell.

Twitchell, Ernst, estimation of resin in its mixtures with fatty acids, 1892, A., 389.

Twitchell, Ernst. See Thomas Herbert Norton.

Tyndall, John, unobserved resemblance between carbonic anhydride and carbon bisulphide, 1883, A., 1049.

- heat radiation from the earth, 1884, A., 486.

Typke, Paul George William, nitroderivatives of resorcinol, 1883, A., 917. Tzschucke, H., direct estimation of phosphoric acid as tricalcium phosphate, 1889, A., 439.

U.

Udránszky, László von, urinary pigments, 1887, A., 1133; 1888, A., 180. furfuraldehyde colour reactions,

1888, A., 863, 878; 1889, A., 4 formation of glycerol in alcoholic

fermentation, 1889, A., 1027. Udránszky, László von, and Eugen Baumann, benzoic chloride as a reagent,

1888, A., 1296. - identity of putrescine and tetramethylenediamine, 1889, A., 33.

 diamines [ptomaines] in cystinuria, 1889, A., 1024; 1891, A., 350.

Udránszky, László von. See also Oscar Hinsberg.

Uebel, Carl, ammonia derivatives of cumaldehyde, 1888, A., 1078.

Uffelmann, Julius, on the digestion of cows' milk, and on the substances which increase its digestibility, 1884, A., 192.

oxidation of ammonia in waters and soils, 1886, A., 917.

- estimation of fusel oil in spirits, 1886, A., 1079.

- analysis of atmospheric air, 1889, A., 209.

Uhl, Johannes, action of sulphurous anhydride on metals, 1890, A., 1371.

Uhl, Johannes. See also Joh. Friederich Carl Schall.

Whihorn, E., laurenes, 1890, A., 1248. propylxylenes, 1890, A., 1249.

- di*iso*propylbenzene, 1891, A., Ulbricht, amount of substances yielding oil of mustard in various foods, and their action in the animal body, 1890, A., 539.

Ulbricht, Richard, estimation of dry substance in wine and must, 1884, A., 1432.

wine analysis, 1885, A., 692. estimation of tannins by Lowenthal's method, 1885, A., 934.

researches on gourds, 1886, A., 95. Uldall, P., comparative value of fresh and artificial butter, 1884, A., 622.

Ulffers, Fritz. See Augustin Bistrzycki. Uljanin, W.von, contact electricity, 1888, A., 390.

electromotive force produced by the action of light on sclenium, 1888, A, 883; 1889, A., 202.

28

Ullik, Franz, nitrogenous constituents of malt, wort, beer, and bread, 1883, A., 821.

- steeping of barley, 1884, Λ ., 526.

—— carbing of tacty, 1689, A., 1066.

Ullman, Carl, nitrotoluidine from liquid dinitrotoluene, 1884, A., 1316.

derivatives of triphenylmethane, 1885, A., 1236; 1888, A., 288.

 Ullrich, Ed., new blue for printing, 1886, A., 187.
 Ulrich, Carl, oxidation of bisecondary pentethylphloroglucinol by means of uncombined oxygen, 1892, A., 1188.

Ulrich, Moritz, new synthesis of vanillin, 1886, A., 60.

Ulsch, Kurl, decomposition of ethyl chlorocarbonate by zinc chloride, 1885, A., 376.

 Kjeldahl's method for estimating nitrogen, 1887, A., 863.

- estimation of nitric acid by reduction to ammonia, 1891, A., 617,

- action of the copper-iron couple on nitrates and nitrites, 1892, A., 1518.

Ulzer, Ferdinand, derivatives of resorcinolsulphonic acid, 1889, A., 510.

Ulzer, Ferdinand. See also Rudolf Benedikt.

Umney, John C., oil of anise, 1889, A.,

Umney, John C. See also Wyndham Rorrland Dunstan.

Underwood, George Robinson. Sec Walter Spooner Allen.

Ungar, E., tin in preserved food, 1884, A., 800.

Unger, B., analysis of vulcanised caoutchouc, 1885, A., 841.

Ungern-Sternberg, T. von, the Rapakiwi granite from Finland, 1883, A., 447.

Unwin, William Cawthorne, relations of pressure, temperature, and volume in saturated vapours, 1886, A., 764.

Upmeyer. See Eduard Reichardt. Upward, William, estimation of caustic in causticised soda liquor, 1886, A.,

1074. Urbain, V., constituents of vegetable tissues, 1884, A., 858.

Urbain, V. See also Edmond Fremy. Urban, Carl, 1:3-naphthylenediamine, 1887, A., 674.

Urban, Karl. See Rudolph Fittig. Urech, Friedrich, strobometric determination of the rate of inversion of cane sugar, and transition of the birotation of milk sugar to its normal rotation, 1888, A., 174,

Urech, Friedrich, influence of mass and time on the inversion of sugar, 1883, A., 306.

rapidity of separation of cuprous oxide by the action of invert sugar on Fehling's solution, 1883, A., 385.

- effect of temperature and concentration of acid on the rate of inversion of saccharose, 1883, A., 1077; 1885, A., 41.

- relation between the solubility and rotation of milk sugar, 1884, A., 36.

influence of the quantity of the constituents of Fehling's solution on the rate of separation of cuprous oxide by invert sugar, 1884, A., 574.

inversion of cane sugar by acids,

tion by sugars, 1884, A., 1112.

- action of alkalis on invert sugar, dextrose, and milk sugar, 1884, A., 1112.

- birotation of glucose and milk sugar, 1884, A., 1112.
— influence of the diluent on the rate

of chemical action, 1885, A., 480.

 birotation of some saccharoses and glucoses, 1886, A., 220.

rudimentary formula of the rate of reactions, 1886, A., 846.

velocity of chemical reactions, 1887, A., 697.

influence of temperature on the rate of inversion of cane sugar, 1887, A., 768..

- influence of the temperature on the rate of chemical change, 1888, A.,

- reduction velocity of alkaline copper solution, 1889, A., 462.

Urech, Friedrich: See also Carl Hell. Urquhart, D., and William Augustus Rowell, process for working up strontium sulphate, 1884, A., 1225.

Urwanzoff, Leo, oxidation of erucic acid, 1889, A., 1146.

Ussing, N. V., minerals from Fiskernas in Greenland, 1890, A., 19.

Ustinoff. Dmitrius, B-dimethacrylic acid, 1886, A., 140; 1887, A., 359.

Ustinoff Dmitrius, and Alexander M., Saytzeff, dipropylcarbinol, 1887, A., 353.

V.

(For names not found here, see under **W**.) Valenta, Eduard, examination of fats. 1884, A., 504.

Valenta, Eduard, seeds of Bassia longifolia and the fat contained therein, 1884, A., 919.

- behaviour of some fats and lubricating oils towards glacial acetic acid, 1884, A., 1078.

- testing mineral oils, 1885, A., 93. - toilet soap analysis, 1885, A., 696.

apparatus for fractional distillation

under reduced pressure, 1890, A., 556.

resin obtained from Thwites' Doona zeylanica, 1891, A., 1385.

Valentine, E. P., a decomposition product of allanite, 1886, A., 128.

Valentini, Antonio, lecture experiments, 1885, A., 215; 1887, A., 442.

 p-methoxyphenoxycinnamic acid, 1885, A., 264.

 methyl methyldibromo-p-coumarate, 1887, A., 488.

Valeur, Fredrik See Wilhelm La Coste.

Valle, Giuseppe La. See Alfonso Cossa. Vallin, K., m-toluenesulphonic acid, 1887, A., 263.

Valser. See Granval.

Vandevelde, Guillaume, chemistry of Bacillus subtilis, 1885, A., 287.

Vanino, Ludwig, titration of perman-ganate and of bleaching powder by hydrogen peroxide, 1891, A., 246.

- technical valuation of bleaching powder, 1891, A., 615.

Vanni, a - naphthylamine-Angelo. phthalem, 1886, A., 68.

Vanni, Angelo. See also Hugo Schiff. Vanni, J., apparent variability of the electrical equivalent of copper, 1892, A., 105.

· Vanni, Luigi and Enrico Pons, phosphates in urine, 1888, A., 621.

Varda, Giovanni de, sulphoisovaleric acid, 1889, A., 35.

derivatives of methylpyrroline

1889, A., 57. - tertiary pyrrolines, 1890, A., 389.

- action of light on anethod, 1891, A., 1347.

 nitro-derivative of methyl α-hydroxypropionate, 1892, A., 583.

condensation of nitrohenzaldehydes with salicylic acid, 1892, A., 621.

Varda, Giovanni de, and Menotti Zenoni, products of condensation of m-nitrohenzaldehyde with phenol and resor-

cinol, 1891, A., 1846. *
Varda, Giovanni de. See also Matteo Spica.

Varenne, Eugène, preparation of mesitylene, 1884, A., 588,

Varenne, Eugène, coagulation of albumin, 1886, A., 373.

Varet, Raoul, ammonio-zinc cyanides, 1888, A., 123.

- action of zinc cyanide on metallic chlorides, 1888, A., 799.

action of mercuric cyanide on cupric salts, 1889, A., 359.

- ammonio-mercuric cyanides, 1890, A., 223.

- interaction of haloid salts of mercury and zinc, 1890, A., 224.

action of ammonia on the compounds of mercuric cyanide with metallic chlorides, 1890, A., 351.

action of cupric salts on metallic

cyanides, 1890, A., 464.

— combination of mercuric cyanide with lithium salts, 1891, A., 28.

combination of mercuric cyanide with cadmium salts, 1891, A., 161.

ammoniacal derivatives of mercuric cyanide, 1891, A., 655.

- isopurpurates, 1891, A., 681. - pyridine compounds, 1891, A.,

732, 838. - terebenthene, 1891, A., 1084.

- action of ammonia on some compounds of the haloid salts of mercury, 1891, A., 1441.

-cyanogen compounds of magnesium, 1891, A., 1442.

action of ammonia on mercuric cyanide and its haloid derivatives. 1892, A., 575.

 action of metals on salts dissolved in organic liquids, 1892, A., 797. -piperidine compounds, 1892, A., 1483.

Varet, Raoul, and G. Vienne, action of acetylene on benzene in presence of aluminium chloride, 1887, A., 806.

Varigny, Henri de, and Paul Bert, influence of sea-water on fresh-water animals, 1884, A., 620.

Varnholt, L., chlorosalicylic acids, 1887, Л., 945.

Vasey, S. Archibald. See Charles W. Heaton, Frederick Walker Mott.

Vasilieff. See Wassilieff. Vatel, E. See J. Massignon.

Vater, Heinrich, action of monochloracetic acid on o-amido- and p-amidophenols, 1884, A., 1144.

Vaubel, Wilhelm, behaviour of sodium thiosulphate with acids, 1889, A., 943; 1890, A., 10.

- formation of ethers in the preparation of isoallylene and its homologues from the corresponding halogen derivatives and alcoholic potash, 1891, A., 996.

Vaubel, Wilhelm, "acetone-potash" and "acetone-soda," 1891, A., 1183.

ring and nucleus structure of aromatic hydrocarbons, 1891, A., 1348.
 phenylene oxide, 1892, A., 1187.

Vaughan, Victor C., ptomaine from poisonous cheese, 1886, A., 373.

tyrotoxicon, 1888, A., 497.

Veley, Victor Herbert, the rate of decomposition of ammonium nitrate,

1883, T., 370.
—— on some sulphur compounds of calcium, 1885, T., 478; P., 66.

—— some sulphur compounds of barium, 1886, T., 369; P., 183; discuscusion, P., 183.

- interaction of metals and sulphuric

acid, 1888, A., 104.

on a method of investigating the dissolution of metals in acids, 1889, T., 361; P., 65.

evolution of gases from homogeneous liquids, 1889, A., 94.

— conditions of the reaction between copper and nitric acid, 1890, A., 170.

— conditions of chemical change between nitric acid and certain metals, 1891, A., 525.

—— chemical changes between lead and nitric acid, 1892, A., 410.

Veley, Victor Herbert. See also George J. Burch.

Venable, Frank P., hydrated carbon bisulphide, 1884, A., 260.

zinc in drinking-water, 1885, A., 453.

leaves of Ilex Cassine, 1885, A.,

- bromination of heptane, 1888, A., 929.

two new meteoric irons, 1891, A., 159.

preparation of pure zirconium chloride from zircons, 1892, A., 412.

Venator. See Adolf Isbert.
Venator, Emil, stiontianite in Westphalia, 1883, A., 431.

Venator, Wilhelm, molybdenum residues, 1886, A., 124.

Venator, Wilhelm, and Emil Etienne, analysis of chrome iron ore, 1887, A.,

Venturini, Vittorio, methods of estimation of morphine and opium, 1886,
A., 1086.

Venturoli, Francesco, volumetric estimation of albumin in urine, 1891, A., 627.

Venturoli, Giuseppe, estimation of hydrocyanic acid, 1892, Ap., 1530.

Verbeek, Rogicr Diederik Marius, pyroxene-andesites from the Dutch Indian archipelago, 1885, A., 1120.

Vergeraud, Aug. See Charles Cros.

Vernadsky. See Wernadski.

Verneuil, Auguste Victor Louis, nitrogen selenide, 1883, A., 423.

 action of iodine on potassium seleniocyanate, 1884, A., 1109.

seloniocal bamide, 1885, A., 50, 376.
 simultaneous action of oxygen and hydracids on seleniocarbamide,

1885, A., 967.

action of chlorine on potassium

seleniocyanate, 1886, A., 1002.

— preparation of calcium sulphide with a violet phosphorescence, 1887, A., 2.

phosphorescence of calcium sulphide, 1887, A., 539.

phosphorescent blende, 1888, A., 791, 1282.

- automatic return of mercury in Sprengel pumps, 1892, A., 8.

Verneuil, Auguste Victor Louis. See

also Edmond Fremy.
Vernon, Horace Middleton, action of lydrochloric acid on manganese dioxide; manganese tetrachloride, 1890, P., 58; 1892, A., 19.

a new modification of phosphorus, 1891, P., 3; discussion, P., 4.

law of diffusion of liquids, 1891, A., 383.

A., 877.

maximum density of water, 1892, A., 7.

manganese tetrachloride, 1892, A., 19.

— molecular weights of liquids as evinced by their boiling-points, 1892, A., 107.

Vernon Harcourt. See Harcourt.

Verri, Antonio, and Giacomo Trottarelli, calcareous rocks and pozzuolana from Tevere, 1888, A., 120.

Vesterberg, Albert, pimaric acids, 1886, A., 365, 1038; 1888, A., 294.

 α - and β-amyrins, 1887, A., 732; 1891, A., 165.

hydrocarbons from α- and βamyrins, 1892, A., 288.

— oxidation products of the amylins, 1892, A., 290.

Vèzes, Maurice, potassium nitrosoplatinochloride, 1890, A., 709.

bromonitro-compounds of platinum, 1891, A., 807.

— iodonitro- and bromonitro-platinum compounds, 1892, A., 280. Vezes, Muurice, nitrogen compounds of platinum, 1892, A., 1283.

chlorazopalladium compounds, 1892, A., 1284.

Vèzes, Maurice. See also 11exandre Joly.

Viard, Georges, zinc and cadmium chromites, 1889, A., 1111.

- basic magnesium and zinc chromites and normal cadmium chromite, 1891, A., 987.

Viault, oxygen in the blood of animals at great altitudes, 1891, A., 753.

Vicentini, Giuseppe, thermal dilatation of liquid bismuth near its melting point, 1891, A., 518.

Vidal, Raymond, action of hydroxyhydrocarbon derivatives on nitrides and hydronitrides, 1891, A., 1003; 1892, A., 1311.

Vieille, Paul, measurement of pressures developed in closed vessels by the explosion of gaseous mixtures, 1883,

specific heats of gases at high temperatures, 1883, A., 771, 898.

Vieille, Paul. See Marcellin Berthelot, Emile Sarrau.

Vienne, G. See Ruoul Varet.

Vieth, Paul, composition of mares' milk and koumiss, 1885, A., 849.

- composition of the milk of shorthorns and other cows, 1886, A., 168.

- presence of matter soluble in ether in filter paper, 1886, A., 1083.

 alcoholic fermentation of milksugar, 1887, A., 1090.

 composition of cows' milk produced in English dairy farms, 1888, A., 620; 1889, A., 914.

- relation between specific gravity, fat, and solids in milk, 1888, A., 631. - estimation of milk-sugar in milk by the polariscope, 1889, A., 315.

composition of butter-fat as determined by the Reichert-Wollny method, 1891, A., 507, 508.

Vieth, Paul (and others), cheese, oleomargarine-cheese, etc., 1883, A., 256. Vighi, Eugenio. See Girolamo Mazzara.

Vigier, Ferdinand, physiological action of borax, 1884, A., 1061.

o-phenolsulphonic acid, a new autiseptic, 1885, A., 612.

Vigier, Picrre, digestive ferments, 1885, A., 279.

Vigna, Agostino, fermentation of glycerol with the bacteria from ammonium tartrate, 1884, A., 170.

- estimation of tannin and of free tartaric acid in wines, 1891, A., 1399. Vigna, Agostino. See also Murio Zecchini.

Vignal, H., estimation of chromium, 1886, A., 580.

Vignal, William Victor Montgomery, action of micro-organisms from the mouth and from faces on food-stuffs, 1887, A., 1059.

Vignon, Léo, estimation of dissolved carbonic anhydride in water, 1888, A.,

 thermochemistry of diazo-derivatives, 1888, A., 774.

- heats of formation of salts of phenylenediamine, 1888, A., 1012.

· heats of neutralisation of aromatic amines, 1888, A., 1013.

dimethylaniline and diphenylamine

sulphates, 1888, A., 1282. - tin, 1889, A., 107.

- oxidation of tin, 1889, A., 351. - variations in the acid function of

stannic oxide, 1889, A., 833.

- rapid method of analysing water prior to its softening for technical purposes, 1889, A., 1035.

- thermochemistry of phenylenediamines, 1889, A., 1099.

action of water on stannic chloride, 1889, A., 1121.

thermochemical properties of silk, 1890, A., 553.

water analysis, 1890, A., 667.
estimation of acetone in methyl

alcohol and in the liquids used for methylating alcohol, 1890, A., 837. - thermochemistry of wool and cot-

ton, 1890, A., 939.

- cotton dyeing, 1891, A., 662. formation of coloured lakes, 1891, A., 807.

 theory of dyeing, 1891, A., 832. - estimation of acetone in donaturised alcohol, 1891, A., 1142.

- melting-points of binary systems of hydrocarbons, 1891, A., 1495.

rotatory powers of various silks, 1892, A., 254, 645.

specific gravity of silk, 1892, A. 1036. Vignon, Léo, and Paul Sisley, nitrated silk, 1892, A., 1111.

Vignon, Léo. See also Philippe Barbier, Ruphael Dubois.

Vignoz, P., separation of aluminium and iron, 1885, A., 689.

Villard, P., hydrates of gases, 1888, Λ ., 1020; 1890, A., 1386.

 hydrates of methane and ethylene, 1888, A., 1241.

hydrates of haloid alkyl salts, 1890, A., 1386.

Villard, P. See also Robert de Forcrand. Villavecchia, Vittorio, derivatives of santonin, 1886, A., 73.

Villavecchia, Vittorio. See also Raf-

faele Nasini.

Ville, Georges, influence of the composition of the soil on the physical properties of plants, 1890, A., 81.

Ville, Jules, crystallised zinc hydroxide,

1885, A., 1112.

- action of cyanamide on benzenesulphonic acids, 1887, A., 833. - action of hypophosphorous acid on

benzaldehyde, 1889, A., 141.

dihydroxyphosphinic acids, 1889,

A., 1184.

— dihydroxyphosphinic acid and hydroxyphosphinous acid, 1890, A., 618.

action of urea on sulphanilic acid,

1891, A., 1066.

—— transformation in the animal economy of sulphanilic acid into sulphanilocarbamic acid, 1892, A., 903. Ville, Jules. See also Rodolphe Engel. Villejean, E. See Jules Regnauld.

Villiers, Antoine, nitro-derivatives of ethylene, 1884, A., 33; 1885, A., 1044.

nitro-derivatives of ethane, 1884, A., 717.

formation of ptomaines in cholera, 1885, A., 404.

formation of alkaloids in disease,

1885, A., 926.
—— curarine from Strychnos toxifera,

1885, A., 997.

pathological urines, 1885, A.,

1084; 1886, A., 88.

barium phosphates, 1887, A., 701.

detection of sulphites in presence of thiosulphates, 1887, A., 749.

—— new sulphur oxy-acid, 1888, A., 649.

____ sodium dithiopersulphate, 1888, A., 912.

conversion of starch into dextrin by the butyric ferment, 1891, A., 659, 1446.

fermentation of starch by the butyric ferment, 1891, A., 660.

butyric ferment, 1891, A., 660.
Villon, A., new method for the estimation of tannin, 1887, A., 872.

— animal tannin, 1888, A., 77.

— manufacture of decolorised tannins,

1891, A., 70. Vincent, Camille, methylation of phenol, 1884, A., 589. Vincent, Camille, new iridium compounds, 1885, A., 356.

new rhodium compounds, 1885, A., 1116; 1886, A., 311.

—— n-propylamines, 1886, A., 1004. —— reaction of dipropylamine, 1886, A., 1005.

action of lead oxide on toluene,

1890, A., 962.

Vincent, Camillo, and James Chappuis, critical temperatures and pressures of vapours, 1885, A., 861, 1104; 1886, A., 963.

on ammonia and the methylamines,

1886, A., 438.

Vincent, Camille, and Bénédiet Delachanal, carbohydrates from acorns, 1887, A., 909.

---- tannic acid in mountain-aslı

berries, 1887, A., 950.

in the fruits of Rosacee, 1889, A., 580; 1890, A., 21.

- --- sorbitol, 1890, A., 21.

- hydrogenation of sorbin and oxidation of sorbitol, 1890, A., 1389.

sorbitol in the cherry laurel, 1892, A., 908.

Vincent, Camille, and Lion Roux, two isomeric benzylnaphthalenes, 1884, A., 609.

Vincenzi, Livio, chemical constituents of bacteria, 1887, A., 393.

Violle, Jules, apparatus for the determination of specific heats by cooling, 1883, A., 6.

radiation from silver at the solidifying point, 1883, A., 771.

- absolute unit of light, 1885, A., 622.
- comparative radiation of fused platinum and fused silver, 1887, A., 1010.

Violle, Jules, and Michel Chassagny, electrolysis, 1889, A., 558.

Viollette, C., estimation of nitrogen by Kjeldahl's method, 1889, A., 546.

butter and margarine, 1891, A.,

optical analyses of butters, 1891, A., 130.

— analyses of butter, 1891, A., 869. Viron, L., soluble colouring matters produced by bacteria in distilled modicinal waters, 1892, A., 907.

Virtue, William. See Frank Faulkner. Vis, (ferhard N., 1:4-ethoxyacetamido-quinoline, 1892, A., 1104. Vis, Gerhard N. See also 11dolph

Claus.

Vitali, Dioscoride, detection of acetanilide, 1888, A., 1136.

detection of poisoning by caustic alkalis, 1888, A., 1224.

detection of mercuric eyanide in toxicological investigations, 1890, A., 198.

action of sulphuric acid on the haloid salts of the alkalis in presence of some metallic salts, 1890, A., 289.

analysis of sulphurous waters, 1891, A., 116.

 sulphuric acid in plastered and. natural wines, 1891, A., 1551.

- reactions of cocaine and ecgonine, 1891, A., 1561.

reactions of hydrastine and other alkaloids, 1892, A., 755.

- action of hydrogen cyanide on mercurous salts, 1892, A., 1416.

volumetric estimation of soluble sulphides, 1892, A., 1515.

 volumetric estimation of the metals of the alkaline earths and of some heavy metals, 1892, A., 1521.

Vitali, Dioscoride, and Achille Tornani. detection of chloral hydrate, 1885, A., 933.

Vité, F., estimation of casseine in tea, 1891, A., 372.

Vivier, Léon Charles Auguste, apatite from Logrozan (Spain), 1885, A., 30. estimation of nitrites, 1888, A., 527.

- new hydrate of molybdic acid, 1888, A., 557.

Vizern, Marius, assay of commercial

glycerol, 1890, A., 835. Vizern, Marius, and Cl. Nicolas, estimation of fats in vaseline, 1891, A., 1401.

Vladesco, Dmitri, products of the distillation of wood, 1890, A., 956.

 action of chlorine on methyl ethyl ether, 1891, A., 1183.

action of chlorine on some fatty ketones, 1892, A., 424, 810.

Voelcker, Johann Christoph August, comparative feeding value of barley, malt, and peas, 1884, A., 206.

continuous cultivation of wheat and barley at Woburn, 1884, A., 482. - sterile soil from California, 1884,

A., 486. - feeding-stuffs, 1884, A., 630. Voelcker, Johann Christoph August, four year rotation experiments, 1884, A., 635.

four course system at Woburn, 1885, A., 78.

action of soluble and insoluble phosphates, 1885, A., 82.

Voelcker, John Augustus, chemical composition of apatites, 1884, A., 162.

· experiments on ensilage, 1890, A., 286.

Völker, Ottomar, estimation of hippuric acid in urine, 1887, A., 535, 1001.

Voeller, Fritz, assay of indigo, 1891, A., 1564.

Vogdt, Constantin ron, diabase-porphyrite from Petrosawodsk, 1887, A.,

Vogel, August, estimation of the fertility of a soil, 1883, A., 517.

- detection of cyanogen, 1885, A., 297.

- influence of ozone on germination, 1887, A., 516.

Vogel, Hans (and others), researches on milk and milk-analysis, 1884, A., 1219.

Vogel, Hermann Wilhelm, Lockyer's dissociation theory, 1883, A., 762. - modifications of silver bromide and chloride, 1883, A., 936; 1885, A.,

- rendering photographic films sensitive to green, yellow, and red rays, 1884, A., 1081.

- relation between the absorption spectrum and sensitising action of dyes on silver bromide, 1886, A., 585, 958.

photography in natural colours, 1886, A., 749.

relation between the composition

and the absorption spectra of organic dyes, 1888, A., 97. -spectroscopic notes, 1888, A., 1129.

difference between the colouring matters of bilberry and wine, 1888, A., 1137.

Vogel, J. H., estimation of phosphoric acid in basic slag, 1888, A., 991.

chemical composition of vesuvian, 1890, A., 221.

- loss of nitrogen during the decomposition of nitrogenous organic matter, and the means of limiting or avoiding it, 1891, A., 1547.

- estimation of sugar and tannin in

wines, 1891, A., 1557.

estimation of lime in phosphates by Glaser's process, 1892, A., 534.

Vogel, J. H, analysis of phosphates, 1892, A., 912.

Vogel, J. H. See also Franz Lehmann. Voges, Emil, identity of Bottinger's pyridinedicarboxylic acid with lutidinic acid, 1886, A., 257.

Vogler, Ch. August, variations of the amount of oxygen in the atmosphere,

1883, A., 284, 551.

Vogt, Georges, rocks used in the manufacture of Chinese porcelain, 1890, A., 461.

composition of clays and kaolins,

1890, A., 1060. Vogt, J. H. L., tetragonal minerals in crystallised slag, 1888, A., 1259.

- artificial magnesia-mica, 1888, A.,

composition of slags, 1891, A., 651. - composition of melilite, 1892, A., 1410.

Vogtherr, Hans, action of p-amidodimethylaniline on ketones, 1892, A.,

Vogtherr, Hans. See also Paul Ehrhardt Jannasch.

Vohwinkel, E., new constant galvanic element, 1885, A., 853.

Voigt, A., volumetric estimation of zinc, 1890, A., 196.
Voigt, Karl, benzonanilide and its derivatives, 1885, A., 1067.

- action of primary aromatic amines

on benzoin, 1886, A., 887. Voigt, Karl. See also Robert Otto.

Voigt, Rich., 8-pyridinetricarboxylic acid, 1885, A., 812.

Voigt, Woldemar, colour phenomena of pleochroic crystals, 1885, A., 621. optical properties of thin metallic

layers, 1885, A., 1026.

Voigtländer, Felix, diffusion in agar jelly, 1889, A., 817.
 Voiry, Raymond Paul Eugene, essence

of Eucalyptus Globulus, 1888, A., 961. - essence of cajeput, 1888, A., 962.

Voiry, Raymond Paul Eugène, and Gustave Bouchardat, oil of spike, 1888, A., 605.

Voiry, Raymond Paul Engène. also Gustave Bouchardat.

Voit, Carl von, influence of asparagine on the elimination of albumin, 1885, A., 412.

Voit, Carl von, Jakob G. Otto, A. C. Abbott, Graham Lusk, and Fritz Voit, formation of glycogen from different sugars, 1892, A., 902.

Voit, Eduard. See Carl Adam Bischoff. Voit, Erwin, formation of glycogen from carbohydrates, 1889, A., 631.

Voit, Fritz, behaviour of milk sugar in a diabetic patient, 1892, A., 903.

Voit, Fritz. See also Carl von Voit. Volhard, Jakob, preparation of α-bromo-

acids, 1888, A., 129 estimation of sulphurous acid by

standard iodine, 1888, A., 192. preparation of oxygen in a Kipp's

apparatus, 1890, A., 8. acetonediacetic or hydrochelidonic acid, 1890, A., 30; 1892, A., 432.

crystalline mercury oxychloride and estimation of mercury, 1890, Λ ., 565.

oxidation of potassium cyanide with potassium permanganate, 1891,

A., 160.

preparation of pyromucic acid from furfuraldehyde, 1891, A., 896.

— phenylhydrazonehydrazide of levu-linic acid, 1892, A., 436. — compounds of thiophen and of its

homologues, and of some ketones, with mercuric choloride, 1892, A.,

- preparation of maleic anhydride, 1892, A., 963.

Volhard, Jakob, and Hugo Erdmann, synthesis of thiophen, 1885, A., 763.

Volkmann, Paul, remarks on Schiff's paper "on the capillary constants of liquids at their boiling-point," 1885. A., 721.

Volkoff. See Wolkoff.

Vollhardt, G., cobalt ores, 1888, Λ .,

Volney, C. IV., manufacture of nitric acid, 1892, A., 941.

Volpert, Franz, gluconic acids, 1887, A., 127.

Volpi, Alessandro, homologues of acridine, 1892, A., 342.

Voltmer, Ludwig, action of hydroxylamine and its derivatives on the thiocarbimides, 1890, A., 1126; 1891, A.,

Volz, Otto. See Adolph Claus.

Voorhees, Edward Burnett, estimation of nitrogen, 1892, A., 751.

Vorce, L. D.See William Merrium Burton.

Vorländer, Daniel, constitution of disubstituted oxalenediamidines, 1891. A., 697.

Vorster, and Hermann Grüneberg, working up the mother liquous from schonite, 1885, A., 306.

Vortmann, Georg, cobalt sulphate, 1883, A., 25.

- cobaltamine compounds, 1883, A., 25.

Vortmann, Georg, direct estimation of chlorine in presence of bromine and iodine, 1883, A., 119.

- separation of nickel from cobalt, 1883, A., 621.

- cobaltammonium compounds, 1885, Λ., 1041.

 estimation of chlorine in presence of bromine, 1886, A., 648.

 use of sodium thiosulphate in place of hydrogen sulphide in qualitative analysis, 1886, A., 1071.

- detection of traces of hydrocyanic

acid, 1886, A., 1082.

 estimation and separation of metals by means of sodium pyrophosphate, 1888, A., 755.

- action of sodium thiosulphate on

cupric salts, 1888, A., 787.

 behaviour of sodium thiosulphate with acids and metallic salts, 1889, A., 1107.

- estimation of nitric acid by electro-

lysis, 1890, A., 1467.

-volumetric estimation of manganese, 1890, A., 1470.

— cobalt dioxide, 1891, A., 1429.

- electrolytic estimation of metals as

amalgams, 1891, A., 1553. Vortmann, Georg, and Otto Blasberg,

cobaltoctamine salts, 1890, A., 14. Vortmann, Georg, and Emil Borsbach, mercuri-cobaltammonium salts, 1890, A., 1377.

Vortmann, Georg, and Gustav Magde-burg, action of sulphurous acid on

cobaltammonium salts, 1890, A., 14. Vortmann, Georg, and E. Morgulis, mercuri-cobaltammonium salts, 1890, A., 13.

Vortmann, Georg, and Carl Padberg, action of sulphur on solutions of metallic salts, 1890, A., 9.

- action of sodium thiosulphate on metallic salts, 1890, A., 12.

Vortmann, Georg. See also Josef Messinger, Zdenko Hunns Skraup.
Vorwerk, P., estimation of phosphorus in iron and steel, 1887, A., 299.

Vosmaer, A., apparatus for a constant supply of chlorine, 1889, A., 13.

— preparation of chromic chloride,

1889, A., 832.

Voss. Gerhard. See Wilhelm Clemens Lossen.

Vossler, Otto von, experiments with stall-fed cattle, 1884, A., 472.

Voswinckel, Hugo, new derivatives of salicylaldehyde, 1883, A., 189.

Voswinkel, Arnold, m-diethylbenzene, 1889, A. 38.

Voswinkel, Arnold, o-diethylbenzene, 1889, A., 388.

- p-diethylbenzene, 1889, A., 493.

occurrence of gums which yield xylose, 1892, A., 380.

Vrba, Karel, cronstedtite from Kutten berg in Bohemia, 1888, A., 1260.

- bertrandite from Pisek, 1889, A., 471.

- strontianite from Altahlen, 1889, A., 837.

 apatite from Pisek, 1889, A., 837. Vriens, Johannes Gerardus Cornelis, vapour pressure of copper potassium chloride and its solutions, 1891, A., 783.

Vries, Henry J. F. de, and 11 rold Frederik Holleman, phenylhydrazine acc-

tate, 1892, A., 981. Vries, Hugo de, function of resins in plants, 1883, A., 365.

- part played by vegetable acids in causing the turgescence of cells, 1884, A., 1064.

attraction between soluble substances in dilute solutions and water, 1884, A., 1065.

decomposition of organic acids under the influence of light, 1885, A., 964.

estimation of the combined acids in plant sap, 1885, A., 1014.

molecular weight of raffinose, 1888, A., 667.

osmotic experiments with living membranes, 1888, A., 1153.

isotonic coefficient of glycerol, 1889, A., 9.

Vrij, Johan Eliza de, assay of com-mercial quinine sulphate, 1885, A., 302; 1886, A., 397.

 quinine chromate in analysis, 1887, A., 404.

- potassium chromate as a reagent for the purity of quinine sulphate,

1889, A., 1091. Vulpius, Gustav, testing potassiun bromate, 1884, A., 218.

- pyroligueous acid, 1884, A., 371. thallin preparations, 1885, A. 398.

— almond oil testing, 1886, A., 194. - examination of ether, 1886, A. 1079.

estimation of quinine sulphate 1887, A., 404.

- morphine reaction, 1887, A., 870. - testing chloroform, 1888, A., 632

— terpin hydrate, 1889, A., 1202. — analysis of diuretin, 1890, A. 1475.

Vulté, Hermann T. See Elwyn Waller.
Vyvere, E. van dc, estimation of methyl alcohol_in ethyl alcohol,1885, A., 600.

W.

(For names not found here, see under V.)

Waage, A., composition of some legu-

minous seeds, 1887, A., 991.

Waage, Alfred, action of ammonia on propaldehyde, 1883, A., 39; 1884, A., 172.

Waage, Theodor, formation of phloroglucinol in plants, 1891, A., 605.

- detection of tannin in plants, 1891, A., 770.

presence and function of phloroglucinol in plants, 1892, A., 1120.

Waals, Johannes Diderik van der, molecular theory of a substance formed from two different substances, 1890, A., 556.

- formulæ for electrolytic dissociation, 1891, A., 1309.

- magnitude of the pressure in coexisting phases of mixtures especially in salt and acid solutions, 1891, A., 1319.

Wache, Robert, polymerides of nitriles, 1889, A., 684.

Wachsmuth, O., estimation of tin and lead in alloys, 1887, A., 304.

Wachtel, A. von, valuation of sugarbeets by their density, 1884, A., 118.

Wachtel, G., utilisation of the nitrogen compounds from the manufacture of sulphuric acid, 1883, A., 130.

- manufacture of potassium dichromate, 1885, A., 846.

Wachter, H., analyses of Markgrafier of different districts and vintages, 1883, A., 631.

Wachter, Wilhelm, desaurin, 1892, A., 1095.

Wachter, Wilhelm. See also Victor Meyer.

Wackenroder, B., preparation of strontium and barium chlorides, 1885, A.,

Wacker, Leonhard, aromatic nitrosobases, 1888, A., 466.

Wacker, Leonhard. See also Otto

Fischer.

Wada, Tsunashiro, Japanese minerals, 1885, A., 221.
Waddell, John, atomic weight of tung-

sten, 1887, A., 111. Wadsworth, George Henry, action of aldehydes and ammonia on α-diketones, 1889, P., 161; 1890, T., 8.

Wadsworth, George Henry, condensation of acetonephenanthraquinone, 1890, P., 151; 1891, T., 105.

Wadsworth, George Henry. See also Francis Robert Japp.

Wadsworth, Marshman Edward, the Bishopville and Waterville meteorites, 1884, A., 976.

– peridotite of iron, Mine Hill, Cumberland, Rhode Island, 1889, A., 27.

Wächter, Friedrich, particles of matter in the electric spark, 1883, A., 415.

Wäterling, H., manuring barley, 1884. Δ., 1419.

Wagener, G., glass enamels, porcelain, and refractory clays, 1883, A., 397.

Wagner, manuring with peat, 1885, A.,

Wagner, Ad., test for adulteration in butter, 1886, A., 103.

Wagner, Jugust, oxygen prepared from potassium chlorate, 1883, A., 281.

some reactions of ozone, 1884, A.,

chemical changes in decayed wood, 1884, A., 477.

Wagner, Ed., urochloralic acid in urine, 1891, A., 624. Wagner, Edmund, ethylene ethers of

the nitrophenols and hydroxybenzoic acids, 1884, A., 433.

action of zine organo-metallic compounds on aldehydes, 1885, A., 370

Wagner, Friedr., influence of organic manures on the temperature of the soil, 1883, A., 821.

- thermal conductivity of soils, 1884, A., 923.

Wagner, Georg, oxidation of ketones, 1885, A., 1197.

oxidation of olefines and alcohols of the allyl series, 1888, A., 665.

oxidation of the hydrocarbons,

CnH₂₁₋₂, 1889, A., 226.

oxidation of unsaturated compounds, 1889, A., 231.

part played by water in the oxidation of unsaturated compounds, 1889. A., 232.

- diallyl tetrabromides, 1890, A., 223. - camphene glycol and a tetrahydrie alcohol from limonene, 1890, A., 1313.

- presence of ethylene linkings in terpenes, 1891, A., 1084.

- constitution of pinene, 1891, A., 1242.

oxidation of tertiary alcohols. 1892, A., 28.

 oxidation of mixed fatty ketones. 1892, A., 35.

Wagner, Georg, exidation of aromatic compounds containing the side chain C₃H₅, 1892, A., 310.

Wagner, Georg. See also Alexander I. Pawlinoff.

Wagner, Henry. See C. Fr. IV. Kru-

kenberg.
Wagner, Hermann, oxidation of santonin, 1887, A., 733.

Wagner, Julius, aromatic sulphonamic acids, 1886, A., 708.

— viscosity of liquids, 1890, A., 441.

Wagner, Ladislaus von, manufacture of maize-starch as a new branch of agricultural industry, 1884, A., 528.

Wagner, Max. See Carl Stochr. Wagner, Otto. See Leopold Mayer.

Wagner, Paul, influence of the state of division of manures on their action, 1883, A., 117.

nitrogen in bone-meal, 1884, A., 359.

 amount of fat and proteids in feeding stuffs, 1854, A., 631.

action of superphosphates, 1884, A., 1071.

estimation of nitrogen in Chili saltpetre, 1885, A., 435

- composition of wood ashes, 1885, A., 834.

- manuial value of basic slag, 1887, A., 525.

- increase in yield of crops by nitrogénous manures, 1888, A., 525.

Wagner, Paul (and others), theory of manuing, 1884, A., 486.

- contributions to systematic manuring, 1884, A., 634.

various manuic material, 1885, A., 1156.

Wagner, Philipp, m-amidophenetoil, 1885, A., 1212.

azo- and amido-derivatives of methylketole, 1888, A., 284.

Wagner, Philipp. See also Emil Fischer.

Wagner, Reinhard F., titanium chloride and titanic acid, 1888, A., 557.

Wagner, Richard, compounds of fluor-ides of heavy metals with alkaline fluorides, 1886, A., 670.

- potassium antimony oxalate, 1889, Δ., 489.

Wagner, Richard L., estimation of nitrogen in organic substances by means of alkaline permanganate, 1891, A., 109.

Wahl, Johannes. See Otto Wallach. Wahlberg, Emil, volumetric estimation of chromium in iron and steel, 1890, A., 85.

Waijss, Anton. See Kusimir Gasiorowski.

Waitz, Karl, influence of galvanic polarisation on friction, 1884, A., 139.

Wakeman, Alfred John, solubility of ammonium magnesium phosphate in

alcohol, 1888, A., 1131.

Wakeman, Alfred John, and Horuce
Lemuel Wells, basic lead nitrates,

1887, A., 1080. Wakker, J. H., formation of crystals of calcium oxalate in plant cells, 1888, A., 1126.

Walbaum, Heinrich. See Julius Bertram, Theodor Zincke.

Wald, F., adhesion at the freezingpoint, 1891, A., 969.

- energy-content in chemistry and physics, 1891, A., 1414.

Walden, Paul, comparative value of some proposed tests for nitric acid, 1888, A., 321.

determination of the size of the molecules of salts from the conductivity of their aqueous solutions, 1888, A., 891, 1008.

tetric acid, oxytetric acid, and

their homologues, 1891, A., 1187.

- affinity coefficients of organic acids and their relation to chemical constitution, 1892, A., 266.

Walden, Paul, and Alexander Kernbaum, isomerism in the stilbene group, 1890, A., 1299.

Walden, Paul. See also Carl Adam Bischoff.

Walder, Franc, benzyl derivatives of hydroxylamine, 1886, A., 796; 1887, A., 246, 813.

Walder, Huns Jakob, B-dinaphthol, 1883, A., 208.

αβ-hydroxynaphthabenzoic acid, 1883, A., 666.

colouring matter from anthraquinonedisulphonic acid and sodium mitrite, 1888, A., 961.

Waldie, David, obituary notice of, 1890, T., 456.

Walfisz, Al. See St. Gniewosz.

Walker, Charles. See William Albert Noyes.

Walker, James, method of determining vapour-tensions at low temperatures, 1889, A., 6.

- determination of the affinity of organic bases, 1890, A., 5.

analysis of organic substances containing copper, 1890, A., 296. - solubility and heat of fusion, 1890,

A., 686.

- Walker, James, theory of solution, 1891, A., 788; 1892, A., 264.
- the dissociation constants of organic acids, 1892, T., 696; P., 137.
- preparation of alkyl iodides, 1892, T., 717; P., 137. the methyl salts of camphoric acid,
- 1892, T., 1088; P., 156. See also Walker, James. Thomas
- Carnelley, Alexander Crum Brown. Walker, John Francis, ethereal salts of nitrosophenol, 1884, A., 1003.
- Walker, J. Wallace. See Thomas
- Purdie. Walker, P. H., varvacite, 1888, A., 658.
- genthite, 1888, A., 660. Walker, T. S., clay coloured stools without jaundice, 1890, A., 397.
- Wallace, Daniel L. See Edgar Francis Smith.
- Wallace, Shippen. See Henry Bedinger Cornwall.
- Wallace, William, insensibility arising from a deficiency of oxygen in the air, 1883, A., 819.
- decay of building stones, 1883, A., 1036.
- Wallach, M., carbonates of bivalent alcohols and phenols, 1885,
- Wallach, Otto, action of phosphorus pentachloride on acid amides, 1883, A., 48.
- conversion of tolylenediamine into an amidocresol and y-orcinol, 1883, A., 329.
- m-nitriles, 1883, A., 577.
- new azo- and diazo-compounds, 1883, A., 584; 1887, A., 40.
- oxaline and glyoxalines, 1883, A., 910.
- ethereal oils, 1885, A., 171.
 terpenes and ethereal oils, 1885, A., 550; 1886, A., 70; 1887, A., 595, 965; 1888, A., 60, 1098, 1204; 1889, A., 1072; 1890, A., 1314; 1891, A., 217, 1078, 1086, 1240.
- carbohydrates, 1887, A., 26. preparation of organic fluorides, 1887, A., 130.
- · diazo- and diazoamido-compounds, 1887, A., 137.
- nitrosates, nitrosites, and their derivatives, 1888, A., 37.
- terpenes, 1888, A., 60, 1098; 1891, A., 1078, 1086.
- irisin, 1888, A., 438.
- -molecular refraction as a means of determining the constitution of members of the torpene group, 1888, A., 845.

- Wallach, Otto, amylene nitrosate and its derivatives, 1889, A., 233.
- molecular refraction of camphene, 1889, A., 1069.
- isomerism in the terpene group, 1889, A., 1069.
- pinene, 1890, A., 1315. - so-called massoyene, 1890, A., 1316;
- 1891, A., 935. -displacement of the hydrogen atoms in the methylene group, 1891, A., 189.
- terpenes and camphors, 1891, A., 1078.
- new compounds of the camphor series and a new terpene, 1891, A., 1686.
- derivatives of carvole, 1892, A., 499. — menthylamine, 1892, A., 500.
- camphene and camphoric acid,
- 1892, A., 868, 1481. - constitution of pinene, 1892, Λ., 997.
- camphor and fenchone series, 1892, A., 1236.
- isomerism in the limonene series, 1892, A., 1348.
- Wallach, Otto, and .1braham Berkenheim, tetrahydropinene, 1892, A., 998.
- Wallach, Otto, and Wilhelm Brass, Oleum cinæ, 1885, A., 171. Wallach, Otto, and Eugen Conrady,
- rotatory power of terpene derivatives, 1889, A., 1071.
- Wallach, Otto, and Paul Engels, decomposition of anylene nitrosate with sodium ethoxide, 1891, A., 1005. Wallach, Otto, and Ernst Früstück,

- meister, terpenes and ethereal oils, 1888, A., 1205.
- Wallach, Otto, and Julius Griepenkerl, comparison of bornylamine and fen-
- chylamine, 1892, A., 1288.

 Wallach, Otto, and Fritz Hartmann, fenchole, an isomeride of camphor, 1891, A., 218.

 Wallach, Otto, and Albert Hesse, action
- of chlorine on dihydrochlorodipentene,
- 1892, A., 1350. Wallach, Otto, and Friedr. Heusler, organic fluorine compounds, 1888, A., 362.
- Wallach, Otto, and Ludolf Jenckel, fencholamine, 1892, A., 1240.
 Wallach, Otto, and Alfred Kölliker,
- action of hydrochloric acid on amidoazo-compounds, 1884, A., 1014.

Wallach, Otto, and Friedrich Lehmann, action of phosphorus pentachloride on substituted formamides and on piperidine derivatives, 1887, A., 384.

Wallach, Otto, and Georg Lorentz, pinylamine, 1892, A., 996.

Wallach, Otto, and Alex. Otto, isomeride of camphor, 1890, A., 169.

Wallach, Otto, and Gustav Reinhardt, rubeanic acid, 1891, A., 1008.

Wallach, Otto, and Ernst Schulze, azoand diazo-derivatives of phenylenediamine, 1883, A., 583.

Wallach, Otto, and Johannes Wahl, derivatives of amylene mitrosate, 1891, A., 1004.

Wallach, Otto, and Michael Wüsten, reaction of aromatic amines with

lactic acid, 1883, A., 1096.
Wallach, Otto. See also Paul Engels. Waller, Elwyn, hardness of water, 1890, A., 86.

purification of alcohol, 1890, A., 727.

estimation of lithium in mineral

waters, 1891, A., 1292.
Waller, Elwyn, and Hermann T. Vulté, analysis of chromite, 1892, A., 1525.

Wallroth, K. A., action of microcosmic salt on various oxides, 1883, A., 850. Walter, B., influence of concentration

on fluorescence, 1888, A., 881; 1889, A., 553.

evidence afforded by fluorescence and absorption of the decomposition of molecular-groups in solutions, 1889, A., 554.

- refractive indices of saline solutions, 1890, A., 202, 678.

optical proporties of a-bromo-naphthalene, 1891, A., 776.

Walter, Georg, cyst of Protopterus un-nectens, 1889, A., 793.

- ichthulin, 1891, A., 1389.

oxidation of benzoyltetrahydroquinaldine and nitro-derivatives of the same, 1892, A., 881.

Walter, Johann, preparation of mag-

nesium, 1884, A., 1231.
— use of steam in chemical laboratories, 1885, A., 482.

- apparatus for chemical laboratories, 1885, A., 631, 1035; 1886, A., 301; 1887, A., 105.
— substitution of amidogen by means

of sodamide, 1886, A., 1004.
— acridine, 1886, A., 1033.

Walther, synthesis of fatty acids in the

animal organism, 1891, A., 757. Walther, Frank Otto. See Wi Gilbert Mixter. Sec William Walther, Franz, experiments on the value of various fodders for cows, 1883, A., 820.

Waltz, Gustav, ethylic propyl- and isopropyl-ethenyltricarboxylates, 1883, A., 46.

Wanklyn, James Alfred, employment of limed coal in gas making, 1884, A., 223.

occurrence of free iodine in a mineral water, 1887, A., 221.

specific gravity of lime water, 1887, A., 700.

 Priestley's method of measuring oxygen in air, 1891, A., 362.

 liquid and gaseous mixtures, 1892, A., 935.

Wanklyn, James Alfred, and William John Cooper, hydrogen, 1891, A., 392. - nature of solution, 1891, A.,

1412. Wanklyn, James Alfred, and William Fox, constitution of natural fats, 1884, A., 35.

Wanklyn, James Alfred, and William Johnstone, nature of solution, 1892, 108.

– alde-acids, 1892, A., 696. Wanklyn, James Alfred, WilliamJohnstone, and William John Cooper, change of volume on dissolution, 1892, A., 264.

Wanklyn, James Alfred.
William Fox. See also

Warburg, Emil, electrolysis of solid glass, 1884, A., 1241.

theory of the voltaic cell and of

galvanic polarisation, 1890, A., 314. fall of potential at the cathode in

Geissler's tubes, 1890, A., 1035.

Warburg, Emil, and Joseph Sachs, relation between the density and

viscosity of liquids, 1885, A., 9. Warburg, Emil, and Franz Tegetmeier, electrolytic conductivity of rock salt,

1889, A., 91. Warburg, Otto, biological significance of organic acids, 1886, A., 905.

Ward, John Septibo, estimation of citric and tartaric acids when mixed, 1889, A., 447.

Warden, Churles James Hislop, ash of Pistia Stratiotes or "páná salt," 1883, A., 822.

biological examination of water, 1885, A., 1266.

- cobra poison, 1887, A., 170. - cocataunic acid, 1888, A., 1090.

– Erythroxylon Coca grown in India, 1889, A., 297.

— embelic acid, 1889, A., 408.

Warden, Charles James Histop, rapid method of estimating urea in urine, 1891, A., 133.

 soil containing iron and chromium from the Andaman Islands, East Indies, 1891, A., 958.

- ash of Achryanthes aspera, 1892,

Warder, Robert Bowne, dissociation of brass, 1884, A., 660.

Eyster's scheme for qualitative analysis, 1886, A., 100.

- coefficients of volatility for aqueous hydrochloric acid, 1889, A., 337; 1891, A., 798.

dynamical theory of albuminoid ammonia, 1890, A., 87.

Warington, Robert, nitrification of soils, 1883, A., 115.

on nitrification. Part III., 1884, T., 637. Part IV., 1891, T., 484; P., 92; discussion, P., 94.

- some of the changes which the nitrogenous matters in the soil experience, 1884, A., 490.

action of gypsum in promoting nitrification, 1885, T., 758.

detection of nitrous and nitric

acids, 1885, A., 593.

— behaviour of nitrates in Kjeldahl's method for the determination of

nitrogen, 1885, A., 1261. distribution of the nitrifying organisms in the soil, 1886, P., 267; discussion, P., 267; 1887, T.,

a contribution to the study of well

waters, 1887, T., 500; P., 63.

nature of the nitrogenous organic

matter of soils, 1887, A., 523.

the chemical action of some microorganisms, 1888, T., 727; P., 69; discussion, P., 72.

the amount of nitric acid in the rain water of Rothamsted; notes on the analysis of rain water, 1889, T., 537; P., 102.

Warington, Robert. See also (Sir) John Bennet Lawes.

Warnecke, Hermann, wrightine (conessine), 1886, A., 372.

wrightine (conessine) and oxy-wrightine, 1888, A., 855.

 Bettendorf's arsenic reaction, 1891, *A., 1290.

Warren, Henry Nepeun, ferric chloride as an exciting agent for voltaic batteries, 1887, A., 413. decomposition of ammonium chlor-

ide by an alloy of zinc and iron, 1887, A., 443,

Warren, Henry Nepean, use of electrodissolution in analysis, 1887, A., 531.

- "zinc-eisen," 1887, A., 550. - thallium in platinum, 1887, A., 702.

 preparation of anhydrous metallic chlorides, 1887, A., 702.

- action of nitrogen on certain metals, 1887, A., 702.

- nitrogen fluoride, 1887, A., 770. phosphorised silver, 1887, A., 1079.

volatile hydrocarbons in commercial alcohols, 1887, A., 1088.

method for decomposing arsenical sulphides, 1888, A., 26.

electrolytic method of preparing metallic alloys, 1888, A., 27.

preparation of silicon, 1888, A., 415; 1889, A., 212.

- selenium in meteoric iron, 1888, A., 435.

estimation of selenium, 1888, A., 527.

action of sulphur vapour on copper, 1888, A., 555.

separation of tin from antimony, 1888, A., 632; 1891, A., 366.

- pressure tubes, 1888, A., 646. - fulminates, 1888, A., 1047; 1891, A., 1442.

- solvent action of Rochelle salt on metallic hydroxides, 1888, A., 1131.

- electrical dialysis, 1888, A., 1235. bismuth and lithium in iron and slags, 1888, A., 1256.

- electrolytic method of liquelying gases, 1889, A., 7.

- dissemination of sulphur and phosphorus in masses of metal, 1889, A., 13.

 graphite from various metals, 1889. A., 343.

action of ammonia on metallic

magnesium, 1889, A., 345.
— solution for depositing metallic

cobalt, 1889, A., 348.

— action of silicon on gold, silver, platinum, and mercury, 1889, A., 1125. preparation of the chlorides of

silicon, aluminium, etc., 1890, A., 108. magnesium as a reagent, 1890, A., 195.

crystalline metallic precipitates, 1890, A., 851.

new form of silicon, 1891, A., 799. separation of cadmium and conner. 1891, A., 1138.

saponification of tallow, 1891, A., 1144.

sodium and potassium nitrites, 1891, A., 1321.

Warren, Henry Nepean, reducing action of graphitoidal silicon, 1892, A., 115.

electrolytic preparation of metallic

alloys, 1892, A., 394.

—— aluminium sulphide, 1892, A., 943. —— new silver ore, 1892, A., 1404.

Warren, Thomas Thomas Peter Bruce, detection of adulteration in metallic nickel and other metals by the magnet, 1887, A., 531.

vapour density apparatus, 1887,

A., 695.

metallic manganese, 1887, A., 1081.

new method of examining butter, 1888, A., 199, 538.

 action of sulphur chloride on oils, 1888, A., 538, 633, 1348.

stability of fatty glycerides, 1889,

A. 1130.

--- valuation of coal for use in steam boilers, 1892, A., 668.

Warren, William Homer. See William Burdelle Bentley, Charles Loring Jackson.

Warrington, Arthur Walley. See Victor Meyer.

Wartanian, Wartan, condensation of m-nitrobenzaldehyde with quinaldine, 1891, A., 329.

Warth, Constantin. See Werner Kelbe. Wartha, Vince, estimation of sulphurous acid in wine, 1883, A., 621.

alkaline reaction of glass, 1885, A., 838.

minerals of the serpentine-chlorite group, 1887, A., 783.

Warwick, Arthur IV., assaying load ores by fusion with potassium cyanide, 1891, A., 863, 962.

Washburn, John H., and Bernhard Tollens, came sugar from maize, 1889,

A., 918.

Washington, H.S. See William Francis
Hillebrand.

Wasmund, Richard. See Hermann Maas.

Wasowicz, Vincent. See Paul Ehrhardt Jannasch.

Wassermann, Max. See Joseph Achille Le Bel.

Wassilieff, Michael Th. See Nicolai A. Menshutkin.

Wassilieff, Nikolvi P., influence of calomel on fermentation and the life of micro-organisms, 1883, A., 743.

Wasum, A., influence of sulphur and copper on steel, 1883, A., 404.

Watson, David, specific gravity of commercial copper, 1884, A., 218. Watson, George, dead space in chemical reactions, 1889, A., 335.

____ precipitation, 1890, A., 847; 1891, A., 875.

Watson, John, estimation of sulphur in burnt pyrites, 1889, A., 306.

—— estimation of available soda in commercial caustic soda, 1891, A., 498.

Wattenberg, H. See Ernst Kern.
Watts, Francis, essential oil of lime
leaves (Citrus Limetta), 1886, T., 316;
P., 158.

A., 235.

titration of citric acid, 1887, A, 307.

milk analysis, 1890, A., 929. Way, James Thomas, obituary notice of,

way, James Thomas, oblinary notice of, 1884, T., 629.

Wayss. See Waijss.

Weber, Adolf, calcium chloride, 1883, A., 151.

Weber, Adolf, and Nathan Wolff, perchlorophenol from perchlorobenzene, 1885, A., 519.

Weber, Adolf. See also Alexander Mar tini, Christoph Ris.

Weber, Carl Ludwig, electrical conductivity of amalgams, 1885, A., 211; 1887, A., 757.

electrical conductivity and temperature coefficient of solid mercury, 1885, A., 1028; 1889, A., 557.

A., 1095.

Weber, Everhard, ethereal oils, 1887, A., 596.

Weber, Friedrich Rudolph, octosulphates, 1885, A., 121.

compounds of selenious and arsenious anhydrides with sulphuric anhydride, 1887, A., 212.

influence of the composition of glass on the depression phenomena of thermometers, 1888, A., 641.

— ether levels, 1889, A., 207.
— influence of the composition of the glass of slides and cover-glasses on the durability of microscopic objects, 1892, A., 1276.

Weber, Friedrich Rudolph, and Ewald
 Sauer, composition of glass suitable for chemical utensils, 1892, A., 410, 1052.
 Weber, H. See E. Hintz.

Weber, Johannes, oil of cinnamon, 1892, A., 1509.

Weber, Julius Hugo, pyridinepolycarboxylic acids, 1887, A., 1117.

Weber, Julius Hugo. See also Arthur Rudolf Hantzsch.

Weber, Mar, hydrocyanic acid from animals, 1884, A., 348.

Weber, Oscar, toluic sulphinide ("methylsaccharin"), 1892, A., 1092.

Weber, Rudolf, distribution of ash in trees, 1888, A., 742.

Weber, Rudolf. See also Robert Hartig. Websky, Christian Friedrich Martin, Nogoya meteorite, 1884, A., the

- idunium, a new element, 1884, A.,

- caracolite and percylite, 1888, A., 561.

Webster, Charles Stuart Stanford, the analysis of certain plant fibres, 1883, T., 23.

- trichloropyrogallol, 1884, T., 205. the chlorination of phloroglucol, 1885, T., 423; P., 51.

note on the constitution of mairo-

gallol, 1887, P., 130.

Webster, Charles Stuart Stanford, and Lewis Govartz Hunt, action of halogens on rufigallol, 1889, A., 405.

Wedard, E. M., action of heat on tartaric acid in aqueous solution, 1889, A., 36.

Weddige, Anton, tribasic nitrophenyl o-formate, 1883, A., 340.

 a polymeride of trichloracetonitrile, 1884, A., 35; 1886, A., 323.

derivatives of o-amidobenzamide, 1885, A., 661.

derivatives of acetyl-o-amidobenzamide, 1887, A., 1043.

Weddige, Anton, and Hermann Finger, action of nitrous acid on o amido-

benzamide, 1887, A., 667.
Weddige, Anton, and Moritz Körner, polymeric dichloracetonitriles, 1885,

A., 739. Wedding, Hermann, estimation of phosphorus in iron, 1887, A., 865.

Wedel, Wilhelm, derivatives of ethylic

acetoacetate, 1884, A., 834. Wedemeyer, Konrad. See Carl Arnold. Wedenski, Nicolai E., carbohydrates in normal urine, 1889, A., 293.

Wedensky, Woldemar, constitution of phosphorous acid, 1889, A., 103.

action of ethyl iodide and zinc on the constitution of t

p-aldehyde, 1889, A., 954, 1136. Weed, Walter Harvey, a gold-bearing hot-spring deposit, 1892, A., 24.

Weed, Walter Harvey, and Louis V. Pirsson, sulphur, orpiment, and realgar in the Yellowstone Park, 1892, A., 283.

Weegmann, R., molecular refraction of some bromine derivatives of ethano and ethylene, 1888, A., 999.

Weeren, Jul. M., cause of the slight solubility of chemically pure zinc in acids, 1891, A., 983.

Wege, Hermann, acetoximes, 1892, A., 333.

- deoxybenzoin, 1892, A., 338.

Wege, Hermann. See also Victor Meyer.

Weger, Felix, specific volume of saturated and unsaturated ethereal salts, 1884, A., 8.

Weger, Felir. See also Carl Heinrich Leopold Ritthausen.

Wegerhoff, Paul, intramolecular change of phenanthraquinonemonoxime, 1888, A., 1200.

intramolecular change of the oximes of p-chlorobenzophenone, p-tolyl phenyl ketone, phenanthraquinone, and diphenylene ketone, 1889, A.,

Wegner, Robert, molecular refraction of the halogen salts of lithium, sodium and potassium, 1890, A., 549.

Wegscheider, Rudolf, isovanillin, 1883, A., 190.

- derivatives of opianic acid, 1883.

- isobutylnaphthalene, 1884, A., 1185. – impurities in commercial barium carbonate, 1890, A., 826.

dinaphthyl picrates, 1891, A., 216. - ethyl hydrogen hemipinate, 1891, A., 712.

· methyl salts of abnormal structure. 1892, A., 1208.

Wegscheider, Rudolf. See also (luido Goldschmiedt.

Wehmer, Carl, the carbohydrate character of formose, 1888, A., 40.

- behaviour of formose in contact with vegetable cells deprived of starch. 1888, A., 739.

calcium oxalate in the leaves of Alnus glutinosa, Symphoricarpos racemosus, and Cratagus Oxyacantha. 1890, A., 191.

- formation and physiological significance of oxalic acid in Fungi, 1892, A., 230.

- absence of oxalates in young leaves as in the case of some phanerogamous parasites, 1892, A., 651.

Wehmer, Carl, and Bernhard Tollens, formation of levulinic acid from various substances, 1886, A., 532.

action of boiling acids on

methylenitan, 1888, A., 438.

Wehmer, Carl, and Bernhard Tollens, formation of levulinic acid, a reaction for the detection of carbohydrates, 1888, A., 535.

Wehmer, Julius, preparation of pressed yeast, 1883, A., 692. Wehr, R. See Adolph Claus.

Wehsarg, Karl, iodic anhydride, 1885, A., 346.

Wehsarg, Karl. See also Hans (Freiherr) von Pechmann.

Weibull, Mats, manganese minerals from Vester-Silfberg in Dalarne, 1884, A.,

gothite from Pitkaranta in Finland, 1886, A., 24.

- halotrichite and epsomite from the Falu mine, 1886, A., 25.

- igelstromite from Dalarne, 1886, A., 33.

- minerals of Vester-Silfberg, 1886, A., 33.

--- Swedish minerals, 1886, A., 928. - galenobismuthite from the Falu

mine, 1887, A., 343.

— crystallised compounds of zirconium, 1887, A., 778.

- manganese-apatite: composition of apatite, 1887, A., 781.

— hjelmite, 1889, A., 219.

- fluocerite from Osterby, 1889, A.,

Weichardt, Oscar. See Friedrich Kehrmann,

Weidel, Hugo, reactions of quinoline, 1887, A., 847.

- non-nitrogenous acids derived from pyridinecarboxylic acids, 1891, A., 733, 1525.

Weidel, Hugo, and Max Bamberger, quinoline derivatives, 1888, A., 966.

Weidel, Hugo, and Fritz Blau, pyridine derivatives, 1886, A., 176.

Weidel, Hugo, and thory von Georgievics, phenylquinoline derivatives, 1888, A., 967.

Weidel, Hugo, and G. Gläser, diquinoline derivatives, 1886, A., 919.

Weidel, Hugo, and Kurl Hazura, cin-

chonine, 1883, A., 222. -hydro-compounds of cinchonic acid, 1885, A., 561.

Weidel, Hugo, and Josef Herzig, cinchomeronic acid, 1886, A., 477.

Weidel, Hugo, and B. Pick, compounds from animal tar, 1885, A., 556.

Weidel, Hugo, and M. Russo, researches on pyridine, 1883, A., 483.

Weidel, Hugo, and Hugo Strache, constitution of a-diquinoline, 1886, A., 950.

Weidel, Hugo, and J. Wilhelm, oxidation products of 2':2'-diquinoline, 1887, A., 979.

Weidel, Hugo. See also Ludwig (Ritter) Barth von Barthenau.

Weidmann, *Ulrich*, composition and ripening of Emmenthaler cheese, 1883, A., 692.

Weigelt, Curt Heinrich, preparation of poudrette, 1884, A., 489.

 estimation of wine extract, 1885, A., 602.

Weigert, Leopold, valuation of calcium tartrate, 1884, A., 1434.

influence exerted by salicylic acid on the proportions of glycerol and alcohol formed in wines, 1889. A., 433.

estimation of glycerol in wine, 1889, A., 446.

estimation of salicylic acid, 1889,

A., 446.

Terreil's reaction for testing the colouring matter of wine, 1889, A., 655.

Weigle, Th., presence of chlorine in potassium bromide, 1885, A., 723.

Weil, Albert. See Adolph Claus. Weil, Frédéric, analysis of type-metal, 1884, A., 1429.

- volumetric estimation of sulphur in sulphides, 1886, A., 918.

- valuation of zinc dust, 1887, A., 301. volumetric estimation of sulphides, 1887, A., 618, 998.

- titration of zinc powder, 1887, A., 1000.

Weil, Hugo, diacetoneamine, 1886, A., 528.

amidotrimethylbutyllactic acid, 1886, A., 1009.

Weilandt, M., free phosphoric acid and superphosphate, 1887, A., 995. Wein, E., feeding value of hop foliage,

1886, A., 577. Weinberg, Alexander M., kaolin deposits

of South-west Russin, 1885, A., 879. Weinberg, Arthur, a-naphthalenedisul-

phonic acid, 1888, A., 160. - hydroxydiphenyl bases, 1888, A.,

intermolecular migration in β-

naphthylaminesulphonic acids, 1888, A., 290.

p-amidoalkyl-o-toluidines, 1892, A., 1078.

Weinberg, Arthur. See also Paul Friedländer.

See Siegmund Gabriel. Weiner, Jean. Weingärtner, hydrogen peroxide as a beer preservative, 1884, A., 1447.

Weingärtner, Eduard. See Emilia Nölting.

449 29 Weinland, Carl, guanine in the excrement of spiders, 1889, A., 430.

Weinreb, Carl, cryolite glass, 1885, A, 1019.

Weinreb, Carl, and Simon Bondi, titration of phenol with bromine, 1885, A., 1266.

Weinreb, Carl. See also Eduard Lauber. Weinreich, S., mono- and di-hydroxytoluic acids, 1887, A., 669.

Weinschenk, Ernst, alteration of quartz and tale, 1888, A., 1259.

– mineral synthesis, 1890, A., 709. - meteoric iron from Magura, Arva, Hungary, 1591, A., 27.

Weinschenk, Ernst. See also George Frederick Kunz.

Weinstein, Ludwig, α- and β-hydro-piperic acids, 1885, A., 664.

Weisbach, Julius Albin, mineralogical

notes, 1883, A., 432.

— brucite, 1883, A., 1061.

- herderite, 1884, A., 1102.

— argyrodite, 1886, A., 774. — arnimite, 1888, A., 1259.

Weisberg, J., estimation of sugar in heet,

1889, A., 314. Weise, Bruno. See Siegmund Gabriel. Weise, Julius, p-nitrobenzenylamid-

oxime and p-methyl-o-nitrobenzenylamidoxime, 1890, A., 44.
Weise, Wilhelm G. M., derivatives of

diphenylacetaldehyde, 1889, A., 253. Weiske, Hugo, occurrence of crystals of

ammonium magnesium phosphate in wine, 1883, A., 609.

gelatin, 1884, A., 619.

- water-culture of lupines, 1884, A,

1400; 1885, A., 420.

estimation of nitrogen in milk and urine of Herbivora, 1886, A., 1072.

quantitative separation of albumin

from peptones, 1886, A., 1087.

asparagine as a nourishing constituent of food, 1888, A., 80.

- does cellulose economise the decomposition of proteid in the nutrition of Herbivora' 1888, A., 618.

- influence of acid mineral salts on the composition of bone, 1891, A., 848, 1525.

-influence of various salts on live weight and on the composition of bones and teeth, 1892, A , 647.

Weiske, Huyo, and E. Flechsig, saving effect on albumin of organic acids in vegetable foods, 1890, A., 538.

Weiske, Lugo, Bernhard Schulze, and E. Flechsig, does cellulose economise the decomposition of proteid in the nutrition of Herbivora? 1886, A., 728. Weiske, Hugo (and others), effect of food on sheep of different breads, 1883, A., 226.

– composition and feeding value of Symphytum asperrimum, 1883, A., 613.

- composition and digestibility of serradella at various ages, 1881, A., 206.

- digestibility of certain leguminous straws, 1884, A., 482.

- ensilage, 1881, A., 1409. - digestibility and feeding value

of cotton cake and meal, 1986, A., 272.
—— composition of blood, liver, and flesh under varying conditions,

1887, A., 855.
Weiss, A., fluorescence of the pigments of Fungi, 1887, A., 314. Weiss, B. See Ferd. Simand.

Weiss, Uhristian Ernst, carbonates from the coal measures, 1886, A., 775.

Weiss, F., cheken leaves, 1888, A., 1100

Weiss, G., estimation of iodine, 1886, A., 97.

Weiss, Julius, α- and β-homobetaines, 1890, A., 747.

Weiss, Julius. See also Ernst Albert Schmidt.

Weiss, Ludwig, synthesis of isocin-chomeronic acid, 1886, A., 719.

Weiss, Ludwig. See also Arthur Rudolf Hantzsch.

Weissmann, Gust., estimation of manganese in pig-iron and steel, 1888, A., 992.

Weith, Wilhelm. See Victor Merz.

Weitz, Lambert, the thiophen group, 1884, A., 1130. Weitz, Ludwig. See Carl Arnold August

Michaelis. Welch, John Cuthbert, limonite, 1885,

A., 1116.

— embolite, 1886, A., 988.

- assay of iron pyriles for available sulphur, 1887, A., 180.

- analysis of money, 1889, A., 17. Weld, Fred. C., melting point of certain

alloys, 1891, A., 613. Weld, Fred. C., J. B. Lindsey, Wilhelm Schnelle, and Bernhard Tollens, the so-called 'sulphite liquor' and the rotation of gluconic, galactonic, and rhamnonic acids, 1891, A., 43.

Weld, H. W., analysis of Lockport sand-stone, 1888, A., 925.

Weldon, Wulter, manufacture of sodium sulphide, 1883, A., 627.

— preparation of chlorine from mag-

nesium oxychloride, 1885, A., 1016.

Welleman, Christiaan, the cladin reaction with fatty oils, 1891, A., 870.
Welleman, Christiaan. See also Eduard

Mulder.

Weller, Albert, a higher oxide of titanium, 1883, A., 295.

- detection and estimation of titanium, 1883, A., 381.

- ethylnitraniline, 1883, A., 579. --- phenacylethylanilide, 1883, A., 582.

 occurrence of alkaloid-like bases in paraffin oil, 1887, A., 979.

Weller, Albert. See also George Kerner. Weller, J., xylylphosphorus compounds, 1887, A., 824; 1888, A., 835.

- toluphosphonic acids, 1888, A., 835. Wellington, Charles, and Bernhard Tollens, derivatives of formaldehyde, 1886, A., 330.

aromatic amines, 1886, A., 347.

Wells, Horace Lemuel, basic zinc and cadmium nitrates, 1887, A., 1080.

- bismuthosphærite from Connecti-(ut, 1888, A, 346.

automatic mercury pump, 1891, A., 875.

occurrence of pollucite at Hebron, Maine, 1891, A., 993.

Wells, Horace Lemuel, and Samuel Leuris Penfield, gerhardite and artificial basic copper sulphates, 1886, A., 315.

- sperrylite, 1889, A., 471. salts of caesium containing three atoms of halogen to one of metal, 1892, A., 773.

Wells, Horace Lemnel. See also Educard Salisbury Dana, Alfred John Wakeman.

Wells, James S. C., estimation of phosphoric acid in fertilisers, 1885, T., 185; P., 20; discussion, P., 21.

separation of copper and cadminm, 1892, A., 534.

analysis of tin ores, 1892, A., 540. Welmans, Paul, detection of vegetable oils in lard, 1892, A., 1133.

Welmans, Peter. See Paul Friedländer. Welsbach. See Auer von Welsbach.

Welsh, William. See Hans (Freiherr) von Pechmann.

Welter, Adolph, action of hypochlorous acid on bromoquinolines, 1891, A., 1248.

See also Adolph Welter, Adolph. Claus.

Weltner, Albert, action of chloro- and bromo-acetone, acetophenone bromide, and phenyllromacetic acid on ethyl acetoacetate, 1884, A., 746.

Weltner, Albert, action of phenylbromacetic acid on ethyl acetate, 1885, A.,

Weltner, Leo. See Carl Graebe.

Welzel, A. See Wetzel. Welzel, Otto. See Adolph Claus.

Wende, Hermann, cresolcarboxylic acid, 1887, A., 45.

trimethylanthragallol, 1887, A., 593.

Wender, Neumann, influence of inactive substances on the rotatory power of very dilute solutions of grape sugar,

1891, A., 1178. Wender, Verio, ε-dinitrophenol, 1890, A., 751.

- conversion of ethyl acrylate into β-alanine, 1890, A., 862.

- trisubstituted derivatives of benzene, 1890, A., 884.

Wender, Vezio. See also Wilhelm Körner.

Wense, Wilhelm, compounds of guanidine and diketones, 1886, A., 556.

Wense, Wilhelm. See also Samuel

Kleemann, Carl Theodor Liebermann. Wenukoff, Paul N., sphærolite-tachylite from the Ussuri district, 1890, A., 461. - eutaxitic glasses of the liparites, 1891, A., 649.

 Wenz, J., intestinal digestion of albumin, 1886, A., 376.
 Wenzell, William Theodore, preparation of phosphoric acid by the conditions. oxidation of phosphorus with air in

presence of moisture, 1883, A., 1050. Wenzing, Max, methylindoles, 1887, A., 957.

Wenzlick, Carl. See Adolph Claus.
Weppen and Lüders, detection pyridine bases, 1888, A., 1136.
Werenskield, F. H. See V. Direks.

Werigo, Br., Harnack's ash-free albumin, 1891, A., 1268.

οf presence pentamethylenediamine in pancreas extracts, 1892, A., 1368.

influence of oxygen in the separation of carbonic anhydride in the lungs, 1892, A., 1369.

Wernadski, M7adimir I., phosphorites from the Government of Smolensk, 1890, A., 1071.

production of sillimanite; constitution of porcelain, 1890, A., 1074.

Wernecke, Max, reactions of cafferne and cafferdine, 1888, A., 68.

Wernecke, Max. See also Ernst Albert Schmidt.

Werner, A., detection of sugar in urine, 1890, A., 427.

Werner, Alfred, a second benzoinoxime, 1890, A., 1264.

stereochemically isomeric · two derivatives of furfuraldoxime, 1890, A., 1266.

 stereoisomeric derivatives of benzhydroxamic acid, 1892, A., 461.

— — basic calcium nitrate, 1892, A., 1276. Werner, Alfred.
Rudolf Hantzsch. See also Arthur

Werner, Emil A., detection and estimation of thallium in presence of lead, 1886, A., 490.

- researches on chrom-organic acids. Part I. 1887, T., 383; P., 2; discussion, P., 3.

--- oxidation of oxalic acid by potassium dichromate, 1887, P., 142; 1888,

– researches on chrom-organic acids. Part II. Chromoxalates; red series, 1888, T., 404; P., 33.

- benzylammonium succinates and their derivatives, 1889, T., 627; P., 127.

 interaction of benzyl chloride and allyl bromide respectively with thiocarbamide, phenylthiocarbamide, and diphenylthiocarbamide, 1890, T., 283; P., 33.

action of acetic anhydride on substituted thiocarbamides, and on an improved method of preparing aromatic thiocarbimides, 1891, T., 396; P., 80.

interaction of phenylthiocarbimide with acctic and propionic acids

respectively, 1891, T., 544; P., 85. – chemistry of the thionreas, 1892, P., 96.

Werner, Eugène II., bromophenols, 1884, A., 900.

- bromoxytribromophenol, 1885, A.,

-- aromatic bromo-substitution compounds, 1886, A., 1015.

Werner, Eugène II'. See also Petr P. Alexeeff, Marcellin Berthelot, Henri Gal.

Werner, Hermann, the thiocyanate reaction for iron, 1883, A., 510.

- purification of chloroform, 1888, A., 570.

Werner, Hugo, feeding sheep with raw sugar, 1886, A., 569.

Werner, Hugo. See also Albert Stutzer.

Werner, Paul. See Emilio Nölting Werner, W. S. See Adolph Claus.

Wernicke, Aug., refining sugar and molasses by means of concentrated acetic acid, 1884, A., 790,

Wershoven, F. J., electrical conductivity of solutions of cadmium salts, 1890, A., 1203.

Werth, Joun. See Floris Osmond.

Emile, and Edouard Wertheimer, Meyer, oxyhæmoglobin in the bile: spectroscopic characters of bile, 1889, A., 636.

Werther Moritz, formation of lactic acid in muscles, 1891, A., 348.

Werveke, Leopold van, ottrelith rocks of Ottré and Viel-Salm, 1885, A., 961.

Weselsky, Philipp, and Rudolf Benedikt, resorcinol dyes, 1885, A., 526.

Wesendonck, Karl, spectra of carbon compounds, 1883, A., 761.

- spectra of silicon fluoride and hydride, 1884, A., 649.

- diathermancy of asculin, 1885, A., 213.

fluorescence of naphthalene-red, 1886, A., 585.

Wesener, M. See Franz Josef König. Wessel, R., carbodimides of the aromatic series and phenylhydrazine, 1888, A., 1083.

West, Samuel Hatch, acetonuria and diabetic coma, 1890, A., 399.

Westberg, Alexander, toxic action and detection of carbon bisulphide, 1892, A., 1520.

Westenberger, Bernhard,isonitrosocompounds, 1884, A., 581.

Westenberger, Bernhard. See also Frederic P. Treadwell.

Westenhoff, John Hermann. See Thomas Herbert Norton.

Westermaier, Max, structme functions of the epidermic system of plants, 1884, A., 1066.

osmotic functions of parenchyma, 1884, A., 1103.

physiological signification tannin in vegetable tissues, 1888, A.,

Westmoreland, James William, estimation and valuation of copper in ores, etc., 1857, A., 80.

- estimation of sulphur in pyrites, 1888, A., 85.

copper assays, 1888, A., 1343. Wetzel, A., detection of carbonicoxide-hæmoglobin, 1890, A., 432, 1200.

Weyer, Heinrich. See Richard Anschütz.

Weyl, Theodor, influence of chemical agents on the assimilative capacity of green plants, 1883, A., 611.

nitrates in urine, 1885, A., 413.

- Weyl, Theodor, chemical studies on the torpedo, 1887, A., 1128.
- saffron substitutes, 1888, A., 184. poisonous properties of dinitiocresol, 1888, A., 520.

--- silk, 1888, A., 857.

- action of artificial dyes on the animal organism, 1888, A., 1122.
- -- creolin, 1889, A., 389. — physiological action of antharobin and chrysarobin, 1889, A., 539.
- Weyl, Theodor. See also Johannes
- Frenzel. Wheeler, H. A., artificial lead silicate from Bonne Terre, Montana, 1887,
- A., 109. – plattuerite from Idaho, 1890, A., 339.
- ferro-goslarite, a new variety of zinc sulphate, 1891, A., 992.
- Wheeler, H. A., and Charles Luedeking, new blowpipe reagent, 1885, A., 596.
- Wheeler, H. A. See also Churles
- Luedeking. Wheeler, Henry Lord. See William Jumes Comstock.
- Wheeler, Homer J., and Bernhard Tollens, xylose and wood gum, 1889, A., 847.
- Wheeler, Homer J. See also Bernhard Tollens.
- White, John. See Harmon Northrup Morse. White, John Tsawon, volumetric esti-
- mation of sulphuric and phosphoric acids, 1888, A., 751.
- volumetric estimation of bromine, 1888, A., 1130.
- volumetric estimation of potassium and sodium, 1888, A., 1130.
- volumetric estimation of chlorine, 1889, A., 302.

 — ash of the indige stem, 1889, A.,
- estimation of tea tannin, 1889, A., 1092.
- White, T. P., action of tin on the
- animal organism, 1886, A., 1058. White, William Hale, treatment of chlorosis by hydrochloric acid, 1892, A., 1117.
- Whitehead, Cubell, use of cadmium in assaying gold, 1892, A., 919.
- estimation of small quantities of silver and gold in base metals, mattes,
- etc., 1892, A., 1525. Whitehouse, Henry H. See Russell H. Chittenden.
- Whiteley, Richard Lloyd, chemical formula for wool keratine, 1886, P., 142,

- Whiteley, Ruchard Lloyd, and J. T. Wood, Lowenthal's method of tannin analysis, 1892, A., 667.
- Whitfield, James Edward, indirect estimation of chlorine, bromine, and iodine, 1887, A., 525.
- natural horates and borosilicates, 1888, A., 347.
- the Rockwood meteorite, 1888, A.,
- new meteorite from Mexico, 1890,
- Whitfield, James Edward. Joseph Si'as Diller, Frank Austin Gooch.
- Whiting, James, process for phosphorising bronze or brass, 1884, A., 936.
- Wiborgh, Johan Gustaf, colorimetric estimation of sulphur in 1ron, 1886, A., 743.
- volumetric estimation of carbon in iion, 1890, A., 924.
- Wichelhaus, Karl Hermann, dye from dimethylaniline and chloranil, 1883,
- A , 1098. crystalline bases of methyl-violet, 1884, A., 595; 1885, A., 895.
- bases of methyl-violet and magenta, 1886, A., 362.
- diamidobenzophenone, 1889, A., 781.
- methylnaphthalenes, 1892, A.,
- Wichmann, Georg. See Ludwiy Gattermann, Albrecht Schmidt.
- corundum in graphite, 1886, A., 23. Wichmann, Wickel, E., crystallography of some organic compounds, 1886, A., 234.
- Widman, Oskar, α- and ι-dichloro-naphthalenes, 1883, A., 208.
- synthesis of indole from cuminol, 1883, A., 329.
- a new group of organic bases, 1884, A., 302.
- nitrohydroxypropylbenzoic acid and its derivatives, 1884, A., 316.
- action of nitrous acid on amidohydroxypropylbenzoic acid amidopropenylbenzoic acid, 1881, A.,
- action of ethyl chloroformate on amidohydroxypropylbenzoic 1884, A., 1022.
- argentammonium phosphate, 1885, A., 18.
- nitrocumenylacrylic acids and their derivatives, 1885, A., 55.
- the propyl group in the cumyl and cymene series, 1886, A., 453.

Widman, Oskur, intramolecular changes in the propyl group, 1886, A., 161; 1887, A., 132; 1892, A., 43.

o-derivatives of cumenylacrylic

acid, 1886, A., 464.

— oxidation product of o-nitro-cumenylacrylic acid, 1886, A., 466. – m-nitrocumenylacrylic acid, 1886,

- the propyl group in thymol, 1886, A., 470.

- constitution of glycoluril, 1887,

reciprocal transform itions cumenc-derivatives, cymene- and 1887, A., 133.

- acetopropylbenzene. acetocumene, and their derivatives, 1888, A., 1085. - nomenclature of compounds con-

taining nitrogenous nuclei, 1889, A.,

56; 1892, A., 875. p-carboxyhydrocinnamic

1889, A., 1181. - constitution of cumenylpropionic acid, 1889, A., 1182; 1891, A., 69.

- isomeric change in the propyl

group, 1889, A., 1185.

- change of propyl into isopropyl in the cumene series, 1891, A., 45.

the constitution of cymens, 1891,

A., 686, 897.

—— ethylpropylbenzene, 1891, Λ., 688.

– thaumasite, wollastonite, chabazite, and vesuvian, 1892, A., 1407.

Widman, Oskar, and Joh. Adolph Bladin, oxidation of cymene; so-called nitrocymene, 1886, A., 541.

Widman, Oskur. See also Per Wilhelm Abenius, Henrik Gustav Söderbaum. Widmer, J., estimation of carbon in

graphite, 1890, A., 923. Wiechert, Emil, electrical conductivity of serpentine, 1886, A., 113.

Wiechmann, Ferdinand G., red sediment formed in a raffinose solution, 1891, A., 813.

estimation of mixtures saccharose, fruit-sugar, and dextrose or levulose, 1892, A., 248.

Wiedeburg, Otto, hydro-diffusion, 1891, A., 383.

Wiedemann, Ernst Eilhard Gustar, dissociation of the water molecule and the electrical luminosity of gases, 1883, A., 547.

- thermochemical researches, 1883, A. 704.

molecular refraction, 1883, A., 762. -- constitution of hydrated salts, 1883, A., 780.

Wiedemann, Ernst Eilhard tlustar, change of volume of metals and alloys on molting, 1881, A., 7.

- relations between coefficients of fiction and galvanic conduction,

1884, A., 139.

- spark spectra emitted by metallic elements under varying conditions, 1884, A., 801.

- hypothesis of the dissociation of salts in very dilute solutions, 1888, A., 1021.

- optical notes, 1891, A., 139.

Wiedemann, Ernst Eithurd Gustav, and Charles Luedeking, thermal phenomena of colloids, 1885, A., 1031.

Wiedemann, J. Sec R. Serda.

Wiedemann, Max, contributions to the constitution of brazilin, 1881, A.,

Wiederhold, B., levonic acid, 1885, A.,

Wiegand, Eugen, estimation of titanic acid in presence of iron, 1883, A.,

Wiegand, Eugen. See also Fedor F. Beilstein,

Wiegmann, Dictrich. See Zdenko Hanns Skraup.

Wieland, Joh., alkalimetric indicators, 1883, A., 1167.

- electrolytic estimations, 1881, A., 1426; 1885, A., 412.

Wieler, A., effect of variations in the quantity of oxygen on the growth of plants, 1884, A., 625.

Wien, Willy, transparency of metals, 1888, A., 1230.

Wiens, Arnold, specific volume of some ethereal salts of the oxalic acid series, 1890, A., 102.

Wiernik, Joachim, action of carbon bisulphide on dimethylaniline in presence of mascent hydrogen, 1889, A., 130.

Wiernik, Jouchim. See also Karl Heumann, Georg Lunge.

Wierss, F. See Oscar Georg Jacobsen. Wiesinger, Friedrich, action of ferric chloride on o-phenylenediamine, 1884, A., 1322.

Wiesner, manyl potassium chromate, 1883, A., 425.

Wiesner, Julius, action of rain, dew, and watering on plants, 1884, A.,

- withering of flowers and leaves, 1884. A., 918.

- the gum ferment, 1885, A., 1241. - examination of different forms of carbon, 1892, A., 1273.

- Wietersheim (and others), loss of sugar in beet-roots when stored, 1885, A., 102.
- Wigand, P. See Bernhard Tollens.
- Wiggert, F. See Morits Adolf con Reis.
- Wiik, Fredrik Johan, relation between the optical properties and chemical composition of pyroxene and amphibole, 1883, A., 560; 1884, A., 971.

 the so-called ersbyite from Pargas,

1883, A., 561.

- emerald from Paavo in Finland, 1883, A., 561.
- clæolite-syenite from Jwaara, 1884, Λ., 413.
- triclinic potash soda felspar, 1884, Λ., 970.
- ijsman, Hendrik Paulus, junior, diastase considered as a mixture of Wijsman, maltase and dextrinase, 1890, A.,
- Wiklund, C. L., phosphoric acid in soil and its estimation, 1892, A., 750.
- Wilber, Francis A., gas receiver for absorption analyses, 1888, A., 320.
- Wilber, Francis A. See also Peter Town and Austen.
- Wilcock, Edgar, obituary notice of, 1883, T., 255.
- Wild, Eugen. See Emilio Nölting.
- Wilde, P. dc, and Albert Reychler, conversion of oleic acid into stearic acid, 1889, A., 1140.
- Wildermann, Mejer, boiling-points of substances are a function of their chemical nature, 1890, A., 941, 1361.
- velocity of the halogenisation of fatty hydrocarbons, 1891, A., 115.
- method for determining the constitution of saturated and unsaturated halogen derivatives and hydrocarbons, 1892, A., 285.
- exchange of chlorine, bromine, and iodine between inorganic and organic haloid compounds, 1892, A., 574.
- Wildermann, Mejer, and Semjon Aisinmann, velocity of the reaction between alcoholic potash and alkyl haloids, 1892, A., 399.
- Wildermann, Mejer. See also Uurl Hell.
- Wildt, Eujen, manuring experiments in Posen in 1882, 1884, A., 361.
- removal of the bitter principle from lupines, 1885, A., 184.
- Wildt, Eugen, and Anton Scheibe, estimation of nitric acid, 1884, A., 871.
- Wiley, Harvey Washington, estimation of dextrose, maltose, and dextrin in starch sugar, 1883, A., 123.

- Wiley, Harry Washington, maple sugar, 1885, A., 199.——estimations of lactose in milks by
- optical methods, 1885, A., 601.
- m vple sugar industry in the United States, 1886, A., 289.
- estimation of acetic acid, 1886, A.,
- –koumiss, 1886, A., 782.
- -determination of molecular weights of substances from the boiling-points of their solutions, 1890, A., 101.
- analyses of the seed of Unlycanthus
- glaucus, 1890, A., 403.
 composition of Sorghum seed, 1891, Λ., 210.
- pine tree honey dew and pine tree
- honey, 1891, A., 412.

 laid and its adulterations, 1891, A., 1560.
- Wiley, Harvey Washington, and Frank Vincent Broadbent, estimation of water in glucose, honey, etc., 1886, Λ , 282.
- Wiley, Harrey Washington, and Walter Maxwell, organic acids in the Sorghum cane, 1890, A., 819.
- Wiley, Walter Brown. See Will am 11hert Noyes.
- Wilfarth, H., modification of Kjeldahl's method of estimating nitrogen, 1885, A., 837.
- assimilation of nitrogen by plants, 1888, A., 979.
- estimation of nitric acid, 1888, A., 1336.
- Wilfarth, H. See also Hermann Hellriegel.
- Wilhelm, Friedrich. See Ernst Albert Schmidt.
- Wilhelm, Clustavus Frederick, ratio of flesh to stone in stone fruit, 1884, Λ., 477.
- germinative power of seeds after exclusion of air and drying at high temperatures, 1886, A., 171.
- Wilhelm, J. See Hugo Weidel.
- Wilkens, F., and H. Back, o-chlorobenzoic acid and its derivatives, 1884, A., 602.
- Wilkes, J. F., decomposition of potas sium cyanide, 1885, A., 495.
- Wilkinson, Ernest, occurrence of native mercury in Louisiana, 1885, A., 876.
- Wilkowski, August, theory of galvanic circuits, 1883, A., 948.
- Will, Huns, estimation of grape sugar in urine, 1888, A., 535.
- -volumetric estimation of boric acid, 1888, A., 628.*

Will, Hermann, effect of steeping and drying on the germination of seeds, 1883, A., 490.

Will, (Carl) Wilhelm, asculetiu, 1881,

A., 67.

- naringin, 1885, A., 906; 1887, A., 497.
- a constituent of the root of Peconia Moutan, 1886, A., 906.
- -sugars from hesperidin and natingin, 1887, A., 715.
- trimethoxybenzenes, and the constitution of asarone, 1888, A., 457.
- atropine and hyoseyamine, 1888, A., 855.
- constitution of the compound obtained by acting on trimethylpyrogallol with nitric acid, 1888, A., Ĭ089.
- hydroxypyruvic acid, a product of the decomposition of cellulose, 1891, A., 542.
- osazone of hydroxypyruvic acid,
- 1892, A., 356.
 Will, Wilhelm, and Karl Albrecht,
 diabase from Weilburg, 1883, A.,
- phloroglucinol and their relation to daphnetin and esculetin, 1884, A., 1335.
- Will, Wilhelm, and Paul Beck, derivatives of unibelliferone, 1886, A., 880. Will, Wilhelm, and Georg Bredig, con-

version of hyoscyamine into atropine, 1888, A., 1316.

- estimation of the molecular weights of dissolved substances, 1889,

Λ., 820. Will, Wilhelm, and Otto Jung, daphne-

tin, 1884, A., 1042.

Will, Wilhelm, and Hermann Leymann, the colouring matter of cochi-

neal, 1886, A., 252.
Will, Wilhelm, and Karl Peters, de-

dulcitol), 1889, A., 952.
Will, Wilhelm, and Johannes Pinnow, meteorite from Carcote, Chili, 1890, A., 462.

Will, Wilhelm, and Wilhelm Pukall, resorcinol derivatives, 1887, A., 660.

ill, Wilhelm. See also Martin

Will, Wilhelm. Freund, Carl Indivig Reimer, Ferdinand Tiemann.

Will, Wm. Watson, apparatus for continual percolation with liquids, 1885, A., 631.

Willard, J. T., improved form of gas apparatus, 1888, A., 750.

- Willard, J. T., and G. H. Failyer, extraction apparatus, 1892, A., 910.
- Willard, X. A. (and others), cheese from skim-milk and foreign fat, 1881, A., 536.
- Willoox, Charles Percy. See William Gilbert Mixter.
- Wille, Johan Nordal Fischer, gases contained in the bladders of Fucus usiculosus and Oxothellia nodosa, 1890, A., 916.
- Willgerodt, (Heinrich) Conrad (Christoph), conversion of acctonechloroform into hydroxyisobutyric acid, 1883, A., 177.
- bye-products in the preparation of acctonechloroform, 1883, A., 177.
- acetonechloroform, 1883, 1079.
- p-nitrophenyl mercaptan and pnitrophenyl disulphide, 1885, A., 519. a-dinitrophenyl thiobenzoate and the ethers of dinitrophenyl mercap-

tan, 1885, A., 519. application of various substances as halogen carriers, 1885, A., 1031; 1887, A., 130, 326.

trinitrobenzenesulphonic 1885, A., 1232.

- tetrachlorothiophen tetrachloride, 1886, A., 339.
- aromatic iodochlorides, 1886, A., 341.
- benzene containing thiophen, 1886, A., 692.
- estimation of chlorine, bromine, iodine, cyanogen, ferrocyanogen, and ferricyanogen by Field's method, 1886, A., 833.
- the halogen carriers in the natural groups of the elements, 1887, A., 806. halogen benzene haloids: a-trichlorobenzene hexachloride, 1887, A., 806.

acids from acctonechloroform, 1887, A., 1030.

action of yellow ammonium sulphide on ketones and quinones, 1887, A., 1015.

conversion of ketones and aldehydes into acids and acid-amides by means of yellow ammonium sulphide, 1888, A., 476.

iodation of the phenols by nitrogen iodide, 1888, A., 910.

- hydrazines, 1888, A., 949.

s-nitrophenylhydrazines of the aromatic series, 1890, A., 40.

- arrangement of the atoms in space in compounds containing nitrogen 1890, A. 576.

Willgerodt, (Heinrich) Conrad (Christoph), stereochemistry of nitrogen compounds, 1890, A., 951.

geometrically isomeric nitrogen compounds, 1890, A., 1089.

- reduction of nitro-azo-compounds by alcoholic ammonium sulphide, 1890, A., 1116.

azohydrazine and polyazo-compounds, 1890, A., 1118.

preparation of nitroso-compounds,

1891, A., 688. s-trinitrosophenyl-p-bromazobenz-

ene, 1891, A., 905. - o-chlorophenylhydrazine, 1891, Λ .,

first reduction products of the nitro-group, 1892, A., 594.

- m-dinitrobenzene, 1892, A., 704. — dinitrosoazobenzene, 1892, Λ., 1079.

 constitution of nitrosoazo-compounds, 1892, A., 1321, 1453.

Willgerodt, Conrad, and Imand Bohm, picrylchlorophenylhydrazine and related compounds, 1891, A., 905.

Willgerodt, Conrad, and Felix Dürr, tertiary trichlorobutyl chloride and ether, 1887, A., 570.

derivatives of solid acetonechloroform, 1889, A., 689.

Willgerodt, Conrad, and Ludwig Ellon, nitrohalogenhydrazo- and halogenazo-compounds, 1891, A., 1361.

Willgerodt, Conrad, and Max Ferko. preparation of mononitroanisoils and mononitrophentoils by Kolbe's method, 1886, A., 345.

· phenylhydrazines, 1888, A., 829.

Willgerodt, Conrad, and Adolf Genieser, accionechloroform, 1888, A.,

Willgerodt, Conrad, and Bernhard Hermann, v-p-dinitrophenylphonylhydrazine; dinitroso- and nitronitrosoazobenzene, 1889, A., 1160.

- derivatives of o-p-dinitrophenylphenylhydrazine, 1890, A.,

1259.

Willgerodt, Conrad, and Ernst Huetlin, p- and o-nitrophenyl ethers of dinitrophenol and of pieric acid, 1884, A., 1328.

Willgerodt, Conrad, and Arthur Kornblum, iodation of phenols in ammoniacal solution, 1889, A., 697.

Willgerodt, Conrad, and Paul Mohr, as-m-dinitrobenzenesulphonic 1885, A., 665.

· o-p-dinitrobenzenesulphonic acid, 1886, A., 1030.

Willgerodt, Conrad, and Ed. Georg Mühe, derivatives of phenylhydrazine, 1892, A., 453.

Willgerodt, Conrad, and Albert Muller, acetonechloroform, acetonebromoform, and acetoneiodoform, 1885, A., 648.

Willgerodt, Conrad, and Heinrich Salzmann, halogen derivatives of toluene and of benzoic acid, 1889, A., 985.

Willgerodt, Conrad, and Sally Schiff, acetonechloroform: chloroisobutyric chloride : ethylacetonechloroform, 1890, A., 959.

Willgerodt, Conrad, and Friedrich Schulz, picryl-a- and B-naphthylhydrazines, and a-dinitrophenyl-a- and β-naphthylhydrazines, 1891, A., 571.

Willgerodt, Conrad, and Reinhold Wolfien, chlorobromo-p-xylenes and their

derivatives, 1889, A., 965.

Williams, Charles Hanson Greville, liquid hydrocarbons from compressed petroleum-gas, 1884, A., 879.

trimethylamine and pyrioline from coal-gas, 1885, A., 369.

- occlusion of hydrogen by zinc dust, 1885, A., 634.

source of hydrogen occluded by zinc dust, 1886, A., 15.

- action of zinc dust on zinc hydroxide, 1886, A., 204.

- cerium quinoline nitrate, 1889, A., 281.

Williams, Charles Theodore, influence of culture fluids and reagents on the growth of Bacillus tuberculosis, 1885, A., 578.

Williams, Dawson. See Sidney Harris Car Martin.

Williams, George H., the eruptive rocks near Tryberg in the Black Forest, 1883, A., 723.

-paramorphosis of pyroxene to hornblende in rocks, 1885, A., 492.

- amphibole-anthophyllite from Baltimore, 1886, A., 128.

· hornblende from St. Lawrence, New York, 1886, A., 128; 1890, A., 1073.

– cleavage in American sphene, 1886, A., 317.

peridotes near Peckskill, New York, 1886, A., 432.

- serpentine from Syracuse, New York, 1888, A., 120.

- pyroxene from New York, 1888, Λ., 351.

- celestine from Mineral Co., West Virginia, 1890, A., 1071. – crystals of metallic cadmium, 1892,

A., 1398.

Williams, George H., and William Merriam Burton, crystalline form of metallic zinc, 1889, A., 755.

Williams, Henry Jules. See Lewis Mills Norton

Williams, J. Francis, manganopectolite, 1891, A., 407.

 eudialyte and eucolite from Magnet Cove, Arkansas, 1891, A., 529.

Williams, J. Francis. See also Richard N. Brackett.

Williams, John, preparation of aconitine, 1887, A., 1125.

Williams, John, and Miles H. Smith, preparation of anyl nitrite, 1886, A., 327.

Williams, (Miss) Katherine J., the composition of cooked vegetables, 1891, P., 174; discussion, P., 175; 1892, T., 226.

Williams, (Miss) Katherine J., and William Ramsay, estimation of free oxygen in water, 1886, T., 751; P., 223.

- supposed existence of an allotropic modification of nitrogen, 1886, P. 223.

Williams, illiams, Rowland, testing aniline hydrochloride, 1885, A., 446.

estimation of alumina and free sulphuric acid in alum cake and sulphate of alumina, 1888, P., 84.

estimation of sodium hydroxide in soda ash, 1888, A., 89.

analysis of alum cakes, 1888, A.,

estimation of morphine in opium, 1888, A., 635.

estimation of copper by the iodide process, 1889, A., 309.

iodine absorptions, combining weights and melting-points of some futty acids, 1889, A., 318.

- adulteration of lard with cottonseed oil, 1889, A , 320.

- examination of certain gums and

resins, 1889, A., 322.

estimation of citric acid in lemon juice, 1890, A., 88.

- reactions of essential oils, 1890, A., 199.

- examination of commercial carbolic acid and of disinfectant powders made therefrom, 1890, A., 300.

 Maumené's test for essential oils, 1890, A., 884.

- estimation of resin in soap, 1891,

- estimation of fatty matter in Turkey-red oil, 1891, A., 1560.

Williams, Walter Collingwood, reactions supposed to yield nitroxyl or nitryl chloride, 1886, T., 222; P., 155.

Williams, William John, treatment of 'Redonda' phosphate, 1885, A., 1018. Williams, William Lloyd. See Wynd-

hum Rowland Dunstan.

Williamson R. T. See John Berry Haycraft.

Williamson, Sidney. See Henry Edward Armstrong, Eugen Bamberger.

Williamson, W., hopeine, 1886, A., 721. Willm, Edmond, preparation of cyanides and ferrocvanides from trimethylamine, 1884, A., 1276.

waters of Bagnères de Luchon,

1886, A., 997.

 sulphuretted waters of Olette, 1887, A., 710.

chalybeate waters containing free sulphuric acid, 1891, A., 1110.

Willson, Robert Wheeler. See Benjamin Osgood Peirce.

Wilm, Theodor, magnetic property of platinum ore, 1883, A., 859.

preliminary notice on a substance obtained from native platinum, 1883, A., 954.

- chemistry of the platinum metals, 1883, A., 1057.

a new rhodium salt, 1881, A., 660; 1885, A., 355.

- analysis of native platinum, 1886, A., 181.

alkali platinocyanides, 1886, A., 604

halogen additive compounds of potassium platinocyanide, 1886, A., 605.

– potassium platinocyanide,1888,A., 931.

- derivatives of potassium platimocyanide, 1889, A., 951.

-antimony pentasulphide, 1891, A., 1432.

- lecture experiment, 1892, A., 563. — palladious oxide, 1892, A., 572.

Wilm, V. von, estimation of fat in palmnut meal, 1885, A., 290, 1161.

Wilsing, H., volumetric estimation of sulphuric acid, 1887, A., 181.

Wilsing, Heinrich, amount of volatile acid in the excrement of ruminants, 1886, A., 87.

Wilsing, Heinrich. See also Friedrich Carl Adolf Stohmann.
Wilsmore, U. T. M. See David Orme

Masson

Wilson, David, composition, nutritive value, and produce of the permanent grasses, 1886, A., 906; 1889, A., 1077. comparative yield and composition

of turnips grown with different manures, 1886, A., 913.

Wilson, J. Arthur, estimation of free caustic alkali in soap, 1889, A., 448.
— cotton-seed oil and beef-fat in lard,

1889, A., 659.

— free alkali of soap, 1889, A., 1037. - estimation of cane sugar in soap, 1891, A., 1558.

estimation of combined alkali in

soap, 1892, A., 384.

- separation of resin from fatty acids, 1892, A., 546.

- action of alkaline mercuric cyanide

on maltose, dextrose, and dextrin, 1892, A., 1032. Wilson, J. Arthur. See also Joshua

Knowles. Wilson, Jo. Millar, standardising iodine

solutions for the estimation of sulphur in steel, etc., 1892, A., 382.
Wilson, John Henry, test for nitrous

compounds in sulphuric acid, 1890, A., 922.

Wilson, W. II. See Francis Robert Japp.

Wilson, IV. P., elimination of carbonic anhydride by plants in absence of oxygen, 1883, A., 105.

Wimmer, Hermann. See Bernhard Fischer.

Windisch, IV., estimation of lactic acid, 1888, A., 199.

- detection of aldehyde, 1888, A., 1316.

Wing, Henry Hiram. See Isaac Phillips Roberts.

Wing, John F. See Charles Loring Jackson, Arthur Michael.

Wingard, Fr. Curl von, chondrodite and humites, 1886, A., 29.

Winkelhofer, preparation of manure from iron furnace slag, 1881, A , 212. Winkelmann, Adolf August, diffusion

of gases and vapours, 1885, A., 10. - diffusion of homologous ethercal

salts, 1885, A., 10.

 time of existence of thiosulphuric acid in aqueous solution, 1885, A.,

 diffusion of fatty alcohols and acids, 1886, A, 11.

- lecture experiment on gaseous diffusion, 1886, A., 591.

- relation of the conductive capacity of gases to temperature, 1887, A., 5.

anomalous dispersion produced by glowing vapours, 1888, A., 207.

— influence of temperature on eva-

poration and on the diffusion of vapours, 1889, A., 461.

— composition of the vapour of mixed

liquids, 1890, A , 554.

Winkelmann, ∠1clo August. See also Friedrich Nies.

Winkler, Clemens 11/crander, recovery of ammonia from the gases of coke ovens, 1884, A., 1441.

change of arsenious oxide from the amorphous to the crystalline condition, 1885, A., 871.

· germanium, 1886, P., 161, 197; A., 421, 985; 1887, A., 1081.

- apparatus for the reduction of gas volumes, 1886, A., 96.

- new arrangement of the volumetric

system, 1886, A., 96. - preparation of chlorine from bleach-

ing powder, 1887, A., 442; 1889, A., 821.

- preparation of hydrogen sulphide fice from arsenic, 1888, A., 220.

- fire-damp, 1888, A., 663.

- estimation of the percentage of lead in tin-lead alloys by taking the specific gravity, 1889, A., 309.

draught arrangement for water baths, 1889, A., 437.

- atomic weight of nickel and cobalt, 1889, A., 759.

- technical gas analysis, 1889, A, 924.

- reduction of oxygen compounds by magnesium, 1890, A., 331, 451, 693, 1372; 1891, A., 801, 1155.

Winkler, Lawling Wilhelm, estimation of oxygen dissolved in water, 1889, A., 79.

solubility of oxygen in water, 1889,

Δ., 936.

 solubility of gases in water, 1891, A., 384; 1892, A., 271. - absorption of gases by liquids, 1892,

Λ., 556.

Winogradsky, Scryel, the nitrifying organism, 1890, A., 1180.

- formation and oxidation of nitrites in soils, 1891, A. 1515.

Winssinger, Camille, a new fractioning apparatus, 1884, A., 364.

propane derivatives, 1888, A., 243.

- colloidal state of sulphides, 1888, A., 911.

Winssinger, Camille. See also Walthère Spring. Winston, William Bamford.

ncy Monckton Copeman. Winter, Heinrich, levulose, 1888, A.,

438. Winter, Heinrich. See also Alexander

Herzfeld. Winter, J., urobilin in the bile, 1890,

Δ., 187.

Winternitz, Hugo, proteid in normal mine, 1891, A., 1130.

— alkalimetry of the blood, 1891, A., 1398.

— colour reactions of the proteid precipitate produced by potassium ferrocyanide, 1892, A., 1036.

putrefaction of milk, 1892, A, 1116.

Winterstein, Ernst, vegetable amyloid, 1892, A., 803.

Winther, Idolf, process for preparing ordinol, 1883, A., 893.

Winzer, Hugo, ethyl camphorylmalonate, 1890, A., 1150.

Wipprecht, Walter, absorption of ammonia by clay, 1887, A., 1136.

Wirtz, Karl, determination of the heat of vaporisation by means of the steam calorimeter, 1890, Λ ., 1040.

Wirtz, Quirin. See Richard Anschütz.
Wisbar, H., distillation of the potassium hydrogen salts of some acids of the oxalic series, 1891, A., 1011.

—— decomposition of glutaric acid and succinic acid by sunlight in presence of an uranium salt, 1891, A., 1013.

Wischin, R., m-xylenedisulphonic acid, 1891, A., 73.

Wislicenus, *Hans*, apparatus for distillation under reduced pressure, 1891, A., 146.

Wislicenus, Johannes, methyl β-butyl ketone and its derivatives, 1883, A., 966.

 reduction of phthalic anhydride by zmc and glacial acetic acid, 1885, A., 57.

neactions of dichlorether, 1885, A., 366.

—— chloro-derivatives of crotonic acid, 1887, A., 655.

 arrangement in space of the atoms of the molecules of carbon compounds, 1888, A., 35.

ethyl sodiomalonate, 1888, A., 149.

- the position of atoms in space, 1888, A., 405; 1889, A., 576.

---- fumaric and maleic acids, 1888, A., 1058.

Wislicenus, Johannes, and A. Blank, arrangements of the atoms in space: members of the stilbene group, 1889, A., 261.

Wislicenus, Johannes, and Heinr. Reinhardt, action of dichlorether on phenol, 1888, A., 373.

Wislicenus, Johannes, and Max Siegfried, action of dichlorether on the dihydroxybenzenes, 1888, A., 374. Wislicenus, Johannes, and Georg Zwanziger, action of dichlorether on naphthol, 1888, A., 376.

Wislicenus, Johannes, Emil Teisler, and Hermann Langbein, geometrical constitution of the crotonic acids, 1889, A., 236.

Wislicenus, Wilhelm, action of potassium cyanide on phthalide, 1885, A., 532.

action of potassium cyanide on lactones, 1886, A., 879.

action of phenylhydrazine on lactones, 1887, A., 489.

—— combination of lactones with ethereal salts, 1887, A., 952.

---- cthereal salts of aldehydo-acids, 1888, A., 129.

—— synthesis of ketonic acids, 1888, A., 1178.

— action of ethyl isobutyrate and of other ethereal salts on ethyl oxalate, 1888, A., 1193.

phthalate, 1888, A., 1193.

action of ethyl exalate on lactones, 1888, A., 1194.

— ethyl oxallevulinate, 1888, A., 1273.

ethyl oxalosuscinate, 1889, A., 767.
 action of bromine on ethyl oxalacetate, 1890, A., 133.

—— ethyl benzamido-oxalacetate and benzamidopyruvic acid, 1891, A., 922.

---- reduction of ethyl oxalacetate, 1892, A., 147.

—— \$\beta\$-methylmalic acid, 1892, A., 589, 963.

inactive ethyl malate, 1892, A., 1431.

Wislicenus, Wilhelm, and Educard Arnold, ethyl methyloxalacetate, 1888, A., 361.

Wislicenus, Wilhelm, and Arthur Kötzle, diketohydrindene, 1889, A., 1067.

Wislierus, Wilhelm, and Wilhelm Sattler, combination of ethyl oxalate with anilides, 1891, A., 902.

Wislicenus, Withelm, and Max Scheidt, ethyl ethoxyoxalacetate, 1891, A., 545. Wislicenus, Wilhelm, and Max Scheidt, combination of phenylhydrazine with ethyl oxalacetate, 1892, A., 49.
— action of phenylhydrazine on

ethyl ethoxyoxalacetate, 1892, A., 458.

Wislicenus, Wilhelm, and Karl Spiro, action of aniline on ethyl oxalacotate and ethyl methyloxalacetate, 1890, A., 378.

Wispek, Paul, derivatives of mesitylene,

1883, A., 1095.
Wispek, Paul, and Rudolf Zuber, action of allyl chloride on benzene in presence of aluminium chloride, 1883, A., 977.

-formation of n-propylbenzene,

1885, A., 972.

Wispek, Paul. See also Bronislan

Radziszewski.

Wissokowitsch, production of lactic acid during artificial circulation of blood through the liver, 1888, A.,860.

Witt, Constant in. See Adolph Claus. Witt, Otto Nikolaus, indulines, 1884, A., 743.

- indophenols, 1884, A., 743.

nitroso-derivatives of aromatic

amines, 1885, A., 782. - new series of dyes, 1885, A., 945. - tannin method of fixing colours on

cotton, 1885, A., 1024.

- the eurhodines, a new class of colouring matters, 1886, T., 391; P., 187; A., 473.

 preparation of azo-derivatives, 1886, A., 145.

α-naphthylaminesulisomeric phonic acids, 1886, A., 364, 554.

- dyes obtainable from the tannins and their derivatives, 1886, A., 403.

– filtering apparatus, 1886, A., 592. · separation of xylidines, 1886, A., 699.

constitution of naphthionic acid and Congo-red, 1886, A., 889.

dinitronaphthylamine, 1886, A., 947.

qualitative tests for the dyes found

in commerce, 1887, A., 91. eurhodines and Laurent's naph-

thase, 1887, A., 153.

action of ethyl acetoacetate on aromatic diamines, 1887, A., 247.

constitution of the saffranines, 1887, A., 250.

new method of preparing azines, 1887, A., 590.

- constitution of isomeric tolunaphthazines, 1887, A., 591.
— azonium bases, 1887, A., 729;

1891, A., 1108.

Witt, Otto Nikolaus, induline of azophenine, 1887, A., 821.

· manufacture of a-maphthylamine, 1887, A., 1048.

- azophenine, 1888, A., 54.

- homologues of aniline, 1888, A., 138.

- derivatives of α-naphthol, 1888, A., 486.

eurhodines and saffranines, 1888, A., 491.

– naphthalene derivatives, 1888, A., 492.

eurhodines, 1888, A., 1186.

reduction products of the azo-dyes of the naphthalene series, 1889, A., 270. constitution of \(\beta\)-naphthol-\(\alpha\)-sul-

phonic acid, 1889, A., 275. - cyanamines, a new group of dyes

1890, A., 1307.

B-naphthaquinonesulphonic acids, 1892, A, 196.

derivatives of p-nitro-o-chloroben-

zyl bromide, 1892, A., 444.

— sulphonic acids of amido-α-naphthol and α-naphthaquinone, 1892, A., 722.

Witt, Otto Nikolaus, and Herbert Kaufmann, a-naphthol-a-sulphonic acid,

1892, A., 194.

Witt, Otto Nikolaus, and Christoph Schmidt, products of the reduction of alkylated azo-colours of the naphthalone series, 1892, A., 862. - azonium bases, 1892, A., 1246.

Witt, Otto Nikolaus, and Edward G. P. Thomas, researches on the induline

group, 1883, T., 112.

Witt, Otto Nikolaus, Emilio Nölting, and Sylvestre Forel, preparation and pro-perties of p-xylidine, 1889, A., 603. Witt, (Hto Nikolaus, Emilio Nölting, and

Eugène Grandmougin, indazole derivatives, 1891, A., 312.

Witt, Otto Nikolaus. See also Philipp Brunner, Carl Theodor Liebermann, Emilio Nolting.

Witte, Friedrich Carl. See Siegmund Levy.

Wittenberg, Max, azophenylacetic acid, 1885, A., 661.

Wittenberg, Max, and Victor Meyer, benzil, 1883, A., 803.

Witter, Hugo. See Eduard Buchner.

Wittich, Otto, triphenylmethyltoluidines, 1884, A., 1032.
Wittich, Otto. See also Karl Elbs.
Witting, F., Chilian boronatrocalcite,

1885, A., 846. Wittjen, B., and H. Precht, blue rocksalt, 1883, A., 1051.

Wittkampf, L., action of ammonia on the ethers of nitionaphthol, 1884, A., 1036.

Wittmack, Charles 1 See Otto Fischer. Wittmack, Marc Carl Ludewig, detection of adulteration of rye meal with flour, 1883, A., 392.

Witz, Aimé, combustion of explosive gases in various states of dilution,

1884, A., 1247.

- calorific power of coal gas, 1885,

- combustion of mixtures of coal gas

and air, 1885, A., 857.

- influence of a magnetic field on the electrical resistance of gases, 1890, A, 1359.

Witz, Georges, sulphurous anhydride in

the air of towns, 1885, A., 953. Witz, Georges, and Floris Osmond, detection and estimation of vanadium with oxycellulose, 1886, A, 923.

Wladesco. See Vladesco.

Wladimiroff, Alexander, osmotic experiments on living bacteria, 1891, A., 1131.

Wleugel, Severin, and S. Henrichsen, magnetism of organic bodies, 1884, A., 1243.

Wletigel, Screrin. See also Paul Friedländer, A. Schillinger,

Wöhler, Friedrich, obituary notice of, 1883, T., 258.

Wöhrle, Ernst. See Carl Engler.

Wohl, Alfred, compounds of hexamethyleneamine with alkyl iodides, 1886, A., 863.

- thioformaldehyde derivatives, 1887, A., 27.

— amidoacetals, 1888, A., 413.

- behaviour of catechol with Fehling's solution, 1888, A., 994.

- reduction of a solution of methylviolet by invert sugar, 1888, A., 995. carbohydrates, 1890, A., 1085.

- glucosoxime and levulosoxime, 1891,

A., 813. Wohl, Alfred, and Wilhelm Marckwald, condensation products of amido-

acetal, 1889, A., 624, 866. Wohlbrück, (Fraulein) Olgu, action of sodium on the ethyl salts of the higher fatty acids, 1887, A., 1099.

Wohlbrück, (Fraulcin) Olga. See also Arthur Rudolf Hantzsch.

Wohmann, Michael, diazo-compounds of the thiazole series, 1891, A., 225.

Woitschach, Georg, the granite hills of Konigshain in Oberlausitz, with special regard to the minerals therein, 1883, A., 446.

Wolde, W., rice and earth-nut-meal as food for milch cows, 1883, A., 820. Wolf, Hans. See Martin Freund.

Wolf, J, estimation of calcium salts in syrup and sugar products, 1892, A., 1377.

Wolf, Max. See Philipp Lenard.

Wolfbauer, Johann F., chemical composition of the water of the Danube above Vienna in 1878, 1884, A, 122.

- irrigation by means of Danube water, 1884, A., 635.

Wolfbauer, Johann F. See also Franz Xavier R. (Freiherr) von Höhnel.

Wolfenden, Richard Norris, poison, 1886, A., 1057.

Wolfenden, Richard Norris. Sidney Harris Coa Martin.

Wolfes, Ludwig, investigation of ciude acetone, 1891, A., 819.

Wolff, Carl Heinrich, detection of rosaniline hydrochloride in wine by means of stearin, 1883, A., 384.

- examination of molasses for dextrinsyrup, 1883, A , 624.

valuation of indigo, 1884, A., 507.

- detection of blood in unine, 1888, A., 880.

electrolytic detection of mercury,

1889, A , 441. Wolff, Emil Theodor non, and C. Kreuzhage, behaviour of various plants towards nitrogenous manures, 1888,

Wolff, Emrl Theodor von (and others), digestibility of potatoes and carrots with hay and oats by the horse, 1885,

digestibility of lucerne and clover lay by the horse and sheep, 1885, A., 410.

- digestibility of clover and meadow hay by the horse and sheep, 1885, A., 411.

foddering of horses and the circulation of mineral matter in the

horse, 1888, A., 735. Wolff, Emil Theodor von. C. Kreuzhage.

Wolff, H., basaltic rocks of Hessen, 1891, A., 1440.

Wolff, Heinrich, phenylallenylamidoxime derivatives, 1886, A., 798; 1890, A., 41.

Wolff, John Eliot, nepheline rocks of the United States, 1885, A., 230.

Wolff, Ludwiy, 8-lactone of n-caproic acid, 1883, A., 455.

- bismuth salicylate, 1884, A., 905 - derivatives of levulinic acid, 1885, A., 1123.

Wolff, Ludwiy, B-bromovaleric acid, 1887, A., 464.

– dimethylindole, 1888, A., 371.

--- acetalamine and diacetylamine, 1888, A., 809.

— indole derivatives, 1889, A., 259. glyoxylpropionic acid and its derivatives, 1891, A., 416.

- hydroxylevulinic acid and acetyl-

acrylic acid, 1891, A., 1185. Wolff, Ludwig, and Paul F. Gans, furazancarboxylic acid, 1891, A., 896.

Wolff, Nathan. See Adolf Weber. Wolff, Nic., use of air saturated with bromine in the precipitation of man-

ganese, 1884, A., 640.

Wolffenstein, Richard, action of phosphorus pentachloride on a-hydroxy-naphthoic acid, 1887, A., 963; 1888, A., 714.

constitution of α-hydroxynaphthoic

acid, 1889, A, 615.

oxidation of piperidine with hydrogen peroxide, 1892, A., 1484.

Wolffenstein, Richard. See also Adolf Pinner.

Wolfien, Reinhold. See Conrad Willgerodt.

Wolfmann, Julius, estimation of tartaric acid, 1891, A., 129.

Wolfrum, L. See Josef Plöchl.

Wolkoff, Alesci A., dehydration of monhydric alcohols, 1890, A., 354. Wolkoff, Alesci A., and Bugaieff,

decomposition of butylene and amylene hydrates by heat, 1886, A, 137.

Wolkow, Michael, and Eugen Baumann, alcaptonuria, 1891, A., 1128.
Woll, Fritz Wilhelm August, butter

analysis, 1887, A., 309.
— decomposition of organic ammoniacal compounds in ensilage, 1889, A., 1030.

loss of nitrogen in acid fodders, 1890, A., 1339.

Wollemann, 1., the Badenweiler ore deposit, 1889, A., 27.

Wollheim, J., chlorophyll, 1888, A., 723. Wollner, Robert, the so-called rubeanhydric acid, 1884, A., 1109.

hydroxy-base of cyanmethine, 1884, A., 1292.

Wollner, Robert. See also Adolph Claus.

Wollny, Martin Ewald, effect on the fertility of the soil produced by covering it with farmyard manure, 1883, A., 287.

- influence of the state of aggregation on the temperature of, and moisture in a soil, 1883, A., 500.

Wollny, Martin Eweld, influence of climate and weather on the amount of carbonic anhydride in air, 1883, A., 614.

 influence of artificial manures on the physical properties of soil, 1884, A., 210.

- effect of artificial influences on the internal causes of growth, 1834, A.,

- influence of a crop or covering on the physical properties of a soil, 1884, A., 922; 1888, A., 1222.

- manuring with crude ammonium

superphosphate, 1884, A., 926.

effect of depth of sowing on the germination and growth of plants, 1884, A., 1404.

- protective influence of growing plants on the undergrowth, 1885, A., 77.

- influence of the soil and its cultivation on the temperature and moisture of the air, 1885, A., 81.

- micro-organisms in the soil, 1885, A., 426, 683.

influence of the position of the "set" on the potato crop, 1885, A., 586.

 absorptive and evaporative powers of various litters, 1885, A., 1008.

- influence of different systems of applying manures, 1885, A., 1156. carbonic anhydride in the atmosphere, 1886, A., 594.

- influence of the physical properties of a soil on the amount of free carbonic anhydride present, 1887, A., 521.

decomposition of organic matter in soils, 1887, A., 523.

 effects of atmospheric deposits on plants and soil, 1888, A., 316. percentage of carbonic anhydride

in the air of soils, 1889, A., 1030. Wollny, Rudolf, analytical operations

and apparatus, 1885, A., 591, 835. the Reichert-Meissl process for the estimation of butter-fat, 1888, A., 200. estimation of fatty acids from

butter, 1889, A., 1037. Wolpe, hydroxybutyric acid in diabetic

urine, 1887, A., 857.

Wood, Charles Henry, and Edward Louis Barret, notes on cinchona alkaloids, 1883, A., 1018.

Wood, E. Fred., modified molybdate method for estimating phosphorus in steel, 1886, A., 280.

Wood, Horatio C., and John Marshall, elimination of urea in fever, 1891 A, 1530.

Wood, Julian, and J. L. Borden, action of ammonia on the halogen salts of lead, 1885, A., 1114. Wood, J. T. See

See Richarl Lloyd

Whiteley.

Woodhead, G. Sims. See Robert Irvine. **Woodruff**, T., preparation of alom, 1890, A., 170.

Woods, Charles Duyton. See Wirbur Olin Atwater.

Wooldridge, Leonard Charles, the origin of the fibrin ferment, 1885, A., 571. - fibrin ferment in blood, 1885, A.,

- intravascular clotting, 1886, A., 821. new constituent of blood serum, 1887, A., 983.

changes effected by digestion on fibrinogen and fibrin, 1888, A., 618.
— coagulation of the blood, 1888, A.,

619; 1889, A., 288, 1076.

Woolley, Edmund James. See Wyndham Rowland Dunstan.

Woringer, Leo, camphanic acid, 1885, A., 668.

Worm-Müller, Jacob, estimation of sugar in urine, 1883, A., 829.

- estimation of dextrose in urine by the polarimeter, 1885, A., 702.

Worm-Müller, Jacob, and Jacob G. Otto. Schwarz's process for preparing pure grape-sugar, 1883, A., 565.

Worm-Müller, Jacob (and others), testing grape-sugar and some reactions of sugars, 1884, A., 778.

Worms, Rudolf, constitution of nitro-naphthols, 1883, A., 69.

Wortmann, Julius, diastatic ferment of

bacteria, 1883, A., 930. - influence of radiant heat on the

growing parts of plants, 1884, A., 626. presence and function of diastase

in plants, 1891, A., 856.

Woussen, estimation of potassium by reduction of the platinochloride with sodium formate, 1888, A., 89.

Woy, E. F. R., massoy bark oil, 1890, A., 638.

-massoyene, 1891, A., 461.

Wrampelmeyer, Eduard, the existence of avenine, 1889, A., 1223.

— estimation of fat in linseed cake,

1889, A., 1251.

Wrampelmeyer, Eduard. See also Ludwig Gattermann.

Wreszinski, Hugo. See Otto Fischer. Wright, Almroth Edward, intravascu-

lar coagulation, 1891, A., 953. - tissue fibrinogens, 1891, A., 1524; 1892, A., 646.

- plasma and serum, 1892, A., 1113.

Wright, Almroth Edward. Ricelolph Eduard Külz.

Wright, Charles Romley Alder, manufacture of cuprammonium and zincammonium compounds and their technical application, 1884, A., 1232.

Wright, Charles Romley Alder, and Charles Thompson, chemical affinity in terms of electromotive force, 1884, A., 246; 1885, A., 325, 721.

- estimation of resin in soaps.

1886, P., 175.

- new class of voltaic combinations in which oxidisable metals are replaced by alterable solutions, 1887, T., 672; P., 81; discussion, P., 85.

- development of voltaic clectricity by atmospheric oxidation, 1887, A., 1008; 1889, A., 90.

- aeration currents, 1888, A., 639.

---- two-fluid cells, 1889, A., 89.

– ternary alloys, 1890, A., 336 ; 1891, A., 267, 1158.

– air batteries, 1890, A., 841. Wright, Charles Romley Alder, Charles Thompson, and John Temple Leon, ternary alloys: method of graphic

representation, 1891, A., 1158.
Wright, Lewis Thompson, some notes on hydrated ferric oxide and its behaviour with hydrogen sulphide, 1883, T., 156.

- on the estimation of hydrogen sulphide and carbonic anhydride in coalgas, 1883, T., 267.

- colloidal copper sulphide, 1883, A., 1054.

-- on the influence of the temperature of distillation on the composition of coal-gas, 1881, T., 99.

 the illuminating power of methane, 1885, T., 200; P., 21; discussion, P.,

analysis of gas coal, 1887, A., 84. Wright, William T., and Thomas Burton, analysis of Woodall spa, 1884,

T., 168. Wrightson, John, and John May Herbert Munro, manurial value of basic

steel slag, 1887, A., 176. Wrightson, Thomas. See William

Chandler Roberts-Austen. Wroblewski, Eduard A., decomposition of diazo-compounds by alcohol, 1885. A., 257.

- c-xylidines, 1886, Λ ., 145.

Wroblewski, Siegismund A. von, absorption of gases by liquids under high pressures, 1883, A., 418.

Wroblewski, Nieyismund A. von, specific gravity of liquid oxygen, 1884, A., 14, 388.

critical temperature and pressure

of liquid oxygen, 1884, A., 148.

— ebullition of liquid oxygen and solidification of nitrogen, 1884, A., 553.

boiling-points of oxygen, air, nitrogen, and carbonic oxide under atmospheric pressure, 1884, A., 817.

- liquefaction of hydrogen, 1884, A.,

- properties of liquid methane and its use as a refrigerator, 1884, A.,
- production of low temperatures by means of liquid oxygen, nitrogen, etc., 1885, A., 715.

phenomena which accompany the evaporation of the permanent gases in

a vacuum, 1885, A., 861.

- electrical resistance of copper at very low temperatures: insulating properties of liquid oxygen and nitrogen, 1885, A., 1099.
- liquid atmospheric air, 1886, A.,8. - density of liquefied air and its constituents: atomic volume of oxygen, 1886, A., 661.

pressure curves of fluids at their 1 critical points, 1886, A., 964.

- -- representation of the connection between the gaseous and liquid states of matter Ly isopyknics, 1887, A., 432.
- compressibility of hydrogen, 1889, A., 563.
- Wroblewski, Sicgismund A. ron, and Karl Olszewski, liquefaction of nitrogen and of carbonic oxide, 1883, A., 781, 952.

Wülfing, 1., separation of the toluidines, 1886, A., 1021.

- separation of o- and p-toluidines,

1887, A., 576.

- Willing, Ernst Inton, mica from the Rheinwaldhorn, Graubainden, 1886, A., 991.
- nepheline-syenite from the Trans-
- vaal, 1888, A., 925.
 formula of tournaline, 1889, A., 765.
- kryokonite, 1891, A., 408.
- the pyroxene family, 1892, A., 1408.
- Wüllner, Friedrich Hugo Anton Adolph. See Karl Richard Koch.
- Würstl, Julius, constitution of the cinchona alkaloids: quinidine, 1889, . A., 626.

Würstl, Julius. See also Zdenko Hanns Skraup.

Würthner, Emil. See Eugen Lellmann. Würtz, Otto. See Adolph Claus.

- Wist, Albert, and Wilhelm Julius Otto Leopold Kirchner, Oberbock-struck's milk refrigerator, 1885, A., 1022.
- Wüsten, Michael. See Otto Wallach. Wukoloff, Semen P., solubility of gases, 1889, A., 670.

solubility of carbonic anhydride in chloroform, 1889, A., 1110.

Wulf, H., petrography of South-west Africa, 1890, A., 221. Wulff, Ludwiy, do crystals grow only

by juxtaposition of new molecules? 1886, A., 9.
Wulz, Faul. See Eugen Bamberger.

Wunderlich, Aemilius, carbaminecyanamide, 1886, A., 435.

Wurm, Alois, benzenylazoximemethenylcarboxylic acid and its derivatives, 1890, Λ ., 258.

Wurster, Cusimir, active oxygen in the atmosphere, 1887, A., 211.

- formation of active oxygen in paper, 1887, A., 211.

 reagents for active oxygen, 1887, A., 295.

 Griess' reaction for nitrous acid, 1887, A., 298.

- behaviour of hydrogen peroxide towards albumin, 1887, A., 607.

- oxidation in the animal body, 1887, A., 610.

 quantitative estimation of wood in paper, 1887, A., 620.

action of oxidising agents on albumin, 1887, A., 683.

- behaviour of sodium nitrite towards albumin and hemoglobin, 1887, A. 683. oxidation by means of hydrogen peroxide, 1888, A., 43.

formation of dyes by means of hydrogen peroxide, 1888, A., 141.

- estimation of active oxygen, 1888 A., 627.

active oxygen in living tissues, 1888, A., 863.

- estimation of ammonia in urine, 1888, A., 991.

formation of nitrous acid and nitric acid in saliva from formaldehyde and ammonia, 1889, A., 1228.

- naphthylamine as a reagent for hydrogen peroxide in presence of sodium chloride, 1889, A., 1242.

 use of ammonium acetate in detecting nitrites by Griess' reaction, 1889, A., 1245.

30

Wurtz, Charles Adolphe, quaternary base derived from hydroxylamine, 1883, A., 923.

- 8-butyl glycol, 1884, A., 169.

- hydration of crotonaldchyde, 1884, A., 420.

action of heat on aldol and p-aldol, 1884, A., 579.

- electrical conductivity of salme solution, 1884, A., 882.

Wurtz, Charles Adolphe, and Arthur Henninger, action of ethyl chlorocarbonate on potassium cyanate, 1885, A., 968.

Wurtz, Robert, volatile bases in the blood and breath, 1888, A., 616.

— toxic action of bases produced by

alcoholic fermentation, 1888, A, 622. Wyborn, John Middleton, ptomaines and

their genesis in relation to Panum's sepsin, 1889, A., 421.

Wyndham, Stunley. See Adolph Claus. Wynne, William Palmer, note on the constitution of Nevile and Winthen's o-toluidinesulphonic acid, and of the sulphonic acids of o-chloro- and obromo-toluene, 1892, T., 1036; P.,

the action of sulphuryl chloride on aceto-o-toluidide and aceto-p-toluidide; mono-, di-, and tri-chlorotoluenesulphonic acids, 1892, T., 1042; P., 139.

Vynne, William Palmer. Sec also Henry Edward Armstrong, Francis Robert Japp.

Wyruboff (Wyrouboff), Gregoire N. crossed dispersion of several thombic substances, 1884. A, 381.

- dispersion of sodium chromat,

1885, A , 211.

- sodium potassium racemate, 1886, Λ., 445.

sodium ammonium and sodium potassium racemates, 1886, A., 533. - dimorphism of hydrogen potassium

sulphate, 1886, A., 665. - optical phenomena of lead dithion-

ate, 1886, A., 958.

cerium hydrogen sulphate, 1890, A., 452.

Wyss, Georg Heinrich von, determination of the rotatory dispersion of an active substance, 1888, A., 542.

Y.

Yardley, H. B., Kjeldahl's method for the estimation of nitrogen, 1886, A.,

- alumina in superphosphate, 1886, A., 288.

Yeates, William Smith, pseudomorphs of native copper after azurite, 1890, A., 453.

Yeo, Genuld Francis, stability of oxyhæmoglobin, 1890, A., 1012.

oshida, *Hikorokuro*, chemistry of lacquer (nrushi), Part I., 1883, T., 472. - constituents of camphor oil, 1885, T., 779.

- aluminium in the ashes of flowering plants, 1887, T., 748.

Yoshii, T. See Oscar Kellner.

Young, A. V. E., thermochemical analysis of the reaction between alum and potassium hydroxide, 1886, A.,

Young, George, condensation of the three isomeric methylhydrocinnamic acids to the corresponding methylhydiindones, 1892 A., 1221.

Young, George. See also Robert Irvine. Young, Jumes, obituary notice of, 1884, T., 630.

Young, John, pectolite from Kilsyth, 1887, A, 645.

Young, John William. See Thomas Edward Thorpe.

Young, Robert Arthur, retiform tissue, 1892, A., 1113.

Young, Sydney, on α-ethylvalerolactone, a-ethyl-8-methylvalerolactone, on a remarkable decomposition of B-ethylacetosuccinic ether, 1883, T., 172.

--- hepta- and octo-lactones, 1883, A.,

peculiar decomposition of the ethereal salts of substituted acetoacetic acids, 1883, A., 456.

 tost for gallic acid, 1881, A., 119. - delicate thermometer for lecture purposes, 1888, A., 410.

the vapour-pressure of quinoline, 1889, T., 483; P. 101.

- on the vapour-pressures and specific volumes of similar compounds of elements in relation to the position of those elements in the periodic table, 1889, T., 486; P., 103.

- a new method of determining the specific volumes of liquids and of their saturated vapours, 1890, P., 157; 1891,

T., 37.

the molecular volumes of the saturated vapours of benzene and of its halogen derivatives, 1890, P., 177; 1891, T., 125.

 dibenzyl ketone, 1891, T., 621; P., 119.

 on the vapour-pressures of dibenzyl ketone, 1891, T., 626; P., 119.

Young, Sydney, the vapour-pressures of mercury, 1891, T., 629; P., 120.

- on the vapour-pressures and molecular volumes of acetic acid, 1891, T., 903; P., 124.

on the vapour-pressures and molecular volumes of carbon tetrachloride and stannic chloride, 1891, T., 911; P., 124.

 relation between the boiling-points, molecular volumes, and chemical characters of liquids, 1891, A., 379.

Young, Sydney. See also William Ramsay

Young, William Charles, the logwood test for alum in bread, 1887, A., 1143. - aluminium as a natural constituent of wheat flour, 1888, A., 624.

- estimation of aluminium in bread, etc.; solubility of aluminium phosphate in acetic acid, 1891, A., 114.

- volatile organic matter in potable water: method of estimating dissolved fixed and volatile organic matt r in water, 1892, A., 921.

Younger, William, estimation of the total acidity in flue gases from vitriol chambers, 1888, A., 193.

- estimation of chlorine and hydrogen chloride in gases, 1890, A., 412.

Yvon, Paul, alteration of mercurous iodide by exposure to light, 1886, A., 17. - volumetric estimation of lead in

presence of tin, 1889, Λ ., 549. reagents for α - and β -naphthol,

1890, A., 927.
Yvon, Paul, and Antoine Berlioz, mean composition of normal urine, 1888, A., 1320.

Z.

Zazijer, Hendrik Gerrik de, andromedotoxin, 1887, A., 497; 1889, A., 278.

Zabudsky, (Irigorius A., new method of estimating carbon in steel, 1884,

A., 1427.

"hydrate of carbon" from castiron, 1885, A., 42.

Zacharewicz, Ed., urine of cows and sheep, 1884, A., 1204.
Zacharewicz, Ed. See also A. Audoy-

naud. Zacharias, Eduard, albumin, nuclein,

and plastin, 1884, A., 90. - contents of the cribriform vessels

of Cucurbita Pepo, 1884, A., 1067. Zacharias, Emil, action of ammonia on derivatives of the ethyl and methyl salts of o-amidobenzoic acid, 1891, A., 912.

Zaertling, Rudolf, derivatives of nitro-B-naphthaquinone, 1890, A., 509.

Zahn, G. H., electrical resistance of bismuth, 1891, A., 515.

Záhoř, Heinrich, densimetric estimation of albumin in urine, 1888, A., 1227. Záhoř, Heinrich. See also Curl Hugo

Huppert.

Zakrzewski, Ignaz. See Julian Schramm. Zaleski, Stanislaus Szcz von, new reaction of carbonic oxide hæmoglobin, 1885, A., 825.

presence of iron in the liver, 1886,

A., 1054.

- excretion of iron from the animal organism, 1888, A., 977.

· macro- and micro-chemical iron reactions, 1890, A., 296.

Zalocostas, Pierre, constitution of spongin, 1888, A., 1318.

Zaloziecki, Romun, estimation of paraffin, 1888, A., 759.

 estimation of ferrocyanides, 1891, A., 247.

- estimation of ferrocyanides in gas refuse, 1891, A., 367.

- constitution of the oxygen compounds in petroleum, 1891, A., 999. - Glauber's salt in the potash mines

of Kalusz, 1892, A., 1286.

- pyridine-like bases in petroleum,

1892, A., 1357. Zambelli, *Luigi*, colorimetric estimation of nitrites in water, 1887, A., 533. Zambelli, Lwigi, and E. Luzzato, separ-

ation of arsenic from antimony, 1887, A., 78.

Zande, Kurcl Hendrik Marinus van der, diisopropylamine, 1889, A., 953. - as-dialkylcarbamides, 1889, A., 962.

Zander, Albert, specific volumes of allyl and propyl compounds, 1883, A., 13.

specific volumes of normal fatty

acids and alcohols, 1884, A., 1278. See also Wilhelm Zander, Albert.

Clemens Lossen. Zanetti, Carlo Umberto, thiosuccinic anhydride, 1889, A., 960.

-derivatives of alkylpyrrolines, 1890,

A., 65. - action of ethyl and propyl iodides on potassium-pyrroline, 1890, A., 907.

- tertiary pyrroline derivatives, 1890, A., 1430.

action of nascent hydrogen on \$-benzilmonoxime, 1891, A., 726.

- synthesis of ethylpyrroline, 1891, A., 1387.

determination of the constitution of the homologues of pyrroline, 1892, A., 74.

Zanetti, Carlo Umberto, constitution of the ethylpyrrolines, 1892, A., 350.

Zanetti, Carlo Umberto. See also Giacomo Luigi Ciamician.

Zanner, Adolf. See Rudolph Fittig.
Zanoli, Eugen. See Heinrich Goldschmidt.

Zatti, Carlo, action of acetic anhydride on 2'-indolecarboxylic acid, 1889, A., 712.

nitro-derivatives of the indoles, 1890, A, 897.

Zatti, Carlo, and Adolfo Ferratini, acetyl derivatives of indole, 1890, A., 988.

—— methyl derivatives of indole, 1890, A., 1292.

— nitrosoindole, 1890, A., 1293.
 — synthesis of β-indolecarboxylic acid, 1890, A., 1293.

1892, A., 614.

molecular weight of nitrosoindole, 1992, A, 67.

zatti, Carlo. See also Giacomo Luigo Ciamician.

Zatzek, E., beeswax, 1883, A., 39.

Zatzek, E. See also Max Hönig

Zanni, Jos., tests for butter, 1885, A., 695.
Zaunschirm, Hans, alkyl derivatives of benzylamine: reduction of amarine, 1888, A., 1077.

— analysis of celluloids, 1891, A., 866.

Zay, C. E., trimethylamine aurochloride, 1884, A., 286.

Zecchini, Mario, compact magnetic ironore from Cogne, Valley of Aosta, 1883, A., 429.

- nitrates in wine, 1891, A., 961.

Zecchini, Mario, and Agostino Vigna, estimation of nitrogen by Kjeldahl's method, 1889, A., 649.

nitrogen in manures, 1889, A., 619.

Zechnissen, H., conversion of starch in the human stomach, 1889, A., 631.

Zeckendorf, Adolf. See Georg Lunge. Zeckendorf, Aloys. See Arthur Rudolf

Zeckendorf, Alogs. See Arthur Rudolf
Hantzsch.
Zedel, Wilhelm, action of hydroxylamine

on acetylacetone, 1888, A., 1051. Zedel, Wilhelm. See also Ludwig

Claisen.

Zega, Alexander, and Kurl Buch, 1caction of aniline with oreinol, 1886,
A., 873.

Zega, Alexander. See also Alexander Hatschek.

Zehenter, Josef, action of phenol and sulphuric acid on hippuric acid, 1885, A., 55, 1235. Zehenter, Josef, bromine derivatives of resorcinol, 1887, A, 921.

Zehnder, Ludwig, determination of the specific gravity of soluble substances, 1887, A., 9.

- influence of pressure on the index of refraction of water for sodium light, 1888, A., 765.

Zehra, A., m-p-diamidobenzoic acid, 1891, A., 303.

phonic acid, 1891, A., 313.

Zeisel, Simon, colchicine and colchiceine, 1883, A., 672.

---- cólchicine, 1884, A., 1387; 1887, A., 284; 1888, A., 613.

— estimation of methoxyl, 1886, A., 493, 1079.

hyde, 1886, A., 1006.

Zeisel, Simon. See also Josef Herzig, (Justar Johanny, Adolf Lieben, Hans Molisch.

Zelinsky, Nicolai D., action of dehydrating agents on benzylidenescetoxime, 1887, A., 666.

- cthyl phthalate chloride, 1887, A., 669.

preparation of cthyl a-bromopropionate, 1887, A., 912.

thiophen group, 1887, A., 921.
 2:4-thioxen and tetramethylthiophen, 1888, A., 939.

action of potassium cyanide on ethyl a-bromopropionate, 1889, A, 122.

- two isomeric s-dimethylglutaric acids, 1890, A., 132.

— ethyl methylenemalonate and its polymerides, 1890, A., 364.

— stereoisomeric dimethyladipic acids and dimethylpimelic reids, 1892, A., 430.

Zelinsky, Nicolai II., and II. Besredka, relative properties of dimethylghularic and trimethylsuccinic acids: sterooisomeric trimethylsuccinic acids, 1891, A., 669.

Zelinsky, Nicolai D., and Athanasius A. Bitschichin, action of potassium eyanide on α-brome- and α-chlorofatty ethereal salts, 1889, Λ., 377.

drogen eyanide with othyl α-cyanopropionate, 1892, Λ., 1301.

Zelinsky, Nicolai D., and Lazan Buchstab, stereoisomeric methylphenylsuccinic acids, 1891, A., 1065.

- Zelinsky, Nicolai D., and Marc. Feldmann, s-diphenyltrimethylone cyanide and s-diphenylglutaric acid, 1890, A., 384.
- Zelinsky, Nicolai D., and Sergei G. Krapirvin, s-dimethylsuccinic acids, 1889, A., 692.
- Zelinsky, Nicolui D. See also Athanusius A. Bitschichin, Sergei G. Krapirvin, Petr. G. Melikoff.
- Zeller, Albert, fate of iodoform and chloroform in the organism, 1884, A., 1062.
- Zemjatschensky, Petr. A., iron ores of Central Russia, 1892, A., 689.
- Zenger, Karel Václav, spectroscope for furnaces, etc., 1886, A., 190.
- Zenoni, Menotti, action of methyl iodide on furfurylamine, 1891, A., 294.
- pyromucic and dehydromucic acids, 1891, A., 295.
- Zenoni, Menotti. See also Giacomo Bertoni, Giovanni de Varda.
- Zepharovich, Victor Le mold (Ritter) non, mineralogical notes, 1884, A., 1098; 1885, A., 641.
- ---- crystallography of some camphor derivatives, 1886, A., 248.
- orthoclase in geodes in basalt, 1886, A., 518.
- pyroxene: scheelite, 1887, A., 902. trona, idrialite, and zine bloom, 1887, A., 1021.
- Zepharovich, Victor Leopold (Ritter) von. See also (fideon E. Moore. Zetsche, Paul, irregularities in the com-
- position of steel ingots, 1886, A., 108. Zglénicky, B., epsomite from Poland,
- 1887, A., 1021.

 Zibell, J. D., the o-hydroxyazo-dyes,
- 1891, A., 1473.

 Zibell, J. D. See also Stunislans von
- Kostanecki.

 Ziegeler, detection of mercury in urine by electrolysis, 1888, A., 1344.
- Ziegeler, A., preparation of phosphoric acid, 1886, A., 201.
- Ziegenspeck, Hugo, rock from the Vol-
- cano Yate, 1884, A., 973.

 analyses of plagioclase and olivine
- from Chili, 1886, A., 214.

 Ziegler, Alfred, estimation of tungsten
 in motellia tungsten 1890, A. 420
- in metallic tungsten, 1890, A., 420.

 analysis of ferro-aluminium and aluminium steel, 1890, A., 1471.
- Ziegler, Joseph, molecular migrations in the quinoline series, 1888, A., 609.
- Ziegler, J. Henri, tetramethylamidobenzophenone, 1887, A., 674.
- —— roshydrazine and a new class of dyes, 1887, A., 822.

- Ziegler, J. Henri, new synthesis of tetraphenylethylene, 1888, A., 596.
- synthesis of tetraphenylthiophen, 1890, A., 1246.
- preparation of anomatic sulphides and of thioxanthone, 1890, A., 1292.
- Ziegler, J. Henri, and Max Locher, the tartrazines; a new class of dyes, 1887, A., 578.
- condensation products of secondary hydrazines with dihydroxytartaric acid, 1887, A., 579.
- Zielke, Oskar. See Carl Engler.
- Ziemssen, Hans. See Eugen Lellmann. Zikes, Heinrich, butenylglyceryl chlorhydrins, 1885, A., 1046.
- Zillessen, Hermann, lactic acid and glucose in organs with impeded circulation and in hydrocyanic acid poisoning, 1891, A., 1126.
- Zillner, Eduard, adipocere, 1886, A., 89. Zillner, Eduard. See also Ernst Ludwig.
- Zimmer, Hermann, action of aldelydes on benzenylamidoxime, 1890, A., 253.
- Zimmermann, Adolf, separation of alumina from glucina, 1888, A., 323.Zimmermann, Hennig Christoph Julius,
- and Max Knyrim, action of ethyl chloracetate on primary diamines, 1883, A., 797.
- Zimmermann, Hennig Christoph Julius, and Albert Müller, formation of diquinoline by aid of heat, 1884, A., 1372.
- new synthesis of p-rosaniline, 1885, A., 386.
- ——— p-nitrobenzylidene chloride, 1885, A., 771.
- Zimmermann, Hennig Christoph Julius. See also Maximiliano Dennstedt.
- Zimmermann, Julius Ludwig Clemens, atomic weights of cobalt and nickel, 1886, A., 596.
- -- uranium, 1886, A., 598.
- Zincke, *Theodor*, action of amines on quinones, 1883, A., 1117; 1885, A., 787.
- —— phenylhydrazine derivatives of the quinones, 1883, A., 1135.
- two isomeric phenyl methyl glycols, 1884, A, 1003.
- o-amidoazo-compounds, 1886, A., 236.
- constitution of the compounds obtained from β-naphthylamine and diazo-salts, 1886, A., 244.
- —— \$-naphthaquinone, 1887, A., 53; 1888, A., 158, 489.
- conversion of \$\beta\$-naphthaquinone into indonaphthene derivatives, 1887, A., 728.

Zincke, Theodor, derivatives of o-benzoquinone, 1887, A., 808.

-the hydrocarbon, $C_{16}\Pi_{12}$, from styrolene alcohol, 1887, A., 959.

- action of chloring on phenols, 1887, 960; 1888, A., 708; 1892, A., 1186.

action of chlorine on 8-naphthol, 1889, A., 886.

hexachloro-a-diketohexene, 1890, A., 964.

- azo-derivatives of phenyl-β-naphthylamine, 1890, A., 990.

- action of chlorine on hydroxyquinoline, 1891, A., 1249.

- action of bleaching powder and of hypochlorous acid on quinones, 1892, A., 720, 859, 970.

- nitro-β-naphthaquinone, 1892, A., 1229.

Zincke, Theodor, and Theodor Arnst, tetrachloro-o-diketohydronaphthalene, its hydrates and alcoholates, 1892, A., 858.

Zincke, Theodor, and Haus Arzberger,

azimido-compounds, 1889, A., 501. Zincke, Theodor, and Carl Bindewald, phenylhydrazine derivatives of a- and B-naphthaquinone, 1885, A., 391.

Zincke, Theodor, and Ferdinand Brauns, action of amines on quinones, 1883, A., 209.

Zincke, Theodor, and August Breuer, the hydrocarbon, C₁₆H₁₂, from styrolene alcohol, 1885, A., 269. Zincke, Theodor, and Lloyd Campbell,

azimido-compounds, 1890, A., 787. Zincke, Theodor, and Thomas Cooksey, tetrachloro-a-diketohydronaphthalene and its decomposition products: o-trichloracrylbenzoic acid and phthalyl-chloracetic acid, 1890, A., 784.

Zincke, Theodor, and Carl Fröhlich, halogen derivatives of phenylenedichloracetylene ketone, 1887, A., 955.

Zincke, Theodor, and Oskur Fuchs. hexachloro-p-diketohexene, 1892, A.,

hexachloro-m-diketohexene, 1892, A., 1461.

Zincke, Theodor, and Conrad Gerland. action of bromine on diamido-a-naphthol, 1887, A., 838.

- action of bromine on diamido-

β-naphthol, 1888, Λ., 290.

— conversion of hydrindonaphthene and indonaphthene derivatives into substituted acetophenonecarlioxylic acids, 1888, A., 1192.

action of hypochlorous and

hypobromous acids on chloro- and

bromo-hydroxynaphthaquinone and their conversion into hydrindonaphthene- and indonaphthene-derivatives, 1888, A., 1198.

Zincke, Theodor, and Dietrick von Hagen, cinnamaldehyde, 1881, A., 1343.

Zincke, Throdor, and August Hebebrand, action of quinones on amidophenols, 1885, A., 257.

Zincke, Theodor, and Heinrich Jaenke, o-amidoazo-compounds of xylene and ψ-cumene, 1888, A., 169.

Zincke, Theodor, and Otto Kegel, action of chlorine on \$\beta\$-naphthol, 1889, A., 265.

– 4-tetrachloracelone, 1889, A., 955.

- action of chlorine on phloroglucinol, 1889, A., 967; 1890, A., 488.

- action of bromine on phloro-

glucinol, 1890, A., 1108. Zincke, Theodor, and Friedrich Wilhelm Kuster, action of chlorine on catechol and o-amidophenol, 1888, A., 1277;

diketohexene on heating and towards phosphorus pentachloride, 1891, A., 819.

– propylideneacetic acid, 1891, A., 821.

Zincke, Theodor, and Mutthius Latten, action of chlorine on nitro-\$-naphthaquinone in glacial acetic acid solution, 1892, A., 1229.

Zincke, T., and Thomas Atkinson Lawson, o-amidoazo- and hydrazimidocompounds, 1886, A., 795; 1887, A., 731; 1888, A., 159.

- azo-derivatives of phonyl-\$naphthylamine, 1887, A., 730.

Zincke, Theodor, and Simon Rabinowitsch, action of chlorine on resorcinol, 1891, A., 689.

Zincke, Throdor, and Friedrich Rathgen, benzene- and toluene-azonaphthols and their isomeric hydrazine derivatives, 1887, A., 54.

Zincke, Theodor, and Osmald Scharfenberg, action of chlorine on nitro-8naphthaquinone in chloroform solution, 1892, A., 1232.

Zincke Theodor, and Ludwig Schmunk, action of chlorine on quinoneoximes,

1890, A., 1146. Zincke, Theodor, and Heinrich Thelen, phenylhydrazine derivatives of hydroxynaphthaquinone, 1884, A., 1359; 1888, A., 1097.

Zincke, Theodor, and Heinrich Wal-baum, action of chlorine on hydroxybenzoic acids, 1891, A., 708.

Zingel, Jos., crystallographic examination of some organic compounds, 1886, A , 62.

Zink, Julius. See Carl Amthor.

Zinkeisen, Heinrich, manganese-spar and celestine from Scharfenberg, 1892, A., 1406.

Zinkeisen, William, oxalenediamidoxime and oxalencanilidoximamid-oxime, 1890, A., 122.

Zinoffsky, Oscar, the hæmoglobin molecule, 1886, A., 165.

Zinsser, Frederick George, aromatic nitriles, 1892, A., 344.

Zipperar, Paul, detection of sesume oil in cocoa-butter, 1888. A., 1136.

- estimation of nitrogen in nitratesuperphosphate and in Chili saltpetre, 1889, A., 185. Zirnité, G., solution of non in aqueous

soda, 1889, A., 105.

Zölffel, Georg, tannins of algarobilla and myrobalans, 1891, A., 918.

Zolla, D., use of potassium chloride in agriculture, 1885, A., 588.

Zopf, Wilhelm, occurrence of the buty ric ferment, 1884, A., 476.

- colouring matters of Fungi, 1889, A., 919.

Zott, Allois, relative permeability of various diaphragms, 1886, A., 414. Zotta, Victor von, zine hydrosulphide,

1890, A., 214.

Zschokke, Bruno. See Carl Graebe.

Zsigmondy, Richard, source of error in the estimation of the nitrogen in substances containing halogens, 1889, A., 546.

Zuber, Rudolf, eruptive tocks from Krzeszowice, near Cracow, 1887, A., 563. Zuber, Rudolf. See also Paul Wispek.

Zuco. See Marino-Zuco.

Zübelen, Joseph. See Rudolf Nietzki. Zuelzer, Wilhelm, estimation of chlorine in human urine, 1885, A., 608.

Zurcher, Huns, exidation of 1-quinolinesulphonic acid, 1888, A., 378.

action of thiocyanates and thiocarbamide on chlorinated ethyl acetoacetate, 1889, A., 725.

Zürcher, Hans. See also Arthur Rudolf Hantzsch.

Zürcher, Kurl, formation of aniline-black, 1885, A., 1276.

Zürrer, Robert, campholenic acid, 1885, Λ., 1241.

Zurrer, Robert. See also Heinrich Goldschmidt.

Zufall, 1. See K. Lange.

Zulkowski, Kurl, analysis of fats, 1883, A., 936, 1036.

- estimation of manganese in iron ores, 1884, A., 116.

- potassium ferrocyanide manufacture, 1884, A., 501.

- colouring matters formed by the union of phenols with aromatic aldehydes, 1884, A., 837.

- aromatic acids as dye-forming substances, 1884, A., 1169.

- estimation of the halogens in or-

ganic compounds, 1885, A., 1162.

grinding mill for minerals, 1888, A., 85.

- changes suffered by starch when dissolved in hot glycerol, 1889, A., 116.

—— starch, 1891, A., 165.
Zulkowski, Karl, and Carl Lepéz, estimation of the halogens in organic

compounds, 1885, A., 591. Zulkowski, Karl, and Karl Peters, or-

cem, 1890, A., 1405. Zune, detection of resin oil in terebenth-

ene, 1892, A., 923. Zuntz, Nathan, behaviour of amides in animal nutrition, 1884, A., 472.

- nutritive value of the so-called meat peptones, 1886, A., 378.

Zuntz, Nathan, and Curt Lehmann, respiration in the horse during rest and work, 1890, A., 1170.

Zuntz, Nathan, Curt Lehmann, and Oskar Hagemann, change of substance in the horse at rest and at work, 1889, A., 911.

Zuntz, Nathan. See also S. Pollitzer. Zuschlag, Georg. See Adolph Claus.

Zuurdeeg, Johann. See Heinrich Conr. Klinger. Zwaardemaker, idiosyncrasy of certain

animals with respect to phenol, 1891, A., 762.

Zwanziger, Georg. See Johannes Wislicenus.

Zweifel, Paul, behaviour of blood when deprived of oxygen, 1883, A., 818, 937.

Zwergel, Arthur, extracting by diffusion, 1884, A., 539.

Zwilling, K., correct time for the honey harvest, 1885, A., 590.

INDEX OF SUBJECTS.

1

A.

Abies excelsa, colouring matters of the cones of (MACCHIATI), 1890, A., 641. See Heptane. Abietene. Abriachanite (CHESTER and CAIRNS), 1888, A., 119. Abrin (Martin), 1887, A., 990. Abrus precatorius, proteid poisons of (Martin), 1889, A., 1026. Absinthin from Artemisia Absinthium (SENGER), 1892, A., 1240. Absinthole (BRUHL), 1888, A., 494. Absorption without osmosis (REID), 1892, A., 646. Absorption-coefficients of gases. See Solution. Absorption-compounds (VAN BEMME-LEN), 1888, A., 985. Absorption-plates of wood-wool (CAM-ERER), 1891, A., 260. Absorption-spectrum. See Photochemistry. Acacia tenerrima, alkaloid from (GRES-HOFF), 1891, A., 336. Accumulator, chemistry of the (CANTOR). 1891, A., 514. thermal alterations in the (MEYER), 1888, A., 393. Accumulators, variation of electromotive force in (REYNIER), 1884, A., Acecaffeine (Fischer), 1883, A., 356. Acediamine. See Ethenylamidine. Acenaphthalide. See Acetonaphthalide. Acenaphthene (GRAEBE), 1887, A., 592. constitution of (BAMBERGER and PHILIP), 1887, A., 495. action of chlorine on (Kebler and NORTON), 1888, A., 961. action of chromyl dichloride on (Ewan and Conen), 1889, T., 582; P., 124. oxidation of (Graebe and Greller), 1892, A., 863.

Acenaphthene, oxidation of intermediate products of (EWAN and COHEN), 1889, T., 578; P., 123. *per*hydride (decahydroacenaphthene) (LIEBERMANN and SPIEGEL), 1889, A., 720. ketone (EWAN and COHEN), 1889, T., 580; P., 123. Acenaphthene, amido- (QUINCKE), 1887, A., 592; 1888, A., 844. diamido-(QUINCKE), 1888, A., 844. brom- (BAMBERGER and LODTER), 1888, A., 604. tri- and tetra-brom- (EWAN and COHEN), 1889, T., 581; P., 123. nitr-(QUINCKE), 1887, A., 592; 1888, A., 843; (JANDRIER), 1887, A., 964. dinitr- (QUINCKE), 1888, A., 843. Acenaphthenecarboxylamide (HARRIS), 1890, A., 158. Acenaphthenequinone (GRAEBE and GFELLER), 1892, A., 864. Acenaphthyl benzyl ketone (Päpcke), 1888, A., 702. Acenaphthylenic glycol, mono- and di-acetate, and benzoate (EWAN and COHEN), 1889, T., 578; P., 128. Acer dasycarpum, leaves of (RAY), 1886, A., 1065. Acet-. See also Aceto- and Acetyl-. Acetal, derivatives of (AUTENRIETH), 1891, A., 540. chloro-derivatives of (MAGNANIMI), 1887 A., 28. test for (GRODZKI), 1883, A., 790. Acetal, amido- (WOHL), 1888, A., 443. preparation of (MARCKWALD), 1892, A., 1327. condensation products of (Wohl and MARCHWALD), 1889, A., 624, 866. derivatives of (WOHL), 1888, A., 443. Acetals, behaviour of, with alcohols at a high temperature (BACHMANN), 1883, A., 726. Acetalamine (WOLFF), 1888, A., 809.

1

Acetaldehyde, relation between the spectrometrical constants chemical constitution of (Brunl), 1891, A., 630.

density and magnetic rotation of hydrated (Perkin), 1887, T., 813; P., 82.

a chief product of fermentation by "Champignon du muguet" (LINOS-SIER and Roux), 1890, A., 1179.

conversion of alcohol into, "Champignon du muguet" (Linos-sier and Roux), 1891, A., 854.

action of acetic chloride on, presence of zinc-dust (PAAL), 1883, A., 62.

action of alcoholic potash on (PER-

KIN), 1883, T., 88. condensation of, with aniline MILLER and PLÖCHL), 1892, A.,

action of baryta on (Tollens), 1884, A., 989.

action of carbonyl chloride (ECKENROTH), 1885, A., 786.

action of as-dialkylcarbamides on (van der Zande), 1889, A., 963.

action of hydrogen chloride on a mixture of, with alcohols and phenols respectively (CLAUS and TRAINER), 1887, A., 231. action of hydrogen sulphide

(BAUMANN), 1890, A., 478.

action of o-nitrobenzaldehyde on (v. Baeyer and Drewsen), 1884, À., 58.

action of, on polyvalent phenols (CAUSSE), 1887, A., 809.

condensation of, with succinic acid (FITTIG and FRÄNKEL), 1890, A., 584.

action of zine and ethylic chloracetate on (REFORMATSKY), 1892, A., 1300.

action of zinc isoamyl and zinc isobutyl on (Sokoloff), 1888, A., 125. derivatives of (RUBENCAMP), 1885, A.,

formation of crotonaldehyde and β -hydroxybutaldehyde from (MI-CHAEL and KOPP), 1884, A., 420.

in urine (GAUBE), 1890, A., 188. formation and change of, in the organism (Albertoni), 1888, A., 973. detection of (PENZOLDT and FISCHER),

1883, A., 829; (Windisch), 1888, A., 1346; (BORNTRAGER), 1889, A., 657; (CRISMER), 1889, A., 1197. use of magenta with sulphurous an-

hydride as a microchemical test for (LOEW and BOKORNY), 1883, A., 829.

Acetaldehyde, chlor-, action of alcohol on (NATTERER), 1885, A., 366. trichlor. See Chloral and Chloral

hydrate.

суап- (Спантаці), 1888, А., 810. iod- (Chautard), 1886, A., 330, 1006; (Bloxam and Herroun), 1886, A., 864, 1006.

thio- (Guareschi), 1884, A., 294; (MARCKWALD), 1886, A., 864.

trithio- (MARCKWALD), 1886, A., 864; 1888, A., 127; (BAUMANN and FROMM), 1890, A., 25; 1891, A., 1008, 1010.

Metacetaldehyde (metaldehyde), heat of combustion of (Luginin), 1889, A., 668.

Paracetaldehyde (paraldchyde) (FRANCHIMONT), 1883, A., 453. relation between the spectrometrical

constants and chemical constitution of (Brünz), 1891, A., 680. condensation of, with chloral (Kor-

NIGS), 1892, A., 694. action of ethylic iodide and zinc on (Wedensky), 1889, A., 954, 1136.

action of quinaldine on (EISELE), 1887, A., 975.

influence of, on digestion (CHIT-TENDEN and STEWART), 1889, A., 533.

physiological action of (CERVELLO), 1884, A., 199; (BOCKAL), 1887, A., 391.

chloro- (NATTERER), 1885, A., 1196. Acetaldehydeaniline (v. Miller and PLOCIIL), 1892, A., 1191.

Acetaldehydephenylhydrazone (cthylidenophonythydrazine), action of heat on (JAPP and KLINGEMANN), 1888, T., 542.

p-biom- (NEUFELD), 1889, A., 251. m-nitr- (BISCHLER and BRODSKY), 1890, A., 150.

Acetaldehydesulphone, trithio- (BAU-MANN and FROMM), 1890, Λ., 26.

Acetaldoxime, preparation of (DUNSTAN and DYMOND), 1892, T., 473; P., 90. action of hydrocyanic acid on (v. MILLER and PLUCHE), 1892, A., 1196.

hypochlorite (MOHLAU and HOFF-MANN), 1857, A., 795.

Acetaldoxime, trichlor-. See Chloral, oxime of.

Acetaldoximes (DUNSTAN and Dy-MOND), 1892, T., 470; P., 89, 135; (Franchimont), 1892, A., 951.

Acetalresorcinol (CAUNE), 1887, A., 40. Acetalylcarbamide(MARCKWALD), 1892, A., 1327.

Acetalyl-a-naphthylthiocarbamide, (MARCKWALD), 1892, A., 1331.

Acetalylphenylthiocarbamide (WOHL and Marckwald), 1889, A., 624.

Acetalyl-p-tolylthiocarbamide(Marck-WALD), 1892, A., 1328.

Acetalyl-m-xylylthiocarbamide

(MARCKWALD), 1892, A., 1329. Acetamide (MASON), 1888, P., 96; 1889, T., 107; (MEYER), 1889, A., 381. preparation of (SCHULZE), 1883, A.,

formation of, from acetic acid and ammonia (MENSCHUTKIN), 1884, A., 1295.

thermochemistry of (BERTHELOT and **F**осн), 1890, **A**., 1360.

action of acetone and zinc chloride on (CANZONERI and SPICA), 1885, A., 746.

action of acids on (OSTWALD), 1883, A., 575.

action of hydrogen on (Essner),

1885, A., 245. action of hydroxylamine on (Hoff-

MANN), 1887, A., 911. combination of, with metallic chlorides

(ANDRÉ), 1886, A., 337. mercury derivative of, action of iodine on (TAFEL and ENOCH), 1890, A., 973.

brom-(Buchner Acetamide, PAPENDIECK), 1892, A., 827.

of bromine on (v. chlor-, action HOFMANN), 1886, A., 45. dichlor- and dichlorobrom- (ZINCKE

and KEGEL), 1890, A., 489. cyan-(HENRY), 1887, A., 796. iod- (HENRY), 1885, A., 373. cetamidine. See Ethenylamidine.

Acetamidine. o-Acetamidoacetophenone, esobrom-, and

ω-dibromo-m-brom- (v. BAEYER and Bloem), 1884, A., 1026. o-Acetamidoacetophenoneoxime (Au-

WERS and v. MEYENBURG), 1891, A., 1377.

(NIETZKI), Acetdiamidoazo benzene

1884, A., 1016. o-Acetamidobenzaldehyde (FRIEDLÄND-

ER and GÖHRING), 1884, A., 1020. p-Acetamidobenzaldehyde (HERZBERG), 1885, A., 662.

Acetamidobenzaldehyde-green(Fisch and SCHMIDT), 1884, A., 1316.

p-Acetamidobenzaldoxime (GABRIEL and Herzberg), 1883, A., (Herzberg), 1885, A., 662.

o-Acetamidobenzamide, derivatives of (Weddige), 1887, A., 1048.

(Kürner), o-Acetamidobenzanilide 1887, A., 1045.

Acetamidobenzene-m-azodimethylaniline (Wallach), 1887, A., 41.

Acetamidobenzene-m-diazopiperidide (Wallich), 1887, A., 131.

o-Acetamidobenzoic acid, bromination of (ALT), 1889, A., 986.

m-Acetamidobenzoic acid (PELLIZZARI), 1886, A., 548.

Acetamidobenzoic acids, m- and p-, mononitro-derivatives of, and their products of reduction (Kaiser), 1886, A., 149.

o-Acetamidobenzophenone (v. BAEYER and BLOEM), 1883, A., 198; (AUWERS and V. MEYENBURG), 1891, A., 1378.

o-Acetamidobenzylacetanilide and KRECKE), 1892, A., 81.

p-Acetamidobenzylphthalimidine(HAF-NER), 1889, A., 983; 1890, A., 487.

Acetamidobisazobenzene (Nietzki and DIESTERWEG), 1888, A., 1082.

4:5:3-Acetamidobromonitrobenzylic cyanide. See Acetamidophenylacetonitrile.

p-Acetamidoisobutylbenzene. nitro- (GELZER), 1889, A., nitro- (GELZER), 1888, A., 266.

Acetamidocarbazole (MAZZARA and LEO-NARDI), 1892, A., 616.

Acetamidochrysene and its derivatives (ABEGG), 1891, A., 730.

Acetamidocumic acid (WIDMAN), 1884, A., 303.

Acetamido-derivatives of the aromatic series, halogen-substituted, and their derived p-diazines (ABENIUS and WID-MAN), 1889, A., 184.

4-Acetamido-2:6-dimethyl-m-diazine (PINNER), 1884, A., 723; 1889, A.,

p-Acetamidodiphenylic sulphide (ZIEG-LER), 1890, A., 1292.

p-Acetamidodiphenylmethane(Manns), 1889, A., 261.

o-Acetamidoethenylamidocarvacrol (Mazzara), 1891, A., 188.

o-Acetamidoethenylamidothymol (MAZ-ZARA), 1891, A., 188.

ω-Acetamidoethylpiperonylcarboxylic anhydride (PERKIN), 1890, T., 1016.

Acetamidoguanidine salts (Thiele), 92, A., 1297.

p-Acetamidohydrocinnamic acid, bromo-(GABRIEL), 1883, A., 195.

Acetamidohydroxynaphthaquinone (Kehrmann and Weichardt), 1889, A., 1197.

Acetamidohydroxypropylbenzoic (Widman), 1884, A., 317.

o-Acetamido-p-hydroxypropylbenzoic acid (WIDMAN), 1886, A., 466,

Acetamidohydroxyquinone (NIETZKI and SCHMIDT), 1889, A., 968.

p-Acetamido-malachite-green (KADSwurm), 1886, A., 553.

Acetamido-1-methylquinoline (Nonting and Trautmann), 1891, A., 328.

Acetamido-a-naphthaquinone (MEER-son), 1888, A., 713.

Acetamido-α-naphthaquinoneacetimide (Meerson), 1888, A., 713.

Acetamido-S-naphthoic acids (EK-STRAND), 1891, A., 78, 79.

α-Acetamido-β-naphthol (Bolt'url), 1885, A., 659.

4:3:2-Acetamidonitrocresol (NIETZKI and RUPPERT), 1891, A., 308.

Acetamidonitrosocarbazole (MAZZARA and LEONARDI), 1892, A., 616.

o-Acetamidophenol, chlor- (ASCHAN), 1887, A., 814.

p-Acetamidophenylacetamide (Pur-GOTTI), 1891, A., 562.

Acetamidophenylacetonitrile, bromonitr- (GABRIEL), 1883, A., 64.

o-Acetamidophenylethylhydrazine (Hempel), 1890, A., 613.

o-Acetamidophenylhydrazine (BISCH-LER), 1890, A., 150.

p-Acetamidophenylic ethylxanthate (Leuckart), 1890, A., 605.

o-Acetamidophenylic phenylcarbamate (LEUCKART), 1890, A., 761.

o-Acetamidophenylmethylhydrazine (HEMPEL), 1890, A., 613.

aa-Acetamidophenylsulphonepropionic acid, and its p-halogen derivatives (Konig), 1892, A., 1090.

as-Acetamidoisophthalic acid (LOEWEN-HERZ), 1892, A., 1464.

o-Acetamidopiperonylnitrile (HABER), 1891, A., 706.

o-Acetamidoquinoline (KYRITZ), 1890, A., 1324,

Acetamidostrychnine (Lordisch and Schoop), 1886, A., 814.

p-Acetamidostyrene, bromo- and dinitro-(GABRIEL and HERZBERG), 1883, A., 1123; (HERZBERG), 1885, A., 662.

p-Acetamidothiophenol (Leuckart), 1890, A., 605.

p-Acetamidotoluene-o-azodiethylaniline (WALLACH), 1887, A, 41.

Acetamidotolueneazodimethylanilines, o- and p- (WALLACH), 1887, A., 41.

Acetamidotoluic acid (v. MILLER), 1891, A., 1095.

o-Acetamido-p-toluic acid, nitr- (NIE-MENTOWSKI), 1889, A., 1066.

Acetamidotolyloxamethane. See Ethylic acetamidotolyloxamate.

p-Acetamido-o-tolylurethane (SCHIFF), 1892, A., 1203.

p-Acetamidotriphenylcarbinol (v. BAB-YER and LOHR), 1890, A., 1141.

p-Acetamidotriphenylmethane (v. BAR-YER and LOHR), 1890, A., 1141.

Acetanilide. formation of, from acetic acid and aniline (MENSCHUTKIN), 1884, A., 1295.

thermochemistry of (BERTHELOF and Food), 1890, A., 1360.

boiling point of (PICIET and CRE-PIEUX), 1888, A., 690.

decomposition of, by water (MEYDE), 1883, A., 56; (TOBIAS), 1883, A., 325; (MENSCHUTKIN), 1883, A., 326.

action of benzoic chloride on (Mel-DOLA and SALMON), 1888, T., 780.

action of phosphoric chloride on (MICHAEL), 1887, A., 481.

action of zinc chloride on (PICTET and BUNZI.), 1889, A., 971.

nitration of (Nouring and Collin), 1884, A., 1012.

hydrochloride, decomposition products of (Nolting and Whingartner), 1885, A., 978.

sodium derivative of, action of carbonic anhydride on the (Seifert), 1885, A., 983.

action of, on blood (LEPINE), 1888, A., 184.

influence of, on digestion (CHITTEN-DEN and STEWART), 1889, A., 533. metabolism of, in the human body (MORNER), 1889, A., 289.

relation of, to animal metabolism (JAFFÉ and HILBERT), 1888, A.,

detection of (FLUCKHUER), 1888, A., 761; (VITALI), 1888, A., 1136; (RITSERT), 1890, A., 1349.

See also Antifelrin.

Acetanilide, amido-. See Acetophonylenediamine.

brom- (Abenius), 1890, A., 268. m-bromo-p-nitr- (Claus and Schieg-

LEN), 1891, A., 564. 3:5:4-dibromoniti-(CLAUS and WEIL),

1892, A., 1205.

2:3:4:5-tetrachlor- (Tust), 1888, A., 836.

a-cyan- (Quenda), 1892, A., 1072. o-, m, and p-iod- (Korner and Wender), 1888, A., 1279, 1280.

p-nitr-, reduction of (MIXTER), 1884, A., 665.

1:2:3-, 1:3:4-, and 1:3.6-dinitr- (Wendeu), 1890, A., 885. thio- (Jacobson), 1886, A., 700. Acetanilide-p-sulphonic acid (acetyl-(Nietzki and sulphanilic acid) BENCKISER), 1884, A., 1024.

Acetanilidoacetic acid (REBUFFAT), 1887,A.,1108; 1890,A.,623; (PAAL and OTIEN), 1890, A., 1415. chlor- (ABENIUS), 1888, A., 1890, A., 268.

Acetanilidobutyric acid (Bischoff and Mintz), 1892, A., 1338.

β-Acetanilidoisobutyric acid and lactone (Bischoff and Mintz), 1892, A., 1339.

a - Acetanilidocoumarin (REBUFFAT), 1890, A., 623.

β-Acetanilidoglutaranil (ANSCHUTZ), 1891, A., 742.

B-Acetanilidoglutaranilic acid (AN-

schutz), 1891, A., 742. β-Acetanilidoglutaric anhydride (An-

scни́гz), 1891, А., 742. a-Acetanilidopropionic acid (NASTVO-GEL), 1890, A., 1160.

Acetanisidine, dinitr- (Wender), 1890, A., 751.

Acetanisidines, o-, m-, and p- (KORNER and Wender), 1888, A., 1280.

Acetanthranilic acid (FRIEDLANDER and Henriques), 1883, A., 188; (Doebner and v. Miller), 1883, A., 602.

Acetates, decomposition of, by water (Foussereau), 1887, A., 767.

chlor-, physical properties of (HENRY), 1885, A., 1121.

ethereal, action of alcohols and metallic alkylic oxides (Purdie), 1887, T., 632; P., 79. cyan- (Hallen), 1888, A., 823, 1298.

1:3:4-Acetazimidotoluene (Boessneck), 1886, A., 874.

Acetenyltrimethylammonium. See Trimethylacetenylammonium.

Acet-p-ethoxyphenylhydrazide schul), 1892, A., 1081.

Acetethylenediamine, dicyan- (Guaresсиі), 1892, А., 1071.

Acetethyl-p-nitranilide (MELDOLA and SALMON), 1888, T., 778.

Acetethyl-o-phenylenediamine

PEL), 1890, A., 612. Acetic acid in plants (Borgmann),

1883, A., 611. synthetical (HENRY), 1887, A., 796. production of, from cellulose (ISAAC), 1892, A., 1421.

preparation of concentrated (GORING), 1885, A., 105.

magnetic rotation of hydrated (Perkin), 1886, T., 779.

Acetic acid, electrical conductivity of solutions of (Crompton), 1888, T.,

122; (Hartwig), 1888, A., 399. electrochemistry of (Jahn), 1890, A., 99; (Berthelot and Matignon),

1892, A., 1139.
specific heat of gaseous (Berthelot and Ogien), 1883, A., 6; (Threlfall), 1887, A., 429.

thermochemistry of (Jahn), 1890, A., 99; (Berthelot and Matig-NON), 1892, A., 1139.

thermal proporties of (RAMSAY and YOUNG), 1886, T., 790; P., 225. fluidity of absolute and diluted

(Noack), 1886, A., 971.

molecular volumes of (Young), 1891, T., 903; P., 124.

molecular composition of gaseous (Pickering), 1889, A., 29. vapour density of (Krause and Meyer), 1890, A., 1865.

vapour pressures of (RAMSAY and Young), 1885, T., 42; (RIGHARD-son), 1886, T., 765, 774, 776; (YOUNG), 1891, T., 903; P., 124.

vapour pressure of solutions in (RAOULT and RECOURA), 1890, A., 554.

coefficient of diffusion of (STEFAN), 1889, A., 1047.

decomposition of, by the silent discharge (MAQUENNE), 1884, A., 543. behaviour of, with phosphoric chloride

(MICHAEL), 1887, A., 359. oxidation of, by *Bacterium aceti* (Brown), 1886, T., 172; P., 136.

effect of, on respiratory changes (MALLEVRE), 1891, A., 344.

detection of, in the presence of morphine (Johnson), 1888, A., 633. separation of, from formic acid (MACNAIR), 1887, A., 751.

estimation of, by distillation in liquids containing organic matter (WILEY), 1886, A., 582.

estimation of the strength of (ANON.). 1885, A., 1267.

estimation of, in acetates (Sonnen-SCHEIN), 1887, A., 869.

estimation of, in wine by distillation with steam (LANDMANN), 1884, A., 641.

Acetic acid, aluminium salt of, preparation of (ATHENSTADT), 1884, A., 540.

behaviour of (REINITZER), 1884, A., 39.

ammonium salt of, magnetic rotatory power of solutions of (PERKIN), 1891, T., 984.

Acetic acid, diammonio-silver salt of (REYCHLER), 1884, A., 722.

barium and calcium salts of, solubility of (v. Krasnicki), 1888, A., 359.

calcium selt of, valuation of (BLAIR), 1885, A., 1014; (PHILLIP), 1886, A., 747.

calcium copper salt of (RUDORFF), 1888, A., 446.

decomposition of, by pressure (Spring and Van't Hoff), 1888, A., 341.

temperature of decomposition of (REICHER), 1888, A., 360.

chromium and iron salts of, behaviour of (Reinitzer), 1884, A., 39.

lead salt of, molecular refraction and dispersion of, in solution (GLAD-STONE), 1891, T., 595.

dissociation of (MULLER-ERZBACH), 1888, A., 213.

action of carbonic anhydride on (Bellamy), 1884, A., 990.

basic, as a test for olive oil (BRAD-FORD), 1885, A., 603.

decahydrated (FASNAUHT and LIND-SEY), 1890, A., 862.

magnesium salt of (Kubel), 1886, A., 530.

action of magnesium oxide and lead oxide on (KUBEL), 1892, A., 1178. manganic salt of (CHRISTENSEN), 1884, A., 398.

mercuric salt of, heat of formation of (BERTHELOT), 1884, A., 706.

potassium salt of, electrolysis of fused (Lassar-Cohn), 1889, A., 1056. electrolysis of solutions of (Murray), 1891, P., 184; 1892, T., 10. absorption of, by plants (Bertile-Lot and André), 1888, A., 740.

silver salt of (I wig and Hecht), 1886, A., 440.

dry distillation of (KACHLER), 1892, A., 37.

action of iodine on (SIMONINI), 1892, A., 1301.

sodium salt of, magnetic rotatory power of solutions of (Perkin), 1891, T., 987.

dissociation of (MULLER-ERZBAUH),

1888, A., 1022.

action of carbonic oxide on a mixture of sodium isopentylate and (Родтвон), 1888, A., 729.

valuation of crude (Neumann), 1888, A., 1846.

uranium salt of, from residues (SAVERY), 1884, A., 397.

Acetic acid, zinc salt of, anhydrous, crystallised (Peter and D'Her for de Rochesonfaine), 1885, A., 371. See also Pyroligheous acid.

Acetic acid, amido. See Glycocine.

biom-, convenient method of preparing (MICHAEL), 1884, A., 421.

debrom-, electrolysis of (LASSAR-COIN), 1889, A., 1056.

chlor-, preparation of (Henrsonel), 1884, A., 990; (Augun and Brhal), 1890, A., 234.

melting-point of (Tollens), 1884, A., 990.

electrolysis of potassium salt of (LASSAR-COIIN), 1889, A., 1056.

trichlor-, preparation of (ČLERMONI), 1886, A., 222.

preparation of others of (CLER-MONT), 1883, A., 729.

decomposition of the potassium salt of, by water (Seublier,), 1886, A., 332.

action of, in the organism (Her-MANN), 1885, A., 575.

as a test for albumin (BOYMOND), 1890, A., 312.

cyan- (Henry), 1887, A., 796. oxime of (Wolff and Gans), 1891, A., 897; (Sodenbaum), 1891, A., 1184.

nitrosocyan- (WOLFF and GANS), 1891, A., 897.

oxime of (Chamer), 1892, A., 699. thio-, action of, on ethylic thiocyanate (Chanlaroff), 1883, A., 39.

isothiocyan- (ARAPIDES), 1889, A., 414.

Acetic anhydride, decomposition of, by water (Mensonurkin and Wassi-LIEFF), 1890, A., 359.

thio- (DAVIES), 1892, A., 300, 581.
Acetic chloride, preparation of (Augen

aud Brhal), 1890, A., 234. action of aluminium chloride on (COMBES), 1887, A., 127; (CUSTAV-SON), 1888, A., 575.

action of, on argenious oxide (POHL), 1889, A., 767.

action of zinc propyl on (MAR-KOWNIKOFF), 1884, A., 1280. chlorination by means of (Becken),

1887, A., 932. higher homologues of (KRAFFT and

Burger), 1884, A., 1125.
Acetic fluoride (MESLANS), 1892, A.,

1068, 1069. Acetic sulphide (DAVIES), 1892, A., 300, 581.

Acetimido \$\beta\$-chlorethylic ether (Ga-BRIEL and NEUMANN), 1892, A., 1382. Acetimidomethylenic ethylenic sulphide (MIOLATI), 1891, A., 894.

Aceto-. See also Acet- and Acetyl-. Acetoacetaldehyde and its derivatives (CLAISEN and STYLOS), 1888, A.,

671.

action of hydroxylamine on (CLAISEN and Hori), 1891, A., 416.

Acetoacetamide, pentubrom- (v. Pech-MANN and STOKES), 1885, A., 1202. ac-m-Acetoacetamidobenzoic acid (PEL-LIZZARI), 1891, A., 1485.

Acetoacetanilide (Knorr), 1892, A., 708. bromo- and isonitroso- derivatives of

(KNORR), 1887, A., 159.

Acetoacetates, action of alcohols on the carboxylic alkyl-group in (Peters), 1888, A., 253.

condensation of, with dibasic acids (Fittig), 1886, A., 47.

alkylated alkyl, action of aqueous ammonia on (Peters), 1888, A., 253. y-cyan-, and their chlorimido-derivatives (HALLER and HELD), 1891, A., 171.

Acetoacetic acid (CERESOLE), 1883, A., 41; (HANTZSOU and HERRMANN), 1888, A., 675.

constitution of (GEUTHER), 1888, A., 579.

action of diazobenzene chloride on (Japp and Klingemann), 1888, T., 538; P., 11.

derivatives (Ceresole), 1883, A., 41. phenylhydrazone, Acetoacetic acid phenylhydrazine salt of (v. Pecumann and Jenisch), 1892, A., 162.

Acetoacetic acids, behaviour of ethereal salts of alkyl-substituted, with ammonia (Peters), 1890, A., 1097. substituted, peculiar decomposition of the ethereal salts of (Young), 1883, A., 456.

Acetoacetic ether. See Ethylic acetoacetate.

Acetoacetictetrahydroquinolide (Reis-SERT), 1891, A., 736.

(GOLDMANN), Acetomesoanthramine 1890, A., 1426.

Acetobenzamide. See Benzimidoacetate. Acetobenzenehydrazo-o-cresol SCHMIDT and POLLAK), 1892, A., 975.

Acetobenzenehydrazo-p-cresol (Gold-SCHMIDT and BRUBACHER), 1891, A., 1209.

Acetobenzenehydrazo-\psi-cuminaldehyde (Goldschmidt and BRUBACHER), 1891, A., 1209.

Acetobenzenehydrazo-a-naphthol and BRUBACHER), (Goldschmidt 1891, A., 1211.

a-Aceto-β-benzo- and β-aceto-a-benzom-nitrophenylhydrazides (Bischler and Brodsky), 1890, A., 150.

β-Aceto-α-benzophenylhydrazide(Mich-AELIS and SCHMIDT), 1887, A., 820.

Acetobenzoylphenylhydrazide (RUHE mann and Blackman), 1889, T., 614 Acetobenzylamine, cyan- (GUARESCHI) 1892, A., 1072.

Acetobenzyl-p-nitranilide (MELDOLA and Salmon), 1888, T., 779.

Acetobenzylthiocarbamide (WERNER), 1891, T., 408; (Dixon), 1891, T., 562. Acetobenzyl-o-toluidide (RABAUT), 1892, A., 48.

Acetobenzyl-m-zylidide (Jablin-Gon-NET), 1892, A., 1320.

Acetocamphorylphenylhydrazide

(Charlin), 1892, A., 1481.

Acetocarbamide, thermochemistry of (MATIGNON), 1891, A., 1448 Acetochloralimide (Moscheles), 1891, A., 1003.

Acetochloro-p-xylidide (Kluge), 1885, A., 1208.

Acetocumidide, mono- and di-nitr- (En GEL), 1885, A., 1215. thio- (Jacobson and Ney), 1889, A.,

Aceto-\(\psi\)-cumidide (Edler), 1885, A., 771.

Aceto-\psi-cumylhydrazide (Ruhemann), 1890, T., 55.

Acetodehydrodiacetylcapronamide (Kipping and Perkin), 1889, T., 341. Acetodehydrothiotoluidide (GREEN). 1889, T., 230.

Acetodibenzylthiocarbamide (WER-NER), 1891, T., 406.

Acetodiethylamide, trichlor- (FRANCHI-MONT and KLOBBIE), 1888, A., 1062.

Aceto-p-diethylanilide (Voswinkel), 1889, A., 493.

Acetodimethylamide, trichlor- (FRANCH-IMONT and KLOBBIE), 1888, A., 1062. Acetodiphenylcarbamide (KUHN), 1885,

A., 260. Acetodiphenylethylenediamine (BISCH-

OFF and NASTVOGEL), 1889, A., 1010. Acetodiphenylhydrazide (TAFEL), 1892,

A., 710; (GATTERMANN, JOHNSON, and Hölzle), 1892, A., 843. p-brom- (Bölsing and Tafel), 1892, A., 982.

Acetodiphenyltolylenediamine. Bisphenylaceto-o-tolylenediamine.

Acetodi-o- and p-tolylhydrazide (GAT-TERMANN, JOHNSON, and HÖLZLE), 1892, A., 843.

Acetoethyl .. See Acetethyl ..

(Wallagii Acetofenchylamine and 1 GRICPENKERL), 1892, A., 1239.

Acetofluoranilide (WALLACH), 1887, A.,

Acetoformimide (PINNER), 1883, A., 1090.

Acetoglycocine (accturic acid), preparation of (Currius), 1883, A., 1088; 1884, A., 1306. salts of (Currius), 1884, A., 1306.

Acetoglycolyldibrom-o-toluidide(ABEN-IUS and WIDMAN), 1889, A., 135.

Acetohexadecylanilide (KRAFFT and Gottig), 1889, A., 129.

Acetohydrazobenzene (STERN), 1884, A., 1015.

Acetchydroxamic acid (Hoffmann), 1890, A., 127.

Acetohydroximidoacetonitrile (Soder-BAUM), 1892, A., 816. cetol. See Acetylcarbinol.

Acetol.

Acetomethylamide, trichlor- (FRAN-CHIMONT and KLOBBIE), 1888, A.,

Acetomethylamidomethylthiazole (HANTZSOH and WEBER), 1888, A., 257. omethylanilide, preparation of (REINHARDT and STAEDEL), 1883, Acetomethylanilide, A., 578.

m-chlor- (STAEDEL), 1886, A., 940. m- and p-nitr- (MELDOLA and SALmon), 1888, T., 776.

Acetomethylanthranilic acid (v. MIL-LER), 1891, A., 1095.

1:2:3-Acetomethylxylidide (MENTON), 1891, A., 1203.

Acetonaloxybutyric acid (WILLGE-RODT), 1887, A., 1030.

Acetonaloxyisobutyric acid (WILLGE-RODT), 1883, A., 177; 1887, A., 1030. a-Acetonaphthalide (Pierson and Heu-

MANN), 1883, A., 916. action of chlorine on (CLEVE), 1887,

sulphonation of (Lange), 1888, A., 160. physiological action of (Oddo), 1892, A. 366.

a-Acetonaphthalide, 2:4-bromamido-(MELDOLA), 1885, T., 500.

1:4-chlorobromo-(MELDOLA DESCH), 1892, T. 768.

4-iodo- and 4:2-iodonitro- (MELDOLA), 1885, T., 523; P., 73.

y-nitro-, Liebermann's, bromination of (MELDOLA), 1885, T., 502.

e- and p-nitro- (LELLMANN), 1884, A., 751, 752; (LELLMANN and REMY), 1886, A., 623.

o- and p-nitro-, action of bromine on a mixture of (ARMSTRONG and ROSSITER), 1891, P., 186. 8-Acetonaphthalide, o-bromo-, action of bromine on (M ELDOLA), 1883, T., 7. tetrubromo- (MELDOLA), 1883, T., 8. 4:1-bromiodo-(Meldola and Desch), 1892, T., 767.

bromonitro-, preparation of (PRAGER),

1885, A., 1239.

1-chloro- (CLEVE), 1887, A., 961. tetrachloride (CLAUS and PHILIPson), 1891, A., 462.

dinitro- (Maschke), 1887, A., 839. thio- (JACOBSON), 1888, A., 1307.

Acetonaphthalides, bromonitr- (MEL-DOLA), 1883, T., 9; 1885, T., 499. mitr-, bromination of (MELDOLA), 1885, T., 499.

Acetonaphthylamidoacetic acid (Forte), 1890, A., 901.

Aceto-β-naphthylamidoacetic acid (Bischoff and Hausborfer), 1892, A., 1342.

Aceto-a-naphthylhydrazide (FREUND), 1892, A., 509.

Acetone, investigation of crude (WOLFES). 1891, A., 819.

decomposition of, by the silent discharge (MAQUENNE), 1884, A., 543. action of heat on (BARBIER and

Roux), 1886, A., 865.

condensation of, with aromatic aldehydes (Claisen and Ponder), 1884, A., 1166.

action of allylic and isobutylic iodides on, in presence of zinc (Schatzki), 1885, A., 237.

action of anhydrous aluminium chloride on (Louise), 1883, A., 176.

action of amides of the acetic series on (Canzoneri and Spica), 1885, Λ., 746.

action of p-amidoazobenzene (ENGLER and SCHESTOPAL), 1887, A., 479.

action of ammonium formate on (Leuckart), 1890, A., 784.

action of the ammonium salts of fatty acids on, in the presence of dehy-drating agents (Ruhemann and Carnegie), 1888, T., 424; P., 39. action of aniline on (Engler and

Riehm), 1885, A., 1246.

condensation products, with aniline and ammonia (RIEHM), 1887, A.,

action of bleaching powder on (ORN-DORFF and JESSEL), 1889, A., 34.

action of caustic alkalis on (JAPP),

1883, A., 596. action of diazobenzene chloride on (Bamberger and Wulz), 1891, A., 1449.

Acetone, action of ethylic oxalate on (CLAISEN and STYLOS), 1887, A.,

917; 1888, A., 676. condensation of, with hydrochloric acid (PINNER), 1888, A., 1079.

action of nitrous acid on (GOLDschmidt), 1887, A., 568.

action of dilute nitric acid on (NEW-BURY and ORNDORFF), 1891, A., 287. action of p-nitrobenzaldehyde on

(v. Baever and Becker), 1883, A., 1120.

action of nitrogen iodide on (LEPETIT), 1890, A., 1402.

condensation products of, with phenol (Dianin), 1889, A., 1187.

action of potash on a mixture of chloroform and (ENGEL), 1887, A.,

action of silicon tetrafluoride on (Norton and Westenhoff), 1888,

action of sodium on (FREER), 1890, A., 956; 1891, A., 1181.

action of zinc and ethylic chloracetate on (Reformatsky), 1891, A., 169. bromination of (Norton and Westen-HOFF), 1888, A., 936.

cyanhydrin, imido-ethers from (PIN-

NER), 1884, A., 1292.

aniline sulphite, dimethylaniline sulphite, ethylaniline sulphite, and ethylene tolylenamidine sulphite (Boessneck), 1888, A., 942.

compound from benzoin and (JAPP and RASCHEN), 1890, T., 783; P., 139. mono- and di-hydrofluoride (LAN-DOLPH), 1883, A., 655.

pyridine and piperidine bases from (DURKOPF), 1888, A., 1313.

phosphorus compounds (MICHAELIS), 1885, A., 747; 1886, A., 609. absence of, in healthy urine (WEST),

1890, A., 399.

detection of (v. Jaksch), 1885, A., 680; (Schwicker), 1892, A., 1032. detection of, in pathological liquids (CHAUTARD), 1886, A., 495.

detection of, in urine (LEGAL), 1888, A., 1346.

estimation of, in urine (HUPPERT) 1891, A., 370; (SALKOWSKI and TANIGUTI), 1891, A., 624. See also Acetonuria.

estimation of, as iodoform (ARACHE-QUESNE), 1890, A., 837; (Collischenn), 1891, A., 370.

estimation of, in denaturised alcohol (Vignon), 1891, A., 1142.

estimation of, in methylic alcohol, etc. (HINTZ), 1888, A., 759; (MES-

singer), 1889, A., 313; (Vignon), 1890, A., 837.

Acetone, diamido- (Rügheimer and Mischel), 1892, A., 952. platinochloride (RUGHEIMER), 1889,

brom-, action of, on ammonium thiocyanate (Norton and Westen-HOFF), 1888, A., 936.

s-dibrom- (Hjelt and Siven), 1889, A., 234.

hexabrom- (Herzig), 1883, A., 464; (Hantzsch), 1888, A., 1192.

chlor- (Cložz), 1887, A., 1091; (TCHERNIAC), 1892, A., 1425.

action of benzoic anhydride on (VAN Romburgh), 1883, A., 63.

action of ethylic acetoacetate on (Weltner), 1884, A., 746.

action of ethylic benzoylsodacetate on (Colefax), 1891, T., 191.

action of phenylhydrazine on (BEN-DER), 1888, A., 1189.

di-, tri-, and tetrachlor-, isomeric forms of (CLOEZ), 1887, A., 1092.

s-dichlor-, preparation of (ERLEN-BACH), 1892, A., 952.

s-tetrachlor- (HANTZSCH), 1888, A., 1191; (LEVY and CURCHOD), 1889, A., 1136.

action of phenylhydrazine on (ZIN-OKE and KEGEL), 1889, A., 955; (LEVY & WITTE), 1889, A., 1160. derivatives of (LEVY, WITTE, and

Сивснор), 1890, А., 232. hydrate of (LEVY and JEDLICKA),

1888, A., 444.

pentachlor- (CLOEZ), 1884, A., 580; 1887, A., 1095. isomeride of (CLOEZ), 1884, A., 580.

hexachlor- (Cloez), 1887, A., 1096. chlorotribrom-(Clorz), 1887, A., 1097.

chloropentabrom- (HANTZSCH), 1889, A., 854.

dichlorodibrom- (CONRAD and GUTH-ZEIT), 1883, A., 1083; (CLOEZ), 1887, A., 1098.

dichlorotetrabrom- (HANTZSCH), 1889, A., 853.

trichlorobrom-(Cloëz), 1887, A., 1098. trichlorotribrom- (HANTZSCH), 1888, A., 1191.

tetrachlorobrom-(ZINCKE and KEGEL), 1890, A., 489.

cyan- (HANTZSCH), 1890, A., 1094, 1095.

iod- (DE CLERMONT and CHAUTARD), 1885, A., 648.

halogen substitution products, action of ammonia and amines on (CLOEZ), 1887, A., 1098.

Acetone, nitroso- (v. Promann), 1887, A., 1104.

sodium salt of, action of benzylic chloride on (MEYER and CERE-SOLE), 1883, A., 572.

dinitioso-, (v. Pechmann and Well-SARG), 1889, A., 34. oxime of. See Acetylformoxime.

dioxime of (v. Pechmann Wehsarg), 1887, A., 28. and

thio- (BAUMANN and Fromm), 1890,

trithio-, and its pentoxide (Fromm and Baumann), 1889, A., 852.

thiocyan- (ARAPIDES), 1889, A., 414; (Tcherniac), 1892, A., 1425, 1426. preparation and properties (TCHER-NIAC and HELLON). 1883, A., 654. Acetoneacetic acid, dithio-(BONGARTZ),

1886, A., 938.

Acetone-ammonia, tetrachlor-(LEVY and CURCHOD), 1889, A., 1136.

Acetoneazobenzene. See Pyruvaldehydephenylhydrazone. Acetonebenzil and its reactions (JAPP

and MILLER), 1885, T., 22.

preparation of (JAPP and KLINGE-MANN), 1890, A, 673. Acetonebenzilimide (JAPP and MILLER),

1885, T., 24. Acetonebenzophenylhydrazide (Micii-

AELIS and SCHMIDT), 1887, A., 820. Acetonebenzylidenephenylmethylhydr-

azine (Koulhausch), 1890, A., 24. Acetoneberberine (GAZE), 1890, A., 1011. Acetonebisazobenzene (CLAISEN), 1892, A., 710.

Acetonebromoform (WILLGERODT and

Muller), 1885, A., 648. Acetonechloroform (William Roll), 1883, A., 1079; (WILLGERODT and MUL-LER), 1885, A., 648; (WILLGIRODT and GENIESER), 1888, A., 810.

acids from (Willgerout), 1887, A., 1030.

bye-products in the preparation of, and conversion of, into hydroxyrsobutyric acid (Willgerodr), 1883, A., 177.

derivatives, reactions of (WILLGBRODT and Schiff), 1890, A., 959.

solid, and its derivatives (WILLGERODT and Durr), 1889, A., 689.

Acetonediacetic acid (HAITINGER and Lieben), 1885, A., 47; (Volhard), 1890, A., 30; 1892, A., 432.

dilactone of (MICHAEL), 1891, A., 1837. Acetonedicarboxylic acid (v. PECH-MANN), 1885, A., 138; 1891, A., 670. reduction of (v. PECHMANN and JENISCH), 1892, A., 147.

Acetonedicarboxylic acid, action of diazobenzene and phenylhydrazine on (v. Premann and Jenisch), 1892, A., 161.

condensation of, with phenols (Burron and v. Prommann), 1891, A., 672.

synthesis of citric acid from (Dunscu-MANN and v. PEGHMANN), 1891, A., 672.

alkyl derivatives of (1) UNSCHMANN and v. Premann), 1891, A., 673. oxime of (EMERY), 1891, A., 422.

substitution-products of (Dunsch-MANN and v. PECHMANN), 1885, A., 1201.

Acetonediethylmercaptole, chlor- (Aut-ENRIETH), 1891, A., 568.

Acetonediphenanthraquinone (JAPP and MILLER), 1885, T., 20.

Acetonedisulphone, trithio- (BAUMANN and Fromm), 1890, A., 26.

Acetone-ethylenephenylhydrazine. See Diphenylethylencpropylidenedthydrazine.

Acetonehydrazonebenzenesulphonic acid (Prulf), 1887, A., 933.

Acetonenitrophenylhydrazone (Biscili-LER and BRODSKY), 1890, A., 151.

Acetoneclinitrophenylhydrazone CHER and ACH), 1890, A., 40.

Acetonephenanthraquinone (JAPP), 1883, A., 596.

formation and reactions of (Japp and MILLER), 1885, T., 16, 17. condensation of (WADSWORTH), 1890,

P., 151; 1891, T., 105.

(REISENEG-Acetonephenylhydrazone

GER), 1883, A., 798. salts of (MICHAPLES and SCHMIDT), 1889, A.,1159.

p-brom- (Neurell), 1889, A., 251. nitroso- (v. Pikilmann and Weiiьлис), 1889, Л., 47.

dinitroso (v. Premann and Wensarg), 1889, A., 34.

Acetonephenylmethylhydrazone, dinitioso- (v. Pecumann and Wehsard), 1889, Å., 48.

"Acetone-potash and -soda" (VAUBEL), 1891, A., 1183.

Acetonequinol (HABERMANN), 1885, A.,

Acetone-4-quinclylhydrazone (Dus-10N), 1892, T., 787.

Acetoneresorcinol (UAUSSE), 1892, A.,

Acetone-sodium, action of ethylic chlorocarbonate on (FREER and HIGLEY), 1891, A., 1182.

Acetonitrile, synthetic (ILENRY), 1887, A., 712.

Acetonitrile, heats of combustion and formation of (Berthelot and Ретіт), 1889, А., 812.

action of organic acids on (Colby and Dodge), 1891, A., 409.

benzoyl-derivatives of (v. MEYER), 1890, A., 1251.

transformation of, in the organism (GIACUSA), 1884, A., 1061.

Acetonitrile and its derivatives, compounds of, with aluminium chloride (Genvresse), 1888, A., 932.

Acetonitrile, brom- (HENRY), 1886, A., 1001.

dichlor-, polymerides of (WEDDIGE and KORNER), 1885, A., 739; (TSCHERVEN-IWANOFF), 1892, A., Ì291.

trichlor-, hydration of (Armstrong), 1889, P., 122.

polymeride of (WEDDIGE), 1884, A., 35; 1886, A., 323; (TSCHERVEN-IWANOFF), 1891, A., 1332; 1892, A., 1291.

iod- (HENRY). 1886, A., 1001.

Acetonitriles, chlorinated, and their derivatives, boiling-point anomalies of (BAUER), 1885, A., 1120.

Aceto-o-nitrobenzyl-p-toluidide, reduction of (LELLMANN), 1891, A., 726. Acetonitro-\psi-cumididesulphonic

(MAYER), 1887, A., 659. B-Aceto-o-nitrophenylalanine, laciam of

(EINHORN), 1884, A., 305. Acetonuria (v. Jaksch), 1883, A., 1161;

1885, A., 680; (West), 1890, A., testing for acetone and allied sub-

stances in (LE NOBEL), 1885, A., 449. See also Acetone.

Acetonylacetone (PAAL), 1885, A., 505; (Knour), 1889, A., 385.

preparation of, from ethylic diacetosuccinate (Knorr), 1889, A., 1139. action of alcoholic ammonia on (PAAL), 1885, A., 1206.

action of nitric acid on (ANGELI), 1891, A., 890.

action of phosphoric selenide on

(PAAL), 1885, A., 1207. derivatives (PAAL), 1885, A., 505.

Acetonylacetonephenylmethyldihydrazone (Kohlrauson), 1890, A., 24. Acetonylcarbamide, nitr- (FRANCHI-MONT and KLOBBIE), 1889, A., 125.

Acetonyldiphenylthiccarbamide (PAW-LEWSKI), 1888, A., 478.

5-Acetonyl-4-hydroxy-2-phenyl-6-methyl-m-diazine (PINNER), 1890 A., 70. Acetonylphenylic sulphide (DELISLE),

1889, A., 489.

Acetonylphthalimide (GUEDECKE: MEYER), 1888, A., 1294.

Acetonylquinoline (FISCHER and Ku-ZEL), 1883, A., 588.

Acetopentamethylenediamine dicyan- (Guareschi), 1892, A., 1071.

Acetophenone, formation of, from benzene . (Friedel and Crafts), 1889, A.,

formation of, from ethylic benzoylacetoacetate (FISCHER and KUZEL), 1883, A., 587.

dispersive power of (BARBIER and ROUX), 1889, A., 805. action of heat on (BARBIER and ROUX),

1886, A., 865.

action of, on ammonia (Engler and Киенм), 1886, А., 369.

condensation of, with aniline and ammonia (RIEHM), 1887, A., 599.

action of ethylic oxalate on (Bromme and CLAISEN), 1888, A., 691.

action of nitric acid on (HOLLEMAN), 1888, A., 275; 1889, À., 49.

action of phosphorus pentachloride on (Behal), 1889, A., 984.

action of potassium ferricyanide on (v. Buchka and Irish), 1887, A., 483.

chlorination of (GAUTIER), 1886, A.,

oxidation of (STROMMENGER), 1886, A., 462; (CLAUS and NEUKRANZ), 1891, A., 1364.

oxidation of, by alkaline permanganate (Glucksmann), 1890, A., 1416.

derivatives of (STAEDEL), 1883, A., 586. mercuric chloride (Volhard), 1892, A., 829.

p-nitrophenyl ether (Möhlau), 1883, A., 332.

sodium derivative of (BECKMANN and Paul), 1892, A., 170.

physiological action of (MAIRET and Combemale), 1886, A., 385; (Kar-MENSKI), 1889, A., 1076.

hypnotic properties of (DUJARDIN-Braumetz and Bardet), 1886, A., 169.

Acetophenone, o-amido- (v. BAEYER and BLOEM), 1883, A., 197, 198.

derivatives of (v. BAEYER), 1884, A., 1021; (v. BAEYER and

BLOEM), 1884, A., 1026. p-amido-, and some of its derivatives (Klingel), 1884, A., 1343; 1886, A., 60.

excamido-(Braun and Meyer), 1888, A., 366, 700.

hydrochloride (BRAUN and MEYER), 1888, A., 700.

Acetophenone, evoamido-, picrate (Goe-DECKEMEYEL), 1888, A., 1294.

brom- (Schweifzer), 1891, A., 684. ω-brom- (ΜοιιλΑυ), 1883, A., 332; (Weller), 1883, A., 582.

action of acid amides on (LEWY), 1888, A., 55.

action of amides on (BLUMLEIN), 1885, A., 162.

action of secondary aromatic amines on (Culmann), 1888, A., 1287.

action of, on ethylic acetoacetate (WELTNER), 1884, A., 746.

action of, on ethylic sodacetoacetate (Paal), 1884, A., 598.

action of, on hydroxylamine (STRASS-

MANN), 1889, A., 610. action of, on hydroxylamine hydrochloride (Schramm), 1884, A., 51.

action of, on phenol (Mohlau), 1883, A., 332. action of phenylhydiazine

(HESS), 1886, A., 547. derivatives (STAEDEL), 1883, A., 586.

w-dibrom-, action of phenylhydrazine

on (BENDER), 1888, A., 1189. derivatives (Engler and Hassen-KAMP), 1885, A., 1223.

ω-bromo-o-nitr- (GEVEKOHT), 1884, A., 445.

ω-bromo-p-nitro-derivatives of (En-GLER and ZIELKE), 1889, A., 505.

p-chlor- (GAUTIER), 1885, A., 1061. ω-di- and ω-tri-chlor- (GAUTIER), 1887, A., 141, 922.

w-dichloro-m-bromo-o-amido-(v. BAE-YER and BLOEM), 1884, A., 1027. dichloro-o-niti- (GEVEROUT), 1884, A., 445.

cyan-, and its derivatives. Benzoylacetonitrile.

p-iod- (Schweitzer), 1891, A., 684, 830.

o-nitr- (Gevekoht), 1884, A., 445. direct formation of, by nitration of acetophenone (Engles), 1885, A., 1223.

p-nitr- (Engler and Zielke), 1889, A., 505.

nitr-, preparation of the three isomeric (GEVEROHT), 1883, A., 191; 1884, A., 445.

ω-thiocyan- (ARAPIDES), 1889, A.,

Acetophenoneacetic acid, dithio- (Bon-GARTZ), 1886, A., 938.

Acetophenoneacetoacetic acid (PAAL), 1884, A., 598.

derivatives of the ethereal salts of (PAAL), 1884, A., 1177.

Acetophenoneacetone (PAAL), 1884, A.,

isonitroso-derivative of (PAAL), 1884, A., 599.

Acetophenoneacetonedioxime (Ciami-CIAN and ZANETTI), 1890, A., 1155; 1891, A., 1503.

Acetophenoneanilide and its derivatives (Mohlau), 1883, A., 332.

Acetophenoneazonaphthol (Klingel), 1886, A., 61.

Acetophenonebenzil (JAPP and MILLER), 1885, T., 35.

Acetophenonebenzophenylhydrazone (Michaelis and Sommidr), 1887, A.,

Acetophenone-p-benzoylphenylhydrazone (Ruhemann and Blackman),

1889, T., 615. Acetophenone-o-carboxyanilide (Mer-

TENS), 1887, A., 52. ω-chlor-(ZINCKE and Cooksey), 1890, A., 785.

Acetophenone-o-carboxylic acid, formula of (GABRIEL), 1883, A., 1127.

action of sulphuric acid on (GAB-RIEL), 1885, A., 166.

ω-chlor- (ZINCKE and COOKSEY), 1890, A., 786.

Acetophenone-o-carboxylic acids, chlorinated and brominated (ZINCKE and GERLAND), 1888, A., 1192, 1193.

substituted, conversion of hydrindonaphthene- and indonaphthenederivatives into (ZINCKE and GER-LAND), 1888, A., 1192.

Acetophenone-o-carboxylicphenylhydrazide (Roser), 1885, A., 797.

o-ω-Acetophenonedicarboxylic formula of, and action of hydroxylamine hydrochloride on (GABRIEL), 1883, A., 1127.

action of phenylhydrazine on (Rosen), 1885, A., 797.

Acetophenonedimethylhydrazone (Rei-SENEGGER), 1883, A., 798.

Acetophenoneoxime (CLAISEN), 1887, A., 575; (Claisen and Manasse),

1887, A., 944. o-amido- (Auwers and v. Meyen-Burc), 1891, A., 1876.

Acetophenonephenylhydrazone (REISE-NEGGER), 1883, A., 798.

o-amido- (Auwers and v. Meyen-BURG), 1891, A., 1377.

nitr- (BISCHLER and BRODSKY), 1890, A., 151.

Acetophenonesulphonic acid (KRECKE-LER), 1887, A., 141.

Acetophenonethiophenylhydrazone (RUHL), 1892, A., 1326.

Acetophenyl-a-isoamylhydrazide (PHILips), 1889, A., 1159.

Acetophenylbenzylidenehydrazide (MICHAELIS and SCHMIDT), 1887, A., 821; 1889, A., 1159.

Acetophenylisobutylhydrazide ips), 1889, A., 1159.

Acetophenylcarbamic acid, sodium salt of (Seifert), 1885, A., 983.

Acetophenylcarbamide (Kuhn), 1885, A., 260.

Acetophenylcitraconazide (MICHAEL), 1886, A., 699.

Acetophenyldimethylhydrazide (FISCH-ER), 1887, A., 932.

Aceto-m-phenylenediamine hydrochloride (WALLACH and SCHULZE), 1883, A., 583.

Aceto-p-phenylenediamine and some new azo-derivatives (NIETZKI), 1884, A., 1016.

Acetophenyl-a-ethylhydrazide IPS), 1889, A., 1158.

Acetophenylhydrazide (MICHAELIS and SCHMIDT), 1889, A., 1159.

Acetophenylmethylhydrazide ER), 1887, A., 932.

p-brom- (Bolsing and Tafel), 1892, A., 982.

chlor- (GATTERMANN and HÖLZLE), 1892, A., 844.

Acetophenylhydrazonephthalaldehydic (ALLENDORFF), 1891, acid 1371.

Acetophenylisopropylhydrazide (PHILips), 1889, A., 1159.

Acetophenylsemithiocarbazide(DIXON), 1889, T., 303.

Acetophthalylimide (Aschan), 1886, A., 704.

Aceto-8-tetrahydronaphthylamide (BAMBERGER and MULLER), 1888, A., 712.

Acetotetrahydro-α-and -β-naphthylcarbinylamines (BAMBERGER and HELwig), 1889, A., 1199.

Acetothienone (thienyl methyl ketonc) (Peter), 1885, A., 141, 764. action of ethylic oxalate on (ANGELI),

1891, A., 550.

derivatives (Peter), 1885, A., 141, 764; (BRUNSWIG), 1887, A., 236, 237.

mercuric chloride (Volhard), 1892, A., 829.

Acetothienone, brom- (GATTERMANN and Römer), 1886, A., 537; (Brunswig), 1887, A., 236.

cyan- (Salvatori), 1892, A., 304. iod- and chlor- (GATTERMANN and RÖMER), 1886, A., 537, 538.

Acetothienoneoxalic acid (ANGELI), 1891, A., 550; 1892, A., 154. oxime of (SALVATORI), 1892, A., 304.

Acetothienonephenylhydrazine(Peter), 1885, A., 141.

Acetothiocarbimide, action of aldehydeammonia on (Dixon), 1892, T., 530.

Acetothio- β -dinaphthylamide (KYM), 1889, A., 51.

Acetothiophenaldoxime (HANTZSCH), 1891, A., 444.

Acetothiosulphuric acid, salts of (PUR-GOTTI), 1892, A., 1419.

Aceto-o-toluidide (KELBE), 1883, A., 916. action of sulphuryl chloride on (Wynne), 1892, T., 1045; P.,

139. nitration of -(Nölting and Collin), 1884, A., 1012.

colour reaction of (TAFEL), 1892, A., 709.

Aceto-o-toluidide, 5-brom- (ALT), 1889, A., 1214; (NIEMENTOWSKI), 1892, A., 838.

brom-, oxidation of, by manganate (ALT), 1889, A. 987. 5-brom-, exobrom- [CH2Br.CO-] (ABENIUS and

WIDMAN), 1888, A., 824. exodibrom- [CHBr. CO-] (ABENIUS and WIDMAN), 1889, A., 134.

5-bromo-3-nitr-(Niementowski), 1892, A., 838; (CLAUS and BECK), 1892, A., 1207.

5-bromodinitr-(NIEMENTOWSKI). 1892, A., 838.

4-chlor-(Goldschmidt and Hönig), 1886, A., 1022,

5-chlor- (Lellmann & Klotz), 1886, A., 452; (WYNNE), 1892, T., 1047. 6-chlor- (Hönig), 1887, A., 1034. cmodichlor- [OHCl₂.CO-] (Rügheimer

and HOFFMANN), 1886, A., 160.

3-nitr- (LELLMANN and WURTHNER), 1885, A., 974.

4-nitr- and 5-nitr- (Nölting and COLLIN), 1884, A., 1007, 1012.

6-nitr- (Ullmann), 1884, A., 1316; (GREEN and LAWSON), 1891, T., Ì014.

Aceto-m-toluidide, 4-brom- (CLAUS), 1892, A., 1201.

4-chlor-(GATTERMANN and KAISER), 1886, A., 49; (GOLDSCHMIDT and Hönig), 1886, A., 1022; (Claus), 1892, A., 1201.

5-chlor- (Hönig), 1887, A., 1034. 6-chlor- (Goldschmidt and Hönig), 1887, A., 363.

exodichlor- [CHCl2. CO-] (Rügheimer and Hoffmann), 1886, A., 161. 6-nitr- (Limpricht), 1885, A., 974.

Aceto-p-toluidide (KELBE), 1883, A., 916.

action of chlorine on (ERDMANN), 1891. A. 1466.

1891, A., 1466.
action of sulphuryl chloride on (WYNNE), 1892, T., 1053; P., 139.
nitration of (Nöliting and Collin),
1884, A., 1012.

hydrochloride (Nolting and Wein-GARTNER), 1885, A., 979.

Aceto-p-toluidide, amido-. See Acetoo-tolylenediamine.

diamido- (Niementowski), 1886, A., 545.

diazo-compounds. See Azo.

3:5-dibrom- (CLAUS and HERBARNY), 1892, A., 175.

3-bromo-5-nitr- (HAND), 1886, A., 1018.

exobrom- [CH₂Br.CO-] (ABENIUS), 1890, A., 269.

3-chlor- (Lellmann and Klotz),
 1886, A., 452; (Erdmann), 1891,
 A., 1466; (Wynne), 1892, T.,
 1057; (Lellmann), 1892. A., 450.
 crystallography of (Porh), 1892,

T., 1057. 3:5-dichlor- (LELLMANN and KLOTZ),

1886, A., 453. exochlor- [CH₂Cl.CO-] (Bischoff and

HAUSDORFER), 1890, A., 1285; (ECKENROTH and DONNER), 1891, A., 195.

conversion of, into dimethylindigo (ECKENROTH), 1891, A., 722.

exodichloro [CHCl2.CO-] (RÜGHEIMER and HOFFMANN), 1886, A., 159.

2-chloro-5-nitr- (CLAUS and BOCHER), 1892, A., 173.

3-chloro-5-nitr- and 3-chloro-6-nitr-(CLAUS and DAVIDSEN), 1892, A., 172.

2-nitr- and 3-nitr- (Nölting and Collin), 1884, A., 1012.

3-nitr-, reduction products of (Ban-KIEWICZ), 1889, A., 865. isomeric modifications of (Gatter-Mann), 1890, A., 1112.

3:5-dinitr-, reduction products of (BANKIEWICZ), 1888, A., 1184.
3-nitroexcehlor- [CH₂CLCO-] (ECK-

3-nitroemochlor- [CH2ULCO-] (Eck-ENROTH and DONNER), 1891, A., 195.

Acetotoluidides in relation to animal metabolism (JAFFE and HILBERT), 1888, A., 735.

Aceto-p-toluidide-o-diazodiethylamide (Wallach), 1887, A., 137.

Aceto-p-toluidide-o-diazonitroethane (Wallauh), 1887, A., 137.

Aceto-p-toluidide-o-diazopiperidide (WALLACH), 1887, A., 138.

Aceto-o-tolylamidoacetic acid (Bischoff and Hausdörfer), 1892, A., 1334. chlor- (Abenius and Widman), 1888, A., 824.

Aceto-p-tolylamidoacetic acid (PAAL and OTTEN), 1890, A., 1415.

Aceto-p-tolylamidoacetic toluidide, chlor- (Bischoff and Hausnörffer), 1892, A., 1336.

Aceto-o-tolylenediamine (Boessneck), 1886, A., 874; (Bankiewicz), 1889, A., 866.

Aceto-m-tolylenediamine (WALLACH), 1837, A., 41.

Aceto-o- and p-tolylhydrazide (GATTER-

Aceto-o- and p-tolylhydrazide (GATTER-MANN, JOHNSON, and HÖLZLE), 1892, A., 843.

Aceto-o-tolylthiocarbamide (DIXON), 1889, T., 304; P., 46.

Acetotrimethylcolchicinamide (ZEINEL), 1888, A., 614.

Acetotripiperidide (Busz and Kekulé), 1888, A., 302.

Acetoisovanillic acid (BERTRAM and GILDEMEISTER), 1889, A., 863.

Acetovanillone (Tiemann), 1892, A., 59, synthesis of, from guaiscol and acetic acid (Orro), 1892, A., 61, derivatives (Neitzei), 1892, A., 61.

Acetovanilloneoxime (NEITZEL), 1892, A., 61.

Acetovanillonephenylhydrazide (NEIT-ZEL), 1892, A., 61.

Acetovanillonitrile (MARCUS), 1892, A., 318.

Acetoveratrone (NEITZEL), 1892, A., 61. Acetoxime, formula of (MEYER), 1883, A., 569.

molecular weight of (Arwers and Meyen), 1888, A., 646.

action of diazobenzene on (MAI), 1892, A., 1080.

action of hydrocyanic acid on (v. MILLER and PLECHL), 1892, A., 1196. compounds (MEYER), 1891, A., 1181. hydrochloride (JANNY), 1883, A., 581. hypochlorite (MÜHLAU and HOFFMANN), 1887, A., 795.

Acetoximes (JANNY), 1883, A., 580, 581; (WEGE), 1892, A., 333.

reduction of (Goldenmint), 1887, A., 249, 568.

action of acetic chloride on (MEYER and WARRINGTON), 1887, T., 683; P., 101.

of the fatty series (SPIEGLER), 1884, A., 1115.

physiological action of (PASCHKIS and OBERMAYER), 1892, A., 1506.

Acetoxime-8-naphthylsulphone(WEGE), 1892, A., 334.

Acetoximephenylsulphone(Wege), 1892, A., 334.

Acetoxime-p-tolylsulphone (Wege), 1892, A., 334.

Acetoximic acids (TREADWELL and Westenberger), 1883, A., 572; (SCHRAMM), 1883, A., 590.

Acetoxyacetonitrile (HENRY), 1886, A., 605.

Acetoxydibromobenzylidenephenylhydrazine (Rossing), 1886, A., 66.

trichloride, Acetoxybutyric tertiary (WILLGERODT and DURR), 1889, A.,

Acetoxychloro-a-naphthaquinonesulphonic acid (CLAUS and VAN DER CLOET), 1888, A., 603..

Acetoxyapocinehenine (Comstock and Koenigs), 1888, A, 72.

Acetoxycodeine (GRIMAUX), 1883, A., 359.

Aceto-o-xylidide (Jacobsen), 1884, A., 737.

Aceto-m-xylidide(Kelbe), 1883, A., 916; (GREVINGE), 1885, A., 145. nitration of (Nolting and Collin),

1884, A., 1013. p-brom- (ABENIUS), 1888, A., 854; 1890, A., 269. o-chlor- (CLAUS), 1892, A , 1202.

thio- (GUDEMANN), 1888, A., 1282; (JACOBSON and NEY), 1889, A., 771.

Aceto-p-xylidide, nitr- (Nolting, Witt, and Forel), 1886, A., 58; (WITT), 1889, A., 604.

Acetoxyphenylacridine (HESS and BEEN-THSEN), 1885, A., 801.

a-Acetoxy-y-phenylcrotonic acid (Tir-MANN), 1892, A., 472.

Acetoxyphenylpivalic acid and an-hydride (OTT), 1885, A., 663.

Acetoxypropionitrile (HENRY), 1886, A.,

Acetoxypropylbenzoic acid, nitr-(WIDman), 1884, A., 317.

Acetoxypyridine (FISCHERAND RENOUF), 1884, A., 1870.

2-Acetoxypyridone, 3:5-dichloro- (ZIN-CKE and FUCHS), 1892, A., 449.

Acetoxytetramethylenecarboxylic acid (PERKIN and SINCLAIR), 1891, P., 191; 1892, T., 45.

Aceturic acid. See Acetoglycocine. Acetyl .. See also Acet and Aceto -. Acetyl chloride. See Acetic chloride.

Acetyl compounds, investigation (BENEDIKT and ULZER), 1887, A., 620.

Acetyl compounds, magnetic rotation of (Perkin), 1892, T., 800; P., 100.

Acetyl group, substitution of the, for

the amido-group by aid of the diazo-reaction (MELDOLA), 1888, A., 487.

cetyl values, Benedikt's (LEWKO-wirsch), 1890, P., 72, 91. Acetyl values,

Acetylacecaffeine (FISCHER), 1883, A., 356.

Acetyl-α-acetaldoxime (Dunstan and DYMOND), 1892, P., 136.

Acetylacetone (Combes), 1887, A., 127. preparation of (CLAISEN and EHR-

HARDY), 1889, A., 850.
refractive and dispersive powers of (Perkin), 1892, T., 846.
magnetic rotation of (Perkin), 1892,

T., 813, 840, 844. action of ethylenediamine and of m-tolylenediamine on (Combes). 1889, A., 851.

action of hydroxylamine on (ZEDEL), 1888, A., 1051; (Combes), 1889, A., 57.

action of phenylhydrazine (Combes), 1889, A., 57.

syntheses in the quinoline series by means of (Combes), 1888, A., 504.

metallic derivatives of (COMBES), 1888. A., 128.

copper compound, action of, on carbonyl chloride (THOMAS-MAMERT and Lefevre), 1889, A., 235.

sodium compound of, action of ethylic chlorocarbonate on (CLAISEN and ZEDEL), 1889, A., 377. homologues of (Combes), 1887, A.,

653; (CLAISEN and EHRHARDT), 1889, A., 850.

Acetylacetone, heptabrom- (ZINCKE and

Kegel), 1890, A., 1110. perbiom- (Zincke and Kegel), 1890, A., 1108.

hexabrom- and hexachlor- (Combes). 1888, A., 666.

chlor- and dichlor- (COMBES), 1890. A., 1394.

octochlor- (ZINCKE and KEGEL), 1890, A., 489.

hexachlorodibrom- (ZINCKE and KE-GEL), 1890, A., 489.

Acetylacetonephenylmethylhydrazine (Kohlrausch), 1890, A., 24.

Acetylacetophenone. See Benzoylace-

Acetylacrylic acid (phenomalic acid) (Pawloff), 1884, A., 41; (Wolff), 1887, A., 465; 1891, A., 1185. dibrom- (ANGELI and CIAMICIAN).

1891, A., 427; 1892, A., 302.

Acetylacrylic acid (phenomalic acid), trichlor- (KEKULE and STRECK-ER), 1884, A., 1122; (ANSCHÜTZ), 1890, A., 365.

constitution of (Anschutz), 1890, A., 365.

action of hydroxylamine on (Doll-FUS), 1892, A., 1203.

perchlor- (ZINCKE), 1892, A., 1186. trichlorobrom- (KEKULE and STRECK-ER), 1884, A., 1122,

iod-, and its oxime, and diod-(ANGELI and Chiussi), 1892, A., 1179.

Acetylamylacetone (Combes), 1887, A., 653.

Acetylangelicylmethane (CLAINEN and EHRHARDT), 1889, A., 850.

Acetylanhydroberberilic acid (Perkin), 1890, T., 1041.

Acetylanhydrocitric acid (Easterfield and SELL), 1892, T., 1003.

action of aniline on (EASTERFIELD and SELL), 1892, T., 1006.

conversion of, into aconitic acid (Easterfield and Sell), 1892, Ť., 1007.

Acetylanisaldoximes, α - and β - (HANTzsch), 1891, A., 443.

p-Acetylanisoil (GATTERMANN, HARDT, and MAISCH), 1890, A., 963. Acetylation of cellulose (Cross and

BEVAN), 1889, P., 133; 1890, T., 1. Acetylazo-compounds. See Azo.

Acetylbarbituric acid (CONRAD and GUTHZEIT), 1883, A., 314.

Acetylbenzaldehyde, d GARTZ), 1886, A., 938. dithio-

Acetylbenzaldoximes, α - and β - (Hantzsch), 1891, A., 443.

Acetylbenzeneazo-compounds. See Azo. Acetylbenzilic acid (KLINGER and STANDKE), 1889, A., 885.

Acetylbenzilmonoximes (AUWERS and MEYER), 1889, A., 612.

Acetylbenzoic anhydride. See Benzoic acetic anhydride.

See Phonvl methyl Acetylbenzoyl. diketone.

Acetylbenzylideneimide (PINNER), 1889, A., 984.

Acetylbienone (LEVI), 1891, A., 551.

Acetylbrazilein, dibrom- (SCHALL and DRALLE), 1890, A., 997.

Acetylbromisatin (v. BAEYER OECONOMIDES), 1883, A., 201. and Acetyl-α- $-\beta$ -bromonaphthalene

(SCHWEITZER), 1891, A., 684. Acetylbromothymol (Mazzara), 1890,

A., 366.

Acetylbutylchloraldoxime (Schiff and Tarugi), 1892, A., 34.

Acetylbutylic alcohol (PERKIN), 1887. T., 718; (Colman and Perkin), 1889, T., 352; P., 80.

preparation of (LIPP), 1886, A., 218; (COLMAN and PERKIN), 1889, T., 354; P., 80.

anhydride of (PERKIN), 1887, A., 32. Acetylbutylic bromide (PERKIN), 1887, T., 726; (Kipping and Perkin), 1889,

Acetylisobutylic alcohol (PERKIN and STENHOUSE), 1892, T., 71.

Acetylisobutylic bromide (PERKIN and

STENHOUSE), 1892, T., 72. γ-Acetylbutyric acid (WOLFF), 1883, A.,

B-Acetylisobutyric acid, derivatives of (Zanetti), 1892, A., 74.

ω-Acetylisobutyric acid (α-methyl-βacetylpropionic acid) (Thorne), 1885, A., 1200.

Acetylbutyryl and its derivatives (v. PECHMANN and OTTE), 1888, A., 1052; 1889, A., 1138.

Acetylisobutyryl (v. Pechmann and OTTE), 1888, A., 105; 1889, A., 1138.

Acetylbutyrylmethane (CLAISEN and EHRHARDT), 1889, A., 851.

Acetylcamphenylcarboxylic acid (Win-ZER), 1890, A., 1152.

Acetylcaproic acid. See Acetylhexoic acid.

Acetylcapronyl (OTTE and v. PECH-MANN), 1889, A., 1138.

Acetylisocapronyl (v. Pechmann and OTTE), 1888, A., 1052.

Acetylcarbinol (weetol) (Perkin and TINGLE), 1889, P., 156: (PERKIN), 1891, T., 786, 790; P., 40.

preparation of, from monochloracetone (PERKIN), 1891, T., 794; P.,

reduction of (Perkin), 1891, T., 796. osazone of (LAUBMANN), 1888, A., 366; (PERKIN and TINGLE), 1889, P., 156; (PERKIN), 1891, T., 795.

Acetylcarbinyl acetate (Perkin), 1891, T., 788.

Acetylcarbinyl ethyl ether (FITTIG and Erlenbach), 1888, A., 1269; (Erlen-BACH), 1892, A., 954.

ψ-Acetyl-a-carbopyrrolic acid and its methylic salt (CIAMICIAN and DENN-STEDT), 1884, A., 1045.

3-Acetylcarbostyril (FRIEDLÄNDER and GÜHRING), 1883, A., 1149.

Acetylcarvacrol (CLAUS and FAHRION), 1889, A., 880.

Acetyltrichloracetylacrylic acid (An-SCHUTZ), 1890, A., 365.

Acetylchlorhydrose, action of dipotassium salicylate on (MICHAEL), 1884, A., 439.

Acetyl-m-and p-chlorobenzene-p-azo-peresol (Goldschmidt and Pollak), 1892, A., 974.

Acetyl-m- and p-chlorobenzenehydrazop-cresol (Goldschmidt and Pollak), 1892, A., 974.

Acetyl-p-chlorobenzophenones(DEMUTH and DITTRICH), 1891, A., 314.

Acetylpentuchlorobutyric acid, trichlor- and dichlorobrom- (ZINCKE and RABINOWITSCH), 1891, A., 691.

Acetyltrichlorocrotonic acid, dichlor-(ZINCKE and RABINOWITSCH), 1891, Å., 690.

Acetyltetrachlorocrotonic acid, di- and tri-chlor- (ZINCKE and FUCHS), 1892, A., 1462.

Acetylohloroantiglyoxime (HANTZSCH), 1892, A., 694.

Acetyltetruchloro-m-hydroxybenzoic acid (ZINCKE and WALBAUM), 1891, A., 710.

Acetylchloromannose (FISCHER and HIRSCHBERGER), 1890, A., 226.

Acetylchlorophenols, isomeric (DACCOMO), 1892, A., 308.

Acetyltrichlorophenol (LAMPERT), 1886, A., 616.

Acetyltrichlorophenomalic acid. See Acetyltrichloracetylacrylic acid.

Acetyl-p-chlorothiophenol (DACCOMO), 1892, A., 308.

Acetyicholesterol, brom- (REINITZER), 1888, A., 1076.

Acetyleitric acid and its reduction (EASTERFIELD and SELL), 1892, T., 1005.

Acetylcitric anhydride, and the action of aromatic amines on (KLINGEMANN), 1889, A., 768.

Acetylcordeine (HESSE), 1884, A., 614. Acetylcorulignol (PASTROVICH), 1883, A., 1006.

Acetyleotarnelactone (Rosen), 1890, A., 529.

Acetyl-m-coumaric acid (TIEMANN and Lt DWIG), 1883, A., 189.

Acetylcresol (KLINGEL), 1886, A., 61. Acetylcrotonyl (v. Pechmann and Otte), 1888, A., 1052; 1889, A., 1139.

Acetyloumene and its derivatives (WID-MAN), 1888, A., 1085, 1086.

Acetyl-ψ-cumeneazo- and hydrazophenol (Goldschmidt and Brubacher), 1891, A., 1210.

Acetyl-ψ-cumidinesulphonic acid, uitro-(ΜΑΥΕυ), 1887, A., 659.

Acetylcumylglycollic acid (isopropyl-

phenylacetylglycollic acid) (FILETI and Amoretti), 1891, A., 1060.

Acetylcurcumin (Jackson and Menke), 1885, A., 271.

Acetylcyanethine (v. MEYER), 1885, A., 140.

Acetylisocyanic acid (SCHOLL), 1891, A.,

Acetylcytisine (v. Buchka and Magal-Haes), 1891, A., 750.

Acetyl-p-desylphenol (JAPP and WADS-WORTH), 1890, T., 968.

Acetyl-m-diethoxybenzene. See m-Diethoxyacetophenone.

ω-Acetyl-αω-diethylhexoic acid and its oxime (Κιρρικς and Perkin), 1890, T., 36.

Acetyldigitogenin (KILIANI), 1891, A., 576.

Acetyldihydroxydimethylanthrarufin (v. Kontanecki and Niementowski), 1885, A., 1240.

Acetyldihydroxytetrahydroquinoline (v. Baever and Homolka), 1884, A., 78.

A., 78. Acetyldihydroxythionaphthalene (Tassin ari), 1889, A., 246.

Acetyldiketohexamethylenedicarboxylic acid (FEIST), 1892, A., 586.

Acetyldimethoxygentisein (v. Kosta-NECKI and SCHMIDT), 1891, A., 1386. Acetyl-o-dimethyldihydroxythiobenz-

ene (TASSINARI), 1889, Å., 246. Acetyldimethylindole (DENNSTEDT), 1891, A., 1502.

Acetyldimethylnaphthol (CANNIZZARO and CARNELUTTI), 1883, A., 79.

5:2:4-Acetyldimethylpyrroline (MAG-NANINI), 1889, A., 57.

5:2:4-Acetyldimethylpyrroline-8-carboxylic acid (MAGNANINI), 1889, A., 57.

Acetyl-2:5-dimethylthiophen and its derivatives (Messinger), 1885, A., 1205.

Acetyldiosphenol (SHIMOYAMA), 1888, A., 1205.

Acetyldiphenyl (ADAM), 1888, A., 959. Acetyldiphenylenic oxide (GALEWSKY), 1891, A., 1234.

Acetyldistearyl glycerol. See Glyceryl acetate distearate.

Acetylene, preparation of (DE Force BAND), 1887, A., 544.

formation of, from bromoform (CAZE-NEUVE), 1892, A., 421.

formation of, from iodoform (CAZE-NEUVE), 1884, A., 418.

condensation of, by the silent discharge (SCHUIZENBURGER), 1890, A., 961; (BERTHELOT), 1891, A., 28;

17

Acetylene, explosion of oxygen and, under diminished pressure (MEYER and SEUBERT), 1884, T., 585, 596.

origin, formation, and cause of luminosity of, in flames (LEWES), 1892, T., 322; P., 2, 47.

action of, on benzene in presence of aluminium chloride (VARET and VIENNE), 1887, A., 806.

action of some metals on mixtures of air and (Bellamy), 1885, A., 951. hydrate of (Villard), 1888, A., 1021.

derivatives, conversion of, into ethylene derivatives by direct addition of hydrogen (Aronstein and Holle-MAN), 1889, A., 878. metallic derivatives of (PLIMPTON),

1892, P., 109. silver and co copper compounds of (Keiser), 1892, A., 1416.

disubstituted, isomeric change of, under the influence of metallic sodium (FAWORSKY), 1888, A. 1168. iod- and diiod- (v. BAEYER), 1885, A., 1199.

p-Acetyleneanisoil, bromo- (EIGEL), 1887, A., 1110.

Acetylenecarboxylic acids, synthesis of

(FAWORSKY), 1888, A., 1168. Acetylenedicarbamide (WIDMAN),1887, A., 34; (Franchimont and Klubbie), 1888, A., 1180.

Acetylenedicarboxylic acid and its dimethyl derivative (v. Bandrow-SKI), 1883, A., 313. reduction of (Aronstein and Holle-

MAN), 1889, A., 878.

action of phenylhydrazine on ethereal salts of (Buchnen), 1890, A., 156. synthesis of aconitic acid from (Lovin), 1890, A., 237.

Acetylenedicarboxylic acid diiodide (Bruck), 1892, A., 431.

Acetylenedicarboxylodiazoacetic acid

(Buchner), 1889, A., 694.

Acetylene-grouping, refractive equivalent of (Bruin,), 1887, A., 193.

Acetylenemercury and its oxychloride (POLECK and THUMMEL), 1890, A., Ì19.

Acetylenetetracarboxylic acid. Sec Ethanetetracarboxylic acid.

Acetylenetetramethyldiureine (FRAN-CHIMONT and KLOBBIE), 1889, A., 126. Acetylenetrimethylnitrodiureine

Franchimont and Klobbie, 1889, A., 126.

Acetylenic dibromide, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

Acetylenic dilodide, isomeric varieties

of (Keiser), 1890, A., 594; (Paternò and PERATONER), 1890, A., 1219; 1891, A., 654.

hydrocarbons, isomeric Acetylenic change of, by heating with potash (FAWORSKY), 1888, A., 789.

action of, on mercuric salts (Kur-

SCHEROFF), 1884, A., 572. action of organic acids on (Behal and DESGREZ), 1892, A., 1064.

alcoholic silver nitrate as a reagent for (BEHAL), 1888, A., 930. higher members of (KRAFFT), 1884,

A., 1108; (KRAFFT and REUTER), 1892, A., 1163.

Acetylethenylamidoalizarin (ROEMER),

1885, A., 1068.

Acetyl-a- and -\beta-ethoxynaphthalenes (GATTERMANN, EHRHARDT Maison), 1890, A., 964.

Acetylethylpyromeconamic acid (MEN-NELL), 1885, A., 1204.

Acetyl-\$\beta\$-ethylthiophen (GERLACH). 1892, A., 830.

Acetylisoeugenol (TIEMANN), 1892, A.,

Acetyleuxanthone ethyl ether (HER-ZIG), 1891, A., 1349. Acetylflavenol(Besthonnand Fischen).

1883, A., 600.

Acetylfluorescin (HERZIG), 1892, A., 1319.

Acetylformoxime, action of hydroxylamine on (SCHOLL), 1891, A., 287. Acetylformylcamphor (CLAISEN), 1891,

A., 574. Acetylfurfurine (BAHRMANN), 1883,

A., 799. Acetylglutaric acid (CONRAD and ({urit-

ZUIT), 1886, A., 937.
Acetylglutazine (STOKES and V. PECH-

MANN), 1887, A., 155.

Acetylglycerol. See Glyceryl acetate. Acetylglyoxylic acid phenylhydrasone, action of phenylhydrazine on (JAPP and KLINGEMANN), 1888. T., 530.

Acetylguvacine (JAHNS), 1892, A., 740. Acetylheptoylmethane (CLAISEN and

EHRH (RDT), 1889, A., 851. ω-Acetylhexoic acid (ΚΙΡΤΙΝG and ΡΕΙΚΙΝ), 1889, T., 338; P., 79. anhydride of (Autenrieth), 1888, A., 251.

Acetylhomosalicenyl-. See Acetylhydroxytolenyl-.

Acetylhydrastine (SCHMIDT and KER-STEIN), 1890, A., 649.

Acetylhydrastineoxime (FREUND), 1889, A., 908.

Acetylhydrindigotin (LIEBERMANN and Dickнити), 1892, A., 480.

Acetylhydrocotarnineacetic acid (Bow-MAN), 1887, A., 1056.

Acetylhydrojuglone (BERNTHSEN and SEMPER), 1885, A., 548.

Acetylhydroquinine (HESSE), 1888, A.,

Acetylhydroxybenzenesulphone (Tassi-NARI), 1889, A., 245.

Acetyl - m - hydroxybenzenylamidoxime (CLEMM), 1891, A., 699.

Acetyl - p - hydroxybenzenylamidoxime Krone), 1891, A., 700.

Acetyl-m-hydroxybenzonitrile (CLEMM), 1891, A., 699.

Acetyl-1-hydroxy-1'-ethyltetrahydroquinoline (acetylkairin) (Kohn), 1886, T., 507; P., 210.

Acetylhydroxyhydrazobenzene (Gold-SCHMIDT and BRUBACHER), 1891, A.,

Acetylhydroxypæonol (NAGAI), 1892, A., 846.

Acetylhydroxypiperidine, dichlor-(BAL-LY), 1888, A., 965.

p-Acetylhydroxythiocarbanilide (KALскногг), 1883, А., 1110.

Acetylhydroxythiophenylcarbimide (KALCKHOFF), 1883, A., 1110.

Acetyl-o-hydroxy-p-tolenylamidoxime (acetyl - p - homosalicenylamidoxime) (GOLDBECK), 1892, A., 319.

Acetyl-o-hydroxy-p-toluonitrile (Gold)веск), 1892, А., 318.

Acetyl-p-hydroxy-o-toluonitrile (Pas-CHEN), 1892, A., 320.

β - Acetylhydroxy - α - truxillic acid (HOMANS, STELTZNER, and SUKOW), 1891, A., 1496.

 γ - Acetyl - β - hydroxy isovaleric acid (Obregia), 1892, A., 325.

and Acetylindigotin (LIEBERMANN **Dickhuth)**, 1892, A., 480.

Acetylindigo - white (LIEBERMANN), 1888, A., 494.

1'-Acetylindole (ZATTI and FERRATINI), 1890, A., 988.

3'-Acetylindole (ZATTI), 1889, A., 712. Acetyldiiodophenol (Schall), 1883, A., 1109.

Acetylisatic acid, chemical constitution of (Kolbe), 1884, A., 78.

Acetylisatin, chemical constitution of (Kolbe), 1884, A., 78.

Acetyllactic acid (SIEGFRIED), 1890, A., 128.

Acetyllevulinic acid and its derivatives (Bredt), 1887, A., 126; 1890, A. 863.

Acetylisolinusic acid (HAZURA), 1888, A., 816. Acetylmalanil (Bischoff), 1891, A., Acetylmalic acid (Anschütz and Ben-NERT), 1890, A., 363.

Acetylmalic-a-dinaphthalide (Bischoff), 1891, A., 1220.

Acetylmalic-\$-naphthil (BISCHOFF), 1891, A., 1221.

Acetylmesitylene, action of hydroxylamine hydrochloride on (FEITH and DAVIES), 1892, A., 314.

Acetylmesitylic oxide (CLAISEN and EHRHARDT), 1889, A., 850.

Acetyl-α- and β-methoxynaphthalene (GATTERMANN, EHRHARDT, Maisch), 1890, A., 964.

Acetylmethylic cyanide, imido- (Holtz-WART), 1889, A., 683.

2-Acetyl-3'-methylindazole (Auwers and v. MEYENBURG), 1891, A., 1377.

1'-Acetyl - 3' - methylisoindazole (AU-WERS and V. MEYENBURG), 1891, A., 1376.

1'-Acetyl-2'-methylindole(MAGNANINI), 1888, A., 957.

2'-Acetyl-1'-methylindole(Magnanini), 1888, A., 957.

2'-Acetyl-3'-methylindele (CIAMICIAN and Magnanini), 1888, A., 483; (MAGNANINI), 1888, A., 957.

Acetylmethyloximidoacetic acid (Hantzsch), 1891, A., 445.

Acetylmethylpyrroline (CIAMICIAN and SILBER), 1886, A., 719.

dibrom- (CIAMICIAN and SILBER), 1888, A., 62.

ψ-Acetylmethylpyrroline. See Methylpyrryl methyl ketone.

3-Acetyl-2'-methylquinoline (p-acetylquinaldine) (BEREND and THOMAS), 1892, A., 1488.

3'-Acetyl-2'-methylquinoline (ELIAS-BERG and FRIEDLÄNDER), 1892, A., 1107.

Acetyl-o-methyltetrahydrobenzene (Kipping and Perkin), 1889, P., 144,

Acetyl-β-methylthiophen (GERLACH), 1892, A., 830.

brom- (Gerlach), 1892, A., 830. Acetylmethyltrimethylene (PERKIN), 1885, T., 852.

Acetylmethyltrimethylenecarboxylic acid (Perkin), 1884, A., 1155; 1885, T., 851.

preparation of (Perkin and Sten-House), 1892, T., 69. oxime of (Perkin and Stenhouse), 1892, T., 70.

Acetylnaphthastyril and dibrom- (EKsrrand), 1886, A., 715. Acetyl-a- and -8-naphthenylamidoximes

(RICHTER), 1890, A., 62.

α-Acetylnaphthol (Erdmann), 1888, A., 488; 1890, A., 376.

B-Acetylnaphthol, a-nitro-, molecular transformation of (BOITCHER), 1883, A., 1113.

8-Acetylnaphthylglycollic acid (Scn-WEITZER), 1891, A., 729.

Acetyl-a-naphthylthiocarbizine (FRE-UND), 1892, A., 510.

Acetylnicotenylamidoxime (MICHAEL-18), 1892, Å., 207.

Acetyl-m-nitrobenzoic anhydride. Benzoic acotic anhydride.

Acetyldinitrocarvacrol (MAZZARA and PLANCHER), 1892, A., 309.

Acetylnitroethylic alcohol (DEMUTH and MEYER), 1890, A., 858.

Acetyl-o-nitrohydroxyazobenzene (Goldschmidt and BRUBACHER), 1891, A., 1261.

(KEHR-Acetyldinitromethylquinol mann and Brasch), 1889, A., 970.

Acetylnitro-opianic acid (Lienermann and KLEEMANN), 1887, A., 47.

Acetylcotylthiophen (v. Schweinirz), 1886, A., 535.

Acetylopianic acid (LIEBERMANN and KLEEMANN), 1887, A., 47. Acetylopeonol (NAGAI), 1892, A., 59,

845.

Acetylpentamethyl-maleucaniline (Fis-CHER and KOERNER), 1884, A., 607. Acetylphenanthraquinol (JAPP and KLINGEMANN), 1890, P., 31. p-Acetylphenetidine. Seo Phenacetin.

2)-Acetylphenetoil (GATTERMANN, EHR-

HARIT, and MAISCH), 1890, A., 963. Acetylphenol, o-nitr- (Börremen), 1888, A., 1113.

dinitramido- (Schiff), 1886, A., 613. 1:2:4-Acetylphenolbisazotoluene(Gott)senming and Pollar), 1892, A., 976.

Acetyl-a-phenoldichroin (BRUNNER and Chitit), 1888, A., 363.

Acetylphenoloxychroin (DRUNKER and Unuit), 1888, A., 363.

aa'- Acetylphenoxyethane (VLADESCO), 1892, A., 811.

Acetylphenylcarbizine (FREUND and Goldsmith), 1888, A., 1187.

Acetylphenyldichlorohydroxypyridone (ZINCKE), 1890, A., 965.

Acetylphenyl-p-coumaricacid, synthesis of (Oglialoro Todaro), 1884, A.,

β-Acetyl-γ-phenyl isocrotonic acid (Enn-MANN), 1890, A., 375.

Acetylphenylecgonine (EINHORN and KLEIN), 1889, A., 283.

Acetylphenyl-u-hydantoin (PINNER and SPILKER), 1889, A., 707.

Acetylphenylhydrouracil(Hoogewerff and VAN DORP), 1891, A., 197.

1':3'-Acetylphenylisoindazole (Auwers and v. MEYENBURG), 1891, A., 1378.

2-Acetyl-1-phenyl-5-methylhydroisopyrazolone (LEDERER), 1892, A., 635.

3'-Acetyl-2'-phenyl-1'-methylindole (Kohlrausch), 1890, A., 24.

Acetylphenylmethyltetrahydroquinazoline (PAAL and KRECKE), 1892, A., 81.

Acetyl-1-phenylpyrazole and its oxime and phenylhydrazone (Balbiano), 1890, A., 798.

Acetylphenylsuccinic acid, phenylhydrazine derivatives of (WELTNER), 1885, A., 793.

Acetylphenylthiocarbizine (FREUND and Goldsmith), 1888, A., 1188.

Acetylphenyltropeine (LADENBURG), 1883, A., 671.

Acetylpicamar (NIEDERIST), 1883, A., 1005.

Acetylpiperideine (LILLMINN and SCHW IDERER), 1869, A., 903.

Acetylpiperidine, trichlor- (BALLY), 1888, A., 965.

Acetylpiperone (Clamician and Sil-Ber), 1892, A., 873.

β-Acetylpropionic acid. See Levulinic acid.

Acetylpropionyl and its derivatives (v. PECHMANN), 1888, A., 812. preparation of (v. Pechmann), 1892, A., 426.

Acetylpropionylhydrazone (Our and v. Рьсималл), 1889, Л., 1137.

Acetylpropionylhydrazoximes (OTTE and v. PECHMANN), 1889, A., 1138.

Acetylpropionylmethane (CLAIREN and EHRHARDT), 1889, A., 851.

Acetylpropionyl-a\beta-phenylhydrazacetoxime (BALTZER and v. PECHMANA), 1891, A., 1116.

2)-Acetylpropylbenzene and its derivatives (Widman), 1888, A., 1085,

Acetylpropylic acetate (Lipp), 1880, A.,

Acetylpropylic alcohol (FREER and PERKIN), 1887, T., 829, 831; P., 95; A., 33; (COLMAN and PERKIN), 1889, T., 352, 357; P., 89; (Liev), 1889, A., 843.

constitution of (COLM IN and PERKIN), 1888, T., 189.

oxime of and its anhydride (MARSHALL) and Pirkin), 1891, T., 866.

Acetylpropylic benzoate (Life), 1880, A., 844.

Acetylpropylic bromide (Colman and Perkin), 1889, T., 357.

Acetylisopropylic alcohol (Fittle and ERLENBACH), 1888, A., 1053, 1269.

Acetylisopropylpyrroline and its derivatives (DENNSTEDT and ZIMMER-MANN), 1887, A., 598.

Acetylprotocatechone (Neitzel), 1892, A., 61.

a-Acetylpyrroline (CIAMICIAN and DENNSTEDT), 1884, A., 289; (CIAMI-CIAN and SILBER), 1885, A., 808.

molecular weight of (MAGNANINI), 1890, A., 906.

action of heat on (CIAMICIAN and MAGNAGHI), 1885, A., 1143.

condensation products of benzil and (ANGELI), 1890, A., 1000.

derivatives of (CIAMICIAN and DENN-STEDT), 1884, A., 289.

Acetylpyrroline, tri- and pentu-brom-CIAMICIAN and SILBER), 1885, A., 1078.

tetraiod-(CLAMICIAN and DENN-STEDT), 1883, A., 350; (CIAMICIAN and Silber), 1885, A., 1078.

Acetylpyrrolines, dibromonitr- [m.p. 206°, 175°] (CIAMICIAN and SILBER), 1887, A., 597; 1888, A., 61.

Acetylpyrrolinecarboxylic acid (C11. MICIAN and DENNSTEDT), 1884, A.,

γ-Acetylpyrroline. See Methyl pyrryl ketone.

Acetylpyruvaldephenylhydrazone(JAPP

and Klingemann), 1888, T., 526.

Acetylpyruvic acid (Claiblem and Str-

LOS), 1887, A., 918.

Acetylquinol, thio- (Leuckart), 1890,

Acetylquinoline, bromamido (LA Coste), 1883, A., 91.

Acetylquinovite (LIEBERMANN), 1884, A., 1191.

Acetylecopoletin (TAKAHASHI), 1889. A., 255.

Acetylstyrylhydantoin (PINNER and Spilker), 1889, A., 705.

Acetyltetrahydroquinoline (Hoffmann and Koenigs), 1883, A., 1144.

Acetyltetramethylenecarboxylic (Perkin), 1883, A., 1083

Acetyltetramethyl-p-leucaniline and -p-rosaniline (Fischer and German), 1883, A. 1098.

Acetyltetraphenylpyrroline (Fehrlin), 1889, A., 623.

Acetylthallin (SKRAUP), 1886, A.,

Acetylthiocarbamidophenol (KALCK-HOFF), 1883, A., 1110.

Acetyl-\$\beta\$-thioethylcrotonic anhydride (AUPENRIETH), 1888, A., 251.

Acetyl-aa-dithionaphthol (GROSJEAN), 1890, A., 1306.

Acetylthiophen. See Acetothienone. m-Acetyltoluene (Essner and Gossin), 1885, A., 252.

o-amido-, and some of its derivatives (KLINGEL), 1884, A., 1343; 1886, A., 60.

Acetyl-p-tolueneazo-p-cresol (GOLD-SCHMIDT and POLLAK), 1892, A., 974.

Acetyl-p-tolueneazo- and hydrazophenol (Goldschmidt and BACHER), 1891, A., 1210.

Acetyltricarballylic anhydride (DAU-MICHEN), 1889, A., 288.

Acetyltrimethylene (PERKIN). 1884, A.,1155; 1885, T.,831; (LIPP), 1889, A., 845.

magnetic rotation of (Perkin), 1887, T., 832.

hydrolysis and reduction of (MAR-SHALL and PERKIN), 1891, T., 871. action of hydrogen bromide on (MAR-

SHALL and PERKIN), 1891, T., 876. Acetyltrimethylenecarboxylic (PERKIN), 1884, A., 64; 1885, T., 831; (MARSHALL and PERKIN), 1890, P., 137.

preparation and reduction of (MAR-SHALL and PERKIN), 1891, T., 863. decomposition of, by heat (FREER),

1887, T., 831. action of water on (FREER and PERKIN), 1887, T., 829. salts of (PERKIN), 1885, T., 831. ethylic salt of (PERKIN), 1884, A.,

64. oxime of (MARSHALL and PERKIN), 1891, T., 865.

Acetyltrimethylenedicarboxylic (FREER and PERKIN), 1887, T. Acetyltriphenylmethylamine(v. HEMII.-IAN and SILBERSTEIN), 1884, A.,

(SCHEIBLER Acetylundecylmelitriose and MITTELMEIER), 1890, A., 1085. Acetylurethane, action of phenylhydr-

azine on (Andreocci), 1890, A., 889, Acetylvaleric acid (PERKIN), 1889, P.

142; 1890, T., 230. anhydride of (Autenrieth), 1888,

Acetylisovaleryl (v. Pechmann and Otte), 1888, A., 1052; 1889, A., 1138. 1:2:4-Acetyl-o-xylene, production of, from camphor (ARMSTRONG and KIP-PING), 1892, P., 54.

Acetylxylenylamidoxime (OPPENHEIMma), 1890, A., 50.

Acherontia atropos, blood of (GRIF-FITHS), 1892, A., 648.

Acid of the series CnH2n-1O6 (BATTER), 1883, A., 970.

Acid amides from the decomposition of albumin (Schulze), 1885, A., 581. action unf, on aromatic amines (Kelbe), 1883, A., 915.

action of acid chlorides on (Purer), 1891, A., 57.

action of phosphorus pentachloride on (WALLACH), 1883, A., 48. mixed (PINNER), 1892, A., 982.

Acid anhydrides, preparation of (LACHO-WICZ), 1884, A., 990; (HENTSCHEL), 1884, A., 991.

"Acid brown," spectrum of (HARTLEY), 1887, T., 198.

Acid chlorides, formation of, by the action of sulphonic chloride (CAR-

RARA), 1890, A., 1288. action of arsenious sulphide on (RAY-MAN), 1887, A., 950. action of, on inorganic compounds

(LACHOWICZ), 1886, A., 222. "Acid green," preparation of (MUHIL-

на́ияки), 1887, А., 579.

Acid secretion, precise relations of (Dresen), 1885, A., 923.

"Acid yellow" (EGER), 1889, A., 709. Acidamines (ENGEL), 1884, A., 725.

Acidammonium bases (GRIESS), 1885, A., 1220.

Acidimetric solutions, standardising (HART and CROALDALE), 1891, A.,

Acidimetry, potassium iodate as original standard for (Gudden), 1891, A., 614. Acidity of drawing papers (HARTLEY),

1892, P., 19; (BEADLE), 1892, P., 34. Acidoximes (l'INNER), 1884, A., 739.

affinity coefficients of. Amnity.

the magnetic rotation and the refraction and dispersion of light by, correspondence between (Chap-STONE and PERKIN), 1889, T., 751.

electrical conductivity of (Ohtwald), 1885, A., 3, 323, 1029; (Kohla-RAUSCH), 1886, A., 114.

influence of the constitution of, on their electrical conductivity (Osr-WALD), 1886, A., 294.

basicity of, deduced from their electrical conductivity (Berthelot), 1891, A., 631, 632; 1892, A., 2.

basicity of, determination of the, from the conductivity of their sodium salts (OSTWALD), 1889, A., 327. basicity of, method of estimating the

(Fuchs), 1889, A., 463.

Acids, molecular conductivity of, in diluto solutions (ARRHENIUS), 1887, A., 415; (Boury),1887, A., 758; (HARTwid), 1891, A., 1308.

reciprocal displacement of (Chaustвеновъ), 1889, А., 808.

boiling-points of, mechanical de-termination of the (HINRICHS), 1892, A., 1039. diffusion of bases and, into one

another (Steran), 1889, A., 1046. isohydric solutions of (ARRHENIUS),

1887, A., 416.
velocity of reaction in mixtures of isohydric and non-isohydric soluoſ (Moore), 1892, tions 936.

influence of, on the velocity of the hydrolytic action of yeast (O'Stant-

VAN), 1892, T., 910. absorption of different acids by wool and silk from mixtures of (Millis and TAKAMINE), 1883, T., 149.

interaction of metals and (VELEY),

1889, T., 361; P., 66. action of, on zine containing lead (Spring and van Auben), 1887, A., 1074.

apparent influence of temperature, time, dilution, and other conditions on the reaction between zine and (Divers and Shimidze), 1885, T.,

action of phenylhydrazine on (Honer-KINSON and COOTE), 1892, P.,

from butter (Recensery), 1881, A., 1219; (Soumitt), 1881, A., 1434; (WOLLNY), 1889, A., 1037; (JOHN STONE), 1890, A., 98; 1891, A., 868; (Konwond), 1892, A., 1113; (BESANA), 1892, A., 921.

from rancid butter (Corner ra), 1891. A., 130.

from fodder (Louis and Clares,), 1891, A., 770.

from lycopodium (LANGER), 1889, A., 1059.

from oak-bark (Musser), 1884, A., 1439.

from oils (HAZURA), 1887, A., 359, 913; 1888, A., 816; (HAZURA and FRIEDREICH), 1887, A., 798; (HA-ZURA and GRUSSNER), 1888, A., 1270; (NOERDLINGER), 1889, A., 799.

from cod-liver oil (GAUTIER and Mourgues), 1888, A., 1315; 1889, л., 170.

from cotton-seed oil (Hazuna and (Internet), 1888, A., 817.

Acids from earth-nut oil, oxidation of (HAZURA and GRUSSNER), 1889, A., 1058.

from peat (Durin), 1883, A., 652. from pig's bile (JOLIN), 1887, A., 742; 1888, A., 1213; 1889, A., 422; (Bergeat), 1889, A., 1231.

from spirits (BELL), 1892, A., 387. (astringent) in wine (JEAN), 1892, A.,

from tallow, exidation of, by notassium permanganate in alkaline solution (Gröger), 1885, A., 883.

use of potassium hydrogen tartrate for titrating standard (BORNTRAGER), 1892, A., 525.

estimation of free (BAUMANN), 1892, л., 539.

estimation, iodometric, of (Grounn), 1891, A., 360.

estimation, volumetric, of (ENGEL), 1889, A., 306; (Linossier), 1889, A., 75, 795.

estimation, volumetrie, of, in salts of the alkaloids (Proces), 1887, A., 621. separation of (LINOSSIER), 1889, A., 75.

Acids, amido-. See Amido-acids.

Acids, aromatic, synthesis of (GATTER-MAN and SCHMIDT), 1887, A., 569. heats of solution, and of neutralisation

of (BERTHELOT), 1886, A., 8. action of ethylic chlorocarbonate on (R. and W. Otto), 1888, A., 813.

as dye-forming substances (ZULKOW-

ski), 1884, A., 1169. reduction of the thiamides of (Bam-BERGER and LODTER), 1888, A., 376.

carboxylic, new method of obtaining (FREY and HOROWITZ), 1891, A., 565.

nsaturated, preparation of (EDE-LEANU and BUDISTEANU), 1890, A., unsaturated, 891; (EDELEANU), 1891, A., 1225.

Acids, monobasic, synthesis of, from ketones (Reformatsky), 1887, A., 717; 1888, A., 819.

electrical conductivity of (OSTWALD), 1888, A., 331.

etherification of (MENSCHUTKIN), 1884, A., 726.

existence of acid or basic salts of, in very dilute solution (BERTHELOT), 1892, A., 110.

Acids, dibasic, electrolytic synthesis of (Brown and Walker), 1891, A., 1192.

magnetic rotatory power of (Perkin), 1887, P., 98; 1888, T., 561. thermochemistry of (Massol), 1891, A., 968; 1892, A., 395, 1140.

Acids, dibasic, relations of the heats of combustion of solid, to those of the gaseous hydrocarbons (Ston-MANN), 1891, A., 252.

condensation of acctoacetates and of aldehydes with (Firrig), 1886, A.,

action of nitric acid on (FRANCHI-MONT), 1885, A., 964; 1887, A.,

anhydrides of, formation of (Anscнитz), 1885, A., 243.

anhydrides of, action of phenylhydrazine on (Horre), 1887, A.,

anhydrides of, formation of phenylhydrazile acids from (Anschutz). 1888, A., 367.

chlorides of (Augen), 1888, A., 952. imides of (LANDSBERG), 1883, A., 475.

Acids, polybasic, electrolytic ductivity of (Ostwald), 1892, A.,

relative energies of, indicators of the (ENGEL), 1886, A., 420.

etherification of (MENSCHUTKIN), 1884, A., 726.

unsaturated, constitution of (MICHael), 1886, A., 697.

unsaturated, formation of anilides of (Palmer), 1888, A., 461.

Acids, fatty, synthesis of polybasic (Bis-CHOFF), 1888, A., 1061; (AUWERS, Kübner, and v. Mevenburg), 1892,

constitution of (SCHMITT and Co-BENZL), 1884, A., 1125; (BISCHOFF), 1890, A., 741; (Auwers and Jackson), 1890, A., 1098.

dispersion of the acetic series of (BAR-BIER and ROUX), 1890, A., 1853.

electrical conductivity of solutions of in water and in alcohols (HARTwig), 1888, A., 399.

boil "-points of the $C_2\Pi_4O_2$ D₂ series of (KAHLBAUM), A., 207.

specific gravity and specific heat of the acctic series of (LUEDEKING), 1886, A., 439.

vapour pressure of the acetic series of (Schmidt), 1891, Л., 969.

thermochemistry of (STOHMANN) 1886, A., 296; (STOHMANN and LANGBEIN), 1891, A., 11.

heats of combustion of (STOHMANN and Rodatz), 1885, A., 1177; 1886, A., 296; (Luginin), 1886, A., 757; (STOHMANN and LANGBEIN), 1891, Λ., 11.

Acids, fatty, heats of combustion of derivatives of (Luginin), 1886, Δ., 192, 757.

heats of neutralisation of homologous and isomeric (GAL and WERNER), 1887, A., 95.

dissociation of the salts of, in solution (MULLER), 1890, A., 684.

diffusion of (Winkelmann), 1886, A., 11.

size of the maximum drops of, and of their aqueous solutions (TRAUBE), 1886, A., 844.

specific volume and rate of expansion of normal (ZANDER), 1884, A., 1278.

iodine absorptions, combining weights and melting-points of (WILLIAMS), 1889, A., 318.

absorption of bromine by (IIALPHEN), 1890, A., 88.

action of ammonia on alkylic salts of (RUHEMANN), 1888, A., 255.

action of bromine on higher (KRAFFT and BEDDIES), 1892, A., 695.

action of ethylic chlorocarbonate on (R. and W. Otto), 1888, A., 813.

action of iodine on the silver salts of (Simonini), 1892, A., 1301.

containing the isopropyl-group, action of nitric acid on (BREDT), 1883, A., 176.

action of, on olefines (BEHAL and DESGREZ), 1892, A., 1163.

action of phosphoric anhydride on (Kipping), 1890, T., 532, 980; P., 67, 115.

action of sodium on the ethylic salts of higher (Wohlbruck), 1887, A., 1099.

climination of carbonic anhydride from, by aid of sodium methoxide (MAI), 1889, A., 1126.

sulpho-derivatives of (Loven), 1885, A., 241.

synthesis of, in the animal organism (Walthen), 1891, A., 757.

influence of, on gaseous metabolism (Munk), 1891. A., 345.

(Munk), 1891, A., 345. formation of neutral fat from, in the animal system (Munk), 1884, A., 852.

estimation of, in soap (Schulze), 1887, A., 307; (Baur), 1887, A., 401; (Saupe), 1890, A., 1475.

estimation of rosin in admixture with (Twitchell,), 1892, A., 389; (Wilson), 1892, A., 546.

acetyl value of (LEWKOWITSOH), 1890, P., 72. dry distillation of silver salts of (KoeNIGS), 1892, A., 37; (KACHIMR), 1892, A., 293; (LIEBEN), 1892, A., 811.

Acids, fatty, amido-, general reaction for (Currius), 1881, A., 994.

Acids, fatty, brome- method of preparing (MICHAEL), 1887, A., 358. separation of (VOLHARD), 1888, A., 129.

Acids, fatty, unsaturated, oxidation of (HAZURA), 1888, A., 1270; (HAZURA and GRUSSNER), 1889, A., 375, 956.

and Grissner, 1889, A., 375, 956.

Acids, fatty, volatile, amount of, in the excrements of runninants (Willsing), 1886, A., 87.

of suint (Buisine), 1888, A., 673. formation of, in the ammoniacal fermentation of urine (Salkowski), 1889, A., 481.

in urine (v. Jaksen), 1886, A., 384. Acids of the fumaric series (Bischerf),

1891, A., 1220.

Acids, aB-halogenised, dehalogenisation of ethyl salts of (MICHAEL and SCHULTHESS), 1891, A., 1184.

Acids, inorganic, constitution of (DIXON), 1887, A., 443.

liquid, process for converting into a solid form by the addition of kieselguhr (ANON.), 1884, A., 788.

Acids, inorganic, complex (GIBHS), 1885, A., 875; 1886, A., 205; 1887, A., 113; (Durcherl), 1887, A., 703, constitution of (KRHEMANN), 1887.

constitution of (Kehemann), 1887, A., 777. containing molybdonum (Gibbs), 1884,

A., 161, 560, 713; (PUFAIL), 1884, A., 715.

containing vanadium (Andué), 1881, A., 714, 715.

Acids, isodynamic (Armstrong), 1892, P., 103.

Acids, ketonic, synthesis of, by the action of acid chlorides on propionitrile (Otto and Tröum), 1889, A., 957.

condensation of, with dibasic acids (FITTIG and PARKER), 1889, A., 1146.

action of phenylhydrazine and hydroxylamine on (GARELIA), 1891, A., 711.

behaviour of, towards sodium hydrogen sulphite (HINSERRG), 1892, A., 148.

Acids, &-Ketonic, action of hydroxylamine on (Hantzach), 1891, A., 730. preparation of cthereal salts of (Hamonet), 1891, A., 1185.

Acids of the lactic series, oxidation of (Aristoff), 1885, A., 752.
Acids, organic, affinity coefficients of,

See Affinity.

Acids, organic, electrical conductivity of isomeric (Ostwald and Berthe-Tor), 1891, A., 517.

electrical conductivities of isomeric, and their salts (Bencheror), 1891,

A., 375.

heats of dissolution and solubility of, in various alcohols (TIMOFERE), 1891, A., 1314*.*

influence of boric acid on the electrical conductivity of aqueous solutions of (Magnanini), 1892, A., 256, 1265.

decomposition of, under the influence of light (DE VRIES), 1885, A., 964. pyrogenic decomposition of (HAN-

пют), 1886, А., 224.

dissociation constants of. Sec Affinity. action of ammonia on the ethereal salts of (RUHEMANN and Morвып.). 1891, Т., 743; Р., 123.

action of nitriles on (Colby and

Donge), 1891, A., 409.

action of phosphorus trichloride on (Bothamley and Thompson), 1891, A., 170.

bromination of (ITELL), 1888, A., 814. biological significance of (WARBURG), 1886, A., 905.

action of, on salivary digestion (John), 1891, A., 592.

effect of, on the digestion of proteids (STUTZER), 1891, A., 751.

saving effect on albumin of, in vegetablefoods (Wrisk rand Flechsic), 1890, A., 538.

formation of, in growing plants (PAL-LADIN), 1888, A., 1126. test for, in phonol (BACHMEYER),

1883, A., 385. Acids of the oxalic series, solubility and fusibility of (IIMNRY), 1885, A.,

335. Acids of the sugar group (FISCHER), 1890, A., 1398.

reduction of (Fischer), 1889, A., 1140; 1890, A., 597.

Acids, unsaturated (Firrio), 1883, A. 454; 1890, A., 583; 1892, A., 812, 956.

intramolecular change in (Fittig). 1891, A., 452.

action of methylic diazoacetate on (Buchner), 1889, A., 694.

action of methylic diazoacetate on the othereal salts of (Buchner,), 1890, A., 736.

oxidation of (Firmo), 1888, A., 595;

1892, A., 956. addition of the elements of alcohol to the ethereal salts of (PURDIE and MARHUALL), 1891, T., 468; 1., 82.

Acids, unsaturated, regularities of the addition of halogen compounds to (Michael), 1889, A., 1140.

conversion of, into the isomeric lactones (Filric), 1883, A., 730.

conversion of, into their stereochemical isomerides by (Dimension), 1392, A., 297.

decomposition of the dibromides of, by warm water and dilute alkalis (Fittig), 1892, A., 959.

formation of racemic acid by the oxidation of (DOEBNER), 1890, A., 1274.

Acids, vegetable, action of, on lead and

tin (HALL), 1883, A., 1038.
part played by, in causing the turgescence of cells (DE VRIES), 1884, A., 1061.

Acidyl sulphides (DAVIES), 1892, A., 300, 581,

Acolyctine (DRAGENDORFF and SPOHN), 1885, A., 403.

Aconic acid (BLEER), 1883, A., 457. Aconine and aconite. See Alkaloids.

Aconitic acid (HENTSCHEL), 1887, A., 467; (SKINNER and RUHEMANN), 1889, T., 235; P., 51.

preparation of from citric acid (Ansouvez and Klingemann), 1885, A., 1050; (Skinner and Ruie-MANY), 1889, T., 235; P., 54.

conversion of acetylanhydrocitric acid into (Kasterfield) and Sell), 1892, T., 1007.

synthesis of (CLAISEN and HORI), 1891, A., 424.

synthesis of, from acetylenedicarboxylic acid (Loven), 1890, A., 237. constitution of (MICHAEL), 1886, A.,

688, dissociation constant of (WALKER), 1892, T., 707.

action of bromine on (GUINOCHET), 1889, A., 588.

action of phosphorus pentachloride on (KLIMENKO and BUCHSTAR), 1891, A., 178.

ethereal salts of (Anschutz and KLINGEMANN), 1885, A., 1050.

ψ-Aconitic acid, synthesis of (SCHACH-FRL), 1885, A., 1125.

Aconitic anhydride and its derivatives (Easterfield and Sell), 1892, T., 1009.

action of ammonia on (EASTERFIELD and SELL), 1892, T., 1010.

Aconitic triamide (Horren), 1889, A., 861.

Aconitino and its derivatives. Sec Alkaloids.

Accretin (THOMS), 1886, A., 896. Acorin and its derivatives (THOMS), 1886, A., 895; 1888, A., 984.

Acorns, carbohydrate from (VINCENT and DELACHANAL), 1887, A., 909. storage of (LODEMAN), 1884, A., 100.

Calamus, constituents Acorus(Kunz), 1888, A., 1221.

Acraldehyde (acrolein), action of alcohol on (NEWBURY and CHAMOT), 1891,

condensation of, with ethylic acetoacetate (MATTHEWS), 1883, T., 204. compound of phenylhydrazine with (Fischer and KNOEVENAGEL), 1887, A., 932.

Acraldehydophenoxyacetic acids, m-, and p- (ELKAN), 1887, A., 259.

Acraldehydoureide and condensed ureides (LEEDS), 1883, A., 664. distillation Acralxylidine, dry

(LEEDS), 1883, A., 669. Acridaldehyde (BERNTHSEN and MUH-

LERT), 1887, A., 850.

Acridine (FISCHER), 1883, A., 1134; (GRAEBE), 1884, A., 608; (BERNTH-SEN), 1884, A., 1356; (WALTER), 1886, A., 1033.

production of (FISCHER and KÜRNER), 1884, A., 748.

synthesis of (Möhlau), 1886, A., 1033. crystallography of (Berntusen and Osann), 1886, A., 471.

ammonium bases derived from (BERN-THSEN), 1884, A., 1357.

derivatives (GRAEBE), 1881, A., 608. homologues of (Volpi), 1892, A., 342.

nitrite (MEDICUS), 1884, A., 748. picrate (Ansonutz), 1884. A., 908.

Acridines (BIZZARRI), 1891, A., 219. synthesis of (BERNTHSEN and BEN-DER), 1883, A., 1133; (GRAEBE), 1884, A., 1182; (Jourdan), 1885, A., 987.

action of alkalis on the alkylic iodides of (Decken), 1892, A., 879.

Acridinecarboxylic acid (BERNTHSEN and MUHLERT), 1887, A., 850.

Acridinemethylium hydroxide (DEC-KER), 1892, A., 881.

Acridone (GRAEBE and LAGODZINSKI), 1892, A., 1086.

derivatives of (Schöfff), 1892, A., 1223.

3-Acridonesulphonic acid (Schöpff), 1892, A., 1223.

Acridylacrylic; acid (BERNTHSEN and MUHLERT), 1887, A., 849.

Acridylbenzoic acid and its derivatives (BERNTHSEN and TRAUBE), 1884, A., 1183.

Acritol (Fischer and Taffel), 1889, A.,

a-Acritol (Fischer), 1890, A., 468.

See Acraldehyde. Acrolein.

α-Acrosamine (FISCHER and TAFEL), 1888, A., 39.

a-Acrosazone (FISCHER and TAFEL), 1888, A., 358; (Fischier), 1890, A.,

preparation of (FISCHER and PASS-MORE), 1889, A., 483.

β-Acrosazone (Fischer and TAFEL), 1888, A., 358.

a-Acrose (FISCHER and TAFEL), 1888, A., 40; 1889, A., 485.

formation of, from formaldehydo (FISCHER and PASSMORE), 1889, A.,

a-Acrosone (FISCHER and TAFEL), 1889, A., 484.

Acrylacetic acid. See Tetric acid.

Acrylbenzoic acid, o-trichlor- (ZINCKE and Cooksey), 1890, A., 785. Acrylic acid, \$\beta\$-brom- (STOLZ), 1886,

A., 531.

dibrom- (HILL), 1886, A., 687. tribrom-, crystalline form of (MEL-VILLE), 1883, A., 310.

βα-bromiod- (Homolka and Stolz), 1885, A., 1198; (STOLZ), 1886, A.,

bromodicod-, and di-bromiod- (Ho-MOLKA and STOLZ), 1885, A., 1198. trichlor- (MARERY), 1887, A., 570.

B-dichlorobrom-, and its salts (MABERY and NICHOLSON), 1885, A., 507.

α- and β- chlorodibrom-, and their salts (MARERY and LLOYD), 1885, A., 510.

chlorobromiod-, chloriod-, and chlorodiod- (Stolz), 1886, A., 531.

diod- (Homotka and Storz), 1885, A., 1198; (Bruck), 1892, A., 481. triod- (Homolka and Stolz), 1885,

A., 1198. monohalogen-derivatives of (Orro and BECKURTS), 1885, A., 509.

Paracrylic acid (KLIMENKO), 1891, A., 170.

Acrylic acids, substituted (MARKRY and ROBINSON), 1884, A., 663; (MABERY and SMITH), 1890, A., 27.

constitution of (HILL), 1883, A., 310.

action of aromatic amines on (Maneny and Knause), 1890, A., 371.

Actiniæ, chromatology of (MACMUNN), 1885, A., 1251.

Actiniohematin (MacMunn), 1885, A., 1251.

Actinoelectricity (HANKEL), 1883, A., 412.

Actinolite (Cathrein), 1885, A., 27. chemical composition of (Berwerth), 1886, A., 28.

rock from Dalecarlia (MEYER), 1886, Δ., 990.

Actinometer (Phipson), 1884, A., 202. electrochemical (Gour and Riconьот), 1888, А., 883.

Actinometry (Duchaux), 1887, A., 189,

Actinosphærium, digestion in (GREEN-

woon), 1886, A., 1053. Action, chemical. See Chemical action. contact (Mendeleeff), 1886, A., 415.

molecular, the radius of (RUCKER), 1888, T., 226.

nascent (SWINBURNE), 1892, A., 257. physiological. See Physiological action.

Adapter for fractional distillation in a vacuum (LEWKOWITSCH), 1889, T., 359; P., 90.

Address, congratulatory, to Prof. Bunsen, 1892, P., 37. Reply thereto, 1892, P., 89.

to the Deutsche chemische Gesellschaft, 1892, P., 159.

to Professor Kekulé on the twentyfifth anniversary of his Benzene Theory, 1890, P., 29.

to Her Majesty the Queen, 1887, P., 89. to Professor Stas, 1891, P., 75.

to Professor Stas, 1891, P., 75.

Address, presidential, of Sir J. H.
Cilbert, 1883, T., 224. Dr. W. H.
Perkin, 1884, T., 209; 1885, T.,
300; P., 43. Dr. Hugo Müller,
1886, T., 329; P., 179; 1887, T.,
442; P., 47. Mr. W. Crookes, 1888,
T., 474; P., 41; 1889, T., 250; P.,
55. Dr. W. J. Russell, 1890, T.,
426; P., 41; 1891, T., 434; P., 53. 426; P., 41; 1891, T., 434; P., 53. Prof. A. Crum Brown, 1892, T., 474; P., 59.

Adenine (Kossel), 1885, A., 566, 1080; 1886, A., 567; (BRUHNS), 1890, A., 534; (KRUGER), 1892, A., 219, 890; (Brunns and Kossel), 1892, A.,

constitution of (Thorss), 1889, A., 786. bromination of (BRUHNS and Kossel), 1892, A., 221; (Knugen), 1892, A., 890.

derivatives (Kossel), 1885, A., 566; 1888, A., 303.

Adenine, amount of, in various organs, and in fresh and fermented yeast (SCHINDLER), 1889, A., 791.

estimation of (Schindler), 1889, A., 790; (BRUHNS), 1890, A., 534.

brom- (BRUHNS), 1890, A., 535; (KRUGER), 1892, A., 890.

Adhesion at the freezing-point (WALD), 1891, A., 969.

of moreury to glass in the presence of halogons (SHENSTONE), 1892, T., 452; P., 70.

Adipamide (HENRY), 1885, A., 887.

Adipic acid (butane dicarboxylic acid) (DIETERLE and HELL), 1885, A., 43. thermochemistry of (Stohmann, Kle-BER and LANGBEIN), 1889, A., 1097. boiling-points of (KRAFFT and NOERD LINGER), 1889, A., 691.

pyrogenic decomposition of (HAN-

RIOT), 1886, A., 224. salts of (DIETERLE and HELL), 1885, Λ., 43.

(RUHEMANN and BLACKdibrom-MAN), 1890, T., 371; P., 38.

dichlor- (OTTO and BECKURTS), 1885, A., 753; (RUHEMANN), 1890, T., 939.

Adipocere (ERMAN), 1883, A., 818; (ŽILLNER), 1886, A., 89; (LEHMANN), 1889, A., 433.

Adipomalic acid (TANATAR), 1890, A.,

1239; 1891, A., 174, 175. Adonidin (MORDAGNE), 1886, A., 94. Adonin (TAHARA), 1891, A., 1501.

Adoninidine (CERVELLO), 1885, A.,833. Adonis amurensis, glucoside from (TAHARA), 1891, A., 1501.

Adonis Cupaniana (CERVELLO), 1885, A., 838.

Adonis vernalis, a glucoside (adonidin) obtained from (MORDAGNE), 1886, A., 94.

Egyrite (egirine) from Brazil (MA-CHADO), 1890, A., 844.

Aërinite, occurrence of (MACPHERSON), 1883, A., 562.

Aërolite from Rensselaer Co., New York (BAILEY), 1888, A., 121.

Erorthometer (HARCOURT), 1883, A., 378.

Eschynite from N. Carolina (HIDDEN), 1883, A., 1064. supposed, from Ray's mine, Yancey

Co. (HIDDEN), 1883, A., 163. Æsculetic acids, α - and β - (WILL), 1884, A., 67.

Æsculetin (WILL), 1884, A., 67; (v. PECH-MANN and WELSH), 1884, A., 1847. constitution of (TIEMANN and WILL), 1883, A., 199.

diathermancy of (WESEN-Æsculin, DONCK), 1885, A., 213.

reactions of (RABY), 1885, A., 302.

Esculus Hippocustunum, leaves of (RAY), 1886, A., 1065. AFFINITY, CHEMICAL-

Action, chemical, of direct addition, laws governing (Kablukoff), 1888, A., 1154.

produced by sunlight (Duchaux), 1887, A., 93.

use of the electric light to influence (Armstrong), 1886, P., 182.

influence of light on the course of, in the bromination of aromatic compounds (Schramm), 1885, A., 518, 888.

application of the electrometer to the study of (Boury), 1887, A., 882.

relation of, to electrical energy (Braun), 1888, A., 413.

effect of magnetism on (ROWLAND and BELL), 1889, A., 9; (Loes),

1891, A., 1145. influence of temperature on the direction of (Potilizin), 1889, A.,

influence of mass on (Kehrmann), 1891, A., 257.

influence of neutral se (SPOHR), 1888, A., 1025. neutral salts

influence of strain on (CARNEL-LEY and SCHLESELMANN), 1885. P., 89.

accelerating and retarding in-fluences in (MEYERHOFFER), (Meyernoffer), 1889, A., 9.

conditions of, between nitrie acid and certain metals (VELEY), 1891, A., 525.

between solids (SPRING), 1888, A., 1243; (Hallock), 1889, A., 817.

under great pressure, evidence of, afforded by petrographical research (Jund), 1890, T., 404; P., 35.

non-reversible, nitration of benzene as a (GIERSBACH and KESSLER). 1889, A., 10.

at a distance (Ostwald), 1892, A., 268; (Pickering), 1892, A., 269; (Beyerinck), 1892, A., (Lehmann), 1892, A., 1119.

the dead space in (Likerkich), 1888, A., 1242; 1890, A., 1207; 1891, A., 1150; (WATSON), 1889, A., 835.

gradual (PENDLEBURY and SE-WARD), 1889, A., 462.

lines of no (MILLS and MACKEY), 1885, A., 341.

AFFINITY, CHEMICAL-

Action, chemical, retardation (11000), 1886, A., 502.

velocity of (Unkert), 1886, A., 846; 1887, A., 697; (Gonn), 1890, A., 327.

rate of, as a function of temperature (Hoon), 1886, A., 301.

rate of, thermodynamical expression of the influence of temperature on the (Unecu), 1888, A., 338.

influence of dilution on the rate of (DE LA CROIX), 1884, A., 1090.

influence of the diluent, and the action of excess of the ingredients, on the rate of (URROH), 1885, A., 480.

rate of, between iodic and sulphurous acids (LANDOLT), 1886, A., 658.

rate of, in the inversion of cane sugar by acids (ARRHENIUS), 1889, A., 1103.

micro-organisms relation to (FRANKLAND), 1885, T., 159; P., 9.

Affinity, chemical, nature of (Ost-

WALD), 1888, A., 338. dependence of, on temperature (Muller-Erzbaun), 1887, A., 628.

in absolute measure and Ostwald's constants of affinity, relations between (VAN'T HOFF), 1889, A.,

relation of, to atomic volume, atomic weight, and specific gravity (DONATH and MAYEповик), 1883, А., 1048.

connection between magnetism and (Loke), 1891, A., 1146.

of elements in various allotropic modifications (Mullign-Enzвлен), 1883, А., 770.

rosidual (Pickening), 1887, T., 598; P., 77; 1892, A., 559. residual, of inorganic salts (Lacho-

WICZ), 1890, A., 444.

selective (Bekeroef), 1889, A., 382. determination of (Ostwald), 1884, A., 812.

determination of, in terms of electromotive force (WRIGHT and Thompson), 1884, A., 246; 1885, A., 325, 721.

Affinity and partition coefficients in immiscible solvents (Aulicu), 1891, A., 1148.

Affinity-coefficients in other formation, etc. (HEGHT and CONRAD), 1889, A., 931; (HECHT, CONRAD, and BRÜCKNER), 1890, A., 4, 1046; (CONRAD and BRUCKNER), 1890, A., 327; 1891, A., 796.

AFFINITY, CHEMICAL—

Affinity-coefficients in precipitation (Chrustschoff and Martinoff), 1887, A., 548.

of alkylic bromides and iodides (MENSCHUTKIN and WASSI-LIEFF), 1892, A., 1289.

of alkylic haloids and of amines (Menschutkin), 1890, A., 1366. of bases (Ostwald), 1887, A.,

324.

of organic acids (CHARPY),1889, A., 1103; (RÖHMANN and SPITZER), 1892, A., 37; (LELLMANN and SCHLIEMANN), 1892, A., 1269.
of organic acids and bases (LELL-

of organic acids and bases (LELL MANN), 1889, A., 1104.

of organic bases (WALKER), 1890, A., 5; (LELLMANN and GROSS), 1891, A., 638, 1149.

Affinity-constants (dissociation constants) of acids (ONTWALD), 1889, A., 266; (IBTHMANN), 1890, A., 1209; (BADER), 1891, A., 257; (WALKER), 1892, T., 690; P., 137; (WALDEN), 1892, A., 266.

(dissociation constants) of acids and their relation to affinity in absolute measure (VAN'T HOFF),

1889, A., 932.

Attraction, chemical, apparent manifestation of, as mechanical attraction (LANGLEY), 1888, A., 1009; (Kalisoher), 1888, A., 1242.

Combination, chemical (DE LANDERO and PRIETO), 1887, A., 99.

Decomposition, chemical, the critical point in (VAN'T HOFF), 1885, A., 1181.

temperature of transformation in double (VAN'T HOFF and REICHER), 1889, A., 930.

transition temperature in (VAN'T HOFF and VAN DEVENTER), 1886, A., 908.

produced by pressure (SPRING and VAN'T HOFF), 1888, A., 341.

Dynamics, chemical, an explanation of (fladstone and Tribe's "2-8 law" in (LANGLEY), 1884, T., 633.

studies in (OSTWALD), 1888, A., 1024; 1892, A., 1149.

Energy, chemical, equivalence of electrical energy and (JAHN), 1886, A., 840.

relation between electrical energy and, in galvanic cells (LEVAY), 1891, A., 518.

increase of, at the free surface of liquids (Spring), 1890, A., 828. AFFINITY, CHEMICAL-

Energy, chemical, of compounds (BEKETOFF), 1888, A., 1244.

Equilibrium, chemical, different forms of (1602EB00M), 1889, A., 1147. between hydrogen chloride and hydrogen in conjunction with metals (RIBALKIN), 1890, A., 685.

in dilute solutions (Planck), 1888,

A., 780,

in solutions (Charpy), 1892, A.,

laws of (LE CHATELIER), 1885, A., 117; 1886, A., 196; 1888, A., 548, 549, 782; (DUHEM), 1888, A., 548, 646.

principle of equivalence in phenomena of (LE CHATELIER), 1886,

A., 762.

influence of molecular contiguity on the, of homogeneous gaseous systems (Sannau and Vieille), 1888, A., 339.

rôle of solid substances in (Horst-MANN), 1890, A., 1365.

Forces, chemical (Pearson), 1888, A., 906.

Phenomena, chemical, application of the second law of thermodynamics to (LE CHATELIER), 1892, A., 3. at very low temperatures (PICTET), 1892, A., 1138.

Agalite (MACADAM), 1887, A., 452. Agar jelly, diffusion in (VOIGTLÄNDER), 1889, A., 817.

Agarioic acid (JAHNS), 1884, A., 354. Agarythrine in Agaricus ruber (PHIP-SON), 1833, A., 100.

Ageratum mavicanum, coumann in (Mouscu and Zriskl), 1889, A., 644.

Agitating, apparatus for (TAFEL), 1889, A., 984.

Agrostemma Githago, poison of the seeds of (LEHMANN and MORI), 1890, A., 1458.

sapotoxin from (KRUSKAL; KOBERT), 1892, A., 350.

Agrostis stolonifera and A. lutifolia, analyses of (Wilson), 1889, A., 1078—1082.

Aguilarite (GENTH), 1891, A., 1327. Air. See Atmospheric air.

Air-baths (MEYER), 1883, A., 900; 1889, A., 754; (ADAMS), 1890, A., 546.

for drying substances in a current of air (Anschutz and Kerule), 1885, A., 1035.

Air-pump, automatic mercury (STUHI.), 1891, A., 640.

Air-pump, glass (STUHL), 1891, Δ., 1414.

regulator (v. Klobukoff), 1886, А., 118.

Alabandite (alabandine, manyaneseblende), artificial formation of (Doelter), 1886, A., 208; (Baubigny), 1887, A., 781.

a-Alanine (a-amidopropionic acid) (Bischoff and Hausdonfer), 1892, A.,

1336.

heats of combustion and formation of (Berthelot and André), 1890, A., 936.

condensation of, with benzenesulphonic chloride (HEDIN), 1891, A., 202.

action of cyanogen chloride of (Thaube), 1883, A., 192.

action of ethylic oxalate on (Schiff), 1884, A., 995; 1885, A., 760.

aniline derivatives of, formation of (SCHIFF), 1885, A., 760.

8-Alanine, conversion of ethylic acrylate into (WENDER), 1890, A., 862.

Alantic acid (MARPMANN), 1888, A., 378.

Alantole (MARPMANN), 1888, A., 378.

Alaskaite, a new bismuth mineral (König), 1883, A., 429; 1886, A., 515; (Leiveh), 1886, A., 21.

Albertite from Strathpeffer, Ross-shire (Morrison), 1886, A., 311.

Albinism, vegetable, in the leaves of Quercus rubru (Church), 1886, T., 839; P., 236.

Albite, now formation of, in granitic orthoclase (Saum), 1889, A., 109.

formation of, in the wet way (FRIEDEL and SARASIN), 1884, A., 163.

formation of, from orthoclase (Genth), 1884, A., 273.

formation of, from spedumene (BRUSH and DANA), 1883, A., 439.

optical properties of (DES CLOIZE VUX), 1886, A., 210.

from Amelia Co., analysis of (Mus-GRAVE), 1883, A., 34; (Robertson), 1885, A., 130.

from Kaltenegg (HATLE and TAUSS), 1888, A., 429.

from the Kásbek (Schuster), 1888, A., 432.

from Mt. Blanc, analysis of (BRUN), 1884, A., 402.

in Norwegian pegmatites (LACROIX), 1888, A., 236.

from Pouzae, Hauts-Pyrénées (Lucroux), 1891, A., 408.

from Sigtero (TENNE), 1891, A., 1138.

Albite in the calcareous rocks of the Western Alps (LORY), 1887, A., 1023.

See also Felspar.

Albumin (ZACHARIAS), 1881, A., 90; (LOEW), 1885, A., 823.

in coll-fluid (LOEW and BOKORNY), 1888, A., 983.

from protoplasm (DEMME), 1892, A.,

from peptone, seat of the regeneration of (Neumeister), 1891, A., 231.

of the splenic fever bacillus (Nencki), 1885, A., 177.

from urine, congulated by nitric acid and soluble in alcohol (GARAIER), 1883, A., 247.

in normal urine (Posner), 1887, A., 390.

ash-free (HARNACK), 1891, A., 477; 1892, A., 645; (WERLIGO), 1891, A., 1268.

filtration of (RUNBBERG), 1883, A., 1160; 1885, A., 567.

proparation of (MICHAILOFF), 1885, A., 69.

preparation and properties of (HAR-NACK), 1890, A., 272.

chemical formation of (KRUKENBERG), 1888, A., 73.

composition of (LATHAM), 1886, A., 635; (HARNACK), 1890, A., 892. absorption spectrum of (HARTLEY),

1887, T., 59. heat of combustion of (Describer) and Andres, 1890, A., 938.

diffusion of solutions of (v. REGECZY), 1885, A., 405.

behaviour of, when heated with water or acids under pressure (DENAE-NER), 1891, A., 1269.

action of bile acids on (MALY and EMICH), 1883, A., 673.

action of bromine on (Lokw), 1885, A., 823.

action of hydrogen peroxide on (Wunsrun), 1887, A., 607.

action of potash on (Johnson), 1883, A., 671.

oxidation of (Loew), 1885, A., 823. oxidation of, in presence of sulphur (Rostoc), 1892, A., 741

(Rosing), 1892, A., 741. exidation of, with permanganate (Maly), 1885, A., 824; 1888, A., 1120.

saving effect on, of organic acids in vegetable foods (Wissen and Flecusia), 1890, A., 538.

decomposition of (Duncusum), 1892, A., 515.

decomposition of, by anaerobic forments (Nencki), 1890, A., 78.

decomposition of, by the bacillus of malignant œdema (KER-RY), 1890, A., 542.

decomposition of, in fasting (MUNK),

1891, A., 1524. influence of asparagine on the decomposition of (MUNK; v. Voit), 1885, A., 412,

decomposition of, effect of increased muscle activity on the (HIRSCH-FELD), 1891, A., 1524.

decomposition products of (Kuhne and CHITTENDEN), 1884, A., 849.

putrefaction of, and formation of scatole and indole from (E. and

H. SALKOWSKI), 1885, A., 567.
putrefaction of, in the alimentary
canal of Herbivora (BÖHM and
SCHWENK), 1885, A., 284.

coagulation of (VARENNE), 1886, A., 373; (MICHAILOFF), 1888, A., 73. formation of, in plants (EMMERLING),

1885, A., 289; 1887, A., 615. synthesis of, in chlorophyll-containing plants (Chrapowitzki), 1888, Λ., 868.

nutritive value of (POLLITZER and ZUNTZ), 1886, A., 901.

nutritive value of some digestion products of (Pollitzer), 1886, A., 377.

digestible, of fodders, action of hydrochloric acid and pepsin on (STUT-ZER), 1890, A., 651.

digestion of (BOAs), 1888, A., 733. intestinal digestion of (WENZ), 1886,

A., 376. cutaneous exerction of, by the horse

(LECLERC), 1888, A., 1320. acid amides from the decomposition of (Schulze), 1885, A., 581.

formation of carbanide from (DRECH-

ski.), 1891, A., 95. formation of furfuraldehyde from (GUNTHER, DE CHALMOT, and Tol-LENS), 1892, A., 1433.

metallic compounds of (Cuittenden and WHITEHOUSE), 1888, A., 74.

and Whitehouse, 2005, 1884, A., detection of (Grimaux), 1886, A., 188; 910; (AXMNEELD), 1886, A., 183; (PRUNIER), 1886, A., 748; (KRASsir), 1887, A., 407; (Posner), 1888, Л., 1140.

detection of traces of (PALM), 1887, A., 407.

error in the detection of (PATEIN), 1889, A., 1252.

trichloracetic acid as a test for (Boy-MOND), 1890, A., 312.

uranyl acetate as a reagent for (Kowalewsky), 1886, A., 285.

Albumin, detection of, in bacterial urines (Jolles), 1891, A., 136.

detection of, in urine (Haslam), 1888, A., 885; (Blum), 1887, A., 1003; (Liebermann), 1887, A., 1150; (Martin), 1888, A., 763; (Grocco), 1892, A., 667; (SPIEGLER), 1892, A., 928.

detection of, in new and old urine (Johnson), 1883, A., 1176; 1885, A., 845.

Tauret's reaction for, in (Brasse), 1888, A., 204.

estimation of, in urine (SCHAUMANN), 1889, A., 88; (Christensen), 1889, A., 452; (van Nuys and Lyons), 1890, A., 1199.

estimation, densimetric, of, in urine (ZAHOR), 1888, A., 1227.

estimation, optical, of, in urine (EL-LINGER), 1891, A., 1403.

estimation, volumetric, of, in urine (VENTUROLI), 1891, A., 627.

separation of, from peptones (WEISKE),

1886, A., 1087; 1888, A., 972. separation of casein from, in human milk (Hoffe-Seyler), 1885, A.,

separation of globulin from, in urine (OTT), 1887, A., 406.

Albumin, alkali-albuminate, and acidalbumin, comparative experiments with (ROSENBERG), 1885, A., 405.

Albumin, atmid- (NEUMEISTER), 1889, A., 910.

Albumin, egg- crystalline (Hofmeister), 1890, A., 282; 1892, A., 515; (Gabriel), 1891, A., 1122. molecular weight of (Sabanéeff),

1890, A., 1216.

action of glycerol on (GRANDIS), 1891, A., 589.

action of oxidising agents on (Wurьтип), 1887, А., 683.

action of resorcinol on (ANDERN), 1890, A., 801. action of sodium nitrite on (Wur-

ster), 1887, A., 68.

albumoses from (Chittenden and Bolton), 1888, A., 74.

sulphur in (Hammarsten), 1885, A.,

Albumin, met-, and par-, a contribution to the chemistry of encysted fluids (HAMMARSTEN), 1883, A.,

Albumin, serum-, preparation of, and action of acids and neutral salts on (Johansson), 1885, A., 913. formation of, in the alimentary canal (Popoff), 1859, A., 632.

Albumin, serum-, gases evolved in the | putrefaction of (NENCK1 and SIE-BER), 1890, A., 78.

separation and estimation of globulin and, by means of magnesium sulphate (HAMMARSTEN), 1885, A., 611.

Albumin, vegetable-, carbohydrates as oxidation products of (PALLADIN), 1889, A., 1285.

in fodder, influence of sodium chloride on the digestion of (SIEWERT), 1888, A., 859.

Albumins, acid and alkali (SAVIN), 1888, Δ ., 858.

action of alcohols and aldehydes on (Brunton and Martin), 1891, A., 947.

transformations of (Patein), 1892, $\Lambda_{.}$, 362.

new reactions of (REICHL), 1890, A., 1350.

new method of separating globulins from (MICHAILOFF), 1886, A., 164. Albuminoid. See Protoid.

Albumoid (MÖRNER), 1889, A., 737. Albumone (Chabrié), 1892, A., 225. Albumose as a pyrexial agent (OTT and

COLLMAR), 1888, A., 1325. examination of urine for (Mehu),

1885, A., 451. isolated from anthrax cultures (HAN-

KIN), 1889, A., 1234. toxic action of, from jequirity seeds (MARTIN), 1890, A., 398.

Amphodeuteroalbumose (NEUMEIster), 1887, A., 286.

Atmidalbumose (Neumeisten), 1889, A., 911.

Hemialbumose (KÜHNE and CHITTEN-DEN), 1884, A., 819; 1886, A., 810; (Пекти), 1884, A., 1388; 1886, A., 567; (Аженбыр), 1887, A., 1127.

preparation of, from vegetable albumin (Szymanski), 1885, A., 997.

urin# (Kühne), 1884, 854.

Heteroalbumoso (Kunn and Chir-TENDEN), 1881, A., 1389; 1885, A., 277; 1886, A., 819; (NEUMLISTER), 1887, A., 285.

Myoalbumose (HALLIBURTON), 1887, A., 981.

Albumoses (KUHNE and CHITTENDEN), 1881, A., 1389; 1885, A., 277; (Neu-MEISTER), 1887, A., 285; 1868, A., 1 509.

from egg-albumin (CHITTENDEN and BOLTON), 1888, A., 74.

Albumoses, action of alcohols and aldehydes on (BRUNTON and MARTIN), 1891, A., 947.

benzoyl derivatives of (Schrötter), 1889, A., 1221.

pathological significance of (MARTIN), 1891, A., 761.

physiological action of (NEUMEISTER), 1888, A., 516.

detection of (NEUMEISTER), 1890, A., 804.

detection of, in urine (MARTIN), 1888, A., 764.

salicylsulphonic acid as a test for (MACWILLIAM), 1892, A., 552.

Alcapton (KIRK), 1888, A., 1121. Alcaptonuria (KIRK), 1888, A., 1121; (Wolkow and Baumann), 1891, A.,

1128. Alcaptonuria and uroleucicacid (KIRK), 1890, A., 188.

Alcohol. See Ethylic alcohol.

Alcoholates, heat of formation of (DE Forcrand), 1881, A., 516; 1885, A., 1102.

Alcoholic fermentation. See Fermentation.

Alcoholic function, primary and tertiary, value of the (DE FORCRAND), 1892, A., 799, 1066.

Alcohols, fatty, dispersive power of (BARBIER and ROUX), 1890, A., 1034. thermochemical relations of (Ston-

MANN), 1886, A., 295. boiling-point of, mechanical determination of (Hinners), 1892, A., 1039.

size of the maximum drops of, and of their aqueous solutions (TRAUBE),

1886, A., 814. diffusion of (Winkelmann), 1886, A.,

action of acctuls on, at a high temperature (Bachmann), 1883, A., 726.

action of aluminium chloride on a mixture of, with othylic chlorocarbonate (Pawiewski), 1884, A., 1279.

aceti action of Bacterium (Brown), 1886, T., 175.

action of, on othereal salts (Pundik and MARSHALL), 1888, T., 391; P.,

action of hydrogen chloride on a mixture of, with aldehyde (Chaus and Trainer), 1887, A., 231.

action of iodine on (TRAUBE and NEI BERG), 1891, A., 656.

action of propaldehyde on (New-BURY and BARNUM), 1891, A., 284,

Alcohols, fatty. metallic derivatives of | (BRUHL and BILTZ), 1891, A., 656. the allylic series, oxidation of

(WAGNER), 1888, Λ ., 665.

of the ethylic series, ducct conversion of, into amines (MERZ and Gastorowski), 1884, A., 981.

action of, on animals (Gruns and Кысыкт), 1891, А., 1393.

detection of certain hydrocarbons

in (WARREN), 1887, A., 1088. higher, method for the determination of the molecular weight and atomicity of (HELL), 1881, A., 1433.

Alcohols, monohydric, origin of, in commercial spirits (LINDET), 1891, A., 813.

influence of temperature on the production of, by fermentation (LIN-DET), 1888, A., 1263; 1891, A., 411. relations between the boiling-points

and constitution of (FLAWITZKY), 1887, A., 879.

dehydration of (WOLKOFF), 1890, A., 354.

action of phenylic cyanate on (SN LPE), 1885, T., 770.

etherification (Mensuhurkin), 1884, A., 726.

detection of, in spirits of wine (BARDY), 1892, Λ., 1379.

estimation of, in spirits (Monler) 1891, A., 503; (BELL), 1892, A., 387.

Alcohols, dihydric, derived from isobutaldehyde (Swododa and Fosякк), 1891, А., 31.

synthesis of, from mixtures of aldehydes (Fossek), 1884, A., 832. carbonates of (Wallacii), 1885, A.,

Alcohols, hexchydric, reduction of (LE Bei, and Wassermann), 1885, A., 1046.

Alcohols, polyhydric, and their derivatives, preparation of, by means of hypochlorous acid (Reformatsky),

1885, A., 882. synthesis of (Combes), 1888, A., 666. thermochemistry of (STOHMANN and Langbein), 1892, A., 763.

action of, on borax (Dunstan), 1884, A., 278.

action of, on solutions of boric acid and sodium hydrogen carbonate (JEHN), 1887, A., 790; 1888, A.,

action of phenylic cyanate on (SNAPE), 1885, T., 770; (Tesmer), 1886, A.,

etherification of (Menschutkin), 1884, A., 726.

Alcohols, polyhydric. oxidation of (FISCHER and TAFEL), 1887, A., 651. combinations of benzaldchyde with (MAQUIANE), 1889, A., 116.

benzoyl compounds of (SKRAUP), 1889, A., 1152.

metallic derivatives of (BRUHL and Вили), 1891, А., 656.

general reaction for, in presence of borax and paratungstates (KLEIN), 1881, A., 1284.

Alcohols, normal, specific volumes, and rate of expansion of (ZANDER), 1884, A., 1278.

Alcohols, primary, synthesis of (Tistschenko), 1888, A., 804; (Henry), 1892, A., 27.

decomposition of, by heat (WOLKOFF and Bugaieff), 1886, A., 137.

action of hydrogen bromide and sulphuric acid on (NIEMILOWICZ), 1890, A., 465.

Alcohols, secondary, characteristic reaction of (CHANCEL), 1885, A.,646. decomposition of, by heat (WOLKOFF

and Bugairff), 1886, A., 137. osed chain (Bamberger Lodter), 1890, A., 506. closed

with secondary radicles, boiling-points of (Politerf), 1889, A., 477.

Alcohols, tertiary, synthesis of, from ketones (SAYTZEFF), 1885, A., 881. decomposition of, by heat (WOLKOFF

and Bugaieff), 1886, A., 137. idation of (Wagner), 1892, A., 28. oxidation of (WAGNER), 1892, A., 28. physiological action of (Therefore and v. MERING), 1885, A., 1002; (SCHAPIROFF), 1887, A., 857.

Aldeacids (WANKLYN and JOHNSTONE),

1892, A., 696. Aldehyde, C₂₀H₃₈O₄ (Perkin), 1883, T., 96, 97. See Acctaldehyde.

Aldehydes, conversion of hydrocarbons into, by the action of chromyl dichloride (ETARD), 1884, A., 812. action of p-amidodimethylaniline on

(Nuth), 1885, A., 784? action of, on o-amidophenols (MAZZARA

and LEONARDI), 1891, A., 1363. action of ammonia and, on benzil (JAPP and HOOKER), 1884, T., 672; JAPP and WYNNE), 1886, T., 462; P., 201.

action of ammonia and, on a-diketones (Wadsworth), 1889, P., 161; 1890 Ť., 8.

action of, on ammonium thiocyanate (Brodsky), 1887, A., 580. action of anhydrides on (FRANCHI-

MONT), 1883, A., 452.

Aldehydes. condensation of, with aromatic diamines (CLAISEN), 1887, Λ., 494.

condensation of, with azo-compounds (BARSILOWSKY), 1892, A., 854.

condensation of, with benzoylpiperidine (Rügheimer), 1892, A., 1364.

condensation of, with dibasic acids (FITTIG), 1886, A., 47. condensation of, with ethylaniline

(Moos), 1887 A., 577.
condensation of, with ethylic acetoacetate and with substituted ethylic acetoacetates (MATTHEWS), 1883, T., 200; (Claisen and Matthews), 1884, A., 443.

condensation of, with hydrazines (Currius and Jav), 1889, A., 393. with hydrazines

action of hydrogen phosphide on (MESSINGER and ENGELS), 1888, A., 441; 1889, A., 35.

action of hydrogen sulphide on (BAU-

MANN), 1890, A., 1092. action of, on ketones, ketonic acids, and malonic acid (CIAISEN), 1884, Δ., 445.

action of, on phenanthraquinone, &c., under the influence of sunlight (Klinger), 1889, Δ., 405.

action of, on phenols (MICHARD), 1884, A., 597; 1887, A., 825; (MICHARD and COMEY), 1884, A., 598; (MICHAEL and RYDER), 1886, 695; (CLAISEN), 1887, A., 494.

action of phosphorus trichloride on (¥ossek), 1884, A., 833.

action of sodium on (BECKMANN), 1889, A., 781; (BECKMANN and PAUL), 1892, A., 169. action of sulphur on (BARBAGLIA),

1887, A., 462. action of, on thiamides (EPHRAIM),

1891, A., 831. action of zine and ethylic chloracetate on (REFORMATSKY), 1891, A., 169; 1892, A., 1300.

action of zine ethyl on (DELACRE),

1888, A., 663, action of zinc organo-metallic compounds on (WAGNER), 1885, A., 870.

condensation with (LIEBEN ZEISEL), 1883, A., 570; (CALM), 1885, A., 387.

conversion of, into acids and acid amides by means of ammonium sulphide (WILLGERODT), 1888, A., 476.

compounds of camphor with (HALLER), 1891, A., 1498.

Aldehydes, compounds of glycol with (Lochert), 1888, A., 670.

compounds of mercuptan with (BAU-MANN), 1887. A., 126; (FASBENDER), 1887, A., 462.

compounds of sugars with (Schiff), 1888, A., 572.

oximes of (HANTZSCH), 1891, A., 113. phosphine derivatives of (DE GIRARD). 1884, A., 1118.

acetyl derivatives in the urine of animals after ingestion of (Cons), 1892, A., 1504.

toxic action of (LABORDE and MAG-NAN), 1888, A., 737.

detection of (PENZOLDT and FISCHER), 1883, A., 829.

colour reaction of, with aromatic nitro-compounds (v. Birro), 1892, A., 1263.

Gayon's reaction for (BORNTRÄGER), 1891, A., 1142.

phenylhydrazine as a reagent for (Fischer), 1884, A., 1150.

potassium mercuro-iodide as a reagent for (URISMER), 1891, A., 624.

sodium nitroprusside as a reagent for (v. Bittő), 1892, A., 924.

detection and estimation of, in commercial alcohols (Gayon), 1888, A.,

estimation of, in brandy and spirits (Монькк), 1891, А., 503.

Aldehydes, brom-, formation of, by the action of bromine on alcohols of the ethylic series (ETARD), 1892, A., 809.

Aldehydes, chlorinated, action of zinc inethyl and zine ethyl on (v. Garza-ROLLI-THURNLACKII), 1884, A., 1118.

Aldehydes, thio- (BAUMANN and FROMM), 1890, A., 25; 1891, A., 1008; (BAUMANN), 1890, A., 477; (BAUMANN and CAMPS), 1890, A., 478.

Aldehydes, aromatic, Etard's reaction for the preparation of (BORNE-MANN), 1881, A., 1161. reduction of (TIEMANN), 1892, A.,

condensation of, with aromatic amines (HANTZSCH), 1891, A., 50.

condensation of, with phenols (Trzetnнкт), 1884, А., 590.

thio- (BAUMANN and FROMM), 1891, A., 1050.

Aldehydes, fatty, action of aniline on mixtures of (v. Miller,), 1887, A.,

condensation of, with dicymophonylhydrazine (Bladin), 1892, A., 596.

Aldehydes, unsaturated, action of hydrocyanic acid on (Johanny), 1891, A., 37.

Aldehyde acids. See Aldehyde-acids. Aldehyde-ammonia, action of, on animals (Gibbs and Reichert), 1891, A., 1393.

action of silver nitrate on (REYCHLER), 1884, A., 722.

pyridine and piperidine bases from (Durkoff), 1888, A., 1313.

Aldehyde-ammonias, action of isothiocyanates on (Dixon), 1888, T., 411; P., 38.

compounds of thiourea and thiocarbanides with (Dixon), 1892, T., 509; P., 73.

Aldehyde-ammonium bases (Meyer), 1883, A., 568, 1090.

Aldehyde-blue (GATTERM AN ARID WICH-MANN), 1889, A., 503; (v. MILLER and Plocini), 1891, A., 1071.

Aldehydecollidine. See2-Methyl-5-ethyl pyridine.

Aldehyde-green (V. MILLER and PLOCHL), 1891, A., 1070, 1072.

Aldehyde-gum (TOLLEAS), 1881, A., 989. Aldehyde-resin (Puchor), 1887, A., 1090.

Aldehyde-ethylic chloride (chlorethylic ether) (Bachmann), 1883, A., 726. Aldehydic oxygen, estimation of

(STRACHE), 1892, A., 546, 1530.

Aldehydic sulphites of organic bases

(SCHIFF), 1889, A., 234.

Aidehydines, constitution of (Hins-Bring), 1886, A., 913.

Aldehydo-acids, ethereal salts of (WISLI-CENUS), 1888, A., 129.

o-Aldehydobenzoic acid. See Phthalaldehydic acid.

Aldehydobenzoic acids, m- and p- (REIN-GLASS), 1891, A., 1346.

p-Aldehydocinnamic acid and o-nitro-(Löw), 1886, A., 461.

Aldehydogalactonic acid and its lactone (KILIANI), 1889, A., 857.

o-Aldehydophenoxyscetic scid and its derivatives (Rossing), 1885, A., 388; 1886, A., 65.

compound of, with phenylhydrazine (Rossing), 1886, A., 66.

Aldehydophenoxyacetic acids, m-and p-(Elkan), 1887, A., 258.

Aldehydrazone. See Acetaldehydephenylhydrazone.

Aldine formation (BRAUN and MEYER), 1888, A., 1093; (BRAUN), 1889, A., 613.

Aldines (BRAUN and MEYER), 1888, A., 366, 700.

Aldol (MAGNANINI), 1890, A., 861.

Aldol, preparation of (ORNDORFF and NEWBURY), 1892, A., 1423.

action of heat on (Wunrz), 1884, A., 579.

action of hydrocyanic acid and of dilute sulphuric acid on (LOBRY DE BRUYN), 1885, A., 240.

Paraldol, action of heat on (WURTZ), 1884, A., 579.

molecular weight of (MAGNANINI), 1890, A., 862.

Aldoxime, chlor-. See Chloral, oxime of. isoAldoxime derivatives, intramolecular change of (Behrend), 1892, A., 50.

Aldoximeacetic acids, configuration of (Hantzsch), 1892, A., 1069.

Aldoximesalicylic acids, o- and p-(Furrii), 1884, A., 42.

Aldoximes (Petraceek), 1883, A., 569; (Lach), 1883, A., 1104; (Bruk-Mann), 1891, A., 193.

configuration of (Dolleus), 1892, A., 1174.

configuration of stereoisomeric (HAN-TZSCH), 1891, A., 439.

constitution of (HANTZSCH and WERNER), 1890, A., 970.

isomerism of (Beckmann), 1890, A., 1121.

molecular transformations of (Ben-REND), 1892, A., 163.

action of acetic anhydride on (LACH), 1884, A., 1154; (DOLLFUS), 1892, A., 1174.

action of acetic chloride on (LACH), 1884, A., 1154.

action of nitric peroxide on (SCHOLL), 1891, A., 316.

conversion of, into nitriles (DOLLFUS), 1892, A., 1174.

reduction of (Goldschmidt), 1887, A., 249, 568.

bases from (MEYER and WARRING-TON), 1886, A., 783.

derivatives of (Petraczek), 1883, A., 569; (Lace), 1883, A., 1104.

p-Aldylhydrazine (Currius and JAY), 1890, A., 735.

Aleurone-grains in the seed of Myristica surinamensis (Thomase), 1887, A., 1061.

Algæ, chemico-physiological study of (LOEW and BOKORNY), 1888, A.,

manurial value of (ΜΛΥΕΒ), 1889, Λ., 1085.

fresh water, microscopic (BREAL), 1886, A., 1060.

marine, substance obtained from some of the commoner species of (STAN-FORD), 1883, A., 943.

gæ, unicellular, cult (Jodin), 1888, A., 1124. cultivations oſ

Algarovilla, tannin of (Hurst), 1887, 498; (Zölffel), 1891. 918.

Algin (Stanford), 1883, A., 943.

Alicyclic homology (BAMBERGER), 1891. A., 1097.

Alimentary canal, absorption of different fats by the (ARNSCHINK), 1890, A.,

absorption of water from the (EDKINS),

1892, A., 1258. decomposition of othereal salts in the (Baas), 1890, A., 1013.

disinfection of the (Rovieni), 1892, A., 226.

human, digestion of beans in the

(PRAUSNITZ), 1889, A., 1226. of Herbivora, gases of the (TAP-PEINER), 1884, A., 852.

Alimentary principles, chief organic, in the animal body, substitute and calorific values of (Rubner), 1884, A.,

Alimentation of animals, influence of the consumption of water on (HENNE-BERG), 1889, A., 287.

Alisonite, artificial (GENTH), 1884, A.,

Alizarin (1:2-dihydroxyanthraquinone) (Lifschutz), 1884, A., 1188; (Lik-DERMANN), 1888, A., 1203.

dyeing with, on indigo (Scheurer), 1885, A., 711.

Alizarin, a-amido- (Brasch), 1891, A., 1077.

\$-amido- (BRUNNER and ('HUARD), 1885, A., 806.

preparation of (LAUTH), 1892, A., 864.

constitution, and derivatives of (ROEMER), 1885, A., 1068.

a-nitr- (Brasch), 1891, A., 1077. Alizarin-blue (ANON.), 1883, A., 635; (BRUNNER and CHUARD), 1885, A., 806.

history of (Scheuren), 1885, A., 106.

soluble (BRUNCK and GRAERE), 1883, Δ., 74.

oxidation of (GRAEBE and PHILIPS), 1891, A., 1240.

hydroxy-derivatives of (Schmidt and GATTERMANN), 1891, A., 1382.

Alizarin-blue-green (SCHMIDT) GATTERMANN), 1891, A., 1382.

Alizarin-bordeaux (SCHMIDT; GATTER-MANN), 1891, A., 935.
Alizarincyanin (R) (Schmidt; Gat-

TERMANN), 1891, A., 935.

Alizarin-green (Schmibr and Garren-MANN), 1891, A., 1383,

oxidation of (GRAEBE and PHILIPS). 1891, A., 1210.

Alizarin-indigo-blue lizarin-indigo-blue (SCHMIDT GATTERMANN), 1891, A., 1883.

Alizarinsulphonic acids (Schmidt), 1891, A., 934.

Alkali aluminates (BAYER), 1889, A., 213.

Alkali carbonate, normal, detection of in alkali hydrogen carbonate (PATEIN),

1892, A., 1130.
Alkali ferrocyanides and their compounds with ammonium chloride (ETARD and BEMONT), 1885, A., 364.

Alkali haloids, action of, on oxides of the heavy metals (BERSCH), 1891. A., 1413.

Alkali peroxides, estimation of (KASS-NER), 1891, A., 215.

Alkali polysulphides, constitution of (Böttgen), 1884, A., 1260.

Alkali salts, freezing point of solutions of (RAOULT), 1884, A., 701.

influence of the hydroxides on the solubility of (ENGEL), 1891, A.,

Alkali silicofluorides, thermochemistry of (Truchor), 1884, A., 884.

Alkali stannites, inaction of, with nitrites and nitrates (Divers and HAGA), 1885, T., 363. Alkali sulphites, thermochemical re-

searches on (BERTHELOT), 1888, A., 704.

Alkali, tetrathionates, preparation of (v. Klobukove), 1885, A., 1110.

Alkali thiosulphates (Burnelor), 1883, A., 707.

Alkali van 639, 705. vanadates (Direc), 1887, A.,

Alkali-albuminate, comparative experiments of, with acid-albumin and albumin (Robenberg), 1885, A., 405. Alkali-albumins See Albumins.

Alkalimetric solutions, standardising (HART and CROASDALE), 1891, A., 959.

Alkalimetry, potassium iodate as original standard for (GRÖGER), 1891, A., 614.

use of boric acid and hematin in (GUYARD), 1884, A., 638.

line earths, characteristics (Brughlmann), 1892, A., 17. earths, Alkaline

heats of solution and hydration of (THOMSEN), 1884, A., 250.

action of dry carbonic anhydride on (Schmann, 1886, A., 927.

action of nitrogen on (MAQUENNE), 1892, A., 566.

Alkaline earths, action of sulphur and water on (Senderens), 1892, A.,

physiological action of (BRUNTON and CANI), 1881, A., 348; (RIGHET), 1886, A., 385; (CURCI), 1888, A., 621.

estimation, volumetric, of (Knöflen), 1886, A., 180.

Alkaline solutions, freezing point of (RAOULT), 1884, A., 254.

Alkali-proof vessels, nickel (DITTMAR), 1884, A., 1071.

Alkalis, preparation of (ANON.), 1883, A., 528.

heats of solution and hydration of (Thomsen), 1884, A., 250.

conductivity of (Kohlertusch), 1886, A., 114.

crystallisation of, from alcohol (Gor-TIG), 1887, A., 889.

decomposition of nitroethane by (DUNSTAN and DYMOND), 1888, P., 117.

interaction of nitroparaffins and (DUNSTAN and DYMOND), 1891, T., 410; P., 77.

action of sulphur on (SENDERENS), 1892, A., 770.

influence of, on the action of invertase on cane-sugar (O'SULLIVAN and TOMPSON), 1890, T., 852.

influence of, on the hydrolytic action of yeast (O'SULLIVAN), 1892, T., 936.

caustic, detection of poisoning by (VITALI), 1888, A., 1224.

estimation of, in presence of alkaline carbonates (Lunge), 1883, A., 828; (Phillips), 1886, A., 920.

standard, use of potassium hydrogen tartrate fortitrating (Bornträgen), 1892, A., 525.

physiological action of (Brunton and Cash), 1884, A., 348; (Curci), 1888, A., 621.

lakmoid and carminic acid as reagents for (Draffer), 1885, A., 931. cutimation of small quantities of

estimation of small quantities of (MYLIUS and FORESTER), 1891, A., 1136.

estimation, iodometric, of (GRÖGER), 1891, A., 360.

estimation of, in soap (WILSON), 1892, A., 384.

estimation of, in presence of sulphites (GRANT and COHEN), 1890, A., 1468.

Alkali-waste, recovery of hydrogen sulphide from (v. MILLER and OPL), 1884, A., 1442.

Alkali-waste, recovery of sulphur from (NON.), 1885, A., 1017.

utilization of (PARNELL and SIMPSON), 1886, A., 288.

Alkaloid or alkaloids (ΟΕCHINNER DE CONINCK), 1886, Λ., 476; 1887, Α., 603, 851.

artificial and natural (Colson), 1889, A., 729.

formation of, by the action of ammonia on glucose (TANRET), 1885, A., 1047.

formation of, from normal human fluids (GAUTIER), 1883, A., 101.

formation of, in diseases (VILLIERS), 1885, A., 926.

absorption-spectra of (HARTLEY), 1885, A. 1174.

laws of variation of the specific rotatory power of, under the influence of acids (Oudemans), 1883, A., 81.

molecular weight of (CHRISTENSEN), 1892, A., 666.

action of, in the animal and vegetable kingdom (MARCACCI), 1887, A., 859.

action of iodine chloride on (OSTER-MAYER), 1885, A., 672.

action of zinc ethyl on (GAL), 1883, A., 653; 1884, A., 985.

influence of, on the germination of seeds (Cornevin), 1892, A., 228.

utilisation and transformation of, during the germination of seeds (HECKEL), 1890, A., 543.

ferrocyanides of (Brokurts), 1890, A., 1318.

from Acacia tenorrima (GRESHOFF), 1891, A., 336.

from Aconitum Lycoctonum (DRAGEN-DORFF and SPOHN), 1885, A., 408.

from Aconitum Napellus (DUNSTAN and INCE), 1891, T., 271; P., 36; (DUNSTAN and UMNEY), 1892, T., 385; P., 42; (DUNSTAN and PASSMORE), 1892, T., 395.

from Agarious ruber (Phirson), 1883, A., 100.

from Amaryllis Belladonna and from A. formosissima (FRAGNER), 1891, A., 1122.

from Angostura bark (KÜRNER and BÜHRINGER), 1884, A., 341; (BECKURTS and NEHRING), 1892, A., 642.

from Anisodus luridus (SIEBERT), 1890, A., 658; (SCHUTTE), 1892, A., 232.

from the Apocyneæ (GRESMOFF), 1891, A., 336.

Alkaloid or alkaloids from the Areca nut (JAHAS), 1889, A., 420; 1891, A., 94, 1520; 1892, A., 737.

from Atropa Belladonna (HESSE), 1891, A., 718; 1892, A., 1498; (Schutte), 1892, A., 231; (Merck), 1892, A., 1255.

from Atropa Belladonna leaves, estimation of (DUNSTAN and RANSOM), 1886, A., 105.

from Atropa Belladonna root, estimation of (DUNSTAN and RANSOM), 1885, A., 448.

from Berberidere (HE-SE), 1887, A., 283.

from Berberis (SCHMIDT and WILL-HELM), 1888, A., 1212; (SCHMIDT and KERSTEIN), 1890, A., 648; (RUDEL), 1892, A., 641; (SCHMIDT), 1892, A., 1498.

from Berberis Aquifolium and B. vulgaris (Rthell), 1892, A., 641.

from Boletus (DUPETIT), 1884, A., 204.

from Buxus sempervirens (BAR-BAGLIA), 1884, A., 188; 1885, A., 177.

from Calycanthus glaucus (WILEY), 1890, A., 403.

from Cannabis indica or Indian hemp (HAY), 1883, A., 1155.

from Carica papaya (GRESHOFF), 1891. A., 334.

from Cephaelis Ipecacuanha (ARNDT), 1889, A., 918.

from Chelidonium majus (Selle). 1891, A., 229; (Koxia), 1891, A.,

from China bicolor (HESSE), 1887, A.,

from Cinchona (Wood and BARRET), 1883, A., 1018; (COMSTOCK and KOENIOS), 1884, A., 1882; 1885, A., 910, 1248; 1887, A., 281, 1122; (HESSE), 1888, A., 379; (CLAUS), 1892, A., 1249.

from Cinchona barks, quantitative estimation of (MEYDE), 1883, A., 388.

from Cinchona barks, total, estimation of (SHIMOYAMA), 1885, A., 845; (FAWSETT), 1890, A., 309; (Haubensak), 1891, A., 1102.

from Cinchona succirubra bark, effect of altitude on (Howard), 1883, A., 1165.

from Chonemorpha macrophylla (Gresnoff), 1891, A., 337.

from Chrysanthemum cineraria folium (MARINO-ZUGO), 1891, A., 333; 1892, A., 84.

Alkaloid or alkaloids from Coca leaves (Bignon), 1886, A., 388; (Hrssn), 1887, A., 1125; 1889, A., 731; (LIEBERMANN), 1889, A., 732; (AAN bor MARCK), 1890, A., 310.

from Javan Coca leaves (Hesse), 1887. A., 1125; (LIEBERM ANN), 1891, A., 1265; (Green), 1892, A., 361.

occurring with cocaine (EINHORN), 1889, A., 628.

from cod liver oil (GAUTIER and Moungues), 1888, A., 1315; 1889, A., 63.

from Conium maculatum (LADEN-BURG and ADAM), 1891, A., 1119.

from Conium, estimation of (CRIPPS), 1888, A., 540.

from Coptis trifolia (Schulle), 1885, A., 403.

from corpses (SEYDA), 1891, A., 119. from corpses, behaving like stryclinine (Amthor), 1888, A., 731.

from Corydalis cava root (Ader-MANN), 1891, A., 1266; (FREUND and JOSEPHI), 1892, A., 1366.

from Corydalis tuberosa (Donnie and LAUDER), 1892, T., 211, 605; P., 13, 123.

from Crotalaria retusa and C. striata

(GRESHOFF), 1891, A., 335. from cuprea bark (Hesse), 1883, A., 601; (PAUL and COWNLEY), 1885, A., 563.

from the cuttle fish (OECHSNER DE

Coninck), 1889, A., 421. from Datura Stramonium (Schutte), 1892, A., 232.

from Delphinnum Staphisagria seeds (CHARALAMPI), 1891, A., 842.

from Rphedra monostachya (Srunn),

1892, A., 898. from *Ephedra vulgaris* (LADENBURG and Oklachläckl.), 1889, A., 1020.

from Erythrina (Stenotropis) Broterol (Gresnoff), 1891, A., 335. from Erythrina (Hypaphorus) subum-

brans (GRESHOFF), 1891, A., 335. from Erythroxylon (BENDER), 1886, л., 85.

from Fenugreck seeds (JAHNS), 1886,

from old flour (BALLAND), 1886, A., 161.

from Gelsemium root (Thompson), 1887, A., 981.

from human urine (CHIBRET and IZARN), 1886, A., 748; (BRASSE), 1888, A., 201; (Thubichum), 1888, A., 1119.

from Hernandia sonora and H, original (Greshoff), 1891, A., 338.

Alkaloid or alkaloids from Hunteria corymbosa (Gresnoff), 1891, A., 836.

from Hydrastis canadensis (FREUND and WILL), 1887, A., 174.

from Illigera pulchra (GRESHOFF), 1891, A., 338.

from Koch's cultivating fluids (Poucher), 1885, A., 1250.

from Kopsia (Greenoff), 1891, A., 897.

from certain Lauraceæ (GRESHOFF), 1891, A., 337.

from Leuconotis Eugenifolius (GRES-HOFF), 1891, A., 336.

from Litseu chrysocoma (GRESHOFF), 1891, A., 337.

from Lobelia (DRAGENDORFF and v. ROSEN), 1887, A., 854.

from Lupinus albus (Soldaini), 1892, A., 892.

from Lupinus Intens (liquid) (BAU-MERT), 1884, A., 1387.

from different lupines, percentage of (HILLER), 1885, A., 832.

from Lycium barbarum (Schutte), 1892, A., 232.

from Lycopodium Saururus (ARATA and CANZONERI), 1892, A., 894.

from Mucleaya cordata (Eijkman), 1885, A., 404.

from Mandragora (AHRENA), 1889, A., 1074, 1222.

from Melodinus laevigatus (GRES-HOFF), 1891, A., 336. from mushrooms (Dupetit), 1883,

A., 612. from Nicoliana Tubacum (Schutte).

from Nicotiana Tubacum (Schutte), 1892, A., 232.

from Nigella damaseena (Sountinen), 1890, A., 1317.

from Nux vomica (Shenstone), 1883, T., 101; 1885, T., 139; P., 5.

from Ochrosia (Lucturia) acuminata, O. Ackeringa, O. coccincu, and O. (Blockaria) calocaspa (Cheshoff), 1891, A., 337.

from opium (PLUGGE), 1887, A., 280. from opium, reactions of the (PLUGGE), 1888, A., 379.

from opium, separation of the (PLUG-(+E), 1887, A., 851.

from the Papaveracce (SCHMIDT), 1889, A., 62.

from Pitherolobium bigeminum and P. Saman (GRESHOFF), 1891, A., 336.

from plants growing in the Dutch Indies (Guesmorf), 1891, A., 334. from *Pseudochrosia glomeratu* (Gresmaff), 1891, A., 336. Alkaloid or alkaloids from putrid animal matter (GAUTTER and ETALD), 1883, A., 100, 224; (BRIEGER), 1883, A., 924; 1884, A., 1202; (E. and H. SALKOWSKI), 1883, A., 925.

from pyridine (OECHSNER DE CONINCK), 1886, A., 476.

from Rauvoolfia (Ophiovylon) serpentina and R. (Cyrtosiphonia) spectabilis and madurensis (GRES-HOFF), 1891, A., 336.

from Remijia Purdicana bark (HESSE), 1885, A., 64.

from Rhynchodia (Cercocoma) macrantha (Greshoff), 1891, A., 337.

from sabadilla seeds (MERCK), 1891, A., 844.

from Sanguinaria canadensis and Chelidonium majus roots (Künie), 1891, A., 843.

from Scopolia Hardnackiana (Hladnikiana) (Schmidt), 1888, A., 856.

from Scopolia japonica (SCHMIDT and HENSCHKE), 1888, A., 856.

from the Solanaceæ (SCHUTTE), 1892, A., 281.

from Solanum grandiflora (FREIRE), 1888, A., 166.

from Sophora tomentosa (GRESHOFF), 1891, A., 335.

from Stylophorum diphyllum root (Selle), 1890, A., 649.

formed in the cultivation of the swinefever bacillus (v. Schweinitz), 1891, A., 476.

from Tabernaemontana sphaerocarpa (Gueshoff), 1891, A., 337.

from tea (PAUL and COWNLRY), 1889, A., 416.

from Tristolochia argentina (HRSSE), 1892, A., 894.

from Tylophora asthmatica (HOOPER), 1891, A., 1266.

from Veratrum album (Penkschen), 1891, A., 87.

from Veratrum album rhizome (SALZBERGER), 1891, A., 280.

from Voacanga (Orchipeda) fætida (Grasnoff), 1891, A., 337.

volatile (Orchener de Coninck), 1888, A., 328.

volatile, in breath or in blood (WURTZ), 1888, A., 616.

volatile, of pepper (Johnstone), 1889, A., 298.

from Xanthoxylon (Zanthoxylum) senegalense bark (GIACOSA and Mo-NARI), 1888, A., 167; (GIACOSA and SOAVE), 1890, A., 918, Alkaloid or alkaloids, reactions of (Palm), 1884, A., 120; (Omonshine DE Coninck), 1885, A., 818; (Lu-CHINI), 1886, A., 182; (VÍN DER MARCK), 1890, A., 310. colour reactions of (ARNOLD), 1883,

A., 386; (LENZ), 1886, A., 584; (OECHSNER DE CONINCK), 1887, A., 58; 1888, А., 539; (Bloxам), 1887, A., 752.

reactions of, with ammonium selenite (FERREIRA DA SILVA), 1891, A., Ì562.

reactions of, with bromine (BLOXAM), 1883, A., 1175.

reactions of, with iodine chloride (DITTMAR), 1886, A., 158.

reactions of, with potassium platinothiocyanates (GUARESCHI), 1892,

detection of, in cases of poisoning

(CHANDELON), 1885, A., 605. estimation of free (CHRISTENSEN), 1892, A., 666.

volumetric, estimation, of, by Mayer's reagent (HERETH), 1888, A., 203.

filter tube for use in the estimation of, by Mayer's reagent (BIRD), 1887, A., 1002.

volumetric, estimation, of acids in the salts of the (Plugge), 1887, A., 621. separation of, in forensic analysis (BECKURTS), 1885, A., 701.

ALKALOIDS-

Acecaffeine (Fischer), 1883, A., 356. Acetoneberberine (GAZE), 1890, A., 1011.

Acetoxyapocinchenine (Comstock and Koenigs), 1888, A., 72. Acetoxycodeine (GRIMAUX), 1883, A.,

359.

Acetylacecaffeine (FISCHER), 1883, A., 356.

Acetylcodeine (HESSE), 1884, A., 614. Acetylcytisine (v. Buchka and Ma-GALHAES), 1891, A., 750.

Acetylhydrastine (SCHMIDT and KER-STEIN), 1890, A., 649.

Acetylhydrocotarnineacetic acid (BOWMAN), 1887, A., 1056.

Acetylhydroquinine (HESSE), 1888, A., 70.

Acetylphenylecgonine (EINHORN and

Krain), 1889, A., 283. Acet, iphenyltropeine (LADENBURG), 1883, A., 671

(Dragendorff Acolyctine and SPOHN), 1885, A., 403.

Aconine (DUNSTAN and INCE), 1891, T., 286; (DUNSTAN and UMNEY), 1892, T., 393; P., 44. ALKALOIDS-

Aconine, properties of (Dunstan and PASSMORE), 1892, T., 400.

distillation of, with baryta (Enren-BERG and PURFURST), 1892, A.,

action of methylic iodide on, and conversion of, into aconitino (DUNSTAN and PASSMORE), 1892, Ť., 401; P., 44.

decomposition products of (Dun-STAN and Passmone), 1892, T., 402. salts of, crystalline (Dunstan and

Passmork), 1892, T., 399.

Aconite, alkaloids of (DUNSTAN and INCE), 1891, T., 271; P., 36; (DUN-STAN and UMNEY), 1892, T., 385; P., 42; (DUNSTAN and PASSMORE), 1892, T., 395; P., 41.

Aconite preparations, assav (ALLEN; UMNEY), 1892, T., 392.

Aconitine (MANDELIN), 1885, A., 911; (JURGENS), 1886, A., 565; (LUB-BE), 1891, A., 91; (DUNSTAN and UMNEY), 1892, T., 390; P., 42; (EHRENBERG and PURFURST), 1892, A., 1254.

preparation of (WILLIAMS), 1887, A., 1125.

conversion of aconine into (Dunstan and Passmore), 1892, T., 401; P., 44.

properties of crystalline (Dunstan and INCE), 1891, T., 276.

specific rotation of and effect of heat on (Dunstan and Ince), 1891, T., 281.

crystallographical characters (Turron), 1881, T., 288; P., 39. hydrolysis of (Dunstan and Pass-more), 1892, T., 396.

aurochloride (Dunstan and Inch), 1891, T., 278, 279.

methhydroxide and methiodide (Dunstan and Passmore), 1892, Ť., 403.

detection of (MANDELIN), 1885, A., 911; (Ferreira da Silva), 1891. A., 1562; (VITALI), 1892, A., 756.

apoAconitine, formation and properties of (DUNSTAN and INCE), 1891, T., 283.

RUHEMANN), 1889, T., 238; P., 54. Aconitylanilanilide (SKINNER Aconityltoluidotoluidine (SKINNER and RUHEMANN), 1889, T., 239.

Adoninidine (CERVELLO), 1885, A.,

Alkylhydrastines and their derivatives (SCHMIDT), 1890, A., 1167; (FREUND and Philipps), 1891, A., 93.

Alkaloids—

Allocaffeine (FISCHER), 1883, A., 355; (Schilling), 1885, A., 674.

Amarylline (FRIGNER), 1891, A., 1122.

Anagyrine and its derivatives (REALE), 1888, A., 188; (HARDY and GALLOIS), 1888, A., 1317.

Anhydroaconitine, formation and properties of (DUNSTAN and INCE), 1891, T., 283.

gold chloride (Dunstan and Inck), 1891, T., 285.

Anhydroecgonine (EINHORN), 1887,

A., 741; 1889, A., 169; (LIEBUR-MANN and GIESEL), 1889, A., 168. constitution of (Merling), 1892, A., 360.

conversion of, into pyridine (EIN-HORN), 1889, A., 909.

derivatives (Einhorn), 1887, A.,

dibromide, derivatives of (EICHEN-GRUN and EINHORN), 1891, A., 65. hydrobrom-,hydrobromide(Eichen-GRUN and EINHORN), 1891, A., 94. hydrochloride, specific rotatory power of (EINHORN), 1889, A.,

1018. action of hydrogen bromide on (Eichengrun and Einhorn),

1891, A., 94. Anhydrolupinine (BAUMERT), 1883,

A., 100. Anisoylcocaine (Liebermann), 1889,

A., 419.

Anisoylecgonine (LIEBERMANN), 1889, A., 419. Arecaidine (JAHNS), 1891, A., 94;

1892, A., 739. Arecaine (JAHNS), 1889, A., 421.

Arecoline (JAHNS), 1889, A., 420; 1891, A., 94; 1892, A., 739. Aricine (Moissan and Landrin),

1890, A., 803. Aristolochine (Pout.), 1892, A., 874; (HESSE), 1892, A., 891.

Artarine (GIACOSA and SOAVE), 1890, A., 918.

Aselline (GAUTIER and MOURGUES),

1888, A., 1315. Asiminine (LLOYD), 1887, A., 981.

Atropine (LADENBURG), 1883, A., 671; (GERRARD; FLUCKIGER), 1886, A., 632.

constitution of (LADENBURG), 1888, A., 670.

conversion of hyoscyamine into (Will.), 1888, A., 855; (SOHMIDT), 1888, A., 970; (Will and Buedig), 1888, A., 1316.

ALKALOIDS-

Atropine, action of, on mercurous salts (Gerrard), 1886, A., 632.

relation between cocaine and (E1)-HORN), 1890, A., 1010.

relations between hyoscyamine and (LADENBURG), 1889, A., 167.

ferrocyanide (Beckurts), 1890, A., 1318.

influence of, on lactation (HAM-MERBACHER), 1884, A., 1396.

influence of, on the salivary solution (LANGLEY), 1888, A., 1216; 1890, A., 397.

detection of (Schweissinger,), 1885, A., 418; (Gerrard), 1886, A., 286; (Fluckiger), 1886, A., 397; (BECKMANN), 1886, A., 955; (CIOTTO and SPICA), 1891, A., 772; (FABRIS), 1892, A., 1534.

Atropine, nitr- (EINHORN and FIS-CHER), 1892, A., 1014.

Atropine, d- and l- (LIDENBURG and HUNDT), 1890, A., 75.

ψ-Atropine (Ladenburg), 1883, A., 671; (LIEBERMANN and LIMPACH), 1892, A., 891.

apoAtropine (Ladenburg), 1883, A., 672; (Merck), 1892, A., 1255.

Atropyltropeine (LADENBURG), 1883, A., 672; (Merck), 1892, A., 1255. isoAtropylcocaines (LIEBERMANN), 1888, A., 1210; (HESSE), 1889, A., 732; (LIEBERMANN and DRORY), 1889, A., 733.

isoAtropylecgonines (LIEBERMANN and Drony), 1889, A., 733.

Avenine (Sanson), 1884, A., 915; (Wrampelmeyer), 1889, A., 1223.

its derivatives Belladonine and(LADENBURG and ROTH), 1884, A., 761; (Merling), 1884, A., 1055; (Durkoff), 1890, A., 271.

Bellamarine (FRAGNER), 1891, A., 1122.

Benzoylaconine, formation of (Dun-STAN and PASSMORE), 1892, T., 401.

Benzoylamyl-d-ecgonine hydrochloride (EINHORN and MARQUARDT), 1890, A., 913.

Benzoyldihydroxyanhydroecgonine, derivatives of (EINHORN and RASsow), 1892, A., 1016.

Benzoylecgonine (MERCK), 1885, A., 997; (SKRAUP), 1885, A., 1249. preparation of (LIEBERMANN and GIESEL), 1889, A., 168.

Benzoyltropeine (LADENBURG), 1883, A., 671.

Benzoyl-ψ-tropeine (LIEBERMANN), 1891, A., 1265.

Alkalous-

Benzylnarceine and its salts (CLAUS and RITZEFELD), 1885, A., 997.

Berbamine (Hessi), 1885, A., 284; (RÜDEL), 1892, A., 641.
Berberine (SCHMIDT), 1884, A., 339; 1892, A., 1498; (BERNHEIMER), 1884, A., 340; (PERKIN), 1888, P., 111; 1889, T., 63; 1890, T., 992; B. 117. (M. NEW), 1884, A., 627. P., 117; (MARTORI), 1889, A., 627; (GAZE), 1890, A., 1011; 1891, A., 332; (Link), 1892, A., 1498. constitution of (Hoogewerff and

VAN DORP), 1889, A., 168; (Per-Kin), 1890, T., 1003. properties of (Perkin), 1889, T., 68.

action of bromine on (LINK), 1892, A., 1498.

action of hydrogen iodide on (Penkin), 1889, T., 86.

action of fused potash on (PERKIN),

1889, T., 88.

oxidation of, with potassium permanganate (Schmidt and Schill-BACH), 1887, A., 604; (PERKIN), 1889, T., 71; 1890, T., 1010. derivatives of (SCHMIDT), 1884, A.,

339; (Bernheimer), 1884, A., 340.

salts (SCHILBACH), 1887, A., 604; (PERKIN), 1889, T., 65; 1890, T., 1097; (RUDEL), 1892, A., 642. hydrobromide, tetrabromo- (GAZE),

1890, A., 1012.

detection of (v. Hirschhausen), 1885, A., 606; (Ferneira da Silva), 1891, A., 1562. Biliganine (Adrian), 1886, A., 816;

ARATA and Canzoneri), 1892, A.,

894.

Bromoformberberine (GAZE), 1890, A., 1012.

Brucine (SHENSTONE), 1883, T., 101; (ORCHENER DE CONINCE), 1885, A.,564; (Hanssen),1885,A.,565. constitution of (IIANSEN), 1887.

A., 505. specific rotatory and refractive powers of (Kanonnikoff), 1889, A., 453

rotatory dispersion of (GRIMBERT), 1888, A., 330.

action of chromic mixture, and of pentachloride phosphorus (Hanssen), 1885, A., 276.

action of hydriodic acid on (SHEN-

STONE), 1883, T., 104. action of hydrochloric acid on (SHENSTONE), 1883, T., 102; (HANGSEN), 1885, A., 63. bromination of (BRCKURTS), 1890,

A., 1330.

ALK MOIDS-

Brucine, distillation of, with lime and with potash (BLREND and STORHR), 1891, A., 87.

distillation of, with zine (Lorersen

and Schoop), 1887, A., 282. oxidation-product of (HANSEN), 1885, A., 819.

into strychnine conversion of, (HANRIOT), 1884, A., 88.

relation of, to strychnine (HANS-SEN), 1885, A., 1146.

rricyanide (Holst and Beck-uurs), 1887, A., 852. ferricyanide

ferrocyanide (Hoist and Beck-URTS), 1887, A., 852; (BECK-URTS), 1890, A., 1318.

hydrobromide, action of bromine on (Beckurts), 1885, A., 911.

physiological action of (BRUNTON), 1885, T., 113; P., 5; (MAYS), 1888, A., 312.

as a test for tin (DRYER), 1881, A.,

detection of (FERREIRA DA SILVA), 1891, A., 1562.

microchemical test for (LINDT), 1885, A., 449.

estimation of strychnine and (Holsy and BECKURTS), 1887, A., 858. separation of, from strychnine (GEROCK), 1889, A., 748.

Brucine, dichloro- (BECKURTS), 1890,

A., 1330. nitro- and amido-derivatives of (Ilanssen), 1886, A., 564.

Bulbocapnine (FREUND and JOSEPHI), 1892, A., 1366.

isoButoxyhydrocotarnine methiodide (Rosen), 1890, A., 532.

isoButylbenzoylecgonine (Novy), 1887, A., 1126.

isoButylecgonine hydrochloride (Ein-HORN and MARQUARDI), 1890, A.,

Buxine (BARBAGLIA), 1884, A., 188. Buxidine (BARBUGLIA), 1881, A.,

Parabuxinidine, a fourth alkaloid from the box tree, Burus sempen-

virons (BARDAGLIA), 1885, A., 177.
Caffeidine (MALY and ANDREASCH),
1883, A., 1016; (SCHMIDT and WERNECKE), 1891, A., 331.

oxidation of, with chromic acid (MALY and ANDREASCH), 1883, Л., 1017.

salts of (Schmidt and Wernecke), 1891, A., 331.

reactions of (WERNECKE), 1888, A.,

ALK (LOIDS--

Caffeine (theine) (TANRET), 1883, A., 97; (BIEDERMANN), 1884, A., 185.

in caeao (SCHMIDT), 1883, A., 873. in guarana (Fermster), 1883. A., 232.

in tea (PAUL and COWNLEY), 1891, A., 358.

constitution of (Fischer), 1883, A.,

action of dilute alkalis on (MALY and Andreasch), 1883, A., 1016. action of hydrochloric acid on

(SCHMIDT), 1883, A., 873. oxidation of, with ozone (Leipen), 1889, A., 1017.

derivatives (FISCHER), 1883, A., 354; (FISCHER and REESE), 1884, A., 466; (Schmidt and Schlin-

IN(1), 1885, A., 995. salts (TANRET), 1883, A., 97; (BIE-DERMANN), 1884, A., 185.

salts of artificial (SCHMIDT), 1883, A., 873.

chloriodide (Wernecke), 1888, A., 68.

chloriodide and its hydrochloride

(OSTERMAYER), 1885, A., 1250. hydroxide, products of decomposi-tion of (SCHILLING), 1885, A., 674. methhydroxide and its derivatives (SCHMIDT), 1884, A., 338; 1886, A., 899.

oxalate (LEIPEN), 1889, A., 1018. physiological action of (COPPOLA), 1888, A., 312.

action of, on voluntary muscle (BRUNTON and CASH), 1887, A., 985; 1888, A., 1217.

behaviour of, in the animal organism (MALY and ANDREASCH), 1883, A., 1018.

influence of, on digestion (CHIT-TENDEN and STEWART), 1889, A., 534.

detection of (WERNECKE), 1888, A., 68; (FERREIRA DA SILVA), 1891, A., 1562.

estimation of (PAUL and COWNLEY), 1887, A., 1002; (PAUL), 1891, A.,

estimation of, in coffee (SMITH), 1888, A., 539.

estimation of, in guarana (KREMEL),

1888, A., 876. estimation of, in tea (PAUL and COWNLEY), 1888, A., 539; (SPENOER), 1891, A., 134, 964; (VITE), 1891, A., 372; (Dvor-KOVITSOH), 1891, A., 1302.

Alkalous-

Caffeine. See also Allocaffeine and Hypocalleine.

Caffeine, chloro- (FISCHER an REESE), 1884, A., 466. Caffoline (FISCHER), 1883, A., 356.

Calycanthine (WILEY), 1890, A., 403. Canadine (SCHMIDT and WILHELM),

1888, A., 1212. Carpaine, the alkaloid of Carica papaya (Greshoff), 1891, A., 334.

Chairamidine and its salts (Hesse), 1885, A., 64, 68.

Chairamine and its salts (HESSE),

1885, A., 64, 67. Chelerythrine (HENSCHKE), 1887, A.,

854; (KÖNIG), 1891, A., 844. Chelidonine (HENSCHKE), 1887, A.,

854; 1889, A., 62. detection of (v. Kugelgen), 1885, A., 608; (BROCINER), 1890, A., 310.

Chinine. See Quinenine.

Chloroformberberine (GAZE), 1890, A., 1012; 1891, A., 332.

Choline from the areca-mut (JAHNS), 1891, A., 94.

in cotton-seed foods (MAXWELL), 1892, A., 380.

in germinating plants (SCHULZE), 1887, A., 747.
in hops (GRIESS and HARROW), 1885, T., 298.

in seeds (Schulze), 1891, A., 490. in the seeds of Vicia sativa

(SCHULZE), 1889, A., 1029. action of hydriodic and hydrobromic acids on (SCHMIDT), 1892, A., 808.

relation of, to neurine (Schmidt),

1892, A., 219. analogues of (Niemilowicz), 1886, A., 933.

derivatives of (Bode), 1892, A., 806; (Schimlder), 1892, A., 905.

isoCholine and its salts (MEYER), 1883, A., 568. Chrysanthemine (MARINO-ZUCO),

1891, A., 834; 1892, A., 84. Cinchenine (cincline) (COMSTOCK and

KORNIGH), 1885, A., 910. action of bromine on (Comstock

and Kornics), 1887, A., 1122. oxidation products of (Comstock

and Kornics), 1884, A., 1383. salts (Comstock and Koenius),

1885, A., 910.
dibromide (Comstock and Kor-

NIGS), 1887, A., 282, 1122. hydrobromo- (Comstock and Kor-NIGS), 1887, A., 1124.

Alkalotds—

Cinchenine (cinchine), lepidine derivatives from (Konnics), 1890, A., 1433.

apoCinchenine, brom- and its derivatives (Coms rock and Kornus), 1888, A., 71.

Cincholine (IIESSE), 1892, A., 1492. Cinchonamine (ARNAUD), 1881, A., 87; (HESSE), 1885, A., 61; (FRIE-DEL), 1888, A., 165.

derivatives (HESSE), 1885, A., 64. salts (ARNAUD), 1884, A., 87.

physiological action of (See and BOCHEFORTAINE), 1885, A., 571,

as a test for nitrates (ARNAUD), 1891, A., 362.

Cinchonibine and its derivatives Jungfleisch and Legen), 1888, A., 380, 507, 969.

Cinchonidine, constitution of (Schni-DERSOHITSCH), 1889, A., 626, melting-point of (Hesse), 1890, A.,

1166. oxidation of (Skraup; Schnider-

вспітасн), 1889, А., 626. benzyl salts (CLAUS), 1892, A.,

1251. chloride (Comstock and Koenigs),

1884, A., 1383. compounds of, with hydriodic acid

(Skraup), 1892, A., 83. ethiodides and methiodides (CLAUS),

1892, A., 1251. ethylic cyanide (CLAUS and MERCK),

1884, A., 338. ferrocyanide (BECKURTS), 1890, A., 1318.

quinol and resorcinol sulphate

(HESSE), 1880, A., 908. detection of, in quinine (Woon and Barret), 1883, A., 1019.

estimation of, in quinine sulphate (COWNLEY), 1886, A., 632; (HES-86), 1886, A., 813; (SOHATER), 1887, A., 623; 1888, A., 636.

isoCinchonidine (HESSE), 1888, A.,

Cinchonidinesulphonic acid (IIESSE), 1892, A., 515.

isoCinchonidinesulphonic acid (HESse), 1892, A., 514.

Cinchonifine (Jungfleisen and Li-GER), 1888, A., 380, 507.

Cinchonigine and its derivatives (JUNGELEISCH and LEGER), 1888, A., 380, 507, 612.

Cinchoniline andits derivatives (JUNGELEISCH and LEGER), 1888, A., 380, 507, 729.

ALKATOTOS-

Cinchonine (FREUND and STRIN), 1892, A., 892.

constitution of (Skraup), 1887, A., 161; 1889, A., 281.

rotatory dispersion of (GRIMBERT), 1888, ∧., 330.

optical isomerides of (Jungeleisen and Leger), 1888, A., 380.

action of caustic alkalis on (KR 1-KAU), 1885, A., 1081; 1886, A., 161.

action of hydriodic acid on (Lipp-MANN and Fleissner), 1891, A., 1517; 1892, A., 639; (Pum), 1892, A., 514.

action of oxalic acid on, in presence of sulphuric acid (CAVENTOU and Ginard), 1888, A., 507.

bromination of (COMSTOCK and KOENIGS), 1887, A., 1123. decomposition of, by sodium ethoxide (MICHARL), 1886, A., 162. oxidation of (SKRAUP; SCHNI-DERSCHITSCH), 1889, A., 626.

oxidation of, to cinchonic acid

(CLAUS), 1885, A., 560. oxidation-products of (WEIDEL and HAZURA), 1888, A., 222; (Com-STOCK and KOENIGS), 1884, A., 1383.

derivatives of (JUNGFLEISCH and Leger), 1888, A., 507.

dibromide (Comstock and Kor-NIGS), 1887, A., 281.

chloride (Comstock and Konnics), 1892, A., 1011.

compounds of, with hydriodic acid (SKRAUP), 1892, A., 83.

diethyl salts (Chaus), 1892, A., 1252.

ethocyanide (CLAUS), 1892, A., 1251. ferrocyanide (BECKURTS), 1890, A.,

hydriodo-, salts of (LIPPMANN and FLEISSNER), 1891, A., 1517; 1892, A., 1363.

hydrobromoand hydrochloro-Comprock and Kornius), 1887. A., 1124.

mucate (Ruhemann and Dufton), 1891, T., 754.

Cinchonine, bromo-, chloride (Con-STOOK and KOENIGS), 1892, A.,

dichloro- (Comstock and Koenigs), 1892, A., 1011.

isoCinchonine and its derivatives (COMSTOCK and KOENIGS), 1887, A., 1124; 1888, A., 380; (IITANK), 1891, A., 583; 1892, A., 222;

ALKALOIDS-

isoCinchonine and its derivatives (con.) (JUNGFLEISCH and LEGER), 1891, À., 1121 ; 1892, A., 222.

isoCinchoninesulphonic acid (HESSE), 1892, A., 515.

apoCinchonine (Jungfleisch and Liger), 1892, A., 1253.

and hydrochloro-, specific rotatory power of, under the influence of acids (Oudemans), 1883, A., 359.

Cocaicine (BENDER), 1886, A., 85. (benzoylmethyleegonine) Cocaine (MERCK), 1885, A., 565; (PAUL), 1886, A., 84; 1888, A., 1118; (Bra-NON), 1886, A., 388, 951; (LYONS), 1886, A., 479; (FLUCKIGER), 1886, A., 632; (EINHORN), 1887, A., 742; 1888, A., 381; 1889, A., 168; (LIEBERMANN), 1889, A., 419.

amorphous (STOCKMAN), 1887, A.,

preparation of (Squibb), 1886, A.,

artificial preparation of (MERCK), 1885, A., 1249; 1886, A., 163. commercial preparation and partial

synthesis of (LIEBERMANN and Giesel), 1889, A., 168.

bye-product from the commercial synthesis of (Liebermann and Giesel), 1890, A., 647, 803.

constitution of (CALMELS and Gossin), 1885, A., 912.

specific rotatory power of (An-TRICK), 1887, A., 506.

relation of, to atropine (EINHORN), 1890, A., 1010.

alkaloids occurring with (EINHORN), 1889, A., 628.

metameric, and its homologues

(EINHOUN), 1889, A., 420. homologues of, artificial preparation of (MERCK), 1886, A., 163.

higher homologues of (Novy), 1887, A., 1126.

salts (PAAL), 1886, A., 84; 1888, A., 1118; (Lyons), 1886, A., 479. benzoate (Paal), 1886, A., 633; (BIGNON), 1886, A., 951.

chromate (MEZGER), 1890, A., 839;

(MÜLLER), 1891, A., 585. cinnamic acid in the products of decomposition of crude (FRANK-

FELD), 1889, A., 419. isocinnamic acid in the alkaloids of (Liebermann), 1890, A., 494.

ferrocyanide (Beckurts), 1890, A., 1318.

hydrochloride (Liebermann and GIESEL), 1890, A., 647.

Alkalous-

(benroylmethylecgonine), Cocaine hydrogen diaminechromium thiocyanate (Christensen), 1892, A., 1001.

mercurochloride (MÜLLER), 1891, Λ., 585.

methiodide and methochloride (EIN-HORN), 1889, A., 170.

physiological action of (GRASSET and Jeannel), 1885, A., 571; (Signicelli), 1888, A., -312; (Mosso), 1888, A., 864; 1891, A.,

amesthetic action of (GRASSET), 1885, A., 285, 415.

action of, on the invertebrates (Richard), 1885, A., 1002.

detection of (GOELDNER), 1890, A., 96; (Mezger), 1890, A., 837; (Ferreira da Silva), 1891, A., 134, 1562; (Vitali), 1891, A., 1561.

estimation of (Lyons), 1886, A., 1087.

valuation of crude, from Peru (SQUIBB), 1890, A., 838.

separation of, from hygrine (How-ARD), 1887, A., 1126.

d-Cocaine (EINHORN and QUARDT), 1890, A., 647, 913; (DECKERS and EINHORN), 1891, A., 475.

Cocrylecgonine (Hesse), 1889, A., 732.

Codeine (methy/morphine) (v. Ge-RICHTEN and SCHRÖTTER), 1883, A., 221; (GRIMAUX), 1883, A., 358; (Phugue), 1887, A., 280; (KNOLL), 1889, A., 625.

rotatory dispersion of (GRIMBERT), 1888, A., 330.

non-nitrogenous compounds from (v. Gerichten and Schrötter), 1883, A., 221.

derivatives of (IIESSE), 1884, A., 614; (Fischenand v. Gerichten), 1886, A., 563.

carbonate (Orro and Holst), 1892 Λ., 638.

methiodide (SKRAUP and WIEGmann), 1890, A., 179.

B-methiodide and methochloride and their derivatives (HESSE), 1884, A., 614.

reactions of (RABY), 1885, A., 302; 1885, 1095: (Lafon), Δ., (Brociner), 1890, A. (VITALI), 1892, A., 756. Λ., 311;

estimation of (CLAASSEN), 1890, A., 1198.

ALKALOIDS:

bromo-, non-nitrogenous compounds from (v. Genteur en and Schrötter), 1883, A., 221.

ψ-Codeine (ΜΕΚΙΚ), 1891, A., 1121. Codethyline (GRIMAUX), 1883, A., 358.

non-nitrogenous compounds from (v. Gerichten and Schröfter), 1883, A., 221.

Codomethine (methylmorphimethine) and its derivatives (ILESSE), 1881, A., 611; (Knorr), 1889, A., 117.

Codomethyline (GRIMAUX), 1883, A.,

Colchiceine (ZEISEL), 1883, A., 672; 1884, A., 1387; 1887, A., 281.

apoColchiceine (Zeisiel), 1883, A., 673; 1884, A., 1387.

Colchicine (ZEIGEL), 1883, A., 672; 1884, A., 1387; 1887, A., 281; 1888, A., 613; (JOHANNY and ZEINEL), 1889, A., 282.

crystallised (Hounes), 1884, A., 1055.

therapeutic action of (MAIRIF and COMBENALE), 1887, A., 614.

toxic action of (MAIRET and COMвемлье), 1887, А., 515.

detection of, in corpses (OboLonski), 1891, A., 135.

estimation of, in colchicum seeds (Kremel), 1891, A., 512.

Colchicine-like decomposition product in a case of suspected poisoning (B vumert), 1888, A., 636.

Conchairamidine and its salts (HESSE), 1885, A., 61, 67, 68.

Concusconidine (HESSE), 1883, A., 602; 1885, A., 69.

Concusconine and its salts (HESSE), 1883, A., 602; 1885, A., 61, 66,

Conessine (wrightine) (WARNECKE), 1886, A., 372; 1888, A., 855; (Pol-STOREF and SCHIRMER), 1886, A., 372; (Polstorer), 1886, A., 901,

Conhydrine (oxyconiine) and its derivatives (v. Hofmann), 1885. A., 401, 563.

attempt to synthesise (ALEXIN-DER), 1890, A., 1447.

sction of dehydrating agents on (v. Hofmann), 1883, A., 220.

ψ Conhydrine (Ladenburg), 1891. A., 1119.

becausion of, from a-pyridyl othyl hetone (Englier and Bauer), 1891, A., 1505.

Coniceidine (v. Hofmann), 1885, A.,

ALK CLOTES --

a-Coniceine and its derivatives (). HOFMANN), 1885, A., 101. preparation of (v. Hormann), 1885,

A., 562.

B-Coniceine and its derivatives (v. HOFMANN), 1885, A., 401.

y-Coniceine and its derivatives (v. Hormann), 1885, A., 562; (Ledl-MANN and MULLER), 1890, A., 802. Coniceines (LELLMANN), 1889, A.,

901; 1890, A., 1328.

Contine (LADENBURG and SCHRADER), 1884, A., 1018; (LELLMINN and Muller), 1890, A., 802.

synthesis of (v. HOFMANN), 1881, A., 1201; (LADENBURG), 1886, Λ., 478.

synthesis of active (Ladesh ac.), 1887, A., 160.

constitution of (BAUM), 1886, A., 563.

specific rotatory and refractive powers of (Kanonnikoff), 1889, A., 453.

action of bromine on, in alkaline solution (v. Hofm inn), 1883, A.,

oxidation products of (Schotten and BAUM). 1885, A., 176; (BAUM), 1886, A., 562.

derivatives (Schotten), 1883, A., 220; (V. HOFMANN), 1884, A., 1200; 1885, A., 102.

ferroeyanide (BECKURTS), 1890, A.,

group (v. Hofm 1885, A., 562. detection of, in a case of poisoning (Andrews), 1891, A., 871.

Corycavine (FREUND and JOSEPHI), 1892, A., 1367.

Corydaline (ADERMANN), 1891, A., 1266; (DOBBIE and LAUDER), 1892, T., 244, 805; P., 18, 128; (FREUND and Josephi), 1892, A., 1366.

allyl iodide (Donnie and Lauden), 1892, T., 219.

cthylic sulphate (Dosmin and LAUDER), 1892, T., 607.

hydriodide (Donnik and LAUDER), 1892, T., 246.

hydrobromide (Donnik and LAU-DMR), 1892, T., 607.

methiodide (Dobbie and LAUDER), 1892, T., 218.

platinochloride (Donnin and LAU-DER), 1892, T., 247. Cotarnine and its derivatives, con-

stitution of (Rosen), 1889, A., 418; 1890, A., 530.

 Λ LKALOIDS—

Cotarnine hydriodide (Roser), 1889, A., 17.

oxime (Roser), 1890, A., 528.

physiological action of (Śrockman and Dorr), 1891, A., 762.

Cryptopine and its derivatives (KAU-DER), 1887, A., 1122; (BROWN and PERKIN), 1891, P., 166.

PERKIN), 1891, P., 166.

Cupreine (HESSE), 1885, A., 276;
1886, A., 83; (PAUL and COWNLEY), 1885, A., 564, 997; (OUDEMANS), 1889, A., 1018; (GRIMAUX
and ARNAUD), 1892, A., 1253.

behaviour of, with methylic iodide (HESSE), 1892, A., 221; (GRIMAUX and ARNAUD), 1892, A., 892.

conversion of into quintine (GRIMAUX and ARNAUT), 1891, A., 1121; 1892, A., 802; (HESSE), 1892, A., 1010.

metallic derivatives of (OUDEMANS), 1891, A., 474.

salts of (HESSE), 1886, A., 83. solubility and specific rotatory powers of (OUDEMANS), 1889, A., 1019.

Curarine from Strychnos lowifera (VIII-LIERS), 1885, A., 997.

reaction of (FERREIRA DA SILVA), 1891, A., 1582.

Curine (BOEHM), 1887, A., 1125.

Cusparidine (BECKURTS and NEH-RING), 1892, A., 613.

Cusparine and its salts (Könner and Böherngen), 1884, A., 341; (Beckurts and Nehring), 1892, A., 643.

Cyanoconiine and its derivatives (v. Meyer), 1883, A., 352.

Cytisine (VAN DE MORE), 1891, A., 231; (V. BUCHKA and MAGAL-HAES), 1891, A., 587; (PAR-THEIL), 1891, A., 750, 946.

differences between ulexine and (Gennand and Symons), 1891, A., 334.

Damascenine (SCHNEIDER), 1890, A.,

Daturine, preparation of, from Stramonium seeds (HARTZ), 1885, A., 820.

Dehydrocinchenine (Comstock and Koenics), 1887, A., 282.

dibromide (Comstook and Kor-NIGS), 1892, A., 1012.

Dehydrocinchonine and its chloride (Comstock and Koenigs), 1887, A., 281, 282.

dibromide (Comstock and Koe-NIGS), 1892, A., 1012. Alkalouds-

Dehydrocinchonine, hydrobromo-(Comstock and Koenies), 1887, A., 1125.

Dehydroquinenine (Comstock and Koenigs), 1887, A., 1123.

Delphine, reaction of (FERREIRA DA SILVA), 1891, A., 1562.

Delphinine, composition and properties of (Charalampi), 1891, A., 843.

Diacetyllupinine (BAUMERT), 1884, A., 1387.

Diacetylmorphine and its derivatives (HESSE), 1884, A., 613.

Dicinchonicine (HESSE), 1885, A., 675.

Disposinchonine (Jungfleisen and Ligen), 1892, A., 1253.

Dihydrocinchonine (Comstock and Koenics), 1884, A., 1384.

Dihydroxyanhydroecgonine (EIN-HORN and RASSOW), 1892, A., 1015.

Dimethoxyconiine (v. HOFMANN), 1885, A., 563.

Dimethyleinchonine (FREUND and ROSENSTEIN), 1892, A., 892.

Dioxyberberine (Perkin), 1890, T., 1003, 1087.

Dioxydehydronicotine, dibromo-(Pin-Ner.), 1892, A., 1497.

Ecgonine (CALMELS and GOSSIN), 1885, A., 912; (MERCK), 1887, A., 284; (GINTL and STOROII), 1887, A., 682; (EINHORN), 1887, A., 741-(MINNI) 1801 A 382

741; (Mussi), 1891, A., 333. constitution of (Stoehr), 1889, A., 908; (Liedermann), 1891, A., 750; (Merling), 1892, A., 360.

oxidation of (Likeeumann), 1890, A., 1449.

salts (CALMELS and GOSSIN), 1885, A., 912; (MUSSI), 1891, A., 333. hydrochloride, specific rotatory

power of (Einhoun), 1889, A., 1018.

methylic salt of, action of acid chlorides on (EINHORN and KLEIN), 1889, A., 283.

reactions of (VITALI), 1891, A., 1561.

d-Ecgonine (EINHORN and MAR-QUARDT), 1890, A., 646, 913.

Ecgonines, d- and l-, oxidation products of (Liebermann), 1891, A., 749.

Emetine (Kunz), 1887, A., 980. assay of, in ipecacuanha wine (Blunt), 1890, A., 310, 548. estimation of (Jones), 1886, A., 1086; (Kremel), 1888, A., 1851. ALKALOIDS-

ψ-Ephedrine and its derivatives (Ladenburg and Oelschlägel), 1889, A., 1020.

constitution of (FILEHNE), 1891, A., 1264.

Ergotinine (TANRET), 1885, A., 84; (Bombelon), 1888, A., 970.

Eserine, reaction for (FERREIRA DA Silva), 1891, A., 1562.

Ethylbenzoylecgonine (Novy), 1887, A., 1126.

Ethylbenzoyl-d-ecgonine (EINHORN and MARQUARDT), 1890, A., 913. Ethylapocinchenine (Comstock and

Koenigs), 1885, A., 1249. dibrom- (Comstock and Kornics),

1888, A., 72. Ethylcinchonamine (II ESSE), 1885,

Λ., 66. Ethyl-d-cocaine aurochloride (EIN-

HORN and MARQUARDT), 1890, A., 913. Ethylenedimorphine (dicodethine)

(Grimaux), 1883, A., 359. (FREUND and Ethylhydrastamide

HEIM), 1891, A., 92.

Ethylhydrasteine (FREUND and Rosenberg), 1890, A., 533.

Ethylhydrastine (Power), 1885, A., 675; (Kerstein), 1890, A., 74; (SCHMIDT and KEISTEIN), 1890, A., 649.

ethiodide (FREUND and ROSEN-BERG), 1890, A., 533.

hydroxide (Schmidt), 1890, A., 1169.

Ethylhydroberberine (GAZE), 1890, Λ., 1012.

derivatives (LINK), 1892, A., 1199. Fagine (HABERMANN), 1885, A., 676. Fumarine (RECHWALD), 1890, A., 272.

Galipeine and its salts (Können and Bouringer, 1881, A., 311.

Galipidine and galipine (BECKURTS and Nemuno), 1892, A., 642, 643. Gelseminine (THOMPSON), 1887, A., 981. Gerontine (GRANDIS), 1891, A., 588. Glaucine (BATTANDIER), 1892, A., 893. Harmaline, harmalol and harmine

(Fischer and Tauber), 1885, A., 820; (FISCHER), 1889, A., 730. apoHarmine (Fischer), 1889, A.,

731. Hexahydronicotine (BLAU),

A., 588; 1892, A., 1365. ψ-Homoatropine (LIEBERMANN and

LIMPACH), 1892, A., 891. Homochelidonine, a- and B- (SELLE), 1891, A., 229.

Alkalous-

y-Homochelidonine (KONIG), 1891, A., 811.

Homogracinchenine and its derivatives (Comstock and Koenius), 1888, A., 72.

B-Homocinchonidine (HESSE), 1890, A., 1106.

Homonapelline (DUNSTAN and UMNEY), 1892, T., 393.

Homoguinine (PAUL and COWNLEY). 1885, A., 563, 997; (Hesse), 1884, A., 1381; 1886, A., 83; 1890, A., 1166.

synthesis of (ILESSE), 1885, A., 276. salts (IIESSE), 1884, A., 1381.

Hopeine (LADENBURG), 1886, A., 269, 563; (WILLIAMSON), 1886, A., 724. Hydrastaldehyde (Fireuni),

A., 1221. Hydrasteine, constitution of (FRE-UND and ROSENBERG), 1890, A.,

531.

Hydrastine (Power), 1885, A., 675; (Lyons), 1886, A., 633; (Elik-(HINN), 1887, A., 505; (FREUND and WILL), 1887, A., 171, 383; (FREUND), 1889, A., 627, 908, 1221; 1890, A., 534; (FREUND and LACHMANN), 1889, A., 1220; (Kerstein), 1890, A., 74; (Freund and Rosenberg), 1890, A., 532; (Heim), 1890, A., 1333; (FREUND and HEIM), 1891, A., 92; (FREUND and PHILLIPS), 1891, A., 93; (FREUND and DORMEYER), 1891, A., 1518; 1892, A., 223.

constitution of (FREUND), 1889, A. 1222; 1890, A., 534.

derivatives (Power), 1885, A., 675; (FERUND and WILL), 1887, A., 1057; (Schmidt and Wilhelm), 1888, A., 1212; (Schmipt and Kenstein), 1890, A., 648.

alkyl derivatives of (Schmidt). 1890, A., 1167; (FREUND and HEIM), 1891, A., 92; (FREUND and Philips), 1891, A., 93.

allylic iodida (FREUND and Philles), 1891, A., 93.

ferrocyanide (Brekunts), 1890, A., 1318.

methhydroxide and methochloride (Freund and Rosenberg), 1890, A., 532.

methiodide (FREUND and ROSENвепа), 1890, А., 532; (Schmidt), 1890, A., 1167. reactions of (v. Hirmsonnausen),

1885, A., 606; (LYONS), 1886. A., 633; (VITALI), 1892, A., 755.

ALK VLOIDS-

Hydrastine-ethylammonium hvdroxide (WILHELM), 1888, A., 1212. Hydrastine-methylammonium hydr-

oxide (SCHMIDT), 1890, A., 1167. Hydrastinine (FREUND and WILL), 1887, A., 383.

constitution of (FREUND), 1889, A.,

oxidation of (Freund), 1889, A.,

derivatives of (FREUND and WILL), 1887, A., 383.

Hydrastophthalimidine (FREUND and

Риціры), 1891, А., 94. **Hydroberberine** (SCHMIDT), 1884, А., 339; (BERNHEIMER), 1884, A., 340; (GAZE), 1890, A., 1011; 1891, A., 332; (LINK), 1892, A., 1498. derivatives (SCHMIDT),1884, A., 339; (Bernheimer), 1884, A., 340. ethiodide and related compounds (GAZE), 1890, A., 1012; (LINK), 1892, A., 1499.

Hydrocinchonidine and its salts (HESSE), 1883, A., 97.

Hydrocotarnine, physiological action of (STOCKMAN and DOTT), 1891, A., 762.

Hydrocupreine (HESSE), 1888, A.,

Hydrohydrastine (Power), 1885, A., 675.

Hydrohydrastinine (FREUND and WILL), 1887, A., 384.
preparation of (FREUND and Dor-

MEYER), 1891, A., 1518.

constitution of (FREUND), 1889, A.,

derivatives of (FREUND and WILL), 1887, A., 1057. methochloride (Fraund and Don-

MEYER), 1891, A., 1519.

Hydronicotine (ETARD), 1884, A.,

Hydroquinicine (HESSE), 1888, A.,

Hydroquinidine and its sulphate

(HESSE), 1883, A., 602.

Hydroquinine and its derivatives (HESSE), 1888, A., 69. methhydroxide (HESSE), 1888, A.,

Hydroquininesulphonic acid (HESSE),

1888, A., 71.

Hydrotropidine and its salts (LADEN-BURG), 1888, A., 1155.

Hydrotropine iodide (LADENBURG),

1883, A., 672.

Hydroxybenzotropeine and its salts (LADENBURG), 1883, A., 671.

ALKALOIDS-

a-Hydroxycinchonine and its derivatives (Jungfleisch and Leger), 1888, A., 380, 507; 1889, A., 906. β-Hydroxycinchonine (Jungfleisch

and Legen), 1888, A., 380, 507.

Hydroxycyanoconiine and its derivatives (v. Meyer), 1883, A., 352, 354; (Riess), 1885, A., 235.

Hydroxyhydrastinine and its derivatives (FREUND and WILL), 1887. A., 1057.

Hydroxymethylhydrohydrastinine

methiodide, bromo- (FREUND and DORMEYER), 1891, A., 1520.

Hygrine (BIGNON), 1886, A., 388; (STOCKMAN), 1888, A., 508; (LIBBERMANN), 1889, A., 732; (LIEBERMANN and KÜHLING), 1891, A. 566 1891, A., 586.

separation of, from cocaine (How-ARD), 1887, A., 1126.

Hymenodictyonine, the bitter principle of Hymenodictyon excelsum (Naylor), 1883, A., 1141; 1885, A.,

Hyoscine (LADENBURG), 1884, A., 761; 1892, A., 1366; (SCHMIDT), 1892, A., 1255, 1498; (HESSE), 1892, A., 1498.

hydrochloride, physiological action of (GLEY and RONDEAU), 1888, A., 182; (PAWLOFF), 1890, A., 1019.

Hyoscyamine, existence of, in the lettuce (DYMOND), 1891, P., 165; 1892, T., 90.

conversion of, into atropine (WILL), 1888, A., 855; (SCHMIDT), 1888, A., 970; (WILL and BREDIG), 1888, A., 1316. salts (WILL), 1888, A., 855. relation of to atropine (LADEN-

BURG), 1889, A., 167.

Hypocaffeine and its salts (FISCHER),

1883, A., 356.

Imperatorine (poucedanine), reactions

of (Broginer), 1890, A., 310.
Imperialine and its derivatives (Fragner), 1889, A., 284; (Jassoy), 1890, A.; 1154.
Jaboridine (Harnack), 1886, A., 85.

Jaborine (HARDY and CALMELS), 1886, A., 815.

Japaconitine (MANDELIN), 1885, A.,

Jervine and ψ -jervine (Pehkschen), 1891, A., 88.

Laserpitine andits derivatives (KŤLZ), 1884, A., 182. Laudanine (HESSE), 1884, A., 616.

49

4

Alkaloids—

Laurotetanine, the active principle of certain Lauraceae (GRESHOFF), 1891, A., 337.

Lobeline (PASCHKIS and SMITA), 1890, A., 1169.

Lupanine (HAGEN), 1886, A., 163; (SIEBERT), 1892, A., 223.

Lupinidine from Lupinus luteus, and its derivatives (BAUMERT), 1885, A., 177.

from white lupins (CAMPANI and GRIMALDI), 1891, A., 1521.

behaviour of, with ethylic iodide (BAUMERT), 1885, A., 676.

Lupinindine (BAUMERT), 1884, A., 1387.

Lupinine, action of acetic chloride and anhydride on (BAUMERT), 1884, A., 1387.

action of dehydrating agents on (BAUMERT), 1883, A., 100.

hydrochloride, from lupinine residues, preparation of (BAUMERT), 1883, A., 224.

Lycaconine, lycaconitine, and lycoctonine (Dragendorff and Spohn), 1885, A., 403.

Macleyine (EIJKMAN), 1885, A., 404. Mandelic ψ -tropeine $(\psi$ -homatropine) (Liebermann and Limpacii), 1892, A., 891.

Mandragorine (AHRENS), 1889, A., 1074, 1222.

Mannitine (SCICHILONE and DENARO), 1883, A., 50.

Meconarceine (MERCK), 1889, A., 906.

Meconine (WEGSCHEIDER), 1883, A.,

action of potassium cyanide on (Bowman), 1887, A., 586.

ψ-Meconine and its derivatives (SALO-MON), 1887, A., 585; (PERKIN), 1890, T., 1072.

Methoxyhydrocotarnine methiodide (Rosen), 1890, A., 531.

Methoxyquinine methiodide (GRI-MAUX), 1892, A., 1363.

Methylanhydroecgonine methiodide (EINHORN), 1889, A., 170.

Methylarecaidine (JAHNS), 1892, A., 739.

Methylbrucine, ammonium base obtained from (HANSSEN), 1885, A.,

Methylapocinchenine and its hydrochloride (Comstock and Koenics), 1885, A., 1248.

Methylcinchonamine (HESSE), 1885, A., 66.

ALKALOIDS -

(LIEBERMANN and Methylcocaine (HIESEL), 1890, A., 647, 803; (EIN-HORN and MARQUARDT), 1890, A., 913; (GIESEL), 1890, A., 1011.

Methylcodeine and its derivatives (GRIMAUX), 1883, A., 359; (II ESHE). 1884, A., 614.

Methylcolchicine (JOHANNY and ZEI-SEL), 1889, A., 282.

Methylconine (PASSON), 1891, A., 1118.

ethylcytisine (v. Buchka and Magalhaes), 1891, A., 750. Methylcytisine

(TAFEL), Methyldeoxystrychnine 1892, A., 1014.

Methylecgonine (LIEBERMANN and GIESEL), 1890, A., 647; (EINHORN and MARQUARDT), 1890, A., 913.

Methylhydrastallylamide (FREUND and Heim), 1891, A., 93.

Methylhydrastamide (FREUND and HEIM), 1891, A., 92.

Methylhydrastisoamylamide UND and HRIM), 1891, A., 93.

Methylhydrasteine (FREUND and ROSENBERG), 1890, A., 533.

Methylhydrastethylamide (FREUND and HEIM), 1891, A., 93.

Methylhydrastimide and its methiodide (FREUND and HEIM), 1891, A., 92.

Methylhydrastine and its methiodide (FREUND and Rosenberg), 1890, A., 532; (SCHMIDT), 1890, A., 1167.

alcoholate and hydroxide (Schmidt), 1890, A., 1168.

(FRE-Methylhydrastomethylamide UND and Ilmim), 1891, 93.

Methylhydroberberine (GLACOSA and SOAVE), 1890, A., 920; (Claur), 1890, A., 1012.

Methylhydrohydrastinine and its derivatives (FREUND and Don-MEYER), 1891, A., 1519.

bromo- (FREUND and DORMEYER), 1892, A., 223.

Methylmorphomethine. See Codomethine under Alkaloids.

Methylnarceine and its salts (Chaus and RITZEFELD), 1885, A., 997.

Methylquinidine (CLAUS), 1892, A., 1250.

Methylquinine, preparation of (Lipp-MANN), 1892, A., 222.

Methylstrychnine (TAFEL), 1890, A., 1447; 1891, A., 1263.

isoMethylstrychnine (TAFEL), 1891, A., 1264.

ALKALOHOS-

α-Methyltropidine and its derivatives (ROTH), 1881, A., 761; (MERLING), 1892, A., 358.

8-Methyltropidine (MERLING), 1892, A., 359.

Methyltropine, decomposition of, by potash (Ladenburg), 1883, A.,672.

Moradeine (ARATA and CANZONERI), 1890, A., 405.

Morphine (v. Gerichten and Sonrötter), 1888, A., 221; (Hesse), 1884, A., 613; (Plugge), 1887, A., 280; (Knorr), 1889, A., 905.

from Papaver Rhoeas (HESSE), 1890, A., 646.

from Escholtzia (Eschscholtia) califurnica (BAUDET and ADRIAN), 1889. A., 644.

1889, A., 644. formula of (Dott and Stockmin), 1888, A., 506; (Hesse), 1888, A., 1115.

constitution of (KNORR), 1889, A., 417, 906; (SKRAUP and WIEG-MANN), 1889, A., 1018.

water of crystallisation of (HESSE), 1889, A., 417.

cryoscopic behaviour of solutions of compounds of (v. Klobukoff), 1889, A., 933.

1889, A., 983.
action of alcoholic potash on (SKRAUP and WIEGMANN), 1889, A., 1018.

action of potassium chromate on (DITZLER), 1886, A., 1047.

action of sulphuric acid on, in presence of dibasic acids (Chastaing and Barillot), 1888, A., 165.

oxidation of (BARTH and WEIDEL), 1884, A., 85.

derivatives (GRIMAUX), 1883, A., 358; (HEASH), 1884, A., 613; (Fincher and v. Gerichten), 1886, A., 563; (DANCKWORTT), 1891, A., 332.

ferrocyanide (BECKURTS), 1890, A., 1318.

hydrate (DOTT), 1888, A., 506. hydriodide (Kunz), 1888, A., 855. hydrochloride, rotatory dispersion

of (GRIMBERT), 1888, A., 329. hydrogen diaminechromium thiocyanate (CHRISTENSEN), 1892, A., 1001.

hydrogen meconate (Dorr), 1887, A., 505.

lactate (DOTT), 1886, A., 818. violet colouring matter derived from (CAZENEUVE), 1891, A., 1120.

ALKALOIDS-

Morphine, physiological action of (Stockm in and Dort), 1890, Δ., 1178.

action of, on cats (Guinard), 1891, A., 486.

action of, on the intestine (SPITZER), 1891. A. 852.

1891, A., 852. fate of, in the organism (ELIASSOR), 1885, A., 577; (TAUBER) 1891, A., 479.

detection of (Donath), 1886, A., 899; (Vulpius), 1887, A., 870; (Armitage), 1888, A., 1137; (Brociner), 1890, A., 311; (Ferreira da Silva), 1891, A., 1562.

detection of, in fatty matters (Focke), 1887, A., 187.

detection of in toxicology (SCHEIBE), 1883, A., 1036; 1884, A., 373. detection of, in the urine (NOTTA

and Lugan), 1885, A., 447.

bromine as a test for (EILOART), 1885, A., 96.

estimation of (SCHLICKUM), 1887, A., 622; (GOEBEL),1887, A., 869; (CLAASSEN), 1890, A., 1198; (LOOFF), 1891, A., 771; (LAM-TRUET) 1891, A., 1403

BERT), 1891, A., 1403.
estimation of, in opium (v. PerGER), 1884, A., 1217; (FLUCKIGER), 1885, A., 1165; 1890, A.,
94; (VENTURINI), 1886, A., 1086;
(KREMEL; WILLIAMS), 1888, A.,
635; (TRSCHEMACHER and SMITH),
1888, A., 635, 1137; (LOOFF),
1890, A., 1349; (DIETERION),
1891, A., 511.

estimation of, colorimetric, in opium preparations (HINSDALE), 1890, A., 1349.

Morrenine (ARATA and GELZER), 1891, A., 1122.

Morrhuine (GAUTIER and MOURGUES), 1888, A., 1315; 1889, A., 63.

Myoctonine (Dragendorff and Spohn), 1885, A., 408; (Dragendorffand Salomonowitsch), 1887, A., 858.

Nandinine (EIJKMAN), 1885, A., 565.

Napelline (DUNSTAN and UMNEY), 1892, T., 391; P., 43.

Narceine (Plugge), 1887, A., 280; (Claus and Meixner), 1888, A., 611.

derivatives (CLAUS and RITZEFELD), 1885, A., 996.

ferrocyanide (BECKURTS), 1890, A., 1318.

meconate (MERCK), 1889, A., 906.

Alkalotes—

Narceine, reaction of (Paragar), 1887, A., 870; (FERREIRA DA SHAA), 1891, A., 1562.

Narcotine (PLUGGE), 1887, A., 280; (ROSER), 1888, A., 1115, 1316; 1889, A., 417; 1890, A., 528.

constitution of (Rosen), 1890, A., 531.

oxidation of (SCHMIDT and KER-STEIN), 1890, A., 648.

ferroeyanide (Beckurts), 1890, A., 1318.

physiological action of (STOCKM IN and Dott), 1891, A., 762.

reaction of (FERREIRA DA SILVA), 1891, A., 1562; (VITALI), 1892, A., 756.

bromine as a test for (EILOARI), 1885, A., 96.

Nicotine (PINNER and WOLFFEN-STEIN), 1891, A., 945; 1892, A., 1010, 1497.

constitution of (BLAU), 1891, A., 583.

specific rotation of (Přibram), 1887, A., 756.

specific rotatory and refractive powers of (KANONNIKOFF), 1889, A., 453.

specific rotatory power of salts of (SCHWEBEL), 1883, A., 354. thermochemistry of (Colson), 1890,

A., 101.

action of benzoic chloride on (PIN-NER and WOLFFENSTEIN), 1891, A., 945.

action of bromine on (PINNER), 1892, A., 1497.

action of, on ethylic and methylic iodides (Orchener de Coninck), 1887, A., 603, 851.

action of silver acetate on (TAFEL), 1892, A., 1104.

oxidation of, with hydrogen peroxide (PINNER and WOLFFEN-STEIN), 1891, A., 473.

reduction of (LIEBRECHT), 1886, A., 161; 1887, A., 161.

hydrogen tartrate (DRESER), 1889, A., 730.

in tobacco plants, climatic con-ditions for the development of (MAYER), 1891, A., 858.

physiological action of (LANGLEY and DICKINSON), 1890, 1178.

action of, on the heart and bloodvessels (COLAS), 1891, A., 96. action of, on invertebrates (GREEN-

WOOD), 1891, A., 485.

Alkatotds -

Nicotine, influence of, on salivary secretion (LANGLIA), 1890, A.,

poisoning by (RABOT), 1885, A., 416. estimation of (Scheffer), 1885. Λ., 601.

estimation of, in presence of ammonia (Pezzolato), 1891, A., 771. estimation of, in tobacco (BILL), 1888, A., 876; (KISSLING), 1890, Λ., 430.

isoNicotine (WEIDEL and Russo). 1883, A., 484.

ψ-Nicotine oxide (PINNER and WOLF-

FENSTEIN), 1892, A., 1010. Nupharine (GRUNING), 1883, A., 370. Ononine, reaction of (BROCINER), 1890,

A., 310. Oxyacanthine (HESSE), 1887; A., 283; (RUDEL), 1892, A., 641.

derivatives of (IIESER), 1887, A., 283.

detection of (v. Hirschmausen), 1885, A., 606.

Oxyberberine and its compounds (Perkin), 1890, T., 1003, 1083.

Oxycinchenine and its derivatives (Koenigs), 1890, A., 1433.

Oxyconiceine and its derivatives (v. Hofmann), 1885, A., 563.

Oxyconessine (oxywrightine) (WAR-NECKE), 1888, A., 855.

Oxyconiine. See Conhydrine under Alkaloids.

Oxydimorphine. See Oxymorphine under Alkaloids.

Oxyhydrastinine and its constitution (FREUND), 1889, A., 627, 1222. synthesis oſ, from methylic ω-chlorethylpiperonylcarboxylate (PERKIN), 1890, T., 997, 1034.

Oxylupinine (BAUMERT), 1883, A., 100.

Oxymorphine (4-morphine, oxydimorphine) (HESSE), 1884, A., 616; 1886, A., 1047; 1887, A., 168; (Polstorff), 1886, A., 900.

Oxynicotine (PINNER and WOLFFEN-STEIN), 1891, A., 473.

Oxytrinicotine (ETARD), 1884, A., 464. Oxytropine (LADENBURG and ROTH), 1884, A., 761.

Papaveraldine (Goldschmikdt), 1886, A., 478.

Papaverine (GOLDSCHMIEDT), 1884, A., 186; 1885, A., 1080; 1886, A., 83, 478; 1887, A., 163; 1888, A., 1116; (PLUGGE), 1887, A., 280. composition of (Plugge), 1887, A., 852.

ALKALOIDS-

Papaverine, constitution of (Gold-SCHMIEDT), 1888, A., 1118; 1889, A., 167.

optical rotatory power of (Goldьсимиерт), 1888, А., 611.

additive product of, with o-nitrobenzylic chloride (v. Seutter), 1889, A., 281.

additive products of, bases formed by the action of potash on (STRANьку), 1890, А., 166.

alkylic halogen salts of, bases formed by the action of potash on

the (CLAUS), 1890, A., 271. derivatives (CLAUS and HUETLIN), 1885, А., 996; (Goldschmiedt), 1887, А., 163; (Јанода), 1887 A., 164; (Goldschmiedt and Osfersetzer), 1889, A., 166.

derivatives and salts, crystallographic measurements of (Gold-

SCHMIEDT), 1886, A., 83. methiodide (Claus and Edinger),

1889, A., 416.

oxidation products of (Gold)ьсимиерт), 1885, А., 1080; 1888, A., 302.

phenacyl bromide and oxide (v. SEUTTER), 1889, A., 418.

reaction of (FERREIRA DA SILVA),

1891, A., 1562.
Papaveroline (Goldsohmiedt), 1886, Â., 479; (Krauss), 1891, A., 85.

ψ-Pelletierine (CIAMICIAN and SIL-BER), 1892, A., 1110.

Phenomorpholine and phenylmorpholine (Knorr), 1889, A., 1219, 1220.

Phthalyltropeine (LADENBURG), 1883, A., 672.

Picraconitine (DUNSTAN and INCE) 1891, T., 272; (EHRENDERG and PURFURST), 1892, A., 1254.
Piliganine (Adrian), 1886, A., 815.

Pilocarpidine (HARNAUK), 1886, A.,

Pituri, physiological action of (LANG-LEY and DICKINSON), 1890, A., 1178.

Protopine (SELLE), 1891, A., 229; (KONIG), 1891, A., 844.

Protoveratridine and protoveratrine

(SALZBERGER), 1891, A., 231. Quincaine (chinine) (Comstock and Komnus), 1884, A., 1383; 1885, A., 910.

dibromide (Comstock and Kor-N1048), 1887, A., 1123.

hydrobromide (Comstock and Kor-NIOS), 1888, A., 72.

Alkaloids-

Quinenine (chinine), formation of lepidine derivatives from (KOENIGS), 1890, A., 1433.

apoQuinenine (Comstook and KoE-NIGS), 1885, A., 911.

Quinicine, oxidation of (SKRAUP and Wurstl), 1889, A., 1074.

Quinidine (conquinine) (Wood and BARRET), 1883, A., 1018.

constitution of (SKRAUP), 1884, A., 86; (Wurstl), 1889, A., 626. alcoholates of (MYLIUS), 1886, A.,

900.

alkylic and benzylic salts of (CLAUS), 1892, A., 1249.

chloride (Comstock and Koenics), 1885, A., 910.

cincholeupone from (SKRAUP and Wursti), 1889, A., 1073.

compounds of, with hydriodic acid (SKRAUP), 1892, A., 83; (SCHU-BERT and SKRAUP), 1892, A., 640; (Lippmann and Fleissner), 1892, A., 1364.

ferrocyanide (Beckurts), 1890, A., 1318.

separation of, from hydroconquinine

(Hesse), 1883, A., 602. isoQuinidine (isoconquinine) (Hesse), 1888, A., 380.

isoQuinidinesulphonic acid quininesulphonic acid) (Hesse),

1892, A., 514. Quinine (Wood and BARRET), 1888, A., 1018; (HESSE), 1884, A., 1384.

preparation of (LIPPMANN), 1892, A., 222.

conversion of cupreine into (GRI-MAUX and ARNAUD), 1891, A., 1121; (HESSE), 1892, A., 1010. constitution of (Skraup), 1884, A.,

86; 1889, A., 626.

rotatory dispersion of (GRIMBERT), 1888, A., 330.

appearance of fluorescence in salts of (Armstrong), 1892, T., 789; P., 143.

action of aromatic aldehydes on (Mazzara), 1884, A., 466.

action of benzylic chloride (MAZZARA and Possetto), 1884, A., 465.

action of bromine water on (Colson), 1889, A., 730.

action of hydriodic acid on (LIPP-MANN and FLEISSNER), 1891, A., 1517; 1892, A.,81; (ŠKRAUP) 1892, A., 83; (SCHUBERT and SKRAUP), 1892, A., 640. ALKALOIDS-

Quinine, action of lime on (HASLAM), 1885, A., 1267.

action of, on methylic iodide (HESSE), 1892, A., 221.

action of silicon tetrafluoride on (CAVAZZI), 1888, A., 968.

oxidation of (SKRAUP), 1889, A.,

oxidation products of (Comstock and Koenigs), 1884, A., 1383.

first synthetically prepared base isomeric with (KOHN), 1890, A., 523.

formation of an anhydride from (HESSE), 1884, A., 1384; 1890, A., 166.

dibromide (Comstock and Kon-Nigs), 1892, A., 1012.

tetrabromide (Colson), 1889, A., 780.

catechol sulphate (HESSE), 1889, A., 908.

mono- and di-chloracetato (MAZ-ZARA), 1884, A., 465.

chloride (Comstock and Koenius), 1884, A., 1383.

compound of, with chloral (MAZZARA), 1884, A., 186.

compounds of, with hydriodic acid (Skraup), 1892, A., 83; (Schu-Bert and Skraup), 1892, A., 640. ethylic cyanide (Claus and Merck),

1884, A., 338. ferrocyanide (Βεσκυπτ»), 1890, Δ., 1318.

homologues (GRIMAUX and ARNAUD), 1892, A., 1253.

hydrate (Fletcher), 1886, A., 871; (Fluckigen), 1886, A., 813.

hydriodo- (LIPPMANN and FLEISH-NER), 1892, A., 82; (SCHUDERT and SERAUP), 1892, A., 640. hydrobromo- and hydrochloro-

(Comstock and Kornigs), 1887, A., 1123.

hydrochloride, normal (CLERMONT), 1887, A., 980.

hydrochlorides (HESSE), 1892, A., 514.

hydrogen diaminechromium thiocyanate (CHRISTENSEN), 1892, A., 1001.

mono- and di-methiodides (GRIM-AUX), 1892, A., 1363.

mucate (RUHEMANN and DUFTON), 1891, T., 754.

orcinol and phenol sulphates (HESSE), 1889, A., 908.

phenolsulphonate (Giuntau), 1884, A., 339. Alkaloids -

Quinine silicofluoride (CAAAZI), 1888, A., 969.

sulphate, valuation of (Wood and Barrer), 1883, A., 1019; (Byasson), 1884, A., 1080; (de Vrij), 1885, A., 302; 1886, A., 387; 1887, A., 401; 1888, A., 1091; (Koppeschaur), 1886, A., 623; (Hesse), 1886, A., 632; (Hesse), 1886, A., 813; 1887, A., 1145; (Yulphus), 1887, A., 404; (Jungeleisch), 1887, A., 623; 1888, A., 636; (Kehlerkum), 1887, A., 623; (Kenler and Weller), 1887, A., 1146; (Lenz), 1889, A., 86.

assay of, by the ammonia process (Prunier), 1891, A., 772.

fractional crystallisation of (PRUNIER), 1891, A., 964, optical analysis of (Hooper),

1986, A., 1086.

d-tropate (LADENBURG and HUNDI), 1890, A., 74.

as a protoplasmic poison (BINA), 1891, A., 1531.

detection of, in cases of poisoning (CHANDELON), 1885, A., 605.

detection of, in urine (Sectini and Campani), 1892, A., 665. bromine as a test for (Elloan'r),

1885, A., 96. ether test for (Cownthy), 1883, A.,

estimation of (SEATON and RICH-

MOND), 1891, A., 134. estimation of, by Kerner's method (RUDDIMAN), 1889, A., 328.

estimation of, in mixtures of quinine alkaloids (SHIMOYAMA), 1885, A., 985.

estimation of, in quinine tannate (NEUMANN), 1890, A., 672.

Quininesulphonicacid and heaquininesulphonic acid (HESSE), 1892, A., 514, 515.

TLEISSNER), 1892, A., 82.

hydrobrom-, and its salts (Julius), 1886, A., 83.

isoapoQuinine (Littumann and Flatiss-NER), 1892, A., 82.

isoQuinine (İlese), 1888, A., 379; (LIPPMANN and Fleisener), 1892, A., 82.

Reducine and p-reducine (THUDI-CHUM), 1888, A., 1120.

Sabadine and sabadinine (MERCE), 1891, A., 844.

ALKALOUS-

Salicylic tropeine (LADENBURG), 1883, A., 671.

Sanguinarine (HENSCHKE), 1887, A., 854; (Konig), 1891, A., 844. detection of (v. Kugelgen), 1885, A., 608.

Scopoleine (EIJKMAN), 1885, A., 404. Sinapine, investigations on (REMSEN

and COALE), 1884, A., 1387.
Solaneine and solanine (FIRBAS),

1890, A., 75.

Solanidine (Firbas), 1890, A., 75;
(JORISSEN and GROSJEAN), 1890,

A., 1182; 1891, A., 473. amount of, in diseased potatoes (Kassner), 1887, A., 860. reaction of (Brociner), 1890, A.,

310; (FERREIRA DA SILVA), 1891, A., 1562.

Sparteine (Bernheimer), 1884, A., 337; (Houde), 1886, A., 370; (Bamberger), 1887, A., 162; (Ahrens), 1887, A., 1056; 1888, A., 611; 1891, A., 842; (Peratoner), 1892, A., 1362.

derivatives (BERNHEIMER), 1884, A., 337; (HOUDE), 1886, A., 370. ammonium methiodide and ethiodide (Oechsner de Coninck), 1887, A., 603.

ethiodide and methiodide (BAM-DERGER), 1887, A., 163.

ferrocyanido (BECKURTS), 1890, A., 1318.

sulphate, physiological action of (See), 1886, A., 273.

Strychnine (Shenstone), 1885, T., 139; P., 5; (Beckulets), 1885, A., 675; 1890, A., 1328; (Tarel), 1890, A., 1447; 1891, A., 1262; 1892, A., 1012.

constitution of (STOEHR), 1887, A.,

rotatory dispersion of (GRIMBERT), 1888, A., 330.

melting point of (STORIER), 1891, A.,

specific ecific gravity of crystalline (BLUNT), 1886, A., 1047.

action of potassium permanganate on (Plugge), 1884, A., 188.

action of hydrochloric acid on (SHENSTONE), 1883, T., 108, 104. distillation of, with lime (STOEUR), 1891, A., 86.

distillation of, with zinc (Sci-CHILONE and MAGNANIMI), 1883, A., 99; (LOEBISCH and Schoor), 1887, A., 282.

solubility of (CRESPI), 1884, A., 187.

ALKALOIDS-

Strychnine, solubility of, in acids (HANRIOF and BLAREZ), 1883, A., 924.

relation of, to brueine (HANSSEN), 1885, A., 1146.

cadaveric alkaloid behaving like

(AMTHOR), 1888, A., 731. derivatives (Hanriot), 1883, A.,

salts, preparation of (CRESPI), 1884, A., 187.

benzylichydroxide and salts (v. GAR-ZAROLLI-THURNLACKH), 1889, A., 626, 627.

chroniates (DITZLER), 1886, A., 564. citrate (FISCHEDICK), 1886, A., 1047. ethylic cyanide (CLAUS and MERCK), 1884, A., 338.

ferricyanide (Beckuurs), 1885, A., 675; (Holst and Beckurts), 1887, A., 852.

ferrocyanide (BECKURIS), 1885, A., 675; 1890, A., 1318; (HOLST and BECKURIS), 1887, A., 852.

hydrate. See Strychnol. hydride (Loebisch and Schoop),

1886, A., 815. hydrogen diaminechromium thiocyanate (Christensen), 1892. A., 1001.

hydroxide and dihydroxide (TAFEL), 1890, A., 1448.

indole from (Goldschmidt), 1883, A., 99.

mucate (P"HEMANN and DUFTON), 1891, 754.

scatole in (Stoehr), 1887, A., 682. `

sulphate (LEXTREIT), 1883, A., 223. trapezohedral homihedry of (BAUMHAUER), 1883, A., 485.

physiological action of (MAYS), 1888, A., 312; (Schlick), 1891, A., 486.

behaviour of, in the animal organism (PLUGGE), 1884, A., 188.

influence of, on the glycogen of the liver and muscles (DEMANT), 1886, A., 1054.

poisoning (LOVETT), 1888, A., 1217. detection of, in cases of poisoning (CHANDELON), 1885, A., 605.

bromine as a test for (JACKSON), 1883, A., 1175. colour tests for (BLOXAM), 1887, A.,

752. microchemical test for (LINDT),

1885, A., 449. estimation of brucine and (Holst and BECKURTS), 1887, A., 853.

ALKALOIDS-

Strychnine, separation of, from brucine (Genock), 1889, A., 718. separation of, from fatty matters (Focke), 1887, A., 187.

Strychnine, amido- (Lorbisch and Schoop), 1886, A., 268. diamido- (Hanriot), 1883, A., 670. bromo- (Shenstone), 1885, T., 140, 141; P., 5; (Beckurts), 1885, A., 675, 911; 1890, A., 1829; (Lorbisch and Schoop), 1886,

A., 268. crystallography of (MIERS), 1885,

T., 144; P., 5.

action of nitric acid on (SHEN-STONE), 1885, T., 141; P., 5. methiodide and methhydroxide (BECKURTS), 1890, A., 1329.

physiological action of (BRUNton), 1885, T., 143; P., 5. dibromo- (Shenstone), 1885, T.,

dibromo (SHENSTONE), 1885, T., 141; P., 5; (BECKURTS), 1885, A., 675, 911.

tribromo- (BECKURTS), 1885, A., 675, 911.

bromamido-, and bromonitro-(BECKURTS), 1890, A., 1329.

chloro- (SHENSTONE), 1885, T., 141; P., 5.

trichloro- (STOEHIR), 1891, А., 86. nitro- (LOEBISOH and SCHOOP), 1886, А., 267.

dinitro-, and its salts (HANRIOT), 1883, A., 669.

Strychninedisulphonic acid (Storma), 1886, A., 269.

Strychninesulphonic acids (Stoeher), 1886, A., 269; 1888, A., 73; (Guaresohi), 1887, A., 853.

Strychnol (strychnine hydrate) (Lorbischinal Schoop), 1886, A., 814; (Tafell), 1891, A., 1262. nitro- (Lorbischi and Schoop),

1886, A., 814.

Tarconine and its salts (Rosen), 1888, A., 1115.

Taxine (HILGER and BRANDE), 1890, A., 650.

Tetano-cannabine (IIAY), 1883, A., 1156.

Tetrahydropapaverine and its derivatives (GOLDSCHMIEDT), 1887, A., 163.
Tetramethylstrychnine dihydroxide

(TAFEL), 1890, A., 1448.

Thebaine and its derivatives (Howard), 1884, A., 1201; (Howard and Roser), 1886, A., 813; (Plugge), 1887, A., 280.

physiological action of (STOCKMAN and DOTT), 1891, A., 762.

ALK VLOIDS--

Theobromine and its derivatives (F18 CHER), 1883, A., 356; (SCHMIDT and PRESSTAR), 1883, A., 872; (MALY and ANDREASCH), 1883, A., 1017.

action of alkalis on (MALY and ANDREASCH), 1883, A., 1017.

Trigonelline and its salts (JAHNS), 1886, A., 85; 1888, A., 166.

Tritopine (KAUDER), 1891, A., 227. Tropeines (LADENBURG), 1883, A., 671. ψ-Tropeines (LIEBBRIMANN and LIMPACH), 1892, A., 891.

Tropiledene and tropilene (LADEN-BURG), 1888, A., 672.

Tropine (LADENBURG), 1891, A., 1121; (Merling), 1892, A., 358, conversion of tropidine into (LADEN-

BURG), 1890, A., 1167, 1833. constitution of (LADEMBURG), 1887,

A., 740; (Liff), 1892, A., 1211. action of hypochlorous acid on (EINHORN and FISCHER), 1892, A., 1014.

oxidation products of (LIEBER-MANN), 1891, A., 749.

atropate (IMERERMANN and IMEPACH), 1892, A., 892.

aurochloride (Ladenburg), 1891, A., 1121.

cimmamate and allocimmamate (Lik-BERMANN), 1891, A., 883.

iodido (Ladenburg), 1883, A., 1155. mercurochlorido (Ladenburg), 1891, A., 1122.

m-Tropine (Ladenburg), 1883, A., 672.

p-Tropine and its derivatives (LANDENBURG), 1891, A., 1093.

ψ-Tropine (Ladenburg and Roth), 1884, A., 761; (Liebermann), 1891, A., 1265; (Liebermann), and Limpach), 1892, A., 891; (Ladenburg), 1892, A., 1366.

oxidation of (LIEBERMANN), 1891, A., 1520.

derivatives (LADENBURG and ROTH), 1884, A., 761.

Tropyl-ψ-tropeine (Liebermann and Limpacii), 1892, A., 891. Tylophorine (Ποορκα), 1891, A., 1267.

Tylophorine (Hoopen), 1891, A., 1267.
Typhotoxine, Brieger's (DE BLASI),
1890, A., 391.

Ulexine (GERRARD), 1886, A., 1048; (GERRARD and SYMONS), 1890, A., 180; (VAN DE MORR), 1891, A., 466

difference between cytisine and (Germann and Symons), 1891 A., 334 ALKALOHOS -

Veratrine (STRANSKY), 1891, A.,585. crystallised (AHRENS), 1890, A., 1448.

dry distillation, oxidation of, and action of alcoholic potash and of hydrochloric acid on (AHRENS), 1890, A., 1448.

bromides (AHRENS), 1890, A., 1118. reaction of (Ferreira da Silva), 1891, A., 1562.

Veratroidine (Penkschen), 1891, A., 87.

Veratronitrile (GARMAI), 1891, A., 712.

Wrightine. See Conessine.

Alkaloids. See also Betaines, Ptomaines.

Alkaloid-like bases in Galician petroleum and paraffin oil (Weller), 1887, Λ., 979.

Alkanna red, detection of, in wine (Herz), 1890, A., 311.

Alkanna root, detection of the colouring matter of (BUJARD and KLINGER), 1891, A., 372.

Alkannin (LIEBERMANN and RÖMER), 1887, A., 1051.

Alkines (BEREND), 1881, A., 1114. aromatic (LAUN), 1881, A., 1011. eyan- (SCHWARZE), 1890, A., 1158.

Alkophyr (v. BRÜCKE), 1886, A., 338. and the true and so-called biuret reaction (v. Butteke), 1883, A., 1019.

Alkoxyanthraquinones, spectra of the (Liebermann), 1888, A., 1203.

Alkyl derivatives of the halogen-substituted fatty acids, action of, on aniline (Bischorr), 1883, A., 919.

Alkyl ketones, aromatic, oxidation of (Chaus), 1890, A., 979; 1891, A.,

Alkylacetonedicarboxylic acids PECHMANN and JENISCH), 1892, A.,

Alkylisoaldoximes, additive compounds of (Cloubschmitt and Karlain), 1891, Λ., 1477.

Alkylallylsemithiocarbazidos, conversion of, into isomoric bases (AVEN-ARIUS), 1891, A., 548.

Alkylallylthiocarbamides, conversion of, into isomeric bases (AVENARIUS), conversion 1891, A., 548.

Alkylamides, action of nitric acid on (Franchimont), 1888, A., 447.

Alkylamines, hydrates of (Pickening), 1892, P., 164.

Alkylammonium chlorides, dissymmetry and optical activity of (LE BEL), 1891, A., 1002.

Alkylanilines, action of chromic anhydride on (van Romburgh), 1889, A., 971.

Alkylcamphors, preparation of (11AL-LER), 1892, A., 72.

a-Alkyloinchonic acids (Doebner), 1887, A., 501; 1888, A., 299; 1889, A., 410.

Alkyleyanocamphors (IfALLER), 1892, A., 1344.

Alkyldiazo-. Sec Azo.

Alkylene haloids, action of aluminium haloid salts on (KEREZ), 1886, A.,

Alkylenediamines (MASON), 1886, A., 329.

Alkylhydrastines and their derivatives (SCHMIDT), 1890, A., 1167.

Alkylhydroxanthranoles, constitution of (Thebermann), 1885, A., 1240.

Alkylic salts of the fatty acids, critical temperatures of (PAWLEWSKI), 1883, A., 276.

of the fatty acids, specific volumes and boiling points of, and specific gravity at boiling points (Elsässer), 1883, A., 967.

bismuth compounds (MAR-Alkylic QUARDT), 1887, A., 802; 1888, A., 1066.

Alkylic bromides, relative stability of (REMSEN and HILLYER), 1887, A., 122; (LENGFELD), 1889, A., 476.

Alkylic cadmium compounds (Lönn), 1891, A., 682.

Alkylic chlorides, preparation of, from alcohols (Malnor), 1889, A., 687. action of ammonia and the methylamines on (Vincentand Charpuis), 1886, A., 439.

diallylacetoacetates, mixed Alkylic (James), 1885, T., 8.

Alkylic dicyanacetates (HALLER), 1890, A., 1895.

Alkylio haloids, affinity conflicients of (Heont, Conrad and Butterner), 1890, A., 4; (Conrad and Butter-NER, 1800, A., 327; (MENSCHUTKIN and WASSILIEFF), 1892, A., 1289. velocity of reaction between alcoholic

potash and (WILDERMANN and AININMANN), 1892, A., 399. Indogenation of (MEYER and MULLER),

1892, A., 577, 1414.

kylic hippurates, synt (Currius), 1884, A., 1847. Alkylic synthesis of

Alkylic hydrogen oxalates $(A \times (U)^{(1)})$, 1890, A., 235.

Alkylic hypochlorites from immitrosocompounds (Mönnyu and Horr-MANN), 1887, A., 795.

Alkylic iodides, preparation of (CRISMER), 1884, A., 1073; (WALKER), 1892, T., 717; P., 137.

action of, on acetoacetates, and on sodium derivatives of phenols and cresols (Conrad and Bruckner), 1891, A., 796.

action of, on amido-acids (MICHAEL and WING), 1886, A., 148.

Alkylic magnesium compounds (Lohr), 1891, A., 682.

Alkylic oxides, preparation of (DE FORCRAND), 1891, A., 657.

affinity coefficients of (HECHI, CON-RAD, and BRUCKNER), 1890, A., 4; (CONRAD and BRUCKNER), 1890, A., 327.

Alkylic phenylcarbamates, action of nitric acid on (VAN ROMBURGH), 1892, A., 711.

Alkylic potassium and sodium oxides, heat of formation of (DE FORGRAND), 1887, A., 318.

Alkylic sulphates, constitution of the double compounds of the sulphonates with (Geuther), 1883, A., 973.

Alkylic sulphides (DAVIES), 1892, A., 300, 581.

Alkylic disulphides, preparation of (Courant and v. Richter), 1886, A., 217.

mixed, action of potash on (Orro and Rossing), 1887, A., 371.

Alkylic polysulphides (KLASON), 1888, A., 356.

aromatic, synthesis of (Otto), 1887, A., 923.

Alkylmelamines, normal (v. Hofmann), 1886, A., 38.

Alkylisomelamines derived from the alkyleyanamides (v. Hofmann), 1886, A., 41.

Alkyl-nitrous acids (CHANCEL), 1883, A., 914.

Alkyloxyquartenylic acids, ethercal salts of (Enke), 1890, A., 865.

Alkyl-o-phenylenediamines and their derivatives (HEMPEL), 1890, A., 611. s-Alkylisophthalic acids (DOEBNER),

1890, A., 1283; 1891, A., 1064.
Alkylpyrrolines, derivatives of (ZA-

NETTI), 1890, A., 65.

Alkylquinoline, derivatives of (CLAUS),
1886 A 814

1885, A., 814. a-Alkylquinolines (Doebner), 1888, A.,

299; 1889, A., 410.
Alkylquinols, diphenyl derivatives from (Nolting and Werner), 1891, A.,

Alkylsulphamic acids (Beilstein and Wiegand), 1883, A., 971.

Alkylthiosulphuric acids (SPRING and LEGROS), 1883, A., 47.

Alkyl-o-toluidines, p-amido- (Weinbeig), 1892, A., 1078.

Alkyltricarballylic acids, synthesis of (Auwens), 1891, A., 546.

Allactite (Sjogren), 1885, A., 959.

from Långban (Sjoghen), 1889, A., 217.

optical properties of (KRENNER), 1885, A., 731.

Allanite (EAKINS), 1886, A., 779; (GENTH), 1891, A., 155.

a decomposition product of: a variety of kaolinite from Nelson Co., Virginia (VALENTINE), 1886, A., 128.

as a rock constituent (IDDINGS and Choss), 1886, A., 317; (HOBBS), 1890, A., 460.

from Alexander Co., N.C. (GENTH), 1884, A., 274.

from Alexander Co. and Mitchell Co. (Hidden), 1883, A., 163.

from Gyttorp, Sweden (Nordenstrom), 1892, A., 1409.

from Maine, analysis of (CLARKE and CHATARD), 1885, A., 491.

from Nelson Co., Virginia (MEM-MINGER), 1886, A., 127; (VALEN-TINE), 1886, A., 128.

from North Carolina (HIDDEN), 1883, A., 163, 1064; (GENTH), 1888, Δ., 274, 564.

Allantoin in ascitic fluid (MOSCATELLI), 1889, A., 291.

in the wheat germ (RICHARDSON and CRAMPTON), 1886, A., 734.

as a plant constituent (SCHULZE and BOSSHARD), 1885, A., 1007. synthesis of (MIGHAEL), 1884, A., 426.

synthesis of (MICHARL), 1884, A., 426. thermochemistry of (MATIGNON), 1891, A., 1448.

effect of, on the estimation of urea in urine (Malerba), 1886, A., 583.

Allantoxanic acid, synthesis of, from parabanic acid (Ponomareff), 1885, A., 760.

Allium ursinum, ethereal oil of (SEMM-LER), 1887, A., 1089.

Allo-. See under parent substance. Allocaffeine (Fischen), 1883, A., 355;

(Schilling), 1885, A., 674. Alloclasite (Frenzel), 1884, A., 266.

Alloisomerism (MICHAEL and PENDLETON), 1888, A., 1176; (MICHAEL and SCHULTHESS), 1891, A., 1184.

Allophanic acid, derivatives of (TRAUBE), 1889, A., 964.

Allophanylglycollic acid (TRAUBE), 1889, A., 964.

Allophanyl-a-lactic acid (TRAUBE), 1889, A., 394, 964.

Allophanyltartaric acid (TRAUBE), 1889, A., 965.

Alloxan, thermochemistry of (MATIG-NON), 1891, A., 1448.

action of phosphoric chloride on (CIAMICIAN and MAGNAGHI), 1886, A., 226.

oxidising action of (Pellizzari), 1887, A., 1100.

compounds with aromatic aminos (Petlizzari), 1888, A., 142, 681. compounds with pyrazolic bases (Petlizzari), 1889, A., 517.

animonium, aniline, dimethylamine, ethylamine, and pyridine sulphites (Pellizzahi), 1889, A., 239.

Alloxanhydrazone (Kuhling), 1892, A., 442.

Alloxantin, thermochemistry of (MATIGNON), 1891, A., 1448.

action of, on blood (Kowalewsky), 1888, A., 732.

Alloxazine (Kuhling), 1891, A., 1341. Alloys (Anon.), 1884, A., 517; (Silow), 1889, A., 933.

preparation of (HALLOCK), 1888, A., 1163; 1891, A., 805.

electrolytic preparation of (WARREN), 1888, A., 27; 1892, A., 394.

manufacture of (ANON.), 1885, A., 461.

constitution of (TAMMANN), 1889, A., 932.

nature of (RATHKE), 1885, A., 954. electrical resistance of (LE CHATE-LIER), 1891, A., 5.

melting points of some (WELD), 1891, A., 643.

change of voltaic energy of, during fusion (GORE), 1892, A., 254.

change of volume of, on melting (WIEDEMANN), 1884, A., 7.

behaviour of, near their freezing points (HEYCOCK and NEVILLE), 1890, T., 387.

application of Raoult's depression of melting-point method to (HEYCOCK and NEVILLE), 1889, P., 41.

action of acids on (Armsthong), 1886, P., 189; (Deblay), 1887, A., 779. containing the heavy metals, selenium, tellurium, etc. (Bayley), 1886, T., 735.

of high conductivity (SHAW), 1886, A., 109.

ternary (WRIGHT and THOMPSON), 1890, A., 336; 1891, A., 267, 1158; (WRIGHT, THOMPSON, and LEON), 1891, A., 1158. Alloys of cadmium, gold, and tin, freezing points of (HEVCOCK and NEVILLE), 1891, T., 936; P., 124.

of cadmium and zinc, position of, in electropotential series (ROBB), 1884, A., 382.

of copper and antimony, and of copper and tin (BALL), 1887, P., 136; 1888, T., 167.

of copper and cobalt (Guillemin), 1885, A., 1114; 1886, A., 109.

of copper and ferro-manganese, electrical resistance of (NICHOLS), 1890, A., 1356.

of copper, tin, and lead (FRENCH), 1890, A., 335.

of gallium and indium (LECOQ DE BOISBAUDRAN), 1885, A., 638.

of gold and platinum, liquation of (MATTHEY), 1890, A., 947.

of gold, silver, etc., found in grains along with the native platinum of Columbia (SEAMON), 1883, A., 160.

of gold and sodium (HEYCOCK and NEVILLE), 1889, T., 670.

of lead and tin, composition and specific gravity of (Kleinstück), 1889, A., 1051.

of lead and tin, specific heat of (Spring), 1886, A., 961.

of lead, tin, zine, and cadmium (LAURIE), 1889, T., 677; P., 147. of potassium and sodium (JOANNIS),

1888, A., 1238. (cutcetic) of tin (HEYCOCK and NEVILLE), 1890, T., 386.

of tin and platinum (Schützen-Berger), 1884, A., 822.

of tin with the platinum metals, action of acids on (DEBRAY), 1887, A., 779.

of zinc-copper and tin-copper (LAURIE), 1887, P., 117; 1888, T., 104. (explosive) of zinc with certain

(explosive) of zinc with cortain platinum metals (SAINTE-CLAIRE DEVILLE and DEBRAY), 1883, A., 19.

analysis of (BAYLEY), 1886, T., 735. analysis of, by means of hydrogen peroxide (HIEFE), 1890, A., 419.

nucrographic analysis of (Guillemin), 1892, A., 1399.

estimation of antimony and tin in (WARREN), 1888, A., 632.

estimation of gold, tin, and cadmium in (French), 1892, A., 1030.

estimation of iron and chromium in (Peterson), 1885, A., 194.

estimation of oxygen in (MULLER), 1885, A., 1167.

1885, A., 1167. estimation of tin and lead in (WACHSMUTH), 1887, A., 304. Alloys, separation of silver from (Sol-THIEN), 1883, A., 243.

Alluvial-deposits, recent, in the Ij and Zuyder Zee (VAN BEMMELEN), 1887, A., 224.

Allyl compounds, atomic re-arrangement in (Aschan), 1890, A., 1084. specific volumes of (Lossen), 1883,

A., 13. Allylacetic acid (pentenoic acid), magnetic rotation of (Perkin), 1886, T., 205; P., 153.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295. oxidation of (FITIG and URBAN),

1892, A., 958. dibrom- (OTT), 1891, A., 1453.

Allylacetone, nitroso- (OTTE and v. PECHMANN), 1889, A., 1139.

Allylacetophenone (PERKIN), 1884, T., 187; (v. BAEYER and PERKIN), 1884, A., 63.

action of bromine on (Perkin), 1884, T., 187.

dibromide, and brom-(Perkin), 1884. T., 188.

Allylacetoxime (Nägell), 1883, A., 728. Allylamine, magnetic rotatory power of (Perkin), 1889, T., 697, 732.

platinichloride (LIEBERMANN PAAL), 1883, A., 909.

sulphate (ANDREASON), 1884, A., 732.

brom-, and its derivatives (PAAL), 1889, A., 116; (PAAL and HER-MANN), 1890, A., 229.

o-Allylanisoil, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

B-Allylasparagine (Pitti), 1889, A., 591.

Allylbenzene (phenylpropylene) (Er-RERA), 1885, A., 772.

derivatives, conversion of, into propenylbenzene derivatives, and their dispersion and refraction (EIJKMAN), 1890, A., 748.

discrimination between propenyl-benzene derivatives and (NASINI), 1891, A., 551.

brom- (KÖRNER), 1888, A., 368. dinitro- (Edeleanu), 1887, A., 583. thio- (Escales and BAUMANN), 1886, A., 879.

a-thio- (AUTENRIETH), 1890, A., 362. Allylbenzoylacetic acid. See Benzoylallylacetic acid.

Allylcamphorimide (MOINE), 1887, A., 489.

Allylcarbamide, and its derivatives (ANDREASCH), 1884, A., 731.

Allylcarbamides, intramolecular change of, into isomeric bases (GABRIEL), 1890, A., 127.

Allylcarbaminesodiocyamide (HECHI), 1892, A., 703.

 β -Allylcarbinol (isopropenylearbinol; isobutenyl alcohol), action of acids and hydrogen iodide on (Scheschu-KOFF), 1885, A., 645.

action of hydrochloric acid on (LWOFF and Scheschukoff), 1885, A., 647.

Allyltrichloracetamide (CLOEZ), 1887, A., 1098.

Allyldeoxybenzoin (Buddeberg), 1890, A., 1142.

Allyldiethyl-. See Diethylallyl-.

Allyldiguanidine and its derivatives (ŠMOLKA), 1888, A., 42.

Allyldimethyl.. See Dimethylallyl.

Allyldipropyl-. See Dipropylallyl-.

Allylene (Kutscheroff), 1883, A., 172; (Behal), 1888, A., 663. alleged non-existence of (BEHAL),

1889; A., 840. liquefaction of (Moltschanowski),

1889, A., 1126. action of alcoholic potash on (FAWOR-

ьку), 1889, А., 360. action of, on mercuric oxide and its

salts (Kutscheroff), 1884, A., 719. isoAllylene (Gustavson and Dem-

JANOFF), 1889, A., 29. preparation of (VAUBEL), 1891, A., 996.

isomeric change in (FAWORSKY), 1891. A., 1330.

tetrabromide (Gustavson and Dem-JANOFF), 1889, A., 30.

isoAllylenetricarboxylic acid. See Propanetricarboxylic acid.

Allylethanetricarboxylic acid. Sec Amylenetrical boxylic acid.

Allylformamidine disulphide (Hecror), 1892, A., 292.

Allylhydrastamide and allylhydrasteine (FREUND and PHILIPS), 1891, A., 93.

Allylhydrastimide and its allylic iodide (FREUND and PHILIPS), 1891, A., 93. Allylhydrastine (FREUND and PHILIPS),

1891, A., 93. Allylic alcohol (TORNOE), 1891, A.,

preparation of (Bénal), 1887, A.,

preparation of, from s-dichlorhydrin (TORNOE), 1888, A., 665. condensation of, with methylben-

zones (KRAEMER and SPILKER), 1891, A., 1162.

Allylic alcohol, action of dilute mineral acids on (SOLONINA), 1885, A., 741; 1888, A., 806.

bromination of (FINK), 1888, A., 214. oxidation of (Wagner), 1889, A.

attempts to prepare s-allylene from (Bellstein and Wiegand), 1885, A., 740.

α-chlor-, and its derivatives (HENRY), 1883, A., 173; (VAN ROMBURGH), 1883, A., 450.

B-chlor- (VAN ROMBURGH), 1883, A. 450.

bromide, action of, on thiocarbamide and on phenyl- and diphenyl-thiocarbamide (WERNER), 1890, T., 283; P., 33.

compound of phenylhydrazine with (FISCHER and KNOEVENAGEL),

1887, A., 932.

tribromide, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of ammonia on (GALEWSKY), 1890, A., 953.

carbamate (TORNOE), 1888, A., 665. cyanide. Sec Crotonitrile.

fluoride (MESLANS), 1891, A., 409. action of halogens on (MESLANS),

1892, A., 800. imidophenylthiocarbamate (Wer-NER), 1890, T., 302; P., 33.

iodide, preparation of (BÉHAL), 1887, A., 905.

action of hydriodic acid on (MAL-BOT), 1889, A., 766.

action of, on phenol in presence of zine or aluminium foil (FRANK-LAND and TURNER), 1883, T., 357. iodides, chlor-, isomeric (VAN ROM-

BURGH), 1883, A., 449.

nitrite (BERTONI), 1886, A., 218. phenylamidoacetate (KOSSEL), 1892,

A., 468.
phenylimidophenylthiocarbamato

(WERNER), 1890, T., 303; P., 33.

sodium thiosulphate (Pungorri), 1892, A., 1418.

trisulphide, so-called (NASINI and SCALA), 1887, A., 1088. hexa- and oxy-sulphides (KEUTGEN),

hexa- and oxy-sulphides (KEUTGEN), 1890, A., 577.

Allylmalonic acid (PERKIN), 1887, T., 16.

Allylmethyl. See Methylallyl.
Allylnitrolic acid (ASKENASY and MEYER), 1892, A., 1068.
Allylphenyl. See Phenylallyl.

Allylphthalimide (Neumann), 1890, A.,

890.

Allylphthalo-ψ-cumidamide (Frönn.ren), 1884, A., 1319.

2-Allylpyridine and its derivatives (Ladenburg), 1887, A., 160.

Allylpyrroline (CIAMICIAN and DENN-STEDT), 1883, A., 350.

2'-Allylquinoline (EISELE), 1887, A., 975.

Allylsalicylic acid (SCICHILONE), 1883, A., 336.

Allylsuccinic acid (HJELT), 1883, A., 656.

Allylsuccinimide (Moine), 1887, A., 489. Allylsulphuric acid and its salts (Szy-Manski), 1886, A., 43.

Allyltaurine, preparation of (JAMES), 1885, T., 369.

a-Allyldithiobiuret (HECHT), 1892, A., 704.

Allylthiocarbamide, action of silicon tetrabromide on (Reynolds), 1888, T., 853; P., 88.

Allylthiocarbamideallylic, allylthiocarbamidebenzylic, allylthiocarbamide-ethylic, and allylthiocarbamide-propylic cyanides (Hecht), 1890, A., 1104.

o-Allylthiocarbamidocinnamic acid (Rothschild), 1890, A., 1128; 1891, A., 198.

Allylthiocarbimide (oil of mustard), specific gravity and refractive index of (LONG), 1889, A., 86.

action of aldehyde-ammonia on (Dixon), 1888, T., 415.

action of bromine on (DIXON), 1892, T., 545; P., 124.

copper compound of (BIRKENWALD), 1891, A., 818.

effect of, on animals (ULBRIGHT), 1890, A., 539.

estimation of (HAGER), 1886, A., 394; (SCHLICHT). 1892, A., 1035.

estimation of, in the seeds of Cruciferæ (Dircks), 1883, A., 245; (FOERSTER), 1888, A., 1350.

Allylthiohydantoin (Markewald, Neumark, and Stelzner), 1892, A., 151.

Allyltolyl-. See Tolylallyl-. Allyltriethyl-. See Triethylallyl-. Allyltrimethyl-. See Trimothylallyl-.

Allyltrimethyl.. See Trimothylallyl. Almond oil, testing (HAGER), 1884, A., 120; (VULPIUS), 1886, A., 494.

Almonds, distribution of anygdalin and emulsin in (Johannsen), 1888, A., 869.

sweet, germination of (Jorissen), 1885, A., 181.

Alnus glutinosa, calcium exalate in the leaves of (Wehmer), 1890, A., 191.

Aloes, Jafferabad (SHENSTONE), 1883, 1 A., 480.

detection of, in mixtures (CRIPPS and DYMOND), 1885, A., 1015.

Aloin or Aloins (SHINSTONE), 1883, A.,

from various aloes (PLENGE), 1885, A., 808.

from Barbados, Curação, and Natal aloes (Groenewold), 1890, A., 639. preparation of (WOODRUFF), 1890, A., 170.

acetyl derivatives of (GROENEWOLD), 1890, A., 639.

brom- (Groenewold), 1890, A., 639.

Alstonite. See Bromlite.

Alum or Alums, specific refraction and dispersion of (GLADSTONE), 1886, A., 293.

refractive indices and specific gravities of (Soret), 1885, A., 109, 1097.

thermochemical analysis of the reaction between potassium hydroxide and (Young), 1886, A., 589. expansion of (Spring), 1884, A., 892.

differential dilatometer and its application in an investigation on the formation of (Spring), 1884, A., 887. dissociation of (Muller-Erzbach), 1888, A., 1022.

water of crystallisation of (MAUMENE), 1887, A., 218; (DE BOISSIEU), 1887, A., 892; (JUTTKE), 1888, A., 112; (LESCEUR and MATHURIN), 1889, A., 7; (MULLER-ERZBACH), 1889, A., 331.

solubility of, in aluminium sulphate (REUSS), 1885, A., 458.

detection of, in flour (HERZ), 1887,

detection of, in wines (DE' COLLI), 1892, A., 1523. logwood test for, in bread (Young),

1887, A., 1143.

estimation of, in bread (Young), 1891,

estimation of minute amounts of iron in (TATLOCK), 1888, A., 90. Chilian (DARAPSKY), 1887, A., 558.

dried, of the B.P. (BAILEY), 1883, A., 1053.

Alum-cake, analysis of (WILLIAMS), 1888, P., 84; A., 90.
Alumina. See Aluminium oxide.

Alumina-garnet containing manganese (WEIBULL), 1884, A., 409.

Alumina-hornblende, chemical composition of (IGELSTRÜM), 1886, A., 29; (Ussing), 1890, A., 19.

Aluminite, new variety of (Pf1.ug), 1890,

A., 454.

Aluminium in ash of flowering plants (Уознилл), 1887, Т., 748.

in plants (RICCIARDI), 1890, A., 818. in vascular cryptogams (Сиивси), 1889, A., 182.

in wheat (Young), 1888, A., 621; (ALLEN), 1888, A., 631. in mineral waters (PARMENTIER),

1892, A., 1287.

atomic weight of (BAUDIGNY), 1884, А., 395.

molecular weight of (RAMSAY), 1889, T., 531, 533.

valency of (NILSON and PETTERSSON), 1889, T., 825; (COMBES), 1889, A., 571.

(metal) preparation of (Henzog), 1886, A., 401.

production of, in the electrical furnace (MABERY), 1887, A., 551. manufacture of (ANON.), 1884, A.,

230, 1230; 1885, A., 98. properties of pure (MALLET), 1883,

A., 151. mechanical properties of (BARLOW),

1883, A., 424.

suitability of, for domestic purposes (LUNGE), 1892, A., 687; (BALLAND), 1892, A., 1281. spectrum of (HARTLEY), 1883, T.,

396. galvanic polarisation of (STREINZ), 1887, Ā., 415.

electrolytic deposition of (FISCHER), 1884, A., 934.

electrometallurgy of (MINET), 1891, A., 525.

latent heat of fusion of (Pionchon),

1892, A., 1281. specific heat of (NACCARI), 1888, A., 1236; (RICHARDS), 1892, A., 673; (PIONCHON), 1892, A., 1281.

occlusion of hydrogen by (NEUMANN and STREINTZ), 1892, A., 567. absorption of an iodine-compound

by (GORE), 1884, A., 655. action of, on alkali hydroxides (CAVAZZI), 1885, A., 1112.

action of chlorine and of bromine

on (GAUTIER and CHARPY), 1892, A., 118.

action of, on chromic and nitric acids (FROMME), 1883, A., 699, 700. action of, on cupric chloride (Tom-

MASI), 1883, A., 19. action of mercuric cyanide dissolved in water and in organic solvents

on (VARET), 1892, A., 797. action of nitric acid on (DITTE), 1890, A., 702; (MONTEMARTINI), 1892, A., 1403. chloride on (Subborovan), 1891, T., 659.

of sulphuric acid action (DITTE), 1890, A., 701.

condition of in cast iron (O-MOND),

1892, A., 19. soldering of (BOURBOUZE), 1884, A., 961.

influence of, on the freezing point of gold (Roberts-Austen), 1891, A., 1161.

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 385.

Aluminium alloys (Bourbouze), 1886, A., 772; (BAILLE and FERY), 1890, A., 110.

with boron (MINET), 1891, A., 1321. with silicon and titanium (LEVY), 1888, A., 423.

assay of (Regelsberger), 1892, A., 535. use of, in thermochemistry (BAILLE and FÉRY), 1890, A., 110.

Aluminium-bronze and See also Aluminium-steel.

Aluminium salts, molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

behaviour of, as mordants (LIECHTI and SUIDA), 1884, A., 794.

reactions of, with organic compounds (Gustavson), 1885, A., 363.

detection of free sulphuric acid in (EGGER), 1889, A., 648.

Aluminium antimonate (BEILSTEIN and v. Blase), 1889, A., 1124; (EBEL), 1890, A., 216.

potassium and sodium arsenates (Lefèvre), 1890, A., 1378.

pyroarsenate (LEFEVRE), 1890, A., 1378 borate (MALLARD), 1888, A., 349.

from Siberia (DAMOUR), 1883, A.,

borides (Joly), 1884, A., 156.

bromide, thermic data for the compounds of, with hydrocarbons (Gustavson), 1885, A., 472.

rationale of reactions, in the presence of aluminium chloride and (Gustavson), 1891, A., 182.

chloride, preparation of (WARREN), 1890, A., 108. preparation of anhydrous (MA-

BERY), 1890, A., 13. crystalline form of (SEUBERT and

Pollard), 1891, A., 1426. vapour density of (Nilson and Pet-TERSSON), 1888, A., 788; 1889, A., 1113; (FRIEDEL and CRAFTS), 1888, A., 1040,

Aluminium (metal) action of nitrosyl | Aluminium chloride, melting point of (SEUBERT and POLLIED), 1891, A., 1426.

action of aluminium on (FRIEDEL and Roux), 1885, A., 873.

action of, on benzenoid acid chlorides (Hughnes), 1891, P., 70. action of, on a mixture of alcohols

of the paratin series with ethylic chlorocarbonate (PAWLEWSKI), 1885, A., 1279.

action of, on hydroxyl compounds (CLAUS and MERCKLIN), 1886, A., 143.

action of, on toluene, the three xylenes, and ethylbenzene (An-SCHUTZ and IMMENDORFF), 1885, A.. 269.

action of sodium thiosulphate on (Vortmann), 1889, A., 1108.

decomposing action of, on hydrocarbons (FRIEDEL and CRAFTS), 1885, A., 654.

decomposition of, in solution (Fors-SEREAT), 1886, A., 975.

(ANSCHUTZ), 1887, A., reaction 150.

compounds of, with nitric oxide and nitric peroxide (BESSON), 1889, A., 834.

potassium chloride (Neumann), 1888, A., 655.

oxychloride (Tomması), 1883, A., 19; (HAUTEFEUILLE and PERREY), 1885, A., 874.

fluoride, electrolysis of fused (MINET), 1890, A., 552; 1891, A., 152.

heat of neutralisation of (PETERsen), 1890, A., 680.

dissociation of (v. Asbóth), 1891, A., 806.

Sec also Fluellite.

fluorides, double (Petersen), 1889, A., 107.

potassium fluoride (Duboin), 1892, A., 1162.

sub-fluoride (HAMPE), 1889, A., 676; (DIEHL), 1889, A., 677.

hydroxide (BAYER), 1889, A., 213. dehydration of, by heat (CARNEL-LEY and WALKER), 1888, T., 74, 87; (VAN BEMMELEN), 1888, A., 1159.

colloidal solution of (Picton and LINDER), 1892, T., 154.

action of, on aluminium and ferric salts (Schneider), 1890, A., 946. oxide (alumina) in superphosphate

(YARDLEY), 1886, A., 288. colloidal (VAN BEMMELEN), 1888, A., 1159.

Aluminium oxide (alumina), preparation of (ROSENTHAL), 1886, A., 108. phosphorescence of (BECQUEREL), BOISBAUDRAN), 1887, A., 191, 409, 538, 625; (CROOKES), 1887, A., 1067; 1889, T., 280. phosphorescent, crimson line of (CROOKES), 1887, A., 1006. electrolysis of fused aluminium fluoride and (MINET), 1890, A., crystallisation of, in hydrogen (HAUTEFEUILLE and chloride PERREY), 1890, A., 1071. relative basicity of ferric hydroxide and (SCHNEIDER), 1890, A., 1062. of, on calcium chloride action (GORGEU), 1888, A., 228. action of carbon tetrachloride on (MEYER), 1887, A., 552. action of fluorides on (FREMY and VERNEUIL), 1887, A., 556. action of magnesium on (WINKLER), 1890, A., 693. action of, on potassium chlorate (Fowler and Grant), 1890, T., **276.** reduction of (FAURIE), 1888, A., 28. solubility of, in carbonic acid water (SESTINI), 1891, A., 151. fixation of, as a discharge on indigoblue (Scheurer), 1885, A., 1276. estimation of. See Aluminium, estimation of. peroxide (Gibson and Morrison), 1886, A., 305. phosphate (HAUTEFEUILLE and MAR-GOTTET), 1888, A., 420; (SESTINI), 1891, A., 151. action of ammonium citrate on (Huston), 1892, A., 1127. solubility of, in acetic acid (Young), 1891, A., 114. estimation of (GLASER), 1892, A., 1523.calcium phosphate (DAMOUR), 1885, A., 640. metaphosphate (HAUTEFEUILLE and MARGOTTET), 1883, A., 711; (JOHNson), 1889, A., 757. crystallised orthophosphate, SCHULTEN), 1884, A., 1263. selenites (BOUTZOUREANU), 1891, A., 262. silicates (Gorgeu), 1886, A., 667; 1890, A., 13. silicofluorides(CHABRIE), 1886, A., 981.

zinc silicate, hydrated (CESARO), 1884,

A., 1105. See also Topaz. Aluminium potassium and sodium sulphate, basic (ATHANASESCU), 1886, A., 981; (BAYER), 1887, A., 448; (BOTTINGER), 1888, A., 556. (MARGUERITE-DELAhydrated CHARLONNY), 1883, A., 714; 1884, A., 820; 1885, A., 124; 1890, A., natural, of Rio Saldana, composition of (MARGUERITE-DELACHAR-LONNY), 1883, A., 714. preparation of perfect crystals of (GAWALOWSKI), 1886, A., 204. preparation from bauxite of, free from iron (FAHLBERG), 1883, A., density of solutions of pure and commercial, and the solubility of alum in (Reuss), 1885, A. 458. action of concentrated sulphuric acid on (EREMIN), 1889, A., 347. detection of free sulphuric acid and aluminium hydroxide in (HAGER), 1887, 182; (BAYER), 1887, A., 530. analysis of (Bellstein and Gros-SET), 1890, A., 85. estimation of alumina and free sulphuric acid in (Williams), 1888, P., 84. ferrous sulphate, native, from Mexico (LIPPITT), 1884, A., 24. lead sulphate (BAILEY), 1888, A., 110. manganese sulphate, a new hydrous, from Sevier Co., Tennessee (Brown), 1885, A., 226. sulphide (WARREN), 1892, A., 943. potassium sulphide (GRAFAMA), 1885, A., 350. sulphite, preparation of (MANZONI), 1885, A., 725; (BECKER), 1885, A., 1271. hydrogen sulphite, preparation of (Becker), 1885, A., 1271. dithionate (KLuss), 1888, A., 1157. Aluminium organic compounds :-Aluminium alcohols: aluminium ocresylate and its products of decomposition by heat (GLADSTONE and TRIBE), 1885, P., 111; 1886, T., 25. alkyls, molecular reductions of freezing points by (Louise and Roux), 1889, A., 37. isoamyl (Louise and Roux), 1889, A., 37. molecular weight of (Roux and LOUISE), 1889, A., 758. ethyl, molecular weight of (Roux and LOUISE), 1889, A., 757. vapour density of (Roux and Louise), 1888, A., 453.

Aluminium methyl, molecular weight of (Roux and Louise), 1889, A., 757.

vapour density of (Louise and Roux), 1888, A., 583; (Quincke), 1889, A., 695.

phenyl (FRIEDEL and CRAFTS), 1889, A., 243.

propyl (Louise and Roux), 1889, A., 37.

molecular weight of (Roux and Louise), 1889, A., 758.

thiocyanate free from iron (STEIN), 1884, A., 540.

preparation of (ANON.), 1883, A., 256.

Aluminium detection, estimation and separation:-

detection of, in wine and grapes (L'Hôte), 1887, A., 690. detection of small quantities of, in

iron and steel (CARNOT), 1891. A., 501.

precipitation of, by ammonia (LUNGE), 1890, A., 420.

estimation of (BAYER), 1886, A., 281; (REGELSBERGER), 1892, A., 535; (HUNT, CLAPP, and HANDY), 1892, A., 1130.

estimation of commercial (KLEMP), 1891, A., 114; (REGELSBURGER), 1892, A., 102, 535.

estimation of, volumetric (ATKINSON), 1886, A., 282; (BAYER; "E.B."), 1886, A., 651; (GATENBY), 1887, A., 865; (LUNGE), 1891, A., 365; 1892, A., 585; (Cross and Bevan), 1892, A., 535.

estimation of, by the Glaser method (Gibbins), 1892, A., 755.

estimation of, in alum-cake and sulphate of alumina (Williams), 1888, P., 81; A., 88. estimation of, in presence of calcium (Keneronia), 1889, A., 188.

estimation of, volumetric, in lime and cement (PRUNIER), 1885, A., 441.

estimation of minute quantities of, in iron and steel (STEAD), 1890, A., 548; (CARNOT), 1891, A., 501.

estimation of, direct, in iron and steel (Drown and McKenna), 1892, A., 102.

estimation of, in presence of much

iron (Thomson), 1887, A., 182. estimation of, in presence of iron and phosphoric acid (BLUM), 1888, A., 324.

estimation of, in the presence of phosphoric acid (KENNEPOHL), 1889, A., 188; (Kuug), 1892, A., 755.

Aluminium, estimation of, in phosphates (Kretzschmar), 1886, A., 393; (Dyer), 1886, A., 491; (Jones), 1886, A., 491; 1891, A., 114; (v. GRUBER), 1891, А., 501, (SHEPHERD), 1891, А., 963: (MEYER), 1892, A., 536.

estimation of, in phosphatic manures (GLASER), 1890, A., 420; (STUTZER),

1891, A., 245.

estimation of, in mineral phosphates and manures (Thomson), 1887, A., 302.

estimation of, in rock analysis (CHATARD), 1891, A., 768. estimation of, in slags (KOSMANN),

1886, A., 489.

estimation of, in sodium aluminate (LUNUE), 1891, A., 365.

estimation of, in soils (VAN BEM-MELEN), 1890, A., 833.

estimation of, in wine and grapes (CARLES), 1884, A., 1077; (L'HÔTE), 1887, A., 690.

separation of, from beryllium (ZIM-MERMANN), 1888, A., 323.

MERMANN), 1000, A., 225.

separation of, from calcium and magnesium (BLUM), 1889, A., 652.

separation of, from iron (VIGNON), 1885, A., 689; (v. ILINSKI and v. KNORRE), 1886, A., 100; (BELISTEIN and LUTHER), 1891, A., 1293. separation of, from ferric oxide and

titanic oxide (Comen), 1884, A.,

separation of, from iron, interference of chromium with the (MAYKII), 1890, A., 84.

separation of, from iron, nickel, cobalt, manganese and zinc (Moone), 1888, A., 631.

separation of, from titanium (Gooch),

1886, A., 492. separation of, from zirconium (DAVIS), 1889, A., 550.

manufacture of Aluminium-bronze, (Anon.), 1885, A., 98. preparation of, by the electrolysis of

eryolite (HAMPE), 1889, A., 676.

Aluminium-steel, analysis of (ZIEGLER), 1890, A., 1471.

Aluminium-group, valency of elements of (Nilson and Pettersson), 1888, T., 825.

Alunite, calcination of (GUYOT), 1883, A., 397.

industrial value of crude (Guyor), 1883, A., 250.

from Colorado (CROSS), 1891, A., 1328. from New South Wales (MACIVOR), 1888, A., 560.

Alunite, Roman, extraction of alumina and potash from (SCHWARZ), 1885, A., 307.

treatment of (GUYOT), $1886, \Lambda., 402$. Alunogen from New Mexico, analysis of (CLARKE and CHATARD), 1885, A., 492.

Alvite (Nordenskiold), 1889, A., 220. Amalgam from the Friedrichssegen mine near Oberlahnstein (v. SAND-BERGER), 1884, A., 563.

Amalgamation, expansion produced by (AYRTON and PERRY), 1887, A., 327. Amalgamation process, Mexican, reactions of (HUNTINGTON), 1883, A.,

134.

Amalgams. See Mercury alloys. Amalic acid, decomposition of, by heat (FISCHER and REESE), 1884, A., 467. Amanita Mappa, sugars in (Boun-QUELOT), 1891, A., 103.

Amanita pantherina, iat of (OPITZ), 1891, A., 1285.

toxic principle of (INOKO), 1892, A., 232.

Amaranthite from Chili (FRENZEL), 1888, A., 923; (MACKINTOSH), 1890, A., 454; (DARAPSKY), 1890, A., 456; (GENTH and PENFIELD), 1891, A.,

Amarine (CLAUS), 1883, A., 203; (BAHR-MANN), 1883, A., 799; (CLAUS and ELBS), 1883, A., 982; (CLAUS and Концугоск), 1885, А., 1132.

allotropic modification of (CLAUS), 1885, A., 1063.

reduction of (ZAUNSCHIRM), 1888, A., 1077; (GROSSMANN), 1889, A., 1191.

acetyl and benzoyl chlorides (BAHR-MANN), 1883, A., 799.

mono-substituted derivatives of (CLAUS

and SCHERBEL), 1886, A., 237.

dinitr., and diamido., and salts of
(CLAUS and WITT), 1885, A., 1062.

Amarine silver, additive products of
(CLAUS and SCHERBEL), 1886, A., 237.

Amarylline (FRAGNER), 1891, A., 1122. Amaryllis Belludonna and A. for-

mosissima, alkaloids from (FR MER), 1891, A., 1122.

Amazon stone from Amelia ('o., Virginia (PAGE), 1885, A., 130.

Amber from Southern Mexico (Kunz), 1890, A., 337.

so-called, of Cedar Lake, Canada (Harrington), 1892, A., 573.

Amenylbenzene (DAFERT), 1883, A.,

Amethylcamphophenolsulphone and a nitro-colouring matter derived from t (Cazeneuve), 1890, A., 791, 1153.

Amethylcamphophenolsulphone, action of nitric acid on (CAZENEUVE), 1892, A., 999.

Amethylcamphophenolsulphonic (CAZENEUVĒ), 1891, Ā., 324. action of nitric acid on (CAZENEUVE),

1892, A., 999.

Amidation, partial, of polynitrated aromatic compounds (Anschutz and HEUSLER), 1886, A., 1021.

Amides, formation of, from amines (BAUBIGNY), 1883, A., 175; 1886, A., 1006.

formation of, from ammonium salts (MENSCHUTKIN), 1884, A., 836,

1294. formation of, from ethereal salts and ammonia (Bonz), 1889, A., 335.

formation of, from the nitranilines (MELDOLA and SALMON), 1888, T., 774.

formation of, during the germination of various seeds in the dark (Schulze and Flechsig), 1886, A., 90.

heat of formation of (BERTHELOT and Fogu), 1890, A., 1359.

action of alkalis on (Bosshard),

1884, A., 878. action of bro bromacetophenone (Blumlein), 1885, A., 162.

action of bromine in alkaline solution on (v. Hofmann), 1886, A., 45.

action of nitric acid on (FRANCHI-

MONT), 1888, A., 447. action of potassium hypobromite on (HOOGEWERFF and VIN DORP), 1888, A., 1194; 1889, A., 981.

decomposition of, by alcohols (MEYER), 1889, A , 380.

decomposition of, by water and dilute acids (Berthelor and André), 1887, A., 235.

delightation of, in contact with, diphenyl derivatives (Bizzarri), 1892, A., 617.

alkyl derivatives (TAFEL and ENOCH). 1890, A., 491, 973.

metallic derivatives of, and a method of distinguishing mon- and diamides (GAL), 1883, A., 913.

of the acetic series, reaction of acctone with (CANZONERI and SPICA), 1885, A., 746.

of carbonic acid (EMICH), 1888, A.,

of the fatty series, formation of amines from (Seifert), 1885, A., 963.

of oxalic acid, action of phosphorus pentachloride on (WALLACH), 1883, A., 49.

Amides of the oxalic series (HENRY), 1885, A., 886.

physiological action of (GIBBS and REICHERT), 1891, A., 1282.

behaviour of, in the animal organism (ZUNTZ), 1884, A., 472; (WEISKE and SCHULZE), 1885, A., 109.

estimation of, in vegetable extracts (Schulze), 1884, A., 1438.

Amides, acid. See Acid amides.

Amides, aromatic, preparation of (Fileri), 1887, A., 42.

action of trimethylenic chlorobromide on (Pinkus), 1892, A., 1491.

reduction of (Hutchinson), 1890, T., 957; P., 139; 1891, A., 561.

Amidic substances, effect of feeding on the secretion of (SCHULZE), 1890, A., 278.

Amidine derivatives (LOEB), 1887, A.,

Amidine hydrochlorides, action of heat on (PINNER), 1884, A., 723.

Amidines (Pinner), 1889, A., 1004; 1891, A., 60; (Lossen), 1892, A., 51. formation of (Kuhlwein), 1890, A., 371.

action of acetic anhydride on (PINNER), 1883, A., 1099; 1884, A., 722. action of henzoic chloride on (PINNER), 1884, A., 1324.

action of ethylic acetoacetate on (Pinner), 1885, A., 158, 751; 1886, A., 45.

action of hydroxylamine on (PINNER), 1884, A., 739.

action of nitric acid on (FRANCHI-MONT), 1892, A., 951.

Amidinethiocinnamic acid (ANDRE-ASCH), 1888, A., 48.

Amidoacenaphthene (QUINCKE), 1887, A., 592; 1888, A., 844

ell'Amidoacenaphthene (QUINCKE), 1888, A., 844.

Amidoacetal (Wohl), 1888, A., 443. preparation of (Marckwald), 1892, A., 1327.

A., 1827. condensation products of (Wohl and Marckwald), 1889, A., 624, 866. derivatives of (Wohl), 1888, A., 443.

p-Amidoacetanilide. See Aceto-p-phenylenediamine.

Amidoacetic acid. See Glycocine. diAmidoacetone (Rugheimer and Mischel), 1892, A., 952.

platinochloride (Rugheimen), 1889, A., 250.

Amidoacetophenone See Acetophenone. o-Amidoacetophenone-oxime and -hydrazone (Auwers and v. Meyenburg), 1891, A., 1376.

Amidoaceto-p-toluidide. See Aceto-otolylenediamine.

diAmidoaceto-p-toluidide (NIEMEN-TOWSKI), 1886, A., 545.

o-Amido-m-acetyltoluene and its derivatives (KLINGEL), 1884, A., 1343; 1886, A., 60.

Amido-acids (Rebuffat), 1890, A., 621. resulting from the action of hydrochloric acid and of barium hydroxide solutions on albuminoids(SCHULZE), 1885, A., 916; (SCHULZE and BOSSHARI), 1886, A., 373.

optical behaviour of (SCHULZE and BOSSHARD), 1884, A., 1306; 1885, A., 759.

action of alkylic iodides on (MICHAEL, and WING), 1886, A., 148.

condensation of, with benzenesulphonic chloride (HEDIN), 1891, A., 202.

action of cyanogen chloride on (TRAUBE), 1883, A., 192.

action of ethylic iodide on (DUVIL-LIER), 1890, A., 956.

action of hydriodic acid on (KWISDA), 1892, A., 38.

action of phthalic anhydride on (REESE), 1888, A., 148, 369. action of thiocarbinides on (As-

(HAN), 1884, A., 907. influence of, on gastric digestion

(Salkowski), 1892, A., 742. Amido-acids, fatty, general reactions for (Curtius), 1884, A., 994.

a-Amidoalizarin (BRASCH), 1891, A., 1077.

β-Amidoalizarin (Brunner and Churard), 1885, A., 806; (Roemer), 1885, A., 1068.

preparation of (LAUPH), 1892, A., 864.

p-Amidoalkyl-o-toluidines (WEINBERG), 1892, A., 1078.

β-Amidoallylic cyanide (HOLTZWARF), 1889, A., 683.

diAmidoamarine and its salts (CLAUS and WITT), 1885, A., 1062.

Amidoisoamylbenzene (LLOYD), 1889, A., 700.

pentaAmidoamylene (Nietzki and Rosemann), 1889, A., 769.

Rosemann), 1889, A., 769. Amidoamylhexylquinoline (v. Miller),

1891, A., 1104. m-Amido - p - anilidobenzoic acid (Schofff), 1890, A., 374.

diAmidoanilidotolylamine. See triAmidophenyltoluidine.

m-Amidoanisoil. See Anisidine.

m-p-diAmidoanisoil hydrochloride (HAHLE), 1891, A., 431.

TENACKER), 1892, A., 596.

See Authramine. Amido inthracene. diAmidoanthracene (PLRKIN), 1889, P., 13.

Amidoanthranilanilide (V. MAYER and BELLM INN), 1886, A., 358.

Amido- and diamido-anthraquinone (ROTMER), 1883, A., 71, 737.

diAmidoapione (CIAMICIAN and SILBER), 1890, A., 1295.

"Amidoaspartic colloid" (GRIMAUX), 1884, A., 957.

Amidoazo-. Se under Azo-.

Amido-bases, compounds of, with phenols (DYSON), 1883, T., 466.

phenates of (DALE and SCHORLEM-MER), 1883, T., 185. Amidobenzaldehyde. See Benzaldehyde.

o - Amidobenzaldehydephenylhydrazone ELIASBERG and FRIEDLANDER), 1892, A., 1106.

p-Amidobenzaldoxime (GABRIEL and Herzberg), 1883, A., 1104; (Herzberg), 1885, A., 662.

Amidobenzamide. See Benzamide.

m-Amido-m-benzamidobenzamide (Schulze), 1889, A., 779.

Amidobenzamidocarvaerol (M 12ZARA), 1891, A., 48.

6-Amido-2-benzamidothymol, anhydride of (MAZZARA), 1891, A., 46.

Amidobenzanilide and the action of aniline on (Pittti), 1883, A., 999. Amidobenzene. See Aniline.

See PhenylenedidiAmidobenzene. amine.

diAmidobenzenes, isomeric, action of p-diazobenzenesulphonic acids (Griess), 1883, A., 183.

Amidobenzenes, tri-, tetra-, and pentu-. See Benzene.

Amidobenzeneazo-. See Benzene-. under Azo.

Amidobenzenehydrazinesulphonic acid. See Amidophenylhydrazinesulphonic acid.

Amidobenzenesulphonic acids. Anilinesulphonic acids.

m-Amidobenzenylamidoxime (SCHOPFF), 1885, A., 1217.

p-Amidobenzenylamidoxime (Weise), 1890, A., 46.

m-Amidobenzenylazoximebenzenyl and derivatives (Schopff), 1885, A., 1217.

o-Amidobenzethylamide (FINGER), 1888, A., 948.

a diAmidobenzhydrol (Wichelhaus), 1889, A., 781.

B-diAmidobenzhydrol and its derivatives (STAEDEL), 1888, A., 991.

tetra Amidoanisoil (Nietzki and Kur- | m-Amidobenzidine (Tauber), 1890, A., 783.

m-diAmidobenzidine (BRUNNLR and WITT), 1887, A., 672; (TAUBER), 1890, A., 782.

m-diAmidobenzidine-m-sulphonic acid (ZEHRA), 1891, A., 313.

o-Amidobenzobenzylanilide (Somer-BAUM and WIDM IN), 1890, A., 1258. o-Amidobenzoic acid. See Anthranilic

Amidobenzoic acids, m- and p-. Benzoic acid.

p-Amidobenzoic sulphinide (Noyles), 1886, A., 804.

Amidobenzoid (Piurii), 1883, A., 999. o-Amidobenzomethylamide (Whiblitch), 1887, A., 1043.

Amidobenzophenone. See Benzophenone. Amidobenzophenoneoxime (AUWERS and v. MEYENBURG), 1891, A., 1378.

Amidobenzophenylhydrazide (PELLIZ-ZARI), 1886, A., 1025.

o-Amidobenzoylglyoxylic acid (quinisatic acid), and its salts (v. BAEYER and Homolka), 1884, A., 79.

Amidobenzoylpiperidine (Schoffen), 1888, A., 1105.

o-Amidobenzylacetamide (GABRIEL and Jansen), 1890, A., 1442.

o-Amidobenzylacetanilide (PAAL and KRECKE), 1892, A., 80.

o-Amidobenzylacetomethylamide (GA-BRIEL and JANSEN), 1892, A., 218.

m-Amidobenzylacetone (v. MILLER and Rонде), 1890, A., 1138.

o-Amidobenzylaceto-p-toluidide(Soder-BAUM and WIDMAN), 1890, A., 1258. Amidobenzylamine. See Benzylamine. Amidobenzylaniline. See Benzylphonylenediamine.

o-Amidobenzylbenzamide (GABRIEL and Jansen), 1890, A., 1112.

p-Amidobenzyldeoxybenzoin (Buddeвеш.), 1890, А., 1143.

o-Amidobenzylethyl-m amidophenol (LELLMANN and BOYL), 1800, A.,

Amidobenzylic alcohol, See Benzylic alcohol.

Amidobenzylic chloride (Borgmann). 188¢, A., 56.

Amidobenzylic cyanide. See Amidophenylacetonitrile.

Amidobenzylideneanthrone (BACH). 1890, A., 1425.

m-Amidobenzylidene-2-methylindole (FINCHER), 1888, A., 284.

Amidobenzylidene-2'-methylquinoline [m.p. 172°] (Bulacii), 1889, A., 528.

m-Amidobenzylidene-2'-methylquinoline [m.p. 158°] (WARTANIAN), 1891, A., 330.

m-Amidobenzylidene-4'-methylquinoline (HEYMANN and KOENIGS), 1888, A., 1114.

Amido: sobenzylidenephthalimidine (GABRIEL), 1886, A., 631.

 Amidobenzylidenerhodanic acid (Bondzyński), 1887, A., 1109.

(HAFp-Amidobenzylphthalimidine NER), 1889, Ā., 982; 1890, A., 487.

o-Amidobenzyl-p-toluidine (SÖDER-BAUM and WIDMAN), 1890, A., 1258. hydrochloride (Busch), 1892, A., 734. (Nietzki Amidobisazobenzene

DIESTERWEG), 1888, Å., 1082.
Amidobrucine (Hanssen), 1886, A., 564. See isoButyl-Amidoisobutylbenzene.

benzene. 2-Amido-5-isobutyltoluene (Effront),

1884, A., 899; 1885, A., 151. Amidobutyric acid. See Butyric acid. Amidocarbamidophenol (KALCKHOFF), 1883, A., 1110.

Amidocarbazole (MAZZARA and LEO-NARDI), 1892, A., 616.

diAmidocarbazole, synthesis of, from benzidine (TAUBER), 1891, A., 227. synthesis of, from carbazole (TAUBER), 1892, A., 480.

p-Amidocarbinols (O. and G. FISCHER), 1891, A., 695.

Amidocarbonylsulphamyl. See Amylic thiocarbamate.

γ-Amidocarbostyril (FRIEDLÄNDER and LAZARUS), 1885, A., 1139.

Amidocarboxyphenyloxamic acid (GRIESS), 1885, A., 1225; 1888, A., 827. diAmidocarvacrol (MAZZARA), 1891, Λ., 47.

Amidochrysene (Abecc), 1890, A., 789; (BAMBERGER and BURGDORF), 1890, A., 902, 1313.

Amidochryso-quinol and quinone, salts of (ABEGG), 1891, A., 731.

a-Amidocinnamic acid (Thorna), 1884, л., 1349.

derivatives of (Rothschild), 1890, A., 1123; 1891, A., 198.

Amidocinnamic acids, nitration of (FRIEDLÄNDER and LAZARUS), 1885, A., 1138.

carbamide derivatives of (Rothsснил),1890, А., 1123; 1891, А., 198.

B-Amidocinnamonitrile (HOLTZWART), 1889, A., 683.

Amidochloro-. See Chloramido-

Amidocomenic acid, action of phosphorus pentachloride on (PELLMANN), 1884, A., 840.

Amido-compounds in the animal system (BAHLMANN), 1887, A., 512.

action of dilute nitric acid on (Non-TON and LIVERMORE), 1887, A., 1038.

action of nitrous acid on (Klobbik), 1891, A., 292.

action of phenylic isocyanate on (KUNN), 1885, A., 260, 979.

formation of haloid substitution derivatives of, by the reduction of nitro-derivatives of hydrocarbons (Kock), 1887, A., 810.

formation of thiocyanates from (GAT-TERMANN and HAUSSKNECHT), 1890,

A., 749.

Amido-compounds, aromatic, action of silicon tetrachloride on (HARDEN), 1886, P., 251; 1887, T., 40. Amidocoumarin (TAEGE), 1887, A., 939;

1891, A., 918.

Amidocresols. See Cresol.

8-Amidocrotonanilide (KNORR), 1892, A., 708; (LEDERER), 1892, A., 965.

β-Amidocrotonitrile (HOLTZWART). 1889, A., 683.

Amidocumene. See Cumidine.

p-diAmidocumene (Kehrmann and Messinger), 1891, A., 298. Amido-\(\psi\)-cumenol and the action of p-diAmidocumene

acetic anhydride on (Liebermann and V. KOSTANECKI), 1884, A., 1147.

o-Amidocuminic acid (WIDMAN), 1886, A., 466. diAmidocuminic acid and its hydro-

chloride (Lippmann), 1883, A., 194. diAmido-ψ-cuminic acid (NEF), 1888, T., 433.

Amidocumylacrylic acids, o- and m-, and their salts (WIDMAN), 1886, A., 467.

Amido- ψ -cumylenethenylamidine ($\Lambda \pi$ -WERS), 1886, A., 144.

m-Amidocumylpropionic acid (WID-MAN), 1886, A., 467.

m-Amidocyanobenzoic acid (TRAURE), 1883, A., 192.

Amidodicyanobenzoyl, derivatives of

(GRIESS), 1885, A., 1225. diAmidodicyanocarboxylic acid. See Ammelide.

Amido-3>-cyanophenylacetic acid (TRAUDE), 1883, A., 193.

Amidocyanophenylglyoxylic acid (GRIESS), 1885, A., 1226.

p - diAmido - p - cymene hydrochloride (LIEBERMANN and V. ILINSKI), 1886, A., 240.

Amidocymenesulphonic Sec Cymidinesulphonic acid. p-Amidodeoxybenzoinoxime (NEY),

1888, A., 1197.

diAmidodicresol, action of nascent | nitrous acid on (DENINGER), 1890,

Amidodicyanic acid (WUNDERLICH), 1886, A., 435.

diAmido-1 4-diethoxybenzene. See Diethoxyphenylenediamine.

Amidodiethoxyresorcinol (WILL and PUKALL), 1887, A., 661

p-Amidodiethylaniline. See Diethyl-pphenylenediamine.

Amidodiethylanilinethiosulphonic acid (BERNTHSEN), 1889, A., 776.

diAmidodiethylic sulphoxide, picrate of (Cross and Bevan), 1892, A., 130.

o-Amidodiethylresorcinol hydrochloride (PUKALL), 1887, A., 662.

p-Amidodiethyl-o-toluidine. Methylethylphenylenediamine.

Amidodihydroindoxyl, derivatives (Burmeister and Michaelis), 1891, A., 1068.

Amidodihydroxynaphthalene. See Dihydroxynaphthylamine.

4-Amido-2.6-dihydroxypyridine. See Glutazine.

diAmidodihydroxyquinone (NIETZKI and SCHMIDT), 1888, A., 943.

4-Amido-1:3-dimethoxybenzene and its derivatives (BECHHOLD), 1889, A., 1155.

Amidodimethylaniline. See Dimethylphenylenediamine.

diAmidodimethylcarbazole(TAUBER and LOEWENHERZ), 1891, A., 834.

Amidodimethylcyanidine (Tscherven-IWANOFF), 1892, A., 1291.

4-Amido-2.6-dimethyl-m-diazine (Sch-WARZE), 1890, A., 1159.

m-Amido-βγ-dimethylindene(v. MILLER and Rohde), 1890, A., 1138.

Amido-1:3-dimethylquinoline (Nouring and TRAUTMANN), 1891, A., 328; 1892, A., 729.

Amido-1:4-dimethylquinoline (MARCK-WALD), 1890, A., 1004.

Amidodimethyl-a-resorcylic acid (MEY-

ER), 1888, A., 148. diAmidodimethylstilbene sulphide (Anschutz and Schultz), 1889, A.,

diAmidodinaphthyl and its derivatives

(NIETZKI and GOLL), 1886, A., 215. diAmidodinaphthyl derivatives (JULтиь), 1887, А., 56.

tetruAmidoisodinaphthyl (STAUB and Sмітн), 1885, T., 106.

1:3'-diAmidodinaphthylic disulphide (Еквом), 1891, А., 573. disulphide

1:4'-diAmidodinaphthylic (Еквом), 1890, А., 994. 3:3'-diAmido- and tetra-amido-4:1'-diphenol (Kunze), 1889, A., 262.

diAmido-o-diphenyl [m.p. 81°] (TAu-BER), 1891, A., 570.

diAmidodiphenyl [m.p. 125°] (BERNTHsen), 1886, A., 471.

m:m-diAmidodiphenyl [m. p. (BRUNNER and WITT), 1887, A., 673.

o-p-diAmidodiphenyl [m.p. 45°]. isoBenzidine.

p:p-diAmidodiphenyl [m.p. 122°]. Benzidine.

diAmidotetraAmidodiphenyl. See benzidine.

See Phenylo-Amidodiphenylamine. phenylenediamine.

(KETTR-2:4-diAmidodiphenylamine MANN and Messinger), 1892, A., 1109.

triAmidodiphenylamine (NIWIZKI and ERNST), 1890, A., 1114.

m-Amidodiphenylcarbamide (LEUCK-ART), 1890, A., 760.

 α -diAmidodiphenylcarbinol naus), 1889, A., 781.

 β -diAmidodiphenylcarbinol compounds (STAEDEL), 1883, A., 991.

4-Amido-2:6-diphenyl-m-diazine, mation of (Schwarze), 1890, A., 1159.

Amidodiphenyldisulphonic acid (LIM-PRICHT), 1891, A., 930.

diAmidodiphenylene ketone oxide and its hydrochloride (Perkin), 1883, T.,

diAmidodiphenyleneazone (Täuber), 1892, A., 184.

Amidodiphenylene-m-phenylenediamine (FISCHER and HEPP), 1890, A., 614.

diAmidodiphenylenic oxide (GALEWsky), 1891, A., 1234.

m-Amidodiphenylmethane (Brcker), 1883, A., 202, 203.

21-Amidodiphenylmethane (Basler), 1881, A., 310.

p-Amidodiphenylmethane derivatives (MANNS), 1889. A., 261.

p-diAmidodiphenylmethane and nitro-derivatives (GRAM), 1892, A.,

tetra Amidodiphenylmethane compounds (STAEDEL), 1883, A., 991.

4-Amido-2:6-diphenyl-5-methyl-m-diazine (v. MEYER), 1889, A., 578; 1890, A., 68; (Schwarze), 1890, A., 1159.

p-Amidodiphenylmethylpyrazolecarboxylic acid (KNORR and JODICKE), 1885, A., 1248.

o-Amidodiphenylmethylpyrazolecarboxylic anhydride (Knonn and Jö-DICKE), 1885, A., 1248.

diAmidodiphenylphosphinic acid (Dön-KEN), 1888, A., 834.

p-diAmidodiphenylpiperazine. tion of colouring matters from (LELL-MANN and Schleich), 1889, A., 904.

Amidodiphenylquinoxaline (Nietzki and MULLER), 1889, A., 605.

Amidodiphenylsulphamic acid (SPIE-GEL), 1885, A., 987.

diAmidodiphenylsulphone and its derivatives (LAUTH), 1892, A., 1093.

p-Amidodiphenylsulphonic acid (CAR-NELLEY and SCHLESELMANN), 1886, T., 380; P., 184.

Amidodiphenylthiocarbamides (Lell-MANN and WURTHNER), 1885, A., 977.

Sec triAmidodiphenyltolylcarbinol. Rosaniline.

Sec triAmidodiphenyltolylmethane. Leucaniline.

diAmidoditetrahydronaphthylcarbamide (BAMBERGER and BAMMANN), 1889, A., 783.

diAmidoditolyl. See Tolidine,

o-Amidoditolylamine. See Tolyltolylenediamine.

2-Amido-5:5'-ditolyl-4.4'-disulphonic acid (Helle), 1892, A., 1467.

di-p-Amidodi-m-tolylic disulphide (JACOBSON and NEY), 1889, A.

Amidodi-o-tolyltolylenediamine (Kuhl.-WEIN), 1890, A., 371.

diAmidodixylyls and colouring matters derived therefrom (NöLTING and STRICKER), 1889, A., 135.

diAmidodurylic acid. See diAmido-ψ. cuminic acid.

Amidoethanesulphonic acid. See Taurine.

diAmidoethoxydiphenyl (WEINBERG), 1888, A., 285.

deAmidoethoxydiphenylsulphonic acid (Weinberg), 1888, A., 285; (Feer and Muller), 1889, A., 258.

1.4-Amidoethoxynaphthalene (GRAND-MOUGIN and MICHEL), 1892, A., 862; (IIEERMANN), 1892, A., 1097. derivatives of (HEERMANN), 1892,

A., 1097. β-Amidoethoxynaphthalene (G 1 Eq4).

1891, A., 459. diAmidoethoxynaphthylphenyl (WEIN-BERG), 1888, A., 286.

diAmidoethoxyphenyltolylsulphonic acid (WEINBERG), 1888, A., 286.

4-Amido-1-ethoxyquinoline (VIS), 1892, A., 1105.

o-Amidoethylaniline. See Ethylphenylenediamine.

Amidoethylbenzenes, derivatives (Paucksch), 1884, A., 1142; 1885, A., 255.

o-Amidoethylbenzenesulphonic (Pauckson), 1885, A., 256.

ω-Amidoethylbromopiperonylcarboxylic anhydride (Perkin), 1890, T., 1017.

Amidoethylic acetate (GABRIEL and HEYMANN), 1890, A., 1268.

Amidoethylic alcohol. See Hydroxyethylamine.

Amidoethylic benzoate, salts of (GABRIEL and HEYMANN), 1890, A., 1267.

m-Amidoethylic cumate (ABENIUS), 1888, A., 854.

Amidoethylindene (v. MILLER and ROHDE), 1889, A., 984.

1-Amidoethylpiperidine (GABRIEL), 1891, A., 817.

ω-Amidoethylpiperonylcarboxylic acid, preparation of (Perkin), 1890, T., 1053.

action of heat, of methylic iodide, and of nitrous acid on (PERKIN), 1890, T., 1058. salts of, with acids (Perkin), 1890,

T., 1056.

anhydride of (PERKIN), 1890, T., 993, 1013.

diAmidoethylsulphone (GABRIEL), 1892, A., 131.

p-Amidoethyl-o-toluidine. See Methylethylphonylenediamine.

Amidoethylxylenes (Töhl and Geyger), 1892, A., 969.

p-Amidofluorene (Strasburger), 1884. A., 329, 754.

Amidofumaric acid, diamide of (Perkin). 1888, T., 703.

Amidogen (NH2), alleged existence of (COMBES), 1883, A., 14.

substitution of, by means of sodamide (WALTER), 1886, A., 1004.

Amidoglycocine (Curtius), 1891, A., Amido-group, displacement of the, by

the acetyl-group by aid of the diazo-reaction (MELDOLA), 1888, A., 487.

displacement of the, by the cyanic acid residue and by halogens, cyanogen and thiocyanogen (GAT-TERMANN, HAUSSKNECHT, CANTZ-LER and EHRHARDT), 1890, A., 971.

displacement of the, in aromatic anines by the halogens (Lo-SANITSCH), 1885, A., 521.

Amido-group, displacement of the, in atomatic derivatives by chlorine, bromine and cyanogen (SAND-MEYER), 1884, A., 1311; 1885, A.,

displacement of the, in aromatic compounds by hydrothionyl and oxysulphuryl (Klason), 1887, A., 478.

displacement of the, by the sulphonic acid group (LANDSBERG), 1890, A., 1137.

displacement of cyanogen by the

(AHRENS), 1888, A., 266. displacement of halogens by the (SEELIG), 1891, A., 36. displacement of the nitro-group in

aromatic compounds by the (SAND. MEYER), 1887, A., 720.

best method of climination of (FRIED-LANDER), 1889, A., 606.

reagent for (HINSBERG), 1891, A., 49. Amido-groups in organic bases, method of determining the number of (MEL-DOLA and HAWKINS), 1892, P.,

diAmidoguaiacol (HERZIG), 1883, A., 464

Amidoguanidine and its derivatives (THIELE), 1892, A., 1295.

Amidohemipinic acid, sodium salt of (GRUNE), 1887, A., 49.

o-Amidohemipinic anhydride (Lieber-MANN), 1886, A., 468; 1887, A., 257; (GRUNE), 1887, A., 48.

o-Amidohemipinphenylhydrazide (Lie-BERMANN), 1887, A., 45.

Amidoheptamethylene (MARKOWNI-KOFF), 1890, A., 729.

Amidoheptylbenzene (Auger), 1887, A., 816.

p-diAmidohexamethylene (v. BAEYER and Noves), 1889, A., 1147.

diAmidohexane and its derivatives (TAFEL), 1889, A., 976; (TAFEL and NEUGEBAUER), 1890, A., 1000.

a-amidohexocyanidine and a-amidohexocyanine (Duvillier), 1887, A., 850.

α-Amidohexoic acid. See Leucine.

diAmidohydracridine ketone and its derivatives (Jourdan), 1885, A.,

o-Amidohydrazinebenzene-p-sulphonic acid. See Amidophenylhydrazinesulphonic acid.

Amidohydrocarbostyril (FISCHER and Kuzel), 1884, A., 441.

di Amidohydrocinnamic acid. di Amido-8-phonylpropionic acid.

Amidohydrothiocinnamic acid (Bondzyński), 1887, A., 1109.

Amidohydroxyanthraquinone ethylate (LIEBERMANN and HAGEN), 1883, A., Ż3.

Amido-o-hydroxybenzoic acid. Amidosalicylic acid.

4-Amido-m-hydroxybenzoic acid (IIIM-PRICHT), 1891, A., 1037.

β-Amido-α-hydroxybutyric acid (MELI-KOFF), 1884, A., 1301.

Amidohydroxyisobutyric acid (MELI-KOFF), 1885, A., 650.

Amidohydroxycamphor (KACHLER and SPITZER), 1883, A., 1008.

diAmidohydroxydiphenyl (WEINBERG), 1888, A., 285.

 $p extsf{-} extbf{Amido-}m extsf{-} extsf{hydroxydiphenylamine}$ (Kohler), 1888, A., 587.

4-Amido-4'-hydroxydiphenyl-2:2'-disulphonic acid (LIMPRICHT), 1891, A., 929.

4:4'-cliAmido-3-hydroxydiphenyl-6-sulphonic acid (WEINBERG), 1888, A., 285.

2-Amido-2'-hydroxy-5:5'-ditolyl-4 4'-disulphonic acid (HELLE), 1892, A., 1468.

4-Amido-1-hydroxy-3-methoxybenzene (Весиново), 1889, А., 1155.

2-Amido-2'-hydroxy-3'-methylhydroquinoline (EDELEANU), 1888, T., 560; P., 55.

2-Amido-1-hydroxy-4-methylquinoline (GANELIN and v. Kostanecki), 1892, A., 506.

4-Amido-1-hydroxy-2-naphthoic (NIETZKI and GUITERMANN), 1887, A., 732; (SCHMITT and BURKARD), 1888, A., 59.

diAmidohydroxynaphthylphenyl rivatives (MELDOLA and MORGAN), 1889, T., 124, 125.

Amidohydroxyoxindole chloride (JACK son and Bentley), 1892, A., 1219.

tetraAmidohydroxypentene (NIETZKI and Rosemann), 1889, A., 770.

diAmido-4-hydroxy-2-phenyl-6-methylm-diazine (PINNER), 1887, A., 1051.

p-Amido-3-hydroxy-2'-phenylquinoline (WEIDEL and v. GEORGIEVICS), 1888, A., 967.

diAmidohydroxyphenyltolyl ·(WEIN-BERG), 1888, A., 285.

4:4'-diAmido-3-hydroxyphenyltolylsulphonic acid (Weinberg), 1888, A., 285.

Amidohydroxypropylbenzoic acid, action of nitrous acid, and of ethylic chloroformate on (WIDMAN), 1884. A., 1022.

o-Amido - p - hydroxy isopropylbenzoic acid (WIDMAN), 1886, A., 466.

m-Amido-p-hydroxyisopropylbenzoic acid (WIDMAN), 1884, A., 317.

Amido - exo-hydroxyisopropylbenzoic acid, action of acetic anhydride on (Widman), 1884, A., 302.

Amidohydroxypyridine and its derivatives (Krippendorff), 1885, A., 1243.

1-Amido-3-hydroxyquinoline THEUS), 1888, A., 852; (ALTSCHUL), 1888, A., 1108.

Amido-2'-hydroxyquinoline. See Ami-

docarbostyril.

3'-Amidohydroxyquinoline and the action of its diazo-salts on phenols and tertiary bases (RIEMERSCHMIED), 1883, A., 1148.

Amidohydroxythymoquinoneimide (An-SCHUTZ and LEATHER), 1886, T., 725.

Amido-o- and m-hydroxytoluic (NIETZKI and RUPPERT), 1891, A., 308.

diAmidodiimidobenzene

nitrate (Nirtzki), 1887, A., 930.

Amidoindazine (WITT, NÖLTING, and GRAMDMOUGIN), 1891, A., 312.

Amidoisethionic acid. See Taurine.

Amidolepidine. See Amido-4'-methylquinoline.

diAmidomalonamide (CONRAD and BRUCKNER), 1892, A., 40.

Amidomercaptan (GABRIEL), 1889, A.,

hydrochloride (GABRIEL), 1891, A., 815.

Amidomesitylene. See Mesidinc. Amidomethamidoperchloromethylcyamidine (WEDDIGE), 1886, A., 324.

m-Amido-o-methoxycinnamic (SCHNELL), 1887, A., 140. acid

2-Amido-3-methoxy-2'-phenylhydroquinoline (v. MILLER and KINKELIN), 1887, A., 978.

m-Amido-p-methoxytoluene (LIMPACH), 1889, A., 499.

diAmidomethoxytriphenylmethane (MAZZARA and Possetto), 1885, A., 1141.

Amidomethylanthranol and its acctyl derivative (ROEMER), 1883, A., 1137.

Amidomethylanthraquinone (ROEMER; ROEMER and LINK), 1883, A., 1137,

Amidomethylcarbostyril (FEER and Koenigs), 1885, A., 1235.

4-Amido-5-methyl-2:6-diethyl-m-diazine (v. Meyer), 1889, A., 577; (Schwarze), 1890, A., 1159.

Amidomethyldihydroanthracene (Roeмен), 1883, А., 1137.

m-cliAmido-p-methylethylbenzene (ER-RERA and BALDRAGOO), 1892, A., 606.

Amido-p-methylhexadecylbenzene (KRAFFT and GÖTTIG), 1891, A., 130.

Amidomethylethyliso-oxazole (Hanкют), 1892, А., 79.

Amidomethylethylisopropyl-m-diazine

(v. Meyer), 1889, A., 578. Amido-2'-methylindole (Wagner), 1888, A., 284.

Amidomethylnaphthaquinoxaline (Witt), 1886, T., 400.

o-Amido-2'-methyloctohydro-\(\beta\)-naphthaquinoline (Bamberger Strasser), 1891, A., 1514.

4-Amido-1-methylquinoline [m.p. 143°] (Nolting and Trautmann), 1891, A., 327; 1892, A., 728.

Amido-3-methylquinoline [m.p. 132°] Fourneaux), 1885, A., 400.

1-Amido-3-methylquinoline [m.p. 62°] (Nolting and Trautmann), 1891, A., 327; 1892, A., 728.

4-Amido-3-methylquinoline [m.p. 145°] (Nölting and Trautmann), 1891, A., 325; 1892, A., 727.

2-Amido-2'-methylquinoline (Genderssen), 1889, A., 520.

derivatives of (DOEBNER and MIL-LER), 1884, A., 1373.

3'-Amido- and diamido-2'-methylquinoline (Conrad and Limpach), 1888, A., 1111.

2'-Amido-4'-methylquinoline (Klotz), 1888, A., 1113; (EPHRAIM), 1892, A.,

3-Amido-4'-methylquinoline (Busch and KOENIGS), 1890, A., 1437.

Amidomethylselenazole (HOFMANN), 1889, A., 726.

3-Amido-1-methyltetrahydroquinoline BAMBERGER and WULZ), 1891, A.,

1-Amido-3-methyltetrahydroquinoline BAMBERGER and Wulz), 1891, A.,

mesoAmidomethylthiazole. See Thiocyanopropimine.

o-Amidomethyl-p-toluidine. See Methyltolylenediamine.

Amido-8-methylumbelliferone (v. Preul-MANN and Сонки), 1884, 1332.

Amidomethyluracil (BEHREND), 1886, A., 338.

Amidomyristic acid (HELL and TWER-DOMEDOFF), 1889, A., 956.

Sec Naphthyl-Amidonaphthalene. amine.

See NaphthyldiAmidonaphthalene. enediamine.

Amidonaphthalenesulphonic acids. See Naphthylaminesulphonic acids. Amido- β -naphthaphenanthrazine (I α E-

WE), 1890, A., 1424.

Amidonaphthaphenazine (ZAERTLING), 1890, Å., 509.

α-Amido-α-naphthaphenazine (FISCHER and HEPP), 1890, A., 801; (KEHR-MANN), 1890, A., 1266.

Amido-β-naphthaquinol and its hydrochloride (GROVES), 1884, T., 300.Amidonaphthaquinone(MEERSON),1888,

A., 1200.

Amidonaphthaquinoneimide (Kron Feld), 1884, A., 1037.

diAmidonaphtharesorcinol hydrochloride (Kehrmann and Weichardt), 1889, A., 1198.

Amidonaphthastyril (EKSTRAND), 1887, A., 373.

Amido-α-naphthoic acid derivatives (EKSTRAND), 1889, A., 152.

Amido-8-naphthoic acid (EKSTRAND), 1891, A., 932.

diAmido-β-naphthoic acids (Eks-TRAND), 1891, A., 78, 79.

Amido-α-naphthol [2:1] (GRANDMOUGIN and MICHEL), 1892, A., 861.

Amido-α-naphthol [1:4] (GRANDMOUGIN and MICHEL), 1892, A., 861. sulphonic acid from (SEIDEL), 1892,

A., 721.

diAmido-α-naphthol, action of bromine on (ZINCKE and GERLAND), 1887, A., 838; (ZINCKE), 1888, A., 290. derivatives of (MEERSON), 1888, A., 713.

Amido-β-naphthol [1:2] (GRANDMOUGIN and MICHEL), 1892, A., 862. identification of (MELDOLA and

identification of (MELDOLA and Morgan), 1889, T., 120. Amido-\$\textit{\text{\$n\$}}\$-naphthol [1:2] and its hydro-

Amido-β-naphthol [1:2] and its hydrochloride, preparation of, from nitrosoβ-naphthol (Groves), 1884, T., 293. Amido-β-naphthol [1':2] and 4':2]

Amido-β-naphthol [1':2 and 4':2] (FRIEDLANDER and SZYMANSKI), 1892, A., 1233.

diAmido-β-naphthol hydrochloride (Loewe), 1890, A., 1424.

Amido-\$\beta\$-naphthol sulphate (Groves), 1884, T., 297.

Amido-α-naphthol-3:1'-disulphonic acid (Bernthsen), 1891, A., 215.

Amido-β-naphthol -1': 3'- and -3: 3'-disulphonic acids (WITT), 1889, A., 273. α-Amido-α-naphtholsulphonic acid

[4:1:2] (SRIDEL), 1892, A., 721.
 8-Amido-α- and α-Amido-β-naphthol-sulphonic acids (SCHMIDT), 1892, A., 476.

2-Amido-β-naphthol-α-sulphonic acid [1:2:1], [**α-acid**] (WITT), 1889, A., 271.

Amido-β-naphthol-β-sulphonic acid [1:2:3], [β-acid] (Wirr),1889, A.,272.

Amido-β-naphthol-α-sulphonic acid, [1:2:4'], [γ-acid] (W1TT), 1889, A., 272.
Amido-β-naphthol-β-sulphonic acid, [1:2:2'], [δ-acid] (W1TT), 1889, A., 272.
di Amido-β-naphthol-α-sulphonic acid (ΝΙΕΓΖΚΙ and ΖUΒΕΙΕΝ), 1889, Α., 515.

Amido-α- and -β-naphtholsulphonic acids [4:1·2 and 2:1:4'] (REVERDIN and DE LA HARPE), 1892, A., 996.

Amido-α- and -β-naphthyl mercaptans (Hofmann), 1887, A., 839.

m-Amido-p-α-naphthylamidobenzoic acid (HEIDENSLEBEN), 1891, A., 307. Amido-β-naphthylamine hydrochlor-

ides (Loewe), 1890, A., 1424.

Amido-S-naphthylphenylamine. See
Phenylnaphthylenediamine.

diAmido-β-naphthylphenylamine (ERNST), 1891, A., 301.

Amidonaphthylphenylcarbamide (Goidschmidt and Roseill), 1890, A., 616.

Amidonitro -. See Nitramido -.

Amidonononaphthene (KONOWALOFF), 1892, A., 443.

αr-p-Amido-octohydro-α-naphthaquinoline (ΒΑΜΕΕΚGΕR and STETTENHEL-MER), 1891, A., 1261.

o-Amido-octylbenzene hydrochloride (Ahrens), 1887, A., 134.

p-Amido-octylbenzene and its derivatives (BERAN), 1885, A., 523.

Amido-octyltoluene and its derivatives (Beran), 1885, A., 523.

Amido-opianylphenylhydrazide (Lie-BERMANN), 1887, A., 45.

Amido-oxalacetic acid phenylhydrazone (TAFEL), 1887, A., 467.

Amido-oxalamidobenzoic acid. See Amidocarboxyphenyloxamic acid.

o-Amido-oxalyl-α-naphthyl mercaptan (LANG), 1892, A., 1079.

diAmido-oxalyl-α- and -β-naphthyl mercaptans (v. Hormann), 1887, A., 840.

o-Amido-oxalylphenyl mercaptan (IANG), 1892, A., 1079.

Amidoisooxazole (HANRIOT), 1891, A., 1108.

"Amido-oxyquinizinecarboxylic acid" (TAFEL), 1887, A., 468.

Amido-2'-oxyquinoline. See Amido-carbostyril.

α-Amidopalmitic acid (Hell and Ior-DANOFF), 1891, A., 820.

Amidoparaldimine (Curtius and JAY), 1890, A., 735.

Amidoperezone (Anschutz and Leather), 1886, T., 720.

Amidophenaceturic acid (Hotter), 1888, A., 1299.

p-Amido- and diamido-phenanthraquinol hydrochlorides (Anschutz and MEYER), 1885, A., 1068.

a-di Amidophenanthraquinol and derivatives (KLEEMANN and WENSE), 1885, A., 1240.

a-diAmidophenanthraquinone (KLEE-MANN and WENSE), 1885, A., 1240. Amidophenazine (BARBIER and VIG-

NON), 1888, A., 688; (FISCHER and HEPP), 1889, A., 500.

1:4-diAmidophenazine (FISCHER and HEPP), 1889, A., 500.

2:2'-diAmidophenazine (NIETZKI and Ernst), 1890, A., 1114.

m-Amido-2-phenethylpiperidine (Schuftan), 1890, A., 1438.

o- Amidophenetoil, action of chloracetic acid on (VATER), 1884, A., 1144. action of cyanogen chloride (BERLINERBLAU), 1885, A., 147. m-Amidophenetoil and its derivatives

Wagner), 1885, A., 1212.

hydrobromide (STAEDEL), 1883, A., 578.

p-Amidophenetoil, action of cyanogen chloride on (BERLINERBLAU), 1885, A., 147.

idation products of (KINZEL), 1892, A., 158. oxidation

tctruAmidophenetoil hydrochloride (Könler), 1884, A., 1161.

Amidophenetoiltrimethylammonium

iodide (SEIDEL), 1891, A., 53. Amidophenols. See Phenol.

Amidophenolsulphonic acids and their relationship to Liebermann's colouring matters (BRUNNER and KRAE-MER), 1884, A., 1354.

action of bleaching powder on (Hirsen), 1887, A., 834.

Amidophenophenanthrazine (HEIM). 1888, A., 1097.

Amidophenyl amidotolyl ketone (Lie-BERMANN), 1888, A., 1097.

Amidophenyl ethyl ether, mono-, di-, and tri- (Lindner), 1885, A., 775.

Amidophenyl ethylene ethers, o-, mand p-, preparation, properties and of (WAGNER), 1884, 433.

o-Amidophenyl mercaptan and its derivatives (v. Hofmann), 1887, A., 823, 1039.

formation of anhydro-compounds of. from thioanilides (JACOBSON), 1886, A., 700.

Amidophenylacetamide (Purgotti), 1891, A., 562.

Amidophenylacetic anhydride (Kossel), 1892, A., 468.

m-Amidophenylacetonitrile (FRIEDLÄN-DER), 1884, A., 737; (SALKOWSKI). 1884, A., 1176.

p-Amidophenylacetonitrile and its salts (FRIEDLÄNDER and MARLY), 1883, A.,919; (Friedländer), 1884, A., 737.

Amidophenylacridine. Sce acridine.

diAmidophenylacridine. See Chrysanil-

m-Amidophenyldi-p-amidotolylmethane (BISCHLER), 1889, A., 133.

Amidophenylazimidobenzene GERODT), 1892, A., 1322.

Amidophenylbenzoglycocyamine and its hydrochlorides (GRIESS), 1883, A., 669.

o-Amidophenylbenzylhydrazine (PAAL and Bodewic), 1892, A., 1455.

Amidophenylbiazolone (FREUND and Kun), 1890, A., 1441.

Amidophenylbismethyltetrahydroquinolylmethane (v. MILLER and PLÖCHL), 1891, A., 1102.

Amidophenylcarbizinecarboxylic acid (Fraund and Kuh), 1890, A., 1441.

m-Amidophenylcrotonaldehyde (v. MIL-LER and KINKELIN), 1886, A., 701.

6-Amido-5-phenyl-2:4-dibenzyl-m-dia-zine (WAUHE), 1889, A., 684.

Amidophenylenecarbamide (JENTZSCH), 1889, A., 46.

o-Amidophenylethylhydrazine (HEM-PEL), 1890, A., 612.

a-p-Amidophenylfurfuracrylonitrile (FREUND and IMMERWAHR), 1890, A., 1408.

See o-Amidophenylglyoxylic acid. Isatic acid.

o-Amidophenylglyoxylic lactim. See Isatin.

o-Amidophenylhydrazine (Bischler), 1889, A., 501.

m-Amidophenylhydrazine and hydrochloride (GRIESS), 1885, A., 789.

5-Amidophenylhydrazine-o-sulphonic acid (Limpricut), 1885, A., 1216.

o-Amidophenylhydrazine-p-sulphonic acid (NIETZKI and LERCH), 1889, A., 144; (Lercu), 1889, A., 881.

m-Amidophenylhydroquinoline (v. MIL-LER and KINKELIN), 1885, A., 1145.

diphenylcarbamate o-Amidophenylic (LELLMANN and BONHÖFFER), 1887, A., 936.

diphenylcarbamates Amidophenylic (LELLMANN and BENZ), 1891, A.,

o-Amidophenylic disulphide (v. Hor-, MANN), 1887, A., 823.

p-Amidophenylic ethylxanthate (Lerek art), 1890, A., 604.

o-Amidophenylic methylic sulphide (v. Hofmann), 1887, A., 823.

Amidophenylic phenylmethylcarbamates (Lellmann and Binz), 1891, A., 1215.

diAmidophenylic thiocyanate (Austen), 1889, A., 700.

Amido-2'-phenylindole (FISCHER and SCHMIDT), 1888, A., 698.

Amidophenylinduline (FISCHER and HEPP), 1891, A., 1046.

action of sulphuric acid on (FISCHER and HEPP), 1892, A., 311.

p-Amidophenyllactic acid (ERLEN-MEYER and LIPP), 1883, A., 994.

m-Amidophenyllutidine (LEPETIT), 1887, A., 1053.

m-Amidophenyllutidinedicarboxylic acid (LEPETIT), 1887, A., 1053.

Amido-and diamido-2-phenyl-6-methylm-diazine (Pinnen), 1887, A., 1054.

o-Amidophenylmethylhydrazine (HEM-PEL), 1890, A., 613.

m-Amido-2'-phenyl-3'-methylhydroquinoline (v. Miller and Kinkelin), 1886, A., 561.

m-diAmido-p-phenyl-α-methylpropionic acid (ERRERA and BALDRACCO), 1892, A., 606.

Amidophenyl-2'-methylquinoline (SCHIFF and VANNI), 1890, A., 1298.

m-Amido-2'-phenyl-3'-methylquinoline (V. MILLER and KINKELIN), 1886, A., 560, 561.

p-Amido-2'-phenyl-2-methylquinoline (ψ-flavaniline) (WEIDEL and BAM-DERGER), 1888, A., 966.

4-Amido-2'-phenyl-3'-methylquinoline. See Flavaniline.

Amidophenylmercaptomethyl mercaptan (Jacobson and Frankenbacher), 1891, A., 1048.

diAmidophenyl-β-naphthol (Επνετ), 1891, Δ., 301.

Amido-n-phenylosotriazolecarboxylic acid (BALTZER and V. PECHMANN), 1891, A., 1117.

1-Amidophenylpiperidine (LELLMANN and JUST), 1891, A., 1245.

3-Amidophenylpiperidine, formation of dyes from (LELLMANN and GELLER), 1888, A., 1108.

o-Amidophenylpropiolic acid and its derivatives (v. BAEYER and BLOEM), 1883, A., 196.

diAmidophenylpropionic acid (GAB-RIEL), 1883, A., 195. o-Amido-α-phenylpropionic anhydride See Atioxindole.

a-Amidophenylpropionitrile (ERLEN-MEYER and LIPP), 1883, A., 992.

Amidophenylquinoline [in.p. 136° 5] (Jellinek), 1886, A., 1045.

Amido-8-phenylquinoline (WEIDEL and v. Georgievics), 1888, A., 967.

2-Amido-2'-phenylquinoline (v. Miller and Kinkelin), 1885, A., 1144.

Amidophenylisoquinoline (GABRIFL). 1886, A., 631.

Amidophenylrosinduline (FISCHER and HEPP), 1890, A., 765.

Amidophenyltetrazolecarboxylic acid (BLADIN), 1892, A., 1009.

triAmidophenyltoluidine (ERNST), 1891, A., 300.

o-Amidophenyl-p-[-p-]-tolylamine (HEI-DENSLEBEN), 1891, A., 307.

p-Amidophenyl-p-tolylamine. See Tolylphenylenediamine.

diAmidophenyltolylmethanes (UI,I,-MANN), 1888, A., 288.

Amidophenyltriazolecarboxylic acid (Bladdin), 1892, A., 735.

o-Amidophenyltrimethylmethane (SEN-KOWSKI), 1890, A., 1296.

p-Amidophenyltrimethylmethane (Seńkowski), 1890, A., 1296; 1892, A., 44.
p-Amidophenylurethane and its deri-

vatives (HAGER), 1885, A., 149. o-Amidophenylvaleric acid, derivatives of (DIEHL and EINHORN), 1887, A., 485.

Amidophthalamide (PELLIZZARI), 1886, A., 1025.

Amidophthalic acid, salts of (LANDS-BERG), 1883, A., 476.

as-Amidoisophthalic acid (Lorwen-Herz), 1892, A., 1464.

diamidoisophthalic acid (Chaus and Wyndham), 1889, A., 143.

Amidophthalide [m.p. 167] (RACINE), 1887, A., 951.

[m.p. 178°] (Hönig), 1886, A., 212. Amidopiaselenole (Hinsberg), 1890,

A., 161.
o-Amidopiperonaloxime (HABER), 1891,

A., 706. Amidopiperonylaerylic acid (Perkin), 1891, T., 158.

γ-Amidopropanesulphonic acid (LAUER), 1890, A., 1090.

2:4:1-Amidopropenylbenzoic acid (WII)-MAN), 1886, A., 466.

3:4:1-Amidopropenylbenzoic acid and its derivatives (WIDMAN), 1884, A., 317.

action of nitrous acid on (WIDMAN), 1884, A., 1022.

Amidopropionic acid. See Alanine. Amidopropiophenone hydrochloride (SCHMIDT), 1890, A., 372.

o-Amido-p-propyleinnamic acid (WID-NAN), 1886, A., 464.

Amidopropylene (Hirsch), 1890, A., 860.

Amido/sopropylic alcohol. See Hydroxypropylamine.

γ-Amidopropylic benzoate (GABRIEL and ELFELD r), 1892, A., 213.

S-Amidopropylic benzoate hydrobromide (GABRIEL and HEYMANN), 1890, A., 1268.

γ-Amidopropylic hydrogen sulphate (GABRIEL and LAUER), 1890, A., 473. Amidoisopropylindene (v. MILLER and

Конов), 1889, А., 984.

γ-Amidopropyl hydrogen sulphate (LAUER), 1890, A., 1090.

Amidopurpurin (Brasch), 1891, A., 1078. diAmidopyrene (Jahoda), 1888, A., 161. Amidopyridine-3-4-dicarboxylic acid (Goldschmiedt and Strache), 1889, A., 1016.

diAmidoquinol (NIETZKI and SCHMIDT),

1889, A., 968.

hydrochloride, and its derivatives (NIETZKI and PREUSSER), 1886, A., 1024.

diethyl ether (NIETZKI and RECH-BERG), 1890, A., 967.

triAmidoquinol sulphate (Nietzki and Schmidt), 1889, A., 968.

2-Amidoquinoline (FREYDL), 1888, A., 296.

4-Amidoquinoline (Dufton), 1892, T., 785.

2'-Amidoquinoline, preparation of (EPHRAIM), 1891, A., 1509.

3'-Amidoquinoline (RIEMERSCHMIED), 1883, A., 1148.

4'-Amidoquinoline (Hoogewerff and van Dorp), 1892, A., 725.

diAmidoquinolines, a- and B- (CLAUS and KRAMER), 1885, A., 908.

Amidoquinones (KLHRMANN), 1890, A., 756, 1265.

Amidoquinoneimide (MELDOLA), 1881, T., 161.

p-Amidoquinoxaline and its salts (Hinsberg), 1886, A., 722.

Amidoresorcinol (Fevue), 1883, A., 733.

cliAmidoresorcinol hydrochloride (Typke), 1883, A., 917.

Amidoresorcinoldisulphonic acid (UL-ZER), 1889, A., 510.

Amidoresoroinolsulphonic acid, α- and ν- (Brunner and Kraemer), 1884, Α., 1354, 1355.

p-Amidoresorcinyl dimethyl ether, and its derivatives (Bechnold), 1889, A., 1155.

4-Amidosalicylic acid, action of aniline on (LIMPRICHT and v. RECHENBERG), 1890, A., 158.

5-Amidosalicylic acid, action of benzoic chloride on (DABNEY), 1884, A., 308.

Amidostearic acid [m. p. 63°] (GAUTIER and Erand), 1884, A., 89.

α-Amidostearic acid [m. p. 221°] (Hell and Sadomsky), 1891, A., 1336.

o-diAmidostilbene, azo-dves from (Bischoff), 1888, A., 1094.

p-diAmidostilbene (BENDER and SCHULIZ), 1887, A., 268.

diAmidostilbene sulphide (Anschurz and Schultz), 1889, A., 602.

diAmidostilbenesulphonic acid (Ben-DER and SCHULTZ), 1887, A., 268.

Amidostrychnine (Loebisch and Schoor), 1886, A., 268.

diAmidostrychnine (HANRIOT), 1883, A., 670.

p-Amidostyrene (Bernthsen and Bender), 1883, A., 70.

m-Amidostyryl methyl ketone (v. Miller and Rohde), 1890, A., 1138.

o-Amidostyrylacrylic acid (Diehl and Einhorn), 1885, A., 1222, 1223.

o-Amidostyrylpropionic acid (DIEHL and EINHORN), 1887, A., 485.

m-Amido-2-styrylpyridine (SCHUFTAN), 1890, A., 1438.

Amidosuccinic acid. See Aspartic acid. d'Amidosuccinic acid (CLAUS), 1883, A., 43.

Amidosulphime dithiocarbamidosulphinites (TIEMANN), 1891, A., 557.

p-Amido-o-sulphobenzoic acid (HED-RICK), 1888, A., 280.

p-Amido-m-sulphobenzoic acid (Fiscuser), 1892, A., 332.

Amidosulphonic acids (PELLIZZARI and MATERICE), 1888, A., 1802; (KRAFFT and BOURGEOIS), 1892, A., 700.

action of aldehydes on (CARA and LANGE), 1887, A., 962.

Amidosulphonic acids, aromatic, acetyl derivatives of (NIETZKI and BENCK-ISER), 1884, A., 1021.

Amidoterebenthene (Pesci and Bet-TELLI), 1887, A., 272; (Pesci), 1891, A., 1086.

p-Amidotetrahydro-a-naphthaquinoline (BAMBERGER and STETTENHEIMER), 1891, A., 1259.

diAmidotetrahydronaphthylthiocarbamide (BAMBERGER and BAMMANN), 1889, A., 783. p-Amidotetrahydroquinoline (ZIEGLER), 1888, A., 609.

Amidotetrahydroxybenzene hydrochloride (NIETZKI and SCHMIDT), 1889, A., 969.

diAmidotetrahydroxybenzene, and its derivatives (NIETZKIAND BENCKISER), 1885, A., 780.

Amidotetramethylbenzene (isoduridine, tetrumethylamidobenzene) (NOLTING and BAUMANN), 1885, A., 384, 893.

m-diAmidotetramethylbenzidine (LAUTH), 1892, A., 1222.

Amidotetrazotic acid (THIELE), 1892, A., 1299.

Amidotetrethyldiamidotriphenylmethane (FISCHER and SCHMIDT), 1884, A., 1316.

μ-Amidothiazole-α-carboxylic acid (STEUDE), 1891, A., 743.

μ-Amidothiazoledicarboxylic acid (Rub-LEFF), 1891, A., 224.

Amidothiazoles, and their isomerides (Traumann), 1889, A., 414.

from thiocarbamide and halogenated ketones and aldehydes (HANTZSCH and TRAUMANN), 1888, A., 573.

μ-Amido-a-thiazylacetic acid (Śτευρε), 1891, A., 743.

Amidothienylacetic acid (BRADLEY), 1886, A., 1014.

o-Amidothiobenzamide derivatives (STEWART), 1892, A., 54.

Amido-m- and -p-thiocyanocinnamic acids (ROTHSCHILD), 1890, A., 1123; 1891, A., 199.

Amidothiodiphenylamine (BERNTH-SEN), 1885, A., 259; 1886, A., 53.

diAmidothiodiphenylamine (BERNTH-SEN), 1885, A., 259; 1886, A., 53.

diAmidothiodiphenylmethylamine and its derivatives (Bernthsen), 1885, A., 259.

Amidothionaphthol (CLEVE), 1889, A., 155; (EKBOM), 1890, A., 995. Amidothiophen hydrochloride, and its

derivatives (STADLER), 1885, A., 1204. diAmidothymoquinone (Anschutz and Leather), 1886, T., 725.

diAmidotolazinedicarboxylic acid (KEHRMANN), 1889, A., 1154.

m-Amido-o-tolidine (LOEWENHERZ), 1892, A., 852.

3:4-diAmidotoluene. See Tolylene-odiamine.

c-tetraAmidotoluene, and its sulphate (NIETZKI and ROSEL), 1891. A., 192. pentaAmidotoluene (PALMER), 1889, A., 390.

-Amidotoluene-p-azodimethylaniline (WALLACH), 1887, A., 41.

p-Amidotoluene-o-azodimethylaniline (WALLACH), 1887, A., 41.

Amidotoluenesulphonic acids. See Toluidinesulphonic acid.

diAmidotoluenesulphonic acid

(NINTEKI and POLLINI), 1890, A., 502. β-Amido-p-toluic acid (NOYES), 1889, A., 394.

γ-Amido-o-toluic acid, phosphate of (Honic), 1886, A., 242.

ω-Amido-m-toluic acid (REINGLASS), 1891, A., 1345.

m-Amido-p-toluic acid (m-homounthrunilic ucid) (Niementowski), 1885, A., 837; 1889, A., 1065; (Niementowski and Rozanski), 1888, A., 1088; (Fileti and Crosa), 1889, A., 495.

diAmido-p-toluic acids, 2:3-, 2:5-, and 3:5- (CLAUS and JOACHIM), 1892, A., 176.

o-Amido-p-toluonitrile (NIEMENTOWski), 1888, A., 837; (Glock), 1888, A., 1291.

o-Amido-p-toluoylamide (NIEMENTOW-SKI), 1888, A., 837.

diAmido-p-tolyl ketone (LANGE and ZUFALL), 1892, A., 1460.

m-Amido-o-tolylacrylic acid (v. MILLER and ROHDE), 1890, A., 1140.

mAmido-p-(o) and -p-(p-)- tolylamidobenzoic acid (Hridensleben), 1891, A., 306.

Amido-p-tolylazimidobenzene (WILL-GERODT), 1892, A., 1322.

m-Amidotolyl-p-azoacetoacetic acid (BAMBERGER), 1885, A., 158.

2-Amidotolyl-4-oxamic acid (Schiff and Vanni), 1890, A., 1125; 1891, A., 833; 1892, A., 599, 601, 1208.

2-Amidotolyl-4-oxamide and -oxamilide (Schiff and Vanni), 1891, A., 834; 1892, A., 602.

Amidotolylurethane (Schiff and Van-NI), 1892, A., 600; (Schiff), 1892, A., 1203.

p-Amidotriazobenzene (GRIESS), 1888, A., 826.

m-Amidotriazobenzoic acid (GRIESS), 1888, A., 826.

6-Amido-2:4:5-triethyl-m-diazine (WA-CHE), 1889, A., 684.

Amidotriethylgallic acid (Schiffer), 1892, A., 716.

Amidotriethylpyrogallol (Schiffer), 1892, A., 716.

Amidotrihydroxynaphthalene (KEHR-MANN), 1888, A., 940.

Amidotrimethylbutyllactic acid (WEIL), 1886, A., 1009.

Amidotrimethyluracil (HAGEN), 1888, A., 582. Amido- and triamido-triphenylamine (HEYDRICH), 1885, A., 1213; (HERZ), 1890, A., 1409.

tri Amidotriphenylarsine (Pullies), 1886, A., 618.

tetraAmidotriphenylbenzene (MELLIN), 1890, A., 1423.

p-Amidotriphenylcarbinol (v. Baeyer and Löhr), 1890, A., 1141, 1142.

triAmidotriphenylcarbinol. See p-Rosaniline.

6 - Amido - 2:4:5 - triphenyl - m - diazine (WACHE), 1889, A., 684.

Amidotriphenylethophenazonium hydroxide (Kehrmann and Messinger), 1892, A., 1109.

o-Amidotriphenylmethane (FISCHER and Fränkel), 1888, A., 56.

p-Amidotriphenylmethane (v. BARYER and Lönr), 1890, A., 1141.

diAmidotriphenylmethane, preparation of (MAZZARA), 1885, A., 904; (ULL-

MANN), 1885, A., 1236, action of phenols on (MAZZARA), 1885, A., 800.

action of potassium nitrite on (MAZZARA), 1885, A., 800, 904.

triAmidotriphenylmethane. Leucaniline.

Amidotriphenylphosphine oxide (MICH-AELIS and v. Soden), 1884, A., 1180. Amidotruxillic acids (Homans, Steltz-

NER and SUKOW), 1891, A., 1496. Amidouracilearboxylic acid (Köhler), 1887, A., 128; (Behrend), 1887, A.,

δ - Amidovaleraldehyde (Wolffen-STEIN), 1892, A., 1484.

γ-Amidovaleric acid (TAFEL), 1886, A., 1008; 1887, A., 463; 1889, A., 961.

γ-Amidovaleric anhydride (TAFEL), 1889, A., 961.

δ-Amidovaleric acid (Schotten), 1888,

A., 1105. from the putrefaction of proteids (GABRIEL and ASCHAN), 1891, A., 948.

synthesis of (Gabriel), 1890, A., 1129.

B-Amidoisovaleric acid (BREDT), 1883,

Amidoximes (TIEMANN and KRUGER), 1884, A., 1325; (Tikmann), 1885, A., 895; 1890, A., 41, 140, 141, 253; 1891, A., 538, 697; 1892, A., 135, 317; (Посинкім), 1890, А., 1265.

preparation of (TIEMANN), 1886, A., . 875.

action of benzenesulphonic chloride on (Pinnow), 1892, A., 460.

Amidoximes, behaviour of, towards diazobenzene derivatives (STIEGыти), 1890, А., 254.

eyanogen additive products of (Non-DENSKIÖLD), 1890, A., 1120. sulphur derivatives of (TIEMANN),

1891, A., 557. substituted (MULLER), 1890, A., 43. reactions of (TIEMANN), 1885, A.,

Amido-p-xylene. See p-Xylidine. diAmidoxylene. See Xylylenediamine. diAmido-m-xylenesulphonic acid and its salts (Limpricht), 1885, A., 1234. Amido-m-xylenol and its hydrochloride

(Pfaff), 1883, A., 918. Amido-p-xylenol (Sutkowski), 1887,

A., 668.

diAmido-p-xylidine (WITT, Nolting and Forel), 1889, A., 604.

Amidulin (BRUKNER), 1884, A., 575. Amine hydrochlorides, dissociation of, in solution (MULLER), 1890, A., 684. Amine salts, absence of rotatory power in (Le Bel), 1890, A., 228.

Amine vapours, dissociation of (Burch and Marsh), 1889, T., 656; P., 127. Amine-ethylenediaminechloropur-

pureocobalt salts (Jorgensen), 1890, A., 954.

Amines, formation of, from amides (BAU-BIGNY), 1883, A., 175.

formation of, from the amides of the fatty series (Seifert), 1885, A., 963.

magnetic rotation of, and the refraction and dispersion of light by, correspondence between STONE and PERKIN), 1889, T., 751.

action of oxymethylene on (Koloтогг), 1886, А., 138.

action of pieric chloride on, in presence of alkali (Turpin), 1891, T., 714; P., 123.

action of silicon fluoride on (COMEY

and JACKSON), 1888, A., 941. action of soda, lime, and magnesia on (LUNGE), 1881, A., 776.

action of zine ethyl on (GAL), 1883, A., 653; 1884, A., 985.

compounds of, with salts of the heavy metals (Lachowicz and Bandrowski), 1888, A., 1281.

phenylsulphonic chloride, as a reagent for (HINSBERG), 1891, A., 49.

Amines, aromatic, preparation of (MALвот), 1888, А., 41.

derived from the nitranilines (MEL-DOLA and SALMON), 1888, T., 774. preparation of nitro-derivatives o. (Levinstein), 1885, A., 1127.

Amines, aromatic, conversion of phenols into (Buch), 1885, A., 147.

isomeric change in the synthesis of (Senkowski), 1892, A., 44. heat of neutralisation of (Vignon),

1888, A., 1013.

laws of substitution in (LIMPACH), 1888, A., 464.

action of acid amides on (Kelbe), 1883, A., 915.

condensation of, with aromatic aldehydes (Hantzsch), 1891, A., 50.

action of dibromo-α-naphthol on (ΜΕΙΙΟΟΙΑ), 1883, A., 536; 1884, T., 156.

action of carbonic anhydride on (DITTE), 1888, A., 49.

action of dichloracetic acid

(MEYER), 1884, Λ ., 47.

action of ethyldichloramine on (PIER-SON and HEUMANN), 1883, A., 915.

action of glyoxal on (HINSBERG), 1888, A., 372. action of lactic acid on (WALLACH

and Wüster), 1883, A., 1096. action of nitrous acid (nascent) on

(DENINGER), 1890, A., 38. action of perthiceyanic acid on (Tursini), 1884, A., 1140.

action of sodium hypobromite on (Deniges), 1889, A., 139.

action of trimethylenic chlorobromide on (Pinkus), 1892, A., 1491.

oxidation of (BARSILOWSKY), 1885, A., 525.

oxidation of, and formation of aniline dyes thereby (Barsilowsky), 1888, A., 140.

nitration of (NoLTING and STOECK-LIN), 1891, A., 692.

conversion of, into chlorine derivatives of the hydrocarbons (PRUD'HOMME and RABAUT), 1892, A., 705.

conversion of, into the ethers of the corresponding phenols (v. Hor-MANN), 1884, A., 1314.

derivatives of (PAAL and OTTEN), 1890, A, 1415.

henzoyl derivatives of (HESS), 1885, A., 783.

chlorinated and brominated hydrocarbons from (GASIOROWSKI and WAIJSS), 1885, A., 1060.

nitroso-derivatives of (WITT), 1885, A., 782.

thio-derivatives of (KYM), 1890, A., 1306.

colour reactions of (LAUTH), 1891, A., 433.

citraconic acid as a means of separating (MICHARL), 1886, A., 697.

Amines, aromatic, primary, formation of, from the corresponding halogen derivatives (GABRIEL), 1887, Δ., 1037.

preparation of (TAFEL), 1886, A., 939. action of diazotised m- and p-nitr-anilines on (MELDOLA), 1883, T., 428; 1884, T., 112.

action of sulphur on (Anschutz and Schultz), 1889, A., 602.

Amines, aromatic, secondary (GEB-HARDT), 1885, A., 383.

formation of (Picter), 1888, A., 364. action of, on bromacetophenone (Cul-Mann), 1888, A., 1287.

condensation of chloral hydrate with (Boessneck), 1888, A., 587.

action of diazotised m- and p nitranilines on (MELDOLA), 1883, T., 440; 1884, T., 118.

action of phthalic anhydride on (Piutti), 1884, A., 448.

action of thiocarbimides, of isocyanates, of thiocyanates, and of cyanates on (Gedhardt), 1884, A., 1820.

action of thiocarbonyl chloride on (BILLETER), 1887, A., 822; (BILLETER and STROHL), 1888, A., 364.

action of thionyl chloride on (MI-CHAELIS and GODCHAUX), 1891, A., 74.

Amines, aromatic, tertiary, action of arsenic chloride on (MICHAELIS and RABINERSON), 1892, A., 1321.

condensation of, with chloral hydrate (Knöfler and Boessneck), 1888, A., 267.

action of diazotised m- and p-nitranilines on (MELDOLA), 1884, T., 118. action of nitrous acid on (Koch), 1887, A., 1011.

action of phosphorus chloride on (MICHAELIS and SCHENK), 1891, A., 435.

action of selenyl chloride on (Gon-chaux), 1891, A., 696.

action of thionyl chloride on (Mi-CHAELIS and GODCHAUX), 1890, A., 610.

compounds of, with acctic acid and its homologues (Gardner, 1890, A., 1156.

removal of ethyl from (STAEDEL), 1886, A., 940.

Amines, fatty, in suint (Buisine), 1887, A., 792.

preparation of (MALBOT), 1888, A., 41. extraction of, from commercial methylamine (MULLER), 1885, A., 501. Amines, fatty, magnetic rotation of (Perkin), 1889, T., 691, 713, 728. heat of combustion of (MULLER),

1886, A., 109. heats of formation of salts of, in dilute solutions (Muller), 1885, A., 716. decomposition of (MULLER), 1886, A., 783.

decomposition by heat of the nitrates of (VAN ROMBURGH), 1887, A., 230.

action of bromine in alkaline solution on (v. Hofmann), 1883, A., 789; 1884, A., 1114.

action of, on oxymethylene (Kolotoff), 1885, A., 647.

action of water on normal salts of

(Colson), 1891, A., 797. halogen derivatives of (SEITZ), 1891, A., 1472.

vanadates of (BAILEY), 1884, T., 690. unsaturated (PAAL and HEUPEL), 1892, A., 30; (PAAL), 1892, A., 578.

Amines, fatty, primary, preparation of (TAFEL), 1886, A., 939.

preparation of, by means of potassium phthalimide (GABRIEL), 1892, A., 157.

alkylation of, by potassium alkylic sulphate (Passon), 1891, A., 1118. conversion of, into nitriles (v. Hor-MANN), 1884, A., 1288.

Amines, fatty, secondary (GEBHARDT), 1885, A., 383.

action of, on imidoethers (PINNER), 1891, A., 37.

action of sulphonic chloride on (BEHREND), 1884, A., 285.

Amines, fatty, tertiary, compounds of, with acetic acid and its homologues (GARDNER), 1890, A., 1156.

Amines. See also Bases and Diamines. Ammelide (melanurenic acid) (BAM-BERGER), 1883, A., 907, 1086; (STRIEGLER), 1885, A., 1194; 1886, А., 435; (Катике), 1886, А., 217; (KLASON). 1886, A., 523.

formation of (SMOLKA and FRIED-REICH), 1889, A., 951.

Ammelidoacetic acid (KRUGER), 1891, A., 163.

Ammeline (KLASON), 1886, A., 523; (SMOLKA and FRIEDREICH), 1889, A., 114.

formation of (SMOLKA and FRIED-REICH), 1889, A., 951.

constitution of (SMOLKA and FRIED-REICH), 1890, A., 856.

synthesis of (SMOLKA and FRIED-REICH), 1890, A., 856; (BAMBER-GER), 1890, A., 1082.

Ammeline, properties of (SMOLKA and

FRIEDREICH), 1890, A., 856. hydrochloride (Klason), 1886, A.,

thio-, and its salts (KLASON), 1886, A., 523; (RATHKE), 1887, A., **650.**

formula of (RATHKE), 1886, A., 217.

Ammonchelidonic acid (chelidamic acid), and its derivatives (LIEBEN and HAITINGER), 1883, A., 871; 1885, A., 965; (LERCH), 1885, A., 46.

tetraAmmoncuprammonium bromides

(RICHARDS), 1891, A., 399.

Ammonia in the atmosphere (MUNTZ), 1892, A., 909.

in the atmosphere and rain water of the tropics (MARCANO and MUNTZ), 1892, A., 381.

in burnt magnesium (Aslanoglou). 1890, A., 1209.

in potable water (ENKLAAR), 1889, A., 1234.

in rain waters, variation of the amount

of (Houzeau), 1883, A., 753. formation of, from free nitrogen (Loew), 1890, A., 1051.

formed by oxidation of p-diamines

(Meldola), 1889, P., 115. reduction of nitric acid to, by the galvanic current (BECKER), 1892, A., 403.

obtaining a constant stream of (NEUmann), 1888, A., 784.

catalytic formation of, from nitrates (Loew), 1890, A., 689.

synthesis of, as a lecture experiment (VALENTINI), 1887, A., 412.

preparation of (ISAMBERT), 1885, A., 722; (FELDMANN), 1885, A., 1017. preparation of, from nitrogenous minerals (BEILBY), 1885, A., 304.

extraction of, from coal (SCHEURER-KESTNER), 1883, A., 888.

recovery of, from the gases of cokeovens (Winkler), 1884, A., 1441.

spectrum of, with a reversed induced current (LECOQ DE BOISBAUDRAN), 1885, A., 1025.

emission spectrum of (MAGNANINI), 1890, A., 97.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

magnetic rotatory power of (Perkin), 1889, T., 689, 729.

electrolysis of solutions of, with carbon electrodes (BARTOLI and Papasogli), 1884, A., 176; (Mil-LOT), 1885, A., 1125; 1886, A., 979.

81

Ammonia, electrolysis of, with carbon electrodes, and oxidation of the azulmic matter thereby (MILLOT), 1888, A., 242.

of, by electrolysis decomposition (IRVING), 1886, A., 848.

decomposition of, by heat (RAMSAY and YOUNG), 1884, T., 88.

diffusion of, into hydrochloric acid (STEFAN), 1889, A., 1046.

diffusion of, through the atmosphere (BERTHELOT and ANDRÉ), 1887, A., 11.

diffusion of, through water and through alcohol (MULLER), 1891, A., 1147.

diffusion-coefficient of (STEFAN), 1889, A., 1047.

specific gravity of solutions of (SMITH), 1883, A., 849; (Lunce and Wier-NIK), 1890, A., 107.

absorption of, by alcohols (PAGLIANI and Emo), 1884, A., 278; (DELE-PINE), 1892, A., 1049.

absorption of, by various carbon compounds (Pellizzari), 1885, A., 723. absorption of, by clay (WIPPRECUT),

1887, A., 1136. absorption of, by superphesphatic

gypsum (Heiden), 1885, A., 83. absorption of, from the air by vegetable soils (Schlesing), 1890, A., 821; (Berthelot), 1890, A., 822. See also Agricultural Chemistry.

action of, on benzil and furfuraldehyde (JAPP and HOOPER), 1884,

T., 684.

action of, on cadmium chloride (Kwasnick), 1892, A., 566.

action of, on chromyl dichloride (RIDEAL), 1886, T., 367; P., 175.

action of a-diketones on aldehydes and (WADSWORTH), 1889, P., 161; 1890, T., 8.

action of, on the halogen compounds of arsenic (Besson), 1890, A., 1052. action of magnesium on (MERZ), 1892, A., 409.

action of, on the oxylepidens (KLINGE-MANN and LAYCOCK), 1890, P., 149; 1891, T., 140.

action of phenolphthalein on (Long), 1889, A., 746.

action of picric chloride on (TURPIN). 1891, T., 715. section of sulphur on (SENDERENS),

1887, A., 327. action of, on tungsten compounds

(RIDEAL), 1888, P., 113; 1889, T., 41. action of, on zinc chloride (KWAS-NICK), 1891, A., 1157.

Ammonia, combustion of oxygen in (Hongkinson and Lownnes), 1888, A., 1214.

oxidation of, by hydrogen peroxide (TRAUBE), 1889, A., 939.

oxidation of, in presence of platinum or palladium (KRAUT), 1887, A., 635. oxidation of, in spring water (FLECK), 1885, A., 704.

production of nitric or nitrous acids in solutions of, under different conditions of alkalinity (WARINGTON), 1884, T., 657.

combination of, with boron chloride and silicon sesquichloride (BESSON), 1890, A., 690.

combination of, with chlorides (JOAN-NIS), 1891, A., 643.

combination of, with unsaturated compounds (ENGEL), 1887, A., 793. combination of, with sodium and potassium (Joannis), 1890, 209, 560; (Roozeboom), 1890, А.,

450; (MOUTIER), 1890, A., 679. compounds of, with iodine (RASCHIG),

1888, A., 26.

compounds of, with metallic permanganates (Klobb), 1890, A., 947. compounds of, with silicon bromide and chloride (BESSON),1890,A.,559. protoxide (N2H6O) (MAUMENE),1889,

A., 14. evolution of, from plants and vegetable soils (Berthelot), 1889, A., 1238.

evolution of, from vegetable soils (BERTHELOT and ANDRÉ), 1887, A., 860.

formation of, in arable soil (Hébert), 1889, A., 1240.

preservation of, in stable manure (Ткомснке), 1885, А., 187.

in the nutrition of plants (MUNTZ), 1890, A., 287.

nitrification of (Plath), 1888, A., 521; (Schlesing), 1889, A., 1239; 1890, A., 282. See also Agricultural A., 282. Chemistry.

importance of, for the formation of glycogen in the liver of the rabbit

(ROHMANN), 1887, A., 68. cretion of (HERRINGHAM and GROVES), 1892, A., 365. excretion

poisoning by (BELKY), 1887, A., 392. detection of, in animal liquids LATSCHENBERGER), 1884, A., 1215.

detection of, in a mixture of alkaline salts (DE KONINCK), 1887, A., 297. estimation of (PRATT), 1885, A., 190; (Schlossing), 1886, A., 1075;

(MILNE), 1888, A., 195.

Ammonia, estimation of, volumetric (v. Hofmann), 1883, A., 281; (Beckurts), 1884, A., 492. estimation of, by distillation (Stein and Schwarz), 1889, A., 1087.

estimation of, by distillation; effect of different alkaline bases in (Berthe-LOT and ANDRE), 1886, A., 1074.

estimation of, by Ruffle's method (BUCHAN), 1890, A., 1024.

estimation of, volumetric, in ammonium salts (McGlashan), 1889, A., 75.

estimation of, in animal liquids (LATSCHENBERGER), 1884, A., 1215. estimation of, as nitrogen in manures (Massalski), 1884, A., 638; (Zec-CHINI and VIGNA), 1889, A., 649.

estimation of, in potable water (Marsh), 1883, A., 514; (Gore), 1885, A., 194; (WARDEN), 1890,

A., 87.

of, in potable water, estimation apparatus for (TICHBORNE), 1883, A., 382. See also Water Analysis. estimation of, in rain-water (WARING-TON), 1889, T., 541; (LEVY), 1892, A., 381; (MUNTZ), 1892, A., 909.

estimation of, in sand and sewage (HAZEN), 1890, A., 1024.

estimation of, in soils (BERTHELOT and Andre), 1886, A., 739, 740, 832; (SCHLŒSING), 1886, A., 740, 831; (BAUMANN), 1887, A., 83; 1888, A., 87; (Knop), 1887, A., 297; 1888, A., 533.

estimation of, in urine (Wursten), 1888, A., 991.

estimation of, in vegetable juices and extracts (Bossmann), 1884, A., 373; (Schultz), 1884, A., 493.

endiometric investigation of mixtures of oxygen and (NEUMANN), 1889, A., 1031.

Ammonio-ammonium picrate (Reyou-LER), 1885, A., 19.

Ammonio-chromium compounds. Chromammonium.

Ammonio-cobalt compounds. See Cobaltamines.

Ammonio-copper compounds. See Cuprammonium, under Copper.

Ammonio-mercury compounds. See Mercurammonium.

Ammonio-nickel thiosulphate (Vort-MANN and PADBERG), 1890, A., 13.

Ammonio-phosphatic deposit in the vicinity of Cape Town (GRIFFITHS), 1883, A., 859.

Ammonio-platinum diammonium compounds (1) RECHSEL), 1883, A., 28.

Ammonio-silver compounds (Reych-LER), 1883, A., 902; 1884, A., 261, 721; 1885, A., 18; (TERREIL), 1881, A., 890; 1885, A., 18. iodide (Longi), 1883, A., 1052.

nitrates (Reychler), 1883, A., 902; 1884, A., 261.

nitrite (REYCHLER), 1884, A., 157. phosphate (WIDMAN), 1885, A., 18.

Ammonio-stannic bromide (Preis and Raýman), 1883, A., 425.

Ammonio-vanadyl fluorides (PETERSEN), 1889, A., 1123.

Ammonio-zinc chlorides (Thoms), 1887, A., 551.

nitrate (André), 1885, A., 634.

sulphates, separation of an aqueous solution of, into two layers (ANDRE), 1885, A., 485.

Ammonium amalgam, existence of (LE BLANC), 1890, A., 1204.

Ammonium compounds, mixed quaternary, action of heat on the chlorides and hydroxides of (COLLIE and SCHRYVER), 1890, T., 767; P., 115. symmetry of nitrogen in (Schryver),

1891, P., 39.

quaternary, isomerism in (LE Bel.), 1890, A., 475.

substituted (DECKER), 1891, A., 736, 1247.

mmonium derivatives, substitut (REYNOLDS), 1891, T., 383; P., 79. substituted Ammonium

Ammomium salts, molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

magnetic rotatory power of (Penkin), 1889, T., 742.

magnetic rotation and the refraction and dispersion of light by, correspondence between (GLADSTONE and PERKIN), 1889, T., 751. electrolysis of solutions of, with

carbon electrodes (BARTOLI and Papasogli), 1884, A., 176; (Mil-LOT), 1885, A., 1125; 1886, A., 979.

action of soda, lime, and magnesia on (Lunge), 1884, A., 776.

action of vanadic acid on (DITTE), 1886, A., 672.

decomposition of, by bromine water (RAICH), 1888, A., 1024.

decomposition of, by metallic oxides and hydroxides (BERTHELOT), 1886, A., 770.

hypochlorites and interaction of (Cross and Bevan), 1890, P., 22. combination of ammonia with (Pki-LIZZARI), 1885, A., 723.

distribution of, in the animal body (SALOMON), 1885, A., 921.

Ammonium salts, nitrification of | (Munno), 1886, T., 613, (Munro), 1886, T., 613, 654; (Landolt), 1888, A., 1328. direct absorption of, by plants (Grif-

FITHS), 1892, A., 229.

function of, in the nutrition of higher plants (Muntz), 1890, A., 79.

value of, as food for ferments and other plants (LAURENT), 1891, A., 1135. as manures (Pagnoul),1891, A., 1545.

See also Agricultural chemistry. a new reaction of (HAGER), 1885, A.,

441. estimation of nitrogen in (HENTSCHEL), 1890, A., 1341.

Ammonium antimonate (RASCHIG), 1886, A., 20.

calcium arsenate (Bloxam), 1887, A., 108.

magnesium arsenate (Blarez), 1887, A., 204.

borofluoride (STOLBA), 1890, A., 561. bromide, magnetic rotatory power of (PERKIN), 1889, T., 716; P., 130. combinations of, with ammonia

(ROOZEBOOM), 1887, A., 631. dissociation of compounds of, with hydrogen bromide (ROOZEBOOM),

1886, A., 500. magnesium bromide (LERCH), 1884,

A., 263. zinc bromides (André), 1883, A., 713. carbonate, electrolysis of (GERDES),

1883, A., 27. dissociation of, in presence of an excess of one of its elements (Isambert), 1884, A., 388.

specific gravity of solutions of (Ѕмгтн), 1883, А., 849.

estimation of, in Spiritus ammonia aromuticus (Gravill), 1887, A.,

preparation of cakes of (Hempel), 1888, A., 553.

hydrogen carbonate, tension of dissociation of (Burthelot and Andre), 1887, A., 10.

decomposition of, by water (Ben-THELOT and ANDRE), 1887, A., 11. zinc carbonate, basic (Kassner), 1889,

A., 1049. chloride(Geisenheimer and Leteur). 1890, A., 694.

magnetic rotatory power of (PER-KIN), 1889, T., 712; P., 130.

decrease of the compressibility of solutions of, with increase of temperature (BRAUN), 1887, A., 768.

vapour density of (Pullinger and GARDNER), 1891, P., 2; (NEU-BERG), 1891, A., 1407,

Ammonium chloride, dissociation of (R. and G. F. R. BLOCHMANN), 1891, Λ., 1415.

action of, on silicates, at its dissociation temperature (SCHNEIDER), 1892, A., 772.

action of lead oxide on (ISAMBERT), 1886, A., 770.

action of nitric acid on (MAT-THEWS), 1888, P., 102. decomposition of, by an alloy of zinc and iron (WARREN), 1887, A., 443.

decomposition of, by phosphoric acid (Jurison), 1888, A., 650.

influence of ammonia on the solubility of (Engel), 1892, A., 276. preparation of cakes of (HEMPEL), 1888, A., 553.

lead chlorides (ANDRE), 1883, A., 717. manganese chloride (SAUNDERS), 1892, A., 781.

mercury chloride (white precipitate) (RAMMELSBERG), 1889, A., 347. solubility of, in solution of ammonia

containing ammonium carbonate (Johnson), 1889, A., 755. mercury chlorides (ANDRE), 1891,

A., 986.

osmiochloride (SEUBERT), 1888, A., 921.

zinc chlorides (DIVERS), 1883, A., 272; (Thoms), 1887, A., 551. chromates (JAGER and KRUSS), 1889,

A., 1117. manganese chromate (Hensgen), 1886, A., 426.

dichromate (LUPTON), 1888, P., 82. preparation of (Hoon), 1887, A.,449. action of light on (EDER), 1885, A., 1173.

chromiodate (Berg), 1887, A., 777. fluochromate, effect of heat on (GORE), 1885, A., 1114.

fluoride, purification of (Austen and WILBER), 1884, A., 492.

as a blowpipe reagent (LORD), 1884, A., 927.

compounds of, with fluorides of heavy metals (WAGNER), 1886, A., 670.

manganese fluoride (CHRISTENSEN), 1887, A., 448, 892.

titanium fluorides (Piccini), 1886, A., 670; 1891, A., 271.

fluoroxymolybdates (MAURO), 1889, A., 106; 1891, A., 18.

fluoroxyhypomolybdates (MAURO), 1890, A., 703.

fluoroxyvanadates(Piccini and Giorgis), 1892, A., 785.

Ammonium fluoroxyhypovanadate (Pic-CINI and GIORGIS), 1892, A., 787.

hydrofluoroxyvanadate, octahedral (Piccini and Giorgis), 1889, A., 214.

hydroxide, non-existence of (Tom-MASI), 1884, A., 1247; 1885, A., 484. hypochlorite (Cross and Bevan), 1890, P., 22.

imidosulphonates, anhydrous, and hydrated (MENTE), 1889, A., 211; (DIVERS and HAGA), 1892, T., 946. barium imidosulphonate (DIVERS and

HAGA), 1892, T., 966.

calcium imidosulphonate (DIVERS and HAGA), 1892, T., 968.

sodium imidosulphonate (DIVERS and HAGA), 1892, T., 961.

sodium hydrogen imidosulphonate nitrate (DIVERS and HAGA), 1892, T., 962.

iodate, preparation of (GUYARD), 1884, A., 153.

triiodate (Blomstrand), 1890, A., 107. iodide, preparation of (Guyard), 1884, A., 153.

magnetic rotatory power of (Per-KIN), 1889, T., 718; P., 130.

copper iodides (SAGLIER), 1886, A., 851; 1887, A., 772.

magnesium iodide (Lerch), 1884, A., 263.

iridium compounds (Palmaer), 1889, A., 352; 1891, A., 402, 1165.

molybdate, compounds of tartaric acid with (Gernez), 1888, A., 98.

dimolybdate (Mauro), 1889, A., 107. permolybdate (Phonard), 1891, A., 988.

molyhdoiodate (Blomstrand), 1890, A., 107.

nitrate, magnetic rotatory power of (Perkin), 1889, T., 721, 745. heat decompositions of (DIVERS),

1885, T., 232.

melting point, point of decomposition and purification of (VELEY), 1883, T., 370.

transformation of (Bellati and Romanese), 1888, A., 106.

explosion of (LOBRY DE BRUYN), 1892, A., 683.

anhydrous ammoniacal, action of, on metals (ARTH), 1885, A., 1039. as manure (PAGNOUL), 1891, A.,

1545. nitride (Curtius and Radenhausen), 1891, A., 525; (Curtius), 1892, A., 113.

nitrite, heat decomposition (DIVERS), 1885, T., 232.

Ammonium nitrite, catalytic decomposition of (Loew), 1891, A., 16.

rhodium nitrite (LEIDIÉ), 1890, A., 1382; 1891, A., 809.

magnesium phosphate. See Magnesium ammonium phosphate.

sodium hydrogen phosphate (microcosmic sult), action of, on various oxides (Wallroth), 1883, A., 850. superphosphate, crude, manuring with (WOLLNY), 1884, A., 926.

phosphites (AMAT), 1888, A., 107. barium phosphotungstates (Kehr-

MANN and FREINKEL), 1892, A., 1160.

ruthenium salts. See Ruthenium. selenite as a reagent for alkaloids (FERREIRA DA SILVA), 1891, A., 1562.

selenosamate (Cameron and Mac-ALLAN), 1889, A., 103.

silicofluorides, thermochemistry (Тииснот), 1885, А., 626.

silver salts. See Silver.

sodium salts. See Sodammonium. stannibromide (Leteur), 1892, A., 121. sulphate, formation of, by burning

coal gas (Přiwoznik), 1892, A., 1389.

production of (ANON.), 1884, A., 1442.

magnetic rotatory power of (PER-KIN), 1889, T., 722, 745.

electrolysis of (McLeod), 1886, P.,

decomposition of, by means of sodium sulphate (BLATTNER), 1885, A., 613; 1886, A., 107.

action of nitrous acid on (EMMER-LING), 1886, A., 747.

mineralising influence of (Klobb), 1892, A., 1399.

manurial value of the nitrogen in (KLIEN), 1888, A., 872.

comparative manurial value of sodium nitrate and (MÄRCKER), 1885, A., 1156; 1886, A., 646, 954; 1890, A., 287; (MAGERSTEIN), 1887, A., 77; (BAESSLER), 1889, A., 436; (ROLAND), 1889, A., 1085.

failure of, as a manure (BROWN), 1886, A., 646. See also Agricultural chemistry.

copper iron sulphate (Roy), 1887, P., 53. ferrous sulphate as a reagent for nitric acid (AUSTEN and CHAMBER-LAIN), 1884, A., 493.

hydrogen sulphate, magnetic rotatory power of (Perkin), 1889, T., 721, 745.

Ammonium iron sulphates (LACHAUD) and LEPIERRE), 1892, A., 943.

magnesium sulphate. See Magnesium ammonium sulphate.

nickel sulphate (LEPIERRE and LACHAUD), 1892, A., 1283.

zinc manganese sulphate (Roy), 1887, P., 58.

persulphate (MARSHALL), 1891, T., 777.

pyrosulphate (DIVERS and HAGA), 1892, T., 948.

sulphide precipitate, qualitative analysis of the (MAYER), 1890, A., 84.

hydrosulphide, examination of the vapour of (ISAMBERT), 1883, A., 548, 775.

sulphite (HARTOG), 1887, A., 887; 1889, A., 1106.

sulphite and disulphite, heat of formation of (DE FORGRAND), 1885, A., 471.

potassium sulphite (HARTOG), 1889, A., 1106.

pyrosulphite (Fock and Kluss), 1891, A., 151.

dithionate (KLUSS), 1888, A., 1156. hydrochloride (FOUK and KLUSS), 1892, A., 13.

thiophosphate (Dodge), 1891, A., 1238.

thiosulphate, use of, instead of sulphuretted hydrogen in qualitative analysis (Orlowski), 1884, A., 363.

compounds of, with copper oxide (BRUN), 1892, A., 1157.

cadmium thiosulphates (Fock and Kluss), 1890, A., 1057.

magnesium and potassium thiosulphates (Fock and Kluss), 1890, A., 564.

thiotungstates (Corles), 1886, A., 510. thiovanadate, and pyrohexathiovanadate (Kruss and Ohnmais), 1890, A., 1381.

tungstovanadates (ROTHENBACH), 1891, A., 18.

uranates (Carson and Norton), 1888, A., 918.

vanadate (DITTE), 1886, A., 671; 1887, A., 899.

zine compounds (WRIGHT), 1884, A., 1282; (THOMS), 1890, A., 452.

Diammonium salts. See Hydrazine, salts of.

Ammonium salts, organic, formulæ of (ENGEL), 1884, A., 729.

of fatty acids, magnetic rotatory power of (Perkin), 1891, T., 981; P., 125.

Ammonium albuminate, preparation of (Mutti), 1884, A., 945.

carbamate, electrolysis of (Gendes), 1883, A., 27.

dissociation tension of (ERCKMANN), 1885, A., 859.

limited hydration of (FENTON), 1886, A., 501.

cyanide, synthesis of, by the silent discharge (Figuier), 1886, A., 604.

vapour of (ISAMBERT), 1883, A., 775.

zinc cyanides (VARET), 1888, A., 123. ferricyanide, action of light on (EDER), 1885, A., 1173.

ferrocyanide, preparation of (ETARD and REMONT), 1885, A., 365.

calcium ferrocyanide (SALZER), 1886, A., 860.

manganese ferrocyanide (Blum), 1891, A., 1293.

hydrogen purpurate. See Murexide. thiocyanate, preparation of (Schulze), 1883, A., 1074.

poisonous effects of, on vegetation (M.ircker), 1884, A., 768; (Konig), 1885, A., 76.

nitrification of, by soil (MUNRO), 1886, T., 638.

chromium thiocyanate, derivatives of (Christensen), 1892, A., 798.

Ammonium-bases, from quinoline (Bernthsen), 1885, A., 814. physiological action of (Glause and Luchsinger), 1885, A., 415.

Amœba, digestion in (GREENWOOD), 1886, A., 1053.

Ampelochroic acids, α -, β -, and γ (GAUTIER), 1892, A., 1242, 1243.

Amphibole. See Hornblende.

Amphibolite from Habendorf, in Silesia

(Dathe), 1891, A., 23.

Amphicreatinine (Gautier), 1886, A.,

.634.
Amphiglyoxime, chlor- (llantzech),

1892, A., 693.

Amphinitrile (FRIEDLÄNDER and

MAHLY), 1883, A., 919. Amphiphenacylnitrile (isoindole) (MoH-

LAU), 1885, A., 560. Amphipyrenin (Schwartz), 1888, A.,

984.
Amphodeuteroalbumose (NEUMEISTER),

Amphodeuteroalbumose (NEUMEISTER), 1887, A., 286.

Amphopeptone (Kuhne and Chitten-DEN), 1886, A., 820.

Amygáalin, distribution of, in almonds (Johannsen), 1888, A., 869. action of emulsin on (Tammann),

1889, A., 566.

Amylaceous granules in Gregarinæ (MAUPAS), 1886, A., 383.

Amylaceous matters, estimation of moisture in (Bondonneau), 1884, A., 927.

isoAmylacetanilide (Pictet), 1890, A., 758.

isoAmylacetic acid See Heptoic acid. isoAmylacetoacetamide (PETERS), 1890, A., 1097.

Amylacetylene (heptinene) (Béhal and DESGREZ), 1892, A., 1064.

isoAmylallylamine (LIEBERMANN and PAAL), 1883, A., 909.

Amylallylthiocarbamide and amylallyl-ψ-thiocarbamide (AVENARIUS), 1891, A., 549.

Amylamine (pentylamine) and its derivatives (TAFEL), 1886, A., 940; 1889, A., 976.

amyloxamate (BERG), 1891, A., 169.

carbonyl chloroplatinite hydrochloride (Mylius and Foerster), 1891, A., 1163.

hydrogen diaminechromium thiocyanate (Christensen), 1892, A., 1000.

Amylamine, chlor- and dichlor- (BERG), 1890, A., 952.

e-chlor- (GABRIEL), 1892, A., 717.

isoAmylamines, preparation of (MAL-BOT), 1887, A., 652. tert.-Amylamine (FREUND and LENZE),

1890, A., 1388.

Amylamyleneamine (BERG), 1892, A., 804.

Amylanhydracetonebenzil (JAPP and BURTON), 1887, T., 433; P., 32.

 isoAmylaniline (SPADY), 1886, A., 264;
 (LLOYD), 1887, A., 721; (PICTET), 1890, A., 758; (SENKOWSKI), 1892, Λ., 44.

isoAmylarbutin (Schiff), 1884, A.,

Amylase, presence of, in leaves (Brasse), 1885, A., 182.

Amylbenzene (DAFERT), 1883, A., 659; (SCHRAMM), 1883, A., 977; 1889, A.,

derivatives of (DAFERT), 1883, A., 1093.

(phenylisopentylene) isoAmylbenzene (SCHRAMM), 1883, A., 977; (CLAUS), 1892, A., 985.

dispersive power of (BARBIER and ROUX), 1889, A., 805.

bromination of (Schramm), 1889, A.,

dibromide (Schramm), 1883, 977.

isoAmylbenzene, amido- (LLOYD), 1889, A., 700.

isoAmylbismuthine dibromide (MAR-QUARDT), 1888, A., 1067.

isoAmylbromallylamine (PAAL), 1889, A., 118.

Amylcarbamide (FREUND and LENZE), 1890, A., 1388.

Amylchlorophosphinic acids (Fossek), 1886, A., 529.

tert.-Amyl-compounds, vapour-density of (MENSCHUTKIN and Konowaloff), 1884, A., 1119.

Amyl-derivatives, active (GUYE), 1891, A., 281.

Amylene (pentene, pentylene), molecular . refraction and dispersion of (GLAD-

STONE), 1891, T., 295. action of benzoic peroxide on (Lipp-

MANN), 1885, A., 366. action of bromine on (Kundakoff), 1891, A., 810.

action of chlorine on (KONDAKOFF), 1888, A., 123; (HELL and WIL-DERMANN), 1891, A., 534.

action of phosphorus pentachloride on (Hell and Wildermann), 1891, A., 534.

compounds of, with acids as cases of chemical equilibrium (Konow-ALOFF), 1888, Ā., 1167.

Guthrie's compound of, with nitric peroxide (MILLER), 1887, P., 108.

Amylene, pentamido- (ΝΙΕΤΖΚΙ and ROSEMANN), 1889, A., 769.
γγ-octochlor- (ΖΙΝΟΚΕ and KUSTER), 1890, A., 1256.

halogen derivatives (KONDAKOFF),

1891, A., 809. hydrate. See tert.-Amylic alcohol. oxide (Eltekoff), 1883, A., 566.

hydroxylamine action of (NAGELI), 1884, A., 610. isoAmylene (BRUHL), 1888, A., 377.

condensation of, with phonols (Kornics), 1891, A., 208; (Kornics and CARL), 1892, A., 446.

halogen derivatives, action of potassium cyanide on (HELL and WIL-DERMANN), 1891, A., 161.

a-isoAmylene (isopropylethylene), action of chlorine on (KONDAKOFF), 1889,

A., 113. oxidation of (WAGNER), 1888, A.,

halogen derivatives of (KONDAKOFF),

1891, A., 809. oxide (Eltekoff), 1883, A., 566.

B-isoAmylene (trimethylethylen), action of chlorine on (KONDAKOFF), 1885, A., 736; 1886, A., 136.

β-isoAmylene (trimethylethylene), action of nitric peroxide on (MILLER), 1887, P., 109.

oxidation of (WAGNER), 1888, A., 665.

glycol from methyl/sopropenylcarbinol (KONDAKOFF), 1889, A., 115.

halogen derivatives of (Hell and Wildermann), 1891, A., (KONDAKOFF), 1891, A., 810.

γ-Amylene (as-methylethylethylene) from tert .- amylic iodide (Kondakoff),

1889, A., 1127.
glycol and its anhydride (Freer and Perkin), 1887, T., 836; A., 33; (Lipp), 1890, A., 20. oxidation of (v. Pechmann), 1890,

A., 1222

Amylenenitrolallylamine (WALLACH), 1888, A., 38.

Amylenenitrol-o-amidoquinoline (WAL-LACH and WAHL), 1891, A., 1005.

Amylenenitrolamine (WALLACH and Wahl), 1891, A., 1004.

Amylenenitrolaniline and its derivatives (WALLACH), 1888, A., 38.

Amylenenitrol-o-anisidine (WALLACH), 1888, A., 38.

Amylenenitroldiethylamine (WAL-IACH), 1888, A., 38.

Amylenenitrol-α-naphthylamine (WAL-LACH and WAHL), 1891, A., 1005.

Amylenenitrolpiperidide (WALLACH), 1889, A., 234.

Amylenenitrol-oand -p-toluidines (WALLACH), 1888. A., 38.

Amylenetricarboxylic acid and its ethylic salt (HJELT), 1883, A., 656.

Amylenic nitrosate (WALLACH), 1888, A., 38; 1889, A., 233.

decomposition of, with sodium ethoxide (WALLACH and ENGELS), 1891, A., 1005.

derivatives of (WALLACH), 1889, A., 233; (WALLACH and WAHL), 1891, A., 1004.

γ-Amylenic dibromide (LIPP), 1890, A.,

Amylethylene. See Heptylene.

Amyleugenol, dispersion and molecular refractive energy of (Costa), 1890, A., 1202.

Amylformimide hydrochloride (PIN-NER), 1883, A., 1089.

isoAmylguanamine, formation of (BAM-BERGER and DIECKMANN), 1892, A.,

Amylheptylacetic acid. See Tetradecoic acid.

Amylhexylquinoline (Doebner and v. MILLER), 1884, A., 1376.

Amylhexylquinoline, amido- and nitr-(v. Miller), 1891, A., 1104.

Amylhydranthrone (HALIGARTEN), 1888, A., 1202.

n-Amylic alcohol from the fermentation of glycerol (Moria), 1888, A., 125.

formation of, in alcoholic fermentation

(LE BEL), 1883, A., 908. formation of, from starch by a bacterium (Perdrix), 1892, A., 90.

action of bromine on (ETARD), 1892, A., 809.

organic bases in commercial (HAITIN-

GER), 1883, A., 127.

in brandy from different parts of the German Empire (SELL), 1890, A., 1388.

isoAmylic alcohol, vapour pressure of (RICHARDSON), 1886, T., 764, 771, 773; (SCHMIDT), 1892, A., 897.

action of iodine on (Traube and Neuberg), 1891, A., 656.

Amylic alcohol (tertiary butylearbinol) (FREUND and LENZE), 1890, A., 1388; 1891, A., 1172*.*

Amylic alcohol (trimethylethylic alcohol) (Tissier), 1891, A., 998.

sec.-Amylic alcohol (methylpropylcarbinot) (Markownikoff), 1884, A., 1280; (Markhall and Per-kin), 1891, T., 874. trichlor-, and its derivatives (v.

Garzarolli-Thurnlackh), 1884, A., 1118.

tert .- Amylic alcohol (amylenic hydrate; dimethylrthylcarbinol), decomposition of, by heat (WOLKOFF and BUGAIEFF), 1886, A., 137.

n-Amylic salts of normal fatty acids, boiling-points and specific volumes of (Garrenmeister), 1886, A., 966.

amyloxydichloracetate (Anschutz and SCHONFELD), 1886, A., 786. bromide, dissociation of, under low

pressures (Lemoine), 1891, A., 970. chloracetate (Hugouneng), 1886, A., 784.

trichloracetate (CLERMONT), 1883, A., 729.

perchloroschacate, perchlor- (GEH-RING), 1887, A., 801.

chlorothiocarbonate (Schöne), 1886, A., 337.

formate, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

glycol (Combes), 1888, A., 666. iodide, purification of (Malbot), 1890, A., 116.

nitrite, preparation of (WILLIAMS and Sмітіі), 1886, A., 327.

n-Amylic nitrite, physiological action of (Brunton and Bokenham), 1889, A., 433.

nitrites, the metameric (Dunst in and Williams), 1889, A., 365.

phenylamidoacetate (Kossel), 1892, Λ., 468.

sulphide, action of chlorine on (Spring and Lecrenier), 1888, A., 665.

disulphide (Spring and Legros), 1883, A., 48.

oxysulphide, action of chlorine on (Spring and Winssinger), 1884, A., 1127.

thicallophanate and dithicphenylallophanate (Schonn), 1886, A.,

thiocarbamate and thiocarbanilate (Schone), 1885, A., 512; 1886, A.,

a-truxillate (Liebermann), 1889, A., 1194.

vanadate and pyrovanadate (HALL), 1887, T., 753.

isoAmylic acetate, reaction of, with mothylic and ethylic alcohols (Purdie and Marshall), 1888, Ť., 394.

chloroxalate (Anschutz), 1890, A.,

cyanide, action of sodium on (Tro-GER), 1888, A., 801.

formanilide (BARBIER and VIGNON), 1888, A., 689; (Pictet), 1890, A.,

iodide, action of, on trimethylamine (H. and A. Malbot), 1892, A., 805.

oxide, molecular refraction and dispersion of (GLADSTONE), 1891, T.,

phenyloxamate (Anschutz), 1890, A.,

phosphite (JAEHNE), 1890, A., 859. tert.-Amylic acetate, decomposition of,

by heat (Menschutkin), 1883, Ă., 178, 309.

decomposition of liquid (Konowal-OFF), 1888, A., 340.

dissociation of, in presence of rough substances (MEYER and POND), 1885, A., 1033.

action of acids on (Konowaloff), 1888, A., 1053.

chloride, dissociation of, in presence of rough substances (MEYER and POND), 1885, A., 1033.

nitrite (ΒεκτοΝΙ), 1887, Δ., 458. 3'-Amylindole (TRENKLER), 1889, A., 260.

Amylinene. See Pentinene.

Amylmalonic acid (pentylmalonic acid)

(Hell and Schule), 1885, A., 757. isoAmylmalonic acid (PAAL and HOFF-M (NN), 1890, A., 1100.

Amylnaphthalene (PATERNO), 1883, A., 212.

β-isoAmylnaphthalene (Roux), 1888, A., 1305; (Oddo and Barabini), 1891, A., 730.

preparation of (Roux), 1884, A., 1357. Amyl-a- and \$-naphthols, dispersion and molecular refraction of (Costa), 1890, A., 1201.

Amyl- ψ -nitrole (Scholl), 1888, A., 443. Amylodextrin (BRUKNER), 1884, A., 576.

constitution, molecular weight, properties, and reactions of (Brown and Morris), 1889, T., 449; P., 95, 96.

Amylohydrolyst (Aumstrong), 1890, T., 531.

Amyloid, action of pepsin on (Kos-TIURIN), 1887, A., 506.

vegetable (Winterstein), 1892, A., 803.

isoAmylphenol (LIEBMANN), 1883, A., 59.

Amylphenylic ethylic ether (Lieb-MANN), 1883, A., 59.

isoAmylphosphinic acid (Fossek),1886, A., 529.

isoAmylphthalamic acid and its imide (NEUMANN), 1890, A., 890.

isoAmylpropargylamine (PAAL and

HERMANN), 1890, A., 230.

Amylsulphonic acid. See l'entanesulphonic acid.

Amylthymol, dispersion and molecular refraction of (Costa), 1890, Λ ., 1201,

isoAmylthymol (Koenigs and Carl), 1892, A., 446.

Amyltoluenes (Essnen and Gossin), 1885, A., 517.

Amyrilenes, α- and β- (Vesterberg), 1887, Α., 734; 1892, Α., 288.

Amyrins, a- and B- (VESTERBERG), 1887,

A., 733; 1891, A., 165. etates and benzoates (Vesteracetates and BERG), 1891, A., 166.

hydrocarbons from, and oxidation products of (VESTERBERG), 1892, A., 288.

brom-, and their acetates (VESTER-BERG), 1891, A., 166.

Amyrone and Amyroneoxime, α - and β -(Vesterberg), 1892, A., 290. Anacardic acid (RUHEMANN and SKIN-

NER), 1887, T., 663; P., 102.

Anæmia, pernicious (HUNTER), 1888, A., 1324; 1890, A., 1017; (MOTT and VASEY), 1890, A., 400; (MOTT), 1890, A., 1177.

tropical (GLOGNER), 1892, A., 363.

Anagyric acid (REALE), 1888, A., 188. Anagyrine and its derivatives (REALE), 1888, A., 188; (Hardy and Gallois), 1888, A., 1317.

Anagyris fætida, constituents (Reale), 1888, A., 188.

Analcite (analcime, picranalcime) (BAM-BERGER), 1883, A., 438; (Cross and HILLEBRAND), 1883, A., 957; (PEN-FIELD), 1886, A., 318.

artificial (DE SCHULTEN), 1883, A.,

as rock-forming material (LINDGREN), 1892, A., 1413.

from Colorado (Cross and HILLE-BRAND), 1883, A., 165.

Analgen (Vis), 1892, A., 1104.

Analysis, combination of wet and dry methods in (ADENEY and SHEGOG), 1892, A., 100. s. See Gas analysis.

gravimetric, simple and rapid method of (Bailey and Cain), 1892, A., 524.

microchemical, of minerals, reactions for (Behrens), 1886, A., 917; 1891, A., 766.

microscopic (v. Haushofer), 1885, A., 689; 1887, A., 300.

milk. See Agricultural Chemistry. organic (Jannasch and Meyer), 1886, A., 649; (BERTHELOT), 1892, A., 753.

modifications in the methods of (Dudley), 1889, A., 190.

wet methods of (Messinger), 1889. A., 80.

organic, elementary (BLAU), 1889, A., 1248.

an electro-thermal (OSER), 1891, A., 621.

calorimetric bomb as a combustion furnace for (EILOART), 1889, A., 301.

drying apparatus for (SAUER), 1892, A., 657.

potash apparatus for (Delisle), 1891, A., 621.

testing of the reagents employed in (Nencki), 1889, A., 1085.

polaristrobometric (LANDOLT), 1888, A., 386.

qualitative, dry reactions in (TATE), 1891, A., 959. Eyster's method for (WARDER),

1886, A., 100,

Analysis, quantitative, apparatus for (MICHAEL), 1884, A., 658; (WOLLNY), 1885, A., 591, 835; (Neumann), 1888, A., 1332.

by electrolysis (Classen), 1885, A., 190; 1888, A., 528; (CLASSEN and SCHELLE), 1889, A., 76.

by measurement of electrical conductivity (Reichert), 1889, A., 545.

by new methods (Baumann), 1892, A., 103, 538.

volumetric (REICHARDT), 1884, A., 213.

apparatus for (Hölbling), 1889, A., 1086.

the true, or Mohr's litre for (FRE-SENIUS), 1891, A., 1548.

Anatase (Kunz), 1892, A., 1055.

from Burke Co., N. Carolina (HIDDEN), 1883, A., 435.

"Ancella-Schicht" (GRIGORIEFF), 1883, A., 529.

Andalusite from Marabastad, Transvaal (Götz), 1887, A., 562.

Anderbergite (NORDENSKIOLD), 1889, A., 220; (BLOMSTRAND), 1889, A., 221. "Anderson's reaction" for pyridine bases (Oechsner de Coninck), 1884, A., 612.

Andesine (DES CLOIZEAUX), 1886, A., 776.

from Ardèche, analysis of (DAMOUR), 1886, A., 211.

from Bodenmais (Schuster and v. FOULLON), 1890, A., 344.

from Orijárvi, in Finland (GYLLING), 1884, A., 970.

from Sutherlandshire (Teall), 1887, A., 1022. from Trifail in Styria (MALY), 1885,

A., 735.

Andesites, South and Central American (Gumbel), 1883, A., 448.

Cheviot (Teall), 1884, A., 413.
"Andresen's acid" (Armstrong and Wynne), 1891, P., 27.

Andromeda japonica, poisonous constituent of (EIJKMAN), 1883, A., 215,

Andromedotoxin (EIJKMAN), 1883, A. 349; (DE ZAAIJER), 1887, A., 497; 1889, A., 278.

in the Ericaceæ (Plugge), 1889, A., 644.

Andropogon Schænunthus, (SEMMLER), 1890, A., 951.

Anemone-camphors (BECKURTS), 1886, A., 365.

Anemonic acid (BECKURTS), 1886, A., 366; 1892, A., 1241.

isoAnemonic acid (Beckurts), 1892, A., 1241.

Anemonin (Brekurts), 1886, A., 366; 1892, A., 1241; (Harmot), 1887, A., 843.

isoAnemonia (Beckurts), 1892, A., 1241.

Anemoninic acid (Beckurts), 1892, A., 1241.

Anethoil, action of light on (DE VARDA), 1891, A., 1347.

action of nitrous acid on (TÖNNIES), 1888, A., 264.

Anethoilhydroquinine (HESSE), 1888, A., 69.

Angelic acid (SCHMIDT), 1886, A., 867. constitution of (Puckeur), 1889, A., 587; (Kondakoff), 1892, A., 1304. action of bromine on (Fittig), 1891, A., 39.

action of hypochlorous acid on (Mell-Koff), 1888, A., 1177.

oxidation of (BELLSTEIN and WIE-GAND), 1885, A., 42; (KONDAKOFF), 1889, A., 374.

derivatives of (Melikoff and Petnenko-Kritschenko), 1890, A., 862.

dibromide (Puckert), 1889, A., 587. Angelicalactones, α- and β- (Wolff), 1885, A., 1123.

Angelica root, essence of (NAUDIN), 1883, A., 809.

Anglesite by Senarmont's process (Boun-GEOIS), 1888, A., 116.

from Felső-Vissó (Franzenau), 1885, A., 733.

Angostura bark, alkaloids of (Körner and Böhringer), 1884, A., 341. constituents of (Beckurts and Neuring), 1892, A., 642.

Angosturin (Beckurts and Nehring), 1892, A., 644.

Anhydride formation in acids of the succinic series (Auwers and Meyer), 1890, A., 479; (Bischoff), 1890, A., 741.

of mono- and di-basic acids (Anschutz), 1885, A., 243.

of higher fatty acids (Lewkowitschi), 1890, P., 72, 91.

Anhydrides, mixed (AUTENRIETH), 1888, A., 250.

of dibasic acids. See Acids, dibasic. organic, preparation of (ANON.), 1885, A., 943.

Anhydrite, occurrence, association, and probable mode of formation of (DIEULAFAIT), 1884, A., 25.

artificial formation of (GURGEU), 1883, A., 1062. Anhydrite, relative rates of solution of gypsum and (McCALEB), 1889, A., 466.

from North America (König), 1890, A., 218.

See also Calcium sulphate.

Anhydroacetonebenzil (JAPP and Burron), 1887, T., 420; P., 30.

Anhydroacetonephenanthraquinone (Waisworth), 1891, T., 105.

Anhydroacetophenonebenzil. See αβ-Dibenzoylstyrene.

Anhydroacetyl -. See Ethenyl -.

Anhydroaconitine, formation and properties of (Dunstan and Ince), 1891, T., 283.

gold chloride (Dunstan and Ince), 1891, T., 285.

Anhydroaldol-2-rosaniline hydrochloride (v. Miller and Plociii), 1891, A., 1071.

Anhydro-o-amidophenol ethylic acetoacetate. See Ethylic propenyl-oamidophenol-ω-carboxylate.

Anhydro-o-amidophenylic carbonate (Bender), 1887, A., 38, 245.

Anhydroamidotolyloxamic acid, derivatives of (HINSBERG), 1883, A., 1129.

"Anhydroanisylphenylthiouramidox-

ime" (HOCHHEIM), 1890, A., 1265. Anhydro-bases (MELDOLA and STREAT-FEILD), 1887, T., 691.

preparation of from amidomercaptans of the fatty series (GABRIEL and HEYMANN), 1890, A., 524.

Anhydrobenzenesulphone-o-amidobenzamide (FRANKE), 1892, A., 334.

Anhydrobenzoyl. See Benzenyl. Anhydroberberilamide (Perkin), 1890, T., 1046.

Anhydroberberilanilide (PERKIN), 1890, T., 1047.

Anhydroberberilic acid, constitution and synthesis of (Perkin), 1890, T., 994, 1037, 1061.

salts of (Perkin), 1890, T., 1061.

Anhydroberberilic chloride (Perkin), 1890, T., 1042.

Anhydrocamphoronic acid (KACHLER and SPITZER), 1885, A., 807.

Anhydrocinnamaldehydeanisidine (v. MILLER and PLÖCHI), 1892, A., 1195. Anhydro-compounds (BÖTTCHER), 1883, A., 800; (NIEMENTOWSKI), 1886, A., 544; 1887, A., 937.

Anhydrodiacetylacetamidil. See 4-Acetylamido-2:6-dimethyl-m-diazino. Anhydrodiacetylethenylamidine (Pin-NER), 1884, A., 723; 1889, A., 1004. Anhydrodiazohemipinic acid (GRÜNE), 1887, A., 49. Anhydrodipyrogallopropionic acid and its derivatives (Bortlager), 1884, A., 319

Anhydroecgonine (EINHORN), 1887, A., 741; 1889, A., 169; (LIEBERMANN and GLESEL), 1889, A., 168.

constitution of (MERLING), 1892, A.,

conversion of, into pyridine (Ein-HORN), 1889, A., 909.

derivatives of (EINHORN), 1887, A., 741.

dibromide, derivatives of (EICHEN-GRUN and EINHORN), 1891, A., 65, 66.

hydrochloride, specific rotatory power of (EINHURN), 1889, A., 1018. action of hydrogen bromide on (EICHENGRUN and EINHURN), 1891, A., 94.

Anhydroformaldehyde compounds (Wellington and Tollens), 1886, A., 330.

Anhydroformaldehydeaniline (Tol-LENS), 1884, A., 988; (v. MILLER and PLOCHL), 1892, A., 1190.

"Anhydroformyl-o-amido-p-toluylamide" (NIEMENTOWSKI), 1889, A., 1065.

Anhydrogeraniol (SEMMLER), 1891, A., 655.

Anhydrogluco-o-diamidobenzene (GRIESS and HARROW), 1887, A., 930. Anhydrogluco-m-p-diamidotoluene

(Fischer), 1889, A., 484.

Anhydroglycolylphenylamidoacetic

acid (ABENIUS), 1890, A., 245. Anhydroglycolyl-o-tolylamidoacetic acid (ABENIUS), 1888, A., 825.

Anhydrolupinine (BAUMERT), 1883, A., 100.

Anhydro-m-nitrocinnamaldehydanisidine (v. Miller and Plochl), 1892, A., 1195.

Anhydronitrosulphaminebenzoic acid, potassium salt of (Noyes), 1886, A., 804.

Anhydrophenylhydrazine-o-carboxylphenylglyoxylic acid (HENRIQUES), 1888, A., 842.

Anhydrophenyltaurine (LEYMANN), 1885, A., 786.

a-Anhydrophospholuteotungstic acid (Kehrmann), 1887, A., 777.

Anhydrosalicylic glucoside, synthesis of (MICHAEL), 1883, A., 76.

 a-Anhydrosulphaminephthalic acid and its derivatives (STOKES), 1885,
 A., 539; (MOULTON), 1891,
 A., 1063.
 potassium salt of (REMSEN and Comstock), 1884,
 A., 320. Anhydrotaurine (JAMES), 1886, T., 490. Anhydrotimboin (PFAFF), 1891, A., 939. Anhydrotricarballylic acid (EMERY), 1891, A., 680; (AUWERS, KOBNER and V. MEYENBURG), 1892, A., 41.

Anhydrotriethylsulphamic acid (BEIL-STEIN and WIEGAND), 1883, A., 971. Anhydrovaleraldehydaniline (v. MIL-

LER and PLOCHL), 1892, A., 1193.

Anil-. See Phonylimido-.

Anilic acid, decomposition products of (Hantzsch), 1892, A., 834.

substituted, crystalline forms of the sodium salts of (Pope), 1892, T., 381; P., 106.

brom-. See Bromanilic acid. chlor-. See Chloranilic acid. nitr-. See Nitranilic acid.

sulph.. See Aniline-p-sulphonic acid. Anilic acids (Salzmann), 1887, A., 926.

formation of, from anhydrides of dibasic acids (Anschurz), 1888, A., 277

constitution of (Nef), 1889, A., 197. of dibasic acids, action of phosphorus pentachloride on (Anschutz), 1888, A., 591.

Anilides, formation of (TOBIAS), 1883, A., 325; (KELBE), 1883, A., 915; (MICHAEL).1886, A., 697; (MICHAEL and PALMER), 1886, A., 698.

preparation and properties of (Pictur), 1890, A., 758.

decomposition of, at a high temperature (Bischoff), 1888, A., 726. action of dilute nitric acid on (Nor-

TON and Allen), 1885, A., 1213.
physiological action of (Gibbs and Resource, 1891, A., 1282.

Anilides, acid, colour reactions of (TAFEL), 1892, A., 709.

Anilides, isoanilides and their analogues (Comstock and Wheeler), 1892, A., 705.

Anilidoacetanilide, action of carbonyl chloride on (Bischoff and Nast-vogel), 1890, A., 1164.

Anilidoacetanilidoacetic acid (phenylglycinphenylamidonectic acid) (REDUF-FAT), 1887, A., 1108; (BISCHOFF), 1888, A., 726; (ADENIUS), 1888, A., 854.

Anilidoacetic acid (phenylglycocinc) (GABRIEL and BORGMANN), 1883, A., 1121.

preparation of (HAUSDORFER), 1889, A., 1013.

derivatives of (Rebuffat), 1887, A., 1108; (Bischoff and Hausdonfer), 1892, A., 1833. Anilidoacetic acid (phenylglycocine), indole from (MAUTHNER and SUIDA), 1889, A., 1068.

synthesis of indigo with (LEDERER), 1891, A., 75, 311, 928; (HEU-MANN), 1891, A., 75, 206, 311, 456; (BIEDERMANN and LEPETIT), 1891, A., 206.

o-nitr- (Plochl), 1886, A., 351. m-nitr- (Plochl and Loe), 1885, A., 899.

sulph-(Zehenter), 1885, A., 1235. sulpho-derivatives of (Plochl and Lok), 1885, A., 899.

Anilidoaceto-p-toluidide (BISCHOFF and HAUSDORFER), 1890, A., 1285.

8-Anilido-acids, condensation products from (Reissert and Tiemann), 1886, A., 551; (Reissert), 1888, A., 276, 694.

Anilidoacridine (Hessand Berntusen), 1885, A., 800.

Anilidoacridines (Besthorn and Curt-MAN), 1891, A., 1232.

Anilidoacridylbenzoic acid (Besthorn and Curtman), 1891, A., 1234.

β-Anilidoacrylic acid (REISSERT), 1888, A., 276.

Anilidoaniline-3-sulphonic acids, 4- and 6- (FISCHER), 1892, A., 332.

Anilidobenzanilide, 3:4-nitr- (Grou-MANN), 1891, A., 305.

5:2-nitr- (GROHMANN), 1892, A., 326. Anilidobenzeneazobenzenepolysulphonic acids, preparation of (ANON.), 1884, A., 237.

Anilidobenzene-m-disulphonic acid (diphenylaminedisulphonic acid) (Fischer, 1892, A., 333.

Anilidobenzenesulphonic acids, m-nitroo- and p- (FISCHER), 1892, A., 332.

m-Anilidobenzoic acid, and some of its salts (CLAUS and NICOLAYSEN), 1886, A., 68.

o-Anilidobenzoic acid, m-nitro-(SCHOPFF), 1891, A., 304.

p-Anilidobenzoic acids, m-amido- and m-nitro- (Schopff), 1890, A., 374.

Anilidobenzonitriles, m-nitro- o- and p- (Schofff), 1891, A., 305.

Anilidobenzophenones, m-nitro- o- and p- (Schoff), 1892, A., 336.

Anilidobenzylthiocarbamide, cyan-(FREUND and IMMERWAHR), 1890, A., 1408.

Anilidobenzoylnaphthaquinones, o- and p- (Kegel), 1888, A., 1308.

Anilidobromopisnic acid (TUST), 1892, A., 1209.

a-Anilidobutyric acid (NASTVOGEL), 1890, A., 1159, 1160.

Anilidoisobutyric acid, nitr- (EDE-LEANU), 1888, T., 560.

a-Anilidosobutyric acid, and its amide and nitrile (Tiem ann), 1883, A., 199. Anilidosobutyric acids (Bischoff and

MINIZ), 1892, A., 1338.

Anilidocarbamidophenol (KALCKHOFF), 1883, A., 1110.

Anilidocinnoline (Busch and Klett), 1892, A., 1494.

β-Anilidocrotonicacid, α-bromo-(KNORR and ANTRICK), 1885, A., 273.

Anilidocumylacetic acid (isopropylphenylunilidoacetic acid) (FILETI and AMORETTI), 1891, A., 1060.

Anilido-p-diketchexene, pentachlor-(ZINCKE and FUCHS), 1892, A., 448.

Anilidodimethylpyrroline (KNORR), 1889, A., 386.

Anilidediphenamic acid (GRAEBE and AUBIN), 1889, A., 145.

Anilidodiphenylacetic acid (KLINGER and STANDKE), 1889, A., 885.

Anilidodiphenylpyrrolone (KLINGE-MANN), 1892, A., 1002.

Anilidoethoxytoluquinoneanilide and its derivatives (ZINCKE), 1883, A., 1118.

Anilidoethyldiphthalamic acid (GAB-RIEL), 1889, A., 1167.

Anilidoethylenephenylamidoacetic acid (BISCHOFF and NASTVOGEL), 1890, A., 1160.

Anilidoethylideneanilide (BERLINER-BLAU and POLIKIER), 1887, A., 813.

Anilidoethylphthalamic acid and \$\mathcal{G}\$-anilidoethylphthalimide (Gabriel), 1889, A., 1166.

Anilidoethylpiperonylcarboxylic anhydride (Perkin), 1890, T., 1036.

Anilidoformyleamphor (CLAISEN), 1891, A., 575.

Anilidofumarimide (Losemen and Kusserow), 1888, A., 1281.

8-Anilidoglutaranil (Anscriutz), 1891, A., 741.

Anilidoglutaric acid, condensation products of (Reisserr), 1891, A., 567.

Anilido-p-hydroxybenzoic acid, m-nitr-(SCHOPFF), 1890, A., 375.

Anilidohydroxychlorethoxyquinone (Kehrmann), 1891, A., 904.

1-Anilido-8-hydroxyquinoline, 2:4-dichloro- (ZINCKE), 1891, A., 1250. Anilidohydroxyquinone and anilido-

Anilidohydroxyquinone and anilidohydroxyquinoneanilide (ZINCKE), 1885, A., 787.

Anilidoisethionic acid and its salts (Andreasch), 1883, A., 665.

1-Anilidoketodihydroquinoline, trichloro- (ZINCKE), 1891, A., 1251.

4-Anilido-2: 6-lutidine (CONRAD and Erstein), 1887, A., 501.

Anilidomaleic acid, anil and monanilide of (MICHAEL and PALMER), 1888, A., 461.

Anilidomethylacridine (Besthorn and CURTMAN), 1891, A., 1233.

6-Anilido-5-methyl-2: 4-diethyl-m-diazine (v. MEYER), 1889, A., 685.

Anilidomethylmaleic acid phenylimide (Wislicenus and Spino), 1890, A.,

2'-Anilido-4'-methylquinoline (phenyllepidinamine) (KNORR), 1887, A., 159.

4'-Anilido-2'-methylquinoline (phenylamidoquinaldine) (CONRAD and LIMрасн), 1887, А., 680.

a-Anilidomethylsuccinic acid (a-anilidopyrotartaric acid), its derivatives and condensation-product (SCHIL-LER-WECHSLER), 1885, A., 900.

B-Anilidomethylsuccinic acid (REIS-SERT), 1888, A., 694.

preparation of (ANSCHUTZ), 1890, A., 774.

pyridine- and pyrroline-derivatives from (REISSERT), 1890, A., 642.

Anilidomyristic acid (Hell and Twen-DOMEDOFF), 1889, A., 957.

Anilidonaphthalene, chloro*tri*nitr-(CLEVE), 1890, A., 626.

Anilidonaphthaquinone, dichlor- (Hellstrom), 1889, А., 149.

o-nitr- (Leicesten), 1890, A., 1446. Anilidonaphthaquinoneanilide (Brom-ME), 1888, A., 491.

dibrom- (FISCHER and HEPP), 1888, A., 473.

88-chlor- (ZINCKE), 1888, A., 711. nitr- (ZINCKE and KEGEL), 1889, A.,

Anilidonaphthaquinonedianil (Fischer and HEPP), 1891, A., 1045.

α-Anilido-α-naphthatolazine (ΕΙCKER), 1891, A., 471.

B-Anilidonaphthoic acid and its anilide (Schopff), 1892, A., 1476.

2'-Anilido-8- naphthol (CLAUSIUS), 1890, A., 629.

Anilidonaphthylcarbamide (Bamber-GER and Schieffelin), 1889, A., 892. Anilidoisonaphthylrosinduline (FISCH-

ER and HEPP), 1891, A., 1044. 3-Anilido-α- and β-naphthylthiobiazolones (FREUND), 1892, A., 508.

3-Anilido - α - naphthyldithiobiazolone (FREUND), 1892, A., 508.

Anilidodinitrobenzyl methyl ketone

(JACKSON and MOORE), 1890, A., 737.

Anilido-opianic and anilidonitropianic acids (Liebermann), 1887, A., 46.

a-Anilidopalmitic acid (HELL and IORDANOFF), 1891, A., 821.

Anilidoperezone (MYLIUS), 1885, A., 778.

Anilidophenol (LIMPRICHT and V. RECH-ENBERG), 1890, A., 158.

Anilidophenolsulphonic acid (LIM-PRICHT and V. RECHENBERG), 1890, A., 159.

Anilidophenylacetic acid and its amide and nitrile (TIEMANN and PIEST), 1883, A., 198.

Anilidophenylacridine (Besthorn and CURTMAN), 1891, A., 1233.

B-Anilidophenylacrylanilide (KNORR), 1888, A., 1112,

Anilidophenylamidophenylinduline (FISCHER and HEPP), 1892, A., 342.

Anilidophenylbromomethylmethylanilidopyrazolone (Reissert), 1890, A., 643.

a-Anilidophenylcrotonic acid and its amide (Peine), 1884, A., 1345.

α-Anilidophenylcrotononitrile (PFINE), 1884, A., 1345; (v. MILLER and PLOCHL), 1892, A., 1194.

1-Anilido-5-phenyl-3-diphenylpyrrolidone (JAPP and KLINGEMANN), 1890, T., 683.

α-Anilido-α-phenylpropionamide a-anilido-a-phenylpropionitrile (JACOBY), 1886, A., 800.

Anilidophthalaminic acid 1887, A., 669.

Anilidopipitzahoic acid. See Anilidoperezone.

a-Anilidopropionamide (TIEMANN and STEPHAN), 1883, A., 199; (STEPHAN), 1887, A., 143.

a-Anilidopropionic acid and its derivatives (TIEMANN and STEPHAN), 1883. A., 199; (ERLENMEYER and LIPP), 1883, A., 992; (STEPHAN), 1887, A., 143; (NASTVOGE 1889, A., 1012; 1890, A., 1159. 143; (NASTVOGEL),

nitroso- (Reissert), 1892, A., 1456. See also Phenyl-a-alanine.

β-Anilidopropionic acid (phenyl-β-alaninc) (Bischoff and MINTZ), 1892, A., 1342.

o-nitro-, and its derivatives (Ein-HORN), 1884, A., 304.

p-nitro-, and its derivatives (BASLER), 1884, A., 1172.

a-Anilidopropionitrile (TIEMANN and STEPHAN), 1883, A., 199; (ERLEN-MEYER and LIPP), 1883, A., 992; (Stephan), 1887, A., 142. tribromo- (STEPHAN), 1887, A., 143.

Anilidopropionylanilidopropionic acid (Nastvogel), 1890, A., 1160.

Anilidopropylearbamide (GOLDENRING), 1890, A., 977.

β-Anilidopropylphthalimide (Golden-RING), 1890, A., 976.

γ-Anilidopropylphthalimide (Seitz), 1891, A., 1473.

Anilidopyrotartaric acid. See Anilidomethylsuccinic acid.

Anilidoquinolinequinoneanilide (HEBE-BRAND), 1889, A., 62. chlor- (ZINCKE), 1891, A., 1251.

Anilidoquinonedianil (FISCHER and HEPP), 1890, A., 912.

a-Anilidostearic acid (HELL and SA-DOMSKY), 1891, A., 1336.

Anilidosuccinic acid. See Phenylaspartic acid.

Anilido-m-sulphobenzoic acids, o- and p- (FISCHER), 1892, A., 333.

Anilidotetraphenylpyrroline (KLINGE-MANN), 1892, A., 995.

Anilidothiazole (HANTZSCH and TRAU-MANN), 1888, A., 573; (TRAUMANN), 1889, A., 415.

Anilidotoluene. See Phenyltolylamine. Anilidotoluquinone, nitr- (Leicesten), 1890, A., 1446.

Anilidotoluquinoneanil (FISCHER and HEPP), 1890, A., 912.

Anilido-m-tolylacetic acid (Borne-MANN), 1884, A., 1162.

Anilido-m-tolylacetonitrile, and its amide (Bornemann), 1884, A., 1162.
Anilidotolylamine, diamido-, and di-

nitr- (EENST), 1891, A., 300. o-Anilidotolylearbamide (LEUCKART), 1890, A., 760.

Anilidotricarballylic acid (EMERY), 1891, A., 680.

4'-Anilido-1:3:2'-trimethylquinoline (Conrad and Limpach), 1888, A., 503.

a-Anilidoisovaleramide (v. MILLER and PLÖCHL), 1892, A., 1192.

Anilidovaleric acid and other constituents of lupin shoots (SCHULZE and BARBIERI), 1883, A., 1122.

Aniline (phenylamine: amidobenzene) from phenol (MERZ and MÜLLER), 1887, A., 243.

refractive power of, at different temperatures (Perkin), 1892, T., 301.

dispersive power of (BARBIER and ROUX), 1889, A., 805.

heat of formation of (PETIT), 1888, A., 773.

vapour-pressures of (RAMSAY and Young), 1885, T., 647, 655.

Aniline (phenylamine: amidobenzene), action of the induction spark on (Destreem), 1884, A., 1243.

(Destrem), 1884, A., 1243. as an absorbent of cyanogen in gas analysis (Loeb), 1888, T., 812; P.,

action of acetone on (ENGLER and RIEHM), 1885, A., 1246; 1886, A., 235; (BEYER), 1886, A., 145. action of the alkyl derivatives of the

action of the alkyl derivatives of the halogen-substituted fatty acids on (BISCHOFF), 1883, A., 919.

action of, on arsenic chloride and bromide (Ansonutz and Weyer), 1891, A., 901.

action of benzaldehyde and sulphuric acid on a mixture of nitrobenzene and (MAZZARA), 1884, A., 442.

action of dibromo-a-naphthol on (Meldola), 1884, T., 156.

action of isobutyric acid on (BARD-WELL), 1886, A., 52.

action of carbonic anhydride on (DITTE), 1888, A., 49.
action of 8-chlorethylenesulphonic

action of β-chlorethylenesulphonic chloride on (LEYMANN), 1885, A., 786.

nction of, on epichlorhydrin (FAUCONNIER), 1888, A., 1280.

action of ethylic malonylchloride on (RÜGHRIMER). 1884, A., 729.

action of formaldehyde on (PRATESI), 1885, A., 782.

condensation of, with furfuraldehyde (DE CHALMOT), 1892, A., 1452.

action of m-nitrodiazobenzene chloride on (MELDOLA), 1884, T., 112.

action of nascent nitrous acid on (Deninger), 1890, A., 38.

action of phosphorus trichloride on (JACKSON and MENKE), 1885, A., 254.

action of phosphorus pentasulphide on (KNOP), 1888, A., 265.

action of pieric chloride on (Turpin), 1891, T., 715.

action of, on pyrotartaric acid (Bör-TINGER), 1884, A., 1006.

action of sulphur chloride on (EDEL-RANU), 1891, A., 1202.

action of trimethylenic chlorobromide on (Pinkus), 1892, A., 1491.

chlorination and bromination of, in presence of an excess of a mineral acid (HAFNER), 1890, A., 37.

methylation and ethylation of (REIN-HARDT and STAEDEL), 1883, A., 578.

nitration of (NÜLTING and COLLIN), 1884, A., 1012.

Aniline (ph nylamine amidobensene), sulphonation of, with potassium hydrogen sulphate (Bischoff, Sir-Necki and Brodsky), 1890, A., 1149.

last runnings obtained in the purification of (Hell and Rockenbach), 1889, A., 600.

compound of, with copper haloid salts (SAGLIER), 1888, A., 941.

compound of, with silicon fluoride (JACKSON and COMEY), 1887, A., 248.

compound of, with zinc chloride (LACHOWICZ and BANDROWSKI), 1888, A., 1281.

compounds of, with mercuric chloride (ANDRÉ), 1891, A., 1030.

compounds of, with metallic sulphites (Deniges), 1891, A., 1030.

conversion of, into benzenesulphonic acid (Landsbeerg), 1890, A., 1137. convorsion of, into diphenyl (Gat-TERMANN, HAUSSKNECHT, CANTZ-LEB, and EHRHARDT), 1890, A., 972.

derivatives (CLAUS and HOWITZ), 1884, A., 1005.

homologues of (Lewy), 1887, A., 134. separation of homologues of, on the large scale (WITT), 1888, A., 138.

salts, stability of, alone and in presence of water (BERTHELOT), 1890, A., 1861.

poisoning by (MÜLLER), 1887, A., 514; (FALKENBERG), 1891, A., 853. use of, in qualitative analysis (LAAR), 1883, A., 239.

estimation of (REVERDIN and DE LA HARPE), 1889, A., 1038.

titration of (LUNGE), 1884, A., 776. titration of, using Congo-red (JULIUS), 1887, A., 90.

separation of p- and o-toluidine and (Lewy), 1884, A., 46.

Aniline arsenious bromide (LANDAU), 1889, A., 211.

aurinate (Dyson), 1883, T., 472. borate (DITTE), 1888, A., 138.

carbonyl chloroplatinite hydrochloride (MYLIUS and FORRSTER), 1891, A., 1163.

chlorate (DITTE), 1888, A., 138; (GIRARD and L'HOTE), 1889, A., 497.

perchlorate (GIRARD and L'HÔTE), 1889, A., 497.

chromates, dyes from (GRAWITZ), 1888, A., 54.

dichromate (GIRARD and L'Hôte), 1887, A., 927.

Aniline, dichiomate, heat of formation of (GIRARD and L'HOTE), 1889, A., 562.

allocinnamate (Liebermann), 1891, A., 832.

isocinnamate (LIEBERMANN), 1890, A., 1418.

citraconate (Anschutz and Reuter; Sharfenberg), 1890, A., 368.

ethylmalonate, action of phosphorus pentachloride on (RUGHRIMER and SCHRAMM), 1888, A., 502.

hydrochloride, action of amidoazobenzene on (WITT and THOMAS), 1883, T., 112.

action of, on fatty amines (ECKEN-ROTH and RUCKEL), 1888, A., 942. testing (WILLIAMS), 1885, A., 446.

iodate (Ditte), 1888, A., 138. molybdate (Ditte), 1888, A., 137. \$-naphthate (Dyson), 1883, T., 469. phenate (Dale and Schorlfmmer), 1883, T., 186; (Dyson), 1883, T.,

rhodizonate (NIETZKI and SCHMIDT), 1888, A., 944.

sebacate (Gehring), 1887, A., 822. selenite (Hinsberg), 1891, A., 398.

sulphate, thermochemistry of (BER-THELOT), 1890, A., 1361.

hydrogen sulphate (Wellington and Tollens), 1886, A., 347.

sulphite (Boessneck), 1888, A., 948. hydrogen diaminechromium thiocyanate (Christensen), 1892, A., 1000.

platinothiocyanate (GUARESCHI), 1892, A., 287.

tungstate and vanadate (DITTE), 1888, A., 137.

Aniline, p-brom-, nitration of (Nouring and Collin), 1884, A., 1018; (Hager), 1886, A., 52.

hydrobromide (STARDEL), 1883, A., 578.

nitrate, action of nitrous anhydride on (OLIVERI), 1885, A., 781.

diazotised, action of methyl- and othyl-m- and p-nitranilines, and of methyl-p-toluidine on (Methodola and Streatfrild), 1889, T., 419; P., 98.

2:6-dibrom- (Heinichen), 1890, A., 165.

2:4:6-tribrom-, diazo-derivatives of (Silberstein), 1883, A., 660. hydrobromide and hydrochloride (Gattermann), 1883, A., 796.

3:5:6-tribrom- (GATTERMANN), 1883, A., 796.

Aniline, m-bromo-p-niti- (CLAUS and Scheulen), 1891, A , 565.

p-bromo-o-nitr- (Nouring and Col-LIN), 1881, A., 1013. and

3 5-debromo-1-nitr-(('IALS Weil), 1892, A., 1205.

m-chlor-, sulphonation of (CLAUS and Borr), 1891, A., 1489.

hydrobromide (STAEDEL), 1883, A., 578.

p-chlor-, sulphonation of (CLAUS and Mann), 1891, A., 1488.

diazotised, action of, on methyl-ptoluidine (MELDOLA and STREAT-FEILD), 1889, T., 436; P., 98.

2:4-dichlor-, and 2:4:6-trichlor- (PIERson and HEUMANN), 1883, A., 915. tetruchlor- (Tust), 1888, A., 836.

p-chloro-m-nitr- and its derivatives (CLAUS and STIEBEL), 1887, A., 810. cyan-, and its derivatives (SEAF),

1885, A., 1060; 1887, A., 928. *m*-fluor- (WALLACH), 1887, A., 181. *p*-fluor- (WALLACH), 1887, A., 131; (WALLACH and HEUSLER), 1888, A., 362.

o-iod-, and 2:4-diod- (Konner and Wender), 1888, A., 1279.

nitro-derivatives (Levinstein), 1885, A., 1127.

o- and p-nitro-derivatives, from the corresponding nitrophenols (Merz und Ris), 1886, A., 872.

m-, and p-nitro-derivatives, con-version of, into nitrobenzoic acids

o-nitr, preparation of (NIETZKI and BENCKISER), 1885, A., 535; (TURNER), 1892, A., 837.
we-nitr-, action of ethylenic bromide

on (GATTERMANN and HAGER), 1884, A., 1142.

hydrobromide (STAEDEL), 1883, A., 578; (STARDEL and BAUER), 1886, A., 941.

hydrofluoride (ODDO), 1891, A., 554.

m-nitr-, diazotised, action of, on methyl- and ethyl-p-bromanilines (MELDOLA and STREATFELD), Ì589, T., 425; P., 98.

action of, on monamines (MELDOLA), 1884, T., 112, 118.

action of, on p-nitraniline (MELDOLA and Streatfeild), 1887, T., 102. p-nitr-, preparation of (Meldola), 1883, T., 427.

action of ethylic chlorocarbonate on

(HAGER), 1885, A., 149. hydrobromide (STAEDEL), 1883, A., 578.

Aniline, p-nitr-, diazotised, action of, on methyl- and ethyl-p-homaniline (Melbola and Strtaitile), 1859, T., 118; P., 98.

action of, on primary and secondary monamines (Milliona), 1883, T., 428, 110.

action of, on tertiary monamines (Meldola), 1884, T., 107.

2:3-, 3:4-, and 3:6-dinitr- (Wender), 1890, A., 885.

2:4-dinitr- (Barr), 1888, A., 822.

action of potassium cyanide on (LIPPMANN and FLEISSNER), 1886, A., 791.

3:5-d/nitr- (BADER), 1891, A., 1030. trinitr- (pieramide), derivatives of (Hepp), 1883, A., 316.

m-nitrocyan- (SENF), 1887, A., 929. p-nitroso- (Fischer and HLPP), 1887, A., 1114; 1888, A., 460.

action of phenylhydrazine on (Fischer and Wacker), 1888, A., 1286.

phenylmethylhydrazone of (Fischi-ER and WACKER), 1889, A., 702.

thionyl- (MICHAELIS and HERZ), 1891, A., 310.

thionylthio- (RUHL), 1892, A., 1326. Anilinealloxan (Pellizzari), 1888, A.,

Anilineazo- α -naphthol, ethyl methyl ethers of (WITT and SCHMIDT), 1892, A., 862.

Aniline-bases, cryoscopic experiments with (GOLDSCHMIDT), 1891, A., 1211.
Aniline-black, formation of (ZURCHER),

1885, A., 1276.

dyeing with, in the cold (RENARD), 1884, A., 942. dyeing with, in the dry way (GRA-WITZ), 1892, A., 323.

Aniline-blue, theory of the formation of (Hirsen), 1889, A., 503.

Aniline-colours (PETRICEFF), 1884, A., 1322.

fixation of, by means of metallic sulphides (ANON.), 1884, A., 539.

Aniline - m - disulphonic acid (disulphanilic acid) (Janovsky), 1883, A., 325; (Fischer), 1892, A., 333.

Aniline-m-sulphonic acid, 4-chlor-(CLAUS and MANN), 1891, A., 1488. 4-chlor- and 6-chlor- (FISCHER), 1892, A., 182.

Anilines, compound, correspondence between the magnetic rotation and the refraction and dispersion of light by (GLADSTONE and PERKIN), 1889, T., 755.

7

97

Aniline-m-sulphonamide, and the action of nitrous acid on (Пунвенети), 1881, A., 72.

Aniline-o-sulphonic acid, 4-chlor-(CLAUS and BOPP), 1891, A., 1489. 5-chlor- (CLAUS and MANN), 1891, A., 1489.

Aniline-o-sulphonic acid, m-nitr-(FISCH-ER), 1892, A., 331.

Aniline-m-sulphonic acid, p-chlor- and p-brom-, constitution of (Armstrong and Brings), 1892, P., 40. p-nitr- and its derivatives (EGRI), 1883, A., 1301; 1889, A., 708.

Aniline-p-sulphonic acid (sulphanilic

Aniline-p-sulphonic acid (sulphanilic acid), action of carbamide on (VILLE), 1891, A., 1066. action of nascent nitrous acid on

action of nascent nitrous acid of (Deninger), 1890, A., 39.

action of picric chloride on (TURPIN), 1891, T., 717.

transformation of, into sulphanilocarbamic acid in the animal economy (VILLE), 1892, A., 903.

dibrom- (Heinichen), 1890, A., 165. o-nitr-, and its derivatives (Nietzki and Benckiser), 1885, A., 535; (Nietzki and Lerch), 1889, A., 144; (Lerch), 1889, A., 880. m-nitr- (Fischer), 1892, A., 331.

Anilinesulphonic acids, oxidation of, by potassium permanganate (Lim-PRICHT), 1885, A., 984.

Anilinetrisulphonic acid (HARTSHORN and JACKSON), 1888, A., 1093; 1890, A., 1287.

"Anilpropionic acid" (ANSCHÜTZ), 1889, A., 707.

"β-Anilpropionic acid" (REISSERT), 1888, A., 695.

"Anilsuccinic acid" (REISSERT), 1888, A., 695; (ANSCHUTZ), 1888, A., 1092; 1889, A., 707. constitution of (REISSERT), 1888, A.,

954.
Aniluvitonic acid. Sec 2-Methyl-

quinoline-4-carboxylic acid.

Anilylmelamine (FRIES), 1886, T.,

Anilylmelamine (FRIES), 1886, T., 748.

Animal charcoal (char, bone-black), decolourising power of (LAUBE), 1887, A., 619.

use of, in sugar refining (Pellet), 1885, A., 205.

treatment of (DEGENER and LACH), 1885, A., 1170.

estimation of lime in (Guvor), 1886, A., 1075.

estimation of iron in (DAVIDSON), 1888, A., 196; (TERNE), 1892, A., 1053. Animal chromatology (MACMUNN), 1889, A., 1231.

Animal dextran (LIEBERM ANN), 1889, A., 177.

Animal gum (LANDWEHR), 1887, Λ., 26; 1888, Λ., 175.

in normal urine (WEDENSKI), 1889, A., 293.

Animal heat (BERTHELOT and PETIT), 1890, A., 206.

Animal liquids, absolute acidity of (Blarez), 1886, A., 1057.

detection and estimation of animonia in (Latschenberger), 1881, A., 1215.

Animal matters, spontaneous fermentation of (Béchamp), 1883, A., 226.

Animal oil, bases from (LADENBURG and ROTH), 1887, A., 157.

extraction of pyrroline from (CIAMI-CIAN and DENNSTEDT), 1887, A., 59.

Animal organism. See Organism. Animal-quinine (MARINO-ZUCO), 1881,

A., 342.

Animals, respiratory exchanges in (Chapman and Brubaken), 1891.

(CHAPMAN and BRUBAKEN), 1891, A., 592. exhalation of nitrogen during the

respiration of (REISET), 1883, A., 675. digestion of cellulose by grain-feeding (Brown), 1892, T., 352; P., 30. influence of the consumption of water

influence of the consumption of water on the alimentation of (Henne-Berg), 1889, A., 287.

hydrocyanic acid from (WEBER), 1884, A., 348.

secretion of calcium carbonate by (IRVINE and WOODHEAD), 1889, A., 429; 1890, A., 653.

idiosynerasy of certain, with regard to phenol (ZWAARDEMAKER), 1891, A., 762.

starving, amount of iron in (ZALESKI), 1888, A., 977.

starving and normal, the relation of water and solid constituents in the organs and tissues of (LUKJANOW), 1889, A., 632.

1889, A., 632. results of the suppression of perspiration of (Ellenberger), 1883, A., 817.

diseases of (Roloff), 1884, A., 95, 914. stony concretions in (Schuberg), 1884, A., 348.

Animals, fresh-water, influence of the salts of sea-water on, and the causes of the death of fresh-water animals in sea-water and of marine animals in fresh water (DE VARIGNY; BEILT), 1881, A., 620; (PLATEAU), 1884, A., 621.

Animals, herbivorous, cellulose in the nutrition of (v. KNIERIEM), 1888, Λ., 515.

composition of the ash of the entire, and of certain separate parts of some of the animals used as human food (Liwes and Gilbert), 1883, A., 1019.

destruction and utilisation of the bodies of, which have died from contagious diseases, especially from anthrax (Girard), 1881, A., 106.

Animals, marine, influence of fresh-

water on (PLATEAU), 1884, A., 621. Animal tar, compounds from (WEIDEL

and Pick), 1885, A., 556.

Animal tissues, attraction of, for sulphur (DE REY-PAILHADE), 1889, A., 633.

electrolysis in (STEWART), 1891, A., 597.

estimation of mercury in (Ludwig and ZILLNER), 1891, A., 962.

Anisaldehyde (o-methoxybenzuldehyde), melting point of (Perkin), 1889, T., 551.

condensation of, with p-nitrobenzylic cyanide (Remse), 1891, A., 208.

condensation of, with succinic acid (FITTIG and POLITIS), 1890, A., 770.

reaction of albumin with (REICHL), 1890, A., 1350.

v-chlor-, production of, from p-nitrotoluene (TIEMANN), 1891, 703.

Anisaldehydephenylhydrazone (Rvрогри), 1889, А., 252.

Anisaldoxime (Westenberger), 1884, A., 581; (Goldschmidt and Polonowska), 1887, A., 1041.

o-chlor- (TIEMANN), 1891, A., 701. (GOLDSCHMIDT and o-Anisaldoxime ERNST), 1890, A., 1411.

isoAnisaldoxime (GOLDSCHMIDT), 1890, A., 1261.

Anisaldoximes, isomeric (Brekmann), 1890, A., 1122.

Anisamide (methoxybenzumide) (TAFEL and Enorm), 1890, A., 491; (GAT-TERMANN and Rossolymo), 1890, A., 975.

reduction of (HUTCHINSON), 1890, T., 957.

Anise, oil of. See Oil.

Anisenylamidine (TAFEL and ENOCH), 1890, A., 492.

Anisenylamidoxime (MILLER), 1890, А.,144; (Носпикім), 1890, А.,1265. Anisenylamidoxime-ethylidene (MIL-LER), 1890, A., 145.

Anisenylazoximebenzenyl (MILLER), 1890, A., 145.

Anisenylazoximecarbonyl (Miller), 1890, A., 145.

Anisenylazoximeethenyl (MILLER), 1890, A., 145; (HOCHHEIM), 1890, A., 1265.

Anisenylazoximepropenyl- ω -carboxylic acid (MILLER), 1890, A., 145; (Hoch-HEIM), 1890, A., 1265.

Anisenylimidoximecarbonyl (Hocuнегм), 1890, А., 1205.

Anisenyluramidoxime (Hochheim),

1890, A., 1265. Anisic acid (methoxybenzoic acid), preparation of (v. MEYER), 1886, A.,

352. salts of (Borrella), 1886, A., 65. brom- (Schall and Dralle), 1885,

A., 146. derivatives of (Balbiano), 1885, A., 530.

dibrom-, constitution of (Balbiano), 1884, A., 1172.

chlor- [m.p. 214°] and iod- (SCHALL and DRALLE), 1885, A., 146.

o-chlor- [m.p. 208°] (TIEMANN), 1891, A., 704.

Anisic alcohol (p-methoxybenzyl ulcohol) (BIEDERMANN), 1887, A., 39.

Anisic compounds, melting points of (Perkin), 1889, T., 549; P., 105. m-Anisidine (Pfaff), 1883, A., 802.

Anisidine, o., m., and p. (Konner and WENDER), 1888, A., 1280.

mono- and dibrom- o- and p-, and their salts (STAEDEL), 1883, A., 663.

dinitr- (Wender), 1890, A., 752. p-nitroso- (BEST), 1890, A., 608. thio- (v. Hofmann), 1887, A., 823.

o-Anisidylmethylnitrosamine (Best), 1890, A., 607.

luridus, Anisodus alkaloids (SCHUTTE), 1892, A., 232.

constituents of (SIEBERT), 1890, A., 658.

Anisoil (phenylmethyl oxide), heat equivalent of (STOHMANN, RODATZ, and Herzberg), 1887, A., 428.

behaviour of, at a high temperature (BAMBERGER), 1886, A., 872.

chlorobenzenes from (HUGOUNENQ), 1890, A., 365.

ketones' from (GATTERMANN, EHR-HARDT, and MAISCH), 1890, A., 963. sulphonic acid derived from (MOODY), 1892, P., 90.

Anisoil, m-amido-. See Anisidine. m-p-diamido-, hydrochloride (Hähle). 1891, A., 431.

Anisoil, tetramido-(NIETZKI and KUR-TENACKER), 1892, A., 596.

bromonitr- (STARDEL), 1883, A., 662. chloro-derivatives of (III GOUNENQ), 1887, A., 923; 1890, A., 210. chloronitro-derivatives of (Hugou-

NENQ), 1890, Λ., 240.

nitr-, derivatives of, preparation of (WILLGEROUT and FLERO), 1886, A., 315.

p-nitr-, reduction of (GATTERMANN and RITSOHKE), 1890, A., 1120. e-dinitr- (WENDER), 1890, A., 752.

dinitrodiamido- (NIETZKI and Kur-TENACKER), 1892, A., 596.

Anisoilisatin (v. BAEYER and LAZA-RUS), 1886, A., 155.

Anisoilphthaloylic acid (Nourrisson), 1886, A., 1029.

acid (HAITINGER), Anisoilsulphonic 1883, A., 990.

Anisonitrile (methoxybenzonitrile) Hochheim), 1890, Garelli), 1891, A., 712. (Носинкім), 1265;

Anisotropic structures, difference between crystalline and (v. EBNER), 1885, A., 631.

Anisoylcocaine (LIEBERMANN), 1889, A.,

Anisoyldiacetonamine (ANTRICK), 1885, A., 503.

Anisoyldichlorhydrin (FRITSCH), 1891,

Anisoylecgonine (LIEBERMANN), 1889, A., 419.

Anisoyl-oxime and -dioxime (STIERLIN), 1889, A., 512.

Anisyl-disulphide (dimethoxydibenzyl-disulphide) and -mercaptan (BAU-MANN and Fromm), 1891, A., 1051.

p-Anisyl pentadecyl ketone (KRAFFT), 1888, A., 1087.

o-Anisylacetamide (methoxybenzylacetumide) (Goldschmidt and Ernst), 1890, A., 1411.

o-Anisylamine [b.p. 224° at 724 m.m.] (GOLDSCHMIDT and ERNST), 1890, A.,

Anisylamine [b.p. 234°] and its derivatives (GOLDSOHMIDT and POLONOW-SKA), 1887, A., 1041.

Anisylamines (STEINHART), 1888, A., 51. Anisylaniline (STEINHART), 1888, A., 51.

Anisylarsenic acid and anhydride (MICHAELIS and WEITZ), 1887, A., 367. Anisylarsine di- and tetra-chloride and

oxide (MICHAELIS and WEITZ), 1887,

Anisyl-y-butyrolactone and anisyl-Bbrome-y-butyrolactone (FITTIG and Politis), 1890, A., 771.

o-Anisylcarbamide (methorybensylcarbumide) (Goldschmidt and Polonowsку), 1887, А., 1011; (Goldschmidt and ELNST), 1890, A., 1111.

Anisylisocrotonic acid (methoxyphenylisocrotonic wed) (Filted), 1890, A., 584; (Firrig and Politis), 1890, A., 770.

Anisyldimethyl-p-phenylenediamine (STEINHART), 1588, A., 52.

Anisylhydro-p-toluidide (STEINHART). 1888, A., 51.

See o-Mothoxybenzyli-Anisylidene. deno.

Anisylmethylnitrosamine. p · nitr-(Best), 1890, A., 608.

Anisyl- β -naphthylamine (STEINHART). 1888, A., 52.

Anisylthiocarbamide (methoruphenyl-thiocarbamide) (v. Hofmann), 1887, A., 821; (Goldschmidt and Polo-Nowska), 1887, A., 1041.

Anisylthiccarbimide and its thic- and dithio-derivatives (v. HOFMANN), 1887, A., 823.

Anisyl-p-toluidide (STEINHART), 1888, A., 51.

Anisyltrimethyleneimidothiocarbamate (Foerster), 1888, A., 947.

ikerite from the co (Weiss), 1886, A., 775. the coal measures Ankerite

(Weiss), 1886, A., 775.

Annerödite from the pegmatite vein at Moss (Brügger,), 1886, A., 27.

Anniversary Dinner (first), 1890, P., 46. (second), 1892, P., 49, 66.

Annual General Meeting, 1883, T., 224; 1884, T., 209; 1885, T., 300; P., 43; 1886, T., 329; P., 179; 1887, T., 452; P., 47; 1888, T., 479; P., 41; 1889, T., 250; P., 55; 1890, T., 426; P., 41; 1891, T., 434; P., 53; 1892, T., 474; P., 59.

Anadonta, examination of the organs

Anodonta, examination of the organs of Bojanus in (GRIFFITHS and For-Lows), 1885, A., 921.

Anodonta cygnea, blood of (GRIFFITHS).

1892, A., 648. Anorthite (v. Chrustschoff), 1890, A., 19.

formation of (C. and G. FRIEDEL), 1890, A., 1080. synthesis of (Meunier),1885,A.,960.

from the basalt of Iceland (BREON), 1886, A., 602.

from Miyakejima, Japan (Kikuciii),

1890, A., 718. from St. Clément (GONNARD), 1884, A., 411; (LACROIX), 1888, A., 432. from St. Thomas (v. SIEMIRADZKI), 1886, A., 993.

See also Felspar.

"Anoxygenhæmia" (ZWEIFEL), 1883, | A., 939.

Ant oil, composition of (SCHALL), 1892, A., 918.

Anthemene (octalicylene), a hydrocarbon from Roman chamomile (NAU-DIN), 1885, A., 37.

Anthochroite, identity of violan and (IGELSTROM), 1891, A., 407. from Piedmont (SCHLUTTIG), 1887,

from Sweden (IGELSTROM), 1890, A.,

Anthophyllite after olivine (Becke), 1883, A., 444.

alteration of talc into (GENTH), 1884, A.,_272.

from Franklin, North Carolina (PEN-FIELD), 1891, A., 529. from the Lizard (TEALL), 1891, A., 276.

Anthracene (Elbs), 1890, A., 511.

from tetrachlorophthalic acid (KIR-CHER), 1884, A., 1039.

from petroleum residues (ANON.), 1883, A., 534.

from water-gas tar (ELLIOT), 1885, Δ., 549.

formation of (HENZOLD), 1883, A., 1137.

remarkable formation of (Köhlen), 1885, A., 806.

conversion of cinnamene derivatives of aromatic hydrocarbons into (KRAEMER, SPILKER, and EBERнакот), 1891, А., 207.

new synthesis of (Anschutz and ELTZBACHER), 1883, A., 809. formula of (v. MEYER), 1881, A.,

1186; (Armstrong), 1890, P., 102. boiling-point of (SCHWEITZER), 1891, A., 1240.

heats of combustion and formation of (STOHMANN, KLEBER, and LANG-BEIN), 1889, A., 1042.

molecular volume of (GROSHANS), 1889, A., 336.

action of nitric acid on (PERKIN), 1889, P., 13; 1891, T., 634; (PER-KIN and MACKENZIE), 1892, T., 865; P., 144.

reduction of (BAMBERGER and KITschelt), 1890, A., 1146.

benzylic, isobutylic, and propylic nitrates (PERKIN and MACKENZIE). 1892, T., 867, 871.

methylic and ethylic nitrates (Pen-KIN), 1891, T., 643.

homologues (ELBS), 1890, A., 511. hydrides. See Dihydro-, Octohydro-, Decahydro-, and Tetradecahydroanthracenes.

Anthracene, amido-. See Anthramine. diamido- (Perkin), 1889, P., 13.

οf bromo-derivatives (IIAMMER-SCHLAG), 1886, A., 717. di-and tetra-chlor-(HAMMERSCHLAG),

1886, A., 717; (KIRCHER), 1887, A., 831.

mono- and di-nitr- (PERKIN), 1889, P., 13.

Paranthracene (Elbs), 1892, A., 347. Anthracene-y-carboxylic acid from methylanthraquinone and its derivatives (Bornstein), 1884, A., 329. chlor- and brom- (Behla), 1886, A., 248; 1887, A., 594.

Anthracene-\gamma-carboxylic acid monoand di-sulphonic acids (Behla), 1887, A., 594.

Anthracene-1:4-dicarboxylic acid (ELBS), 1890, A., 512.

Anthracene-1:3- and -2:3-dicarboxylic acids (Eles and Eurich), 1887, A., 841.

Anthracene-1:2:4-tricarboxylic

(ELBS). 1890, A., 512. Anthrachrysone (NOAH), 1886, A., 556. Anthracite from Chili, New Granada, and Brazil, analysis of (Boussin-GAULT), 1883, A., 941. (V. KOSTANECKI),

Anthracoumarin 1888, A., 291.

Anthracoumarins, synthesis of, from cinnamic and m-hydroxybenzoic acids (v. Kostanecki), 1888, A., 291.

Anthracylpiperidine, tertiary (Lell-MANN and BÜTTNER), 1890, A., 1003. (LIEBERMANN), Anthraflavanthranol

1888, A., 493.

Anthragalanthranol (LIEBERMANN), 1888, A., 493.

Anthragallol, action of ammonia on. and its amide and nitro-derivatives of (v. Georgievics), 1886, A., 69.

Anthragallolsulphonic acid (v. Geor-GIEVĪCS), 1886, A., 69.

Anthramine, derivatives of (Bollert), 1883, A., 1139.

mesoAnthramine and its (GOLDMANN), 1890, A., 1426.

Anthranil (FRIEDLÄNDER and HEN-RIQUES), 1883, A., 188.

constitution of (FRIEDLANDER), 1883, A., 332: (Friedländer WLEUGEL), 1884, A., 61.

Anthranilamide, chlor-(Dorsch), 1886, A., 360.

dichlor- (Franke), 1892, A., 335. Anthranilanilide, amido-(v. MEYER and Bellmann), 1886, A., 358.

Anthranilearboxylic acid. See Isatoic acid.

Anthranilhydroxylamide (v. MEYER and Bellmann), 1886, A., 358.

Anthranilie acid (o-amidobenzoic acid) (FRIEDLANDER and HENRIQUES), 1883, A., 188; (HOOGEWERFF and VAN DORP), 1891, A., 1217.

preparation of (KOLBE), 1885, A., 159. chloro- and bromo-derivatives of (DOLSCH), 1886, A., 359. nitr-, bromine derivatives of (DOLSCH),

1886, A., 359.

Anthranol (GOLDMANN), 1888, A., 714. preparation of (LIEBERMANN and GIMBEL), 1887, A., 965.

derivatives (Goldmann; Hallgarten), 1888, A., 1202.

propyl derivatives of (HALLGARTEN), 1889, A., 894.

brom- (Goldmann), 1887, A., 1049. Anthranol-α-carboxylic acid (Graebe and Juillard), 1888, A., 156.

Anthrapinacone(Schulze), 1886, A., 248. Anthrapurpuranthranol (Lieber-

MANN), 1888, A., 493.

Anthrapurpurin, conversion of anthraquinone-β-disulphonic acid into

(Schmidt), 1891, A., 934.

Anthrapurpurin diethyl ether (Lieber-

MANN and JELLINEK), 1888, A., 717.

Anthraquinoline, synthesis of (GRAEBE), 1884, A., 759; (PANAOTOVIĆ), 1884, A., 1039.

Anthraquinone, formation of, from obenzoylbenzoic acid (Perkin), 1891, T., 1012.

formation of, under certain conditions (FRIEDBURG), 1890, A., 1425.

chemical constitution of (v. MEYER), 1884, A., 1186.

o-quinoue derived from (A. G. and W. H. Perkin), 1885, T., 684; (Richardson), 1888, A., 1308.

dibromide and dichloride (GOLD-MANN),1887, A., 1049; 1888, A., 714. derivatives of (A. G. and W. H. Perenn, 1885, T., 679; P., 97; 1888, T., 831.

preparation of (Engelsing), 1884, A., 945.

homologues of (Eles), 1890, A., 511. synthesis of (Eles), 1886, A., 557. Anthraquinone, amido-(ROEMER), 1883,

A., 71. diamido- (ROEMER), 1883, A., 737. m-chlor- (GRAEBE and Rée), 1886, T., 531; P., 212.

dichlor- (Hammerschlag), 1856, A.,

tetrachlor- (Kircher), 1884, A., 1039; (Hantzsum and Zürcher), 1887, A., 831. Anthraquinone, octochlor- (HANTZSCH and ZURCHER), 1887, A., 831.

nitr- (ROEMER), 1883, A., 71.

action of concentrated sulphuric acid on (Lifschutz), 1881, A., 1187. Unitr- (Roemen), 1883, A., 737.

action of concentrated sulphuric acid on (LIEBERM NN and HAGEN), 1883, A., 72; (LIEBERMANN), 1883, A., 597.

Anthraquinonecarboxylic acid and its derivatives (LIEBERMANN and GLOCK), 1884, A., 1188.

Anthraquinone-1:3-dicarboxylic acid (ELBS and GUNTHER), 1887, A., 841.

Anthraquinone-1: 4-dicarboxylic acid (Elbs), 1890, A., 512.

Anthraquinone-2:3-dicarboxylic acid (Elds and Eurich), 1887, A., 811.

Anthraquinonedisulphonic acid and sodium nitrite, dye from (WALDER), 1888, A., 961.

tetruchlor- (Kiruten), 1887, A., 831.
Anthraquinonedisulphonic acids, a- and B-, conversion of, into flavopurpurin and anthrapurpurin (Schmidt), 1891, A., 934.

Anthraquinone-dyes (SCHMIDT; GATTERMANN), 1891, A., 935.

leuco-compounds from (LIEBERMANN), 1888, A., 492, 717.

Anthraquinoneoxime (Goldschmidt), 1884, A., 62.

Anthraquinonesulphonic acid, products obtained in the dry distillation of the sodium salt of (A. G. and W. H. PERKIN), 1885, T., 679; 1888, T., 831.

a-nitr- and its derivatives (('LAUS), 1884, A., 1040.

action of strong sulphuric acid on, and the constitution of the latter (Lieschutz), 1881, A., 1189.

Anthraquinone-1:2:4-tricarboxylic acid (ELBS), 1890, A., 512.

Anthrarobin, physiological action of (Weyl), 1889, A., 539.

Anthrarobins (LIEBERMANN), 1888, A., 518.

Anthrarufin, method of preparing (ROEMER), 1883, A., 737.
Anthrax. See Bacillus.

Anthrax-cultures, albumose isolated from (HANKIN), 1889, A., 1231.

Anthraxprotein (NENCKI), 1885, A. 178.

Anthrol salts, derivatives of (Lieber-Mann and Hagen), 1883, A., 73.

Anthrols, nitr- (Perkin and Mac-Kenzie), 1892, T., 869. KLNZIE), 1892, T., 865, 868.

nitronitroso- (Perkin), 1891, T., 639. nitroso- (GIMBEL), 1887, A., 675. action of nitric acid on (Perkin),

1891, T., 641.

ψ-nitroso- (PERKIN), 1891, T., 645. Anthroxane, anthroxanaldehyde, and anthroxanic acid (Schillinger and

WLEUGEL), 1884, A., 60.

Anthyllis Vulneraria, composition of (Nilson), 1892, A., 522.

Antialbumid (Kuhneand Chittenden), 1884, A., 849; (NEUMEISTER), 1887, A., 285.

"Antibacteride," preparation of (Ascu-MANN), 1884, A., 782.

ifebrin (acetanilide, phenylacrtamide), detection of (VITALI), 1888, A., 1136; (LINDO), 1888, A., 1350. Antifebrin detection of, in phenacetin (SCHROD-

ER), 1889, A., 660.

influence of, on digestion (CHITTENDEN and STEWART), 1889, A., 533. Sec also Acetanilide.

Anti-incrustators, secret (Bellmer), 1884, A., 1087.

Antimonic acid. See Antimony oxides. Antimonite. See Stibnite.

Antimonous chloride. See Antimony trichloride.

oxide. See Antimony oxides.

sulphide. See Antimony trisulphide. Antimony known to the ancients (BERTHELOT), 1887, A., 443.

amorphous (HÉRARD), 1888, A., 1256. native, from Queensland (MAcIvor), 1888, A., 560.

native, from New Brunswick (KUNZ), 1886, A., 311.

atomic weight of (BUNGARTZ), 1883, A., 1056; (POPPER), 1886, A., 856. molecular weight of (RAMSAY), 1889, T., 532, 533.

electrolytic extraction of (Borguers), 1888, A., 230.

recovering and refining (HELMнаскей), 1881, А., 516.

clectric resistance of, in a magnetic field, variations in (FAE), 1887, Δ., 760.

specific heat of (v. PEBAL and JAHN), 1886, A., 655; (NACCARI), 1888, A., 1236.

volatility of (MEYER), 1887, A., 415. vapour density of, at a white heat (MENSCHING and MEYER), 1887, A., 415; (Biltz and Meyer), 1889, A., 673.

action of chlorine on (Cowper), 1883, T., 154.

Anthrone, nitr- (PERKIN and MAC- | Antimony, action of nitric acid on (Montemartini), 1892, A., 1402.

action of nitrosyl chloride on (Sunвокоиси), 1891, Т., 661.

evidence of the occurrence of a new element in (GRUNWALD), 1890, A.,

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 387.

lowering of the freezing-point of metals by (Heycock and Neville), 1892, T., 896.

distribution of, in the organs and tissues (CHITTENDEN and BLAKE), 1888, A., 81.

influence of, on the glycogenic function and fatty degeneration of the liver (CHITTENDEN and BLAKE), 1889, A., 537.

Antimony alloys with copper (Ball), 1888, T., 167; P., 136.

with copper, electric conductivity and other properties of (KAMENSKY), 1885, A., 323.

with sodium (Joannis), 1892, A., 773. See also Type-metal.

Antimony compounds, inorganic, specific heat of (v. Pebal and Jahn), 1886, A., 655.

bromide, heat of formation of (GUNTZ), 1885, A., 1101.

chlorides, heat of formation of 1883, (THOMSEN), Α., 544: (GUNTZ), 1884, A., 707, 1246. hydrochlorides of (ENGEL), 1888, A., 1042.

trichloride, sublimation of (HENSGEN).

1891, A., 1160.

equilibrium in the reaction of hydrogen sulphide on a solution of (LANG), 1886, A., 20.

solution of, in saturated solutions of sodium chloride (CAUSSE), 1892, A., 413.

action of sodium thiosulphate on (Vortmann), 1889, A., 1109.

pentachloride (ANSCHUTZ and EVANS), 1886, T., 708; P., 229.

vapour density of (Anschutz and Evans), 1890, A., 16.

action of water and oxalic acid on (Anschutz and Evans), 1888, A., 424.

compounds of, with nitric oxide and nitric peroxide (Besson), 1889, A., 834.

caesium and rubidium chlorides (Saunders), 1892, A., 788.

potassium chlorobromide (ATKINSON), 1883, T., 289.

Antimony, potassium chlorobromide, crystallographic examination of the crystals of (SOLLY), 1883, T., 293. oxychloride, heat of formation of

(Guntz), 1884, A., 707, 1216.

fluoride, thermochemistry of (GUNTZ), 1884, A., 884.

double (STEIN), 1890, A., 216.

iodide, heat of formation of (GUNTZ), 1885, A., 1101.

pentaiodide (Pendleron), 1884, A.,

halogen salts, double (SAUNDERS), 1892, A., 788.

hydride (hydrogen antimonide)

(BRUNN), 1890, A., 209. heat of formation of (BERTHELOT and PETIT), 1889, A., 666.

liquefaction and solidification of (Olszewski), 1886, A., 977. action of iodine on (BRUNN), 1888,

A., 1224.

molybdates (GIBBS), 1886, A., 427, 511. oxides, heat of formation of (Thomsen), 1883, A., 544.

antimonous oxide, isodimorphism of (Rideal), 1886, A., 503.

prismatic, transformation of, into the octahedral oxide (Guntz), 1884, A., 894. hydrate of, dehydration of, by

heat (CARNELLEY and WAL-KER), 1888, T., 72, 86.

See also Senarmontite.

antimony pentoxide 1886, A., 428. (Köhler),

colour reactions of (Lrvy), 1887, A., 305.

phosphorescence of (Crookes), 1887, A., 1067.

action of, on potassium chlorate (Fowler and Grant), 1890, T., 275; P., 20.

antimonic acid (Konlen), 1886, A., 128.

basicity of (BEHSTEIN and v. BLASE), 1889, A., 1123.

potassium and sodium salts of (v. KNORRE and OLSCHEWSKY), 1885, A., 1161.

thio-derivatives of (FEIT and KUBIERSCHKY), 1888, A., 789. (v. KNORRE and antimonates Olschewsky), 1888, A., 231; (EBEL), 1890, A., 216,

Swedish (Terrstrow) 1889 A., 218.

culphates (HENSGEN), 1886, A., 513; (ADIE), 1890, T., 510; P., 5.

sulphides, action of hydrogen peroxide оп (Каксино), 1886, А., 20.

Antimony sulphides, precipitated, composition of (ANIONY and Luce mest), 1890, A., 1217.

*tri*sulphide (Diffr), 1886 A., 429; (Blarnino), 1886, A., 512.

equilibrium in the reaction of hydrochloric acid on (LANG), 1886, ∆., 20.

colloidal solutions of (PICTON), 1892, T., 142.

aqueous solution (Schulze), 1883, A., 784.

decomposition of, by hydrochloric асіd (Вектиклот), 1886, А., 308. decomposition of, by boiling water (Edbers), 1889, A., 108.

action of potassium sulphide on (DIFTE), 1886, A., 309. detection of stannic sulphide in

presence of (GRIFFITH), 1887, A., 183.

See also Stibnite.

pentasulphide (WILM), 1891, A., 1132. potassium sulphide (Dirre), 1886, A.,

hydrosulphide (LINDER and PICTON), 1892, Ť., 133.

thiophosphate(GLATZEL), 1892, A., 413. tungstates (GIBBS), 1886, A., 511.

stibiographic acid (BARTOLI and PAPASOGLI), 1883, A., 592. antimonoso-tungstates (GIBBs), 1886,

A., 497.

Antimony compounds, aromatic (M1-CHARLIS and REESE), 1883, A., 327; 1886, A., 884.

stibiomellogen (Bartoli and Papa-sogli), 1883, A., 591.

Antimony detection, estimation, and separation:-

detection of (RIDEAL), 1885, A., 1013; (Тигель), 1890, А., 1193.

detection of, electrolytic (Konn), 1892,

detection of, microchemical (v. HAUS-HOFER), 1887, A., 300.

detection of, in corpses (SEYDA), 1891, A., 120.

detection of, in minerals (Johnstone), 1889, A., 414.

detection of arsenic and (DENIGES), 1891, A., 364.

detection of arsenic, tin, and (PIESZ-

(ZEK), 1892, A., 918.

precipitation of, from solutions of tartar emetic (Long and Syurn), 1891, A., 1139.

estimation of (Dougnerry), 1885, A., 297; (MUCK), 1888, A., 197; (LESSER), 1888, A., 751; (LOVITON), 1888, A., 992; (Bellstein and Antimony detection, estimation, and separation:-

v. Blase), 1890, A., 830; (Thiele), 1890, A., 1193, 1295; (Gooch and Gruener), 1892, A., 212. estimation of, electrolytic (Classun),

1885, A., 191; (CLASSEN and LUD-WIG), 1886, A., 493; (BRAND), 1890, A.,294; (LECRENIER), 1890, A., 421. estimation of, volumetric (v. Knorne), 1889, A., 312; (Jolles), 1889, A., 311, 444.

estimation of compounds of (QUINCKE), 1892, A., 526.

estimation of, by Marsh's method (BIJLERT), 1891, A., 115. estimation of, by Weil's method (ANON.), 1883, A., 509.

estimation of, electrolytic, as amalgam (VORTMANN), 1891, A., 1554. estimation of traces of, in copper

(JUNGFER), 1888, A., 324. estimation of, in corpses (SEYDA),

1891, A., 120.

estimation of, in organic compounds (Messinger), 1889, A., 81.

estimation of, in siliceous slags and alloys (WARREN), 1888, A., 632.

estimation of, in tartar emetic (Dunstan and Boole), 1889, A., 445; (Long and Sauer), 1891, A., 1139. estimation of, volumetric, in presence of tin (GIRAUD), 1887, A., 400.

separation of (THIELE), 1891, A., 1295. separation of, from arsenic (ZAMBELLI and Luzzaro), 1887, A., 78; (Kön-Len), 1889, A., 926; (Wilm), 1891, A., 1433; (GOOCH and DANNER), 1892, A., 541.

separation of, from arsenic and tin (CARNOT), 1886, A., 1078; (LESSER), 1888, A., 751; (CLARK), 1892, T., 424; P., 68.

separation, electrolytic, of arsenic and tin from (CLASSEN and LUDWIG), 1885, A., 932.

separation, qualitative, of arsenic and tin from (Bergiann), 1881, A., 777; 1885, A., 839.

separation of, from arsenic, tin, and gold and platinum (DE KONINCK and LECRENIER), 1888, A., 1344.

separation of, from tin (CARNOT), 1886, A., 1077; (WARREN), 1888, A., 632; 1891, A., 366; (LOVITON), 1888, A., 992; (CLASSEN and SCHELLE), 1889, A., 77.

Antimony minerals, assay of (CARNOT), 1892, A., 918.

Antipeptone (KUNNE and CHITTENDEN), 1884, A., 849; 1886, A., 820.

Antipyretics, physiological action of (Richter), 1891, A., 602.

Antipyrin (Knorn), 1881, A., 1378; 1887, A., 601.

action of sodium and carbonic anhydride on (Brund), 1892, A., 110. influence of, on digestion (CHITTENDEN

and STEWART), 1889, A., 533. test for (LINDO), 1888, A., 1350;

(STARK), 1890, A., 309. derivatives of (KNORR), 1887, A.,603. p-alkyloxy-derivatives of (Altschul), 1892, A., 1080.

nitro- (Knorr), 1884, A., 1378; (Jandrier), 1892, A., 730.

oxime of (KNORR), 1884, A., 1378. See also Phenyldimethylpyrazolone.

"Antipyrin alcohol" (Knoka and TAUF-KIRCH), 1892, A., 708; (BRUHL), 1892, A., 730, 1106; (LEDERER), 1892,

isoAntipyrin (Lederer), 1892, A., 635. Antisepsis, scientific basis of (ZWEIFEL), 1883, A., 937.

Antiseptic power, relation of, to chemical constitution (Duggan), 1885, A., 1016.

Antiseptic or antiseptics (MAYER), 1883, A., 249; (RATIMOFF), 1885, A., 612. preparation of an (ASCHMANN), 1884, A., 782.

properties of (LE Bon), 1884, A., 225.

action of (MIQUEL), 1884, A., 1220. action of, on higher organisms (MAIRET, PILATTE, and COMBE-MALE), 1885, A., 1085, 1253.

aseptol as an (SERHANT), 1885, A., 1166. mercuric zinc cyanide as an (Dun-STAN), 1892, T., 666; P., 53. methylenic fluoride as an (CHABRIÉ),

1891, A., 353.

α-naphthol as an (MAXIMOVITCH), 1888, A., 621, 978.

B-naphthol as an (Bouchard), 1888, Α., 183.

isomeric organic substances as (CAR-NELLEY and FREW), 1890, T., 636. phloroglucinol as an (ANDEER), 1885, A., 454.

sodium benzenesulphinate as an (HEC-KEL), 1888, A., 182.

sodium fluoride as an (HEWELKE), 1891, A., 237.

Antlerite (HILLEBRAND), 1891, A., 1435. Apatite (GONNARD; WRISBACH), 1883, Λ., 432.

chemical composition of (Voelcker), 1881, A., 162; (Weibull), 1887, Λ., 781.

effect of heat on the optical properties of (Doelter), 1885, A., 26.

Apatite, mangamese in (v. Sandberger), 1885, A., 610.

from Amelia Co., Virginia (ROWAN), 1885, A., 126.

from Ciply, Belgium (KLEMENT), 1891, Λ., 528.

from Horrsjöberg, Sweden (IGEL-STROM), 1884, Å., 269. from the granite of Kympusan Moun-tain, Kai, Japan (WADA), 1885, Å.,

from Logrozan, Spain (VIVIER), 1885, A., 30.

from the pegmatite of Lyons (Gon-NARD), 1883, A., 432.

from Pisek (VRDA), 1889, A., 837. from Turkestan (v. Jehemmeff; NI-

KOLAEFF), 1886, A., 600. from Yonkers, New York (KUNZ),

1889, A., 24. See also Calcium phosphate.

Apatite, brom-, and iod- (DITTE), 1883,

A., 648, 783. Apatite group, synthesis of minerals of (WEINSCHENK), 1890, A., 709.

Aphrosiderite, from Konigshain, Ober-(Woitschach), 1883, A., lansitz 446.

Apiolaldehyde (CIAMICIAN and SILBER), 1888, A., 847, 1100.

Apiole (CIAMICIAN and SILBER), 1888, A., 606, 847, 1100; 1889, A., 407; 1890, A., 35; (GINSBERG), 1890, A., 518.

constitution of (CIAMICIAN and SIL-BER), 1890, A., 1294.

molecular weight of (PATERNO and NASINI), 1890, A., 725.

derivatives of (GINSBERG), 1888, A., 722, 1206.

tribrom- (GINSBERG), 1888, A., 1206. isoApiole (CIAMICIAN and SILBER), 1888, A., 847.

molecular weight of (PATERNO and NASINI), 1890, A., 725.

derivatives of (BARTOLOTTI), 1892, Λ., 1315.

bromine derivatives of (Clamician and Silber), 1890, A., 1294.

tribrom- (GINSBEEG), 1888, A., 1206. nitrosite (ANGELI), 1892, A., 447.

Apiolic acid (CIAMICIAN and SILBER), 1888, A., 847, 1100.

Apione (CIAMICIAN and SILBER), 1888, A., 818.

constitution of (Clambian and Sh. BER), 1890, A., 1295.

reduction of (CIAMICIAN and SILBER), 1891, A., 1500.

diamido- (CIAMICIAN and SILBER), 1890, A., 1295.

Apione, dibrom- (CIAMICIAN and SILmen), 1888, A., 1100.

(CIAMICIAN and SILBER), dinitr-1890, A., 1295.

Apioneacrylic acid (CHARCHY and SILBER), 1889, A., 407; 1890, A.,

Apionecrotonic acid (CIAMICIAN and Silber), 1890, A., 36.

Apioneketonic acid (CIAMICIAN and Silben), 1890, A., 1294.

Apionitrile (GARELLI), 1891, A., 712. Apionol (1:2:3:4-tetrahydroxybenzene) (CIAMICIAN and SILBER), 1890, A.,

constitution of (CIAMICIAN and SIL-BER), 1890, A., 1295.

Apionylglyoxylic acid (CIAMICIAN and SILBER), 1890, A., 1294.

hydrazone of (GARELLI), 1891, A., 711. Apionyloximidoacetic acid (GARELLI), 1892, A., 328.

Aplysiæ, blood of the (CULNOT), 1890. A., 810. pigments of the (SAINT-LOUP), 1891,

A., 96.

Apo-compounds, organic. See under word to which apo- is profixed.

Apocynein and apocynin (SCHMIEDE-BERG), 1883, A., 1142.

Apocynum cannabinum, active principle of the root of (SCHMIEDEDERG), 1883, A., 1141.

Aponic acid (GINSBERG), 1890, A., 518. Apophyllite (Sadler), 1883, A., 411; (Cross and HILLEBRAND), 1883, A., 957.

from Colorado (CROSS and HILLE-BRAND), 1883, A., 165.

from Lancaster Co., Pa. (SMITH), 1885, A., 960.

from the French Creek mines and from the United States (EYERMAN), 1890, A., 113.

from Wermland (lgelström), 1886, A., 28,

Aposepine (Niemilowicz), 1886, A., 933.

Apple tree leaves, analyses of (Shutt), 1892, A., 1372.

Apple-must, examination of, and of the cider obtained therefrom (KAYSER), 1884, A., 98.

Apples, eider, analysis of some (Lezé), 1881, A., 203.

Apricot oil (MABLA), 1886, A., 611. Aqueous humour (GRUENHAGEN), 1889,

A., 535. presence of sugar in (KUHN), 1889, A., 177.

Aqueous vapour. See Water vapour.

Arabic acid, composition of, formula of, and action of sulphuric acid on (O'SULLIVAN), 1881, T., 11.

(O'SULLIVAN), 1881, T., 11. **Arabin group**, gums of the (O'SULLIVAN), 1891, T., 1029; P., 131.

Arabinantrigalactangeddic acids (O'SULLIVAN), 1891, T., 1039.

Arabino-o-diamidobenzene (GRIESS and HARROW), 1888, A., 267.

Arabino-γ-diamidobenzoic acid (GRIESS and HARROW), 1888, A., 268.

Arabino-m-p-diamidotoluene (GRIESS and HARROW), 1888, A., 268.

Arabinon (O'SULLIVAN), 1889, P., 160; 1890, T., 59.

Arabinose. See Carbohydrates.

Arabinosecarboxylamide (KILIANI), 1887, A., 230.

Arabinosecarboxylic acid (l-mannonic acid) (Fischer), 1890, A., 1389.

constitution of (KILIANI), 1887, A., 465.

reduction of (FISCHER), 1889, A., 1149.
phenylhydrazide of (FISCHER and

PASSMORE), 1890, A., 151.

Arabinosecarboxyllactone (KILLANI),

1887, A., 230.

Arabinosic acids (O'SULLIVAN), 1884, T.. 56.

Arabitol (Kiliani), 1887, A., 714. thermochemistry of (Stohmann and Languein), 1892, A., 764.

Arable land. See Agricultural chemistry.

Arabonic acid (tetrahydroxyvuleric acid)
(BAUER), 1885, A., 500; 1886, A., 869; (KILIANI), 1887, A., 230.
phenylhydrazide of (Fischer), 1890,

A., 1898.

Arachidic acid (Schweizer), 1885, A., 508.

in earth nut oil (KREILING), 1888, A., 578.

Aragonite, altered, from Vesuvius (SCACCIII), 1887, A., 18.

from Lower Silesia (TRAUDE), 1886, A., 212.

zinc bearing, from Tarnowitz (TRAUBE), 1889, A., 763.

See also Calcium carbonate.

Aragonite-pseudomorph (Kunz), 1889, A., 25.

Arancarias, oleo-gum-resin secreted by (HECKEL and SCHLAGDENHAUEFEN), 1889, A., 1236.

Arbutin (Schiff), 1883, A., 317; 1883, A., 432; (Habermann), 1884, A., 175 (Dalmon); 1885, A., 1096, behaviour of, in the animal organism

(LEWIN), 1884, A., 915.

"Arbutose" (DALMON), 1885, A., 1096.

Are, electric. See Electrochemistry.
Archil, detection and estimation of magenta in (KDRTINZ), 1885, A., 1015; (RAWSON), 1888, A., 877.

detection of, in wine (PALMIERI and CASORIA), 1889, A., 655.

Arecaidine (Jahns), 1891, A., 91; 1892, A., 739.

Arecaine (JAHNS), 1889, A., 421.

Areca nut, alkaloids of the (JAHNS), 1889, A., 420; 1891, A., 91, 1520; 1892, A., 737.

Arecoline and its salts (JAHNS), 1889, A., 420; 1891, A., 94; 1892, A., 739.

Arfvedsonite (Kenngott), 1886, A., 128.

chemical composition of (Berwerth), 1886, A., 28.

Arganin (Cotton), 1889, A., 160.

Argentammonium compounds. See Silver ammonium compounds.

Argentic and Argentous compounds. See under Silver.

Argentine (Puscher), 1883, A., 405. Arginine and its salts (Schulze and Steiger), 1886, A., 725.

formation of carbanide by the decomposition of (SCHULZE and LIKIERNIK), 1891, A., 1521.

Argol, analysis of (ΚLΕΙΝ), 1886, Α., 182; (v. LOHENZ), 1890, Α., 303.

See also Tartaric acid, potassium hydrogen salt of.

Argyrodite, a silver ore (WINKLER), 1886, P., 197; (WEISBACH), 1886, A., 774.

Aricine (Moissan and Landrin), 1890, A., 803.

Aristolochia argentina, alkaloid from (HESSE), 1892, A., 894.

Aristolochia reticulata, volatile oil from (Peacock), 1892, A., 70.

Aristolochia Serpentaria. chemical nature of (Spica). 1888, A., 82.

Aristolochine (Pohl), 1892, A., 874; (Hesse), 1892, A., 894.

Arksutite (GROTH), 1884, A., 265.

from Ivigtut in Greenland (Nordenskiöld), 1888, A., 231.

Arnimite (Weisbach), 1888, A., 1259. Aromatic acids. See Acids, aromatic. Aromatic amines. See Amines, aromatic.

Aromatic bases. See Bases, aromatic.
Aromatic compounds, synthesis of
(FRIEDEL and CRAFTS), 1889, A.,
241.

Aromatic compounds, isomeric changes occurring in the synthesis of, by means of aluminium chloride (Schramm), 1889, A., 127.

action of halogens on, in presence of light (SCHRAMM), 1887, A., 807; 1891, A., 898.

action of nitrous acid on unsaturated (ANGELI), 1892, A., 447.

bromination of, influence of light on the course of chemical reactions in the (Schramm), 1885, A., 888.

chlorination of (Petricu), 1890, A., 882.

exhaustive chlorination of (Menz and Weith), 1884, A., 588.

partially hydrogenised, characteristics of (Bamberger and Louter), 1888, A., 604.

iodation of (ISTRATI), 1891, A., 1197. nitration in the side-chains of (ERD-MANN), 1885, A., 662.

in the animal organism (Salkowski), 1886, A., 730.

mercury nitrate as a test for (Plugge), 1890, A., 669.

Aromatic hydrocarbons. See Hydrocarbons, aromatic.

Aromatic series, bromo-substitution compounds of the (Weiner), 1886, A., 1015.

chloronitro-derivatives of (Ніквен), 1887, A., 834.

Aromine (THUDICHUM), 1888, A., 1120. Aromite from Atacama (DARAPSKY), 1890, A., 455.

Arrack, analyses of (Fresenius), 1890, A., 1195.

Arrhenatherum arenaceum, analyses of (Wilson), 1889, A., 1078.

of (Wilson), 1889, A., 1078.
Arrow poison (Arnaud), 1888, A., 848.
Arsenanilidodichloride (Anschütz and Wever), 1891, A., 901.

Arsenanilidodi-ethoxide-and methoxide (Anschütz and Weven), 1891, A.,

Arsendianilido-bromide and -chloride (Anschütz and Weyer), 1891, A., 901.

Arsenic, native, from Copiapo (HINTZE), 1886, A., 773.

native, from Valtellina (BIZZARRI and CAMPANI), 1886, A., 206.

allotropic (ENGEL), 1883, A., 554; 1889, A., 211; (Petersen), 1892, A., 405.

allotropic, thermochemistry of (BERTHELOT and ENGEL), 1890, A., 679. analogy between the allotropic modifications of phosphorus and (ENGEL), 1883, A., 901.

Arsenic, amorphous, modifications of (GEUTHER), 1887, A., 888.

vapour density of, at a white heat (MENSCHING and MEYER), 1887, A., 888; (BILTZ and MEYER), 1889, A., 674.

action of air on (GEUTHER), 1887, A., 888.

action of chlorine on (Cowper), 1883, T., 154.

action of nitrosyl chloride on (Sub-BOROUGH), 1891, T., 662.

action of aqueous silver nitrate on (SENDERENS), 1887, A., 332.

influence of, on steel (OSMOND), 1890, A., 567.

lowering of the freezing point of metals by (Heycock and Neville), 1892, T., 894.

in alkali hydroxides (Marshall and Potts), 1889, A., 341.

in bleaching powder and in potassium chlorate (GARNIER), 1886, A., 99.

in hone phosphate used for cattle feeding (Firesenius), 1889, A., 518.

in glass (Fresenius), 1884, A., 220; (Marshall and Potts), 1889, A., 341.

in wines free from artificial colouring matter (BARTHÉLEMY), 1884, A., 526.

distribution of, in a human body (Chittenden), 1884, A., 349.

influence of, on the glycogenic function and fatty degeneration of the liver (Chittenden and Blake), 1889, A., 537.

post-mortem imbibition of (Surron), 1886, A., 89.

localisation of, in a case of poisoning (Guareschi), 1884, A., 199.

Arsenic anhydride. See Arsenic oxide. tribromide (arsenious bromide), action of ammonia and amines on (LANDAU), 1889, A., 211.

trichloride, heat of formation of (Тномѕем), 1883, А., 544.

freezing point of (Besson), 1890, A., 331.

combination of iridium phosphochlorides with (Geisenheimer), 1890, A., 1069.

trifluoride (Moissan), 1885, A., 121; 1891, A., 265

halogen compounds, action of aumonia and hydrogen phosphide on (Besson), 1890, A., 1052.

trihydride (arsine; arsoniurettal hydrogen) (Brunn), 1890, A., 209. Arsenic trihydride. preparation of (CAVAZZI), 1888, A., 221. temperature of solidification

(Olszewski), 1881, A., 816. action of iodine on (BRUNN), 1888, Λ., 1221.

action of potassium permanganate on (Tivoli), 1890, A., 1210.

action of silver nitrate on (MARCH-LEWSKI), 1891, A., 1154.

arsenides, formation of, by pressure (Spring), 1883, A., 650. nitride (BACHMAN), 1888, A., 650.

oxides:-

arsenious oxide, isodimorphism of (RIDEAL), 1886, A., 503.

prismatic, monoclinic form and optical properties of (DES CLOI-

ZEAUX), 1887, A., 1015. change of, from the amorphous to the crystalline condition (Winkler), 1885, A., 871.

action of acid chlorides on (Pourl), 1889, A., 767.

action of nitric acid on (RAMSAY and CUNDALL), 1885, T., 196; (ARMSTRONG), 1885, T., 197.

action of potassium chlorate on (Fowler and Grant), 1890, T., 277.

action of sodium hydrosulphide on (Preis), 1890, A., 1053. solubility of (Chodounsky

(Споройняку), 1889, A., 945.

solutions (CLAYTON), 1891, A., 1418.

colour reactions of (Lévy), 1887, A., 305.

compounds of, with halogen salts (Schiff and Sestini), 1885, A., 723; (RÜDORFF), 1887, A., 107; 1889, A., 103.

compounds of, with sulphuric anhydride (Weber), 1887, A., 212; (ADIE), 1889, T., 157; P., 4.

arsenious acid, action of arsenic trihydride on (Tivoli), 1888, A., 221.

action of sodium thiosulphate on (Vortmann), 1889, A., 1109. compounds of, with arsenic acid (JOLY), 1885, A., 871.

volumetric analysis with (NA-MIAS), 1892, A., 1874.

arsenites in alkaline salts, use of oxalic acid as a test for (PAT-ROUILIARD), 1883, A., 243.

arsenic oxide (arsenic anhydride), colour reactions of (LEVY), 1887, A., 305.

Arcenic oxides:-

arsenic acid, preparation of (Jour), 1885, A., 871.

action of hydrogen sulphide on Tomíček), (BRAUNER and 1887, P., 130; 1888, T., 115; (McCay), 1889, A., 15.

reduction of solutions of, by means of sulphurous anhydride (McCay), 1885, A., 634.

saturation of, with barium hydroxide (BLAREZ), 1887, A., 7.

saturation of, with calcium and strontium oxides (Blarkz), 1887, A., 8.

saturation of, with magnesia (Blarez), 1887, A., 204

reduction of, in analysis (Goocu and Browning), 1891, A., 244.

compounds of arsenious acid with (Joly), 1885, A., 871.

hydrates of (Joly), 1886, A., 202. thio-, separation of thioxyarsenic acid from (McCAY), 1892, A., 1519.

arsenates, phosphates and vanadates, analogous (HALL), 1886, P., 259; 1887, T., 94.

arsenates, alkaline, action of, on the alkaline earths (LEFEVRE). 1889, A., 826.

crystallized (Colorianu), 1886, A., 771.

thio- (PREIS), 1890, A., 1053. from Längban (LINDGREN), 1883, A., 434.

o-arsenates of the alkalis, action of hydrogen sulphide on (McCAY), 1891, A., 265.

phosphide (CAVAZZI), 1884, A., 155. hydrosulphides (LINDER and PICTON), 1892, T., 127.

iodosulphide (Schneider), 1887, A.,

trisulphide (arsenious sulphide), action of, on iodine (Schneider), 1888, Λ., 414.

colloidal solutions of (Picton), 1892, T., 140, 144; (Proron and Linder), 1892, T., 160.

solubility of, in water (Summer), 1883, A., 295; (Cross and Higgin), 1883, A., 900; (Сноройиský), 1889, A., 945.

pentasulphide (McCay), 1887, A., 213. sulphides, method for decomposing (WARREN), 1888, A., 26.

See also Orpiment and Realgar. Arsenic organic compound :-

cyanide (BLYTHE), 1888, A., 1047; (Guenez), 1892, A., 1164.

Arsenic detection, estimation, and separation:

detection of (II tour), 1883, A., 381; 1887, A., 397; (Naylor and 1887, 2., Brattiwater), 1881, 1883, A., 513; Λ., 368; (Carter), 1885, A., 1013; (Flucki-GER), 1889, A., 650; (v. KLOBU-KOFF), 1890, A., 922; (THIELE), 1890, A., 1193; (LOOFF), 1890, A., 1313. Bettendorf's test for (WARNECKE),

1891, A., 1290.

the Marsh-Berzelius test for (Head-

DEN and SADLER), 1886, A., 489. microchemical test for (v. Haus-Horer), 1887, A., 300.

Reinsch's test for (HAGER), 1887, A., 397.

Swedish method of testing for (AT-TELLIERG), 1886, A., 100. detection of, in presence of antimony

(HAGER), 1885, A., 838. detection of, in corpses (SEYDA), 1891, A., 121.

detection of, in metallic iron (SAUTER-

MEISTER), 1892, A., 1030. detection of, by induction spark (V. Klobukoff), 1890, A., 922.

detection of antimony and (DENIGES), 1891, A., 364.

estimation of (Frost), 1884, A., 115; (Low), 1884, A., 116; (HOLTHOF), 1884, A., 1428; (McCAY), 1886, A., 579; (LEHMANN and MAGER), 1880, A., 920; (REICH and RICHTER), 1886, A., 1073; (Lesser), 1888, A., 754; (Polenske), 1890, A., 83; (CANBY), 1890, A., 923; (BOAM), 1890, A., 1026; (THIELE), 1890, A., 1193.

estimation of, volumetric (McCAY), 1883, A., 1034; (Jolles), 1889, A., 311; (Franceschi), 1892, A., 1519.

estimation of, as sulphide (McCAY), 1888, A., 528.

οf, estimation by an alkaline solution of potassium ferricyanide (QUINCKE), 1892, A., 526. estimation of, in corpses (SEYDA),

1891, A., 121.

estimation of, in fabries and yarn (Fresenius and Hintz), 1888, A., 754.

estimation of, in judicial cases (Beckurts), 1885, A., 439. estimation of in iron and iron ores

(LUNDIN), 1885, A., 838; (V. REIS),

1890, A., 194. estimation of, in mineral waters (FRESENIUS), 1886, A., 649.

Arsenic detection, estimation, and separation:-

estimation of, in minerals and metals (Clark), 1882, A., 530.

estimation of, in ores, mattes, and metallic copper (LEHMANN and MAGER), 1886, A., 100, 920.

estimation of, in organic compounds

(Messinger), 1889, A., 81. estimation of, in pyrites (Clark), 1888, A., 194; (FRESENTUS), 1888, Λ., 322.

estimation of, in wall paper (Fre-SENIUS and HINTZ), 1888, A., 751; (SANGER), 1892, A., 382.

estimation of, by copper reduction

test (Carmethael), 1886, A., 1074. estimation of, by Marsh's method (Künn and Sarger), 1890, A., 1187.

estimation of, by oxidation with the electric current (Frankel), 1892, A., 752.

estimation of, by Pearce's method (Frost), 1884, A., 115; (Low), 1888, A., 116.

estimation of, by Reich's method (McCAY), 1886, A., 742.

estimation of copper in presence of (CLASSEN), 1888, A., 528. separation of, from the alkaline earths

(McCay), 1886, A., 393.

separation of, from antimony (ZAMвилл and Luzzato), 1887, A., 78; (Коенден), 1889, A., 926; (Wilm), 1891, A., 1433; (Gooch and DAN-NER), 1892, A., 541.

separation of, from antimony, tin, and (Hufschmidt), 1885, A., 86; (Car-NOT), 1886, A., 1078; (LESSER), 1888, A., 754; (CLARK), 1892, T., 424; P., 68.

separation of, electrolytic, from antimony and tin (CLASSEN and Lubwig), 1885, A., 932.

separation of qualitative, from anti-mony and tin (Benglund), 1884, A., 777; 1885, A., 839.

separation of antimony and tin from gold and platinum (DE Ko-NINCK and LECRENIER), 1888, A., 1311.

separation of, from copper (Gueen), 1888, A., 630.

separation of, electrolytic, from copper (McCAY), 1891, A., 114.

separation of, electrolytic, from gold (SMITH and WALLACE), 1892, A.,

separation of, from hydrochloric acid (Otto), 1886, A., 850.

Arsenic detection, estimation, and separation:—

separation of, from mercury, sodium, chlorine, and nitric acid (HAACK), 1892, A., 530.

separation of, from saline solutions (ANON.), 1881, A., 1083.

Arsenical pyrites. See Mispickel. Arseniophosphates of Pontgibaud (Gon-NARD), 1888, A., 429.

Arseniopleiite, a new Swedish mineral (IGELSTROM), 1889, A., 22.

Arsenious anhydride. See Arsenic oxides.

bromide. See Arsenie tribromide. sulphide. See Arsenie trisulphide.

Arsenobenzene (MICHAELIS and SCHULTE), 1883, A., 187.

Arsenomolybdic acid (Pufahl), 1884, A., 715.

Arsenonaphthalene (MICHAELIS and SCHULTE), 1883, A., 187.

Arsenopyrite. See Mispickel.

Arsenosoarseniotungstates (GIBBS), 1886, A., 427.

Arsenosomolybdates (GIBBS), 1886, A., 427.

Arsenosophosphotungstates (GIBBS), 1886, A., 427.

Arsenotungstic acids (FREMERY), 1884, A., 965; (KEHRMANN), 1888, A., 788.

Arsenovanadates (GIBES), 1886, A., 205; (FRIEDHEIM and DUMONT), 1890, A., 1380.

Arsenovanadic acid (FERNANDEZ-KRUG), 1884, A., 1266.

Arsenovanadicovanadates (GIBBS), 1886, A., 205.

Artar root, constituents of the bark of (GIACOSA and MONARI), 1888, A., 167; (GIACOSA and SOAVE), 1890, A., 918.

Artarine (GIACOSA and SOAVE), 1890, A., 918.

Artemisia Absinthium, absinthin from (SENGER), 1892, A., 1210.

Artemisia gallier, chemical composition of (Heckel and Schlagdenhauffen), 1885, A., 684.

Arterin (Hoppe-Seylen), 1889, A.,

Artichokes a source of spirit (ANON.), 1884, A., 526.

Artichokes, Jerusalem, composition and cultivation of (Leghartier), 1892, A., 1024.

cooked, composition of (WILLIAMS), 1892, T., 227.

germination of (GREEN), 1890, A., 656.

Arum itulicum, chemical and physiological study of (Sprea and Biscano), 1886, A., 91.

Asafotida, othereal oil of (Semmler), 1891, A., 322, 161.

vanillin in (SCHMIDT), 1886, A., 906. Asaprol (STACKLER), 1892, A., 1116.

Asarite (RIZZA and BUTLEROFF), 1981, A., 1042.

Asarone (RIZZA and BUTLEROFF), 1884, A., 1012; 1885, A., 669; (POLECK), 1884, A., 1191.

constitution of (RIZZA and BUTLER-OFF), 1888, A., 458; (EIJKMAN), 1890, A., 244.

oxidation of (RIZZA and BUTLEROFF), 1888, A., 458.

Asurum europæum, ethereal oil of (Poleck), 1881, A., 1191; (Petersen), 1888, A., 680.

Asbestos, use of, for assisting the subsidence of suspended matters (FRE-SENIUS), 1888, A., 320.

use of, in filtration (BARBA), 1892, A., 751.

Abestos-filters, preparation of (Casa-majon), 1883, A., 506.

Asbolin (Behal and Desvices), 1892, A., 1312.

Ascaris, respiration of various species of (Bunge), 1890, A., 274.

Ascharite, a new horate (FEIT), 1892, A., 792.

Ascitic fluid, mucoid substance in (HAMMARSTEN), 1891, A., 1127. sugar and allantoin in (MOSCATELLI), 1889, A., 291.

Asclepiadin (GRAM), 1887, A., 377.

Asclepias cuprassavica and A. incarnata, active principles of (GRAM), 1887, A., 377.

Asebotoxin (Eijkman), 1883, A., 215, 349.

Aselline (GAUTIER and MOURGUES), 1888, A., 1315.

Aseptol (Seurant), 1885, A., 1016, 1166; 1886, A., 707.

See also o-Phenolsulphonic acid.

Ash in bones of different ages (MASON),

1888, A., 80. of Pistia Stratiotes (Páná salt)

(WARDEN), 1883, A., 822. estimations (JAY), 1885, A., 598; (REESE), 1888, A., 758; (FLUCK-IGER), 1889, A., 80; (LETHARTIER).

1890, A., 196. estimation of, in food and drugs

(KWASNICK), 1890, A., 833, estimation of, in organic substances (Köbrich), 1888, A., 325. See also Agricultural chemistry, Asiminine (LLOYD), 1887, A., 981. Asparagine (PIUTTI), 1886, A., 870, 1013.

in hops (Bungener), 1886, A., 387, in dahlia tubers (Leiter), 1889, A.,

400.

chemistry of (Schulze), 1881, A., 42.

transformation of fumaric and maleic acids into (Konnen and Menozzi), 1887, A., 1100.

synthesis of (Piutri), 1889, A., 381; 1891, A., 175.

extraction of, from liquids (Schulze),

1883, A., 315.
heats of combustion and formation of

(BERTHELOT and ANDRE), 1890,

A., 936. action of Bucillus pyocyumus on (ARNAUD and CHARRIN), 1891, A.,

action of methylic iodide on (MICHAEL and WING), 1885, A., 968.

decomposition of, by water and dilute acids (Berthelot and André), 1887, A., 236.

picrate (SMOLKA), 1886, A., 453. assimilation of, by plants (BAESSLER),

1886, A., 1061.

as a plant constituent (SCHULZE and BOSSHARD), 1885, A., 1007.

influence of carbohydrates on the accumulation of, in plants (Mon-TEVERDE), 1892, A., 91.

decomposition of, in the human body (Graffenberger), 1892, A., 904. importance of, for feeding (Weinke), 1888, A., 80; (König), 1891, A.,

1525. influence of, on the animal organism (Weiske and Schulze), 1885, A.,

influence of, on the elimination of albumin (Munk; v. Voit), 1885, A., 412.

detection of, in vegetable juices and extracts (Schulze), 1884, A., 373. estimation of (Schulze), 1885, A.,

isoAsparagine (Piutti), 1889, A., 382, 384.

a-isoAsparagine (Köhnehand Menozzi), 1888, A., 133.

Asparagines, constitution of (Piutri), 1889, A., 383.

reciprocal transformation of the optically active (PIUTTI), 1887, A., 802.

substituted (PIUTTI), 1889, A., 591. Asparagus, coniferin and vanillin in (V. LIPPMANN), 1886, A., 387. Aspartic acid, preparation of, from asparagine (Scitulze), 1881, A., 42. conversion of fumeric and maleic acids into (Engel), 1887, A., 917; (Korner and Menozzi), 1887, A., 1100.

synthesis of (Piutti), 1888, A., 677, cleetrical conductivities and multiple affinities of (Berthelot), 1890,

A., 201.

thermochemistry of (BERTHELOT and André), 1890, A., 936; (BERTHELOT), 1891, A., 967.

condensation of, with benzenesulphonic chloride (HEDIN), 1891, A., 202.

hydrochlorides of normal ethereal salts of (Currius and Kocii), 1885, A., 885.

imide of (Körner and Menozzi), 1887, A., 1031.

Aspartic acids (MICHAEL and WING), 1885, A., 377, 968; (SCHIFF), 1885, A., 377; (ENGEL), 1888, A., 1065.

α-isoAspartic acid (Korner and Menozzi), 1887, A., 801.

"Aspartic colloid, amido-" (GRIMAUX), 1884, A., 957.

Asporgillin (Linossier), 1891, A., 751, 1089.

Aspergillus niger, action of, on fumarates and maleates (Buchnen), 1892, A., 820.

Asphalt, manufacture of (DIETRICH), 1885, A., 309.

Bentheim, geological and chemical investigation of, with reference to analogous occurrences in Italy (STRIPPELMANN and ENGLER), 1884, A., 522.

Egyptian, analysis of (Boussing Ault), 1883, A., 941.

of Judea (Delachanal), 1884, A., 231.

of Utah and Colorado (STONE), 1892, A., 21.

Sce also Bitumen.

Asphyxia, effect of, on the glycolytic and saccharific powers of the blood (LEPINE and BARRAL), 1892, A., 517.

Aspidium felix mas, products from (DAGCOMO), 1888, A., 521.

Aspidole (Dagromo), 1888, Λ., 522. Aspirator, an (Gawalowski), 1886, Λ., 15.

with constant flow (BINDER), 1888, A., 1244.

Association (MENDELÉEFF), 1887, T., 782. versus dissociation in solutions (Pickering), 1891, A., 972. Association hypothesis (TRAUBE), 1891, Λ., 1110.

and its relation to the theories of Clausius and var't Hoff (TRAUBE), 1891, A., 390.

Astuous fluviatilis, blood of (GRIF-

FITHS), 1892, A., 648. uric acid from the green glands of (GRIFFITHS), 1885, A., 680.

Astracanite. See Blodite.

Astragalus, analyses of (Nilson), 1892, A., 522.

Astrophyllite, analyses of (Bringer), 1890, A., 1079; (EAKINS), 1892, A.,

in a rock from Colorado (LACROIX), 1889, A., 1054.

Atacamite, action of water on (Rousseau

and Tite), 1891, A., 1423. from Chili (DARAPSKY), 1890, A., 111; (GENTH and PENFIELD), 1891, A., 275.

Atelestite from Schneeberg, Saxony (Busz), 1890, A., 18.

Atmidalbumose (NEUMEISTER), 1889, Δ., 911.

Atmospheric air, absorption spectrum of (Egoroff), 1883, A., 137; 1886, A., 189; (Olszewski), 1887, A., 625. constituents of, spectroscopic examination of the (JANSSEN), 1886, A., 1.

relation between potential difference and striking distance in, at different pressures (PASCHEN), 1889, A., 806.

electrical conductivity of, under reduced pressure (Homin), 1886, A., 3. , electrical conductivity of, illumined (Arrhenius), 1888, A., 544. electrical conductivity of, due to the

formation of ozone (Elster and

GEITEL), 1890, A., 676. constituent of, which absorbs radiant heat (Hill), 1883, A., 7.

temperature in relation to soil temperature (Hossfeld), 1884, A., 357. dilatation and compression of (An-TOINE), 1889, A., 460.

compressibility of, at 20° to 300° under 1 to 8 atmospheres' pressure

(AMAGAT), 1884, A., 146. compressibility of, at low pressures

(AMAGAT), 1884, A., 146. compressibility of, at very high pressures (AMAGAT), 1889, A., 8. compressibility of mixtures of carbonic

anhydride and (LALA), 1891, A., 253. compressibility of mixtures of hydrogen and (LALA), 1891, A., 634. liquid (v. Wroblewski), 1886, A., 8. density of liquid (v. Whoblewski), 1886, A., 661. Atmospheric air, boiling point of, under atmospheric pressure (v. Wroblewski), 1884, A., 817.

critical temperature and pressure of; relation between its boiling point and the pressure (OLSZEWSKI), 1881, A., 1257.

absorption of the gases of, by water at various temperatures (Pettersson and Sonden), 1889, A., 935.

action of, on haloid salts of the alkalis (GORGEU), 1886, A., 644.

combustion of, in coal gas (CRAIG), 1888, A., 1244.

action of moist phosphorus and, on carbonic oxide (REMSEN and KEISER), 1884, A., 149, 711; (LEEDS), 1884, A., 660; (BAUMANN), 1884, A., 1092.

composition of (Leduc), 1890, A., 1370; 1891, A., 1416. analysis of (Pettersson), 1887, A.,

180; (Uffelmann), 1889, A., 209; (Pettersson and Höglund), 1890, A., 412.

analysis of, hygienic (SONDEN), 1888, A., 192.

examination of, for sanitary purposes, disinfection with remarks on (Нітенеоск), 1883, А., 514.

at Cape Horn (MUNTZ and AUBIN), 1886, A., 418.

of dwellings, influence of artificial lighting on (FISCHER), 1884, A., 122. of sewers (CARNELLEY and HALDANE), 1888, A., 532.

of the Tropics, ammonia in (MAR-CANO and MUNTZ), 1892, A., 381;

(Muntz), 1892, A., 909. carbon monoxide in (De la Harpe and REVERDIN), 1889, A., 1087.

carbonic anhydride in (MÜNTZ and AUDIN), 1883, A., 121; 1884, A., 659, 710; (Cook), 1883, A., 284; (Wollny), 1883, A., 614; 1886, A., 594; (Ballo), 1884, A., 1076; (Spring and Roland), 1886, A., 504; (VAN NÜYS), 1886, A., 835 1887, A., 300; (VAN NUYS and ADAMS), 1887, A., 549; (BLOCH-MANN), 1887, A., 214; (PETTERSSON and PALMQUIST), 1887, A, 999; (LUNGE and ZECKENDORF), 1889, A., 440; (Schidlowski), 1889, A., 651; (HALDANE and PEMBREY), 1890, A., 1188; (LEBEDINZEFF), 1891, A., 1290; (Schulz), 1892, A., 533.

influence of climate and weather on the amount of carbonic anhydride in (Wollny), 1883, A., 614.

Atmospheric air, rapid absorption of | carbonic anhydride from (D'ARSONv (L), 1888, Å., 512.

moisture in (HALDANE and PEMBREY), 1890, A., 1188.

nitrous acid in (ILOSVAY), 1890, A.,

organisms in, around Carlsberg (HAN-SEN), 1884, A., 126.

organic matter in (CARNELLEY and Mackie), 1887, A., 532; (Archanow), 1892, A., 542.

organic matter, combustible, (Muntz and Aubin), 1885, A., 118. oxygen in (Vogler), 1883, A., 284,

551.

percentage of oxygen in (HEMPEL), 1385, A., 1091; 1887, A., 885; (KREUSLER), 1886, A., 199; 1887, A., 634; (Wanklyn), 1891, A., 362. oxygen in, of forests (EBERMEYER),

1886, A., 1066.

formation of active oxgen in (Wur-STER), 1887, A., 211.

sodium sulphate in (PARMENTIER), 1889, A., 826; (MARGUERITE-DELACHARLOANY), 1889, A., 945.

sulphurous anhydride in, at Lille (Ladureau), 1884, A., 710.

sulphurous anhydride in, of towns

(WITZ), 1885, A., 953. effect of rarefied, on the animal organism (FRAENKEL and GEPгент), 1884, А., 470.

respiration in superoxygenated (DE SAINT-MARTIN), 1884, A., 911.

deficient in oxygen, influence of, on animals (Kempner), 1884, A., 344. charged with petroleum vapour, respiration of (POINCARE), 1884, A., 1057.

expired, poisonous action of (Brown-SEQUARD and D'ARSONVAL), 1889, A., 629.

villated by respiration (HERMANS), 1884, A., 510; (HALDANE and Sміти), 1892, A., 1502.

Atmospheric dust (Schuster), 1884, A., 225.

Atomic coefficients, critical (GUYE), 1890, A., 444.

Atomic hypothesis, a certain (Peauson), 1888, A., 902.

Atomic union and molecular union, can Raoult's method distinguish between? (Anschütz), 1890, A., 105.

Atomic volume and specific volume (Lossen), 1886, A., 972.

Atomic volume of elements, relation between the allotropic modifications of iron and the (OSMOND), 1890, A., 567. Atomic weight and the density of liquids (MOULIN), 1891, A., 1815. Atomic weight and gravitation (Dulk),

1885, A., 722; 1886, A., 591.

Atomic weight and magnetism (Enrera), 1891, A., 518; (Bachmetieff), 1892, A., 672.

physiological Atomic weight and function (SESTINI), 1885, A., 1150.

Atomic weights in general (BUTLER-OFF), 1883, A., 846; (CLARKE), 1891, A., 877.

their approximation to whole numbers (DEWAR), 1892, P., 208.

basis of (Brauner), 1889, A., 819. definition of, and its relation to the periodic law (HARTLEY), 1888, P.,

the logarithmic law of (Stoney), 1888,

P., 55. numerical relations of (STRANSKY),

1889, A., 567. relations between (ADKINS), 1892, A.,

938. standard of (Brauner), 1889, A., 335.

unit of (MEYER and SEUBERT), 1885, T., 426; 1889, A., 753; (OSTWALD), 1889, A., 819; (VAN'T HOFF), 1889, (Noyes), 1891, A., 932; 523.

verification of some (MARIGNAC), 1884, A., 813.

work of Stas on (MALLET), 1892, P., 204.

Atomic weight of aluminium (BAU-BIGNY), 1884, A., 395.

of antimony (Bongartz), 1883, A., 1056; (Popper), 1886, A., 856.

of beryllium (glucinum) (Humpinge), 1884, A., 261; 1885, A., 1184; 1886, A., 506; (REYNOLDS), 1884, A., 261; (HAUPLEY), 1885, A., 484; (Kruss and Morahly), 1890, A., 698, 1375; 1891, A., 881.

of bismuth (LOEWE), 1881, A., 558; (Marignao), 1884, A., 814; (Schneider), 1885, A., 354; 1891, A., 271, 1324; (CLASSEN), 1890, A., 706; 1891, A., 525.

of boron (ABRAHALL), 1892, T., 650; P., 71; (ASTON and RAMSAY), 1892, P., 165.

of cadmium (CLARKE), 1891, A., 390; (Partridge), 1891, A., 399; (Morse and Jones), 1892, A., 1397.

of carbon (VAN DER PLAATS), 1885, A., 318.

of carbon and oxygen with reference to Prout's law (GROSHANS), 1889, A., 463.

Atomic weight of cerium (BRAUNER), 1885, T., 880; (ROBINSON), 1885, A., 217.

of chromium (BAUBIGNY), 1884, A., 891; (Lurron), 1888, P., 81; (Rawson), 1889, T., 213; P., 31; (MEINEKE), 1891, A., 882.

of cobalt (ZIMMEHMANN), 1886, A., 596; (WINKLER), 1889, A., 759; (SCHÜTZENDERGER), 1892, A., 1159.

of copper (BAUBIGNY), 1884, A., 256; (SHAW), 1887, A., 411; (RICHARDS), 1888, A., 916, 917; 1891, A., 805.

of copper and silver, relation of the

(RICHARDS), 1888, A., 916. of didymium (CLEVE), 1883, A., 852. of the elements (BASAROFF), 1888, A., 406; (DELAUNEY), 1889, A., 1104. of fluorine (CHRISTENSEN), 1886, A., 854; 1887, A., 892; (MOISSAN), 1891, A., 15.

(LECOQ DE BOIS-

of germanium

BAUDRAN), 1886, A., 768. of gold (Thorpe and Laurie), 1887, T., 565, 866; P., 57, 106; (West-MORELAND), 1887, A., 81; (KRUSS), 1887, A., 340, 1019; 1888, A., 345; (MALLET), 1890, A., 708; (SEUBERT), 1891, A., 885.

of hydrogen (AMAGAT), 1885, A., 631. of hydrogen, carbon as an impurity affecting the determination of (Morley), 1890, A., 1369.

of hydrogen and oxygen, relative values of (Cooke and RICHARDS), 1888, A., 647, 910.

of iridium (John), 1890, A., 1067; (Shubert), 1891, A., 885.

of lanthanum (CLEVE), 1883, A., 553; (BRAUNER), 1891, A., 881.

of magnesium (MARIGNAC), 1884, A., 815; (Burron and Vonce), 1890, A., 850.

of manganese (DEWAR and Scott), 1883, A., 856; (MARIGNAU), 1884, Λ., 814.

of nickel (BAUBIGNY), 1884, A., 256; (ZIMMERMANN), 1886, A., 596; (WINKLER), 1889, A., 759; (SCHÜT-ZENDERGER), 1892, A., 1158.

of osmium (SEUBERT), 1888, A., 921; 1891, A., 884, 885.

of oxygen (HILDITCH), 1884, A., 659; (Keiser), 1887, A., 1078; 1891, A., 1154; (RAYLEIGH), 1888, A., 643; 1890, A., 330; (COOKE and RIGHARDS), 1888, A., 647, 910; (MORLEY), 1888, A., 649; (GROSHANS), 1889, A., 643; (JOHNSON), 1889, A., 935; (NOYES), 1889, A., 672; 1890, A., 1370; (Leduc), 1892, A., 1388.

Atomic weight of palladium (Keiser), 1890, A., 17; (Seubert), 1891, A., 885; (Bailey and Lamb), 1892, T., 715; P., 138.

of phosphorus (VAN DER PLAATS), 1885, A., 348.

of platinum (Halberstadt), 1885, A., 355; (DITTMAR and McARTHUR), 1888, A., 425; (SEUBERT), 1888, A., 1043; 1891, A., 885.

of rhodium (SEUBERT and KOBBÉ), 1891, A., 646; (SEUBERT), 1891, A.,

of ruthenium (Joly), 1889, A., 352, 835; (SEUBERT), 1891, A., 885.

of samarium (CLEVE), 1883, T., 365; (Bettenborff), 1891, A., 985.

of silicon (THORPE and YOUNG), 1887, T., 576; P., 60.

of silver (MEYER and SEUBERT), 1885, T., 434; (Shaw), 1887, A., 444; (Richards), 1888, A., 916; (Stas), 1890, A., 561; (SEUBERT), 1891, A., 885.

of tellurium (Brauner), 1889, T., 382; P., 94.

of thorium (NILSON), 1883, A., 649; (KRUSS and NILSON), 1887, A., 704. of tin (van der Plaats), 1885, A., 348; (BONGARTZ and CLASSEN), 1889, A., 19.

of titanium (Thorpe), 1884, A., 395; 1885, T., 108; P., 1.

of tungsten (WADDELL), 1887, A., 111. of uranium (ZIMMERMANN), 1886, A.,

of yttrium (CLEVE), 1883, A., 292. of yttrium metals, in their natural compounds (RAMMELSBERG), 1888, A., 112.

of zinc (BAUBIGNY), 1884, A., 256; (MARIGNAC), 1884, A., 315; (VAN DER PLAATS), 1885, A., 318; (MORSE and Burron), 1888, A., 1247; (GLADSTONE and HIBBERT), 1889, T., 443; P., 101.

of zirconium (BAILEY), 1890, A., 705. Atomic weight determinations, con-cordance in (CLARKE), 1891, A., 390.

from specific heat (JANEČEK), 1887, A., 419.

by means of metallic sulphates (BAU-

DIGNY), 1884, A., 256.
by means of the normal sulphate
(BAILEY), 1887, T., 676.
Atoms, arrangement of, in space (Los-

sen), 1888, A., 218; (Wislicenus). 1888, A., 405, 1058; 1889, A., 576; (Wishiernus, Teisher and Lang-BEIN), 1889, A., 236; (WISLIGENUS and Blank), 1889, A., 261.

Atoms, arrangement of, in space in carbon connounds containing nitrogen (HANTZSCH and WERNER), 1890, A., 348.

arrangement of, in space in the molecules of organic compounds (Wislicenus), 1888, A., (MICHAEL), 1888, A., 1147.

stereochemical and mechanical views with reference to single and multiple union of, and the changes of one into the other (NAUMANN), 1890, Δ., 555.

unstable equilibrium of (Pringsheim), 1889, A., 672.

of molecules combinations (TRAUBE), 1886, A., 661.

Atripaic acid, a new organic acid from the sugar-cane (SAVARY), 1885, A., 653.

Atrolactyl tropeine, and some of its salts (Ladenburg), 1883, A., 671; (Liebermann and Limpach), 1892, A., 891.

Atropa Belladonna, alkaloids of (HESSE), 1891, A., 748; 1892, A., 1498; (Schutte), 1892, A., 231; (Merck), 1892, A., 1255.

constituents of (Kunz), 1886, A., 255; (Раксикія), 1886, А., 156, 577. estimation of the alkaloids of (DUN-

STAN and RANSOM), 1885, A., 418; 1886, A., 105.

Atropamine and its derivatives (HESSE), 1891, A., 228, 748; (Merck), 1892, A., 1256.

Atrophy, decrease in weight of individual organs in children dying from (OHL-MULLER), 1883, A., 606.

Atropic acid (a-phenylacrylic acid), heat of combustion of (Ossiporf), 1889, A., 460.

isoAtropic acids, γ- and δ-. See Truxillic acids.

Atropine. See Alkaloids.

isoAtropylcocaine (LIEBERMANN), 1888, A., 1210.

poisonous properties of (HESSE), 1889, A., 732.

isoAtropylcocaines, δ- and γ- (Lieber-MANN and Drory), 1889, A., 733.

isoAtropylecgonines, δ -and γ - (Lieber-MANN and DRORY), 1889, A., 733. Atropyltropeine (Ladenburg), 1883,

A., 672; (Merck), 1892, A., 1255. Atroxindole (TRINIUS), 1885, A., 529.

Auerlite, a new thorium mineral (HIDDEN and Mackintosh), 1889, A., 221.

Avalite (Los (NITSCH), 1881, A., 1272. Avenine, existence of (WRAMPELMEYER), 1889, A., 1223.

from oats (SANSON), 1881, A., 915.

Aventurine glass and green aventurine quartz from Asia (Fischer), 1883, Λ., 435.

Avidity formula, critical remarks on (HAGEMANN), 1887, A., 633.

Avogadro's hypothesis, demonstration of (Kreis), 1885, A., 13; (SCHALL), 1887, A., 698.

Axe, jadeite, from Rabber, Hanover (Angruni), 1883, A., 437.

Axinite (WHITFIELD), 1888, A., 318; (Genth, Penfield and Pirsson),

1891, A., 1329. formula of (Kenngott), 1891, A., 1168 ; 1892, A., 125.

from New South Wales (LIVERSIDGE), 1886, A., 774.

Augite (pyroxene) (v. Chrustschoff), 1886, A., 776, 990.

synthesis of (Doelter), 1881, A., 1105.

relation between the optical properties and chemical composition of (WIIK), 1885, A., 560; 1884, A., 971; (DOELTER), 1885, A., 229.

paramorphosis of, to hornblende in rocks (Williams), 1885, A., 492.

cupriferous variety of (FREDA), 1881, A., 272.

of secondary origin (Cross), 1890, A., 1081.

from Ascension (VOM RATH), 1883, A., 436.

(green) from the diamond mines of the Cape, analysis of (JANNETTAZ), 1883, A., 1067.

from Dognácska (Loczka), 1886, A., 513.

from Krakatoa ashes (Retgens), 1886, A., 602.

from the Krimlerthal (v. ZEPHAROvicu), 1887, A., 902.

(crystals) from New York (WILLIAMS),

1888, A., 351. om Weiler, near Weissenberg, analysis of (Liner), 1886, A., 212. from the Whin Sill (TEALL), 1887, A., 1022.

analyses of (CHATARD), 1892, A., 1109. Augite-andesites, European (Cuoss),

1884, A., 568. from the Dutch Indian Archipelago (Verbeek), 1885, A., 1120.

Augite-granites from the Cheviot dis-

tricts (Teall), 1886, A., 520.

Augite-group (Wulfing), 1892, A., 1408.

Augites of noteworthy composition (Donner, 1885, A., 735.

from Finland, calculation of analyses of (KENNGOTI), 1883, A., 1065. of the Kaiserstuhl mountains in Baden

(KNOP), 1885, A., 731.

from phonolites and similar rocks, chemical composition of (MANN), 1885, A., 34.

Augitic rock, azure blue, from New Mexico (MERRILL and PACKARD), 1892, A., 1057.

Augitite from S. Vicente, analysis of (DOELTER), 1883, A., 723.

Augitites of Morbihan (BARROIS), 1889, Λ., 109.

Auramine and its derivatives (ANON.), 1884, A., 1150; (Fehrmann), 1888, A., 156; (Graede), 1888, A., 158.

Aurantia, physiological action of (WEYL), 1888, A., 1122. Aurantiamarin (TANRET), 1886, A., 577. Aurantiol (SEMMLER and TIEMANN), 1892, A., 868.

Auric, auro, and aurous. See Gold. (burutite) (JANNETTAZ), Aurichalcite 1887, A., 644; (Beller), 1890, A., 218; (Penffeld), 1891, A., 886. Aurin. See Rosolic acid.

"Aurin red," or "peonine" (Dale and Schorlemmen), 1883, T., 186.

Aurintricarboxylic acid (CARO), 1892, A., 855.

Aurora borealis, spectrum of (Kocn), 1890, A., 313.

Australene (BARBIER and HILT), 1889, A., 616.

change of rotation of (Marsh and GARDNER), 1891, T., 727.

hydrochloride (MARSH and GARDNER), 1891, T., 728.

isoAustralene (BARBIER and HILT), 1889, A., 016.

Austrium, a new metallic element (LINNEMANN), 1886, A., 773.

Auto-accumulator(Jablochkoff), 1885, A., 854.

Autocatalysis (OSTWALD), 1891, A., 1151; (Collan), 1892, A., 1270.

Autoclaves for chemical laboratories (MUENCKE), 1886, A., 112. Autoxidation (Traube), 1889, A., 937;

1890, A., 208; (Hoppe-Seyler), 1889, A., 1106.

in plant cells (Reinke), 1883, A., 819. Autoxydabel (Traube), 1883, A., 709.

Azaurolic acids (MEYER and CONSTAM), 1883, A., 40.

Azelaic acid, action of bromine on (Bujard and Hell), 1889, A., 375,

Azelaic acid, boiling points of (KRAFFT and Noerdlinger), 1889, A., 691. thermochemistry of (Stohmann, Kle-

BER and LANGBEIN), 1889, A., 1097. Axial symmetry, criteria of (ARM-STRONG), 1888, P., 93.

Azidines (Pinner), 1884, A., 743.

Azimidazoles (Hantzsch), 1892, A., 313. Azines (JAPP and BURTON), 1886, P., 268; 1887, T., 98; (HINSBERG), 1887, A., 383.

formation of, from o-diamines and polyamines (NIETZKI), 1890, A., 178. preparation of (WITT), 1887, A., 590.

Azines of the uric acid group (KUHLING), 1891, A., 1341; 1892, A., 70.

Azinsuccinic acids, α - and β -, and their derivatives (Cultius), 1885, A., 886. Azo-colouring matters. See Colouring matters.

AZU-COMPOUNDS-

Azo-compounds (GIRARD and PABST), 1883, A., 583; (Wallach), 1883, A., 584; 1887, A., 40; (LIEBER-MANN and V. KOSTANECKI), 1884, A., 1146; (NOLTING and BAU-MANN), 1885, A., 385; (M.ZZARA), 1885, A., 904; (STAEDEL and BAUER), 1886, A., 943; (JANOVSKY), 1887, A., 663; (JANOVSKY), 1891, A., 663; (Janovsky), 1887, A., 663; (Limpricht), 1891, A., 1036. preparation of (Witt), 1886, A.,

constitution of (MELDOLA and MISCRICHO OF (MELDOLA SING STREATFEILD), 1886, T., 624; P., 222, 263; 1887, T., 102, 434; P., 50; 1888, T., 664; P., 63; (MEL-DOLA and EAST), 1888, T., 460; P., 47; (MEYER), 1888, A., 366; (MELDOLA and MORGAN), 1889,

T., 114; P., 11. condensation of aldehydes with (Barshowsky), 1892, A., 854. action of carbon disulphide on

(JACOBSON and SCHENCKE), 1890, A., 248.

oxidation of (LAUTH), 1892, A., 48. reduction products of (Jacobson and Fischer), 1892, A., 839.

substitution in (NOLTING), 1888, A., 270.

with mixed and substituted radicles and their derivatives (KANON -NIKOFF), 1886, A., 145.

relation between hydrazides and (BERNTHSEN), 1888, A., 469.

of chrysaniline, dyes from (TRIL-LAT and RACZKOWSKI), 1892, A., 1095.

of cyanocamphor (MINGUIN), 1892, A., 1343.

Azo-compounds-

Azo-compounds of the fatty series, constitution of (Currius), 1889, A., 586.

of B-naphthol and B-naphthylamine, constitution of (MLL-DOLA), 1889, A., 101.

mixed (Bamberger), 1885, A., 157; (Bamberger and Calman), 1886, A., 62; (Meyer), 1888, P., 79; (Beyer and Claisen), 1888, A., 827; (Claisen), 1892, A., 710.

constitution of certain so-called (JAPP and KLINGEMANN), 1888, T., 519.

secondary and tertiary (MELDOLA), 1883, T., 425; 1884, T., 106; 1885, T., 657.

Azo-compounds, amido- (GOLD-SCHMIDT and ROSELL), 1890, A., 614.

cryoscopic experiments with (GOLD-SCHMIDT), 1891, A., 1211.

action of hydrochloric acid on (WALLACH and KOLLIKER), 1884, A., 1014.

of the three xylenes (NOLTING and FOREL), 1886, A., 58; (ZINCKE and JAENKE), 1888, A., 469.

secondary, preparation of (HEN-RIQUES), 1885, A., 168.

Azo-compounds, o-amido- (NOLTING and WITT),1881, A., 742; (ZINCKE), 1886, A., 236; (ZINCKE and LAW-SON), 1886, A., 795; 1887, A., 731; 1888, A., 159; (GOLDSCHMIDT and POLTZER), 1891, A., 839.

Azo-compounds, nitroso-, constitution of (Willgerodt), 1892, A., 1453.

Acetamidobenzeneazoacetanilide (MIXTER), 1884, A., 301.

Acetamidobenzeneazoaniline (NIIIIZ-KI), 1881, A., 1016.

Acetamidobenzene-m-azodimethylaniline (Wallach), 1887, A., 41.

Acetamidobenzene-m-diazopiperidide (WALLACH), 1887, A, 131.

Acetamidobisazobenzene (NICTZKI and DIESTERWEG), 1888, A., 1082.

p-Acetamidotoluene-o-azodiethylaniline (WALLACH), 1887, A., 41. 4:3:1-Acetazimidotoluene (BOESS-

NECK), 1886, A., 874.

Acetoneazobenzene. See Pyrnvaldehydephenylhydrazone.

Acetonebisazobenzene (CLAISEN), 1892, A., 710.

Acetophenoneazonaphthol (KLIN-GEL), 1886, A., 61. AZO-COMPOUNDS-

Aceto-p-toluidide-o-diazodiethylamide (Wallach), 1887, A., 137.

Aceto-p toluidide-o-diazonitroethane (WALLACH), 1887, A., 137.

Aceto-p-toluidide-o-diazopiperidido (WALLACH), 1887, A., 138.

Acetylbenzeneazo-p-cresol (Goldsenhidt and Brubacher), 1891, A., 1209.

Acetylbenzeneazo-ψ-cumaldehyde (Goldschmidt and Brubacher), 1891, A., 1209.

Acetyl-m-chlorobenzene-m-azo-m-cresol (Goldschmidt and Pollak), 1892, A., 975.

Acetyl-2-chlorobenzeneazo-2-cresol (Goldschmidt and Pollak), 1892, A., 974.

Acetyl-\psi-cumeneazophenol (Goldsemmor and Brubaomer), 1891, A., 1210.

Acetylenedicarboxylodiazoacetic acid (Buchner), 1889, A., 694.

Acetyl-o-nitrohydroxyazobenzene (Goldschmidr and Brubacher), 1891, A., 1211.

Acetylphenolbisazotoluene, 1.2 1-(Goldschmidt and Pollak), 1892, A., 976.

Acetylphenylazoacetone (Goldsenmidt and Pollak), 1892, A., 977.

Acetyl-p-tolueneazo-p-cresol (Gold-schmidt and Pollak), 1892, A., 974.

Acetyl-p-tolueneazophenol (Goldschub), 1891, A., 1210.

Alkyldiazoamides, synthesis of (Meta-DOLA and STREATFELLD), 1890, T., 785.

mixed, nature of the combination between (Meldola and Streatfello), 1890, T., 798.

Alkyldiazoamido-compounds, synthesis of heterogeneous mixed (Meldola), 1889, T., 610; P., 127.

Anhydrodiazohemipinic acid (GRUNE), 1887, Å., 49.

Anilidobenzeneazobenzenepolysulphonic acids, preparation of (ANON.), 1881, A., 237.

Anisenylazoximebenzenyl (MILLER), 1890, A., 115.

Anisenylazoximecarbonyl (MILLER), 1890, A., 145.

Anisenylazoximeethenyl (MILLER), 1890, A., 145; (HOCHHEIM), 1890, A., 1265, Azo-compounds-

Anisenylazoximepropenyl-ω-carboxylic acid (MILLER), 1890, A., 115; (Hochhelm), 1890, A., 1265. Azimides and ψ -Azimides (ZINGAL and Campbell, 1890, A., 787.

Azimidobenzene (GRIESS), 1883, A.,

Azimidobenzene, brom- and trichlorobrom- (ZINCKE and ARZBERGER),

1889, A., 501. Azimidobenzoic acid (GRIESS), 1883,

A., 57.

Azimidodibromodiamidodiphenyl (Schultz), 1884, A., 903.

Azimido-compounds (ZINCKE and ARZBERGER), 1889, A., 501; (ZINCKE and CAMPBELL), 1890, A., 787.

constitution of (GRIESS), 1883, A., 56; (Norting and Art), 1888,

A., 273.

formula of (ZINCKE), 1890, A., 990. Azimidophenyl-a-naphthylamine,

nitr- (HEIM), 1888, A., 1097. Azimidophenyl- β -naphthylamine,

nitr- (HEIM), 1888, A., 488. Azimidotoluene (Nölting and Abt),

1888, A., 274. 2;3-Azimido-p-toluic acid (CLAUS and BEYSEN), 1892, A., 177.

Azimido-1>-[9>-]toluidobenzoic acid (HEIDENSLEBEN), 1891, A., 306.

Azimidouramidobenzoicacid(Griess), 1883, A., 57.

Azoacetanilide (MIXTER), 1884, A., 301.

Azoacetoaceticbenzoic acid (GRIESS), 1885, A., 788.

Azoamidobenzene, m-nitr-. Sec Benzeneazoaniline, m-nitro.

Azoamidobenzenesulphonic acids. See Benzeneazoanilinesulphonic acids.

Azoamidonaphthalenebenzenesulphonic acids. See Sulphobenzeneazonaphthylaminesulphonic acids. p-Azoaniline. See Benzeneazoaniline,

amido-.

Azobenzene, spectrum of (HARTLEY), 1887, T., 176.

colour of (Armstrong), 1892, P., 194. action of heat on the vapour of (Ferko), 1887, A., 572.

action of benzaldehyde on (BARsilowsky), 1886, A., 148.

action of bromine on (ARMSTRONG), 1892, P., 194.

nitration of (JANOVSKY), 1885, A., 789.

ethylxanthate disulphide and (LEUCKART), 1890, A., 605.

Azo-compounds-

Azobenzene, substitution products of (JANOVSKY), 1883, A., 321; 1881, A., 1115.

amido-. See Benzeneazoaniline. dramido. See Benzeneazophenylenediamine.

p-diamido. See Benzeneazoaniline, amido-.

See Benzeneazophenyl-/riamido-. enediamine, amido-.

bromo-derivatives (JANOVSKY and ERB), 1887, A., 478; (JANOVsky), 1887, A., 663.

o-brom- (Janovsky), 1886, A., 795; (JANOVSKY and ERB), 1886, A., 1024.

m-brom- (JANOVSKY and ERR). 1886, A., 1024; 1887, A., 478.

p-brom- (JANOVSKY and Eng.), 1887, A., 478; (JANOVSKY), 1887, A., 663; (NOUTING and WERNER), 1891, A., 211.

tetru- and hexa-brom-, disulphochlorides (Rod ttz), 1883, A., 179. bromonitro-derivatives of (JANOVsky), 1887, A., 478.

bromonitr- (WILLGERODT), 1888, A., 949.

bromonitroso- (WILLGERODT), 1888, A., 919.

p-chlor-, and its derivatives (HEU-MANN and MENTHA), 1886, A., 874; 1887, A., 247.

allo - m - chlorodibromo - o - nitroso-(Willgeropt and Ellon), 1891, Л., 1361.

chloro-p-nitr- (Danm and Gasio-ROWSKI), 1887, A., 248.

m-chloro-o-nitr- (WILLGERODT and FERKO), 1888, A., 830.

allo-m-chloro-o-nitr- (WILLGERODT and Ellon), 1891, A., 1361.

chlorotrinitrchlorodinitr-, and (WILLGEROUT and ELLON), 1891, A., 1361.

p-chlorodinitr-, p-chlorotrinitr-, and p-chlorotetranitr- (WILLGERODT), 1890, A., 1118.

p-chloronitronitroso-derivatives

(Willgerodt), 1890, A., 1118. m-chloro-o-nitroso- (WILLGEROUT and Ferko), 1888, A., 830.

p-chlorodinitroso- (WILLGERODT), 1890, A., 1119.

p-cyan- (MENTHA and HEUMANN), 1887, A., 248. p-iod- (NOLTING and WERNER), 1891, A., 211.

di-p-iod-, colour of (LING), 1892, P., 198.

AZO-COMPOUNDS-

Azobenzene, nitro-derivatives of (JANOVSKY), 1883, A., 867; 1887, A., 663.
nitr- (JANOVSKY and Eng.), 1887, A., 478.
regulation of (JANOVSKY), 1885.

reduction of (JANOVSKY), 1885, A., 789.

o-nitr. (Janovsky), 1886, A., 794.

794. p-nitr-(Janovsky and End), 1885, A., 894.

dinitro-compounds (JANOVSKY), 1886, A., 794.

dinitr-, reduction of (Janovsky), 1885, A., 789.

o- and m-trinitr- (KLINGER and ZUURDEEG), 1890, A., 762.

p-trinitr-, and o-p-tetranitr- (WILL-GENODT and HERMANN), 1890, A., 1259.

dinitro-m- and -p-amido- (ODDO), 1891, A., 554.

nitronitroso- (WILLGERODT and HERMANN), 1889, A., 1161. reduction of (WILLGERODT), 1892,

A., 1822. nitrodinitroso- (WILLGERODT and FERKO), 1888, A., 829; (WILL-GERODT), 1891, A., 689.

dinitronitroso-, conversion of trinitrohydrazobenzene into (FREUND), 1889, A., 977.

dinitrodinitroso-, and trinitronitroso- (Willgeropt and Her-Mann), 1890, A., 1259.

dinitroso- (WILLGERODT and FERRO), 1888, A., 830; (WILL-GERODT and HERMANN), 1889, A., 1160; (KEHEMANN and MESSINGER), 1892, A., 1079; (WILLGERODT), 1892, A., 1198, preparation of (WILLGERODT), 1892, A., 1392, A., 1392, A., 1321.

Azobenzeneazo-p-chloronitrobenzene, trinitronitroso- (WILL-GERODT), 1890, A., 1119.

Azobenzeneazo-p-cresol (Nölting and Kohn), 1884, A., 901.

Azobenzeneazonaphthol, m-nitr-(nitrobenzeneazobenzeneazonaphthol) (Meldola), 1881, T., 113.

Azobenzeneazo-\$-naphthylethylamine (Henriques), 1885, A., 168. Azobenzene-o-carboxylic acid, and its y-bromo- and y-chloro-derivatives (PAAL), 1892, A., 67.

Azobenzene-p-carboxylic acid (MENTHA and HEUMANN), 1887, A., 248.

AZO-COMPOUNDS-

Azobenzene-p-chlorazobenzene, nitrotrinitroso- (WILLGEROUT and BOHM), 1891, A., 907.

///nitronitroso- (William (William Ropt), 1890, A., 1119; (William Ropt) and Böhm), 1891, A., 907.

Azobenzenéchlorobenzamide (LIM-PRICHT), 1891, A., 1037.

Azobenzene-m-chlorophenylhydrazine, trinitr- and trinitronitroso-(Currius and Lang), 1892, A., 455, 456.

Azobenzene-p-chlorophenylhydrazine, tetranitr (Willigeropt and Bohm), 1891, A., 907.

tr/nitronitroso- (WILLGEROUT), 1890, А., 1119; (WILLGEROUT and Вонм), 1891, А., 907.

Azobenzenecyanacetophenone (HAL-LER), 1889, A., 873.

Azobenzenediazine sulphite (GRIESS), 1883, A., 181.

Azobenzenedisulphonamides, tetraand hexa-brom- (RODATZ), 1883, A., 479, 480.

Azobenzene-3:3-disulphonamide (Limphicut and Meyen), 1892, A., 973.

Azobenzenedisulphonic acid (GRIENS), 1883, A., 182. from "acid-yellow" (EGER), 1889, A., 709.

Azobenzenedisulphonic acids, constitution of (RODATZ), 1883, A., 477. brominated, and their derivatives (RODATZ), 1883, A., 478.

(RODATZ), 1883, A., 478.

Azobenzene-m-hydroxybenzoic acid
(Limpricut), 1891, A., 1037.

Azobenzeneinduline, amido-(Fischen and Hepp), 1891, A., 1016.

Azobenzene-o-methylcyanacetophenone (UALLER), 1889, A., 871.

Azobenzenenitrolic acids (JANOVSKY and ERB), 1885, A., 891.

Azobenzenephenylenediaminebenzene (GRESS), 1883, A., 1102.

Azobenzenephenylenediamine-ηtoluene, α- and β- (GRIESS), 1883, A., 1102, 1103.

Azobenzenephenylhydrazine, chloronitro-(and nitro-derivatives of (Willigerour and Munk), 1892, A., 455.

*/mitronitroso- (WILLGEROPT), 1890, A., 1119; (WILLGEROPT and BÖUM), 1891, A., 907.

Azobenzenephenylthiocarbamide (Benju), 1881, A., 1149.

Azobenzene-S-resorcylic acid (LIM-PRICHT), 1891, A., 1037.

AZO-COMPOUNDS-

Azobenzenesalicylaldehyde (TUMME-LEY), 1889, A., 780.

Azobenzenesalicylamide (Tunne-1EY), 1889, A., 780.

Azobenzenesalicylic acid and its derivatives (LIMPRICHT), 1891, A.,

Azobenzenesalicylic alcohol (TUMME-LEY), 1889, A., 780.

Azobenzenesulphinic acids PRICHT), 1855, A., 984; (BAUER), 1885, A., 1139.

Azobenzenesulphonic acid, nitrodinitroso-(Willgerodr and Ferko), 1888, A., 829.

Azobenzene-p-sulphonic acid, substitution products of (JANOVSKY), 1883, A., 1101.

p-amido- (Griess), 1883, A., 181. and its salts (JANOVSKY), 1883, A., 867, 1101.

m-brom- (JANOVSKY and ERE), 1887, A., 478.

p-brom-, and its salts (JANOVSKA), 1884, A., 1116; (JANOVSKY and Err), 1887, A., 478.

chlor-, and its derivatives (MENTH \ and HEUMANN), 1887, A., 218. dichlor-, salts of (CALM), 1883, A., 341.

o-nitr- (Lerch), 1889, A., 881.

p-nitr-, and its salts (JANOVSKY). 1883, A., 867.

dinitr- and its salts (JANOVSKY), 1884, A., 1145.

Azobenzenesulphonic acids and their salts and nitro-compounds (J 1-NOVSKY), 1883, A., 321.

Azobenzenethiosulphonic acids (LIM-PRICHT), 1885, A., 981; (BAUER), 1885, A., 1139.

Azobenzenyl peroxide (BECKMANN), 1889, A., 980.

p-Azobenzylfisulphonic acid (MOHR),

1881, A., 69. Azobenzil (benzilum), Zinin's (JAPP), 1883, T., 11; 1884, A (Henius), 1885, A., 1067. 1884, A., 313;

Azobenzoic acids, action of alcohol on (REMSEN and GRAHAM), 1889, A., 975.

p-Azobenzoic acids, mono- and dinitro- (Rodzianko), 1889, A., 141.

Azobenzoylcarbinol (syn. for isatin) (GUMPERT), 1886, A., 342. Azobenzylethylamidophenol (LELL-

MANN and BOVE), 1890, A., 1116. p-Azobenzyldisulphonic acid. See Tolueneazotoluene-di-w-sulphonic acid.

AZO-COMPOUNDS-

o-Azo-p-bromacetanilide (MATTHIESser and Mixter), 1887, A., 251.

Azocampheno (Tankli), 1858, A., 7:20.

Azocarboxylic acid (Usr), 1883, A., 792.

Azocresol-compounds (Nolfing and Копу), 1884, А., 900.

Azo-p-cresol (LIEBERMANN and V. Kostanecki), 1884, A., 736.

Azocumene (Pospechoff), 1886, A.. 459.

 $Azo-\psi$ -cumene $(\psi$ -cumeneuco- ψ -cumene) (Pospechoff), 1888, A., 110. o-amido- (Zincke and Janke),

1888, A., 469. Azocumic acid, derivatives

(Alexélff), 1885, A., 390. Azocumic chloride (ALEXÉEFF), 1890. A., 891.

Azocymene (cymeneurocymene) (Schtt-MOFF), 1888, A., 469.

Azodiacetamidotoluene (Bankiewicz), 1889, A., 865.

Azodibenzenephenylenediamine (benzenrazobenzeneazophen ylened i-

amine) (Griess), 1883, A., 1103. o-Azodibenzylamine (LELLMANN and ARNOLD), 1892, A., 316, 890.

Azodicarbonamide dicarbonamide and its (Thiele), 1892, A., 1297. preparation of (THIELE), 1892, A., 1430.

Azodicarboxylic acid (THIELE), 1892, A., 1429.

Azodihydrobenzene, p-dinitr- (WILL-GERODT), 1890, A., 1116.

Azodihydroxyquinoline (BISCHOFF), 1889, A., 519.

Azodimethoxyphenylpyrazole (Knour and Blank), 1884, A., 1380.

Azodimethylquinol and its dibronoderivatives (BAESSLER), 1884, A., 1330; 1887, A., 364.

Azoethylbenzenes, o- and p-, and their reduction (SCHULTZ), 1881, A., 903.

Azoimide (nitrogen hydride ; hydrazoic (Curries), 1891, A., 56; acid) 1892, A., 112; (MENDELLEFF), 1891, A., 394; (Curtus and RADENHAUSEN), 1891, A., 524, preparation of (Maumene), 1891,

A., 262.

formation of (MELDOLA and HAW-

KINS), 1892, P., 133. formation of, from dinitrotriazobenzene (Nouring and Grand-MOUGIN), 1891, A., 1173.

Azoimide (nitragen hydride; hydracoie acid), synthesis of (Wislacenus), 1892, A., 1151,

thermochemistry of (BACH), 1892, A., 933.

heat of formation of (BERTHELOT and MATIGNON), 1892, A., 261.

action of, on living organisms (Loew), 1892, A., 90.

Azoisatin (Curtius and Lang), 1892, A., 451.

Azomalonichenzoic acid (GRIESS), 1885, A., 788.

Azomesitylene (Schultz), 1881, A., 901.

Azomethoxyphenylethylpyrazole (Knorr and Blank), 1884, A., 1380.

Azo-p-methoxytoluene (Schul-Höffen), 1891, A., 1232.

anido- (Ľιμυλοίι), 1889, A., 499. Azo-2'-methylindole (WAGNER), 1888, A., 284.

Azomethylphenyl (benzeneazomethane) (TAFEL), 1885, A., 1061.

Azo-1-methylquinoline (Nouthing and Trautmann), 1891, A., 328; 1892, A., 729.

Azo-a-naphthalene (naphthaleneazo-a naphthalene) and its derivatives (NIETZKI and GOLL), 1885, A., 545; 1886, A., 215.

preparation and reduction of (FRIEDLÄNDER), 1889, A., 607.

amido-, spectrum of (HARTLEY), 1887, T., 190.

melting-point of (NIETZKI and Gold), 1885, A., 515.

formation of pyridine from (v. Buchka and Spradue), 1889, A., 728.

Azo-S-naphthalene, derivatives of (NIETZKI and GOLL), 1886, A., 711; (MELDOLA and EAST), 1888, T., 460; P., 47.

amido- (NIETZKI and GOLL), 1886, A., 714.

spectrum of (Hartley), 1887, T., 191.

derivatives of (ZINCKE and LAWSON), 1888, A., 159.

β-α-Azonaphthalene and its amidocompound (Nietzki and Göttig), 1887, A., 590.

Azonaphthalenesalicylic acids, α and β- (Gebek), 1889, A., 780.

o-Azo-a-naphthol compounds (Nöuting and Grandmougin), 1891, A., 1074. AZO-COMPOUNDS-

Azo-β-naphthol compounds containing acid radicles, reduction of (Μεμροία and ΜοπάλΝ), 1889, T., 117.

acetyl derivatives of (MLLDOLA), 1888, A., 487.

alkyl derivatives of (MELDOLA and MORGAN), 1889, T., 603.

benzoyl derivatives of (MELDOLA and MORGAN), 1889, T., 111.

Azonaphthol-dyes, constitution of (Liebermann), 1884, A., 609.

Azonaphthols (MELDOLA and Mor-GAN), 1889, T., 603; P., 127.

Azo-\(\textit{B}\)-naphthylphenylamine (ZINGKE and LAWSON), 1887, A., 730; (ZINCKE), 1890, A., 990.

Azonitrobenzeneacetylsalicylic acid (Gebek), 1889, A., 780.

Azonitrolic acids, reduction of (JAN-OVSKY), 1885, A., 789.

Azonitromethanebenzoic acid (Griess), 1885, A., 788.

Azo-opianic acid. See o-Amido-hemipinic anhydride.

m-Azophenetoil (Buchstab), 1881, A., 1147.

o-Azophenol, trichlor- (BOHN and HEUMANN), 1884, A., 1015.

p-Azophenol and its sulphonic acid (Boun and Heumann), 1883, A., 583.

Azophenols, behaviour of, towards various reagents (Bohn and Her-Mann), 1884, A., 1014.

Azo-o-phenoxyacetic acid and its salts (THATE), 1881, A., 1170.

Azophenylacetic acid and its salts (Wittenberg), 1885, A., 661.

Azophenylacetoacetamide (Leuckart and Holtzapfel), 1889, A., 861.

Azophenylallyl (benzencazopropylene) (Fischen and Knoevenagell),1887, A., 933.

Azophenylene. See Phenazine.

Azophenylenediaminebenzene-mbenzoic acid (GRIESS), 1883, A., 1103.

m-Azophenylglyoxylic acid and its salts (Thompson), 1883, A., 998.

Azophenylhydrazine compounds (William Richard, 1890, A., 1718.

Azophthalic acid, action of stannous chloride on (Clausand Hemmann), 1883, A., 1126.

Azoresorcinol and its derivatives (BRUNNER and KRAEMER), 1881, A., 1833; (BRUNNER), 1885, A., 776.

Azoresorufin and its derivatives (BRUNNER and KRAEMER), 1881, A.,1333,1351; (Brunner),1885, A., 776.

dimethyl ether (KRIEMER), 1881, Λ., 1311.

Azoresorufylhydrochloride(BRUNNER and Kraemer), 1881, A., 1334.

Azosulphimecarbohydrosulphides (TIEMANN), 1891, A., 557.

Azo-p-sulphobenzene-δ-cliamidobenzoic acid (GRIESS), 1883, A., 184. Azo-p-sulphobenzenephenylenedi-

(phenylenedium incurobensamine eneazobenzenesul phonic (Griess), 1883, A., 1103.

Azo-p-sulphobenzenephenylenediaminebenzene (benzeneazophenylenediamineazobenzenesal phonic ((friess), 1883, A., 1103.

Azosulphobenzenetoluenediamine. See Tolylenediamineazobenzeneazobenzenesulphonic acid.

Azoterephthalic acid (HOMOLK \ and Low), 1886, A., 702.

Azotetrahydro-α-naphthalene, ar-amido- (BAMBERGER and LENG-FELD), 1890, A., 1305.

Azotoline (Fischer and Hepp), 1891, A., 1016.

o-Azotoluene (SCHULTZ), 1881, A., 903; (Pospechoff), 1888, A., 825. o-amido-, oxidation of (ZINCKE),

1886, A., 236.

nitro-derivatives of (Pospechoff), 1889, A., 501. m-Azotoluene, dinitro- (v. Buchka

and SCHACHTEBECK), 1889, A., 701. p-Azotoluene (Pierson and Heu-MANN),1883, A., 915; (JANOVSKY), 1889, A., 250.

substitution products of (Janovsky and Erb), 1887, A., 479; (JAN-ovsky and REIMANN), 1688, A., 686.

amido-, and its derivatives (Noltr-

o-bromo-, m-bromo-, and di-m-bromo- (JANOVSKY and REI-MANN), 1888, A., 686.

chloro- (MENTHA), 1887, A., 218. nitro-derivatives of (JANOVSKY and ERB), 1887, A., 479; (JANOVSKY), 1889, A., 251; 1890, A., 140.

m-p-Azotoluene (ZINCKE and LAWson), 1886, A., 795.

Azotoluenes (JANOVSKY), 1890, A., 140.

isomerism of (HANTZSCH *tri*nitrand WERNER), 1890, A., 350.

AZO-COMPOUNDS-

o-Azotoluene-p-disulphonamide (Helle), 1892, A., 1168.

Azotoluenedisulphonic acids their derivatives (Kornarzki), 1881, A., 71.

Azo-/>-toluenephenylenediamine benzene (GRIESS), 1883, A., 1103.

Azo-p-toluenephenylenediamine- β naphthalene (GRIESS), 1883, A., 1103.

p-Azotoluene-m-sulphonic acid (JAN-OVSKY), 1888, A., 370.

o-bromo-(Janovsky and Reimann), 1888, A., 686.

Azotoluidine and its salts (LIM-PRICHT), 1885, A., 975; (GRAEFF), 1885, A., 1128.

o-Azo-o-toluidine (GREEN and LAWson), 1891, T., 1016.

Azo-o-toluquinoline, See Azo-1methylquinoline.

Azotolyl (Barsilowsky), 1888, A., 140.

Azoxazolecarboxylic acid (Soder-BAUM), 1891, A., 827, 1184; (WOLFF and GANS), 1891, A., 896.

Azoximes (TIEMANN and KRUGER), 1881, A., 1325; (TIEMANN), 1885, A., 895; 1890, A., 41, 140, 141, 253; 1891, A., 538; 1892, A., 135, 317.

p-Azoxyacetanilide (MIXTER), 1884, A., 301.

(BANKIE-Azoxy-p-acetotoluidide WICZ), 1889, A., 865.

p-Azoxyaniline and its derivatives (MIXTER), 1881, A., 301.

Azoxybenzanilide, o- and m- (MIXTER), 1884, A., 301.

p-Azoxybenzanilide (MIXTER), 1884, A., 666.

Azoxybenzene, Klinger's method of preparing (M 1883, A., 180. (Moltschanowski),

resolution of (Friswe (IREEN), 1885, T., 923. (Friswell

m-dichlor- (Schultz), 1884, A., 903. (WILLGEROPT chloronitronitrosoand Mühr), 1892, A., 455.

(WILLGERODT p-chlorodinitrosoand Böhm), 1891, A., 905.

nitr- (JANOVSKY and ERB), 1887, A., 479, 66 i.

m-dinitr- (KLINGER and PITSCHKE), 1886, A., 53. o- and m-trinitr- (KLINGER and

ZUURDEEG), 1890, A., 761.

Azoxybenzenesulphonic acids, their salts (Lamphie HT), 1885, A., 981.

Azoxybenzotoluidide (MIXTER), 1881, A., 666.

p-Azoxybenzoylformic acid (ENGLI'R and ZHELKE), 1889, A., 506.

o-Azoxybenzylethylaniline (LELL-MANN and BOYE), 1890, A., 1116. p-Azoxy-o-dichlorostilbene (WITT),

1892, A., 441.

Azoxydiphenylamine (FISCHER and WACKER), 1888, A., 1286.

Azo-o-xylene, 1:2:3- (Nölting and Stricker), 1889, A., 135.

Azo-m-xylene, 1:3:1- (Nölting and Stricker), 1889, A., 136.

Azo-p-xylene, 1:1:2- (SAMANOFF), 1883, A., 780; (NOLTING and STRICKER), 1889, A., 136.

m-p-Azoxylene (Zincke and Jaenke), 1888, A., 470.

Azo-xylenes and colouring matters derived therefrom (Nouting and Stricker), 1889, A., 135. amido-(Nouting and Forel), 1886,

A., 58.

Azo-m-xylenedisulphonic acid (1:3: 4.6-) and its salts (JACOBSEN and LEDDERBOGE), 1883, A., 593.

Azoxy-p-methoxytoluene (Brasch and Freyss), 1891, A., 1231.

Azoxymethylethylisoxazole (HAN-RIOT), 1892, A., 79.

Azoxy-1-methylquinoline (Nölting and Trautmann), 1891, A., 328.

Azoxymethylquinolines (Nolting and Trautmann),1892, A., 727,729. α-Azoxynaphthalene-α-sulphonicacid

and its salts (ALEN), 1886, A., 555. α-Azoxy-β-naphthylamine(ΠΛRDEN),

1890, A., 631. p-Azoxyphenetoil (KINZEL), 1892,

A., 159.
Azoxyphenol ethers (GATTERMANN

and Ritschke), 1890, A., 1119.

p-Azoxyphenol (Fischer and Wack-

EE), 1888, A., 1286.

Azoxy-o-phenoxyacetic acid (THATE),

1884, A., 1170. Azoxypropylbenzoic acid (WIDMAN),

1883, A., 330.

Azoxyisopropylbenzoic acid (Alex-

EFF), 1885, A., 390. Azoxyterephthalaldehydic acid (Ho-

MOLK and Low), 1886, A., 701.

Azoxyterephthalic acid (Homolka

and Low), 1886, A., 702.

"Azoxytoluene" [Petricff's] (Pospe-

CHOFF), 1888, A., 826.

o-Azoxytoluene (KLINGER and PITSCHKE), 1886, A., 53; (GUTTER-MANN), 1887, A., 932.

AZO-COMPOUNDS-

m-Azoxytoluene (v. Buctika and Schacherbeck), 1889, A., 701.

Azoxytoluenes (JANOVSKY), 1890 A., 110.

two isomeric (JANOVSKY and RII-MANN), 1889, A., 392.

α- and β-, and their bromo- and nitro-derivatives (JANOVSKY), 1889, A., 865.

p-Azoxytoluenes, isomerism of (HAN-TZSCH and WERNER), 1890, A., 350

Azoxytoluenesulphonic acid (JANOV-SKY and REIMANN), 1889, A., 392.

Azoxytoluidine (Limpricum), 1885, A., 974.

p-Azoxy-o-toluidine (Green and Lawson), 1891, T., 1016. salts of (Grafff), 1885, A., 1128.

o-Azoxy-p-toluonitrile (NIEWEN-TOWSKI), 1889, A., 1005.

m-Benzamidoazophenol (SCHULZE), 1889, A., 778.

Benzazimide (FINGER), 1888, A., 918. Benzeneazo. See also Phenylazoand Azobenzene.

Benzeneazoacetone. See Pyruval-dehydephenylhydrazone.

Benzeneazoaniline, preparation of (Witt and Thomas), 1883, Т., 113; (Fischer), 1884, А., 1011.

action of acetone on (ENGLER and SCHESTOPAL), 1887, A., 180.

action of aniline hydrochloride on (WITT and THOMAS), 1883, T., 112; (ISTEL), 1892, A., 492.

action of hydrochloric acid on (Fischer), 1881, A., 1011.

bye-products in the manufacture of (GALTERMANN and WICH-MANN), 1888, A., 829.

relation of diazobenzeneanilide to (FRISWELL and GREEN), 1885, T., 917; P., 102; 1887, P., 26.

Wallach's explanation of the isomeric transformation of diazonamidobenzene into (MELDOLA), 1887, P., 27.

derivatives of (JANOVSKY), 1883, A., 867; (Bergu), 1884, A., 1148; 1885, A., 660; (Noliting and BAUMANN), 1885, A., 386.

Benzeneazoaniline, amido- (MINTER), 1889, A., 666; (NIEUZKI), 1881, A., 1016; (JANOVSKY), 1885, A., 1121

m-nitro- (Meldola), 1884, T., 112. Benzeneazoaniline mono- and di-sulphonicacids (Griess), 1883, A., 181,

Benzeneazobenzaldehyde (BEYER and CLAISEN). 1888, A., 828.

Benzeneazobenzeneazo-p-cresol (Norring and Kohn), 1881, A., 901.

Benzeneazobenzeneazonaphthol, nitro- (Meliola), 1884, T., 113.

Benzeneazobenzeneazophenylenediamine (GRIESS), 1883, A., 1103.

Benzeneazobenzoic acid (MENTHA and HEUMANN), 1887, A., 248.

Benzeneazobenzonitrile (MENTHA and HEUMANN), 1887, A., 248.

Benzeneazobenzoylacetic acid, and o-nitro- (BAMERGER and CALMAN), 1886, A., 62.

Benzeneazobenzoylacetone (BEYER and CLAISIN), 1888, A., 828.

Benzeneazobenzylidene-β-naphthylamine (Goldschmidt and Rosella), 1890, A., 616.

Benzene-o-azobromobenzene (JANOV-SKY), 1886, A., 795; (JANOVSKY and Erb), 1886, A., 1024.

Benzene-m-azobromobenzene (JANOV-SKY and Ene), 1886, Λ., 1024; 1887, Λ., 478.

Benzene-j--azobromobenzene (Janovsky and Erb), 1887, A., 478; (Janovsky), 1887, A., 663; (Nölting and Weirner), 1891, A., 211.

Benzeneazo-bromonitrobenzene and -bromonitrosobenzene (WILL-GERODY), 1888, A., 949.

Benzeneazo/ibromobenzene,/libromoand benzeneazo/ribromobenzene, /ribromo-, disulphochlorides (Rodatz), 1883, A., 479.

Benzeneazo-p-bromobenzene, nitroand nitroso-derivatives of (WILL-GERODT and ELLON), 1891, A., 1362.

Benzenoazocarvaerol (MAZZARA), 1885, A., 1132.

Benzeneazo-n-chlorobenzamide (Lim-PRICHP), 1891, A., 1037.

Benzeneazochlorobenzene, and its derivatives (HEUMANN and MENTHY), 1886, A., 874; 1887, A., 247.

Benzeneazo-o-chlorobenzene, dinitronitroso- (WILLGERODT), 1891, A., 1043.

Benzeneazo-m-chlorobenzene, nitroand nitronitroso-derivatives of (Willemout and Muhe), 1892, A., 454.

Benzeneazo-p-chlorobenzene, nitroand nitronitroso-derivatives of (WILLGERODT and BOHM), 1891, A., 905. AZO-COMPOUNDS -

Benzeneazo-chloronitrobenzene and -chloronitrosobenzene (WILL-GERODT and FERRO), 1888, A., 830.

Benzeneazo-m-chlorodimethylaniline, m-mtro-(STAEDEL and BAUER), 1886, A., 911.

β-Benzeneazo-α-chloronaphthalene (ZINCKE and KEGEL), 1889, Δ., 267.

Benzeneazo-o- and -p-cresetoils (Not-TING and WERNER), 1891, A., 212.

TING and WERNER), 1891, A., 212. Benzeneazo-m-cresol (Nouting and Kohn), 1881, A., 902.

KOIN), 1881, A., 902.

Benzeneazo-o- and -p-cresols, and their acetic and benzoic derivatives (Liebermann and v. Kostanecki), 1881, A., 736; (Nölting and KOIN), 1884, A., 900.

Benzeneazo-p-cresol, m- and p-chloro-(Goldschmidt and Pollak), 1892, A., 971, 975.

o-mitro- (Goldschmidt and Bru-Bacher), 1891, A., 1210.

Benzoneazocresols, reduction of (Liebermann and V. Kostanecki), 1881, A., 1116.

Benzeneazo-p-cresolsulphonic acid (Nonting and Konn), 1881, A., 901.

Benzeneazocumenol, and its reduction (Liebermann and v. Kostanecki), 1884, A., 1117.

Benzeneazocyanacetophenone (HAL-LER), 1889, A., 873.

Benzeneazocyanocamphor(Minguin), 1892, A., 1313.

Benzeneazo - 2 - 2' - dianilidonaphthalene (CLAUSIUS), 1890, A., 629.

Benzeneazodibenzoylmethane (BEYER and CLAISEN), 1888, A., 828.

Benzeneazodibenzoylmethane-p-sulphonic acid, sodium salt of (BEYER and CLAISEN), 1888, A., 828.

Benzeneazodihydroxynaphthalene, 1:2.2'- (CLAUSIUS), 1890, A., 628.

Benzeneazodimethylaniline, m-amido-(WALLACH), 1887, A., 41. p-amido- (MELDOLA), 1884, T., 107. tribromo- (SILBERSTEIN), 1883, A.,

m-chloro- (STAEDEL and BAUER), 1886, A., 911.

nitro-derivatives of (Nölting), 1888, A., 270.

m-nitro- (MELDOLA), 1881, T., 120; 1887, A., 152; (STAEDEL and BAUER), 1886, A., 914.

p-nitro- (MELDOLA), 1884, T., 107. See also Dimethylamidoazobenzene.

Benzeneazodimethylanilinesulphonic acid (Nolting), 1888, A., 271.

Benzeneazo-a-dinaphthylamine (Fischer and Hepp), 1890, A., 912.

α-Benzeneazo-αβ-dinaphthylamine (MATTHES), 1890, A., 385, 993.

Benzeneazo-ββ-dinaphthylamine (MATTHES), 1890, A., 993.

Benzeneazodiphenyl (Locher), 1858, A., 589.

Benzeneazodiphenylamine, m-nitro-(MELDOLA), 1884, T., 118, 119. p-nitro- and p-amido- (MELDOLA), 1883, T., 440.

m- and n-nitroso- (Meldola),1881, T., 118, 119.

Benzeneazodiphenyloarbamide(GOLD-SCHMIDT and ROSELL), 1890, A., 616.

Benzeneazodiphenyldisulphonic acid (GRIESS), 1888, A., 827.

Benzeneazodiphenylthiocarbamide (Benju), 1884, A., 1149.

o-Benzeneazoethylresorcinol (Puk. ALL), 1887, A., 662.

Benzeneazo-m-hydroxybenzoic acid (Limpincur), 1891, A., 1037.

Benzeneazohydroxybenzyl alcohol (Tummeley), 1889, A., 780.

m-Benzeneazo-o-hydroxymethylquinoline (GANELIN and V. KOSTAN-ECKI), 1892, A., 506.

Benzeneazo-o- and -p-hydroxyquinolines (MATHEUS), 1888, A., 851. Benzeneazo-p-hydroxyquinolinesul-

Benzeneazo-ρ-hydroxyquinolinesulphonic acid (MATHEUS), 1888, A., 851.

Benzeneazoindoxyl (v. BAEYER), 1884, A., 74.

Benzeneazoiodobenzene (Nolting and Werner), 1891, A., 211. iodo-, colour of (Ling), 1892, P., 198.

Benzeneazo-ketones (v. RICHTER and MUNZER), 1884, A., 1342.

Benzeneazomalonic acid (MEYER), 1888, A., 369; 1891, A., 922.

Benzeneazomethane (acomethy/phenyl) (TAFEL), 1885, A., 1061.

Benzeneazomethylaniline, p-nitro-(Nöltīnīc), 1888, A., 273. and its acetyl derivative (Benju), 1884, A., 1149.

Benzeneazo-o-methylcyanacetophenone (Haller), 1889, A., 874.

1"-Benzeneazo-2"-methyl-\amplifus-octohydro-\beta-naphthaquinoline (Bamber-Gen and MULLEN), 1891, A., 1512; (Bambergee and Strassen), 1891, A., 1513.

AZO-COMPOUNDS -

2'-Benzeneazo-2"-methyl-ar-octohydro-8-naphthaquinoline (BAMBER-GER and STRASSER), 1891, A., 1513.

Benzeneazo-α-naphthaleneazo-αand -β-naphthols, m-nitro- (MEL-DOLA), 1884, T., 114, 116.

Benzeneazo-a-naphthaleneazoresorcinol, m-nitro- (MELDOLA), 1884, T., 116.

Benzeneazonaphthalenes, nitro-, nitroso-, and nitronitroso-derivatives of (Wilhammort and Schultz), 1891, A., 572.

Benzeneazonaphtharesorcinol, nitroso- (V. KOSTANECKI), 1890, A., 261.

Benzeneazo-α-naphthol, action of mdiazobenzoic acid and of diazosulphanilic acid on (Nolting and Grandmougin), 1891, A., 1076.

identity of, with a-naphthaquinonehydrazide (ZINCKE and BINDE-WALD), 1885, A., 391.

amido-, methyl and ethyl ethers of (Witt and Schmidt), 1892, Δ., 862.

Benzeneazo-β-naphthol, action of carbon disulphide on (JACOBSON), 1888, A., 487.

reduction of (MELDOLA and MOR-GAN), 1889, T., 122; P., 12. m-nitro-, acetyl derivative of (MEL-

DOLA and EAST), 1888, T., 464.

Benzeneazo - α - and - β - naphthols
((1) πρωμαγικά 1884 Α 610.

(LIEBERMANN), 1884, A., 610; (ZINCKE and RATHGEN), 1887, A., 54.

p-nitro- and p-amido- (MELDOLA), 1885, T., 661, 662.

Benzeneazo-a-naphthol-m-carboxylic acid,o- and p-(Nol/TING and GRAND-MOUGIN), 1891, A., 1074.

Benzeneazo - 8 - naphtholdisulphonic acid, oxidation of (LAUTH), 1892, A., 48.

Benzeneazonaphtholsulphonic acid, spectrum of (HARTLEY), 1887, T.,

Benzeneazo-a-naphthylamidoacetic acid (Donneil), 1892, A., 191. o-, m-, and p-nitro-(Donneil), 1892, A., 1100.

Benzeneazo-α-naphthylamine, p-amido- (MELDOLA), 1883, T., 432.

m-nitro- (Milliola), 1884, T., 114. p-nitro- (Melliola), 1883, T., 430.

Benzeneazo-8-naphthylamine and its derivatives (LAWSON), 1885, A.. 803; (ZINCKE and LAWSON), 1888, A., 159.

Benzeneazo-\$-naphthylamine, action of aldehydes and of nitric acid on (Melbola and Hugmes), 1891, T., 379.

action of dimethylaniline on (Gold-SCHMIDT and BARDACH), 1892, A., 980.

derivatives (Meldolland Hughes), 1891, A., 372; P., 83.

triazine from (MELDULA), 1890, T., 329.

o-nitro- (MELDOLA and HUGHES), 1891, T., 373.

m-nitro-, action of nitrous acid on (MELDOLA and EAST), 1888, T.,

p-nitro-, and its reduction (MEL-DOLA), 1883, T., 430. formation of ψ -azimides from

(Melnola and Hugnes), 1891, T., 378.

Benzeneazo-β-naphthylamines, nitro-, constitutional formulæ of (MEL-DOLA), 1884, T., 118.

acetyl derivatives of (MELDOLA and HUGHES), 1891, T., 375.

Benzeneazo-a-naphthyldimethyl-

amine (EICKER), 1891, A., 470. Benzeneazo-α-naphthylethylamine (HENRIQUES), 1885, A., 168; (Fischer and Herr), 1890, A., 1885, 168; 911; (Eicker), 1891, A., 470.

Benzeneazo-\$-naphthylethylamine (Henniques), 1885, A., 168.

Benzeneazo-α-and-β-naphthylicacetates, nitration of (MELDOLA and MORGAN), 1889, T., 609.

Benzeneazo-\(\beta\)-naphthylic acetate (MELDOLA and EAST), 1888, T., 466; (Melbola and Morgan), 1889, T., 609.

reduction of (MELDOLA and Mon-GAN), 1889, T., 117, 122; P., 12.

Benzeneazo-a-naphthylic benzoate (MELDOLA and MORGAN), 1889, T.,

Benzeneazo-β-naphthylic benzoate, its reduction, and its 2n-nitroderivative (Meldola and Molgan), 1889, T., 115.

and -\$-naphthylic Benzeneazo-aethylates, nitration of (MELDOLA and Morgan), 1889, T., 608.

Benzeneazo-a-naphthylphenylamine (FISCHER and HEPP), 1890, A., 912.

Benzeneazo-β-naphthylphenylamine (HENRIQUES), 1885, A., 168; (ZINCKE and LAWSON), 1887, A., 1885, A., 168; 730.

Azo-compounds-

Benzeneazo-α-naphthyl-j>-tolylamine (FISCHER and HEPP), 1890, A., 912.

Benzeneazo-β-naphthyltolylamine (MATTHES), 1890, A., 992; (Fisспек), 1892, А., 1476.

Benzeneazonitraniline, nitro- (ODDO), 1891, A., 554.

Benzene-o-azonitrobenzene (JANOVsky), 1886, A., 794.

Benzene-p-azonitrobenzene (JANOVsky and Erb), 1885, A., 894; 1887, A., 478.

reduction of (JANOVSKY), 1885, A., 78Ω₋

chloro- (DAHM and GASIOROWSKI), 1887, A., 248.

Benzeneazonitrobenzenes (JANOVsky), 1883, A., 867; 1887, A., 663.

Benzeneazodinitrobenzene, o- and m-nitro- (KLINGER and ZUUR-DEEG), 1890, A., 762.

p-nitro- and o-p-dinitro- (WILL-GERODT and HERMANN), 1890, Λ., 1259.

Benzeneazonitrosobenzene-p-azochlorobenzene, nitrodinitroso-(WILLGERODT and BÖHM), 1891, л., 907.

dinitronitroso-(WILGERODT), 1890. A., 1119; (WILLGERODT and Вонм), 1891, А., 907.

Benzeneazonitrobenzeneazodinitronitrosobenzene, chloronitro- (WILL-GERODT), 1890, A., 1119.

Benzene-y-azonitrobenzene, p-nitro-, reduction of (JANOVSKY), 1885, A.,

Benzeneazonitrosobenzeneazotrinitrobenzene, chloro- (WILLGERODT and BÖHM), 1891, A., 907.

Benzeneazonitrosoresorcinol (v. Kos-TANKOKI), 1889, A., 137.

Benzeneazo-ar-octohydro-a-naphthaquinoline (BAMBERGER and STET-TENHEIMER), 1891, A., 1261.

Benzeneazophenetoil. See Ethoxyazobenzene.

Benzeneazophenetoilsulphonic acid

(FEER and MÜLLER), 1889, A., 258. enzeneazophenol, chloro- (HEU-Benzeneazophenol, MANN and OECONOMIDES), 1887, A., 664.

p-nitro-, and p-amido- (MELDOLA), 1885, T., 658, 659.

See also Hydroxyazobenzene.

Benzeneazophenylbiazolone (FREUND and Kuh), 1890, A., 1441.

Benzeneazophenyldimethylpyrazole [4:1:3:5-] (BEYER and CLAISEN). 1888, A., 828.

Benzeneazophenylenediamino and homologues, formation of (Friswell and Green), 1885, T., 923. amido-(Janovery), 1885, A., 1121.

Benzeneazo-m-phenylenediamine. See Chrysoidine.

Benzeneazophenylenediamineazobenzene (GRIESS), 1883, A., 1102.

Benzeneazophenylenediamineazobenzenesulphonic acid (uzusulphobenzenephenylenediaminebenzene) (Griffs), 1883, A., 1103.

Benzeneazophenylenediamineazobenzoic acid (GRIESS), 1883, Δ., 1103.

Benzeneazophenylenediamineazotoluenes (GRIESS), 1883, A., 1102, 1103.

Benzeneazophenylic phosphate (HEU-MANN and PAGANINI), 1891, A., 301.

Benzeneazophenylisooxalone (CLAI-SEN and ZWIEL), 1891, A., 468.

Benzeneazophenylthio-, dithio-, and \$\psi\$-thio-biazolones (Figure and Kuh), 1890, A., 1440.

Benzeneazopropylene (acophenylallyl) (FISCHER and KNOEVENAGEL), 1887, A., 933.

Benzeneazoquinoline (EPHRAIM), 1891, A., 1509.

Benzeneazoresorcinol, and its purification (MEYER and KRIBS), 1883, A., 982.

p-nitro-, and p-amido- (ΜΕΙΛΌΙΑ), 1885, T., 660.

nitroso- (v. Kostanecki), 1889, A., 137.

p-Benzeneazoresorcinol (Goldsen Schmidt and Pollak), 1892, A., 977.

Benzencazoresorcinyl mono- and dimethyl ethers, o- and p- (Becmnom), 1889, A., 1155.

conversion of, into hydroxyquinolderivatives (Bechholp), 1889, A., 1155.

Benzeneazo-β-resorcylic acid (Lim-PRICHT), 1891, A., 1037.

Benzeneazosalicylamide and benzeneazosalicylic aldehyde (Tummeller), 1889, A., 780.

Benzeneazosalicylic acid (v. Kosta-NECKI and ZIBELL), 1891, A.,

and its derivatives (LIMPRICHT), 1891, A., 1036.

p-antido-, and p-nitro- (MELDOLA), 1885, T., 606, 667.

nitro- (Geben), 1889, A., 780.

Azo-compounds -

Benzeneazotetrahydro-α-naphthaquinoline (ΒΛΜΒΕRGER and STEET-TENHEIMER), 1891, A., 1259.

1'-Benzeneazotetrahydro-\$-naphtha-quinoline (BAMBERGER and MUL-LUE), 1891, A., 1510.

Benzeneazo-ár-tetrahydro-a-naphthol (BAMBERGER and BORDT), 1890, A., 509.

Benzeneazo-a-tetrahydronaphthylamine (BAMBERGER and BORDT), 1889, A., 715.

Benzeneazothymol (MAZZARA and Posserro), 1885, A., 891. constitution of (MAZZARA), 1885,

A., 1131; 1890, A., 884.

Benzeneazo-p-toluene (Schultz),

1881, A., 903.

Benzeneazotriphenylpyrazole [1.1: 3:5-] (Beyen and Claisen), 1888, A., 828; (de Neufville and v. Pecumann), 1891, A., 319.

Benzeneazoxazole (Russanoff), 1802, A., 322.

Benzeneazoximidobenzene, tetranitro-(Williamorr), 1892, A., 1154.

Benzeneazo-m-xyleneazo-α- and -βnaphthols, p-nitro- (ΜΕΙΔΟΙΑ), 1883, T., 434.

Benzeneazo-m-xyleneazo-α- and -βnaphtholsulphonic acid, p-nitro-(Μεμροιλ), 1883, T., 435.

Benzeneazo-m-xyleneazophenol, pnitro- (MELDOLA), 1883, T., 435.

Benzeneazo-m-xyleneazoresorcinol, p-nitro- (MELDOLA), 1883, T., 436. Benzeneazo-m-xylenol (GREVINGE),

1886, A., 348. Benzeneazo-o-xylidine (MENTON),

1891, A., 1205. Benzeneazo-m-xylidine, p-amido-and p-nitro- (Methoda), 1883, T., 428,

Benzenebisazo-o- and -m-cresols (Nota-TING and KOHN), 1881, A., 902.

Benzenebisazomethoxybenzene (Nötrand Konn), 1881, A., 902.
Benzenebisazo-a-naphthol (Nötrand

and Grandmougin), 1891, A., 1076.
Benzenebisazoresoreinol (LiebenMann and v. Kostanecki), 1881,
A., 1147.

Benzenebisazothymol, constitution of (MAZZARA), 1890, A., 884.

Benzene-7-bromoxybenzene, mitroand nitroso-derivatives of (Will-GERODT and ELLON), 1891, A., 1362.

Benzene-m-chlorazoxybenzene, nitronitroso- (Willgerodt and Mulie), 1892, A., 455.

Benzene-p-chlorodinitrazobenzene, dinitronitroso- (WILLGERODT and BOHM), 1891, A., 906.

Benzenediazoacetanilide (HEUSLER), 1892, A., 458.

Benzenediazobenzylanilide, dry decomposition of (Heusler), 1891, A., 555.

Benzenediazoconiine (WALLACH), 1887, A., 137.

Benzenediazodimethylamide, preparation of (HEUSLER), 1891, A., 556.

Benzenediazonitrosodiphenylamine (FISCHER and WACKER), 1888, A., -1286.

Benzenediazonitrosophenyltolylamine (REICHOLD), 1890, A., 610.

Benzenediazophenol (WALLACH and SCHULZE), 1883, A., 583.

Benzenediazopiperidide (WALLACH), 1887, A., 137. dry decomposition of (HEUSLER),

1891, A., 555.

Benzene-p-diazopiperidide, fluoro-(WALLACH and HEUSLER), 1888, A., 362.

nitro- (WALLACH), 1887, A., 131.

Benzenediazoresorcinols, isomeric
(V. KOSTANECKI), 1889, A., 138.

Benzenediazothiazole hydrate (SCHATZMANN), 1891, A., 745.

Benzenediazothymol (MAZZARA and Possetto), 1885, A., 894.

Benzenediazo-p-toluidide, p-bromoand p chloro-, methylation of (MELDOLA and STREATFEILD), 1889, T., 433, 437; P., 98.

Benzenylazosulphimecarbanilide (TIEMANN), 1891, A., 558; (KOCH), 1891, A., 560.

Benzenylazosulphimecarbo-p-bromand-nitroso-anilides (KOCH), 1891, A., 561.

Benzenylazosulphimecarbohydroand -di-sulphides (CRAYEN), 1891, A., 559.

Benzenylazosulphimecarbothioethylic ether (Chayen), 1891, A., 560.

Benzenylazoximeacetylethenyl (TIE-MANN), 1890, A., 44.

p-nitro- (Weise), 1890, A., 46. Benzenylazoximeisoamenyl (Zimmer), 1890, A., 254.

Benzenylazoximebenzenyl, m-amido-, and its derivatives (Schofff), 1885, A., 1217.

m-nitro-, and its derivatives (Schöfff), 1885, A., 897, 1217. p-nitro- (Weise), 1890, A., 45.

AZO-COMPOUNDS-

Benzenylazoximebenzenyl-o-carboxylic acid and its salts (Schulz), 1885, A., 1219.

Benzenylazoximeisobutenyl (ZIM-MER), 1890, A., 254.

Benzenylazoximecarbinol and its derivatives (Falok), 1885, A., 1217.

Benzenylazoximecarbo-p-toluidide (KOCH), 1891, A., 561.

Benzenylazoxime-ethenyl (TIEMANN and KRUGER), 1884, A., 1326. m-nitro- (SCHOPFF), 1885, A., 897. p-nitro- (WEISE), 1890, A., 45.

Benzenylazoximemethenylcarboxylic acid (Wurm), 1890, A., 258.

Benzenylazoxime-m-nitrobenzenyl, m-nitro- (STIEGLITZ), 1890, A., 256.

Benzenylazoximephenylethenyl (ZIMMER), 1890, A., 253.

Benzenylazoximepropenyl (ZIMMER), 1890, A., 254.

Benzenylazoximepropenyl-ω-carboxylic acid and its salts (SCHULZ), 1885, A., 1219.

Benzenylazoximesalicenyl (ZIMMER), 1890, A., 254.

Benzidineazo-dyes, colouring properties of (MOHLAU), 1886, A., 947.

Benzoylhenzeneazoacetone (GOLD-SCHMIDT and POLLAK), 1892, A., 977.

Benzoylchlorobenzeneazocresols (GOLDSCHMIDT and POLLAK), 1892, A., 975.

Benzoylphenylazimethylene (Curtius and Thun), 1891, A., 1357. reactions of (Curtius and Lang), 1892, A., 451.

Benzylamidobenzeneazo-α- and -βnaphthols (Meldola and Coste), 1889, T., 596.

Benzylazimidobromobenzene (ZINCKE and ARZBERGER), 1889, A., 502.

Benzyldiazoamidobenzene (FRISWELL and GREEN), 1886, T., 749.

Benzylideneamidoazobenzene (Ber-JU), 1884, A., 1149.

Benzylidene-o-amidoazotoluene (GOLDSCHMIDT and ROSELL), 1890, A., 616.

Benzylmalonic azimide (RUHE-MANN and MORRELL), 1892, T., 796.

Benzylmethylbromobenzeneazammonium iodide (ZINCKE and ARZ-BERGER), 1889, A., 502.

Bisazobenzene (NIETZKI and DIESTERWEG), 1888, A., 1082. chloronitro-, chloronitronitroso-,

and nitronitroso-derivatives of (WILLGERODT and MUHE), 1892, A., 455, 456.

Bisazobenzene-p-chlorophenylhydrazine, tetranitronitroso- (WILLGE-RODT), 1890, A., 1119; (WILLGE-RODT and BÖHM), 1891, A., 907.

Bisazobenzenephenylhydrazine, pentanitro- (WILLGERODT and MUHE), 1892, A., 456.

Bisazo-compounds (NIETZKI and DIESTERWEG), 1888, A., 1082. of a-naphthol, molecular change in the formation of (Nölting and

Grandmougin), 1891, A., 1075. Bisbenzeneazoacetone (v. Pechmann

and JENISCH), 1892, A., 161. Bis-o- and -p-diazoanisoilmethyl- and -ethyl-amines (Goldschmidt and BADL), 1889, A., 774.

m-Bisdiazobenzene compounds (GRIESS), 1886, A., 459.

Bisdiazobenzene-allylamine, -ethylamine, 'and -methylamine (Goldschmidt and Badl), 1889, A., 774.

Bis-p-diazotolueneallylamine (GOLD-schmidt and BADL), 1889, A., 775.

Bis-p-diazotoluene-ethylamine (Goldschmidt and Holm), 1888, A., 686.

Bis-p-diazotoluenemethylamine (GOLDSCHMIDT and BADL), 1889, A., 774.

Bisdiethylazimethylene (CURTIUS and THUN), 1891, A., 1855.

Bisdimethylazimethylene (CURTIUS

and Thun), 1891, A., 1355.

Bisdiphenylazimethylene (Curtius and Rauterberg), 1891, A., 1359.

Bispropylmethylazimethylene (Curtus and Thun), 1891, A., 1355.

Bismethylphenylazimethylene (Cuntius and Thun), 1891, A., 1855. Bisphenylazophenol (v. Baeyer and

KOCHENDÖRFER), 1889, A., 1162. Carbamidoazobenzene, and thio-(BERJU), 1884, A., 1149; 1885, A., 660.

Carbanilidoamidoazobenzene, Carbanilidoamidoazotoluene, Carbanilidobenzeneazo-\(\beta\)-naphthylamine, Carbanilidohydroxyazobenzene and Carbanilidophenolbisazobenzene (GOLDSCHMIDT and ROSELL), 1890, A., 614.

Carboxybenzeneazoacetoacetic acid (azoacetoaceticbenzoic acid) (GRIESS), 1885, A., 788.

m-Carboxybenzenylazoximebenzenyl (MÜLLER), 1886, A., 803.

Carboxybenzenylazoximepropenyl-ω-carboxylic acids, m- and p- (Muller), 1886, A., 803.

AZO-COMPOUNDS-

Carboxybenzenylazoxime-ethenyl, m- and p- (Muller), 1886, A., 802.

Carvacrolbisdiazotriphenylmethane (MAZZARA), 1886, A., 59.

Cinnamenylazoximebenzenyl (WOLFF), 1886, A., 798.

Cinnamenylazoxime-ethenyl (WOLFF), 1886, A., 798.

Cinnamenylazoximepropenyl-ω-carboxylic acid (Wolff), 1886, A., 799.

"Cinnamicdiazoacetic acid" (Buch-NER), 1888, A., 1275.

Cinnamoylphenylazimide, formation and reduction of (RUHEMANN), 1892, T., 282.

Cresolbisazotoluenes, o- and p- (Nölting and Werner), 1891, A., 212.

ψ-Cumeneazo-ψ-cumene. See Azo-ψcumene.

ψ-Cumeneazocumenol (LIEBERMANN and v. KOSTANECKI), 1884, A., 1147.

Cumeneazo-\$\mathcal{\beta}\$-naphthol-mono- and di-sulphonic acids, spectrum of (Hartley), 1887, T., 187.

ψ-Cumeneazophenol (Goldschmidt and Brubacher), 1891, A., 1210.

ψ-Cumenediazopiperidide (WALLAUH and Heusler), 1888, A., 362.
ψ-Cumeneazoresorcinol(Liedermann

and v. Kostanecki), 1884, A., 736, 1147; (v. Kostanecki), 1889, A., 137. nitroso- (v. Kostanecki), 1889,

A., 137. ψ-Cumeneazoresorcinolazocumene

(LIEBERMANN and V. KOSTANECKI), 1884, A., 736.

ψ-Cumenebisazoresoreinol (LIEBER-MANN and v. Kostanecki), 1884, A., 1147.

Cumylenediazosulphide (JACOBSON and NEY), 1889, A., 772. Cyanazocamphene (TANRET), 1888,

A., 720.

Cymeneazocymene (azocymene) (Schu-Moff), 1888, A., 469.

Dianilido-o-diazothiole (HEGTOR), 1889, A., 872; 1890, A., 526.

Diazoacetamide (Curtius), 1884, A., 988; 1885, A., 883.

ψ-Diazoacetamide (Curtius), 1885, A., 883.

Diazoacetates, ethercal, action of, on ethercal salts of unsaturated acids (Buchner), 1888, A., 1274.

Diazoacetic acid, and its salts (Currius), 1885, A., 883.

Diazoamides, normal and mixed (Mel-DOLA and STREATFEILD), 1890, T., 785; P., 139.

m-Diazoamidobenzamide (SCHULZE), 1889, A., 778.

Diazoamidobenzene (diuzobenzeneunilide) (Fischer), 1884, A., 1014. of (STAEDEL and preparation BAUER), 1886, A., 943.

conditions of formation of (FRIS-WELL and GREEN), 1885, T., 919;

P., 102.

constitution of (FRISWELL and GREEN), 1886, T., 746;

dry decomposition of (HEUSLER), 1891, A., 555.

action of phenol on (HEUMANN and OEUONOMIDES), 1887, A., 480.

action of p-toluidine on (GOLD-SCHMIDT and BARDACH), 1892, A., 978.

relation of, to amidoazobenzene (Friswell and Green), 1885, T., 917; P., 102; 1886, T., 746; P., 229; 1887, P., 26.

Wallach's explanation of the isomeric transformation of, into amidoazobenzene (MELDOLA), 1887, P., 27.

formation of diamidoazobenzene and its homologues from (Friswell

and GREEN), 1885, T., 923. coamidobenzene (diazobenzene-Diazoamidobenzene anilitle), p-bromo-, and its methyl derivative (MELDOLA and STREAT-FEILD), 1889, T., 435.

tri and hexa-bromo-(SILBERSTEIN),

1883, A., 661.

p-bromo-m- and -p-nitro- (GOLD-SCHMIDT and MOLINARI), 1888, A., 1285.

ethylation and methylation of (Melbola and Streatfella), 1889, T., 420, 421.

(MELDOLA and *di*bromo*di*nitro-STREATFEILD), 1888, T., 669.

m- and p-dichloro-, action of p-toluidine on (Goldschmidt and Bar-DACH), 1892, A., 978.

p-dichloro-, and its ethyl derivative (MELDOLA and STREATFEILD), 1888, T., 670.

m-nitro-(Goldschmidt and Molinau), 1888, A., 1285.

m-dinitro- (MELDOLA and STREAT-

FEILD), 1887, T., 107. p-dinitro- (MELDOLA and STREAT-FEILD), 1886, T., 626; 1887, T., 102,

AZO-COMPOUNDS-

(diazobenzene-Diazoamidobenzene anilide), and p-dinitro-, 112methylation of (MELDOLA and STREATFEILD), 1888, T., 666.

p-m-dinitro-, and its alkyl derivatives (Meldola and Streat-FEILD), 1889, T., 415.

Diazoamidobenzene-\$-naphthalene (diazobenzenenaphthylamide) bromo- (Goldschmidt and Moli-NARI), 1888, A., 1284.

(diazo-Diazoamidobenzenetoluene benzenetoluidide), p-bromo-and mnitro- (Goldschmidt and Moli-NARI), 1888, A., 1284.

Diazoamidobromo-\$-phenylpropionic acid (GABRIEL), 1883, A., 195.

Diazoamido-m- and -p-chlorobenzene-(diazochlorobenzene-pp-toluenes toluidides) (GOLDSUHMIDT and BAR-DACH), 1892, A., 979.

Diazoamido-compounds (Nolting and BINDER), 1885, A., 385; 1888, A., 271; (MELDOLA and STREATFEILD), 1886, P., 263; 1887, T., 102, 434, 448; P., 50; 1888, T., 664; P., 63; (WALLACH), 1887, A., 137; (FISCHER and WIMMER), 1887, A., 819. (CALLACHYMER) 1887, A., 819; (GOLDSCHMIDT and MOLINARI), 1888, A., 1283; (GOLDSOHMIDT and BADL), 1889, A., 1283; A., 774; (GOLDSCHMIDT and BAR-

DACH), 1892, A., 977.
Institution of (MELDOLA and STREATFEILD), 1887, T., 434, 448; P., 50; (MELDOLA), 1887, A., 818. constitution cryoscopic experiments with (Gold-

SCHMIDT), 1891, A., 1211. dry decomposition of (HEUSLER),

1891, A., 555. action of acetic anhydride on (Hrus-

LER), 1892, A., 458. action of aniline hydrochloride on (Goldschmidt and Bardach), 1892, A., 979.

action of phenol on (HEUMANN and OECONOMIDES), 1887, A., 664.

conversion of, into azoamido-compounds (Goldschmidt and Bar-DACH), 1892, A., 977.

ethylene derivatives of (MELDOLA and STREATFEILD), 1892, P., 119. of ethyl-p-toluidine (GASTIGER), 1885, A., 381.

of the paraffin series (CURTIUS), 1884, A., 987.

mixed, new method of determining the constitution of (GOLD-SCHMIDT and HOLM), 1888, A., 685.

Diazoamido-compounds, mixed, synthesis of alkyl heterogenous (Meldola), 1889, T., 610; P., 127.

isomerism of the alkyl derivatives of (MELDOLA and STREATFEILD), 1889, T., 412; P.,

nitrated (NIEMENTOWSKI), 1890, A., 39.

dinitro-, decomposition of, by cold hydrochloric acid (MELDOLA and STREATFEILD), 1887, T.,

Diazoamido-\psi-cumene, action of ptoluidine on (GOLDSCHMIDT and BARDACH), 1892, A., 978.

Diazoamido - ψ - cumene - p - toluene (Goldschmidt and Bardach) BARDACH), 1892, A., 979.

Diazoamidodiphenylmethane (Manns), 1889, A., 261.

Diazoamidonitrobenzene (NIEMEN-Towski), 1890, A., 39.

Diazoamidonitrotoluene (NIEMEN-

Towski), 1890, A., 39. Diazoamido-o-toluene (diazotoluene--toluidide) (FISCHER and WIMMER), 1887, A., 819; (HEUSLER), 1892, A.,

Diazoamido-xylene (diazoxylenexylidide) (Fischer and Wimmer), 1887, A., 819.

o-Diazoazotoluene (diazotolueneazotoluene), action of α- and β-naphthols and S-naphthylamine on (ZINCKE and LAWSON), 1887, A., 731.

derivatives of (ZINCKE and LAWson), 1886, A., 795.

p-Diazoazotoluene salts (ZINCKE and LAWSON), 1887, A., 732.

p-Diazoazotolueneimide (ZINCKE and LAWSON), 1887, A., 732.

o-Diazobenzaldehyde (ELIASBERG and FRIEDLÄNDER), 1892, A., 1106.

Diazobenzene (SANDMEYER), 1890, A., 1115.

action of, on acetonedicarboxylic acid (v. Pechmann and Jen-ISCH), 1892, A., 161.

action of phenol on (HIRSCH), 1891, A., 437.

acid salts of, action of alkalis on (CURTIUS), 1891, A., 55.

salts, action of stannous chloride on (CULMANN and GASIOROWSKI), 1889, A., 1156.

perbromide (SAUNDERS), 1892, A., 316.

Azo-compounds-

Diazobenzene chloride, action of acetone on (BAMBERGER and Wulz), 1891, A., 1450. action of benzaldoxime on (MAI),

1892, A., 163.

action of hydroxylamine on (MAI), 1892, A., 710.

action of sodium thiosulphate on (Purgotti), 1890, A., 1419. reaction of (Oddo), 1891, A.,

553.

nitrate, action of potassium ferrocyanide on (LOCHER), 1888, A., 589.

stannochloride (GRIESS), 1885, A., 789.

sulphates, o- and m- (REMSEN and GRAHAM), 1889, A., 975.

Diazobenzene, amido- (GRIESS), 1884, A., 1148.

tribromo-, nitrate and other salts of (SILBERSTEIN), 1883, A., 660.

Diazobenzeneamidocarbazole (ZATTI and FERRATINI), 1892, A., 617. azobenzeneanilide. See Dia

Diazobenzeneanilide. Diazoamidobenzene.

Diazobenzeneazobenzene, combination of, with aniline (NIETZKI and DIES-TERWEG), 1888, A., 1082.

Diazobenzeneazobenzene-mono- and -di-sulphonic acids (GRIESS), 1883, A., 182.

Diazobenzenebenzamidine (PINNER), 1889, A., 1005.

Diazobenzenebenzylamide (Goldschwidt and Holm), 1888, A., 685.

Diazobenzenebenzylanilide (Fris-WELL and GREEN), 1886, T., 749.

Diazobenzene-p - bromodiphenylcarbamide (Goldschmidt and Moli-NARI), 1888, A., 1284. Diazobenzene - p - bromophenyl - p -

tolylcarbamide (Goldschmidt and Molinari), 1888, A., 1284.

(Gold-Diazobenzenecumylamide SCHMIDT and GESSNER), 1889, A., 773.

Diazobenzenediphenylcarbamide (GOLDSCHMIDT and MOLINARI), 1888, A., 1283.

Diazobenzene - p - ditolylcarbamide (GOLDSCHMIDT and MOLINARI), 1888, A., 1284.

Diazobenzene - ethyl - \$ - tetrahydronaphthylamide (BAMBERGER and MULLER), 1889, A., 889.

Diazobenzene - ethyl - p - toluidide

(NOLTING and BINDER), 1888, A., 273.

Diazobenzeneglyoxaline (Rung and Behrend), 1892, A., 1493.

Diazobenzeneimide, action of stannous (CULMANN chloride on GASIOROWSKI), 1889, A., 1157.

tribromo- (SILBERSTEIN), 1883, A.,

p-nitro- (Culmann and Gasiorowski), 1889, A., 1157.

Diazobenzenemethylanilide WELL and GREEN), 1886, T., 748; (Nolting and Binder), 1888, A.,

Diazobenzene-o-and-p-methylbenzylamides (KROBER), 1890, A., 969.

Diazobenzenenaphthylamide, p-bromo-(Goldschmidt and Moli-

NARI), 1888, A., 1284. Diazobenzene-\$-naphthylamine. See Benzeneazo- β -naphthylamine.

Diazobenzene-\beta-naphthylphenylcarbamide (Goldschmidt and Molinari), 1888, A., 1284.

-p-nitrodi-Diazobenzene-*m*and phenylcarbamide, m- and p-bromoand Molinari), (Goldschmidt 1888, A., 1285.

Diazobenzene-m-nitrophenylcarbamide (Goldschmidt and Moli-NARI), 1888, A., 1285.

Diazobenzenenitrosodimethylaniline (Fischer and Wacker), 1889, A.,

Diazobenzenephenyl-p-tolylcarbamide (Goldschmidt and Moli-NARI), 1888, A., 1283.

Diazobenzenepiperazine (SCHMIDT andWICHMANN), 1892, A., 211.

(Nölting Diazobenzenepiperidide and BINDER), 1888, A., 273.

p-Diazobenzenesulphonic acid, action of, on primary amido-compounds, toluidines and onisomeric (GRIESS), 1883, A., 181.

behaviour of aldehyde, glucose, pep-tone, albuminous bodies, and and acetone towards (PETRI), 1884, A., 1322.

o-nitro-(Nietzki and Lerch), 1889, A., 144.

Diazobenzene -a-tetrahydronaphthylamide(Bambergerand Bammann), 1889, A., 784.

Diazobenzenetetrahydroquinolide (Nolting and Binder), 1888, A.,

Diazobenzenetoluidide, p-bromo- and m-nitro- (Goldschmidt and Moli-NABI), 1888, A., 1284.

AZO-COMPOUNDS-

Diazobenzene-p-tolylphenylcarbamide (Goldschmidt and Moli-NARI), 1888, A., 1284.

4-Diazobenzidine-2-2'-disulphonic acid, 4'-amido- (LIMPRICHT), 1891, A., 929.

Diazobenzimide, m-amido-, and its derivatives (GRIESS), 1885, A.,

6-Diazobenzoic acid, 3-amido-, and its derivatives (GRIESS), 1884, A.,

Diazobenzoic acids, action of alcohols on (GRIESS), 1888, A., 588.

Diazobenzylamidobenzene, m- and pdinitro- (MELDOLA and STREAT-FEILD), 1887, T., 112, 113.

Diazodibromobenzene sulphate (HEINICHEN), 1890, A., 165.

Diazo-p-bromobenzenemethyl-p-toluidide, combination of diazo-β-naphthalenemethyl-p-toluidide, and of diazo-m-nitrobenzenemethyl-p-toluidide with (MELDOLA and STREAT-FEILD), 1890, T., 793, 797.

Diazoisobutylbenzene, action stannous chloride on (CULMANN and GASIOROWSKI), 1889, 1157.

o-Diazocinnamic acid, hydrochloride and nitrate of (FISCHER and KUZEL), 1884, A., 441.

p-Diazocinnamic acid, decomposition of (GABRIEL), 1883, A., 196.

Diazo-compounds (GRIESS), 1883, A., 180, 1102; 1884, A., 1148; 1885, A., 788; 1887, A., 817; 1888, A., 588, 826; (WALLACH), 1883, A., 584; 1887, A., 40, 137.

constitution of (MELDOLA and STREATFEILD), 1888, T., P., 63.

thermochemistry of (Vignon), 1888, A., 774.

molecular weights of

schmidt), 1891, A., 198. action of alcohol on (HALLER), 1884, A., 1822; (Remsen), 1885, A., 525.

action of finely divided copper on (GATTERMANN, HAUSSKNECHT, CANTZLER and EHRHARDT),1890, A., 970.

action of, on hydroxybenzoic acids (ZIBELL), 1891, A., 1473.

action of oximes on (MAI), 1892, A., 163, 1079.

application of, to the detection of organic matter in water (GRIESS), 1888, A., 993.

of Diazo-compounds, decomposition (Remsen and Orndorff), 1888, A., 268; (Remsen and Graham),

1889, A., 975.

decomposition of, by alcohol (v. HOFMANN), 1884, A., 1315; (v. Wroblewski), 1885, A., 257; (REMSEN and PALMER), 1887, A., 136.

decomposition of some, by formic and acetic acids (Oundourf),

1889, A., 45.

double decompositions of (ODDO),

1891, A., 554. velocity of decomposition of, by water (MULLER and HAUSSER), 1892, A., 768.

stability of, in aqueous solution (Hirsch), 1891, A., 554.

synthesis by means of (Hirson), 1891, A., 437; 1892, A., 1198.

chlorides of, action of stannous salts on the (Gasiorowskijand Waijss), 1885, A., 525.

mixed (Goldschmidt and Holm), 1888, A., 685.

of the aromatic series (ODDO), 1891, A., 553.

of s-tribromaniline (SILBERSTEIN), 1883, A., 660.

of the fatty series (Curtius), 1884, A., 987; 1885, A., 883. constitution of (Curtius), 1889, A., 586; 1891, A., 39.

of the thiazole series (WOHMANN), 1891, A., 225.

Diazo-m-and -p-chlorobenzene-p-toluidides (Goldschmidt and Bar-DACH), 1892, A., 979.

Diazocresol compounds (Nölting and Konn), 1884, A., 900.

Diazo-α-cymenesulphonic acid (Er-RERA), 1891, A., 1067.

Diazodeoxybenzoin chloride (NEY), 1888, A., 1197.

(LELLMANN o-Diazodibenzylamine and ARNOLD), 1892, A., 890.

Diazodiphenylamine sulphate (Iku-TA), 1888, A., 467.

Diazoethylamidobenzene, m-dinitro-(MELDOLA and STREATFEILD), 1887, T., 108. p-dinitro- (MELDOLA and STREAT-

FEILD), 1887, T., 630.

Diazoethylresorcinol chloride (Puk-ALL), 1887, A., 661.

Diazo-group, introduction of, into so-called aromatic para-compounds (GRIESS), 1884, A., 1013.

Azo-compounds-

Diazoguanidine salts (THIELE), 1892, A., 1298.

Diazohippurylamide (Curtius), 1892, л., 113.

Diazo-hydrocarbons, action of stannous chloride on salts of (CULMANN Gasiorowski), 1889, A., 1156.

Diazohydroxyquinaldine anhydride (CONRAD and LIMPACH), 1888, A., 1110.

Diazoimido-hydrocarbons, some reactions of (CULMANN and GASIORowski), 1889, A., 1156.

Diazomethylamidobenzenesulphonic acid, sodium salt of (Berntusen and Goske), 1887, A., 666.

Diazomethyluracil derivatives (Ben-

REND), 1888, A., 809.

8-Diazonaphthalene nitrate, decomposition of, with alcohol (Ork-norff and Koutwhight), 1891, А., 1073.

sulphate, action of stannous chloride on (Culmann and Gasionowski), 1889, A., 1157.

β-Diazonaphthalenebenzylamide (Goldschmidt and Holm), 1888, A., 685.

β-Diazonaphthalene-p-bromodiphenylcarbamide (GOLDSCHMIDT and Molinari), 1888, A., 1285.

Diazonaphthaleneimide (FISCHER), 1886, A., 555.

Diazo- β -naphthalenemethyl-p-toluidide, combination of, with diazop-bromobenzenemethyl-p-toluidide (Meldola and Streatfeild), 1890, T., 797.

sulphates, decomposition of, with alcohol (Ornbouff and Korr-WRIGHT), 1891, A., 1073.

 β -Diazonaphthalene- β -naphthylamine and its derivatives (LAWson), 1885, A., 1238.

Diazonaphthalenes, nitro-, salts of, decomposition of, with alcohol (Ornborff and Cauffman), 1892, A., 622.

Diazonaphthalenesulphonic (Forsling), 1887, A., 375, 963.

Diazonaphthalenesulphonicacid[1:2-] (CLEVE), 1892, A., 345.

Diazonaphthalenesulphonic acids δand y- (CLEYE), 1889, A., 155.

aa-Diazonaphthalenesulphonic acids, isomeric (Erdmann), 1889, A.,

Diazonaphtholsulphonic acid (SEI-DEL), 1892, A., 721.

Diazonitrobenzene chlorides, decomposition of, by hydrochloric acid (Meldola and Streatfeild), 1887, Ť., 106.

Diazo-m- and -p-nitrobenzene-ethyl--p-toluidides (NoLTING and BIN-

DER), 1888, A., 273.

Diazo-m-nitrobenzenemethyl-p-toluidide, combination of, with diazop-bromobenzenemethyl-p-toluidide (MELDOLA and STREATFEILD), 1890, T., 793.

m-Diazo-p-nitrobenzenesulphonic acid (EGER), 1889, A., 708.

Diazonitro-\psi-cumenesulphonic acid (MAYER), 1887, A., 953.

Diazoisonitrosomethyluracil (BEH-REND), 1888, A., 809.

p-Diazonitroso-oxindole chloride (MEYER), 1886, A., 64. m-Diazophenetoil and its derivatives

(WAGNER), 1885, A., 1212.

p-Diazophenol, di-m-bromo- (SILBER-STEIN), 1883, A., 660. m-nitro- (Hahle), 1891, A., 431.

Diazophenols, compounds from \$3naphthylamine and (SACHS), 1886, A., 235.

Diazophenolsulphonic acid, chloro-(KALLREPP), 1886, A., 1019. trichloro- (LAMPERT), 1886, A., 617.

Diazo-reaction (GATTERMANN, HAUSS-KNEOHT, CANTZLER, and EHR-HARDT), 1890, A., 971.

Diazoresorcinol and its derivatives (BRUNNER and KRAEMER), 1884, A., 1333; (EHRLICH), 1888, A., 145; (NIETZKI, DIETZE, MAECKLER), 1890, A., 156.

Diazoresorufin and its derivatives (Fevre), 1883, A., 733; (Brunner and KRAEMER), 1884, A., 1333; (EHRLICH), 1888, A., 145; (NIETZ-KI, DIETZE, and MAECKLER), 1890, A., 156.

and a phenol-Diazo-salt-group residue, intramolecular transformation between (LELLMANN and

BOYE), 1890, A., 1116.

Diazo-salts, anhydrous, preparation of (KNOEVENAGEL), 1891, A., 54. of amido-3'-hydroxyquinoline, action of, on phenols and tertiary bases (RIEMERSCHMIED), 1883, A., 1148.

Diazosuccinic acid and its derivatives CURTIUS and KOCH), 1885, A., 885; 1887, A., 33; 1889, A., 376.

p-Diazo-o-sulphobenzoic acid (HED-RICK), 1888, A., 280.

AZO-COMPOUNDS-

Diazosulphonic acids, improvement Sandmeyer's reaction with (Tobias), 1890, A., 1149.

Diazothiazole hydrate (NAF), 1891, A., 1515.

Diazothio-dimethyl- and -diethylanilines (BERNTHSEN), 1889, A., 775.

Diazotised-p-bromaniline, action of, on methyl- and ethyl-m- and p-nitranilines (MELDOLA and STREATFEILD), 1889, T., 419, 428; P., 98.

action of, on methyl-p-toluidine (MELDOLA and STREATFEILD). 1889, T., 432; P., 98.

p-chloraniline, action of, methyl-p-toluidine (MELDOLA and STREATFEILD), 1889, T., 436;

m-nitraniline, action of, on methyland ethyl-p-bromanilines (MEL-DOLA and STREATFEILD), 1889, T., 425, 428; P., 98.

action of, on p-nitraniline (MEL-DOLA and STREATFEILD), 1887,

T., 102.

m- and p-nitranilines, action of, on monamines (Meldola), 1883, T., 428, 440; 1884, T., 107, 112, 118.

p-nitraniline, action of, on methyland ethyl-p-bromanilines (MEL-DOLA and STREATFEILD), 1889, T., 418; P., 98.

Diazotoluene, o- and p-, action of sodium sulphide on (PURGOTTI), 1890, A., 1420.

o-Diazotoluene salts, action of stan-nous chloride on (Culmann and GASIOROWSKI), 1889, A., 1156.

 $p ext{-} ext{Diazotoluene chloride, action of hy-}$ droxylamine on(MAI), 1892, A., 710. Diazotolueneazotoluene. See Diazo-

azotoluene. Diazotoluenebenzylamide, o- and p-(Goldsonmidt and Holm), 1888,

A., 685. p-Diazotoluene-p-bromodiphenylcarbamide (GOLDSCHMIDT and MOLIN-ARI), 1888, A., 1284.

p-Diazotoluenecumylamide SCHMIDT and GESSNER), 1889, A., 773.

p-Diazotoluenedimethylamide (GOLD-SCHMIDT and BADL), 1889, A., 774. Diazotoluenedisulphonates (HASSE), 1886, A., 150.

 $p ext{-Diazotoluene-}p ext{-ditolylearbamide}$ (GOLDSCHMIDT and MOLINARI), 1888, A., 1284.

p-Diazotoluene-β-naphthylphenylcarbamide (GOLDSCHMIDT and MOLINARI), 1888, A., 1284.

p-Diazotoluene-m-nitrodiphenylcarbamide (Goldschmidt and Molin-Ari), 1888, A., 1285.

p-Diazotoluenephenyl-p-tolylcarbamide (Goldschmil) and Molin-Ari), 1888, A., 1284.

Diazotoluenetoluidide (diazoamidotoluene) (FISCHER and WIMMER), 1887, A., 819. p-Diazotolylene-o-sulphonic acid

p-Diazotolylene-o-sulphonic acid (REMSEN and PALMER), 1887, A., 136.

p-Diazotolylethylanilide (Nölting and Binder), 1888, A., 272.

Diazo-p-tolylethyl-p-toluidide(Nolt-ING and BINDER), 1888, A., 273.

m-Diazotriazoamidobenzene(GRIESS), 1888, A., 827.

p-Diazotriazobenzene (GRIESS), 1888, A., 826.

Diazotriazobenzenesulphonic acid (Limpricht), 1889, A., 398.

m-Diazotriazobenzoic acid (GRIESS), 1888, A., 827.

b-Diazo-α-truxillic acid (Homans, STELTZNER, and SUKOW), 1891, A.,

Diazouracil (BEHREND and ERNERT), 1890, A., 1241.

Diazouracilcarboxylicacid (BEHREND and ERNERT), 1890, A., 1240.

Diazovinylamine (BUCHNER and CURTIUS), 1886, A., 635.

Diazoxybenzoic acid (GRIESS), 1887, A., 485.

Diazoxylenesulphonic acids (Noltrum and Kohn), 1886, A., 356; 1889, A., 611.

Diazoxylenexylidide (diazoamidoxylene) (Fischer and Wimmer), 1887, A., 819.

Dibenzenylazosulphime (v. IIofmann and Gabriel), 1892, A., 1109. Dibenzenyldiazoximeoxalene

(Wurm), 1890, A., 259.

Diethylresorcinol-o- and -p-azoresorcinols (Pukall), 1887, A., 662.

Dihydroxydiphenyldimethyldiazobenzophenylmethane (MAZZARA), 1885, A., 904.

Dimethylamidoazohenzene (benzeneazodimethylaniline) (BERJU), 1884, A., 1149.

as an indicator in alkalimetry (FISCHER and PHILIPP), 1885, A., 1159. AZO-COMPOUNDS-

Dimethylamidoazobenzene (benzeneazodimethylaniline), p-bromo-(GOLDSCHMIDT and BARDACH), 1892, A., 980.

nitro-derivatives of (Nolting), 1888, A., 270.

Dimethylamidoazobenzenesulphonic acid (Nolting and Baumann), 1885, A., 385.

Dimethylamidoazotribromobenzene (benzeneazodimethylaniline, tribromo- (SILBERSTEIN), 1883, A., 661.

Dimethylamidobenzeneazobenzenesulphonic acid (Mohlau), 1884, A., 1149.

spectrum of (HARTLEY), 1887, T., 192.

Dimethylamidobenzeneazodimethylaniline (Nölting and Kohn), 1885, A., 386; (Barbier and Vignon), 1888, A., 54.

Dimethylamidobenzene-α-azonaphthalene (Bischoff), 1890, A., 1148.

Dimethylamidobenzeneazotoluene, and its sulphonic acid (Möhlau), 1884, A., 1150.

Dimethylanilineazobenzylpiperidine (Lellmann and Pekrun), 1891, A., 89.

Dimethylaziethane (Currius and Thun), 1891, A., 1856.

Dimethylazobenzene, tetranitro-(Mertens), 1886, A., 1022.

Dimethylbromobenzeneazammonium compounds (Zincke and Arzber-ger), 1889, A., 502.

Dimethyltrichlorobromobenzeneaz ammonium iodide (ZINCKE and ARZBERGER), 1889, A., 502.

Dimethylethylazimethylene (Currius and Thun), 1891, A., 1355.

Dimethylhexylazimethylene (Currius and Thun), 1891, A., 1355.

Diphenylazocarvacrol (MAZZARA), 1885, A., 1132.

Diphenyl-p-azophenylene (v. BAND-ROWSKI), 1886, A., 1023; 1888, A., 269, 1081.

Diphenylazothymol, constitution of (MAZZARA), 1885, A., 1131.

Diphenylbisazonaphtharesorcinol (v. Kostanecki), 1890, A., 261.

Diphenyldissoindoleazobenzenesulphonic acid (Mohlau), 1883, A., 343.

Diphenyldissoindoleazotribromobenzene hydrochloride (Mohlau), 1883, A., 342.

Diphenyldiisoindoleazodibromophenol (Mohlau), 1883, A., 342.

Diphenyldimethylazimethylene (Curtius and Rauterberg), 1891, A., 1359.

Diphenylenebisazodimethylaniline (REULAND), 1890, A., 167.

Diphenylenebisazo-β-naphthol (Reu-LAND), 1890, A., 167.

Diphenylenebisazoresorcinol (REU-LAND), 1890, A., 167.

p-Diphenylhydrazohexamethylene (v. Baeyer and Noves), 1889, A., 1148.

Diphenylmethylcinnamaldazimethylene (Curtius and Rauterberg), 1891, A., 1360.

Diphenylnaphthaleneazammonium hydroxide and its salts (ZINCKE and LAWSON), 1887, A., 731.

Diphenylpyrazoloneazobenzene (KNORR and KLOTZ), 1887, A., 1121.

Di-o- and -p-tolyldiamido-o-diazothioles and their derivatives (HECTOR), 1890, A., 527. p-Ditriazobenzene (GRIESS), 1888, A.,

826.

m-Ditriazobenzoic acid (GRIESS),

m-Ditriazonenzoic acid (GRIESS) 1888, A., 827. m-Dixylyldiamido-o-diazothiole

(HECTOR), 1890, A., 528. Ethenylazoximebenzenyl (Nord-

MANN), 1885, A., 239. Ethoxyazobenzene (benzeneazophene-

toil), base from (Nölting and Werner), 1891, A., 211.

p-Ethoxyazobenzene, preparation,

nature, and reduction of (JACOBsen and Fischer), 1892, A., 839.

Ethoxyazobenzenesulphonic acid (benzeneazophenetoilsulphonic acid) (FEER and MULLER), 1889, A., 258.

Ethylamidoazobenzenesulphonic aoid (benzeneazoethylamilinesulphonic acid), sodium salt of (Bern-THSEN and GOSKE), 1887, A., 666.

Ethylazimidobenzene (HEMPEL), 1890, A., 612.

Ethylazimidotoluene (Nölting and Abr), 1888, A., 273.

Ethylic azobenzeneα-methylphenylpyrroline-β-carboxylate (PAAL and Schneider), 1887, A., 274. azopyromellitate (NEF), 1886, A.,

azopyromellitate (NEF), 1886, A., 64; 1887, A., 257; 1888, T., 443.

azoxypropionate (Curtius and Koch), 1889, A., 376. benzeneazocamphocarboxylate (Haller), 1892, A., 1344. Azo-compounds-

Ethylic benzenediazo-Δ^{1.4}- and -Δ^{2 5}dihydroterephthalates(v. BAEYER and v. Bruning), 1891, A., 1487.

benzenediazoterephthalate (v. BAE-YER and BRUNING), 1891, A., 1487.

benzenylazoximemethenylcarboxylate (WURM), 1890, A., 259.

cinnamic diazoacetate (Buchner), 1888, A., 1275.

diazoacetate and its derivatives (Currius), 1884, A., 987. constitution of (Currius), 1889,

A., 586. action of, on aromatic hydrocarbons (Buchner and Cur-

TIUS), 1885, A., 1207. diazobenzoate (Curtius), 1891, A.,

diazosuccinamate and diazosuccinates (Currius and Koch), 1885, A., 885.

diphenylazimethylenedicarboxylate (Currius and Lang), 1892, A., 453.

methylthiazolecarboxylate diazohydrate (Wohmann), 1891, A., 225.

8-naphtholazophenyllutidinedicarboxylate (LEPETIT), 1887, A., 1053.

a-naphthylazoacetoacetate (ODDO), 1891, A., 1381; 1892, A., 367. phenylazo-acetyl- and benzoylpyruvates (Beyer and Claisen), 1888, A., 829.

phenyl-\$\beta\$-azocrotonate (BENDER), 1888, A., 53; (NEF), 1892, A., 143.

triazoacetate (Curtius and Lang), 1889, A., 370.

Ethylpyrrolineazo-\$\beta\$-naphthalene (Fisoner and Hepp), 1886, A., 1042.

Ethylpyrrolineazo-p-toluene (Fischer and Herr), 1886, A., 1042.

Ethylpyrrolinediazo-p-toluene (Fis-CHER and HEPP), 1886, A., 1042.

Glutarenediazoximediethenyl (BIE-DERMANN), 1890, A., 126.

p-Hexazobenzene (GRIESS), 1888, A., 826.

Hexazobenzoic acid (GRIESS), 1888, A., 827.

Hexazoxybenzene (JANOVSKY and Erb), 1887, A., 479; (JANOVSKY), 1887, A., 664; (WILLGERODT),1890, A., 1117.

Homobenzenyl-. See Tolenyl-.

Homo-o-phthalethylimidoazobenzene (PULVERMACHER), 1887, A., 1111.

Homo-o-phthalimidoazobenzene (GABRIEL), 1887, A., 726.

Homoterephthalenediazoximedibenzenyl (ROSENTHAL), 1890, A., 147.

Homoterephthalenediazoximediethenyl (Rosenthal), 1890, A., 147.

Hydroxyazobenzene (benzeneazophenol), action of phosphoric chloride on (HEUMANNAND PAGANINI), 1891, A., 301.

m-dinitro- (KLINGER and PITSCH-KE), 1886, A., 53.

Hydroxy-p-azobenzenesulphonic acid, salts of (LIMPRICUT), 1891,

A., 1037.

Hydroxyazo-compounds (MEYER and KREIS), 1883, A., 982; (FISCHER and WIMMER), 1887, A., 819; (GOLDSCHMIDT and ROSELL), 1890, A., 614; (GOLDSCHMIDT and BRUBACHER), 1891, A., 1209.

o-Hydroxyazo-dyes. See under Colour-

ing matters.

3-Hydroxy-4-azo-1-methylquinoline (Nölting and Trautmann), 1891, A., 328.

Hydroxyazotoluidine and its salts (Limpricht), 1885, A., 975; (Graeff), 1885, A., 1128.

m-Hydroxybenzenylazoximebenzenyl (Schopff), 1885, A., 1217.

p-Hydroxybenzenylazoximebenzenyl (KRONE), 1891, A., 700.

m-Hydroxybenzenylazoxime-ethenyl (CLEMM), 1891, A., 700.

p-Hydroxybenzenylazoxime-ethenyl (Krone), 1891, A., 700.

m-Hydroxybenzenylazoximepropenyl-ω-carboxylic acid (ULEMM), 1891, A., 699.

p-Hydroxybenzenylazoximepropenyl-ω-carboxylic acid (KRONE), 1891, A., 700.

p-Hydroxy-o-tolenylazoximebenzenyl (PASCHEN), 1892, A., 320.

p-Hydroxy-m-tolenylazoximebenzenyl (GOLDBECK), 1892, A., 319.

o-Hydroxy-p-tolenylazoxime-ethenyl (Goldbeck), 1892, A., 319.

p-Hydroxy-o-tolenylazoxime-ethenyl (Paschen), 1892, A., 321.

p-Hydroxytolenylazoximepropenylc-carboxylic acid (GOLDBECK), 1892, A., 319.

Ketazodiphenyl ketone (Currius), 1889, A., 1157.

Leucazocamphene (TANRET), 1888, A., 720. Azo-compounds—

ene (Volhard), 1892, A., 436.

Methaneazobenzene, iodonitro- (Russanoff), 1892, A., 1416.

Methaneazobenzoic acid, nitro-(Griess), 1885, A., 788.

Methoxybenzenylazoximebenzenyl, o- and p- (MILLER), 1889, A., 254.

p-Methoxybenzenylazoxime-ethenyl (MILLER), 1889, A., 254.

η-Methoxybenzenylazoximepropenyl-ω-carboxylic acid (Miller), 1889, A., 255.

o-Methoxycinnamic acid diazochloride (SCHNELL), 1887, Λ., 140.

p-Methoxydiazobenzenesulphonic acid (Altredhul), 1892, A., 1081.

Methylamidoazobenzene (honscreazomethylamiline) and its acetyl derivative (Bersu), 1884, A., 1149.

Methylamidoazobenzenesulphonic acid, sodium salt of (Bernthsen and Goske), 1887, A., 666.

Methylazimidothiazolecarboxylic acid (Wohmann), 1891, A., 226.

Methylirichlorobromazimidobenzene (ZINOKE and ARZBERGER), 1889, A., 502.

Methyldiazoamidobenzene (diazobenzenemethylanilide) (FRISWELL and GREEN), 1886, T., 748.

Methylic acetylenedicarboxylodiazoacetate (Buchner), 1889, A., 694.

benzeneazocyanacetate (HALLER), 1888, A., 824.

benzeneazodinitrophenylacetate (MEYER), 1888, A., 693.

azomethylenecarboxylate (Curtius and Lang), 1892, A., 452.

tolueneazocyanacetates, 1:2-and 1:4-(HALLER), 1888, A., 824.

benzeneazocamphocarboxylate (Hallen), 1892, A., 1344.

diazoacetate, action of, on the ethereal salts of unsaturated acids (Buchner, 1889, A., 694; 1890, A., 736.

a-diazopropionate (Currius and LANG), 1892, A., 452.

diazosuccinamate (Currius and Koch), 1887, A., 34.

fumaric diazoacetate (Buchner), 1888, A., 1274.

2'-Methylindoleazobenzene (WAG-NER), 1888, A., 284.

Methyl-o-nitro-p-diazobenzene chloride, nitroso-(p-diazotoluenechloride, o-nitro-ω-nitroso-) (ΜΕΥΕR), 1886 A., 63.

Methyldinitrophenylacetateazobenzenesulphonic acid, sodium salt of (HAUSSKNECHT), 1889, A., 507.

Methyldinitrophenylacetateazonaphthalene (Haussknecht), 1889, A., 506.

Methyldinitrophenylacetateazotoluene (Haussknecht), 1889, A., 506.

Methyldinitrophenylacetateazoxylene (Haussknecht), 1889, A.,

Methylpyrrolinebisazobenzene (Fis-CHER and HEPP), 1886, A., 1041.

Methyltetrahydroquinoline-1-and-3azobenzenesulphonic acids, 1- and 3- (BAMBERGER and WULZ), 1891, A., 1254.

Methyl-p-toluidine-o-azobenzenesulphonic acid (BAMBERGER and Wülz), 1891, A., 1203.

a-Naphthaleneazoacetic acid (ODDO), 1891, A., 1382.

Naphthaleneazoacetoacetic acids, αand B- (ODDo), 1891, A., 1381.

(Ouno), a-Naphthaleneazoacetone 1891, A., 1382.

1:2:2'-\(\beta\)-Naphthaleneazodihydroxynaphthalene (CLAUSIUS), 1890, A.,

α-Naphthaleneazo-α-hydroxynaphthoic acid (Bischoff), 1890, A.,

β-Naphthaleneazo-o-and -p-hydroxyquinolines (MATHEUS), 1888, A., 851, 852.

Naphthaleneazonaphthalene. See Azonaphthalenc.

Naphthaleneazo- β -naphthylanilines, α- and β- (MATTHES), 1890, A., 993. Naphthaleneazophenylenediamine-

azotoluene (GRIESS), 1883, A., 1103. Naphthaleneazosalicylic

(Севек), 1889, А., 780.

Naphthalenebisazobenzenes, α - and β -(NIETZKI and DIESTERWEG), 1888, A., 1083.

a-Naphthalenebisazobenzene (Kronn), 1889, A., 152.

β-Naphthenylazoximeacetylethenyl (RICHTER), 1890, A., 63.

S-Naphthenylazoximebenzenyl (Richter), 1890, A., 62.

Naphthenylazoxime-ethenyls, a- and β- (Ekstrand), 1887, A., 373.

 β -Naphthenylazoximenaphthenyl (EKSTRAND), 1887, A., 374.

Naphtholazobenzenes (DENARO), 1886, A., 246.

A., 326; 1885, A., 546.

derivatives of (MARGARY), 1884,

AZO-COMPOUNDS-

Naphthol-p-azobenzeneazodimethylanilines, α - and β - (MELDOLA) 1884. T., 109, 110.

8-Naphthol-p-azobenzeneazodiphen-ylamine (MELDOLA), 1883, T., 441.

β-Naphthol-p-azobenzeneazodiphenylethylamine (MELDOLA), 1884, T., 111.

 $oldsymbol{eta} ext{-Naphthol-}p ext{-azobenzeneazo-}lpha ext{-}$ naphthaleneazo-p-naphthol (MEL-DOLA), 1883, T., 437.

 $oldsymbol{eta} ext{-Naphthol-} p ext{-azobenzeneazo-} a ext{-}$ naphthaleneazo-p-naphtholdisulphonic acid (MELDOLA), 1883, T.,

 β -Naphthol- γ -azobenzeneazo- α naphthaleneazophenol (MELDOLA), 1883, T., 439.

 β -Naphthol-p-azobenzeneazo- α -naphthaleneazoresorcinol (MELDOLA), 1883, T., 439.

 α -Naphtholazobenzeneazo- β -naphthol, and its disulphonic acid (sodium salt) (Meldola), 1885, T.,

Naphtholazobenzeneazo-α- and -βnaphthols, α- and β- (MELDOLA), 1885, T., 663, 664.

Naphtholazobenzeneazophenols, and \$- (MELDOLA), 1885, T., 665,

Naphtholazobenzeneazoresorcinols, α- and β- (Melbola), 1885, T., 665,

 $oldsymbol{eta}$ -Naphtholazobenzeneazosalicylic acid (Meldola), 1885, T., 667.

 β -Naphthol-p-azobenzeneazo-m-xyleneazo-\$-naphthol (MELDOLA), 1883, T., 439.

 β -Naphtholazonitro- ψ -cumenesulphonic acid (MAYER), 1887, A., 953.

α-Naphtholbisazo-p-benzene-o-toluene (benzeneuzonaphtholazotoluene) (GULDSCHMIDT and POLLAK), 1892, Å., 977.

Naphthol-p-azodiphenylsulphonic acids, a- and B-, sodium salts of (CARNELLEY and SCHLESELMANN), 1886, T., 383.

a-Naphtholbisdiazobenzene (KROHN), 1889, A., 152.

8-Naphthylamine, azo-derivatives of (MELDOLA and HUGHES), 1891, T., 372; P., 83.

constitutional formula for the azoderivatives of (MELDOLA), 1884, T., 118.

8-Naphthylamines, secondary, derivatives of (MATTHES), 1890, A., 992.

Naphthylphenylethylazammonium iodide (ZINCKE and CAMPBELL), 1890, A., 787.

Nicotenylazosulphimecarbanilide (MICHAELIS), 1892, A., 208. Nicotenylazozimebenzenyl (MI-

Nicotenylazoximebenzenyl CHAELIS), 1892, A., 207.

Nicotenylazoximepropenyl-ω-carboxylic acid (Michaelis), 1892, A., 207.

Oxaleneanilidoximeazoxime-ethenyl (ZINKEISEN), 1890, A., 124.

Oxalenediazoximedibenzenyl (ZIN KEISEN), 1890, A., 123.

Oxalenediazoximedipropenyldicarboxylic acid (ZINKEISEN), 1890, A., 123.

Oxyazo-compounds (GOLDSCHMIDT and POLLAK), 1892, A., 974. action of phosphoric chloride on

(PAGANINI), 1891, A., 556.

p-Phenetoilazo-p-cresol (LIEBER-MANN and v. KOSTANECKI), 1884, A., 1147.

m-Phenetoilazo-β-naphtholsulphonic acid (WAGNER), 1885, A., 1212.

p-Phenetoilazoresorcinol (LIEBER-MANN and v. Kostanecki), 1884, A., 1147.

Phenolazimidonaphthalenes, o- and p-(ZINCKE), 1886, A., 244, 245.

Phenolazoacetyl-m-amidobenzene (Wallach and Schulze), 1883, A., 583.

Phenolazoamidobenzene hydrochloride (WALLACH and SCHULZE), 1883, A., 583.

Phenol-p-azobenzeneazo-p-dimethylaniline (MELDOLA), 1884, T., 111.

Phenolazobenzeneazo-p-phenol (MELDOLA), 1885, T., 659.

Phenol-p-azodiphenylsulphonic acid, sodium salt of (CARNELLEY and SCHLESELMANN), 1886, T., 382.

Phenolazobenzene-p-sulphonic acid (GRIESS), 1883, A., 181.

Phenolbisazobenzene, constitution of (Goldschmidt and Pollak), 1892, A., 976.

Phenolbisazo-o- and -p-benzenes, and -o- and -p-toluenes (Goldschmidt and Pollak), 1892, A., 976.

Phenolbisazotoluene (Nölting and Werner), 1891, A., 212.

Phenolbisazo-o-toluene (PAGANINI), 1891, A., 557.

Phenolbisazo - p - toluene (GOLDschmidt and Pollak), 1892, A., 976, AZO-COMPOUNDS-

o-Phenylazimidobenzene (Schofff), 1890, A., 1113; (Kehrmann and Messinger), 1892, A., 889. amido- (Willgerodt), 1892, A.,

1322. tetranitro- (WILLGERODT), 1892, A.,

tetranitro- (WILLGERODT), 1892, A., 1454.

3:4-Phenylazimidobenzoio acid (SCHOPFF), 1890, A., 374.

1:2-Phenylazimido-3-chlorobenzene (Ennst), 1891, A., 300.

αβ-Phenylazimidonaphthalene (ZINCKE), 1886, A., 244; (ZINCKE and CAMPBELL), 1890, A., 787.

ψ-Phenylazimidonaphthalene (CLAUS), 1890, A., 788.

Phenylazimidotolylamine, dinitro (ERNST), 1891, A., 300.

Phenylazo. See also Benzeneazo. Phenylazoacetoacetaldehyde(benzene-

azoacetoacetaldchyde) (BEYER and CLAISEN), 1888, A., 827.

Phenylazoacetoacetic acid (benzencazoacetoacetic acid), o-nitro-, and its derivatives (BAMBERGER), 1885,A., 157.

Phenylazoacetone. See Pyruvaldehydephenylhydrazone.

Phenylazoacetophenone (benzeneazoacetophenone), and o-nitro- (BAM-BERGER and CALMAN), 1886, A., 62.

Phenylazoacetylacetone (benzencazoacetylacetone) (BEYER and CLAISEN), 1888, A., 828.

Phenylazoxazolecarboxylic acid (Nussberger), 1892, A., 1178.

Phenyl-p-chloronitrazobenzene (benzenenzo-p-chloronitrobenzene), 2:4dinitro- (Willigerodt and Bohm), 1891, A., 906.

o-Phenylenediazo sulphide (JACOB-SON), 1889, A., 135.

Phenylenediazosulphidecarboxylic acid (PFITZINGER and GATTER-MANN), 1889, A., 868.

Phenylethenylazoximebenzenyl (KNUDSEN), 1885, A., 897. p-cyano- (ROSENTHAL), 1890, A., 148.

Phenylethenylazoxime-ethenyl (KNU-DSEN), 1885, A., 898.

Phenylethenylazoximepropenyl - ω - carboxylic acid (Knubsen), 1885, A., 1218.

Phenylethylamidobenzeneazophenylethylaniline(LippmannandFleissner), 1884, A., 180.

Phenylic diazobenzenesalicylate (LIMPRICHT), 1891, A., 1036.

Phenylmethaneazobenzene, o-nitro-(PAAL and Bodewig), 1892, A., 1456.

Phenylmethylamidobenzeneazotribromobenzene (SILBERSTEIN),1883, A., 662.

Phenylmethylpyrazoloneazobenzene (KNORR), 1887, A., 602; (v. Buuhka and Sprague), 1890, A., 29; (Sprague), 1891, T., 336.

identity of, with phenylhydrazineketophenylmethylpyrazolone (KNORR), 1888, A., 724.

(Knorr), 1888, A., 724. 1- Phenyl - 3:5-pyrazolidone-4-azobenzene (Michaelis and Burmeister), 1892, A., 1005.

Phenylpyrrolineazobenzene (Fis-CHER and HEPP), 1886, A., 1042.

Picrylazonaphthalenes (benzeneazonaphthalenes, trinitro-) (WILLGER-DOT and SCHULZ), 1891, A., 572.

Picryl-m-chlorazobenzene (benzenem-chlorecobenzene, trintro-) (WILL-GERODT and MUHE), 1892, A., 454.

Picryl-p-chlorazobenzene (benzene-p-chlorazobenzene, trinitro-) (WILLGE-RODT and BOHM), 1891, A., 905.

Picryl-p-chloronitrazobenzene (benzeneacohloronitrobenzene, | trinitro-)
(WILLGERODT and BOHM), 1891,
A., 906.

Polyazo-compounds (WILLGERODT), 1890, A., 1118.

Propane-p-bisazoanisoil, dinitro-(KEPPLER and MEYER), 1892, A., 1062.

Propanebisazobenzene, dźnitro- (KEr-PLER and MEYER), 1892, A., 1062. Propanebisazotoluene, dźnitro- (KEP-PLER and MEYER) 1892, A., 1062.

Propionyl-a-naphtholazobenzene (GOLDZWEIG and KAISER), 1891, A., 448.

Propyleneazobenzene, nitro- (MEYER), 1892, A., 575.

Propylene-p-azoanisoil, propylene-azobenzene, propylene-m-azobenzoic acid, propyleneazo-m-bromobenzene, propyleneazo-\(\psi\)-cumene,
propylene-p-azophenetoil, and propylene-o- and -p-azotoluenes, nitro-, derivatives of (Askenasy and
Meyer), 1892, A., 1062.

Pyrrolineazobenzene, pyrrolineazobenzeneazo-\$\mathcal{\textit{B}}-naphthalene, pyrrolineazo-\$\mathcal{\textit{c}}-dimethylamidobenzene, pyrrolineazo-\$\mathcal{\textit{a}}-aphthalenes, pyrrolineazo-\$p-toluene, AZO-COMPOUNDS-

pyrrolinebisazobenzene, and pyrrolinebisazo-α- and -β-naphthalenes (Fischer and Hepp), 1886, A., 1041.

Quinol-p-azodiphenylsulphonic acid, sodium salt of (CARNELLEY and SCHLESELMANN), 1886, T., 382.

Resorcinol-p-azobenzeneazodimethylaniline (MELDOLA), 1884, T., 110.

Resorcinolazobenzeneazoresorcinol (MELDOLA), 1885, T., 661.

Resorcinol-p-azodiphenylsulphonic acid, sodium salt of (CARNELLEY and SCHLESELMANN), 1886, T., 382.

Resorcinolbisazobenzenes, 1:3:2:4and 1:3:4:6- (Goldschmidt and Pollak), 1892, A., 977.

Salicenylazoximebenzenyl (SPILKER), 1890, A., 143.

Salicenylazoxime-ethenyl (SPIL-KER), 1890, A., 143.

Salicenylazoximepropenyl - \omega - carb - oxylic acid (MILLER), 1890, A., 146.

Salicylaldehyde-m- and -p-azobenzenesulphonic acids (TUMMELEY), 1889, A., 779, 780.

Salicylamide-p-azobenzenesulphonic acid (TUMMELEY), 1889, A., 780.

Succinenylazoxybenzene (SEMBRITZ-KI), 1888, A., 935.

Succinenyldiazoximedibenzenyl (SEMBRITZKI), 1890, A., 125.

Sulphanilazocumenol, potassium salt of (Liebermann and v. Kostanecki), 1884, A., 1147.

Sulphobenzeneazodiamidobenzoic acid (GRIESS), 1883, A., 184.

Sulphobenzeneazoamidotetrahydronanhthol (Bamberger and Bamman), 1889, A., 784.

Sulphobenzenediazoamido-3-methyltetrahydroquinoline (BAMBERGER and Wulz), 1891, A., 1255.

Sulphobenzenediazoamidomethyl-ptoluidine (sulphobenzeneazomethyltoluidide) (BAMPERGER and WULZ), 1891, A., 1203.

Sulphobenzeneazoethyl-a-naphthylamine (BAMBERGEE and GOLD-SCHMIDT), 1891, A., 1239.

p-Sulphobenzeneazo-a-naphthol(Not-TING and GRANDMOUGIN), 1891, A., 1074.

Sulphobenzeneazonaphthylaminesulphonic acids (azoamidosulphonaphthalenebenzenesulphonic acids) (GRIESS), 1883, A., 182, 183.

p-Sulphobenzeneazo-o-nitrophenol, Griess' (Meyer and Kreis), 1883, A., 982.

Sulphobenzeneazo-ω-octohydro-αnaphthaquinoline (BAMBERGER and STETTENHEIMER), 1891, A., 1260.

Sulphobenzeneazo-αr-octohydro-βnaphthaquinoline (BAMBERGER and STRASSER), 1891, A., 1514.

Sulphobenzeneazo-β-naphthylphenylamine (WITT), 1887, Δ., 590.

Sulphobenzeneazotetrahydro-α-naphthaquinoline (BAMBERGER and STETTENHEIMER), 1891, A., 1259.

Sulphobenzeneazo - αr - tetrahydro - αnaphthol (BAMBERGER and BORDT), 1890, A., 509.

Sulphobenzeneazo-a-tetrahydronaphthylamine (BAMBERGER and BORDT), 1889, A., 715.

Sulphobenzeneazotetrahydroquinoline (BAMBERGER), 1890, A. 1302.

Sulphonamidobenzeneazobenzenesulphonamide (Limpricht and Meyer), 1892, A., 973.

Sulphonamido benzeneazo di bromobenzenesulphonamide, di bromoand sulphonamido benzeneazo tribromo benzenesulphonamide, tribromo- (RODATZ), 1883, A., 479, 480.

Sulpho-o- and -p-tolylazo-m- and -pcresols (sulphotolucucazocresols) and salts (Nolting and Kohn), 1884, A., 901, 902.

Sulphoxyleneazo-β-naphtholdisulphonic acid, spectrum of (ΗΛRT-LEY), 1887, T., 188.

Tetrahydronaphthaleneazo-a-naphthylamine (BAMBERGER and BORDT), 1889, A., 715.

Tetrahydronaphthaleneazo- 8-naphthylamine, amido- (BAMBERGER and BAMMANN), 1889, A., 783.

Tetrahydronaphthaleneazoresorcinol (BAMBERGER and BORDT), 1889, A., 716.

Tetramethyldiamidoazobenzene (dimethylamidobenzen azodimethyluniline) (Nolting and Kohn), 1885, A., 386; (Barbier and Vignon), 1888, A., 54.

Tetrazodiphenol (KUNZE), 1889, A., 262.

Tetrazodiphenyl (Täuber), 1891, A., 570.

Tetrazodiphenyldisulphonic acid (Limpricht), 1891, A., 930.

AZO-COMPOUNDS-

Tetrazoleazodimethylaniline (THI-ELE), 1892, A., 1299.

Tetrazoleazo-β-naphthylamine (Tπι-ΕΙΕ), 1892, A., 1299.

Tetrazostilbene, dyes from (Bender and Schultz), 1887, A., 268.

p-Tolenylamidine-p-tolenylazosulphimecarbohydrosulphide (CRAYEN), 1891, A., 560.

p-Tolenylazosulphimecarbo-diand hydro-sulphides (CRAYEN), 1891, A., 560.

p-Tolenylazoximeacetylethenyl (Schubart), 1890, A., 48.

o-Tolenylazoximebenzenyl (Sumu-BART), 1890, A., 49.

p-Tolenylazoximebenzenyl (Schu-Barr), 1886, A., 798.

p-Tolenylazoxime-ethenyl (Schu-Bart), 1890, A., 47.

p-Tolenylazoximepropenyl-ω-carboxylic acid (SCHUBART), 1890, A., 48.

o-Tolenylazoxime-o-tolenyl (STIEG-LITZ), 1890, A., 256.

p-Tolenylazoxime-p-tolenyl (Suhu-BART), 1890, A., 48.

Tolueneazimidotoluene (ZINCKE and LAWSON), 1887, A., 731.

p-Tolueneazoacetone (v. Richter and Munzer), 1884, A., 1342.

Tolueneazochlorobenzenes, o- and p-(PAGANINI), 1891, A., 556, 557.

Tolueneazocyanocamphors, o- and p-(Minguin), 1892, A., 1343.

Tolueneazodimethylaniline, and its p-azo-B-naphthol and p-azophenol compounds (WALLACH), 1887, A., 41.

Toluene-o- and -p-azodimethylanilines, o- and p-acetamido- and oand p-amido- (WALLACH), 1887, A., 41.

p-Tolueneazo-o- and -p-hydroxyquinolines (MATHEUS), 1888, A., 851,

Tolueneazo-α-naphthol, amido-, methyl and ethyl ethers of (Witt and Schmidt), 1892, A., 863.

Tolueneazo-α-and-β-naphthols,o-and p-, and their derivatives (ZINCKE and RATHGEN), 1887, A., 55.

p-Tolueneazo - β - naphthylphenylamine (MATTHES), 1890, A., 992. Tolueneazophenols, o-and m- (PAGA-

NINI), 1891, A., 556, 557.
Tolueneazophenylenediamineazobenzene (GRIESS), 1883, A., 1103.

Tolueneazophenylic phosphates, oand p-(PAGANINI), 1891, A., 556, 557.

p-Tolueneazoresorcinol (HEUMANN and OECONOMIDES), 1887, A., 664.

Tolueneazotoluene. See also Azotoluene.

Tolueneazotoluene-di-ω-sulphonic acid (p-azobenzyldisulphonic acid) (ΜοΗR), 1884, A., 69.

o-Tolueneazo-m-toluene (SCHULTZ), 1884, A., 903.

Toluenediazoacetotoluidide (HEUS-LER), 1892, A., 459.

Toluene-p-diazoconiine (WALLAUII), 1887, A., 137.

Toluene-o-, and p-diazopiperidides and their nitro-derivatives (WAL-LACH), 1887, A., 137.

Toluoylazimide (NIEMENTOWSKI), 1888, A., 837.

p-Tolylazimidobenzene, amido-(Willgerodt), 1892, A., 1322.

Toluene-p-azoacetoacetic acid, m-nitro-, and m-amido- (BAMBERGER), 1885, 157, 158.

Toluene-p-azoacetone, m-nitro-(BAM-BERGER), 1885, A., 158.

Toluene-p-azobenzoylacetic acid, mnitro-, the corresponding acetophenone, and the ketoxime (Bamberger and Calman), 1886, A., 62.

p-Tolueneazo-p cresetoil (NoLTING and WERNER), 1891, A., 214.

p-Tolueneazo-p-cresol, and its acctic and benzoic derivatives (Nolting and Kohn), 1884, A., 901.

Tolueneazo-o- and -p-cresols, o- and p-(NOLTING and WERNER), 1891, A., 212.

p-Toluene-o-azodibenzylamine (LELL-MANN and ARNOLD), 1892, A., 316, 890.

p-Tolueneazodimethylaniline, nitroderivatives of (Nolting), 1888, A., 270.

p-Tolueneazodimethylanilinesulphonic acid (Nouting), 1888, A., 271.

Tolueneazophenetoils, o- and p-(NOLT-ING and WERNER), 1891, A., 212. o-Tolueneazophenol (NOLTING and

o-Tolueneazophenol (Nolting and Werner), 1891, A., 212. o-Tolueneazo-o-tolylthio- and -dithio-

o-Tolueneazo-o-tolyithio- and -ulthiobiazolones (FREUND),1892, A., 513. n-Tolueneazo-o-tolyithiobiazolone

p-Tolueneazo-p-tolylthiobiazolone and p-tolueneazo-p-tolyl-y-thiobiazolone (FREUND), 1892, A., 512.

Tolylenediamineazobenzeneazobenzenesulphonic acid (axosulphobenzenetoluenediamine) (GRIESS), 1883, A., 1103.

Tolylenic diazosulphide (JACOBSON and NEY), 1889, A., 772.

AZO-COMPOUNDS-

Triazimidoacetamide (Currius and LANG), 1889, A., 370.

Triazoacetamide (Currius and Lang), 1889, A., 370.

Triazoacetic acid (CURTIUS and LANG), 1889, A., 369.

constitution of (Currius), 1889, A., 587.

Triazobenzene (Griess), 1886, A., 459; (Oddo), 1891, A., 696. physiological action of (Oddo),

1892, A., 366.

p-amido- (Griess), 1888, A., 826. Triazobenzenedisulphonic acid (Lim-Pricht), 1889, A., 399.

m-Triazobenzenesulphonic acid (LIM-PRICHT), 1889, A., 397.

p-Triazobenzenesulphonic acid and its derivatives (GRIESS), 1887, A., 817.

m-Triazobenzoic acid (GRIESS), 1886, A., 459.

m-amido- (GRIESS), 1888, A., 826. Triazodibromobenzenesulphonic acid (LIMPRICHT), 1889, A., 399.

Triazonaphthalenesulphonic acid and its derivatives (GRIESS), 1887, A., 818.

m-Triazo-oxalamidobenzoic acid (GRIESS), 1888, A., 827.

Triazo-o-toluenesulphonic acids, oand p-(Limpricht), 1889, A., 398. Trimethylazobenzeneammonium iod-

ide (Berju), 1884, A., 1149. Triphenylmethylazimethylene (Cur-

Tius and Rautenberg, 1891, A., 1360.

Xyleneazoresorcinol (Fischer and Wimmer), 1887, A., 820.

Xyleneazoxylene. See Azoxylene. m-Xylenediazopiperidide, nitro-(Анкемя), 1892, А., 1487.

Xylylenic diazosulphide (Jacobson and Ney), 1889, A., 772.

Azo-group, intramolecular formation of (LELLMANN and ARNOLD), 1892, A., 316.

substitution of, for ketonic oxygen (Currius), 1889, A., 1157: (Currius and Lang), 1892, A., 451.

Azoles (Hantzech), 1889, A., 413. Azonium bases (Witt), 1887, A., 729; 1891, A., 1108; (KEHRMANN and MESSINGER), 1891, A., 945, 1109; 1892, A., 1108; (Witt and Schmidt), 1892, A., 1246.

Azophenine (WITT and THOMAS), 1883, T., 115; (WITT), 1887, A., 821; 1888, A., 54; (FISCHER and HEPP), 1887, A., 1105; 1888, A., 472, 1291, Azophenine, constitution of (FISCHER :

and Hepp), 1887, A., 1105. formation of (FISCHER and Hepp), 1890, A., 614. synthesis of (v. Bandrowski), 1888,

A., 1081.

derivatives of (FISCHER and HEPP), 1888, A., 472.

tetrabrom- and chlor- (FISCHER and Hepp), 1887, A., 1105.

Azotine (DEHÉRAIN), 1885, A., 424. Azotometer, Scheibler's, modification of (Sondén), 1883, A., 508.

Zulkowsky's, modification of (Ga-walowski), 1885, A., 593.

Azotometry and the azotometer (KNOP), 1886, A., 1072.

Azulene (Hock), 1884, A., 82.

Azulmic matter, oxidation of, obtained by electrolysis of ammonia with carbon electrodes (MILLOT), 1888, A., 242. crystallised, from Arizona Azurite,

(FARRINGTON), 1891, A., 992. Azylines (LIPPMANN and FLEISSNER), 1883, A., 53, 184, 868, 1100; 1884, A., 178, 179; (Nolting), 1885, A., 895.

Bacillus, investigation of (Kunz), 1888,

A., 1122. Bacillus acidi laevolactici (Schardin-GER), 1891, A., 666.

amylozymicus (PERDRIX), 1892, A., 90. anthracis (KLEIN), 1886, T., 200; (HANKIN), 1889, A., 1234.

chemical pathology of (MARTIN), 1892, A., 744.

in man (Martin), 1892, A., 1117. butylicus, nature of the alcohols formed in the fermentation by (Morin), 1888, A., 125.

products of fermentation with (Fitz), 1884, A., 765.

cattle plague (METZDORF), 1884, A.,

cholera, formation of ptomaines by (Poehl), 1886, A., 731.

reduction of nitrates by (PETRI), 1890, A., 76.

comma (Kunz), 1888, A., 1123. odour and poisonous effects of the

products of the fermentation produced by (NICATI and RIETSCH), 1885, A., 180.

poisonous product of the culture of (NICATI and RIETSCH), 1886, A.,

from Erythema nodosum, chemical composition of (Bover), 1889, A., 539.

Bacillus ethaceticus (FRANKLAND and Fox), 1890, A., 916. rmentation of ar

fermentation arabinose (Frankland and MacGregor),

1892, T., 737; P., 132.
fermentation of calcium glycerate
by (FRANKLAND and FREW), 1890, P., 173; 1891, T., 81.

fermentation of mannitol and dextrose by (FRANKLAND and LUMS-DEN), 1892, T., 442; P., 70.

ethacetosuccinicus, fermentation of mannitol and dulcitol by (Frank-LAND and FREW), 1892, T., 254.

morphological characterisation of (FRANKLAND), 1892, T., 275.

floccus (Warington), 1888, T., 729. fluorescens putridus and B. f. liquefaciens, chromogenic functions of (GESSARD), 1890, A., 655.

frugi (Warington), 1891, T., 501. WASSILIEFF), glanders (ISRAEL; 1884, A., 914.

intestini (WARINGTON), 1888, T., 729.

leprae, cultivation of (RAKE), 1888. A., 1124.

liquefaciens magnus (NENCKI), 1890, A., 78.

decomposition of gelatin (SELITRENNY), 1890, A., 543. malignant cedema, action of, on carbohydrates and on lactic acid (Kerry and Fraenkel),

1890, A., 1454; 1892, A., 91. decomposition of albumin by (KERRY), 1890, A., 542.

panary fermentation (LAURENT), 1887,

pyocyaneus (Kunz), 1888, A., 1122. chromogenic functions of (GESSARD), 1890, A., 655.

colouring matters and aromatic products from (BABES), 1890, A., ī89.

transformation and elimination of nitrogenous organic matter by (ARNAUD and CHARRIN), 1891, A., 1132, 1394.

radicicola, accumulation of atmospheric nitrogen in cultivations of (BEYERINCK), 1892, A., 1019.

Rauschbrand (symptomatic anthrax) (NENCKI and SIEBER), 1890, A.,

decomposition of gelatin by (SELI-TRENNY), 1890, A., 543.

spinosus (NENCKI), 1890, A., 78. splenic fever, albumin of (NENCKI), 1885, A., 177.

Bucillus strumitis (Kunz), 1888, A.,

suaveolens (Sclavo and Gosio), 1891, A., 1284.

subtilis, chemistry of (VANDEVELDE), 1885, A., 287.

sulphureus (Warington), 1888, T.,

730. swine fever, ptomaines formed in the cultivation of (v. Schweinitz),

1891, A., 476. rdecresens and B. toruliformis (WARINGTON), 1888, T., 730, 731. tardecresens

tuberculosis (KLEIN), 1886, T., 201. composition of (HAMMERSCHLAG),

1889, A., 638.

influence of culture fluids and reagents on the growth of (WIL-LIAMS), 1885, A., 578.

cultivation products of (Chook-SHANK and HERROUN), 1891, A., 762.

viscosus sacchari and B. v. vini (KRAMER), 1890, A., 77.

See also Bacterium, Fermentation, Ferments, Microbes, Micrococcus.

Bacteria (MARPMANN), 1833, A., 364; (Brieger), 1885, A., 578.

chemical constituents of (VINCENZI), 1887, A., 393.

osmotic experiments with living (WLADIMIROFF), 1891, A., 1131.

reducing and oxidising properties of (Heraeus), 1888, A., 313.

ferment action of (BRUNTON and MAC-FADYEN), 1890, A., 916.

diastatic ferment of (WORTMANN), 1883, A., 930.

action of, on storch (WURTMANN), 1883, A., 931.

influence of light on the development of (Jamieson), 1884, A., 475.

substances which favour the development of (Roger), 1891, A., 100.

changes induced in water by development of (LEONE), 1887, A., 615.

soluble colouring matters produced by, in distilled medicinal waters (VIRON), 1892, A., 907.

comparative toxic action of metals on (RICHET), 1884, A., 351. toxic action of tobacco smoke on

(Tassinari), 1888, A., 1327. anaërobic, culture of (GRUBER), 1887,

A., 1135.

emphysem (Nenoki and Siebek), 1890, A., 78. from flour (Bournoux), 1891, A.,

1532. of normal milk fæces (BAGINSKY),

1888, A., 865.

Bacteria, putrefactive, ferment from, which dissolves fibrin (SALKOWSKI), 1888, A., 1326.

of the genus Tyrothrix and their spores, action of various compounds on (CHAIRY), 1885, A., 289.

Bacterial life in relation to oxygen (LIBORIUS), 1887, A., 291.

Bacteriological research from a biologist's point of view (KLEIN), 1886, T., Ĭ97; Ē., 148.

Bacterio-purpurin (Engelmann), 1889, A., 180.

Bacterium aceti, action of, on alcohol, on cane-sugar, on carbohydrates, on dextrose, and on mannitol (Brown), 1886, T., 178.

action of, on erythritol, on glycerol, and on glycol (Brown), 1887, T., 638, 641.

chemical action of pure cultivations of (Brown), 1886, T., 173; P., 136.

oxidation of acetic acid by (Brown), 1886, T., 172; P., 136.

yliscrogenum, viscous material formed by (Malerba), 1891, A., 1391, phosphorescens (Kunz), 1888, A., 1123.

souring (STORCH), 1891, A., 603. which ferments starch and produces amylic alcohol (PERDRIX), 1892,

A., 90. xylinum,cellulose formed (Brown), 1887, T., 643; P., 87. See also Bacillus, Fermentation, Microbes, Micrococcus.

Balance, gas (Lux), 1890, A., 823. modified, for rapid weighing (CoL-LOT), 1892, A., 270.

voltaic. See Electrochemistry.

Balance sheets of the Chemical Society, T., 225; 1883, T., 265; 1884, т., 1885, T., 347; 1886, 355; T., 467; 1888, T., 1887, 506; Т., T., 286; 1890, 1889, 438; Т., T., 448; 1892, 484. 1891,

of the Research Fund, 1883, T., 266; T., 348; 1884, T., 226; 1885, T., 1886, T., 507; 1889, 1888, T., 507; 1889, 489; 1891, 468; Т., 287; 1890, T., 485. T., 439; 1891, T., 449:

Balsam, American (Flückiger; v. MILLER), 1883, A., 407.

copaiba, oxidation of (LEVY), 1886, A., 250; (LEVY and ENGLÄND-ER), 1888, A., 133.

examination of (PRAEL), 1886, A.,

estimation of (Hager), 1884, A., 377.

145

Balsam, copaiba, estimation of volatile oil in (Cripps), 1892, A., 244.

Peru, testing (M'ACEWAN), 1885, A., 602; (ANDRIE), 1886, A., 181; (DENNER), 1889, A., 196.

Balsams, exerction of, in the urine (STOCKMAN), 1891, A., 600. analysis of (BAMBERGER), 1890. A.,

1032.

Banana, composition of, at different stages of maturity (RICCLARDI), 1883, A., 231.

Barbituric acid, derivatives of (CONRAD and GUTHZEIT), 1883, A., 314.

dibromo-, action of, on this carbamide and thiocyanates (Tuze in ki), 1883, A., 913.

dibromo- and dichloro-, mode of formation of (Behrend), 1887, A., 129. nitro- and nitroso- (CERESOLE), 1883, A., 913.

thiocyano-, salts of (Tuzeiński), 1883, A., 914.

acid (BEHREND and *iso*Barbituric ROOSEN), 1888, A., 581.

Baregin (glairin) (John), 1883, A., 30Ž.

Barium, molecular weight of (RAMSAY), 1889, T., 530, 533.

phosphorescence of (Chookes), 1887, A., 1067.

localisation of, in the organism after chronic barium poisoning (LINUH-SIER), 1888, A., 183.

Barium salts, molecular refraction and dispersion of, in solution (GLAD-STONE), 1891, T., 595.

aluminates (Beckmann), 1883, A., 289, 649.

antimonate (Enel), 1890, A., 216. arsenates (Lephvre), 1889, A., 826. bromide (RAMMELSBERG), 1889, A., 951.

carbide (MAQUENNE), 1892, A., 685. carbonate, impurities in, commercial (Wegscheiden), 1890, A., 826.

influence of pressure on the action of sodium sulphate on (Spring), 1887, A., 332.

See also Witherite.

chloride, preparation of (WACKEN-HODER), 1885, A., 19.

electrolysis of (Limb), 1891, A., 1421

insolubility of, in presence lithium chloride (DRAPER), 1886, A., 422.

combination of, with ammonia (JOANNIS), 1891, A., 643.

hydrates of (Lascustr), 1887, A., 766.

Barium chloride and dithionate, double (Fock and Kluss), 1891, A., 16. subchloride (Limb), 1891, A., 1421. oxychloride (Andre), 1884, A., 712.

mercury oxychloride (Andre), 1887,

A., 447.

cobaltite (Roussevu), 1889, A., 1115. ferrate, decomposition of, at high temperatures (Rousseau and Bern-Heim), 1888, A., 1034.

fluoride, crystalline, preparation of (Moissan), 1891, A., 1155.

halogen salts, basic (BECKMANN), 1883, A., 289, 649. hydride (Winkler), 1891, A., 1156.

hydroxide (Beckmann), 1883, A., 289, 649.

decomposition of, by heat (Butter. MANN), 1890, A., 850.

hydrates of (LESCEUR; MAUMENE), 1888, A., 1052; (DE FORCRAND), 1886, A., 850; (MULLER-ERZ-BACH), 1887, A., 765.

analysis of commercial (HINTZ and WEBER), 1891, A., 499.

mercury iodide, application of a solution of, to petrographical purposes (ROHRBACH), 1883, A., 1060. manganate, preparation of (DONATH),

1887, A., 552.

permanganate, new method for preparing (Rousseau and Bruneau), 1884, A., 891.

manganite, crystallised (Rousseau and Saglier), 1884, A., 1261.

formation and dissociation of (Rousseau), 1886, A., 425, 507.

perinolybdate (Pechard), 1892, A., 1160.

mitrate, natural (Groth), 1883, A., 431.

mitride (Maquenne), 1892, A., 566, 776.

rhodium nitrite (Letuie), 1890, A., 1382; 1891, A., 509.

oxides, action of, on potassium chlorate (Fowler and GRANT), 1890, Т., 280.

monoxide, dimorphism of (Brucet. MANN), 1890, A., 850; 1892, A., 17.

action of magnesium on (WINK-LER), 1890, A., 452.

dioxide, action of, on metallic salts (KW (801) K), 1892, A., 408. use of, in analysis (Donath), 1892, A., 1031.

their applications in phosphates, acidunctiy (VIIIIERS), 1887, A., 701.

Barium hydrogen phosphates, decomposition of, by water (JULY), 1884, A., 891.

potassium phosphate (DE SCHULTEN), 1883, A., 711; (OUVRARD), 1888, A., 1033.

sodium phosphate (DE SCHULTEN), 1883, A., 711.

hypophosphato (RAMMELSBERG), 1892, A., 403.

ammonium, and silver phosphotungstates (Kehrmann and Freinkel), 1892, A., 1160.

platinite (Rousseau), 1889, A., 1125. plumbate (Kassner), 1890, A.,

ruthenate (DEBRAY and Joly), 1888, A., 921.

selenate (MICHEL), 1888, A., 650. silicate, crystallised, hydrated (Cossa

and La Valle), 1886, A., 594. silicates (Le Chatelier), 1888, A., 1031.

silicofluoride, solubility of (Fiese-Nius), 1890, A., 925.

sulphamate (DIVERS and HAGA), 1892, T., 966.

sulphate (Haslam), 1886, A., 422. deposits of, from mine water (Clowes), 1890, A., 853.

(CLOWES), 1890, A., 853, from Perkins' Mill, Quebec (DANA), 1890, A., 572.

dimorphism of (Lacroix), 1889, A., 838.

reduction of, to barium sulphide on ignition with filter paper (Marsh), 1889, A., 1032.

solubility of, in acids (OSTWALD), 1884, A., 813.

as a comenting material in sandstone (CLOWES), 1886, A., 35.

estimation of. See Barium, estimation of.

Sec also Barytes.

nitrososulphate, existence of (DIVERS and HAGA), 1885, T., 364.

persulphate (MAISHIALL), 1891, T., 779; (BERTHELOT), 1892, A., 12. sulphide (VELEY), 1886, T., 369, 370.

hydrosulphide and hydroxyhydrosulphide (Divers and Shimidzu), 1884, T., 278; (Veley), 1886, T., 370, 375, 376.

sulphite (Hodges), 1889, A., 16.

imidosulphonate and hydrogen imidosulphonate (DIVERS and H1GA), 1892, T., 964.

ammonium, mercury, potassium, and sodium imidosulphonates (DIVERS and HAGA), 1892, T., 966, 967.

Barium oxyamidosulphonate (Divers and HAGA), 1889, T., 764.

thiocarbonate (VELEY), 1886, T., 370, 378.

dithionate and chloride, double (Fock and Kluss), 1891, A., 16.

rubidium dithionate (Bodlinder), 1891, A., 802.

cadmium thiosulphates (Fock and Klüss), 1890, A., 1058.

cuprous thiosulphate (Сонем), 1887, Т., 39.

titanate (Bourgeois), 1886, A., 985. tungstate (v. Knorne), 1885, A., 486. tungstovanadates (Rothenbach), 1891, A., 18.

vanadates (Manasse), 1887, A., 339. zirconate (Ouvrand), 1891, A., 1432.

Barium organic compounds: acetohyponitrite (MAQUENNE), 1889,

A., 945. acetothiosulphate (Purgotti), 1892,

A., 1419. alcoholate, heat of solution of (DE

FORGRAND), 1884, A., 4. chromoxalates (Werner), 1887, T., 388.

mercury chlorocyanide, action of ammonia on (VARET), 1891, A., 1442.

ferricyanide (RAMMELSBERG), 1889, A., 951.

isophthalate, composition and crystalline form of (Lossen and Rahnenfuhrer), 1892, A., 179.

thiocyanate, water of crystallisation of (TCHERNIAC), 1892, A., 1418.

Barium, detection, estimation, and separation:—
testing for (Pickering), 1883, A.,

240. test for, microchemical (v. HAUS-

HOFER), 1887, A., 301.
estimation of (BAUMANN), 1892, Δ.,
539.

estimation of, volumetric (VITALI), 1892, A., 1521.

estimation of, as sulphate (MAR), 1891, A., 1137.

estimation of, in foods (DE KONINGH), 1890, A., 195.

estimation of, in rook analysis (CHA-

TARD), 1891, A., 768. sulphate, analysis of (BURGHARDT), 1890, A., 1027.

precipitation of, in presence of bromine (Lucion), 1889, A., 187.

separation of, from calcium (FRENE-NIUS), 1891, A., 500, 1552; 1892, A., 100; (BROWNING), 1892, A., 915. Barium, detection, estimation, and separation :-

separation of, from strontium (Muck), 1884, A., 394; (FRESENIUS), 1890, A., 826, 924; 1891, A., 110.

separation of, from strontium and calcium (RUSSMANN), 1888, A., 629; 1891, A., 111; (KUPFFER-SCHLÄGER), 1889, A., 77; (FILETI), 1892, A., 660.

Barium-group, analysis of (LUEDE-KING), 1891, A., 364; (FILETI), 1892, A., 660.

"Barking" to preserve nets and sails (STORER), 1884, A., 800.

tannin-yielding (Councier), 1885, A., 946.

estimation of gallotannic and gallic acids and tannin in (HINSDALE), 1892, A., 390.

Barley, change in during malting and in the manufacture of spirits (Beh-REND), 1885, A., 617.

malting properties of (MÄRCKER), 1885, A., 1169.

estimation of the value of, for brewing purposes (Anon.), 1883, A., 632. See also Agricultural Chemistry.

Barley-fat, composition of (STELLWAAG), 1886, A., 1065.

Barley-flour and barley-malt, estimation of starch in (O'SULLIVAN), 1884, T., 4, 6.

Barley-wort, action of Saccharomyces ellipsoideus on (JACQUEMIN), 1888, A., 738.

Barosma crenata, examination of the leaves of (Spica), 1885, A., 1142.

Barysite, a new lead silicate (SJOGREN and Lundstrom), 1890, A., 456.

Baryta-raffinose (BEYTHIEN and TOL-LENA), 1890, A., 580.

Barytes (heavy-spur) (DANA), 1890, A.,

occurrence, association, and probable mode of formation of (DIEULAFAII), 1884, A., 25.

artificial production of (Gongeu), 1883, A., 1062.

identity of, with dreelite (LACROIX), 1888, A., 33.

treating (KONTHER), 1886, A., 108. in the Carpathians (v. HAUER), 1888, A., 33.

from Missouri (LUEDEKING and WHEELER), 1892, A., 792.

from Mittelagger (Busz), 1885, A.,

from Pésey (FENYES), 1885, A., 733. from Rumelange (CESARO), 1891, A., 1436.

Barytes (heavy-spur) in the porphyry district of Teplitz (LAUBE), 1886, Δ., 24.

near Torda (Kocu), 1890, A., 713. See also Barium sulphate.

Barytocalcite, chemical constitution of

(Becker), 1887, A., 18. Baryto-celestine, from Werfen in Salzburg (HATLE and TAUSS), 1889, A.,

Basalt, origin of primary quartz in (IDDINGS), 1889, A., 26.

orthoclase in geodes in (v. ZEPHAROvicii), 1886, A., 518.

from Alsace (Linck), 1888, A., 567. from the Dachberg, a volcano of the Rhone (RINNE), 1889, A., 110.

from Naurod, near Wiesbaden (v. SANDBERGER), 1884, A., 414.

from S. Thiago (DUELTER), 1883, A., 722.

οf the Stempel, near Marburg (BAUER), 1891, A., 1410; 1892, A., 126.

Basalt-glass of the Western Isles of Scotland (JUDD and COLE), 1884, A.,

Basaltic rocks containing hornblende (SOMMERLAD), 1883, A., 169.

from the Faroe Islands (OSANN), 1884, A., 415. of Hessen (Wolff), 1891, A., 1440.

Basanites (Doelter), 1883, A., 721.

Base, division of, between two acids (Sabatier), 1886, A., 973.

C6H8N2 and C8H12N2 from glycerol and ammonium salts (STOEHR), 1891, A., 581.

C7II10N2 from fusel oil (MORIN), 1888, A., 572.

toxic action of (TANERT), 1888, A., 573; (Wuntz), 1888, A., 622.

 $C_8II_{16}N_2O$ from crotomaldehyde (COMBES), 1883, A., 1079.

Collin No from epichlorhydrin and phenylhydrazine (Genhaun), 1891, A., 582.

CoH, N (WAAGE), 1883, A., 39. $C_{13}H_{19}N$ (BERNTHSEN), 1883, A., 1099.

C11H11N (BESTHORN and FISCHER), 1883, A., 600; (Bernthsen), 1883, A., 1099.

C₁₉H₁₃N (BERNTHSEN), 1883, A., 580, 1099.

Bases, electrical conductivity of (Osr. WALD), 1886, A., 585.

study of the chemical neutralisation of acids and, by means of their electrical conductivities (BERTHE-LOT), 1892, A., 2.

Bases, affinity-coefficients of (Ost-WALD), 1887, A., 324.

of neutral salts, mutual displacement of, in homogeneous systems (MENschutkin), 1883, A., 550, 708.

Bases, alkaloid-like, in Galician petroleum and paraffin oil (BANDROWSKI; Weller), 1887, A., 979.

Bases, aromatic, Schiff's (v. MILLER and PLÖCHL), 1892, A., 1189.

Bases, inorganic, relative affinities of organic and (MENSCHUTKIN), 1890, A., 1367; (Colson), 1890, A., 1368. velocity-coefficients of (Bugarszky),

1891, A., 1413. diffusion of acids and, into one another (Stefan), 1889, A., 1046.

Bases, nitrogenous, in seeds (SCHULZE), 1891, A., 490.

organic, formation of, by the decomposition of proteids in the vegetable organism (Schulze), 1891, A., 856.

Bases, organic, formed by putrefaction, (GAUTIER and ETARD), 1883, A., 100, 224; (BRIEGER), 1883, A., 924; (E. and H. SALKOWSKI), 1883, A., 925.

affinity of (LELLMANN), 1889, A. 1104; (WALKER), 1890, A., 5; (Lellmann and Gross), 1891, A., 638, 1149.

relative affinities of inorganic and (Menschutkin), 1890, A., 1367; (Colson), 1890, A., 1368.

endothermic and exothermic reactions of (Colson), 1891, A., 377.

action of acid chlorides on, in presence of alkalis (MARCKWALD), 1891, A., 181; (Schotten), 1891, A., 295.

determination of the number of amidogroups in (MELDOLA and HAW-

KINS), 1892, P., 138.

Bases, volatile, in blood and breath (WURTZ), 1888, A., 616.

equilibrium and reciprocal displacements between (BERTHELOT), 1890, A., 1362.

Basic salts. See Salts, basic.
Basic slag. See Slag, basic.
Bassia latifolia, juice of (Church),
1886, A., 389; (Heckel and Schlagdenhauffen), 1889, A., 434.

Bassia longifolia, seeds of, and the fat contained therein (VALENTA), 1884, A., 919.

Bassia Parkii, gutta percha from (HECKEL and SCHLAGDENHAUFFEN) 1886, A., 249.

Bastin, tetrachloro- (Cross and BEVAN), 1883, T., 20.

Bastonite, analysis of (RENARD), 1883, A., 959.

Batatas edulis, carbohydrates of the (STONE), 1890, A., 1022.

Baths, hot, influence of, on the excretion of nitrogen and uric acid from the human system (Formánek),

1892, A., 1503. hot and cold, action of, on the tem-perature of the animal body (PLETzen), 1884, A., 621.

Batrachians, poison of (GAUTIER and ETARD), 1884, A., 764.

Battery. Bauxite (IWAN), 1883, A., 397.

formation of (MEUNIER), 1883, A., 1065; 1884, A., 406.

from Langsdorf (LANG), 1885, A., 357. analyses of (MAYER and WAGNER), 1883, A., 888.

Bay oil (MITTMANN), 1889, A., 1072. Beakers, toughened glass, action of sulphuric acid on (FRISWELL), 1885, P., 86, 87.

Beans, digestion of, in the human alimentary canal (PRAUSNITZ), 1889,

A., 1226. broad (Vicus fuba) (RITTHAUSEN),

1884, A., 1405. broad and haricot, cooked, composition of (WILLIAMS), 1892, T., 227. soja. See Soja bean.

See also Agricultural Chemistry. Bebeerine (bebirine), reactions of (VI-TALI), 1892, A., 756.

Beech, boric acid in (BECHI), 1890, A., 656.

wood of the (HARTIG and WEBER), 1889, A., 1084.

Beech-tar oil (PASTROVICH), 1883, A., 1005.

Beef, influence of cooking on the digestion of (Popoff), 1890, A., 1450.

Beef-extract, changes produced by the growth of bacilli in solutions of (VAN-DEVELDE), 1885, A., 287.

Beef-fat. See Fat.

Beegerite (KÜNIG), 1886, A., 515. Beer, carbonic acid in (LANGER), 1883, A., 535; 1884, A., 1233.

nitrogenous constituents of (ULLIK), 1883, A., 821.

nitrogenous constituents of American (ANON.), 1885, A., 204.

non-nitrogenous extract-substance from (LINTNER), 1891, A., 957.

pasteurising (Schwanz), 1884, A., 527; (BEHREND), 1884, A., 789.

preservation of (BAUER), 1883, A., 136; (Weingärtner), 1884, A., 1447.

Beer, reddening of white (DELBRUCK),

1885, A., 1169. analysis of (ELION), 1891, A., 368. tection of hop-substitutes in (ALLEN), 1887, A., 1146; (ARNOLD), detection 1888, A., 763.

detection of picrotoxin in (PALM), 1888, A., 877. detection of "saccharin" in (ALLEN),

1889, A., 322.

detection of salicylic acid in (BARRAL), 1884, A., 778; (ROSE), 1886, A., 924; (ELION; SNIJDERS), 1889, A., 195; (HOORN), 1889, A., 446.

detection of sulphurous anhydride in

(ANON.), 1884, A., 1440.

estimation of alcohol in (KLEINERT), 1884, A., 641; (Boniag), 1886, A., 493.

estimation of carbonic anhydride in (CRAMPTON and TRESCOTT), 1887, A., 1144.

estimation of dextrin, dextrose, and maltose in (ELION), 1892, A., 248. estimation of fusel oil in (HAMLET),

1888, A., 1263.

estimation of glycerol in (AMTHOR), 1883, A., 385; (SKALWEIT), 1887, A., 306; (V. TORRING), 1890, A., 426. ratio of glycerol to alcohol in (Borg-

MANN), 1884, A., 641. estimation of salicylic acid in (ELION), 1889, A., 195.

estimation of sulphurous acid in (Herz), 1886, A., 102.

Beer, chica, the ferment of (GRIESS-MAYER), 1883, A., 535.

Beer-grains, estimation of wort removed from and starch left in (ANON.), 1883, A., 136.

Beer-wort, nitrogenous combinations in (BUNGENER and FRIES), 1884, A., 1446.

estimation of dextrose, dextrin, and maltose in (ELION), 1892, A., 248.

Beer-yeast. See Yeast.
Bees, larval, food of (v. Planta), 1888,
A., 733; 1889, A., 1022.
Bees wax. See Wax.

Beet, extraction of juice from (KLEWITZ and KRIEGER), 1884, A., 647.

Beet juice, recovery of, by lime, etc. (FROMENTIN; MANOURY), 1885, A., 709; (v. EHRENSTEIN), 1885, A., 1170.

purification of (SCHOTT), 1883, A., 186; (JÜNEMANN), 1885, A., 1021. influence of lead acetate on the optical behaviour of certain nonsaccharine substances present (Degener, 1886, A., 111.

Beet juice, defecation of, with strontium saccharate (Scheibler), 1883, A.,

analysis of (CRAMPTON), 1887, A., 751. organic constituents of (v. Lipp-MANN), 1883, A., 913; 1884, A., 939; 1888, A., 314; 1892, A., 231.

Beet-molasses, leucine and tyrosine in (v. Lippmann), 1885, A., 245.

Beetroot, cooked, composition of (WIL-LIAMS), 1892, T., 227.

See also Agricultural Chemistry and Sugar.

Beet-red (REINKE), 1883, A., 881.

Beet, sugar. Sec Agricultural Chemistry and Sugar.

Beet syrup, discrimination of fruit syrup and (Konig and Wesener). 1889, A., 1089.

limed, ready method of estimating the alkalinity of (DESPRAX), 1883, A., 689.

See also Beet-juice.

Behenic acid, conversion of crucic acid into (REYCHLER), 1889, A., 1140.

heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, Å., 11.

Behenolic acid, heats of combustion and formation of (STOHMANN and LANG-BEIN), 1891, A., 11.

action of reducing agents and of bromine on (Holt), 1892, A., 812.

anilide and phenyl- and diphenylhydrazides of (Holt), 1892, A., 1427.

tetrachloride of (Holt), 1892, A., 1427.

Behenolic acid, diodo- (Liebermann and Sactise), 1892, A., 471.

Belladonine and its derivatives (LADENnung and Rotu), 1884, A., 761; (Merling), 1884, A., 1055; (Dur-kopp), 1890, A., 271.

Belludonna, alkaloids of (ITERE), 1891, A., 748; 1892, A., 1498; (Merck), 1892, A., 1255.

wild, alkaloids of (Schutte), 1892, A., 231.

Bellamarine (Fragner), 1891, A., 1122. Bementite, from Franklin, New Jersey (Konig), 1889, A., 473.

Benevolent Fund for chemists, report against establishment of, 1892, P., 60.

Bengal lights, use of magnesium for (ANON.), 1885, A., 1172. Benic acid. See Behenic acid.

Benolic acid. See Behenolic acid. Benzacetamide (PINNER), 1892, A.,

982.

Benzacetonitrile and its derivatives (HALLER), 1886, A., 240; 1887, A., 826; 1888, A., 873; (BARTHE), A., 951; (CLAISEN and 1888, STOCK), 1891, A., 451; (O'BRE-GIA), 1892, A., 324; (GARELLI), 1892, A., 845.

Benzal-. See Benzylidene-.

derivatives Benzaldehyde and its (CLAISEN and FISCHER), 1887, A., 940; 1888, A., 690; (PINNER), 1889, A., 983.

dispersive power of (Bandlen and

Roux), 1889, A., 805.

action of acetic chloride on, in presence of zine dust (PAAL), 1883, A., 62, 805.

action of ammonium formate on (LEUCKART and BACH), 1886, A.,

action of, on azobenzene (Barsilow-

sky), 1886, A., 148.

action of benzoic chloride on, in presence of zinc dust (PAAL), 1884, A., 1163.

action of diacetyl on, in presence of ammonia (WADSWORTH), 1889, P.,

161; 1890, T., 8.

condensation of, with ethylic monoand di-ethylacetoacetates (MAT-THEWS), 1883, T., 205, 206.

condensation of, with ethylic cyanacetate (CARRICK), 1890, A., 1270; 1892, A., 1086.

action of hypophosphorous acid on (VILLE), 1889, A., 141.

action of, on 2:6-lutidine (Schusten), 1892, A., 1360.

condensation of, with malonic and isosuccinic acids (STUART), 1883, T., 403.

condensation of, with p-nitrobenzylic cyanide (Remse), 1891, 208.

action of, on nitromethane and nitroethane (PRIEBS), 1884, A., 313; 1885, A., 160.

condensation of, with phenol and thymol (Russanoff), 1889, A., 1188; 1891, A., 1234.

action of, on phenylthiocarbimide (COHEN), 1891, T., 67. action of phosphonium iodide on

(LITTHAUER), 1889, A., 1168. condensation of, with pyrotartaric

acid (FITTIG and LIEBMANN), 1890, A., 775.

action of sodium on (BECKMANN and

PAUL), 1892, A., 171. action of sodium alkyl oxides on (CLAISEN), 1887, A., 574.

Benzaldehyde, action of sulphur on (GAZZARRINI), 1888, A., 950; (BAR-BAGLIA and MARQUARDT), 1891, A., 1049.

action of zinc and ethylic chloracetate on (Reformatsky), 1892, A., 1300,.

compound of, with aniline hydrochloride, and with stannic chloride (Elbers), 1885, A., 528.

of, with polyhydric compounds alcohols (MAQUENNE), 1889, A., 116.

compound of, with mannitol anhydride (MEUNIER), 1888, A., 950.

cyanhydrin, action of hydroxylamine hydrochloride on (TIEMANN), 1884, A., 734.

indogenides of (v. BAEYER), 1884, A., 75.

toxic action of (LABORDE and MAG-NAN), 1888, A., 738.

benzamide in the urine after the administration of (COHN), 1890, A., 188.

action of, with albumin (REICHL), 1890, A., 1350.

Benzaldehyde, o-amido-, and its derivatives (Gabriel), 1883, A., 62; (Friedländer), 1883, A., 331; (FRIEDLÄNDER and GÖHRING), 1884, A., 1019.

condensation of (ELIASBERG and FRIEDLÄNDER), 1892, A., 1106.

m- and p-amido- (GABRIEL and HERZ-BERG), 1883, A., 1104; (GABRIEL), 1883, A., 1105.

p-bromo-m-nitro- (Schorff), 1892, A., 336.

m-chloro-, preparation of (ANON.), 1885, A., 1136,

o-, m- and p-chloro-, and their deri-vatives (ERDMANN and SCHWECH-TEN), 1891, A., 448.

and its derivatives 2:5-dichloro-(GNEHM), 1884, A., 1028; (SCH-WECHTEN), 1890, A., 619; (ERD-MANN and SCHWECHTEN), 1891, A., 450.

3:4-dichloro- (SCHWECHTEN), 1890, A., 619.

2:4- and 3:4-dichloro-, and their derivatives (Erdmann and Schwech-TEN), 1891, A., 450.

2:4:5-trichloro-, action of dimethylaniline on (FISCHER), 1881, A., 944.

2:3:4 and 2:4:5-trichloro- (SEELIG), 1885, A., 770.

2:5:6-dichloramido- (GNEHM), 1884, A., 1028.

2:4-chloronitro- (TIEMANN), 1891, A., 704.

Benzaldehyde, 5:2-chloronitro-(EICHEN-GRUN and EINHORN), 1891, A., 1098.

2:5:6-dichloronitio- (GNEHM), 1884, A., 1028.

m- and p-cyano- (REINGLASS), 1891, A., 1345, 1346.

nitrated, action of potassium cyanide on (Homolka), 1884, A., 1342.

o-nitro-, preparation of (EINHORN), 1884, A., 744.

action of, on acetaldehyde (v. BAEYER and DREWSEN), 1884, A., 58.

condensation of, with aniline (RE-NOUF), 1883, A., 981.

reduction of (FRIEDLANDER and HENRIQUES), 1883, A., 187.

m-nitro-, action of acctaldehyde on (Gohring), 1885, A., 791.

condensation of, with bases of the para-series (BISCHLER), 1889, A., Ī32.

condensation of, with benzene and toluene (TSCHACHER), 1887, A., 44; 1888, A., 373.

condensation of, with phenol and resorcinol (DE VARDA and ZE-NONI), 1891, A., 1346.

condensation of, with quinaldine (Wartanian), 1891, A., 329.

action of sodium hydroxide on (Borgmann), 1886, A., 57.

p-nitro- (HERZBERG), 1885, A., 661. action of acetaldehyde on (Gon-RING), 1885, A., 527.

action of, on acetone (v. Baryer and BECKER), 1883, A., 1120.

condensation of, with bases of the para-series (Bisculer), 1889, A., 132.

action of, on quinaldine (Bulach), 1887, A., 976; 1889, A., 527. change of, in the system (COHN),

1892, A., 1504.

o-, m-, and p-nitro, action of, on ethylic acetoacetate and ammonia (LEPETIT), 1887, A., 845.

condensation of, with p-nitrobenzylic cyanide (REMSE), 1891, A., 208,

behaviour of, in the animal body (SIEBER and SMIRNOW), 1887, A., 684.

 α -, β -, and γ -thio- (BAUMANN and Fromm), 1890, A., 25; 1891, A., (BARBAGLIA and Mar-QUARDT), 1891, A., 1049.

Benzaldehydeacetic acids, dithio- and nitrodithio- (Bongartz), 1886, A., 937,

Benzaldehyde-o-carboxylic acid. See o-Phthalaldehydic acid.

Benzaldehyde-greens. See under Colouring-matters.

Benzaldehydephenylhydrazone,

o-amido- (ELIASBERG and FRIED-LANDER), 1892, A., 1106.

m-chloro- (Eichengrun and Einmonn), 1891, A., 1098.

Benzaldehyde - 4 - quinolylhydrazone (Dufion), 1892, T., 788.

Benzaldehydesulphonic acid (sulphobenzaldchyde) (KAFKA), 1891, A., 720.

bromo- and hydroxy- derivatives of (SCHOPFF), 1892, A., 337.

Benzaldine, thio- (BAUMANN and

FROMM), 1891, A., 1050.

Benzaldoxime (Petraczek), 1883, A., 569; (Tiemann and Kruger), 1884, A., 1326; (LACHOWICZ), 1890, A., 141.

a dimolecular isomeride of (BEHREND and Konio), 1890, A., 1122.

p-amido- (GABRIEL and HERZBERG), 1883, A., 1104; (Herzberg), 1885, A., 662.

syn-o-chloro- (BEHREND and NISSEN), 1892, A., 1200.

o-nitro-, preparation of (Garriel), 1883, A., 581. methyl and ethyl derivatives of

(MEYER), 1886, A., 63.

m-nitro- (GABRIEL), 1883, A., 581, 919.

compounds of, preparation of (GAB-RIEL), 1883, A., 916.

p-nitro- (GABRIEL and HERZBERG), 1883, A., 1104; (HERZBERG), 1885, A., 662; (Behrend), 1892, A., 163.

α- and β-p-nitro-, and their methyl and ethyl others (GOLDSCHMIDT and KJELLIN), 1891, A., 1476, 1477.

isoBenzaldoxime (synbenzaldoxime) (BECKMANN), 1888, A., 55.

o-chloro- (BEHREND and NISSEN), 1892, A., 1200.

m-nitro- (Goldschmidt), 1890, A., 1262.

p-nitro- (Behrend and Konic), 1891, A., 1035; (Behrend), 1892, A., 163.

Benzaldoximes (BECKMANN), 1889, A., 607, 979; 1890, A., 1121.

configuration of (HANTZSUH), 1891, A., 439.

constitution of (MEYER), 1890, A., 721; (MINUNNI), 1891, A., 1854. action of phenylcarbamide on (BECK-

MANN), 1891, A., 193.

Benzaldoximes, action of phenylhydrazine on (MINUNNI and CABERTI), 1891, A., 1361.

oxidation of (Beckmann), 1889, A., 980.

Benzaldoxime-o-carboxylic acid (RA-CINE), 1887, A., 951.

Benzaldoxime-o-carboxylic anhydride (Allendorff), 1891, A., 1369.

Benzaldoximesulphonic acid (sulphobenzaldoxime), sodium salt of (KAF-KA), 1891, A., 720.

Benzallylamide, bromo- (benzobromoallylamide) (GALEWSKY), 1890, A., 953.

Benzam -. See Carboxyphenyl -.

Benzamarone, formation of (JAPP and KLINGEMANN), 1889, A., 265.

Benzamide and its derivatives (KRUGER), 1885, A., 895.

thermochemistry of (BERTHELOT and FOGH), 1890, A., 1360. melting-point of (CIAMICIAN and

Magnaghi), 1885, A., 1143.

action of cyanuric chloride on (SENIER), 1886, T., 312; P., 166. action of sodium hypobromite on

(DENIGES), 1889, A., 139. mercury derivative of (TAFEL and Enoch), 1890, A., 974; (Schiff), 1890, A., 1123. salicylate (PINNER), 1891, A., 61.

silver derivative of (TAFEL and Епосн), 1890, А., 491.

sodium derivatives of (Currius), 1891, A., 58.

physiological action of (Oppu), 1892, A., 367.

in urine after administration of benzaldehyde (Conn), 1890, A., 188.

Benzamide, o-amido-, action of nitrous acid on (WEDDIGE and FINGER), 1887, A., 667.

action of sulphonic chlorides on (Franke), 1892, A., 334.

derivatives of (Wendige), 1885, A., 661.

formyl and oxalyl derivatives of (KNAPE), 1891, A., 908.

thio-derivatives of (STEWART), 1892, A., 54.

m-amido- (Schulze), 1889, A., 778. action of, with aldehydes (Schiff),

1884, A., 455. derivatives of (Schiff), 1884, A., 455; (SCHULZE), 1889, A., 778.

o-amidothio-, derivatives of (STEW-ART), 1892, A., 54.

o-bromo- (Schöpff), 1891, A., 296. 3:4-dibromo- (HUBNER; BURGHARD and Brutnagel), 1884, A., 601.

Benzamide, p-bromo-m-nitro- (GROH-MANN), 1891, A., 305.

m-nitro-, silver derivative of (TAFEL and Enocn), 1890, A., 973.

3.4-nitramido- (GROHMANN), 1891, A., 305; (THIEME), 1891, A., 916. 5:2-nitramido- (GROHMANN), 1892, A., 326.

thio-, action of iodine on (v. Hor-MANN and GABRIEL), 1892, A., 1109.

Benzamidine. See Benzenylamidine.

Benzdiamidoacetamidoacetic acid (Cur-TIUS), 1883, A., 1087.

Benzamidoacetic acid. See Hippuric acid.

2-Benzamido-6-amidothymol, anhydride of (MAZZARA), 1891, A., 46.

o-Benzamidobenzamide (Körner), 1887, A., 1044.

m-Benzamidobenzamide, m-amido-, and m-nitro- (SCHULZE), 1889, A., 779.

772-Benzamidobenzoic acid and its derivatives (Pellizzari), 1886, A., 548.

o-Benzamido benzomethylamide NER), 1887, A., 1045.

6-Benzamido-2-bromothymol (MAZ-ZARA), 1890, A., 602.

2:3-Benzamidocarvacrol, 5-amido-(MAZZARA), 1891, A., 48.

Benzamidocarbazole (Mazzara and LEONARDI), 1892, A., 616.

o-Benzamidocinnamic acid (Rebuffat), 1890, A., 623.

α-Benzamidocinnamic acid (Plöchl), 1884, A., 1348.

Benzamidochrysene (ABEGG), 1891, A.,

Benzamido-o-coumaric acid (REBUF-FAT), 1890, A., 623.

Benzamidoethylbenzenes (benzumidobenzoethylphenylamphenylethune, ide), o- and p- (PAUCKSCH), 1885, A., 256.

δ-Benzamidohexoic acid (Bunzel), 1889,

Benzeliamidophenylpropionic acid(benzdiamidophenylpropionic lactum), lactimide of (PLUCHL), 1884, A., 1348.

Benzdiamidohydroxynaphthylphenyl (benzeliamidophenylnuphthol, amidophenylbenzamidonaphthol) (MELDULA and Morgan), 1889, T., 125.

α-Benzamido-β-naphthol (Böttcher), 1883, A., 1113; 1885, A., 659.

4:2:6-Benzamidodinitrophenol and its salts (Dabney), 1884, A., 308.

o-Benzamidophenol (Böttchen), 1883, A., 800; 1885, A., 658.

o-Benzamidophenylacrylic acid (WAL-TER), 1892, A., 881.

p-Benzamidophenylurethane (ethy/lic benzamidophenylcarbamate) (HAGER), 1885, A., 150.

Benzamidopyruvic acid (WISLICENUS),

1891, A., 923.

m-Benzamidosalicylic acid (benzamidohydroxybenzoic acid) and its (DABNEY), 1884, A., 308.

δ-Benzamidovaleric acid (benzoylhomopiperidic acid), its derivatives and anhydride (SCHOTTEN), 1885, A., 176; 1888, A., 1104.

Benzamidoxime. See Benzonylamidoxime.

o-Benzaminesulphonic acid (sulphobenzamide), ammonium salt of (FAHLneng and Barge), 1889, A., 709.

Benzamylene-keto- and -nitrol-amides (WALLACH and WAHL), 1891, A., 1005.

Benzanilide, thermochemistry of (BER-THELOT and FOGH), 1890, A., 1360. hydrochloride (Nonting and Wein-GARTNER), 1885, A., 979.

m-amido-, and the action of aniline on (Piutti), 1883, A., 999.

m-bromo- (Kottenhahn), 1891, A., 1237.

p- bromo-m-nitro-(GROHMANN), 1891, A., 305.

p-chloro-m-nitro- (RAVEILL), 1884. A., 601.

Benzanilidoimide chloride, action of, on ethylic sodomalonate (Just), 1886, Δ., 149.

Benzaniline. See Benzophenone, pamido-.

Benzanisovlethylhydroxylamines, four metameric (PIEPER), 1883, A., 460.

Benzein-group, dyes of the (HEUMANN and REY), 1890, A., 157.

Benzene, sources of (MEYER), 1883, A., 315; (Liebermann), 1883, A., 534. purity of (LIEBERMANN and SEYE-WITZ), 1891, A., 684.

constitution of (LADENBURG), 1883, A., 51; 1886, A., 613; 1887, A., 362; 1888, A., 1181; 1890, A., 881, 1432; (Meyen), 1883, A., 51; (Ke-KULÉ), 1884, A., 41; (HUBNER), 1884, A., 314; (GEUTHER), 1884, A., 886; (KEKULE and STRECKER), 1884, A., 1122; (LELLMANN), 1885, A., 251; (MILLER), 1887, T., 208; P., 5; (THOMSEN), 1887, A., 362; 1891, A., 632; (v. BAEYER), 1887, A., 362, 370; 1888, A., 1069; 1889, A., 1176; 1890, A., 1275; 1892, A., 1211; (CLAUS), 1887, A., 719; 1888, A., 940; 1889, A., 1061; 1890, A., 1283; 1891, A., 44, 897; (SCHRAUF), 1887, A., 922; (TIL-DEN), 1888, T., 879; P., 89; (HERRMANN), 1888, A., 1026; 1890, А., 1105; (S VCHSE), 1888, А., 1181; (Авметнова), 1890, Р., 101; (SWORN), 1890, A., 238; (Losenmidt), 1890, A., 602; (MARCK-WALD), 1890, A., 1004; (BRUHL), 1891, A., 634; (VAUBEL), 1891, A., 1343.

Benzene, physical constants of (LACHO-WICZ), 1888, A., 1068; (HORST-MANN), 1888, A., 1069. physical properties of (CIAMICIAN),

1889, A., 387.

spectrum of (HARTLEY), 1885, T., 694.

spectrometrical constants and chemical constitution of, relation between (Brönt), 1891, A., 630.

molecular refraction and dispersion of, and influence of temperature on (GLADSTONE), 1891, T., 295.

dispersive power of (Barrier and Roux), 1889, A., 805.

as an insulator (HEniz), 1884, A., 244.

molecular heat of combustion and molecular refraction of, compared with those of dipropargyl and (Brüng), 1892, A., 1436.

heats of combustion and formation of (STOHMANN, RODATZ, and HERZ-BERG), 1886, A., 499; (THOMSEN), A., 812; (STOHMANN, KLEBER, and LANGBEIN), 1889, A., 1042.

boiling point and expansion (Young), 1889, T., 487, 519.

vapour-pressure and specific gravity of (Young), 1889, T., 488, 492, 501, 508; P., 103.

specific volume of (Young), 1889, T., 488, 504; P., 103; 1891, T., 44.

molecular volume of (Groshans), 1889, A., 336.

molecular volumes of the saturated vapour of (Young), 1890, P., 177; 1891, T., 125.

molecular depression of the freezing point of, by alcohols and phenols (Paternò), 1889, A., 101, 933.

condensation of, under the influence of the silent discharge (Schützen-BERGER), 1890, A., 961.

action of the induction spark on (Destrem), 1884, A., 1243.

action of heat on the mixed vapours of ethylene and (FERKO), 1887, A., 572.

Benzene, action of acetylene on, in presence of aluminium chloride (VARET and VIENNE), 1887, A.,

action of allylic chloride on, in presence of aluminium chloride (Wis-

PEK and ZUBER), 1883, A., 977. condensation of, with benzylidenic chloride (LINEBARGER), 1892, A.,

action of bromethylene on, in presence of aluminium chloride (HANRIOT and Guilbert), 1884, A., 733.

action of, on bromethylene and on vinyl tribromide, in presence of aluminium chloride (ANGELBIN and Anschutz), 1884, A., 751.

action of s-dibromethylene on, in presence of aluminium bromide (Anschutz), 1883, A., 807.

action of isobutylic chloride on (Gossin), 1884, A., 1312.

action of camphoric anhydride on (Burcker), 1891, A., 324.

action of chloracetonitrile on (GENV-RESSE), 1888, A., 951.

action of chloraldehydes on, in preof aluminium chloride (COMBES), 1884, A., 837.

action of chlorine on boiling (Schupp-HAUS), 1885, A., 52.

action of chlorine on, in presence of sulphuric acid (ISTRATI and PET-RICU), 1891, A., 1196.

action of ethylic diazoacetate on (Buchner and Curtius), 1885, A., 1208.

action of methylenic chloride on, in presence of aluminium chloride (Friedel and Crafts), 1884, A., 1312: 1887, A., 1102.

action of nitric anhydride on (MEYER),

1889, A., 341. action of nitrous anhydride on (FRIED-BURG and MANDEL), 1890, A., 1401. action of selenic acid on (ISTRATI),

1890, A., 50.

action of sulphur on, in presence of aluminium chloride (FRIEDEL and

CRAFTS), 1889, A., 242. action of sulphurous anhydride on (COLBY and McLOUGHLIN), 1887,

A., 371. action of heated zinc dust on alcohol and (DENNSTEDT), 1890, A., 1429.

chlorination of (PETRICU), 1890, A., 882.

iodation of (ISTRATI), 1891, A., 1197; (Istrati and Georgescu), 1892, A., 1310.

Benzene, nitration of (MEYER), 1889, A., 387.

nitration of, as a non-reversible chemical change (GIERSBACH and

KESSLER), 1889, A., 10. oxidation of (NORTON and HOLDER), 1886, A., 49.

flames of (SMITHELLS and INGLE), 1892, T., 209.

isocyanates in the first running of the distillation of crude (NULTING), 1885, A., 463.

relation of, to pyridine (Böttinger), 1884, A., 758.

removal of thiophen from (WILLGER-ODT), 1886, A., 692.

rule for determining whether a given mono-derivative of, shall give a meta-di-derivative or a mixture of and para-di-derivatives (Brown and Gibson), 1892, T., 367; P., 39.

derivatives (Können and Wenden), 1888, A., 1278.

obtained by the action of carbonic oxide on potassium (NIETZKI and Benckiser), 1885, A., 1127.

conversion of pentamethylene derivatives into (HANTZSCH), 1890, A., 129.

constitution of (BRÜHL), 1887, A., 1005.

rotatory power of (LEWKOWITSCH), 1888, T., 781; P., 87.

metamerism in (HAND), 1890, A.,

conversion of, into fatty compounds (HANTZSCH), 1888, A., 130.

nitration of (SPINDLER), 1883, A., 975; 1884, A., 1310; (Nolting and Collin), 1884, A., 1011.

oxidation of, with potassium ferricyanide (Noves), 1884, A., 299; 1886, A., 142, 804; 1889, A., 394; (Noyes and Walker), 1887, A., 727; (Noyes and Wiley), 1889, A., 711.

of high molecular weight (KRAFFT

and Gottie), 1889, A., 129. physiological action of (Brunton and Casii), 1891, A., 1279.

o-di-substitution derivatives, migrations in (BOTTCHER), 1885, A., 658. tri-substitution derivatives (Wen-DER), 1890, A 1891, A., 1030. A., 884; (BADER),

penta-substitution derivatives (NIETZKI and KURTENACKER), 1892, A., 596.

hexa-substitution derivatives (NIETZKI), 1887, A., 929.

Benzene, hexabromide, preparation of (MEUNIER), 1885, A., 1126; (MAT-THEWS), 1892, T., 110.

B-hexachloride (MEUNIER), 1884, A., 733; 1885, A., 52, 518. vapour density of (MEUNIER),1884,

reduction of (MEUNIER), 1892, A.,

hexachlorides (MATTHEWS), 1890, P., 175; 1891, T., 165; (FRIEDEL), 1891, A., 1196.

molecular weights of (Paterno and NASINI), 1890, A., 725.

action of aniline on (MOHR), 1890,

action of potassium cyanide on MATTHEWS), 1891, P., 181; 1892, T., 108.

homologues, preparation of, by aid of aluminium chloride (Anschutz and Immendorff), 1885, A., 769.

heat equivalents of (STOHMANN, RODATZ, and HERZBERG), 1887,

recovery of, from their sulphonic acids (ARMSTRONG and MILLER), 1884, T., 148.

physiological action of (Brunton and CASH), 1891, A., 1280. isomeride of (GRINER), 1887, A.,

1033.

isomeride, solid, of, heat of combustion of (LUGININ), 1888, A., 893. physiological action of (BRUNTON and

CASH), 1891, A., 1279. estimation of, in coal gas (TREAD-WELL and STOKES), 1889, A., 190.

vapour, estimation of, in coal gas (Berthelot), 1889, A., 1036. estimation of light hydrocarbons, etc.,

in (NICKELS), 1886, A., 394.

Benzene, amido- See Aniline.

diamido- See Phenylenediamine. 1:4:2:5-diamidodiimido., mitrate (Nietzki), 1887, A., 930.

1:2:4-triamido- (JANOVSKY), 1884, A., 1145.

oxidation product of (MULLER), 1889, A., 700.

2:3:4-tetramido- (NIETZKI SCHMIDT), 1889, A., 974. 1:2:3:4-tetramidoand

1:2:4:5-tetramido-, and its derivatives (NIETZKI and HAGENBACH), 1887, A., 475; (NIETZKI and MULLER), 1889, A., 604.

pentamido- (PALMER and JACKSON), 1888, A., 825; 1890, A., 247. hydrochloride (BARR), 1888, A., 823.

Benzene, bromo-derivatives of, action of sodium on (GOLDSCHMIEDT), 1886, A., 541.

action of sulphuric acid on (HERzig), 1888, A., 1275.

bromo- (phenylic bromide) (LEROY), 1888, A., 258.

preparation of, from aniline (SAND-MEYER), 1885, A., 149.

refractive power of, at different temperatures (Perkin), 1892, T., 299.

dispersive power of (BARBIER and Roux), 1889, A., 805.

boiling point of (Young), 1889, T., 487; P., 103.

vapour pressure of (RAMMAY and Young), 1885, T., 646, 655; (Young), 1889, T., 490, 497, 503,

specific gravity and specific volume of (Young), 1889, T., 488, 506. action of sodium methoxide on

(Blau), 1887, A., 242. a second (Fittica), 1887, A., 134;

1890, A., 962; (HAND), 1890, A., 881.

p-bromo-, and tribromo-, iododichlorides (WILLGEROUT), 1886, A., 342.

e-, m- and p-dibromo- (LEROY), 1888, A., 258.

o-dibromo-, derivatives of (Schiff), 1891, A., 44.

hexabromo-, preparation of (MERZ and WEITH), 1884, A., 588.

1:3:5:6-tribromiodo- (SILBERSTEIN), 1883, A., 661.

bromonitro-derivatives. compounds prepared from (JACKSON), 1890, A., 983.

3:1:2:-bromodinitro-(WENDER), 1890, A., 885.

a- and B-dibromodinitro-, 1:2:4:5- and 1:2:3:5- (Schiff), 1891, A., 45.

tribromonitro- (JACKSON and BENT-LEY), 1892, A., 1182.

2:4:6:1:3-tribromodinitro-, action of ethylic sodacetoacetate on (JACKson and Moore), 1890, A.,

action of ethylic sodomalonate on (Jackson and Robinson), 1890, A., 377.

action of sodium alkylic oxides and

phenoxides on (Jackson and Warren), 1891, A., 1024. additive product of, with tetra-bromodinitrobenzone (Jackson and Moore), 1888, A., 821.

(Jackson *tri*bromo*tri*nitro-Wing), 1888, A., 1276.

Benzene, tribromotrinitro-, action of ethylic sodomalonate on (JACK-SON and MOORE), 1890, A., 497.

action of sodium alkylic oxides and phenoxides on (JACKSON and WARREN), 1891, A., 1024.

1:2:3:5-tetrabromodinitro- (Jackson and Wing), 1888, A., 1276; (Jackson and Banggoff), 1889, A., 696; 1890, A., 982.

pentabromonitro-(Jackson and Bancroft), 1890, A., 983.

bromoxy-derivative of (BENEDIKT), 1883, A., 984.

chloro-derivatives of thermochemistry of (BERTHELOT and MATIGNON), 1889, A., 1311.

chloro- (phenylic chloride), refractive power of, at different temperatures (Perkin), 1892, T., 298.

dispersive power of (BARBIER and ROUX), 1889, A., 805.

boiling point of (Young), 1889, T., 487.

vapour pressure of (RAMSAY and YOUNG), 1885, T., 642, 654; (YOUNG), 1889, T., 490, 495, 502, 509.

specific gravity and specific volume of (Young), 1889, T., 488, 505.

action of bromine on (MATTHEWS), 1892, T., 111.

hexachloride, a- and \$\beta\$- modifications of (MATTHEWS), 1891, P., 181; 1892, T., 103.

o- and p-dichloro- (FRIEDEL and URAFTS), 1887, A., 1101.

p-dichloro, conversion of, into mdichlorobenzene (Istrati), 1890, A., 882.

1:2:4-trichloro-, hexachloride (WILL-GEROIT), 1887, A., 806.

1:3:5-trichloro-, action of nitric acid on (Jackson and Wing), 1888, A., 136.

1:2:4:5-tetrachloro-, from anisoil (Hugouneno), 1890, A., 365.

1:3:4:5-tetrachloro- (ISTRATI), 1886, A., 229.

properties of (Matthews), 1892, T., 109.

new francein from (Georgescu and Mincu), 1889, A., 970. pentachloro- (Istrati), 1886, A., 229.

pentachloro- (ISTRATI), 1886, A., 229. from anisoil (Hugouneng), 1890, A., 365.

action of sulphuric acid on (Is-

TRATI), 1888, A., 259.
hexachloro- (INTRATI), 1886, A., 229;
(MERZ and WEITH), 1884, A., 589.

Benzene, hexachloro-, from anisoil (Hu-GOUNENQ), 1890, A., 365.

action of fuming nitric acid on (ISTRATI), 1890, A., 882.

chloro-2:4:6-tribromo-(SILBERSTEIN), 1883, A., 661.

chloropentabromo- (MACKERROW), 1892, A., 155.

1:3:4:5-dichlorodibromo- (GARZINO), 1888, A., 585.

dichlorotetrahromo-, and tetrachlorodihromo- (MACKERROW), 1892, A.,

pentachloriodo- (Istrati), 1891, A., 1197.

m- and p-chloronitro-, sulphonation of (CLAUS and MANN), 1891, A., 1488.

1:3:5-chlorodinitro- (BADER), 1891, A., 1031.

1:2:4-chlorodinitro-, action of, on polyhydric phenols (NIETZKI and SCHÜNDELEN), 1892, A., 310. chlorofrinitro-. See Picric chloride.

1:3:5-trichlorodi-and tri-nitro- (JACK-son and Wing), 1888, A., 137.

p-dichloro-p-dinitroso- (Kehrmann), 1889, A., 245.

chloroxy-, derivatives of (BENEDIKT), 1883, A., 984.

chloroxypentachloro- (BENEDIKT and v. Schmidt), 1883, A., 1119.

m-dicyano- (isophthalonitrile), properties of (Goldberg), 1890, A., 147.

fluoro-(phenylic fluoride) (WALLACH), 1887, A., 130.

refraction and dispersion of (J. H. and G. GLADSTONE), 1891, A., 774.

boiling point of (Young), 1889, T., 487.

vapour-pressure of (Young), 1889, T., 490, 493, 502, 509.

specific volume and specific gravity of (Young), 1889, T., 488, 505.

p-diffuoro- (WALLACH and HEUSLER), 1888, A., 362.

p-fluorochloro-, p-fluorobromo-, and p-fluoriodo- (WALLACH and HEUS-LER), 1888, A., 362.

LER), 1888, A., 362.

p-fluoronitro- (WALLACH), 1887, A.,
131; (WALLACH and HEUSLER),
1888, A., 362.

halogen-derivatives, physical constants of (SEUBERT), 1890, A., 2. specific volumes and vapour pressures of (RAMSAY and YOUNG), 1885, T., 640; (YOUNG), 1889, T., 486; P., 103. Benzene, molecular volumes of the saturated vapours of (Young), 1890, P., 177; 1891, T., 125.

action of acetic and benzoic chlorides on (Schopff), 1892, A.,

action of aluminium chloride on (v. Dumreicher), 1883, A., 53. haloids (Willergout), 1887, A., 806.

hydroxy-derivatives of, test for the

(PLUGGE), 1890, A., 669.
iodo- (phenylic wollde) (ISTRATI and
GEORGESCU), 1892, A., 1310.
preparation of, from phenylhydr-

azine (v. Meyen), 1887, A., 1042. refractive power of, at different temperatures (Perkin), 1892, T., 300.

boiling point and vapour pressure of (Young), 1889, T., 487, 490,

specific gravity and specific volume of (Young), 1889, T., 488, 506. action of, on silver nitrite (GEU-THER), 1888, A., 821.

dichloride (WILLGERODT), 1886, A.,

1:4- and 1:2- diodo- (Körner and WENDER),1888, A.,1280; (ISTRATI and Georgescu), 1892, A., 1310.

tri- and tetru-iodo- (ISTRATI and GEORGESCU), 1892, A., 1310. o-düodonitro-(Konnenand Wender),

1888, A., 1280.

3:1:2- and 4:1:3-iododinitro- (WENneu), 1890, A., 886.

2:1.3:5-iodotrinitro- (HEPP), 1883, A., 316.

iodoxydiiodo- (Messinger and Vort-MANN), 1889, A., 1150.

nitrogen-derivatives, thermochemistry of (Petit), 1888, A., 1018; (Beil-THELOT and MATIGNOS), 1892, A., 4.

physiological action of (BRUNTON and CASH), 1891, A., 1280; (GIBBS and REICHERT), 1891, A., 1281; (Huder), 1892, A., 366. nitro-, dispersive power of (BARBIER

and Roux), 1889, A., 805. displacement of the nitro-group in, by chlorine or bromine (Lobby DE BRUYN), 1892, A., 306.

action of benzaldehyde and sulphuric acid on a mixture of aniline and (MAZZARA), 1884,

action of chromyl dichloride on HENDERSON and CAMPBELL), 1890, T., 258; P., 10.

Benzene, nitro-, action of light on alcoholic solutions of (CIAMICIAN. and SILBER), 1887, A., 240.

action of zinc ethyl on (BEWAD), 1889, A., 113.

detection of (Monrungo), 1890, A., 1194.

detection of, in presence of oil of bitter almonds (List), 1889, A.,

p-nitro-, iododichlorid nopr), 1886, A., 342. iododichloride (WILLGE-

o-dinitro-, separation of, from its isomerides (LOBRY DE BRUYN), 1885, A., 657.
m-dinitro- (WILLGERODT), 1892, A.,

bromination of (MACKERROW), 1892, A., 155.

reduction of (WILLGERODT), 1892, Δ., 595.

compound of, with naphthalone (Herr), 1883, A., 318.
o-, m- and p-dinitro-, action of potassium cyanide on (Lobry de BRUYN), 1885, A., 656.

1:2:4-trinitro- (Lobry de Bruyn), 1891, A., 429.

1:3:5-trinitro-, bromination of (MAC-Kerrow), 1892, A., 155.

compounds of, with aniline and with dimethylaniline (Herr), 1883, A., 316.

1:3:2:4:6-dinitrotriamido-(PALMER and Jackson), 1890, A., 247.

(JACKSON s-trinitro/riamido-WING), 1888, A., 1276.

reduction of (PALMER), 1892, A., 1198.

p-dinitroso- (Nietzki and Kehr-MANN), 1887, A., 575.

disulphoxide (phenykic benzenethio-sulphonate) (Escales), 1885, A., 798.

Benzeneazo-. See Azo. Benzenecarboxylic acids. See Benzoic,

Mellitic, Phthalic, Prohnitic, Pyromellitic, Trimellitic and Trimesic

Benzene-a-dimethyl-9-difurfuran-B-dicarboxylic acid, p-dichloro- (IKUTA), 1892, A., 610.

Benzenedimethyldifurfuran 1887, A., 803.

o-Benzenedimethyldifurfurandicarboxylic acid (Numm), 1887, A., 804.

Benzene-m-disulphonetetrabromamide (HOOGEWERFF and VAN DORP), 1889, A., 981.

Benzenedisulphothiosulphonic dride (Otro and TROGER), 1891, A., Benzenefurfuran derivatives, synthesis of (IKUTA), 1892, A., 608.

Benzenehomo-o-phthalopropylimide, nitro- (LE BLANC), 1889, A., 256.

Benzenehydrazinesulphonic acid. See Phenylhydrazinesulphonic acid.

Benzeneindone (FISCHER and HEPP), 1892, A., 341.

Benzeneindulines. See Indulines. Benzene-β-methylfurfuran. See β

Methylcoumarilic acid.

Benzene-ring, splitting of the, by oxidation (Henriques), 1888, A., 842.

substitution in the (Morley), 1887,

T., 579. displacement of halogen atoms in the (Schöfff), 1891, A., 304; 1892,

A., 335.

identity of the two ortho-positions in the (LOBRY DE BRUYN), 1885, A., 972.

destruction of the, in the body (JUVALTA), 1889, A., 289.

Benzene-series, isomerism in the (BERTHELOT and WERNER), 1885, A., 628.

isomerism in the: phenols of complex function, thermochemistry of (Berthelot), 1886, A., 7.

alteration of compounds of the, on exposure to air and light (BIDET), 1890, A., 1401.

selenium and oxygen derivatives in the (Chabrie), 1890, A., 34.

Benzenesulphanilide. See Benzenesulphonanilide.

Benzenesulphinic acid (AUTENRIETH), 1891, Å., 203.

sodium salt of, action of iodine on mercaptans and (Orro and Trö-GER), 1891, A., 924.

action of sodium dibromhydrocinnamate on (Ofto and Rössing), 1889, A., 994.

as an antiseptic for wounds (HECKEL), 1888, A., 182.

p-bromo- (Konig), 1892, A., 1091. m-nitro- (Limpercut), 1887, A., 728. Benzenesulphinic acids, hydrolysis of

ethereal salts of (BAUMANN), 1891, A., 1229.

Benzenesulphonamides, and mixed secondary amines (HINSBERG), 1892, A., 64.

Benzenesulphonates of aromatic radicles (Georgescu), 1891, A., 568; (Otto), 1891, A., 569.

Benzenesulphone. See Diphenylsulphone.

Benzenesulphone-β-alanine (v. Pech-MANN), 1891, A., 1459. Benzenesulphone-o-amidobenzamide, its anhydride and derivatives (FRANKE), 1890, A., 1289; 1892, A., 334.

Benzenesulphone-o-amidobenzo-methyland -phenyl-amides (FRANKE), 1892, A., 335.

Benzenesulphone-o-amidobenzoylphenylhydrazide (FRANKE), 1892, A., 335.

Benzenesulphoneanilide (WALLACH), 1883, A., 48.

nitro- and amido-derivatives of (Lell-Mann), 1883, A., 800.

Benzenesulphonebenzylamide (HINS-BERG), 1892, A., 65.

Benzenesulphonecyanamide and its sodium derivative (HEBENSTREIT), 1890, A., 501.

Benzenesulphonediphenylamide (WAL-LACH), 1883, A., 48.

Benzenesulphone-o-methylamidobenzamide (FRANKE), 1892, A., 335. Benzenesulphonemethylathylamide

Benzenesulphonemethylethylamide (HINSBERG), 1892, A., 64. Benzenesulphonenitramide (HIN

Benzenesulphonenitramide (HINS-BERG), 1892, A., 850.

Benzenesulphone-p-phenetidine (HINS-BERG), 1892, A., 65.

Benzenesulphonepiperidine(HINSBERG), 1892, A., 65. Benzenesulphone-o-toluidide (HINS-

DERG), 1892, A., 65.
Benzenesulphone-p-toluidide, nitro-and

amido-derivatives of (LELLMANN), 1883, A., 800.

Benzenesulphonic acid, amine salts of (Norton and Westenhoff), 1888, A., 698.

ammonium salt of, dry distillation of (Egli), 1885, A., 799.

calcium salt of, action of iodine on (ISTRATI and GEORGESCU), 1891, A., 1226.

derivatives of (Hubner), 1884, A., 1180.

metallic salts of (Norton and Schmidt), 1888, A., 697.

Benzenesulphonic acid, amido-. Sec Anilinesulphonic acid.

2:4-bromonitro- (LIMPRICHT), 1885, A., 1234.

2:5-chloramido- (CLAUS and MANN), 1891, A., 1488; (FISCHER), 1892, A., 182.

4:3-chloramido- (FISCHER), 1892, A., 182.

2:5-chloronitro- (CLAUS and MANN), 1891, A., 1488; (FISCHER), 1892, A., 182.

4:3-chloronitro (Fischer), 1892, A., 182.

Benzenesulphonic acid, 4:3-dinitro-(WILLGERODT and MOHR), 1885, 4:3-*di*nitro-A., 665; 1886, A., 1030. trinitro- (WILLGEROUT), 1885, A.,

1232.

nitroso-, preparation and salts of (LIMPRICHT), 1892, A., 475.

Benzenesulphonic acids, action of cyanamide on (VILLE), 1887, A., 833. halogenated, action of ammonia and aniline on (FISCHER), 1892, A., 331.

anhydride, Benzenesulphonic dibromo-, and 2.4:5-tribromo-(Rosenberg), 1886, A., 551.

chloride, condensation products of amido-acids with (HEDIN), 1891, A., 202.

p-bromo, and p-chloro- (KRAFFT and Roos), 1892, A., 1220. iodide (Otto and TROGER), 1891, A.,

719. thioanhydride (Otto and Troger),

1891, A., 926. Benzenetetracarboxylic acids, constitution of, and preparation of, from

durenc (JACOBSEN), 1885, A., 166. Benzenethiosulphonic acid, reactions of 1892, (Otto and Rossing), 478.

Benzenethiosulphonic thioanhydride (Orro and TROGER), 1891, A.,

925. Benzenetribenzoic acid (CLAUS), 1890, A., 770.

Benzenetrimethyltrifurfuran (LANG), 1887, A., 263.

Benzenetrimethyltrifurfurancarboxylic

acid (LANG), 1887, A., 263.

Benzenetriphenazine (NIETZKI SCHMIDT), 1888, A., 690.

1:3:5-Benzenetrisulphonic acid and its amide and anilide (Jackson and WING), 1888, A., 152.

its amide and chloride (JACKSON and Wina), 1886, A., 623.

Benzenetritolazine (NICIZKI and KEHR-

MANN), 1887, A., 474.

Benzenoid acid chlorides, action of aluminium chloride on (HUGHES), 1891, P., 70.

compounds, an explanation of the laws which govern substitution in (Armstrong), 1887, T., 258,

583; P., 8, 44, 62. nitration of (ARMSTRONG and Ros-SITER), 1891, P., 89.

Benzenylallylthiouramidoxime (Kocu), 1891, A., 561.

Benzenylamidethoxime, action of nitrous acid on (TIEMANN), 1892, A., 328.

Benzenylamidine (len.amidine), action of acetic anhydride on (PINNER), 1885, A., 158.

action of aldehydes on (PINNER), 1891, A., 60.

action of, on the othereal salts of aromatic o-hydroxy-acids (PINNER), 1891, A., 60.

action of ethylic acctoacetate on (PINNER), 1885, A., 159.

action of, on ethylic acetylmalonate (PINNER), 1890, A., 496.

salts (Lossen), 1892, A., 51.

benzamidylacetylmalonate (PINNER), 1890, A., 496.

benzenyldioxytetrazotate (Lossen and MIERAU), 1891, A., 1040.

chloracetate and trichlorolactate (l'IN-NER), 1889, A., 1009.

ethylic oxalate (PINNER), 1889, A., 1009.

hydrochloride, action of benzoic chloride on (PINNER), 1881, A., 1324. nitrite (Lossen and Mierau), 1888,

A., 684. picrate (DIECKM INN), 1892, A., 705. pyruvate (Pinner), 1889, A., 1005. salicylate (Pinner), 1891, A., 60.

thiosulphate (Crayen), 1891, A., 559. Benzenylamidine, m-nitro- (TAFEL and

Екосп), 1890, А., 973. dinitroso- (Lossen and Mierau), 1888, A., 684.

Benzenylamidinebenzenylamidine, nitroso- (Lossen and Mierau), 1888, A., 684.

Benzenylamidinechloral and benzenylamidinethiocarbamide (PINNER), 1889, A., 1005.

Benzenyldiamidoacetone (Rüchermer and Mischell), 1892, A., 952.

Benzenyl-α-amido-β-naphthol(WORMS), 1883, A., 69; (Borrener), 1883, A., 1113; 1885, A., 659.

Benzenyl-β-amido-α-naphthol (WORMS), 1883, A., 69.

Benzenylamido-a- and \$-naphthyl mercaptans (v. Hormann), 1887, A., 839.

Benzenyl-o-amidophenyl mercaptan TIEM ANN and Piesr), 1883, A., 198; (Jacobson), 1886, A., 700.

Benzenylamidosulphime benzenylsulphimedithiocarbamate (CRAYEN), 1891, A., 559.

Benzenylamidoxime (bonzamidowime) (PINNER), 1884, A., 739; (Tre-MANN and Knuden), 1884, A., 1325; (TIEMANN and FOCK; FAICK), 1886, A., 797; (LUSSEN), 1889, A., 1064.

Benzenylamidoxime (benzamidoxime), action of acetaldehyde and ethylic acetoacetate on (TIEMANN), 1890, A., 44.

action of acetic, propionic, and butyric acids, chlorides, and anhydrides on (Schulz), 1885, A., 897.

action of aldehydes on (ZIMMER), 1890, A., 253.

action of anhydrides of dibasic acids on (SCHULZ), 1885, A., 1219.

action of carbon disulphide on(CRAYEN), 1891, A., 559.

action of ethylic chloracetate (Koch), 1890, A., 260.

action of ethylic chlorocarbonate and of carbonyl chloride on (FALCK), 1885, A., 1216.

action of sodium amalgam on aqueous solutions of (TIEMANN and Nä-GELI), 1885, A., 895.

(Krüger), 1885, derivatives 895.

relations of, to the benzhydroxamic group (TIEMANN and KRÜGER), 1885, A., 790. ethylic ether (TIEMANN and KRÜGER),

1885, A., 790; (Lossen), 1889, A., 1064.

methylic other (TIEMANN and KRÜ-GER), 1884, A., 1325. oxalate (TIEMANN), 1891, A., 538.

Benzenylamidoxime, m-amido-

(Schöpff), 1885, A., 1217. p-amido- (Weise), 1890, A., 46. dicyano- (Nordenskiöld), 1890, A., 1120.

m-nitro-, and its derivatives (Schöfff).

1885, A., 896, 1217. p-nitro- (WEISE), 1890, A., 44.

Benzenylamidoximecarboxylic acid, and its ethylic salt (MULLER), 1885, A., 1227; 1886, A., 802.

Benzenylamidoxime-ethylidene mann), 1890, A., 44. p-nitro- (Wrise), 1890, A., 46.

Benzenylamidoximeglycollic acid and anhydride (Kocu), 1890, A., 260.

Benzenylamidoximeoxalicacid(WURM), 1890, A., 259; (Tiemann), 1891, A.,

Benzenylamidoxylyl mercaptan (GUDE-

MAN), 1888, A., 1282. Benzenylanilidoxime (Müller), 1886, A., 875; 1890, A., 43. Benzenylazo-. See under Azo.

Benzenylbenzamidoalizarin (ROEMER), 1885, A., 1069.

Benzenylchloroxime and its p-nitrobenzylic ether (WERNER), 1892, A., 463

Benzenylchloroximeglycollic acid (WERNER), 1892, A., 465.

Benzenyldicinnylenediamine (JAPP and WYNNE), 1886, T., 469.

Benzenyldioxytetrazotic acid and its derivatives (Lossen and Mierau),

1891, A., 1040. reduction of (W. and C. Lossen), 1891, A., 1041.

m-nitro-(Lossen and Neubert), 1891, A., 1040.

Benzenyldiphenylazidine (MARCK-WALDT), 1889, A., 392.

preparation of (PINNER), 1884, A., 743. Benzenyldiureide (PINNER), 1889, A., 1005.

Benzenylethoxime salts (TIEMANN), 1892, A., 323.

chiloride (TIEMANN and KRÜGER), 1885, A., 790.

Benzenylethoximidoethylic ether (TIE-MANN and KRUGER), 1885, A., 790. enzenylethylenediamine (v. Hor

Benzenylethylenediamine MANN), 1888, A., 1050; (Forssell), 1892, A., 1248.

Benzenylethylimidoximecarbonyl (FALCK), 1886, A., 797.

Benzenylhomosalicenyl-. See Hydrobenzenyltolenyl-.

Benzenylimidosulphonic acid (KRAFFT and Bourgeois), 1892, A., 701.

Benzenylimidoximeamidobenzylidene (STIEGLITZ), 1890, A., 254. preparation of (TIEMANN), 1892, A., 461.

Benzenylimidoxime-isoamylidene, -isobutylidene, and isopropylidene (ZIMMER), 1890, A., 254.

Benzenylimidoximecarbonyl (FALCR), 1886, A., 797. p-nitro- (Weise), 1890, A., 45.

Benzenyloxytetrazotic acid (W. and C. Lossen), 1891, A., 1042.

Benzenylphenylenediamine zenylphenylenediamine (Auwers and v. Meyenburg), 1891, A., 1378. ethylderivative and nitrile of (Hown), 1884, A., 741.

Benzenylphenylimidoximecarbonyl (Müller), 1886, A., 875.

Benzenyltetrazotic acid (W. and C. LOSSEN), 1891, A., 1042.

Benzenyl-o-toluidoxime (STIEGLITZ), 1890, A., 256.

Benzenyl-p-toluidoxime (Müller), 1890, A., 43.

Benzenyluranilidoxime (Müller), 1886,

A., 875. Benzethylamide, o-amido- (FINGER), 1888, A., 948.

Benzethylanilide (HESS), 1885, A., 784.

11 * 161

Benzethyltoluenesulphonamide (REM-SEN and PALMER), 1887, A., 145.

Benzhydrilbenzoic acid. See Hydroxym-benzylbenzoic acid.

Benzhydrol (diphenylcarbinol), derivatives of, new method of formation of (Albreout), 1889, A., 263.

benzilate (KLINGER and STANDER), 1889, A., 886.

a-diamido- (WICHELHAUS), 1889, A., 781.

β-diamido-, and its compounds (STAEDEL), 1883, A., 991.

Benzhydrol-di-and -tri-carboxylic acids (Graebe and Juillard), 1888, A., 154, 1096.

Benzhydroxamic acid, preparation of (Jeanrenaud), 1889, A., 870. constitution of (Lossen), 1884, A., 1324; (Minunni), 1890, A., 256; 1891, A., 697.

stereoisomeric derivatives of (Wer-NER), 1892, A., 461.

Benzhydroxamic group, relations of, to benzenylamidoxime derivatives (Tie-MANN and Krüger), 1885, A., 790.

Benzhydroximic acid, methyl ether of (TIEMANN and KRUGER), 1884, A., 1325.

Benzhydrylamine, homologues of (Goldschmidt and Stocker), 1891, A., 1479.

Benzidine (p-p-diamidodiphenyl)
(SCHIFF and VANNI), 1890, A.,

1297. action of methylic iodide on (Michier and Pattinson), 1884, A., 747.

action of nascent nitrous acid on (Deninger), 1890, A., 38.

synthesis of a diamidocarbazole from (TAUBER), 1891, A., 227.

derivatives (STERN), 1884, A., 1015; (BRUNNER and WITT), 1887, A., 672. chromate (JULIUS), 1884, A., 1181. citrate, normal (SCHNEIUER), 1888,

A., 465.
hydrochlorides, decomposition of, by

water (Petit), 1889, A., 260. polymethylene bases from (Schiff),

1892, A., 1223.

oxidation of, in the animal organism (KLINGENBERG), 1891, A., 1529.

reaction of (JULIUS), 1884, A., 1181.

Benzidine, m-amido- (TÄUBER), 1890,
A., 783.

m-diamido- (BRUNNER and WITT), 1887, A., 672; (TÄUBER), 1890, A., 782.

bromo- (Janovsky and Erb), 1887, A., 479.

m-mono-nitro- and m-di-nitro- (Täu-BER), 1890, A., 782. Benzidine, dinitro- (v. Bandrowski), 1888, A., 286.

isoBenzidine (diphenyline) (BERNTH-SEN), 1886, A., 471.

sen), 1886, A., 471. derivatives of (Reuland), 1890, A., 166.

iodo-, hydrochloride of (Nölting and Werner), 1891, A., 211.

Benzidineazo-dyes, colouring properties of (MÜHLAU), 1886, A., 947.

Benzidine-m-carboxylic acid (PAAL), 1892, A., 68.

Benzidine-colouring-matters (Colson), 1889, A., 1152; (Brasch and Freyss), 1891, A., 1231.

Benzidine-o-disulphonamide (LIM-PRICHT and MEYER), 1892, A., 974.

Benzidine-o-disulphonic acid, derivatives of (Limpricial), 1891, A., 929.

Benzidine-di-, -tri-, and -tetra-sulphonic acids (GRIESS and DUISBERG), 1890, A., 59.

Benzidine-diand semi-urethanes (Schiff and Vanni), 1890, A., 1298.

Benzidinesulphone (ANON.), 1886, A., 471; (GRIESS and DUISBERG), 1890, A., 59.

Benzidinesulphone-mono- and -di-sulphonic acids (GRIESS and DUISBERG), 1890, A., 59.

Benzidine-m-sulphonic acids, m-diamido-, and m-dinitro- (Zehra), 1891, A., 313.

Benzidinetetracarboxylic anhydride and salts of the acid (CLAUS and HEM-MANN), 1883, A., 1126.

Benzidylbromopianic acid (Tust), 1892, A., 1210.

Benzidylopianic acid (BISTRZYCKI), 1888, A., 1209.

Benzidylphthalaldehydic acid (ALLEN-DORFF), 1891, A., 1370.

Benzil (dibenzoyl) (Klinger), 1883, A., 921; (Goldsmidt and Mryer), 1883, A., 1120; (Stierlin), 1889, A., 512.

condensation of, with α-acetylpyrroline (ANGELI), 1890, A., 1000.

action of aldehydes, together with ammonia, on (JAPP), 1883, T., 17; (JAPP and HOOKER), 1884, T., 672; (JAPP and WYNNE), 1886, T., 462; P., 201.

action of p-amidodimethylaniline on (Voctnern), 1892, A., 855.

condensation of, with o-amidodiphenylamine (Kehrmann and Messinger), 1891, A., 945.

action of triamidodiphenylamine on (Kehrmann and Messinger), 1892, A., 1109.

Benzil (dibenzoyl), action of primary aromatic amines on (BANDROWSKI), 1889, A., 147.

action of ammonium formate on (LEUCKART), 1890, A., 784.

action of aniline on (SIEGFELD), 1892, A., 1470.

action of α - and β -benzylhydroxylamines on (AUWERS and DITTRICH), 1889, A., 1193.

action of carbamide and thiocarbamide on (Anschütz and Geldenmann), 1891, A., 725; (ANGELI), 1891, A., 726.

condensation of, with ethylic alcohol (JAPP and OWENS), 1885, T., 90.

condensation of, with ketones (JAPP and Burton), 1887, T., 431; P., 32.

action of lead oxide, and of hydroxyl-(WITTENBERG amine onMEYER), 1883, A., 803, 804.

action of nitriles on (JAPP and TRE-SIDDER), 1884, A., 313.

action of potash on a mixture of acetone, acetophenone and (JAPP and Millen), 1885, T., 21, 34.

action of sunlight on (KLINGER), 1886, A., 888.

decomposition of, by potassium cyanide (JOURDAN), 1883, A., 805. reduction of (JAPP and KLINGEMANN), 1890, P., 31.

base from phenyl-o-phenylenediamine and (KEHRMANN and MESSINGER),

1891, A., 1109. compound of, with isopropylic alcohol (JAPP and RASCHEN), 1886, T., 832.

derivatives (Burron), 1884, A., 62; (HENIUS), 1885, A., 1067. ammonia-derivatives of (JAPP), 1884,

A., 313. sodium derivative of (BECKMANN and

PAUL), 1892, A., 171. Benzil, chloro- (REDZKO), 1890, A., 783. nitro- and its dioximes (HAUSMANN),

1890, A., 624. isodinitro-, reduction of (Gonuners), 1885, A., 660.

isoBenzil (KLINGER), 1883, A., 920; 1886, А., 888; (Кымсы and STANDKE), 1891, А., 931.

synthesis of (KLINGER and SCHMITZ), 1891, A., 932.

Benzilam (azobenzil) (JAPP), 1883, T., 11; 1884, A., 313; (HENIUS),

1885, A., 1067. nitration of (Henius), 1885, A., 1067. Benzilamidobenzamidothymol ZARA and LEONARDI), 1891, A., 1363. . Benzilanhy drobenzoy ldiamido to luene (HINSBERG), 1886, A., 943.

Benzilbenzoin (KLINGER), 1886, A.,

Benzilbromisobutylbenzene (Gelzer), 1889, A., 45.

Benzilisobutylphenazine (GELZER), 1888, A., 267; 1889, A., 44.

Benzil-o-carboxylic acid (JUILLARD), 1888, A., 955; (GRAEBE and Juil-LARD), 1888, A., 1095; (GRAEBE), 1890, A., 989.

Benzil-p-carboxylic acid (BUCHER), 1890, A., 168.

Benzildianil (Siegfeld), 1892, A., 1470. Benzildiguanyl (WENSE), 1886, A., 556. Benzildisulphonic acid (KAFKA), 1891,

A., 721. Benzilguanyl (WENSE), 1886, A., 556.

Benzilic acid (hydroxydiphenylacetic acid, diphenylglycollic acid), and derivatives (KLINGER and 1889, STANDKE), A., 885; (BICKEL), 1889, A., 999.

amide (KLINGER and STANDKE), 1889, A., 886.

chloride, nitration of (Nolting), 1886, A., 344.

dihydrocyanide (JAPP and MILLER), 1887, T., 29.

hydrocyanide, saponification of (JAPP and MILLER), 1884, A., 329.

Benzilide (KLINGER and STANDKE), 1889, A., 885.

Benzilimide (JAPP), 1884, A., 313. constitution of (HENIUS), 1885, A., 1067.

Benzil-m-nitrophenylhydrazine CHLER and BRODSKY), 1890, A., 151.

Benzilmonoxime (MEYER and OBLKERS), 1888, A., 703.

a-Benzilmonoxime, intramolecular change of (GUNTHER), 1889, A., 1067. B-Benzilmonoxime, action of nascent

hydrogen on (ZANETTI), 1891, A.,

Benzilmonoximes, two isomeric (Au-WERS and MEYER), 1889, A., 611.

structure of the oximido-group in (Auwers and Dittrich), 1889, A., Ì192,

reduction of (Braun), 1889, A., 613. See also Benziloximes.

Benzildioxime, intramolecular change in (GUNTHER), 1888, A., 485.

action of phosphoric sulphide on (Dodge), 1891, A., 1238.

7-Benzil/ioxime, and its derivatives (Auwers and Meyer), 1889, A., 713. Benzilelioximes (AUWERS and MEYER),

1888, A., 597. configuration of (HANTZSCH), 1891, A., 441,

Benzildioximes, intramolecular change of (Gunther), 1889, A., 1067.

isomerism of (AUWERS and MEYER), 1889, A., 403.

benzyl derivatives of (Auwers and Micren), 1889, A., 609.

dimethyl ether of, isomeric forms of (AUWERS and MEYER), 1889, A., 403.

See also Benziloximes. Benziloxime-anil and -hydrazone (Au-

WERS and SIEGEELD), 1892, A., 1470. Benziloximes (Polonowska), 1888, A.,

485; (AUWERS and SIEGFELD), 1892, A., 1470.

Claus' theory of the (AUWERS and MEYER), 1892, A., 186; (CLAUS), 1892, A., 598.

constitution of (MEYER), 1890, A., 721. atomic arrangement in (HANTZSCH and WERNER), 1890, A., 349.

isomerism of (BEHREND), 1890, A., 575.

ethers of (DITTRICH), 1891, A., 317. also Benzil-monoximes -dioximes.

Benziloxime-p-tolil (Auwers and Sieg-FELD), 1892, A., 1470.

Benzilphenylhydrazine (Pickel), 1886, A., 546; (Bulow), 1887, A., 138.

Benzildiphenylhydrazone, action heat on (Auwers and Miyer), 1889, A., 51.

Benzilphenylmethyl-hydrazone and -osazone (Kohlrausch), 1890, A., 24.

Benzimidazoles (BAMBERGER and Lor-ENZEN), 1892, A., 631; (BAMBERGER and BERLÉ), 1892, A., 632.

Benzimidoacetate (PINNER), 1892, A.,

Benzimido-S-chlorethyl ether (GAB-RIEL and NEUMANN), 1892, A., 1331.

Benzimidocinnamic acid, and its derivatives (PLOCHL), 1884, A., 604, 1848; (Rebuffat), 1890, A., 623.

Benzimidocoumarin (PLÖCHL and Wol-FRUM), 1885, A., 898.

Plochl's, and its isomerides (REBUF-FAT), 1890, A., 621.

Benzimidoethyl ether, m-nitro- (TA-FEL and Enorm), 1890, A., 973.

Benzimidopropionylethylic cyanide

(Burns), 1891, A., 888. derivatives of (Burns), 1892, A., 450. Benzobenzenylamidine (PINNER), 1889, A., 1005.

Benzobenzenyl/liamidothymol ZARA), 1891, A., 47.

Benzobenzylamide, p-nitro- (HAFNER), 1889, A., 982.

Benzobenzylanilide, o-amido- (Söder-BAUM and WIDMAN), 1890, A., 1258. Benzobenzylidenehydrazide (Currius), 1891, A., 56.

Benzobenzyl-p-nitranilide (MELDOLA and Salmon), 1888, T., 780.

Benzobenzyl-p-toluidide (RABAUT), 1892, A., 313.

Benzobenzyl-m-xylidide (JABLAN-(10). NEI), 1892, A., 1320.

Benzo-m-bromanilide (Korrennan), 1891, A., 1237.

Benzo-p-bromanilide (PINNOW), 1892, A., 460.

Benzotribromanilide (BORRELLI), 1888, A., 1292.

Benzocamphylamine (GOLDSCHMIDT and Schulhof), 1886, A., 557.

Benzochloralimide (MOSCHELES), 1891. A., 1003.

Benzo-p-chloranilide, p-chloro- (Dirтпин), 1891, А., 1237.

Benzocumidide (Gudeman), 1888, A., 1282.

Benzo-ψ-cumidide, and its derivatives (Fromeich), 1884, A., 1319; 1885, Λ., 154.

Benzocumylamide (Goldschmidt and Gessen), 1889, A., 773.

Benzocyanamide (Buddéus), 1890, A., 1253.

Benzoisocymidide, and its nitro-compound (Kelbe and Warth), 1884, A., 46, 47.

Benzodibenzylhydroxylamine (Bru-REND and LEUCHS), 1889, A., 501.

Benzodimethyldifurfuran. See Benzenedimethyldifurfurau.

Benzodi-\$-naphthylamide, action of phosphorus pentachloride and pentoxide on (CLAUS and RICHTER), 1884, A., 1358.

Benzodiphenylhydrazide (TAFEL), 1892. A., 711; (GATTERMANN, JOHNSON and Holzle), 1892, A., 843.

Benzodi-o-tolylhydrazide (GATTER-MANN, JOHNSON and Hölzle), 1892, A., 813.

Benzoglycocine. See Hippuric neid. Benzohydrazide (Currius), 1891, A., 56.

Benzoic acetic anhydride (AUTEN-

RIETH), 1888, A., 251. action of hydrochloric acid and of chlorine on (GREENE), 1885, A.,

m-nitro- (GREENE), 1890, A., 53.

Benzoic acid, in coal tar oils (Schulze), 1885, A., 792.

preparation of (STARTING), 1889, A., 874.

preparation of, from benzene (FRIE-DEL and CRAFTS), 1889, A., 242,

Benzoic acid, preparation of, from gum benzoin, and substances accompanying (JACOBSEN), 1884, A., 1168.

preparation of, from urine (DYMOND), 1884, A., 904.

specific heat of (HEss), 1889, A., 93, 94.

heat of combustion of (BERTHELOT and LUGININ), 1887, A., 762.

heats of combustion and formation of (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1096.

action of chromium hexafluoride on (JACKSON and HARTSHORN), 1885, A., 1224.

action of hydrogen peroxide on (HAN-RIOT), 1886, A., 801.

action of nitrous anlydride on (FRIEDBURG and MANDEL), 1890, A., 1401.

action of melting potassium hydroxide on (BARTH and SCHREDER), 1883, A., 467.

hydrogenation of (ASCHAN), 1891, A., 1053, 1481.

inversion of cane sugar by (KORAL), 1886, A., 932.

manganese salt of (SEUBERT), 1887, A., 582.

detection of, in foods (MOHLER), 1890, A., 1031.

detection of, in milk (MEISSL), 1883, A., 385.

test for catechol in (JACOBSEN), 1884, A., 1169. separation of, from salicylic acid

(SCHAAP), 1892, A., 1532. Benzoic acid, o-amido-. See Anthranilic

acid. m-anido-, condensation of, with benzaldohydo (HANTZSCH and KRAFT), 1892, A., 339.

action of phosphorus pentachloride on (GRIMAUX), 1884, A., 905.

action of thiocarbimides on (Asuhan), 1884, A., 907.

derivatives of (Pellizzahl), 1886, A., 548.

cyano- (TRAUBE), 1883, A., 192. p-amido-, action of alkylic iodides on

(MICHAEL and WING), 1886, A., 148. m-, and p-amido-, conversion of, into phthalic acids (SANDMEYER), 1885, A., 981.

reactions of (OECHSNER DE CONINCK), 1892, A., 847, 1380.

3:4-diamido- (Zehra), 1891, A., 308.
3:5-diamido-, action of p-diazobenzene sulphonic acid on (Griess), 1883, A., 184.

2:3:5-triamido- (GRIESS), 1883, A., 184.

Benzoic acid, m-bromo-, preparation of (GRIESS), 1885, A., 788.

p-bromo, and its derivatives (Hun-NER; RAVEILL; BURGHARD; BEUTNAGEL; SMITH), 1884, A., 601; (EREERA), 1887, A., 1107.

iodation of (Hough), 1892, A., 714.

dibromo- (four) (CLAUS and WEIL), 1892, A., 1205.

2:4-dibromo-, and its derivatives (Hubner; Burghard; Beutnagel), 1884, A., 601.

 and 3:4-dibromo-, and 3:4:5tribromo- (CLAUS and REH), 1892, A., 171.

4:2-bromamido- (CLAUS and SCHEU-LEN), 1891, A., 565.

4:3-bromocyano- (Schöfff), 1892, A., 337.

2:5-bromonitro-, amide, anilide, and chloride of (Groumann), 1892, A., 326.

3:4- and 4:2-bromonitro- (CLAUS and SCHEULEN), 1891, A., 564.

3:5-bromonitro-, and its derivatives (HÜBNER; HESEMANN and KOH-LER), 1884, A., 599.

4:3-bromonitro, and its derivatives (Hunner; RAVELL), 1884, A., 600; (GROHMANN), 1891, A., 305; (HOUGH), 1892, A., 714.

3:4:2 (or 6)-dibromonitro-, and its derivatives (Hubner; Smith), 1884, A., 601.

3:5:2-dibromonitro-, and its derivatives (HESEMANN and KÖHLER), 1884, A., 600.

chloro- (Currius), 1883, A., 339. preparation of (Griess), 1885, A., 788.

o-chloro-, and its derivatives (Hub-NER; WILKENS and RACK), 1884, A., 602.

p-chloro-, and its derivatives (HÜB-NER; RAVEILL; BURGHARD; BEUT-NAGEL; SMITH), 1884, A., 601.

2:3-, 2:5-, and 3:4-dichloro- (LELL-MANN and KLOTZ), 1886, A., 452; (CLAUS and BÜCHER), 1887, A., 828; (CLAUS and STAVENHAGEN), 1892, A., 1206.

3:4:5-trichloro- (CLAUS and BÜCHER), 1887, A., 828.

2:3:4:5-tetruchloro- and its derivatives (Tust), 1887, A., 1046.

2:4, 2:6, 3:4, 4:2-chlorobromo-(Willgerodt and Salzmann), 1889, A., 985.

2:4-chloronitro-(TIEMANN), 1891, A., 704.

Benzoic acid, 2:4-chloronitro-, chloride, amide, and anilide of (Gron-MANN), 1892, A., 327.

3:2- and 3:4-chloronitro- (CLAUS and BÜCHER), 1887, A., 828.

3:4- and 4:3-chloronitro- (CLAUS and Kurz), 1888, A., 594.

4:2-chloronitro- (VARNHOLT), 1887, A., 946.

2:3:5(?)-chlorodinitro-(HÜBNER; WILKENS and RACK), 1884, A.,

dichloronitro- (CLAUS and BÜCHER), 1887, A., 828.

m-cyano-, and its derivatives (SAND-MEYER), 1885, A., 981; (BRÖMME), 1887, A., 484.

m- and p-cyano-, behaviour of, on distillation (BRÖMME), 1887, A.,

fluoro-, preparation of (GRIESS), 1885, A., 788.

difluoro-, and some of its salts (JACKson and Hartshorn), 1885, A., 1224.

halogen derivatives (WILLGERODT and Salzmann), 1889, A., 985.

p-iodo- (Pahl), 1884, A., 1009. o-nitro-, derivatives of (Bischoff and

RACH), 1885, A., 263.

o-, m-, and p-nitro-, conversion of the three nitranilines into (SAND-MEYER), 1885, A., 981.

3:5-nitramido-, action of potassium cyanate on (GRIESS), 1885, A., 54. 4:5-nitramido- (THIEME), 1891, A.,

sulpho-. See Sulphobenzoic acid.

Benzoic acids, substituted (Hübner), 1884, A., 314, 599.

Benzoic anhydride, mode of formation of (Minunni and Caberti), 1891,

behaviour of, in the organism (SALKOWSKI), 1888, A., 864.

anhydrimide, m-nitro- (Schulze), 1889, A., 779.

bromamide and its o-, m-, and p-derivatives (Hoogewerff and van

DORP), 1889, A., 981. chloride, action of, on arsenic trioxide (Portl), 1889, A., 767.

action of, on silver cyanurate (SENIER), 1886, T., 313.

action of, on sodium cyanamide (Buddeus), 1890, A., 1253. impurities in commercial (MEYER),

1892, A., 604. as a reagent (v. UDRÁNSZKY and

BAUMANN), 1888, A., 1296. o-bromo- (Schöpff), 1891, A., 295. Benzoic chloride, o- and p-bromo-(SCHOTTEN), 1888, A., 1106.

fluoride (Guenez), 1891, A., 200. nitride (Currius), 1891, A., 56. peroxide, as a dehydrogenising agent

(IAPPMANN), 1887, A., 151.

Benzoic sulphinide (REMSEN and PAL-MER), 1887, A., 144.

action of acids on (Remsen and Burron), 1890, A., 94.

derivatives of (DE ROODE), 1891, A., 1226.

sodium derivative of (FAHLBERG and List), 1887, A., 835.

ethereal salts of (BRACKETT), 1888, A., 282.

Benzoic sulphinide, p-amido-, and pnitro- (Noves), 1886, A., 804. p-bromo- (REMSEN and BAYLEY),

1887, A., 145; (DE ROODE), 1891, A., 1227.

p-chloro-, p-fluoro-, and p-iodo-(DE ROODE), 1891, А., 1227.

Benzoid, amido- (Piutri), 1883, A., 999.

Benzoin, Siamese (Hirschsohn), 1885, A., 620.

action of p-amidodimethylaniline on

(VOGTHERR), 1892, A., 855. action of ammonium formate on (LEUCKART), 1890, A., 784.

action of primary aromatic amines on (Voigt), 1886, A., 887.

action of carbamide and thiocarbamide on (Anschütz and Geldermann),

1891, A., 725. action of lead oxide, and of hydroxylamine on (Wittenburg and Meyer), 1883, A., 804.

substitution in (Pärcke), 1888, A., 701.

compound of acctone with (Japp and RASCHEN), 1890, T., 783; P., 189. ammonia derivatives of (JAPP and

Witson), 1886, T., 825. isobutyl ether (Paroke), 1888, A., 701.

Benzoinam (JAPP and WILSON), 1886, T., 825.

Benzoinanilide, and its derivatives (Voicity), 1885, A., 1067.

Benzoindialdehyde (Oppenheimen), 1886, A., 876.

Benzoindicarboxylic acid (OPPEN-HEIMER), 1886, A., 877.

Benzoindole. See Benzoylindole. Benzoinidam (JAPP and WILSON), 1886, T., 830.

Benzoinimide. See Ditolaneazotide. Benzoinoxime, a second (WERNER), 1890, A., 1264.

Benzoinphenylhydrazine(Pickel), 1886, A., 545.

Benzomethylamide, o-amido-DIGE), 1887, A., 1043.

Benzomethylanilide, and its nitro-derivatives (HESS), 1885, A., 783.

Benzomethyl-m- and -p-nitranilides (MELDOLA and SALMON), 1888, T., 776.

Benzomethyltoluenesulphonamide (toluenesulphonbenzomethylamide) (REMsen and Palmer), 1887, A., 145.

Benzo-\$-naphthylamide (KLOPSCH). 1885, A., 990

Benzo- α -naphthylhydrazide (FREUND), 1892, A., 509.

Benzo-β-naphthylhydrazide (HAUFF), 1890, A., 61.

Benzo-β-naphthylimido-chloride (Just),

1886, A., 617. Benzo- α - and - β -naphthylmethylamides (HESS), 1885, A., 784.

Benzo-S-naphthylphenylamine, and the action of phosphorus pentachloride and pentoxide on (CLAUS and RICHTER), 1884, A., 1358.

Benzo-o-nitranilide, reduction of (MIX-TER), 1884, A., 1327.

Benzo-p-nitranilide, o-chloro- (WIL-KENS and RAOK), 1884, A., 602. Benzonitrile, preparation of (HEIM), 1883, A., 1111.

preparation of, from formanilide Gasiorowski and Merz), 1884, A., 734.

heats of combustion and formation of (BERTHELOT and PETIT), 1889, A.,

action of benzoic chloride on (EITNER and Krafft), 1892, A., 1183.

action of hydroxylamine on (TIE-MANN and Kuugen), 1884, A., 1325.

action of hydroxylamine hydrochloride

on (TIEMANN), 1884, A., 734. action of organic acids on (Colby and

Dodge), 1891, A., 409. action of sodium hypobromite on (Denices), 1889, A., 139.

action of furning sulphuric acid on (PINNER), 1884, A., 1324; 1885, A., 142; (Gumpert), 1885, A., 52.

action of sulphuric anhydride on (EITNER), 1892, A., 713.

compound of, with hydrogen iodide (BILTZ), 1892, A., 1449.

toxic action of (LABORDE and MAG-

NAN), 1888, A., 738. transformation of, in the organism (GIACOSA), 1884, A., 1061.

Benzonitrile, o., m., and p-bromo-(Schopff), 1891, A., 295.

2:4-, 2:5-, 3:5-dibromo- (CLAUS and Weil), 1892, A., 1205, 1206.

perbromo- (MERZ and WEITH), 1884, A., 588.

m-bromo-p-nitro- and p-bromo-o-nitro-(CLAUS and Scheulen), 1891, A., 565.

o- and p-bromo-m-nitro- (SCHOPFF),

1891, A., 296. 3:5- and 2:6-dichloro- (CLAUS and STAVENHAGEN), 1892, A., 1206.

perchloro- (Merz and Weifh), 1884, A., 589.

chloronitro- (CLAUS and KURZ), 1888, A., 594.

o-nitro- (MEYER), 1886, A., 63.

m-nitro- (GABRIEL), 1883, A., 916; (Schopff), 1885, A., 896.

Benzo-o-nitrobenzylanilide, reduction of (Lellmann), 1891, A., 726. Benzo-o-nitrodi-β-naphthylamide (Ris),

1888, A., 58.

Benzophenone, action of acetic chloride on, in presence of zinc-dust (PAAL),

1884, A., 1167. action of ammonium formate on (LEUCKART and BACH), 1886, A.,

action of heat on (BARBIER and ROUX).

1886, A., 865. action of hydrazine hydrate on (CURTIUS and RAUTERBERG), 1891, A., 1358.

action of phosphoric sulphide on (JAPP and RASCHEN), 1886, T., 478; P., 204.

action of sodium on (BECKMANN), 1889, A., 781.

derivatives (GEIGY and KOENIGS), 1885, A., 1236; (STAEDEL and HAASE), 1890, A., 1422.

oximes of (SMITH), 1892, A., 487. homologues of (ELBS), 1886, A.,

sodium compound of (Beckmann and PAUL), 1892, A., 170.

Benzophenone, o-amido- (GEIGY and KOENIGS), 1885, A., 1236.

p-amido- (benzaniline) (v. BAEYER and Lone), 1890, A., 1142.

constitution of (FROHLIGH), 1885, A., 154.

sulphite (Michaelis), 1891, A., 716. (WICHELHAUS), (α) 4:4'-diamido-

(2) 2:2'-diamido-, and its compounds (Staeder), 1888, A., 991.

o-bromo- (CATHUART and MEYER). 1892, A., 992.

Benzophenone. m-hromo-(KOTTEN-HAHN), 1891, A., 1236.

m-dibromo- (DEMUTH and DITTRICH), 1891, A., 315.

p-dibromo- (HOFFMANN), 1891, A.,

o- and p-bromo-m-nitro-, p-dibromom-nitro-, and p-dibromo-di-m-nitro-(Schöpff), 1892, A., 336.

p-bromo-m-nitro-p-amido- (Schopff), 1892, A., 336.

and \$6-p-chloro-, benzyl ether (DEMUTH and DITTRICH), 1891, A.,

*p-di*chloro-(DITTRICH), 1891, A., 1237. *p-di*cyano-(Brömme), 1887, A., 484.

halogenated, oximes of (AUWERS and MEYER), 1890, A., 1144; (DE-MUTH and DITTRICH), 1891, A., 314; (Hoffmann), 1891, A., 1236.

imido-hydrochloride (HANTZSCH and

Kraft), 1892, A., 339. iodo- and *p-di*iodo- (Hoffmann), 1891, A., 1236.

o-nitro- (GEIGY and KOENIGS), 1885, A., 1236.

m-nitro- (Becker), 1883, A., 203.

p-nitro- (BASLER), 1884, A., 310. p-dinitro- (Lange and Zufall), 1892, A., 1460.

tetranitro- (STAEDEL), 1883, A., 991. m-nitro-p-amido- (Schöfff), 1892, A., 336.

tetranitrodiamido- (VAN ROMBURGII), 1889, A., 147.

thio- (Bergreen), 1888, A., 445. Benzophenoneacetic acid, dithio- (Bon-

GARTZ), 1886, A., 938. Benzophenone - p - amidobenzoic (HANTZHUH and KRAFT), 1892, A., 310.

Benzophenonedicarboxylic acid (benzoylphthalic acid) (Kospendowski), 1886, A., 626.

and its lactone (GRAEBE and JUIL-LARD), 1888, A., 155.

Benzophenone - p - dicarboxylic acid (Brömme), 1887, A., 484.

Benzophenoneoxime, action of nitric peroxide on (Scholl),1891, A., 315. action of phosphoric sulphide on (Dodge), 1891, A., 1238.

Benzophenoneoximes, amido- (AUWERS and v. MEYENBURG), 1891, A., 1378; (SMITH), 1892, A., 489.

m-bromo- (Kottenhahn), 1891, A., 1236.

p-bromo- (Sunäfer), 1891, A., 1235. dibromo- (DEMUTH and DITTRICH), 1891, A., 315; (HOFFMANN), 1891, A., 1236.

Benzophenoneoximes, p-chloro- (DE-Murn and Dirinich), 1891, A., 311; (II an ezsen), 1891, A., 445. intramolecular change of (Wickerпоғғ), 1889, А., 1066.

s-p-dichloro- (Diffrich), 1891, A., 1237.

Benzophenonephenylhydrazone (Fisoner), 1884, A., 1151; (Pickel), 1886, A., 545.

Benzophenonesulphone (GRAEBE and SCHULTESS), 1891, A., 1059,

Benzophenonidene pyrothiophosphite (JAPP and RASCHEN), 1886, T., 481.

Benzophenoxyethylamide (Schreiber), 1891, A., 552.

Benzophenylacetonehydrazide (ucctonebenzoylphenythydrazide)_(Ruhemann and BLACKMAN), 1889, T., 615.

Benzophenylcarbamide (PINNER), 1889, A., 1005.

preparation of (KUHN), 1885, A., 260. Benzo-o-phenylenediamine (Mixter), 1884, A., 1327.

Benzophenylethylthiocarbamide (Dixon), 1889, T., 305.

Benzophenylhydrazide (PERKIN STENHOUSE), 1891, P., 42.

amido- (Pellizzari), 1886, A., 1025. p-nitro- (Haussknecht), 1889, A.,

as-Benzophenylhydrazide, and its derivatives (MICHAELIS and SCHMIDT), 1887, A., 820; 1889, A., 1160.

Benzophenylhydrazides, isomeric (MI-CHARLIS and SCHMIDT), 1887, A.,

See also Benzoylphenylhydrazide. Benzophenylketodihydro-m-diazine.

See 3'-Phenyl-2'-ketotetrahydroquinazoline.

Benzophenylmethylhydrazide (TAFEL), 1885, A., 1060.

Benzophenylsemicarbazide (MICHAELIS and Schmidt), 1887, A., 820.

Benzophenylsemithiocarbazide (Dixon), 1889, T., 304.

Benzophenyltoluenesulphonamide (toluenesulphenbenzanilide) (REMSEN and PALMER), 1887, A., 146.

β-Benzopinacoline, constitution of (DEL-ACRE), 1891, A., 456.

Benzopinacolines, α - and β - (PAAL), 1884, A., 1167

Benzopiperidylthiocarbamide (DIXON), 1889, T., 623.

Benzopiperylhydrazide (Knork), 1884, A., 467.

Benzoquinol. See Quinol. Benzoquinone. See Quinone. Benzothiocarbimide and aldehyde-ammonia (Dixon), 1892, T., 532,

Benzothio- β -dinaphthylamide 1890, A., 1306.

Benzothiodiphenylamide (FRAENKEL), 1885, A., 1130.

Benzotoluenesulphonamide (toluenesulphonbenzamide) and its derivatives (REMSEN and PALMER), 1887, A., 145.

Benzo-o-toluidide, thio- (STIEGLITZ), 1890, A., 256.

Benzo-p-toluidide (Muller), 1890, A., 43.

p-nitro-, and nitrothio- (GATTERMANN and NEUBERG), 1892, A., 839. thio- (MULLER), 1890, A., 43.

Benzo-o- and -p-toluidides (GUDEMAN), 1888, A., 1282.

Benzo-p-toluidimido-chloride (Just), 1886, A., 617.

"Benzotoluidine sulphite" (Michaelis), 1891, A., 717.

Benzo-o-tolylearbamide (GATTERMANN and CANTZLER), 1892, A., 832.
Benzo-o-tolylhydrazide (GATTERMANN,

Johnson, and Holzle), 1892, A., 843.

Benzotrichloride, action of copper on (Onufrowicz), 1884, A., 1133.

action of sodium benzenesulphinate on (R. and W. Orro), 1888, A., 841.

compounds of, with phenols and phenylamines (DOEBNER), 1883, A., 861.

p-chloro- (KLEPL), 1884, A., 447. o-cyano- (GABRIEL and WEISE), 1888, A., 261.

Benzotrimethyltrifurfuran. See Benzenetrimethyltrifurfuran.

See Benzenylamid-Benzoxamidine.

Benzoximido-ether (PINNER), 1884, A.,

Benzo-m-xylylamide (Buömme), 1888. A., 1296.

Benzoxylidide and its thio-derivative (GUDEMAN), 1888, A., 1282. Benzo-m-xylidide (SMITH), 1892, A.,

Benzo-p-xylidide (Prlug), 1890, A.,

Benzoyl, amido*di*cyano-, derivatives of (Griess), 1885, A., 1225.

Benzoylacetaldehyde, action of hydroxylamine on (CLAISEN and STOCK), 1891, A., 451.

Benzoylacetaldoxime (CLAISEN and STOOK), 1891, A., 451.

Benzoylacetamide (OBREGIA), 1892, A.,

Benzoylacetanilide (KNORR), 1888, A., 1113.

Benzoylacetic acid, and its derivatives (V. BABYERI, 1883, A., 336; (PERKIN), 1881, T., 170, 176; 1885, T., 240, 262; P., 17, 31; (V. BAEYER and PERKIN), 1884, A., 63, 838; (PERKIN and CALMAN), 1886, T., 154; P., 139; (PERKIN and STENHOUNE), 1891, T., 996; P. 190.

p-nitro-, and its derivatives (PERKIN and Bellenot), 1884, A., 1023; 1885, A., 794; 1886, T., 440; P., 193.

Benzoylacetone (acctylacetophenone) (Fischer and Kuzer), 1884, A., 60; (GEVEKOHT), 1884, A., 445; (CERESOLE). 1884, A., 1167; 1884, A., (BEYER and CLAISEN), 1887, A., 943; (CLAISEN and LOWMAN), 1888, A., 692.

preparation of (FISCHER and BULOW), 1885, A., 1237.

magnetic rotation of (PERKIN), 1892, T., 831, 863

action of p-amidodimethylaniline on

(VOGTHERR), 1892, A., 855. derivatives of (Fischer and Bulow), 1885, A., 1237.

dicyanhydrin, acids from (CARLSON), 1892, A., 1471.

methylimide (BEYER), 1891, A., 1091. Benzoylacetone, a-cyano-(Burns), 1892, A., 451.

o-nitro-derivative of (FISCHER and Kuzel), 1884, A., 59; (Gevekoht), 1884, A., 445.

oxime of (Ceresole), 1884, A., 1167. (FISCHER and Benzoylacetoneamine Bulow), 1885, A., 1237.

Benzoylacetoneaniline (BEYER), 1887, A., 849.

Benzoylacetonitrile and its derivatives (Haller), 1886, A., 240; 1887, A., 826; 1888, A., 873; (Barthe), 1888, A., 951; (v. Meyer), 1890, A., 849; (CLAISEN and STOCK), 1891, A., 451; (Obregia), 1892, A., 324; (Garelli), 1892, A., 845.

Benzoylacetophenone, preparation of (Perkin), 1885, T., 251.

Benzoylacetyl. See Phenyl methyl

Benzoylacetyl. diketone.

Benzovlacetylacetonitrile (brnzoylacetylmethylic cyanide) (Burns), 1892, A., 451.

Benzoylacetylphosphinous acid (VILLE), 1890, A., 619.

Benzoylaconine, formation of (DUNsran and Passmore), 1892, T., 401.

Benzoylallylacetic acid (benzoylpentenous acid) (PERKIN), 1884, T., 185; ucid) (Perkin), 1884, (BAEYER and PERKIN), 1884, A, 63.

Benzoylamarine, and its derivatives (CLAUS and SCHERBEL), 1886, A., 238.

Benzoylamyl-d-ecgonine hydrochloride (EINHORN and MARQUARDT), 1890, A., 913.

acid β-Benzoyl-α-isoamylpropionic (PAAL and HOFFMANN), 1890, A., 1101.

Benzoylaniline. See Benzophenoue, p-amido-.

Benzoylanisenylamidoxime (MILLER), 1890, A., 145.

p-Benzoylanisoil (GATTERMANN, EHR-HARDT, and MAISCH), 1890, A., 963. Benzoylanthranil, and benzoylanthran-

ilic acid, and its salts (FRIEDLANDER and Wletgel), 1884, A., 61.

Benzoylazoimide (Curtius), 1891, A.,

Benzoylisobenzaldazine (Currius and THUN), 1891, A., 1356.

"Benzoylbenzeneazoacetone" and "benzoylbenzenehydrazo-o-cresol" (GOLDSCHMIDT and POLLAK), 1892, A., 975, 977.

"Benzoylbenzenehydrazo-p-cresol" " benzoylbenzenehydrazo-αnaphthol" (Goldschmidt and Bru-BACHER), 1891, A., 1209, 1211.

Benzoylbenzenetetracarboxylic (Essner and Gossin), 1885, A., 254. Benzoylbenzenylamidoxime (TIEMANN and Kruger), 1884, A., 1326.

Benzoylbenzethylhydroxylamine (PIE-PER), 1883, A., 461.

o-Benzoylbenzoic acid (benzophenone-oanthraquinone carboxylic acid), from (Perkin), 1891, T., 1012.

phenylhydrazine of (Rosen) 1885, A., 797. m-chloro- (Graebe and Ree), 1886,

T., 530. dichloro- (LE ROYER), 1887, A., 832.

tetrachloro-(Kircher), 1887, A., 831. m-Benzoylbenzoic acid and its reduction

products (SENFF), 1884, A., 427. Benzoylbenzylamarine (CLAUS SCHERBEL), 1886, A., 238.

Benzoyibromothymol (MAZZARA), 1890, A., 366.

Benzoylbutaldehyde (CLAISEN MEYEROWITZ), 1890, A., 358.

Benzoylisobutylecgonine (Novy), 1887, A., 1126. hydrochloride (EINHORN and MAR-QUARDT), 1890, A., 913.

Benzoylbutylic alcohol (Perkin), 1887, T., 733; (Kipping and Perkin), 1890, T., 309.

oxime of (Kipping and Perkin), 1890, T., 310.

bromide (Perkin), 1887, T., 732. Benzoylcaproic acid. See Benzoyllicxoic

Benzoylcarbazole (BIZZARRI), 1891, A., 220; (Mazzara), 1891, A., 570.

Benzoylcarbinol (hydroxyactophenone), constitution of (PLUCHL and BLUM-LEIN), 1883, A., 983. phenylhydiazone (Laubmann), 1888,

A., 366.

p-nitro- (ENGLER and ZIELKE), 1889, A., 505.

Benzoylcarvoxime (Goldschmidt and Zurrer), 1885, A., 1058.

"Benzoyl-m- and -p-chlorobenzeneazo-p-cresols" and "benzoyl-m-chlorobenzenehydrazo-p-cresol" SCHMIDT and POLLAK), 1892, A., 975.

Benzoyl-compounds, preparation (Hoffmann and Meyer), 1892, A.,

heat equivalents of (STOHMANN, Ro-DATZ, and HERZBERG), 1887, A., 878; 1888, A., 333.

of carbohydrates, glucosamine and glucosides (Kueny), 1890, A., 578.

Benzoylcotarnine and its oxime (Rosen), 1890, A., 528.

Benzoyl-ψ-cuminol (Fronlich), 1884, A., 1319.

Benzoyleyanocamphor (HALLER), 1891, A., 1499.

Benzoyldihydropyrroline (ANDERLANI), 1890, A., 65. derivatives of (ANDERLINI), 1890, A.,

1430.

Benzoyldihydroxyanhydroecgonine, derivatives of (EINHORN and RASSOW), 1892, A., 1016.

Benzovldihydroxybenzenesulphonic acid (dihydroxybenzophenonesulphonic acid), ammonium salt of (Remsen and Linn), 1889, A., 710.

Benzoyldiphenylsemithiocarbazide (MICHAELIS and SCHMIDT), 1887, A., 820; 1889, A., 1160.

Benzoylisodurene (Essner and Gossin), 1885, A., 253.

Benzoylecgonine (MERCK), 1885, A., 997; (SKRAUP), 1885, A., 1249. preparation of (LIEBERMANN and GIESEL), 1889, A., 168. conversion of, into cocaine (SKRAUP),

1885, A., 1249.

Benzoylenecarbamide. See 2:4'-Diketodihydroquinazoline.

Benzoylethoxyfurfurine (BAHRMANN), 1853, A., 800.

Benzoyl-a-ethoxynaphthalene (ethoxynaphthylphenylletone) (Garibemann, Ehrhiardyr, and Maisch), 1890, A., 964.

Benzoylethyl-o-carboxylic acid (phenyl cthyl ketone o-curboxylic acid) (Roser), 1886, A., 243.

Benzoylethylenecarboxylicacid, phenylhydrazide of (Roser), 1885, A., 797. α-Benzoylethylic cyanide. See Benzoyl-

propionitrile.

β-Benzoyl-α-ethylpropionic acid (benzoylvaleric acid) (DITTRICH and PAAL), 1889, A., 257.

β-Benzoyl-α-ethylisosuccinic acid (DII-TRICH and PAAL), 1889, A., 257.

Benzoyleugenol, dibromo- (Woy), 1890, A., 638.

Benzoylisoeugenol (TIEMANN), 1892, A., 46.

Benzoylformic acid. See Phenylglyoxylic acid.

Benzoylformoxime, configuration of (Soderbaum), 1891, A., 1043. action of hydroxylamine on (Scholl), 1891, A., 288.

Benzoylgiutarimidoxime(GARNY), 1892, A., 138.

Benzoylglyoxylic acid, o-amido- (quinisate acid), and its salts (v. BAEYER and HOMOLKA), 1884, A., 79.

ω-Benzoylhewoic acid and its oxime (ΚΙΓΡΙΝG and PERKIN), 1889, Τ., 350; P., 79.

Benzoylhomobenzenyl-. See Benzoyl-hydroxytolenyl-.

Benzoylhomoconic acid, and its salts (Schotten and Baum), 1885, A., 176.
Benzoylhomopiperidic acid. See 5-

Benzoylhomopiperidic acid. See 5-Benzamidovaleric acid.

Benzoylhydrochlorocarvoxime (WAL-LACH), 1892, A., 1348.

8-Benzoylhydrocinnamic acid (JAPP and MILLER), 1885, T., 32.

Benzoylhydroxycocaylacetic acid (EIN-HORN), 1889, A., 168. Benzoylhydroxycthylnyridine (KLEIN).

Benzoylhydroxyethylpyridine (KLEIN), 1890, A., 1437.

Benzoylhydroxyhydrazobenzene (Goldschmidr and Brubacher), 1891, A., 1210.

a-Benzoylhydroxynaphthaquinone (Kegel), 1888, A., 1308.

Benzoylhydroxypropylpiperidine (LAUN), 1884, A., 1055.

Benzoyl-p-hydroxytolenylamidoxime (SCHUBART), 1886, A., 798.

Benzoylhydroxytropeine and its salts (Ladenburg), 1883, A., 671.

Benzoylindole (Ruhemann and Black-Man), 1889, T., 617.

Benzoylindolecarboxylic acid (RUHE-MANN and BLACKMANN), 1889, T., 617. Benzoyl / iodophenol (SCHALL), 1883,

A., 1109.

Benzoylisatin and benzoylisatinic acid (SCHOTTEN), 1891, A., 723.

Benzoyllimonene nitrosochloride (WAL-LACH), 1892, A., 1348.

Benzoylmesitylene (trimethylbenzophenone) (LOUISE), 1883, A., 577.

Benzoylmesitylenic acids (Louise), 1886, A., 353.

Benzoyl-p-methoxybenzenylamidoxime (MILLER), 1889, A., 254.

Benzoylmethyleogonine. See Cocaine, under Alkaloids.

Benzoylmethylic cyanide, imido-. See Phenylimidopropionitrile.

Benzoyl-2'-methylindole (FISCHER and WAGNER), 1887, A. 588.

3-Benzoyl-2'-methylquinoline (benzoyl-quinaldine) (HINZ), 1888, A., 300.

Benzoylmethyltaurine (GABRIEL and HEYMANN), 1891, A., 701.

Benzoyl-2'-methyltetrahydroquinoline, oxidation and nitro-derivatives of (Walter), 1892, A., 882.

Benzoylmethyltrimethylene (PERKIN and STENHOUSE), 1892, T., 86.

Benzoylmethyltrimethylenecarboxylic acid and its oxime (PERKIN and STENHOUSE), 1892, T., 84.

α-Benzoylnaphthaquinol (KEGEL), 1888, A., 1308.

Benzoylnaphthaquinones, a- and S- (KEGEL), 1888, A., 1307.

Benzoyl-\$\beta\text{-naphthenylamidoxime} (Righten), 1890, A., 62.

Benzoylnicotenylamidoxime (MICHAELIS), 1892, A., 207.

Benzoylnitrophenylpyrazolecarboxylic acid (MEYER), 1889, A., 516.

Benzoylnitrosoresorcinol, ethyl ether of (KRAWA), 1892, A., 45.

Benzoyloscine (Hesse), 1892, A., 1498. Benzoylosotriazole (BALTZER and v. PECHMANN), 1891, A., 1118.

Benzoyloxybutyric trichloride, tertiary (Willgeropt and Dunn), 1889, A., 690.

Benzoylparaleucaniline (RENOUF), 1883, A., 981.

p-Benzoylphenetoil(cthoxybenzophenone) (GATTERMANN, EHRHARDT, and MAISCH), 1890, A., 964.

Benzoylphenol. See Hydroxybenzophenone.

Benzoylphenylacetaldehyde (CLAISEN and MEYEROWITZ), 1890, A., 359.

Benzoylphenylamidoacetic acid (RE-BUFFAT), 1887, A., 1108.

Benzoylphenylazimethylene (Currius and THUN), 1891, A., 1357. reactions of (CURTIUS and LANG),

1892, A., 451.

Benzoylphenylbenzaldehyde hydrazine (RUHEMANN and BLACKMAN), 1889, Ť., 615.

Benzoylphenyl-o-benzoic acid (ELBS), 1890, A., 514.

Benzoylphenylbenzidinehydrazide (MI-CHARLIS and SCHMIDT), 1887, A.,

Benzovlphenyl-carbizine and thiocarb. izine (Freund and Goldsmith), 1888, A., 1187.

2-Benzoyl-1-phenyl-3:4-dimethylpyrazolone (NEF), 1892, A., 146.

Benzoylphenylenediphenylmethane (HANRIOT and SAINT-PIERRE), 1889, A., 882.

Benzoylphenylhydrazide (Ruhemann and BLACKMAN), 1889, T., 612; P., 127.

Benzoylphenylhydrazide. See also Benzophenylhydrazide.

Benzbylphenylhydrazidepyruvic acid (RUHEMANN and BLACKMAN), 1889, T., 616.

Benzoylphenylhydrazimethylene (Cur-TIUS and THUN), 1891, A., 1356.

Benzoylphenyldiodomethane(vhenyldi-iodobenzyl ketone) (CURTIUS and Lang), 1892, A., 451. 2-Benzoyl-1-phenyl-3-methylpyrazol-

one and its 4-bromo-derivative (NEF), 1892, A., 146.

4-Benzoyl-1-phenyl-3-methylpyrazolone (NEF), 1892, A., 146.

 $p ext{-}\mathbf{Benzoylphenylphenylsemithiocarb}$ azide (Ruhemann and Blackman), 1889, T., 615.

β-Benzoyl-β-phenylpropionic acid (deoxybenzoinucrtic ucid) (Meyen and Oelkers), 1888, A., 704; (Knoeve-NAGEL), 1888, A., 706; 1892, A., 1002.

Benzoyl-1-phenylpyrazole (Balbiano), 1890, A., 798.

Benzoylphenylsemicarbazide (Runemann and Blackman), 1889, T., 614.

Benzoylphthalic acid (benzophenonediacid) (Rospendowski), carboxylic 1886, A., 626.

Benzoylphthalo-4-cumidide (Fron-LICH), 1884, A., 1319.

Benzoylphthalo-\psi-cumidic acid (FROH-LIOH), 1885, A., 154.

Benzoylphthalo-p-toluidide (Fnön-LICH), 1885, A., 155.

β-Benzoylpicolinic acid (BERNTHSEN and METIEGANG), 1887, A., 737.

Benzoylpipecoline (Bunzum), 1889, A.,

Benzoylpiperidine, amido- and m-nitro-, and their derivatives (SCHOTTEN), 1888, A., 1105.

Benzoylpropaldehyde (CLAISEN MEYEROWITZ), 1890, A., 358.

B-Benzoylpropion-o-carboxylic acid and its salts (Rosen), 1885, A., 267.

a-Benzoylpropionitrile (a-benzoylethylic chanide) and its imido-derivative (v. MEYER), 1889, A., 577.

(Firrid and Benzoylpropionic acid LEONI), 1890, A., 895. oximes of (DOLLFUS), 1892, A., 1202.

phenylhydrazone (Kurs and PAAL), 1886, A., 355.

Benzoyl-B-propionic acids, alkylated (CLAUS), 1887, A., 827.

Benzoylisopropyl-o-carboxylic See Phenyl isopropyl ketone o-carboxylic acid.

Benzoylpropylecgonine (Novy), 1887, A., 1126.

Benzoylpropyl-il-ecgonine hydrochloride (EINHORN and MARQUARDT), 1890, A., 913.

Benzoylpropylic alcohol (phonyl hydroxypropyl ketone), and its oxime (MARSHALL and PERKIN), 1891, T., 886.

Benzoyl-α- and -β-pyridyllactic acids (EINHORN), 1890, A., 521; 1892, A.,

ψ-Benzoylpyrroline (CIAMICIAN DENNATEDT), 1885, A., 379. Benzoylpyruvic acid (ΒΕΥΕΝ

CLAISEN), 1887, A., 944. preparation of (Bromme and Claisen),

1888, A., 691.

oxime of (SALVATORI), 1892, A.,

Benzoylquinol (KLINGER and STANDKE), 1891, A., 900.

Benzoylresorcinol, nitro-(ERRERA). 1886, A., 51.

Benzoylretene (Louise and Perrier), 1892, A., 1205.

Benzoylsalicenylamidoxime (SPILKER), 1890, A., 143.

Benzoylscopoletin (TAKAHASHI), 1889, A., 256.

Benzoylisosuccinic acid (Bischoff), 1883, A., 912; 1886, A., 355; (Kurs and PAAL), 1886, A., 354.

Benzoylsuccinimidoxime(GARNY), 1892, A., 137.

Benzoylsulphobenzamidinic anhydride (EITNER), 1892, A., 713.

Benzoyltannin (Bottinger), 1890, A.,

Benzoyltetrahydroquinoline (Hoff-MANN and Koenigs), 1883, A., 1144.

Benzoyltetramethylene (Perkin), 1883, A., 1084.

Benzoyltetramethylenecarboxylic acid (Perkin), 1883, A., 1084.

Benzoyldithionaphthol. See Dibenzoyldisulphhydronaphthalene.

Benzoyl-p-toluic acid (ELBS and LARsen), ī885, A., 261.

1'-Benzoyltolylamido-1:4-naphthaquinone (Kegel), 1888, A., 1308.

Benzoyl-o-tolylthiocarbamide (DIXON), 1889, T., 622.

Benzoyltrihydroxybenzamidopyrroline (RUGHEIMER), 1889, A., 1210.

Benzoyltrimellitic acid (ELBS), 1887, A., 942.

Benzoyltrimethylene (PERKIN), 1885, T., 840.

reduction of (MARSHALL and PERKIN), 1891, T., 885.

oxime of (Penkin), 1884, A., 1155; 1885, T., 845; (Perkin and Sten-HOUSE), 1892, T., 86.

Benzoyltrimethylenecarboxylic and its salts (PERKIN), 1884, A., 64; 1885, T., 836.

action of hydrobromic acid on (PER-KIN), 1885, T., 842.

action of water on (FREER and PER-KIN), 1887, T., 837.

reduction of (MARSHALL and PERKIN), 1891, T., 884.

oxime of (MARSHALL and PERKIN), 1891, T., 883.

Benzoyltriphenylpropiomethylamide, and its distillation (KLINGEMANN and LAYCOCK), 1891, T., 147.

Benzoyltropeine (LADENBURG), 1883, A., 671.

Benzoyl-\psi-tropeine (LIEBERMANN), 1891, A., 1265.

Benzoylvaleric acid (β-benzoyl-α-ethylpropionic acid) (DITTRICH and PAAL), 1889, A., 257.

Benzoylxylenylamidoxime (OPPEN-HEIMER), 1890, A., 49.

Benzyl, bis-o-chloronitrosyl- (Behrend) and Nissen), 1892, A., 1200.

nitro-, chlorides of o- and m- (ABELLI), 1883, A., 1092.

bisnitrosyl- (dinitrosololuene) (BEH-REND and KONIG), 1890, A., 1122.
bis-p-nitronitrosyl- (Behrend and König), 1891, A., 1035.

Benzyl acetoxime and its hydrochloride

(JANNY), 1888, A., 581.

Benzyl isoamyl and isobutyl ethers. decomposition of, by heat and by nitric acid (Errera), 1887, A., 1103.

Benzyl ethyl ether (MULLER), 1886, A., 875.

p-chloro- and p-bromo-, and their decomposition by heat and by nitric acid (ERRERA), 1887, A., 1103.

o-chloro-p-nitro- (WITT), 1892, A., 445.

Benzyl mercaptan, p-bromo- (Jackson and HARTSHORN), 1884, A., 665.

o-cyano- (DAY and GABRIEL), 1890, A., 1250.

Benzyl methyl ether, action of phosphoric chloride on (Colson), 1885, A., 252.

o-chloro-p-nitro- (WITT), 1892, A., 444.

Benzyl methyl ketone, bromodinitro-(Jackson and Moore), 1889, A., 781; 1890, A., 773.

trinitro- (DITTRICH), 1890, A., 1419. selenomercaptan, Benzyl (Drory), 1891, A., 1460.

Benzyl tolyl ketone. See Tolyl benzyl ketone.

Benzyl o-, m-, and p-xylyl ketones (WEGE), 1892, A., 338.

Benzylacetamide, o-amido- (GABRIEL and Jansen), 1890, A., 1442.

p-nitro- (Amsel and v. Hofmann). 1886, A., 698; (HAFNER), 1889, A., 982; 1890, A., 486.

Benzylacetanilide (MELDOLA and SAL-MON), 1888, T., 780.

o-amido- (Paal and Krecke), 1892, A., 80.

o-nitro- (PAAL and KRECKE), 1890, A., 1443.

Benzylacetoacetic acid (CERESOLE), 1883, A., 41.

Benzylacetomethylamide, o-nitro-, and o-amido-(GABRIEL and JANSEN), 1892, A., 218.

Benzylacetone, m-amido- (V. MILLER and Roune), 1890, A., 1138. nitroso- (CERESOLE), 1883, A., 41.

Benzylacetone-o-carboxylic acid (Bü-Low), 1887, A., 144.

Benzylaceto-p-nitranilide (MELDOLA and SALMON), 1888, T., 779.

Benzylacetophenone (phenyl phenylcthyl ketone) (Schneidewind), 1888, A., 705; (Perkin and Stenhouse), 1891, T., 1007.

reduction of (PERKIN and STEN-

HOUSE), 1891, T., 1008. oxime of (Perkin and Stenhouse), 1891, T., 1008.

Benzylaceto-p-toluidide, o-amido-(SÖDERBAUM and WIDMAN), 1890, A., 1258.

Benzylacetoxyphosphinous acid (ucctoxylbenzylphosphinous acid) (VILLE), 1890, A., 619.

Benzylacetylglutaric acid (FITTIC and CHRIST), 1892, A., 963.

Benzylallylthiocarbamide (Dixon). 1891, T., 559.

"Benzylalsorbitol" (MEUNIER), 1890, A., 730.

Benzylamarine, and its derivatives (CLAUS and ELBS), 1883, A., 982; (Claus and Kohlstock), 1885, A., 1132.

benzoylchloride (CLAUS and SCHER-

BEL), 1886, A., 238.
platinochloride (CLAUS and ELBS),

1883, A., 982. Benzylamidoacetic acid, benzylamide of

(HINSBERG), 1892, A., 1458. o-Benzylamidoacetophenone, and its nitroso-derivative (v. BAEYER), 1884,

A., 1021. Benzylamidobenzeneazo-α-and-β-naph-

thols (Meldola and Coste), 1889, T., 596.

Benzylamidobenzoic acid (CLAUS and GLYCKHERR), 1883, A., 1009.

Benzylamidodimethylaniline(Kohler), 1888, A., 50.

Benzyl-p-amidodiphenylamine (HENCKE), 1890, A., 609.

Benzylamidosulphonic acid (SCHMIDT), 1892, A., 476.

Benzylamine (Currius and Lederer). 1887, A., 40.

preparation of (HOOGEWERFF and VAN DORP), 1887, A., 245; (GOLDschmidt), 1887, A., 249.

heat of formation of (PETIT), 1888, A., 1239.

action of bromine on (WALLACH), 1891, A., 189.

action of carbonyl chloride on (Kunn and RIESENFELD), 1892, 312.

condensation of, with furfuraldehyde (DE CHALMOT), 1892, A., 1452.

action of, on glycol chlorhydrin (GOLDSCHMIEDI and JAHODA), 1891, A., 1351.

action of, on methylenic chloride (KEMPFF), 1890, A., 887.

action of sulphur on (WALLACH), 1891, A., 189.

compounds of, with mercuric chloride (André), 1891, A., 1030.

hydrogen malate, action of heat on (GIUSTINIANI), 1892, A., 820.

Benzylamine, o-amido-(GABRIEL), 1887, A., 1037.

m-amido- (GABRIEL and HENDESS). 1888, A., 111.

p-amido-, and its salts (Amser and V. HOFMANN, 1886, A., 698; (ILAFNER), 1889, A., 982; (SAL-KOWSKI), 1889, A., 1174. diodo-(Biltz), 1892, A., 1449.

o-nitro- (GABRIEL), 1887, A., 1037; (GABRIEL and JANSEN), 1892, A., 217.

m-nitro- (GABRIEL and HENDESS), 1888, A., 144.

primary, and tertiary, and their amido-compounds (BORGMANN), 1886, A., 56.

p-nitro- (HAFNER), 1890, A., 486. hydrochloride (HAFNER), 1889, A., 982.

di-o-nitro- (GABRIEL and JANSEN),

1892, A., 218. trinitro- (MARQUARDT), 1886, A., 615.

Benzylamine-p-carboxylic acid (Gun-THER), 1890, A., 977.

Benzylammonium succinates and their derivatives (WERNER), 1889, T., 627; P., 127.

thiocyanate (DIXON), 1891, T., 553.

Benzylangelicalactone (ERDMANN), 1890, A., 376.

Benzylaniline, molecular refraction and dispersion of (GLADSTONE), 1891, T., 296.

action of sulphur on (WALLACH), 1891, A., 189.

Benzylaniline, amido-. See Benzylphonylenediamine.

o-chloro-p-nitro- (WITI), 1892, A.,

o-nitro-, and its derivatives (LELL-MANN and STICKEL), 1886, A., 793.

reduction of (PAAL and KRECKE). 1890, A., 1441.

p-nitroso- (FISCHER and HEPP), 1890, A., 614; (Boeddinghaus), 1891, A., 1205.

Benzylisoanisaldoxime (GOLDSCHMIDT), 1890, A., 1262.

γ-Benzylanthracene (BACH), 1890, A.,

Benzylanthracenesulphonic acid, barium salt of (BACH), 1890, A., 1145.

Benzylanthranol (BAOH), 1890, 1425.

Benzylarbutin (Schiff), 1881, A.,

Benzylarsines (MICHAELIS and PAE-Tow), 1885, A., 526.

Benzylbarbituric acid (CONRAD and GUTHZEIT), 1883, A., 314.

Benzylbenzaldoximes, α- and β- (Beck-MANN), 1889, A., 607, 608.

Benzylisobenzaldoxime (BEHREND and König), 1890, A., 1123. constitution of (Behrend), 1889, A.,

interaction of, with phenylic cyanate

(GOLDSCHMIDT), 1890, A., 1412. nitro-, isomeric forms of (BEHREND and KÖNIG), 1890, A., 1412; 1891, A., 1034.

m-nitro- (BEHREND), 1892, A., 50. Benzylbenzamide, o-amido-, and o-nitro-(GABRIEL and JANSEN), 1890, A.,

Benzylbenzenylamidine (Kehrmann and Messinger), 1892, A., 1110. See Dibenzyl-Benzylbenzenylamine.

amine.

Benzylbenziloximes (AUWERS MEYER), 1889, A., 609; (AUWERS and DITTRICH), 1889, A., 1192.

m-Benzylbenzoic acid, and its salts

(SENFF), 1884, A., 428.

Benzylbenzylidenediamidophenylamine (MELDOLA and Coste), 1889, T.,

Benzylborneols (HALLER), 1892, A.,

Benzylbromazimidobenzene and Arzberger), 1889, A., 502.

Benzylisobutylamine (ZAUNSCHIRM), 1888, A., 1077.

Benzylisobutylcarbamide (Künn and RIESENFELD), 1892, A., 312.

Benzylcamphor (HALLER), 1891, A., 1498 ; 1892, A., 73.

Benzylcamphoroxime (HALLER), 1892, A., 73.

 γ -Benzyl- δ -caprolactone. See 5-Hydroxy-y-benzylhexoic acid, lactone of.

Benzylcarbamide, o-nitro- (GA and JANSEN), 1892, A., 218. o-mitro- (GABRIEL p-nitro- (HAFNER), 1889, A., 982; 1890, A., 486.

(SUHNEIDEWIND), Benzylcarbamine 1888, A., 705.

Benzylchlorethylamine hydrochloride (GOLDSCHMIEDT and JAHODA), 1891, A., 1351.

Benzyl-o-chloroisobenzaldoxime, o-chloro- (BEHREND and Nissen), 1892, A., 1199.

Benzyl-p-chlorodeoxybenzoin (Petren-

KO-KRITSCHENKO), 1892, A., 1227. Benzylchrysaniline (TRILLAT and DE RACZKOWSKI), 1892, A., 1095.

Bensylcinchonidine (CLAUS), 1892, A., 1251.

Benzyleinnamic acid (MICHAEL and PALMER), 1885, A., 987; (OGLIALORO-Todaro), 1891, A., 76.

Benzyl-o- and -p-cresols, nitro-derivatives of (STAEDEL), 1883, A., 863.

Benzyl-compounds, p-bromo- (Jackson and Hartshorn), 1884, A., 665. Benzyleyanocamphor and its o-nitro-

derivative (Haller), 1891, A., 1499.

Benzyldeoxybenzoin (MEYER and OEL-KERS), 1888, A., 703.

p-amido-, and o- and p-nitro- (Budde-BERG), 1890, A., 1142.

Benzyldiazoamidobenzene (Friswell and Green), 1886, T., 749.

Benzyldihydro-anthracene and -anthranol (BACH), 1890, A., 1425.

Benzyldihydropyrroline (Anderlini), 1890, A., 65, 1430.

Benzyldihydroxy-cinchotenidine -cinchotenine (CLAUS), 1892, A., 1250,

Benzyldimethylamine (JACKSON and WING), 1887, A., 721. m-nitro- (BORGMANN), 1886, A., 57.

o-Benzyl-m-dimethylbenzoic acid(GRES-LY), 1886, A., 1029.

Benzyldimethylcarbamide SEN), 1889, A., 391. (HINRICH-

Benzyldimethylsuccinic acid (BISCHoff), 1891, A., 829.

Benzyldimethylthiocarbamide RICHSEN), 1889, A., 391. Benzyldiphenyl-. See Diphenylbenzyl-.

Benzyldiisopropylamine (UEBEL), 1888, A., 1079.

Benzyldurene, preparation of (BEAURE-PAIRE), 1889, A., 966.

Benzylisodurene (Essner and Gossin), 1885, A., 253. Benzylene. See Benzylidene.

"Benzylenes, α- and β-," and a nitro-derivative of (GLADSTONE and TRIBE), 1885, T., 450.

Benzylethanetricarboxylic acid (phenylpropanetricarboxylic acid) (FITTIG and RÖDERS), 1890, A., 896.

Benzylethylacetic acid. See Phenyl. valeric acid.

Benzylethylamarine (CLAUS and KOHLsтоск), 1885, A., 1133.

Benzylethylamidobenzenephosphinic chloride (Michaelis and Schenck), 1891, A., 437.

Benzylethyl-m-amidophenol, o-amido-(LELLMANN and BOYE), 1890, A., Ì116.

o-nitro-, hydrochloride (LELLMANN and BoyE), 1890, A., 1116.

Benzylethylamine (ZAUNSCHIRM), 1888, A., 1077; (Kraft), 1891, A., 51.

Benzylethylaniline (FRIEDLÄNDER), 1889, A., 606.

Benzylethylanilinesulphonic acid, sodium salt of (MICHAELIS and GOD-CHAUX), 1890, A., 611.

Benzylethylglutaric acid (GUTHZEIT and DRESSEL), 1891, A., 179.

s-Benzylethylsuccinic acid (BISCHOFF and WALDEN), 1889, A., 959.

Benzylethyldithiocarbamic acid (ZAUN-SCHIRM), 1888, A., 1077.

Benzylethylthiocarbamide (DIXON), 1889, T., 300.

Benzylethyl-p-toluidine(RABAUT), 1892, A., 313.

Benzylfenchylamine (WALLACH and GRIEPENKERL), 1892, A., 1239.

Benzylformamide, o-nitro- (GABRIEL and JANSEN), 1890, A., 1443.

Benzylformanilide (Pictet and Crépieux), 1888, A., 689. o-nitro- (Paal and Busch), 1890,

A., 72.

Benzylformimide hydrochloride (Pin-

Benzylformimide hydrochloride (PIN-NER), 1883, A., 1089.

Benzylformo-o- and -p-toluidides, o-nitro- (Paal and Busch), 1890, A., 73. Benzylformylcamphor (Claisen), 1891, A., 574.

Benzylfumaramic acid (GIUSTINIANI), 1892, A., 821.

Benzylfumarimide (GIUSTINIANI), 1892, A., 821.

Benzylfurfuraldoxime (WERNER), 1890, A., 1267; (GOLDSCHMIDT and ZANOLI), 1892, A., 1434.

Benzylfurfuryl. See Furfurylphonylethane.

Benzylglyoxaline (WALLACTI), 1883, A., 911.

Benzylhemipinamic acid (GOLD-SCHMIEDT), 1888, A., 1117.

Benzylhemipinisoimide (GOLD-SCHMIEDT), 1888, A., 1117.

a-Benzylhomophthalamide. See o-Carboxyphenylbenzylacotamide.

α-Benzylhomopiperidinic acid (As-(HAN), 1891, A., 467.

Benzylhydratropic acid. See Diphenylbutyric acid.

Benzylhydroxyanthranol (Levi), 1885, A., 1240; (Linebarger), 1892, A., 346.

Benzylhydroxydiphenylmaleide(COHN), 1892, A., 483.

Benzylhydroxyhexoic acid, salts of (Firric and Christ), 1892, A., 963.

Benzylhydroxylamine, formula of (MEYER), 1883, A., 569. derivatives of (BEHREND and LEUCHS), 1889, A., 500.

a-Benzylhydroxylamine (BECKMANN), 1889, A., 608.

β-Benzylhydroxylamine, and its derivative (BECKMANN), 1889, A., 608; (BEHREND and LEUCHS), 1889, A., 704; (BEHRUND and KONIG), 1891, A., 1033.

mono- and di-o-chloro- (BEHREND and NISSEN), 1892, A., 1199, 1200.

m-nitro- (Beherend), 1892, A., 51. p-nitronitroso-, and nitroso- (Behnend and Konic), 1891, A., 1034, 1035.

Benzylhydroxylamines, oxidation of (Kothe), 1892, A., 316.

Benzylic acetate, action of chlorine and bromine on, and its reactions (SEE-114), 1889, A., 598.

acetoacetate, action of sulphuric acid on (v. Pechmann), 1883, A., 808. alcohol, dispersive power of (Barbien and Roux), 1889, A., 805.

o-amido-, and its derivatives (Soderbaum and Widman), 1889, A., 972; 1890, A., 178; (Soderbaum), 1890, A., 1254.

p-amido-, and its derivatives (O. and G. Fischer), 1891, A., 695. p-bromo- and p-chloro-derivatives (ERRERA), 1889, A., 247.

o-chloro-p-amido-, and o-chloro-pnitro- (WITT), 1892, A., 445.

p-nitro- (HAFNER), 1890, A., 486. preparation and condensation products of (BASLER), 1884, A., 310.

allophanate and phenylallophanate (TRAUBE), 1889, A., 393, 964. bromide, action of the copper-zinc

bromide, action of the copper-zine couple on (GLADSTONE and TRIBE), 1885, T., 448; P., 60.

p-bromo, formation of, from pbromotoluene (Schramm), 1885, A., 379.

o-chlore-p-nitro- (Tirmann), 1891, A., 704.

derivatives of (WITT), 1892, A., 444.

o-cyano- (Drory), 1891, A., 1461. chloracotates (Seubert), 1888, A., 456. chloride, action of bromine on (Srpek), 1891, A., 44; (Errbea), 1891, A., 1020.

action of copper on (ONUFROWICZ), 1884, A., 1133.

action of potassium carbonate on (MEUNIER), 1883, A., 58.

action of powdered zinc on (Prost), 1886, A., 1034.

chloride, amido- (Borgmann), 1886, A., 56. Benzylic chloride, o-cyano- (GABRIEL and Otto), 1887, A., 1035; (DAY and GABRIEL), 1890, A., 1249; (DRORY), 1891, A., 1460. action of, on ethylic sodacetoacetate and on ethylic sodomalonate (Hausmann), 1889, A., 1172. m-cyano- (Reinglass), 1891, A., 1344. p-cyano- (Mellinghoff), 1890, A., 239; (REINGLASS), 1891, A., 1344. derivatives of (GÜNTHER), 1890, A., 977. nitro-, reduction of (Pellizzari), 1885, A., 770. o-nitro- (KUMPF), 1884, A., 1004; (Nölting), 1884, A., 1005; 1885, A., 52. p-nitro- (Kumpf), 1884, A., 1004. cyanide. See Phenylacetonitrile. ether, p-bromo-, \mathbf{a} nd p-chloro-(Errera), 1889, A., 248. o-, m- and p-nitro- (ERRERA), 1889, A., 218. hydroxycamphocarboxylate (MIN-GUIN), 1892, A., 74. imidodicarbothioxylate (FROMM), 1892, A., 844. imidodiphenylthiocarbamate (WER-NER), 1892, P., 97. imidophenylthiocarbamate (Wer-NER), 1890, T., 296. iodides, o- and p-nitro- (KUMPF), 1884, A., 1004. methylic selenide, o-cyano- (Drory), 1891, A., 1461. sulphide(Obermeyer), 1888, A., 124. o-cyano- (DAY and GABRIEL), 1890, A., 1250. nitrate, p-nitro- (STAEDEL), 1883, A., phenylimidophenylbenzylthiocarbamate (WERNER), 1892, P., 97. phenylimidophenylthiocarbamate (Werner), 1890, T., 298. pierate, p-nitro- (Kumpf), 1884, A., disclenide and sclenocyanate, o-cyano-(Drory), 1891, A., 1460, 1461. sodium thiosulphate (Purcorri), 1890, A., 1419. sulphide, platinum compounds of (Löndahi), 1889, A., 368. disulphide, di-o-cyano- (DAY and GABRIEL), 1890, A., 1251. JACKSON and HARTSHORN),

1884, A., 665.

Benzylie mono- and di-sulphides, o-nitro-(JAHODA), 1890, A., 488.

Δ^{2 cist ans} tetrahydroterephthalate (v. ΒΛΕΥΕΙ and HERB), 1890, A., 1134.

thiocyanate, o-cyano- (DAY and GAB-RIEL), 1890, A., 1249.

thiocarbamate, preparation, reactions and properties of (Werner), 1890, T., 293.

o-toluate, action of sodium on (Hong-Kinson), 1891, P., 167.

o-tolylcarbamate (GATTERMANN and CANTZLER), 1892, A., 832.

tricarballylate (DAUMICHEN), 1889, A., 238.

Benzylideneacetone. See Styryl methyl ketone.

Benzylideneacetophenone (CLAISEN and PONDER), 1884, A., 1167.

Benzylideneamidocarbazole (MAZZARA and LEONARDI), 1892, A., 616.

p-Benzylideneamidodimethylaniline (CALM), 1885, A., 388.

Benzylidene-p-amidodiphenylamine (Hencke), 1890, A., 609.

Benzylideneamidoguanidine (THIELE), 1892, A., 1297.

Benzylidene-o-amidophenol (PICTET and ANKERSMIT), 1892, A., 196.

Benzylidene-p-amidophenol (HAEGELE), 1892, A., 1451.

Benzylideneamidophenyltolylamine and its p-nitro-derivative (REICHOLD), 1890, A., 610.

Benzylideneaniline (HANTZSCH), 1891, A., 50.

Benzylideneanthrone, amido- (BACH), 1890, A., 1425.

Benzylideneantipyrin (Knork), 1884, A., 1378.

Benzylideneazine, and its o-nitroderivative (Currus and JAY), 1889, A., 393.

Benzylidenebenzamide (BECKMANN), 1891, A., 194.

Benzylidenebenzenylamidine (PINNER), 1889, A., 1005.

Benzylidenebenzidine, m-nitro- (Schiff and Vanni), 1890, A., 1298.

nitro-derivatives of (BARSILOWSKY), 1892, A., 854.

Benzylidenebisdiphenylpyrazolone (Knork and Knorz), 1887, A., 1121. Benzylidenebishydroxynaphthaquinone

(ZINCKE and THELEN), 1888, A., 1097. Benzylidenebiuret (ABEL), 1891, A., 702. Benzylidene isobutylamine (ZAUN-

SCHIRM), 1888, A., 1077.

Benzylidenecamphor (HALLER), 1891,
A., 1498.

12

Benzylidenecarbaminethioglycollic acid (Andreascu), 1889, A., 960.

Benzylidenecarbimidoacetic acid (An-DREASCH), 1889, A., 960.

Benzylidene-o-carboxylicacid (RACINE), 1887, A., 951.

Benzylidene-di-and-tetra-chlorophthalides (GABRIEL and HENDESS), 1888, A., 145.

4-Benzylidene-2:4:6-collidine-3:5-dicarboxylic acid (Epstein), 1886, Δ., 258.

Benzylidene-cinchonic and -cinchoxinic acids (CLAUS), 1892, A., 1489.

Benzylidene-compounds (bencal-, benzylene-compounds) (Kohlen), 1888, A., 49.

reduction products of (FISCHER), 1888, A., 50.

Benzylidenecyanacetic acid (FIQUET), 1892, A., 1340.

Benzylidenediacetonalkamine, and the action of sulphuric acid on (FISCHER), 1884, A., 54.

Benzylidenediacetonamine, and its derivatives (Fischen), 1884, A., 54, 1291; (Antrick), 1885, A., 503.

Benzylidenediacetonine(Fischer),1884, A., 1291.

Benzylidenedibenzoylacetic acid (Buch-NER and Currius), 1885, A., 1238.

Benzylidenedibenzylimide (Fischer), 1886, A., 546.

Benzylidenediethyldisulphone(Fromm), 1890, A., 56.

Benzylidenediketohydrindene (Wis-LICENUS and KOTZLE), 1889, A., 1068. Benzylidenedimethyldisulphone, m-

nitro- (Bongartz), 1886, A., 938. Benzylidenedimethylethylenediamine

(MASON), 1887, A., 191. Benzylidene-27-dimethylphenylenediamine (CALM), 1885, A., 388.

Benzylidenedi-α-naphthol and -naphthylic oxide (CLAISEN), 1887, A., 270.

Benzylidenediphenyldisulphone (LAVES), 1892, A., 612.

Benzylidenedipiperyl (LAUN), 1881, A., 1011.

Benzylidenedi/sopropylindole (DENN-STEDT), 1889, A., 401.

Benzylidenedi isopropylmethylenediamine (MASON), 1887, A., 493.

Benzylidenedisulphone (Bongartz), 1886, A., 938.

Benzylidene-ethylamine(ZAUNSCHIRM), 1888, A., 1077.

Benzylideneglucoheptitol (FISCHER) 1892, A., 1168.

Benzylideneglycoldinaphthylacetal (CLAISEN), 1887, A., 270.

Benzylidenehomo-o phthalethylimide (Pulvermacher), 1887, A., 1111.

Benzylidenehomo-o-phthalimide (GAB-RIEL), 1887, A., 726.

Benzylidenehydrazine (Currius and Pring), 1892, A., 456.

Benzylidenehydrazineacetic acid (Curtus), 1891, A., 56.

Benzylidenehydrazinebenzenesulphonic acid (Prulif), 1887, A., 933.

Benzylidenehydrazinebenzoic acid (RODER), 1887, A., 150.

Benzylidenehydrazoine and its dorivatives (Cornelius and Homolka), 1886, A., 1026.

Benzylideneimide (LEILLMANN and STICKEL), 1886, A., 791; (PINNER), 1889, A., 983.

Benzylideneimides, formation of (LELL-MANN and PEKRUN), 1891, A., 88.

o-Benzylideneindole (HAUSMANN), 1889, A., 1172.

Benzylidenelepidine. See Benzylidene-4'-methylquinoline.'

Benzylidenelevulinic acid (ERDMANN), 1886, A., 241.

preparation of (Erlenmeyer), 1890, A., 495. derivatives of (Erlennn), 1890, A.,

375. Wibromide (Erlenmeyer), 1890, A.,

496.

Benzylidenelevulinic acids, β- and δ-(Erdmann), 1890, A., 1129.

Benzylidene-2:6-lutidine and its reduction (Schuster), 1892, A., 1360.

Benzylidenemalonic acid (SIMART), 1883, T., 405; 1886, T., 357; (CLAIMEN and CRISMER), 1884, A., 444.

o-chloro-, o-bromo-, and o-iodo-(Sivari), 1887, P., 118; 1888, T., 141.

o-nitro-, reduction of (STUART), 1888, T., 143.

p-nitio- (STUART), 1883, T., 409.

o-, m-, and p-nitro- (STUART), 1885, T., 155; P., 4.

decomposition of, by water (STUART), 1886, T., 357; P., 177.

Benzylidenementhylurethane (ARTH), 1886, A., 893.

Benzylidenemethylamine (ZAUN-SCHILLM), 1888, A., 1077.

Benzylidene-2'-methylindole (FISCHER), 1887, A., 265.

m-amido-, and m-nitro- (FISCHER), 1888, A., 284.

Benzylidene-3'-methylindole (WEN-ZING), 1887, A., 957. Benzylidene-2'-methylquinoline and its salts (JACOBSEN and REIMER), 1884, A., 336; (v. MILLER), 1891, A., 1096.

maido- [m.p. 172°] (Вицасн), 1889, A., 528.

m-aniido-[m.p. 158°] (WARTANIAN), 1891, A., 330.

3-nitro- (Wartanian), 1891, A., 330. 4-nitro- (Bulach), 1887, A., 976.

Benzylidene-4'-methylquinoline, mamido- (HEYMANN and KOENIGS), 1888, A., 1114.

m-nitro- (HEYMANN and KOENIGS), 1888, A., 853.

Benzylidene-4'-methylquinoline-4-sulphonic acid (Busch and Koenigs), 1890, A., 1435.

Benzylidene-p-nitraniline (v. MILLER and PLOCHL), 1892, A., 1194.

Benzylidene-m-nitrobenzenylamidoxime, m-nitramido- (STIEGLITZ), 1890, A., 256.

Benzylidenephthalethimidine (GAB-RIEL), 1885, A., 1229.

Benzylidenephthalide and its derivatives (GABRIEL), 1885, A., 902, 1229; 1888, A., 143.

dibromide (GABRIEL), 1885, A., 165. w-cyano- (GABRIEL), 1885, A., 902.

isoBenzylidenephthalide (GABRIEL), 1885, A., 1230; 1888, A., 144.

Benzylidenephthalimidine and its nitroderivatives (GABRIEL), 1885, A., 1229, 1230.

isoBenzylidenephthalimidine (GAB-RIEL),1885, A.,1231; 1886, A., 266. amido- (GABRIEL), 1886, A., 631. chloro- (GABRIEL), 1887, A., 62. nitro- (GABRIEL), 1886, A., 630, 631.

Benzylidenepinylamine (WALLACH and LORENTZ), 1892, A., 997.

Benzylidenepiperazine (SCHMIDF and WICHMANN), 1892, A., 211.

α-Benzylidenepropionic acid. See α-Methyleinnamic acid.

Benzylidenepropylamine (ZAUN-

SCHIRM), 1888, A., 1077.

Benzylidenequinaldine. See Benzyl-

idenc-2'-methylquinoline.

Benzylidenequinoline-3-carboxylic acid
(v. Miller), 1890, A., 1325.

Benzylidenerhodanic acid and its salts (Nencki and Bourquin), 1885, A., 40; (Bondzyński), 1887, A., 1109. o-amido- (Bondzyński), 1887, A.,

1109.
Benzylidenesemicarbazide (THIELE),

1892, A., 1297.

Benzylidenescatole. See Benzylidene3'-methylindole.

Benzylidenesulphonaphthionic acid, sodium salt of (KAFKA), 1891, A., 721.

Benzylidenesulphonic acid phenylhydrazone, sodium salt of (KAFKA), 1891, A., 720.

Benzylidenethiobiuret (BRODSKY), 1887, A., 580. chloro- (ABEI), 1891, A., 703.

Benzylidene/hthioglycollic acid (Bongartz), 1888, A., 478.

Benzylidenethichydantoic acid (AN-DREASCH), 1888, A., 48.

Benzylidenetolylene (LIPPM ANN), 1887, A., 151.

4-Benzylidene-2:4:6-trimethylpyridine-3.5-dicarboxylic acid. See 4-Styryl-2:6-dimethylpyridine-3:5-dicarboxylic acid.

Benzylidene-p-xylidine, and its m-nitroderivative (PFLUG), 1890, A., 606.

Benzylidenic chloride, condensation of, with benzene (LINEBARGER), 1892, A., 719.

action of copper on (ONUFROWICZ), 1884, A., 1133.

action of potassium carbonate on (MEUNIER), 1883, A., 58.

α- and β-trichloro- (SEELIG), 1885, A., 770.

o-cyano- (GABRIEL and WEISE), 1888, A., 261; (DRORY), 1891, A., 1460.

m-cyano- (REINGLASS), 1891, A., 1844.

p-nitro-, preparation of (ZIMMER-MANN and Muller), 1885, A., 771.

ethylenic disulphide (FANENDER), 1887, A., 462; 1888, A., 805. sulphide. See Benzaldehyde, thio-.

Benzylimidobenzylcarbaminethioethyl (REIMARUS), 1887, A., 43.

Benzylindigo (v. BAEYER), 1884, A., 1021.

1'-Benzylindole (ANTRICK), 1885, A.,

1'-Benzylindole-2'-carboxylic acid (ANTRICK), 1885, A., 543.

Benzyline, cyano- (WACHE), 1889, A., 684.

Benzyl-ψ-isatin (ANTRICK), 1885, A.,

Benzyllepidine. See Benzyl-4'-methyl-quinoline.

Benzyllevulinie acid, and its bromoderivative (ERDMANN), 1890, A., 376. Benzylmalamic acid (GIUSTINIANI),

1892, A., 822. Benzylmalimides, α - and β - (Giustini-

ANI), 1892, A., 821.

Benzylmalon-o-carboxylic acid (WIS-LICENUS), 1888, A., 150.

Benzylmalondiamide (BISCHOFF and SIEBERT), 1887, A., 952.

Benzylmalonic azoimide and phenylhydrazide (RUHEMANN and MOR-RELL), 1892, T., 796.

Benzylmesitylene (Louise), 1883, A., 323.

Benzylmethylacetone (phenyl isopropyl methyl ketone) (v. Miller ROHDE), 1890, A., 1138.

Benzylmethylacetoximic acid. See Benzylmethylglyoxime.

(CLAUS Benzylmethylamarine and Kohlstock), 1885, A., 1133.

Benzylmethylamidobenzenephosphinic acid and tohloride (MICHAELIS and Schenk), 1891, A., 437.

Benzylmethylaniline, p-nitroso- (BOED-DINGHAUS), 1891, A., 1206.

Benzylmethylanilinesulphonic acid. sodium salt of (MICHAELIS and GODснаих), 1890, А., 611.

o-Benzyl-m-methylbenzoic acid (Gnes-LY), 1886, A., 1028.

Benzylmethylbromobenzeneazammonium iodide (ZINCKE and ARZ-BERGER), 1889, A., 502.

Benzylmethylcarbinol (phenyl isopropyl alcohol) (Errera), 1887, A., 35.

Benzylmethylglyoxime (SCHRAMM), 1883, A., 590.

diacetyl-derivative of (SCHRAMM), 1884, A., 52.

Benzylmethylketonesulphonic acid (Kreckeler), 1887, A., 141.

μ-Benzyl-β-methyloxazoline (ELFELDT), 1892, A., 214.

Benzyl-2'-methylquinoline (HEYMANN and Koekigs), 1888, A., 858.

Benzyl-4'-methylquinoline (HEYMANN and Konvies), 1888, A., 853. nitiate (Heymann and Konnigs), 1888, A., 111 L.

Benzylmethylsuccinic acid (Bischoff and Kuhlberg), 1890, A., 1131.

Benzylmethylsuccinic anhydride (Bis-CHOFF and MINIZ), 1890,

Benzylmethylsulphide-o-carboxylic acid (DAY and GABRIEL), 1890, A., 1251.

Benzylmethylthiocarbamide (DIXON), 1889, T., 619.

Benzylmethyl-o-and -p-toluidines (RA-BAUT), 1892, A., 313.

Benzylmethyluracil (HAGEN), 1888, A., 582.

Benzylmethyl-m-xylidine (JABLIN-GONNET), 1892, A., 1320.

Benzylmorpholine (GOLDSCHMIEDT and Janoba), 1891, A., 1351.

Benzylnaphthalenes, a and B (VIN-OBNI and ROUX), 1884, A., 609; (ROUX), 1888, A., 1306. Benzylnarceine and its salts (CLAUS)

and RIPEFFELD), 1885, A., 997.

Benzyl-m-and-p-nitranilines (MELDOLA and STREATFRILD), 1887, T., 113.

Benzylnitroarbutin (Schiff), 1884, A., 433.

Benzyl-p-nitrobenzaldoxime (Behrend and Konia), 1891, A., 1035.

Benzyl-m-nitroisobenzaldoxime (Goldscимирт), 1890, A., 1262.

Benzyl-//-nitroisobenzaldoxime, //-nitro-(BEHERND and KONIG), 1891, A., 1034.

Benzyl-mand -7)-nitro/sobenzaldoximes, intramolecular change of (BEHREND), 1892, A., 50.

Benzyl-29-nitro-β-benzylhydroxylamine, oxidation of (BEHREND and Konta), 1891, A., 1034; 1892, A., 1456.

Benzyldinitro-o-cresol, nitro- (STAR-DEL), 1883, A., 864.

Benzyldinitrophenol, nitro- (STAEDEL), 1883, A., 864.

Benzylnitroquinol (Schiff), 1884, A., 433.

Benzyldinitroquinol(PELLIZZARI),1884, A., 437.

Benzylnitrosoacetone, an isomeride of (MEYER and CERESOLE), 1883, A.,

Benzylenanthaldoxime (Goldschmidt and ZANOLI), 1892, A., 1136.

Benzyloxanthranol (BACH), 1890, A., 1111, 1125.

Benzyloxycarbamide (BEHREND and LEUCHS), 1889, A., 501.

Benzyloxy-//-chlorobenzophenone (I)Emurn and Diffriell), 1891, A., 814. Benzyloxy-a-naphthylthiocarbamide

(Volumer), 1891, A., 559.

Benzyloxyterephthalic acid (v. BARYER and Twieis), 1889, A., 1181.

Benzyloxy-o-tolylthiccarbamide (Volly-MER), 1890, A., 1127; 1891, A., 558.

Benzyloxytribenzylammonium (Walder), 1886, A., 796; 1887, A.,

Benzylpapaveraldineammonium hydroxide (Goldschmiedt), 1888, A., 1117.

μ-Benzylpentoxazoline (Elfelor), 1892, A., 215.

Benzylphenol, nitro-derivatives (STARDEL), 1883, A., 803.

p-Benzylphenol and its derivatives (RENNIE), 1886, T., 406; P., 184.

Benzyl-o-phenylenediamine (SODER-BAUM and WIDMAN), 1890, A., 1258. Benzyl-m-phenylenediamine (MELDOLA

and Coste), 1889, T., 597.

Benzyl-m- and -p-phenylenediamines, oxidation of a mixture of (MELDOLA and Coste), 1889, T., 598.

Benzyl-p-phenylenediamine (Meldola and Coste), 1889, T., 591; (Boed-Dinghaus), 1891, A., 1205.

oxidation of, in the presence of other aromatic amines, and azo- and diazoderivatives of (Meldola and Coste), 1889, T., 592, 596.

COSTE), 1889, T., 592, 596.

Benzylphosphines and their derivatives (LETTS and BLAKE), 1890, A., 766.

Benzylphosphinic acid (LITTHAUER), 1889, A., 1168; (LEITS and BLAKE), 1890, A., 766.

nitro- (LITTHAUER), 1889, A., 1168. Benzylphosphinous acid (LETIS and

BLAKE), 1890, A., 766.

Benzylphthalidine, and its nitrosoderivative (Gabriel), 1885, A., 903.

Benzylphthalimide (Gabriel), 1887,

A., 1037.

o-cyano- (GABRIEL), 1887, A., 1038. n-cyano- (REINGLASS), 1891, A., 1345.

p-cyano- (Gunther), 1890, A., 977.
o-nitro- (Gabriel), 1887, A., 1037.

m-nitro- (GABRIEL and HENDESS), 1888, A., 144.

p-nitro- (HAFNER), 1889, A., 982; (SALKOWSKI), 1889, A., 1174. Benzylphthalimidine (GABRIEL), 1888,

A., 143. p-amido- (HAFNER), 1889, A., 982;

1890, A., 487.

Benzylpimelic acid, attempt to prepare (Perkin and Prentice), 1891, T.,

847.
Benzylpiperidine and its derivatives
(Lellmann and Pekkun), 1891, A.,

B-Benzylpiperidine (ASCHAN), 1891, A., 1247.

β-Benzylpiperidone, and its nitrosoderivative (ASCHAN), 1891, A., 467, 1247.

Benzylpropylene-ψ-thiocarbamide (Dixon), 1891, T., 560.

Benzylpropylnitramine (SIMON-THO-MAS), 1891, A., 168.

Benzylpurpuric acid (CONRAD and GUTHZEIT), 1883, A., 315.

Benzylpyridine and its derivatives (LELLMANN and PEKRUN), 1891, A., 90.

Benzylpyridyl chloride and platinochloride (EDINGER), 1890, A., 794.

Benzylpyrroline, and action of acetic anhydride on (CIAMICIAN and SIL-BER), 1887, A., 843.

Benzylquinaldine. See Benzyl-2'-methylquinoline.

Benzylquinine hydrate, action of benzylic chloride on (MAZZARA and POSSETTO), 1884, A., 466.

Benzylquinoline, bromo-, halogenderivatives of (CLAUS), 1885, A., 908.

3-Benzylquinoline (Manns), 1889, A., 261.

Benzylquinolinecarboxylic acid (CLAUS), 1885, A., 908.

Benzylquinoline-γ-carboxylic acid, betaine of (CLAUS), 1892, A., 1488.

Benzylquinolinium hydroxide (BERN-THSEN and HESS), 1885, A., 559.

Benzylquinols (SCHIFF), 1884, A., 432; (PELLIZZARI), 1884, A., 437.

Benzylresorcinols (Pellizzari), 1884, A., 438.

Benzylrosanilinedisulphonic acids, preparation of (DAHL), 1887, A., 579.

Benzylsuccinamic acid and its amide and imide (WERNER), 1889, T., 629, 630, 632.

Benzylsuccinic acid (PERKIN), 1888, T., 10; (BISCHOFF and MINTZ), 1890, A., 774; (FITTIG and RÖDERS), 1890, A., 895; (BISCHOFF and v. KUHLBERG), 1890, A., 1135.

homologues of (Bischoff and Mintz), 1890, A., 774.

Benzylsuccinic anhydride (Fittig and Rodens), 1890, A., 896.

Benzylsulphonethiobenzylmethylmethane (LAVES), 1892, A., 613.

Benzylsulphonic acid. Sec Toluene cro-sulphonic acid.

Benzyltetrahydroquinoline, derivatives of (Leilmann and Pekrun), 1891, A., 89.

Benzylthiocarbamide (DIXON), 1891, T., 552; (SALKOWSKI), 1891, A., 1474.

Benzylthiocarbimide (MEYER), 1891, A., 1214.

preparation of (WERNER), 1891, T., 407; (DIXON), 1891, T., 552.

action of aldehydeammonia and of valeraldehydeammonia on (DIXON), 1888, T., 411, 413.

Benzylthiosulphonic acid. See Toluene exo-thiosulphonic acid.

Benzylthiosulphuric acid (PURGOTTI), 1890, A., 1419.

Benzyldithiourethane (DIXON), 1888, P., 34.

m-Benzyltoluene, and its reduction products and dinitro-derivative (SENFF), 1884, A., 427.

Benzyl-o-toluidine (RABAUT), 1892, A.,

Benzyl-o- and -m-toluidines, p-nitroso-(BOEDDINGHAUS), 1891, A., 1206.

Benzyl-p-toluidine (RABAUT), 1892, A., 313.

o-amido- (Soderbaum and Widman), 1890, A., 1258.

hydrochloride (Buscu), 1892, A., 734.

o-nitro-, and its derivatives (LELL-MANN and STICKEL), 1886, A.,

Benzyl-o-toluidinesulphonic acid (RA-BAUT), 1892, A., 313.

Benzyltolylenediamine hydrochloride (Boeddinghaus), 1891, A., 1206.

Benzyltriethylammonium chloride and hydroxide, action of heat on (COLLIE and SCHRYVER), 1890, T., 781.

Benzyltriethylphosphonium chloride, action of heat on (COLLIE), 1888, T.,

Benzyltriethylphosphonium salts, action of heat on (COLLIE), 1887, A., 1106.

Benzyltrimethylammonium chloride and hydroxide, action of heat on (Collie and Schryver), 1890, T.,

Benzylurethane (TRAUBE), 1889, A.,

Benzylvalerolactone (ERDMANN), 1890. A., 376.

Benzyl-violet, manufacture of (Muhi.mausen), 1889, A., 609.

Benzyl-*m*-xylidine (JABLIN-GONNET), 1892, A., 314. nitro- (Jablin-Gonnet), 1892, A., 1320.

Benzyl-p-xylidine (Prive), 1890, A., 606.

Benzyl-m-xylidinesulphonic acid (JAB-LIN-GONNET), 1892, A., 1320.

Benzyl-m-xylylthiocarbamide (DIXON), 1891, T., 557.

Berbamine (HRSSE), 1887, A., 284; (Rüdel), 1892, A., 641.

Berberal, and its synthesis and hydrolysis (Prikin), 1890, T., 1062, 1064, 1079.

examination and constitution (Perkin), 1890, T., 1000, 1002. action of alkalis and of phenylhydr-

azine on (Perkin), 1890, T., 1075, 1077.

isoBerberal and its constitution (PER-KIN), 1890, T., 1002, 1081.

Berberidem, alkaloids of (ITESSE), 1887, A., 283; (SCHMIDT and KERSTEIN). 1890, А., 618; (Rudbu), 1892, А., 611; (Schmidt), 1892, А., 1498.

Berberilic acid, and its salts (Perkin), 1890, T., 991, 1018, 1049.

constitution and hydrolysis of (Perkin), 1890, T., 998, 1053. action of heat on (Perkin), 1890,

T., 1051. Berberine. See Alkaloids.

Berberinic acid (Manfout), 1889, A., 625.

Berberts aquifolium, constituents of (Rüdel), 1892, A., 641.

Berberis vulgaris, alkaloids of (Rüdel), 1892, A., 641.

Berberoline, constitution of (PERKIN), 1890, T., 1009.

Berberonic acid (pyridine-2:4:5-tricarboxylic acid) (Weben), 1887, A., 1118; (MAYER), 1892, A., 1357.

Beresite (ARZRUNI), 1886, A., 995. Bergamot juice, determination of free and precipitable acid in (GROSJEAN), 1883, T., 333.

Bergamot oil (WALLACH), 1885, A., 171; (SOLTSIEN), 1887, A., 875; (CRISMER), 1892, A., 349; (SEMM-LER and TIEMANN), 1892, A., 868; (BERTRAM and WALBAUM), 1892, A., 1235.

crystalline products from (CRISMER), 1892, A., 349.

adulteration of, with oil of turpentine (HEPPE), 1885, A., 1163.

Bergapten, the stearoptene of bergamot

oil (POMERANZ), 1892, A., 71.

Berilic acid, and its salts (PERKIN), 1890, T., 1091, 1092.

Beronic acid (pyridine-3:4-dicarboxylic acid) (MAYER), 1892, A., 1857.

Bertrandite (DAMOUR), 1885, A., 648. from Mt. Antero, Colorado (Penelello), 1889, A., 24.

from Pisek (VRBA), 1889, A., 471. Beryl, composition of (PENFIELD and

Hanpen), 1886, A., 990. alkalis in (Penfield), 1885, A., 490. from Amelia Co., Virginia (BAKER), 1886, A., 127.

from Craveggia in Piedmont (SPEZIA), 1883, A., 958.

from Dakota (Blake), 1884, A., 23. from Glencullen (Jony), 1888, A., 117. from the Ifinger (SCHUSTER; PRI-BRAM), 1888, A., 432. from Madagascar (DAMOUR), 1884,

A., 236,

Beryl from N. Carolina (HIDDEN), 1883, A., 1064; (GENTH), 1884, A., 274. analyses of (PENFIELD and SPERRY), 1889, A., 356.

Beryllia. See Beryllium oxide.

Beryllium (glucinum), atomic weight of (Humpinge), 1884, A., 261; 1885, A.,1184; 1886, A., 506; (REYNOLDS), 1884, A., 261; (HARTLEY), 1885, A., 484; (Krüss and Moraut), 1890, A., 698, 1375; 1891, A., 881.

divalence of (MENDELEEFF), 1889, T.,

650.

spectrum of, with observations relative to the position of that metal among the elements (HARTLEY), 1883, T., 316. specific heat of (HUMPIDGE), 1885,

A., 1184; 1886, A., 506 crystalline form of (BROGGER and FLINK), 1884, A., 1092.

Beryllium antimonate (EBEL), 1890, A., 216.

bromide, vapour density of (Hum-PIDGE), 1886, A., 506.

bromide and chloride, melting points of (CARNELLEY), 1884, A., 962. chloride, vapour-density of (Nilson

and Pettersson), 1884, A., 820. carbonates (Sestini), 1891, A., 151. chromite (Mallard), 1888, A., 349. fluoride, heat of neutralisation of (Petersen), 1890, A., 680. hydride (Winkler), 1891, A., 1155.

hydroxides (van Bemmelen), 1883,

A., 291.

oxide (beryllia, glucina), preparation and properties of (Knuss and Mo-RAHT), 1890, A., 697.

crystallised (MALLARD), 1888, A.,

phosphorescence of (CROOKES), 1887, A., 1067.

action of magnesium on (Wink-LER), 1890, A., 451; 1891, A.,

solubility of, in a solution of ammonium chloride (GENTH), 1885, A., 489.

phosphates (Ouvrand), 1890, 1056; (Sestini), 1891, A., 151. 1890, A.,

(RAMMELSBERG), hypophosphates 1892, A., 404.

silicates (HAUTEFEUILLE and PER-REY), 1889, A., 104.

sodium silicates (HAUTEFEUILLE and PERREY), 1890, A., 562.

silicofluorides (Chabrié), 1886, A., 981. dithionate (Kiüss), 1888, A., 1156. separation of, from aluminium (ZIM-

MERMANN), 1888, A., 323,

Beryllium minerals from Colorado

(Penfield), 1891, A., 530.

Beryllonite (Dana), 1889, A., 355; (Dana and Wells), 1889, A., 470.

Berzeliite (khimite) (IGELSTRÖM), 1886, A., 25; (Hogbom), 1889, A., 217. doubly-refracting (LINDGREN), 1883, A., 434.

optical properties of (BERTRAND), 1886, A., 127.

Betaines (SILBERSTEIN), 1885, A., 160. preparation of (DUVILLIER), 1890, A., 747.

cotton-seed (RITTHAUSEN and

WEGER), 1885, A., 50. cotton-seed foods (MAXWELL), 1892, A., 380.

of pyridine bases (Krüger), 1890, A., 1431; 1891, A., 941, 1388.

in seeds (SCHULZE), 1891, A., 490. in the seeds of Vicia sativa (SCHULZE), 1889, A., 1029.

See also Alkaloids and Ptomaines.

Betel leaves, ethereal oil of (EIJKMAN). 1890, A., 135.

Betel oil (BERTRAM and GILDEMEISTER), 1889, A., 863. composition of (SCHIMMEL), 1892, A.,

833.

Betelphenol and its derivatives (BER-TRÂM and GILDEMEISTER), 1889, A., 863; (Schimmel), 1892, A., 833.

Beth-a-barra wood, lapachol in (GREENE and Hooker), 1889, A., 794.

Betorcinol. See β -Orcinol.

Biazolones (L'REUND), 1892, A., 508.

Bibasic acids. See Acids, dibasic. Bicuhyba fat and nuts (Noerdlinger),

1886, A., 139. Bidesyl (Knoevenagel), 1888, A.,

706; (FEHRLIN), 1889, A., 623.

isoBidesyl (Knoevenagel), 1888, A., 707.

Bidesyls, action of ammonia on (GAR-RET), 1889, A., 162.

description Biebrich-scarlet, measurement of the spectrum of (HARTLEY), 1887, T., 194.

Bienyl phenyl ketone (LEVI), 1891, A., 551.

Bijnonia Catalpa (SARDO), 1885, A., 272.

Biguanide. See Diguanide.

Bilberries, analysis of (BORGGREVE and HORNBERGER), 1886, A., 953.

Bilberry and wine colouring matters, difference between (Vogel), 1888, A., 1137.

Bile, influence of alkalis on the secretion and composition of (NISSEN), 1891, A., 950.

Bile, spectroscopic character of (WERTH-EIMER and MEYER), 1889, A., 636. electrolysis of (STEWART), 1891, A.,

functions of, in taking up nourishment from the intestmal canal

OGATA), 1884, A., 912.

during inanition; (LUKJANOW), 1892, A., 225.

transformation of hemoglobin in (FILEINE), 1891, A., 482. influence of, on digestion (MARTIN

and WILLIAMS), 1888, A., 618.

action of, on pancreatic digestion (Martin and Williams), 1891,

A., 96.

influence of, and bile salts and acids, on amylolytic and proteolytic action (Chittenden and Cum-MINS), 1885, A., 999.

absorption of fats in the absence of (Munk), 1891, A., 593.

influence of, on the digestion of fats

(DASTRE), 1888, A., 618. influence of, on emulsification (RACH-

FORD), 1891, A., 948. influence of, on the fat-splitting properties of pancreatic juice (RACH-

FORD), 1891, A., 948. putrefaction of (STEWART), 1891, A., 591; (ERNST), 1892, A., 518.

oxyhemoglobin in (Wertheimer and Meyer), 1889, A., (Stern), 1891, A., 599.

urobilin in the (WINTER), 1890, A., 187.

human (COPEMAN and WINSTON), 1889, A., 792; (NOEL-PATON and BALFOUR), 1891, A., 598.

ox, myristic acid in (LASSAR-COHN),

1892, A., 1114, 1503.
pig's, acids of (John), 1887, A., 742; 1888, A., 1213; 1890, A., 422; (BERGEAT), 1889, A., 1231. Hifner's reaction in (MARSHALL),

1887, A., 390.

constituents, detection of, in urine (Johnes), 1891, A., 185.

Bile acids (SCHOTTEN), 1886, A., 565; 1887, A., 606; (LATSCHINOFF), 1887, A., 682.

in the urine during jaundice (BAELDE and LAVRAND), 1889, A., 637.

antiseptic action of (LIMBOTERG), 1889, A., 291.

behaviour of, with albumin and peptones, and antiseptic action of (Mary and Emich), 1883, A., 673.

behaviour of, with gelatin and gelatin peptones (Емісн), 1885, А., 822.

Bile acids, use of phosphoric acid in Pettenkofer's reaction for (DRECHsel), 1883, A., 1177.

estimation of, in blood or urine (RIETSCH), 1885, A., 577.

Bile-pigments (MACMUNN), 1883, A., 1159; 1884, A., 194; 1886, A., 638; (HAYCRAFT and SCOFIELD), 1890, A., 181.

origin of (Stern), 1887, A., 290. formation of (Latschenberger), formation of 1888, A., 620.

Bilianic acid and its salts (LATSCHIN-OFF), 1886, 1887, A., 982. A., 566; (MYLIUS).

isoBilianic acid (LATSCHINOFF), 1886, A., 818.

Biliary fistula, observations on a dog with (ROHMANN), 1883, A., 818.

Bilirubin, molecular weight of (NENCKI and Rotseny), 1890, A., 76.

spontaneous decomposition of (SAL-KOWSKI), 1888, A., 520.

oxidation of (HAYCRAFT and Sco-FIELD), 1890, A., 181.

Biliverdin (MAUMUNN), 1884, A., 197; (MICHAHOFF), 1885, A., 676. reduction of (HAYCRAFT and Sco-FIELD), 1890, A., 181.

Biophen (Levi), 1891, A., 551. Biotite (KNOP), 1887, A., 646.

pleochroism of (Comen), 1888, A., 565. from Christiana (JANNASCH), 1888, A., 1260.

from Gailbach (GOLLER), 1891, A., 1437.

from Miask (Schlaepper), 1891, A., 531.

holding amphibole-granite from Syene (Strizner), Í884, A., 413. See also Mica.

Birch, spring sap of (Hornberger), 1888, A., 313.

Birch oil (TRIMBLE and SCHROETER), 1890, A., 256.

Birch wood tar, phenol of (PFRENGER), 1891, A., 432.

Birdlime, ilicic alcohol from (PERsonne), 1884, A., 1365.

Japanese, composition of (DIVERS and KAWAKITA). 1888, T., 268; P., 13.

Bird's-nest,edible(GREEN), 1886, A., 635. Bisanhydrotetrabenzamidotetrahydroxyoctene (Rughelmen), 1892, A., 1002.

Bisazobenzene, amido- (NIETZKI and DIESTERWEG), 1888, A., 1082.

chloronitro-, chloronitronitroso-, and nitronitroso- derivatives of (WILL-GERODT and MUHE, 1892, A., 455.

Bisazobenzenephenylhydrazine, pentanitro- (WILLGERODT and MUHE), 1892, A., 456.

Bisbenzobromamidophenyl (LELLmann), 1883, A., 343.

Bis-2-benzoyl-1-phenyl-3-methylpyrazolone (NEF), 1892, A., 146.

m-Bisdiazobenzene-compounds(GRIESS),

1886, A., 459. Bis-diethyl- and -dimethyl-azimethylenes (Currius and Thun), 1891, A., 1355.

Bisdiethyltolyl (DAFERT), 1883, A., 1094.

Bisdimethylaniline silicotetrafluoride COMEY and JACKSON), 1888, A., 942.

Bisdioxymethyleneindigo (Liebermann and Haber), 1890, A., 1140.
Bisdiphenyl (BARTH and SCHREDER),

1883, A., 469.

Bisdiphenylazimethylene (Currius and RAUTERBERG), 1891, A., 1359.

Bisdiphenylenepyrazine Burton), 1887, T., 101. and

Bisdiphenylpyrazolone (Knorr and KLOTZ), 1887, A., 1121.

Bisdiphenyltriazole (BLADIN), 1890, A.,

 $Bis-\alpha_1$ -keto- γ_1 -methyljulolidyl sert), 1892, A., 497.

Bismarck-brown, spectrum of (HART-LEY), 1887, T., 180.

 ${\bf Bismethyl} is o {\tt butylbenzenethic} {\bf carbam-}$ ide (Effront), 1885, A., 153, 154.

Bismethylpropylazimethylene

TIUS and THUN), 1891, A., 1855.

Bismuth, native, from Bolivia (ArzRUNI), 1886, A., 514.
native, from Sweden (IGELSTRÖM),

1886, A., 674.

in iron and slags (WARREN), 1888,

A., 1256. pure (Classen), 1892, A., 20. amorphous (Hérard), 1889, A., 572. atomic weight of (LOEWE), 1884, A., 558; (MARIGNAC), 1884, A., 814; (SCHNEIDER), 1885, A., 354; 1891, A., 271, 1324; (ĆLASSEN), 1890, A., 706; 1891, A., 525.

molecular weight of (RAMSAY), 1889, T., 532, 533.

valency of (MICHAELIS), 1887, A., 368. preparation of, free from arsenic (LOEWE), 1884, A., 558.

. composition of commercial (SCHNEI-DER), 1891, A., 1324.

physical properties of (CLASSEN), 1890,

A., 707. fluorescence of (LECOQ DE Bois-BAUDRAN), 1887, A., 4, 189, 873, 1006.

Bismuth, phosphorescence of (CROOKES), 1887, A., 1067.

phosphorescence of, in the sulphides of the alkaline earth metals (KLATT

and Lenard), 1890, A., 201. electrolysis of solutions of (Thomas and Smith), 1883, A., 1084. electrical resistance of (VAN AUBEL), 1888, A., 545, 1880, A., 207.

1888, A., 545; 1889, A., 807; (ZAHN), 1891, A., 515.

variation in the electrical resistance of, when placed in a magnetic field (HURION), 1885, A., 469.

rotation of isothermic lines of, placed in a magnetic field (RIGHI), 1888, A., 102.

thermal conductivity of, in a magnetic field (Righi), 1887, A., 1009;

1888, A., 102. nature of the heat conductivity of ETTINGSHAUSEN), 1888, A., 400.

influence of a magnetic field on the thermoelectric properties of (GRI-MALDI), 1888, A., 102.

influence of temperature and state of aggregation on the behaviour of, in the magnetic field (DRUDE and NERNST), 1891, A., 779. thermal dilatation of liquid, near its

melting point (VICENTINI), 1891, A., 518.

thermal expansion of liquid (CAT-TANEO), 1892, A., 259.

anomalous density of liquid (LUEDE-KING), 1888, A., 790.

vapour density of (BILTZ and MEYER), 1889, A., 673.

action of chlorine on (Cowper), 1883, T., 154.

action of nitric acid on (VELEY), 1891, A., 525; (Montemartini), 1892, A., 1403.

action of nitrosyl chloride on (Sunвокован), 1891, Т., 662.

action of sulphur and sclenium on (v. Scherpenberg), 1890, A., 216. effects of small quantities of, on the

ductility of silver (Scully), 1888, A., 108. effect of, on the freezing point of tin

(HEYCOCK and NEVILLE), 1890, T., 384.

effect of various metals on the freezing point of (HEYCOOK and NEVILLE), 1890, P., 159.

lowering of the freezing point of, when alloyed with other metals (HEYCOCK and NEVILLE), 1892, T., 888, 892; P., 145.

Bismuth, lowering of the freezing point of cadmium and of lead by (Ilwycock and NEVILLE), 1892, T., 901, 910.

metallurgy of (MATTHEY), 1887, A., 900; 1888, A., 656; 1891, A., 1161. alloys, electrical resistance of (VAN

Aubel), 1888, A., 545.

with silver and zine, with tin and zinc, and with zinc (WRIGHT and THOMPSON), 1891, A., 1158. with sodium (JOANNIS), 1892, A.,

773.

with tin, thermal and electrical behaviour of some, in a magnetic field (v. Ettingshausen and Nernst), 1888, A., 546.

solution of, with pepsin (ROTHER), 1885, A., 712.

1885, A.,

solution, alkaline, as a test for glucose in urine (Nylander), 1884, A., 1433.

Bismuth salts, action of hydrogen peroxide on (HASEBROEK), 1887, A.,

antimonates (CAVAZZI), 1885, A., 875. arsenate, basic (CAVAZZI), 1885, A., 653.

bromides, electrolytic conductivity of (HAMPE), 1888, A., 887, 888.

tribromide (MEYER), 1891, A., 1161. action of hydrogen phosphide on an ethereal solution of (CAVAZZI and Tivoli), 1892, A., 279.

carbonate, from Guanajuato, Mexico (Weisbach), 1883, A., 432.

See also Bismuthite.

chlorides, electrolytic conductivity of (HAMPE), 1888, A., 887, 888. heat of formation of (Thomsen),

1883, A., 544.

trichloride, dissolution of, in a saturated solution of sodium chloride (Causse), 1892, A., 122.

action of hydrogen phosphide on (CAVAZZI), 1885, A., 218.

compounds with nitric oxide and peroxide (Besson), 1889, A., 834. hydrochloride of (ENGEL), 1888, A., 1042.

caesium and potassium and rubidium chlorides (BRIGHAM), 1892, A., 788.

fluoride (Gott and Muin), 1887, P., 130; 1888, T., 138.

oxyfluoride (Gorr and Mura), 1888, T., 189.

iodide (Gorr and Murn), 1887, P., 130; 1888, T., 137.

potassium iodides (ASTRE), 1890, A., 708, 1067.

Bismuth oxyiodide (ASTRE), 1891, A.,

halogen salts of, double (ATKINSON). 1883, T., 289; (Brigham), 1892, A., 788.

hydroxide, dehydration of, by heat CARNELLEY and WALKER), 1888, T., 72, 86.

oxides, heat of formation of (THOMSEN). 1883, A., 544.

trioxide, cubical form of (Mura and Huichinson), 1889, T., 143; P., 2.

pentoxide (HASEBROEK), 1887, A., 340. barium compounds of (MESCHTSопеляку), 1883, А., 158.

colour reactions of (LEVY), 1887, A., 305.

bismuthic acid (ANDRE), 1892, A., 413, 688.

compounds of (HOFFMANN), 1884, A., 824.

bismuthates (MUIR and CARNEGIE), 1886, P., 253; 1887, T., 77.

nitrate, basic, preparation of pure (GROSSMANN), 1884, A., 1092. arsenic in (GROSSMANN), 1884, A.,

1092. nitric peroxide in (HAGER), 1885,

A., 354. test for (HAGER), 1884, A., 116.

examination of (LENZ), 1883, A., 382. phosphate, basic (CAVAZZI), 1885, A.,

653. sulphate (Hensgen), 1886, A., 513; (Bailey), 1887, T., 679.

basic (Athanasescu), 1886, A., 982.

fluorescence of (LECOQ DE BOIS-BAUDRAN), 1887, A., 4.

sulphide, precipitated, composition of (Antony and Lucciesi), 1890, A., 1217.

hydrosulphide, attempts to prepare (LINDER and Picton), 1892, T., 132.

Bismuth organic compounds:--

alkyl-derivatives (MARQUARDT), 1887, A., 802; 1888, A., 1066.

thiocyanate (Bender), 1887, A., 566.

Bismuth detection, estimation, and separation:

detection of (STONE), 1888, A., 197; (Leger), 1889, A., 79.

detection of, microchemical (HAUS-HOFER), 1887, A., 301.

detection of, in lead (GUYARD), 1884, A., 368, 640.

estimation of (BAUMANN), 1892, A.,

Bismuth estimation, and separation :-

estimation of, electrolytic (Classen and Ludwig), 1886, Α., 493; (Moore), 1886, A., 921; (Smith Knerr), 1886, A., 923; (Brand), 1890, A., 295.

estimation of, electrolytic, as amalgams (Vortmann), 1891, A., 1553.

estimation of, in copper (JUNGFER), 1888, A., 324.

estimation of, in silver slags (HAMPE), 1892, A., 919.

separation of, from cadmium, by means of bromine vapour (JAN-NASCH and ETZ), 1892, A., 385.

separation of, from cadmium, lead and tin (JANNASCH and ETZ), 1892, A., 754.

separation of, electrolytic, from copper (SMITH and FRANKEL), 1890, A.,

separation of, qualitative and quantitative, from copper (LOEWE), 1884, A., 497.

separation of, from lead (LEMME), 1890, A., 421; (REMMLER), 1892, A., 385.

separation of, from lead, by means of bromine vapour (Jannasch and ETZ), 1892, A., 540.

separation of from mercury and palladium (Rosenbladt), 1887, A.,

Bismuth minerals from Gladhammar (LINDSTROM), 1891, A., 20.

Bismuthic gold (MAOIVOR), 1887, A.,

Bismuthinite, seleniferous (GENTH). 1891, A., 1328.

North Bismuthite from Carolina (Сикатев), 1887, А., 783.

from the Transvaal (Louis), 1888,

See also Bismuth carbonate.

Bismuthosphærite from Willimantic and Portland, Connecticut (Wells), 1888, A., 346.

Bismuth-silver-glance, artificial (Sou-NEIDER), 1890, A., 710.

Bis-p-nitrobenzylpiperideine (Lell-MANN and Schwaderer), 1889, A.,

Bis-1-phenyl-3:4-dimethyl-5-pyrazolone (KNORR), 1887, A., 601.

Bisphenylhydrazophenol. See Phenolbishydrazobenzene.

Bisphenylmethylazimethylene TIUS and THUN), 1891, A., 1355.

Bis-1-phenyl-3-methyl-4-ethyl-5-pyrazolone (KNORR), 1887, A., 602.

Bis-1-phenyl-3-methyl-4-methylene-5pyrazolone (Perkin), 1889, P., 142; 1890, T., 222.

Bis-1-phenyl-3-methyl-5-pyrazolone (SPRAGUE), 1891, T., 339.

Bisphenyltrimethylenetriamine (Gold-ENRING), 1890, A., 976.

Bis-p-tolylmethylpyrazolone (SPRAgūe), 1891, T., 341.

Bituminous coals, from Alabama, Tennessee, and Kentucky, analyses of (LUPTON), 1885, A., 1185.

Bitumens, origin of (PECKHAM), 1885, A., 488.

analyses of (Boussingault), 1883, A., 941.

See also Asphalt.

Biuret (v. BRUCKE), 1886, A., 338. leaction, the true and so-called (v. Brucke), 1883, A., 1019.

dicyanamide, and its salts (Rasiński), 1883, A., 658.

dicyanodiamide (SMOLKA and FRIED-REICH), 1889, A., 951.

Biurets, substituted (Kunn and Henschel), 1888, A., 474. thio- (HECHT), 1892, A., 703.

Black ash, estimation of total soda, available soda, and of total lime in (Lunge), 1891, A., 497.

Blacking, boot-, analysis of (HORN), 1890, A., 1478.

Blast furnace, phosphorus in (HILGENsтоск), 1885, A., 616.

practice with coke and with charcoal (Bell), 1883, A., 531. consumption of fuel in (ANON.), 1885,

A., 200. Blasting powder (GAÇON), 1885, A.,

Bleaching liquids, various (Lunga and

LANDOLT), 1886, A., 399. Bleaching powder (LUNGE), 1884, A.,

constitution of (O'SHEA), 1883, T., 410; (Lunge and NAEF), 1883, A., 953; (Drryfus), 1885, A., 19; (Lunga and Schoch), 1887, A.,

700. action of ammonia on (Lunge and Schoom), 1887, A., 700.

action of water on (O'SHEA), 1883,

T., 422. arsenic in (GARNIER), 1886, A., 99.

preparation of chlorine from (WINK-LER), 1889, A., 821.

rate of loss of chlorine from, at different temperatures (PATTINSON), 1888, A., 552.

valuation of, technical (VANINO), 1891, A., 615.

Bleaching powder, estimation of, by means of hydrogen peroxide (Lunge), 1886, A., 738; 1890, A., 1469; (VANINO), 1891, A., 246.

estimation of chlorine in (HARVEY), 1883, A., 507.

estimation of active chlorine in (Lidoff), 1886, A., 487; (Namias), 1892, A., 1374.

See also Calcium hypochlorite.

Blende (sphalerite), pyroelectricity of (FRIEDEL and CURIE), 1884, A., 3.

(VERphosphorescent hexagonal

NEUIL), 1888, A., 791, 1248. action of hydrochloric acid (Stolba), 1887, A., 442.

containing manganese, estimation of zinc in (STAHL), 1890, A., 827.

separation of lead, silver, and zinc in (Aubin), 1892, A., 1378.

Blödite (astracanite) (MARKOWNIKOFF), 1885, A., 732; (LUEDECKE), 1887, A., 1085; (ROOZEBOOM), 1888, A., 1164.

* from Hall in Tyrol (v. FOULLON), 1891, A., 648.

from Tarapaca (SCHULZE), 1891, A., 1436.

Blood, studies on (STRUVE), 1885, A., 71.

arterial and venous, the difference between, in different blood vessels (Krücer), 1890, A., 808.

composition of, under varying conditions (Weiske), 1887, A., 855.

spectroscopic examination of (Linos-SIER), 1888, A., 1139.

absorption spectrum of, in the violet and ultra-violet (Sorer), 1884, A., 381.

specific gravity of (JONES), 1887, A., 608; 1891, A., 1527.

specific gravity of, of Europeans living in the tropics (EIJKMAN; GLOGNER), 1892, A., 363.

specific gravity of, in disease (Corr-MAN), 1891, A., 761.

specific gravity of, method for estimating the (HAYCRAFT), 1891, A., 1123.

specific gravity of, method of raising the (HUNTER), 1890, A., 393.

transfusion of mixtures of salt solution and (MARSHALL), 1891, A.,

proportion of, to body weight (Core-MAN and SHERRINGTON), 1890, A., 1015.

alkalimetry of the (WINTERNITZ), 1891, A., 1398.

Blood, alkalinity of the, after large doses of sodium sulphate (SWIAткскі), 1891, А., 347.

influence of acids and alkalis on the alkalinity of human (FREUDBERG), 1891, A., 1528.

relative alkalinity of, of vertebrates (Drouin), 1891, A., 348.

causes of the alteration of, in contact with air, oxygen and carbonic anhydride (BECHAMP), 1887, A., 609.

changes of, in disease (LATHAM), 1888, A., 1324.

coagulation of the (HASEBROEK), 1883, A., 608; (Woodbridge), 1888, A., 619; 1889, A., 288, 1076; (HALLIBURTON), 1888, A., 974; (HAYCRAFT and CARLIER), 1888, A., 1121; (PEKELHARING), 1892, A., 27; (GRIESBACH), 1892, A., 1112.

chemical theory of the coagulation of the (ARTHUS and PAGES), 1891, A., 596.

coagulation of the, influence of calcium sulphate on the (GREEN). 1888, A., 306.

coagulation of the, influence of peptone on the (SHORE), 1891, A., 481. coagulation of the, influence of salts on the (RINGER and SAINSBURY),

1890, A., 1176. amount of dry residue and fat in arterial and venous (Rohmann and

Миняам), 1891, А., 347. fermentation of (Выктивьот and Andre), 1892, А., 900.

fibrin-ferment in (Wooldridge), 1885, A., 1253.

non-fermentable reducing substances in (Seegen), 1886, A., 383.

glycolysis in (ARTHUS), 1891, A., 1528 ; 1892, A., 900.

glycolytic power of (LEPINE and

BARRAL), 1892, A., 364. isolation of the glycolytic ferment of (LEPINE and BARRAL), 1891, A., 755.

variations of the glycolytic and sac-charific powers of, in asphyxia and diabetes (LEPINE and BARRAL), 1892, A., 517.

increase in the hemoglobin in, at great altitudes (Muntz), 1891, A., 754.

hamoglobin in, passing to and from the liver and spleen (v. MIDDEN-DORFF), 1889, A., 1023.

amount of hæmoglobin in, during inanition (Grout, and Hermann), 1889, A., 531.

Blood, formation of methermoglobin in, by the action of alloxantin (Kowa-LEWSKY), 1887, A., 508.

hæmoglobin of dogs' (JAQUET), 1888,

A., 731.

lactic acid in (BERLINERBLAU), 1888, A., 974; (SALOMON), 1889, A., 64. production of lactic acid during the artificial circulation of, through the liver (Wissokowitsch), 1888, A., 860.

dissolved nitrogen in (JOLYET and SIGALAS), 1892, A., 1257.

oxidation in the (HOPPE-SEYLER), 1890, A., 651.

behaviour of, when deprived of oxygen (Zweifel), 1883, A., 818.

heat developed by the action oxygen on the (Вективьот), 1890, A., 274.

tension of oxygen in (HUFNER), 1888, A., 1214.

specific quantities of oxygen (Bonn), 1891, A., 341.

oxygen in the, of animals at great altitudes (VIAULT), 1891, A., 753.

peptone-, gases of (LAHOUSEL), 1889, A., 531; (BLACHSTEIN), 1892, A., 363.

peptones in (Georges), 1887, A., 188.

peptones in the, of leucemic patients (v. Jaksch), 1892, A., 519.

production of the proteids of (Tomur), 1889, A., 532. proteids of lower Vertebrata (HALLI-

BURION), 1886, A., 1050. proteids of the, relation of dextrose to

the (SCHENCK), 1891, A., 350.

formation of sugar from peptones in

(Impine), 1892, A., 1502. sugar in (Ginsberg), 1890, A., 276; (SEEGEN), 1892, A., 713.

sugar in : its source and signification (SEEGEN), 1885, A., 411.

sugar in, with reference to nutrition (Seegen), 1886, A., 382; 1887, A., 66.

amount of sugar and reducing substances in, under various circum-

stances (O170), 1885, A., 829. disappearance of sugar from (HARLEY), 1892, A., 363. from the

destruction of glucose by (LEPINE and BARRAL), 1890, A., 1172; 1891, A., 596.

effect of medicines, especially of valerian extract, on the destruction of sugar in (BUTTE), 1891, A., 754. amount of urea in (GREHANT and

QUINQUAUD), 1889, A., 914.

Blood, action of acetanilide and dihydroxynaphthalene on (LÉPINE), 1888, A., 184.

action of alloxantin on (KOWALEWsky), 1888, A., 732.

action of carbon disulphide on (West-

BERG), 1892, A., 1520. action of leech extract on (DICKINson), 1891, A., 482.

action of ozone on (BINZ), 1883, A., 486; 1884, A., 95.

action of potassium ferricyanide on (v. Mering), 1884, A., 1398.

action of potassium nitrite (Hénocque), 1885, A., 682. chyluria (Freund and Ober-

MAYER), 1891, A., 1124.

leucocythæmia (FREUND OBERMAYER), 1891, A., 1124.

in a case of melanotic sarcoma (HOPPE-SEYLER), 1891, A., 484.

of the Aplysia (CULNOT), 1890, A.,

of decapod Crustaceæ (HALLIBURTON), 1886, A., 639.

of invertebrates (GRIFFITHS), 1892, Λ., 648.

of a living mammifer, absorption of carbonic oxide by (GREHANT), 1892, Λ., 743.

of Pinnu squamosa (GRIFFITHS), 1892, Λ., 1016.

toxic action of (Hericourt and RICHET), 1892, A., 228.

transformation of, into a solid and inodorous manure, by means of a new ferric sulphate (MARGUERITE-Delacharionny), 1883, A., 239.

mamurial value of dried (PETERMANN),

1884, A., 211. detection of (Janeček), 1892, A., 1369. detection of human (COPEMAN), 1889, A., 1092.

test for, van Deen's (v. BRÜCKE), 1889, A., 1040. detection of in urine (Wolff), 1888,

A., 880.

detection of carbonic oxide in (KATA-YAMA), 1889, A., 88, 650; (WETZEL), 1890, A., 432, 1200; (RUBNER), 1891, A., 496; (BERTIN-SANS and MUITESSIER), 1891, A., 1522. analysis, method of hæmatoscopy

(Henocoue), 1887, A., 312; 1888, A., 204.

estimation of the alkalinity of (HAY-CRAFT and WILLIAMSON), 1889, A., 449; (SWIATECKI; DROUIN), 1891, A., 348.

estimation of the glycogen in (LÉPINE and BARRAL), 1892, A., 89.

Blood, estimation of inorganic salts in small quantities of (STEWART), 1891, A., 619.

estimation of iron in (LAPICQUE),

1890, A., 297.

estimation of the oxygen in (SIEGfried), 1891, A., 845.

estimation of sugar in (SEEGEN), 1891, A., 248; (SCHENCK), 1891, A., 504; (ABELES), 1891, A., 1399.

Blood-ash, influence of nutrition on the composition of (LANDSTEINER), 1892, A., 225.

Blood-corpuscies, red, the stromata of the (HALLIBURTON and FRIEND), 1889, A., 1231.

permeability of the, in relation to their isotonic coefficients (HAM-BURGER), 1890, A., 809.

lecithin and cholesterol in (MA-NASSE), 1890, A., 1017.

action of various organic compounds on (HEINZ), 1891, A., 602.

Blood-fibrin, heat of combustion of (BERTHELOT and ANDRÉ), 1890, A.,

Blood-pigments (NENCKI and SIEBER), 1885, A., 69, 825; (Hoppe-Seyler), 1889, A., 787.

decomposition products of (Hoppe-Sever), 1885, A., 826.

action of hydrogen peroxide on red (Dechamp), 1883, A., 103. behaviour of sodium nitrite with

(Wurster), 1887, A., 683.

blue, of the Crustace (HEIM), 1892, A., 898.

Blood-plasma, soaps as constituents of (Hoppe-Skyler), 1885, A., 573.

of the splenic vein, is free hemoglobin present in, ? (SCHAFER), 1890, A., 1016.

Blood-pressure, action of hydroxylamine and nitrites on (BRUNTON and BOKENHAM), 1889, A., 630.

action of paraffinic nitrites on (CASH and Dunstan), 1891, A., 1270.

Blood-serum, new constituent of (Wool-DRIDGE), 1887, A., 983.

new proteid from human (CHABRIE), 1892, A., 224.

Blood-stains, detection of (FERRY DE LA Bellone), 1888, A., 1140; (Leone and DENARO), 1890, A., 840.

detection of, in presence of iron rust (DANNENBERG), 1887, A., 408.

detection of, on washed clothes (Hus-

son), 1884, A., 376. formation of iodohemin as a method for detecting (Buralini), 1886, A., 184.

Blood-tablets and thrombosis (Löwit), 1889, A., 127.

Blood-vessels, action of nicotine on

(Colas), 1891, A., 96.
"Blooming" of black Russian earth (GAYON), 1883, A., 679.

Blowpipe reagent, iodine as a (WHEELER 1885, LUEDEKING), and 596.

silver iodide as a (CASAMAJOR), 1885, A., 1157.

Blue, Egyptian (MUHLHÄUSER), 1890, A., 215.

See also Colouring-matters and Pigments.

Bodily labour, influence of, on the elimination of nitrogen (Nouth), 1885, A., 412; 1886, A., 569.

Body, human, decomposition of fibrin, galactin, peptone and asparagin in the (Graffenberger), 1892, A., 904.

Bochmeria, composition of (JAFFA), 1892, A., 1511.

Boiler explosions (ANON.), 1883, A.,

prevention of (TREVE), 1883, A., 250,

Boiler fires, investigation of (FISCHER), 1883, A., 942.

Boiler incrustation, composition of a (STILLMAN), 1890, (CHRIST), 1892, A., 17. Δ.,

barium and strontium in (BLOXAM), 1884, A., 699.

calcium hydroxide as a (LUEDECKE). 1886, A., 506.

prevention of (BAUDET), 1883, A.,

Boilers, consumption of fuel for heating (SCHEURER-KESTNER), 1854, A., 780.

effect of the presence of sheet winc in (Treve), 1883, A., 250.

Boiling point (Lossen), 1888, 335; ((ierlagh), 1889, 813.

definition of (Kahlbaum), 1884, A., 951.

law of (Guldberg), 1890, A., 1043. as a function of the chemical nature of substances (Wildermann), 1890, A., 941, 1364.

and melting point as related to chemical composition (MILLS), 1885, A., 329.

determination of the molecular weight from the rise of the (BM KMANN).

1889, A., 933. relation of, to critical point (BAR-TOLI), 1885, A., 859.

Boiling point, relation of, to pressure (Kaulbaum), 1884, A., 141, 950; 1885, A., 1176; 1886, A., 590; 1887, A., 2 1885, A., 1176. 206; (SCHUMANN),

Kahlbaum's so-called "specific remission" as an expression of the dependence of, on atmospheric pressure (NAUMANN), 1885, A., 717.

high temperature, pressure variations of (BARUS), 1891, A., 9.

relation of, to molecular volumes and chemical characters of liquids (MASson), 1891, A., 379.

relation of, to specific volume (STAE-DEL), 1883, Å., 302; (GROSHANS), 1886, A., 590.

of the fatty acids, C₂H₄O₂—C₅H₁₀O₂ (KAHLBAUM), 1887, A., 207.

of monohydric alcohols, relation of, to constitution (FLAWITZKY), 1887,

A., 879.

of the corresponding ketones, ethereal salts, and chlorauhydrides, similarity of (SCHRODER), 1883, A.,

highest, of liquids (Puscell), 1888, A., 17.

of solutions of metallic chlorides (SKINNER), 1892, T., 340.

of mixed derivatives (HENRY), 1886, A., 135.

of phenols and their ethers (PINETTE),

1888, A., 335. of saline solutions (NICOL), 1885, A.,

termination of (RAMSAY and YOUNG), 1886, P., 181; (GROSHANS), 1886, A., 411; (SIWOLOdetermination

HANN), 1886, A., 411; (Siwolo-BOFF), 1886, A., 497. determination of, with the platinum thermometer (GRIFFITIES), 1891,

A., 251. determination of, under any pressure

(HINRICHS), 1891, A., 1408. errors in the determination of (URAPTS), 1883, A., 844. determination of mechanical, of acids and alcohols (HINRICHS), 1892, A.,

determination of, mechanical, of compounds of simple terminal substitu-

tion (HINLEGES), 1892, A., 948. determination of, mechanical, of compounds of complex terminal substitution (HINRICHS), 1892, A., 1039.

determination of, of ethereal salts of normal fatty acids (GARTEN-MEISTER), 1886, A., 966; (DOBRI-NER), 1888, A., 334.

Boiling point, determination of, of normal isomeric ethereal salts of the fatty series (HINRICHS), 1892, A., 260.

determination of, with small quantities of liquids (SIWOLOBOFF), 1886, A., 497; (Schleiermacher), 1891,

A., 873; (Jones), 1891, A., 1146. determination of, of paraffin derivatives (HINRICHS), 1892, A., 797.

Boiling point curves for the normal paraffins (HINRICHS), 1892, A., 947.

"Bois piquant," bark of (HECKEL and Schlagdenhauffen), 1884, A.,

Boldoa fragrans, a glucoside (Chapoteaut), 1884, A., 845.

Bole from Steinkirchen, in Bohemia (STARKL), 1883, A., 444.

Boleite (MALLARD and CUMENGE),

1892, A., 123. Boletus, alkaloids in (DUPETIT), 1884, A., 204.

Boletus edulis and B. aurantiucus, distribution of sugars in (Bour-QUELOT), 1892, A., 519.

Boletus luridus, fat of (OPITZ), 1891, A., 1285.

Bombyx Mori, chemical changes attending the development of the embryo in the eggs of (Tichomiroff), 1885, A., 1000.

Bonds, double, theory of (SKRAUP), 1891, A., 1320.

Bone, bleaching and dyeing (KAYSER), 1886, A., 188.

Bone-black. See Animal charcoal.

Bone-meal. See Agricultural Chemis-

Bones, composition of, influence of various salts on the (Weiske), 1891, A., 848, 1525; 1892, A., 647.

do they contain keratin? (SMITH), 1584, A., 1398.

of different ages, ash in (MASON), 1888, A., 80.

of normal and rachitic children, inorganic constitutents of (BRU-BAKER), 1891, A., 847.

of aged rabbits (GRAFFENBERGER), 1891, A., 1275.

fossil, of various ages, proportion of fluorine in (CARNOT), 1892, A., 1413.

fossil and recent, fluorine in (CAR-NOT), 1892, A., 1161.

Bootblacking, analysis of (Honn), 1890, A., 1478.

Boracic acid. See Boric acid under Boron.

Boracite, artificial production of, in the wet way (DE GRAMONI), 1890, A., 1384.

determination of the refractive indices of (MALLARD), 1886, A.,

pyroelectric properties of (FRIEDFI and Curie), 1884, A., 3; (MACK), 1884, A., 655. crystalline form of (BAUMHAUER),

1886, A., 24. Borax. See Sodium biborate.

Bordeaux-red, detection of, in wine (Thomas), 1884, A., 370.

orhegyer water, composition (Ballo), 1884, A., 978. Borhegyer

Borneen, so-called (WALLACH), 1886, A., 70.

Borneo tallow (Geitel), 1888, A., 447. Borneocamphene (BRUHL, BILLIZ, CAN-TZLER, and REUTER), 1892, A., 624; (Bruhl), 1892, A., 625.

Borneol (camphol) and its derivatives

(WALLACH), 1886, A., 70. from camphor (JACKSON and MENKE), 1884, A., 666; (Kachler and Spitzer), 1884, A., 754.

from valerian (HALLER), 1886, A., 1040.

reduction of camphor to (Jackson), 1885, A., 991.

preparation of, from terpene (MARSH and STOCKDALE), 1890, T., 963.

constitution of (KANONNIKOFF), 1886, A., 336; (Collie), 1892, A., 865.

properties of (BOUCH INDAY and LA-

FONT), 1892, A., 199. specific volume of (Kuhara), 1889, A., 785; 1890, A., 169.

action of carbon disulphide on (BAM-BERGER and LODIER), 1890, A.,

metallic derivatives of (BRUHL and Billiz), 1891, A., 656.

physiological action of (Slockman), 1888, A., 1216.

separation of, from camphor (HAL-TER), 1889, A., 1002.

isoBorneol, properties of (Bouthardat), 1892, A., 199.

Borneol, inactive, synthesis of (Bouch-ARDAT and LAFONT), 1886, A , 365.

d-Borneol, preparation of a, identical with Dryobalanops borneol (Haller),

1889, A., 1002. *I-Borneol* (Lextreerr), 1886, A., 557. Borneol, racemic (HALLER), 1887, A.,

Borneols, from the French essence of terebenthene (BouchAmbar and Lafont), 1889, A., 897.

Borneols, heat of combustion of (Lu-GININ), 1889, A., 328.

isomerism of (HALLER), 1886, A., 890; 1887, A., 375. accetates and benzoates of (HALLER),

1889, A., 1002. normal and acid ethereal salts and phthalates of (HALLER), 1889, A., 620.

α-Borneols, camphorates of (HALLER), 1890, A., 790.

Borneols, inactive, yielding active camphors (HALLER), 1887, A., 1050.

isoBorneols, influence of solvents on the rotatory power of (HALLER), 1889, A., 1206; 1891, A., 575.

Borneolurethanes, isomeric (HALLER), 1884, A., 755.

Bornite, artificial production of (DOEL-TER), 1886, A., 208. om New Mexico,

microscopic from character of (BAUMHAUER), 1886, A., 22.

mineral related to, from Montana (l'earce), 1890, A., 710. See also Tetradymite.

Bornyl sodium camphorate (HALLER), 1890, A., 790. chloride (WALLACH), 1886, A., 70.

ethyl, methyl, and methylene ethers (Вкинь), 1892, А., 200, 348.

phenylamidoformate (LEUCKART), 1887, A., 376.

Bornyl and isobornyl phenylcarbamates (HALLER), 1890, A., 518.

Bornylamine, and its derivatives (LEUCкакт and Васи), 1887, А., 376. constitution of (Bamburger), 1888, A., 722.

taitrate (WALLACH and GRIEPEN-KERL), 1892, A., 1288.

Bornylbenzyl- and bornylbenzylideneamines (WALLACH and GRIEPEN-KERL), 1892, A., 1238.

Bornyl-, bornylphenyl-, and bornylphenylthio-carbamides (IMUCKARP and BACH), 1887, A., 377.

Bornylxanthic acid (BAMBERGER and Lodier), 1890, A , 517.

Borocalcite. See Ulexite.

Boron, atomic weight of (ABRAHALL), 1892, T., 650; P., 74; (Asron and Ramsay), 1892, P., 165.

valency of (Lorenz), 1888, A., 1216, 1247; (Gustavson), 1889, A.,

preparation of (RAWSON), 1889, A., 211; (GATTERMANN), 1889, A., 313; (Maison), 1890, A., 331.

preparation of, by electrolysis (HAMPE), 1889, A., 103.

Boron, preparation of amorphous (Mois-

san), 1892, A., 681, 682. properties of amorphous (Moissan), 1892, A., 1153. spectrum of (HARTLEY), 1883, T., 397;

1884, A., 242. action of, on organic haloids (CHAB-

RIÉ), 1892, A., 1316. combustion of, in dried oxygen (BAKER), 1889, A., 465. influence of, on steel (OSMOND), 1890,

A., 566.

alloy with aluminium (MINET), 1891, A., 1321.

Boron bromide, preparation of (ABRA-HALL), 1892, T., 655.

action of hydriodic acid on (Besson), 1891, A., 980.

combination of ammonia (BESSON), 1892, A., 771. carbide (JOLY), 1884, A., 156. with

chloride, preparation of (GATPER-

MANN), 1889, A., 343. combination of ammonia and hydrogen phosphide with (BESSON),

1890, A., 690. oxychloride (Lorenz), 1888, A., 1246. composition of (Gustavson), 1889, A., 465.

fluoride, combination of, with hydrogen phosphide (Besson), 1890, A., 448. ammonium fluoride (Stolba), 1890, A., 561.

hydride (Winkler), 1890, A., 693; (Sabatier), 1891, A., 979.

iodide (Moissan), 1891, A., 979;

1892, A., 1154. combination of ammonia and of hydrogen phosphide with (BESson), 1892, A., 771.

bromiodides (Besson), 1891, A.,

phospho-mono- and-di-iodides (Mois-SAN), 1892, A., 115.

nitride, action of alcohols on (VIDAL), 1891, A., 1003; 1892, A., 1311.

oxide (boric unhydride), action of magnesium on (WINKLER), 1890, A., 693.

action of organic halogen compounds on (CHABRIÉ), 1891, A.,

products of the reduction of, by aluminium (JoLY), 1884, A., 156.

Boric acid (boracic acid) (GEORGIEvič), 1888, A., 1247.

non-volcanic origin, and origin of (DIEULAFAIT), 1885, A., 876. as a plant constituent (CRAMPTON),

1889, A., 794; (Horren), 1890, A., 1338.

Boric acid (boracic acid) in the beach

(BECHI), 1890, A., 656. in the products of the soil (GASsend), 1892, A., 93.

in wine and in the vine (BAUMERT), 1889, A., 295.

electrolysis of (BARTOLI and PAPA-

sogli), 1883, A., 540. conductivity, electrical, of solutions of, in presence of dulcitol (Magnanini), 1891, A., 251.

heat conductivity of (Bock), 1887, A., 758.

freezing points of aqueous solutions of mannitol and (MAGNANINI),

1892, A., 263. influence of, on the electrical conductivity of dilute alcoholic solutions of organic acids (MAGNANINI), 1892, A., 1265.

action of, on calcium carbonate in the cold (Reed), 1885, A., 484. action of mannitol on (MAGNANINI),

1890, A., 1857.
action of polyhydric alcohols on solutions of sodium hydrogen carbonate and (JEHN), 1887, A.,

790; 1888, A., 1172. compound of, with phosphoric acid

(MEYER), 1890, A., 108. compound of, with sulphuric anhydride (D'AROY), 1889, T., 155;

physiological action of (Forster), 1884, A., 782; (Johnson), 1886, A., 572.

action of, on germination (MOREL), 1892, A., 651.

use of, in alkalimetry (GUYARD), 1884, A., 638.

use of, in preserving food (Forster), 1883, A., 1178; 1884, A., 782.

detection of, in milk (MEISSL), 1883, A., 385; (KRETZSCHMAR), 1887, A., 864; (CASHAL), 1891, A., 619.

estimation of (GILBERT), 1880, A., 742; (ROSENBLADT; GOOCH) 1887, A., 299; (Monse and BURTON), 1888, A., 755; (PAR-1891, A., 1551; MENTIER), (HEUNER), 1892, A., 384.

estimation of, volumetric (WILL), 1888, A., 628; (McGlashan), 1889, A., 75.

 $_{
m in}$ borosilicates estimation of, (Bodewig), 1884, A., 871. estimation of, in milk and cream

(Cassal), 1891, A., 619.

estimation of, in mineral waters (Fresenius), 1886, A., 649.

193

Boric acid (boracic acid), separation of (Gooch), 1887, A., 299; (Morse and

BURTON), 1888, A., 755.
Borates, natural (RAMMELSBERG), 1885, A., 28; (WHITFIELD), 1888, A., 347.

from Stassfurt (MILCH), 1891, A., 528; (LUEDECKE), 1891, A., 528; 1892, A., 791; (FEIT), 1892, A.,

crystalline, production of (DITTE),

1884, A., 711. metallic (LE CHATELIER), 1892, A., 404; (DIFTE), 1892, Å., 565. test for, microchemical (HAUS-HOFER), 1887, A., 300.

Borax. See Sodium biborate.

For special borates, see under the respective metal or basic radicle.

Boron phosphide (Besson), 1891, A., 1418; 1892, A., 273; (Moissan), 1892, A., 115, 272.

selenite (SABATIER), 1891, A., 981. trisulphide (SABATIER), 1891, A., 981; (MOISSAN), 1892, A., 1392.

pentasulphide (Moissan), 1892, A., 1394.

cadmium tungstate, crystallography of (Linck), 1887, A., 334,

Boron compounds, organic (RIDEAL), 1889, A., 769.

triphenyl (MICHAELIS), 1889, A., 505. Boron minerals, geological occurrence of (v. Grondeck), 1888, A., 566.

Boronatrocalcite. See Ulexite.

Boroquatuordecitungstates (KLEIN), 1853, A., 23, 756.

natural (Whitfield), Borosilicates, 1888, A , 317.

Borotungstates (KLEIN), 1883, A., 23, 786; 1884, A., 559, 1266.

Botryogen (BLAAS), 1881, A., 269, 1103; (Hockaup), 1987, A., 21; (Darapsky), 1890, A., 156.

Bottle-glass. See Glass.

Bottles for reagents (GAWILOWSKI), 1885, A., 835.

Bouquets, artificial, toxic action of (LABORDE and MAGNAN), 1885, A., 737.

Bournonite (Page), 1883, A., 162; (GONNARD),1885, A., 220; (MIERS), 1886, A., 312; (Siro(z), 1886, A., 314.

artificial production of (DOELTER), 1886, A., 208.

decomposition of, by air containing bromine (Jannasum), 1889, A., 1243.

from Arizona (Blake), 1890, A., 572. from Chili and Bolivia (v. SAND-BERGER), 1886, A., 431.

Brachypodium sylvaticum, analyses of (Wilson), 1889, A., 1078.

Bracken (Pteris aquilina) and its ash, analysis of (Petermann), 1884, A., 207. "Bradoxydabel" (TRAUBE), 1883, A., 709.

Brahinite, new specimen of (MEUNIER), 1889, A., 765.

Brain, influence of sodium chloride on the chemical composition of the (Novi), 1891, A., 1274. distribution of lead in, in cases of

lead poisoning (BLYTH), 1887, P., 71. relation of phosphoric acid to nitrogen in urine during feeding with (Politis), 1885, A., 283

Brain substance, new method of proximate resolution of (BAUMSTARK), 1885, A., 918.

of the horse, composition of (BAUMstark), 1885, A., 918.

Bran, distillation of, with lime (LAYcock and Klingemann), 1892, P., 138.

See also Agricultural Chemistry.

Brandy from raspberries and strawberries (Rommier), 1887, A., 292.

from wine (ORDONNEAU), 1886, A., 436.

from a wine from Charente Inférieure (Morin), 1888, A., 125.

from different parts of the German Empire, amylic alcohol in (SELL), 1890, A., 1388.

n-butylic alcohol and higher alcohols in (CLAUDON and MORIN), 1887, A., 714.

tetracarbon-aldehyde in (MULLER), 1892, A., 810.

analysis of (Rocques), 1889, A., 84; (Fuestatus), 1890, A., 1195;

(MOHIER), 1891, A., 503. estimation of fusel oil in, by Otto's method (Krauch), 1883, A., 123.

Brandy-distillation, glycerol in the residuary liquois of (v. Torring), 1889, A., 735.

Brasilein. See Brazilein.

Brasilin. See Brazilin.

Brass, dissociation of (WARDER), 1884, A., 660.

production of a gold-coloured or green surface on (Puscher), 1884, A., 128. polished (MEIDINGER), 1884, A., 521. process for phosphorising (WHITING), 1884, A., 936.

Brassamide (REIMER and WILL), 1887, A., 233.

Brassic acid, heats of combustion and formation of (SIGHMANN and LANG-BEIN), 1891, A., 11.

Brassic acid, boiling points of (KRAFFT and Noerdlinger), 1889, A., 691. stereometric relations of, with erucic acid (Holt), 1892, A., 429, 812, 1427.

derivatives of (REIMER and WILL), 1887, A., 233.

phenylhydrazide (Holt), 1892, A., 1428.

Brassic acid, bromo- and mono- and dichloro- (HOLT), 1892, A., 429.

Brassic anhydride (REIMER and WILL), 1887, A., 233.

Braunite from Jakobsberg (IGELSTROM), 1887, A., 643; (SCHUSTER), 1888, A., 428. from Orebro (IGELSTROM), 1890, A.,

1076.

from Sweden (IGELSTRÖM), 1892, A., 1404; (FLINK), 1892, A., 1405. See also Manganese sesquioxide.

Brazilein, preparation of (v. Buchka and Erck), 1885, A., 907. derivatives of (Schall and Dralle),

1892, A., 502. tribromo-(SCHALL and DRALLE), 1890,

A., 997.

Brazilein-dihydroxime and -phenylhydrazone (SCHALL and DRALLE), 1890, A., 997.

Brazilin and its derivatives (DRALLE; v. Buchka), 1884, A., 1043; (Schall and Dralle), 1888, A., 295; 1889, A., 55, 1004; 1890, A., 996.

constitution of (WIEDEMANN), 1884, A., 756.

oxidation of (SCHALL and DRALLE). 1892, A., 502.

acetyl derivatives of (v. Buchka and ERCK), 1885, A., 907.

bromo-derivatives of (v. Buchka and ERCK), 1885, A., 907; (SCHALL and DRALLE), 1889, A., 1004.

dibromide, tribromo- (SCHALL and DRALLE), 1889, A., 56. tetramethyl ether, bromine deriv-

atives of (SCHALL and DRALLE),

1890, A., 997.

Brazinole (WIEDEMANN), 1884, A., 756.

Bread, fermentation of (Mousette), 1883, A., 1179; (CHICANDARD), 1883, A., 1179; 1884, A., 235; (BOUTROUX), 1884, A., 132; 1891, A., 1529. (CHULDE), 1000. A., 1532; (GIRARD), 1886, A., 185. fermentation of, formation of alcohol

'in the (Marcano), 1884, A., 532. nitrogenous constituents of (ULLIK), 1883, A., 821.

detection of ergot in (PALM), 1884, A.,

Bread, logwood test for alum in (Young), 1887, A., 1143.

estimation of alum in (Young), 1891, A., 114.

Bread, gluten-, estimation of starch in (Richard), 1885, A., 299.

Bread-making (MARCANO), 1884, A.,

utilisation of butter-milk in (MULLER), 1883, A., 1037.

Breadstuffs, growth of, in various latitudes (ANON.), 1885, A., 78.

Breath, volatile bases in (WURTZ),1888,

Breithauptite, artificial (BRAND), 1887, A., 17.

from Sarrabus, Sardinia (MATTIROLO), 1892, A., 790.

See also Covellite.

Breunnerite from the Central Ural

(SAYTZEFF), 1889, A., 837. from Hall in Tyrol (v. FOULLON), 1891, A., 648.

Brewer's pitch, an examination of (v. Milkowski), 1891, A., 512.

Brewing, progress in (ANON.), 1885, A., 1169.

influence of proteids in barley on (ANON.), 1883, A., 756.

system on which rice may be used in (MARKL), 1884, A., 235.

use of maize in (GENT), 1884, A., 527. Brewing water (DELBRUCK), 1885, A.,

Bricks, formation of sodium sulphate in Christel), 1884, A., 127.

"Brilliant-green," Brilliant-green," preparation (MUHLHAUSER), 1887, A., 580. of Brine-springs. See Water.

Broad beans. See Beans, broad.

artificial, Brochantite, analysis (ATHANASESCU), 1885, A., 1117. from Chili (CHESTER), 1887, A., 783.

Bröggerite (BLOMSTRAND), 1884, A., 1102.

Bromacenaphthene (BAMBERGER and LODTER), 1888, A., 604.

Bromacenaphthenes, tri - and tetra-(Ewan and Cohen), 1889, T., 581; Ì., 123.

p-Bromacetaldehydephenylhydrazone (Neufeld), 1889, A., 251.

Bromacetamide (Buchner and Paren-DIECK), 1892, A., 827.

esoBrom-o-acetamidoacetophenone BARYER and BLOEM), 1884, A., 1026.

Brom-p-acetamidophenylpropionic acid (GABRIEL), 1883, A., 195.

Brom-p-acetamidostyrene (GABRIEL and Herzberg), 1883, A., 1123; (Herz-DERG), 1885, A., 662.

Bromacetanilide (ABENIUS), 1890, A.,

Bromacetic acid, preparation of (MICHAEL), 1884, A., 421.

acid, electrolysis diBromacetic (LASSAR-COHN), 1889, A., 1056.

o-Bromaceto-β-naphthalide, action of bromine on (MELDOLA), 1883, T., 7.

tetraBromaceto-β-naphthalide DOLA), 1883, T., 8.

Bromacetone, action of, on ammonium thiocyanate (Norron and Westen-HOFF), 1888, A., 936.

s-diBromacetone (HJELT and SIVEN), 1889, A., 234.

hexaBromacetone (HERZIG), 1883, A., 464; (Hantzson), 1888, A., 1192. p-Bromacetonephenylhydrazone (NEU-

FELD), 1889, A., 251.

Bromacetonitrile (HENRY), 1886, A.,

Bromacetophenone. See Acetophenone. Bromacetothienone (GATTERMANN and Römer), 1886, A., 537; (Brunswig), 1887, A., 236.

5-Bromaceto-o-toluidide and its derivatives (ALT), 1889, A., 1214; (NIE-MENTOWSKI), 1892, A., 838.

oxidation of, by permanganate (Alt), 1889, A., 987.

esoBromaceto-o-toluidide and its derivatives (ABENIUS and WIDMAN), 1888, A., 824.

esodiBromaceto-o-toluidide (ABENIUS and WIDMAN), 1889, A., 134.

4-Bromaceto-m-toluidide (CLAUS), 1892, A., 1201.

3:5-diBromaceto-p-toluidide (CLAUS and HERBABNY), 1892, A., 175.

esoBromaceto•p-toluidide (ABENIUS), 1890, A , 269.

p-Bromaceto-m-xylidide (ABENIUS), 1888, A., 854; 1890, A., 269.

pentaBromacetoacetamide (v. Preul-MANN and STOKES), 1885, A., 1202. hexaBromacetylacetone (COMBES), 1888,

A., 666.

Bromacetylacetones, hepture and per-(ZINCKE and KEGEL), 1890, A., 1108,

diBromacetylacrylic acid (ANGELI and CIAMICIAN), 1891, A., 427; 1892, A.,

diBromacetylbrazilein (Sunall and DRALLE), 1890, A., 997.

Bromacetylcholesterol (Reinitzer), 1888, A., 1076.

Brom-p-acetyleneanisoil (EIGEL), 1887, A., 1110.

diBromacetylmethylpyrroline (CIAMI-CIAN and SILBER), 1888, A., 62.

Bromacetyl- β -methylthiophen (GER-LACH), 1892, A., 830.

diBromacetylnaphthastyril SPRAND), 1886, A., 715. (Eĸ-

triBromacetylpyrroline (CIAMICIAN and Silber), 1885, A., 1078.

β-Bromacrylic acid (STOLZ), 1886, A., 531.

diBromacrylic acid (HILL), 1886. Λ., 687.

triBromacrylic acid, crystalline form of (MELVILLE), 1883, A., 310.

Bromadenine (BRUHNS), 1890, A., 535:

(KRUGER), 1892, A., 890.

diBromadipic acid (RUHEMANN and BLACKMAN), 1890, T., 871; P., 38.

Bromaldehydes, formation of, by the action of bromine on alcohols of the ethyl series (ETARD), 1892, A., 809.

Bromallylacetophenone dibiomide

(PERKIN), 1884, T., 188.

Bromallylamine and its derivatives (PAAL), 1889, A., 116; (PAAL and HERMANN), 1890, A., 229.

Bromallylbenzene (Korner), 1888, A., 368.

Bromaloin (GROENEWOLD), 1890, A., 639.

2:4 - Bromamido - α - acetonaphthalide (MELDOLA), 1885, T., 500.

Bromamidoacetylquinoline (LA Coste), 1883, A., 91.

p-Brom-o-amidobenzoic acid (CLAUS and Scheulen), 1891, A., 565. Bromdiamidoisobutylbenzene (GELZER),

1889, A., 44. Bromamidocarvacrol (MAZZARA), 1890,

A., 884; 1892, A., 595. m-Brom-o-amidoisocumic acid (FILETI

and Crosa), 1891, A., 1056. 2 5-diBrom-3:6-diamidocymenes

(Claus, Raps, Herechprand Berke-FELD), 1891, A., 1200, 1201.

diBromeliamidodiphenyl 108°1 (Schthrz), 1884, A., 903.

Bromamidodiphenyldisulphonic acid (Limpricht), 1891, A., 929.

Brom-m-amidoethoxybenzenes, mono-, di- and tri- (LINDVER), 1885, A., 775.

2:5-Bromamido-3-ethoxy-1-methyl-4propylbenzene (MAZZARA and VIGILI). 1890, A., 883.

2: 3-Bromamido-1: 4-naphthaquinone and its imide (ZINCKE and GERLAND), 1887, A., 838.

Bromamido-oxindole (JACKSON BANCROFT), 1890, A., 982.

Bromamidophenetoils (STARDEL), 1883, A., 662.

Bromamidophenols, and their derivatives (Holz), 1885, A., 1211.

diBrom - p - amidophenol (Mörlau), 1884, A., 594; (LELLMANN and GROTH-MANN), 1885, A., 266.

triBromamidophenol (DACCOMO), 1885, A., 889.

Bromamido- β -phenylpropionic acid (Gabriel), 1883, A., 195.

Bromamidophenylsuccinamide (Hooge-WERFF and VAN DORP), 1891, A., 196. acids,

Brom - o - amidophenylvaleric esodi- and tetra- (DIEHL and EIN-HORN), 1887, A., 486.

Bromamidoquinoline [m.p. 164°] (LA Coste), 1883, A., 90.

2:2'-Bromamidoquinoline [m. p. (CLAUS and VIS), 1889, A, 281.

Bromamidoisoquinoline (Edinger and Bossung), 1891, A., 581.

Bromamidostrychnine (Beckurts), 1890, A., 1329.

o-Brom-p-amidothymol (MAZZARA and Discalzo), 1886, A , 1019; (MAZZARA), 1890, A., 602.

5 - Bromamidothymol ethyl ether (MAZZARA and VIGHI), 1890, A., 883. 2:5 - Bromamidothymol

Bromisodiamido-o-toluene (HUBNER and Schupphaus), 1884, A., 1143.

o-Brom-m-amido-p-toluic acid (FILETI and Crosa), 1889, A., 495.

Brom-α- and -β-amyrins (VESTERBERG), 1891, A., 166.

Bromanil. See Quinone, tetrabromo-. Bromanilbenzoin (Voigt), 1886, A., 888.

Bromanilic acid (LEVY and JEDLICKA) 1889, A., 390; (Graebe and Weltner), 1891, A., 1028. constitution of (HANTZSCH and

SCHNITER), 1887, A., 1036. action of bromine on (LEVY and

Jedučka), 1887, A., 1106. action of halogens on (LANDOLT),

1892, A., 834. decomposition products

(Hantzsch), 1888, A., 1190. bromide (HANTZSCH), 1888, A., 1191. compound of, with chloranilic acid (Ling), 1892, T., 574.

sodium salt of, crystalline form of the (POPE). 1892, T., 582.

See Chlorobromanilic acid. a-Brom-β-anilidocrotonic acid (KNORR and Antrick), 1885, A., 278.

diBromanilidonaphthaquinoneanilide (Fischer and Hepp), 1888, A., 473. triBrom-a-anilidopropionitrile PHAN), 1887, A., 148.

Bromanilines. See Aniline.

p-Bromaniline-m-sulphonic acid (ARMstnong and Briggs), 1892, P., 40.

diBromaniline-p-sulphonic acid (HEINichen), 1890, A., 165.

Bromanisic acid (Schall and Dralle). 1885, A., 146.

derivatives of (BALBIANO), 1885, A., 530.

diBromanisic acid. constitution (Balbiano), 1884, A., 1172.

dry distillation of the sodium salt of (Balbiano), 1883, A., 1125.

Brom-o- and -p-anisidines, mono- and diand their salts (STAEDEL), 1883, A.,

 β -Bromanisyl- γ -butyrolactone (Fittig and Politis), 1890, A., 771.

Bromanthracene-γ-carboxylic acid (Behla), 1886, A., 248.

Bromanthranol (GOLDMANN), 1887, A.,

Bromapatite (DE SCHULTEN), 1890, A.,

production of (DITTE), 1883, A., 648, 783, 784.

triBromapiole (GINSBERG), 1888, A.,

Bromisoapiole (CIAMICIAN and SILBER), 1890, A., 1294.

triBromisoapiole (GINSBERG), 1888, A., 1206.

diBromapione (CIAMICIAN and SILBER), 1888, A., 1100.

Bromarseno-manganese wagnerites (Diite), 1883, A., 784.

Bromazo-. See Azo-.

(Eichengrun a-Bromecgoninelactone and EINHORN), 1891, A., 66.

Bromerucic acid (HOLT), 1892, A., 429. triBromethane (MICHAEL), 1884, A., 418.

Bromethanes, chlorinated, properties of (Henry), 1884, A., 979.

Bromethoxybenzoic acids, mono-and di-(Peratoner), 1887, A., 487.

2-Brom-3-ethoxy-1-methyl-4-propylbenzene (MAZZARA and VIGHI), 1890, A., 883.

Bromethylamine and its derivatives (GABRIEL), 1888, A., 439; 1889, A., 848, 1134.

conversion of, into vinylamine (GA-BRIEL), 1888, A., 1267.

B-Bromethylbenzamide (GABRIEL), 1889, A., 1134.

p-Bromethylbenzene (ASCHENBRANDT), 1883, A., 320.

α-Bromethylbenzene, from styrolene (BERNTHSEN and BENDER), 1883, A., 70.

pentaBromethylbenzene (FRIEDEL and CRAFTS), 1886, A., 229.

Bromethylbenzene-o- and -m-sulphonic acids, o- and p- (SEMPOTOWSKI), 1890, A., 55.

diBromethylapocinchenine (Comstock and Koenigs), 1888, A., 72.

B-Bromethylcinnamylamide (ELFELDT), 1892, A., 215.

Bromethylene. See Vinylic bromide.

s-diBromethylene (acetylenic dibromide), molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of aluminium bromide on benzene and (Anschütz), 1883, A., 807.

as-diBromethylene, formula of (Mic-HAEL), 1884, A., 418.

Bromethylic lutidonecarboxylate (Col-LIE), 1890, P., 166; 1891, T., 175.

Bromethylic phenanthroxyleneacetoacetate (JAPP and STREATFEILI), 1883, T., 29.

(tribrom-Bromethylidenic bromide (thane), action of sodium ethoxide on (Michael), 1884, A., 418.

Bromethylmalic acid, sodium salt of (MULDER and HAMBURGER), 1883, A., 312.

Bromethylmalonic acid [m.p. 104°] (CONRAD and BRUCKNER), 1892, A.,

y-Bromethylmalonic acid [m.p. 116°] (Perkin), 1885, T., 814.

(EL- β -Bromethyl-m-nitrobenzamide FELDT), 1892, A., 213.

Bromethylphthalimide (GABRIEL), 1887, A., 1037.

preparation of (GABRIEL), 1889, A., 870.

diBromethylsuccinic acid and its salts (CLAUS), 1883, A., 44.

Bromethyltheobromine and its derivatives (Fischer), 1883, A., 357.

Bromethylthiophen (DEMUTH), 1886, A., 538.

Brom-o-ethyltoluene (CLAUS and PIESZ-CZEK), 1887, A., 240.

Bromeugenol derivatives (v. Boyen), 1888, A., 680.

Bromine, in sea-water (BERGLUND), 1886, A., 134.

preparation of, biominated carbon compounds obtained in the (Dyson), 1883, T., 36.

purification of (STAS), 1886, A., 592. liberation of, from hydrogen bromide, by the action of light in presence of oxygen (RICHARDSON), 1887, T., 804.

physical properties of (VAN DER PLAATS), 1886, A., 849.

refractive equivalent of (BRUHL), 1887, A., 193.

dispersion equivalent of (GLADSTONE), 1888, A., 589.

Bromine, heat of combination of, with magnesium (Bekeroff), 1892, A., 762.

heat of solution of, in different liquids (Pickening), 1888, T., 874, 877.

heat of substitution of (Berthelor and Weiner), 1884, A., 883; 1885, A., 627.

boiling-and melting-points and vapour pressures of (RAMSAY and Young),

1886, T., 454; P., 181. molecular weight of (PATERNO and Nasini), 1888, A., 1027.

dissociation of (LANGER and MEYER), 1883, A., 546.

dissociation of the vapour of, by the electric discharge (Thomson), 1887, A., 1013.

Potilizin's law of the mutual displacement of chlorine and (THORPE

and Rodger, 1888, P., 20. displacement of, by chlorine in organic compounds (Benedikt and v. SCHMIDT), 1883, A., 1118.

exchange of chlorine, iodine and, hetween organic and inorganic compounds (BRIX), 1885, A., 34; (KOHNLEIN), 1885, A., 35; (WIL-DERMANN), 1892, A., 574. absorption of, by different substances

(MILLS and MUTER), 1886, A., 119. solubility of nitric oxide in (Rooze-

воом), 1886, А., 501.

carriers of (MEYER and SCHEUFELEN), 1885, A., 1182; (SCHEUFELEN), 1886, A., 340; (MACKERROW), 1892, A., 155.

direct combination of, with metals (GAUTIER and CHARPY), 1892, A., 118.

hydrate, dissociation of (ROOZEBOOM), 1886, A., 117.

as a disinfectant (FRINK), 1881, A., 512.

"solid," use of, in analysis (BRAND), 1887, A., 688.

use of, in the amalgamation process

(ARNOLD), 1883, A., 399. separation of metals of the hydrogen sulphide group by means of the vapour of (JANNASCH and ETZ), 1892, A., 754.

use of, in the analysis of sulphides (JANNASCH), 1889, A., 1243.

use of, in extracting gold (BURFEIND), 1888, A., 1344.

of, in testing for alkaloids (BLOXAM), 1883, A., 1175.

as a test for quinine, narcotine, and morphine (ELLOART), 1885, A., 96.

Bromine, detection, estimation and separation:-

detection of (Long), 1883, A., 1172; (Dechan), 1886, T., 682; P., 227; (Fenton), 1886, A., 833.

detection of, in presence of chlorine and iodine (JONES), 1884, A., 492; (GOOCH and Brooks), 1891, A., 361. detection of, in organic compounds (Marsh), 1889, A., 796.

detection of iodine, chlorine and (HART), 1885, A., 295; (DENIGES), 1891, A., 495.

detection of chlorine and, in presence of iodine (MACNAIR), 1892, A., 1514.

detection of chlorine and chlorides in presence of (Denices), 1891, A., Ī288.

naphthol as a reagent for free (HAGER), 1886, A., 97.

estimation of (DECHAN), 1886, T., 682; P., 227; (WHITE), 1888, A., 1130; (ERRERA), 1889, A., 304; (DE KONINCK and NIHOUL), 1892, A., 527.

estimation of, by Field's method (WILLGERODT), 1886, A., 833.

estimation of, in mixtures of alkali bromides and iodides (Gooch and Ensign), 1891, A., 361.

estimation of, in presence of large quantities of chlorides (CAVAZZI), 1884, A., 215.

estimation of, in presence of chlorine and iodine (LYTE), 1884, A., 694.

estimation of, volumetric, in the presence of chlorine and iodine (McCurlocu), 1890, A., 824.

estimation, indirect, of chlorine, iodine and, by electrolysis of their silver salts (WHITFIELD), 1887, A., 525.

estimation of, in presence of iodine (VORTMANN), 1883, A., 119.

estimation of, in organic compounds (Zulkowski), 1885, A., 1162.

estimation of, in sea water (GUTZKOW), 1889, A., 74.

estimation of, in presence of sulphuretted hydrogen (Topsoe), 1883, A., 508.

separation of, quantitative, from chlorine (BERGLUND), 1885, A., 836.

separation of, from chlorine and iodine (BARNES), 1883, A., 1167; (Schierholz), 1892, A., 1028.

separation of, from chlorine and iodine, improved form of apparatus for the (DECHAN), 1887, T., 690.

Bromine, separation of, from chlorine, iodine and cyanogen (ERRERA), 1889, A., 304.

separation of, from iodine (Hollon), 1886, A., 279.

Hydrobromic acid (hydrogen bromide), formation of (MERZ and HOLZ-

MANN), 1889, A., 754. preparation of (CRISMER), 1884. A., 1073; (SOMMER), 1884, A., 1091; (RECOURA), 1890, A., 687; (FILETI and CROSA), 1891, A., 976; (FEIT and KUBIERSOHKY), 1891, A., 1320; (Newth), 1892, A., 270.

preparation of pure (ADDYMAN), 1892, T., 97.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 593.

magnetic rotatory power of (PER-KIN), 1889, T., 706, 739; P.,

dissociation of compounds of ammonia and (ROOZEBOOM), 1886, A., 500.

influence of mineral acids on the velocity of the reaction between hydriodic acid and (MAGNANINI), 1891, A., 144.

action of light on, in presence of oxygen (RICHARDSON), 1887, T., 804.

action of sulphuric acid on (ADDY-MAN), 1891, P., 168; 1892, T., 99, 100.

action of, on zinc containing lead (SPRING and VAN AUBEL), 1887, A., 1076.

solubility of, at different temperatures and pressures (ROOZEBOOM),

1886, A., 119. hydrate of (HBr, H_2O) (Roozeвоом), 1887, A , 631. hydiate (HBr, 2H₂O) (Roozeвоом),

1887, A , 628, 630.

dissociation of the hydrate of (Roozeboom), 1886, A., 117, 414; (VAN'T HOFF), 1886, A., 501.

thermal study of solutions of, and of the solid hydrate HBr, 2H2O (Roozевоом), 1887, А., 628.

nitro-, action of, on organic compounds (BRUNNER and KRAE-MER), 1884, A., 1315.

Bromides, iodides and chlorides of the alkalis, distinction between

(VITALI), 1890, A, 289. decomposition of, by the stomach (Kulz), 1887, A., 508.

Bromides, can the mucous membrane of the stomach decompose? (Drechell), 1889, A., 426.

organic, action of chlorine and bromine on (Mhyer), 1886, A., 929.

action of inorganic iodides on (SPINDLER), 1886, A., 434.

Bromic acid, influence of mineral acids on the velocity of the reaction between hydriadic acid and (MAGNANINI), 1891, A., 144.

action of hydriodic acid on (MEYER-HOFFER), 1889, A., 9.

use of, in quantitative analysis (FETT and KUBIEIISCHKY), 1892, A., 910; (SCHWICKER), 1892, A., 1027.

Perbromic acid (MACIVOR), 1887, A, 698.

Bromindazinecarboxylic acid (FISCHER and TAFEL), 1885, A., 542.

Bromindigo (v. BAEYER and BLOEM), 1884, A., 1027.

γ-Brom-α-indone, preparation of (Mel-DOLA and HUGHES), 1890, T., 396; P., 57.

action of aniline on (Meldola and Hughes), 1890, T., 398; P., 57.

βγ-diBromindone, derivatives of (Rosen and Haselhoff), 1888, A., 1304.

4:1-Bromiodo-\$-acetonaphthalide (MEL-DOLA and DESCH), 1892, T., 767.

βa-Bromiodoacrylic acid (HOMOLKA and STOLZ), 1885, A., 1198; (STOLZ), 1886. A., 530.

βαβ-diBromiodoacrylic and brom/liodoacrylic acids (Homolka and Stolz), 1885, A., 1198.

1:3:5:6-triBromiodobenzene (SILBER-STEIN), 1883, A., 661.

as-Bromiodoethylene(HENRY), 1884, A., 830, 831.

diBromiodoethylene (Homolka and Stolz), 1885, A., 1198.

Bromiodomethane (methylenic bromiodide) (Henry), 1886, A., 44.

Bromiodonaphthalenes (MELDOLA), 1885, T., 523; P., 73.

4:1-Bromiodo-8-naphthylamine (MEL-DOLA and DESCH), 1892, T., 767; P., 141.

4:1:2-Bromiodonitronaphthalene (Mel-DOLA and DESCH), 1892, T., 767.

p-Brom-o-iodo-o-nitrophenol, calciumderivative of (Ling), 1888, P., 122; 1889, T., 61.

diBromisatic acid (v. Banyer and Occonomides), 1883, A., 202.

Bromisatin, mono- and di-, ethers of (v. Baever and Oeconomides),1883, A., 201.

Bromisatin-blue (SCHOTTEN), 1891, A., 1491.

m-Bromisatoic acid (NIEMENTOWSKI and ROZAŃSKI), 1889, A., 996. derivatives of (DORSCH), 1886, A.,

359.

Bromlite (alstonite), chemical constitution of (Program) 1997. A 19

tion of (Becker), 1887, A., 18. α-Bromo-acids, preparation of (Vol-ΠΑRD), 1888, A, 129.

diBromobarbituric acid (Trzciński), 1883, A., 913; (Behrend), 1887, A.,

129.
Bromobenzallylamide (GALEWSKY),

1890, A., 953. o-Bromobenzamide (Schöpff), 1891, A.,

296. 3:4-diBromobenzamide (BURGHARD;

Виппасні), 1884, А., 601. m-Bromobenzanilide (Коттеннани), 1891, А., 1237.

triBromobenzanilide (Borrelli), 1888, A., 1292.

Bromobenzene. See Benzene.

Bromobenzene iodochlorides, mono-pand tri- (WILLGERODT), 1886, A., 342.

p-Bromobenzenediazo-p-toluidide, methylation of (MELDOLA and STREAT-FEILD), 1889, T., 433; P., 98.

p-Bromobenzenesulphinic acid (König), 1892, A., 1091.

Bromobenzenesulphonic anhydrides, 1:4:2-di- and 1:2:4:5-tri- (Rosenbeng), 1886, A., 551.

p-Bromobenzenesulphonic chloride (KRAFFT and Roos), 1892, A., 1220.

Bromobenzidine (bromodiumidodiphenyl) (JANOVSKY and ERB), 1887, A., 479.

Bromobenzoic acid. See Benzoic acid. o-Bromobenzoic chloride (Schoffer), 1891, A., 295.

p-Bromobenzoic chloride (SUROTTEN), 1888, A., 1106.

p-Bromobenzoic sulphinide (REMSEN and BAYLEY), 1887, A., 145; (DE ROODE), 1891, A., 1227.

Bromobenzonitrile. See Benzonitrile. Bromobenzophenone. See Benzophenone.

m-Bromobenzophenoneoximes (KOT-TENHAHN), 1891, A., 1236.

p-Bromobenzophenoneoximes (Schäfer), 1891, A., 1235.

m-diBromobenzophenoneoxime (Dr-MUTH and DITTRICH), 1891, A., 815. diBromobenzoyleugenol (Woy), 1890, A., 638.

4-Bromo-2-benzoyl-1-phenyl-3-methylpyrazolone (NEF), 1892, A., 146.

p-Bromobenzyl ethyl ether and its decomposition by heat and by nitric acid (Errera), 1887, A., 1103.

p-Bromobenzyl mercaptan (Jackson and HARTSHORN), 1884, A., 665.

p-Bromobenzyl-compounds (JACKSON and Hartshorn), 1884, A., 665.

derivatives p-Bromobenzylic alcohol

(ERRERA), 1889, A., 247.
bromide, formation of, from p-bromotoluene (SOHRAMM), 1885, A., 379.
oxide (ERRERA), 1889, A., 248.

mono- and di-sulphides (Jackson and Hartshorn), 1884, A., 665.

o-Bromobenzylidenemalonic acid (STU-ART), 1887, P., 118; 1888, T., 141.

Bromobenzyllevulinic acid (ERDMANN),

1890, A., 376.
Bromobenzylquinoline, halogen derivatives of (CLAUS), 1885, A., 908.

p-Bromobenzylsulphonic acid (JACKson and Hartshorn), 1884, A., 665. tetraBromoberberine hydrobromide

(GAZE), 1890, A., 1012. Bromobrassic acid (HOLT), 1892, A., 429.

(SCHALL *tri*Bromobrazilein ., 997. Dralle), 1890, A

triBromobrazilin dibromide (SCHALL and DRALLE), 1889, A., 56.

Bromobrazilins (v. BUCHKA and ERCK), 1885, A., 907; (SCHALL and DRALLE), 1889, A., 1004.

ww-o-triBromacetamidoacetophenone (v. Barrer and Blorm), 1884, A., 1026.

αβ-diBromobutaldehyde (NATTERER), 1883, A., 965.

tetraBromotributane (WILLGERODT and Dürk), 1889, A., 689.

triBromoisobutane (Norton and Wil-LIAMS), 1887, A., 712.

diBromobutinene (crythrene) dibromide (GRIMAUX and CLOEZ), 1887, A.,789.

p-Bromobutylbenzene (bromophenylbutane) (Schramm), 1891, A., 899.

Bromoisobutylbenzenes, eso- and 8:5-di-(dibromopheny/butanes) (GELZER), 1889, A., 43, 45.

p-βγ-triBromobutylbenzene (Sohrамм), 1891, А., 899.

diBromo-n-butylene. See isoButinene dibromide.

isoBromo-ψ-butylene, conversion crotonylene hydrobromide into (Pöc-KERT), 1889, A., 576.

Bromobutylenes (REBOUL), 1892, A., 127.

Bromobutylic alcohol, tertiary (GUAR-ESCHI and GARZINO), 1888, A., 437; (GARZINO), 1889, A., 951.

αβ-diBromobutyramide (LIPPMANN), 1892, A., 27; (Schindler), 1892, A.,

p-Bromoisobutyranilide (BARDWELL). 1886, A., 52.

a-Bromoisobutyranilide (Bischoff), 1891, A., 828.

Bromobutyric acids. See Butyric acids.

Bromobutyrotribromide, tertiary (WILL-GERODT and DURR), 1889, A., 689.

γ-Bromobutyronitrile (GABRIEL), 1890, A., 360.

diBromobutyronitrile (PALMER), 1889, A., 686.

Bromocamphor. See Camphor.

Bromocamphorsulphonic acid (MARSH), 1890, T., 833.

Bromocamphorsulphonic acids, a- and 8-, and their salts (MARSH and Cousins), 1891, T., 971.

a-Bromocamphorsulphonic chloride (MARSH and Cousins), 1891, T.,974.

Bromocarbanilidocyanmethine LER), 1885, A., 961.

Bromocarbostyril, 2-, 3-, and 4- (Well-Ter), 1891, A., 1248.

4'-Bromocarbostyril (FRIEDLANDER and Weinberg), 1883, A., 351.

Bromocarmines, α- and β- (WILL and LEYMANN), 1886, A., 252, 253.

Bromocarvacrol derivatives (MAZZARA and Plancher), 1892, A., 156.

Bromocerotic acid (MARIE), 1892, A., 1302.

Bromochromic acid, non-existence of (RAWSON), 1889, A., 678.

Bromoapocinchenine (Comstock and Koenigs), 1888, A., 71.

a-Bromocinnamaldoxime (NAAR), 1891, A., 563.

See Cinnamic Bromocinnamic acid. acid.

a-Bromocinnamide (Anschütz Selden), 1887, A., 829.

Bromocitracon-p-bromanil (Morawski and KLAUDY), 1888, A., 53.

Bromocitraconimides, mono- and di-(MENDINI), 1885, A., 1126.

Bromocodeine, non-nitrogenous com-pounds from (v. Gerichten and Šchrotter), 1883, A., 221.

Bromo-p-coumaric acid dibromide (EIGEL), 1887, A., 1110.

Bromocoumarone (KRAEMER and SPIL-KER), 1890, A., 496.

Bromo-p-cresols, mono- and di- (SCHALL and DRALLE), 1885, A., 146.

Bromocrotonic acids (MICHAEL and PENDLETON), 1888, A., 1176; (FITTIG and CLUTTERBUCK), 1892, A., 961.

Bromo-n- and -180-crotonic acids, a- and αβ- (Wislicenus, Teisler and Lang-BEIN), 1889, A., 236.

triBromoctoacetylquercetin (LIEBER-MANN), 1884, A., 1365.

Bromoctylbenzene (bromophenyloctane) (Ahrens), 1887, A., 133.

acid y-Bromisooctoic (FITTIG and Schneegans), 1890, A., 591.

Bromoctylthiophen (v. Schweinitz), 1886, A., 535.

p-aβ-triBromocumene (Schramm), 1891, A., 898.

o-Bromo-n-cumene (CLAUS and WEL-ZEL), 1890, A., 503.

p-Bromo-n-cumene (MEYER), 1886, A., 945; (CLAUS and WELZEL), 1890, A.,

Bromo- ψ -cumene (Wallach and Heus-LER), 1888, A., 362.

preparation of (Sussenguth), 1883, A., 469.

action of sulphuric acid on (JACOBSEN), 1889, A., 994.

diBromo-ψ-cumene and its derivatives (JACOBSEN), 1886, A., 710.

Bromo-ψ-cumenesulphonic acids (JACOB-SEN), 1886, A., 709; 1889, A., 994.

o-Bromo-p-cumic acids (FILETI), 1891, A., 1023.

p-diBromoisocumic acid (FILETI and Boniscontro), 1892, A., 605.

and its salts Bromo- ψ -cumic acid (Süssenguth), 1883, A., 469.

diBromocumylacetic acid, oxidation products of (FILETI and BASSO), 1891, A., 1057; (FILETI and BONISCONTRO), 1892, A., 604.

o-Bromocumylacrylic acid (WIDMAN), 1891, A., 69.

Bromocurcumins, tetra- and (JACKSON and MENKE), 1883, A., 481.

p - Bromo - m - cyanobenzoic acid (Schöpff), 1892, A., 337.

Bromocymenes. See Cymene.

Bromocymene-β-sulphonamide (REMSEN and DAY), 1884, A., 456.

Bromocymenesulphonic See Cymenesulphonic acid.

triBromo-m-isocymenol (JESURUN), 1886, A., 697.

Bromocymo-quinols and -quinones. See Cymoquinols.

Bromodaturic acid (Gérard), 1892, A.,

Bromodecylic acetate (Grosjean), 1892, A., 691.

Bromodehydracetic acid (PERKIN and BERNHART), 1884, A., 1121; (PERKIN). 1887, T., 490; (Frist), 1892, A., 584.

Bromodehydrobenzyloxanthranol (Bach), 1890, A., 1145.

cliBromodehydronicotine (PINNER). 1892, A., 1497.

diBromodeoxybenzoin-p-carboxylicacid (Buourr), 1890, A., 168.

Bromodeoxypyranilpyroic acid, Reissert's (Anschutz and Hensel), 1889. A., 258.

diBromodiacetyl (dibromodimethyldiketone) (FITTIG, DAIMLER and KEL-LER), 1889, A., 491.

s-tetraBromodiacetyl (Keller), 1890, A., 359.

diBromodiacetylbrazilein (SCHALL and DRALLE), 1890, A., 997.

triBromodianilidopyruvic acid (Вот-TINGER), 1891, A., -1054.

diBromodianthranyl (LIEBERMANN and GIMBEL), 1887, A., 965; (SACHSE), 1888, A., 1201.

Bromodianthranyls, di- and (Sachse), 1890, A., 638.

Bromodiazo-. See Diazo- under Azo-. diBromodi- ψ -cumenol, and methyl ether of (Auwers), 1886, A., 144.

Bromo-1: 3-diethoxybenzenes, a- and s- (Herzig and Zeisel), 1890, A., α- and 1404.

diBromo-3:5-diethoxytoluene (Herzig and Zeisel), 1890, A., 1405. Bromodiethylæsculetin (WILL), 1884,

A., 69.

diBromodiethylsulphonemethane (BAU-MANN), 1887, A., 124.

diBromodifurfurodiacetylene (GIBSON and Kahnweiter), 1890, A., 960.

heauBromodihydrobenzene (THEURER), 1888, A., 1085.

Bromodihydronaphthalene (AGRES-TINI), 1883, A., 316.

diBromodihydroxydiphenylamine (Mohlau), 1884, A., 594.

Bromodihydroxyphenylbutyrolactone (Fischer and STEWART), 1892, A., 1447.

diBromo-3:6-dihydroxy-1:4-terephthalic acid (Böniger), 1888, A., 954.

Bromodihydroxyxanthone, derivatives of (GRAEBE and EICHENGRUN), 1892, A., 1226.

Bromodihydroxyxylene [m.p. 126°7 (Wischin), 1891, A., 74.

diBromodimethoxybenzoic acid BOYEN), 1888, A., 680.

diBromodimethyl diketone (dibromodiaretyl) (FITTIG, DAIMLER and KEL-LER), 1889, A., 491.

BR01

p - Bromodimethylamidoazobenzene (GOLDSCHMIDT and BARDACH), 1892, A., 980.

diBromo 1:3 - dimethylanthracene (Elbs), 1890, A., 511.

Bromodimethylbenzoic acids and their salts (Gunter), 1884, A., 1347.

aa-diBromo-aa-dimethylglutaric anhydride (Auwers and Jackson), 1890, A., 1099.

di**Bromodimethylheptamethylene** (KIP-PING and PERKIN), 1889, P., 145.

diBromodimethylmalonamide(FREUND), 1884, A., 1124.

diBromo-4:6 - dimethylpyridine bromolutidine) (Pfeiffer), 1887, A., 845.

Bromo-1': 4'-dimethylquinoline (KNORR), 1887, A., 160.

Bromo-2:5-dimethylthiophens, di- and tri- (PAAL), 1885, A., 1206.

Bromodi-β-naphthyl ketone oxide (CLAUS and RUPPEL), 1890, A., 510.

Bromodi-\$\beta\$-naphthylamines, tetra- and octo- (Ris), 1888, A., 57.

tetraBromodinaphthylene oxide (Hong-KINSON and LIMPACH), 1891, T., 1100.

diBromodioxydehydronicotine (PIN-NER), 1892, A., 1497.

Bromodiphenic acid (CARNELLEY and Thomson), 1885, T., 591; P., 88. (GATTER-

Bromodiphenylcarbamide MANN and CANTZLER), 1892, A., 833. (Goldp - Bromodiphenylcarbamide SCHMIDT and MOLINARI), 1888, A., 1284.

diBromodiphenylcarboxylic acid [m.p. 212°] (Ноьм), 1883, А., 922.

diBromodiphenylcarboxylic acids [m.p. 204° and 232°] (CARNELLEY THOMSON), 1885, T., 589; P., 88.

Bromodiphenylene ketone (CLAUS and Erler), 1887, A., 269.

diBromodiphenylene ketone (Hodgkinson and Matthews), 1883, T., 165; (HOLM), 1883, A., 921; (CLAUS and ERLER), 1887, A., 269.

Bromodiphenylene ketone oxide. Bromoxanthone.

tetraBromodiphenylfurfuran (PERKIN and Schloesser), 1889, P., 163; 1890, T., 954.

Bromodiphenylguanidine dicyanide (Hirsch), 1888, A., 947.

Bromodiphenylmethane, preparation of (Henderson), 1891, T., 731.

diBromodipiperonylidenacetone kowski), 1891, A., 1475.

diBromo-p-dipropylbenzene (KÖRNER), 1883, A., 322.

tetraBromodipropylcarbinylic acetate (Dieff), 1887, A., 353.

perBromodithienyl (NAHNSEN), 1885, A., 51.

hexaBromodithien \mathbf{y} ltrichorethane (Peter), 1884, Å., 1001.

diBromoditolyl, product of the oxidation of (CARNELLEY and THOMSON), 1885, T., 592; P., 88.

diBromo-p-ditolyltetrazine (RUHE-

MANN), 1889, P., 168; 1890, T., 51. Bromodurene (GISSMANN), 1883, A., 334. action of sulphuric acid on (JACOB-

SEN), 1888, A., 137. diBromodurene (JACOBSEN), 1888, A.,

s-diBromethylene (acetylenic dibromide). molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

triBromofluoran (MEYER and Hoff-MEYER), 1892, A., 970.

Bromofluorene (Hodgkinson and Mat-THEWS), 1883, T., 165.

 α -diBromofluorene, and fusion of, with potash (Hodgkinson thews), 1883, T., 164. and

 α - diBromofluorenesulphonic acid (Hodgkinson and Matthews), 1883, Ť., 172.

tetraBromofluorescein. Sec Eosin.

Bromoform (GUNTHER), 1887, A., 787. preparation of (ANON.), 1885, A., 463. preparation of, from acctone and sodium hypobromite (DENIGES),

1892, A., 126. obtained in the manufacture of bromine (Dyson), 1883, T., 36. molecular refraction and dispersion

of (GLADSTONE), 1891, T., 295. formation of acetylene from (CAZE-NEUVE), 1892, A., 421, chloro- (Dyson), 1883, T., 636.

Bromoformberberine (GAZE), 1890, A., 1012.

Bromofulminuric acids (EHRENBERG), 1885, A., 1192.

Bromofumaric acid (v. Bandrowski), 1883, A., 313.

β-Bromofurfuran (CANZONERI and OLI-VERI), 1887, A., 658.

Bromofurfurans, cli- and tetra- (HILL.), 1883, A., 912.

aa-diBromofurfuran-β-sulphonic (Hill and Palmer), 1889, A., 386.

Bromofurfurylacrylic and furylbromacrylic acids (GIBSON and KAHNWEILER), 1890, A., 960.

Bromofurfurylbromethylene and bromofurfuryldibromopropionic acid (GIBson and Kahnweiler), 1890, A., 960.

diBromoglutaric acid (Auwers and Bernhardi), 1891, A., 1191.

Bromoguanidine (Ilirsch), 1888, A., 947.

Bromoguanine (FISCHER and REESE), 1884, A., 467.

triBromohemimellithene (JACOBSEN), 1887, A., 36.

Bromohemipinimide (Tust), 1892, A., 1210.

γ-Bromoheptoic acid (FITTIG and SCHMIDT), 1890, A., 589.

γ-Bromoisoheptoic acid (FITTIG and ZANNER), 1890, A., 590.

Bromohexadecylene (KRAFFT and REUTER), 1892, A., 1163.

diBromohexahydrophthalic acid (truns) (v. Baeyer), 1892, A., 1216.

diBromohexahydroterephthalic acid (v. BAEYER), 1887, A., 370.

chiBromohexoic acid, decomposition of (FITTIG and HILLMRT), 1892, A., 960.

p-diBromohomocuminic acid (dibromocumylacetic acid), exidation products of (FILETI and BASSO), 1891, A., 105; (FILETI and BONISCONTRO), 1892, A., 604.

diBromohydrazinesulphonic acid (LIM-PRICHT), 1889, A., 398.

Bromohydrazobenzene [m.p.63°] (Ja-NOVSKY and Enb), 1886, A., 1024.

p-Bromohydrazobenzene [m.p. 115°] (JANOVSKY and End), 1887, A., 479.

diBromohydrazobenzene (JANOVSKY and ERB), 1887, A., 479.

p-Bromohydrazobenzene-o-carboxylic acid (PAAL), 1892, A., 68.

Bromo-p-hydrazotoluene (JANOVSKY and Eub), 1887, A., 479.

and ERB), 1887, A., 479. o-Bromohydrindone (MIRRSCH), 1892,

A., 1222.

Bromchydrindones, m- and p- (v. Miller and Rohde), 1890, A., 1139.

diBromohydrindone (HAUSMANN),1889, A., 1173. tetraBromohydrindone (ROSER and

HASELHOFF), 1888, A., 1304.

Bromehydrodicoumarin (DYSON), 1886, P., 250; 1887, T., 67.

diBromohydrolapachol (HOOKER), 1892, T., 643; P., 125.

Bromohydromuconic acid (v. BAEYER and RUPE), 1890. A. 876.

and Kupe), 1890, A. 876. diBromo-p-hydroxybenzoic acid (BAL-BIANO), 1888, A., 1125. constitution of (ALESSI), 1886, A.,65.

p-Brome-a-hydroxy-n- and -iso-butyric acids (Kolbe), 1883, A., 573; (Mell-Koff), 1885, A., 660. diBromohydroxycarboxytolylglyoxylic acid (dibromohydroxymethylbenzoyldicarboxylic acid) (Will and Ley-Mann), 1886, A., 253.

Bromohydroxycomenic acid (Ost), 1883, A., 792.

triBromohydroxyconiine (v. Hof-MANN), 1885, A., 563.

Bromohydroxycymene (MAZZARA), 1886, A., 1017.

triBromohydroxydiketodihydropentene (Ner), 1890, A., 1272.

pentaBromohydroxydiketohexene (ZINCKE and KEGEL), 1890, A., 1109.

5-Bromo-4-hydroxy-2: 6-dimethyl-m-diazine (Pinnen), 1887, A., 1054.

Bromo-ω-hydroxyethylpiperonylcarboxylic acid and anhydride (Perkin), 1890, T., 1025.

Bromohydroxyhydromuconic acid, lactone of (Ruhemann and Dufton), 1891, T., 753.

Bromohydroxyindone (ROSER and IIASELHOFF), 1888, A., 1304; (MELDOLA and HUGHES), 1890, T., 400; P., 58.

benzylamide, hydrazone, hydrazonehydrazide, and g-naphthylamide of (MELDOLA and HUCHES), 1890, T., 403; P., 58.

Bromohydroxyketoindonaphthene (Zincke and Gerland), 1888, A., 1199, 1200.

diBromohydroxyketohydrindenecarboxylic acid (Zincke and Gerland), 1888, A., 1199.

Bromchydroxy-\$\beta\text{-methylcounsrilic} acid (v. Pechmann and Cohen), 1884, A., 1332.

Bromohydroxy-8-methylcoumarone (v. Pechmann and Cohen), 1884, A., 1882.

5-Bromo-4-hydroxy-6-methyl-2-ethylm-diazine (PINNER), 1887, A., 1054. Bromohydroxymethylhydrohydrastin-

Bromohydroxymethylhydrohydrastinine methiodide (Freund and Dor-MEYER), 1891, A., 1520.

β₁β₁γ₁-tr'Bromo-α₁-hydroxy-γ₁-methyljulolidine (Reisserr), 1892, A., 498.

 \mathcal{B}_1 -Bromo- α_1 -hydroxy- γ_1 -methyljuloline (REISSERT), 1892, A., 497.

Bromo- a_1 -hydroxy- γ_1 -methyljulolines, β_1 -mono- and $\beta_1\gamma_1$ -di- (Reissert), 1892, A., 497.

diBromohydroxymethylphthalic anhydride (Will and Leymann), 1886, A., 253.

Bromohydroxy-a-naphthaquinone [m.p. 202°] (Millin), 1885, A., 667.

Bromohydroxy-α-naphthaquinone [m.p. 197°], action of hypochlorous and hypobromous acids on (ZINCKE and GERLAND), 1888, Δ., 1198.

Bromohydroxy-a-naphthaquinoneoximide (ZINCKE and GERLAND), 1887, A., 838.

diBromohydroxynaphthaquinone (ARM-STRONG and STREATFEILD), 1886, P., 232

Bromo-8-hydroxypiperonylethyl methyl ketone (bromopiperonyllactyl methyl ketone) (Oelker), 1891, A., 1476.

γ-Bromo-α-hydroxy-γ-phenylbutyric acid (ΒΙΕDΕΠΜΑΝΝ), 1892, A., 471. diBromohydroxyphenylbutyronitrile' (FISCHER and STEWART), 1892, A., 1447.

Bromohydroxyphenylcrotonic acid (FISCHER and STEWART), 1892, A., 1447.

5-Bromo-4-hydroxy-2-phenyl-6-methylm-diazine (PINNER), 1887, A., 1053.

2:5-diBromo-4-hydroxyisopropylbenzoic acid (FILETI and BONISCONTRO), 1892, A., 604.

diBromohydroxypyridine and its salts (Lieben and Haitinger), 1883, A., 871; (Koenigs and Geigy), 1884, A., 1195; (Fischer and Renouf), 1884, A., 1370.

Bromo-1-hydroxyquinoline [m.p. 119°] (SCHMITT and ENGELMANN), 1888, A., 67.

4-Bromo-1-hydroxyquinoline [m.p.124°] (CLAUS and HOWITZ), 1892, A., 354.

4:3-d/Bromo-1-hydroxyquinoline (Claus and Posselt), 1890, A., 522; (Claus and Howitz), 1892, A., 354.

3: 4: 4'-triBromo-1-hydroxyquinoline (Shpek), 1890, A., 177; (Claus and Heermann), 1891, A., 83.

4-Bromo-3-hydroxyquinoline hydrobromide (Claus and Howitz), 1892, A., 353.

diBromo-3-hydroxyquinoline (CLAUS and Posseitt), 1890, A., 523.

Bromo-2'-hydroxyquinoline. See Bromo-carbostyril.

Bromo-1:4-hydroxyquinolinesulphonic acid (CLAUS and Posselt), 1890, A., 522.

triBromohydroxyquinone (BARTH and SCHREDER), 1885, A., 520.

Bromohydroxytetrahydronaphthoic acid, lactone of (v. Baryer, Schoder and Besemfelder), 1892, A., 192.

Bromohydroxytetrahydroquinoline hydrochloride (Srpek), 1890, A.,177. diBromohydroxytrimethyluracil

(HAGEN), 1888, A., 582.

cliBromoketoindonaphthene (ROSER), 1887, A., 729.

Bromo-α-keto-γ₁-methyl-β₁-ethyljuloline (KAYSER and REISSERT), 1892, A., 883.

Bromoketones, formation of, by the action of bromine on the alcohols of the ethyl series (ETARD), 1892, A., 809.

Bromolapachol (PATERNÒ), 1883, A., 211; (HOOKER), 1892, T., 638; P., 125.

Bromolapachone (HOOKER), 1892, T., 638; P., 125.

Bromolauric acid (Auwers and BERN-HARDI), 1891, A., 1190.

Bromolevulinic acids, a-mono- and asdi- (WOLFF), 1891, A., 1187.

8-Bromolevulinic acid (WOLFF), 1887, A., 464.

ββ-diBromolevulinic acid (Wolff), 1891, A., 417.

diBromolimettin (TILDEN), 1892, T., 348; P., 33.

Bromomaleic acid, action of aniline on (MICHAEL), 1886, A., 698.

diBromomaleic acid (CIAMICIAN and SILBER), 1884, A., 1117.

Bromomaleic bromide (HILL and SAN-GER), 1884, A., 1805.

diBromomaleinimide (CIAMICIAN and SILBER), 1884, A., 1116; 1885, A., 998.

CliBromomaleinmethylimide (DE VARDA), 1889, A., 57.

diBromomalonamide (FREUND), 1884, A., 1124.

diBromomalonic acid (MASSOL), [1892, A., 1140.

Bromomercuric acid (NEUMANN), 1889, A., 1050.

Bromomesitol (SCHRAMM), 1886, A., 451. diBromomesitylene from coal-tar oil (Subsenguth), 1883, A., 469.

Bromomesitylenic acid, preparation of, from bromomesitylene, (Sussencutii), 1883, A., 469.

diBromomesitylenic acid, and its salts (SUSSENGUTH), 1883, A., 470.

Bromomesitylic bromide (SCHRAMM), 1886, A., 451.

diBromomethane. See Methylenic bromide.

diBromomethanesulphonic acid, barium salt of (Andreasum), 1886, A., 786.

diBromomethoxybenzoic acid (Pera-TONER), 1887, A., 487.

diBromomethoxymethylphthalic (WILL and LEYMANN), 1886, A., 254, p-Bromomethoxyphenylacetic acid

(SALKOWSKI), 1889, A., 1174.

p-Bromomethylaniline (MELDOLA and STREATFEILD), 1889, T., 418, 425, 483; P., 98.

Bromomethylchloroform (HENRY), 1884, A., 978.

Bromomethylenephthalide (GABRIEL), 1885, A., 165.

Bromo-o-methylethylbenzene (CLAUS and PIESZCZEK), 1887, A., 240.

Bromomethylethyloxazolone (HAN-RIOT), 1891, A., 1108.

diBromo-β-methylglutaric acid (Auwers and Bernhardi), 1891, A., 1191.

triBromomethylglyoxaline (WALLACH), 1883, A., 911.

Bromomethylhydrohydrastinine (FREUND and DORMEYER), 1892, A., 223.

Bromomethylisatoid (v. BAEYER and OECONOMIDES), 1883, A., 201.

Bromomethyloxindoles, mono- and di-(Colman), 1888, P., 96; 1889, T., 3, 7.

p-Bromomethyl-α-phenotriazine(BISOH-LER and BRODSKY), 1890, A., 152.

diBromomethylpyridine (LADENBURG), 1883, A., 672.

3-Bromo-1-methylquinoline, and its derivatives (ALT), 1889, A., 1214.
 Bromo-2'- and -4'-methylquinolines

(Magnanini), 1887, A., 1113; 1890, A., 1822.

Bromomethylquinolones (Decker), 1892, A., 879, 880, 881.

diBromomethylsuccinic acid, and its salts (CLAUS), 1883, A., 44.

Bromomethyltarconic acid (Roser), 1888, A., 1116.

ω-Bromo-1:3:4-methyltetrahydropyridylethylene (Εταμενακών and Εινμοκν), 1891, A., 66.

3-Bromo-1-methyltetrahydroquinoline (A1/1), 1889, A., 1214.

Bromomethylthiazolecarboxylic acid (WOHMANN), 1891, A., 226.

triBromomethylthiophen (tribromothiolen) (Meyer and Kneis), 1884, A., 1132.

γ-triBromomethylthiophen, action of nitric acid on (MUHLERT), 1885, A., 229

diBromo-β-methylthiophen (GERLACH), 1892, A., 830.

triBromomethylthiophens, oxidation of (Clamician and Angeli), 1892, A., 302.

Bromomethyluracil (BEHREND), 1886, A., 338.

Bromomimetites (DITTE), 1883, A., 783.

Bromomyristic acid (HELL and TWER-DOMEDOFF), 1889, A., 955.

diBromomyristicin (SEMMLER), 1890, A., 1150.

Bromonaphthalenes. See Naphthalene. Bromonaphthalenesulphonic acid. See Naphthalenesulphonic acid.

Bromonaphthanilide (MILLER), 1885, A., 667.

3'-Bromo-1:2-naphthaquinol(CLAUS and PHILIPSON), 1891, A., 462.

Bromonaphthaquinone. See Naphthaquinone.

diBromonaphthastyril (EKSTRAND), 1886, A., 715.

Bromo-a-naphthoic acid (EKSTRAND), 1886, A., 715.

1:3'-diBromo-2-naphthoic acid (CLAUS and PHILIPSON), 1891, A., 462.

Bromonaphthol. See Naphthol. Bromonaphtholactone (EKSTRAND),

1886, Å., 716. Bromo-β-naphthol-3'-sulphonic acid

derivatives of (ARMSTRONG and Rossi-TER), 1889, P., 72.

1:3-diBromo-2-naphthonitrile (CLAUS and PHILIPSON), 1891, A., 462.

Bromonaphthylamine. See Naphthylanine.

Bromonaphthylene-ethenylamidine (PRAGER), 1885, A., 1239.

diBromo-α-naphthylpropionic acid (Brands), 1889, A., 1200.

Bromonicotinic acids (CLAUS and COLLISCHONN), 1887, A., 159; (SRPEK), 1890, A., 177; (CLAUS), 1892, A., 876.

Bromonitro-p-acetamidoisobutylbenzene (GELZER), 1889, A., 44.

Bromonitracetamidophenylacetonitrile (GABRIEL), 1883, A., 64.

m-Bromo-p-nitracetanilide (CLAUS and SCHEULEN), 1891, A., 564.

3:5:4-d/Bromonitracetanilide (CLAUS and WELL), 1892, A., 1205.

Bromonitro-S-acetonaphthalide, preparation of (Pragen), 1885, A., 1289.

Bromonitracetonaphthalides (Mel-100LA), 1883, T., 9; 1885, T., 499. w-Bromo-o-nitracetophenone (Geve-

κυπτ), 1884, A., 445. ω-Bromo-*p*-nitracetophenone, deriva-

tives of (Engles and Zielke), 1889, A., 505.

5-Bromo-3-nitraceto-o-toluidide (NIE-MENTOWSKI), 1892, A., 838; (CLAUS and BECK), 1892, A., 1207.

5-Bromordinitraceto-o-toluidide (NIE-MENTOWSKI), 1892, A., 838. 3-Bromo-5-nitraceto-p-toluidide

(HAND), 1886, A., 1018.

Bromonitracetylpyrrolines, mono- and di- (CIAMICIAN and SILBER), 1887, A., 597; 1888, A., 61.

 ${f Bromodinitro} triamidobenzene$ (JACKson and Bancroft), 1890, A., 982.

p-Bromo-m-nitro-p-amidobenzophenone (Schopff), 1892, A., 336. esoBromonitramidosobutylbenzene

(GELZER), 1889, A., 44.

Bromo-o- and p-amidophenetoils, monoand di-, and their salts (STAEDEL), 1883, A., 663.

Bromonitramidophenylacetic acid (GA-BRIEL), 1883, A., 64.

p-Bromo-o-nitraniline (Nolting and Collin), 1884, A., 1013.

m-Bromo-p-nitraniline (CLAUS and (Scheulen), 1891, A , 565.

3:5-diBromo-4-nitraniline (CLAUS and

Weil), 1892, A., 1205. Bromonitranisoil (STAEDEL), 1883, A.,

5:2-Bromonitrazobenzene (WILLGE-RODF), 1888, A., 949.

diBromonitrethane, action of zinc ethyl on (BEWAD), 1889, A., 1128.

8-Bromo-m-nitrethylbenzamide (EL-FELDT), 1892, A., 213. Bromonitrisatin (Dorson), 1886, A.,

p-Bromo-m-nitrobenzaldehyde Schopff), 1892, A., 336.

p-Bromo-m-nitrobenz-amide and -anilide (GROHMANN), 1891, A., 305. Bromonitrobenzene. See Benzene.

1:3:6-Bromonitrobenzenesulphonic acid

LIMPRICHT), 1885, A., 1234. Bromonitrobenzoic acid. See Benzoic acid.

Bromonitrobenzonitrile. See Benzonitrile.

Bromo-m-nitrobenzophenones, monoand di- (Schopff), 1892, A., 336.

di-p-Bromodi-m-nitrobenzophenone (Schopff), 1892, A., 336.

Bromodinitrobenzyl methyl (Jackson and Moore), 1889, A., 781; 1890, A., 773.

Bromonitro-p-iso-butyl-acetanilide and -aniline (GELZER), 1889, A., 44.

Bromonitrocamphor (CAZENEUVE), 1885,

a-Bromo-m-nitrocinnamaldehyde (NAAR), 1891, A., 563.

a-Bromo-o-nitrocinnamic acid (NAAR), 1891, A., 563.

a-Bromo-m-nitrocinnamic acid (STU-ART), 1886, T., 361; (NAAR), 1891, A., 564.

4:6-Bromonitro-o-cresol (CLAUS and Jackson), 1889, A., 128.

3:5:6-Bromodinitro-ψ-cumene (JACOB-SEN), 1889, A., 39.

2:5-Bromonitrocymene (FILETI Crosa), 1889, A., 493.

3-Bromonitrocymene (MAZZARA), 1886, A., 1016; (FILETI and CROSA), 1889, A., 494.

3-Bromodinitrocymene (MAZZARA), 1886, A., 1016.

2-Bromodinitrocymene (Fileri and CROSA), 1889, A , 493.

diBromodinitrocymenes (CLAUS, RAPS, HERFELDT and BERKEFELD), 1891, A., 1200, 1201.

Bromonitrodiazo-. See Diazo-, under Azo.

diBromo-mono- and tri-nitrodiphenyl (LELLMANN), 1883, A., 343.

p-Bromo-o-nitrodiphenylsemithiocarbazide (Bischler and Brodsky), 1890, A., 152.

diBromodinitro-p-dipropylbenzene (F1-LETI), 1891, A., 1022.

Bromonitrohydroxyuracil (BEHREND), 1887, A., 920.

Bromodinitromesitylene (Sussengurh), 1883, A., 470.

Bromonitromethane, action of zinc ethyl on (Bewad), 1889, A., 1128.

Bromodinitromethane (KACHLER and SPITZER), 1883, A., 961.

diBromodinitromethane (Losanitsch), 1884, A., 277.

formation of (Losanifsch), 1883, A., 564.

chlorine-derivatives of (Losanithon), 1884, A., 1107.

6:2:4-Bromodinitromethylaniline (Non-TON and ALLEN), 1885, A., 1214. 4'-Bromo-4-nitro-1'-methylquinoline

(CLAUS and DECKER), 1889, A., 728.

Bromonitronaphthalenes. See Naph-

2:4 1-Bromonitronaphthol and its salts (MELDOLA), 1885, T., 501; P., 71.

Bromonitro- α -naphthylamine (MEL-DOLA), 1885, T., 500; P., 71; (ARM-STRONG and ROSSITER), 1891, P.,

Bromonitronaphthylene-ethenylamidine (PRAGER), 1885, A., 1239.

Bromonitrophenetoils (SIAEDEL), 1883, A., 662.

diBromonitrophenetoil (JACKSON and Bentley), 1892, A., 1182.

triBromodinitrophenetoil (JACKSON and Warren), 1891, A., 1026.

Bromonitrophenols. See Phonol.

Bromonitrophenyl benzyl ethers (ROLL and Holz), 1885, A., 1209.

Bromo-m-nitrophenyl ethyl ether (bronto-m-nitrophenotot) (LINDNER), 1885, A., 775.

m-Bromodinitrophenylacetic acid (Jackson and Robinson), 1890, A., 378.

p-Bromo-o-nitrophenylhydrazine (BIS-CHLER and BRODSKY), 1890, A., 151.

8-Bromo-6-nitrophenylphenylhydrazine (WILLGERODI), 1888, A., 949.

triBromonitropropane (ASKENASY and MEYER), 1892, A., 1064.

tetraBromo-1:3-dinitropropane (Ker-PLER and MEVER), 1892, A., 1062.

Bromonitropropylene (ASKENASY and MEYER), 1892, A., 1064.

Bromonitroquinolines, 2:2'- and 2:8'-(Claus and Vis), 1889, A., 281.

3:4-Bromonitroquinoline (LA Coste), 1883, A., 90; (CLAUS and ZUSCHLAG), 1890, A., 267.

1'-Bromonitroquinolines (CLAUS an POLLITZ), 1890, A., 521.

Bromonitro soquinoline, and its derivatives (EDINGER and BOSSUNG), 1891, A., 580.

Bromonitroquinones (GUARESCHI and DAGCOMO), 1885, A., 891.

Bromodinitroresorcinol (FEVRE), 1883, A., 788; (TYPKE), 1883, A., 917.

diBromonitroresorcinol (FEVRE), 1888, A., 733.

Bromonitrosoazobenzene (WILLGE-RODF), 1888, A., 949.

Bromonitrosocarvaerol, constitution of (MAZZARA), 1890, A., 884.

di-o-Bromonitrosophenol (Fischen and Ilepp), 1888, A., 456.

Bromonitrostrychnine (Brokurts), 1890, A., 1329.

cliBromonitroterephthalic acids (FILETI and CROSA), 1891, A., 1056.

diBromodinitrothiophen (KREIS), 1884, A., 1314.

Bromonitrothymol (MAZZARA), 1890, A., 753.

c-Brome-p-nitrothymol (MAZZARA and Discalzo), 1886, A., 1019; (MAZZARA), 1890, A., 366, 602.

8:6-Bromonitrotoluene (BENTLEY and WARREN), 1890, A., 485.

diBromodinitrotoluene [2:5:4·6]

(CLAUS), 1888, A., 587. diBromotrinitrotoluene (PALMER), 1889, A., 890.

4:5-Bromonitro-o-toluic acid (CLAUS and BECK), 1892, A., 1207.

2t(?)-Bromonitro-p-toluic seid (FILETI and CROSA), 1887, A., 37.

Bromonitro-p-toluic acids, 2:3-, 2:5-, and 2:6- (CLAUS and HERBABNY), 1892, A., 174.

3:6-Bromonitro-p-toluic acid (FILETI and CROSA), 1889, A., 495.

Bromonitro-p-toluic acids, 5.2- and 5:3- (('LAUS and BEYSEN), 1892, A., 178.

2:5-Bromonitro-p-toluidine (CLAUS and HERBABNY), 1892, A, 174.

5:3-Bromonitro-p-toluidine (HAND), 1886, A., 1018.

2.6-Bromonitro-p-toluonitrile (CLAUS and HERBABNY), 1892, A., 175.

Bromodinitrotrianilidobenzene (Jackson and Bancroff), 1890, A., 982.

diBromo-di- and -tétra-nitroxanilides (MIXTER and WILLCOX), 1888, A., 142.

3:4-diBromo-5-nitro-o-xylene (Toht), 1886, A., 57.

4: 6-Bromonitro-m-xylene (AHRENS), 1892, A., 1437.

4-Bromo-2:6-dinitro-m-xylene (Lell-MANN and Jusi), 1891, A., 1245.

Bromonitro-m-xylenesulphonic acid and its salts (LIMPRIGHT), 1885, A., 1284.
Bromonianic acid (Tust), 1892, A., 1209.

Bromopianoximic anhydride (Tust), 1892, A., 1210.

Bromopianyl-hydrazobenzene, -phenylhydrazide, and -phenylmethylhydrazone (Tusr), 1892, A., 1210.

a-Bromopalmitic acid (Hell and Ior-DANOFF), 1891, A., 820.

Bromopentanes, tri- and tetra-(Helland Wildermann), 1891, A., 162, 584.

Bromo-o- and -n-phenetidines, monoand di-, and their salts (STAEDEL), 1883, A., 663.

Bromophenols. See Phenol.

Bromophenol-o-sulphonic soid (ALLAIN LEGANU), 1889, A., 1184.

p-Bromo-a-phenotriazine (Bischlehand Brodsky), 1890, A., 152.

Bromophenylacetic acid, action of, on ethylic acetoacetate (Weltner), 1884, A., 746; 1885, A., 793.

an apparent exception to the Le Belvan't Hoff hypothesis (Easter-Field), 1891, T., 71.

α-Bromophenyl-β-amidocrotonic acid. See α-Brom-β-anilidocrotonic acid.

di Bromophenylbenzoic acid. See di Bromodiphenylcarboxylic acid.

p-Bromophenyliribromothiophen (Kues and Paal), 1887, A., 239.

γγ-Bromophenylbutyric acid (JAYNE), 1883, A., 472; (FITTIG and MORRIS), 1890, A., 891. Bromophenylbutyrolactone (FITTIG, OBERMULLER and Schiffer), 1892, A., 987.

Bromophenylcarbamide (BERTRAM), 1892, A., 467.

Bromophenylerotonic acid (Körner), 1888, A., 368.

Bromophenylcysteine, action of acetic anhydride on (BAUMANN), 1885, A., 514.

triBromophenyldithienyl (RENARD), 1890, Å., 1420.

triBromophenylic benzoate and its nitro-derivative (DACCOMO), 1885, A., 890.

· diBromophenylic carbonate (Löwen-Berg), 1886, A., 789.

Bromophenyllactic acid (ERLENMEYER), 1883, A., 196.

Bromophenyllactic acids, optically active (Erlenmeyer), 1891, A., 1482.
Bromophenylmethylfurfuran tetra-

bromide (PAAL), 1885, A., 249. Bromophenylmethylpyrazolone (Möl-

LENHOFF), 1892, A., 1246.
Bromophenylmethylpyrazolones,

mono-, di-, and tri- (Knorr and Duden), 1892, A., 731.

Bromophenyloctane (bromoctylbenzene) (AHRENS), 1887, A., 133.

Bromophenylparaconic acid (FITTIG and LEONI), 1890, A., 894.

az-p-Bromophenyl-ald-phenylnaphthotriazine (MELDOLA and FORSTER), 1891, T., 690.

1-p-Bromophenylpiperidine (LELL-MANN and JUST), 1891, A., 1244.

m-Bromo-\$-phenylpropionic acid (GAB-RIEL), 1883, A., 195.

Bromophenylpropylene. See Bromallylbenzene.

4-Bromo-1-phenylpyrazole (BALBIANO), 1890, A., 797.

Bromo-1-phenylpyrazoles, di- and tri-(Balbiano), 1890, A., 797.

4-Bromo-1-phenylpyrazole-3:5-dicarboxylic acid (Balbiano), 1890, A., 1165. diBromo-2-phenylpyridinedicarboxylic acid and its salts (Skraur and Co-Benzil), 1883, A., 1014.

triBromophenylsalicylic acid (ARBENZ), 1890, A., 893.

p-Bromophenylsuccinamic acid (Hoogewerff and VAN DORP), 1891, A., 196.

p-Bromophenylsuccinamide (HOOGE-WERFF and VAN DORP), 1891, A., 196. diBromophenylsulphonamic acid, bar-

ium salt of (TRAUBE), 1891, A., 569. Bromophenyluramidopropionic acids, mono., di- and tri- (Hoogewerff and van Doep), 1891, A., 198. γ-Bromophenylvaleric acid (FITTIG and STERN), 1892, A., 988.

Bromophenylisovaleric acid (FITTIG and LIEBMANN), 1890, A., 776.

Bromophenylvalerolactone (FITTIG and STERN), 1892, A., 987.

triBromophloroglucinol (BENEDIKT and HAZURA), 1885, A., 554; (HERZIG), 1886, A., 232.

action of potassium iodide on (BENE-DIKT and v. SCHMIDT), 1883, A., 1119.

acetate (ZINCKE and KEGEL), 1890, A., 1109.

hexaBromophloroglucinol dibromide (Hazura and Benedikt), 1886, A., 52.

Bromophtholic acids and applying a physicial acids and acids acids and acids acids and acids acids acids and acids
Bromophthalic acids and anhydride. See Phthalic acid and anhydride. Bromophthalide (RACINE), 1886, A.,

549.

diBromophthalide (Guareschi), 1884, A., 842.

diBromo-o-phthalimide (LE BLANC), 1889, A., 257.

Bromopiperonal, derivatives of (OEL-KER), 1891, A., 1474.

Bromopiperonaldoxime (OELKER), 1891, A., 1475.

Bromopiperonylacrylic acids, tri- and tetra- (Perkin), 1891, T., 160, 163; P., 27.

triBromopiperonylethylene (PERKIN), 1891, T., 161; P., 27.

Bromopiperonylpropionic acid (WEIN-STEIN), 1885, A., 665.

diBromopiperonylvaleric acid (dibromopiperhydronic acid), and derivatives of (Weinstein), 1885, A., 664.

Bromopiperonylvinyl methyl ketone (OELKER), 1891, A., 1475.

Bromoprehnitene, action of sulphuric acid on (Töhl), 1892, A., 968.

B-Bromopropaldehyde (LEDERER), 1891, A., 37.

diBromopropaldehyde (ETARD), 1892, A., 809.

triBromopropaldehyde (NIEMILOWICZ), 1890, A., 861.

1:2:3-triBromopropane. See Tribromhydrin.

tetraBromopropane (isoallylenc tetrabromide) (GUSTAVSON and DEM-JANOFF), 1889, A., 30.

Bromopropiolic acid, action of aromatic amines on (MABERY and KRAUSE), 1890, A., 371.

Bromopropionic acids. See Propionic acid.

Bromopropylamines. See Propylamine, γ-Bromopropylaminenitrobenzamide (ElfElDT), 1892, A., 214.

209 14

diBromopropylisoamylamine and its hydrobromide (PAAL), 1889, A., 118.

Bromopropylbenzamides, β- and γ-(Hirsch), 1890, A., 860; (GABRIEL and ELFELDT), 1892, A., 212.

diBromopropyl-n- and -iso-butylamines (PAAL), 1889, A., 117.

diBromopropylcarbamide and its derivatives (Andreasch), 1884, A., 732; (PAAL and HEUPEL), 1892, A., 30;

(PAAL), 1892, A., 578.

Bromopropylcinnamoylamides, β - and γ- (ELFELDT), 1892, A., 215.

diBromopropylene (LESPIEAU), 1892, A., 420.

a-Bromo-n- and -iso-propylenes (WISLI-CENUS, TEISLER and LANGBEIN), 1889, A., 236.

and Bromopropylenecarbamide derivatives (Andreason), 1884, A., 733; (PAAL), 1892, A., 578.

diBromopropylic acetates, α - and $\alpha\beta$ -(Aschan), 1890, A., 1084.

β-Bromopropyl-m-nitrobenzamide (Ει-FELDT), 1892, A., 213.

β-Bromopropylphthalimide (SEITZ), 1891, A., 1472.

(GABRIEL γ-Bromopropylphthalimide and WEINER), 1888, A., 1292.

(LAUER). Bromopropylthiocarbamide 1890, A., 1090.

Bromopropylthiophen (RUFI), 1887, A., 804.

p-diBromopropyltoluic acid, oxidation products of (Fileri and Bonis-CONTRO), 1892, A., 604.

triBromopropyl-o-xylene (Uninorn), 1890, A., 1249.

2-Bromopyridine (v. HOFMANN), 1883, A., 813; (CIAMICIAN and SILBER), 1885, A., 811.

diBromopyridine (KOENIGS and CHIGY), 1884, A., 1195; (BLAU), 1889, A.,

Bromopyridine-2:3-dicarboxylic acid (CLAUS and Collischonn), 1887, A., 159.

Bromopyridine-3: 4-dicarboxylic acid (EDINGER and Bossung), 1891, A., 580.

3:5-diBromopyridine-2.4 6-tricarboxylic acid (Pfeiffer), 1887, A.,844. tetraBromopyrocoll (CIAMICIAN and

SILBER), 1884, A , 292.

Bromopyrocresole oxides (Schwarz), 1888, A., 207.

triBromopyrogallol (WEBSTER), 1884, T., 205, 207.

Bromopyromucic acids, mono- and di-(Hill and Sanger), 1884, A., 1305; (Canzoneri and Oliveri), 1885, A., 244, 1125; (Hill), 1885, A., 1125.

Bromopyrotritaric acid (DIETRICH and PAAL), 1887, A., 658.

diBromopyrrolinephthalide (ANDER-LINI), 1889, A., 58.

triBromopyrryl-1-methylglyoxylic acid (DE VARDA), 1890, A., 390.

diBromopyruvic acid, action of hydroxylamine on (Soderbaum), 1892, A., 815.

compounds of, with hydre (NASTVOGEL), 1889, A., 237. hydrazines

diBromo-pyvuramide and -pyvureide

(FISCHER), 1887, A., 918. triBromopyvurine (FISCHER), 1887, A., 918.

Bromoquinol, dimethyl ether of (Nölt-ING and WERNER), 1891, A., 209.

m-diBromoquinol (Linc), 1892, T., 562; P., 105.

diBromoquinoldicarboxylic acid (Bö-NIGER), 1888, A., 954.

diBromoquinoldisulphonic acid (GRAE-BE and WELTNER), 1891, A., 1029.

1-Bromoquinoline-4-carboxylic (LELLMANN and ALT), 1887, A., 502. Bromoquinoline. See Quinoline.

Bromoquinolinesulphonic Quinolinesulphonic acid.

Bromoquinolinesulphonic bromide 1890, A., (CLAUS and Posselt), 522.

Bromoquinolinic acid (SRPEK), 1890, A., 177.

m-diBromoquinone (Heinichen), 1890, A., 165; (Ling), 1892, T., 561; P.,

tetraBromoquinone (bromanil) (Ling), 1887, T., 148; (GRAEBE and WELT-NER), 1891, A., 1028.

tetraBromo-o-quinone (ZINCKE), 1887, A., 808.

diBromoquinone-chlor- and -phenolimides (Mönlau), 1884, A., 594. diBromorcinol, diethyl other of (HER-

ZIG and ZEISEL), 1890, A., 1405. Brom-a-oreinoldichroin (BRUNNER and

Chuit), 1888, A., 1183. Bromoresorcinols, mono- and di- (ZE-

HENTER), 1887, A., 924. Bromorosindone (Fischer and Hepp), 1891, A., 1045.

diBromosalicylamide (SPILKER), 1890, A., 141.

Bromosalicylic acids, substituted (PERA-TONER), 1887, A., 486.

diBromosalicylic acid, constitution of (PERATONER), 1887, A., 487.

diBromosalicylthiamide (SPILKER), 1890, A., 142.

acid (My-Bromosarcosinemesouric LIUS), 1884, A., 1128.

diBromosebacic acid, and its derivatives (Chaus and Spenkauler), 1888, A., 133; (Auwers and Bernhard), 1891, A., 1191.

Bromoshikimolactone (EIJKMAN), 1891, A., 920.

Bromostannic acid (PREIS and RAÝ-MAN), 1883, A., 425; (SEUBERT and SCHURMANN), 1887, A., 554.

Bromostearic acid (Protnowski), 1890, A., 1396.

α-Bromostearic acid (Hell and Sadomsky), 1891, A., 1336.

Bromostrychnine (SHENSTONE), 1885, T., 140, 141; P., 5; (BECKURIS), 1885, A., 675, 911; (LOEBISCH and Schoop), 1886, A., 268.

crystallography of (MIERS), 1885, T., 144; P., 5.

action of nitric acid on (SHENSTONE), 1885, T., 141; P., 5.

methhydroxide and methiodide (Bec-KURTS), 1890, A., 1329.

physiological action of (BRUNTON), 1885, T., 143; P., 5.

diBromostrychnine (SHENSTONE), 1885, T., 141; P., 5; (BECKURTS), 1885, A., 675, 911.

triBromostrychnine (BECKURTS), 1885, A., 675, 911.

p-Bromostyrene dibromide (SCHRAMM), 1891, A., 898.

glycol (Schramm), 1891, A., 898.

diBromostyrene, action of brominevapour on (KINNICUTT and PALMER), 1884, A., 603.

diBromosuccinanil (Anschütz and Wirtz), 1887, A., 934.

Bromosuccinic acids. See Succinic acid. Bromosuccinimide (Kusserrow), 1889, A., 1064.

o-Bromo-m-sulphobenzoic acid (Fis-CHER), 1892, A., 333.

δ-Bromo-β-sulphopyromucic acid (HILL and Palmer), 1889, A., 386.

2-Bromoterephthalic acid (SCHULTZ), 1885, A., 1054; (FILETI), 1887, A., 52. WBromotetracetylbrazilein (SCHALL

and DRALLE), 1890, A., 997.

Bromotetrahydrodiphenylic dibromide
(BANDERGER and LUDGER), 1888, A

(BAMBERGER and LODTER), 1888, A.,

triBromotetraketohexamethylene(LANDOLT), 1892, A., §36.

tetraBromotetraketohexamethylene (NEF), 1890, A., 1272.

hexaBromotetramethylene (SABANE-EFF), 1889, A., 1128.

Bromotetramethylenecarboxylic acid (Perkin and Sinolair), 1891, P., 191; 1892, T., 41. Bromo-α-tetraresorcinoldichroin ether (Brunner and Chuir), 1888, A., 1182.

Bromotetrethylphloroglucinols (Henzig and Zeisel), 1890, A., 243.

Bromotetric acid (Moscheles and Con-NELIUS), 1888, A, 1272.

μ-Bromothiazole (SCHATZMANN), 1891, A., 745.

Bromothiophen (SCHLEICHER), 1886, A., 227.

diBromothiophen, direct preparation of, from coal-tar benzene (MEYER and STADLER), 1885, A., 971.

triBromothiophen, and its sulphonic acid and anhydride (ROSENBERG), 1885, A., 1051.

tetraBromothiophen, oxidation of (CIA-MICIAN and ANGELI), 1892, A., 302.

Bromothiophen-3-carboxylic acid (GAT-TERMANN and ROMER), 1886, A., 537.

Bromothiophen-2:3-dicarboxylic acid (GERLACH), 1892, A., 831.

Bromothiotolen. See Bromomethylthiophen.

2-Bromothymol (CLAUS and KRAUSE), 1891, A., 899, 900.

6-Bromothymol, derivatives of (MAZZARA), 1890, A., 366.

o-Bromothymol, ethyl ether of (MAZZARA and VIGHI), 1890, A., 883.

6-Bromothymol methyl ether (MAZZARA), 1890, A., 366.

Bromothymol-o- and p-sulphonic acids, o- and p- (CLAUS and KRAUSE), 1891, A., 899.

β-Bromothymoquinol (MAZZARA and DISCALZO), 1886, A., 1020; (SCHNITER), 1887, A., 720.

2-Bromothymoquinone(MAZZARA), 1890, A., 753; (CLAUS and KRAUSE), 1891, A., 899.

5-Bromothymoquinones (SCHNITER), 1887, A., 720; (MAZZARA), 1890, A., 753.

Bromothymoquinones, 2- and 5- (KEHR-MANN), 1890, A., 367.

Bromotoluene. See Toluene.

Bromotoluenesulphonic acids. See Toluenesulphonic acids.

Bromotoluic acid. See Toluic acid.

m-Brome-o-toluidine (ALT), 1889, A., 1214.

 $p ext{-Bromo-}m ext{-toluidine}$ (CLAUS), 1892, A , 1201.

2 6-diBromo-p-toluidine (CLAUS and HERBABNY), 1892, A., 175.

m-Bromo-o-toluidine-m-sulphonic acid (WYNNE), 1892, T., 1037; P., 155.

Bromo-o-toluonitrile (Nourrisson), 1887, A., 668.

4:6-diBromo-o-toluonitrile (CLAUS and BECK), 1892, A., 1208.

2:6-diBromo-p-toluonitrile (CLAUS and HERBABNY), 1892, A., 175.

3:5-diBromo-p-toluonitrile (Claus and Seibert), 1892, A., 176.

Bromotoluphenanthrazine (HART-MANN), 1890, A., 976.

3-Bromotoluquinone (CLAUS and JACK-SON), 1889, A., 128.

4-Bromotoluquinone (SCHNIFER), 1887, A., 1036.

Bromotoluquinones, di- and tri- (CANZONERI and SPICA), 1883, A., 330.

triBromotoluquinone, action of potassium hydroxide on (SPICA and MAGNANIMI), 1884, A., 175.

Bromotolyl methyl ketone, o- and m-(CLAUS), 1891, A., 911.

p-Bromo-m-tolyl methyl ketone (SCHOPFF), 1892, A., 338; (CLAUS), 1892, A., 1200.

p-Bromo-m-tolyl methyl ketoxime (CLAUS), 1892, A., 1201.

diBromo-o- and -p-tolyl-a-amidopropionitrile (Stephan), 1887, A., 143.

S-diBromotolylbenzoic acid (CARNEL-LEY and THOMSON), 1886, P., 258; 1887, T., 90.

5-Bromo-3:4-tolylenediamine (Bis-TRZYCKI), 1890, A., 970.

Bromotolylenecarbamide (HARTMANN), 1890, A. 975.

diBromo-p-tolylic benzoate (SCHALL and DRALLE), 1885, A., 146.

cher), 1890, A., 594.

diBromotriethylgallic acid (Schiffer), 1892, A., 715.

Bromotrihydroxybenzophenone (GRAE-BE and EICHENGRUN), 1892, A., 1225. hexaBromotriketohexamethylene

(Zincke and Kegel), 1890, A., 1109.

diBromotriketohydronaphthalene hydrate (ZINCKE and GERLAND), 1888, A., 291.

diBromotriketopentamethylene hydrate (LANDOLT), 1892, A., 836.

triBromotriketopentamethylene (HAN-TZSCH), 1888, A., 1191, 1192; (LAN-DOLT), 1892, A., 836.

Bromotrimethylcarbinol (bromo-lert.-butyl alcohol) (GUARESCHI and GARZINO), 1888, A., 437; (GARZINO), 1889, A., 951.

Bromotrimethylenedisulphone sulphides, di- and hexa- (CAMPS), 1892, A., 593.

hexaBromotrimethylenetrisulphone (CAMPS), 1892, A., 592. Bromotrimethylethylammonium salts, di- and tru- (BODE), 1892, A., 806.

a-Bromotrimethylglutaric anhydride (Auwers and Meyer), 1890, A., 480.

diBromo-2:4 6-trimethylpyridine (Pediffer), 1887, A., 844.

Bromotrimethylvinylammonium salts (Bone), 1892, A., 807.

triBromotriphenylfurfuran (JAPP and KLINGEMANN), 1890, T., 713.

Bromotriphenylmethane, action of, on ethyl sodomalonate (Henderson), 1887, T., 224.

reactions of (ELBs), 1884, A., 1030.

Bromotriphenylmethylpyrrolone, crystallography of (TUTION), 1890, T., 728.

triBromotrithienyl (RENARD), 1891, A., 428.

traBromotritolylbenzene (CLAUS), 1890, A., 770.

Bromumbelliferones, mono- and di-, ethyl and methyl ethers of (William and Brok), 1886, A., 881, 882.

Bromoundecylenic acid (BRUNNER), 1886, A., 1011.

Bromouracilearboxylic acids (Beil-REND), 1887, A., 920.

diBromovaleraldehyde (Lieben and Zeisel), 1886, A., 783.

Bromovaleric acid, decomposition of (FITTIC and URBAN), 1892, A., 960. diBromovaleric acid (dibrohallylacetic acid) (OTT), 1891, A., 1453.

Bromovaleric acids, y-mono- and di-(FITTIG and FRANKEL), 1890, A., 585.

α-Bromo/sovaleric acid (VOLHARD), 1888, A., 129; (SCHLEIGHER), 1892, A., 427.

Bromovalerolactone (Firms and Un-BAN), 1892, A., 960.

diBromovalerolactone (WOLFF), 1885, A., 1124.

Bromovanadinites (DITTE), 1888, A., 783.

triBromovinylbenzoic acid (Rosen and Haselmoff), 1888, A., 1304.

Bromo-p-vinylphenol clibromide (Er-GEL), 1887, A., 1110.

Bromowagnerites (DITTE), 1883, A., 648.

Bromoxanthine (FISCHER and REESE), 1884, A., 467.

diBromoxanthone (dibromodiphenylene ketone oxide) (Perkin), 1883, T., 194.

triBromoxanthone (ARBENZ), 1890, A.,

Bromoxybenzene derivatives (BENE-DIKT), 1883, A., 984. Bromoxybromocomenic acid (MENNEL), 1883, A., 657.

Bromoxylene. See Xylene.

Bromo-p-xylenesulphonamide (JACOB-SEN), 1885, A., 144.

diBromo-p-xylenesulphonamide (Moody and Nicholson), 1890, T.,

Bromoxylenesulphonic See acids. Xylenesulphonic acids.

di**B**romo-p-xylenesulphonic chloride (Moody and Nicholson), 1890, T., 977.

triBromo-o-xylenol (Tohl), 1886, A.,

Bromo-p-xylenol (ADAM), 1884, A., 1329.

4.5-di-Bromo-o-xylidine (Töhl), 1886, A., 57.

5-?-diBromo-p-xylidine (Nölting and Kohn), 1886, A., 356.

Bromo-p-xylyl methyl ketone (Schöpff), 1892, A., 338.

Bromoxy-2'-methylquinoline (KNORR and Antrick), 1885, A., 274.

triBromoxy-4'-methylquinoline (Com-STOCK and KOENIGS), 1884, A., 1383.

Bromoxynaphthaquinonesulphonic acid, potassium salt of (ARMSTRONG and STREATFEILD), 1886, P., 232.

2'-Bromoxyquinoline. See Bromocarbostyril.

Bromoxytribromophenol (WERNER), 1885, A., 658.

process for phosphorising (Whiting), 1884, A., 936.

Weiller's silicon- (MÜLLER), 1885, A., 308.

implements used by the miners of Peru (Boussingault), 1883, A., 691.

statues, cause of the blackening of the patina of (HASSACK), 1885, A.

Bronze-coloured surface on iron, process for producing (MAYER), 1884, A.,

Bronzes, Indian, and their patina, some analyses of (Arche and Hassack), 1885, A., 100.

Japanese, analyses of (MARQUARD),

1885, A., 204. Bronzite (WEISDACH), 1883, A., 432. from South Africa, composition of (Roscoe), 1885, A., 132.

Brookite (Kunz), 1892, A., 1055. from Beura, Ossola (STRÜVER), 1891, A., 527.

from Magnet Cove, Arkansas (Pen-FIELD), 1886, A., 989; (DANA), 1887, A., 116.

Broom (Genishi pilosa), analysis of, and of its ash (PETERMANN), 1884, A., 207.

Brucine. See under Alkaloids.

Brucite (Weisbach), 1883, A., 1061. from Cogne, Val d' Aosta (FRIEDEL). 1883, A., 1061; 1884, A., 162.

from the Tyrol (v. Foullon), 1890, A., 339.

from the Ural (Lösch), 1887, A., 345. Brücke's acid (oxyprotosulphonic acid) (MALY), 1885, A., 824.

Brushwood, food value of (STUTZER), 1892, A., 1511.

Bryonin, detection of (Johannson), 1885, A., 606.

Buchu leaves (Shimoyama), 1888, A., 1205.

Building stones, decay of (WALLACE), 1883, A., 1036.

Bulbocapnine (FREUND and JOSEPHI), 1892, A., 1366.

Bunsen-battery. See Electrochemistry. Bunte's salt (sodium ethylthiosulphate), preparation and properties of (Otto and Rössing), 1892, A., 799.

Buratite. See Aurichalcite.

Burette for solutions which are easily reduced, and which attack indiarubber (GAWALOWSKI), 1885, A.,

float for opaque liquids (REY), 1891, A., 1288.

jet (LEYBOLD), 1887, A., 688.

Burettes, manufacture and correction of (OSTWALD), 1883, A., 619. improvements in (REID), 1892, A., **1027.**

Burner, Bunsen, a modified (SHEN-STONE), 1885, T., 378; P., 51. for spirit (BARTHEL), 1892, A., 1386. new laboratory (Teclu), 1892, A., 768.

NOAUK), 1886, A., 14.

Burners, new (GRÖGER), 1890, A., 106.
"Bumping" in distillation, method of avoiding (REISMANN), 1888, A., 547; (MARKOWNIKOFF), 1888, A., 1155.

isoButaconic acid (FITTIG and KRA-ENCKER), 1890, A., 875.

Butaldehyde (Juslin), 1885, A., 138. condensation of (RAUPENSTRAUCH), 1887, A., 794.

condensation of, with succinic acid (FITTIG and SCHMIDT), 1890, A., 588.

Butaldehyde, αγ-dichloro-αβ-dibromo-(NATTERER), 1883, A., 965.

trichloro- (NATTERER), 1883, A., 966. See also Butylchloral.

isoButaldehyde, preparation of, free from acetone (Fossek), 1884, A., 37.

polymeric modification of (PERKIN), 1883, T., 86; (BARBAGLIA), 1887, A., 461.

action of aniline on a mixture of acetaldehyde and (v. Miller), 1887, A., 974.

condensation of aniline and, with methylal (v. Miller and Kinke-Lin), 1887. A., 957.

IIN), 1887, A., 957.
condensation of, with ethylic acetoacetate (MATTHEWS), 1883, T., 201.
action of glycol on (LOCHERI), 1888,

A., 670.

condensation of, with phenylenediamines (Lassar-Cohn), 1890, A., 138.

action of zinc and ethylic chloracetate on (REFORMATSKY), 1892, A., 1300.

action of quinaldine on (BRUNNER), 1887, A., 975.

condensation of, with succinic acid (FITTIG and ZANNER), 1890, A., 589.

condensation of, by means of aqueous and alcoholic potash (Perkin), 1883, T., 90.

derivative of, analogous to hydrobenzoin (Fossek), 1884, A., 37.

dihydric alcohols derived from (Swo-BODA and FOSSEK), 1891, A., 31. isoButaldehyde, chlor-(BROGHET),1892,

A., 1292. thio- (BARBAGLIA), 1889, A., 120. Paraisobutaldehyde (Perkin), 1883, T., 86.

condensation of, with aniline (v. MILLER and PLOCHL), 1892, A., 1192.

action of sulphur on (BARBAGLIA), 1889, A., 120.

isoButaldoxime (Petraczek), 1883, A., 569

Butane, absorption coefficient of, in water (Henrich), 1892, A., 1043.

dinitro, and its salts (Chancel), 1883, A., 915; 1885, A., 647.

isoButane, tribronio- (Norion and Williams), 1887, A., 712.

tert.-Butane, nitro- (BEWAD), 1891, A., 653.

Butanecarboxylic acid. See Butyric acid.

Butanedicarboxylic acid. See Adipic acid, Dimethylsuccinic acid, Ethylsuccinic acid, Methylsuccinic acid, Methylglutaric acids, Propylmalonic acid, isoPropylmalonic acid.

Butanedisulphonic acid (MAUZELIUS), 1888, A., 821.

isoButanedisulphonic acid, barium salt of (GUARESCHI and GARZINO), 1888, A., 436.

Butanetricarboxylic acid [m.p. 116°—120°] (AUWERS, KOBNER, and v. MEYENBURG), 1892, A., 42.
[m.p. 119°] (Polko), 1888, A., 134. action of bromine on (BISOHOFF), 1891, A., 292.

isoButanetricarboxylic acid (BARN-

STEIN), 1888, A., 135.

isoButenylaloohol. See \$\textit{\mathcal{B}}\)-Butenylanisoils, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

Butenylbenzene. See Phenylbutylene. isoButenyltolylene-o-diamine (HINS-BERG) 1887, A., 817.

Butenyltricarboxylic acid. See Butanetricarboxylic acid.

Butinene (crythrene, vinylethylene, pyrrolylene) (Ciamician and Mignagui), 1885, A., 1243.
preparation and oxidation of (Alm-

preparation and oxidation of (ARMstrong and Miller), 1886, T., 81.

constitution of (GRIMAUX and CLORZ), 1890, A., 730.

derivatives (GRIMAUX and CLOEZ), 1887, A., 352.

bromides (Colson), 1887, A., 787; (GRIMAUX and CLOEZ), 1887, A., 789.

dibromide, dibromo- (GRIMAUX and CLOEZ), 1887, A., 789.

tetralromides (Ciamician and Magnight), 1886, A., 521; (Grimaux and Clorz), 1887, A., 789; (Ciamician), 1888, A., 242; (Ciamician and Magnanini), 1888, A., 799.

dioxide (Przybytek), 1888, A., 245.
Butinene (crotonylene, ethylacetylene),
action of, on mercuric chloride
(Kutscherger,), 1884, A., 720.

dibromide (Hölz), 1889, A., 576.
 glycol (Henninger), 1884, A., 897.
 hydrobromide (Hölz), 1889, A., 576.
 constitution of (Wishitenus), 1889, A., 577.

conversion of, into hromo-ψ-hutylene (Puckert), 1889, A., 576. a-hydrobromide (Reboul), 1892, A.,

127. isoButinene dibromide (n-butylenc, di-

bramo- (Holz), 1889, A., 576.
Butinenes (Norton and Noyes), 1889,
A., 361.

condensation of (FAWORSKY), 1885, A., 645.

Butinenecarboxylic acid, pentachloro-(ZINCKE and KUSTER), 1888, A., 1278.

o-isoButoxybenzaldehyde, and trithio-(BAUMANN and Fromm), 1891, A.,

 $p ext{-}iso$ Butoxydiphenylamine (PHILIP and Calm), 1885, A., 155.

isoButoxyhydrocotarnine methiodide (Roser), 1890, A., 532.

Butter. See Agricultural Chemistry. "Butter beans," a new variety of fatty seeds (v. Höhnel and Wolfbauer), 1884, A., 1209.

Butterflies, yellow pigment in (Hop-KINS), 1889, P., 117.

Butterine. See Margarine.

tert.-Butyl alcohol (trimethylcarbinol), bromo- (GUARESCHI and GARZINO), 1889, A., 951.

B-Butyl glycol and its derivatives (Wurtz), 1884, A., 169.

oxybutyrate, diacetyl derivative of (Wurtz), 1884, A., 579. tert.-Butyl mercaptan (Dobbin), 1890,

T., 639; P., 105.

(isohexamide) isoButylacetamide (Jacoby), 1886, A., 785; (Tiemann), 1891, A., 538.

isoButylacetanilide (PIOTET), 1890, A., 758

isoButylacetic acid (isohexoic acid) (KASSNER), 1888, A., 673.

isoButylacetoacetamide (PETERS), 1890, A., 1097.

isoButyl acetone, nitroso- (TREADWELL and Westenberger), 1883, A., 572. Butylacetylenecarboxylic acid (heptinoic acid) (FAWORSKY),1888,A.,1169.

Butylacridine, and its derivatives (BERNTHSEN and TRAUBE), 1884, A.,

isoButylallylamine (PAAL and HEUPEL), 1892, A., 31.

s-isoButylallylthiccarbamide (HECHT), 1892, A., 702.

δ-chloro-(GABRIEL), n-Butylamine, 1892, A., 131.

n-Butylamines (BERG), 1891, A., 662. isoButylamine (MALBOT), 1891, A., 36. preparation of (MALBOT), 1887, A.,

magnetic rotatory power of (Perkin), 1889, T., 694, 730, 785.

separation of, from dissobutylamine, by means of ethylic oxalate (MALвот), 1887, А., 357.

isoButylamine, chloro- and dichloro-(BERG), 1892, A., 1172.

tert.-Butylamine (BEWAD), 1891, A., 654.

isoButylisoamylglyoxaline (oxalisoamylisoamyline) (Radziszewski and Szul), 1884, A., 986.

isoButylaniline (PICTET), 1890, A., 758. dinitro- (BARR), 1888, A., 823.

p-nitroso- (WACKER), 1888, A., 466. Butylbenzene (phenylbutane), action of aluminium chloride on (SCHRAMM), 1889, A., 127; (HEISE and TOHL), 1892, A., 1309.

p-βγ-tribromop-bromo-, and (SCHRAMM), 1891, A., 899.

165°---170°1 [b.p. isoButylbenzene (Seńkowski), 1892, A., 44.

dispersive power of (BARBIER and Roux), 1889, A., 805.

influence of light on the bromination of (SCHRAMM), 1889, A., 240.

isoButylbenzene, m-amido- (isobutylphenylamine), and its derivatives (GELZER), 1889, A., 42, 43.

p-amido-, and its properties (LLOYD), 1887, A., 721; 1889, A., 700; (GELZER), 1889, A., 42.

constitution of (PAHL), 1884, A.,

derivatives of (GELZER), 1888, A., 266; 1889, A., 42.

3:4-diamido- [m.p. 97.5°] (GELZER), 1888, A., 266.

2:3-diamido- [m.p. 109°] (GELZER), 1889, A., 43.

esobromo-, and 3:5-dibromo- (GEL-ZER), 1889, A., 43, 45.

bromo-2:3-diamido- (GELZER), 1889, A., 44.

esobromonitramido- (GELZER), 1889, A., 44.

p-chloro-(v. Dobrzycki), 1888, A., 369. p-iodo- (PAHL), 1884, A., 1009.

m-nitro- (GELZER), 1889, A., 43. esonitramido- (Gelzen), 1888, A., 266; 1889, A., 43.

sec.-Butylbenzene, influence of light on the bromination of (SCHRAMM), 1889,

A., 240. tert.-Butylbenzene, and its derivatives (SCHRAMM), 1889, A., 127, 240; (SENKOWSKI), 1890, A., 1296.

influence of light on the bromination of (SCHRAMM), 1889, A., 240.

isoButylbenzenesulphonic acid (KELBE and Preiffer), 1886, A., 878.

tert.-p-Butylbenzenesulphonic (SENKOWSKI), 1890, A., 1296.

m-isoButylbenzoic acid and its derivatives (Kelbe and Pfeiffen), 1886, A., 878.

p-isoButylbenzoic acid, and its derivatives (PAHL), 1884, A., 1010; (Kelbe and Pfeiffer), 1886, A., 878.

- 1)-isoButylbenzonitrile (isobutylphenylic cyanade) (PAHL), 1884, A., 1010.
- "isoButylbenzophenoxide" (v. Dobrzycki), 1888, A., 369.
- isoButylbismuthine dibromide (MARQUARDT), 1888, A., 1067.
 Butylbromallylamine (PAAL), 1889, A.,
- Butylbromallylamine (PAAL), 1889, A., 117.
- isoButylbromisatoid (v. BAEYER and OECONOMIDEN), 1883, A., 202.
- isoButylisobutenyltolylene-o-diamine (Hinsberg), 1887, A., 817.
- isoButylbutylene (octylene) (Firrig and Frist), 1890, A., 592.
- isoButylisobutylideneamine (BERG), 1892, A., 1173.
- isoButylisobutyric acid (octoic acid)
 (Bruggemann), 1888, A., 1176.
- tert.-Butylearbinol (amylic alcohol) (FREUND and LENZE), 1890, A., 1388; 1891, A., 1172.
- Butylchloral, constitution of (Lieben and Zeisel), 1883, A., 963.
 - action of zine propyl and zine isobutyl on (v. Garzarolli-Thurnlackn and Popper), 1884, A., 1117.
 - hydrate as an antidote for strychnine and picrotoxin (Koon), 1887, A., 391.
- Butylchloralacetamides (Schiff), 1892, A., 1067.
- Butylchloralaldol (Koenigs), 1892, A., 695.
- Butylchloralbenzamides (Schiff), 1892, A., 1067.
- Butylchloralbiuret (PINNER and LIF-SCHUTZ), 1887, A., 1032.
- Butylchloraldoxime (Schiff and Taruci), 1892, A., 33.
- Butylchloralformamides (SCHIFF), 1892, A., 1067.
- a-isoButyleinchonic acid (DOEBNER), 1887, A., 504.
- isoButyl-o-cresol (Efficient), 1885, A., 152.
- isoButyldeoxybenzoin (MEYER and OHLKERS), 1888, A., 703.
- isoButyldiguanide, its constitution and its compounds (SMOLKA), 1884, A., 287.
- isoButyldiguanide, sulphates and hydrochlorides of (SMOLKA), 1884, A., 288.
- 4-isoButyl-2:6-dimethylhexahydropyridine (JAECKLE), 1888, A., 1104.
- 4-isoButyl-2:8-dimethylpyridine (Engelmann), 1886, A., 260.
- 4-isoButyl-2 6-dimethylpyridine-3:5dicarboxylic acid (Engelmann), 1886, A., 260.
- Butylenes, action of chlorine on (Scheschukoff), 1885, A., 645.

- Butylenes, separation of (Scheschu-Koff), 1885, A., 495. bromo- (Reboul), 1892, A., 127.
- n-Butylene and its derivatives (Puchor),
 - 1884, A., 166. hydrate. See Butylic alcohol,
 - secondary.

 dibromo-. See isoButinene dibromide.
- isoButylene, action of bromine on (Norron and Williams), 1887, A., 712.
 - action of chlorine on (Scheschukoff), 1884, A., 1276.
 - action of hydriodic acid on (Scheschukoff), 1886, A., 680. oxidation of (Wagner), 1888, A., 665.
 - oxidation of (Wagner), 1888, A., 665. glycol (Schesonukoff), 1885, A., 645.
 - formation of, in the alcoholic fermentation of sugar (Hen-NINGER and SANSON), 1888, A., 571
 - mercaptan(HAGELBERG),1890,A.,950. chloro- (Scheschukoff), 1884, A., 1276.
- ψ-Butylene, constitution of (Hölz), 1889, A., 576.
 - brominated derivatives of (Holz), 1889, A., 575.
 - brominated derivatives of, geometrical isomerism of (FAWORSKY and DE-BOUT), 1890, A., 1218.
 - isobromo-, conversion of crotonylene hydrobromide into (PUCKERT), 1889, A., 576.
- isoButylenebenzidine (Schiff and Vanni), 1890, A., 1299.
- Butylenedicarboxylic acids. See Dimethylsuccinic acid and Methylethylmalonic acid.
- a-isoButylenepyridine (Stokua), 1891, A., 81.
- n-Butylenic bases (Colbon), 1888, A. 139.
- isoButylenic bromide (Guareschi and Garzino), 1888, A., 436.
 - behaviour of sodiophenylmercaptide with (OTTO), 1890, A., 962.
 - chloride (Scheschukoff), 1885, A. 645.
 - cyanide (Hell and Rothberg), 1889 A., 959.
- oxide (ΕΙΛΈΚΟΓΕ), 1883, A., 567. ψ-**Butylenic** bromide, *di*chloro- (NEW BURY), 1884, A., 295.
- chloride (Schesonukoff), 1885, A. 645.
- oxide (s-dimothylethylenic oxide (Eltekoff), 1883, A., 567.
- Butylglycidic acid (MELIKOFF), 1883 A., 311, 969; 1885, A., 651.

Butylglyoxaline, chloro- (chloroxal-amyline) (WALLACH), 1883, A., 50.

isoButylglyoxaline (glyoxalisoamyline)
(RADZISZEWSKI), 1883, A., 1086;
(RADZISZEWSKI and SZUL), 1884, A., 985.

isoButylglyoxalinedicarboxylic acid (Maquenne), 1890, A., 1440.

isoButylhydantoic acid (PINNER and SPILKER), 1889, A., 706.

isoButylhydantoinamide (PINNER and SPILKER), 1889, A., 706.

n-Butylic alcohol, in Cognac brandy (CLAUDON and MORIN), 1887, A., 714.

action of bromine on (ETARD), 1892, A., 809.

trichloro-, action and fate of, in the animal organism (Kulz), 1885, A., 283.

*iso*Butylic alcohol, vapour pressures of (Riohardson), 1886, T., 763, 771, 773; (Sohmidt), 1892, A., 397.

action of bromine on (ETARD), 1892, A., 809.

action of chlorine on (Boquillon), 1885, A., 961; (Brochet), 1892, A., 1292.

action of iodine on (TRAUBE and NEUBERG), 1891, A., 654.

compound of, with sodium hydroxide (Görrig), 1890, A., 1222.

sodium derivative of, action of iodoform, methylenic iodide and iodine on (GORBOFF and KESS-LER), 1888, A., 814.

sec.-Butylic alcohol(n-butylene hydrate), decomposition of, by heat (WOLKOFF and BUGALEFF), 1886, A., 137.

tert.-Butylic alcohol (trimethylcarbinol), action of bromine on (ETARD), 1892, A., 809.

stability of (PAWLEWSKI), 1883, A.,

sodium derivative of (DE Forc-RAND), 1892, A., 1066.

bromo- (GUARESCHI and GARZINO), 1888, A., 437; (GARZINO), 1889, A., 951.

isoButylic oxides, sec. - and tert. - (RE-BOUL), 1889, A., 477.

tert.-Butylic oxide, trichloro- (WILL-GERODT and DURR), 1887, A., 570.

n-Butylic salts of normal fatty acids, boiling points and specific volumes of (Gartenmeister), 1886, A., 966. Butylic bromides, bromination of

Mutylic promides, promination of (Meyer and Müller), 1892, A., 1414.

8-isobutoxyisocrotonate' (Enke), 1890,

A., 866.

Butylic butyrate (PUCHOT), 1884, A., 167.

chloracetate (Genning), 1886, A., 784. chlorides, chlorination of (Meyer and Muller), 1892, A., 1415.

perchlorosebate, perchloro- (GEH-BING), 1887, A., 801.

β-ethoxy- and β-methoxy-isocrotonates (Enke), 1890, A., 866.

nitrate (Bertoni), 1891, A., 163. nitrite (Bertoni), 1890, A., 353.

β-propoxy isocrotonate (Enke), 1890, A., 866.

sebate (Gehring), 19, A., 801. sulphide, platin a compounds of

(LONDAHI', 1889, A., 368. disulphide (Spring and Legros), 1883, A., 48.

sulphides, occurrence of, in Ohio petroleum (MABERY and SMITH), 1891, A., 1173.

vanadate (HALL), 1887, T., 753.

isoButylic acetate, reaction of, with methylic and ethylic alcohols (Pur-DIE and MARSHALL), 1888, T., 395.

chloride, correspondence between the magnetic rotation and the refraction and dispersion of light by isobutylic nitrate and (GLAD-STONE and PERKIN), 1889, T., 757.

action of aqueous ammonia on (MALBOT), 1891, A., 817.

action of alcoholic potash and of hydrogen chloride on (Sches-Chukoff), 1885, A., 645.

action of zinc chloride on, in presence of hydrogen chloride (MAL-BOT and GENTIL), 1889, A., 842.

trichlorolactate (Anschutz and Has-LAM), 1890, A., 27.

β-chloro isocrotonate (Enke), 1890, A., 865.

chloroxalate (Ansonütz), 1890, A., 236. cyanide, action of sodium on (Tröger), 1888, A., 801.

fluoride (Moissan and Meslans), 1889, A., 364.

glutarate (Pinner), 1891, A., 62. iodide, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of, on trimethylamine (H. and A. MALBOT), 1892, A., 805.

nitrate, magnetic rotatory power of (Perkin), 1889, T., 683, 726. nitrite (Dunstan and Woolley),

itrite (Dunstan and Woolley) 1889, A., 364.

preparation of, by double decomposition (BERTONI and TRUFFI), 1884, A., 1110.

isoButylic nitrite, magnetic rolatory power of (Perkin), 1889, T., 686,

phenyloxamate (Ansunutz), 1890, A.,

phosphite (JAEHNE), 1890, A., 859. ammonium sulphate (KRAFFT and

Boungeois), 1892, A., 701. sulphide, action of chlorine (Spring and Lecrenier), 1888, A., 664.

platinum compounds of (LONDAHL), 1889, A., 368.

turmerylate (Jackson and Menke), 1883, A., 482.

sec.-Butylic nitrate (BERTONI), 1891, A., 164.

nitrite (BERTONI), 1890, A., 353. tert .- Butylic chloride, trichloro- (WILL-GERODT and Dunn), 1887, A., 570.

nitrite (BERTONI), 1886, A., 218. atylideneaniline (v. MILLER Butylideneaniline and PLOCHL), 1892, A., 1192.

isoButylitaconic acid (FITTIG SCHNEEGANS), 1890, A., 591; (FITTIG and Kraencker), 1890, A., 874.

n-Butylmalonic acid (HELL and LUMPP), 1885, A., 44.

isoButylmetapyrazole (PINNER and LIFSCHUTZ), 1887, A., 1055.

sec.-Butylmalonic acid (VAN Rom-BURGH), 1888, A., 46.

isoButylnaphthalene (WEGSCHEIDER), 1884, A., 1185. Butylmethylacetylene. See Hoptinene.

Butylmethylethylene. See Heptylene. Butyl-nitrous acid. See Butane, denitroisoButyloxamic acid, calcium salt of (MALBOT), 1887, A., 357.

isoButylparaconic acid (FIITIG and Schneegans), 1890, A. 590.

p-isoButylphenol (LIEBMANN), 1883, A.,

nitro- (GELZER), 1889, A., 43.

p-tert.-Butylphenol (Senkowski), 1890, A., 1296; 1892, A., 44.

p-isoButylphenyl ethyl ether (isobutylphenetoil) (LIEBMANN), 1883, A., 59.

isoButylphenylamine. See 150 Butylbenzeno, ne-amido-.

isoButyl-p-phenylenediamine (WACK-ER), 1888, A., 466.

isoButylphenylic cyanide. See isoButylbenzonitrile.

isoButylisophthalic acid (Doebner), 1890, A., 1284; 1891, A., 1064.

isoButylphthalimide (Neumann), 1890, A., 890.

isoButylpropargylamine (PAAL and HEUPEL), 1892, A., 32.

2'-isoButylquinoline (Doebner), 1887, A., 504.

Butylsuccinic acid (Fittig SCHMIDF), 1890, A., 872.

p-Butyltoluene and its derivatives

(KELBE and BAUR), 1884, A., 301.

m-isoButyltoluene and its derivatives (KFLEE and BAUR), 1884, A., 300; Effront), 1884, A., 900; 1885. A., 152.

synthesis of (KELBE and BAUR), 1884, A., 301.

oxidising action of dilute nitric acid on (Kelbe), 1883, A., 796.

trinitro- (BAUR), 1890, A., 1401; 1891, A., 1464.

5-isoButyltoluene, 2-amido-, and its derivatives (Effront), 1884, A., 899; 1885, A., 151.

2-iodo- (Effront), 1885, A., 152. tert. - Butyltoluene, amido- and nitroderivatives of (BAUR), 1891, A., 1464, 1465.

Butyltoluenesulphonic acid, nitration of (Nolfing), 1892, A., 718.

isoButyl-o-toluic acids (Efficent), 1884, A., 899; 1885, A., 153, 154.

isoButyl-o-toluonitriles (EFFRONT), 1885, A., 153, 154.

isoButyl-m-xylene, trinitro- (BAUR), 1890, A., 1402. tert.-Butyl-m-xylene (BAUR), 1891, A.,

1465. derivatives of (Nolting), 1892, A.,

718. Butylxylenesulphonic acid, nitration of (Nolting), 1892, A., 718.

Butyramide (MEYER), 1889, A., 381. αβ-dibromo- (Lippmann), 1892, A., 27; (SCHINDLER), 1892, A., 33. γ-chloro- (ΠΕΝΚΥ), 1886, A., 216.

isoButyramide (MEYER), 1889, A., 381. Butyramidebenzoic acid (Pellezzari), 1886, A., 548.

Butyranilide, a-dichloro- (RUGHEIMER and Schramm), 1888, A., 502.

isoButyranilide, and p-brome- (BARD-

well), 1886, А., 52. a-bromo- (Виспору), 1891, А., 828. Butyrates, acid (MIXIER), 1887, A., 231. isoButyrates, solubility of (SEDLITZKY), 1888, A., 250.

Butyrellite, chemical composition of (MACADAM), 1887, A., 17.
Butyric acid (butanecarboxylic acid),

pure (Bannow), 1887, A., 29. electrolysis of (Bunge), 1890, A.,

1237.electrical conductivity of solutions of, in water and in alcohols (HARRWIG), 1888, A., 399.

Butyric acid (butanecarboxylic acid), calcium salt of, solubility of (Chancel and Parmentier), 1887, A., 547; (Le Chatelier), 1887, A., 548.

silver salt of (IWIG and HECHT), 1886, A., 440.

sodium salt of, magnetic rotatory power of solutions of (Perkin), 1891, T., 988.

detection and estimation of, in wines, in the presence of acetic acid (MACH and PORTELE), 1890, A., 1344.

Butyric acid, α-amido-, derivatives of (Bischoff and Mintz), 1892, A., 1338.

β-amido-, formation of, from crotonic acid (Engel), 1888, A., 1063.

γ-amido- (Garrier), 1890, A., 360. α-bromo-, action of triethylamine on (DUVILLIER), 1888, A., 249.

γ-bromo- (ΗΕΝΊΥ), 1886, Α., 440. αβ-dibromo- (LIPPMANN), 1892, Α., 27; (SCHINDLER), 1892, Α., 38.

γ-chloro-, and methyl and ethyl salts of (HENRY), 1886, A., 216.

αβ-dichloro- (ŽEISEL), 1886, A., 1007; (WISLIGENUS), 1887, A., 655; (ΜΙCHAEL and BROWNE), 1887, A., 1029; (WISLICENUS, TEISLIER and LANGBEIN), 1889, A., 236. constitution of (ΜΕΙΚΟΓΓ), 1887, A., 30.

γ-iodo- (Henry), 1886, A., 440. nitrosocyano- (Wolff), 1891, A., 418. oxime of (Westenberger), 1884, A., 581.

salts of (HANTZSCH), 1891, A., 740. αβ-dioxime, and external anhydride of (Ceresole and Koeckert), 1884, A., 1120, 1121.

sulpho. See Sulphobutyric acid. isoButyric acid, electrolysis of (Bunge), 1890, A., 1236.

vapour pressures of (Richardson), 1886, T., 766, 774, 776.

calcium salt of, solubility of (Chancell and Parmentier), 1887, A., 547; (Le Chatelier), 1887, A., 548.

isoButyric acid, bromo-, action of ammonia on (Duvillier and Chancel), 1892, A., 1802.

dibromo- (Kolbe), 1883, A., 573. chloro- (Melikoff), 1884, A., 1801. αβ-dichloro- (Wislicenus, Trisler

and Langbein), 1889, A., 286. diiodo- (Fischer and Tafel), 1889,

A., 478. isopropylamide of (Meyer and War-RINGTON), 1887, T., 688. isoButyric anhydride, boiling-point and specific gravity of (Tonnies and Staue), 1884, A., 1129.

Butyric chloride, γ-chloro- (HENRY), 1886, A., 216.

αβ-dichloro- (Zeisel), 1886, A., 1007.
 Butyric fermentation. See Fermentation.

Butyrimidoether hydrochloride, chloro-(l'inner), 1884, A., 1292.

tert.-Butyrotribromide, bromo- (WILL-GERODT and DURR), 1889, A., 689.

Butyrylbutyronitrile. See Octonitrile. a-Butyrocreatinine (Duvillier), 1883, A., 220.

isoButyrodiphenylhydrazide (Bolsing and Tafel), 1892, A., 981.

Butyroin (KLINGER and SCHMITZ), 1891, A., 891.

Butyrolactone, preparation of (HENRY), 1886, A., 216.

hydrolysis of (Henry), 1892, A., 1303.

action of sodium ethoxide on (FITTIG and STROM), 1892, A., 813. ethyl derivative of (CHANLAROFF),

1885, A., 374. Butyrolactone-α-carboxylic acid (Fit-

TIG and ROEDER), 1884, A., 295.
Butyrolactone-y-carboxylic acid

(WOLFF), 1891, A., 421. Butyrolactone-87-dicarboxylic acid (FITTIG and MILLER), 1890, A., 587. Butyrone. See Dipropyl ketone.

Butyronitrile, 7-bromo- (Gabriel), 1890, A., 360. dibromo- (Palmer), 1889, A., 686.

γ-thiocyano-(GABRIEL),1890 A.,1221. isoButyronitrilecarbamide (PINNER and LIFSCHÜTZ), 1887, A., 1055.

Butyrophenylhydrazide (MICHAELIS and SCHMIDT), 1889, A., 1159.

isoButyrophenylhydrazide (Bolsing and Tafel), 1892, A., 981.

Butyrophenylbenzylidenehydrazone (Michaelis and Schmidt), 1889, A., 1160.

isoButyrothienone and its derivatives (KRECKELER), 1886, A., 538.

isoButyrothienonesulphonic acid (Kreckeler), 1887, A., 141.

Butyrylacetophenones, n- and iso-(BEYER and CLAISEN), 1887, A., 943.

Butyryl-a-naphthols, n- and iso- (GOLDzweig and KAISER), 1891, A., 448. isoButyrylphenetoil (GATTERMANN,

EHRHARDT and MAISCH), 1890, A., 964.

Butyrylphenol (Perkin), 1889, T., 548.

Butyrylsodacetaldehyde (CLAISEN and STYLOS), 1888, A., 671.

Buxidine, and buxine (BARBAGLIA), 1884, Å., 188.

Buxus sempervirens, alkaloids of (Ban-BAGLIA), 1884, A., 188; 1885, A.,

Bye-laws, alteration in, 1891, T., 451.

Cabbage, cooked, composition οf (Williams), 1892, T., 227.

Cabbage oil from Brassica sp. (DAVIES), 1885, A., 1022.

Cacao, caffeine in (SCHMIDT), 1883, A.,

Cacao plant, and the composition of its fruit (Boussingault), 1884, A.,

cultivation of (BoussingAuli), 1883, A., 933.

not a distinct species Cacoclasite (GENTH), 1890, A., 457.

Cacodylic acid, action of, in the animal economy (MARSHALL and GREEN), 1886, A., 730.

Cactaceæ, simultaneous evolution of oxygen and carbonic anhydride by (AUBERT), 1891, A., 856.

Sec Pentamethylenedi-Cadaverine. amine.

Cadmium in zinc-dust (Anon.), 1885, A.,

atomic weight of (CLARKE), 1891, A., 390; (PARTRIDGE), 1891, A., 399; (Morse and Jones), 1892, A., 1397.

molecular weight of (RAMSAY), 1889, T., 527, 531, 533. spectrum of (HARITHY), 1883, T., 395; (Bell), 1886, A., 957; (GRUN-WALD), 1889, A., 455; (AMES), 1891, A, 1; (KAYSER and RUNGE), 1891, A., 965.

measurement of the electromotive forces produced by the combination of iodine and, in presence of water (LAURIE), 1886, T., 700; P., 227.

specific heat of (NAUCARI), 1888, A., 1236.

crystallisation of (WILLIAMS), 1892, A., 1398.

tion of, on ammonium nitrate (Morin), 1885, A., 1039. action of,

action of, on the halogen salts of cad-mium (Morse and Jones), 1890, A., 1376.

action of ethylic iodide on (Löhr), 1891, A., 682.

Cadmium, action of nitric acid on (Mon-ILMARIINI), 1892, A., 1278.

action of nitrosyl chloride on (Sun-BOROUGH), 1891, T., 657.

use of, in assaying gold (WHITHHEAD), 1892, A., 919.

influence of various metals on the freezing point of (Heycock and NEVILLU), 1890, P., 159.

influence of, on the freezing point of sodium (HEYCOCK and NEVILLE), 1889, T., 673.

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 383.

lowering of the freezing point of, when alloyed with other metals (HEYCOCK and NEVILLE), 1892, T., 888, 897; P., 145.

lowering of the freezing points of bismuth and lead by (Heycock and NEVILLE), 1892, T., 895.

Cadmium alloys with gold (HEYCOCK and NEVILLE), 1892, T., 914; P., 146.

with gold and tin, freezing point of (HEYCOCK and NEVILLE), 1891, T., 936; P., 123.

with lead and with tin (LAURIL), 1889, T., 677; P., 147.

with mercury, position of, in electropotential series (ROBB), 1884, A., 382.

with silver, analyses of (HEYCOCK and NEVILLE), 1892, T., 913.

Cadmium salts, electrical conductivity of solutions of (WERSHOVEN), 1890, A., 1203.

antimonate (EBEL), 1890, A., 216. alsenates (DE SCHULTEN), 1890, A.,

potassium and sodium arsenates (Lr. FRVRE), 1890, A., 563.

orotungstate, crystallography (Livek), 1887, A., 334. borotungstate,

bromide, action of calcium carbonate on (DE SCHULTEN), 1888, A., 1036.

hydroxychloride and hydroxybromide (DE SCHULTEN), 1888, A., 103C.

chloride, action of ammonia on (Kwas-NICK), 1892, A., 566. action of calcium carbonate on

(DE SCHULTEN), 1888, A., 1036. ammoniacal compounds of (André),

1887, A., 637. heat of hydration of (Pickering), 1886, P., 257; 1887, T., 75. iodide, allotropic (Clarke and Ken-LER), 1884, A., 394. chromite (Viard), 1889, A., 1111.

Cadmium, fluorovanadite and fluoroxyhypovanadate (Piccini and Gior-GIS), 1892, A., 787.

hydroxides, crystallised, formation of (DE SCHULTEN), 1885, A., 1183.

sub-hydroxide (Morse and Jones), 1890, A., 1376.

nitrate, basic (KLINGER), 1883, A., 904; (WELLS), 1887, A., 1080; (ROUSSEAU and TITE), 1892, A., 1157.

ammoniacal compounds of (ANDRE), 1887, A., 638.

oxide, heat of neutralisation of (Thomsen), 1884, A., 263.

dissociation of, in the vapour of cadmium (Morse and White), 1889, A., 755.

action of hydrogen peroxide on (Kurloff), 1892, A., 1278.

action of magnesium on (WINK-LER), 1890, A., 452.

peroxide (Gibson and Morrison), 1886, A., 305.

sub-oxide (Morse and Jones), 1890, A., 1376.

phosphates (DE SCHULTEN), 1890, A., 11.

potassium phosphates (OUVRARD), 1888, A., 1035.

selenites (Boutzoureanu), 1888, A., 220; 1891, A., 262.

silicate (Bourgeois), 1889, A., 832. hydrosilicate (Rousseau and Tite),

1892, A., 1157.

sulphate, solubility of (ETARD), 1888, A4, 645.

ammoniacal compounds of (ANDRE), 1887, A., 638.

sulphide, colloidal (Prost), 1888, A., 653.

precipitated, modifications of (v. Klobukoff), 1889, A., 946.

dissociation of, by means of metallic cadmium (Morse and White), 1889, A., 946.

titration of, with iodine (v. BERG), 1887, A., 301.

See also Greenockite.

sulphides (BUCHNER), 1888, A., 224; 1892, A., 778.

hydrosulphide (Linder and Picton), 1892, T., 129.

thiosulphate (VORTMANN and PADBERG), 1890, A., 12; (FOCK and KLUSS), 1890, A., 564.

sodium thiosulphate (DE SCHULTEN), 1890, A., 12; (FOCK and KLUSS), 1890, A., 1057. Cadmium, thiosulphates, double, with ammonium, barium, potassium, and strontium (FOCK and KLUSS), 1890, A., 1057.

Cadmium organic compounds: mercury cyanide (Dunstan), 1892, T., 687; P., 51.

mercury iodocyanide, action of ammonia on (VARET), 1891, A., 1441.

dimethyl and dipropyl (Lohr), 1891, A., 682.

methoxide (Lohr), 1891, A., 682. mercuric thiocyanate (Behrens), 1892, A., 10.

Cadmium, estimation and separation:—
estimation of (CARNOT and PROROMANT), 1885, A., 1094; (CARNOT),
1886, A., 580, 650; (KOHNER)
1887, A., 398.

estimation of, electrolytic (Classen), 1885, A., 190; (Moore), 1886, A., 921; (SMITH and KNERE), 1886, A., 923; (BRAND), 1890, A., 294.

estimation of, electrolytic, as amalgam (VORTMANN), 1891, A., 1553.

estimation of, as sulphide (MINOR), 1891, A., 112.

estimation of, in the products of zinc manufacture and in calamine (MINOR), 1891, A., 112.

estimation of, and separation from gold and tin, in alloys (FRENCH), 1892, A., 1030.

separation of, electrolytic, from aluminium, chromium, iron, nickel, and zinc (SMITH), 1890, A., 1028.

separation of, electrolytic, from arsenic, molybdenum, and tungsten (SMITH and FRANKEL), 1890, A., 1029.

separation of, from bismuth (JAN-NASCH and ETZ), 1892, A., 385.

separation of, from bismuth, lead, and tin (JANNASOH and ETZ), 1892, A., 754.

separation of, electrolytic, from cobalt and nickel (SMITH and FRANKEL), 1890, A., 664.

separation of, from copper (Guoul), 1885, A., 193; (Bélial), 1885, A., 1012; (KOHNER), 1887, A., 398; (KASTLE), 1890, A., 295; (WAR-REN), 1891, A., 1138; (WELLN), 1892, A., 534.

separation of, from copper, zinc, nickel, etc. (CARNOT), 1886, A., 580, 650.

separation of, electrolytic, from manganese (SMITH), 1891, A., 1149. Cadmium, estimation and separation: separation of, electrolytic, from osmium, and nickel (SMITH and

WALLACE), 1892, A., 920. separation of, electrolytic, from zinc (ELIANBERG), 1886, A., 281; (SMITH and FRANKEL), 1889, A., 1083.

Cadmium, chlor- and brom- apatites (DE SCHULTEN), 1890, A., 11.

Cadmium pigments of commerce (Buch-NER), 1888, A., 224.

Caesium, reduction and properties of (BEKETOFF), 1892, A., 274.

spectrum of (KAYSER and RUNGE), 1891, A., 137.

Gaesium compounds, extraction of, from carnallite (FETT and KUBIER-SCHKY), 1892, A., 1395.

tribromide and chlorobromides (Wells and Penfield), 1892, A., 773.

carbonate, reduction of, by magnesium (WINKLER), 1890, A., 333.

antimony chloride (SAUNDERS), 1892, A., 788.

bismuth chloride (BRIGHAM), 1892, A., 789.

manganese chloride (SAUNDERS), 1892, A., 781.

träiodide, bromiodides, ehloriodides, and chlorobromiodide (WELLS and PENFIELD), 1892, A., 773.

hydroxide, properties of (DEKETOFF), 1892, A., 274.

cobalt nitrite (Rosenbladt), 1887, A., 12.

Caffeic acid from Cuprea bark (Könner), 1883, A., 66.

from hemlock (v. HOFMANN), 1884, A., 1353.

Caffeidine and its salts (MALY and ANDREASCH), 1883, A., 1016; (SCHMIDT and WERNECKE), 1891, A., 331.

oxidation of, with chromic acid (MALY and ANDREASCH), 1883, A., 1017. reactions of (Wernecke), 1888, A.,

Caffeidinecarboxylic acid, and its salts (MALY and ANDREASCH), 1883, A., 1016.

Caffeine (theine). See Alkaloids.
Caffetannic acid, in Virginia creeper
(Cissus quinquefoliu) (l'mirson), 1885,
A., 1255.

Caffoline (FISCHER), 1883, A., 356.
Caffuric acid (FISCHER), 1883, A., 356.
Cajeput, essence of (VOIRY), 1888, A., 962.

oil of (Wallach), 1885, A., 171.

Cajeputol (cincol). See Terpenes.

Calaite (hurquoise), pseudomorphous after apatite, from California (Moore and v. Zepharovich), 1885, A., 958.

found at Alexandria (FRENZEL), 1881, A., 269.

from the Kirghiz Steppes (v. Kokscharoff), 1886, A., 516; 1887, A., 1021.

from New Mexico (SILLIMAN), 1883, A., 431; (CLARKE and DILLER), 1887, A., 116.

from Nischapur in Persia (TIETZE), 1886, A., 25.

Calamine (Thoms), 1886, A., 896; (Griffiths and Drevfus), 1886, A., 989.

from Leadhills (COLLIE), 1889, T., 96. from the United States (EYERMAN), 1890, A., 113.

estimation of cadmium in (MINOR), 1891, A., 112.

estimation of zine in (MINOR), 1890, A., 418.

containing lead, estimation of zine carbonate and silicate in (MINOR), 1891, A., 863.

See also Zinc carbonate.

Calamus root, constituents of (GRUTTHER), 1887, A., 972; (THOMS), 1888, A., 162, 984.

Calcimetry (Bernard), 1887, A., 865. Calciostrontianite. See Emmonsite. Calciothorite (Brogger), 1890, A., 1079.

Calcite (calcapar) (Gross and HILLE-BRAND), 1883, A., 957.

pseudomorphs of, after aragonite (BAUER), 1886, A., 431.

artificial production of (Boundsons), 1883, A., 31.

artificial deposition of crystals of, on spicules of a sponge (Solinas), 1888, A., 115.

finorescence of (LOMMEL), 1884, A., 649.

from Andreasberg, crystalline forms of (Sansoni), 1886, A., 209.

from Colorado (Cross and Hille-BRAND), 1883, A., 165. from Soberlau, Bohemia (Katzer),

from Soberlau, Bohemia (KATZER). 1888, A., 922.

See also Calcium carbonate.

Calcium in soils (DE MONDÉSIR), 1889, A., 542.

molecular weight of (RAMSAY), 1889, T., 530, 583.

effect of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 384. Calcium alloys with zinc (Norton and Twitchell), 1888, A., 651.

compounds, molecular (FOLKARD), 1884, A., 892.

Calcium salts, molecular refraction and dispersion of, in solution (GLAD-STONE), 1891, T., 595.

magnetic rotation of (PERKIN), 1890, P., 142.

and coagulation (RINGER), 1892, A., 1112.

effect of, on the coagulation of the blood (PEKELHARING), 1892, A., 87; (GRIESBACH), 1892, A., 1112. Calcium aluminates (LE CHATELIER),

1888, A., 1032. arsenates (BLOXAM), 1887, A., 108;

(LEFEVRE), 1889, A, 827. borate (BLOUNT), 1887, A., 108.

chloroborate (LE CHATELIER), 1884, A., 1262.

metaborate (LE CHATELIER), 1892, A., 404.

carbonate, effect of manganese on the phosphorescence of (Becquerel), 1887, A., 190.

fusibility of (BECKER), 1886, A., 676.

dissociation of (LE CHATELIER), 1886, A., 760.

Schlosing's law concerning the solubility of, in water containing carbonic anhydride (Engel), 1886, A., 120.

solubility of, in fresh and sea-water (Anderson), 1890, A., 450.

solubility of the various forms of, in sea-water (IRVINE and YOUNG), 1889, A., 344.

action of boric acid on, in the cold (REED), 1885, A., 484.*
action of hydrogen sulphide on

action of hydrogen sulphide on (DIVERS and SHIMIDZU), 1884, T. 282.

action of metallic salts on (IRVINE and ANDERSON), 1891, A., 995.

secretion of, by animals (IRVINE and WOODHEAD), 1890, A., 653. See also Aragonite, Calcite, Limcstone, Marble.

sodium carbonates from the soda manufacture (SCHEURER-KESTNER), 1884, A., 1442; (REIDEMEISTER), 1887, A., 12.

chlorate, rate of decomposition of, by heat (POTILIZIN), 1892, A., 1275. chloride (WEBER), 1883, A., 151.

expansion, compressibility, and specific heat of solutions of (Drecker), 1888, A., 1010. Calcium chloride, heat of solution of (PICKERING), 1891, P., 105.

heat evolved on diluting solutions of (Pickering), 1888, P., 35.

boiling points of solutions of (Skinner), 1892, T., 340.

freezing points of solutions of (Pickering), 1891, P., 105; A., 973; 1892, A., 1045.

specific gravity of solutions of (Pickering), 1891, P., 105.

conditions of equilibrium between water and (ROOZEBOOM), 1889, A., 752.

solubility in water at 0° (Engel), 1887, A., 771.

action of alumina and kaolin on (Gorgeu), 1888, A., 228.

hydrochloric acid from (SOLVAY), 1885, A., 705.

influence of magnesium chloride and, on germination (HINDORF), 1888, A., 1126.

mercury chloride, basic (KLINGER), 1883, A., 904.

chloride tube, substitute for, in elementary analysis (PREUSSER), 1889, A., 925.

used in elementary analysis, modification of (SCHMITZ), 1885, A., 687.

oxychloride (Gorgeu), 1884, A., 1262.

lead and mercury oxychloride (André), 1887. A., 446.

hypochlorite ('chloride of lime') (KRAUT), 1883, A, 17; 1884, A., 16; (LUNGE), 1884, A., 820. conversion of, into calcium chlorate

(Lunge), 1887, A., 11. See also Bleaching powder.

chloroferrite (LE CHATELIER), 1884, A., 1262.

chromate, solubility of, in dilute alcohol (FRESENIUS and RUPPERT), 1892, A, 914.

fluoride, crystalline, preparation of (Moissan), 1891, A., 1155.

See also Fluorspar. hypoibdite (LUNGE and SCHOOR), 1883, A., 17.

hydride (Winkler), 1891, A., 1156. hydroxide, crystalline form of (Glinka), 1886, A., 120.

influence of temperature on the composition and solubility of (SHENSTONE and CUNDALL), 1888, T., 550; P., 51.

solubility of, in water at different temperatures (MABEN), 1884, A., 891. Calcium hydroxide, as a boiler incrustation (LUEDECKE), 1886, A., 506. (lime-water), specific gravity of (Wanklyn), 1887, A., 700. action of different varieties of silica on (LANDRIN), 1883, A., 712.

(milk of lime), specific gravity of (LUNGE), 1884, A., 712.

estimation of, in presence of calcium carbonate (LUNGE), 1883, A.,

ammonium, hydrogen and sodium imidosulphonates (DIVERS HAGA), 1892, T., 968.

lead salt, basic (KLINGER), 1883, A.,

manganite (Rousseau), 1886, A., 425. nitrate, basic (Rousseau and Tite), 1892, A., 1157; (WERNER), 1892, A., 1276.

cryoscopy of dilute solutions of Pickering), 1892, A., 1045. nitride (MAQUENNE), 1892, A., 566. and acetohyponitrite hyponitrite

MAQUENNE), 1889, A., 944. oxide (lime), fluorescence of (LECOQ DE

BOISBAUDRAN), 1888, A., 544. fluorescence of cupriferous (LECOQ DE BOISBAUDRAN), 1888, A., 882. fluorescence of ferruginous (LECOQ DE BOISBAUDRAN), 1888, A., 1001. of (CROOKES), phosphorescence

1887, A., 1067. action of magnesium on (WINKLER),

1890, A., 451. action of on potassium chlorate (Fowler and Grant), 1890, T., **2**80.

absorptive power of sea sludge for

(MÜLLER), 1889, A., 1241. secretion of, by animals (IRVINE and WOODHEAD), 1889, A., 429 estimation of alumina in (PRUNIER). 1885, A., 441*.*

See also Agricultural Chemistry. phosphate, crystalline, from acetic acid solution (DAVIES), 1892, A., 407

preparation of (HILGENSTOCK), 1888, A., 223; (STOKLASA), 1890, A., 695; (POINTET), 1891, A., 1421. production of, in connection with

the Thomas-process (Scheibler),

1886, A., 926. action of acetates on (CAUSSE),

1891, A., 1422. action of di- and tri-calcium phosphates on (STOKLASA), 1891, A.,

Calcium phosphate, crigin and formation of masses of, in sedimentary rocks; their relation to the iron ores and clays of the siderolithic horizon (Dieulafait), 1885, A.,

basic, as an addition to cattle fodder (Conn), 1884, A., 194.

diCalcium phosphate (CAUSSE), 1890, A., 1056.

preparation of (LOMBARD DE BOU-QUET), 1884, A., 892, 1263.

action of, on calcium monophosphate (STOKLASA), 1891, A., 880. solubility of, in solutions of phos-

phoric acid (CAUSE), 1892, A., 684.

estimation of reverted phosphoric acid and of phosphoric acid in (Monn), 1885, A., 688.

triCalcium phosphate, preparation of (LOMBARD DE BOUQUET), 1884, À., 892, 1263.

action of, on monocalcium phosphate (Stoklasa), 1891, A., 880.

action of carbonic anhydride and of ferric hydroxide on (v. Georgie-

vics), 1892, A., 408. conversion of, into chlorine compounds of phosphorus (RIBAN), 1883, A., 287.

solubility of, in solutions of phosphoric acid (CAUSSE), 1892, A., 684.

tetraCalcium phosphate (JENSCH), 1887, A., 216; (OTTO), 1887, A., 445.

Calcium aluminium phosphate (DA-Mour), 1885, A., 640.

hydrogen phosphate, presence of magnesium in (Schlagdenhauffen), 1890; A., 664.

potassium and sodium phosphates (Ouvrard), 1888, A., 1033.

phosphide, preparation of (GATTER-MANN and HAUSSKNECHT), 1890, A., 942

plumbate (KASSNER), 1890, A., 561. selenate (MICHEL), 1888, A., 650. silicate, artificial (DORLTER), 1886, A., 517.

silicates (Gonger), 1884, A., 1262; (LE CHATELIER), 1888, A., 1032. See also Wollastonite.

chlorosilicates (Gurgeu), 1884, A., 1262.

silicophosphate, crystallised, produced in the dephosphorisation of iron (Carnot and Richard), 1884, A., 157.

silicostannate (Bourgeois), 1887, A.,

(OUVRARD), Calcium silicozirconate 1891, A., 1432.

sulphate (gypsum), formation (MEUNIER), 1881, A., 406.

crystals of, artificial (LACROIX), 1885, A., 226.

phosphorescence of (Crookes), 1887, A., 1067.

specific gravity of (McClares), 1889, A., 467.

hydration and rate of solution of (McCaleb), 1889, A., 466, solubility of (Raupenstrauch),

1889, A., 16.

solubility of, in acids (Ostwald), 1881, A., 813.

solutions (Conn), 1887, A., 333. solubility of, in saline solutions

(Tilden and Shenstone), 1885, A., 1183.

influence of temperature on the composition and solubility of (Shenstone and Cund vil.), 1888, T., 544; P., 51.

reduction of, by certain anaerobic ferments(QUANTIN), 1886, A., 573. (plaster of Paris) setting of (LE Спагинии), 1883, А., 712.

eastings, process for hardening (DENNSTEDT), 1886, A., 401.

influence of, on the coagulation of blood (Green), 1888, A., 306.

See also Agricultural Chemistry and Anhydrite.

sulphide (Divers and Shimipzu), 1884, Т., 281; (Уньку), 1885, Т., 485; P., 66.

preparation of (VERNEUIL), 1887, A., 2; (Brequieren), 1889, A., 198.

preparation of, in the dry way (VELEY), 1885, T., 180.

phosphoroscence of (VERNEUIL), 1887, A., 539; (BECQUEREL), 1887, A., 540.

infl ence of, on barley (FITIBOGEN), L385, A., 1154.

hydrosulphide, preparation of, in the wet way (Vieley), 1885, T., 485. solution of sulphur in (Divers and Shimidzu), 1884, T., 283.

hydrosulphides, and their preparation (Divers and Shimidzii), 1884, T.,

hydroxyhydrosulphide (Divens and SHIMIDZU), 1884, T., 276; (VELEY), 1885, T., 489.

hydroxyhydropentasulphide pentasulphide (Divers and Shi-Midzu), 1884, T., 284. Calcium oxysulphides (GEUTHER), 1884, A., 1263.

polysulphides, action of hydrogen

sulphide on (DIVERS and SHI-MIDZU), 1881, Т., 283. thiocarbonate (Veley), 1885, Т., 186. thiosulphate, formation of (DIVERS and Shimidzu), 1884, T., 286; (Divers), 1884, T., 696.

potassium thiosulphate (Fock and KLüss), 1892, A., 12.

tungstate (v. Knorne), 1885, A., 486. See also Scheelite.

vanadates (Manasse), 1887, A., 339. zirconate (Ouvrand), 1891, A., 1432.

Calcium organic compounds, solubility of (ALLEN), 1888, A., 1030.

ammonium ferrocyanide (SALZER), 1886, A., 860.

Calcium vanado-pyromorphite (Collie), 1889, T., 94.

Calcium, detection, estimation separation: -

detection of, in presence of strontium (Bloxam), 1886, A., 920.

estimation of small quantities of (Kruchr), 1892, A., 914.

estimation of, volumetric (PRUNIER), 1885, A., 296; (Vitali), 1892, A., 1521.

estimation of, in presence of aluminium, iron, magnesium, and phosphates (Guyand), 1881, A., 1427.

estimation of, in presence of aluminium, iron, manganese, and phosphoric acid (REITMAIR), 189Q, A.,

estimation of, in black ash (LUNGE), 1891, A., 497.

estimation of, in gun-cotton (Schauening), 1892, A., 1520.

estimation of, in presence of manganese (Štotat), 1887, A., 865.

estimation of, in phosphates (Vocabl), 1892, A., 531.

estimation of, in syrup and sugar products (Wolf), 1892, A., 1377.

estimation of, in tanning materials (PETROWITSCH), 1890, A., 312. separation of, from aluminium and

magnesium (BLUM), 1889, A., 652. separation of, from barium (FRESE-NIUS), 1891, A., 500, 1552; 1892, A., 100; (Browning), 1892, A., 915.

separation of, from barium and shou tium (Russmann), 1898, A., 629; 1891, Å., 111; (Kuppeenkeuliger), 1889, A., 77; (Fileri), 1892, A., 660.

15

Calcium, separation of, from iron and manganese (Riccis), 1892, 916.

separation of, from strontium (SIDERsky), 1883, A., 509; 1881, A., 497; (BOGOMOLETZ), 1881, A., 1077.

separation of, from strontium, by means of amylic alcohol (Brown-ING), 1892, A., 915.

separation of, from strontium, as chromate (FRESENIUS and Rurrert), 1892, A., 914.

Calespar. See Calcite.

Caledonite from Leadhills (COLLIE), 1889, T., 92.

Russian (v. Jeremeeff), 1885, A.,

Calico printing (ANON.), 1883, A., 895; 1884, A., 379.

gaseous chlorine as discharge in (Scheurer), 1884, A., 1231.

Callose, a new fundamental substance in vegetable membrane (MANGIN), 1890, A., 734.

Calomel. See Mercurous chloride.

Calorimeter, Bunsen's ice (Boys), 1887, Λ., 1073.

Bunsen's ice, corrections for (Boltz-MANN), 1886, A., 409.

modification of Bunsen's (BLUMCKE), 1886, A., 5; (BARRETT), 1888, A.,

mixing (Pickering), 1888, P., 35; 1890, A., 110.

Thompson's (Scheurer-Kestner). 1888, A., 750.

Calorimetric bomb (BERTHELOT and RECOURA), 1887, A., 627; (MAHLER), 1892, A., 260.

as a combustion furnice for ultimate analysis (Ellover), 1889, A., 301.

use of, in determining the heat of combustion of coal (Scheurer-KESTNER), 1891, A., 520.

use of compressed oxygen in (BERTHEnor), 1892, A., 673.

Calorimetric data (Bearmage), 1891, A., 967.

investigations (Scounten), 1885, A., 857; (RUBNER), 1885, A., 919, 1252.

study of salts, sources of error in (Tilden), 1886, P., 198.

Calorimetry at constant temperature (D'ARSONVAL), 1888, A., 773.

Calves. See Agricultural Chemistry. Calycanthine (Willey), 1890, A., 103. Calycanthus glancus, analyses of the seeds of (WILEY), 1890, A., 409.

Cumellia oleifera, seeds of (Methaliam), 1883, A., 1166.

Camphamines (CAZENEUVE), 1890, A.,

Camphanic acid and its derivatives (Woringer), 1885, A., 668.

Camphene. See Terpenes. Camphenel. See Borneol.

Camphocarboxylic acid (Buttuta), 1892, A., 201.

Camphocyanate, potassium and sodium derivative of (HALLER), 1886, A., 891.

Camphodiphenylhydrazine (BALMANO), 1887, A., 1050.

Camphoic acid (MARSH and GARDNER), 1891, T., 649.

constitution of (Collie), 1892, A., 866.

Camphol. See Borneol.

Campholactone (Worlnern), 1885, A., 669.

Campholamine (ERRERA), 1892, A., 1315.

Campholenic acid (hydroxycumphor) (Goldschmidt and Zurren), 1881, A., 1364; (KACHLER and SPITZER), 1885, A., 173; (Zürner), 1885, A., 1241; (Wallach), 1892, A., 1287. from \$-dibromocamphor (KACHLER and SPITZER), 1883, A., 1008.

oxidation and reduction of (WAL-LACH), 1892, A., 1237.

amide of (Nagrai), 1881, A., 1190; (Goldschmidt and Zürren), 1881, A., 1361.

calcium salt of (ZURRER), 1885, A., 1241.

nitrile of (Goldschmid rand Zurren), 1884, A., 1361; (Goldschmidt and KOREEF), 1885, A., 1071.

Campholenic acid, nitro- and amido-(KACHLER and Spitzer), 1883, A., 1008.

Campholic acid (Errera), 1892, A., 1345.

constitution of (Collab), 1892, A.,

amide of action of potacium hypobromite on the (Englasy), 1592, A., 1345.

Campholonitrile (ERRERA), 1892, A., 1315.

Campholyl isocyanate, campholylamine and campholylcarbamide (Eu-RERA), 1892, A., 1315.

Camphonitrile (WALLACH), 1892, A.,

Camphonitrophenol, acetyl and ethyl derivatives of (CAZENEUVE), 1.90, Λ., 63.

benzoate, phosphate and phthelate (CAZETERVE), 1890, A., 63.

Camphophenyldihydrazine (BALBIANO), 1886, A., 808.

Camphophenylhydrazine (BALBIANO), 1886, A., 72.

Camphophenylthiocarbamide | (Gold-SCHMIDT and SCHULHOF), 1886, A., 557.

Camphopyric acid and anhydride (Marsh and Gardner), 1891, T., 650.

isoCamphopyric acid (MARSH and GARDNER), 1891, T., 651.

Camphor (ARMSTRONG and MILLER), 1884, A., 43; (Goldschmidt and Zürrer), 1884, A., 1364; (Lexтивіт), 1886, А., 557; (Вийні), 1888, А., 494; (Wallach), 1891, A., 1078.

from the ethereal oil of Ledum palustre (Rizza), 1888, A., 845.

from turpentine (MARSH and STOCK-DALE), 1890, T., 961; P., 140.

constitution of (BREDT), 1885, A., 395; (KANONNIKOFF), 1886, A., 336; (Bamberger), 1888, A., 722; (MARSH), 1890, T., 832; (MARSH and STOCKDALE), 1890, T., 964; (Brohl), 1892, A., 203; (Oddo), 1892, A., 724; (Collie), 1892, A., 865; (WALLACH), 1892, A., 869.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 591

rotatory dispersion of (GRIMBERT), 1888, A., 330.

rotatory power of, when dissolved in various oils (Chabot), 1890, A.,

specific rotatory and refractive powers of (Kanonnikoff), 1889, A., 453. specific volume of (Kunaha), 1889, A., 785; 1890, A., 169.

hygroscopic behaviour of (ChAu

TRIAU), 1891, A., 1197. motions of, on the surface of water (HARP), 1885, A., 951; (TOMAN son), 1885, A., 1180.

action of ethylic formate on (CTALTEN), 1891, A., 571.

action of ethylic oxalate on (TINGLE), 1890, T., 652; P., 99.

action of iodine on (ARMSTRONG and

MILLER), 1881, A., 11. action of sodium on (KACHLER and

SPITZER), 1883, A., 1006. action of sodium alkyloxides on (Haller), 1892, A., 72.

action of zine chloride on (REUTER), 1883, A., 810.

behaviour of, in mixtures of two solvents (RIMBACH), 1892, A., 1137.

Camphor, distillation of, with zine chloride (Unliforn), 1890, A., 1248.

oxidation of (ROSER), 1886, A., 249. reduction of, to borneol (JACKSON), 1885, A., 991.

new bases derived from (CAZENEUVE), 1890, A., 516.

derivatives of (Goldschmidt and KOREFF), 1885, A., 1071; (BAL-BIANO), 1886, A., 808; 1887, A., 842, 1049, 1115; (HALLER), 1889, A., 1205.

molecular refraction and dispersion of, in solution (GLADSTONE),

1891, T., 591.

crystallography of (CAZENEUV Eand Morkel), 1885, А., 1141; (у. Икриакоуіси), 1886, А., 218.

with phenols (Leger), 1890, A., 1427.

1:2:4-acetyl-o-xylene from strong and Kipping), 1892, P.,54. hydrate (camphorogenol) (Yoshida), 1885, T., 793.

phenolic acid from (CAZENEUVE), 1891, A., 321.

phenolsulphonic acids from (CAZE-NEUVE), 1890, A., 791.

influence of, on the germination of sceds (Burgerstein), 1888, A.,742. estimation of (Foursten), 1891, A.,

separation of, from horneol (HALLER), 1889, A., T002.

/-Camphor (LEXTREIT), 1886, A., 557. Camphor, racomic (HALLER), 1887, A.,

isoCamphor (BOUGHARDAT), 1892, A.,

Camphors, heats of combustion of (Luginin), 1889, A., 328.

compounds of, with aldehydes (HAL-LER), 1891, A., 1498.

physiological action of, and of their compounds with chloral (Schmitt). 1892, A., 227.

active, from inactive borneols (HAL LER), 1887, A., 1050.

isomeric (HALLER), 1887, A., 375. Camphor, a brome-, preparation of (Marsh and Cousins), 1891, T.,

968, oxidation of (BALBUANO), 1887, A., 1115.

isomeride of (CAZENEUVE), 1889, A., 1201.

B-brono (MARSII), 1890, T., 828; P., 139.

oľ (MARCH preparation and Corses 5, 1891, T., 968

Camphor, α-dibromo-, preparation of Camphor, α-uitro-, a nitrophenol iso-(Kachler and Spitzer), 1883, meric with (('Izeneuve), 1889, A., A., 1007.

reactions of (ALVISI), 1892, A., 1343.

β-dibromo-, preparation of (KACHLER and SPITZER), 1883, A., 1007.

 α - and β -dibromo-, isomerism of (SWARTS), 1883, A., 214; (KACH-LER and SPITZER), 1883, A., 1007, 1008.

tribromo-, constitution of (SWARTS), 1883, A., 215.

bromonitro- (Cazeneuve), 1885, A., 270.

chloro- (CAZENEUVE), 1883, A., 214. formation of (CAZENEUVE), 1889, A., 1203.

physical isomerism of (CAZENEUVE), 1883, A., 598.

oxidation of (BALBIANO), 1887, A., 1115.

and \$-chloro-, preparation of (Marsh and Cousins), 1891, T., 976.

ichloro-, preparation of (CAZE-NEUVE), 1885, A., 58. trichloro-,

chlorobromo- (CAZENEUVE), 1885, A.,

B-chlorobromo- (Cazeneuve), 1885, A., 806.

chloronitro- (CAZENEUVE), 1883, A., 667.

and \$\beta\$-chloronitro-, isomeric (CAZENEUVE), 1884, A., 1041.

\$-chloronitro- (CAZENEUVE), 1887, A., 970.

cyano- (HALLER), 1886, A., 891. constitution of (HALLER), 1889, A.,

thermochemistry of (Berthelot and PETII), 1889. A., 1098.

action of acids and bases on (HAL-LER), 1889, A., 1206.

action of sodium and ethylic and methylic alcohols on (HALLER), 1889, A., 1205.

action of sodium benzylic oxide on (Minguin), 1891, A., 463.

action of, on sodium phenoxide and naphthoxide (Mincuin), 1891, A., 464.

derivatives of (HALLER), 1891, A., 1499.

azo-derivatives of (Minguin), 1892, A., 1343.

nitro-, reduction of, to nitrosocamphor (CAZENEUVE), 1889, A., 720.

derivatives of (CAZENEUVE), 1886, A., 1039; 1889, A., 617.

618.

α- and β-nitro- (CAZENEUVE), 1887, A., 842.

thermochemistry of (Berthelor and Perir), 1889, A., 1098.

B-nitro-, constitution of (CAZENEUVE). 1890, A., 515.

nitroso- (CLAISEN and MANASSE), 1889, A., 619.

oxidation by, in presence of light (CAZENEUVE), 1889, A., 1203.

nitroxy- (KICHLER and SPITZER), 1883, A., 215.

Camphoraldehyde (BISHOP and CLAI-SEN), 1889, A., 619; (CLAISEN), 1891, A., 574.

constitution of (CLAISEN and MEYERowitz), 1890, A., 359.

Camphorates of the a-borneols (HALLER), 1890, A., 790.

Camphorchlorimide (Guareschi), 1888, A., 496.

Camphor-cymene, and its sulphonic acids (SPICA), 1883, A., 320.

Camphorethylimidethylimidine (WAL-LAUH), 1883, A., 41.

Camphor-group (BECKMANN), 1889, A., 721; (ODDO), 1892, A., 724; (AL-VISI), 1892, A., 1843.

new compounds of (WALLACH), 1891, A., 1086.

Camphoric acid (WALLACH), 1892, A., 868,1481; (BRUHL), 1892, A., 1240. function of (HALLER), 1892, A., 1316. constitution of (Bamberger), 1890, A., 517; (WALKER), 1892, T., 1096; (Brumb), 1892, A., 202,348, 1110; (FRIEDER), 1892, A., 500; (KOENIGS and EPPENS), 1892, A., 627; (Collie), 1892, A., 865; (W мылен), 1892, А., 869; (Sтоп MANN and KLEBER), 1892, A., 1011; (HALLER), 1892, A., 1316, 1317.

thermochemistry of (STOHMARN and KLEBER), 1892, A., 1011. heat of solution of (BERTHELOT),

1885, A., 1178. heat of neutralisation of (GAL and

WERNER), 1887, A., 205.

action of various reagents on (BRUHL), 1892, A., 1100.

new acid from (Perkin), 1892, P., 55, 68.

hydrazones of (Charles), 1892, A., 1 181.

salts of (Manning and Edwards), 1888, A., 963.

barium salt of (Kingzeir), 1881, T.,

Camphoric acid, methyl salts of (WALKER), 1892, T., 1088; P.,

nitro-, salts of (CAZENEUVE), 1888, A., 963.

d-Camphoric acid and its salts, specific rotation of (HARPMANN), 1888, A.,

Camphoric acid, racemic (HALLER), 1887, A., 1050.

p-Camphoric acid (Jungfleisch), 1890, A., 790.

Camphoric acids (KINGZETT), 1884, T., 96; (Jungfleisch), 1890, A., 790; (Marsh), 1890, A., 995.

heat of combustion of (Luginin), 1889, A., 6.

Camphoric acids, iso- and meso- (FRIED-EL), 1889, A., 898.

Camphoric anhydride (KACHLER and SPITZER), 1883, A., 1007.

action of barium peroxide on (King-ZETT), 1884, T., 93, 95.

action of, on benzene (Burcker), 1891, A., 324.

anhydride (FRIEDEL). isoCamphoric 1889, A., 899.

Camphoric peroxide (KINGZETT), 1884, T., 93.

Camphorimide (GUARESCHI), 1881, A.,

Camphorogenol. See Camphor hydrate. Camphor oil. See Oil.

Camphorone (ARMSTRONG and KIPPING), 1891, P., 188; 1892, P., 54; (Koenius and Eppens), 1892, A., 626.

Camphoronic acid and its salts (Kachler

and Spitzer), 1883, A., 1008; 1885, A., 59, 807; (Birdt), 1885, A., 395; 1886, A., 156.

Camphoroxalic acid and its reduction

(Tingle), 1890, T., 653. Camphoroxime (Nagell), 1883, A., 728; 1884, A., 1190.

anhydride of, and its derivatives (Goldschmidt and Zurrer), 1884, A., 1361; (Goldschmidt and Kor-

EFF), 1885, A., 1071. derivatives of (NAGELA), 1884, A., 610; (Goldschmidt), 1887, A., 496. isoCamphoroxime (NAGELI), 1884, A., 1190; (GOLDSCHMIDT and ZÜRRER),

1881, A., 1364.

Camphor-o-quinone (CLAISEN and MAN-ASSE), 1889, A., 619.

hydrazone of (CLAISEN), 1891, A., 575. Camphorsulphonic acid, bromo-

(Marsii), 1890, T., 833. as and B-bromos, as and B-chloros, and their salts (MARSH and Covsins), 1891, T., 971, 977.

Camphorsulphonic chlorides, a-bromo-, and a-chloro- (MARSH and Cousins), 1891, T., 971, 978.

Camphoryl chloride, chloro- (MARSH), 1890, A., 995.

Camphoryle/lamide, and camphorylimide (WINZER), 1890, A., 1151.

Camphorylphenylhydrazine and camphoryl-//-tolylhydrazine (CHAPLIN), 1892, A., 1481.

Camphosulphophenols, pyrogenic conversion of, into ordinary phenols (CAZENLUVE), 1891, A., 1088.

ethylnitroketone and acetylnitroketone from (CAZENEUVE), 1892, A., 1085.

nitroketone from (CAZENEUVE), 1892, A., 999.

Camphothiocarbimide (Goldschmidt and Schulhor), 1886, A., 558.

Camphylamine (GOLDSCHMIDT), 1886, A., 249.

salts (Goldschmidt and Schulhor), 1886, A., 557.

Canadine (SCHMIDT and WILHELM),

1888, A., 1212. "Canarin" (SCHMID), 1881, A., 797; (ANON.), 1881, A., 1449.

preparation of (MILLER), 1885, A., 365; 1886, A., 186; (Goppels-ROEDER), 1885, A., 107.

See also Perthiocyanogen.

Canary seed, composition of (MAYER), 1889, A., 794.

Canavalia incurva (KELLNER), 1884, A., 677.

Cancer, analyses of healthy and altered tissues in cases of (PATEIN), 1891, A.,

Cancer pagarus, blood of (GRIFFITHS), 1892, A., 618.

Cancrinite from Litchfield, (CLARKE), 1886, A., 677.

in the phonolites of Elfdalen (Törnkвоим), 1881, А., 276.

Cancrinite-aegirine-syenite (TÖRNEвоим), 1884, А., 276.

Cane-sugar. See Carbohydrates. Cannabis indica, alkaloid in (HAY), 1883, A., 1155.

Canned goods, poisoning by (Johnson), 1885, A., 1016.

Cantharene (Piccard), 1892, A., 1480. Cantharic acid (PICCARD; HOMOLKA), 1886, A., 723.

preparation of (ANDERLINI), 1891, A., 1243.

Cantharidic acid (HOMOLKA), 1886, A., 723.

isoCantharidic acid (ANDERLANI), 1891, Λ., 1214.

Camphor, α-dibromo-, preparation of (Kachler and Spitzer), 1883, A., 1007.

reactions of (ALVISI), 1892, A., 1348.

β-dihromo-, preparation of (KACHLER and SPITZER), 1883, A., 1007.

α- and β-dibromo-, isomerism of (SWARTS), 1883, A., 214; (KACH-LER and SPITZER), 1883, A., 1007, 1008.

tribromo-, constitution of (SWARTS), 1883, A., 215.

bromonitro- (CAZENEUVE), 1885, A., 270.

chloro- (CAZENEUVE), 1883, A., 214. formation of (CAZENEUVE), 1889, A., 1203.

physical isomerism of (CAZENEUVE), 1883, A., 598.

oxidation of (BALBIANO), 1887, A.,

α- and β-chloro-, preparation of (Marsh and Cousins), 1891, T., 976.

trichloro-, preparation of (CAZE-NEUVE), 1885, A., 58.

chlorobromo-(CAZENEUVE), 1885, A.,

8-chlorobromo- (CAZENEUVE), 1885, A., 806.

chloronitro- (CAZENEUVE), 1883, A., 667.

α- and β-chloronitro-, isomeric (CAZENEUVE), 1884, A., 1041.

S-chloronitro- (CAZENEUVE), 1887, A., 970.

cyano- (HALLER), 1886, A., 891. constitution of (HALLER), 1889, A.,

thermochemistry of (BERTHELOT and PETIT), 1889. A., 1098.

action of acids and bases on (HAL-LER), 1889, A., 1206.

action of sodium and ethylic and methylic alcohols on (HALLER), 1889, A., 1205.

action of sodium benzylic oxide on (MINGUIN), 1891, A., 463.

action of, on sodium phenoxide and naphthoxide (MINGUIN), 1891, A., 464.

derivatives of (HALLER), 1891, A., 1499.

azo-derivatives of (MINGUIN), 1892, A., 1343.

nitro-, reduction of, to nitrosocamphor (CAZENEUVE), 1889, A., 720

derivatives of (CAZENEUVE), 1886, A., 1039; 1889, A., 617. Camphor, α-nitro-, a nitrophenol isomeric with (CAZENEUVE), 1889, A., 618.

α- and β-nitro- (CAZENEUVE), 1887, A., 842.

thermochemistry of (BERTHELOF and PETIT), 1889, A., 1098.

8-nitro-, constitution of (CAZENEUVE), 1890, A., 515.

nitroso- (CLAISEN and MANASSE), 1889, A., 619.

oxidation by, in presence of light (CAZENEUVE), 1889, A., 1203.

nitroxy- (KACHLER and SPITZER), 1883, A., 215.

Camphoraldehyde (BISHOP and CLAISEN), 1889, A., 619; (CLAISEN), 1891, A., 574.

constitution of (CLAISEN and MEYER-OWITZ), 1890, A., 359.

Camphorates of the α-borneols (HALLER), 1890, A., 790.

Camphorchlorimide (GUARESCHI), 1888, A., 496.

Camphor-cymene, and its sulphonic acids (SPICA), 1883, A., 320.

Camphorethylimidethylimidine (WALL-LACH), 1883, A., 41.

Camphor-group (BECKMANN), 1889, A., 721; (ODDO), 1892, A., 724; (AL-VISI), 1892, A., 1348.

new compounds of (WALLACH), 1891, A., 1086.

Camphoric acid (WALLACH), 1892, A., 868,1481; (BRUHL), 1892, A., 1240. function of (HALLER), 1892, A., 1346. constitution of (BAMBERGER), 1890,

A., 517; (WALKER), 1892, T., 1096; (BRUHL), 1892, A., 202,348, 1110; (FRIEDEL), 1892, A., 500; (KOENIGS and EPPENS), 1892, A., 627; (COLLIE), 1892, A., 865; (WALLACH), 1892, A., 869; (SIGHMANN and KLEBER), 1892, A., 1041; (HALLER), 1892, A., 1346, 1347.

thermochemistry of (STOHMANN and KLEBER), 1892, A., 1041.

heat of solution of (BERTHELOT), 1885, A., 1178.

heat of neutralisation of (GAL and WERNER), 1887, A., 205.

action of various reagents on (BRUHL), 1892, A., 1100.

new acul from (PERKIN), 1892, P., 55, 68.

hydrazones of (CHAPLIN), 1892, A., 1481.

salts of (Manning and Edwards), 1888, A., 963.

barium salt of (KINGZETT), 1884, T., 93.

acid, methyl salts Camphoric of (WALKER), 1892, T., 1088; P., 156.

nitro-, salts of (CAZENEUVE), 1888, A., 963.

cl-Camphoric acid and its salts, specific rotation of (HARTMANN), 1888, A.,

Camphoric acid, racemic (HALLER), 1887, A., 1050.

p-Camphoric acid (Jungfleisch), 1890. A., 790.

Camphoric acids (KINGZETT), 1884, T., 96; (Jungfleisch), 1890, A., 790; (MARSH), 1890, A., 995. heat of combustion of (LUGININ),1889,

A., 6.

Camphoric acids, iso- and meso- (FRIED-

EL), 1889, A., 898. Camphoric anhydride (KACHLER and

SPITZER), 1883, A., 1007. action of barium peroxide on (KING-ZETT), 1884, T., 93, 95.

action of, on benzene (Buncker). 1891, A., 324.

isoCamphoric anhydride (FRIEDEL), 1889, A., 899.

Camphoric peroxide (KINGZETT), 1884,

Camphorimide (GUARESCHI), 1884, A.,

Camphorogenol. See Camphor hydrate. Camphor oil. See Oil.

Camphorone (ARMSTRONG and KIPPING), 1891, P., 188; 1892, P., 54; (KOENIGS and EPPENS), 1892, A., 626. Camphoronic acid and its salts (KACHLER

and Spitzer), 1883, A., 1008; 1885, A., 59, 807; (BREDT), 1885, A., 395; 1886, A., 156.

Camphoroxalic acid and its reduction (Tingle), 1890, T., 653.

Camphoroxime (Nickla), 1883, A., 728; 1884, A., 1190.

anhydride of, and its derivatives (Goldschmidt and Zurren), 1884, A., 1364; (Goldschmidt and Kor-

EFF), 1885, A., 1071. derivatives of (NAGELI), 1884, A., 610; (Goldschmidt), 1887, A., 496. isoCamphoroxime (NAGELI), 1884, A., 1190; (Goldschmidt and Zürrer),

1884, A., 1364.

Camphor-o-quinone (CLAISEN and MAN-

ASSE), 1889, A., 619. hydrazone of (Claisen), 1891, A., 575. Camphorsulphonic acid, bromo-(MARSH), 1890, T., 833.

α- and β-bromo-, α- and β-chloro-, and their salts (MARSH and Cou-SINS), 1891, T., 971, 977.

Camphorsulphonic chlorides, a-bromo-, and a-chloro- (MARSH and Cousins), 1891, T., 974, 978.

Camphoryl chloride, chloro- (MARSH), 1890, A., 995.

Camphoryldiamide, and camphorylimide (Winzer), 1890, A., 1151.

Camphorylphenylhydrazine and camphoryl-p-tolylhydrazine (CHAPLIN), 1892, A., 1481.

Camphosulphophenols, pyrogenic conversion of, into ordinary phenols (CAZENEUVE), 1891, A., 1088.

ethylnitroketone and acetylnitroketone from (CAZENEUVE), 1892, A., 1085.

nitroketone from (CAZENEUVE), 1892, A., 999.

Camphothiocarbimide (GOLDSCHMIDT and Schulhor), 1886, A., 558.

Camphylamine (Goldschmidt), 1886, A., 249.

salts (Goldschmidi and Schulhor), 1886, A., 557.

Canadine (SCHMIDT and WILHELM),

1888, A., 1212.
"Canarin" (SCHMID), 1884, A., 797;
(ANON.), 1884, A., 1449.

preparation of (MILLER), 1885, A., 365; 1886, A., 186; (Goppels-ROEDER), 1885, A., 107.

See also Perthiocyanogen.

Canary seed, composition of (MAYER), 1889, A., 794. Canavalia incurva (KELLNER), 1884,

A., 677.

Cancer, analyses of healthy and altered tissues in cases of (PATEIN), 1891, A.,

Cancer pagarus, blood of (GRIFFITHS), 1892, A., 648.
Cancrinite from Litchfield, Maine

Maine (CLARKE), 1886, A., 677.

in the phonolites of Elfdalen (TÖRNEвонм), 1884, А., 276.

Cancrinite-aegirine-syenite (TÖRNEвонм), 1884, А., 276.

Cane-sugar. See Carbohydrates. Cannubis indica, alkaloid in (HAY),

1883, A., 1155.

Canned goods, poisoning by (Jounson), 1885, A., 1016. Cantharene (PICCARD), 1892, A., 1480.

Cantharic acid (PICCARD; HOMOLKA), 1886, A., 723.

preparation of (Anderlini), 1891, A., 1243.

Cantharidic acid (Homolka), 1886, A., 723.

isoCantharidic acid (ANDERLINI), 1891, A., 1244.

Cantharidin (Piccard; Homolka), 1886, A., 723.

action of phenylhydrazine on (SPIE-GEL), 1892, A., 999.

derivatives of (ANDERLINI), 1890, A.,

allylimide, amylimide, imide, methylimide, a-naphthylimide and phenylimide of (ANDERLINI), 1891, A., 1243.

isoCantharidin (Anderlini), 1891, A., 1243.

Cantharidoxime and cantharidoximic acid (Homolka), 1886, A., 723.

Caoutchene. See Dipentene under Terpenes.

Caoutchouc (indiarubber) from Japanese birdlime (DIVERS and KAWAKITA), 1888, T., 270; P., 13.

spontaneous conversion of isoprene into (TILDEN), 1892, A., 1482.

molecular weight of (GLADSTONE and HIBBERT), 1889, A., 1207.

optical and chemical properties of (GLADSTONE and HIBBERT), 1888, T., 679; P., 72.

applications of (ANON.), 1884, A.,

action of halogens and of heat on (GLADSTONE and HIBBERT), 1888, T., 682, 686.

substitute for (HAUG and HOFFMANN), 1885, A., 712.

grey vulcanised, absorption of gases by (Hufner), 1888, A., 783.

vulcanised, analysis of, and estimation of the sulphur in the same (UNGER). 1885, A., 841.

Capillarimeter, modification of (EL-worthy), 1887, P., 119; 1888, T.,

Capillarity in homologous series (TRAUBE), 1891, A., 1109.

effect of concentration on (TRAUBE),

1891, A., 1408. influence of, on the solvent action of liquids (v. Klobukoff), 1890,-A.,

analogy between electrical conductivity and (TRAUBE), 1891, A.,

relation between specific gravity, cohesion and (SCHALL), 1885, A.,

relation between the theories of evaporation and (STEFAN), 1887, A., 323.

Capillary attraction (SCHALL), 1885, A., 112.

separation by (LLOYD), 1885, A.. 477.

Capillary constants of certain aqueous and alcoholic solutions (TRAUBE), 1885, A., 866.

of liquids at their boiling points (Schiff), 1883, A., 549; 1881, A., 808; 1885, A., 717; (VOLKMANN), 1885, A., 721.

of liquids and cohesion of solids (BAR-TOLI), 1885, A., 866.

of organic substances in aqueous solution (TRAUBE), 1891, A., 1408.

of saline solutions (CHERVET), 1885, A., 1105.

variation of the, of the surfaces, waterether and water-carbondisulphide under the action of electromotive force (Knouchkoll), 1883, A., 1047.

of salts at their melting points (Traube), 1892, A., 7.

relation of weight of drops to capillary meniscus angle and (TRAUBE), 1887, A., 101, 210.

Capillary gas absorption (Bunsen), 1885, A., 867.

Capillary meniscus angle, influence of temperatures on (TRAUBE), 1885, A., 1033.

Capillary phenomena, application of, to the analysis of liquids (Go-SART), 1892, A., 236.

relation of, to constitution and molecular weight (TRAUBE), 1885, A., 116.

Capillary tubes, rise of solutions in (Gold-rein and Damski), 1885, A., 115; (Goldstein), 1889, A., 205; 1890, A., 684.

Cappelenite (Bringer), 1886, A., 35.

Capric acid. See Decoic acid. See Hexoic acid. Caproic acid.

Caprolactone. See Hydroxyhexoic acid, lactone of.

Capronyl-. See Hexoyl-. Capryl-. See Octyl-.

Caprylic acid. See Octoic acid.

Caprylidene. See Octylidene.

Caprylphenylamine. v-Amido-Sec phenyloctane.

Capsaicin (PABST), 1892, A., 1263. Capsicum annuum, fruit of (Pabst), 1892, A., 1263.

Capsules, suprarenal, chemical examination of (MARINO-ZUCO), 1889, A., 290.

Caracolite (Websky), 1888, A., 561. from Chili (v. SANDBERGER), 1887, A., 902.

Caramel, testing for, in wines and spirits (AMTHOR), 1885, A., 604. Caraway oil. See Oils, vegetable.

Carballylic acid, action of bromine on (GUINOUHET), 1889, A., 588.

Carbamates, thio-, reactions of (MAR-CHESINI), 1892, A., 1318.

dithio-, aromatic (Losanirsch), 1892, A., 55.

Carbamic acid, in horses' urine (ABEL and DRECHSEL), 1892, A., 518.

Carbamic chloride, thio- (KLASON), 1887, A., 1025.

Carbamide (urea), formation of, from albumin (Drechsel), 1891, A.,95. formation of, by the decomposition of arginine (Schulze and Likier-

NIK), 1891, A., 1521. conversion of thiocarbamide into

(Maly), 1890, A., 1399. preparation of (HENISCHEL), 1884,

A., 995; (VOLHARD), 1891, A., 160. heats of formation and combustion of (BERTHELOT and PEIIT), 1890,. A., 206.

crystallisation of, by sublimation, and volatility of (Bourgeois), 1892, A., 1309.

vapour of (ISAMBERT), 1883, A., 645. condensation of, with aldehydes

(LUDY), 1889, A., 1059. action of alcoholic potash on (HAL-LER), 1886, A., 691.

action of bromine on (SMOLKA), 1887,

A., 656. action of, on eyanhydrins (PINNER and Lifschulz), 1887, A., 1054.

condensation of, with ethylic acetoacetate (BEHREND and ERNERT), 1890, A., 1240.

effect of, on the activity of nitric acid (Choss and BEVAN), 1889, A., 1109.

action of nitrous acid on (EMMER-LING), 1886, A., 747.

action of phenylhydrazine on (Prv-NER), 1887, A., 1012; (SKINNER and RUHEMANN), 1888, T., 550; P., 51; (EDELE INU), 1892, A., 1323.

action of phosphorus pentusulphide on (v. Kürseing), 1888, A., 1064. decomposition of, by water and dilute

acids (BERTHELOT and ANDRÉ), 1887, A., 235.

base containing chromium and (SELL), 1889, A., 695.

chlorides, aromatic (KYM), 1890, A., 633.

trichloromethylsulphinate (McGu-

WAN), 1887, T., 668. derivatives of (BEHREND), 1885, A., 246; (Franchimont and Klob-BTE), 1888, A., 1179.

Carbamide, derivatives of, action of ethyloxalic chloride 011 STOJENIIN), 1885, A., 1195.

action of phenylhydrazine (SKINDR and RUHEMAN Ruhemann), 1888, T., 550; P., 54.

methylene derivatives of (v. Hemmel-MAYR), 1891, A., 1339.

selenium derivative of (VERNEUIL), 1885, A., 50, 376, 967.

silver derivative of, action of iodine on (TAFEL and ENOCH), 1890, A., 974.

estimation of. See Urea, estimation of. See also Urea.

Carbamides, aromatic, behaviour of, at high temperatures (Birk), 1886, A., 876.

substituted, action of alcoholic potash on (HALLER), 1886, A., 691

cyano-, and thiocyano- (HECHI), 1892, A., 702.

thio- and dithio-. See Thiocarbamide.

ψ-Carbamides, selenium derivatives of

(BARINGER), 1890, A., 880. Carbamido. See also Uramido.

Carbamido-, thio-. See Thiocarbamido-. Carbamidoacetic acid. See Hydantoic

Carbamidoacetosulphonic acid (ANDREлясн), 1883, A., 664. Carbamidobenzoic acid (ZEHRA), 1891, A., 304.

Carbamidobenzoyl (ABT), 1889, A., 609. Carbamidodibenzoic acid (TRAUBE), 1883, A., 194.

Carbamidophenol, amido-(KALCKHOFF), 1883, A., 1110.

Carb-o-amidophenolchloride and phenyl ether of (SEIDEL), 1891, A., 54.

Carbamidothionaphthol disulphide and methyl thioether of (Jacobson and

FRANKENBACHER), 1891, A., 1019. Carbaminecyanamide, and its derivatives (WUNDERLICH), 1886, A., 435. Carbaminesulphinide (MOULTON), 1891, A., 1064.

Carbaminesulphydrylcinnamic acid (Andreasch), 1889, A., 960.

Carbaminethioacetophenone (MARCHE-SINI), 1892, A., 1317.

Carbamine-S-thiolactic acid (LANGLET), 1892, A., 440.

imido- (Andreasch), 1886, A., 226.

Carbanil. See Phenylic isocyanate. Carbanil. See Phenylamidomethenyl. Carbanilide. See s-Diphenylcarbamide.

Carbanilido-acetophenoneoxime, -acet--anisaldoxime (Goldoxime and schmidi), 1890, A., 251.

Carbanilido-o-anisaldoxime (Gold-SCHMIDT and ERNST), 1890, A., 1411.

Carbanilido*iso*anisaldoxime (Gold)schмidi), 1890, A., 1261.

Carbanilido-benzaldoxime, -isobenzaldoxime and -α- and -γ-benziloximes (GOLDSCHMIDT), 1890, A., 251.

Carbanilidobenzoic acid. See Phenyluramidobenzoic acid.

Carbanilidobenzoin (GUMPERT), 1886, A., 342.

Carbanilido-benzophenoneoxime, -camphoroxime and -carvoxime (Goldschmidt), 1890, A., 251.

Carbanilido:socuminaldoxime (GOLDschmidt), 1890, A., 1263.

Carbanilidocyanmethine, and bromo-(Keller), 1885, A., 961.

Carbanilidofurfuraldoxime (GOLDschmidt), 1890, A., 251.

Carbanilidohydroxyhydrazobenzene (GOLDSCHMIDT and ROSELL), 1890, A., 615.

Carbanilidoisatin (GUMPERT), 1886, A., 342.

Carbanilidomethylpropylglyoxime, carbanilido-a-naphthaquinoneoxime and carbanilido-B-naphthaquinone-aand -β-oximes (Goldschmidt), 1890, A., 252.

Carbanilido-m-nitrobenzaldoxime and -m-nitroisobenzaldoxime (GOLDschmidt), 1890, A., 1262.

Carbanilido-p-nitro-α- and -β-benzaldoximes (Goldschmidt and Kjellin), 1891, A., 1476.

Carbanilido isonitrosobutyl methyl ketone (Goldschmidt), 1890, A., 252. Carbanilidophenylhydroxycarbamide

(V. DER KALL), 1891, A., 1222. Carbanilidoquinoneoxime

SCHMIDT), 1890, A., 252. Carbanilidothiophenantialdoxime and carbanilidothiophensynaldoxime (Goldschmidt and Zanoli), 1892,

A., 1435. Carbanilidothioxanilide, thio-, and its derivatives (v. Stojentin), 1885, A., 1195.

Carbanilidothymoquinoneoxime (Gold-SCHMIDT), 1890, A., 252.

Carbanilotolyleneurethane, thio-. Phenylthiouramido-p-tolylurethane. Carbanilotolyloxamethane, thio-.

Ethylic phenylthiouramidotolyloxamate.

Carbazacridines (BIZZARRI), 1892, A.,

Carbazides, semithio-. See Semithiocarbazide.

Carbazole (MAZZARA), 1891, A., 570; (MAZZARA and LEONARDI), 1892, А., 616; (Pulvermacher and Lob), 1892, А., 1466.

synthesis of (Goske), 1887, A., 372; (Blank), 1891, A., 571.

behaviour of, towards carbonyl chloride (Paschkowetzky), 1892, A., 167.

oxidation of, in the organism (KLIN-GENBERG), 1891, A., 1529

similar reactions of pyrroline and (Hooker), 1889, A., 260.

derivatives, synthesis of (TAUBER and

LOEWENHERZ), 1891, A., 834. Carbazole, amido- (MAZZARA and Leo-NARDI), 1892, A., 616.

diamido-, synthesis of, from benzidine (TAUBER), 1891, A., 227. synthesis of, from carbazole (TAU-

BER), 1892, A., 480.

nitro- (MAZZARA), 1891, A., 570. Carbazole-blue (BAMBERGER and MUL-LER), 1887, A., 959.

Carbazoledisulphonic acid (BECHHOLD), 1890, A., 1297.

Carbazole. See also Diphenylimido.. Carbimides, thio. See Thiocarbimides. Carbimidoacetic acid, thio- (ANDRE-ASCH), 1889, A., 960; (KLASON), 1891, A., 179.

Carbimidoamidobenzoic acid, cyano-, derivatives of (GRIESS), 1885, A.,

Carbimidoamidobenzoyl (GRIESS). 1885, A., 1227.

properties of (KNAPE), 1891, A., 910.

Carbimidoethylphthalimide, \$\beta\$-selenoand thio- (COBLENTZ), 1891, A., 1216.

Carbimidopropylphthalimide, \gamma-seleno-(Coblentz), 1891, A., 1216.

Carbin cyanide (methylic cyanide) (FREUND and SCHONFELD), 1892, A., 132.

Carbins, chromogenic (v. Richter), 1888, A., 1185.

Carbinols, p-amido-(O. and G. FISCHER),

1891, A., 695. Carbizines, constitution of (FREUND and KUH), 1890, A., 1440.

derivatives of (FREUND and GOLDьмітн), 1888, А., 1187.

Carbodiamidoresorcinol, thio- (JACOBand SCHENCKE), 1890, 249.

Carboisobenzidine, thio- (REULAND), 1890, A., 167.

Carbobisphenylisobutylimide 1884, A., 1010.

Carbobisphenylpropylimide (FRANCK-SEN), 1884, A., 1009.

Carbodinaphthylimide(HUHN), 1886, A., 1035.

Carbodiphenylaminehydrazide SEL), 1888, A., 1083.

Carbodiphenylimide, and carbodi-ptolylimide, stereoisomerism of (SCHALL and Paschkowetzky), 1892, A., 1452.

Carbodi-p-tolylaminehydrazide (WES-SEL), 1888, A., 1083.

Carbohæmoglobins. See Hæmoglobin, carbonic oxide.

Carbohydrate diet, acids in healthy and disordered stomach during a (Rosen-

неім), 1888, А., 972. Carbohydrates (Wallach), 1887, А., 26; 1888, A., 438; (EKSTRAND and JOHANSON), 1888, A., 246, 439; (WEILMER and TOLLENS), 1888, A.,

438; (Hönig and Jessen), 1888, A., 1266; (Wohl), 1890, A., 1085. insoluble, from red clover and lucerne

(SCHULZE and STEIGER), 1889, A., 643.

from Dracana australis (Ekstrand

and JOHANSON), 1888, A., 246. from grain, spectrum of (HARTLEY), 1886, P., 247; 1887, T., 58. from the human liver (KRATSCH-

MER), 1885, A., 679. from the seed of Lupinus luteus (STEIGER), 1886, A., 608.

from peach gum (STONE), 1890, A., 1022.

from seeds (MAXWELL), 1889, A., 644; 1890, A., 544, 917; (SCHULZE), 1889, A., 916.

from Stachys tuberifera (v. Planta and Schulze), 1890, A., 1088; 1891, A., 1446.

from the sweet potato (STONE), 1890, A., 1022.

from urine (v. Udránszky), 1888, A., 863; (Wedenski), 1889, A., 293; (Roos), 1891, A. (TREUPEL), 1892, A., 226. A., 1392;

from vegetable cell membranes (Schulze, Steigerand Maxwell), 1890, A., 283; (SCHULZE), 1890, A., 1456; 1891, A., 238, 1178; 1892, A., 907.

in wheat (HEBERT), 1892, A., 1119. from wheat-bran (GANS, STONE and Tollens), 1888, A., 1060.

as oxidation products of vegetable albumin (Palladin), 1889, A.,

formation and migration of, in leaves (SCHIMPER), 1886, A., 826; (SAPOschnikoff), 1891, A., 763.

CARBOHYDRATES, thermochemistry of (STOHMANN), 1885, A., 857; (BERTHELOT and VIEILLE), 1886, A., 757; (STOHMANN and LANGBEIN), 1892, A., 763.

molecular weights of (Brown and Morris), 1888, T., 610; P., 57; 1889, T., 462; P., 96. classification of (Ullik), 1892, A.,

1066.

classification of, which form jellies (BAUER). 1885 A., 500.

action of Bacterium aceti on (Brown), 1886, T., 179.

action of the bacillus of malignant œdema on (KERRY and FRAENKEL), 1890, A., 1454; 1892, A., 91.

action of sulphuric acid on (Hönig and Schubert), 1886, A., 44; 1887, A., 125.

oxidation of, by means of chromic acid (Cross and Bevan), 1886, A., 102.

influence of, on the accumulation of asparaginein plants (MONTEVERDE), 1892, A., 91.

influence of, on proteid metabolism (Lusk), 1891, A., 346.

influence of, on the putrefaction of proteids (HIRSCHLER), 1886, A., 729.

assimilation of (HANRIOT; GAUTIER), 1892, A., 742.

relative nutritive value of fat and (KELLNER), 1888, A., 173.

relation of, to digestive ferments in food (STUTZER and ISBERT), 1888, A., 170.

estimation of the digestibility of (JORDAN, BARTLETT and MERRILL), 1889, A., 913.

action of, on the animal organs (ALBERTONI), 1889, A., 1023.

changes of, in the alimentary canal (SEEGEN), 1888, A., 171.

physiology of, in the animal system (PAVY), 1883, A., 1160.

formation of fats from, in animals (Tschirwinsky), 1884, A., 345, 912; (Meissland Strohmer), 1884, A., 912; (RUBNER), 1886, A., 482. formation of fat from, in the dog

(Munk), 1887, A., 288. formation of glycogen from (VOIT),

1889, A., 631. formation of acetic acid from (ISAAC),

1892, A., 1421. sulphates of (Hönic and Schubert), 1886, A., 44; 1887, A., 125.

colour reactions of (BERTRAND), 1892, A., 664.

CARBOHYDRATES, formation of levulinic acid as a test for (WEHMER and Tollens), 1888, A., 535.

phenols as reagents for (IHL), 1885, A., 694.

estimation of, in vegetable products (Tollens), 1892, A., 248.

precipitation of colloid, by salts, and their separation (Ponl), 1890, A.,

CARBOHYDRATES-

a-Acritol (i-mannitol) (Fischer and TAFEL), 1889, A., 485; (FISCHER), 1890, A., 468.

α-Acrose and its derivatives (FISCHER and TAFEL), 1888, A., 39, 358; 1889, A., 485; (Fischer), 1890,

formation of, from formaldehyde (FISCHER and PASSMORE), 1889, A., 483.

a-Acrosamine (FISCHER and TAFEL), 1888, A., 39.

a-Acrosazone (FISCHER and TAFEL), 1888, A., 358; (Fischer), 1890, A., 468.

preparation of (FISCHER and PASS-MORE), 1889, A., 483.

B-Acrosazone (FISCHER and TAFEL), 1888, A., 358.

Acrosazones, and B-phenylderivatives of (FISCHER and TAFEL), 1888, A., 39, 40.

a-Acrosone (FISCHER and TAFEL), 1889, A., 483, 484.

Amylodextrin (BRUKNER), 1884, A., 57ď.

constitution, molecular weight, properties and reactions of (Brown and Morris), 1859, T., 449; P., 96.

See also Starch-cellulose.

Amyloid, vegetable (WINTERSTEIN), 1892, A., 803.

action of pepsin on (Kostiurin), 1887, A., 506. Arabinon (O'Sullivan), 1889, P.,

166; 1890, T., 59.

Arabinose (KILIANI), 1887, A., 229. from wheat bran and ryo bran (STEIGER and SCHULZE), 1891,

non-identity of, with galactose (v. LIPPMANN), 1885, A., 41.

of, with non-identity lactose (SCHEIBLER), 1884, A., 1287.

formation of, from malt residues (STONE and TOLLENS), 1889, A., 480.

configuration of (FISCHER), 1891, A., 1175, 1446.

CARBOHYDRATES-

Arabinose, constitution of (KILIANI), 1887, A., 465.

molecular weight of (Brown and Morris),1888,T.,619; (Tollens, Mayer and Wheelen), 1889, A., 367.

multirotation of (BAUER), 1889, A., 1132.

thermochemistry of (BERTHELOT and Matignon), 1890, A., 1360; (STOHMANN and LANGBEIN), 1892, A., 763. actions of (Tollens), 1892, A.,

290.

action of sodium amalgam on

(KILIANI), 1887, A., 714. decomposition of, by dilute acids (Conrad and Guthzeit), 1886, A., 138.

fermentation of (STONE and TOL-

LENS), 1889, A., 480. fermentation of, with Bacillus ethaceticus (Frankland and Mac-GREGOR), 1892, T., 737; P., 132. oxidation of, with nitric acid (KILI-

ani), 1889, A., 32. reducing value of, with Fehling's and Sachsse's solutions (BAUER).

1889, A., 1132.

formation of furfuraldehyde and non-formation of levulinic acid from (STONE and TOLLENS), 1889, A., 480.

physiological action of (EBSTEIN), 1892, A., 1506.

test for (GANS, STONE and TOLLENS), 1888, A., 1059.

formation of furfuraldehyde as a test for (Scone and Tollens), 1889, A., 480.

estimation of (MAQUENNE), 1891, A., 1143.

Methylarabinose (WILL and PETERS), 1889, A., 952.

Phenylarabinosazone (Schenkler). 1884, A., 1287.

α-Arabinose (O'Sullivan), 1884, T., 52, 55.

B-Arabinose (O'Sullivan), 1881, T., 51, 55.

γ-Arabinose (O'Stillivan), 1884, T., 50, 52.

δ-Arabinose (O'SULLIVAN), 1884, T.,

Brain-sugar. See Cerebrose. Cellulose (URBAIN), 1884, A., 858; (Cross and Bevan), 1892, A., 693; (Schulze), 1892, A., 907.

its modifications (Hoff-MEISTER), 1890, A., 581.

Cellulose, formed by an acetic ferment (Brown), 1886, T., 432; P., 194.

formed by Bacterium xylinum (Brown), 1887, T., 643; P., 87. in Mycoderma accti (Romegialli), 1886, A., 732.

in Protozoa (Halliburron), 1886, A., 640.

from plant cell membrane (SCHULZE, STEIGER and MAX-WELL), 1890, A., 283; (SCHULZE), 1890, A., 1457; 1891, A., 238, 1179.

colloidal (Guigner), 1889, A., 847.

colloidal solutions of (Pieron and Linder), 1892, T., 156.

preparation of (Lifschutz), 1891, A., 814.

preparation of brown and white (ANON.), 1883, A., 253.

manufacture of (ANON.), 1884, A., 232.

constitution of (Cross and Bevan), 1889, P., 133; 1890, T., 4. optical inactivity of (Bechamp),

1885, A., 237, 500.

rotatory power of solutions of, in Schweizer's solution (Levallois), 1884, A., 577, 833, 1288; 1885, A., 500; (Béchamp), 1885, A., 369.

thermochemistry of (Stohmann and Langbein), 1892, A., 764.

acetic acid from (Isaac), 1892, A., 1421.

formation of methane and carbonic anhydride from (HOPPE-SEYLER), 1886, A., 577, 932.

hydroxypyruvic acid, a product of the decomposition of (WILL), 1891, A., 512.

acetylation of (CROSS and BEVAN), 1889, P., 133; 1890, T., 1.

action of sulphuric acid on (Honic and Schuber), 1886, A., 44; 1887, A., 125.

oxidation of (Cross and Bevan), 1883, T., 22.

oxidation of, researches by Witz on the (Schmid), 1884, A., 528.

assimilation of (v. KNIERIEM), 1885, A., 916.

digestion of (HENNERERG and STOHMANN), 1886, A., 86; (WIL-SING), 1886, A., 87. digestion of, by the horse (Hor-

digestion of, by the horse (Hof-MEISTER), 1885, A., 916.

CARBOHYDRATES-

Cellulose, effect of, on the decomposition of proteid in the nutrition of Herbivora (Weiske, Schulze and Flechsic), 1886, A., 728; (v. Knieriem), 1888, A., 515; (Weiske), 1888, A., 618.

enzyme, dissolving, in the digestive tract of certain animals, search for an (Brown), 1892, T., 352; P. 30.

existence of an enzyme which dissolves, in the seeds of grasses (Brown and Morris), 1890, T., 497.

fermentation of (HOPPE-SEYLER), 1883, A., 821.

fermentation of, especially with reference to its solution in the alimentary canal (TAPPEINER), 1883, A., 1077; 1885, A., 178; 1887, A., 1131.

animal (Schurze), 1890, A., 227. flax, characters of (Cross and Bevan), 1890, T., 199.

reserve, nature of, and mode of solution during germination (REISS), 1891, A., 356.

solvent for (CROSS and BEVAN), 1891, A., 890.

estimation of (HOFFMEISTER), 1886, A., 954; (LANGE), 1890, A., 303; (GABRIEL), 1892, A., 923.

Cellulose, pentaacetate (Choss and BEVAN), 1890, T., 2.

benzoates (Cross and Bevan), 1892, A., 693.

dinitrate (WILL), 1891, A., 542. nitrates, action of alkaline solutions on (MINTER), 1892, A., 692

See also Guncotion and Pyroxylin. Cellulose, chloro-, formation of, electro-chemically (GOPPLISHOEDER), 1885, A., 208.

nitro- (Choss and Bevan), 1883, T., 23; (Nettlefold), 1887, A., 792.

sulphite-, dextrose from (LINDSEY and TOLLENS), 1892, A, 801.

Cerealose (O'SULLIVAN), 1886, T., 73. Cerebrose (brain sugar), identity of, with galactose (Brown and Morris), 1889, P., 167; 1890, T., 57; (THIERFELDER), 1890, A., 121.

See also Galactose.

Crocose (saffron-sugar) (KAYSER), 1885, A., 60; (Fischer), 1888, A., 590.

Cutose (URBAIN), 1884, A., 859; (FREMY and URBAIN), 1885, A.,

Cyclamose (MICHAUD), 1886, A., 782.

Dambose. Sec i-Inosite.

Dextran, animal (LIEBERMANN), 1888, A., 177.

formation of (BAUER), 1883, A.,

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

Dextrin (Brown and Morris), 1885, T., 527; (Scheibler and Mit-TELMEIER), 1891, A., 33.

preparation of (PETIT), 1892, A.,

conversion of starch into, by the butyric ferment (VILLIERS), 1891, A., 659, 1446.

formula of (PFEIFFER), 1883, A., 307.

action of alkaline mercuric cyanide on (WILSON), 1892, A., 1032.

action of certain substances on (Schoor), 1885, A., 369. fermentability of (Medicus and

IMMERHEISER), 1892, A., 922. alcoholic fermentation of (GAYON

and DUBOURG), 1887, A., 171.

saccharification of, by diastase (LINDET), 1889, A., 581. precipitation of, by iron (LAND-

WEHR), 1887, A., 401. detection of, in wines (Tony-GAR-

CIN), 1887, A., 692. estimation of, in beer and beer-wort (ELION), 1892, A., 248.

estimation of starch in liquids containing (BURKHARD), 1888, A.,

estimation of, in starch sugar (WILEY), 1883, A., 123.

a-Dextrin (SCHULZE), 1884, A., 284. Leucodextrin (WIJSMAN), 1890, A.,

Dextrins, preparation of non-reducing (Brown and Morris), 1885, T.,

conversion of glucoses into (GRI-MAUX and LEFEVRE), 1886, A., 1003.

molecular weights of (Brown and Morris), 1889, T., 469.

action of Saccharomyces on (Brown and Morris), 1885, T., 565.

separation of (BROWN and MORRIS),

1885, T., 546. Dextrins, benzoyl derivatives (KUENY), 1890 A., 578.

CARBOHYDRATES-

Dextrose (grape-sugar, al-glucose), anhydrous, from aqueous solution (Hesse), 1883, A., 175.

from calamus root (THOMS), 1888,

from cane sugar by means of invertase; specific rotatory power and cupric reducing power of (O'SULLIVAN), 1892, T., 408; P., 56.

from fungi (BOURQUELOT), 1892, A., 519.

from hesperidin and isohesperidin (TANRET), 1888, A., 963.

hesperidin and naringin (WILL), 1887, A., 715.

from Ipecacuanha root (MERCK), 1891, A., 1133.

formed in the inversion of lichens

(KLASON), 1887, A., 25. in malt (O'SULLIVAN), 1885, P., 120; 1886, T., 58; P., 142; (v. ASBOTH), 1888, A., 1220.

from phlorizin (RENNIE), 1887, T.,

from the pectin of plums (BAUER), 1891, A., 413.

from quince juice (BAUER), 1892, A., 128.

from sulphite cellulose and from fir wood (LINDSEY and TOLLENS), 1892, A., 801.

Symphoricarpos rucemosus HERRMANN and Tollens), 1886, A., 92.

conversion of maltose into (PHILIPS), 1883, A., 38.

of, identity with phlorose (FISCHER), 1888, A., 590. influence of the leaves in the

formation of, in grapes (MULLER), 1887, A., 517.

formation of, from sturch (ENDE-MANN), 1885, A., 104. preparation of, from grape syrup

(Soxhlet and Behr), 1883, A.,

preparation of, from (ALLIHN), 1884, A., 721.

pure, Schwarz's process for pre-paring (Worm-Muller and paring (Worm-Mur O1ro), 1883, A., 565.

synthesis of (FISCHER), 1890, A.,

molecular weight of (Brown and Morris), 1888, T., 614; (Tollens, MAYER and WHEELER), 1889, A., 367.

aldehydic nature of (GRIFFITHS), 1884, A., 202.

Dextrose (grape-sugar, d-ylucose), configuration of, and its isomerides (Fischer), 1891, A., 1173, 1444. optical isomerides of (Fischer), 1890, A., 1389.

constitution of (Kiliani), 1886, A., 526; (Skraup), 1889, A., 1130. crystalline form of (Becke), 1889, A., 1041.

report on (BARKER), 1885, A., 206. and the saccharification of starch (CUISINIER), 1887, A., 354.

solutions of, decolourising (Casa-MAJOR), 1884, A., 930.

absorption spectrum of (HARTLEY), 1887, T., 59.

circular polarisation of (Tollens), 1885, A., 40.

influence of inactive substances on the rotatory power of (WENDER), 1891, A., 1178.

multirotation of (URECH), 1884, A., 1112.

disappearance of the multirotation of, in ammoniacal solutions (Schulze and Tollens), 1892, A., 1419.

rotatory dispersion of (GRIMBERT), 1888, A., 329.

thermochemistry of (BERTHELOT and RECOURA), 1887, A., 761; (STOHMANN and LANGBEIN), 1892, A., 763.

solubility of, in water (PERIER), 1889, A., 846.

formation of paralactic acid in the fermentation of (NENCKI and SIEBER), 1890, A., 78.

acid fermentation of (BOUTROUX), 1886, A., 682.

fermentation of, with Bucillus ethaceticus (Frankland and Lumden), 1892, T., 436; P., 70.

fermentation of, with Friedlander's Pneumococcus (Frankland, Stanley and Frew), 1891, T., 254.

action of Bacterium aceti on (Brown), 1886, T., 179; P., 136. conversion of, into sorbitol (MEU-NIER), 1890, A., 1389.

formation of volatile fatty acids from (Loew), 1890, A., 731.

heptolactone from (KILIANI), 1886, A., 526.

action of acetic anhydride on (Is-TRATI and EDELEANU), 1892, A., 1293.

action of dilute acids on (CONRAD and GUTHZEIT), 1887, A., 25.

CARBOHYDRATES-

Dextrose (grape-sugar, d-glucose), action of alkalis on (URECH), 1884, A., 1112.

action of alkaline mercuric cyanide on (WILSON), 1892, A., 1032.

action of chloral on (HEFFTER), 1889, A., 845.

action of ethylic acetoacetate on, in presence of alcoholic ammonia (Biginelli), 1890, A., 732.

action of hydrocyanic acid on (KILIANI), 1886, A., 526.

action of lead acetate on (RUBNER), 1885, A., 444.

action of phenylhydrazine on (SKRAUP), 1889, A., 1130.

action of potassium permanganate on, in neutral solutions (SMOLKA), 1887, A., 566.

action of sulphuric acid on (Honic and Schubert), 1887, A., 125.

action of o-tolylenediamine on (HINSBERG), 1887, A., 476.

alkaloids produced by the action of ammonia on (TANRET), 1885, A., 1047.

behaviour of, with ammoniacal alkaline silver solution (TOL-LENS), 1884, A., 283.

products of the action of mercuric oxide and baryta-water on (HERZ-FELD), 1888, A., 807.

reducing power of, for alkaline copper solutions (ALLIHN), 1883, A., 244.

production of tannin from (Busgen), 1891, A., 104.

in organs with impeded circulation and in hydrocyanic acid poisoning (ZILLESSEN), 1891, A., 1126.

in normal urine (WEDENSKI), 1889, A., 293.

formation of, in the organism (ARAKI), 1891, A., 1125, 1392; 1892, A., 517, 1113.

dehydration of, in the stomach and intestines (CHITTENDEN), 1888, A., 79.

destruction of, by blood and chyle (LEPINE and BARRAL), 1890, A., 1172.

relation between the destruction of, and the production of animal heat and work (CHAUVEAU and KAUFMANN), 1887, A., 289.

relation of, to the proteids of the blood (SCHENCK), 1891, A., 350.

pentacetate of (ERWIG and KOE-NIGS), 1889, A., 952, 1131.

(grape-sugar, d-glucose), Dextrose anilides of (Sorokin), 1886, A.,

tetrabenzoate of (BAUMINN), 1887, A., 228.

pratabenzoate of (SKRAUP), 1889, A., 1130, 1152.

diphenylhydrazone of (STAHEL),

1890, A., 1260. oxime of (JACOBI), 1891, A., 664; (Woнц), 1891, А., 813.

compound of, with levulose (BER-

тнецот), 1887, А., 24. compounds of, with the oxides of nickel, chromium and iron (CHAPMAN), 1891, T., 323; P.,

compounds of, with o-phenylenediamine, etc. (GRIES and HAR-

Row), 1887, A., 475. examination of (Castmillor), 1584, A., 930.

examination of mixtures of canesugar, invert-sugar and (WIECHmann), 1892, A., 248.

Dextrose, detection and estimation: detection of anhydrous, mixed with refined cane-sugar (CASAMAJOR), 1883, A., 884.

detection of, in leather (Kohnsien), 1886, A., 745. detection of, in wines (Tony-

GARCIN), 1887, A., 692. in urine, alkaline bismuth solution

as a test for (NYLANDER), 1884, A., 1433.

value of Brucke's method for the removal of interfering sub-tances from usine in testing for (GREEN). 1886, A., 745.

safranine as a reagent for (URIS-MER), 1889, A., 446.

testing (Worm-Muller), 1884, A., 778.

commercial, analysis of, and quantitative estimation of gallisin therein (Schwiff and Roshs-

пек), 1885, А., 135. estimation of (LAGRANGE), 1881, A., 370; (Barrer), 1885, A, 693; (AGOSTINI), 1587, A., 531; (MAQUENNE), 1891, A., 1113.

estimation of, polaristrobounctric, influence of inactive substances on the (PRIBRAM), 1888, A, 1133.

estimation of, copper solutions for the (SOLDAINI), 1890, A., 198.

estimation of, in heer and heer-wort (Ettoň), 1892, A., 248,

CARBOHYDR ATES-

Dextrose, estimation:-

estimation of, in condensed milk BIGNAMINI), 1885, A., 443.

estimation of, by fermentation and QUINQUAUD), GRÉHANT 1888. A., 875.

estimation of, in food (FAULEN-

BACH), 1884, A., 930. estimation of, in starch-sugar (WILEY), 1883, A., 123.

estimation of, in wrine (BUDDE), 1888, A., 198; (WILL), 1888, A., 535; (GERRIED), 1890, A., 300.

estimation (f, in urine by means of the Soleil-Ventzke polarimeter (WORM-MULLER), 1885, A., 702.

estimation of, in vegetable products (Tollens), 1892, A., 249. estimation of water in (WILEY and

BROADBENT), 1886, A., 282.

Dextrose-series. ascent the (FISCHER), 1892, A., 1161.

Dextroso-cellulose (Schulze), 1891, A., 1179; 1892, A., 907.

Digitalose (KILIANI), 1892, A., 1482. Dulcitol (KLEIN), 1884, A., 1284.

and its derivatives, optical properties of (Crossley), 1892, A., 1419.

effect of, on the electrical con-ductivity of boric acid solutions

(MAGNANINI), 1891, A., 251. thermochemistry of (Stohmann and Langbein), 1892, A., 764. a pure fermentation of (Frank-

LAND and FREW), 1892, T., 254; P., 11. action of, in presence of borax and

purutungstates (KIEIN), 1884, A., 1294.

compound of, with calcium chloride (Frankland and Frew), 1892, Ť, 275.

combination of, with copper oxide

(GTIGNET), 1889, A., 1133. isoDulcitol (channos) (Herric), 1887, A., 906; (RAYMAN), 1887, A., 906; 1888, A., 1049; (RAY-MAN and KRUIS), 1889, A., 667; (FISCHER and TAFEL), 1888, A., 806, 1049.

from hesperidin and isohesperidin (TANKEI), 1888, A., 963.

from hesperidin and natingin (WILL), 1887, A., 715.

multipolation of (SCINELLE and TOLLENS), 1892, A., 1120. thermochemistry of (STOHMANN

and LANGBUIN), 1892, A., 763.

isoDulcitol (rhamnose), oxidation of (Fischer and Tafel), 1887, A., 652; (WILL and PETERS), 1889, A., 952.

derivatives of (WILL and PETERS), 1888, A., 933.

tetracetate and trinitrate of (RAY-MAN), 1887, A., 907.

estimation of (MAQUENNE), 1891, A., 1143.

isoDulcitolphenylhydrazine(Fischer and TAFEL), 1888, A., 40.

Phenylisodulcitosazone (FISCHER and TAFEL), 1888, A., 358.

Rhamnodiazine (RAYMAN and CHO-DOŬNSKY), 1889, A., 485; (RAY-MAN and POHL), 1890, A., 355.

Rhamnosediphenylhydrazone (STAHEL), 1890, A., 1260.

Rhamnoseoxime (JACOBI), 1891, A.,

Rhamnosone (FISCHER), 1889, A., 481.

Eucalyn (Scheibler and Miliel-MEIER), 1890, A., 227.

Formose (LOEW), 1886, A., 610; 1887, A., 459; 1888, A., 245; 1889, A., 584.

nature of (FISCHER), 1888, A., 590.

carbohydrate nature of (Wehmer), 1888, A., 40, 739.

molecular weight of (v. Klobu KOFF), 1890, A., 465.

methylenitan and (Lorw), 1888, A., 571.

derivatives of (Loew), 1886, A., β-Formose and its osazone (LOEW),

1888, A., 359.

cl-Fructose. See Levulose.

I-Fructose, configuration of (Fischer), 1891, A., 1176, 1145.

Fruit sugar. See Levulose.

Fucose, an isomeride of isoduleital (Guniner and Tollers), 1890, A., 1393.

thermochemistry of (Stohmann and LANGBEIN), 1892, A., 763.

α-Galactan (B\umerr), 1888, A.,

B-Galactan (lupeose) (STEIGER), 1886, A., 609; (BAUMERT), 1888, A, 1222; (SCHULZE and SIEIGER), 1890, A., 281; (Schulze), 1892, A., 1171.

y-Galactan (v. IHPPMANN), 1887, A.,

Galactose (Kent and Tollens), 1885, A. 647.

CARBOHYDRATES-

Galactose, identity of, with cerebrose (Brown and Mouris), 1889, P., 167; 1890, T., 57; (THIERFEL-DER), 1890, A., 121.

non-identity of, with arabinose (v. Lippmann), 1885, A., 41.

from agar-agar (BAUER), 1885, A., 500.

from Carragheen Moss (HAEDICKE, BAUER and Tollens), 1887, A.,

from peach gum (BAUER), 1888, A., 744.

from plum-gum (Bauer), 1888, A., 1329.

formation of, from raffinose (HAE-DICKE and TOLLENS), 1887, A.,

preparation of (Bounquelor), 1886, A., 328.

molecular weight of (Brown and Morres), 1889, T., 463; P., 96. properties of (v. Lippmann), 1887, A., 652.

thermochemistry of (Stohmann and Langbein), 1892, A., 763.

action of cupric hydroxide on (HABERMANN and Honig), 1884, A., 1111.

action of hydrocyanic acid on (KILIANI), 1888, A., 581.

decomposition of, by dilute acids (CONRAD and GUTHZEIT), 1886, A., 138.

fermentation of (Torlens STONE), 1888, A., 808; 1889, A., 480.

alcoholic fermentation of (Boun-QUELOT), 1888, A., 572.

estimation of (STEIGER), 1889, A., 1089; (MAQUENNE), 1891, A., 1143.

pentacetate of (ERWIG and KOE-NIGS), 1889, A., 1131.

anilide of (Sorokin), 1886, A.,

683; 1898, A., 808.

pentabenzoate of (SKRAUP), 1889, A., 1153.

diphenylhydrazone of (STAHEL), 1890, A., 1260.

oxime of (Jacobi), 1891, A., 665; (Rівсивінти), 1888, А., 40.

phenylhydiazone of (Fischer), 1887, A., 567.

Phenylgalactosazone (Scheibler), 1884, A., 1287; (FISCHER), 1885,

Galactosone (Fischer), 1889, A., 484. i-Galactose and I-galactose (Fischer and Henrz), 1892 A. 826.

Galaheptose (FISCHER), 1890, A., 599. Gallisin, preparation and properties of (SCHMITT and COBENZL), 1884, A., 981; (SCHEIBLER and MIT-

TELMEIER), 1891, A., 536. estimation of, in commercial glucose (SCHMITT and ROSENHEK), 1885, A., 134.

Gentianose (MEYER), 1883, A., 810. Glucoheptitol, benzylidene derivative of (FISCHER), 1892, A., 1168.

a-Glucoheptose (FISCHER), 1890, A., thermochemistry of (Fogn), 1892,

A., 933.

Glucoheptoses, α - and β -, and their derivatives (FISCHER), 1892, A., 1166, 11**6**8.

Glucononose (FISCHER), 1892, A., 1170. a-Gluco-octose and its derivative (FISCHER), 1892, A., 1169.

(oxyglucose) (FISCHER), Glucosone 1888, A., 1267. phenylmethylhydrazone of (Fis-

CHER), 1889, A., 484.

d-Gincose. See Dextrose. i-Gincose (Fischer), 1890, A., 1392. I-Gincose (Fischer), 1890, A., 1391. configuration of (Fischer), 1891, A., 1176, 1445.

Pentabenzoylglucosamine 1892, A., 134.

Phenylglucosazone (FISCHER), 1885, A., 53; 1886, A., 933; (FISCHER and HIRSCHBERGER), 1888, A., 934. Phenylmethylglucosazone(FISCHER), 1889, A., 484.

Glucoses, constitution of (RAYMAN), 1889, A., 32.

succession of the rate of retrogressive multirotation of some sucroses and, with regard to their constitutional formulæ and the extent of affinity (URECH), 1886, A., 220.

action of dilute acids on (CONRAD and GUTHZEIT), 1887, A., 229. action of sodium amalgam on

(Scheibler), 1884, A., 574. of, conversion into dextrins (GRIMAUX and LEFEVRE), 1886, A., 1003.

compounds of, with phenylhydrazine (Fischer), 1885, A., 53; 1890, A., 1391, 1392.

anilides of, and some of their transformations (SOROKIN), 1888, A., 807.

benzoyl compounds of (KUENY), 1890, A., 578.

CARBOHYDRATES-

Glycerose and its derivatives (Fis-CHER and TAFEL), 1887, A., 651; 1888, A., 358, 1264.

Glycogen in beer yeast (ERRERA), 1885. A., 1151; (LAURENT), 1888, A., 981.

in ciliated Infusoriæ (MAUPAS), 1886, A., 383.

in the connective tissue of molluscs (Blundsrone), 1886, A., 569.

in diabetic urine (v. LEUBE), 1889, A., 65, 293.

in ferments (ERRERA), 1885, A., 1254.

in fungi, accumulation and consumption of (Errera), 1888, A.,

in the liver, amount of (Neisser), 1889, A., 174; (NEBELTHAU), 1891, A., 1526.

in the liver, formation of, from various sugars (C. v. and F. VOIT, OTTO, ABBOTT and LUSK), 1892, A., 902.

in the liver, influence of alkalis on (DUFOURT), 1891, A., 758.

in the liver, influence of ammoniacal compounds on the formation of (Nebelthau), 1891, A., 1527; (ROHMANN), 1887, A., 68.

in the liver of new-born dogs (DEMANT), 1887, A., 167.

in the liver and muscles (Hergenнани), 1890, А., 1334.

in the liver and muscle, influence of starvation on the (ALDEHOFF), 1889, A., 427.

in liver and muscle, influence of strychnine and curare on (DE-MANT), 1886, A., 1051. in lower animals (ANDERLINI),

1888, A., 934.

in muscle, source of (SCHMELZ), 1889, A., 429.

in muscle, with an artificial circula-

tion (Kulz), 1890, A., 1335. in the muscle, changes in, during work (Monari), 1890, A., 185.

in muscle after section of its nerve and its tendon (KRAUSS), 1889, A., 64.

in the muscles, effect of muscular work on (Manché), 1889, A., 428. in plants (Errera), 1884, A., 354. in the Protozoa (Butschill), 1886,

A., 87. distribution of, in the organism (CRAMER), 1887, A., 1127. deposits of, in the tissues (DELE-

PINE), 1891, A., 1274.

Glycogen, molecular weight of (SABA-NEEFF), 1890, A., 1215.

new method for preparing (LAND-WEHR), 1884, A., 1287.

formation and fate of (PRAUSNITZ), 1890, A., 810.

formation of, from carbohydrates (Voit), 1889, A., 631.

formation of, in the organism (PFLUGER), 1889, A., 174.

compounds of, with sulphuric acid (Anderlini), 1888, A., 934.

estimation of (LANDWEHR), 1884, A., 1287; (KULZ), 1886, A., 494. estimation of, in the blood (LE-PINE and BARRAL), 1892, A., 89.

Gossypose. See Raffinose.

Graminin (EKSTRAND and JOHAN-SON), 1888, A., 246, 439.

molecular weight of (EKSTRAND and MAUZELIUS), 1890, A., 227. Grape sugar. See Dextrose.

d-Gulose (FISCHER and PILOTY), 1891, A., 678.

configuration of (FISCHER), 1891, A., 1176, 1415.

i-Gulose and i-Phenylglucosazone (Fischer and Curriss), 1892, A.,

l-Gulose (FISCHER and STAHEL), 1891, A., 667.

configuration of (FISCHER), 1891, A., 1176, 1445.

Gums. See Gum.

Gun-cotton. See Guncotton.

Hemicelluloses (Schulze), 1891, A., 1179; 1892, A., 907.

Heptitol. See Perseitol.

Heptose and its derivatives (FISCHER), 1890, A., 598.

Hydrocellulose, action of phenylhydrazine on (Cross and Bevan), 1884, A., 897.

Inactose (MAUMENE), 1888, A., 668. i-Inosite (MAQUENNE), 1887, A., 355;

(LORIN), 1888, A., 245. identity of dambose with (MA-QUENNE), 1887, A., 909.

formation of (Fick), 1887, A., 1089. thermochemistry of (BERTHELOT and RECOURA), 1887, A., 1011; (BERTHELOT and MATIGNON), 1890, A., 1360; (STOHMANN and LANGBEIN), 1892, A., 764.

reduction and oxidation of (MA-QUENNE), 1887, A., 459.

derivatives of (MAQUENNE), 1887, A., 908.

acetyl compound of (Fick), 1887, A., 1090. CARBOHYDRATES-

β-Inosite (matero-dumbose) and its derivatives (MAQUENNE), 1890, A:, 355; (COMBES; GIRARD), 1890, A., 471.

rotatory power of (Combes; GIRARD), 1890, A., 471.

L-Inosite from quebrachite (TANRET), 1890, A., 226.

Racemo-inosite (MAQUENNE and TANRET), 1890, A., 471.

Inulin (Hönig and Schubert), 1888, A., 246.

in the artichoke (PISTONE and DE REGIBUS), 1884, A., 284.

in the capitula of the Composite (DANIEL), 1890, A., 191. molecular weight of (Brown and

Morris), 1889, T., 463; P., 96. formula of (Pfriffer), 1883, A., 307.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

combination of, with copper oxide (GUIGNET), 1889, A., 1133.
reaction for (GREEN), 1890. A.,

reaction for (GREEN), 1890, A., 656.

Inuloid and Metinulin (Honig and Schubert), 1888, A., 247.

Invert-sugar (JUNGFLEISCH and GRIMBERT), 1889, A., 479. refractive power of (Ost), 1891, A.,

1000. rotatory power of (Gubbe), 1885, A., 1194; (Tollers), 1891, A.,

1178. specific rotatory power and cupric reducing power of (O'SULLIVAN),

1892, T., 408; P., 56.
composition and fermentation of
(BOUROUELOT), 1885, A., 1085;
1886, Å., 169.

alcoholic fermentation of (GAYON and DUBOURG), 1890, A., 950.

selective fermentation of (IMPLAY), 1885, A., 1152; (MAUMENE), 1886, A., 90.

action of alkalis on (UREUH), 1884, A., 1112.

action of light and heat on (GLAD-STONE and TRIBE), 1883, T., 341.

rapidity of separation of cuprous oxide by the action of, on Fehling's solution (URECH), 1883, A., 385.

reduction of a solution of methyl violet by (Wohl), 1888, A., 995. detection of, by means of Soldaini's solution in presence of cane sugar

(Parcus), 1880, A., 313.

Invert-sugar, estimation of (King),
1884, A., 503; (ANON.), 1886, A.,
111; (Herzfeld), 1887, A., 185;
(FORMANEK), 1890, A., 836;
(Striegler), 1891, A., 769.

Irisin (WALLACH), 1887, A., 26. identity of, with graminin (WAL-

LACH), 1888, A., 438.

molecular weight of (EKSTRAND and MAUZELIUS), 1890, A., 227.

Lactose (milk-sugar) (KENT and TOLLENS), 1884, A., 980; 1885, A., 647.

non-identity of, with arabinose (Scheibler), 1884, A., 1287.

in milk (WILEY), 1885, A., 601; (STEPHENS), 1886, A., 582; (VIETH), 1889, A., 315.

manufacture of, in Switzerland (Kunz), 1885, A., 848.

molecular weight of (Brown and Morris), 1888, T., 618.

properties of (JONES), 1890, A., 22.

optically different modification of (SCHMOEGER), 1892, A., 948.

multirotation of (URECH), 1884, A., 1112.

transition of the multirotation of, into its normal rotation (URECH), 1883, A., 174.

relation between the solubility and rotation of, and rate of transition of its multirotation into normal rotation (URECH), 1884, A., 36.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 591.

rotatory dispersion of (GRIMBERT), 1888, A., 329.

rotatory and reducing power of (DENIGES and BONNANS), 1888, A., 933.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

fermentation of (STONE and TOL-LENS), 1889, A., 480.

alcoholic fermentation of (VIETH), 1887, A., 1090.

action of alkalis on (URECH), 1884, A., 1112.

action of cupric hydroxide on (HABERMANN and HONIG), 1884, A., 1112.

action of lead acetate on (RUBNER), 1885, A., 444.

decomposition of, by dilute hydrochloric acid (CONKAD and GUTH-ZEIT), 1887, A., 26. CARBOHYDRATES -

Lactose (milk-sugar), oxidation of (Fischer and Meyer), 1889, A.,

existence of the elements of, in plants (Muntz), 1886, A., 575, 643.

acetyl-derivatives of (SCHMOEGER), 1892, A., 948.

phenylhydrazine of (Fischer and TAFEL), 1888, A., 40.

physiological rôle of (DASTRE), 1890, A., 186.

assimilation of (BOURQUELOT and TROISIER), 1889, A., 735.

behaviour of, in a diabetic (Vorr), 1892, A., 903.

in urine (GAUBE), 1890, A., 188.

estimation of (MAQUENNE), 1891, A., 1143; (KNOWLES and WIL-SON), 1891, A., 1298.

estimation of mixtures of cane sugar and (STOKES and BODMER), 1886, A., 582.

estimation of, in condensed milk (BIGNAMINI), 1885, A., 443.

estimation of, in milk (Sfephens), 1886, A., 582; (Kuhn), 1891, A., 127.

estimation of, in milk by optical methods (WILEY), 1885, A., 601; (SCHMOEGER), 1885, A., 693; (VIETH), 1889, A., 315.

Oxylactose (FISCHER), 1888, A., 1267.

Phenyllactosazone (FISCHER), 1885, A., 54; 1887, A., 567.

Lactosin (MEYER), 1884, A., 980. Levosin from cereals (TANRET), 1891, A., 661.

Levulose (fruit sugar, dfructose) (Herzfeld and Winter), 1886, A., 438; (Jungfleisch and Grimbert), 1888, A., 1266.

influence of the leaves in the formation of, in grapes (MULLER), 1887 A 517

1887, A., 517. in malt (O'SULLIVAN), 1885, P., 120; 1886, T., 58; P., 142; (v. ASBOTH), 1888, A., 1220.

from mannitol (Brown), 1886, T., 184; P., 136.

from nectar (v. Planta), 1886, A., 575.

from raffinose (HAEDICKE and TOLLENS), 1887, A., 791.

from Symphoricarpos racemosus (HERRMANN and TOLLENS), 1886 A., 92.

preparation of (Wohl), 1890, A., 1087.

Levulose, preparation of, from isoglucosamine (FISCHER), 1888, A., 39. synthesis of (FISCHER), 1890, A., 466.

configuration of (FISCHER), 1891, A., 1176, 1445.

properties (WINTER), 1888, A., 438.

crystalline form of (Honig and SCHUBERT), 1888. A., 247.

refractive power of (Ost), 1891, A., 1000.

rotatory power of (JUNGFLEISCH and GRIMBERT), 1889, A., 479; (TOLLENS), 1891, A., 1178. thermochemistry of (SIOHMANN and LANGBEIN), 1892, A., 763.

formation of lactic acid from (Sono-

KIN), 1886, A., 141. action of dilute acids on (CONRAD

and GUTHZEIT), 1887, A., 25. action of bromine and water on (Honig), 1886, A., 328.

oxidation of (HERZFELD and BORN-STEIN), 1886, A., 328, 862; (HERZFELD and WINTER), 1886, A., 862.

reduction of (HERZFELD), 1888, A., 667; (Fischer), 1891, A.,

412. anilide of (Sorokin), 1886, A.,

683; 1888, A., 808. compound of, with dextrose (BER-THELOF), 1887, A., 24.

cyanhydrin of (KILIANI), 1886, A., 219, 438.

osazone of (BEYTHIEN and Tol-

LENS), 1890, A., 582. oxime of (Wohl), 1891, A., 813. pentacetate of (Erwig and Kor-NIGS), 1890, A., 732.

tetrabenzoate of (SKRAUP), 1889, A., 1153.

reaction for (SELIWANOFF), 1887, A., 459.

examination of mixtures of canesugar, invert-sugar and (Wiech-MANN), 1892, A., 248.

estimation of (MAQUENNE), 1891, A., 1143.

Lichenin, lichen starch and (Honig and Schubert), 1888, A., 127.

Lichenin sugar (BAUER), 1886, A.,

(LANGE), 1889, A., 1235; Lignin 1890, A., 228; (LINDSEY and TOLLENS), 1892, A., 802.

quantitative reaction for (BENE-DIKT and BAMBERGER), 1890, A., 1474.

CARBOHYDRATES-

Lignocelluloses (CROSS and BEVAN), 1892, A., 693.

constitution of (Cross and Bevan), 1892, A., 129.

action of ferric ferricyanide on (ISAAC), 1892, A., 1421.

action of nitric acid on (Cross and BEVAN), 1891, P., 61.

Lignose (wood-cellulose) (ANON.),1884, A., 1451.

constitution of (CROSS and BEVAN),

1883, T., 20. Lokaose (KAYNER), 1886, A., 255. Lupeose. See &-Galactan.

Maltodextrin (Brown and Morris), 1885, T., 560; (Herzfeld), 1886, A., 221; (Brown), 1886, A., 438.

molecular weight of (Brown and Morris), 1889, T., 465; P., 96.

Maltosaccharin. See isoSaccharin. Maltose and its derivatives (HERZ-FELD), 1883, A., 652; 1884, A., 171; (FISCHER), 1895, A., 54; 1887, A., 567; (SKRAUP), 1889, A., 1153; (FISCHER and HIRSCH-BERGER), 1890, A., 226.

in malt (O'SULLIVAN), 1885, P., 120; 1886, T., 58; P., 142;

(v. Asboth), 1888, A., 1220. molecular weight of (Brown and Morris), 1888, T., 617; (Ek-STRAND and MAUZELIUS), 1890, A., 227.

manufacture of, by Dubrunfaut's method (Cuisinier), 1885, A.,

disappearance of the multirotation of, in ammoniacal solution (Schulze and Tollens), 1892, A., 1419.

rotatory dispersion of (GRIMBERT), 1888, A., 329.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

conversion of, into glucose (Philips), 1883, A., 38.

action of cupric hydroxide on (Habermann and Hönig), 1884, A., 1112.

action of alkaline mercuric cyanide

on (WILSON), 1892, A., 1032. assimilation of (DASTRE and BOUR-QUELOT), 1884, A., 1392.

oxidation of (FISCHER and MEYER),

1889, A., 1132. physiological functions of (Bour-QUELOT), 1884, A., 345.

estimation of (MAQUENNE), 1891, A., 1143.

Maltose, estimation of, with potassium cuprocarbonate solution (Ost), 1891, A., 1298.

estimation of, in beer and beerwort (ELION), 1891, A., 368; 1892, A., 248.

estimation of, in starch sugar (Wiley), 1883, A., 123.

isoMaltose and its osazone (FISCHER), 1891, A., 413; (LINTNER), 1892, A., 1293.

Mannide, second anhydride of mannitol (FAUCONNIER), 1883, A., 305; 1884, A., 573, 1111; 1885, A., 743; (ALECHIN), 1885, A., 744.

derivatives of (FAUCONNIER), 1884, A., 1111.

8-Mannide (SIWOLOBOFF), 1885, A., 367; 1886, A., 682; (ALECHIN), 1885, A., 744.

d-Mannitol, occurrence of, in the pine-apple (Linder), 1884, A., 629.

occurrence of, in the cambium sap of pines (KACHLER), 1886, A., 1062.

occurrence of, in the fruit of the cherry laurel (VINCENT and DELACHANAL), 1892, A., 908.

from fungi (BOURQUELOT), 1889, A., 740; 1891, A., 103, 954. preparation of, from dextrose or

preparation of, from dextrose or levulose (Scheibler), 1884, A., 574; (DAFERT), 1884, A., 720. configuration of (Fischer), 1891, A., 1176.

molecular weight of (Brown and Morris), 1888, T., 620.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 591.

rotatory power of compounds of, with acid molybdates (Gernez), 1891, A., 1443.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

freezing points of aqueous solutions of boric acid and (MAGNANINI), 1892, A., 263.

a pure fermentation of (FRANKLAND and FREW), 1892, T., 254; P., 11.

fermentation of (FRANKLAND and Fox), 1890, A., 915.

fermentation of, with Bucillus ethaceticus (FRANKLAND and LUMSDEN), 1892, T., 432; P., 70. CARBOHYDRATES-

d-Mannitol, fermentation of, with Friedlander's Preumocoreus (FRANKLAND, STANLEY and FREW). 1891, T., 256.

action of Bacterium arcti on (Brown), 1886, T., 182; P., 136. action of, on sodium pyroborate (DUNSTAN), 1884, A., 279.

behaviour of, towards bonic acid (MAGNANINI), 1890, A., 1357.

oxidation of (ĎAFERT), 1884, A., 720; 1886, A., 608; (IWIG and HECHT), 1886, A., 525, 782.

oxidation of, by nitric acid (EASTER-FIELD), 1891, T., 306; P., 44.

reduction of, by formic acid (FAU-CONNIER), 1885, A., 743.

combination of, with aldehydes of the acetic series (MEUNIER), 1889, A., 580.

combination of, with copper oxide (Guigner), 1889, A., 1133.

compounds (MEUNIER), 1888, A., 1049.

derivatives (GEUTHER), 1884, A., 36; (FAUCONNIER), 1884, A., 573.

sodium compound of (DE For-CRAND), 1892, A., 800. anhydride of (SIWOLOBOFF), 1885

A., 367. compound of, with benzaldebyl (MEUNIER), 1888, A., 950.

second anhydride. See Mannide. anhydrides of (ALECHIN), 1885, A.

dibenzoate of (MEUNIER), 1888, A. 1265.

penta- and hera-benzoate o (SKRAUP), 1889, A., 1152.

benzoic acutals of (MEUNIER), 1889 A., 233.

dichlorhydrin (FAUCONNER), 1884 A., 1111; (SIWOLOBOFF), 1886, A., 681.

herachlorhydrin (Mouraues), 1890 A., 1388.

lead nitrate (SMOLKA), 1885, A. 743.

nitrate, action of alkaline solutior on (MIXTER), 1892, A., 692.

i-Mannitol. See α-Acritol.
 i-Mannitol (FISCHER), 1890, A., 467.
 configuration of (FISCHER), 1891, A., 1176.

Mannitol-series, relation of the carbohydrates of, to α-acrose (Fischer), 1890, A., 470.

d-Mannoctitol (FISCHER and PASS-MORE), 1890, A., 1233.

d-Mannoctose and its derivatives (FISCHER), 1890, A., 598; (FISCHER and Passmore), 1890, A., 1232.

d-Mannoheptitol. See Perseitol.

d-Mannoheptose (FISCHER), 1890, A., 598; (FISCHER and PASSMORE), 1890, A., 1230.

d-Mannonose (Fischer and Pass-

MORE), 1890, A., 1233.

d-Mannose (scminose) and its derivatives (FISCHER and HIRSCHBER-GER), 1888, A., 934; 1889, A., 480, 687; 1890, A., 224; (REISS), 1889, A., 687; 1891, A., 356; (STAHEL), 1890, (TOOBI), 1891, A., 665. A.,

synthesis of (FISCHER), 1890, A., 466. nstitution of (Fischer and Hinschnerger), 1889, A., 483. constitution configuration of (Fischer), 1891,

A., 1176, 1445. action of hydrocyanic acid on (FISCHER and HIRSCHBERGER), 1889, A., 482.

sugars richer in carbon from (Fis-CHER and PASSMORE), 1890, A.,

detection of, in vegetable products (Tollens), 1892, A., 250.

d-Mannosediphenylhydrazone (SrA-HEL), 1890, A., 1260.

d-Mannoschydrazone (Fischer and HIRSCHBERGER), 1889, A., 481.

cl-Mannoseoxime (JACOBI), 1891, A., 665.

i-Mannose and its derivatives (Fis-CHER), 1890, A., 468. I-Mannose and its derivatives (Fis-

CHER), 1890, A., 466. configuration of (Fischer), 1891,

A., 1176, 1445.

Mannoso-cellulose (SCHULZE), 1891, A., 1179.

Matezite. See &-Pinite.

Matezodambose. See β-Inosite.

Melezitose and its acetyl and phenylhydrazine derivatives (ALECHIN), 1886, A., 683; 1890, A., 733.

from Turkestan manna (MARKOWNI-KOFF), 1885, A., 943.

Melibiose and its derivatives (SCHEIB-LER and MITTELMEIER), 1889, A., 953; 1890, A., 226, 1085.

compound of, with raffinose (Ber-THELO1), 1887, A., 24.

Melibiotite (SCHEIBLER and MITTEL-MEIER), 1890, A., 227.

Melicitose, thermochemistry of (Ston-MANN and LANGBEIN), 1892, A., 764.

CARBOHYDRATES-

Melitose (melitriose). See Raffinose. Methose (LOEW), 1889, Λ., 583. molecular weight of (v. Klobu-KOFF), 1890, A., 466.

Methylenitan (Maquenne), 1883, A.,

probable identity of, with formose (LOEW), 1888, A., 571; (FIS-UHER), 1888, A., 591. action of boiling acids on (WEHMER

and Tollens), 1888, A., 438. Milk-sugar. See Lactose.

Octose (Fischer), 1890, A., 598.

Oxycellulose (Cross and Bevan), 1883, T., 22; (Lindsey and Tollens), 1892, A., 827. formation of, electrochemically

(GOPPELSROEDER), 1885, A., 208. Paragalactan (SCHULZE and STEIGER),

1887, A., 460; 1890, A., 285. Paragalactan-like substances

(Schulze, Steigerand Maxwell), 1890, A., 284.

Paraglycogen (Butschli), 1886, A., 87.

Pectic acids (MANGIN), 1890, A., 80; (Herzffild), 1892, A., 291; (LINDsey and Tollens), 1892, A., 827.

Pectin, sugar from (BAUER), 1891, A., 413.

Pectose (URBAIN), 1884, A., 860; (STONE), 1892, A., 247.

Pentosans of woody vegetable fibre (SCHULZE and TOLLENS), 1892, A., 1420.

Pentose (prutaglucose)(Fischer), 1890, A., 598.

Pentose carbohydrates, digestibility of (Stone), 1892, A., 645.

Pentoses (STONE), 1891, A., 411. physiological action of (EBSTEIN), 1892, A., 1506.

detection of, in vegetable products (Tollens), 1892, A., 250.

estimation of (GUNTHER and Tol.-LENS), 1890, A., 1352; (DE CHALMOT and TOLLENS), 1891, A., 768; (STONE), 1892, A., 247; (GUNTHER, DE CHALMOT and Tollens), 1892, A., 388.

Perseitol (mannoheptitol; perseite) and its derivatives (MUNTZ and MARCANO), 1884, A., 1285; (MAQUENNE), 1888, A., 807; 1889, A., 32; (FISCHER), 1890, A., 598

identity of heptitol with (FISCHER and Passmore), 1890, A., 1232. thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

Perseitol (mannoheptitol; perseite), rotatory power of compounds of, with sodium hydrogen and ammonium hydrogen molybdates (Gernez), 1892, A., 800.

compounds of, with molybdic acid (GERNEZ), 1892, A., 422.

Phlein (EKSTRAND and JOHANSON), 1888, A., 439; (EKSTRAND and MAUZELIUS), 1890, A., 227.

Phlorose. See Dextrose.

β-Pinite (materite) (MAQUENNE), 1890, A., 244.

rotatory power of (Coubes; Gir-ARD), 1890, A., 471.

Pyroxylin, rotatory power of (BE-CHAMP), 1885, A., 237.

Quebrachite from the quebracho (TANRET), 1890, A., 226.

Quercin, from acorns (VINCENT and DELACHANAL), 1887, A., 909.

crystalline form of (FRIEDEL), 1887, A., 1026.

Quercitol (Kanonnikoff), 1886, A., 335; (Kiliani and Scheibler), 1889, A., 581.

thermochemistry of (BERTHELOF and RECOURA), 1887, A., 1011; (STOHMANN and LANGBEIN), 1892, A., 764.

Quinitol (v. BAEYER), 1892, A., 833.

Quinovite (Liebermann), 1884, A.. 1191.

Baffinose (molitose, molitriose) (Scheibler), 1885, A., 1046; (Berthelor), 1887, A., 25; 1890, A., 21, 356; (Scheibler and Mirtelmeier), 1889, A., 953; 1890, A., 226, 1085.

in barley (O'SWLLIVAN), 1885, P., 119; 1586, T., 70.

from cotton seed (RITTH AUSEN), 1884, A., 1286.

from Eucalyptus manna (Tollens), 1886, A., 527.

from molasses, cotton-seeds, and Eucalyptus manna (RISCHBIETH and TOLLENS), 1886, A., 138.

source of, in the products of the manufacture of sugar (v. Lipp-Mann), 1886, A., 221.

not formed from cine-sugar (BEY-THIEN, PARCUS and TOLLENS), 1890, A., 582.

molecular weight of (Brown and Morris), 1888, T., 619; (DE VRIES), 1888, A., 667; (TOL-LENS and MAYER), 1888, A., 809. CARBOHYDRATES-

Raffinose (melitrose, melitriose), formation of (Herles), 1890, A., 226.

preparation of, from molasses (Tollens), 1885, A., 368; (Scheibler), 1885, A., 962; (Linder), 1890, A., 732; (Gunning), 1892, A., 422.

composition and properties of (PEL-LET and BIARD), 1886, A., 220.

thermochemistry of (Benfhelor and Matignon). 1890, A, 1360; (Stohmann and Linhbein), 1892, A., 764.

fermentation of, with beer yeast (Loiseau), 1890, A., 22.

inverted, behaviour of, with phenylhydrazine (BEYTHIEN and TOLLENS), 1890, A., 581.

formation of galactose and levulose from (HAEDICKE and TOLLENS), 1887, A., 791.

formation of lactic acid from (BEY-THIEN, PARCUS, and TOLLENS), 1890, A., 582.

red sediment formed in a solution of (WIECHMANN), 1891, A., 813.

compounds of, with bases (BEY-THIEN and TOLLENS), 1889, A., 846; 1890, A., 580.

compound of, with melibiose (BER--THELOT), 1887, A., 24.

Raffinose, detection and estimation:—

test for (GANA, STONE and TOL-LENS), 1888. A., 1059.

precipitation of, by ammoniacal lead acetate (KOYDL), 1892, A., 1294. estimation of (CREYDF), 1887, A., 306.

estimation, simultaneous, of sucrose and (Linder), 1889, A., 1249.

estimation of, in beet-sugar (Lor-MAN), 1889, A., 192.

estimation of, in the products of the beet-sugar manufacture (Gunning), 1889, A., 656.

estimation of, in cane sugar (Schel-Bler), 1887, A., 306.

estimation of, in mixtures (CREYD's and TOLLENS), 1886, A., 582.

estimation of, in raw sugar (BRE-YER), 1890, A., 301.

estimation of, in vegetable products (Tollens), 1892, A., 219.

Rhamnitol (FISCHER and PILOTY), 1891, A., 31.

Rhamnoctose, rhamnoheptose and rhamnohexitol (FISCHER and PHOTY), 1891, A., 32.

Rhamnohexose (FISCHER and PILOTY), 1891, A., 31.
from frangulin (THORPE and MILLER), 1892, T., 7.

Rhamnose. See isoDulcitol.

Ribose and its derivatives (FISCHER

and Piloty), 1892, A. 439. Saccharin (Killani), 1883, A., 962; (Scheibler), 1884, A., 171.

formation of lactic acid and, from sugars (Cuisinier and Kiliani), 1883, A., 42.

preparation of (KILIANI), 1883, A.,

thermochemistry of (Scoumann and Langbein), 1892, A., 763. specific rotatory power of (Schnelle

and Tollens), 1892, A., 1421. action of sodium amalgam on (SCHEIBLER), 1884, A., 574.

reduction of (LIEBERMANN and 1883, A., SCHEIBLER), 1078; (FISCHER), 1889, A., 1149.

new acid obtained by the action of nitric acid on (KILIANI), 1883, A., 566. actions of (HERRMANN and Tor-

LENS), 1885, A., 962.

isoSaccharin (maltosaccharin), and its derivatives (Cuisinier and Kili-ANI), 1883, A., 42; (KILIANI), 1885, A., 744.

specific rotatory power of (Schnelle and Tollens), 1892, A., 1421. action of aniline on (Surokin),

1888, A., 819. metaSaccharin, from milk sugar and

its derivatives (Kiliani), 1884, A., 283; 1885, A., 745; 1888, A., 46. Salep mucus (GANS and TOLLENS), 1889, A., 541.

Saccharose. See Sucrose.

Saffron-sugar. See Crocose. Seminose. See Mannose.

Sorbinose (sorbin, sorbose), formation of, from the juice of mountain ash berries (FREUND), 1891, A., 658. of constitution (Kiliani

SCHEIBLER), 1889, A., 116. thermochemistry of (STOHMANN and Langbein), 1892, A., 763. action of cupric hydroxide on

(Habermann and Hönig), 1884, A., 1112.

fermentation of (STONE and TOL-LENS), 1889, A., 480.

hydrogenation of (VINCENT and Delachanal), 1890, A., 1389. estimation of (MAQUENNE), 1891,

Λ., 1143.

CARBOHYDR LTES-

Phenylsorbinosazone(Fischer), 1887, A., 567.

(l-Sorbitol (sorbite) (VINCENT and DELACHANAL), 1890, A., 21.

occurrence of, in the fruits of the Rosacem (VINCENT and DELA-CHANAL), 1889, A., 580; 1890, A., 21; 1892, A., 908.

conversion of glucose into (MEU-

NIER), 1890, A., 1389. extraction of (VINCENT and DELA-CHANAL), 1889, A., 478.

configuration of (FISCHER), 1891, A., 1176.

action of ammoniacal cupric oxide on (VINCENT and DELAURANAL), 1890, A., 21.

action of cuprammonium sulphate on (Guarder), 1890, A., 21.

oxidation of (VINCENT and DELA-CHANAL), 1889, A., 580; 1890, A., 1389.

hexylic iodide from (HITZEMANN and Tollevs), 1890, A., 841.

compounds of, with molybdic acid (Gernez), 1892, A., 422.

derivatives of (MEUNIER), 1889, A., 479; 1890, A., 730; (VINCENT and Delachanal), 1889, A., 580. estimation of (VINCENT and DELA-CHANAL), 1889, A., 478.

l-Sorbitol (Fischer and Stahel), 1891, A., 668, 1173.

configuration of (FISCHER), 1891, A., 1176.

Stachyose (v. Planta and Schulze), 1890, A., 1089; 1891, A., 1446. Starch (SCHEIBLER and MITTEL-

MEIER), 1891, A., 33, 284. varieties of (DAFERT). 1886, A.,

varieties detected by the swelling process (SYMONS), 1884, A., 370. the fungus Boletus pachypus

(Bourquelot), 1892, A., 230. in the endosperm, functions of (Brown and Morris), 1890, T.,

478. in leaves, influence of internal causes on the presence of (MER),

1891, A., 604. quantity of, in the tubercles of the radish (Lesage), 1892, A., 92.

formation of, in chlorophyll granules (v. SACHS), 1885, A., 831; (Belluci), 1887, A., 1136.

formation of, from formaldehyde (Bokorny), 1891, A., 1539. formation of, in the grain of wheat

(HEBERT), 1891, A., 1285.

Starch, formation of, in the green plant from certain organic substances (Acron), 1890, A., 1021. formation of, in leaves supplied

with sugars, mannitol and glycerol

(MEYER), 1886. A., 902. formation of, from methylal, methyl alcohol, etc. (BOKORNY), 1889,

formation of, by plants from organic solutions (LAURENT), 1888, A.,

formation of, from sugar (BOHM), 1883, A., 820.

formation of, in vine leaves (CUBOXI), 1885, A., 683, 1004.

manufacture of (SCHAUB), 1884, A., 1234.

manufacture of, from maize (v. WAGNER), 1884, A., 528.

preparation and investigation of (SAARE), 1885, A., 618. fat equivalent of (PFEIFFER and

LEHMANN), 1888, A., 973

formula of (PFEIFFER), 1883, A., 307.

soluble (SALOMON), 1884, A., 36; (Dufour), 1886, A., (Kraus), 1887, A., 173. 903;

relation of amylodextrin to Brown and Morris), 1889, T., 449; P., 95.

molecular weight of (Brown and Morris), 1889, T., 465; P.,

properties of (Brown and Mon-RIS), 1889, T., 450.

action of diastase on (Brown and Morris), 1889, T., 456.

physiological function of, in vegetation (Drroug), 1886, A., 903.

See also Starch-cellulose.

colour reactions of (Beckurts and FREYTAG), 1886, A., 783; (IHL), 1887, A., 531.

thermochemistry of (Stohvann and LANGBEIN), 1892, A., 764.

colloidal solutions of (PICTON and LINDER), 1892, T., 156.

alcoholic fermentation of (GAYON and Dubourg), 1887, A., 171.

fermentation of (MARCANO), 1883. A., 365; (Schoo and Gosio), 1891, A., 1281.

fermentation of, by the butyric ferment (VILLIERS), 1891, A., 660.

action of dilute acetic acid on (SCHULZE), 1884, A., 284.

CARBOHYDR ATES-

Starch, action of acetic anhydride and chloride on (MICH LEL), 1881, A., 420.

action of bacteria on (WORTMINN), 1883, A., 931.

crude, action of the diastase of malt on (Brasse), 1885, A., 499.

influence of foreign matter on the conversion of, by diastase (DET-MER), 1883, A., 631.

is any other substance besides maltose and dextrin formed during the transformation of, by diastase? (Brown and Morris), 1885, T., 555.

non-crystallisable products of the action of diastase on (Brown and Morris), 1885, T., 527; P., 79.

ungelatinised, action of diastase of secretion on (BROWN and MOR-

RIS), 1890, T., 510. action of dilute hydrochloric acid on (Allinn), 1884, A., 721.

action of potassium permanganate on (LINTNER), 1891, A., 537.

action of saliva on (Bourquelor) 1887, A., 354.

action of sulphuric acid on (Honic and SCHUBERT), 1886, A., 44; 1887, A., 125.

behaviour of, towards gases (BOHM), 1884, A., 1250.

behaviour of, in the presence of inorganic and organic acids (SALOMON), 1884, A., 36; (Mus-CULUS), 1884, A., 574.

dry distillation of, with lime (Hor-

VAT). 1887, A., 460.

effect of dissolving, in hot glycerol 1889, A., 116; (Zulkowski), 1891, A., 165.

product of the oxidation of (PETIT), 1892, A., 1171.

saccharification of (Cuisinier), 1887, A., 354.

saccharification of, by acids (SEY-BERLICH and TRAMPEDACH), 1387, A., 792; (FLOURENS), 1890, A., 1089.

conversion of, into amyl alcohol by a bacterium (PERDRIX), 1892, A.,

conversion of, into dextrin by the butyric ferment (VILLIERS), 1891, A., 659, 1446.

conversion of, into dextrose by means of hydrochloric acid (HARVEY), 1887, A., 125.

Starch, combination of, with copper oxide (GUIGNET), 1889, A., 1133.

combination of, with iodine (Rou-VIER), 1892, A., 801.

compounds of, with the alkaline earths (LINTNER), 1889, A.,

fixation of iodine by (Rouvier), 1892, A., 578.

formation of cane-sugar from (Seli-WANOFF), 1889, A., 1132.

manufacture of cane-sagar from (AUBERT and GIRAUD), 1885, A., 1274.

grape-sugar from formation of (ENDEMANN), 1885, A., 101.

inversion of, by formic acid (FANK-HAUSER), 1886, A., 1061.

conversion of, in the human stomach (Zechnissen), 1889, A.,

digestion of (LEA), 1890, A., 537. digestion of, by dogs (ELLENBERGER and HOFMEISTER), 1892, A., 516. conversion products of, during

germination (MARCACCI), 1891, Ā., 357.

growth of excised embryos on (Brown and Morris), 1890, T.,

influence of salt in the formation of, in vegetable organs containing chlorophyll (Lesage), 1891, A., 856.

influence of salt on the quantity of, contained in the vegetating organs of Lepidium satirum (LESAGE), 1891, A., 1133.

relation of the red colouring matter of the Phanerogams to the migration of (Pick), 1884, A., 1402.

reserve, changes of, in the growing embryo (Brown and Morris), 1890, T., 513.

reserve, form in which, enters the embryo (Brown and Morris),

1890, T., 513. solution of, in leaves (BRASSE), 1886, A., 827.

solution, preparation of, for use in volumetric analysis with iodine (GASTINE), 1889, A., 73.

examination of (Jones), 1888, A., 199.

iodine reaction of (Brukner), 1884. A., 576.

Starch, detection and estimation of: detection of, in green leaves (v. SACHS), 1885, A., 831.

CARBOILY DRATES-

Starch, detection and estimation of: detection and estimation of, in containing dextrin (Di rkhard), 1888, A., 326.

estimation of (Effront), 1887, А., 867; (v. Аввотн), 1887, А., 868; (SPENCE), 1888, A., 632; (REINKE), 1891, Α., (Honte), 1891, A., 865.

estimation of, apparatus for the (REMPEL), 1895, A., 843.

estimation of, by baryta (Seyfert), 1888, A., 1134.

estimation of, in cereals (O'SULLI-VAN), 1884, T., I. estimation of, in fodders (LADD),

1888, A., 748; (Lecture), 1890, A., 1197.

estimation of, in food (FAULENвлен), 1884, А., 930.

estimation of, in grain (FRINCKE), 1883, A., 621; (MONHEIM), 1888, A., 1134; (v. Milkow-ski), 1890, A., 928.

estimation of, in gluten bread (RICHARD), 1885, A., 299; (Richard), (MALLAT), 1885, A., 445.

estimation of, in maize, in oats, in rice, in rye, in wheat, and in wheat-malt (O'Sullivan), 1884, T., 1.

estimation of moisture in (Box-DONNEAU), 1884, A., (DAFERT), 1887, A., 1143.

estimation of, in oats (O'SULLIVAN), 1881, T., 8.

estimation of, in potatoes (Grnand), 1887, A., 868.

undissolved, estimation of, in sweet mush (Spirzen), 1886, A., 746.

Starch-cellulose, true nature of (MAYER), 1887, A., 460; (GRIESS-MAYER), 1887, A., 686.

See also Amylodextrin and Starch, soluble.

Starch-grains, chemical nature of (BRUKNER), 1884, A., 575.

action of diastase on, within the plant (KRABBE), 1891, A., 605; 1892, A., 92.

Starch-granules (BOURQUELOT), 1887, A., 355.

action of heat on (SCHUBERT), 1885, A., 368.

Starch iodide (MYLIUS), 1887, A., 568; (ROUVIER), 1892, A., 578, 801, 1171.

composition of (STOCKS), 1888, A., 126, 668; (SEYFERT), 1888, A., 1050.

Starch iodide, decolourisation of, by heating (Tomlinson), 1886, A., 328.

Starch-paste, difference between swollen starch and (BRUKNER), 1884, A., 576.

Maize-starch, absorption spectrum of (Hartley), 1887, T., 59. manufacture of (v. Wigner), 1884, A., 528.

Potato-starch (SALOMON), 1883, A., 124; (ANON.), 1884, A., 134; (KETTE), 1884, A., 948. acidity of (SAARE), 1891, A., 358.

Rice-starch (SALOMON), 1883, A., 124.

researches on (Sostegni), 1886, A., 221; 1888, A., 126.

Wheat-starch, composition (SCHULZE), 1884, A., 284.

Sucrose (cane.suyar) in barley and in malt (O'SULLIVAN), 1885, P., 120; 1886, T., 58; P., 142; (v. Asboth), 1888, A., 1220.

in beetroot (MAREK), 1883, A., 124; 1884, A., 766; (STAMMER and DEGENER), 1884, A., 133; (GIRARD), 1884, A., 476; 1885, A., 75; (BRASSE), 1886, A., 1063.

rôle of, and development of, during the growth of the beetroot (Durin), 1890, A., 1020.

percentage of, in beetroot (STAMMER and DEGENER), 1884, A., 133.

in beetroot, loss of (WIETER-HEIM), 1885, A., 102; (MAREK), 1891, A., 103.

from maize (WASHBURN and TOL-LENS), 1889, A., 918.

LENS), 1889, A., 918. from nectar (v. Planta), 1886, A., 575.

presence of, in unripe potatoes (Schulze and Seliwanoff), 1888, A., 623.

formation of, in etiolated plant shoots (SCHULZE), 1890, A., 282

from the soja bean (MORAWSKI and STINGL), 1886, A., 829; 1887, A., 686.

formation of, from starch (Seliwa-NOFF), 1889, A., 1132.

from the wheat germ (RICHARDSON and CRAMPTON), 1886, A., 734.

molecular weight of (Brown and Morris), 1888, T., 615.

absorption spectrum of (HARTLEY), 1887, T., 59. CARBOHYDRATES-

Sucrose (cane-sugar), molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 591.

rotatory power of (Tollens), 1884, A., 1285; (Přibram), 1887, A., 756.

rotatory power of, in dilute solution(NASINIAND VILLAVECCHIA), 1892, A., 801.

rotatory power of, influence of temperature on (ANDREWS), 1890, A., 579.

rotatory power of, influence of certain inorganic salts on (FARN-STEINER), 1891, A., 283.

rotatory dispersion of (GRIMBERT), 1888, A., 329.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764. specific heat of (HESS), 1889, A.,

93. specific gravity of solutions of

(Wankiyn), 1882, A., 985. cryoscopy of solutions of (Eijk-Man), 1891, A., 972; (Picker-ING), 1892, A., 109, 1045; (RAUULT), 1892, A., 678.

comparative sweetness of starchsugar and (SCHMIDT), 1887, A., 1026.

action of Bacterium aceti on (BROWN), 1886, T., 181; P., 136.

action of invertase on (O'SULLIVAN and Tompson), 1890. T., 843; (O'SULLIVAN), 1892, T., 408.

action of light on (Duclaux), 1887, A., 93.

action of light, atmospheric germs, air and heat on (GLADSTONE and TRIBE), 1883, T., 341.

action of lime on (PINNER), 1883, A., 1079.

inversion of (URECH), 1883, A., 174, 306, 1077; 1884, A., 721; 1885, A., 41; 1887, A., 768; (OSTWALD), 1884, A., 1113; 1885, A., 882.

inversion of, rate of change in the (Arrhenius), 1889, A., 1103.

inversion of, by benzoic acid and the hydroxybenzoic acids (KORAL), 1886, A., 932.

inversion of, by hydrochloric acid (BORNTRAGER), 1891, A., 535.

inversion of, by hydrochloric acid, influence of temperature on the rate of (URECH), 1887, A., 768.

Sucrose (canc-sugar), effect of temperature and concentration of acid on the rate of inversion of (URECH), 1883, A., 174, 306, 1077; 1885, A., 41.

inversion of, influence of neutral salts and of temperature on the (SPOHR), 1885, A., 1181; 1886,

inversion of, in sparkling wines (MORITZ), 1886, A., 608.

inverting ferment of (LADUREAU), 1886, A., 169.

action of the succinic acid ferment on (TEIXEIRA-MENDES), 1885, A., 1152.

fermentation of, in contact with arable land (DEHERAIN and MA-QUENNE), 1884, A., 351.

fermentation of, influence of invertin on the (BAUER), 1883, A., 101.

solubility of, in water (Perier), 1889, A., 846.

solubility of, in mixtures of water and alcohol (SCHEIBLER), 1891, A., 536.

behaviour of, towards acids and phenol (Tollens), 1887, A., 534. behaviour of hydroxides of calcium

and the alkalis with (LEPLAY), 1890, A., 579.

action of carbonic anhydride on calcareous solutions of (LOISEAU),

1884, A., 419. transformation of, into dextrose

(Bock), 1890, A., 21. formation of lactic acid from (BEY-THIEN, PARCUS and TOLLENS),

1890, A., 582.

decomposition of, when heated with dilute acids (CONRAD and GUTH-ZEIT), 1885, A., 745; 1886, A., 138; 1887, A., 25, 229. decomposition of, by boiling with

lime (NIEDSCHLAG), 1887, A., 1026.

compound of (HERZFELD), 1886, A., 863.

compounds of, with metallic oxides (STROMEYER), 1887, A., 791.

tetrabenzoate of (BAUMANN), 1887,

occurrence of catechol in raw (v. Lippmann), 1888, A., 262.

tin in (Phipson), 1889, A., 1036. wines from (Carles), 1884, A., 1086.

addition of, to cattle foods (MARCKER), 1885, A., 1149; CARBOHYDRATES-

(Henneberg), 1885, A., 1252; 1886. Α., (WERNER), (Holdefleiss), 1886, A., 727; (Pfriffer and Lehmann), 1887, A., 511.

Sucrose (canc-sugar), physiological (Bourquelou), functions of 1884, A., 345.

alteration of, in the human stomach (V. LEUBE), 1884, A., 91.

manufacture of, from beetroot (Boury and Provins), 1885, А., 464; (Тровасн), 1885, А., 848; (ANON.), 1886, A., 111; loss in (ANON.), 1884, A., 791.

manufacture of, from molasses (Scheibler), 1883, A., 252, 536; 1884, A., 133, 527; (ANON.), 1884, A., 1235, 1236; 1885, A., 103; (DEGENER), 1884, A., 1447; (v. Lippmann), 1885, A., 102; (DAIX and Possoz), 1885, A., 943.

recovery of the ammonia in the alcohol used for the removal of molasses from (ANON.), 1884,

A., 939.

composition of residues obtained in (Pagnoul), 1884, A., 699. preservation of diffusion residues

from (ANON.), 1883, A., 695. without bye-products (REBOUX), 1885, A., 464.

without the aid of bone charcoal, sand, or sulphurous anhydride (Peller and Dubaele), 1883, A., 835.

and purification of beet-juice by means of magnesia and alumina (JUNEMANN), 1885, A., 1021.

butyric fermentation in the diffusion vessels of (DEHE-RAIN), 1885, A., 464.

refining, animal charcoal in (PEL-LET), 1885, A., 205.

use of magnesium sulphite and ferric chloride in (Bergreen and Licht), 1884, A., 939.

sulphurous anhydride in (BATтит), 1885, А., 709.

by means of concentrated acetic acid (Wernicke), 1884, A.,

refinery, working of (STADE), 1884, A., 791.

preparation of strontianite for purifying (anon.), 1884, A., 939.

factories, manurial value of concentrated liquors from (MÄRCK-ER), 1885, A., 687.

CARBOHYDR LTES-

Sucrose (canr-sugar), manufacture of, from maple-sugar (WILEY), 1885, A., 499; 1886, A., 289.

manufacture of, from Sorghum saccharatum (v. Pfull.), 1885, A., 79; (Kohlbausch), 1885, A., 1021.

in America (BOCKMANN), 1883, A., 633; (DUREAU and PEL-LET), 1884, A., 699; (CAPUS), 1885, A., 1273.

manufacture of, from starch (AU-BERT and GIRAUD), 1885, A., 1274.

Sucrose, detection and estimation of: colour reactions of (IHL), 1887, A., 534; 1888, A., 876.

detection of, in vegetable substances (SCHULZE), 1888, A., 624.

detection of, in wine (MEDICUS), 1885. A., 693; (TONY-GARCIN), 1887, A., 692.

examination of (CASAMAJOR), 1884, A., 930; (STRUEMER), 1884, A., 1219.

examination of, for sulphurous acid (DAVIDSEN), 1888, A., 326.

examination of mixtures of invert sugar, dextrose or levulose and (WIECHMANN), 1892, A., 248.

estimation of (O'SULLIVAN and TOMPSON), 1890, P., 160; 1891, T., 46.

estimation of, in beetroot (STAM-MER and SOSTMANN), 1884, A., 642; (PELLEY), 1885, A., 842, 1163; 1889, A., 314; (PETER-MANN), 1888, A., 994; (BATTUT; CLERC; SIDERSKY; WEISBERG), 1889, A., 314.

estimation of, in liqueurs, confectionery and chocolate (RATH-GEN), 1888, A., 1345.

estimation of, in soap (WILSON), 1891, A., 1558.

estimation, simultaneous, of raffinose and (LINDET), 1889, A., 1249; 1890, A., 732.

estimation of, in condensed milk (BIGNAMINI), 1885, A., 443. estimation of calcium salts in

(WOLF), 1892, A. 1377. Sucroses, formation of, from formaldehyde (LOEW), 1889, A., 591.

sucression of the rate of retrogressive multirotation of some glucoses and, with regard to their constitutional formulæ and the extent of affinity (URECH), 1886, A., 220. CARBOHYDRATES-

Sucroses, action of dilute acids on (CONRAD and GUTHZEII), 1887, A., 229.

compounds of, with phenylhydrazine (FISCHER), 1885, A., 53; 1888, A., 1267.

benzoyl-derivatives of (KUENY), 1890, A., 578.

Sugars (in general), synthesis of the (FISCHER and TAFEL), 1888, A., 39,358; 1889, A., 484; (FISCHIR), 1890, A., 1223.

classification of the (RAYMAN), 1887, A., 907.

nomenclature of the (SCHEIBLER), 1885, A., 744.

treatment of, by electricity (Despensis), 1885, A., 205.

application of strontium chloride in purifying (Kottmann), 1883, A., 252.

relation between the rotatory and refractive powers of (KANON-NIKOFF), 1889, A., 326.

multilotation of (PARCUS and TOL-LENS), 1890, A., 1084.

disappearance of the multirotation of, in ammoniacal solution (SCHULZE and TOLLENS), 1892, A., 1419.

estimation of the specific gravity of (GENIESER), 1891, A., 142.

inversion of (WOHL), 1890, A., 1085.

action of cupric hydroxide on (HABERMANN), 1883, A., 38; (HABERMANN and HONIG), 1884, A., 1111.

action of aromatic diamines on (GRIESS and HARROW), 1887, A., 475, 930; 1888, A., 267.

action of phenylhydrazine on (FISCHER), 1887, A., 567; 1888, A., 590; 1889, A., 484.

higher alcohols produced by the formation of (CLAUDON and MORIS), 1887, A., 714, 746.

action of, on iron (KLEIN and BERG), 1886, A., 1004.

reduction of copper salts by (Mon-NET), 1889, A., 1055.

certain, reducing power of, towards Fehling's solution, and a method for the quantitative estimation of the same (K EUIS), 1885, A., 1013, compounds of, with aldehydes and

acetone (Schiff), 1888, A., 572. benzoyl-compounds of (SKEAUP), 1889, A., 1152; (MAQUENNE), 1890, A., 355. CARBOHYTERATES-

Sugars (in general), compounds of copper oxide with (Guigner), 1889, A., 1133.

and furfuran derivatives, relation between (MAQUENNE), 1890, A.,

in the aqueous humour (KUHN), 1889, A., 177.

in ascitic fluid (Moscatelli), 1889, A., 291.

in blood (SEEGEN), 1885, A., 411; 1886, A., 382; 1887, A., 66; 1892, A., 743.

and reducing substances, amount of, in the blood under various circumstances (Отто), 1885, A., 829.

disappearance of, from the blood (HARLEY), 1892, A., 363.

in blood, destruction of (LEPINE and BARRAL), 1891, A., 596.

in the blood, effect of medicines, especially of valerian extract, on the destruction of (Butte), 1891, A., 754.

in the blood and in the chyle (GINSBERG), 1890, A., 276.

presence in chyle of a ferment which destroys (Lépine), 1890, A., 810.

source of, in the liver (SEEGEN), 1888, A., 172.

post-mortem formation of, in the liver (GIRARD), 1889, A., 176.

from fat, power of the liver to form (SEEGEN), 1887, A., 67.

from the lungs and saliva of phthisical patients (Poucher), 1883, A., 929.

formation of, in the organism (ARAKI), 1892, A., 1113.

formation of, in the organism when oxygen is deficient (DASTRE), 1892, A., 362.

action of, in the organism (ALBER-TONI), 1891, A., 1526.

formation of, from peptones in blood (LAPINE), 1892, A., 1502. absorption of, from the small intes-

tine (GINSBERG), 1890, A., 276. change of, in the alimentary canal (v. Voit, Otto, Abbott, Lusk and F. Voit), 1892, A., 902.

changes in, in the muscle during work (Monari), 1890, A., 185. in the stomach of the horse (Ellen-

n the stomach of the horse (Ellen-BERGER and Hofmeister), 1889, A., 176.

in albuminous urine (Méhu), 1887, A., 1060. CARBOHYDRATES-

Sugars (in general), substances likely to be mistaken for, in (Asu-DOWN), 1890, A., 279.

in urine, on a diet of canc-sugar (Seegen), 1886, A., 383.

'Date-sugar (Anon.), 1884, A., 1234. Potato-starch-sugar, is it deleterious? (v. Mering), 1883, A., 136.

recognition of, in wine (Fresenius), 1892, A., 922.

estimation of dextrose, maltose, and dextrin in (WILEY), 1883, A., 123.

Sugars (indeterminate) from Calycanthus glaucus seeds (WILEY), 1890, A., 403.

from Fucus (BIELER and TOLLENS), 1890, A., 1105.

from linseed (BAUER), 1892, A., 1293.

from the soja bean (MOLAWSKI and STINGL), 1886, A., 829; 1887, A., 686.

from the wheat germ (RICHARDSON and CRAMPTON), 1886, A., 734. formation of, in yeast (SALKOW-

ski), 1889, A., 1027.

Sugars, detection and estimation:—some reactions of (WORM-MULLER), 1884, A., 778; (MOLISCH), 1886, A., 923; (LINDO), 1887, A., 751.

sodium nitroprusside as a reagent for (Lascu), 1885, A., 600.

detection of, in urine (CAMPARI), 1885, A., 702; (BUCHNER), 1885, A., 843; (SCHWARZ), 1889, A., 85; (CRIMMER), 1889, A., 552; (WERNER), 1890, A., 427.

clinical examination of, in urine by monns of Fehling's solution (JOLLY), 1886, A., 744.

phenylhydrazine as a test for, in urine (v. Jakson), 1886, A., 744; (Hirschl), 1890, A., 835.

pieric acid as a test for, in urine (Junnson), 1883, A., 1176.

analysis of (Anon.), 1884, A., 502; (King), 1884, A., 503; (Casa-MAJOR; BATTUT), 1885, A., 693; (EFFRONT), 1887, A., 867; (GE-DULT), 1888, A., 876; (HERLES; DAMMÜLLER), 1889, A., 191; (l'OLITIS), 1889, A., 1088; (JUNG-FLEISCH and (HIMBERT), 1890, A., 301; (WIECHMANN), 1892, A., 248; (BABINGTON), 1892, A., 388.

estimation of, by alcoholic fermentation (JODLBAUER), 1888, A., 994,

Sugars, estimation:-

estimation of, by copper potassium carbonate solution (Osr), 1890, A., 1031; 1891, A., 125, 1298; (SCHMORGER) 1892, A 297

(SCHMOEGER), 1892, A., 387. estimation of, by Fehling's solution (DEGENER and ALLIHY), 1883, A, [519; (GIRARD), 1885, A., 1163; (CATSSE), 1889, A., 1036. estimation of, use of phenyl-hydrazine for the (MAQUENNE),

1891, A., 1143.

estimation of, in pure aqueous solutions (STROHMER), 1884, A., 1219.

estimation of, in blood (SEEGEN), 1891, A., 248; (SCHENCK), 1891, A., 504; (ABELES), 1891, A., 1399.

estimation of, in presence of carbohydrates (BISHOP), 1889, A.,

estimation of, in fodders (LADD),

1888, A., 748. estimation of, in urine (Wormstein of the Workstein of the Müller), 1883, A., 829; (Pol-1888, LATSCHEK), Α., (HAGEMANN), 1889, A., (GUTTMANN), 1890, A., (LUTHER), 1891, A., 1559. 535;

estimation of, in wines (BORNTRÄ-GER), 1890, A, 426; (VOGEL), 1891, A., 1557.

estimation of ash in (v. GROBERT), 1890, A., 670; (BOYER), 1890, A., 1472; (MINOR), 1891, A., 127; (Srift), 1891, A., 1297.

estimation of calcium salts in (WOLF), 1892, A., 1377.

See also Fehling's solution. Talose (FISCHER), 1892, A., 299.

Tetrose, phenyl derivative of (FISCHER

and STEWART), 1892, A , 1447. Trehalose (MAQUENNE), 1891, A., 1000.

from fungi (Bourquelot), 1889,

A., 740; 1891, A., 103, 954. thermochemistry of (Sighmann LANGBEIN), and 1892, 764.

detection and extraction of (Born-QUELOT), 1892, A., 545.

Triticin, molecular weight of (EK-STRAND and MAUZELIUS), 1890, A., 227.

Tunicin, heat of combustion of (Berrhetor and Andre), 1890, A., 938.

Turanose (ALECHIN), 1890, A., 733. Vasculose (URBAIN), 1884, A., 858.

CARBOHYDRATES-

Xylan (wood gum) (HOFF 1886, A., 955; (WHEEEISTER), TOLLENS), 1889, A. 847 RR and (ALLEN and Tollens), 1890, A., 472;

Xylitol (Fischer and Stal. A., 668; (Berrrand), (BL), 1891, 28, 29.

pentanitrate of (BERTRAND, 1892,

Xylose (wood sugar) (WHELLER TOLLENS), 1889, A, 847; (ALL'and and TOLLENS), 1891, A., 659; (FISCHER and STAHEL), 1891, A., 667; (BERTRAND), 1892, A., 28.

gum in plants which on sacchari-? fication yields (Voswinkel), 1892, A., 380; (Hebert), 1892, A., 1371.

from maize cobs (STONE and LOTZ), 1891, A., 1001.

from malt residues (Scone and TOLLENS), 1889, A., 480.

from Plantago Psyllium (BAUER), 1889, A., 233.

from straw-gum (HÉBERF), 1890, A., 1460.

from straw, etc. (ALLEN and TOL-

LENS), 1890, A., 472. molecular weight of (Tollens, Mayer and Wherler), 1889, A., 367.

configuration of (FISCHER), 1891, A., 1175, 1446.

constitution of (BERTRAND), 1892,

optical properties of (Schulze and Tollens), 1892, A., 1420.

disappearance of the multirotation of, in ammoniacal solution (SCHULZE and TOLLENS), 1892, A., 1419.

thermochemistry of (Berthelot and Marianon), 1890, A., 1360; (Stohmann and LANGBEIN), 1892, A., 763.

actions of (Tollens), 1892, A., 290. physiological action of (EBSTEIN), 1892, A., 1506.

estimation of (MAQUENNE), 1891, л., 1143.

See also Beet juice and Molasses.

 Carbollimides, aromatic, action of odiamines on (Moore), 1889, A., 983;
 1890, A., 246; (Keller), 1891, A., 1468.

Carbolic acid, colouring matter of red (FABINI), 1891, A., 1198. poisoning with (BISCHOFF), 1883, A., 1021.

Carbolic acid, use of, in the disinfection of sewage (Kellner), 1884, A., 697. examination of commercial (WIL-LIAMS), 1890, A., 300.

estimation of phenol in commercial (KLEINERT), 1884, A., 503.

See also Phenol.

Carbolic compounds, commercial, assay of (MUTER and DE KONINGH), 1888, A., 92.

disinfecting powders, analysis of (Μυτεπ), 1891, Α., 124. α-Carbolutidinic acid. See Pyridinepowders, analysis of

2:4:6-tricarboxylic acid.

Carbomesyl. See Dimethyloxindole. Carbon in the sun (TROWBRIDGE and HUTCHINS), 1887, A., 1065.

atomic weight of (VAN DER PLAATS) 1885, A., 348; (Groshans), 1889, A., 463.

and valency (MEYER and atom RIECKE), 1888, A., 549.

constitution of the (MEYER and RIECKE), 1888, A., 549.

singly linked, the relative motion of the (EILOART), 1891, A., 533. limitation of the free rotation of the (Bischoff), 1890, A., 723.

doubly linked, polymerisation of compounds containing a (LELL-MANN), 1889, A., 903.

determination of the relative values of the four units of chemical activity of the (HENRY), 1887,

A., 711. determination of the mechanical arrangement of, in organic compounds (HINRICHS), 1891, A., 1441.

asymmetric and the halogens (Easterfield), 1890, P., 151; 1891, T., 71.

influence of, on the ethanes derived from active amylic alcohol (Just), 1884, A., 169.

allotropic states of (Petersen), 1892, A., 405.

amorphous, allotropism of (Luzi), 1892, A., 945.

in the Saxon Erzgebirge (SAUER), 1887, A., 341.

graphitic, cubic form of (FLETCHER), 1888, A., 30.

different forms of, and their derivatives (BERTHELOT and PETIT), 1890, A., 448.

peculiar form of (P. and L. Schüt-ZENBERGER), 1891, A., 265; (LUZI), 1892, A., 565. property of, similar to that of spongy

platinum (HIRN), 1888, A., 1028.

Carbon, spectrum of (LIVEING and DEWAR), 1883, A., 1, 261; (GRÜN-WALD), 1888, A., 389, 882.

refraction equivalent of (GLADSTONE), 1884, T., 251.

refractive index of (BRÜHL), 1887, A., 193.

dispersion equivalents of (GLAD-STONE), 1888, A., 389.

effect of absorbed gases on the electrical conductivity of (PROBERT and SOWARD), 1883, A., 769.

electrical resistance of soft, under pressure (Mendenhall), 1887, A., 315.

electro-deposition of (Gore), 1885, A., 110.

ermoelectric position ('HANAN), 1886, A., 295. thermoelectric of

heat of combustion of (Berthelor and PETIT), 1889, A., 811.

heat of combination of oxygen and (Boillot), 1884, A., 141.

effect of high temperature and pressure on (Parsons), 1889, A., 212.

affinity values of (GEUTHER), 1883, A., 779.

divalent (NEF), 1892, A., 1438.

examination of various forms of (WIESNER), 1892, A., 1273. absorption of chlorine by, and its

combination with hydrogen (BER-THELOT and GUNTZ), 1884, A., 1249.

absorption of gases by (BAKER), 1887, T., 249; P., 7.

actions of, and of some of its compounds (Gore), 1885, A., 119.

action of, on carbon oxides, sulphur, and sulphur oxides (BERTHELOT), 1883, A., 551.

action of fluorine on different forms of (Moissan), 1890, A., 557.

action of absorbed oxygen on, at temperatures (BAKER), vario**u**s 1887, T., 252.

action of, on sodium sulphate in presence of silica (SCHEURER-Kestner), 1892, A., 565.

action of, on sulphurous anhydride at high temperatures (SCHEURER-KESTNER), 1892, A., 681.

action of silica and, on chromic fluoride (Evans), 1892, A., 20.

mbustion of, in dried oxygen (BAKER), 1889, A., 465. combustion

oxidation of, in the electrolysis of aqueous ammonia (MILLOT), 1885, A., 1125; (BARTOLI and PAPA-SOGLI), 1886, A., 406.

oxidation of various forms of (BAR-TOLI and PAPASOGLI), 1886, A., 202.

Carbon, oxidation-products of, obtained by electrolysis (Millor), 1883, A., 65.

combination of, with iron under pressure (HEYPEL), 1888, A., 557.

behaviour of the different modifications of, towards iron at an elevated temperature (HEMPEL), 1885, A., 725.

influence of silicon on the condition of, in cast iron (GAUFIER), 1887, A., 220.

of spiegeleisen (RATHKE), 1891, A., 646. contents of the gas evolved during solution of iron in acids (BACK-SPROMAND PAIJKULL), 1888, A., 420.

deposited from coal gas flames (Lewes), 1892, P., 2; (FOSTER), 1892, T., 322; P., 46.

assimilation of, by green plants (Acron), 1890, A., 818.

assimilation of, in relation to the colour of leaves (ENGELMANN), 1888, A., 381.

assimilation of, and chlorophyll in the living cell (REINKE), 1885, A., 182.

as an impurity affecting the estimation of the atomic weight of hydrogen (Morley), 1890, A., 1369.

for electric lumps, preputation of, from furfuraldehyde or fucusaldehyde (SMITH), 1885, A., 1267.

for electric lighting, preparation and purification of (JACQUELAIN), 1883, A., 752.

Carbon chlorobromides (BESSON), 1892, A., 771.

thiobromides (HELL and URECH), 1883, A., 907.

dichloride, molecular refraction and dispersion of (GLYDSIONE), 1891, T., 295.

thio ichloride. See Thiocarbonyl chloride.

tetruchloride, molecular refraction and dispersion of (GLADSFONE), 1891, T., 295.

thermochemistry of (BERTHELOT and MATIGNON), 1891, A., 1311. heat of formation of (THOMSEN),

1883, A., 544. vapour pressures of (Young), 1891,

T., 911; P., 124. molecular volumes of (Young), 1891, T., 911; P., 124.

specific volume of (Young), 1891, T., 43, 45.

action of, on chromyl dichloride and ferric phosphate (QUANTIN), 1887, A., 330, Carbon tetrachloride, action of, on inorganic oxygen compounds free from hydrogen (QUANTIN), 1888, A., 785.

action of, on metallic oxides (Demarcay), 1887, A., 329.

action of, on oxides (MEYER), 1887, A., 552.

action of sulphur on (Klason), 1887, A., 1015.

inhalation of (REGNAULD and VIL-LEJEAN), 1885, A., 926.

oxychloride. See Carbonyl chloride. tetrufluoride (Moissan), 1890, A., 944; (Chabrie), 1890, A., 1058.

fluorides, preparation of (Chabrie), 1890, A., 558.

hydrates of (VILLARD), 1890, A., 1386.

diiodide (Moissan), 1892, A., 1291. tetriodide (Moissan), 1891, A., 1420. "hydrate" from east iron (Zabudsky), 1885, A., 42.

hydroxide (Balló), 1883, A., 574. hydroxides (graphitic oxides) (Ben-THELOT and PETIT), 1890, A., 448;

(P. and L. Schürzenberger), 1891, A., 266.

Carbon monoxide (carbonic oxide), preparation of (Noack), 1883, A., 574; (Jahn), 1883, A., 655; (Kin-Nigutt), 1884, A., 260.

preparation of, by aid of zinc dust (Schwarz), 1886, A., 660.

effect of the silent discharge on (SCHUTZENBERGER), 1890, A., 1358.

condensation of, under the influence of the silent discharge (Schutzen-Berger; Berthelor), 1890, A., 691, 692.

action of induction sparks on steam and (Dixox), 1886, T., 103

and (DIXON), 1886, T., 103. heat of formation of (THOMSEN), 1883, A., 544.

liquefaction of (v. Wroblewski and Olyzewski), 1883, A., 781, 952.

liquid (Olszewski), 1885. A., 14. boiling point of, under atmospheric pressure (v. Whoblewski), 1884, A., 817.

solidification of (Olszewski), 1885, A., 475.

absorption coefficient of, in water (Henrich), 1892, A., 1043.

solubility of, in mixtures of alcohol and water (Lubauscu), 1890, A., 103.

absorption of, by the blood of a living mammifer (GREHANT), 1892, A., 743.

monoxide (carbonic oxide), Carbon absorption of, by earth (BERTHE-LOT), 1891, A., 16.

action of heat on (BERTHELOT), 1891, A., 801.

action of, on iron and manganese (Guntz), 1892, A., 568.

action of, on lead and silver chlorides (Bloxam), 1886, A., 17.

action of magnesium on (WINK-LER), 1891, A., 801.

action of, on nickel (MOND, LANGER and QUINCKE), 1890, T., 749; P.,

action of platinum and palladium on (TRAURE), 1883, A., 422.

action of, on mixtures of sodium alkyl oxides and sodium salts of organic acids (SCHROEDER), 1884, A., 38.

action of steam on (MAQUENNE) 1883, A., 860; (NAUMANN and

Pisron), 1886, A., 120.

action of steam on, in contact with red hot platinum and in presence of potash (DIXON), 1886, T., 97, 101; P., 128.

explosion of oxygen and, under diminished pressure (MEYER and SEUBERT), 1884, T., 586.

influence of aqueous vapour on the explosion of oxygen and (DIXON), 1883, A., 12.

combustion of (TRAUBE), 1885, A., 1108; (MEYER), 1886, A., 664. combustion of hydrogen and

(DIXON), 1886, T., 94.

incomplete combustion of, in presence of varying quantities of steam (DIXON), 1886, T., 104, 109. water, oxygen gases and, theory of

the interaction of: a note on H. B. Dixon's paper on the action of carbonic oxide on steam (ARM-STRONG), 1886, T., 112.

co-operation of water in the combustion of, and formation of hydrogen peroxide during such combustion (Traube), 1885, A., 1108.

influence of steam and other gases on the combustion of oxygen and

(Bekeroff), 1892, A., 274. kidation of, by air and moist phosphorus (Remsen and Keisoxidation of, ER), 1884, A., 149, 711; (LEEDS), 1884, A.,660; (BAUMANN),1884, A., 1092.

conversion of, into carbonic anhydride by nascent oxygen (BAU-MANN), 1884, A., 14; (LEEDS),

1884, A., 15.

Carbon monoxide (curbonic oxide), oxidation of, by palladium hydride and oxygen (TRAUBE),

1883, A., 150. reduction of, by magnesium (WINK-

LER), 1890, A., 1373.

compounds of, with iron (MOND And QUINCKE), 1891, T., 604; P., 117; (MOND and LANGER), 1891, T., 1090; P., 149, fluence of, on germination

influence of, on germination (Linossier,) 1889, A., 645, 739. stability of, in the animal organism

(GAGLIO), 1888, A., 619. poisoning by (Belky), 1887, A., 392; (GRÉHANT), 1888, A., 622. elimination of, after partial poisoning by (GRLHANT), 1886, A., 641.

hygienic importance of, and its detection (FOKKER), 1885, A.,

detector (RACINE), 1890, A., 194. detection of (FOKKER), 1885, A., 415; (BERTHELOT), 1891, A.,

801; (GRÉHANT), 1892, A., 99. detection of, in blood (KATAYAMA), 1889, A., 88, 650; (RUBNER), 1891, A., 496; (BERTIN-SANS and Moitessier), 1891, A., 1522.

ostimation of (Sinibaldi), 1888.A., 322; (Winkler), 1889, A.,924; (DE SAINT-MARTIN), 1892, A., 1128.

estimation of, by absorption with cuprous chloride (DREHSCHMIDT), 1888, A , 88, 1208; (HEMPEL), 1888, A., 550; (Lonatschew-ski-Perruniaka), 1889, A., 187. estimation of, in air (De la Harpe

and REVERDIN), 1889, A., 1087. hæmoglobin. See Hæmoglobin.

Carbon dioxide (carbonic anhydride) given out by parts of plants (RODEWALD), 1888, A., 979. in the air at Cape Horn (MUNTZ

and AUBIN), 1883, A., 121. in the atmosphere (WOLLNY), 1883, А., 614; 1886, А., 594; (Соок) 1883, A., 284; (MUNTZ and AUBIN), 1883, A., 121; 1884, A., 659, 710; (SPRING), 1886, A., 501; (BLOCHMANN), 1887, A., 214; (VAN NUYS and A., 214; (VAN NUYS and ADAMS), 1887, A., 519. in urine (VAN NUYS and LYONS),

1892, A., 649.

formation of, from cellulose (HOPPE-SEYLER), 1886, A., 577, 932. preparation of (MUENUKE), 1885,

A., 634; (ANON.), 1886, A., 184.

Carbon dioxide (carbonic anhydride), characteristic equation of (SARnau), 1886, A., 203.

refraction of (CHAPPUIS and RI-

VIÈRE), 1886, A., 837. absorption of radiant heat by (KEELER), 1885, A., 626.

electric conductivity of solutions of (Pfeiffer), 1885, A., 212. decomposition of, by the electric

spark (DIXON and LOWE), 1885, T., 571; P., 83. action of induction sparks on

hydrogen and (Dixon), 1886, T., 104.

relation between potential difference and striking distance in, at different pressures (PASCHEN), 1889, A., 806.

specific heat of, at high pressure BERTHELOT and VIEILLE), 1885,

specific weight and vapour pressures of mixtures of sulphurous anhydride and (Blumcke). 1888, A., 775; (Pictet), 1888, A., 1015.

isotherms of a mixture of sulphurous anhydride and (Blumcke), 1889, A., 750.

relation between pressure and temperature in the saturated vapour

of (Jarolimek), 1883, A., 417. compressibility of (Amagat), 1884, A., 146; (ANTOINE), 1889, A.,

compressibility of mixtures of air and (LALA), 1891, A., 253.

liquid, preparation and uses of (Herberts), 1886, A., 107. latent heat of vapourisation of

(Chappuis), 1888, A., 773. as a fire extinguisher (RAYDT),

1883, A., 408. explosion of a tube containing

(Pfaundler), 1883, A., 422. use of, for the rapid filtration and sterilisation of organic liquids (D'ARSONVAL), 1891, A., 854.

solid (LANDOLT), 1884, A., 992. electrical phenomena developed in the formation of (Hauss-KNECHT), 1891, A., 777.

freezing mixtures containing (CAILLETET and COLARDEAU), 1888, A., 1025.

apparatus for collecting (DUCRE-TET), 1884, A., 1253.

cooling of, on expansion (NATAN-SUN), 1887, A., 880.

Carbon dioxide (carbonic anhydride), dilatation of (ANTOINE), 1889, A., 668.

isothermal curves for (AMAGAT),

1892, A., 3. density of (CAILLETET and MA-THIAS), 1886, A., 758; (COOKE), 1890, A., 322.

specific gravity of solutions of

(Blumcke), 1885, A., 215. specific gravity of mixtures of ethylic alcohol and (BLUMCKE), 1887, A., 435.

dissociation of (LE CHATELIER), 1889, A., 205; (v. Hofmann), 1891, A., 143.

absorption coefficient of, in water and in alcohol (HENRICH), 1892, A., 1044.

supersaturated aqueous solutions of (Pratesi), 1892, A., 1274.

rapid absorption of, from expired air (D'ARSONVAL), 1888, A.,

absorption of, by mixtures of alcohol and water (MULLER),

1889, A., 816. solubility of, in chloroform (Wuko-LOFF), 1889, A., 1110.

condensation of, on glass (Bunsen), 1884, A., 146; (KAYSER), 1885, A., 214; (KRAUSE), 1889, A., 751.

compressed, action of, on glass (PFAUNDLER), 1885, A., 868.

action of dry, on the alkaline earths (Scheibler), 1886, A., 927.

action of, on aromatic amines (Dirre), 1888, A., 49. action of chlorine on (Lucion),

1889, A., 673.

action of, on hydrogen at a high temperature (NAUMANN PISTOR), 1886, A, 16.

action of hydrogen on, in presence of anhydrous phosphoric acid (DIXON), 1886, T., 102.

action of hydrogen on, in contact with red-hot plutinum (DIXON), 1886, T., 101.

reduction of, to carbonic oxide by carbon (NAUMANN and PISTOR), 1885, A., 1036. reduction of, by potassium cyanide

(EILOART), 1886, A., 1000.

resemblance between carbon disulphide and (TYNDALL), 1883, A., 1049.

reactions of, at high pressures (D'ARSONVAL), 1892, A., 274.

Carbon dioxide (carbonic anhydride), reactions with carbon disulphide, and sulphurous anhydride (EILOART), 1886, A., 16.

action of magnesium on (WINKLER), 1890, A., 1372; 1891, A., 801. influence of, on the products of

fermentation (LINDER), 1890, A., 281.

derivatives of (SANDMEYER), 1886, A., 611.

absorption of, by leaves (DEHÉRAIN and Maquenne), 1886, A., 1062; 1887, A., 172

decomposition of, by plants deprived of chlorophyll (HUEPPE), 1888, A., 1125.

decomposition of, by chlorophyll (PRINGSHEIM), 1887, A., 685.

relation between the intensity of radiation and the decomposition of, by plants (TIMIRIAZEFF), 1889, A., 1234.

simultaneous evolution of oxygen and, by Cactacere (AUBERT), 1891, A., 856.

influence of temperature on the production of, by genminating barley (DAY), 1891, T., 664.

antiseptic properties of (KOLBE), 1883, A., 395; 1884, A., 508. action of the pulmonary tissue in the expiration of (GARNIER),

1886, A., 1052. influence of muscular work, hunger,

and temperature on the exhalation of (GRANDIA), 1890, A., influence of oxygen on the separa-

tion of, in the lungs (WERIGO), 1892, A., 1369.

exhalation of, by frogs (AUBERT), 1884, A., 91.

expired, graphic record of (HAN-RIOT and RICHET), 1888, A.,

estimation of, expired in respiration (HANRIOT and RICHER), 1887, A., 507.

elimination of, by means of sodium methoxide (MAI), 1889, A., 1126.

detection of small amounts of (Rossler), 1888, A., 88. phenolphthalein as indicator in the

estimation of, in mixtures of gases

(BLOCHMANN), 1884, A., 1072.
estimation of (BAUE), 1884, A.,
1216; 1887, A., 398; (KRATSCHMER), 1886, A., 179; (SINIBALDI; ONTERSETZER), 1888, A., 322; (SAUK), 1889, A., 1032;

(Perrensson), 1890, A., 1188; (Techaplowitz), 1891, 1291.

Carbon dioxide (carbonic anhydride), estimation of combined and free (Lunge and Marchlewski), 1892, A., 531.

estimation of, volumetric (MARCET), 1887, A., 528; (JAGER and KRUSS), 1889, A., 651; (FUCHS),

1890, A., 194.

estimation of, in atmospheric air (Balló), 1884, A., 1076; (VAN Nuvs), 1886, A., 835; 1887, A., 300; (Pertersson and Palm-QUIST), 1887, A., 999; (LUNGE and ZECKENDORF), 1889, A., 440; (SCHIDLOWSKI), 1889, A., 651; (HALDANE and PEMBREY), 1890, A., 1183, (LUNERINZEER) 1890, A., 1188; (Lebedinzeff), 1891, A., 1290; (Schulz), 1892, A., 533.

estimation of, in the air of schoolrooms (Fossek), 1887, A., 888.

estimation of, in beer (URAMP-TON and TRESCOT), 1887, A., 1144.

estimation of, in carbonates (SID-ERSKY), 1887, A., 999.

estimation of, in coal gas (WRIGHT), 1883, T., 267; 1887, A., 86; (FAIRLEY), 1887, A., 297.

estimation of, in mineral waters (Borchers), 1888, A., 533.

estimation of free and combined, in mineral waters (BRETET), 1891, A., 862.

estimation of, in potable waters containing magnesium (TRIL-LICH), 1890, A., 197.

estimation of, in salts (CHATARD), 1890, A., 417.

estimation of, in presence of sulphides, sulphites, and thiosulphates of the alkali-metals

(Honig and Zatzek), 1884, A, 216. estimation of dissolved, in water

(Vignon), 1888, A., 325. generator gas, reconversion of heat into chemical energy by production of (NAUMANN), 1892, A., 673.

See also Agricultural Chemistry. Carbon acids, dibasic, synthesis of (Brown), 1890, A., 583.

Carbon acids :-Carbonic acid, amides of (EMICH), 1889, A., 1060.

Carbonic acids, dithio- (DACCOMO), 1892, A., 306.

Carbon acids:-Carbonates, solubility of, in Rochelle selt (WARREN), 1988, A., 1131. rate of solution of, in acids (Spring),

1890, A., 843.

testing of (BARNES), 1887, A., 80. estimation of alkaline hydroxides in presence of (ISBERT and VENATOR), 1888, A., 1130.

estimation of, volumetric (MULLER),

1890, A., 417.

alkaline, heat of formation of, in very dilute solution (MULLER), 1889, A., 810

rate of formation of, in relation to time, mass, and nature of the bodies used for precipitation (BEWAD), 1885, A., 480.

aromatic (Lowenberg), 1886, A., 789.

ethereal (BENDER), 1887, A., 37. hydrogen, electrolysis of (ASLANO-

GLOU), 1890, A., 1204.

insoluble, preparation of (Bour-GEOIS), 1887, A., 221.

normal, detection of, in hydrogen carbonates of the alkali metals (KUHLMANN), 1887, A., 528. thio. See Thiocarbonates.

Carbon disulphide (FRIEDBURG), 1883, A., 535.

preparation of standard solutions

of (LIVACHE), 1885, A., 84. purification of (OBACH), 1883, A.. 43; (CHENEVIER), 1891. A., 1417.

refraction of (Kefielder), 1889, A., 197.

effect of temperature on the refraction and dispersion of (GLAD-STONE), 1891, T., 291.

velocity of light in (Gour), 1886, A., 957.

use of, in prisms (DRAPER), 1885, A., 853.

heat conductivity of (CHREE), 1888, A., 642.

heats of combustion and formation of (THOMSEN), 1884, A., 249; (BERTHELOT and MATIGNON), 1890, A., 1361.

vapour pressures of (RINSAY and Young), 1885, T., 653.

solidification of (v. WROBLEWSKI and Olszewski), 1883, A., 781. by shock decomposition of, (THORPE), 1889, T., 220; P.,

explosion of, with air and oxygen (Pedler), 1890, T., 625; P.,

Carbon disulphide, actions of (CHANCEL and PARMENTIER), 1885, A., 137.

action of baryta-water on (CHANCEL and PARMENTIER), 1885, A., 137.

action of chlorine on (KLASON), 1887, A., 1015.

action of, on metals (CAVAZZI), 1888, A., 106.

action of direct sunlight on a mixture of nitric acid with, contained in sealed tubes (TIFFEREAU), 1885, A., 1110.

reactions with sulphurous anhydride, carbonic anhydride and (EILOART), 1886, A., 16.

resemblance between carbonic anhydride and (TYNDALL), 1883, A., 1049.

solubility of, in water (CHANCEL and PARMENCIER), 1885, A., 137, 630.

flame, experiments on (SMITHELLS and INGLE), 1892, T., 216.

vapour, absorbents for (EILOART), 1886, A., 16.

derivatives of, molecular refractive energy of (NASINI and SCALA), 1887, A., 753. hydrated (VENABLE), 1884, A.,

260.

as a remedy for phylloxera in aqueous solution (PELIGOT),1885, A., 77.

toxic action of (WESTBERG), 1892, A., 1520.

antiseptic properties of (CKIANDI-BEY), 1885, A., 97.

detection of, in toxicological cases (Westberg), 1892, A., 1520.

detection and estimation of small quantities of, in air, gases, thiocarbonates, etc. (GASTINE), 1884, A., 1431.

estimation of, in thiocarbonates (Munrz), 1883, A., 935.

estimation of, volumetric, in thiocarbonates (FALIERES), 1884, A., 1077.

oxysulphide. See Carbonyl sulphide. Carbon detection and estimation: colour test, Eggertz's, influence of

sulphur on (Hogg), 1889, A., 76.

and soda or potash, use of, in analysis (BURGHARDT), 1890, A., 1027.

estimation of hydrogen and, by means of copper oxide asbestos (LIPP-MANN and Fleissner), 1886, A., 580.

Carbon detection and estimation :estimation, simultaneous, of sulphur and (PRUNIER), 1890, A., 290.

estimation of, in cast iron (BRENE-MAN), 1884, A., 219.

estimation of, in graphite (WIDMER), 1890, A., 923.

estimation of, in iron (DE KONINCK), 1888, A., 1341; (THORNER), 1892, A., 913; (v. Juptner), 1892, A., 1030.

estimation of, in iron and steel, by Wiborgh's method (v. JUPTNER), 1889, A., 186.

estimation, volumetric, of, in iron (Wiborgh), 1890, A., 924.

estimation of combined, in iron and steel (Brand), 1887, A., 866.

estimation of free and combined, in iron and steel (Pettersson and

SMITT), 1890, A., 1027. estimation of, in iron, steel, etc. (STEAD), 1883, A., 1032; (TURNER), 1885, A., 1161; (GINTL), 1886, A., 96; (BLOUNT), 1888, A., 530; (Hogg), 1889, A., 308; (BLUM), 1889, A., 1088.

estimation of, in steel (CLEMENCE); 1884, A., 219; (ZABUDSKY), 1884, A., 1427.

estimation of, in organic substances in the wet way (MESSINGER), 1890, A., 1467.

estimation of, in vegetable soils (Schlesing), 1888, A., 1335.

estimation of, in the organic constituents of water (HERZFELD), 1887, A., 184.

funnel for filtering (Drown), 1888, A., 1129.

See also Animal charcoal, Charcoal, Graphite and Diamond.

synthetical Carbon-chains, closed, formation of (Perkin), 1885, T., 801; 1886, P., 238; 1887, T., 1, 240,702,849; P., 12, 55, 92; 1888, T., 1; (COLMAN and PERKIN), 1887, T., 228, P., 12, 96; 1888, T., 185; (FREER and PERKIN), 1887, T., 820; P., 95, 96, 97; 1888, T. 202,215; (KIPPING), 1887, P., 98; 1888, T., 21; (MARSHALL and PERKIN), 1891, T., 858; P., 124; (PERKIN and STENHOUSE), 1891, P., 190; 1892, T., 67; (PER-KIN and SINCLAIR), 1891, P., 191; 1892, T., 36; (SEMMLER), 1891, A., 655.

> synthesis of substances containing (Guthzeit and Dressel), 1890, A., 877.

Carbon-compounds, arrangement in space of the atoms in the molecules of (Wislicenus), 1888, A., 35.

arrangement in space of the atoms in the molecules of, containing nitrogen (Hantzschand Werner), 1890, A., 348.

chemical constitution of, and the sign and variations of their rotatory power (GUYE), 1890, A., 722.

optically active, synthesis of (Mul-

DER), 1883, A., 457.

relation between the molecular structure of, and their absorption spectra (HARTLEY), 1885, T., 685; P., 59; 1886, P., 245; 1887, T., 152. spectra of (Liveing and Dewar),

1883, A., 261; (Wesendonck), 1883, A., 761. ultra-violet band-spectrum of (Des-

LANDRES), 1888, A., 637.

dispersion of (BARBIER and Roux), 1890, A., 1353.

correspondence between the magnetic rotation and the refraction and dispersion of light by unsaturated (CLADSTONE and PERKIN), 1889, Ť., 755.

molecular dispersion of, of high refractive power (NASINI), 1887, A., 626.

molecular refraction of liquid, dependence of, on their chemical constitution (Schroder), 1883, A.,

electrical conductivity of (BARTOLI),

1885, A., 624; 1886, A., 191. decomposition of, by the electric spark (Pizzanello), 1886, A., 10.

decomposition of, by the silent discharge (MAQUENNE), 1884, A., 542. explosions of electrolytic gas and volatile (Pizzarkllo), 1886, A., 762.

heats of combustion of (BERTHELOT and VIEILLE), 1885, A., 326; (Lu-GININ), 1885, A., 327.

heat of evaporation of homologous (Schiff), 1887, A., 9.

heat of formation of volatile, method of estimating (Thomsen), 1883, A., 543.

volatility of oxygenised and polyoxygen (HENRY), 1888, A., 796.

determination of the constitution of, from thermo-chemical data (ARM-STRONG), 1887, A., 420; (PICKER-ING), 1887, A., 423.

law of freezing of aqueous solutions of (RAOULT), 1883, A., 7.

specific heat of liquid (SCHIFF), 1888, A., 14.

Carbon-compounds, colour of (CARNEL-LEY and ALEX INDER), 1888, P., 61. relation

lation between viscosity and chemical constitution of liquid (GARTENMEISTER), 1891, A., 380. rate of oxidation of (DREYFUS), 1888,

A., 24. oxidation of the sulphur in (BERTHE-

LOT, ANDRÉ, and MATIGNON), 1890, A., 1462.

actions with (GORE), 1885, A., 119. of iodine with, at high temperatures (RAYMAN and PREIS),

1884, A., 1311. brominated, obtained in the manufacture of bromine (DYSON), 1883,

T., 36.

Carbonyl affinities of carbon (RÜBEN-CAMP), 1885, A., 136. Carbonyl chlorides, heat of formation of

(Thomsen), 1884, A., 250. tetrachloride, thio., action of, on alcohol (James), 1887, T., 274. of, on reactions of, with aromatic amines (RATHKE), 1886, A., 458.

iodide (Cowardins), 1884, A., 40. bromo- and chloro-platinites (PUL-LINGER), 1891, T., 598; P., 111; (MYLIUS and FOERSTER), 1891, A., 1162.

chloroplatinite, derivatives of (FOERSTER), 1892, A., 352.

hydrochloride (MyLius and Foens-TER), 1891, A., 1162.

iodoplatinite, oxyplatinite, and thioplatinite (MYLIUS and FOERSTER), 1891, A., 116**4**.

sulphide (carbon oxysulphide), preparation of (KLASON), 1887, A., 1015; (GAUTIER), 1889, A., (NURICSÁN), 1892, A., 15. 212;

composition of (Bottinger), 1889, A., 466.

properties of (KLASON), 1887, A., 1015; (GATHER), 1889, A., 212. physical properties of (ILOSVAY), 1883, A., 43.

heats of combustion and formation of (THOMSEN), 1884, A., 249. actions of (BERTHELOT), 1884, A.,

728.Carbonyleliamidobenzoic acid (carb-

umidobenzoic acid) (Zehra), 1891, A.,

Carbonyl-o-amidophenol (v. CHEL-MICKI), 1887, A., 477; 1891, A.,

constitution of (GRESSLY and NENCKI), 1890, A., 1413.

action of chlorine on (JACOBY), 1888, A., 682.

Carbonyl-o-amidophenol, derivatives of (SEIDEL), 1891, A., 53.

changes of, in the animal system (Gressly and Nuncki), 1890, A., 1413.

nitro- (v. Chelmicki), 1891, A., 52. Carbonyldibromamidophenol (JACOBY), 1888, A., 684.

Carbonylcarbazole (BAMBERGER and MULLER), 1887, A., 959.

Carbonyl-di-, -tri- and -tetru-chloramidophenols (JACOBY), 1888, A., 683. Carbonyl-mono-, -di-, -tri- and -tetrachlorophenolchlorimides (Јасову),

1888, A., 683. Carbonyldibenzenylamidoxime (FALCK),

1885, A., 1217.

Carbonyldihydroxydiphenyl, and its derivatives (RICHTER), 1884, A., 324. Carbonyl - β - dinaphthylthiccarbamide and carbonyldi-p-tolylthiocarbamide, thio- (FREUND and WOLF), 1892, A., 984.

 ${f Carbonyldi}$ - p - ${f nitrobenzenylamidoxime}$ (WEISE), 1890, A., 45.

Carbonyldiphenylic oxide. See Xanthone.

Carbonyl-methyl- and -ethyl-amidophenols, thio- (SEIDEL), 1891, A., 53, 54.

Carbonylferrocyanogen (MULLER), 1887, A., 649.

Carbonylhydroferrocyanic acid and its derivatives (MULLER), 1890, A., 116. Carbonyl-o-hydroxyamidophenol

(GRESSLY and NENCKI), 1890, A., 1413.

Carbonyl - β - naphthylphenylthiocarbamide (FREUND and WOLF), 1892, A., 984.

Carbonyl-m-phenylenediamine, thio-(Gircoi), 1888, A., 588.

thiocarbonate, thio- (Gucci), 1885, A., 156; 1886, A., 1024; 1888, A., 588.

Carbonylphenyl-o-phosphoric chloride, o-chloro- (ANSCHUTZ), 1885, A., 1062.

dichlorides, v-, m-, and p-chloro-(Anschutz and Moore), 1887, A., 947.

(CIAMIUTAN Carbonylpyrroline MAGNAGHI), 1885, A., 809.

action of heat on (CIAMICIAN and MAGNAGHI), 1885, A., 1143.

Carbonylsulphamyl, chloro- (SCHONE), 1885, A., 512.

Carbonylthiocarbanilide, thio- (FREUND and Wolf), 1892, A., 983.

Carbonyl - p - tolylphenylthicarbamide (FREUND and WOLF), 1892, A., 984.

Carbonyltriphenylenediamine, dithio-(Gucer), 1885, A., 156.

Carbonyltriphenylguanidine, and its hydrochloride and nitrate (v. STO-JENTIN), 1885, A., 1196.

Carbopyrotritaric acid (dimethyl/urfurandicarborylic acid, carburic acid) (v. BAEYER and PERKIN), 1884, A., 838; (Knorr), 1885, A., 248; (Feist), 1889, A., 593.

constitution of (FITTIG), 1886, A., 225; (Knorn), 1889, A., 384. derivatives of (Knorn and Cavallo),

1889, A., 381.

salts of (KNORR), 1885, A., 248. barium salt of (FEIST), 1889, A., 593.

isoCarbopyrotritaric acid (isodimethy)furfurandicarboxylic wid) (KNORR), 1859, A., 385.

Carbopyrrolic acid. See Pyrroline-acarboxylic acid.

Carbopyrrylglyoxylic acid (pyrroline ketonedicarborylic acid) (Clamician and Silber), 1886, A., 719, 938.

Carbosilicide, a (Colson), 1883, A., 15. Carbosilicon compounds (Colson), 1883, A., 15; (SCHUTZENBERGER), 1892, A., 1050.

Carbostyril (2'-hydroxyquinolinc, oxyquinoline) (ERLENMEYER and ROSENHEK), 1886, A., 244.

preparation of (ROTHEIT), 1884, A., 1183.

constitution of (FRIEDL'INDER and WEINBERG), 1883, A., 204.

of (FRIEDLANDER nitration and LAZARUS), 1885, A., 1138. reduction of (KNORR and KLOTZ),

1887, A., 279. derivatives of (FRIEDLÄNDER and WEINBERG), 1885, A., 989; (FEER

and KOENIGS), 1885, A., 1235. Carbostyril 4'-amido- (FRIEDLANDER and LAZARUS), 1885, A., 1139.

2-, 3-, and 4-bromo- (WELTER), 1891, A., 1248.

4'-bromo- (FRIEDLÄNDER and WEINneng), 1883, A., 351.

3-chloro- (EINHORN and LAUCH),

1888, A., 501. 3'-chloro- (FRIEDLÄNDER and WEIN-

BERG), 1883, A., 351. 4'-halogen derivatives of (v. BARYER

and Bloem), 1883, A., 196. 1-nitro- (v. Millen and Kinkelin), 1889, A., 990.

2'-, 3'-, and 4'- nitro- (FRIEDLANDER and LAZARUS), 1885, A., 1139.

isoCarbostyril (BAMBERGER and KIT-SCHELT), 1892, A., 882.

isoCarbostyril derivatives (FRIED-LANDER and WEINBERG), 1885, A., 989; (Friedländer and Müller), 1887, A., 977.

Carbostyrilcarboxylic acid (FRIED-LINDER and Conring), 1884, A., 1020.

isoCarbostyrilcarboxylic acid (BAM-BERGER and KITSCHELT), 1892, A., 882; (ZINCKE), 1892, A., 970.

Carbostyrilsulphonic acid (LA Coste and VALEUR), 1886, A., 629; 1887, A., 379.

Carbothiamidocyanobenzoyl (GRIESS), 1885, A., 1226.

Carbotrithiohexabromide, and formation of a new colouring matter by the action of heat on (Hell and Urech), 1883, A., 907.

Carbo-p-toluidobenz-anti- and -syn-aldoximes (Goldschmidt and Zanoli),

1892, A., 1435.

Carbo-p-toluidofurfursynaldoxime (Goldschmidt and Zanoli), 1892, Л., 1434.

Carbo-o-toluidothiophensymaldoxime (Goldschmidt and Zanoli), 1892, A., 1436.

Carbo-o-tolylene-diphenyltetramine and -di-p-tolyltetramine (DAHM and Gasiorowski), 1887, A., 247.

Carbotolylphenylimide (HUHN), 1886, A., 1035.

Carbovaleraldine, oxidation of (GUAR-ESCHI), 1884, A., 294.

Carbovalerolactonic acid (IIJELT), 1883, A., 456.

Carboxyamidocarbimidamidobenzoic acid and carboxyamidocyanamidobenzoyl (GRIESS), 1885, A., 1225.

o-Carboxyanilidoacetic acid (phenylglycin-o-carboxylic acid (Mauthner and Surpa), 1889, A., 143.

p-Carboxyanilidoacetic acid (MAUTH-NER and SUIDA), 1891, A., 39.

Carboxybenzylmethylglutaric (Bischoff and v. Kuhlberg), 1890, A., 1135.

m-Carboxybenzylphthalamic acid (REINGLASS), 1891, A., 1345.

p-Carboxybenzylphthalamic acid (Gunтики), 1890, А., 977.

Carboxycaprolactonic acid. See Hydroxypropylsuccinic acid, lactone of.

β-Carboxycinchomeric acid. See Pyridine-3:4:5-tricarboxylic acid.

a-Carboxyisocinchomeronic acid. Pyridine-2:3:6-tricarboxylic acid.

o-Carboxycinnamic acid, oxidation of B-naphthol to (EHRLICH and BENE-DIKT), 1888, A., 1306.

o-Carboxycinnamic acid, oxidation of | (EHRLICH), 1890, A., 54.

p-Carboxycinnamic acid, and its derivatives (Low), 1885, A., 799.

o-Carboxycinnamyldithiocarbamic acid (ROTHSCHILD), 1890, A., 1123; 1891, A., 199.

Carboxy-2:5-dimethyl-3:4-pyrrolylacetic acid (KNORR), 1886, Å., 332. Carboxydinicotinic acid. See Pyridine-

2:3:5-tricarboxylic acid.

Carboxyethyl-o-amidobenzamide(ethylic carbamylphenyl carbamate) (ABI), 1889, A., 610.

Carboxygalactonic (Kiliani), acid 1889, A., 589.

(propunetri-Carboxyglutaric acid curboxylic acid) (EMERY), 1891, A., 547.

Carboxy-antiand-syn-glyoximes (SODERBAUM), 1892, A., 816.

Carboxyhæmoglobin. See Hæmoglobin, carbonic-oxide-.

Carboxyl, introduction of, into aromatic compounds (LELLMANN and Bon-HOFFER), 1887, A., 254, 935.

in the aromatic series, influence of certain groups on the thermochemical value of (ALEXELFF and WERNER), 1890, A., 439.

Carboxylic acids, conversion of phenols into (MERZ), 1883, A., 802.

from aromatic amines (Gasiorowski and Merz), 1884, A., 734.

from synthetically prepared pyridine bases (Michael), 1885, A., 60.

a-Carboxy-\$-naphthylphosphoric acid (RABE), 1889, A., 514.

a-Carboxynaphthylorthophosphoric acid (Wolffenstein), 1888, A., 714.

a-Carboxynaphthylorthophosphoric pentachloride, chloro-(WOLFFEY-STEIN), 1887, A., 963.

o-Carboxyphenylacetic acid (phenylacetic-o-curboxylic ucid, homophthalic ucid, isouvitic acid) (WISLICENUS), 1885, A., 532; 1886, A., 880; (SCHREDER), 1885, A., 798; (LE BLANC), 1889, A., 256.

constitution of (SCHREDER), 1885. A., 798.

salts of (Wislicenus), 1885, A., 532.

amic acid of (homo-o-phthalaminic ucid) (GABRIEL), 1887, A., 726.

imide of (homo-o-phthalimide) (GAB-RIEL), 1886, A., 812; 1887, A., 50, 725, 1112; (PULVERMACHER), 1887, A., 1111.

anhydride of (Wislicenus), 1885, A., 532.

o-Carboxyphenylacetic acid (phenylacetic-o-carboxylic acid, homophthalic acid, isouvitic acid), benzylimide of (Pulvermacher), 1887, A., 1111.

imide and methylimide of (GABRIEL), 1887, A., 50.

p-Carboxyphenylacetic acid (homotere-. phthulic ucid), and its derivatives (MELLINGHOFF), 1890, A., 240; (FILETI and BASSO), 1891, A., 1057.

amide and amic acid of (MELLINGnoff), 1890, A., 240.

o-Carboxyphenylacetonitrile phthalonitrile) (GLOCK), 1888, A., 1291.

o-Carboxyphenylacetopropylimide (LE BLANC), 1889, A., 256.

o-Carboxyphenylbenzylacetamide benzylkomophthalamide) (EICHEL-BAUM), 1888, A., 1300.

o-Carboxyphenylbenzylacetic acid, and its imide (EICHELBAUM), 1888, A., 1301.

o-Carboxyphenylbenzylacetonitrile (EICHELBAUM), 1888, A., 1300.

o-Carboxyphenylglyceric acid, δ-lactone of (BAMBERGER and KITSCHELT), 1892, A., 857.

o-Carboxyphenylglyoxylic acid (Scherks), 1885, A., 533.

Carboxyphenyloxamic acid (oxalamidobenzoic acid), and its derivatives (GRIESS), 1885, A., 1225; (SCHIFF), 1886, A., 549. amido- (GRIESS), 1885, A., 1225;

1888, A., 827

Carboxyphenylorthophosphoric acid, diand tri-chlorides of (ANSCHUTZ), 1885, A., 1062.

Carboxyphenylorthophosphoric acid, trichlorides, m- and p- (Ansulurz and Moore), 1887, A., 947.

Carboxyphenylorthophosphoric acids, m- and p- (ANSCHUTZ and MOORE), 1887, A., 947.

Carboxyphenylpicolinecarboxylic acid (SEITZ), 1889, A., 526.

o-Carboxyphenylpropionic acid, phenylhydrazine derivative of (Rosen), 1885, A., 797.

p-Carboxy-β-phenylpropionic acid and its derivatives (WIDMAN), 1889, A., 1181.

Carboxyphenylsebacic acid (PELLIZ-ZARI), 1885, A., 534.

Carboxyphenyl-succinamide, anilide, and -succinic acid (Pelliz-ZARI), 1885, A., 533.

Carboxyphenyltartridic acid (Schiff), 1886, A., 622.

α-Carboxypimelic acid (Schleicher), 1892, A., 428.

Carboxytartronic acid. See Dihydroxytartaric acid.

Carboxytriphenylenediamine, (Greei), 1886, A., 1024.

Carbuvic acid. See Carbopyrotritaric acid.

Cardamom oil. See Oil.

Carica Popaya, alkaloid from (GRES-

HOFF), 1891, A., 334. latex of (HANSEN), 1886, A., 1060. Carlsbad salts (HARNACK), 1883, A., 396. Carmine (LIEBERMANN), 1885, A., 1076. adulterations of (DECHAN), 1886, A., 399.

α- and β-bromo- (WILL and LEY-

MANN), 1886, A., 252, 253. Carmine red (WILL and LEYMANN), 1886, A., 252.

Carminic acid as a reagent for alkalis

(DRAPER), 1885, A., 931. nstitution of the hydrocarbon constitution of obtained from (Bischoff), 1890, Δ., 1145.

Carnallite, a cheap substitute for kainite (Troschke), 1884, A., 868.

extraction of rubidium and caesium compounds from (FEIT and KU-BIERSCHKY), 1892, A., 1395.

Carnauba wax, chemical composition of (STURCKE), 1884, A., 1280.

Carnine (KRUKENBERG and WAGNER), 1885, A., 674, 920.

Carpaine, the alkaloid of Carica Papaya (Greshoff), 1891, A., 334.

Carragheen moss, galactose from (IIAE-DICKE, BAUER and TOLLENS), 1887, A., 791.

Carrot colour in butter (Moone), 1887, A., 310.

Carrotene ("carottin") (SCHMITT), 1884, A., 910; (ARNAUD), 1886, A., 711; (REINITZER),1887, A., 265; (IMMENDORFF; BLANCHARD), 1890, A., 641. in Diaptomus (Blanchard), 1890, A., 640.

in leaves (ARNAUD), 1887, A., 859;

1890, A., 285. Carrots, cholesterol in (Annaud), 1886, A., 830.

cooked, composition of (WILLIAMS), 1892, T., 227.

See also Agricultural chemistry.

Cartilage, chemical composition (KRUKENBERG), 1885, A., 405; (MÖRNER), 1889, A., 736.

hyaline, microchemical observations on (Mörner), 1888, A., 860.

of certain invertebrates, composition of (Halliburton), 1885, A., 1251. Carvaerol (cymenol) (BEYER), 1884, A., 331; (Brühl), 1888, A., 495.

preparation of (REYCHLER), 1892, A., 1311.

behaviour of, towards reducing agents (BAMBERGER, BERLÉ and STRAS-SER), 1892, A., 157.

oxidation of (HEYMANN and KOENIGS), 1887, A., 241.

derivatives (Poleck and Lustic), 1885, A., 659; (Lustic), 1886, A., 346; (Mazzara and Planснев), 1892, А., 309; (Кеусн-LER), 1892, A., 1312. constitution of (MAZZARA), 1891,

A., 47, 188.

Carvacrol, diamido- (MAZZARA), 1891, A., 47.

bromo-derivatives of (MAZZARA and PLANCHER), 1892, A., 156.

bromamido- (MAZZARA), 1890, A., 884; 1892, A., 595.

bromonitroso-, constitution of (MAZZARA), 1890, A., 884. dinitro- (MAZZARA), 1891, A., 47.

nitramido-, benzoate (Mazzara), 1891, A., 47.

Carvacrolbisdiazotriphenylmethane (MAZZARA), 1886, A., 59.

Carvacrol-p-sulphonic acid (CLAUS and FAHRION), 1889, A., 880.

p-Carvacrotic acid (Lustig), 1886, A.,

p-Carvacrotic aldehyde (Nordmann), 1885, A., 162; (Lustie), 1886, A.,

Carvacryl mono- and di-potassium phosphates (HEYMANN and KOENIGS), 1887, A., 241.

Carvacrylamine (LLOYD), 1887, A., 721.

Carvene, carveol, and carvol. See Ternenes.

Carvoxime (nilrosolicsperidene) (GOLDschmidt), 1884, A., 1138; (Gold-SCHMIDT and ZURRER), 1885, A., 1210.

rotatory power of (WALLACH and CONRADY), 1889, A., 1072.

derivatives (Goldschmidt and Zürren), 1885, A., 1058.

hydrochloride, action of alcohol and bromine on (GOLDSCHMIDT and ZÜRRER), 1885, A., 1210.

Carvoxime (Goldschmidt Kisser), 1887, A., 923. and isoCarvoxime

Cuscara sagrada, constituents of the roots of (SCHWABE), 1889, A., 69.

Cascarin (LEPRINCE), 1892, A., 1483. Casein (CHITTENDES and PAINTER), 1888, A., 76.

Casein in milk (DUCLAUX), 1884, A., 762; (EUGLING), 1885, A., 1082; (ROUX), 1891, A., 1404.

preparation of soluble (Bichamp), 1891, A., 339.

absorption spectrum of (HARILEY). 1887, T., 59.

heat of combustion of (BERTHELOT and ANDRÉ), 1890, A., 938.

action of calcium salts on (RINGER), 1891, A., 340.

action of pancreatic and rennet extracts on (EDKINS), 1891, A., 1272.

decomposition products of (DRECH-SEL), 1889, A., 1021.

relation of the salts of milk to the hehaviour of (SOLDNER), 1889, A., 634.

digestibility of, from heated milk (HOFFMANN), 1883, A., 487, 815. the sulphur of (HAMMARSTEN), 1885,

A., 914. estimation of (AURIOL and MONNIER),

1890, A., 312. estimation of, in condensed milk (FABER), 1890, A., 92.

estimation of, in cows' milk (FRENZIL and WEYL), 1885, A., 936; (ROUX), 1891, A., 1404.

separation of, from albumin in human milk (Hoppe-Sevlen), 1885, A., 845, 1015.

Casein, nitro-, use of, in dyeing (Doll-FUS), 1884, A., 1449.

Casein-dyspeptone (CHITTENDEN), 1889, A., 530.

Casein-glue, a substitute for gum arable (KAYSER), 1885, A., 1024.

Caseinogen (HALLIBURTON), 1891, A., 339: (RINGER), 1891, A., 951.

preparation of (RINGER), 1891, A., 341.

Casein-peptone (MERCR and THERFEL-DER, 1886, A., 1051; (CHITTENDEN), 1889, A., 530.

Caseo-glutin (WEIDMANN), 1883, A., 693.

Caseoses (Chittenden and Painter), 1888, A., 76; (Chittenden), 1889, A., 530.

Casks, enamelling (Sponnagel), 1885, A., 316.

Cassia oil. Sec Oil.

Gassiterite (tin stone) from Bolivia (ARZ-RUNI), 1886, A., 514.

from Cornwall (Collins), 1886, A., 988.

from Dakota (Blake), 1884, A., 23. in the Greifenstein granite (v. Mik-LUOHO-MACLAY), 1885, A., 1185. Cassiterite (tin stone) from King Co., N. Carolina, analysis of (BRUCE), 1885, A., 126.

from Irish Creek, Rockbridge Co., Virginia (Brown), 1885, A., 488.

See also Tin (Stunnic oxide). Cast iron. See Iron.

Cast steel. See Steel.

Castanite from Chili (DARAPSKY), 1891, 405.

Castor oil. See Oil.

bean, poisonous principle of (STILL-MARK), 1890, A., 535.

Catalpa biynonioides, bitter principle of (CLASSEN), 1888, A., 1309.

Catalpic acid (SARDO), 1885, A., 272. Catalpin (CLAASSEN), 1888, A., 1309. Catalpin minor, crystalline constituents of the seeds of (TAHARA), 1891, A., 238.

Catalysis (Loew), 1887, A., 440.

Catalytic action, a particular case of (LORIN), 1885, A., 481.

of glass (Alexleff), 1886, A., 591. of metals on oxyhydrogen gas (Berliner), 1889, A., 206.

Catechol. See Pyrocatechol.

Cathartic acid (ŠTOCKMAN), 1885, A., 991.

Cathodes, unequal electric conduction resistance at (Gorn), 1885, A., 324.

Cattle. See Agricultural Chemistry.
Cattle marrow (ΤΗυΜΜΕΙ), 1890, Δ.,
1172.

Cauliflower, cooked, composition of (WILLIAMS), 1892, T., 227.

Caustic alkalis. See Alkalis, caustic. Caustic potash. See Potassium hydroxide.

Caustic soda. See Sodium hydroxide. Cayenne pepper, chemical composition and testing of (Strommer), 1885, A., 452.

Cedar oil. See Oil.

Cedrene, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

Cedrenes, refraction and dispersion equivalents of (GLADSTONE), 1886, T., 618.

Celery, cooked, composition of (WILL-LIAMS), 1892, T., 227.

Celestite (celestine) occurrence, association and probable mode of formation of (Dieulafait), 1881, A., 25. from the Kaiserstuhl (Beukinkamp),

1888, A., 659. from Mineral Co., West Virginia

(WILLIAMS), 1890, A., 1071. from Nautilus arotus (Staiil), 1887, A., 781. Celestite (cclestine) from Scharfenberg (ZINKEISEN), 1892, A., 1406. from Torda (KOCH), 1890, A., 713.

from Torua (Koch), 1890, A., 715. from Transylvania, analysis of (Koch),

1885, A., 735. pink (CHESTER), 1887, A., 782.

artificial production of (Gorgeu),

1883, A., 1062. preparation of, by Senarmont's process (Bourgeois), 1888, A., 116.

containing free sulphur (Johnston-Lavis), 1891, A., 272.

action of caustic alkalis on (KONTHER),

1886, A., 108.

preparation of strontium hydroxide and sulphide from (MOODY), 1885, A., 458.

See also Strontium Sulphate.

Celestite-bed of Koppand, mean composition of (NYIREDI), 1890, A., 713. Cell, galvanic and voltaic. See Electro-

chemistry.

Cell, plant. See Agricultural Chemistry. Cell-albumin (HALLIBURTON), 1888, A., 974.

Celluloid, manufacture of (ANON.), 1885, A., 1096.

Celluloids, analysis of (ZAUNSCHIRM), 1891, A., 866.

Cellulose. See Carbohydrates.

Cellulose-gum (Hoffmeister), 1892, A., 129.

Celtis reticulosa, scatole (3'-methylindole) in the wood of (Dunstan), 1890, A., 191.

Cement and its application (ANON.), 1883, A., 181.

a natural (Korschelt), 1883, A., 131. natural, from Cairo (Sickenberger), 1891, A., 26.

preparation and testing of (Roth; Неимтен), 1883, А., 753.

constitution of hydraulic (LE CHATE-LIER), 1888, A., 1030.

decomposition of, by water (LE CHATELIER), 1884, A., 1443.

hardening of (LE CHATELIER), 1883, A., 831.

setting of (Michel; Levoir), 1886, A., 851.

influence of calcination and of carbonic anhydride on the setting of hydraulic (LANDRIN), 1884, A., 988.

process for rendering lime and, less subject to atmospheric influences (Puscher), 1883, A., 398, 530.

adulteration of (ANON.), 1884, A., 128, 1225.

analyses of English (ANON.), 1883, A., 530. Cement, estimation of alumina in (PRUNIER), 1885, A., 441.

Cephaelis Ipecacuanhu, volatile base from the root of (ARNDT), 1889, A., 918.

Cephalanthin (CLAASSEN), 1890, A., 171.

Ceramics, ancient, analyses of (Jensch), 1887, A., 218.

Cerberin from Cerbera Odollam (GILES-HOFF), 1891, A., 337.

Cerealin (GIRARD), 1885, A., 678.

Cerealose (O'SULLIVAN), 1886, T., 73. Cereals. See Agricultural chemistry.

Cerebral hyperthermia, increased output of nitrogen in (RICHTER), 1891, A., 600.

Cerebrose, identity of, with galactose (Brown and Morris), 1889, P., 167; 1890, T., 57; (Thierfelder), 1890, A., 121.

Cerebrospinal fluid (HALLIBURTON), 1889, A., 793.

proteids of (Halliburton), 1887, A., 614.

Ceresin from Galicia (GRABOWSKI), 1885, A., 487.

detection of, in beeswax (HAGER), 1890, A., 421.

Ceriferous Hainstadt clays (STROHECK-ER), 1887, A., 119; 1888, A., 28.

Cerite, extraction of cerium, lanthanum and didymium from (Arche), 1884, A., 557; (AUER VON WELSBACH), 1885, A., 350.

Cerium, atomic weight of (Brauner), 1885, T., 880; (Robinson), 1885, A., 217.

chloride, anhydrous (DIDIER), 1886, A., 123.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

oxychloride (Dider), 1886, A., 123. hydride (Winkler), 1891, A., 802. molybdate (Dider), 1886, A., 595;

(ČOSSA), 1886, A., 772, 981. oxides (STROHECKER), 1886, A., 424.

action of hydrogen peroxide on (Lecoo de Boisbaudran), 1885, A., 635.

dioxide, preparation of (Debray), 1883, A., 713.

action of magnesium on (Winkler), 1891, A., 802.

hydrated, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 70, 84.

sesquioxide (cerous oxide), reaction for (Plugge), 1892, A., 239.

Cerium phosphate from South Norway (BLOMSTRAND), 1890, A., 111. metuphosphate (Johnson), 1889, A.,

756.

phosphates (OUVRARD), 1988, A., 1037.

silicate (DIDIER), 1886, A., 123.

Sulphate solutions, specific gravity of (Bratner), 1888, T., 357; P., 25. hydrogen sulphate (Wyruboff),

hydrogen sulphate 1890, A., 452.

sulphides (DIDIER), 1885, A., 955. tungstates (DIDIER), 1886, A., 595; (COSSA), 1886, A., 981.

chlorotungstates (DIDIER), 1886, A.,

Cerium-group (DEMARÇAY), 1887, A., 551; (BETTENDORFF), 1890, A., 851; 1891, A., 984; 1892, A., 1400. spectroscopic researches on the

(SCHOTTLANDER), 1892, A., 686. chemistry of the (Brauner), 1893,

T., 278; 1885, T., 879.

phosphates of the (OUVRARD), 1888, A., 1037.

separation of the metals of the (SCHOTTLANDER), 1892, A., 686.

Cerotic acid (ZATZEK), 1883, A., 39. from flax fibre (Choss and Bevan), 1889, P., 155.

preparation of (MARIE), 1891, A.,

formula of (NAFZGER), 1884, A., 1297. oxidation of, by nitric acid (MARIE), 1890, A., 1237.

bromo- (MARIE), 1892, A., 1302.

Cerous oxide. See Cerium sesquioxide. Cerussite, crystallised (Brown), 1887, A., 342.

crystals, accidental formation of, on Roman coins (LACROIX), 1885, A., 224.

from Maulmain, in Burmah (MALLET), 1885, A., 1185.

See also Lead carbonate.

Ceryl alcohol from thax (Cross and Bevan), 1889, P., 155; 1890, T., 198.

Cetane. See Hexadecane. Cetene. See Hexadecyler

Cetene. See Hexadecylene.
Cetraric acid (HILGER and BUCHNER),
1890, A., 600.

Cetyl-. See Hexadecyl-.

Cetylacetic acid. See Stearic acid.

Chabazite (Sadler), 1883, A., 441; (Cross and Hillebrand), 1883, A., 957.

from Colorado (CROSS and HILLE-BRAND), 1883, A., 164.

from the Farce Islands (WIDMAN), 1892, A., 1408.

Chabazite-group (RAMMELSBERG), 1886, A., 318.

Chains, closed, the hydrogenation of (STOHMANN and KLEBER), 1891, A., 376, 1146; 1892. A., 1010.

Chairamidine and chairamine, and their salts (HESSE) 1885, A., 64, 67.

Chalcedony, expansion of (LE CHATE-LIER), 1890, A., 1372.

Chalchuite, new locality of (BLAKE), 1884, A., 26.

Chalcomenite, a new mineral species (DES CLOISEAUX and DAMOUR), 1883, A., 31.

Chalk, phosphatic, enrichment of (NAN-TIER), 1889, A., 837.

Chalk mud, use of, in the production of crude soda (SCHEURER-KESTNER), 1884, A., 644.

Chamomile, Roman, anthemene, a hydrocarbon from (NAUDIN), 1885, A., 37

Champignon du muguet, alcoholic fermentation and conversion of alcohol into aldehyde by (Linossier and Roux), 1890, A., 1179; 1891, A., 854.

"Char." See Animal Charcoal.

Charcoal. oxidising and decolorising properties of (CAZENEUVE), 1890, A., 690.

behaviour of, towards gases (Вонм), 1884, A., 1250.

influence of, on the amount of phosphorus in pig-iron (ANON.), 1883, A., 403.

animal. Sec Animal charcoal.

firwood, composition of (RINMAN), 1883, A., 533.

See also Carbon.

Chaulmoogra seeds (Gynucardia odoruta)
(HECKEL and SUHLAGDENHAUFFEN),
1885, A., 927.

Chavicol, properties and derivatives of (Eijkman), 1890, A., 135.
Chebulinic acid (Friddlin), 1885, A.,

396.

Cheese. See Agricultural chemistry.

Cheken bitter and cheken leaves (Weinen), 1888, A., 1100.
Chekenetin, chekenone, and cheketin

Chekenetin, chekenone, and cheketin acid (WEISS), 1888, A., 1100.

Chelerythrine (sunguinarine) (v. Kügelgen), 1885, A., 608; (Henschke), 1887, A., 854; (Konig), 1891, A., 844.

Chelamide (hydrovypyridine) (LERCH), 1885, A., 46.

Cheleutite, from Schneeberg (McCAY), 1884, A., 1099.

Chelidamic acid. See Ammonchelidonic acid.

Chelidonic acid (jerric acid) (LIEBEN and HAITINGER), 1883, A., 870; 1885, A., 47, 965; (LERCH), 1885, A., 45; (SCHMIDT), 1886, A., 868. synthesis of (CLAISEN), 1891, A.,

synthesis of (CLAISEN), 1891, A., 425; (PERATONER and SIRAZZERI), 1891, A., 1334.

action of hydroxylamine on (Meyen), 1884, A., 993.

derivatives (LIEBEN and HAITINGER), 1883, A., 870; 1885, A., 47, 965; (LERCH), 1885, A., 45.

nitrogenous derivatives of (LIEBEN and HAITINGER), 1884, A., 1196; 1885, A., 811.

Chelidonine (HENSCHKE), 1887, A., 854; 1889, A., 62.

detection of (v. Kügelgin), 1885, A., 608; (Brociner), 1890, A., 310.

Chelidoninic acid (SCHMIDT), 1886, A., 869.

See also Succinic acid.

Chelidonium majus, alkaloids of (Selle), 1891, A., 229.

Chelihydronic acid (xanthochelidonic acid) and its salts (Lerch), 1885, A., 45; (Haitinger and Lieben), 1885, A., 47.

Chemical action, affinity, attraction and combination. See Affinity, chemical.

Chemical characters, relations between boiling points, molecular volumes of liquids and (MASSON), 1891, A., 379. Chemical combination. See Affinity,

chemical.

Chemical compounds. See Compounds,

chemical.

Chemical constitution, relation between colour and (Armstrong), 1892, T., 789; P., 101, 103, 143, 189, 194.

relation between refractive power and (NASINI and BERNHEIMER), 1885, A., 1097.

relation between specific rotatory power of organic compounds and (SOROKIN), 1888, A., 768.

of liquids, relation between critical data and (Heilborn), 1891, A., 380. relation between melting and boiling points and (Mills), 1885, A., 329.

of organic substances, relation between heat of combustion and (DIEFFEN-BACH), 1890, A., 1206.

of liquid carbon compounds, relation between viscosity and (GARTEN-MEISTER), 1891, A., 380.

relation between physiological action and (BRUNTUN and CASH), 1884, A., 348; 1887, A., 985; 1891, A., 1279. Chemical corrosion, relation of, to voltaic current (Gone), 1885, A., 324.

Chemical decomposition, dynamics, energy, equilibrium and forces. See Affinity, chemical.

Chemical laboratories, use of steam in (WALTER), 1885, A., 482.

Chemical metamorphosis and transformation of forces, relation between, during the germination of seeds (RODEWALD), 1884, A., 1207.

Chemical nomenclature (v. BAEYER), 1884, A., 998.

Chemical phenomena. See Affinity, chemical.

Chemistry, the foundations of (HUNT), 1889, A., 10.

integral weights in (Hunt), 1887, A., 1077.

and physics, energy content in (WALD), 1891, A., 1414. relations between (Colson), 1886,

A., 961. and thermo-dynamics(Lie Chatelier), 1887, A., 431.

Chenevixite from Utah (HILLEDRAND), 1886, A., 517.

Chenopodium Quinon; cultivation of, in Austria (v. Rodiczsky), 1884, A., 769.

Cherries. See Agricultural chemistry. Cherry laurel, mannitol and sorbitol in the fruit of (VINCENT and DELACH-ANAL), 1892, A., 908.

Chestnut-wood tannin (TRIMBLE), 1892, A., 716.

Chestnuts, common, fatty constituents of (MALERBA), 1884, A., 202.

Cheviot rock, analysis of (Teall), 1884, A., 413.

Chiastolite (Muller), 1888, A., 566; (Rohrbach), 1889, A., 25.

Chica beer (MARCANO), 1883, A., 365; (GRIESSMAYER), 1883, A., 535.

Chicken cholera, infection of eggs by (BARTHILEMY), 1881, A., 1898. value of disinfectants in (COIIN), 1885, A., 180.

Chicory, roasted, composition of (Peter-MANN), 1884, A., 648.

Chicory root, analysis of (MAYER), 1886, A., 388.

Children dying from atrophy, decrease in weight of individual organs in (Ohlmuller), 1883, A., 606.

metabolism in (CAMERER), 1885, A.,

rachitic and normal, constituents of bones and other organs of (Bru-BAKER), 1891, A., 847. Chili saltpetre. See Sodium Nitrate. Chino bicolor (HESSE), 1887, A., 76. China elay. See Kaolin.

China, "crackle" (LAUTH and DUTAIL-LY), 1889, A., 18.

China grass, preparation and dyeing of (NON.), 1884, A., 797.

Chinenine (Comstock and Kornigs), 1884, A., 1883; 1885, A., 910.

Chinese fixed oils (DAVIES), 1885, A., 1022.

Chinese-green (*lokao*) (KAYSER), 1886, A., 254.

Chinethonic acid (LEHMANN), 1889, A., 286.

Chinine. See Quinenine under Alkaloids.

Chiolite (GROTH), 1884, A., 265. chemical composition of (BRANDL), 1883, A., 29.

Chitin (Halliburton), 1885, A., 991. not exclusively epiblastic (Halliburton), 1885, A., 1251.

occurrence of, in the Cephalopoda (KRUKENBERG), 1885, A., 826. heat of combustion of (BERTHELOT

and Andrew, 1890, A., 938. solubility of (Krukenberg), 1886,

A., 808.
Chloanthite from Schneeberg (McCay),

1884, A., 1099.

Chloracetal (Autenbieth), 1891, A., 540.

triChloracetal dimethyl ether (MAG-NANIMI), 1887, A., 28.

Chloracetaldehyde, action of alcohol on (NATTERER), 1885, A., 366.

Chloroparacetaldehyde (NATTERER), 1885, A., 1196.

triChloracetaldehyde. See Chloral and Chloral hydrate.

triChloracetaldoxime. See Chloral, oxime of.
Chloracetamide, action of bromine on

(v. Hofmann), 1886, A., 45. diChloracetamide (Zincke and Kegel),

1890, A., 490. Chloracetamidophenol (Aschan), 1887,

A., 814. 2:3:4:5-tetrerChloracetanilide (Tust),

1889, A., 836.
Chloracetanilidoacetic acid (ABENIUS),

1888, A., 854; 1890, A., 268.
Chloracetates, physical properties of

(Henry), 1885, A., 1121.
Chloracetic acid. See Acetic acid.
triChloracetodi-ethylamide and-methyl-

amide (FRANCHIMONT and KLOBBIE), 1888, A., 1062. m-Chloracetomethylanilide (STAEDEL),

n-Chloracetomethylanilide (STAEDEL), 1886, A., 940.

α-Chloraceto-β-naphthalide (CLEVE), 1887, A., 961. tetruchloride (CLAUS and PHILIPSON), 1891. A., 462.

1891, A., 462. Chloracetone. See Acetone.

tetraChloracetoneammonia (Levy and Curchod), 1889, A., 1136.

Chloracetonediethylmercaptole (AUTEN-RIETH), 1891, A., 568.

Chloracetonitriles. See Acetonitriles. p-Chloracetophenone (GAUTIER), 1885, A., 1061.

ω-diChloracetophenone(GAUTIER),1887,Λ., 141, 922.

ω-triChloracetophenone (GAUTIER), 1887, A., 141.

ω-Chloracetophenonecarboxylic acid and its anilide (ZINCKE and COOKSEY), 1890, A., 786.

Chlor-6-acetophenylhydrazide (GAT-TERMANN and HOLZLE), 1892, A., 844.

Chloracetothienone (GATTERMANN and ROMER), 1886, A., 538.

Chloracetotoluidide. See Acetotoluidide. p-Chloraceto-m-xylidide (CLAUS), 1892, A., 1202.

3:5-diChlor-2-acetoxypyridone (ZINCKE and Fucus), 1892, A., 449.

Chloracetylacetones, mono- and di-(COMBES), 1890, A., 1354.

octoChloracetylacetone (ZINCKE and KEGEL), 1890, A., 489.

Chloracetylacrylic acid. See Acetylacrylic acid.

octoChloracetylbutyric acid (ZINCKE and RABINOWITSCH), 1891, A., 691. pentuChloracetylcrotonic acid (ZINCKE

and RABINOWITSOH), 1891, A., 690. Chloracetylerotonic acids, here and hepta- (ZINCKE and FUCHS), 1892, A., 1462.

triChloracetylpiperidine (BALLY), 1888, A., 965.

Chloraceto-o-tolylamidoacetic acid (ABENIUS and WIDMAN), 1888, A., 824.

Chloraceto-p-tolylamidoacetic toluidide (BISCHOFF and HAUSDORFER), 1892, A., 1336.

o-triChloracrylbenzoic acid (ZINCKE and Cooksey), 1890, A., 785.

triChloracrylic acid (MABERY), 1887, A., 570.

dichloradipic acid (OTTO and BECK-URTN), 1885, A., 753; (RUHEMANN), 1890, T., 939.

Chloral, preparation of (PAGE), 1884, A., 1117.

density and magnetic rotation of (Perkin), 1887, T., 808; P., 82.

chloral, condensation of, with paracetaldehyde and ketones (KOENIGS), 1892, A., 694.

1892, A., 694. action of chlorine on anhydrous (GAUTIER), 1886, A., 221.

action of as-dialkyleurhamides on (VAN DER ZANDE), 1889, A., 963. condensation of, with ethylic aceto-

condensation of, with ethylic acetoacetate (MATTHEWS), 1883, T., 202. action of, on glucose (Hefften), 1889, A., 845.

action of hydroxylamine or (HANTZSCH), 1892, A., 699.

condensation of, with succinic acid (FITTIG and MILLER), 1890, A., 586. action of sulphides on (PRUNIER), 1890, A., 291.

action of zine dust on (Chodoúnský),

1888, A., 669.

combination of, with glycol (DE Forc-RAND), 1889, A., 689.

fate of, in the organism (KAST), 1887, A., 613.

detection of (REBUFFAT), 1888, A., 127.

detection of, in liquids (SCHWARZ), 1889, A., 85.

detection of, in milk, food, etc. (CASALI), 1885, A., 695.

Chloralacetone (KOENIGS), 1892, A., 694. Chloralacetophenone (KOENIGS), 1892, A., 695.

Chloralaldol (Koenigs), 1892, A., 695. Chloraldoxime (Meyer), 1891, A., 1181; (Schiff and Tarugi), 1892, A., 33.

Chloral allylate, action of acid chlorides on (OLIVERI), 1884, A., 1117.

borneolates and isoborneolates (HALLER), 1891, A., 575.

bornylate (Schmitt), 1892, A., 228. ethylalcoholate, vapour densities of (RAMSAY and YOUNG), 1886, T.,

685; P., 225. hydrate (UERVELLO), 1884, A., 199; (TROOST; FRIEDEL), 1885, A., 746; (PERKIN), 1887, T., 813.

density and magnetic rotation of (Perkin), 1887, T., 808; P., 82. condensation of, with secondary

aromatic amines (Boessneck), 1888, A., 587. condensation of with tertiary

condensation of, with tertiary aromatic annines (Boessneck), 1885, A., 976; (Knöfler and Boessneck), 1888, A., 267. action of hydroxylamine on

(Nägeli), 1883, A., 728.

action of, on mercuric salts (Corron), 1888, A., 670.

action of metals on (Corron), 1885, A., 371.

Chloral hydrate, action of oxidising agents on (Cotton), 1885, A., 1048.

action of potassium chlorate on (Seubert), 1886, A., 331.

combination of, with hydrogen phosphide (DE GIRARD), 1886, A., 684.

red dye from (Lencu), 1887, A., 793.

as an antidote for strychnine and picrotoxin (Kocu), 1887, A., 391. effect of, on hepatic glycogen

(NEBELTHAU), 1891, A., 1527. detection of (VITALI and TORNANI), 1885, A., 933; (DRAGENDORFF and TIESENHAUSEN), 1887, A., 866.

menthylate (SCHMITT), 1892, A., 228. oxime of (trichloracetaldoxime) (MEYER), 1891, A., 1181; (SCHIFF and Tarugi), 1892, A., 33.

thiobenzamide (Spica), 1886, A., 1026. Chloralammonia, action of heat on (Brhar and Chovy), 1890, A., 230.

Chloralbenzenylamidoxime (FALCK), 1886, A., 797.

Chloralcyanhydrins, action of carbamide on (PINNER and LIFECHÜTZ), 1887, A., 1032.

Chloralhydroxylamine (HANTZSCH), 1892, A., 699.

Chloralide, action of phosphoric chloride on (Anschutz and Hasham), 1887, A., 915; 1890, A., 27.

Chloralimide (Bin'll and Chovy), 1890, A., 230, 1093; (Schiff), 1892, A., 131.

dimolecular and trimolecular (Schiff), 1892, A., 134.

isoChloralimide (BEHAL and CHOAY), 1890, A., 1093.

Chloralimido-compounds (MOSCHELES), 1891, A., 1003.

a-Chlorallylic alcohol and its derivatives (Henry), 1883, A., 173; (VAN ROMBURGH), 1883, A., 450.

B-Chlorallylic alcohol (VAN ROM-BURGH), 1883, A., 450.

Chlorallylic iodides (VAN ROMBURGH), 1883, A., 449.

Chloraloxalenediamidoxine (Von Lin-Den), 1891, A., 698.

Chloralphenylacetamide (PURGOTTI), 1891, A., 59.

Chloralquinine (MAZZARA), 1881, A., 186.

Chloral-soda reaction, dead space in the (Budde), 1891, A., 975.

dichlor-o-amidobenzaldehyde (GNEHM), 1884, A., 1028.

1 2:4-Chloramidobenzenesulphonic acid (Fischer), 1892, A., 182.

1:4:2-Chloramidobenzenesulphonic acid (CLAUS and MANN), 1891, A., 1488; (Fischer), 1892, A., 182.

o-Chlor-p-amidobenzylic alcohol (WITT), 1892, A., 415.

triChloramidodiacetyl (LEVY, WILLE and Curchod), 1890, A., 233.

diChlor-3-amidodiethoxypyridine (STOKES and V. PECHMANN), 1887, A., 157.

3:5-diChlor-4-amido-2 6-dihydroxypyr-(dichloroglutazine) (STOKES and v. PECHMANN), 1887, A.,

pentaChloramido-p-diketohexene (Zincke and Fucus), 1892, A., 450.

Chlordiamidodiphenyl (MENIHA and HEUMANN), 1887, A., 247.

diChlordiamidodiphenyl (Schultz), 1884, A., 903.

5-Chloro-2-amidodiphenylamine (ERNST), 1891, A., 299.

2:3:5-tr:Chlor-4-amido-6-ethoxypyridine (STOKES and V. PECHMANN), 1887, A., 157.

Chlordiamidoethoxyquinone (Kehrmann), 1891, A., 904.

diChlor-4-amido-2-hydroxyethoxypyridine (Stokes and v. Pechmann), 1887, A., 157.

2:3 5-triChlor-4-amido-6-hydroxypyridine (Stokes and v. Pechmann), 1887, A., 156.

Chloramidohydroxyquinoneimide (KEHRWANN), 1890. A., 241.

Chloramidomaleinimide (CIAMICIAN and Silber), 1890, A., 25.

4-Chlor-1-amido-3-methylquinoline (NOLTING and TRAUTMANN), 1891, A., 327: 1892, A., 728.

Chloramidonaphthalenesulphonic acid. See Chloronaphthylaminesulphonic acid.

2:6-diChlor-1-amidophenol(Kollherp), 1886, A., 1018.

triChlor-m-amidophenol (DACCOMO), 1585. A., 889.

triChlor-p-amidophenol (LAMPERT), 1886, A., 616.

o-Chlor-p-amidophenolsulphonic acid (Kollrepp), 1886, A., 1019.

p-Chlor-lpha-amidophenylsulphonepropionic acid (Konic), 1892, A., 1091. 2 5:6-triChlor-4-amidopyridine (STOKES

and v. Pechmann), 1887, A., 157. 2.3:5:6-tetraChlor-4-amidopyridine (STOKES and v. PECHMANN), 1887, A., 157.

Chlor-p-diamidoquinol hydrochloride (KEHRMANN and TIESLER), 1890, A., 243.

Chlordiamidoresorcinol stannochloride (Kehrmann), 1890, A., 241.

ω-Chlor-o-amidostyrene (LIPP), 1884, A., 1030.

o-Chlor-p-amidotoluene (WIFI), 1892, A., 445.

triChloramidotoluenes (SEELIG), 1885, A., 769.

2-Chlor-5-amido-p-toluic acid (CLAUS and DAVIDSEN), 1892, A., 172.

3-Chlor-6-amido-p-toluic acid (CLAUS and Bucher), 1892, A., 173.

4:5-diChlor-3:6-diamido-o-xylene (CLAUS, RAPS, HERFELDT and BER-

KEFELD), 1891, A., 1201. Chloramylamine (BERG), 1890, A., 952. ε-Chloramylamine (GABRIEL), 1892, A., 717.

diChloramylamine (Berg), 1890, A.,

γγ-octoChloramylene (ZINCKE KÜSTER), 1890, A., 1256.

triChloramylic alcohol. See triUliloromethylpropylcarbinol.

Chloramil (telywelloroquinone) (Andresen), 1884, A., 431; (Istrati), 1890, A., 882; (Graebe), 1891, A., 1027.

action of phosphorus chlorides on (GRAEDE), 1891, A., 1028. action of sodium thiosulphate on

(Purgotti), 1890, A., 1419.

Chloranilic acid (dichlorodihydroxyquinone) (LEVY and JEDLICKA), 1889, A., 390; (GRAEBE), 1891, A., 1027.

constitution of (LEVY), 1885, A., -1210; (HANTZSCH and SCHNITER), 1887, A., 1036.

action of bromine on (LEVY and JED-LICKA), 1887, A., 1106.

action of halogens on (LANDOLT), 1892, A., 834.

decomposition products of (HAN1zып), 1888, А., 1190; 1890, А., 130.

compound of bromanilic acid and (Ling), 1892, T., 574.

sodium salt of, crystallography of the (Pope), 1892, T., 583.

pentuChloranilido p-diketohexene

(ZINCKE and FUCHS), 1892, A., 448. 2:4-diChlor-1-anilido-3-hydroxyquinoline (ZINCKE), 1891, A., 1250.

triChlor-1-anilidoketodihydroquinoline (ZINCKE), 1891, A., 1251.

diChloranilidonaphthaquinone (HELL-STRUM), 1889, A., 149.

ββ-Chloranilidonaphthaquinoneanilide (ZINCKE), 1888, A., 711.

Chloranilidoquinolinequinoneanilide (ZINCKE), 1891, A., 1251.

Chloraniline and its derivatives. See Aniline.

4-Chloraniline-o-sulphonic acid (CLAUS and BOPP), 1891, A., 1489.

5-Chloraniline-o-sulphonic acid (CLAUS and MANN), 1891, A., 1489.

4-Chloraniline-m-sulphonic acid (CLAUS and MANN), 1891, A., 1488; (FISCHER), 1892, A., 182.

6-Chloraniline-m-sulphonic acid (Fis-CHER), 1892, A., 182.

p-Chloranilinesulphonic acid (ARM-STRONG and BRIGGS), 1892, P., 40.

o-Chloranisaldehyde (chloromethoxybenzoic aldehyde), production of, from y-nitrotoluene (TIEMANN), 1891, A., 703.

o-Chloranisaldoxime (TIEMANN), 1891, A., 704.

Chloranisic acid (chloromethoxybenzoic acid) [m.p. 214°] (Schall and Dralle), 1885, A., 146.

o-Chloranisic acid [m.p. 208°] (TIE-MANN), 1891, A., 704.

(lichloranthracene (HAMMERSCHLAG), 1886, A., 717; (KIRCHER), 1887, A., 831.

tetraChloranthracene (HAMMER-SCHLAG), 1886, A., 717; (KIRCHER), 1887, A., 831.

Chloranthracene-γ-carboxylic acid (Behla), 1886, A., 248.

Chloranthranilamide (Dorsch), 1886, A., 360. ¿LiChloranthranilamide (Franke),1892,

A., 335. Chloranthraquinone. See Anthra-

quinone. tetraChloranthraquinonedisulphonic acid (Kirchier), 1887, A., 831.

Chlorapatites (DE SCHULTEN), 1890, A., 11.

Chlorates. See Chlorine.

Chlorazo-. See Azo-.

Chlorazophenine (Fischer and Hepp), 1887, A., 1105.

diChloreosin (LE ROYER), 1887, A., 832.

Chlorerucic acid (HOLT), 1892, A., 429. Chlorethane. See Ethane.

β-Chlorethanesulphonic acid, preparation of (JAMES), 1885, T., 365; P., 47.

action of primary, secondary, and tertiary monamines on their respective salts of (JAMES), 1885, T., 367. β-Chlorethanesulphonic acid, salts of (JAMES), 1883, T., 41; (HUBNER), 1884, A., 1126.

β-Chlorethanesulphonic chloride, action of ammonia on an ethereal solution of (JAMES), 1883, T., 42.

tetraChlorethenyl-o-amidobenzamide (Dehoff), 1890, A., 802; 1891, A., 84.

3-Chlor-4-ethoxynaphthaquinone (ZINCKE), 1888, A., 710.

dichlorethoxypyridine (Koenius and Geigy), 1884, A., 1369.

3'-Chlor-1'-ethoxyquinoline (GABRIEL), 1887, A., 62.

a-Chlorethyl isoamyl ether (CLAUS and TRAINER), 1887, A., 231.

Chlorethyl ether (BACHMANN), 1883, A., 726.

dichiorethyl ether, actions of (NAT-TERER), 1885, A., 365; (WINLI-CENUS), 1885, A., 366.

s-isodichlorethyl ether (ethylidine rhloride), derivatives of (Geuther), 1885, A., 237.

Chlorethyl ethers, tri- and tetru- (GODE-FROY), 1886, A., 607.

Chlorethyl vinyl ethers, mono., di- and tri- (Godefroy), 1886, A., 606.

Chlorethyl-o-amidophenol (KNORR), 1889, A., 1219.

β-Chlorethylamine, salts of (GABRIEL), 1888, A., 440. Chlorethylaniline hydrochloride (NE-

MIROWSKY), 1885, A., 741. **\$-Chlorethylbenzamide** (Gabriel and

IIEYMANN), 1890, A., 1267. Chlorethylbenzenes, o-, m-, and p-(ISTRATI), 1885, A., 251.

ωω-d/Chlorethylbenzene (FORRER), 1884, A., 1020.

Chlorethylene. See Vinylic chloride. as-diChlorethylene (HENRY), 1884, A., 710

tetraChlorethylene, thermochemistry of (BERTHELOT and MATIONON), 1891, A., 1311.

triChlorethylglycuronic acid (Külz), 1885, A., 283.

Chlorethylic acetoacetate, action of nitricacid on (Pröpper), 1883, A., 573.

alcohol. See Ethylic alcohol.

Chlorethylic bromacetate (HENRY), 1884, A., 421.

carbamate (Nemirowsky), 1885, A., 741; (Gattermann), 1888, A., 574.

chloracetate (HENRY), 1884, A., 421.

chloroformate (Nemirowsky), 1885, A., 741.

Chlorethylic iodoacetate (IIENRY), 1884, Λ., 421.

disulphide, constitution of Guthrie's (SPRING and LECRENIER), 1888, A., 661.

a-dichlorethylic cyanide (dichloropropionitrile), solid (Otro and Voigt), 1887, A., 1024.

diChlorethylic sulphochloride (JAMES), 1885, A., 365.

Chlorethylidene diethyl ether (AUTENкіетн), 1891, А., 540.

triChlorethylideneacetophenone (KOENIGS), 1892, A., 695.

triChlorethylidenediureide (PINNER and Lifschitz), 1887, A., 1032.

triChlorethylidene-2'-methylquinoline (Einhorn), 1880, A., 264.

tetruChlorethylidenic trichlorolactate (Anschutz and Haslam), 1890, A.,

triChlorethylidenic glycol. See Chloral hydrate.

Chlorethylidene-p-toluidine(Berliner-BLAU and Polikier), 1887, A., 813. Chlorethylphthalimide (SEITZ), 1891,

A., 1472. ω-Chlorethylpiperonylic acid (PERKIN),

1890, T., 1029. 2'-ω-//Chlorethylquinoline

and EINHORN), 1891, A., 83. Chlorhydric acid. See Hydrochloric acid under Chlorine.

Chlorhydrins, preparation of (LADEN-

BURG), 1883, A., 1077. rate of decomposition and stereochemistry of (EVANS), 1891, A., 796.

action of nitromethane on (Prungst), 1886, A., 862.

action of sodium on an ethereal solution of (Balio), 1881, A., 766.

organic salts of (Gorrie), 1891, A., 707.

See Uhlorine. Chlorides.

Chlorimetry, potassium bromide as indicator in (Denices), 1891, A., 615. 6-Chlor-1:4-d/imido-2.5-quinol (KEHR-MANN and Tiesler), 1890, A., 242.

Chlorination, influence of light and temperature on (GAUTIER), 1887, A., 922.

method of (Colson and GATTIER), 1886, A., 231.

by means of acetic chloride (BECKER), 1887, A., 932.

diChlorindene (HAUSMANN), 1889, A.,

Chlorindigo (GNEHM), 1884, A., 1028. tetruChlorindigo (GNEHM), 1881, A., 1028; (ANON.), 1886, A., 112. tetraChlorindigotin (GNERM), 1884, A.,

Chlorine, preparation of (Knietsell), 1891, A., 11.

preparation of, in a Kipp's apparatus (Winkler), 1887, Α., (THIELE), 1890, A., 6.

preparation of, for laboratory purposes (Klason), 1890, A., 445.

preparation of, from bleaching powder (Winkler), 1889, A., 821.

preparation of, from calcium chloride (TAQUET), 1885, A., 1017; (ANON.), 1885, A., 1268.

preparation of, from sodium chloride (Hempel), 1890, A., 10. liberation of, during the decomposi-

tion of chlorates (Spiling and

Prost), 1889, A., 1105. liberation of, from hydrogen chloride by the action of light in presence of oxygen (McLEOD), 1886, T., 608; (Kichardson), 1887, T., 802; (Berthelot), 1890, A., 6.

use of platinous chloride as a source of pure (SHENSTONE and BECK), 1892, T., 445; P., 70.

electrolytic production of (FISCHER), 1885, A., 941.

constant production of (Vosmaer), 1889, A., 13.

the Weldon-Pechiney process for the manufacture of, from magnesium chloride (DEWAR), 1888, A., 411.

refractive index of (BRUHL), 1887, A., 193.

dispersion equivalent of (GLADSTONE), 1888, A., 349.

measurement of light intensity by the expansion of (RICHARDSON), 1892, A., 259.

behaviour of under the silent discharge (VERNON), 1891, A., 877.

liquid, properties of (Kninrsen), 1891, Λ ., 11.

temperature of solidification (Olszewski), 1881, A., 816.

density of (FRIEDEL and CRAFTS), 1848, A., 1251.

density of, at high temperatures (CRAFIS), 1883, A., 710.

arguments for the compound nature of (Allery), 1889, A., 13.

dissociation of (LANGER and MEYER), 1883, A., 546.

displacement of, by other bleaching agents (Hurter), 1881, A., 226.

displacement of, by bromine, and reactions accompanied by the absorption of heat (POTILIZIN), 1884, A., 955.

Chlorine, Potilizin's law of mutual displacement of bromine and Robert, 1888, and THORPE

displacement of, by bromine, in silver chloride (HUMPIDGE), 1884, A.,

1245.

displacement of, in chlorides, by oxygen, by means of anhydrous oxalic acid (Anschutz), 1885, A., 263.

exchange of bromine, iodine and, between organic and inorganic compounds (BRIX), 1885, A., 31; (KOHNLEIN), 1885, A., 35. exchange of bromine, iodine and,

between organic and inorganic haloid compounds (WILDERMANN),

1892, A., 574.

absorption of, by carbon, and its combination with hydrogen (Ber-THELOT and GUNTZ), 1884, A., 1249.

calico-printing discharge in (SCHEURER), 1884, A., 1234. industry, future of the (HURTER),

1884, A., 225. as a plant food (FARSKÝ), 1883, Λ., 497.

importance of, in the plant (Aschoff),

1890, A., 1182. influence of the secretion of gastric juice on the quantity of, in urine

(STIOKER), 1888, A., 620.
compounds, fate of certain, in the organism (KAST), 1887, A., 612.
action of light on a mixture of

hydrogen and (AMATO), 1884, A., 1237.

chemical action of light on an explosive mixture of hydrogen and (PRINGSHEIM), 1888, A., 205.

action of, on earbonic anhydride (Lucion), 1889, A., 673.

action of, on nitrie peroxide (WIL-LIAMS), 1886, T., 226. action of, on organic compounds in

presence of inorganic chlorides (PAGE), 1885, A., 36. action of oxygen and, on hydrogen

(HARKER), 1892, A., 1147.

action of, on water in the light (PEDLER), 1890, T., 613; P., 65. direct combination of, with metals

(GAUTIER and CHARPY), 1892, A., 118; (KREUSLER), 1892, A., 401. equilibrium between oxygen, hydrogen

and (LE CHATELIER), 1890, A., 8. function of, in acid chlorides, as exemplified by sulphuryl chloride (ARMSTRONG), 1891, P., 60.

Chlorine carriers (MEYER), 1885, A., 1182; (SCHEUFELEN), 1885, A., 1182; 1886, A., 340.

solubility of, in chromium oxychloride

(ROOZEBOOM), 1886, A., 500. solubility of, in water (GOODWIN), 1883, A., 550; 1885, A., 865.

Hydrochloric acid (chlorhydric acid, hydrogen chloride), origin of, in the gases of volcanoes (RICCIAR-

DI), 1887, A., 643.
preparation of, free from arsenic (Beckuers), 1885, A., 440.
production of (Hurter), 1884, A.,

226; (MOND), 1881, A., 1442.

obtaining a constant stream of (NEUMANN), 1888, A., 784.

obtaining, from calcium chloride (Solvay), 1885, A., 705.

recovery of, as a bye-product in the ammonia-soda process (Mond), 1885, A., 199.

purification of (BENSEMANN), 1884, A., 259.

simultaneous synthesis of water and (HAUTEFEUILLE and MAR-GOTTET), 1890, A., 8.

magnetic rotatory power of (Pen-KIN), 1889, T., 702, 739; P., 130.

in solution, correspondence between the magnetic rotation and the refraction and dispersion of light by (GLADSTONE and PERKIN), 1889, T., 758.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 593.

electrolysis of (Tommasi), 1883, A., 142.

electrolysis of, a lecture experiment (v. Hofmann), 1883, A., 280; (ROSENFELD), 1887, A., 633.

electrical conductivity of, different solvents (KABLUKOFF), 1890, A., 97.

temperature of solidification of (Ölszewski), 1884, A., 816.

coefficients of volatility of aqueous (WARDER), 1889, A., 337; 1891, A., 798.

specific gravity of, tables of (LUNGE and Marchewski), 1892, A., 11.

diffusion of dilute aqueous ammonia into (STEFAN), 1889, A., 1046.

diffusion-coefficient of (STEFAN), 1889, A., 1047.

chemical equilibrium between hydrogen in conjunction with metals and (RIBALKIN), 1890, A., 685,

Hydrochloric acid (chlorhydric acid, hydrogen chloride), absorption of, by wool, silk and cotton (MILLS and TAKAMINE), 1883, T., 145, 147, 148.

action of light on, in presence of oxygen (Richardson), 1887, T.,

action of oxygen on, under the influence of light (McLEOD), 1886, T., 608.

decomposition of, by oxygen on exposure to light (BERTHELOT), 1890, A., 6.

influence of water in promoting the interaction between oxygen and, presence of light (ARMstrong), 1887, T., 806.

action of, on the decomposition of chlorine-water by light (KLI-MENKO and PEKATOROS), 1889,

A., 1093.

action of, on phosphorus pentoxide (BAILEY and FOWLER), 1888, T., 756; P., 79.

action of, on zinc containing lead (Spring and van Aubel), 1887, A., 1075.

complete removal of arsenic from (Отто), 1886, А., 850.

use of, in Marsh's apparatus (BECKURTS), 1885, A., 440.

action of free, of the gastric juice (LANDWEIR), 1887, A., 287.

detection of free chlorine (Kupfferschläger), 1890, A., 289; (LEROY), 1890, A., 547.

systematic method of testing for (Longi), 1883, A., 1172.

detection of free, in gastric juice, by the methyl-violet reaction (Kost), 1888, A., 996.

estimation of free, in the stomach (Gunzburg), 1888, A., 617; 1889, A., (SJOQUIST), 302; (Boas), 1889, A., 734; 1892, A., 97; (V. Jaksch), 1889, A., 1242; (Salkowski and Kumagawa), 1891, A., 593; (Jolles), 1891, A., 613; (Flawitzky), 1891, A., 767; (GRAFFENBERGER), 1892, A., 236; (LANGERMANN), 1892, A., 1125.

estimation of free, in presence of acid phosphates (FRIEDHEIM and

LEO), 1891, A., 1288. estimation of, when mixed with chlorine (Younger), 1890, A., 412. estimation of free, in stannous chloride solutions (MINOR), 1891, A., 241.

Hydrochloric acid (chlorhydric acid, hydrogen chloride), method of estimating hydrocyanic, thiocyanic acids and, when simultaneously present (Boromers), 1883, A., 1173.

Chloride of lime. See Calcium hypochlorite.

"Chloride of lithia" (KRAUT), 1883, A., 17; 1884, A., 16; (LUNGE). 1884, A., 820.

Chlorides, production of, from metallic oxides (FAURE), 1888, 1250.

estimation of the molecular weight of volatile (Biltz), 1888, A., 1241.

compressibility of aqueous solutions of (SCHUMANN), 1887, 696.

decomposition of, in dilute solutions (Foussereau), 1886, A., 975.

dissolved, effect of pressure on the decomposition of (Foursereau), 1887, A., 697.

action of the galvanic current on (LIDUFF and Tichomiroff), 1883, A., 149.

action of ammonia on (JUANNIS), 1891, A., 643.

action of bromine on (BERTHELOT), 1885, A., 632.

displacement of two chlorine-atoms by oxygen in, by means of anhydrous oxalic acid (Anschutz), 1885, A., 263.

effect of hydrochloric acid on the solubility of (Engel), 1886, A., 505; 1887, A., 445; (JEANNEL), 1886, A., 972.

hydrochlorides of (Engel), 1890 A., 106.

acid, action of, on inorganic compounds (Lachowicz), 1886, A., 222.

double, specific volume of (Rom-ANIS), 1884, A., 956.

metallic, anhydrous, preparation of (WARREN), 1887, A., 702.

physical properties of solutions of (SKINNER), 1892, T., 339; P., 27.

influence of concentration on the specific heat of aqueous and alcoholic solutions of (BLUM-CKE), 1885, A., 8.

hydrated, heats of solution and formation of (SABATIER), 1889, A., 1043.

loss of water by, in a vacuum (SABATIER), 1889, A., 1049.

Chlorides, metallic, action of, on the photochemical decomposition of chlorine water (KLIMENKO and PEKATOROS), 1889, A., 1093.

action of magnesium on (SEUBERT and SCHMIDT), 1892, A., 776. organic, action of inorganic iodides

organic, action of inorganic iodides on (SPINDLER), 1886, A., 434.

conversion of, into iodides by means of calcium iodide (VAN ROMBURGH), 1883, A., 303.

influence of gastric juice on the composition of (GIRARD), 1889, A., 1227.

the output of, in its relation to proteid metabolism (KANT), 1888, A., 513.

bromides and iodides of the alkalis, distinction between (VITALI), 1890, A., 289.

bromides and iodides, reactions for distinguishing when mixed together (HAGER), 1885, A., 1010. Chlorine oxyacids, constitution of

(BLOMSTRAND), 1883, A., 645. Chloric acid, action of light on (PEDLER), 1890, T., 624.

(l'EDLER), 1890, T., 524. molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 593.

systematic method of testing for (Longi), 1883, A., 1172.

estimation of (GOOCH and SMITH), 1892, A., 236.

estimation, volumetric, of (NAMIAS), 1892, A., 1375.

estimation, iodometric, of, in chlorates (McGowan), 1891, P., 169; 1892, T., 87.

Chlorates, electrolysis of (Lidoff and Tichominorf), 1884, A., 542.

action of the galvanic current on (LIDOFF and TICHOMIROFF), 1883, A., 149.

action of disulphites on (PRUD'-HOMME), 1885, A., 207.

action of, on metallic evaporating pans (Lunge), 1886, A., 184.

liberation of chlorine during the decomposition of (SPRING and PROST), 1889, A., 1105.

physiological action of (MARCH-AND), 1888, A., 977; (CAHN), 1888, A., 978.

poisoning by (Falkenberg), 1891, A., 853.

detection of (FOURMONT), 1885, A., 430; (BEHAL), 1886, A., 392; (LINDO), 1888, A., 1337. Chlorates, estimation of, by the zinccopper couple (BOTHAMLEY and THOMPSON), 1887, P., 141; 1888, T., 164.

estimation, iodometric, of (DE KONINGK and NIHOUL), 1891, A., 618.

estimation, iodometric, of chloric acid in (McGowan), 1891, P., 169; 1892, T., 87.

Chlorites, composition of (Schlaepfer), 1891, A., 530.

constitution of (CLARKE and SCH-NEIDER), 1892, A., 125.

Hypochlorous acid, preparation of additive products of (LAUCH), 1885, A., 1194.

action of light on (POPPER), 1885, A., 631; (PEDLER), 1890, T., 622; P., 65.

in alkaline solution (Ausren), 1889, A., 672.

detection of, in chlorine water (SALZER), 1891, A., 212.

Hypochlorites, interaction of ammonium salts and (Choss and Bevan), 1890, P., 22.

Perchloric acid, molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 598.

thermo-chemical investigation of (Berthelor), 1883, A., 8.

Chlorine hydrate, dissociation of (LE CHATELIER), 1885, A., 474; 1886, A., 299; (ROUZEBOOM), 1885, A., 117. hydrates (MAUMENE), 1883, A., 780. crystallisation of (DITTE), 1883, A., 550.

monoxide (v. Garzarolli-Thurn-Lackh and Schacherl), 1886, A., 118.

for lecture experiments (MEYER), 1884, A., 552, 710.

Chlorine detection, estimation and separation:—

detection of (DECHAN), 1886, T., 682; 1., 227.

detection of, in alkaline thiocyanates (Mann), 1890, A., 663.

detection of, in presence of bromides and iodides (DE KONINGE), 1886, A., 179; (DENIGES), 1891, A., 495, 1288.

detection of free, in hydrochloric acid (Kupffersonläger), 1890, A., 289; (Leroy), 1890, A., 547.

detection of, and bromine, in presence of iodine (MACNAIR), 1892, A., 1514.

detection of, in organic compounds (MARSH), 1889, A., 796.

273

Chlorine detection, estimation and separation:-

detection of, and of bromine and nodine (Jones), 1884, A., 492; (HARF), 1885, A., 295; (Gooch and Brooks), 1891, A., 361.

test for available, in bleach works and similar establishments (BAUR),

1884, A., 775.

diphenylamine and naphthol as reagents for free (HAGER), 1886, A., 96, 97.

naphthol and sulphuric acid as a reagent for free (HAGER), 1886, A.,

estimation of (DECHAN), 1886, T., 682; P., 227; (STOLBA), 1888, A., 751; (LINOSSIER and LIGNON), 1889, A., 302; (DE LA HARPE and Reverdin), 1889, A., 1087; (DE KONINCK and LECRENIER), 1892, A., 527.

estimation, volumetric, of (Bohlig), 1886, A., 178; (WHITE), 1889, A.,

302.

estimation of, by Field's method (WILLGERODT), 1886, A., 833. estimation of, in alkaline thiocyanates

(MANN), 1890, A., 663. estimation of active, in bleaching powder (Lidoff), 1886, A., 487;

(Namias), 1892, A., 1374. estimation of, in presence of bromine, , by Vortmann's method (BERG-

LUND), 1885, A., 836. estimation of, direct, in presence of bromine (Voltmann), 1886, A.,

estimation of, in presence of bromine and iodine (Vorrmann), 1883, A., 119; (LYTE), 1884, A., 694.

estimation, indirect, of bromine, iodine and, by electrolysis of their silver salts (Whitfield), 1887, A., 525.

estimation of, direct, in mixtures of chlorides and iodides (Gooch and Mar), 1890, A., 920.

estimation of, when mixed with hydrogen chloride (Younger), 1890, A., 412.

estimation of, in presence of organic matter (POMEROY), 1884, 109.

estimation of, in organic compounds (Zulkowski), 1885, A., 1162. estimation of, in plant ashes (JULLES),

1889, A., 73.

estimation of, in presence of sulphuretted hydrogen (Torsön), 1883, A., 508.

Chlorine, estimation and separation :--estimation of, in urine (BRIGNONE), 1888, A., 990.

estimation, volumetric, of, in urine (CORVI), 1891, A., 495.

estimation of, in water (IIAZEN), 1890, A., 86.

estimation of, in rain water (WARING-TON), 1889, T., 545.

separation of, from mercury, phosphoric and arsenic acids (HAA('K), 1892, A., 530.

separation, quantitative, of, from bromine (BERGLUND), 1885, A., 836.

separation of, from bromine and iodine (BARNES), 1883, A., 1167; (DECHAN), 1887, T., 690; (SCHIER-HOLZ), 1892, A., 1028.

separation of, from bromine, iodine, and cyanogen (ERRERA), 1889, A.,

separation of, from iodine in the dry way (Krutwig), 1884, A., 1073. Chlorine-atoms, ketonic, displacement

of, by hydrogen (Lachowicz), 1884, A., 1039.

Chlorine-water, action of light on (EDER), 1885, A., 1173.

decomposition of, in sunlight (Por-PER, 1885, A., 631; 1886, A., 301; (v. PEBAL), 1886, A., 302. rate of decomposition of, by light

(GORE), 1890, A., 849.

influence of hydrochloric acid on the decomposition of, by light (RICHARDSON), 1891, T., 539.

action of hydrochloric acid and metallic chlorides on the photo-chemical decomposition of (KLI-MENKO and PEKAroROS), 1889, 1093.

detection of hypochlorous acid in (SALZER), 1891, A., 242.

Chloro-mono- and -diiodoscrylic acids (Srolz), 1886, A., 531.

pentaChloriodobenzene (ISTRATI), 1891, A., 1197.

Chloriododihydroxyquinone (KEHR-MANN and TIESLER), 1890, A., 242. diChloriodoethane (HENRY), 1884, A., 719.

as-Chloriodoethylene (HENRY), 1884, A., 719, 830, 831.

diChlortetriodofluorescein (LE ROYER), 1897, A., 832.

Chloriodohydrin, methyl, ethyl, and propyl ethers of (PAAL), 1889, A., 31. triChloriodophenetoil (LAMPERT), 1886, A., 617.

triChloriodophenol (LAMPERT), 1886, A., 617.

Chloriodopicoline (Os1), 1883, A., 793. m-Chloriodosalicylic acid (SMITH and Knerr), 1886, A., 704.

acid, derivatives Chlorisatoic Donsen), 1886, А., 359.

Chlorisethionic acid, anilide of (LEH-MANN), 1885, Δ., 787.

triChloritamalic acid. See triChloropyrotartaric acid.

Chlorite from Albemarle Co., Virginia (BIRD), 1886, A., 130.

from the Bottine, Serravezza (Funaro and Busarri), 1884, A., 271.

manganiferous, from Harstigen Mine, Sweden (HAMBERG), 1892, A., 1411.

from Vielsalm, Belgium (KLEMENI), 1891, A., 528.

See also Clinochlore, Penninite, and Ripidolite.

Chlorite-group, theories of the structure of (Clarke), 1892, A., 794.

containing Chloritoid manganese (Prost), 1886, A., 129.

from Michigan (KELLER and LANE), 1891, A., 1439; (Lane, Keller and Sharpless), 1892, A., 793.

from Morbihan (Baunots), 1885, A., 1118.

Chloritoid-schist from Grossarl (CATH-REIN), 1888, A., 568.

diChlorobarbituric acid, mode of formation of (Behrend), 1887, A., 129. tetraChlorobastin (Cross and Bevan),

1883, T., 20. Chlorobenzaldehyde. Sec Benzalde-

hyde. 2n-Chlorobenzaldehydephenylhydrazone (Eichengrun and Einhorn), 1891,

A., 1098. o-Chlorobenzaldoxime (Behrend and Nissen), 1892, A., 1199.

Chlorobenzene. See Benzene.

Chlorobenzeneazo-. See Benzeneazo-. n-cliChlorobenzene-α-dimethyl-p-difurfuran-β-dicarboxylic acid (lkuta),

1892, A., 610. p-Chlorobenzenesulphonic chloride Roos), 1892, A., (Krafft and

1220. Chlorobenzil (REDZKO), 1890, A., 783. p-Chlorobenzo-p-chloranilide (Ditt-

исн), 1891, А., 1237. Chlorobenzoic acid. See Benzoic acid. p-Chlorobenzoic sulphinide (DE ROODE), 1891, A., 1227.

o-Chlorobenzo-p-nitranilide (WILKENS and RACK), 1884, A., 602.

3:5and 2:6-diChlorobenzonitrile (Claus and Stavenhagen), 1892, л., 1206.

pentaChlorobenzonitrile andWeith), 1884, A., 589.

p-Chlorobenzophenone-a-oxime and -Boxime benzyl ether (DEMUTH and Durrich), 1891, A., 314.

p-Chlorobenzophenoneoximes (Demu $^{\circ}$ i H and Diffricil), 1891, A., 314; (HANTZSOH), 1891, A., 445.

intramolecular change of (WEGERноғғ), 1889, А., 1066.

s-p-diChlorobenzophenoneoximes (DITIпин), 1891, А., 1237.

p-Chlorobenzotrichloride (KLEPL), 1884, A., 447.

m-Chlor-o-benzoylbenzoic acid (GRAEBE and RrE), 1886, T., 530.

diChlor-o-benzoylbenzoic acid (LE Royer), 1887, A., 832.

tetraChlor-o-benzoylbenzoic acid (Kirснег), 1887, А., 831.

o-Chlorobenzyl-o-chloroisobenzaldoxime (Behrend and Nissen), 1892, A., 1199.

 β -cli-o-Chlorobenzyldihydroxylamine (Behrevo and Nissen), 1892, A., 1199.

p-Chlorobenzyl ethyl ether, and its decomposition by heat and by nitric acid (ERRERA), 1887, A., 1103.

β-o-Chlorobenzylhydroxylamine (BEH-REND and NISSEN), 1892, A., 1200.

p-Chlorobenzylic alcohol, derivatives of (Errera), 1889, A., 247. ether (ERRERA), 1889, A., 248.

o-Chlorobenzylidenemalonic acid (Stuart), 1887, P., 118; 1888, T., 141. Chloroisobenzylidenephthalimidine

(GABRIEL), 1887, A., 62. Chlorobenzylidenethiobiuret (ABEL), 1891, A., 703.

triChlorobenzylidenicalichlorides (pentachlorotoluencs), αand (Seelig), 1885, A., 770.

p-Chlorobenzyloxybenzophenone MUTH and DIFTRICH), 1891, A., 314. Chlorobrassidic acid (Hola), 1892, A., 429.

diChlorobrassidic acid (Holt), 1892,

A., 429, 1427. diChlorobromacetamide (ZINCKE and Kegel), 1890, A., 489.

1: 4-Chlorobromacetonaphthalide (MEL-DOLA and DESCH), 1892, T., 768.

Chlorobromacetone. See Acetone. he,xaChlorodibromacetylacetone

(Zincke and Kegel), 1890, A., 489. triChlorobromacetylacrylic acid (KEkule and Streuker), 1884, A., 1122. diChlorobromacetylpentachlorobutyric acid (Zincke and Rabinowitsch),

1891, A., 691.

B-diChlorobromacrylic acid and its salts (MABERY and NICHOLSON), 1885, A., 507, 510.

Chlorod/bromacrylic acids, α- and β-, and their salts (MABERY and LLOYD), 1885, A., 510.

ω-diChlor-m-brom-o-amidoacetophenone (V. BAEYER and BLOEM), 1884, A., 1027.

Chlorobromanilic acid (LING), 1887, T., 784.

from m-dichloro-m-bromoquinone (Levy), 1883, A., 1117.

potassium salt of (Ling), 1887, T., 785.

sodium salt of, crystallography of the (POPE), 1892, T., 584; P., 106.

triChlorobromazimidobenzene (ZINUKE and ARZEERGER), 1889, A., 502.
Chlorobromethane. See Ethylenic chlorobromide.

Chlorod/bromethane, action of zinc dust and alcohol on (Gustavson), 1892, A., 1293.

triChlorobromethane (HENRY), 1884, A., 978.

Chlorobromiodoacrylic acid (STOLZ), 1886, A., 531.

Chlorobromiodoethane, and its decomposition (HENRY), 1884, A., 830.

Chlorobromobenzene. See Benzene. Chlorobromobenzoicacids (Willgerodt and Salzmann), 1889, A., 985.

diChlorodibromo-n-butane (Newbury), 1884, A., 295.

ψ-Chlorobromocarbostyril (Decker), 1892, A., 630.

Chlorobromocamphor. See Camphor. Chlorobromoform (chlorodibromothune) (Dyson), 1883, T., 36.

triChlorobromofurfuran (HILL and JACKSON), 1890, A., 601.

Chlorobromohydroxyacrylic acid (Manery and Smith), 1890, A., 27.

diChloro/libromoketohydrindene (Zincke and Frühllen), 1887, A., 955.

mentaChlorobromoketopentene (ZINCKE and Kuster), 1890, A., 1256.

Chlorobromomethane (methylene chlorobromide) (HENRY), 1886, A., 43. Chlorod/bromomethane (Dysox), 1883.

Chlorodibromomethane (Dyson), 1883, T., 36, 37.

Chlorobromomethanesulphonic acid, barium salt of (Andreasch), 1886, A., 786.

2-Chioro-1:3'-dibromonaphthalene (CLAUS and PHILLIPSON), 1891, A., 462.

β-Chloro-α-bromonaphthalene (GUAR-ESCHI), 1889, A., 614.

Chlorobromonaphthalenes (GUARESCHI and BIGINELLI), 1887, A., 1113.

p-Chlorobromo-α-naphthaquinone (Guaneschi and Biginmilli), 1887, Λ., 1114.

3'-Chloro-1-bromo-β-naphthol (ARMstrong and Rossiter), 1889, P., 72; 1891, P., 33.

1-Chloro-6-bromo-β-naphthylamine (Armstrong and Rossiter), 1891, P., 33.

1:4-Chlorobromo-\$\mathcal{\beta}\$-naphthylamine (Meldola and Desch), 1892, T., 768.

1:4:2-Chlorobromonitronaphthalene (Meldola and Desch), 1892, T., 768.

Chlorobromonitrophenol. See Phenol. Chlorobromonitroquinone (GARZINO), 1890, A., 1108.

Chlorobromonitroterephthalic acid (WILLGERODF and WOLFIEN), 1889, A., 966.

Chlorobromonitro-p-toluic acid (Will-Gerode and Wolfien), 1889, A., 966.

4-Chloro-5-bromonitro-m-xylene (CLAUS and GRONEWEG), 1891, A., 921.

"triChloro-m-dibromoxybenzene" (BENEDIKT), 1883, A., 984.
Chlorobromophenol. See Phenol.

Chlorodibromophenylic benzoate (GAR-ZINO), 1890, A., 1108.

Chlorobromo-\$-phenylpropionic acid (Erlenmeyer), 1883, A., 196.

4-Chloro-5-bromophthalic acid (CLAUS and GRONEWEG), 1891, A., 921.

p-Chlorobromophthalide (GUARESCHI and BIGINELLI), 1887, A., 1114.
Chlorobromopropionic acid. See Pro-

Chlorobromopropionic acid. See Propionic acid.

diChlorobromopyromucic acids (Hill and Jackson), 1890, A., 601.

diChlorobromopyruvic acid (HANTZsch), 1890, A., 132.

Chlorobromoquinol. See Quinol. Chlorobromoquinone. See Quinone.

Chlorobromoterephthalic acid (WILL-GEROUT and WOLFIEN), 1889, A., 966.

(BENEDIKT), 1883, A., 985.

¿liChloro¿libromotetraketohexamethylene (NEF), 1890, A., 1271.

a-Chloro-p-bromothymoquinol (SCHNITER), 1887, A., 720.

Chlorobromotoluenes (WILLGEROUT and SALZMANN), 1889, A., 986.

Chlorobromo-p-toluic acid (WILLGERODT and WOLFIEN), 1889, A., 966.

2 Chloro-5-bromo-p-toluic acid (CLAUS and DAVIDSEN), 1892, A., 173.

4-Chloro-5-bromo-m-xylene and 4:5dichloro-3-bromo-m-xylene (CLAUS and GRONEWEG), 1891, A., 921.

2:4-diChloro-5:6-dibromo-m-xylene (Koch), 1890, A., 1248.

Chlorobromo-p-xylenes, and their derivatives (Willgehour and Wolfien), 1889, A., 965.

dichlorobrucine (BECKURTS), 1890, A., 1330.

(NATTERER), αγ-«//Chlorobutaldehyde 1883, A., 965.

(NATTERER), tr/Chlorobutaldehyde 1883, A., 966.

See also Butylchloral.

Chloroisobutaldehyde (BROCHEF), 1892, A., 1292.

tetraChloroisobutane (WILLGIRODF and Durr), 1887, A., 570.

pentaChlorobutinenecarboxylamide

(pentachlaropentolamide) (ZINCKE and Kuster), 1890, A., 1257.

pentaChlorobutinenecarboxylic acid (ZINCKE and KUSTER), 1888, A., 1278.

Chlorobutyl derivatives, normal and primary (HENRY), 1886, A., 215.

δ-Chlorobutylamine (GABRIEL), 1892, A., 131.

Chloroisobutylamines, mono- and di-(BERG), 1892, A., 1172.

p-Chloroisobutylbenzene (v. Donnzycki), 1888, A., 369.

Chloroisobutylene (Scheschukoff), 1884, A., 1276.

diChloro-ψ-butylenic dibromide (New-BURY), 1881, A., 295.

Chlorobutylglyoxaline (chloroculumyline) (WALLACH), 1883, A., 50.

triChlorobutylic alcohol, action and fate of, in the animal organism

(Kulz), 1885, A., 283. chloride, tertiary (Williamnoor and

Dunn), 1887, A., 570. oxide, tertiary (WILLGERODE and Durk), 1887, A., 570.

"Chlorobutylic perchlorosebacate (Generala), 1887, A., 801. perChlorobutylic

y-Chlorobutyramide (HENRY), 1886, A.,

a-cliChlorobutyranilide (Rüghimmer and Schrimm), 1888, A., 502.

Chlorobutyric acids. See Butyric acids. γ-Chlorobutyric chloride (HENRY), 1886, A., 216.

αβ-diChlorobutyric chloride (Zeisel.), 1886, A., 1007.

Chlorobutyrimidoether hydrochloride (Pinner), 1884, A., 1292.

γ-Chlorobutyronitrile (HENRY), 1886, A., 215; (Gabriel), 1890, A., 1221.

Chlorocaffeine (Fischer and Reese), 1884, A , 466.

Chlorocamphor. See Camphor.

Chlorocamphorsulphonic acids, a- and B., salts of (MARSH and Cousins), 1891, T., 978.

a-Chlorocamphorsulphonic chloride (MARSH and COUSINS), 1891, T., 978.

Chlorocamphoryl chloride (MARSH). 1890, A., 995.

Chlorocarbonylsulphamyl (Schöne). 1885, A., 512.

p-Chlorocarbostyril (p-chloro-2'-oxyquinoline) (EINHORN and LAUGH), 1888, A., 501.

B-Chlorocarbostyril (FRIEDL'INDER and WEINBERG), 1853, A., 351.

Chloro-\psi-carbostyril (EINHORN Lauch), 1888, A., 501.

Ohlorocellulose, formation of, electrochemically (GOPPELSROEDER), 1885, A., 208.

diChlorocinchonine (Comstock KOENIGS), 1892, A., 1011.

a-Chlorocinnam-aldehyde and -aldoxime (NAAR), 1891, A., 562.

Chlorocinnamic acid. See Cinnamic

Chlorocinnoline (Busch and Klett), 1892, A., 1194.

triChlorocitrazinimide, compound with aniline (RUHEMANN), 1888, A., 728.

Chlorocitryl chloride, constitution of (SKINNER and RUHEMANN), 1889, T., 240.

action of aniline and toluidine, of heat and of water on (Skinner and RUHEMANN), 1889, T., 236.

diChlorocomanic acid (Ost), 1885, A., 49. Chlorocoumarone (KRAEMER and SPIL-KER), 1890, A., 496.

Chlorocresol. See Cresol.

Chlorocrotonaldehyde. See Crotonaldehyde.

diChlorocrotonaldoxime (Schiff and Tarugi), 1892, A., 34.

Chlorocrotonic acids. See acids.

Chlorocrotonylcarbamide (PINNER and Lifschutz), 1887, A., 1032.

Chlorocruorine (GRIFFITHS), 1892, A., 1256.

Chloroctylbenzene (AHRENS), 1887, A., 133.

Chloro-n-cumene (chloropropylbenzene) (Ehrera), 1887, A., 35. Chloro-ψ-cumene (Wallach and Heus-

LER), 1888, A., 362.

o-Chlorocumylacrylic acid (WIDMAN), 1891, A., 69.

o-Chlorocumylpropionic acid (WIDM N), 1891, A., 69.

Chlorocyanic acid (BELLMANN), 1884, A., 810.

Chlorocyanuric iodide (KLASON), 1886, A., 1001.

Chlorocymene. See Cymene.

Chlorocymenesulphonic acid (CARRARA), 1890, A., 779.

6-Chlorocymene-2-sulphonic acid (ER-RERA), 1890, A., 1288.

triChloro-m-isocymene-6-sulphonic acid, and its sodium salt (Kelbe), 1883, A., 806.

Chlorodecane from American petroleum (LEMOINE), 1884, A., 1107.

Chlorodecylic benzoate (GROSJEAN), 1892, A., 691.

Chlorodehydrobenzoylacetic acid, preparation and properties of (Perkin), 1885, T., 292.

diChloroisodehydrocholal (LASSAR-COHN), 1892, A., 741.

Cohn, 1892, A., 741.

Chlorodeoxybenzoin (Curtus and Lang), 1892, A., 451.

Chlorodeoxybenzoin-o-carboxylic acids, a-di- and -tetra- (Gabriel and Hen-Dess), 1888, A., 145.

p-Chlorodesaurin (PETRENKO-KRIT-SCHENKO), 1892, A., 1227.

6-Chloro-2:5-diacetamidoquinol (Kenr-MANN and Tiesler), 1890, A., 243.

6-Chloro-2:5-diacetamido-4-quinone (Kehrmann and Tiesler), 1890, A., 243.

Chlorodiacetylacetone (Frist), 1892, A., 811.

derivatives of (LEVY, WITTE and CURCHOD), 1890, A., 232.

tetraChlorodiacetyl (tetrachlorodimethyl deletone), action of ammonia and ethylenediamine on (LDVX and JDDLIČKA), 1888, A., 443; (LEVY), 1890, A., 475.

Chlorodiacetylquinol (Scheid), 1884, A., 430.

Chlorodiamylamine (Beng), 1890, A., 952.

action of sodium and potassium cyanides on (Beng), 1892, A., 804.

5-Chloro-3:6-dianilido-2-ethoxy-1:4quinone (Kehrmann), 1891, A., 908.

Chlorodianilidophenylquinoneimide (ANDRESEN), 1884, Å., 431.

dichlorodianthranyl (SACHSE), 1888, A., 1201; 1890, A., 638. dichlorodianthranyl octochloride (Suchse), 1890, A.,638.

tetrachloro-m-diazine(tetrachloropy) imidim) (CIAMICIAN and MAGNAGHI), 1886, A., 226.

Chlorodiazo. See Diazo. under Azo. Chlorodiazobutylamine (Beng), 1892, A., 1173.

Chlorodiisobutylenic dichloride (MAL-BOT and GENTIL), 1889, A., 813.

Chloro-2':3' or 1'-diethoxymethylquinoline (RUGHEIMER and HOFFMANN), 1886, A., 160.

Chlorodiethylamine (GATTERMANN), 1886, A., 796.

Chlorodiethylenediamine cobalt chloride (JORGENNEN), 1889, A., 352.

Chlorodihydromecenic acid(IIILARBEIN), 1885, A., 1203.

p-dichlorodihydroterephthalic acid (LEVY and ANDREOCH), 1888, A., 840, 1091.

Chloro-3:5-dihydroxybenzoic acids, diand tri- (Zincke and Fuens), 1892, A., 1461.

Chlorodihydroxybutanes, mono- and di-(ZIKES), 1885, A., 1016.

3.2'.4'-Chlorodihydroxydihydroquinoline (Eighengrun and Einhorn), 1890, A., 1128; 1891, A., 1100.

6:3:2:5-Chloro-p-dihydroxyethoxyquinone (Kehrmann), 1891, A., 901.

Chlorodihydroxy-a-picolines, di-and tri-(HOFFMANN), 1889, A., 856.

3'-Chloro-2'-1'-dihydroxy-1-methylquinoline (chlorohydroxy-o-bolucarbostyril) (Ruchelmen and Hoffmann), 1886, A., 160.

1:1'-diChloro-2:'2-dihydroxynaphthalene and 1:3:3':1'-tetrachloro-2:2'dihydroxynaphthalene (CLAUSIUS), 1890, A., 629.

(l'Chlorodihydroxypentanecarboxylic acid (HANTZSCH), 1888, A., 131; 1889, A., 853.

triChlorodihydroxypentanecarboxylic acid (HANTZCH), 1888, A., 130; 1889, A., 853; (HOFFMANN), 1889, A., 856.

2:4-diChloro-1:1'-dihydroxyquinoline (Hebebrand), 1889, A., 61.

Chlorodihydroxyisoquinoline (Rud-HEIMER), 1886, A., 702.

Chloro-3:2:5-dihydroxyquinone (Kehr-Mann and Tiesler), 1890, A., 212; (Kehrmann), 1890, A., 756.

dichlorodihydroxyquinone. See Chloranilic acid.

p-diChloro-p-dihydroxyterephthalic acid (HANTZSCH and ZECKENDORF), 1888, A., 278, Chloro-2: 4-dihydroxy-m-xylene (chloro-dimethylresoreinol) (WISCHIN), 1891, A., 74.

tetruChlorodiketodihydropentene (ZINCKE and RABINOWITSCH), 1891, A., 691.

heptaChloro-m-diketohexamethylene (Zincke and Rabinowitsch), 1891, A., 690.

Chlorodiketohexene. See Diketohexene.

dichloro-α-diketohydrindene (ZINCKE), 1888, A., 489.

Chlorodiketohydronaphthalene. See Diketohydronaphthalene.

Chlorodiketopentamethylene (HANTZSCH), 1888, A., 132.

Chlorodiketopentamethylenecarboxylic acid (HANTZSCH), 1888, A., 132.

Chlorodiketopentamethylenehydroxycarboxylic acids, mono- and di-(HANTZSCH), 1890, A., 131, 132.

triChlorodiketopentamethylenehydroxycarboxylic acid (HANTZSCII), 1888, A., 1190; (LANDOLT), 1892, A., 835.

tetruchlorodiketopentamethylenehydroxycarboxylic acid (LANDOLT), 1892, A., 836.

monoChloro- and ε-dichloro-α-δ-diketopentanecarboxylic acids (HANTZSCH), 1889, A., 854.

hexaChlorodiketotetrahydrobenzene (ZINCKE and KUSTER), 1888, A., 1277. triChlorodimethylacetal (MAGNANIMI),

1887, A., 28. triChlorodimethylamidophenylquinoneimide (Möhlau), 1884, A., 595.

Chlorodimethylanilines, o- and p-, and derivatives (Heidlberg), 1887, A., 474.

4-Chloro-2:6-dimethylpyridine (4chloro-2:6-lutidine) and its derivatives (Conrad and Epstein), 1887, A., 501.

Chlorodimethylquinol (CLAUS and RUNSCHKE), 1890, A., 1247.

tetraChlorodimethylquinoxaline (LEVY, WITTE and CURCHOD), 1890, A., 232.

Chlorodimethylresorcinol (chloro-2:1dhydroxy-m-xylenc) (Wischin),1891, A., 74.

8-α-cliChlorodimethylsuccinamic acid (Otto and Holst), 1890, A., 958.

a-dichloro-s-dimethylsuccinic anhydride (Otto and Holst), 1890, A., 957.

action of phenylhydrazine on (Otto and Holst), 1890, A., 1327.

tetrachlorodimethyltartar-amide and -imide (Levy, Witte and Curchod), 1890, A., 233. perChlorodioxydiphenylene (Hugoun-ENQ), 1889, A., 1150.

perChlorodiphenyl (MERZ and WEITH), 1884, A., 589.

p-Chlorodiphenylamine (IKUTA), 1888, A., 467.

di-p-Chlorodiphenylcarbamide (HEWITT), 1891, T., 212.

Chlorodiphenylcarbamides, m- and p-(GOLDSCHMIDT and BARDACH), 1892, A., 979.

cliChlorodiphenyldi-m-carboxylic acid (STOLLE), 1888, A., 700.

o-diChlorodiphenylsulphone (FRIEDEL and CRAFTS), 1887, A., 1101.

tetruchlorodiphthalyl (GRAEBE and Guye), 1886, A., 882.

diChloroditolyldiacetylethylenedi-

amide (Bischoff and Nastvogel), 1890, A., 1161.

diChloroditolyl (Stolle), 1888, A., 699. Chlorodurene. See Durene.

Chlorodurenesulphonic acid (Töhl.), 1892, A., 1465.

a-cliChlorofluorene (HODGKINSON and MATTHEWS), 1893, T., 170.

triChlorofluorene (Holm), 1883, A., 922. \$\mathcal{B}\$-Chlorofluorescein (Graebe and Rée), 1886, T., 530.

diChlorofluorescein (LE ROYER), 1887, A., 832.

tetraChlorofluorescein (GRAEBE), 1887, A., 833.

Chloroform (trichloromethane), preparation of (ANON.), 1885, Å., 46; (MICHAELIS and MAYER), 1886, A., 999.

preparation of, from acctone (ORN-DORFF and JESSEL), 1889, A., 34. purification of (WERNER), 1888, A.,

570. molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

thermochemistry of (BERTHELOT and MATIGNON), 1891, A., 1311.

coefficient of expansion of (Chancel* and Parmentier), 1885, A., 631.

peculiar phenomena in the solidification of (PICTER), 1892, A., 1138.

specific gravity of, at different temperatures (Chancel and Parmentier), 1885, A., 681.

action of ammonia and water on (ANDRÉ), 1886, A., 521.

action of potash on a mixture of acetone and (Excel), 1887, A., 569. action of sodium benzenesulphinate on (R. and W. Otto), 1888, A., 841.

action of sulphides on (PRUNIER), 1890, A., 291.

Chloroform (trichloromethane), action of alkali sulphides on (Demont), 1892, A., 421.

decomposition of, by alcoholic potash (DE SAINT-MARTIN), 1888, A.,

570.

solubility of, in water (CHANCEL and PARMENTIER), 1885, A., 630; 1888, A., 632.

physiological action of impure (Du Bois RAYMOND), 1892, A., 745.

vapour, preservative effect of, on organic substances (Dubois), 1884, A., 932.

fate of, in the organism (ZELLER), 1884, A., 1062; (KAST), 1887, A., 612.

Aydrate (CHANCEL and PARMENTIER), 1885, A., 363.

testing (Vulpius), 1888, A., 632.

detection of (JOLLES), 1887, A., 866.

detection of, in the fluids and organs of the animal body (LUSTGARTEN), 1883, A., 243.

detection of, in liquids (Schwarz), 1889, A., 85.

liquid paraffin as a reagent for the presence of water in (CRISMER), 1884, A., 1073.

1884, A., 1073. detection of, post-mortem (LUEDE-KING), 1887, A., 305.

estimation of (CHANCEL and PAR-MENTIER), 1888, A., 632.

estimation of, in the blood of an anæsthetised animal (GREHANT and QUINQUAUD), 1884, A., 375.

Chloroformamide (GATTERMANN and SCHMIDT), 1887, A., 569.

synthesis, a modification of (GATTER-MANN and ROSSOLYMO), 1890, A., 974.

and its use in synthesis (GATTER-MANN), 1888, A., 574.

Chloroformberberine (GAZE), 1890, A., 1012; 1891, A., 322.

Chlorofulminuric acid (EHRENDERG), 1885, A., 1192.

Chlorofumaric acid. See Fumaric acid. Chlorofumaric chloride (PERKIN), 1888, T., 696.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

Chlorofumarimides, mono- and di- (CIA-MICIAN and SILBER), 1884, A., 293.

Chlorofurfurylacraldehyde and its derivatives (MEHNE), 1888, A., 453.

γ-Chlorofurfurylacrylic acid (MEHNE), 1888, A., 453.

γ-Chlorofurfurylpentic acid (MEHNE), 1888, A. 453. tetraChlorogallein (GRAEBE), 1887, A., 833.

β-Chloroglutaconic acid (Burton and v. Pechmann), 1887, A., 467.

tetra Chloroglutaconic acid (ZINCKE and Fuchs), 1892, A., 1463.

pentaChloroglutaric acid (ZINCKE), 1892, A., 1186.

3:5-diChloroglutazine (dichloro-4amido-2:6-dihydroxypyridine) (STOKES and V. PECHMANN), 1887,

A., 156.

diChloroglyceryl acetate (Seelig), 1892, A., 289.

Chloroglyceryl diacetate (Shelig), 1892, A., 289.

Chloro-amphi- and -anti-glyoximes (Hantzsch), 1892, A., 693.

Chloroheptanesulphonic acid derivatives (Spring and Winssinger), 1888, A., 939.

chloroheptoic acid derivatives (Spring and Winssinger), 1888, A., 939.

triChlorohexahydrophloroglucinol (HAZURA and BENEDIKT), 1886, A., 52.

hexaChlorohexamethylbenzene (Conson), 1886, A., 1016.

p-Chlorohydrazobenzene (HEUMANN and MENTHA), 1886, A., 875.

p-Chlorohydrazobenzene-o-carboxylic acid (PAAL), 1892, A., 68.

m-Chlorohydrindone (v. Muller and Rohde), 1890, A., 1139.

p-Chlorohydrindone (MIERSCH), 1892, A., 1222.

Chlorohydrocinnamic acid. See Chloroβ-phenylpropionic acid.

Chlorohydrolapachol (HOOKER), 1892, T., 631.

Chlorohydroxyamidohydroxyquinoneoxime (Kehrmann and Tiesler), 1890, A., 493.

diChlore-p-hydroxybenzoic acid (CLAUS and RIEMANN), 1883, A., 1112; (ZINUKE and WALBAUM), 1891, A., 710.

Chloro-m-hydroxybenzoic acids, tri-and tetru- (ZINCKE and WALBAUM), 1891, A., 709.

tetraChlorohydroxyisobutyramide, formation of (Levy, Witte and Curchod), 1890, A., 234.

Chlorohydroxybutyric acids. See Hydroxybutyric acids.

a-Chlorohydroxybutyro-o-toluide-otolylcarbamine (Rugheimer and Schramm), 1888, A., 503.

Chlorohydroxydiethylallylamine (REBOUL), 1884, A., 578.

- clichlorohydroxydiketohydrindocarboxylic acid (ZINCKE), 1888, A., 489.
- 2:4-diChloro-1-hydroxy-1'-ethoxyquinoline (HEBEBRAND), 1889, A., 61.
- triChlorohydroxyethylidene-2'-methyl-\$-naphthaquinoline (SEITZ), 1889, A., 527.
- 2'-Chloro-4'-hydroxy-3'-ethylquinoline (Rügheimer and Schramm), 1887, A., 738.
- Chlorohydroxyethyltrimethylammonium platinochloride (Bode), 1892, A., 807.
- tetraChloro-a-hydroxyhydrindene and dichlorohydroxyketohydrindene carboxylamide (Zincke and Arnst), 1892, A., 858.
- diChlorohydroxyketohydrindenecarboxylic acid, chlorinated and brominated (ZINCKE and GERLAND), 1888, A., 1198, 1199.
- Chlorohydroxyketoindene (ZINCKE and GERLAND), 1888, A., 1199.
- 3'-Chlorohydroxy-1-methylcarbostyril [(OH)₂ = 2':4'] (RUGHEIMER and HOFFMANN), 1886, A., 160.
- 2'-Chloro-4'-hydroxy-1-methyl-3'ethylquinoline (Rugheimer and Schramm), 1887, A., 738.
- dichlorohydroxymethylpurin (F18-CHER), 1884, A., 996.
- Chloro-δ-hydroxy-β-methylquinazoline (Dehoff), 1890, A., 802.
- 2':3'-dichloro-4'-hydroxy-1-methylquinoline, 3':4'dichloro-2'-hydroxy-1-methylquinoline and 3':4'-dichloro-2'-hydroxy-3-methylquinoline (RUGHIEIMER and HOFFMANN), 1886, A., 160.
- Chlorohydroxymethylisoquinoline (GABRIEL), 1887, A., 1112.
- triChlorohydroxymethylsuccinic acid, and its salts (FITTIG and MILLER), 1890, A., 586.
- Chlorohydroxynaphthaquinone. See Hydroxynaphthaquinone.
- ββ-Chlorohydroxynaphthaquinoneanilide (ZINCKE and KEGEL), 1889, A., 268.
- Chlorohydroxynaphthaquinone-α-carboxylic acid (EKSTRAND), 1889, A.,
- Chlorohydroxynaphthaquinoneimide and β-chlorohydroxy-α-naphthaquinoneoxime (ZINOKE and SCHMUNK), 1890, A., 1147.
- Chloro-α-hydroxynaphthaquinonesulphonic acid (CLAUS and VAN DER CLOET), 1888, A., 603.
- Chlorohydroxy-a-naphthoic acid (EK-STRAND), 1889, A., 153.

- αβ-diChloro-β-hydroxy-α-naphthylphenylamine (ZINCKE and KEGEL), 1889, A., 268.
- Chlorohydroxyoxydipropionic acid (Willgerodt and Schiff), 1890, A., 959.
- γγ-hexaChloro-α-hydroxypentene cyanide (ZINCKE and KUSTER), 1890, A., 1256.
- γγ-hexaChlorohydroxypentenecarboxylic acid (ZINCKE and KUSTER), 1890, A., 754.
- Chlorohydroxyphenindulone (Kehrmann and Messinger), 1891, A., 747.
- ββ-diGhloro-α-hydroxyphenylpyridone and its carboxylic acid (Zineks and Fuens), 1892, A., 448, 449.
- Chlorohydroxyphenylthiazole (Schatz-Mann), 1891, A., 745.
- Chlorohydroxypicolinic acid. See Hydroxypicolinic acid.
- β-triChloro-α-hydroxypropenyl-amidoxime and -ethenylazoxime (Right-Ter), 1892, A., 321.
- ω-triChloro-β-hydroxypropylacridine (methyl acridinechloral) (BERNTHSEN and MUHLERT), 1887, A., 849.
- triChlorohydroxypropylamine (FAU CONNIER), 1888, A., 1265.
- ω-triChlorohydroxypropylpyrroline
 (ΕΙΝΗΟΝΝ and LIEBRECHT), 1887,
 A., 845.
- triChloro-a-hydroxypropylquinoline (EINHORN), 1886, A., 721.
- dichlorohydroxypyridine (Koenigs and Geigy), 1884, A., 1369.
- Chlorohydroxyquinoline. See Hydroxy-quinoline.
- Chlorohydroxyisoquinolines, mono- and di- (RUGHEIMER), 1886, A., 702.
- 2-Chloro-3-hydroxyquinolinequinone and its anilide (ZINCKE) 1891, A., 1251.
- p-Chlorohydroxyquinone (STIEGLITZ), 1891, A., 156.
- Chlorohydroxy-o-tolucarbostyril. Sec 3'-Chloro-2':4'-dihydroxy-1-methyl-quinoline.
- dichlorohydroxytrimethyluracil (HAGEN), 1888, A., 582.
- Chlorohydroxyvaleric acids (Meli-KOFF and Petrenko-Kritschenko), 1890, A., 736, 862; (Melikoff), 1888, A., 1177.
- Chloroketodihydroquinolines, tri- and tetra- (Zincke), 1891, A., 1250.
- tetruChloroketohydrindene (Zinck E and (Frönlich), 1887, A., 955.
- Chloroketohydronaphthalene. See Ketohydronaphthalene.

triChloro-8-ketohydronaphthalene-aoxime (Zincke and Schmunk), 1890, A., 1118.

γ₁-Chloro-α₂-ketojuloline (REISSERI), 1892, A, 881.

Chloroketonaphthalene. See Ketonaphthalene.

hexuchloroketopentene [m.p. 31°] (Zinckn and Kushen), 1888, A., 1278.

γγ-hexaChloroketopentene [m.p. 92°] (ΖΙΝΟΚΕ and ΚυΝΤΙΙΝ), 1889, A., 599; 1890, A., 754, 1255.

pentaChloro- α -ketophenyl- γ -piperidone (ZINCKE and Fucus), 1892, Λ , 449.

triChloroketoquinoline (HUBEBRAND), 1889, A., 61.

pentaChloroketoquinoline, derivatives of (Hebebrand), 1889, A., 62.

Chloroketotetrahydrobenzoic acids, pentus and hexas (ZINCKE and WAL-BAUM), 1891, A, 708, 710.

tetruChloroketotetrahydroquinoline hydrate (ZINCKE), 1891, A., 1252.

tetraChloroketotrihydroxypentamethylenecarboxylic acid(IIANFZSCII), 1890, A., 130.

triChlorolactic acid, preparation of glyoxal derivatives from (PINNER), 1884, A., 1298.

Chlorolactic acids, decomposition products of the sodium salts of (REISSE), 1890, A., 1097.

α-Chloro-γ-lepidine. See 2'-Chloro-4'methylquinoline.

triChlorolimettin (TILDEN), 1892, T., 349.

Chlorolevulinic acids, mono- and di-(Scissl), 1889, A., 489.

Chloro-2:6-lutidine. See Chloro-2:6-dimethylpyridine.

diChloromaleinamic acid (CIAMIUIAN and SILBER), 1890, A., 25.

Chloromaleic acid (KAUDER), 1885, A., 652; (PERKIN), 1888, T., 706; P., 75.

dichloromaleic acid and its anhydride (KAUDER), 1885, A., 652.

Chloromaleic anhydride (Perkin), 1888, T., 703; P., 75.

dichloromaleic phenylimide and a- and s-dichloromaleic tetruchlorides (KAUDER), 1885, A., 652.

Chloromaleinimide. See Maleinimide. diChloromaleinphenylimido- chloride and -dimethyl and -diethyl ethers (ANSCHÜTZ and BEAVIS), 1891, A., 1047, 1048.

Chloromecenic acid and its salts (HILSE-BEIN), 1885, A., 1202. perChloromecylene (Os1), 1883, A., 796.

Chloromercuric acid (NEUWANN), 1889, A., 1050.

CRAFTS), 1887, A., 1101.

Chloromethane. See Methylic chloride.

Chloromethane. See Methylie chloride. dichloromethane. See Methylenie dichloride.

triChloromethane. See Chloroform.
tetruChloromethane. See Carbon tetruchloride.

Chloromethanedisulphonic acid (ANDREASCH), 1886, A., 787.

Chloromethoxybenzoic acid (chloranisic acid) (Schull and Dralle), 1885, A., 146.

Chloromethoxybenzoicanhydride (chlorunisaldehyde) (Tieminn), 1891, A., 703.

tetruchloromethoxyethane (MAGNA-NIMI), 1887, A., 28.

4'-Chloro-p-methoxy-2'-methylquinoline (Conrad and Limpacii), 1888, A., 853.

Chloromethoxy/soquinoline [m.p. 73°-71°] (GABRIEL), 1887, A., 62.

Chloro-p-methoxytoluene (SCHALL and DRALLE), 1885, A., 116; (LIMPACH), 1889, A., 499.

Chloromethyl tetruchloropropyl ketones, di- and tri- (ZINOKE and Fuchs), 1892, A., 1462, 1463.

dichloromethyl chlorovinyl o-diketone (Zinoke and Rabinowitson), 1891, A., 690.

Chloromethylamidobenzoic acids (LA Coste and Bodewig), 1885, A., 793. diper Chloromethylamidocyanidine and

diperchloromethyldiamidocyanidine (Weddige), 1886, A., 321.

pentuChloromethylamido-p-diketohexene (ZINCKE and FUCHS), 1892, A., 419.

ω-Chloromethyl-o-amidostyrene (LIPP), 1885, A., 167.

p-Chloromethylaniline (MELDOLA and STREATFELID), 1889, T., 436; P., 98. o-Chloromethylbenzamide (GABRIEL), 1887, A., 1038.

Chloro-α-methylcinnamic acid. See Chlorophenylcrotonic acid.

Chloromethylcrotonic acid. See Chlorotiglic acid.

Chloro-3-methyl-2':3'- or 4'-diethoxyquinoline (RUGHEIMER and HOFF-MANN), 1886, A., 160.

Chloromethylenephthalide (ZINCKE and COOKSEY), 1890, A., 786. triChloromethylethylacetal (MAGNA-

NIMI), 1887, A., 28.

Chloro-5-methyl-1-ethylglyoxaline (chloroxulethyline) and its derivatives (WALLACH), 1883, A., 49.

m-Chloro-β-methylhydrindone (V. MIL-LER and ROHDE), 1890, A., 1140.

α-Chloro-α-methylhydroxybutyric acid (ΜΕΙΙΚΟΓΓ and ΡΕΤΒΕΝΚΟ-ΚΕΙΤ-SCHENKO), 1890, A., 862.

8-Chloro-a-methyl-a-hydroxybutyric acid (MELIKOFF), 1888, A., 1177.

Chloromethylindene (v. MILLER and ROHDE), 1889, A., 984.

Chloromethyl-\psi-isatin (LA Coste and Bodewig), 1885, A., 792.

Chloro-α- and -β-methylnaphthalenes (Scherler), 1892, A., 494.

Chloro-β-methylnaphthalenes, di-, triand tetra- (SCHERLER), 1892, A., 493.

Chloro-2'-methyl-\beta-naphthaquinoline (EPHRAIM), 1892, A., 1488.

dichloromethyloxindole (Colman), 1889, T., 4; P., 95.

dichloromethylparaconic acid (FITTIG and MILLER), 1890, A., 587.

triChloromethylparaconic acid (FITTIG), 1888, A., 252; (FITTIG and MILLER), 1890, A., 586.

tetruchloromethylphthalide (ZINCKE and COOKSEY), 1890, A., 786.

Chloromethylpiaselenole (IIInsberg), 1890, A., 973.

triChloromethylpropylearbinol(trichloramylle alcohol) and its derivatives (v. Garzarolli-Thurnlagkii), 1881, A., 1118.

triChloromethylpurin (FISCHER), 1881, A., 996.

Chloromethylpyridine. See Chloro-apicoline.

αββ-triChloromethyl-γ-pyridone and its carboxylic acid (ZINGKE and FUCHS), 1892, A., 450.

Chloromethylquinoline and its derivatives. See Methylquinoline.

Chloromethylstilbene (Sudborough), 1892, A., 1224.

triChloromethylsulphonic chloride (McGowan), 1885, A., 367.

preparation of (Bassett), 1886, A., 1000. dissociation of (Noliting), 1883, A.,

38. action of ammonia on (McGowan),

1884, A., 1126. triChloromethylsulphonylthiocarbam-

ide (McGowan), 1887, T., 669. Chloromethylthiazolecarboxylic acid

(WOHMANN), 1891, A., 226. β-dichloromuconamic acid (RUHEMANN and Elliott), 1890, T., 931. dichloromuconic acid, reduction products of (v. BARYER and RUFE), 1890, A., 875.

B-diChloromuconic acid and its amide (RUHEMANN and ELLIOTT), 1890, T., 932.

dichloro-a-naphthadichloroquinol

(CLAUN), 1886, A., 714. Chloronaphthalene. See Naphthalene. β-Chloronaphthalenedisulphonic acids (Armstrong and WYNNE), 1890, P., 181.

2-Chloronaphthalene-1:6-disulphonic acid chloride (Forseling), 1889, A., 276.

Chloronaphthalenesulphonic acid. See Naphthalenesulphonic acid.

dichloro-1:4-naphthaquinol (CLAUS), 1886, A., 714.

Chloronaphthaquinone. See Naphthaquinone.

anilide. See Naphthaquinone anilide. di/Chloronaphthaquinonecarboxylic acid (EKSTRAND), 1889, A., 152.

Chloro-\$-naphthaquinone derivatives (ZINCKE), 1887, A., 53.

dichloro-α-naphthaquinone dichloride (CLAUS), 1890, A., 786.

Chloro-β-naphthaquinone-α-oximes, mono-and di-(ZINCKE and SCHMUNK), 1890, A., 1146, 1147.

2:3-dichloro-α-naphthaquinone-3'-sulphonic acid (CLAUS and VAN DER CLOET), 1888, A., 602.

S-Chloronaphthaquinonetoluidides, oand p- (CLAUS and MUELLER), 1886, A., 247.

Chloronaphthoic acid. See Naphthoic acid.

α-Chloronaphthoic trichloride (WOLF-FENSTEIN), 1888, A., 711; 1889, A., 615.

B-Chloronaphthoic trichloride (RADE), 1889, A., 514.

Chloronaphtholactone (EKSTHAND), 1889, A., 153.

Chloronaphthol. See Naphthol.

Chloro-3-naphthol-3'-sulphonic acid, derivatives of (Armstrong and Rossiter), 1889, P., 72.

Chloro-α-naphthonitrile (EKSTRAND), 1884, A., 1361.

Chloro-β-naphthenitriles, mono- and di-, and their derivatives (ΕκSTRAND), 1891, A., 932.

4'-Chloronaphthostyril (EKSTRAND), 1889, A., 153.

dichloronaphthostyril (EKSTRAND), 1886, A., 715.

Chloronaphthylamine. See Naphthylamine.

β-Chloro-α-naphthylamine-2'-sulphonic acid (CLEVE), 1892, A., 1179.

 α-Chloro-β-naphthylaminesulphonic acids (the [1.2.4'], [1:2:3'], and [1:2:2'] acids) (Armstrong and Wynne), 1889, P., 36, 48.

Chloro-a- and -\beta-naphthylethylenes (Leroy), 1892, A., 495.

6-Chloronicotinic acid (v. PECHMANN and Welsh), 1885, T., 151.

clichloronicotinic acid (SEYFFERTH), 1887, A., 158.

ω-diChloro-o-nitracetophenone (GEVE-KOKT), 1884, A., 445.

Chlore-3-nitr-p-acetotoluidide (ECKEN-ROTH and DONNER), 1891, A., 195.

3:6-Chloronitr-p-acetotoluide (CLAUS and BÖCHER), 1892, A., 173.

Chlorotrinitranilidonaphthalene (CLEVE), 1890, A., 626.

p-Chloro-m-nitraniline and its derivatives (CLAUS and STIEBEL), 1887, A., 810.

dichloronitr., 2:4:6-trichloro-3:5-dinitr., and 2:4-6-trichloro-3-nitr-anisoil (Hugounday), 1890, A., 210.

Chloronitrazobenzene. See Azobenzene.

Chloronitrethylbenzenes (ISTRATI), 1888, A., 260.

o-dichloronitrethylbenzoylcarboxylic acid (Zincke and Latten), 1892, A., 1229; (Zincke and Scharfenberg), 1892, A., 1232.

dichloronitrethyl-m-diazine (PINNER), 1889, A., 1007.

Chloronitriles, volatility of (HENRY), 1855, A., 1014.

Chloronitrobenzaldehyde. See Benzaldehyde.

p-Chloro-m-nitrobenzanilide (RAVEILL), 1881, A., 601.

Chloronitrobenzene. See Benzene.

4-Chloro-3-nitrobenzenesulphonic acid (Fischer), 1892, A., 182.

2-Chloro-5-nitrobenzens sulphonic acid (Claus and Mann), 1891, A., 1188; (Fischer), 1892, A., 182.

Chloronitrobenzoic acid. See Benzoic acid.

Chloronitrobenzonitriles (Chaus and Kurz), 1888, A., 504.

o-Chloro-p-nitrobenzylic alcohol, anilide and methyl and ethyl ethers (Wirr), 1892, A., 444.

bromide (TIEMANN), 1891, A., 704. derivatives of (WITT), 1892, A., 444.

Chloronitrocamphor. See Camphor. α-Chlor-o-, -m- and -p-nitrocinnamaldehydes (NAAR), 1891, A., 562. m-Chloro-o-nitrocinnamic acid and ketone (Eighenerun and Einhorn), 1891, A., 1098.

Chloro-o- and -m nitrocinnamic acids (NAAR), 1891, A., 561.

2:5-Chloronitro-p-cymene and 2-chlorodinitro-p-cymene (FILITI and Chosa), 1889, A., 499.

Chloronitrocymenesulphonic acid (CAR-RARA), 1890, A., 780.

o-dichloro-padinitro-dibenzylamine and dibenzylaniline (Wirr), 1892, A., 445.

2:3:5-dichloronitrodihydroterephthalic acid (Livy and Andrewocci), 1888, A., 1991.

3:1:3-diChloronitro 1:2-diketohydronaphthalene hydrate (ZINCKE and SCHARFENBERG), 1892, A., 1232.

allo-m-Chloro-o-nitrodiphenylhydrazine, preparation of (Williagrope and Ellon), 1891, A., 1861.

m-Chloro-o-nitrohydrazobenzene (William Gerodt and Ferko), 1888, A., 830.

o-Chloronitrohydroxyethylbenzoic acid, lactone of (ZINCKE and LATTEN), 1892, A., 1230.

3':4'-d'ithlorod'nitro-2'-hydroxy-3-methylquinoline (Rudhemmer and Hoffmann), 1886, A., 160.

m-Chloro-o-nitro-\(\beta\)-hydroxyphenylethyl methyl ketone (\(\beta\)-inensimal Error and Errors), 1890, A., 1128; 1891, A., 1099.

m-Chloro-o-nitro-β-hydroxyphenylpropionamide (Ευπεναπον and Εινποκν), 1890, A., 1127; 1891, A., 1100.

m-Chloro-o-nitro-β-hydroxyphenylpropionic acids (Επαπενακών and Εινικοκή, 1890, Λ., 1127; 1891, Λ., 1099.

m-Chloro-o-nitro-β-hydroxyphenylpropionic aldehyde (ΕΙCHENGRUN and ΕΙΝΠΟΙΝ), 1891, Α., 1100.

Chlorodinitromethane, reduction of (RASCHIG), 1886, A., 323.

dichlorodinitromethane (LOSANITSCH), 1884, A., 1108.

triChloronitromethane. See Chloropierin.

o-Chloronitromethoxyethylbenzoic acid (ZINCKE and LATTEN), 1892, A., 1231.

dichlorenitromethylphthalide (ZINCKE and LATTEN), 1892, A., 1231.

4'-Chloro-3'-nitro-2'-methylquinoline (CONRAD and LIMPACH), 1888, A., 1111.

β-Chloro-α-nitronaphthalene [1:2'](ARM-STRONG and WYNNE), 1889, P., 71. (liChloro/linitronaphthalenes (CLEVE), 1890, A., 626.

β-Chloro-α-nitronaphthalene-2'-sulphonic acid (CLEVE), 1892, A., 1478. $\alpha\beta$ -Chloronitro- β -naphthaquinone

(ZINCKE and KEGEL), 1889, A., 266. 5-Chloro-δ-nitro-α-naphthoic acid (EK-STRAND), 1886, A., 156.

1.1':4'-Chloronitronaphthoic acid (EK-STRAND), 1889, A., 53.

8-Chloro-2'-nitronaphthol (GAESS), 1892, A., 1229.

Chlorotrinitronaphthol (CLEVE), 1890, A., 627.

Chlorotrinitronaphthylamine (CLEVE), 1890, A., 626.

Chloronitronitrosoazoxybenzene (WILL-GERODT and MUHE), 1892, A., 455. triChloronitrophenetoil (LAMPLET),

1886, A., 616.

Chloronitrophenol. See Phenol. m-Chloro-o-nitrophenyl-\beta-bromopropionic acid (EICHENGRUN and EIN-HORN), 1890, A., 1127.

Chloronitrophenylethanes (Istrati), 1888, A., 260.

diChloronitrophenylethylglyoxylic acid (ZINCKE and LATTEN), 1892, A., 1229; (Zincke and Scharfenberg), 1892, A., 1232.

triChloronitrophenylic-m- and -o-nitrobenzoates (DACCOMO), 1885, A., 890.

1':4':3'-Chloronitrophenylisoquinoline . 5 (GABRIEL), 1886, A., 631.

cliChloronitropyromucic acid (HILL and

Jackson), 1890, A., 601. Chloronitroquinones (GUARESCHI and D teromo), 1885, A., 891.

(KEHR-2:4:6-Chloro//initroresorcinol MANN), 1890, A., 211.

Chloronitrosoazobenzene. See Azobenzene.

p-Chloro/initrosoazoxybenzene (WILL-GERODT and BOHM), 1891, A., 905.

p-diChloro-p-dinitrosobenzene (Kehr-MANN, 1889, A., 245.

Chloro-//-nitrosodiphenylamine (IKU-TA), 1888, A., 468.

Chloronitrosonaphtharesorcinol (v. Kostanecki), 1889, A., 887.

diChlorodie.conitrosoditoluene (his-0chloronitrosylbencyl) (BEHREND and Nissen), 1892, A., 1200.

(Witt), o-diChloro-p-dinitrostilbene 1892, A., 444.

ω-Chloro-o-nitrostyrene (LIPP), 1881, A., 1030.

m-Chloro-o-nitrostyryl methyl ketone (Eichengrun and Einhorn), 1891, A., 1099.

o-diChlorodinitrosyldibenzyl(BEHREND and Nissen), 1892, A., 1200.

Chloronitrothiophen(Rosenberg), 1886, Λ., 534.

triChloronitrotolaene. See Toluene. Chloronitro-p-toluic acid. See p-Toluic acid.

2-Chloro-5-nitro-p-toluidine chlore-6-nitre-p-toluidine (CLAUS and DAVIDSEN), 1892, A., 172.

3-Chloro-6-nitro-7/-toluidine 3-chloro-6-nitro-p-toluonitrile(CLAUS and Bowner), 1892, A., 173.

2-Chloro-5-nitro-p-toluonitrile and DAVIDSEN), 1892, A., 172. 4-Chloro-5-nitro-m-xylene (CLAUS and

GRONEWEG), 1891, A., 921.

4-Chloro-6-nitro-m-xylene (AHRENS), 1892, A., 1437.

4:6-NiChloro-2:5-Ninitro-m-xylene (KOCH), 1890, A., 1248.

4 5-diChloro-3 6-dinitro-o xylene (CLAUS, RAPS, HERFELDT and BER-KEFELD), 1891. A., 1201.

2:5-//iChloro/linitro-p-xylene (KLUGE), 1885, A., 1208.

Chlorononane, from American petroleum (LEMOINE), 1884, A., 1106. Chloropal, analyses of (SMITH), 1881,

A., 652.

variety of, from Albemarle Co., Virginia (CHAPPELL), 1885, A., 228.

diChloropararosaniline (HEUMANN and Heidlberg), 1886, A., 942.

Chloropentamethylbenzene (Töhl), 1892, A., 968.

Chloro-a-pentaresorcinoldichroin ether (BRUNNER and CHUIT), 1888, A., 1182.

See Methyl-Chloropentenylic alcohol. chlorallylcarbinol.

(ISTRATI), Chloropentethylbenzene 1886, A., 231.

pentaChloropentolamide. See 24 nta-Chlorobutinenecarboxylamide.

diChlorophenanthrone, reduction (LACHOWICZ), 1881, A., 81.

triChlorophenetoil (LAMPERT), 1886, Λ., 616.

Chlorophenol. See Phenol.

o-p-c/iChlorophenol-o-sulphonic action of sulphuric acid on (GORDON), 1891, P., 64.

triChlorophenomalic acid. See Acetylacrylic acid, trichlor..

triChlorophenoxyethylene (phenyl trichlorovinyl clher) (Michael), 1886, A., 614.

Chlorophenylacetonitrile (MICH LEL and Jeanprétre), 1892, A., 1088.

deChlorophenylamido. S. naphthol Zincal and Kegli), 1889, A., 208.

//-Chlorophenylisobutane (V. DOBRZI-(VI), 1888, A., 359.

Chlorophenylbutyric acid (Figure and Morris, 1890, A., 891; (v. Miller and Rohde), 1890, A., 1149.

d.-p-Chlorophenylcarbamide Huwiii, 1891, T., 212.

Chlorophenylerotonic acids. See Phenylerotonic acids.

dichlorophenylenediamine hydrochloride (Mohlau, 1886, A., 941.

Chlorophenylethanes, o-, m- and p-(I-IRATE). 1885, A., 251.

Chlorophenylhydrazine and its derivatives. See Phenylhydrazine.

Chlorophenylic benzoates (Mosso,, 1888, A., 456.

o-, m- and p- (DACCOMO), 1892, A., 308.

phthalate (Mosso', 1888, A., 456. sulphide (Michaelisand Godenaux),

1891, A., 715. dithiocarbonate (Daccomo), 1892, A.,

306, 307. xanthate (Daccomo), 1892, A., 308.

(D) (C) OMO , 1885, A., 890.

y-Chlorophenylic phenylsemithiocarbazide (Hewiir), 1891, T., 212.
p-Chloro-2'-phenylindazole (PAAL),

1891. A., 724. Chloro-2'-phenylindole (BISCHLER),

1892, A., 1466. Chlorophenylmethylenesulphone

(Orio,, 1888, A., 453. 3n-Chloro-S-phenyl-a-methylpropionic acid (v. Miller and Roude), 1890, A., 1140.

¿¿¿Chlorophenylmethylpyrazolonesulphonic chloride (Molley Hoff), 1892, A., 1246.

Chlorophenylmethylsulphones, mand di- (O110), 1890, A., 380, 381. Chlorophenylparaconic acid. Sce

Chlorophenylparaconic acid.

Phenylparaconic acid.

a:-Chlorophenyl-a'l'-phenylnaphthotriazine (MELDOLA and Fother), 1891, T., 690. Chlorophenylphenylsemithica.bazides,

o- and p- (HEWITT), 1891, T., 210,

1-Chloro-β-phenylpropionic acid (MIERSCH), 1892, A., 1222.

dichloro-β-phenylpropionic acids, αand β- (Enlenmeyen), 1883, A., 196.

Chloro-\$-phenylpropionic acids. m-, o-, and p- (HERZBERG), 1885, A., 661.

aββ-triChloro-γ phenylpyridone and aββ-trichlorophenyl-γ-pyridonecarboxylic acid (ZINCKE and FUCHS), 1892, A., 448.

o-Chlorophenylsemicarbazide (Hewitt), 1891, T. 210.

p-Chlorophenylsulphonehydroxypropionic acid (Konig), 1892, A., 1091. p-Chlorophenylurazole (Hewmir), 1891, T., 212.

Chlorophloroglucinols (HAZURA and BE EDIKE), 1886, A., 52.

trichlorophloroglucinol (Websier), 1885, T., 423; (Zincke and Kegel), 1889, A., 967.

Chlorophthalic acids. See Phthalic acids.

Chlorophthalic anhydride. See Phthalic anhydride.

Chlorophthalic chloride (GRAEBE and RLE), 1886, T., 527. diChlorophthalide (LE ROYER), 1887,

A., 832.
p-dichlorophthalide (Guareschi), 1886,

A., 808.
β-Chlorophthalimide (GRAEBE and

RIE), 1886, T., 529. clichlorophthalimide (LE ROYLE), 1887.

A., 832. Chlorophyll and chlorophyllan. See

Agricultural chemistry.

Chlorophyllite from Loquidy, near
Nantes (BARET), 1883, A., 443.

Chloro-a-picolines (chloromethylpyridin), mono., hexa- and penta- (Ost), 1883, A., 793.

MYERS). 1892, T., 725.

Chloropicolinic acid, [m.р. 180°] (Seyfferfh), 1887, А., 157.

Chloropicolinic acid [m.p. 168°], clichloropicolinic acid and their salts (Osr), 183, A. 794.

Chloropicin, reduction of (RASCHIC. 188, A., 323.

syntheses with (ELDS), 1883, A 1000.

WICHMANN, 1892, A., 211.

Chloroplastids and chloroplastin (Schwariz), 1888, A., 983.

Chloroplatinic acid (Pigeon), 1891, A., 1925.

Chloroprehnitenes, mono- and di- (TOHL), 1892, A., 967.

a-dichloropropaldehyde (Spring and Tart), 1890, A., 955.

Chloropropanes, tri- and tetra- (SPRING and WINSSINGER), 1883, A., 659. 1:2.3-triChloropropane. See Trichlorhydrin.

heraChloropropane (LEVY and CUR-CHOD), 1889, A., 1136.

Chloropropanesulphonic acid (SPRING and WINSSINGER), 1883, A., 659.

triChloropropenylquinoline (EINHORN and LEHNKERING), 1888, A., 1208.

B-diChloropropionic acid, and its derivatives (Fromme and Orro), 1887, A., 912.

tetraChloropropionic acid (MABERY and Sмггн), 1890, A., 27.

a-dichloropropionic anhydride (OTTO and Holst), 1890, A., 1327.

a-diChloropropionitrile, solid (OTTO and Voigr), 1887, А., 1024.

molecular weight of (OTTO), 1890, A., 726.

o-pentaChloropropionylbenzoic acid (Zincke and Cooksey), 1890, A., 785.β- and γ- Chloropropylbenzamides

1263; (GABRIEL and ELFELDT), 1892, A., 213.

Chloropropy benzene. See Chloro-ncumene.

triChloropropyleneoxidecarboxylamide (LEVY, WITTE and CURCHOD), 1890, A., 234.

See Propylenes. Chloropropylenes. Chloropropylenic oxide. See Epichlorhydrin.

Chloroisopropylic b enzoate, preparation of (Morley and Green), 1885, T.,

2'-Chloro-2-isopro pylquinoline (WID-

MAN), 1886, A., 465. Chloropyrenepic ric acid (Goldschmiedt and Wegscheiner), 1883, A., 1001. See Pyridine.

Chloropyridine See Pyridine.
Chloropyridine a-carboxylic
[m.p. 180°] (chloropicolinic
(SEYFFERTH), 1887, A., 157. acid acid)

Chloropyridine acarboxylic acid acids. Ch. ropy idine-β-carboxylic acid (ch. j.onicotinic acid) (v. PECHMANN acid

and WELSH), 1885, T., 151.

¿liChloropyridinecarboxylie acid

 $[Cl_0: COOH = 1:6:4](?)$ (Benn-MANN and v. HOFMANN), 1885, A., 139.

cliChloropyridine-β-carboxylic acid (SEYFFERTH), 1887, A., 158.

2:6:diChloropyridine-3:5-dicarboxylic acid (GUTHZEIT and DRESSEL), 1891, A., 940.

See Chloro-m-dia-Chloropyrimidine.

tetraChloropyrocatechol(Zincke), 1887, A., 808; (ZINCKE and KUSTER), 1888, A., 1278.

perChloropyrocoll, action of phosphorus pentachloride on (CIAMICIAN and SILBER), 1884, A., 176.

octochloride or perchloride of (CIA-MICIAN and SILBER), 1884, A., 292.

triChloropyrogallol (Webster), 1884, T., 205; (HANTZSCH and SCHNITER), 1887, A., 925.

Chloropyromecenic acid (HILSEBEIN), 1885, A., 1203.

triChloropyromucamide and (HILL Jackson), 1890, A., 601.

Chloropyromucic acid. See Pyromucic acid.

Chloropyrotritaric acid (DIETRICH and

Paal), 1887, A., 658. tetruChloropyrroline, and synthesis of

(Clamician and Silber), 1884, A., 292, 293.

diChloropyruvic (Hantzsch), acid 1890, A., 132.

β-δ-diChloroquinazoline (ABT), 1888, A., 610.

Chloroquinol (Schem), 1884, A., 429. m-diChloroquinol (KEHRMANN Tiesler), 1890, A., 242.

tetraChloroquinol (Surkowski), 1887, A., 42.

a-Chloro-β-quinolinecarboxylic acid (Friedlander and Göhring), 1884, A., 1020.

Chloroquinolines and derivatives. Quinolines.

1-Chloroquinoline-4-sulphonamide,-sulphonic acid and -sulphonic chloride (CLAUS and POSSELT), 1890, A., 522, 523.

See Quinone. Chloroquinone.

Chloroquinonechlorimide (Kollrerr), 1886, A., 1019.

triChloroquinonechlorimide and monoand di-chloroquinonedianilides (An-DRESEN), 1884, A., 431.

diChloroquinonedichlorimide (Mon-LAU), 1886, A., 941.

diChloroquinonedihydrodicarboxylic acid (HANTZSCH and ZECKENDORF), 1888, A., 278.

triChloroquinoneimide hydrochloride (Andresen), 1884, A., 431.

Chlor-a-orcinoldichroin (BRUNNER and Снигг), 1888, А., 1183.

Chlororesorcinol. See Resorcinol. diChlororufigallol (WEBSTER and

Hunt), 1889, A., 405. acid 5-Chlorosalicylic (Smith and

Knerr), 1886, A., 704. Chlorosalicylic acids, 3-, 4-, and 5-(VARNHOLT), 1887, A., 945.

2:4-diChlorosalicylic acid (ZINCKE and WALBAUM), 1891, A., 711.

5:5-/ Chloropalicylic acids (EINHOUN and Kalli , 1886. A., 704; (HE HI , 15" \ A 1415.

.7. Chlorosilicon-di-8-naphthyldiamide, -diphenyldiamide, -2-ditolyldiamide an I -dixylyldiamide HALDEN,,1856. P., 251; 1557, T., 45, 40, 41.

Chlorosis in plants (v. SA(Hs), 1887, A., 711.

action of iron compounds in LAND-WEHR, 1588, A., 176.

treatment of, with hydrochloric acid

(White), 1992. A., 1117. Chlorostannic acid Example, 1836, A.,

984; (Sei'deni, 1887, A., 554. Chlorostearic acids, mono- and di- (Pro-

TROWSEL, 1890, A., 1396. Chlorostrychnine (SHENSTONE), 1885, T., 141; P., 5.

triChlorostrychnine (Stoeme), 1891, A.,

Chlorosuberic acid, action of potassium cyanide and potassium hydroxide on (BAUER), 1853, A., 970.

Chlorosuccinic acid (ANN HUTZ and BENNERI), 1890, A., 363.

Chlorosulphacetic acid (ANDREASCH), 1886. A., 786.

Chlorosulphonic acid, new mode of formation of (BILLITZ and HEUMANN), 1883, A., 710.

diChlorosulphopyromucic acid (HILL and JACKSON 1890, A., 601.

Chloroterebilic acid, and some of its salts (Rosen), 1554, A., 460.

proliChloroterephthalamide (LEVY and Curation , 1889. A , 1179.

Chloroterephthalic acid (FILETI and CROSA), 1889, A., 496.

Chloroterephthalic acid (LEVY and ANDLEGGT, 1888, A., 841, 1091.

n-deChloroterephthalic chloride (LEVY and Cure non). 1889, A., 1179. triChlorotetraketohexamethylene hydr-

ate (LINDOLI, 1892, A., 835. tetru Chlorotetraketohexamethylene (NEG), 1890, A., 1271; (LANDOLI),

1892, A., 836. tetruChlorotetra-methoxy- and -ethoxyquinhydrones (KEHRMANN), 1591, A.,

905. Chlorotetramine-chromic and -cobalt salts (Jongensen), 1890, A., 1213,

diChlorotetrapyridinerhodium hydrochloride (Jorgensen), 1889, A., 352. μ-Chlorothiazole (ScHATZMANN), 1891, A., 745.

Chlorothiophen (WEIIZ), 1881, A., 1130. triChlorothiophen, and its derivatives (ROSENBERG), 1886, A., 534.

tetraChlorothiophen tetrachloride (WILLGERODI), 1886, A., 339.

Chlorothiophenols, o-, m-, and p- (DACτο**υ**ο , 1892, Α., 308.

triChlorothiophensulphonic anhydride (ROSENBERG), 1886, A., 534.

a-Chlorothymoquinol (SCHNIIER), 1887, A., 720.

Chlorothymoquinones, o- and m-(SCHNITER), 1887, A., 720; (MAZZARV), 1890, A., 753.

Chlorotiglamide and chlorotiglic acids

(O110 and Holst), 1890, A., 958. Chlorotiglic acid (O110 and BECKURIS), 1885, A., 755; (Isberr), 1886, A.,

action of potash on (FRIEDRICH), 1883, A., 969.

ω-Chloro-m-toluamide (REINGLASS), 1891, A., 1344.

ω-Chloro-p-toluamide (MELLINGHOFE) 1890, A., 239. See Tolucue.

Chlorotoluene. pentaChlorotoluene (SEELIG), 1885, A., 770.

o-Chlorotoluene-p-sulphonamide (PAY-SAN), 1884, A., 72. p-Chlorotoluene-o-sulphonamide (HEFF-

TER), 1884, A., 72 Chlorotoluenesulph onic acid. See Toluenesulphonic acid.

Chlorotoluic acid. See Toluic acid. Chlorotoluidine. See Toluidine.

MANN), 1883, A., 1112, Chlorotoluquinone [4-0. 3-](CLAUS and

SCHWEITZER), 1886, A., 614; (SCH-NIFER), 1887, A., 1036

triChlorotoluquinone (CilAUS and RIE-MANN), 1883, A., 1112

methyl Chloro-p-tolyl ether. Sec Chloro-p-methoxytoluque.

o-Chloro-m-tolyl and m chloro-o-tolyl methyl ketones (CLAIS), 1891, A., 911.

p-Chloro-m-tolyl methyl keton, and ketoxime (CLAUS), 1892, A., 1201.

triChloro-o-tolylacetamide (Clapiz), 1587, A., 1098.

diChlorotolylbenzoic acid (LE ROYER), 1887, A., 832.

di-o-Chloro-m-tolylcarbamide (KOCK), 1887, A., 810*.*

triChlorotolylenediamines, a- and \$-(Serlig), 1885, A., 770.

dichloro-o-tolylic phosphate (STUART), 1888, T., 403; P., 24.

Chloro-p-tolylmethylsulphones, monoand di- (Otto), 1890, A., 380, 381. 1'-Chloro-3'-m-tolylisoquinoline (HEIL-MANN), 1890, A., 625; 1891, A., 202,

1'-Chloro-3'-11-tolylisoquinoline (RUHE-MANN), 1892, A., 474.

cli-o-Chloro-m-tolylthiocarbamide (Kock), 1887, A., 810.

diChlorotriisobutylene dichloride (MAI-BOT and GENTIL), 1889, A., 843.

Chlorotriethylallylammonium ides, α- and β-(REBOUL), 1883, A., 307.

hexaChlorotriketohexamethylene (Zincke and Kegel), 1889, A., 967.

triChlorotriketopentamethylene (HANT-ZSCH), 1888, A., 1190; (LANDOLT), 1892, A., 835.

triChlorotriketovaleric acid (IlANTZscn), 1888, A., 1192.

Chlorotrimethylene and its derivatives. See Trimethylene.

hexaChlorotrimethylenetrisulphone (CAMPS), 1892, A., 592.

4'-Chloro-1:3:2'-trimethylquinoline (CONRAD and LIMPACH), 1888, A., 503. Chlorotrimethyluracil (II tgen), 1888,

A., 582. Chlorotriphenylfurfuran, reduction of (JAPP and KLINGEMANN), 1889, P.,

136; 1890, T., 674. triChlorotriphenylrosanilines (HEU-MANN and HEIDLBERG), 1886, A., 943. Chlorovalerolactone (WOLFF), 1885, A.,

1124. diChloro-o-vinylbenzoic acid (ZINCKE and Fröhlich), 1887, A., 955; (Zin-CKE), 1888, A., 159.

triChloro-o-vinylbenzoic acid (ZINCKE and Fröntich), 1887, A., 955;(Zincke), 1888, A., 490.

o-diChlorovinylbenzoylcarboxylic acid (ZINCKE and KEGEL), 1889, A., 270. o-triChlorovinylbenzoylcarboxylic acid

(ZINCKE), 1888, A., 490.

trichloro-vinyleli-ao-diChloro- and chlorophenylacetic acids (ZINCKE and Keceni), 1889, A., 270.

Chloroxalamyline. See Chlorobutylglyoxaline.

Chloroxalethyline. See Chloro-5methyl-1-ethylglyoxaline.

p-diChloro-p-oximidoquinone (KEHR-MANN), 1889, A., 244.

Chloroxyadipic acid, lactone of (RUHE-MANN), 1890, T., 940.

m-diChloroxyazobenzene (Schultz), 1884, A., 903.

Chloroxybenzene, derivatives of (Bene-

ыкт), 1883, Л., 984. 1'-Chlor-2'-oxy-1'-benzylisoquinoline (Eichelbaum), 1888, A., 1301.

Chloroxybutane (ZIKES), 1885, A., 1046. Chloroxy pentachlorobenzene DIKT and V. SCHMIDT), 1883, A., 1119.

dichloroxydichlorodibromodiphenoquinone (BENEDIKT), 1883, A., 984. diChloroxydimethylpurin (Fischer),

1881, A., 997.

Chloroxylene. See Xylene.

5-Chloro-o-xylidine [1:2:4-] (('LAIS), 1892, A., 1202.

2-Chloro-p-xylidine [1:4:5-] (KLUGE), 1885, A., 1208.

4:6-diChloro-m-1:3-xylo-2:5-quinol and -quinone (CLAUS and RUNSCHKE), 1890, A., 1247.

4:5-diChloro-o-xylo-3:6-quinol -quinone (CLAUS, RAPS, HERFELDT and Berkerold), 1891, A., 1201.

3-Chloro-1:2-xylyl methyl 6(?)-ketone and its derivatives (CLAUS), 1892, A., 1202.

4-Chloro-1:2-xylyl methyl 5-ketone and derivatives (CLAUS), 1891, A., 912; 1892, A., 1201.

Chloroxylylenephthalimide (STRASS-MANN), 1888, A., 475.

tetraChloroxylylenic oxide (GRAEBE), 1887, A., 832.

diChloroxymethyluracil (BEHREND), 1887, A., 129.

Chloro-2'-oxyquinoline. See Chlorocarbostyril.

Chloroxyisoquinoline (GABRIEL), 1887, A., 62.

"Chlorozon" (LUNGE and LANDOLT), 1886, A., 399.

Chocolate (Boussing Ault), 1884, A., 202. detection of foreign starches in (HARTwин), 1889, А., 192.

Cholamide (PEI LIZZARI), 1889, A., 286. Cholanic acid and its ethyl and methyl salts (Latschinoff), 1886, A., 566.

isoCholanic acid (LATSCHINOFF), 1886, A., 817.

Choleic acid (Latschinoff), 1886, A., 270; 1887, A., 682, 683.

Cholera (RAMON DE LUNA), 1884, A., 349. changes in the chemical composition of certain secretions during (Povонет), 1885, А., 576.

formation of ptomaines in (VILLIERS), 1885, A., 404.

supposed ptomaines of (OLIVERI), 1886, A., 1049.

transmission of, by drinking water (ANON.), 1884, A., 1081.

Cholesterin (cholesterol) (RAÝMAN). 926; (OBERMULLER), 1887, A., 1891, A., 298.

appendix to Schulze and Barbieri's paper on (Schulze), 1883, A., 586. in the carrot (Annaun), 1886, A., 830. in melon seeds (Form), 1891, A., 357. in plants (Schulze), 1890, A., 1457.

289

10

on pusites MAYA--E', 1990, A., 1017.

in Simple caracid at Dunsean and CHASION, 1890, A., 103.

vegetable (Glrand), 1892, A., 1294. in vegetable fats (HECKEL and Sch-LAGDENHAUFFEN), 1886, A., 829.

molecular weight of (ABEL), 1890, A., 914.

rotatory dispersion of (GRIMBERT), 1888, A., 330.

action of OBERMUTTER', 1890, A., 932. higher homologue of MARINO-ZUCO), 1890, A., 757.

derivatives (REINITZER, 1988, A., 1076.

pota-sium and sodium compounds of (OBERMULLER), 1891, A., 299.

estimation of (OBERMULLER), 1892, А., 218; (Lewkowiisch), 1892, А., 514.

See also Lanolin and Phytostearin. isoCholesterin (Schulze), 1883, A., 586. reaction for (SCHULZE), 1890.A.,1474.

Cholesterin-fats in man, detection of (Liebreich), 1891, A., 97.

Cholesteryl acetate (RAYMAN), 1887, A., 926.

modifications of (REINITZER), 1888, A., 1076.

benzoate (OBERMILLER), 1891, A., 299. modifications of (REINITZER), 1888, A., 1076.

omobenzoate and benzyl ether (OBERMULLER), 1891, A., 299. bromoleuzoate

chloride and its dibromide (RAÝMAN), 1887, A., 926. phthalate (OBERWILLER), 1891, A.,

propionate (OBERMULLER), 1890, A.,

932; 1891, A., 299. dibromide (OBERMULLER), 1891, A., 299.

Cholestol. Sec Cinchol.

Cholic acid (MYLIES), 1886, A., 490, 952; 1887, A., 982; 1889, A., 508; (LASSAR-COHN), 1892, A., 741.

a new acid analogous to (LAFS) HIV-OFF), 1886, A., 270.

anhydrous (Latschinoff), 1987, A., 682.

empirical formula of (Larse Hinoff). 1888, A., 303.

molecular weight of 'ABEL', 1890, A., 914.

action of phosphorus exychloride on (CAMPANI), 1889, A., 171.

methyl and ethyl salts of (SCHOTTEN), 1886, A., 565.

iodo- (MYLIUS), 1887, A., 606.

Cholesterin 'A. I strail' in red blood | Choline from the Arca nut (JAHNS), 1891, A., 91.

in cotton-seed foods (MAXWLLL), 1892, A., 330.

in germinating plants (Schulze), 1887, A., 747.

in hops (GRIESS and HARROW), 1885, T., 298.

in seeds (SCHULZE), 1889, A., 1029; 1891, A., 490.

action of hydriodic and hydrobromic acids on (SCHMIDT), 1892, A., 808. relations between neurine and (Sonмирг), 1892, А., 219.

analogues of (NIEMILOWICZ), 1886, A., 933.

derivatives of (Bode), 1892, A., 806; (Schmidt), 1892, A., 905.

isoCholine and its salts (MEYER), 1883, A., 568.

Choloidanic and ψ-choloidanic acids (LATSCHINOFF), 1886, A., 817.

(WERTHEIMER Cholomethæmoglobin and MEYER), 1889, A., 637.

Chondrin, heat of combustion of (BER-THELOT and ANDRÉ), 1890, A., 938.

Chondrin balls (Monner), 1888, A., 860. Chondrodite from Nyakopparberg, analysis of (v. WINGARD), 1886, A., 29.

composition of (Sjögren), 1883, A., 436.

minerals, composition of (SJOGREN), 1883, A., 436.

Chondroitic acid (KRUKENBERG), 1885, A., 405; (MORNER), 1889, A., 737. Chondromucoid (MORNER), 1889, A.,

Chondropeptone (DANILEWSKY), 1884, .A., 1388.

Chondrosin (Krukenberg), 1886. A.,

Chondrus crispus, galactose from (IIAE-DICKE, BAUER and TOLLENS), 1887, A., 791.

iodine in (VAN ITALLIE), 1890, A., 402. Chonemorpha macrophylla, alkaloid from (Gresnoff), 1891, A., 337.

Chorionin (THEHOMIROFF), 1885, A., 1001, 115ò.

Choroid, black pigment of (HIRSCH-FELD), 1889, A., 788.

Chromammonium compounds. See under Chromium.

Chromates. See under Chromic acid. Chromatin (SCHWARTZ), 1888, A., 983. Chromatology of the Actinize (MAC Munn), 1885, A., 1251.

animal (MACMUNN), 1889, A., 1231. invertebrate (MACMUNN), 1887, A., 613.

Chromatometer (ANDRIEU), 1886, A.,

Chrom-diopside from Conwall (TEALL), 1891, A., 276.

Chrome iron ore. See Chromite.

Chrome-mordanting process (KOECHLIN), 1885, A., 208.

Chrome-orange for calico-printing, preparation of (ANON.), 1883, A., 896. Chrome paints, analysis of (BROWN),

1887, A., 304.

Chrome-yellows, analysis of (LACHAUD and LEPIERRE), 1892, A., 663.

Chromic acid. See under Chromium.

Chromite (chrome iron ore) (VENATOR and ETIENNE), 1887, A., 532; (MEU-NIER), 1890, A., 568; (FRESENIUS and Hiniz), 1890, A., 828; (Burgн прт), 1890, А., 1027; (Don-ATH), 1892, A., 1031.

from the Andaman Islands (MALLET), 1885, A., 1185.

from Australia (MacIvon), 1888, A.,

from New South Wales (LIVERSIDGE), 1886, A., 774.

from Servia (Schafarzik), 1885, A., 730.

from the United States (PEMBERTON), 1891, A., 992.

deposits of, in the Urals (Cossi and Arzruni), 1883, A., 444.

artificial preparation of (MEUNIER), 1889, A., 354; 1890, A., 568. decomposition of (DONATH), 1887, A.,

619; (JANNASCH and VOGTHERR), 1892, A., 240.

decomposition of, by the electric current (SMITH), 1891, A., 1294, 1398.

analysis of (WALLER and VULTÉ),

1892, A., 1525. estimation of chromium in (Rein-H LRDT), 1890, A., 298; (KINNICUTT and Patterson), 1891, A., 366.

Chromium (JAGER and KRUSS), 1889, A., 1117.

atomic weight of (BAUBIGNY), 1884, A., 894; (LUPTON), 1888, P., 81; (RAWSON), 1889, T., 213; P., 31; (MEINEKE), 1891, A., 882.

atomic heat of (JAGER and KRUSS),

1889, A., 1121.

(metal) preparation of, from potassium chromium chloride and magnesium (GLATZEL), 1891, A., 152.

attempts to prepare, from chromic fluoride (EVANS), 1892, A., 19. phosphorescence of (Chookes), 1887, -A., 1067.

Chromium in fluorescent mixtures, degree of oxidation of (Lecoo DE Boiseaudran), 1888, A., 329, 541, 1001, 1229; 1889, A., 2.

Chromium blue, artificial production of

(GARNIER), 1891, A., 271.

Chromium chlorate, use of, in cotton printing (LAUBER and WEINREB), 1885, A., 1272.

dichloride. See Chromous chloride. trichloride. See Chromic chloride. double fluorides (PETERSEN), 1889,

A., 107. sesquioxide (chromic oxide) colloidal (VAN BEMMELEN), 1888, A., 1162. molecular states of (Recount), 1886,

A., 597.

influence of, on the decomposition of potassium chlorate (Fowler and GRANT), 1890, T., 277. estimation of (BAUMANN), 1892, A.,

10 £.

estimation of, by titration (PAWOL-LECK), 1884, A., 640.

hydroxide, colloidal solution of (Pictor and Linder), 1892, T., 154.

trioxide. See Chromic anhydride. oxides, colours of, in acid solution (v. der Pfordten), 1884, A., 559.

action of hydrogen peroxide on (MARTINON), 1886, A., 984. oxychloride. See Chromyl chloride.

oxyfluoride. See Chromyl fluoride. oxyhaloid derivatives of (RAWSON), 1889, A., 678.

potassium alsenate (LEFRVRE), 1890, A., 1378.

chloride (Godefroy), 1884, A., 660. fluoride (CHRISTENSEN), 1887, A.,

pyroarsenate (Lerevre), 1890, A., 1378.

sodium arsenate (Lefevre), 1890, A., 1378.

sulphide (BRUNNER), 1890, A., 215. heptasulphide, non-existence of (BEN-DER), 1887, A., 553.

sulphites, preparation of (MANZONI), 1885, A., 725.

Chromammonium salts (Jürgensen), 1883, A, 554; 1885, A., 23; 1892, A., 782; (KRAUT), 1886, A., 849. constitution of (Jurgensen), 1890,

A., 1213; 1892, A., 783.

Luteochromium salts (Jürgensen), 1885, A., 23.

Luteo- and roseo-chromium hydrogen nitrates (Jorgensen), 1891, A., ... 1327.

Chromammonium salts, Rhodosochromium salts (Jorgensen), 1892, A., 782. Chromic acid (PRUD'HOMME and BIN-DER), 1883, A., 22; (FIELD), 1892,

T., 405; P., 47.

preparation of (Moissan), 1884, A., 1267; (ROWELL), 1886, A., 108. absorption spectra of (SABATIER),

1886, A., 838.

conductivity of aqueous solutions of (OSTWALD), 1888, A., 1009.

heat of formation of (BERTHELOT), 1883, A., 642.

basicity of (OSTWALD), 1888, A., 1009. behaviour of some acids towards (SAL-

ZER), 1888, A., 996.

action of barium hydroxide and oxygen on (Pechard), 1891, A., 1431.

action of hydrogen peroxide on (Moissan), 1884, A., 20; (BERTHELOT), 1889, A., 350, 468, 571.

estimation of (BAUMANN), 1892, A., 103; (LUNGE), 1892, A., 538.

estimation, volumetric, of, in chromates and dichromates (HARVEY), 1883, A., 686. salts of, heat of formation of (Ber-

тнесот), 1883, А., 642.

Chromates (PRUD'HOMME and BIN-DER), 1883, A., 22; (JÄGER and KRÜSS), 1889, A., 1117. manufacture of (MASSIGNON and

VATEL), 1891, A., 1430.

double (LACHAUD and LEPIERRE), 1890, A , 1065.

heat of solution of (SABATIER), 1886, A., 962.

action of acids on (BERTHELOT),

1883, A., 707. compounds of, with mercuric chloride (JAGER and KRI 85), 1889, A., 1120.

detection of (Vogel), 1888, A.,

estimation of, in presence of dichromates (McCulloch), 1887, A., 304.

estimation volumetric, of (Solt-SIEN), 1891, A., 115; (NAMIAS), 1892, A., 1375.

Dichromates, process for preparing (ANON.), 1883, A., 890; (Roe-MER), 1884, A., 783. action of a red heat on (BAU-

BIGNY), 1884, A., 559.

Chromic anhydride (chromium trioxide), purification of (Moissan), 1884, A., 1267.

> ombustion by means of (Cross and BEVAN), 1888, T., 889; P., ₋ 76.

Chromic anhydride (chromium trioxide), action of gaseous hydrogen chloride on (Moissan), 1884, A., 1267. action of sulphur on (SENDERENS),

1892, A., 770. Chromic salts (RECOURT), 1891, A., 1430; 1892, A., 411.

action of heat on solutions of (RE-COURA), 1891, A., 1430; (HARTLEY), 1892, A., 571.

Chromic antimonate (BEILSTEIN and BLASE), 1889, A., 1124.

bromide, isomeric forms of (RECOURA). 1890, A., 1063.

chloride (chromium trichloride), preparation of (QUANTIN), 1885, A., 23; (VOSMAER), 1889, A., 832.

isomeric modifications of (RECOURA), 1886, A., 508.

vapour density of (NILSON and PET-

TERSSON), 1888, T., 829; P., 87. solutions of (PICTON and LINDER), 1892, T., 153.

anhydrous, solution of (RECOURA), 1886, A., 669.

double salts of, with other metallic chlorides (Godefroy), 1884, A., 1266; (NEUMANN), 1888, A., 655. hydrates of (Godefroy), 1885, A.,

fluoride, violet (FABRIS), 1891, A., 271. See Chromium sesquioxide. phosphate (Bloxam), 1886, A., 17. metaphosphate (Johnson), 1889, A.,

potassium hydrogen pyrophosphate (Schjerning), 1892, A., 1053.

selenite (TAQUET), 1883, A., 717.

Nydrogen selenite, preparation of (Taquer), 1884, A., 397. sulphate (Baubigny), 1884, A., 558; (Recoura), 1891, A., 1430; 1892, A., 411.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

dithionate (KLUSS), 1888, A., 1156. Chromiodates (Beng), 1887, A., 776; 1890, A., 1378; (BLOMSTRAND), 1890, A., 107.

Chromiodic acid (Berg), 1887, A., 776; 1890, A., 1378.

Chromosulphuric acid and its salts (RE-COURA), 1892, A., 783.

Chromous chloride (chromium dichloride), conversion of, into chromic chloride (RECOURA), 1886, A., 597, 669.

heat of transformation of, into chromic chloride (RECOURT), 1885, A., 1102.

Chromous chloride (chromium dichloride), vapour density of (NILSON and PETTERSSON), 1888, T., 830; P., 87.

hydrochloride of (Recourt), 1885, A., 875.

sulphate (Moissan), 1883, A., 22.

explosion of a tube containing (VAN BEMMELEN), 1888, A., 1041.

Chromyl bromide, bromo-, non-existence

of (RAWSON), 1889, A., 678.

chloride (chromium oxychloride) (Moissan), 1884, A., 1267.

method of preparing (Moissan), 1885, A., 638.

actions of (QUANTIN), 1885, A., 23.

action of, on accnapthene (EWAN and COHEN), 1889, T., 582.

action of ammonia on (RIDEAL), 1886, T., 367; P., 175. action of carbon tetrachloride on

(QUANTIN), 1887, A., 330. solubility of chlorine in (Rooze-

BOOM), 1886, A., 500. fluoride (OLIVERI), 1886, A., 983.

Chromium organic compounds:—

Chromammonium thiocyanate, derivatives of (Christensen), 1892, A., 708

Chromium compounds, analogous to ferro- and ferri-cyanides of potassium, preparation of (Christensen), 1885, A., 787.

Chromium, series of salts containing urea and (SELL), 1883, A., 178; 1889, A., 695.

dextrosate (CHAPMAN), 1891, T., 324; P., 66.

Chromocyanic acid (Moissan), 1885, A., 738.

Chromorganic acids (WERNER), 1887, T., 383; P., 2; 1888, T., 404; P., 33.

Chromoxalic acid and its salts (Werner), 1887, T., 383; P., 2; 1888, T., 404; P., 33; (Hartley), 1887, P., 5.

Chromium detection, estimation and separation:—

test for (McCay), 1892, A., 1183. detection and estimation of traces of (Donath and Jeller), 1887, A., 581.

estimation of (BAUBIGNY), 1884, A., 1428; (VIGNAL), 1886, A., 580. estimation of, in alloys (Peterson),

1885, A., 194.

estimation of, in chromium aluminium alloys (HUNT, CLAPP and HANDY), 1892, A., 1131. Chromium detection, estimation and separation:—

estimation of, in chrome iron ore (KINNICUTT and PATTERSON), 1891, A., 366.

estimation of, in foods (DE Koningh), 1890, A., 195.

estimation of, by means of hydrogen peroxide (CARNOT), 1889, A., 311, 443.

estimation of, in iron ores (CLAASSEA), 1887, A., 449.

estimation of, in iron and steel (REIN-HARDT), 1890, A., 85; (Hogg), 1892, A., 538.

estimation of, in iron and steel, in presence of phosphorus (ARNOLD and HARDY), 1888, A., 757.

estimation of, in presence of organic matter (Pomeroy), 1884, A., 109. estimation of, in rock analysis

(CHATARD), 1891, A., 768. estimation, volumetric, of (Sell),

1887, A., 303. estimation, volumetric, of, in chrome iron ore (REINHARDT), 1890, A.,

298. estimations, electrolytic, with (BRAND),

1890, A., 294. separation of, from uranium (For-MÁNEK), 1888, A., 531.

Chromochre from Servia (SCHAFARZIK), 1885, A., 730.

Chromogenic groups (v. RICHTER), 1888, A., 1189.

Chromometer (STEAD), 1883, A., 1032; (RIDSDALE), 1888, A., 625. Chromophyll (ENGELMANN), 1883, A.,

820. Chrom-tourmaline from Maryland

(GILL), 1892. A., 1057. in the Urals (Cossa and Arzruni), 1883, A., 444.

Chrysaniline (diamidophenylacritine) (Fischer and Korsen), 1884, A., 748; 1885, A., 260; (Arschutz), 1884, A., 1034.

preparation of (TRILLAT and DE RACZKOWSKI), 1892, A., 1095.

action of methyl iodide and hydroxide on (TRILLAT and DE RACZKOWSKI), 1892, A., 1095.

azo- and alkyl-compounds of, and the dyes therefrom (TRILLAT and DE RACZKOWSKI), 1892, A., 1095. picrate (Anschutz), 1884, A., 908.

Chrysanthemine (MARINO-Zuco), 1891,

A., 334; 1892, A., 84. Chrysonthenum cineraria folium, alkaloid from (MARINO-ZI CO), 1891,

A., 333; 1892, A., 84.

cinerariæfolium. Chrysanthemem constituents of the buds of (THONS). 1892, A., 349.

homologue of cholesterin from (MARINO-ZULO), 1890, A., 757.

Chrysarobin, therapeutical substitutes for (LIEBERMANN), 1858, 518.

physiological action of (WEYL), 1889, A., 539.

Chrysatropic acid (KUNZ), 1886, Λ ., 255.

Chrysene (BAMBERGER and BURGDORF),

1890, A., 1312. synthesis of (Kraemer and Spilker), 1890, A., 515.

constitution of (BAMBERGER and KRANZFELD), 1885, A., 1069.

boiling point of (Schweifzen), 1891, A., 1240.

derivatives of (ABEGG), 1891, A., 730. hydrides(LIEBERMANN and SPIEGEL), 1889, A., 405.

amido- (ABEGG), 1890, A., 789; (BAM-BERGER and BURGDORF), 1890, A., 902, 1313.

Chrysenic and isochrysenic acids (BAM-BERGER and BURGDORF), 1890, A., 1312, 1313.

Chrysidines, and derivatives of (Picrer and Erlich), 1891, A., 217; 1892, A., 197.

Chrysocolla (copper silicate) from Arizona (Euclis), 1884, A., 28.

from California (JANNETTAZ), 1888, A., 565.

from Etna (FREDA), 1885, A., 643. from Gila Co., Arizona, analysis of (ROBERTSON), 1885, A., 130.

Chrysofluorene, and the alcohol from it (Bamberger and Kranzfeld), 1885, A., 1070.

Chrysoglycollic acid (BAMBERGER and KRANZFELD), 1885, A., 1070.

Chrysoidine (benzeneuzo-m-phenylenediamine), description and measurement of the spectrum of (HARTLEY), 1887, T., 178.

Chrysoidinecarbamide (JENTZSCH), 1889, A., 45.

Chrysoketone (BAMBERGER and KRANZ-FELD), 1885, A., 1070; (BAMBERGER and Burguer, 1890, A., 1312.

Chrysolin (MICHAUD), 1888, A., 497. Chrysonaphthazine (LIEBERMANN and

WITT), 1887, A., 1049. Chrysophanhydranthrone (LIEBER-

MANN), 1888, A., 492. Chrysophanic acid (dihydrocymethulunthraquinone) (GRANDIS), 1892, A., 1354.

Chrysophanic acid (dihydroxymethylunthraquinouc), reactions for dis- $_{
m from}$ tinguishing, the santonin colouring matter in urine (HOPPE-SEVLER), 1887, A., 406.

Chrysophenol (FISCHER and KORNER), 1884, A., 748.

Chrysoquinol, amido-, salts of (ABEGG), 1891, A., 731.

Chrysoquinone, preparation of (BAMBERGER and BURGDORF), 1890, A., 1312.

azines of (LIEBERMANN and WITI), 1887, A., 1049.

amido-, salts of (ABEGG), 1891, A., 731.

Chrysotile from the Pyrences (GOGUEL), 1891, A., 407.

from Shipton, Canada (SMITH), 1885, A., 361.

analysis of (Terreil), 1885, A., 490.

Chrysotoluazine (LIEBERMANN Witt), 1887, A., 1049.

Chrystobalite (MALLARD), 1890, A., 1071.

Chrysylacetamide and its derivatives (ABEGG), 1891, A., 730.

Chrysyl-carbimide, -thiocarbamide and -methylthiocarbamide (ABEGG), 1891, A., 730.

Churn, testing, Jacobsen's (Fleischi-MANN and SACHTLEBEN), 1883, A., 253.

Chydrazine (ammoniu protoxide) (MAU-MENÉ), 1889, A., 14.

Chyle, destruction of glucose by (Li-PINE), 1890, A., 810, 1172.

human (Noël-Paton), 1890, A., 394; (MUNK and ROSENSTEIN), 1891, A., 755, 819.

soaps as constituents of (Horre-SEYLER), 1885, A., 573.

sugar in the (GIASBERG), 1890. A. 276.

Chyluria, blood in (FREUND and ORR-MAYER), 1891, A., 1124.

Cicuta muculata, examinatin (GLENK), 1892, A., 232.

Cicutine (OECHSNER DE JONINCK), 1884, A., 1047.

Cider, examination of # sapple-must and of cider obtaind therefrom (KAYSER), 1884, A., 8.

apples, analysis of som (Lezi), 1884. A., 203.

ash (Lechartier), 187, A., 520. must, application of 1e densimeter to (LECHARTIER), 155, A., 842. Ciders, concentration f, by freezing

(LECHARTIER), 1888A., 188.

Cigarettes, Egyptian (ANON.), 1888, A., 1331.

Cimolite from Maine, analysis of (CLARKE and CHATARD), 1885, A., 492.

Cinchine. See Cinchenine under Alkaloids.

Cinchocerotic acid (Helms), 1884, A., 332.

Cinchocerotin (Helms), 1884, A., 331; (Hesse), 1885, A., 1076.

Cinchol (cholestol, oxyguinoterpene) (LIEBERMANN), 1884, A., 1191; 1885, A., 1075; (HESSE), 1885, A., 1076; 1887, A., 58.

comparison of, with cholesterin (LIE-BERMANN), 1885, A., 1075.

reaction (Schulze), 1890, A., 1474. acetate and propionate (Hesse),1885, A., 1076.

Cincholepidine. Sec 4'-Methylquinol-

Cincholeupone and cincholeuponic acid (Skraup), 1889, A., 282

Cincholeupone, preparation of, from quinidine (SKRAUP and WURSTL), 1889, A., 1073.

Cincholine (HESSE), 1892, A., 1492. Cinchomeronamic acid (STRACHE), 1890, A., 1157.

Cinchomeronic acid (puridinc-3:4-dicarboxylic acid) (Oethenen de Coninck), 1883, A, 739; (Mayer), 1892, A., 1357.

auhydride of (Goldschmiedt and Strache), 1889, A., 1016.

imide of (GOLDSCHMIEDT and STRACHE), 1889, A., 1016; (STRACHE), 1890, A., 1157.

dianilide and phenylimide of (STRACHE), 1890, A., 1158.

amido- (GOLDSCHMIEDT and STRACHE), 1889, A., 1016.

bromo-(EDINGER and Bossung), 1891, A., 580.

isoCinchomeronic acid (pyridino-2:5dicarboxylic acid) (Erstein), 1885, A., 815; (Whidel and Herzig; Hantzsch), 1886, A., 477.

synthesis of (Weiss), 1886, A., 719. constitution of (Hantzsch), 1885, A., 1078.

Cinchona, liquid extract of (PAUL), 1883, A., 693. alkaloids. See Alkaloids.

cinchona bark grown in Jamaica (Paul), 1883, A., 1165.

ash of (HOOPER), 1887, A., 394. assay of (PETIT), 1885, A., 447. estimation of the total alkaloid in

(HAUBENSAK), 1891, A., 1402.

Ginchona bark, so-called fat or wax from (Hesse), 1885, A., 1075.

Cinchonamide (VAN DER KOLF and VAN LEENT), 1889, A., 1017.

Cinchonamine. See Alkaloids.

Cinchonas, analysis of (LANDRIN), 1889, A., 802.

Cinchonibine. See Alkaloids.

Cinchonic acid (quinoline-4'-curboxylic acid) (CLAUS and MUCHALL), 1885, A., 560; (MUTHMANN and NEF), 1887, A., 598; (CLAUS and KIC-KELHAYN), 1887, A., 816.

alkyl and alkylene derivatives of (CLAUS), 1892, A., 1488.

derivatives (CLAUS and MUCHALL), 1885, A., 560.

halogen-derivatives of (CLAUS), 1885, A., 908.

sulpho- (v. Georgievics), 1888, A., 501; (Busch and Koenigs), 1890, A., 1435.

cinchonidine. See Alkaloids. isoCinchonidine. See Alkaloids. Cinchonifine. See Alkaloids. Cinchonigine. See Alkaloids.

Cinchonine. See Alkaloids.

isoCinchonine. See Alkaloids. apoCinchonine. See Alkaloids.

Cinchoxinic acid, alkylene derivatives of (CLATS), 1892, A., 1488.

of (CLAUN), 1892, A., 1488. Cinene (cynone). See Terpenes. Cineol (cajeputol). See Terpenes.

Cincolic acid (WALLACH and GILDE-MEINTER), 1888, A., 1205; (WAL-LACH), 1891, A., 1084; (ELKELES), 1892, A., 1480.

constitution of (WALLACH), 1890, A., 1815; (Collie), 1892, A., 866. anhydride (WALLACH), 1890, A., 1314.

Cineolic allylamide, diethylamide, phenylhydrazide, piperidide and p-toluidide (ELKELES), 1892, A., 1480.

Cinnabar from Servia (SCHAFARZIK), 1885, A., 730.

artificial production of (DOEI/TER), 1886, A., 208.

natural solutions of (Becker), 1887, A., 555.

See also Mercuric sulphide.

Cinnamaldehyde, synthesis of (PEINE), 1884, A., 1345.

action of, with acctone (DIEHL and EINHORN), 1885, A., 1221.

action of ammonia and, on diacetyl and on phenanthraquinone (WADS-WORTH), 1890, T., 11.

action of, with alkali hydrogen sulphites (HEUSLER), 1891, A., 1052.

Cinnamaldehyde, action of, with am-monia and ethylic acetoacetate (Epstein), 1886, A., 257.

action of ethylic acetoacetate on (BIGINELLI), 1890, A., 768.

action of, on malonic acid (STUART), 1856, T., 365.

action of with p-nitrobenzylic cyanide (REMSE), 1891, A., 208.

estimation of, in oil of cassia (SCHIM-

MEL), 1892, A., 924. derivatives of (ZINCKE and HAGEN), 1884, A., 1343; (Peine), 1884, A.,

anilide, salts of (Prine), 1884, A., 1345.

cyanhydrin (PINNER), 1884, A., 1292.

Cinnamaldehyde, bromonitrochloronitro-derivatives of (NAAR), 1891, A., 563,

a-chloro- (NAAR), 1891, A., 562. m-nitro-, preparation and derivatives

of (KINKELIN), 1885, A., 791. o-nitro- (v. BAEYER and DREWSEN), 1884, A., 59.

preparation of (Dient and Ein-HORN), 1885, A., 1221.

action of, on malonic acid (EIN-HORN and GEHRENBECK), 1890, A., 163.

condensations with (EINHORN), 1884, A., 1345.

condensation products of, with acetone (DIEHL and EINHORN), 1885, A., 1222.

phenylhydrazine derivative (Dient and Einnorn), 1885, A., 1222.

p-nitro- (Gohring, 1885, A., 527. prepriation of (DIEHL and EIN-

HORN), 1885, A., 1221. derivatives GEHRENBERK), 1890, A., 161.

a-trithio- (BAUMANN and FROMM), 1891, A., 1051.

Cinnamaldehyde //thioglycollic (Bungariz), 1886, A., 937; 1888, A., 478.

Cinnamaldoxime (BORNEMANN), 1886, A., 799.

a-bromo- (NAAR), 1891, A., 563.

a-chloro- (NAAR), 1891, A., 562. p-nitro-(EINHORN and GEHRENBECK), 1890, A., 161.

Cinnamene. See Styrene.

Cinnamenyl- (phenylullenyl-). See also Styryl-.

Cinnamenylamidoxime (phenylallenulamidorime, (Wolff), 1886, A., 798.

Cinnamenylamidoxime (phenylallenylamido.cime), derivatives (WOLFF), 1886, A., 798; 1890, A., 41.

Cinnamhydrazoine, o-nitro- (CORNELIUS

and Homolk 1), 1886, Λ., 1026.
Cinnamic acid (β-phenylacrylic acid) (Gabriel), 1883, A., 195. in the products of decomposition of

crude cocaine (FRANKFELD), 1889, A., 419.

in the Ericaceae (EIJKMAN), 1887, A., 517.

preparation of (MICHAEL), 1884, A., 446; (PERKIN), 1886, T., 320; (CLAISEN), 1890, A., 891; (EDE-LEANU), 1890, A., 892. the mochemistry of (Ossipoff), 1889,

A., 460; (STOHMANN, KLEBER and Linghein), 1889, A., 1096.

action of sulphuric acid on (ERD-MANN), 1883, A., 474.

condensation of, with gallic acid (JACOBSEN and JULIUS), 1888, A., 56.

condensation of, with hydrocarbons (LIEBERMANN and HARTMANN), 1892, A., 1228.

condensation of, with phenols (LIE-BERMANN and HARTMANN), 1892, A., 848.

nitration of, in the side chain (ERD-MINN), 1891, A., 1483.

oxidation of (FITTIG), 1888, A., 595; (FITTIG and RUER), 1892, A., 986.

nature of the isomerism of isocinnamic acid and (LIEBERMANN), 1890, Λ., 495.

conversion of, into isocinnamic acid (ERLENMEYER), 1891, A., 200.

homologues of, preparation of (CLAI-SEN), 1890, A., 891.

derivatives (GABRIEL), 1883, A., 195; (ERLENMEYER), 1883, A., 196; (ERLENMEYER and LIPP), 1883, (ERLENMEYER and LIPP), 1883, A., 992; (GABRIEL and HERZ-BERG), 1883, A., 1123; (BASLER), 1584, A., 603, 1172; (Herzberg), 1885, A., 661.

nitration of (FRIEDLANDER), 1885, A., 1137.

benzoyllactimide of (Rebuffat), 1890, A., 624.

hydrazines of (Fischer and Kuzel), 1884, A., 440; (FISCHER and TAFEL), 1885, A., 540.

sulphur derivative of, synthesis of (Lovés), 1886, A., 241.

Cinnamic acid, a-amido- (Plöcul), 1884, A., 1349.

derivatives of (ROTHSCHILD), 1890, A., 1123; 1891, A., 198.

FRIEDLÄNDER and LAZARUS), 1885, A., 1139.

α-bromo- [m.p. 131°] (MICHAEL and BROWNE), 1886, A., 703; 1887, A., 582; (ΔNSCHUTZ and SELDEN), 1887, A., 829.

allo-a-bromo- [m.p. 120°] (MICHAEL and Browne), 1886, A. 703; (Anschutz and Selden), 1887, A., 829.

(?) 8-bromo- [m.p. 159°] (MICHAEL

and Browne), 1886, A., 703. exobromo- [m.p. 183°] (MICHAEL and Browne), 1887, A., 582. *B-ili*bromo- (NISSEN), 1892, A., 1464.

a-bromo-m-nitro- (STUART), 1886, T., 361; (NAAR), 1891, A., 564. α-bromo-o-nitro- (NAAR), 1891, A.,

a-chloro-, formation of, from ethylic benzoylacetate (Perkin), 1885, T.,

β-dichloro-[m.p. 228°] (Seelig), 1887, A., 363.

αβ-dichloro- [m.p. 120°] (NISSEN), 1892, A., 1464.

chloro-o- and -m-nitro- (NAAR), 1891, A., 563.

m-chloro-o-nitro- (Eichengrun and EINHORN), 1891, A., 1099.

a-cyano- (CARRICK), 1892, A., 1087. o-cyano- (Drory), 1891, A., 1462.

o-fluoro- (GRIESS), 1885, A., 788. düodo- (LIEBERMANN and SACHSE),

1891, A., 1483; 1892, A., 470. o-nitro-, preparation of (STUART), 1883, T., 408.

o- and m-nitro-, nitration of (FRIED-

LÄNDER and LAZARUS), 1885, A., 1138.

o-nitro-, derivatives of (EINHORN), 1884, A., 65; (MORGAN), 1884, A.,

p-nitro-, nitration of (FRIEDLANDER and Mähly), 1885, A., 1137.

p-dinitro-, and its methyl and ethyl salts (FRIELINDER and MÄHLY), 1885, A., 1137.

a- and β-nitr-o-amido- (FRIEDLÄNDER and Lazarus), 1885, A., 1139. sulpho- (Kafka), 1891, A., 722.

isoCinnamic acid (LIEBERMANN), 1890, Λ., 494, 620, 1417; 1891, Λ., 832.

in the alkaloids of cocaine (Lieber-MANN), 1890, A., 494.

conversion of cinnamic acid into (Erlenmeyer), 1891, A., 200.

alloCinnamic acid (LIEBERMANN), 1890, A., 1417; 1891, A., 832.

Cinnamic acid, p-amido-, nitration of | alloCinnamic acid, formation of, from phenylpropiolic acid (LIEBERMANN and Scholz), 1892, A., 848.

condensation of, with phenols (LIE-BERMANN and HARTMANN), 1891, A., 1484; 1892, A., 848.

Cinnamic acids, stereoisomeric and polymeric (Liebermann), 1892, A.,

amido-, derivatives of (ROTHSCHILD), 1890, A., 1123; 1891, A., 198.

bromo- (PLOCHL), 1883, A., (GABRIEL), 1883, A., 195. isomeric, reduction of the (MICHAEL),

1887, A., 668. α-bromo-, isomeric (RUHEMANN), 1892,

T., 278; P., 28.

chloro- (PLOCHL), 1883, A., 194; (MICHAEL and PENDLETON), 1889, A., 1063.

halogen (Erlenmeyer), 1883, A., 196. Cinnamic acid series, isomerism in (MICHAEL and BROWNE), 1886, A., 702; 1887, A., 582; (ERLENMEYER), 1886, A., 945; (Roser and Hasel-HOFF), 1887, A., 830.

Cinnamic chloride, action of aluminium chloride on (Hughes), 1891, P., 71. diphenylhydrazide (Bolsing TAFEL), 1892, A., 981.

ethercal salts aromatic, decomposition of, by heat (Anschütz), 1885, T., 898.

ketone, m-chloro-o-nitro- (Eichen-GRUN and EINHORN), 1891, A., 1098. isoCinnamic chloride (LIEBERMANN), 1890, A., 1418.

Cinnamide, a-bromo- (Anschütz and SELDÉN), 1837, A., 829.

nitramido-(v.MILLER and KINKELIN), 1889, A., 990.

Cinnamon oil (GILBERT), 1890, A., 423; (WEBER), 1892, A., 1509.

Cinnamone. See Distyryl ketone.

Cinnamonitrile, 8-amido- (HOLTZWART), 1889, A., 683.

Cinnamoylacetone, o-nitro- (Fis-and Kuzel), 1883, A., 587, 588. (Fischer

Cinnamoylacraldehyde, o-nitro- (EINnonn), 1884, A., 1346.

Cinnamoylcocaine (LIEBERMANN), 1889, A., 283.

from coca leaves (Liebermann), 1890, A.,76; (PAUL and COWNLEY), 1890, A., 310; (Giesel), 1890, A., 390.

Cinnamoyldiphenylamide (BERNTHSEN), 1887, A., 814.

Cinnamoylecgonine (LIEBERMANN), 1889, A., 283.

Cinnamoyldextroecgonine (DECKERS and Einhorn), 1891, A., 475.

Cinnamoylformic acid (styrylglyorylic acid), o-nitro-(v. BAEYER and DREWSEN), 1883, A., 341.

3'-Cinnamoylindole (ZAPTI and FERRA-TINI), 1890, A., 989.

Cinnamoylmethyldextruecgonine (DECKERS and EINHORN), 1891, A., 475.

Ginnamoylphenylazimide, formation of (RUHEMANN), 1892, T., 282.

reduction of (RUHEMANN), 1892, T., 284.

Cinnamoylphenylhydrazide (KNORR), 1887, A., 665.

Cinnamoylpiperidide (HERSTEIN), 1889, A., 1214.

ψ-Ginnamoylpyrroline, and its derivatives (CIAMICIAN and DENNSTEDT), 1885, A., 378.

Cinnamoyltropeine (LADENBURG), 1883, A., 671.

Cinnamoyl-ψ-tropeine (LIEBERMANN), 1891, A., 1266.

Ginnamyl alcohol, refractive power of, at different temperatures (Perkin), 1892, T., 306.

Cinnamylidene-o- and -p-amidophenols (HAEGELE). 1892, A., 1451.

Cinnamylideneazine (Curtius and JAY), 1889, A., 393.

Cinnamylidenecamphor (HALLER),1891, A., 1498.

Cinnamylidenediacetonamine (AN-TRICK), 1885, A., 503.

Cinnamylidenediureide (BIGINELLI), 1892, A., 57.

Cinnamylidenephenylmethylpyrazolone (Knorr), 1887. A., 602.

Cinnamylidenetolidine (Schiff and Vanni), 1890, A., 1299.

Cinnamylidene-m-tolylenediamine

(SCHIFF and VANNI), 1890, A., 139. Cinnamylidenic diacetate (REBUFFAT), 1891, A., 69.

u-Cinnamylphenylhydrazine (Mich-MELIS and CLAESSEN), 1889, A., 1161. Cinnamyl. See also Styryl.

Cinnidimabenzil and cinnimabenzil (JAPP and WYNNE), 1886, T., 471, 472.

Cinnoline, derivatives of (v. RICHTER), 1883, A., 1105; (BUNCH and KLETT), 1892, A., 1494.

chloro- (Busen and Kletr), 1892, A., 1494.

Circulation, influence of carbohydrates on (ALBERTONI), 1889, A., 1023.

Cistern deposits (Charman), 1889, A., 1111.

Citraconanil. See Citraconic acid, phenylimide of, Citraconfluorescein (HEWITT), 1891, T., 301; P., 59.

Gitraconic acid, synthesis of, from ethylic propanetricarboxylate (Bischoff), 1890, A., 1101.

molecular weight of (PATERNO and NASINI), 1888, A., 1059.

constitution of (Kanonakoff), 1886, A., 335; (Anschutz), 1887, A., 917.

A., 335; (ANSCHOTZ), 1867, A., 97.
magnetic rotatory power of (PERKIN),
1887, P., 98; 1888, T., 580, 591.
molecular refraction of (Knors), 1888,

A., 938; 1889, A., 198.

heat of combustion of (Luginin), 1888, A., 893.

thermochemistry of (GAL and WERNER), 1887, A., 205.

action of aniline on (Anschutz and Reuter; Scharfenberg), 1890, A., 368.

action of, on naphthylamine (Monawskiand Gläsen), 1888, A., 1096. conversion of, into its isomerides by

soda (Delisle), 1892, A., 297. derivatives of (Ciamician and Denn-

stedt), 1888, A., 312. a-naphthylamide of (citracon-a-nuphthil) (Morawski and Gláser), 1888, A., 1096.

phenylimide of (citraconanil) (Anschutz), 1888, A., 1092; 1890, A., 771; 1891, A., 78; (Reisselt), 1890, A., 1102.

constitution of (REISSERT), 1888, A., 694, 954.

p-bromo- and p-chloro- (MORAWSKI and KLAUDY), 1888, A., 53.

p-tolylimide of (citracontolii) (MI-CHAEL and PALMER), 1888, A., 462.

Citraconic anhydride, magnetic rotatory power of (PERKIN), 1887, P., 98; 1888, T., 576, 596.

anilide (MICHAEL and PALMER), 1888, A., 462.

Citraconimide (CIAMICIAN and DENN-STEDT), 1883, A., 313.

mono- and di-bromo- (MENDINI),1885, A., 1126.

Citracon-α-naphthil. See Citraconic acid, α-napthylimide of.

Citracontolil. See Citraconic acid, p-tolylimide of.

Citracoumalic acid (NIEME and V.PEOH-MINN), 1891, A., 675.

Citral (SEMMLER), 1891, A., 540.

Citramalic acid (methocysuccinic acid), constitution of (MITACE, and TIS-SOT), 1891, A., 1455.

Citramide and citramonamic acid (BEHR-MANN and V. HOFMANN), 1855, A., 138. Citrates, alkali (SALZER), 1892, A., 149. distillation products of (BISCHOFF and HAUSDORFER), 1890, A., 1102.

Citrazinic acid (2:6-dihydrocupyridine-3-carborylic acid) (BEHRMAN and v. HORMANN), 1885, A., 139; (RUHEMANN), 1887, T., 407; (EASTERFIELD and SELL), 1892, T., 1008.

action of heat on (GUTHZELF and DRESSEL), 1891, A., 910.

salts of (BEHRM ANNAND V. HOFMANN), 1885, A., 139.

Citrazinimide (RUHEMANN), 1887, T.,

constitution of (RUHEMINN), 1890, A., 736.

trichloro-, compound of, with aniline (RUHEMANN), 1888, A., 728.

Citrene. See Limonone under Terpenes. Citric acid (SKINNER and RUHEMANS), 1889, T., 235; P., 51; (BUCHNER and WITTER), 1892, A., 821.

and Witten), 1892, A., 821. in the seeds of Leguminosæ (Ritt-HAUSEN), 1884, A., 1304. in milk (Soxhlet), 1889, A., 178;

in milk (SOXHLET), 1889, A., 178; (HENKEL; SCHEIBE), 1891, A., 1276. in Oxygeoccus palustris (Kossović),

1888, A., 311. in Virginia creeper (Cissus quinque-

folia) (PHIPSON), 1885, A., 1255. synthesis of (HALLER and HELD), 1891, A., 178; (DUNSCHMANN and

v. Pechmann), 1891, A., 672. thermochemistry of (Stohmann, Kleber and Langiern), 1890, A.,

101; (Masson), 1892, A., 763. heat of neutralisation of (GAL and Wenner), 1887, A., 205.

dissociation constant of (WALKER), 1892, T., 708.

distillation of, with glycerol (DE CLERMONT and CHAUTARD), 1888, A., 45.

dry distillation of, with excess of lime (FREYDL), 1883, A., 658.

fermentation of (WATTS), 1887, A., 235.

rate of loss of water from different specimens of, in dry air (GROSJEAN), 1883. T., 331.

1883, T., 331. action of monanines on (HECHT), 1887, A., 154.

action of, on minerals (BOI/TON), 1883, A., 857.

action of phosphorus pentachloride on (KLIMENKO and BUCHSTAB), 1891, A., 178.

amides of, and their conversion into pyridine-derivatives (Behrmann and v. Hofmann), 1885, A., 188. Citric acid, anhydro-derivatives of (EASTERFIELD and SELL), 1892, T., 1003; P., 153.

bismuth salt of (CAVAZZI), 1885, A., 653.

ethereal salts of (Anschurz and Klingenann), 1885, A., 1050.

iron and iron sodium salts of (ROFHER), 1883, A., 458.

lithium salt of (Thompson), 1883, A., 1086.

potassium and sodium salts of (Salzer), 1892, A., 149.

sodioferrous salt of (ROTHER), 1883, A., 458.

triphenylimide of, trinitro- (Sch-NEIDER), 1888, A., 465.

Citric acid, detection, estimation and separation:—

detection of, in milk (SCHEIBE), 1891, A., 1276.

test for (MANN), 1885, A., 843.

test for tartaric acid in (Puscu),1885, A., 445; (Salzer), 1888, A., 996; (Crismer), 1892, A., 516.

turmeric, use of, as an indicator for (WATTS), 1857, A., 307.

estimation of, in lemon juice (WIL-LIAMS), 1890, A., 88.

estimation of, in lemon and other juices (Grosjean), 1883, T., 332.

estimation of, in milk (Henkel; Scheibe), 1891, A., 1276.

estimation of, in plants (CLAASSEN), 1891, A., 129.

estimation of, when mixed with tartaric acid (WARD), 1889, A., 447. separation of malic acid from (MICKO),

separation of maile acid from (MICKO), 1892, A., 1531.

isocitric acid (Fittig), 1888, A., 252; (Fittig and Miller), 1890, A., 587. Citrobenzidilic acid (Schneider), 1888,

A., 405. Citrodiamio acid, and its salts (Behr-Mann and v.Hofmann), 1885, A., 138. Citrodianilide (Klingemann), 1889, A.,

768.
Citrodicumidic acid and citro-di- and -tri-cumidides (SCHNEIDER), 1888, A.,

464. Citrodinaphthyldiamic acid (HECHT), 1887, A., 154.

Citro-p-ditoluidie acid [m.p. 161] and -p-ditoluidide (GILL), 1887, A., 40.

Citro-p-ditoluidic acid [m.p. 189"] (KLINGEMANN), 1889, A., 768.

Citronellaldehyde (Dodge), 1890, A., 281; 1891, A., 285; (Kremers), 1892, A., 1068.

Citronella oil and citronellyl alcohol (Dodge), 1890, A., 231.

Citronellylidenephosphoric acid (Dodge), 1891, A., 286.

Citro-p-toluidic acid and -p-toluidide (GILL), 1887, A., 40.

Citrotolylenediamide (SCHNEIDER), 1388, A., 465.

Citro-trimethylamide and -trinaphthylamide (HECHT), 1887, A., 154.

Citrus, crystalline substances from the fruits of various species of (TILDEN and BECK), 1890, T., 323; P., 30.

Citrus Bergamia, stearoptene from the oil of (Pomeranz), 1892, A., 71.

Citrus Limetta, essential oil of the leaves of (WATIS), 1886, T., 316; P., 158.

Citryl chloride, chloro-, constitution of (SKINNER and RUHEMANN), 1889, T., 240.

action of aniline, of heat, of toluidine, and of water on (SKIN-NER and RUHEMANN), 1889, T., 236.

Clamps for gas analysis apparatus (LÜNGE), 1892, A., 524.

Claret, detection of artificially coloured (Herz), 1887, A., 91; (SAMELSON), 1887, A., 187.

Clark's cell. See Electrochemistry. Clark's soap test, standard solution for

(Nelson), 1890, A., 198. modification of (NEUGEBAUER), 1891, A., 116.

Clay, chromiferous, from Brazil (TER-KEIL), 1892, A., 1057. hlue, from Farmington, Maine (ROBIN-

son), 1888, A., 352.

from Lothain, analysis of (Seger),

647.

1883, A., 627. analysis of (MEINEKE), 1887, A., 1139.

china. See Kaolin. pink, analysis of (DAMOUR), 1887, A.,

See also Agricultural chemistry.

Clay-ironstone of Rheinhesse (Tecklen-BURG), 1883, A., 448.

Clays, composition of (ANON.), 1883, A., 888; (Kormann), 1885, A., 1020; (VOGT), 1890, A., 1060.

constitution of (LE CHATELIER), 1887, A., 785.

ferruginous, origin of, in limestone districts (DIEULAFAIT), 1884, A., 1272.

Hainstadt, absence of rare metals in (BLOMSTRAND), 1886, A., 678. occurrence of rare earths in (STRU-HECKER), 1886, A., 314.

Japanese, for the manufacture of ultramarine (IWABUCHI), 1885, A.,

Clays, refractory (WAGENER), 1883, A., 397.

action of heat on (LE CHATELIER), 1887, A., 785.

Clay-slate (v. GRODDECK), 1888, A.,

Cliftonite (FLETCHER), 1888, A., 30.

Clinochlore from Chester, Pennsylvania, New Brewster, (SCHLAEPFER), 1891, A., 531.

percentage of water in (Jannasch). 1885, A., 642.

See also Chlorite.

Clinoclase from Utah (HILLEBRAND and Washington), 1888, A., 1044. See also Copper arsenate.

Clinchumite, composition of (SJÖGREN), 1883, A., 436.

Cloanthite, action of acids on (Voll-HARDT), 1888, A., 1257.

Clotting. See Coagulation. Clover. See Agricultural chemistry. Cloves, oil of, valuation of (THOMS), 1892, A., 250.

Coagulation (BÉCHAMP), 1891, A., 338. influence of calcium salts on (PEKEL-HARING), 1892, A., 87; (GRIES-

BACH; RINGER), 1892, A., 1112. intravascular (WOOLDRIDGE), 1886, A., 821; (KRÜGER), 1888, A., 305; (Wright), 1891, A., 953.

of the blood (PEKELHARING), 1892, A., 87; (GRIESBACH), 1892, A., 1112.

chemical theory of (ARTHUS and Pages), 1891, A., 596.

of blood, etc., influence of salts of the alkalis and alkaline earths.on (RINGER and SAINSBURY), 1890, A., 1176.

of blood and lymph, effect of peptone on (SHORE), 1891, A., 481.

of proteids by heat (Corn and Ansiaux), 1891, A., 1521. action of salts on (RINGER and

SAINSBURY), 1891, A., 954. Coal, a bed of, discovered in Algiers, and the layers of white sand accompanying the same (PINARD), 1883, A., 160.

an English (SCHEURER-KESTNER and MEUNIER-DOLLFUS), 1888, A., 345. bituminous, from Alabama, Tennessee, and Kentucky, analyses of

(LUPTON), 1885, A., 1185. from Antioquia and Canoas, analysis υf (Boussingauly), 1883, A.,

941.

from the North of France, heat of combustion of (Scheurer-Kest-NER), 1888, A., 774.

Coal, brown, of Istria and Dalmatia (Lodin), 1885, A., 125.

from the Muaraze, analysis of (GUYOT), 1883, A., 299.

from Ronchamp, heat of combustion of (Scheurer-Kestner), 1885, A.,

from Ruhr, composition and heat of combustion of (Scheurer-Kest-Ner), 1885, A., 1020. from Servia (Losanitsch), 1888, A.,

formation of (Spring), 1888, A., 925. composition of (Reinsch), 1885, A., 876.

composition and properties of, in relation to the plants from which it is derived (CARNOT), 1885, A.,

carbonized, composition of (WINKLER),

1884, A., 1441. heat of combustion of (Scheurer-Kestner), 1884, A., 122; 1885, A., 848, 1020; 1888, A., 774; (Alexideff), 1886, A., 757.

use of the calorimetric bomb for determining the heat of combustion of (Scheurer-Kestner), 1891, A., 520.

formulæ for calculating the heating power of (SCHEURER-KESTNER), 1892, A., 1143. action of dilute nitric acid on (FRIS-

WELL), 1892, P., 9. coking of (SMITH), 1884, A., 224.

coking of, with conversion of its nitrogen into ammonia (Scheurer-KESTNER), 1884, A., 126.

combustion of, spontaneous (ANON.),

1883, A., 892.

destructive distillation of, behaviour of the nitrogen during, with some observations on the estimation of nitrogen in coal and coke (Foster),

1883, T., 105. destructive distillation of, behaviour of the nitrogen during, and a comparison of the amounts of nitrogen left in cokes of various origin (Sмітн), 1884, Т., 144.

destructive distillation of, bye-products from (DAVIS), 1884, A., 525.

destructive distillation of, heat of combustion of iproducts of the (MAHLER), 1892, A., 395.

origin and distribution of phosphorus in cannel coal and (CARNOT), 1884, A., 1270.

use of limed, in gas making (WANK-LYN), 1884, A., 223.

Coal, valuation of, for use in steam boilers (WARREN), 1892, A., 668.

estimation of coke and volatile products in (GALLOWAY), 1883, A.,

estimation of the fuel value of, according to Scheurer-Kestner (STOH-MANN), 1884, A., 930.

estimation of nitrogen in (FOSTER), 1883, Т., 105; (SCHMITZ), 1886, A., 1071.

estimation of sulphur in (Drown), 1883, A., 383; (ATKINSON), 1887, A., 296; (BAILEY), 1890, A., 414; (Neilson), 1891, A., 1137.

See also Anthracite and Coke.

Coal-dust explosions, lecture experiment

to illustrate the phenomena of (Thorre), 1892, T., 414; P., 53. influence of, in colliery explosions (Galloway), 1883, A., 127; 1885,

utilisation of, for gas regenerative furnaces (ANON.), 1885, A., 1272.

Coal-fire, blue flame produced by sodium chloride in a (LEONARD), 1889, A.,

Coal-gas, composition of, at various stages of the distillation of coal (WRIGHT), 1884, T., 104.

composition of, influence of the temperature of distillation on the (WRIGHT), 1884, T., 99.

composition of cannel gas and, in relation to their illuminating powers (P. Frankland), 1884, T., 189.

illuminating power of, influence of certain gases on the (WRIGHT), 1884, T., 102.

illuminating power of, influence of aqueous vapour on the (P. FRANK-LANU), 1884, T., 232.

incandescence, flameless, produced by (PARMENTIER), 1892, A., 768. combustion of air in (CRAIG), 1888,

A., 1244.

heat of combustion of (MAHLER), 1892, A., 396.

calorific power of, in various states of dilution (WITZ), 1885, A., 472.

as a source of heat (FLETCHER), 1884, A., 697.

utilisation of, for heating and cooking purposes (ANON.), 1885, A., 1166.

formation of sulphuric acid in burning (Lieben), 1892, A., 1374.

formation of sulphuric acid and ammonium sulphate by burning (Pki-WOZNIK), 1892, A., 1151, 1389.

trimethylamine and pyrroline from (Williams), 1885, A., 369.

Coal-gas, analysis of (P. FRANKLAND), 158i, T., 193; (Wright), 1887, A., 81.

estimation of henzene in (TREADWELL and STOKES), 1889, A., 190; (BERтнелот), 1889, А., 1030.

estimation of cyanogen in (WRIGHT), 1887, A., 86; (LEYBOLD), 1891, A., 367.

estimation of hydrogen sulphide and carbonic anhydride in (WRIGHT), 1883, T., 267; 1887, A., 86.

estimation of sulphur in (KNUBLAUCH), 1883, A., 382.

estimation of sulphur and impurities in (FAIRLEY), 1887, A., 297.

Coal gas flames, carbon deposited from (Foster), 1892, P., 46.

experiments on (SMITHELLS INGLE), 1892, T., 205. and

luminosity of (Lewes), 1892, T., 322; P., 2.

Coal-mines, air of (NASMYTH), 1888, A., 1026.

compounds from Coal-tar, new (Schwarz), 1883, Å., 204.

constituents of (SCHULZE), 1887, A.,

blast-furnace, phenol constituents of, an examination of the (SMITH, COUTTS and BROTHERS), 1885, P., 104; 1886, T., 17.

coumaronein(KRAEMER and SPILKER), 1890, A., 496.

hydrocarbons of, relation between petroleum and the (KRAEMER and BOTTCHER), 1887, A., 648.

indene and cinnamene in (KRAEMER

and Spilker, 1891, A., 205. nitrogen in (SMITH), 1884, T., 146. phenols of high boiling point con-tained in (Suhulze), 1885, A., 667. pyridine bases from (Goldschmidt and Constam), 1884, A., 611; (Mohler), 1888, A., 727.

products of the distillation of (Kön-LER), 1890, A., 463.

xylenes, English and Scotch (LEVIN-

STEIN), 1884, A., 898. estimation of the three xylenes in (REUTER), 1884, A., 1431.

Coal-tar dyes. See Colouring Matters. Coal-tar oil boiling between 170°-210° fractions of (SCHULZE), 1886, A., 232. benzoic acid in (SCHULZE), 1885, A.,

diphenyl in (SCHULZE), 1884, A., 1030.

hydrocarbons from (JACOBSEN), 1887,

nitrogen in (SMITH), 1884, T., 146.

Cobalt (KRUSS and SCHMIDT), 1889, A., 349, 1114.

occurrence of (Rössler), 1888, A., 658.

atomic weight of (ZIMMERMANN), 1886, A., 596; (WINKLER), 1889, A., 759; (SCHUTZENBERGER),1892, A., 1159.

(metal) extraction of, from its ores (Anon.), 1884, A., 1233; (Man-Hés), 1885, A., 204.

malleable, preparation of (ANON.), 1885, A., 308.

refraction and dispersion of (Du Bois and Rubens), 1891, A.,

anomalous rotatory dispersion in (Lobach), 1890, A., 673.

electrical resistance of, in a magnetic field, variations in the (FAL),

1887, A., 760. occlusion of hydrogen by (Neu-MANN and STREINTZ), 1892, A., 567.

solution for depositing (WARREN), 1889, A., 348.

passivity of (SAINT-EDME), 1889, A., 1114.

actions of (TERREIL), 1892, A., 1132.

action of nitric acid on (MONTE-MARTINI), 1892, A., 1279. action of nitric oxide on (SABATIER

and SENDERENS), 1892, A., 1152. relation of, to iron, as indicated by

absorption spectra (RUSSELL and ORSMAN), 1889, P., 14. ultra-violet spectrum of (LIVEING

and DEWAR), 1889, A., 89. Cobalt salts (KEHRMANN), 1887, A.,

colour of solutions of (ETARD), 1892,

A., 278. effect of temperature on the magnetism of (Plessner), 1890, A.,

dissolved, water of crystallisation of

(KALLIR), 1888, A., 23. action of alkali polysulphides on (DE KONINCK and LEDENT), 1892, A., 537.

action of hydrogen sulphide on (BAU-

BIGNY), 1888, A., 113. action of sodium carbonate and bromine on solutions of (GIBSUN), 1890, A., 568.

oxidation of, by electrolysis (Marshall), 1891, T., 760; P., 124. nickel salts and, relative absorption

of, by animal organs (CHITTENDEN and Norris), 1889, A., 538.

Cobalt alums (MARSHALL), 1888, A.,

Cobaltammonium (cobaltamine) compounds (Vortmann), 1883, A., 25; 1885, A., 1041; (Maquenne), 1883, A., 557; (Jorgensen), 1885, A., 874; 1887, A., 775; 1890, A., 953, 1213; 1892, A., 783; (Vortmann and Blasberg), 1890, A., 14.

action of hydrogen sulphide on (SMITH and KELLER), 1891, A.,

272.

mercury derivatives of (Vorthann and Monguelis), 1890, A., 13; (Vorthann and Borsbach), 1890, A., 1377.

Cobaltammonium molybdate (CARNOT), 1889. A., 1116.

1889, A., 1116. sulphites (VORTMANN and MAGDE-BURG), 1890, A., 14.

tungstate and vanadate (CARNOT), 1889, A., 1116.

Luteocobalt salts (Jörgensen), 1887, A., 775.

hydrogen nitrate (JORGENSEN), 1891, A., 1327.

permanganate (KLOBB), 1888, A., 230.

Purpureocobaltic tungstate and vanadate (Carnor), 1889, A., 1117. Roseocobalt salts (JÜRGENSEN), 1885, A., 726.

hydrogen nitrate (Jörgensen), 1891, A., 1327.

pyrophosphate (Jörgensen), 1887, A., 776.

Cobalt antimonate (EBEL), 1890, A., 216.

arsenate and potassium and sodium arsenates (Leffever), 1890, A., 564. carbonate, optical properties of (Ber-TRAND), 1883, A., 1062.

chloride (cobaltons), dissolved, spectroscopic observations on (Russell), 1885, P., 67.

variations in colour of (ENGEL), 1892, A., 569.

vapour pressure of aqueous solutions of (Charpy), 1892, A., 268. hydrates of (POTHIZIN), 1884, A.,

hydrates of (POTILIZIN), 1884, A., 967; 1892 A., 571; (ENGEL), 1892, A., 570.

hydrochloride (Sabatier), 1888, A., 1041; (Engel), 1888, A., 1248.

chromiodate (BERG), 1890, A., 1378. fluoride (POULENC), 1892, A., 1160. potassium fluoride (POULENC), 1892,

A., 782. fluoroxyhypovanadate (Piccini and Giorgis), 1892, A., 787.

Cobalt hydroxide (cobaltous), erystallised (DE SCHULTEN), 1889, A., 1111. (cobaltie), dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 78, 90.

molybdate (Coloniaru), 1889, A., 760.

nitrate (cobaltic) (MARSHALL), 1891, T., 770.

caesium, rubidium and thallium nitrites (ROSENBLADT), 1887,A.,12. nitro- (SABATIER and SENDERENS), 1892, A., 1890.

dioxide (Rousseau), 1889, A., 1115; (Vortmann), 1891, A., 1429.

sesquioxide (CARNOT), 1889, A., 678. influence of, on the decomposition of potassium chlorate (FOWLER and GRANT), 1890, T., 278.

tetroxide (Co₃O₄) (Gorgev), 1885, A., 351.

oxides (Schröder), 1890, A., 1213. alkali phosphates (Ouvrard), 1888,

A., 1035. selenites (Boutzourfanu), 1888, A.,

220; 1891, A., 262. o-silicate (BOURGEOIS), 1889, A., 831. sulphate, basic (ATHANASESCY), 1886,

A., 982. (cobaltous) (Vortmann), 1883, A.,

25; (KLUBD), 1892, A., 941; (LEPTERIE and LACHAUD), 1892, A., 1283.

(cobaltic) (MARSHALL), 1891, T., 767.

copper and nickel potassium sulphates (Roy), 1887, P., 53.

sodium sulphide (Brunner), 1890, A., 215.

d/thionate (KLUSS), 1888, A., 1156. thiosulphate (FOCK and KLUSS), 1890, A., 330.

sodium thiosulphate (VORTMANN and PADBERG), 1890, A., 12.

Cobalt organic compounds :--

carbonyl ferrocyanide (MULLER), 1890, A., 117.

potassium sodium oxalate (KEHR-MANN), 1887, A., 220.

luteocobalt diaminechromium thioeyanate (Christensen), 1892, A., 1001.

mercuric thiocyanate (Behrens), 1892, A., 10.

Cobalt detection, estimation and separation:—

detection of (HAMBLY), 1892, A., 1525.

estimation of (CARNOT), 1889, A., 678; (HOPE), 1890, A., 1470; (KRAUSS), 1891, A., 1139.

and | estimation Cobalt detection. separation:-

estimation of, in manganese ores (MOORE), 1892, A., 917.

estimation, electrolytic, of (CLASSEN), 1885, A., 192; (Brand), 1890, A., 294.

estimation, volunietric, of (v. Reis and Wiggert), 1891, A., 620.

estimation, volumetric, of, in presence of manganese, nickel, etc. (McCUL-100н), 1887, А., 1141; 1889, А., 442. titration of, with potassium manganate

(JULLES), 1889, A., 798.

separation of, from aluminium, iron, manganese, nickel and zinc(MOORE), 1888, A., 631.

separation of, from iron (MACKINTOSH), 1887, A., 1141; (LEROY), 1891, A., 1139; (CAMPBELL), 1892, A., 103.

separation of, from manganese (JAN-NASCH and FRANZEK), 1892, A.,

separation of, from nickel (Vont-MANN), 1883, A., 621; (CLARK), 1884, A., 498; (V. ILINSKI and V. KNORRE), 1885, A., 840; (ROSEN-BLADT), 1886, A., 492; (GUCCI), 1886, A., 1077; (MACKINTOSH), 1887, A., 1141; (BAUDIGNY), 1888, A., 423; (FISCHER), 1889, A., 653; (CARNOT), 1889, A., 747; (KRAUSS), 1891, A., 1139; (LEROY), 1891, A., 1139.

separation of, from nickel, in the form of nitrites (BAUBIGNY), 1889, A.,

separation of, from zinc (v. Beng), 1887, A., 182; (BAUBIGNY), 1889, A., 653.

separation, electrolytic, of, from cadminm, mercury and silver (SMITH and FRANKEL), 1890, A., 664.

separation, electrolytic, of, from gold (SMITH), 1891, A., 1141; (SMITH and MUHR), 1891, A., 1296, 1396.

Cobaltamine compounds. See Cobaltammonium compounds.

Cobaltite (cobaltine), from Schladming (McCay), 1884, A., 1099.

Cobalt ores (Vollhardt), 1888, A., 1257. from New Caledonia (READMAN), 1886, A., 320.

Chinese treatment of (BOWLER), 1888, A., 1253.

Cobra poison (Wolfenden), 1886, A., 1057; (WARDEN), 1887, A., 170; (KANTHACK), 1892, A., 1118.

Coca bases (Hesse), 1889, A., 731; (LIEBERMANN), 1889, A., 732.

Coca leaves (BIGNON), 1886, A., 388. Javan, alkaloid from (HESSE), 1887. A., 1125; (Liebermann), 1891, A.,

1265; (GIESEL), 1892, A., 361. cinnamylcocaine occurring naturally in (LIEBERMANN), 1890, A., 76; (PAUL and COWNLEY), 1890, A., 310; (GIESEL), 1890, A., 390.

estimation of alkaloids in (VAN DER

Marck), 1890, A., 310. Cocaic acid (Hesse), 1889, A., 732.

Cocaicine (BENDER), 1886, A., 85. Cocaine. See Alkaloids.

Cocamine (HESSE), 1887, A., 1126; 1889, A., 731.

Cocatannic acid (WARDEN), 1888, A., 1090.

Coccerin (Liebermann), 1885, A., 1045. in living cochineal (LIEBERMANN), 1886, A., 441.

Cocceryl alcohol and derivatives (LIE-BERMANN), 1885, A., 1046; (LIEBER-MANN and BERGAMI), 1887, A., 650.

Coccerylic acid (LIEBERMANN), 1885, A., 1046; (LIEBERMANN and BER-

GAMI), 1887, A., 650. salts (Liebermann), 1885, A., 1046. Coccinin, and a hydrocarbon from (Furth), 1884, A., 84.

Coccusic acid, nitro-. See triNitrohydroxy-m-toluic acid.

Cocethyline, and its platinochloride, artificial preparation of (MERCK), 1886, A., 163.

Cochineal (LIEBERMANN), 1885, A., 1076.

adulteration of (LOEWE), 1883, A.,

colouring matter from (FÜRTH), 1884, A., 84; (WILL and LEYMANN), 1886, A., 252.

detection of, in alimentary substances (LAGORCE), 1889, A., 324.

test for, in wine (PALMIERI and CASORIA), 1889, A., 655.

Cochineal carmine (LIEBERMANN), 1885, A., 1076; (LAFAR), 1891, A., 578.

Cochineal fat (LIEBERMANN), 1885, A., 1045; (RAIMANN), 1886, A., 441.

Cochineal wax (LIEBERMANN), 1885 A., 1045.

Cocoa (Boussingault), 1884, A., 202. Cocoa butter (cocoanut oil) (Boussin-GAULT), 1884, A., 203.

composition of (TRAUB), 1884, A., 40. constituents of (GRAF), 1889, A.,

adulteration of lard with (ALLEN), 1889, A., 320.

iodine number for (Filsinger), 1891, A., 869.

Cocoa butter (recommut oil), detection of, in butter (MUTER), 1892, A., 391. detection of sesame oil in (ZIPPERER),

1888, A., 1136.

Cocoanut meal for horses (ANON.), 1884, A., 852.

Cocoanut oil. See Cocoa butter.

Cocoanuts, milk of ripe and unripe (VAN SLYKE), 1891, A., 764.

Cocrylecgonine (HESSE), 1889, A., 732. Cocrylic acid (HESSE), 1889, A., 732.

Codeine. See Alkaloids.
Codeine-violet (CAZENEUVE), 1892, A.,

Codethyline, codo-methine and -methyline. See Alkaloids.

Cod-liver oil. See Oil.

Cerulignol (Grätzel), 1883, A., 393; (Pastrovich), 1883, A., 1005.

nitro- (Pastrovicu), 1883, A., 1006. Coffee (Paul and Cownley), 1887, A., 1002.

caffeine, amount of, in various kinds of (PAUL and COWNLEY), 1887, A., 394.

caffeine in, improved method of estimating (SMITH), 1888, A., 539.

ground, preserving (Schnitzer), 1884, A., 880.

Mussoenda seeds as a substitute for (Dunstan), 1890, A., 285.

substitutes for, analysis of (Mos-CHELES and STELZNER), 1892, A., 1534.

physiological action of (Four), 1883, A., 745.

effect of, on the composition of the blood and on nutrition (Coury), 1884, A., 1392.

Coffees, analyses of (PADÉ), 1887, A., 1002.

Cognac, adulterations of (FRESENIUS), 1890, A., 1196.

Cohenite (WEINSCHENK), 1891, A., 27. Cohesion, molecular, effect of concentration on (TRAUBE), 1891, A., 1409.

specific gravity and capillarity, relation between (SCHALL), 1885, A., 1180.

Cohesion figures (ACKROYD), 1886, A., 971; (TOMLINSON), 1887, A., 209. radiating and arborescent (V. BEZOLD), 1885, A., 335.

Coins, nickel, assay of (Roberts-Austen), 1886, A., 101.

Roman, accidental formation of cerussite crystals on (Lacrorx), 1885, A., 224.

silver, German standard, presence of gold in (ANON.), 1883, A., 529.

Coke of various origin, a comparison of the amounts of nitrogen left in (SMITH), 1881, T., 144.

production of, from coal (SMITH), 1881, A., 221.

reducing action of, on nitric acid (Lunge), 1885, A., 936.

gases occluded by (Storen and Lewis), 1884, A., 377.

estimation of nitrogen in (FOSTER), 1883, T., 105; (SCHMITZ), 1886, A., 1071.

estimation of sulphur in (ATKINSON), 1887, A., 296; (Blum), 1888, A., 1333.

See also Coal.

Coke-ovens, recovery of ammonia from the gases of (WINKLER), 1881, A., 1111.

Coking process, the Jameson (JAMESON),

1880, A., 288. Colchiceine (Zeisel), 1883, A., 672; 1884, A., 1887; 1887, A., 284.

Colchicine. See Alkaloids.

αροColchicine (ΖΕΙΝΕΙ), 1883, Λ., 673; 1884, Α., 1387.

Colchicinic acid (ZEISEL), 1888, A., 614.

Colemanite (VOM RATH), 1885, A., 221; (JACKSON), 1885, A., 358; (HIGHT-DAHL), 1885, A., 730; (WHITFIELD), 1888, A., 347.

from California (Bodewig and vom Ryrh), 1885, A., 957.

crystalline form of (JACKSON), 1885, A., 876.

identity of, with priceite and pandermite (Kenngott), 1885, A., 1117.

a-Collidine. See 6-Methyl-4-ethylpyridine.

β-Collidine. See 4-Methyl-3-ethylpyridine.

γ-Collidine. See 2:4:6-Trimethylpyridine.

Collidinecarboxylic acid. See 2:4:6-Trimethylpyridine-3-carboxylic acid.

Collidinedicarboxylic acid. Sec 2:4:6-Trimethylpyridine-3:5-dicarboxylic acid.

Colliery explosions, influence of coal dust in (Galloway), 1883, A., 127; 1885, A., 463.

Colloid, nitrogenous, derived from amidobenzoic acid (GRIMAUX), 1884, A., 905.

Colloidal solutions. See Solutions.

Colloids (GRIMAUX), 1884, A. 957.

and the water they contain (VAN BEMMELEN), 1888, A., 1157.

305 20

Colloids, molecular weights of (GLAD-STONE and HIBBERT), 1889, A., 1207; (PATERNO and NASINI), 1890, A., 725.

of the molecular determination weights of, in solution (ARM-STRONG), 1889, P., 109.

cryoscopic investigation of (SABA-NLEFF), 1890, A., 1215; 1891, A.,

behaviour of, with reference to Raoult's law (Paterno), 1890, A.,

absorptive power of (VAN BEMMELEN), 188, A., 985.

thermal phenomena of (WIEDEVANN and LUTDEKING), 1885, A., 1031.

coagulation of (GRIMAUX), 1884, A., 1250; 1885, A., 1146.

precipitation of, by salts (NASSE), 1889, A., 99.

Colocynthein, detection of (JOHANNSON), 1885, A., 606.

Colocynthin (HENKE), 1884, A., 181. Colophanthrenes (RENARD), 1884, A.,

Colophene, action of heat on (TILDEN), 1884, T., 417.

dihydride (VE-TERBERG), 1886, A., 1039.

Colophony, destructive distillation of (RENARD), 1881, A., 83.

methyl alcohol in the products of the dry distillation of (Kelbe and LWOFF), 1883, A., 738. products of the distillation of (RE-

NARD), 1883, A., 599.

Colorado beetle, vesicating substance in (Forbes), 1881, A., 350.

Colorimetric determinations (GIAN-

NETFI), 1886, A., 738. Colour, origin of, in carbon compounds (Armstrong), 1888, P., 27; 1892, T., 789; P., 101, 103, 143, 189, 194; (Hartley), 1892, P., 188.

appearance of, in quinoline derivatives (Armstrong), 1892, T., 789; P.,

impressions upon the retina, duration of (Nichols), 1885, A., 468.

of chemical compounds, mainly as a function of the atomic weights of the component elements (CAR-NELLEY), 1884, A., 1252.

and constitution of compounds (Schütze), 1892, A., 561.

relation between chemical change and (ARMSTRONG), 1892, T., 789; P., 101, 103, 143, 189, 194.

as an evidence of isodynamic change (ARMSTRONG), 1892, P., 103.

Colour, assimilation and (ENGELMANN), 1883, A., 819.

Colour-analysis by means of the tintometer (LOVIBOND), 1890, A., 1461.

Colour-mordants for wood (ANON.), 1884, A., 379.

Colour-photometry (ABNEY), 1891, P.,

Colour-tints, apparatus for comparison of (STOKES), 1887, P., 135.

COLOURING MATTERS-

Colouring matters (ANON.), 1883, A., 406; (BESTHORN and FISCHER), 1883, A., 600: (MELDOLA), 1884, T., 119; (Zulkowski), 1884, A., 1169; (Permerf), 1884, A., 1322; (Rospendowski), 1884, A., 1449; (WITT), 1885, A., 945; (HARTLEY), 1887, T., 152; (ZIE-GLER), 1887, A., 822.

fluorescent and non-fluorescent (NIETZKI, DIETZE and MAECK-LER), 1890, A., 156.

extraction of, by a solution of borax (Palm), 1884, A., 83.

formation of, by means of hydrogen peroxide (Wurster), 1888, A., 141.

preparation of (ANON.), 1883, A., 636; 1884, A., 1450; 1885, A., 310, 312, 944, 1095, 1275; 1886, A., 290.

(blue), preparation of (ANON.), 1883, A., 759; 1884, A., 798, 943. (red), preparation of (ANON.), 1884, A., 1451.

(violet), preparation of (ANON.), 1883, A., 759; 1884, A., 1451; 1885, A., 711, 1171.

constitution of (ARMSTRONG), 1888, P., 27.

constitution of, which can be fixed with mordants (v. Kostanecki),

1888, A., 274. relation between the composition absorption spectra (Vogel), 1888, A., 97.

absorption spectra of some (GIRARD and PABST), 1885, A., 1098. resistance to light of, on dyed tissue

(JOFFRE), 1889, A., 12. action of, in increasing the sensi-

bility of silver salts (EDER), 1885, A., 703.

action of boric acid on (JoLY), 1885,

action of micro-organisms on (RAU-

LIN), 1889, A., 67. fixation of, by ferro- and ferri-cyanides (Rebeh), 1885, A., 946.

Colouring matters, fixation of, by means of metallic sulphides (ANON.), 1884, A., 539. fixation of, by tannin (WITT), 1885,

A., 1024.

mordants used for fixing artificial (Koechlin), 1893, A., 256, 894; (REBER), 1885, A., 946; (WITT), 1885, A., 1024.

for printing (ULLRICH), 1886, A.,

influence of substituted elements and radicles on the shade of (HEUMANN and HEIDLBERG), 1886, A., 942.

combination of silver salts with (LEA), 1885, A., 350, 611.

Liebermann's, amidophenolsulphonic acids and their relationship to (BRUNNER and KRAE-MER), 1884, A., 1854.

tests for, qualitative (WITT), 1887,

Λ., 91.

(blue), testing of (ROSPENDOWSKI),

1884, A., 1449. testing of, on tissues (MARGARY), 1885, A., 711.

in confectionery detection of, (STROHMER), 1886, А., 183.

detection of, in yarns or tissues (JOFFRE), 1883, A., 523; (MAR-

GARY), 1885, A., 711. estimation of, by spectroscopic method (PATTERSON), 1890, A., 1476.

Animal Colouring Matters:-

animal (MICHAILOFF), 1885, A., 676.

of bile of invertebrates and vertebrates and unusual urine pigments (MACMUNN), 1883, A., 1159; 1884, A., 194.

from cochineal (Furth), 1884, A., 84; (LIEBERMANN), 1885, A., 1076; (WILL and LEYMANN), 1886, A., 252; (LAFAR), 1891, A., 578.

on tissues, synthesis of (MARGARY), 1885, A., 710.

of urine (PLÓSZ), 1883, A., 814; (v. Leube), 1888, A., 179.

yolk of egg (Bein), 1890, A.,

Coal-tar and other artificially prepared colouring matters general:-

from alizarin and other anthracene colouring matters suitable for calico printing (ANON.), 1885, A.,

COLOURING MATTERS--

Coal-tar and other artificially prepared colouring matters in general:

from amethylcamphophenolsulphone (CAZENEUVE), 1890, A., **1**153.

from amidoazo-p-toluene (Nölting and WITT), 1884, A., 743.

from diamidodixylyls (Nölting and STRICKER), 1889, A., 135.

diamidoethoxydiphenylsulphonic acid (FEER and MÜLLER), 1889, A., 258.

from p-amidophenol (Nölting and WEINGERTNER), 1885, A., 381.

p-amidophenylpiperidine irom (LELLMANN and GELLER), 1888, A., 1108.

from o-diamidostilbene (Bischoff), 1888, A., 1094.

from aromatic amines by oxidation (Barsilowsky), 1888, A., 140.

anthraquinone (ENGELSING), 1884, A., 945; (Walder), 1888, A., 961, (SCHMIDT; GATTERMANN), 1891, A., 935.

secondary and tertiary azo-compounds (MELDOLA), 1883, T., 425; 1884, T., 106; 1885, T., 657.

from azonaphthalene derivatives (NIETZKI and GOLL), 1886, A., 245.

of carbolic acid (red) (FABINI), 1891, A., 1198.

from carbotrithioherubromide by the action of heat (HELL and URECH), 1883, A., 907.

red, from chloral hydrate (LERCH), 1887, A., 793.

from chrysaniline (TRILLAT and DE RACZKOWSKI), 1892, A., 1095.

from p-diamines and monamines bγ simultaneous oxidation (NIETZKI), 1884, A., 740.

(brown) diazo-, from chrysoidine (ANON.), 1884, A., 537.

coal-tar, containing nitrogen (MEYER), 1884, A., 587.

from coal-tar quinoline (SPALTEногл, 1883, А., 1150; 1885, А., 400.

(violet) from codeine (CAZENEUVE), 1892, A., 360.

from p-diazoacetanilide and β -naphtholdisulphonic acid (NIETZKI), 1884, A., 1016.

from dimethylaniline and chloranil (WICHELHAUS), 1883, A., 1098.

from glycocine by oxidation (RAD. ZISZEWSKI), 1884, A., 987.

COLOURING MAIILLES-

Coal-tar and other artificially prepared colouring matters in general:—

from p-hydroxybenzoic acid (v. Kortanecki and Zibell), 1891, A., 1038.

from ketomethyljuloline (REIS-SELF), 1892, A., 498.

from 2'-methylhydroquinoline (v. Miller and Plochl), 1891, A., 1102.

from methyllepidone (my/imethyl-quinoline) (Reisserr), 1892, A.,

from 4'-methylquinoline (HOGGE-WERFF and VAN DORP), 1885, A., 673.

(violet) from morphine (C\ZE-NEI VE), 1891, A., 1120; 1892, A., 361.

from α-naphtholsulphonic acid
(ANON.), 1884, A., 1451.

from \$\beta\$-naphthylaminesulphonic acid (LAND-HOFF), 1883, A., 1135.

from dinitroanthraquinone (LIF-SCHUIZ), 1884, A., 1187.

nitrosophenol (dichroin) (BRUNNER and Chult, 1888, A., 363, 1152. from phenates of amido-bases (Dale and Schorlemmer), 1883, T., 185.

from phenols (Kraemer), 1884, A., 1340; (Brunner and Robert), 1885, A., 525; (Brunner and Chuir), 1888, A., 363.

from phenols, reacting with amidobases (Dyson), 1883, T., 466.

from phenols by union with aromatic aldehydes (Zulkowski), 1884, A., 837.

(green), from phenols and phenylamines by action of henzotrichloride (DOEBNER), 1883, A., S61.

from phthalic anhydride by the action of coal tar quinoline (JACOBSEN and REIMER), 1883, A., 922.

(yellow) from potassium nitrophenol-p-sulphonate (BEYER and KEGEL), 1885, A., 269.

and KEGEL), 1885, A., 269. from pyridine methiodides and ethiodides (OECHSNER DE CO-NINCK), 1885, A., 272.

from a-pyrocresole (But and Mil-LER), 1888, P., 110; 1889, T., 54. from the quinoline bases (Spalte-HOLZ), 1885, A., 400; (OECHSNER DE CONINCK), 1886, A., 32. COLOURING MAILERS-

Coal-tar and other artificially prepared colouring matters in general:—

from quinoline and pyridine bases (JACOBSEN), 1884, A., 798, 944.

from tetrahydroquinoline (Lem.-MAN and Boxe), 1890, A., 1005.

from tetrazostilbene (BENDER and SCHULTZ), 1887, A., 268.

thiazine, production of, by electrolysis (EWER and Pick), 1886, A., 187.

from thiophen (MEYER), 1881, A., 586.

from triphenylmethane derivatives (RENOUF), 1883, A., 981.

Vegetable colouring matters:—
from the cones of Abus excelse
(MACCHIAII), 1890, A., 641.

in Agaricus ruber (Phirson), 1883, A., 100.

of chlorophyll (Borodin), 1884, A., 910; (Sachese), 1885, A., 670; (Hansen), 1888, A., 967; 1890, A., 171; (Immendorff), 1890, A., 641.

from cotton-seed oil (LONGMORE), 1885, A., 108.

of currants, red and black (Keim), 1891, A., 1589.

from *Diaptomus* analogous to carrotene (BLANCHARD), 1890, A., 640.

of Drosera Whittakerii (RENNIE), 1887, T., 371; P., 36.

of ebony wood (Bělohoubek), 1885, A., 396.

of ergot (PALM), 1884, A., 376. of fungi (ZOPF), 1889, A., 919.

of fustic wood (SCHMID), 1886, A., 894.

of grapes (MAUMENI), 1883, A., 215.

of leaves (ARNAUD), 1885, A., 670. from oakbark (ETTI), 1883, A., 995; (BOTTINGER), 1884, A., 321.

of Pczizu aurantia and P. convexu/a (Rossol), 1884, A., 847.

(red) of the Phanerogams, relations of, to the migration of starch (Pick), 1884, A., 1402.

(yellow) from poplar wood (ANON.), 1886, A., 558.

of Purpura lapillus (Letellier), 1889, A., 1207; 1890, A., 1452, from seaweed (Nettlefold), 1888, A., 1313.

from the tannins (WITT), 1886, A., 403.

Vegetable colouring matters:—

turmeric (Jackson and Menke), 1883, A., 481; 1885, A., 271.

of vegetables (TERREIL), 1885, A., 1142.

Wines, foreign (BONI), 1884, A., 502; (JAY), 1885, A., 309, 711.

natural (MAUMENÉ), 1883, A., 215; (GANTTER), 1883, A., 1141; (TERREIL), 1885, A., 1142; (VOGEL), 1888, A., 1137; (MON-NET), 1890, A., 311; (Hugou-NENQ), 1891, A., 1563.

detection of artificial (THOMAS), 1883, A., 625; 1884, A., 370; (Pastrovich), 1884, A., 502; (JAY), 1885, A., 298; (GIRARD and PABST), 1885, A., 1098; (CARLES), 1886, A., 105; (STROIT-MER), 1886, A., 183; (CAZE-LEUVE), 1886, A., 397; (BLAREZ and Denices), 1886, A., 1084; (Herz), 1887, A., 91; (SAMEL-SON), 1887, A., 187; (HOLTER-MAN DO REGO), 1887, A., 405; (CURTMAN), 1887, A., 1147; (SPICA), 1888, A., 95; (PARMIERI and CASORIA; WEIGERT), 1889, A., 655; (SOSTEGNI), 1889, A., 1091; (PAPASOGLI; HUGOUNENQ), 1891, A., 1563.

estimation of (Nessler and 1884, Barth), 1884, A (Jean), 1892, A., 246. 1432; Α.,

Alizarin, nitro-derivative sof(Brasch), 1891, A., 1077.

Alizarin-blue (ANON.), 1883, A., 635; (Scheurer), 1885, A., 106; (BRUNNER and CHUARD), 1885, A., 806.

soluble (BRUNCK and GRAEBE), 1883, A., 74.

hydroxy-derivatives of (Schmidt and GATTERMANN), 1891, A., 1382.

Alizarin-bordeaux (SCHMIDT GATTERMANN), 1891, A., 935.

Alizarineyanin (R) (SCHMIDT and GATTERMANN), 1892, A., 935.

Alizarin-green and alizarin indigo blue (GRAEBE and PHILIPS), 1891, A., 1240; (SCHMIDT and GATTER-MANN, 1891, A., 1383.

Alizarinsulphonic acids (SCHMIDT), 1891, A., 934.

Aniline-black, formation of (ZÜR-CHER), 1885, A., 1276.
dyeing with, in the dry way (GRAWITZ), 1892, A., 323.

Colouring matters—

Aniline-black, dyeing on cotton yarn (RENARD), 1884, A., 942.

Aniline-blue, theory of the formation of (Hirson), 1889, A., 503.

Aniline chromate dyes (GRAWITZ), 1888, A., 54.

Aniline colours (PETRIEFF), 1884, A., 1322.

fixation of (ANON.), 1884, A., 539. Anthraquinone derivatives (A. G. and W. H. Perkin), 1885, T.,

679. dyes, leuco-compounds of (LIEBER-

MANN), 1888, A., 492, 717. Auramines (ANON.), 1884, A., 1450; (Fehrmann), 1888, A., 156;

(GRAEBE), 1888, A., 158., Azo-colours (ANON.), 1883, A., 871; 1883, A., (RIEMERSCHMIED), 1148; (Schultz; NIETZKI), 1884, A., 1036; (MARTIUS), 1886, A., 887.

from o-diamidostilbene (BISCHOFF), 1888, A., 1094.

mixed, from aromatic diamines (LANGE), 1886, A., 886.

from dimethylaniline, a-hydroxynaphthoic acid, and a-naphthylamine (Bischoff), 1890, A., 1148.

from diphenyl (CAUNELLEY and Schleselmann), 1886, T., 380; P., 184.

from diphenyldiisoindole (Miitt-LAU), 1883, A., 342.

of the hydroxyquinolines (MAтийга), 1888, А., 851.

iodated (OESTERMAYER), 1885, A.,

of the naphthalene series, reduction products of (WITT), 1889, A., 270.

of the naphthalene series (WITT and Schmidt), 1892, A., 862.

from naphtharesorcinol (v. Kosta-NECKI), 1890, A., 260.

of mixed naphtholsulphonic acids, separation of (ANOV.), 1884, A., 1451.

from the \$-naphtholtrisulphonic

acids (ANON.), 1884, A., 237. theory of the formation of (Anm-STRONG), 1889, P., 9.

preparation of (ANON.), 1885, A., 945, 1172.

constitution of (ARMSTRONG), 1888, P., 29.

combination of, with hydrogen sulphites (SPIEGEL), 1885, A., 987.

Azo-colours, benzidine, colouring properties of (MOHLAU), 1886, A., 947. (brown), preparation of (ANON.), 1884, A., 238; 1886, A., 187. (red), preparation of (ANON.), 1884,

A., 238. (yellow), preparation of (ANON.),

1885, A., 850, 1172. Azonaphthol colours, constitution of

(LIEBERMANN), 1884, A., 609. Azophenine (WITT and THOMAS), 1883, T., 115; (WITT), 1887, A.,

821; 1888, A., 54; (FISCHER and Herr), 1887, A., 1105; 1888, A., 472, 1291; 1890, A., 614; (v. BANDROWSKI), 1888, A., 1081.

Azoresorcinol andazoresorufin (BRUNNER and CHUIT), 1884, A., 1333.

Azulene (Hock), 1884, A., 82.

Azylines (LIPPMANN and FLEISSNER), 1883, A., 55, 184, 868, 1100; 1884, A., 17 1885, A., 895. 178, 179; (Nölting),

Benzaldehyde-green, preparation of some dyes from (ANON.), 1885, A., 311.

acetamido-(Fischerand Schmidt), 1884. A., 1316.

Benzaldehyde-greens, manufacture of (MUHLHAUSER), 1887, A., 579. substituted (Kae-wurm), 1886, A., 552.

Benzein (HEUMANN and REY), 1890, A., 157.

Benzidine colouring matters (Colson), 1889, A., 1152; (Brasch and Freyss), 1891, A., 1231.

"Canarin-yellow" (SCHMID), 1884, A., 797; (ANON.), 1884, A., 1449; (GOPPELSROEDER), 1885, A., 107; (MILLER), 1885, A., 365; 1886, A., 186.

Carbazole-blue (BAMBERGER Müller), 1887, A., 959.

Carmine (Liedermann), 1885, A., 1076. adulterations of (Dechan), 1886,

A., 399.

α- and β-bromo- (WILL and LEY-MANN), 1886, A., 252, 253. Carmine-red (WILL and LEYMANN).

1886, A., 252. Carrotene ("carottine") (Schmitt) 1884, A., 910; (ARNAUD). 1886, A., 711; (REINITZER), 1887, A., 265; (IMMENDORFF; BLAN-CHARD), 1890, A., 641.

in leaves (ARNAUD), 1887, A., 859; 1890, A., 285,

COLOURING MATTERS-

Chrome-orange, production of, by steaming process (ANON.), 1883, A., 896.

Chrome-yellow dyes (LACH VUD and LEPIERRE), 1892, A., 663.

Codeine-violet (CAZENEUVE), 1892, Λ., 360.

Congo-red, constitution of (WITT). 1886, A., 889.

colloidal solutions of (Picton and LINDER), 1892, T., 156.

behaviour of, towards some acids and salts (v. Brücke), 1888, A., 625.

behaviour of, with urine and acid salts (v. Brucke), 1888, A., 381.

Crocein-scarlet, process for preparing (ANON.), 1883, A., 635.

description and measurement of the spectrum of (HARTLEY), 1887, T., 195.

iodo- (OSTERMAYER), 1885, A., 673. Crocein-yellow, process for preparing (ANON.), 1883, A., 635.

Crocin from saffron (KAYSER), 1885, A., 59.

Cyanine (quinolinc-blue) (Hooge-WERFF and VAN DORP), 1885, A., 673. Dichroins (BRUNNER and CHUIT),

1888, A., 363, 1182. Dye, light rose, "red spots" in (Lauber), 1885, A., 108.

Dye-forming substances, aromatic acids as (Zulkowski), 1884, A.,

Dyes. See also Colouring matters.

Ethyl-orange (BERNTHERN and GOSKE), 1887, A., 666.
Eurhodines (WITT), 1886, T., 391; P., 187; A., 473; 1887, A., 153; 1888, A., 1186.

1888, A., 1100. constitution of (WITT), 1888, A., (WITT), 1890, A., 1265; (FISCHER and HEPP), 1890, A., 1444; (KEHRMANN and MESSINGER), 1891, A., 746, 1213; (NIETZKI and HASTERLIK),

1891, A., 944. Eurhodole (WITT), 1886, T., 397; A., 473; (ZINCKE), 1892, A., 859.

Gallocyanin (PABST), 1883, A., 70; (KOECHLIN), 1883, A., 796; (NI-ETZKI and OTTO), 1888, A., 949. Gallofavin (BOHN and GRAEBE),

1887, A., 1107. Helianthin (methyl-orange) (Thomson), 1883, A., 682, 824, 827; 1884, A., 691, 869; (Mohlau), 1884, A., 1149; (Bernthsen and GUSKE), 1887, A., 666.

Helianthin (methyl-orange), spectrum of (HARTLEY), 1887, T., 192.

Hofmann's violet, spectrum of (HART-LEY), 1887, T., 171.

Hydroxyalizarin-blue (SCHMIDT and GATTERMANN), 1891, A., 1383.

Hydroxyanthraquinone dyes (LIE-BERMANN and WENSE), 1887, A., 593.

o-Hydroxyazo-dyes (v. Kostanecki and ZIBELL), 1891, A., 1038; (ZIBELL), 1891, A., 1473.

constitution of (GINELIN and V. KOSTANECKI), 1892, A.; 506.

Hydroxyketone dyes (GRAEDE and EICHENGRUN), 1891, A., 706; 1892, A., 1224.

Indamines (NIETZKI and OTTO), 1888, A., 949.

Indazine (indazole) (FISCHER and KUZEL), 1884, A., 441; (FIS-CHER and HEPP), 1891, A., 1047.

derivatives (FISCHER and TAFEL), 1885, A., 510; (STRASSMINN), 1890, A., 781; (WITT, NOLTing and Grandmorgin), 1891, A., 312; (PAAL), 1892, A., 67. synthesis of (PAAL), 1891, A., 723.

Indian yellow. See Purree. Indigo dyes. See under Indigo.

Indophenol (a-naphthol-blue) (PABST), 1883, A., 69; KOECHLIN), 1883, А., 695; (Моньли), 1886 А., 147.

preparation of (ANON.), 1883, A., 759; (Моньли), 1884, А., 594. colours (MOHLAU), 1884, A., 593; (WITT), 1884, A., 743; (NIETZ-KI and OTTO), 1888, A., 949.

Induline from fluorindene (FISCHER and Herr), 1890, A., 1445.

Indulines (WIFT and THOMAS), 1883, T., 112; (WITT), 1884, A., 743; 1887, A., 821; (ULLEYCH). 1886, A., 187; (FISCHER and HEPP), 1887, A., 1105; 1888, A., 1291; 1890, A., 761, 908; 1891, A., 1044; 1892, A., 341, 1476; (KEHRMANN), 1890, A., 1265; (KEHRMANN and MES-SINGER), 1891, A., 1213; (ISTEL), 1892, A., 492.

(Witt manufacture of and Thomas), 1883, T., 113.

Iodine-green, spectrum of (HART-LEY), 1887, T., 174.

Iodocrocein-scarlet (OSTERMAYER), 1885, A., 673.

COLOURING MATTERS-

Kamala (A. G. and W. II. PERKIN), 1887, A., 272; (JAWEIN), 1887, A., 498.

Lac dye (SCHMIDT), 1887, A., 734.

Lacmoid (TRAUB and Hock), 1885, A., 148; (Draper), 1885, A., 931; (THOMSON), 1885, A., 1157; (HART-LEY), 1888, A., 295; (FOERSTER), 1891, A., 241.

Lauth's violet (Bernthsen), 1883, A., 916; 1884, A., 595, 1156; 1885, A., 259.

Leucomalachite-green (tetramethyldiamidotriphenylmethane) (ELBS), 1884, A., 1019; (FISCHER and SCHMIDT), 1884, A., 1315; (Low), 1886, A., 461; (DOEBNER and PET-SCHOW), 1888, A., 288; (NENCKI), 1889, A., 510.

Leucomethylene-azure (BERNTHSEN),

1886, A., 55.

Leucomethylene-blue comethylene-blue (methylene-white) (Bernthsen), 1883, A., 916; (Monlay), 1884, A., 740. constitution of (BERNTHSEN), 1886, A., 54.

Leucomethylene-violet (BERNTH-SEN), 1886, A., 55.

Lokao or Chinese green (KAYSER), 1886, A., 254.

Madder colours (Wurtz), 1883, A., 598.

Magdala red (naphthalene-red), composition of (Julius), 1886, A., 712.

fluorescence of (WESENDONCK), 1886, A., 585; (WIEDEMANN), 1891, A., 189.

solutions of (Picton and Linder), 1892, T., 160, 163.

Magenta, manufacture of (Schoop), 1886, A., 290.

detection and estimation of, in extract of archil (Kertész). 1885, 1015; (RAWSON), Α., 1888, A., 877.

test for, in wine (PALMIERI and CASORIA), 1889, A., 655.

use of, with sulphurous acid as a micro-chemical test for aldehydes (LOEW and BOKORNY), 1883, A., 829.

Malachite-green (MANNS), 1889, A., 261.

preparation of (MUHLHÄUSER), 1887, A., 580.

Malachite-green, p-acetamido- (KAEswurm), 1886, A., 553. o-nitro- (Fischer and Schmidt),

1884, A., 1315.

Methylene-azure (BERNIHSEN), 1886, A., 55.

Methylene-blue (ERLENMEYER; Векмин-ем), 1884, А., 595; (Монгал), 1884, А., 740; (ANDRESEN', 1886, A., 1026.

and allied dyes (BERNTHSEN), 1883, A., 916; 1884, A., 595, 1156; 1885, A, 259; 1886, A., 53; 1889, A., 775.

formation of, as a reaction for hydrogen sulphide (Fischer), 1884, A., 109.

manufacture of (MUHLHAUSER). 1887, A., 480.

synthesis of (MOHLAU), 1884, A.,

constitution of (Bernthsen), 1886, A., 53; (Armstrong), 1888, P., 31.

Methylene-red and violet (BERNTH-SEN), 1886, A., 51.

Methylene-white. See Leucomethylene blue.

Methyl-orange. See Helianthin.

Methyl-violet (FISCHER and GER-MAN), 1883, A., 1098; (FISCHER and Körner), 1884, A., 606.

bases of (Wichelhaus), 1884, A., 595; 1885, A., 895; 1886, A.,

crystallized (v. Hofmann), 1885. A., 791.

preparation of (ANON.), 1885, A., 711; (RATHKE), 1886, A., 460. preparation of the sulphonic acids of (ANON.), 1885, A., 208. reaction for the detection of free

hydrochlorie acid in gastrie juice

(Kovr), 1888, A., 996. reduction of, by invert sugar (WOHL), 1888, A., 995.

Morin and its derivatives (Benedikt and HAZURA), 1881, A., 81, 1179; 1885, A., 553, 554.

preparation of (Benedikt and HAZURA), 1884, A., 1179.

oxidation and reduction of (Bene-DIKT and HAZURA), 1884, A., 846, 1179.

Morindin (THORPE and GREENALL), 1886, P., 256; 1887, T., 52.

Morindon (THORPE and GREENALL), 1886, P., 256; 1887, T., 52; (Thorpe and Smith), 1888, T., 171; P., 2.

Morphine-blue (Chastaing BARILLOT), 1888, A., 1165.

Morphine-violet (CAZENEUVE), 1891, A., 1120; 1892, A., 361,

COLOURING MATTERS-

Naphthalene-red. See Magdala-red. Naphthaleosin (Terrisse), 1885, A., 667.

a-Naphthol-blue. Sec Indophenol. Naphthol-green, preparation (GANA), 1885, A., 312.

physiological action of (WEYL), 1888, A., 1122.

Naphthol-violet, action of aromatic bases on (HIRSCH and KALCKHOFF),

1891, A., 77. Naphthol-yellow, S., constitution of (ARMSTRONG and WYNNE), 1890,

P., 16. physiological action of (WEYL), 1888, A., 1122.

Enocyanin (MAUMENÉ), 1883, A., 215.

Opiaurin (LIEBERMANN and SEIDLER), 1887, A., 580.

Orcinaurin (GRIMAUX), 1890, A., 1111.

Orcinol colouring matters (KRAE-MER), 1884, A., 1341; (NIETZKI and MAECKLER), 1890, A., 762; (ZULKOWSKI and PETERS), 1890, A., 1405.

Oxazine colours (Mohlau), 1892, A., 887.

See also under Naphthol-violet, Gallocyanin, and Colouring matters.

Oxyaurin (Trzciński), 1884, A., 591. Phenol-blue (Mohlat), 1884, A., 594; 1886, A., 146; (Fogii), 1888, A., 592.

Phenosafranine (NIETZKI), 1883, A., 731; (ANON.), 1884, A., 538; (BERNTHSEN), 1887, A., 140; (WITT), 1887, A., 250; (BARBIER and VIGNON), 1888, A., 688; (NIETZKI and OTTO), 1888, A., 831.

See also Safranine.

Phenylnaphthylamine-blue (HAUS-DORFER), 1890, A., 1308.

Phthalein colouring matters (MEYER), 1891, A., 1029. constitution of (ARMSTRONG), 1888. P., 30.

Phycoerythrin, isomeric modifications of (Schütt), 1889, A., 623.

peridine colouring mar (LACHOWICZ), 1888, A., 1314. Piperidine matters

Primuline colouring matters (TRAUT-MANN), 1891, A., 195.

Primuline, history of (GATTERMANN and JACOBSON), 1889, A., 868. nature of (GATTERMANN), 1889, A., 602.

Primuline, constitution of (GREEN), 1889, T., 227; P., 46; (PFITZIN-GER and GATTERMANN), 1889, A., 867.

"Prune" dye (Nietzki and Orto), 1888, A., 949.

Purpurin (DRALLE), 1884, A., 1040; (NOAH), 1886, A., 475.

amido- and nitro- (BRASCH), 1891, A., 1078.

Purree (Indian yellow, piuri) (SPIE-GEL), 1883, A., 219; (ANON.), 1885, A., 620; (KULZ), 1887, A., 498; (GRAEBE), 1890, A., 504.

Pyrroline colouring matters (CIAMI-CIAN and SILBER), 1884, A., 740; (MEYER and STADLER), 1884, A., 1045.

Quinoline-blue. See Cyanine.

Resazurin (NIETZKI, DIETZE and MAECKLER), 1890, A., 156.

formula of (Nietzki), 1892, A., 164. Resorcinol azo-colours, nitroso-derivatives of (v. Kostanecki), 1889, A., 137.

Resorcinol-blue (TRAUB and HOCK). 1885, A., 148; (BE\EDIKT and JULIUS), 1885, A., 386; (WESEL-SKY and BENEDIKT), 1885, A. 526; (NIETZKI, DIETZE and Maeckler), 1890, A. (Nietzki), 1892, A., 163. Α., 156;

colour (brownish-red) Resorcinol (SEYEWITZ), 1890, A., 370.

colours, Weselsky's Resorcinol (NIETZKI, DIETZE and MARCK-LER), 1890, A., 156.

Resorcinol colouring matters (WE-SELSKY and BENEDIKT), 1885, A., 526; (NIETZKI and MAECK-LER), 1890, A., 762.

tests for (BENEDIKT), 1883, A., 689. Rosamines (HEUMANN and REY),

1890, A., 157. Rosaniline colouring matters (MEL-DOLA), 1883, A., 807.

(blue) (Noiring and 1884, A., 1048. Collin), (yellow), preparation of (MACHEN-

HAUER), 1885, A., 310.

derivatives (Nouting), 1883, A.,

Safranine (NIETZKI), 1883, A., 731; 1887, A., 249; (ANDRESEN), 1886, A., 1026; (WITT), 1888, A., 1186.

constitution of (BERN THSEN), 1887, A., 139, 480; (NIETZKI), 1887, A., 249, 250; (WITT), 1887, A., 250.

COLOURING MATTERS-

Safranine, benzylated (MELDOLA and Coste), 1889, T., 595.

physiological action of (CAZENEUVE and LEPINE), 1886, A., 272; (WEYL), 1888, A., 1122.

Safranines, formation of (BARBIER and Vignon), 1888, A., 141.

relation to eurhodines and indulines (Kehrmann and Messin-GER), 1891, A., 1213.

eurhodines and (WITT), 1888, A., 491.

related dyes and (NIETZKI and OTTO), 1888, A., 831.

substituted (BARBIER and VIGNON), 1888, A., 54. Styrogallol (JACOBSEN and JULIUS),

1888, A., 56.

Tartrazines (ZIEGLER and LOCHER), 1887, A., 578.

Tetramethyld/amidotriphenylmethane. See Leucomalachite-green.

Thiophen-green and its derivatives (Peter), 1885, A., 765; (Levi), 1887, A., 481.

Tolylene-blue and -red (BERNTHSEN and Schweitzer), 1887, A., 139; (NIETZKI and ERNST), 1890, A., 1114.

Triphenylmethane colours (Nölting), 1891, A., 727; 1892, A., 187. (violet) (FISCHER and GERMAN). 1883, A., 1097; (FISCHER and KÖRNER), 1884, A., 606, 749.

Victoria-blue (NATHANSON and MUL-LER), 1889, A., 1190.

Victoria-yellow (dinitro-n-cresol) colour reactions of (FLECK), 1887, A., 624.

Colouring matters. See also Indicators, Mordants and Pigments.

Colours, action of sunlight, daylight, and electric-are light on water- and oil-, used in dyeing and printing (DECAUX), 1884, A., 700.

blue, artificial, examination of (Ros-PENDOWSKI), 1884, A., 1449.

incombustible (Meyer), 1884, A., 379.

Columbates containing earthy oxides, methods of analysing (SMITH), 1885, A., 1012.

methods of analysing, by means of hydrofluoric acid (SMITH), 1884, A., 111.

Columbite (DANA), 1887, A., 20. from the Black Hills, South Dakota (Blake), 1885, A., 360; 1891, A., 1329; (HEADDEN), 1891, A., 886.

Columbite, from Colorado (HEADDEN), 1857, A., 347.

from Craveggia, in Piedmont (STRU-VER), 1885, A., 792; (Cossa), 1887, A., 645.

from Delaware Co., Pennsylvania (GENTH), 1891, A., 1168.

from Standish, Maine (DANA), 1887, A., 343.

from the Val Vigezzo, mineral associated with (Piccini), 1887, A., 1085.

analysis of (HALLOCK), 1883, A., 434. Comanic acid (Ost), 1885, A., 49; (HAITINGER and LIEBEN), 1885, A., 965.

action of hydroxylamine and ethylamine on (Ost), 1884, A., 1302.

ethylic salt of, from chelidonic acid (HAITINGER and LIEBEN), 1885, A., 965.

Comanic acid dichloro- (Ost), 1885, A.,

oximido- (dihydroxypyridinecarboxy)ir acid) (Ost), 1884, A., 1302.

Comazinic acid (Krippendorff), 1885. A., 1244.

Combustion, chemistry of (LUEDEKING), 1888, A., 1263.

by means of chromic anhydride (Cross and BEVAN), 1888, T., 889; P.,

demonstration of the increase in weight of bodies on (ROMENFELD), 1884, A., 258.

formation of ozone and nitrogen acids in (ILOSVAY), 1890, A., 447.

imperfect, in gaseous explosions (DIXON and SMITH), 1889, A., 337. in dried gases (BAKER), 1885, T., 349; P., 37.

in dried oxygen (BAKER), 1889, A.,

incomplete, analysis of the products

of (Lewes), 1892, A., 407.
of carbonic oxide and oxygen, influence of steam and other gases on (Bekeroff), 1892, A., 274.

of organic substances in oxygen at high pressure (STOHMANN, KLEBER and LANGBEIN), 1889, A., 929.

rapid, formation of ozone during (Loew), 1890, A., 330. slow, of gaseous mixtures (Krause and Meyen), 1891, A., 1153; (Askenasy and Meyer), 1892, A., 938.

of organic substances (SCHLŒS-ING), 1889, A., 639.

under a high pressure (HEMPEL), 1890, A., 1050.

Combustion, with lead chromate (DE ROODE), 1890, A., 926.

Combustion-furnace (Fuchs), 1892, A., 1514.

a modified Glaser's (Anschütz and Kekulé), 1885, A., 1035.

Comenamic acid (dihydrocypyridinccarboxvlic acid) (Ost), 1883, A., 792.

Comenic acid, action of ethylamine on (Ost), 1884, A., 1303.

action of hydroxylamine on (Osr), 1884, A., 1302.

nitrogenous derivatives of (MENNEL), 1885, A., 1203.

amido-, action of phosphorus pentachloride on (Bellmann), 1884, A., 840.

Comets, light emitted by (BERTHELOT), 1883, A., 261.

Comma bacillus. See Bacillus, comma. Commutator, for the determination of the magnetic rotatory polarisation of compounds (PERKIN), 1884, T., 423.

Compositæ, inulin in the capitula of (DANIEL), 1890, A., 191.

Compost manure. See Manure.

Compounds, chemical, colour of, mainly as a function of the atomic weights of the component elements (CARNELLEY), 1884, A., 1252.

rendered phosphorescent by the action of light or the electrical discharge, spectroscopic study of (BECQUEREL), 1885, A., 1098.

stability of (Alexeeff), 1885, A., 114.

chemical energy of (BEKETOFF), 1888, A., 1244.

which contain the dicarbonyl-group, condensations of, with aldehydes and ammonia (JAPP), 1883, T., 197.

class of, analogous to the phthaleins (Remsen), 1885, A., 539.

aromatic. See Aromatic compounds. double, solubility of (BEHREND), 1892, A., 1047, 1385.

fatty, conversion of benzene derivatives into (HANTZSCH), 1888, A., 130.

liquid, constitution of (Schröder), 1883, A., 422.

See Organic compounds. organic. unsaturated, molecular rotation of (Perkin), 1884, T., 561.

action of nitrous and hyponitric acids on (GABRIEL), 1886, A., 620.

oxidation of (WAGNER), 1889, A., 231.

Compounds, unsaturated, the part played by water in the oxidation of (Wagner), 1889, A., 232.

Compressibility, indices of refraction of and, relations between liquids (QUINCKE), 1892, A., 669.

relation between that of a solution and those of its component parts (Braun), 1888, A., 214.

of an aqueous solution of ethylantine

(ISAMDERT), 1888, A., 216. of gases (AMAGAT), 1884, A., 145; 1889, A., 8; 1891, A., 378; (AN-DREWS), 1889, A., 95. of solutions of gases (ISAMBERT), 1888,

of gases, liquefaction and (JAMIN), 1884, A., 5.

of liquids (AMAGAT), 1888 A., 215;

1891, A., 378.

of liquids, attempt to eliminate the influence of the change in volume of the vessel when measuring (v. Boguski), 1888, A., 1019.

of mixtures of air and carbonic anhydride (LALA), 1891, A., 253.

of mixtures of air and hydrogen (Lala), 1891, A., 634.

of lock salt (BRAUN), 1888, A., 404; (Röntgen and Schneider), 1888, A., 1019.

of saline solutions (GILBAULT), 1892, A., 766.

of solutions of potassium and calcium chlorides (DRECKER), 1888, A., 1010. of sylvin and aqueous solutions of

potassium chloride (Rontgen and Schneider), 1888, A., 1019.

of water (RÖNTGEN and SCHNEIDER). 1888, A., 548.

of hot water (BARUS), 1891, A., 631. Compression experiments. Spring's, simple method of demonstrating (Tollens), 1884, A., 958.

repeated, influence of, on the amount of sulphides formed by pressure (SPRING), 1884, A., 959.

of air (ANTOINE), 1889, A., 460.

of the moist powder of solid substances, and the formation of rocks (Spring), 1888, A., 1243.

Comptonite, altered, from Vesuvius (SCACCHI), 1891, A., 23.

Concentration, effect of, on alcoholic fermentation (Brown), 1892, T., 369; P., 33.

influence of, on the vapour tension of ethereal solutions (RAOULT), 1887. A., 631.

of solutions by gravitation (Gory and CHAPERON), 1887, A., 1013.

Conchairamidine and its salts (HESSE), 1885, A., 64.

Conchiolin (KRUKENBERG), 1885, A.,

826; 1886, A., 481. Concusconidine (HESSE), 1883, A., 602; 1885, A., 69.

Concusconine and its salts (HESSE),

1883, A., 602; 1885, A., 64. Condensation, chemical, in mineral chemistry (HUNT), 1891, A., 258. evaporation and, spheres of (LEH-

MANN), 1892, A., 1149. phenomena of (MENDELEEFF), 1885,

A., 114. use of, in fractionating apparatus

(CLAUDON), 1885, A., 331. Condensation-products, use of dry oxalic

acid in the formation of (ANSCHUTZ), 1884, A., 1019.

Condensations, inner (Rössing), 1886, A., 65.

Condenser, new (EVERS), 1892, A., 400. Conductivity, electrical. See Electrical conductivity under chemistry.

See Thermochemistry. heat.

molecular. See Molecular conductivity.

Conductors, hollow, in electrolytes, distribution of electricity on (TRIBE), 1884, A., 248.

Conduct-pipes, luting for (ANON.), 1883, A., 536.

Condurangin (CARRARA), 1892, A., 1352. Conduransterin (CARRARA), 1891, A.,

(WARNECKE), Conessine (vorightim) 1886, A., 372; 1888, A., 855; (Pols-TORFF and SCHIRMER), 1886, A., 372; (Polstorff), 1886, A., 901.

Confectionery, detection of colouring matters in (STROHMER), 1886, A., 183.

Conglutin from lupines, behaviour of, towards saline solutions (RITTHAU-SEN), 1883, A., 360.

decomposition products of (Sieg-fried), 1891, A., 590.

Congo-red. See Colouring matters. Conhydrine (oxyconiine) and y-conhydrine. See Alkaloids.

Coniceidine and coniceine. See Alkaloids.

Conichalcite (MACKENZIE), 1887, A., 20.

Coniferin. See Glucosides.

Coniine. See Alkaloids. Conilene -. See Conylene -.

Coninic acid (SCHOTTEN), 1883, A., 813. Conium, estimation of the alkaloids of (CRIPPS), 1888, A., 540.

Conium muculutum, new alkaloid from (LADENBURG and ADAM, 1891, A., 1119.

Connective tissue fibres, action of digestive fluids on (EWALD), 1889, A.,

Connellite (PENFIELD), 1891, A., 157. Conquinine. See Quinidine under Alkaloids.

Contact actions (Mendelfeff), 1836, A., 415.

Contact-potential, differences of GOUY) 1892, A., 553.

difference of, of metals (PASCHEN), 1891. A., 139.

of metals and their salts (PELLAY), 1889, A., 661.

Contractile tissues, peculiarities of the chemical composition of (KRUKEN-BERG and WAGNER), 1885, A., 920.

Convallamaretin, convallamarin and convallarin (LANGLEBERT), 1885, A., 271.

Convallaria majulis (lily of the valley) (LANGLEBERT), 1885, A., 271. Convolvulin, physiological action of

(DRAGENDORFF), 1887, A., 291. Conylenaminephthalein and conylene-

phthalamic acid (Piutti), 1881, A.,

Conylphenyl-carbamide and -thiocarbamide (ĞЕВНАГІРТ), 1885, A., 384. Conylurethane, action of nitric acid on

(SCHOTTEN), 1893, A., 813. and derivatives of (Schotten), 1883, A., 220.

Conyrine. See a-n-Propylpyridine. Copaiba balsam. See Balsam.

Copalite (copuline) from Hutteldorf, near Vienna (STARKL), 1886, A., 21. Copellidine. Ser Methylethylpiperid-

ine and trimethylpiperidine. Copiapite (MACKIN rosh), 1890, A., 454;

(Darapsky), 1890, A., 456.

Copper, atomic weight of (BAURIGNY), 1584, A., 256; (Shaw), 1587, A., 444; (Richards), 1888, A., 916, 917; 1891, A., 805.

(metal) crystallised, from Schneeberg (v. Foullon), 1885, A., 220. native, crystallisation of (Dana),

1887, A., 341.

native, pseudomorphs of, after azurite (YEATES), 1890, A., 453.

smelting (ANON.), 1884, A., 515. slag, red (BERRY), 1887, A., 417.

containing artificial cuprite (JAR-MAN and McCaleb), 1889, A.,

extraction, electrolytic, of (FISCHER), 1884, A., 934.

Copper, extraction of, modification of the Hunt-Douglas process for the (HUNT), 1883, A., 100.

formation of crystals of, artificial (Brown), 1887, A., 312.

black. See Copper ores.

pure, production of, in a crystalline condition (Duncan), 1890, P., 95.

purification of (MULLER), 1885, A., 1167; (Anon.), 1886, A., 109.

phosphorescence of, in the sulphides of the alkaline earth metals (KLATT and LENARD), 1890, A., 201.

spectrum of (HARTLEY), 1883, T., 396.

spectroscopic evidences of new element in (GRUNWALD), 1890, A., 434.

electrical resistance of (LE CHATE-LIER), 1891, A., 5.

electrical resistance of, at very low temperatures (v. WROBLEWSKI), 1885, A., 1099.

electrochemical equivalent of (F. and W. Kohlrausch), 1884, A., 1089; (VANNI), 1892, A., 105.

electrolysis of (GRAY), 1887, A., 315; 1888, A., 545.

iron junction, inversion of the electromotive force of, at a high temperature (LE ROUX), 1885, A., 110.

polarisation of, by the extension of the surface in contact with a liquid conductor (Krouchkoll), 1887, A.,

precipitation of, by electrolysis and

the electrolytic purification of (ANON.), 1886, A., 109.
precipitation of, by electrolysis, improvement in the apparatus used for (FOOTE), 1885, A., 597.

specific heat of (NACCARI), 1888, A.,

commercial, specific gravity of (WAT-

SON), 1884, A., 218. occlusion of gas by, electrolytic (SORET), 1889, A., 105, 946.

occlusion of hydrogen by (NEUMANN and STREINTZ), 1892, A., 567. precipitation of, by iron (Essner),

1892, A., 276.

transference of, across a stratum of gas (Blondlot), 1886, A., 422.

action of (DENIGES), 1889, A., 747. action of ammonia on, at a red heat WARREN), 1887, A., 702.

action of chlorine and of bromine on (GAUTIER and CHARPY), 1892, A.,

action of, on nitric acid, conditions of (VELEY), 1890, A., 701; 1891, A., 525.

Copper, action of nitric oxide on (SABATIER and SENDERENS), 1892, A., 1152.

action of nitric peroxide on (DIVERS and Shimidzu), 1885, T., 633.

action of nitrosyl chloride on (SUDвогоисн), 1891, Т., 658.

action of sulphur vapour on (WAR-REN), 1888, A., 555.

sulphurous acid action of, 011 (CAUSSE), 1886, A., 423.

combination of, with nitrogen (BLONDьот), 1886, А., 422.

displacement of, by zinc (DESTREM), 1888, A., 555.

oxidation of (DEBRAY and JOANNIS), 1885, A., 22.

slow oxidation of, in presence of dilute sulphuric acid, or of a soluof ammonium carbonate

(TRAUBE), 1885, A., 1107. reduced, retention of hydrogen and carbon by (NEUMANN), 1892, A., 942.

reduction velocity of alkaline solutions of (URECH), 1889, A., 462.

solution of, in acids (Veley), 1889, T., 381.

lowering of the freezing point of bismuth by (HEYCOCK and NEVILLE), 1892, T., 893.

lowering of the freezing point of eadmium by (HEYCOCK and NEV-ILLE), 1892, T., 898.

lowering of the freezing point of lead by (Heycock and Neville), 1892, T., 905.

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 379.

influence of, on iron and steel (OSMOND), 1890, A., 567. influence of, on the working of steel

(WASUM), 1883, A., 404. influence of, on the estimation of sulphur (BRUGMAN), 1887, A.,

in vincs treated with copper sulphate and lime (MILLARDET and GAYON),

1886, A., 738. influence of, on the organism of ruminants (Ellenberger and Hor-MEISTER), 1884, A., 474.

zinc couple, action of, with nitric oxide (GLADSTONE and TRIBE), 1883, T., 346.

action of, on organic compounds (GLADSTONE and TRIBE), 1885, T., 448; P., 60.

Copper alloys electrical resistance of (LE CHATELIER), 1891, A., 5.

Copper alloys with antimony, electric conductivity and other properties of (Kamensky), 1885, A., 323.

with antimony and with tin (BALL), 1887, P., 136; 1888, T., 167.

with iron and manganese, electrical resistance of (NICHOLS), 1890, A., 1356.

with iron and platinum (MAUMENE), 1887, A., 778.

with lead and tin (FRENCH), 1890, A., 335.

with silver, estimation of silver in (Rössler), 1888, A., 755.

with tin and with zinc, constitution of (LAURIE), 1887, P., 117; 1888, T., 104.

Copper compounds as poisons (Du Moulin), 1886, A., 483.

effect of, on plants (FORMENTO), 1891, A., 491.

Copper salts, electromotive dilution constants of (MIESLER), 1887, A., 1072.

alleged action of (A. and P. Buisine), 1889, A.,795.

interaction of iodides with (CAR-NEGIE¹, 1889, P., 2.

action of, on metallic (VARET), 1890, A., 464. cyanides

action of sodium thiosulphate on (VORTMANN), 1888, A., 787. basic, action of water on (ROUSSEAU

and TITE), 1891, A., 1423.

Copper antimonate (Beilstein and v. Bläse), 1889, A., 1124; (Ebel), 1890, A., 216.

antimonide (LAIST and NORTON), 1888, A., 658.

arsenate, basic (Coloriant), 1886, A., 771.

See also Clinoclase, Erinite and Olivenite.

thioarsenate (PREIS), 1890, A., 1053. arsenates (Colorianu), 1886, 771; (Hirsch), 1891, A., 644.

sodium arsenates (Hirsch), 1891, A., 644.

bromide. See Cuprous bromide.

oxybromide analogous to atacamite (Brun), 1889, A., 1112.

potassium carbonate solution, estimation of sugars with (OsT), 1890, A.,

chloride. See Cuprous chloride. dichloride. See Cupric chloride. lithium chloride (Chassevant), 1892, Λ., 118.

potassium chloride and its solutions, vapour pressure of (VRIENS), 1891, A., 783.

Copper potassium chloride, reversible transformation of (MEYERHOFFER), 1889, A., 819.

chlorides, action of, on metallic sulphides (RAS(HIG), 1884, A., 962. oxychlorides (Rousseau), 1890, A.,

1058. chromate, basic (BALBIANO), 1888, A., 1219.

sodium chromate, basic (STANLEY), 1887, A., 111.

chromiodate (BERG), 1890, A., 1379. fluorine compounds of (BALBIANO), 1884, A., 1264.

glance, artificial production of (Doel-TER), 1886, A., 208.

oxidation of, by the electric current (SMITH and WALLACE) 1892, A., 239.

See also Copper Sulphide.

bismuth glance, artificial (SCHNEI-

DER), 1890, A., 337. hydrides (LEDCC), 1891, A., 1422. periodate (KIMMINS), 1889, T., 150.

iodide. See Cuprous iodide. d'iodide. See Cupric iodide.

permolybdate (Pechard), 1892, A.,

ammonium thiomolybdate (Debray), 1883, A., 1054.

nitrate, crystallised, basic (Boun-GEOIS), 1890, A., 714; (ROUS-SLAU), 1890, A., 1376. nitrate, basic, decomposition of, by

water (ROUSSEAU and TITE), 1892, A., 1272.

nitrates, basic, artificial (Wells and Penfield), 1886, A., 315.

nitride (WARREN), 1887, A., (ASLANOGLOU), 1892, A., 409.

lead potassium nitrite (VAN LESSEN), 1891. A., 1157.

nitro- (SABATIER and SENDERENS), 1892, A., 1390.

See Cupric and cuprous oxide. oxides.

peroxide (Kruss), 1885, A., 124. oxides (Joannis), 1885, A., (OSBORNE), 1887, A., 334.

absorption of oxygen by (Debray and Joannis), 1885, A., 22. duction of, by magn (Winkler), 1890, A., 333. by reduction magnesium

phosphates and sodium phosphates (STEINSCHNEIDER), 1891, A., 1423. phosphates, double (OUVRARD), 1890, A., 1379.

phosphides (Granger), 1892, A., 410. pyrites, artificial (DUELTER), 1886, A., 208; (Schneider), 1889, A., 354.

Copper pyrites. See also Copper ores. selenite (Boutzoureanu), 1888, A., 221; 1891, A., 262.

See also Chalcominite.

silicate. See Chrysocolla. sulphate, crystallised, anhydrous (Klobb), 1892, A., 941, 1399.

basic, precipitate of, formed in ordinary water (GRIMBERT and BARRE), 1890, A., 851.

solutions, dilute, cryoscopy of (Pickering), 1892, A., 1045.

very dilute, determination of the maximum electrical conductivity of (SACK), 1891, A., 965.

electrolysis of mixed aqueous solutions of zinc sulphate and (HOULLEVIGNE), 1890, A., 678.

quantity of heat evolved in the electrolysis of (JAHN), 1883, A.,

anhydrous, monhydrated and pentahydrated, heat of solution of (Pickering), 1886, T., 294, 310, 296.

vapour pressure of (ANDREAE), 1891, A., 782.

dissociation of (MULLER-ERZBACH), 1887, A., 208; 1888, A., 104.

hydrated, dissociation of (LES-(ŒUR), 1886, A., 842.

formation of cuprous chloride and bromide from (DENIGES), 1889, A., 675.

compound of methylic alcohol with (DE FORCEAND), 1886, A., 524.

reduction of, during alcoholic fermentation (QUANTIN), 1887, A.,

solubility of (Egard), 1887, A., 772. solubility of, in presence of ammonium sulphate (ENGEL), 1886, A., 305.

use of, to destroy mildew (Penney), 1885, A., 77.

testing (BAUDOIN), 1887, A., 1139. ammonium sulphate (ANDRÉ), 1885, А., 873; (Кьовв), 1892, А., 1399.

cobalt potassium sulphate (Roy), 1887, P., 53.

iron ammonium sulphate (Roy), 1887. P., 53.

magnesium potassium sulphate (Roy), 1887, P., 53.

potassium sulphate. See Potassium copper sulphate.

sulphates, basic (Pickering), 1883, A., 853; (SHENSTONE), 1885, T., 375; P., 51; (KLOBB), 1892, A., 1399.

Copper sulphates, basic, crystalline (SHENSTONE), 1885, T., 375; P., 51; (MIEIS), 1885, T., 377; P., 51; (ANDE) 1885, A 75; A 1065 51; (ANDRÉ), 1885, A., (Pickering), 1885, A., 1113.

sulphide, colloidal (SPRING), 1883, A., 904; (WLIGHT), 1883, A., 1054; (SPRING and DE BOECK), 1888, A., 227. precipitated, composition of (AN-TONY and LUCCHESI), 1890, A.,

action of, on potassium sulphide (DITTE), 1884, A., 963.

solubility of, in alkaline thio-molybdates (Debray), 1883, A., 1054.

See also Copper glance.

potassium sulphide (DITTE), 1884, A., 963.

hydrosulphides (LINDER and PICTON), 1890, P., 50; 1892, T., 120.

oxysulphides (KLICHE), 1890, A., 1211.

sulphites (Newbury), 1892, A., 1051. cuprosocupric sulphites, transformations of (ETARD), 1883, A., 20.

dithionates (Kluss), 1888, A., 1156. pentathionate (Debus), 1888, T., 300. barium thiosulphate (Cohen), 1887, T., 39.

potassium thiosulphate, hydrated and anhydrous (Conen), 1887, T., 38.

Cuprammonium salts (BAUBIGNY), 1887. A., 773.

manufacture of, and their technical application (WRIGHT), 1884, A., 1232.

Cuprammonium bromides (RICHARDS), 1891, A., 399. ammonium cyanide (FLEURENT),

1892, A., 420. tetriodide and hexiodide (SAGLIER),

1886, A., 852. iodides (SAGLIER), 1886, A., 851;

1887, A., 772. oxide (Prud'Homme), 1892, A., 18.

sulphate, basic (Pickering), 1883, T., 336.

chloride (copper dichloride), Cupric electrolysis of (QUINCKE), 1889, A., 458.

solutions, thermal behaviour of (REICHER and VAN DEVENTER), 1890, A., 1206.

solubility of, in various organic liquids (Etard), 1892, A., 558.

action of aluminium on (Tom-MASI), 1883, A., 19.

action of hydrogen chloride on (ENGEL), 1888, A., 558.

A., 1065.

saturated solutions of compounds of, with potassium chloride (MEYERHOFFER), 1890, A., 564.

hydrated (CHUARD), 1889, A., 17.

hydrochloride of (SABATIER), 1888, A., 1036, 1037; (ENGEL), 1888, A., 1248.

iodide (copper diiodide) (TRAUBE), 1884, A., 962; (CARNEGIE), 1889, P., 2.

oxide (CuO) (Klobb), 1892, A., 1399. modifications of (Joannis), 1886, A., 666.

decomposition of, by heat (DEBRAY and JOANNIS), 1885, A., 21; (MAUMENÉ), 1885, A., 124.

combination of, with starches, sugars and mannitols (GUIGNET),

1889, A., 1133. compound of manganese sesqui-oxide with (Schneider), 1887, A., 1081.

influence of, on the decomposition of potassium chlorate (Fowler

and GRANT), 1890, T., 279. hydroxide, stability of (TOMMASI),

1883, A., 19. Cuprous bromide, formation of, from copper sulphate (DENIGES), 1889, A., 675.

chloride, formation of, from copper sulphate (DENICES), 1889, A.,

preparation of (CAVAZZI), 1886, A., 771.

vapour density of (BILTZ and MEYER), 1889, A., 674.

measurement of the vapour pressures of solutions of (EWAN and ORMANDY), 1892, T., 775.

influence of hydrogen chloride on the solubility of (ENGEL), 1890, A., 109.

estimation of, in copper liquors (RAWSON), 1884, A., 872.

iodide (Traube), 1884, A., 962. compounds of, with ammonium thiosulphate (BRUN), 1892, A.,

oxide (Cu2O), behaviour of, at high temperatures (BAILEY and HOP-KINS), 1890, T., 269; P., 19.

estimation of, in metallic copper by Hampe's method (DEWEY), 1889, A., 1033.

See also Cuprite.

Copper ores, tour aline-bearing, from (Thill v. GRODDLCK, 1885. A., 566; 1×90. A., 114.

variegated, from New Mexico, microscopic character of (BAI MHALLE),

1866. A., 22 Irom Nova Scotia, analysis of (GRIFFITHS), 1883, A., 859.

from Sunneiskog, Sweden (LIND-SIROM), 1887, A., 343.

rare, from Utah (MACKENZIE), 1887, A., 19.

decomposition of (INON.), 1885, A., 940.

treatment of, with molten lead (NON.), 1886, A., 109.

black, composition of (ANON.), 1884, A., 515.

pyrites, crystals of (PENFIELD), 1891, A., 273.

oxidation of the sulphur in. by an electric current (SMITH), 1889, A., 926.

slate, Mansfeld, analysis of (Scheenln), 1883, A., 1069.

Copper organic compounds:-

Copper, organic substances containing, analysis of (WALKER), 1890, A., 296.

acetylide (Keiser), 1892, Α., 1416.

preparation of (Kuntzmann), 1892, A., 421.

carbonylterrocyanide (MULLER), 1890, A., 117.

diphenyl (FARINI), 1891, A., 1198.

mercuic thiocyanate (BEHRENS), 1892, A., 10.

Cuprammonium acetobromide (RICH-Āris), 1892, A., 953.

Cuprosocupric cyanide (VAREI), 1889, A., 359.

Copper, detection, estimation and separation :-

detection of tellurium in (EGLESTON). 1883, A., 531.

detection, electrolytic, of (Kohn), 1892, A., 541.

detection of traces of, in distilled water (Thoms), 1891, A., 620.

detection of, in wine (GIGLI), 1888, A., 873.

microchemical test for (v. HAUS-HOFER), 1887, A., 300.

of (STAHL), analysis 1887, A., 529.

assays (Westmoreland), 1888, A., 1343.

assay of, wet and dry (WISIMORE-LAND), 1887, A., 80.

detection, estimation and Copper, separation:-

a saying, precipitation of, as thiocyanate in (JOHNSON), 1890, A., 547.

estimation and valuation of comriercial (Westworld and), 1887, Λ., εο.

commercially pure, examination of (NON.), 1884, A., 1084.

metallic, estimation of arsenic in (LEHMANN and MAGER), 1886, A., 100, 920.

estimation of traces of bismuth and antimony in (JUNGFER), 1888, A., 321.

estimation of cuprous oxide in, by Hampe's method (DEWEY), 1889, A., 1033.

estimation of sulphur in (PHILLIPS), 1891, A., 362; (Lobry de Bruyn), 1892, A., 753.

estimation of (QUESSAUD), 1885, A., 441; (CARNOT), 1886, A., 580, 650; (ETARD and LEBEAU), 1890, A., 665.

estimation of, and silver in the same solution (QUESSAUD), 1885, A., 441.

estimation of, by de Haen's (Brown's) method (LOBRY DE BRUYN and

van Leentj, 1892, A., 753.
estimation of, by the iodide method
(Williams), 1889, A., 309.
estimation of, by Weil's method
(anon.), 1883, A., 509.

(NON.), 1885, A., 905.
estimation, electrolytic, of (Classen),
1885, A., 190, 1095; (Moore),
1886, A., 921; (SHAND), 1887, A.,
1000; (Classen and Schelle),
1889, A., 77; (Rudorff), 1889,
A., 188; (Brand), 1890, A., 294.

estimation, electrolytic of, in arsenical ores, slags, etc. (ANON.), 1885, A.,

estimation of, in aluminium (Hunt, CLAPP, and HANDY), 1892, A.,

estimation of, in presence of arsenic (CLASSEN), 1888, A., 528. estimation of, in iron and steel (REIN-

HARDT), 1890, A., 85.

estimation, volumetric, of (C. and J. J. BERINGER), 1884, A., 113; (Low), 1886, A., 920; (ELLIS), 1890, A., 547; (ETARD and LEBEAU), 1890, A., 665; (Fessenden), 1890, A., 926; (Donath and Hattensaur), 1891, A., 112.

separation of, from arsenic, and their estimation in a case of poisoning

(Gucci), 1888, A., 630.

Copper separation:-

separation of, qualitative and quantitative, from bismuth (LOEWE), 1884, A., 497.

separation of, from cadmium (Gucci), 1885, A., 193; (Béhal), 1885, A., 1012; (Kastle), 1890, A., 295; (WARREN), 1891, A., 1138; (WELLS), 1892, A , 534.

separation of, from cadmium, lead, manganese, etc. (v. Knorre), 1887, A., 530.

separation of, from cadmium, zinc, nickel, etc. (CARNUT), 1886, A., 580, 650.

separation of gold, silver, lead and, from sulphides by air blast (ANON.), 1883, A., 400.

separation of, from lead (CLASSEN), 1888, A., 529.

separation of, from lead by refining in Freiberg (ANON.), 1883, A., 400.

separation of, from mercury and nalladium (Rosenbladt), 1887, A.,

separation, electrolytic, of, aluminium, cadmium, chromium, cobalt, iron, nickel or zinc (SMITH), 1890, A., 1028.

separation, electrolytic, of, from arsenic (SMITH and FRANKEL), 1890, A., 1029; (McCay), 1891, A.,

separation, electrolytic, of, from cadmium (SMITH and FRANKEL), 1890, A., 665.

separation, electrolytic, of, from gold SMITH and MUHR), 1891, A., 1296, 1396.

separation, electrolytic, of, from mercury (SMITH and FRANKEL), 1889, A., 797; (SMITH and MAC-CAULEY), 1892, A., 239.

Copper magnesium group, isomorphous mixtures of sulphates of (Roy), 1887, P., 53.

mixed double sulphates of (Rây), 1889, A., 346.

Coprine chloride (NIEMENTOWSKI), 1886, A., 933.

Coptis trifolia, alkaloids of (Schultz), 1885, A., 403.

Copying-paper, new phot (SHAWCROSS), 1886, A., 106. photographic

Coquimbite (MACKINTOSH), 1890, A.,

Coral, solubility of, in sea water (THOU-LET), 1889, A., 682.

Cordierite (dichroite, iolite) from Arama-Yama (Hussak), 1884, A., 407.

Cordierite (dichroite, iolite) of Glencullen

(Joly), 1888, Á., 117. in the trachytes of Hungary (Szabó DE ST. MIKLÓS), 1883, A., 166.

twin crystals of, from the Laacher See (v. LASAULX), 1884, A., 407. distribution of, in rocks (Hussak),

1885, A., 1190.

altered, from Tuscany (SCACCHI), 1887, A., 1086.

as contact mineral (KIKUCHI), 1892, A., 1056.

artificial production of (Bourgeois), 1884, A., 565.

composition of (FARRINGTON), 1892, A., 793.

Cordierite-gneiss from Connecticut (Hovey), 1889, A., 25.

Coriander oil and coriandrol (SEMMLER). 1891, A., 540.

Cork, composition of (URBAIN), 1884, A., 861.

Cork cells, suberin, and (GILSON), 1891, A., 465.

Corn. See Agricultural Chemistry.

Corn-cockle (Agrostemma githago), metabolism in pigs fed on (KORNAUTH and ARCHE), 1892, A., 1018.

sapotoxin from (KRUSKAL; KOBERT), 1892 A., 350.

seeds, poison of (LEHMANN and Morr), 1890, A., 1458. Cornes, action of ethylenic chloride on

the (Dubois and Roux), 1888, A., 517.

Cornein (Krukenberg), 1884, A., 1390; 1886, A., 481.

Cornikrystallin (KRUKENBERG), 1884, A., 1391.

Cornutine (Kobert; Tanket), 1885. A., 821; (Bombelon), 1888, A., 970.

Corpses, human, basic products (ptomaines) from (BRIEGER), 1885, A., 278.

detection of colchicine in (Obolonski), 1891, A., 135.

detection and estimation of organic and inorganic poisons in (SEYDA), 1891, A., 117.

Corpuscles, permeability of, in relation to their isotonic coefficients (HAM-

BURGER), 1890, A., 809. red, lecithin and cholesterin in (MA-

NASSE), 1890, A., 1017. stromata of the (HALLIBURTON and FRIEND), 1889, A., 1231. "Corrosiv," Kohn and Co.'s (Bell-

MER), 1884, A., 1088.

Corrosive sublimate. Se Mercuric chloride,

321

Corundum, remarkable occurrences of (GENTH), 1884, A., 267.

in graphite (WICHMANN), 1886, A., 23.

gems in India (SHEPARD), 1884, A., 23.

in Patrick Co., Virginia (GENTH), 1890, A., 570.

synthesis of (Bruhns), 1890, A., 112. optical properties and micro-structure of (v. Lasaula), 1886, A., 23.

Corycavine (FREUND and JOSEPHI), 1892, A., 1367.

Corydaline. See Alkaloids.

Corydalis cava, alkaloids of (ADER-MANN), 1891, A., 1266; (FREUND and JOSEPHI), 1892, A., 1366.

Corydalis tuberosa, alkaloid from (Dobbie and Lauder), 1892, T., 244, 605; P., 13, 123.

Corylus Avellana, pollen of (SCHULZE and V. PLANTA), 1886, A., 736.

Cosalite. See Rezbanyite.

Cosmical powder which fell on the Cordilleras, near San Fernando, Chili (v. Nordenskiold), 1887, A., 22.

(v. Nordenskiold), 1887, A., 22. Cossaite from the Upper Susa Valley (Piolii), 1890, A., 344.

Cotarnic acid (ROSER), 1889, A., 418; 1890, A., 529.

Cotarnine. See Alkaloids.

Cotarn-lactone and -lactonic acid (Roser), 1890, A., 529.

Cotarnmethine methiodide (Roser), 1889, A., 417.

methochloride (ROSER), 1890, A., 528.

Cotarnone and oxime of (ROSER), 1889, A., 417, 418.

Cotarnonenitrile (ROSER), 1890, A., 528. Coto bark, constituents of (CIAMICIAN and SILBER), 1892, A., 873.

hydrocotoin from (CIAMICIAN and SILBER), 1891, A., 578.

Paracoto bark, constituents of (CIA-MICIAN and SILBER), 1892, A., 62. Cotonoleic acid (DE VARDA), 1892, A.,

584. Cotton, thermochemistry of (Vignon),

1890, A., 939.

absorption of weak reagents by (MILLS and TAKAMINE), 1883, T., 142.

bleaching of, by hydrogen peroxide (PRUD'HOMME), 1891, A., 1447. fixing indigo on (SCHLIEPER and

BAUM), 1884, A., 136.

estimation of, in tissues (REMONT), 1885, A., 96.

dyeing (Vignon), 1891, A., 662.
fabrics, dyed, microscopic investigation of (Meyer), 1883, A., 751.

Cotton oil. See Oil.

Cotton plant, chemical study and feeding value of (McBryde), 1892, A., 1510.

Cotton printing, use of chromium chlorate in (LAUBER and WEINREB), 1885, A., 1272.

Cotton seed, analyses of (Konig), 1885, A., 425.

betaine in (RITTHAUSEN and WEGER), 1885, A., 50. products (PAPASOGLI), 1892, A., 584.

products (PAPASOGLI), 1892, A., 584.
Cotton seed foods, choline and betaine in (MAXWELL), 1892, A., 380.
Cotton-seed oil. See Oil.

Cotton-seed oil. See Oil.
Cotton-yarn, dyeing with aniline-black
in the cold (RENARD), 1884, A., 942.
Coumalanilidic acid, monomethyl salt
of (v. PECHMANN and WELSH), 1885.

of (v. Pechmann and Welsh), 1885, T., 152.

Coumalin (coumalone) (NIEME and v. PECHMANN), 1891, A., 675; (v. PECHMANN), 1891, A., 1460.

Coumalinic acid and its derivatives (v. Pechmann), 1884, A., 1124; 1885, A., 175; 1891, A., 1457; (v. Pechmann and Welsh), 1885, T., 145; A., 174.

Coumalmethamic acid, monomethylic salt of (v. Pechmann and Welsh), 1885, T., 154.

Coumalone. See Coumalin.

o-Coumaraldehyde (hydroxycinnamic aldehyde) (TIEMANN and KEES), 1885, A., 1073.

Coumaraldehydes, nitro- (v. MILLER and KINKELIN), 1887, A., 939.

p-Coumarhydrin (CIAMICIAN and SIL-BER), 1892, A., 873.

Coumaric acid (hydroxycinnumic acid), a benzoyllactamide of (Rebuffat), 1890, A., 624.

α-Coumaric acid. See Coumarinic acid. m-Coumaric acid and derivatives (Tir-Mann and Ludwig), 1883, A., 189; (Ludwig), 1885, A., 663.

o-Coumaric acid, action of hydrobromic acid and bromine on (EBERT), 1885, A., 391.

o-Coumaric acids, α- and β-, oxidation of (TIEMANN and WILL), 1883, A., 200.

p-Coumaric acid (WILL), 1885, A., 907;
 (EIGEL), 1887, A., 1109.
 constitution of (WILL), 1887, A., 497.

dibromide, bromo- (EIGEL), 1887, A., 497. dibromide, bromo- (EIGEL), 1887, A., 1110.

3-nitro- (EINHORN and GRABFIELD), 1888, A., 478.

Coumaric acids, isomeric (v. MILLER and KINKELIN), 1889, A., 990.

Coumaric acids, 2-and 6-nitro-(LUFF), 1889, A., 507.

o-nitro- and α- and β-3-nitro- (v. MILLER and KINKELIN), 1889, A., 989, 990.

Coumaric series (v. MILLER and KIN-

KELIN), 1889, A., 989. transition from the, to the quinoline series (v. Miller and Kinkelin), 1889, A., 990.

(coumarone-a-carb-Coumarilie acids oxylic acids) and derivatives (FITTIG and EBERT), 1883, A., 474; (HANTZSCH and LANG), 1886, A., 706.

Coumarin (EBERT), 1883, A., 471; (V. PECHMANN and WELSH), 1884, A.,

1346.

source of (Moliscii and Zeisel), 1889, A., 644.

formation of (v. Pechmann), 1884, A., 1173.

crystallography of (Scacchi), 1885, A., 901.

action of hydrobromic acid and bromine on (EBERT), 1885, A., 391. derivatives of (FITTIG and CLAUS),

1892, A., 988

Coumarin, 5-amido-, preparation of (TAEGE), 1887, A., 939; 1891, A.,

m-nitro- (TAEGE), 1887, A., 939;

1891, A., 918. o-nitro- (v. MILLER and KINKELIN), 1889, A., 989.

thio- (TIEMANN), 1886, A., 880.

and its analogues (ALDRINGEN), 1892, A., 329.

Coumarins, substituted (v. Pechmann and Duisberg), 1884, A., 66; (v. PECHMANN and COHEN), 1885, A., 56.

thio-, and their behaviour towards hydroxylamine and phenylhydrazine (ALDRINGEN), 1890, A., 624.

acid (STUART), Coumarinearboxylic 1886, T., 367; P., 178.

isoCoumarincarboxylic acid (ZINCKE), 1892, A., 970.

Coumarinic acid (a-coumaric acid), onitro- (v. MILLER and KINKELIN), 1889, A., 989.

Coumarinic series (v. MILLER and KIN-KELIN), 1889, A., 989.

Coumarinpropionic acid (FITTIG), 1890, A., 584; (FITTIG and BROWN), 1890, A., 777.

Coumarone (FITTIG and EBERT), 1883, A., 474; (BIZZARRI), 1891, A., 566.

in coal tar (KRAEMER and SPILKER), 1890, A., 496.

Coumarone, various actions of (DOHME),

1891, A., 455. action of hydrobromic acid and bromine on (EBERT), 1885, A.,

reduction of (ALEXANDER), 1892, A., 1318.

dibromide and dichloride (KRAEMER and SPILKER), 1890, A., 496.

bromo- and chloro- (KRAEMER and SPILKER), 1890, A., 496.

p-Coumarone (KRAEMER and SPILKER), 1890, A., 496.

Coumarone-a-carboxylic Coumarilic acids.

Coumaroxime and its ethyl ether (TIE-MANN), 1886, A., 880.

m-Coumaroxyacetic acid, methyl ketone of (ELKAN), 1887, A., 259.

o-Coumaroxyacetic acid and its derivatives (Rossing), 1885, A., 389; 1886, A., 66.

Coumaroxyacetic acids, m- and p-(Elkan), 1887, A., 259.

Coumarphenyl-α-methylhydrazide

(ALDRINGEN), 1890, A., 624. o-Coumarylic alcohol (TIEMANN and KEES), 1885, A., 1074.

Couples, galvanic, a probable cause of the difference between the observed E.M.F. of, and that calculated from thermochemical data (CHAPERON), 1884, A., 802.

metallic, electromotive force of the currents yielded by, in simple saline solutions (DAMIEN), 1886, A., 190.

thermoelectric, influence of temperature on the E.M.F. of (LE CHATELIER), 1886, A., 587.

Covellite (covelline), artificial production of (DOELTER), 1886, A., 208. See also Breithauptite.

Cow. See Agricultural Chemistry.
Cowberry (Vaccinium Vitis-Idan), bitter principle of (CLAASSEN), 1885, A., 1254.

Craigtonite from Aberdeenshire (HED-DLE), 1886, A., 131.

Cranberry juice, fermentation and composition of (MACH and PORTELE), 1890, A., 1455.

Cratagus Oxyacantha, calcium oxalate in the leaves of (WEHMER), 1890, A., 191.

Crayfish, gastric juice of (STAMATI), 1889, A., 534.

Cream of tartar. See Tartaric acid. potassium hydrogen salt of.

Creatine compounds of the aromatic group (GRIESS), 1883, A., 669.

Creatines (Duvillier), 1884, A., 613; o-Crespl, 6-amido- (Ullmann), 1884, 1885, A., 819; 1887, A., 850.
A., 1317.

Creatinine (DUVILLIER), 1884, A., 613; 1885, A., 819; 1886, A., 1046; 1887, A., 850; (Johnson), 1888, A., 506; 1889, A., 165.

has it basic properties? (SALKOWSKI), 1888, A., 505.

actions of (Colasanti), 1887, A.,

influence of muscular work on the elimination of (Moitessier), 1892, A., 364.

kynurenate and picrate (JAFFÉ), 1886, A., 1056.

detection of, in urine (CAMPARI), 1885, A., 702.

Weyl's reaction for (GUARESCHI), 1887, A., 1122.

estimation of, in urine (SALKOWSKI), 1886, A., 397; (GROCCO), 1887, A., 513; (MOITESSIER), 1892, A., 1135.

Creatinine group, compounds of the (DUVILLIER), 1883, A., 220, 1153. Creolin (WEYL), 1889, A., 389.

Creosolcarboxylic acid (WENDE), 1887,

Creosote from beechwood tar (GRATZEL), 1883, A., 393.

detection of phenol in (MACEWAN), 1885, A., 1013.

m-Cresol (CH₃:OH = 1:3) (m-hydroxytoluene) (STAEDEL), 1886, A., 232. direct preparation of, from toluene (FRIEDEL and CRAFTS), 1889, A., 241.

derivatives of (CLAUS and HIRSCH), 1889, A., 389.

m-Cresol, 6-amido-(STAEDEL and KOLB),

1891, A., 187.

dichloro- [m.p. 46°] (CLAUS and SCHWEITZER), 1886, A., 614.

iodo-, and its salts (WILLGERODT and Kornblum), 1889, A., 698.

nitro- (STAEDEL), 1889, A. (STAEDEL and KOLB), 1891, A., 187.

trinitro- (Nülting), 1886, A., 345. nitrodiamido (NIETZKI and RUP-PERT), 1891, A., 309. o-Cresol (CH₃:OH=1:2), derivatives of

(CLAUS and JACKSON), 1889, A., 128. aluminium derivatives of, and products of decomposition by heat

(GLADSTONE and TRIBE), 1885, P., 111; 1886, T., 35.

o-Cresol, 4-amido- (WALLACH), 1883, A., 329.

5-amido- (Nölting and Kohn), 1884, A., 902, 1003; (HIRSCH), 1885, A., 892.

5-bromo-3-amido- and 5-bromo-3nitro- (Claus and Jackson), 1889, A., 128

dichloro-, and its derivatives (CLAUS and RIEMANN), 1883, A., 1111; (CLAUS and SCHWEITZER), 1886, A., 614.

3:4-diiodo- (WILLGERODT), 1888, A.,

4-nitro-, and its derivatives (Nöl-TING and COLLIN), 1884, A., 1007. 5-nitro-, and its derivatives (STAE-DEL), 1883, A., 861; (HIRSCH), 1885, A., 892.

6-nitro- (Ullmann), 1884, A., 1317. trinitro- (Nolting and Collin), 1884, A., 1007.

nitroso- (Nonting and Kohn), 1884, 1003; (Goldschmidt A., SCHMID), 1884. A., 1327.

p-Cresol (CH₃:OH = 1 4), sodium derivative of, action of chlorine, bromine and iodine on (Schall and Dralle), 1885, A., 145.

3-amido-, and its ethyl derivative (Notting and Kohn), 1884, A., 901; (MAASSEN), 1884, A., 1145.

3-bromo- and 3:5-dibromo- (SCHALL and Dralle), 1885, A., 146.

3-chloro- (SCHALL and DRALLE), 1885, A., 146.

dichloro-, and its derivatives (CLAUS and RIEMANN), 1883. A., 1111.

3.5-diiodo- (Schall and Dralle), 1885, A., 146.

3.5-dinitro-, and its salts (LIM-PRICHT), 1885, A., 1233; (RICH-TER), 1886, A., 152. constitution of (STAEDEL), 1883,

A., 865. dinitro-, colour reactions of (FLECK),

1887, A., 624.

poisonous properties of (WEYL), 1888, A., 520.

physiological action of (WEYL), 1888, A., 1122.

Cresols, absorption spectra of (HART-LEY), 1888, T., 643.

action of iodine on, in alkaline solution (MESSINGER and VORTMANN), 1889, A., 1150.

condensation of dichlorether with (BRUCKNER), 1890, A., 1140. physiological action of the three (GIBBS and HARE), 1890, A., 813.

crude, examination of (STAVELEY), 1890, A., 425.

azo- and diazo-compounds of (NöL-TING and Kohn), 1884, A., 900.

Cresols, chloro- (CLAUS and SCHWEITzen), 1886, A., 614.

iodo-, and their salts (WILLGERODT and KORNBLUM), 1889, A., 698.

nitro- (Notting and v. Salis), 1883, A., 59; (STAEDEL), 1883, A., 662, 861, 864.

o-Cresolbenzein (Schroeter), 1890, A.,

p-Cresolchioral (MAZZARA), 1884, A., 187.

Cresolcinnamic acids, o-, m-, and p-(OGLIALORO-TODARO and FORTI), 1891, A., 320.

Cresoldiamine sulphate (LIMPRICHT), 1885, A., 975.

m-Cresoldisulphonic acid (CLAUS and Krauss), 1888, A., 281.

o-Cresoldisulphonic acid (HASSE), 1886, A., 151.

Cresoldisulphonic acids and their salts (LIMPRICHT), 1885, A., 1233.

Cresolsulphonic acid, dithio- (KLASON), 1887, A., 492.

m-Cresol-p-sulphonic acid (CLAUS and Krauss), 1888, A., 280.

diiodo- (Kehrmann), 1889, A., 994. m-Cresolsulphonic acids (CLAUS and KRAUSS), 1888, A., 280.

bromination of (CLAUS and DREнеп), 1889, А., 863.

o-Cresol-5-sulphonic acid, 3-iodo-(Kehr-

MANN), 1888, A., 841. o-Cresolsulphonic acids (HANTKE), 1888, A., 281.

derivatives of (CLAUS and JACKSON), 1889, A., 129.

m-Cresoltrisulphonic acid (CLAUS and Krauss), 1888, A., 281.

Cresorcinol. See 2:4-Dihydroxytoluene. Cresorsellinic acid. See 5:3:2:1-Dihydroxytoluic acid.

Cresotic acid. See Hydroxytoluic acid. p-Cresotodichlorhydrin (FRITSCH), 1891, A., 708.

Cresyl-. See Tolyl-.

Cribriform vessels of "Cucurbita pepo," contents of (Zacharias), 1884, A., 1067.

Cristalline or glaciale ("Mesembryanthemum cristallinum") (MANGON), 1883, A., 499; (Heckel), 1883, A., 680.

Cristobalite from Mexico (vom Rath), 1887, A., 559.

Critical atomic coefficients (GUYE), 1890, A., 444.

Critical data of liquids (HEILBORN), 1891, A., 969.

relation between their chemical constitution and (Hellborn), 1891, A., 380.

Critical point in chemical decompositions

(VAN'T HOFF), 1885, A., 1181. determination of molecular weight at the (GUYE), 1891, A., 1411.

of gases (Ansdell), 1883, A., 277; (ĴAMIN), 1883, A , 898.

Critical points, molecular constitution of compounds at their (GUYE), 1890, A., 443.

relation between boiling points and (Bartoli), 1885, A., 859.

pressure curves of fluids at their (v. Wroblewski), 1886, A., 964.

Critical pressure, so-called, of solids (v. RICHTER), 1886, A., 656.

Critical temperature of liquids, Mendeléeff's formula for the expansion of liquids, and Thorpe and Rucker's formula for determining, from their coefficient of expansion (BARTOLI and Stracciati), 1885, A., 859.

Critical temperatures (PAWLEWSKI), 1884, A., 252.

of alkyl salts (PAWLEWSKI), 1883, A., 276.

of bodies, relation between their thermal expansion as liquids and (THORPE and RUCKER), 1884, T., 135; 1887, A., 429.

of mixed liquids (SCHMIDT), 1892, A.,

determination of critical pressures and (CAILLETET and COLARDEAU), 1891, A., 779.

Critical volume, determination (Nadeschdin), 1888, A., 775.

Critical volumes of liquids (DEWAR), 1885, A., 331.

Crocein-scarlet, process for preparing (ANON.), 1883, A., 635.

description and measurement of the spectrum of (HARTLEY), 1887, T., 195.

iodo- (Ostermaver), 1885, A., 673. Crocein-yellow, process for preparing (ANON.), 1883, A., 635.

Crocetin from saffron (KAYSER), 1885,

Crocidolite (krokydolite) (KENNGOTT), 1886, A., 128.

from the Cape (RENARD and KLE-MENT), 1886, A., 603.

from Cumberland, Rhode (CHESTER and CAIRNS), 1888, A., 118.

quartz, from Greenland (FISCHER), 1883, A., 435.

Crocin from saffron (KAYSER), 1885, A., 59.

Crocoite (crocoisite) analysis of (BAER-WALD), 1883, A., 1063.

Crocoite (crocoisate), artificial production of (Borngrois), 1887, A., 781. synthesis of (LUEDEKING), 1892, A.,

792.

Croconamic acid (NIETZKI and BENC-KISER), 1886, A., 540; (NIEIZKI and Schmidt), 1888, A., 944.

Croconic acid and its derivatives (NIEFzki and Benckiser), 1886, A., 449, 540.

formation of, from benzene derivatives (NIETZKI), 1887, A., 805.

hexahydroxybenzene derivatives and their relation to (NIETZKI and BENCKISER), 1885, A., 779.

thio- (Nietzki and Benckiser), 1886, A., 450.

Crocose (saffron sugar) from saffron (KAYSER), 1885, A., 60.

identity of, with dextrin (Fischer), 1888, A., 590.

Cromfordite (phosgenite) from Chili (v. SANDBERGER), 1887, A., 902. artificial production of (FRIEDEL and

SARASIN), 1883, A., 431.

See Agricultural Chemistry. Crops. Crotolaria retusa and C. striata, alkaloid from (GRESHOFF), 1891, A., 335. Croton oil (KOBERT), 1887, A., 798.

purgative principle of (SENIER), 1884, A., 947.

vesicating principle of (SENIER), 1884, A., 909.

Crotonaldehyde, formation of, from acetaldehyde (MICHAEL and KOPP), 1884, A., 420.

preparation of (Perkin), 1883, T., 88; (Newbury), 1884, A., 294; (Muller), 1892, A., 809; (Orndonff and Newbury), 1892, A., 1892, A., 1423; (LIEBEN), 1892, A., 1424.

actions of (Newbury), 1884, A., 294. action of, on alcohol (Newbury and CALKIN), 1891, A., 285.

action of dry ammonia on (COMBES). 1883, A., 1079.

action of chlorine on (ZEISEL), 1886, A., 1006.

action of sulphurous anhydride on (HAUBNER), 1892, A., 424. hydration of (WURTZ), 1884, A., 420.

Crotonaldehyde, chloro- (Lieben and Zeisel), 1883, A., 963.

ay-dichloro-, a condensation product monochloraldehyde TERER), 1883, A., 964.

action of zinc ethyl on (NATTERER), 1885, A., 497.

compound formed by the addition of hydrochloric acid to (NATT-ERER), 1884, A., 1293.

isoCrotonaldehyde, presence of, in a brandy (MULLER), 1892, A., 810.

Crotonaldoxime (SCHINDLER), 1892, A., 32, 580.

dichloro- (Schiff and Taruci), 1892, A., 34.

Crotonanilide, \$\beta\$-amido- (Knork), 1892, A., 708; (LEDERER), 1892, A., 965.

Crotonic acid (Homolka), 1885, A., 758. and its salts, preparation of (BEIL-STEIN and WIEGAND), 1885, A., 740. an acid isomeric with (FITTIG and

Roeder), 1884, A., 295.

molecular weight of (SCHULZ), 1889, A., 1140; (Sčic), 1890, A., 737. formation of amidobutyric acid from

(ENGEL), 1888, A., 1063. oxidation of (Firrid and Kochs),

1892, A., 957.

Crotonic acid, allo-a-chloro- (WISLI-(ENUS), 1887, A., 655; (MICHAEL and Browne), 1887, A., 1029.

B-chloro- (Autenrieth), 1891, A., 170.

allo-\beta-chloro- [m.p. 59.5°] (Friedпісн), 1883, А., 968.

a- and \$-chloro-, action of potash on (FRIEDRICH), 1883, A., 968.

isoCrotonic acid, addition of hypochlorous acid to (Melikoff), 1883, A., 311.

oxidation of (FITTIG and KOCHS), 1892, A., 957.

derivatives of (MELIKOFF and PE-TRENKO-KRITSCHENKO), 1892, A., 295.

isoCrotonic acid, a-hromo-(WISLICENUS, TEISLER and LANGBEIN), 1889, A.,

a-chloro- (Wislicenus), 1887, A., 655. B-chloro-, action of potash on (FRIED-RICH), 1883, A., 968.

Crotonic acids, action of hydriodic acid on (MICHAEL and FREER), 1889, A., 1057.

isomeric, derivatives of (Melikofk),

1883, A., 969. substituted (Autenrieth), 1887, A.,

and their halogen substitution derivatives, geometrical constitution of (Wishicenus, Teisler and Lang-BEIN), 1889, A., 236; (MICHAEL), 1889, A., 1057.

monohalogen derivatives of, action of alkalis on (FRIEDRICH), 1883, A.,

(AUTEN-

sulphone derivatives of

RIETH), 1891, A., 203. thio-derivatives, of (AUTENBIETH), 1890, A., 361.

Crotonic acids, bromo- (FITTIG and CLUTTERBUCK), 1892, A., 961. intramolecular changes in (MI-CHAEL and PENDLETON), 1888,

A., 1176.

bromo-additive-derivatives of (Kol-BE), 1883, A., 573.

Crotonic acid series, alloisomerism in Michael and Pendleton), 1888, A., 1176; (Michael and Schult-HESS), 1891, A., 1184. isomerism in (MICHAEL and BROWNE),

1887, A., 656, 1029.

Crotonitrile, constitution of (PALMER), 1889, A., 686; (Lippmann), 1892,

imido-ethers from (PINNER), 1884, A., 1292.

B-amido- (HOLTZWART), 1889, A., 683. Crotonylcarbamide, chloro- (PINNER and Lifschulz), 1887, A., 1032. Crotonylene. See Butinene.

isoCrotylic chloride (SCHESCHUKOFF), 1884, A., 1276.

Crotylpyridine (MATZDORFF), 1890, A., 1436.

Cruciferæ, localisation of active principles in the seeds of (GUIGNARD), 1891, A., 490.

estimation of mustard oil in the seeds of (FOERSTER), 1888, A., 1350.

Cruorine, chloro- (GRIFFITHS), 1892, A., 1256.

Crusocreatinine (GAUTIER), 1886, A.,

Crustaceæ, decapod, blood of (HALLI-BURTON), 1886, A., 639.

blue colouring matter of the blood of (Heim), 1892, A., 898.

Cryohydrates, nature of (Pickering), 1890, T., 361.

of mixtures of salts (MAZZOTTO), 1891, A., 388.

researches on (GUTHRIE), 1885, A., 337.

blite (Klein), 1883, A., 427; (Groth), 1881, A., 265; (Des Cloizeaux), 1886, A., 430. Cryolite (KLEIN),

from Colorado (Cnoss and Hille-BRAND), 1884, A., 21.

from Greenland (DES CLUIZEAUX), 1886, A., 430.

artificial (v. Аявотн), 1891, A., 806. artificial products from (Noellner), 1883, A., 30.

chemical composition of (BRANDL), 1883, A., 29.

electrolysis of (HAMPE), 1889, A., 676. estimation of iron and silicon in (Fresenius and Hintz), 1889, A., 927.

Cryolite glass (WEINREB), 1885, A., 1019.

Cryoscopic determinations (TRAUBE), 1892, A., 765.

apparatus for (EIJKMAN), 1889, A., 336; (v. Кьовикогг), 1889, А., 1043; (BECKMANN), 1891, A., 784.

experiments (Goldschmidt), 1891, A., 1211.

investigation of colloids (Sabanéeff), 1890, A., 1215; 1891, A., 145.

observations (VAN BIJLERT), 1891, A., 1411.

studies on racemic acid and racemates (RAOULT), 1888, A., 361.

Cryoscopy as a means of determining molecular weights (RAOULT), 1886, A., 197; (EIJKMAN), 1890, A., 324; (NERNST), 1891, A., 389. determination of the latent heat of

fusion from the reduction of the freezing point (EIJKMAN), 1889, A., 666.

electrical conductivity and (TRAUBE), 1891, A., 971.

osmotic pressure and (PICKERING), 1890, Ā., 846.

osmotic pressure, electrical conductivity and, relation between (VAN'T HOFF and Reicher), 1889, A., 668.

alteration of freezing point (KOLAČEK), 1887, A., 879.

of alkaline solutions (RAOULT), 1884, A., 254.

of aqueous solutions (RAOULT), 1885, A., 858.

of benzene (PATERNO), 1889, A., 101. of calcium chloride solutions (PICKER-ING), 1891, P., 45; A., 973; 1892, A., 1045.

of cane sugar solutions (EIJKMAN), 1891, A., 972; (PICKERING), 1892, A., 109, 1045; (RAOULT), 1892, A., 678.

of dilute alcohol and other solutions (Pickering), 1892, A., 1045.

of dilute aqueous solutions (RAOULT), 1888, A., 1242; (ARRHENIUS), 1888, A., 1242; 1891, A., 1148.

of dilute aqueous solutions of electrolytes and non-electrolytes (Pickering; Traube), 1891, A., 971.

of dilute solutions (PICKERING), 1891, A., 971; 1892, A., 678, 1045; (TRAUBE), 1892, A., 8.

of very dilute solutions, determination of (RAOULT), 1892, A., 935.

of solutions; abnormal depression of the freezing point (VAN BIJLERT), 1891, A., 1411.

Cryoscopy of solutions of salts of the alkali metals (RAOULT), 1884, A., 701.

of solutions of salts of divalent metals (RAOULT), 1884. A., 808. of solutions of various double salts

(RAOULT), 1885, A., 122.

of sulphuric acid solutions (PICKER-ING), 1889, P., 106, 150; 1890, T., 331; 1892, A., 678.

Cryptidine (LEEDS), 1883, A., 669.

Cryptogams, assimilation of free nitrogen by (FRANK), 1892, A., 370; (SCHLŒSING), 1892, A., 378. vascular, aluminium in (CHURCH),

1889, A., 182.

Cryptopine and its derivatives (KAU-DER). 1887, A., 1122; (Brown and PERKIN), 1891, P., 166.

Cryptotile (SAUER), 1888, A., 34.

Crystal beds of Topaz Butte (SMITH), 1887, A., 452.

Crystalline structures, difference between anisotropic and (v. EBNER), 1885, A., 631.

Crystallisation (Brugelmann), 1883. A., 147; 1885, A., 114; (MARIG-

NAC; LEHMANN), 1885, A., 215. apparatus for, at low temperatures and in absence of moisture and air (Bruhl), 1889, A., 464; 1890, A.,

by diffusion (Guignet), 1887, A., 101. experiments in, exemplifying Berthollet's law of affinity (BRUGEL-MANN), 1883, A., 148.

of mixtures (LEHMANN), 1888, A., 342.

of salts during the electrolysis of their solutions (PAGLIANI), 1888, A., 892.

of substances at high pressures (JANNETTAN, NEEL and CLER-MONT), 1884, A., 548; (SPRING), 1884, A., 549.

physical union and (Brugelmann), 1889, A., 817. water of. See Water, pure.

Irystallographical investigations (v.

HAUSHOFER), 1886, A., 341. hystallography of dibenzoylcinnam-ene-derivatives (Tutton), 1890, T., 714; P., 139.

of some organic compounds (ZINGEL), 1386, A, 62; (WICKEL), 1886, A., 234; (HEINTZE), 1886, A., 235. rystals, fluid (LEHMANN), 1890, A.,

106. mixed (KOPP), 1884, A., 958; (HERR-MINN), 1886, A., 972; (RET-GERS), 1892, A., 1048.

mixed, Crystals, formation

(Behrens), 1892, A., 10. solubility of (Roozeboom), 1892, A., 265, 266; (Nernst), 1892, A., 560.

influence of foreign substances on the form, purity and size of (RETGERS), 1892, A., 937.

symmetry of (MINNIGERODE), 1885, A., 1105.

theory of the structure of (Schon-FLIES), 1892, A., 572.

do they grow only by juxtaposition of new molecules? (WULFF), 1886,

artificial colouring of (LEHMANN), 1892, A., 269.

explanation of the colour phenomena of pleochroic (Voigr), 1885, A., 621.

apparatus for measuring the angle of the optic axes of (Liebisch), 1885, A., 622.

optical activity of, explanation of the (Fork), 1891, A., 513.

optical modifications produced in, by the action of heat (KLEIN), 1885, A., 622.

dilatation of, on change of temperature (FLETCHER), 1884, A., 1096.

elasticity of (Koch), 1884, A., 1096; (BECKENKAMP), 1885, A., 72 (MINNIGERODE), 1885, A., 1105. Cubebin

thebin (SCHAR), 1887, A., 970; (POMERANZ), 1888, A., 62, 1100. Cucumbers, cooked, composition of (WILLIAMS), 1892, T., 227.

Cucurbita pepo, contents of the cribriform vessels of (ZACHARIAS), 1884,

A., 1067. Cudbear, detection and estimation of

magenta in (RAWSON), 1888, A., 877.

Culm conglomerate, containing variolite, at Hausdorf, in Silesia (DATHE), 1884, A., 408.

Cultivation. See Agricultural Chemistry. Cumaldoxime (WESTENBERGER), 1884, A., 581.

Cumamide (FILETI), 1887, A., 43.

Cumene (isopropylbenzene) (DA SILVA), 1884, A., 1356; 1885, A., 1054. dispersive power of (BARBIER and ROUX), 1889, A., 805.

influence of light on the bromination of (Schramm), 1889, A., 240.

action of aluminium chloride on (Heise and Tohl), 1892, A., 1309. oxidation of, with chromyl chloride (v. MILLER and ROHDE), 1891, A., 898.

Cumene (isopropylbenzene) derivatives, reciprocal transformations of cymene derivatives and (FILEII), 1887, A., 36, 471; (Widman), 1887, A., 133.

Cumene, amido-. See Cumidine. nitro- (Pospechoff), 1886, A., 458.

n-Cumene (propylbenzene), formation of (WISPEK and ZUBER; DA SILVA),

1885, A., 972.

synthesis of (Heise), 1891, A., 685. action of chromyl chloride on (v. MILLER and ROHDE), 1890, A.,

nitration of (LESPIEAU), 1890, A., 962.

n-Cumene, p-diamido- (KEHRMANN and Messinger), 1891, A., 298.

o-bromo- (CLAUS and WELZEL), 1890, A., 503.

p-bromo- (MEYER), 1886, A., 915; (CLAUS and WELZEL), 1890, A.,

p-αβ-tribromo- (SCHRAMM), 1891, A.,

chloro- (ERRERA), 1887, A., 35.

p-dinitro- and dinitroso- (Kehrmann and Messinger), 1891, A., 298.

ψ-Cumene (1:3:4-trimethylbenzene) in different mineral oils (Engler), 1885, A., 1209.

action of methylenic chloride on, in presence of aluminium chloride (Friedel and Crafts), 1887, A.,

bromination of (SCHRAMM), 1886, A., 451.

derivatives of (NoLTING and BAU-MANN), 1885, A., 893; (KELBE and PATHE), 1886, A., 804.

o-amidoazo-compounds of (ZINCKE and JAENKE), 1888, A., 469.

ψ-Cumene, 5-bromo- (WALLACH and HEUSLER), 1888, A., 362. preparation of (Sussenguth), 1883, A., 469; (JACOBSEN), 1886, A.,

710. 6-bromo-, action of sulphuric acid on (JACOBSEN), 1889, A., 994.

5:6-dibromo-, and its derivatives (JACOBSEN), 1886, A., 710.

2-bromo-5: 6-dinitro-(JACOBSEN), 1889, A., 39.

6-chloro- (WALLACH and HEUSLER), 1888, A., 362.

6-fluoro- (WALLACH and HETSLER), 1888, A., 362; (TOHL), 1892, A., 968.

5-iodo- (WALLACH and HEUSLER), 1888, A., 362.

6-iodo-, action of sulphuric acid on (Kurzel), 1889, A., 995.

 ψ -Cumene, 5-nitro, and its derivatives (Edler), 1885, A., 771.

trinitro-, reduction of (MAYER), 1887, A., 36, 659.

Cumene series, intramolecular change in the propyl group of (WIDMAN), 1887, A., 132; 1891, A., 45.

Cumeneazo-β-naphtholdisulphonic acid, description and measurement of the spectrum of (HARTLEY), 1887, T., 187.

ψ-Cumeneazophenol (Goldschmidt and BRUBACHER), 1891, A., 1210.

 ψ -Cumenediazopiperidide (WALLACH and HEUSLER), 1888, A., 362.

 ψ -Cumenephthaloylic acid, crystalline form of (SORET), 1886, A., 619.

ψ-Cumene-quinol and -quinone, nitro-

(NEF), 1887, A., 255. "ψ-Cumenestyrene" (KRAEMER, SPIL-

KER and EBERHARDT), 1891, A.,

Cumene-B-sulphonamide (CLAUS and Tonn), 1885, A., 904.

Cumene-\$\beta\sulphonic acid (CLAUS and SCHULTE IM HOFE), 1887, A., 264. Cumenesulphonic acids, and their salts

(CLAUS and TONN), 1885, A., 903.

n-Cumenesulphonic acids (CLAUS and WELZEL), 1890, A., 503.

 ψ -Cumene-5-sulphonic acid, and 6bromo- (JACOBSEN), 1886, A., 709. ψ -Cumene-6-sulphonic acid, iodo-

(Kurzel), 1889, A., 995. ψ-Cumene-5- and -6-sulphonic acids, 2-bromo- (Jacobsen), 1889, A., 995.

o-Cumenol (o-isopropy/phenol), and its derivatives (Fileti), 1886, A., 789. o-n-Cumenol (o-propylphenol) (Frank-Land and Turner), 1883, T., 358. y-Cumenol [b.p. 217] (Engel), 1885,

A., 1215.

[1:3:4:2-] (JACOBSEN), 1886, A., 710. [1:3:4:5-] (EDLER), 1885, A., 771; (JACOBSEN), 1886, A., 710.

action of bromoform and iodoform on (Auwers), 1886, A., 143.

derivatives of (Auwers), 1885, A.,

sulphamic acids and hydroxy-acids derived from (Jacobsen and Meyer), 1883, A., 589. ψ-Cumenol (1:3:4:6-), amido-, and the

action of acetic anhydride on (LIE-BERMANN and v. KOSTANECKI). 1884, A., 1147.

m-nitro- (Auwers), 1886, A., 144. 2:5-dinitro- (Auwers), 1885, A., 381; 1886, A., 144.

Cumenyl .. See Cumyl .. Cumic. See Cuminic.

Cumidic acids, α - and β - (Schnapauff), 1887, A., 52.

Cumidines (amidocumenes), o- and p-CONSTAM and GOLDSCHMIDT), 1888, A., 681.

 ψ -Cumidine [1:2:4:5-] (v. Hofmann), (NOLTING and 1883, A., 324; Kohn), 1885, A., 383; (HALLER), 1885, A., 522; (NULTING and Forel), 1886, A., 58; (Auwers), 1886, A., 143.

constitution of (Frohlich), 1885, A.,

nitration of (NOLTING and STOECKLIN), 1891, A., 693.

methyl derivatives of (v. HOFMANN), 1883, A. 324.

citrate (Schneider), 1888, A., 465. commercial (KROMER), 1891, A.,

derivatives of (FRÖHLICH), 1884, A., 1318; (NOLTING and BAUMANN), 1885, A., 384, 893.

223°], and its derivatives (Engel), 1885, A., 1215.

[b.p. 236°], and its derivatives (MAYER), 1887, A., 660. [1:3:4:5-], and its derivatives (EDLER),

1885, A., 771.

ψ-Cumidine, thio-bases from (Anschütz and Schultz), 1889, A., 603.

ψ-Cumidinealloxan (Pellizzari), 1888, A., 682. ψ - Cumidinesulphonic

acid, nitro-(MAYER), 1887, A., 953.

ψ-Cumidoethylphthalimide (NEWMAN), 1891, A., 1208.

Cuminaldehyde (cuminol), o-nitro-(EIN-HORN and HESS), 1884, A., 1352.

Cuminaldehydephenylhydrazone (Ru-DOLPH), 1889, A., 251.

isoCuminaldoxime (Goldschmidt), 1890, A., 1263. Cuminic acid, m-sulpho- (WIDMAN),

1889, A., 1186.

isoCuminic acid (isopropylbenzoic acid) (Meyen), 1886, A., 944. synthesis of (Meyer and Muller),

1883, A., 63. heat of combustion of (BERTHELOT and Luginin), 1887, A., 762.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1096.

isoCuminic acid, o-amido- (WIDMAN), 1886, A., 466.

and p-dibromo- (FILETI and Boniscontro), 1892, A., 605. o-nitro- (Widman), 1886, A., 466. diamido-, and its hydrochloride (LIPP

MANN), 1883, A., 194.

isoCuminic acid, bromo- and bromonitro-, derivatives of (FILETI and CROSA), 1891, A., 1055.

o-Cuminic acid (CLAUS and SCHULTE IM HOFE), 1887, A., 264.

p-Cuminic acid (FRANCKSEN), 1884, A., 1009.

n-Cuminic acid (propylbenzoic acid), and its salts (Körner), 1883, A., 322.

preparation of (WIDMAN), 1888, A., 1086.

n-Cuminic acid, 2-nitro- (KÖRNER). 1883, A., 322; (WIDMAN), 1886, A., 464.

3-nitro-, action of light on (ALEXEEFF), 1885, A., 794.

3-nitro-, and some of its salts (Kor-NER), 1883, A., 322.

ψ-Cuminic acid, bromo-, and its salts (Sussenguth), 1883, A., 469.

ψ-Cuminic acid (durylic acid, 2:4:5trimethylbenzoic acid) (GISSMANN), 1883, A., 333; (CLAUS), 1890, A., 981.

derivatives of (NEF), 1886, A., 64, 241,

ψ-Cuminic acid, diamido- (NEF), 1888, T., 433.

dinitro- (GISSMANN), 1883, A., 334. ψ-Cuminic acid (2:4:6-trimethylbenzoic acid) (CLAUS), 1890, A., 981.

Cuminic acids, α -, β -, and γ - (isodurylic acids, a., B., and y.) (JACOBSEN), 1883, A., 52.

Cuminic acids (propylbenzoic acids), synthesis and constitution of the two (MEYER), 1886, A., 944.

 and m-bromo- (Fileri), 1891, A., 1023.

m-brom-o-amido-(Fileri and Cross), 1891, A., 1056.

Cuminildioximes, isomeric (HOFFMANN), 1890, A., 1143.

Cuminol. See Cuminaldehyde.

Cuminylacetone and cuminylacetoxime (WIDMAN), 1889, A., 1183.

Cuminylallylthiocarbamide (Goli)-SCHMIDT and GESSNER), 1889, A., 774.

Cuminylamidodimethylaniline and cuminylamidophenol (UEBEL), 1888, A., 1078.

Cuminylamine (isopropylbenzylamine) (GOLDSCHMIDT and GESSNER), 1887, A., 1039; 1889, A., 773; (UEBEL), 1888, A., 1079; (Kromen), 1891, A.,

Cuminylanilide (SMITH), 1892, A., 489. Cuminylaniline (UEBEL), 1888, A., 1078.

Cuminyleamphor (HALLER), 1891, A., 1498.

Cuminylic alcohol (Krömer), 1891, A., 1352.

carbamate (Goldschmidt and Gess-NER), 1889, A., 773.

cyanide (Rossolymo), 1889, A., 861. oxide (Fileti), 1885, A., 776.

Cuminylmalonic acid (WIDMAN), 1889, A., 1182.

Cuminylthiocarbamide (Goldschmidt and Gessner), 1887, A., 1039.

Cuminylthichydantoin hydrochloride (Goldschmidt and Gessner), 1889, A., 774.

Cuminyltoluidine (UEBEL), 1888, A., 1078.

Cumonitrile, propoxy-derivatives of (FILETI and ABBONA), 1892, A., 595. ψ -Cumo-quinol and -quinone, nitro-(NEF), 1887, A., 255; 1888, T.,

438. Cumostyril (Widman), 1886, A., 465. ψ-Cumyl methyl ketone (Claus), 1890,

A., 981. Cumyl series, the propyl group in the (WIDMAN), 1886, A., 453.

a-Gumylaeraldehyde (isopropylcinnamaldehyde), m-nitro- (v. Miller and Rodhe), 1889, A., 984.

Gumylaerylie acid (isopropylcinnamic acid), nitration of (WIDMAN),1892, A., 43.

dibromide and its o-nitro-derivative (WIDMAN), 1886, A., 464.

(WIDMAN), 1886, A., 464. Cumylacrylic acid, o- and m-amido-

(WIDMAN), 1886, A., 467. m-nitro-, and derivatives (WIDMAN), 1886, A., 467.

o-nitro-, and its salts (EINHORN and HESS), 1884, A., 1351.

Cumylacrylic acids, o-bromo- and o-chloro- (WIDMAN), 1891, A., 69. nitro-, and their derivatives (WID-

MAN), 1885, A., 55. ψ-Cumylantipyrin (HALLER), 1885, A.,

818.

ψ-Cumylazo-. See under Azo-. Cumylbromacetic acid (FILETI and

Amoretti), 1891, A., 1060. ψ-Cumylbenzylidenehydrazine (Ruhe-

MANN), 1890, T., 55. ψ-Cumylcarbamide (ENGEL), 1885, A.,

1216.

Cumylchloracetic acid (FILETI and AMORETTI), 1891, A., 1060.

2'-Cumyleinchonic acid (Doebner), 1889, A., 411.

Cumyleinnamic acid (isopropylphenylcinnamic acid) (MAGNANIMI), 1886, A., 467. ψ-Cumylenediamine (EDLER), 1885, A., 772; (NÖLTING and BAUMANN), 1885, A., 893.

m-ψ-Cumylenediamine (MAYER), 1887, A., 659.

Cumylenediazosulphide (Jacobson and Ney), 1889, A., 772.

ψ-Cumylenethenylamidine, amido-(Auwers), 1886, A., 144.

Cumylglycollic acid (FILETI), 1886, A., 790; (FILETI and AMORETTI), 1891, A., 1059.

Cumylglyoxylic acid (DITTRICH and MEYER), 1891, A., 1225.

ψ-Cumylhydrazine (Haller), 1885, A., 523; (RUHEMANN), 1890, T., 54.

ψ-Cumylhydrazinepyruvic acid (Ruhe-MANN), 1890, T., 55.

ψ-Cumylic cyanate and cyanurate (FRENTZEL), 1889, A., 241. nitrate, m-nitro- (AUWERS), 1885, A., 380.

Cumylideneamidodimethylaniline (NUTH), 1885, A., 784; (UEBEL), 1888, A., 1078.

Cumylideneamidophenol (UEBEL), 1888, A., 1078.

Cumylidenebenzidine (SCHIFF and VAN-NI), 1890, A., 1298.

Cumylidenie acetone (CLAISEN and PONDER), 1884, A., 1167. camplor (HALLER), 1891, A., 1498. diureide (BIGINELLI), 1892, A., 57.

Cumylidenemalonic acid (WIDMAN), 1889, A., 1182.

Cumylidenetolidine (SCHIFF and VAN-NI), 1890, A., 1299.

Cumylidenetoluidine (UEBEL), 1888, A., 1078.

Cumylidene-m-tolylenediamine (Schiff and Vanni), 1890, A., 139.

ψ-Cumyl-γ-ketonic acid (CLAUS and SCHLARB), 1887, A., 827.

ψ-Cumylmethyloxyquinizine. See Oxyphenyltetramethylpyrazole.

Cumylisonitrosoacetic acid (FILETY) and Amoretri), 1891, A., 1060.

ψ-Cumyloxamic acid, and inner anhydride of (ΜΛυΤΗΝΕΑ and SUIDA), 1889, A., 140.

ψ-Cumylphosphinic acid (MICHAELIS and ROTHE), 1892, A., 1085.

ψ-Cumylphthalide (GRESLY), 1886, A., 1029.

Cumylpropionic acid (WIDMAN), 1887, A., 132.

constitution of (WIDMAN), 1889, A., 1182; 1891, A., 69.

Cumylpropionic acid, m-amido- (WID-MAN), 1886, A., 467. o-chloro- (WIDMAN), 1891, A., 69. 2'-Cumylquinoline (Doebner), 1889, A., 411.

ψ-Cumylsemicarbazide (RUHEMANN), 1890, T., 55.

Cuprammonium. See under Copper. Cuprea bark (KORNER), 1883, A., 66;

(HESSE), 1883, A., 601. alkaloids of (PAUL and COWNLEY),

1885, A., 563.

Cupreine. See Alkaloids.

Cupreol and its acetate and propionate (HESSE), 1885, A., 1076.

Cupric. See Copper.

Cuprite, artificial, contained in a red copperslag (Jarman and McCaleb), 1889, A., 467.

artificial crystallised (Brown), 1887, A., 342.

hemihedrism of (MIERS), 1885, A., 358.

See also Cuprous oxide under Copper. Cupro-descloizite (RAMMELSBERG), 1885, A., 731; (GENTH), 1888, A., 564. from Mexico (PISANI), 1892, A., 1055.

Cupro-uranite (uranite) from Madagascar (JANNETTAZ), 1889, A., 22. from Mitchell Co., N. Carolina (HID-DEN), 1883, A., 1064.

Cuprous. See Copper.

Curare (Bohm), 1887, A., 1125.

influence of, on the glycogen of liver and muscle (DEMANT), 1886, A., 1054.

physiological action of (Nikolsky and Dogiel), 1891, A., 487.

Curarine from Strychnos toxifcra (VIL-LIERS), 1885, A., 997. reaction of (FERREIRA DA SILVA),

1891, A., 1562.

Curcas purgans, oil from the seeds of (HORN), 1888, A., 674.

Curcumin (JACKSON and MENKE), 1885, A., 271.

dihydride, and an anhydride of (JACKSON and MENKE), 1883, A., 481.

tetrabromo- (JACKSON and MENKE), 1883, A., 481.

pentabromo-, dibromide, and tetrabromide (JACKSON and MENKE), 1883, A., 481.

Curine (BOHM), 1887, A., 1125.

Currant juice, fermentation of (Keim), 1891, A., 1539.

Currants, red and black, colouring matters of (Keim), 1891, A., 1539. ripe, studies on (Amthor), 1884, A., 766.

Current and currents. See Electrochemistry. Curvature, the recognition of changes of, by means of a flexible lath (Pickering), 1892, A., 767.

Cuspuria trifoliata, constituents of (BECKURTS and NEHRING), 1892, A., 642.

Cusparidine (BECKURTS and NEHRING), 1892, A., 643.

Cusparine and its salts (Köhner and Böhringer), 1884, A., 341; (Beckurts and Nehring), 1892, A., 643.

Cutose (URBAIN), 1884, A., 859; (FREMY and URBAIN), 1885, A., 369. Cuttle fish, excretory product from the

liver of (GRIFFITHS), 1884, A., 94. ptomaine from (OECHSNER DE CONINCK), 1889, A., 421.

Cyamelide, constitution of (MULDER), 1888, A., 1046.

Cyamic acid, chloro- (Bellmann), 1884, A., 840.

Cyanacetaldehyde (CHAUTARD), 1888, A., 810.

Cyanacetamide (HENRY), 1887, A., 796. Cyanacetanilide (QUENDA), 1892, A., 1072

Cyanacetates (HALLER), 1888, A., 1298. of the benzene series (HALLER), 1888, A., 823.

Cyanacetic acid (HENRY), 1887, A., 796.

γ-Cyanacetoacetates, and their chlorimido-derivatives (HALLER and HELD), 1891, A., 171.

Cyanacetobenzylamine (GUARESCHI), 1892, A., 1072.

Cyanacetone, the so-called (HANTZSCH), 1890, A., 1094, 1095.

Cyanacetophenone (HALLER), 1886, A., 240; 1887, A., 826; 1889, A., 878; (BARTHE), 1888, A., 951; (CLAISEN and STOCK), 1891, A., 451; (OBRÉ-GIA), 1892, A., 321; (GARELLI), 1892, A., 845.

action of hydroxylamine on (OBRE-GIA), 1892, A., 324.

derivatives (Haller), 1889, A., 873; (Obnegla), 1892, A., 324; (Garel-Li), 1892, A., 845.

Cyanacetothienone (SALVATORI), 1892, A., 304.

Cyanacetylpiperidine (GUARESCHI), 1892, A., 1072.

Cyanalkines. See m-Diazines.

Cyanamide, action of, on benzenesulphonic acids (VILLE), 1887, A., 833.

preparation of (TRAUBE), 1885, A., 739.

derivatives of (SMOLKA and FRIED-REICH), 1889, A., 951. Cyanamide derivatives, constitution of (SMOLKA), 1890, A., 1222.

dicyandiamide (BAMBERGER), 1883, A., 907, 1090; (DUVILLIER), 1884, A., 613; (BAMBERGER and SEE-BERGER), 1891, A., 838. constitution of (WUNDERLICH), 1886,

A., 217.

dicyandiamidine, preparation of (SMOLKA and FRIEDREICH), 1889, A., 951.

Cyanamines, a new class of dyes (WITT), 1890, A., 1307.

Cyanamyline (homocyanethine) (Trü-GER), 1888, A., 802.

Cyananilidobenzylthiocarbamide

(FREUND and IMMERWAHR), 1890, A., 1408.

Cyananiline, and its derivatives (SENF), 1885, A., 1060; 1887, A., 928. Cyanates. See Cyanic acid under

Cyanogen.

p-Cyanazobenzene (MENTHA and HEU-MANN), 1887, A., 248.

diCyandiacetethylenediamine (GUARES-CHI), 1892, A., 1071.

(diCyandiacetopentamethylenediamine (GUARESCHI), 1892, A., 1071.

Cyanethine (4-amido-5-methyl-2 6-diethyl-m-diazine) (V. MEYER), 1883, A., 352; 1889, A., 685.

formation of (SCHWARZE), 1890, A., 1158.

formation of, from ethylic cyanide (v. Meyer), 1888, A., 802.

preparation of (v. Meyer), 1889, A., 360.

constitution of, and of its analogues (v. Meyer), 1889, A., 577.

action of bromine on (v. Meyen), 1883, A., 353.

action of ethylic chlorocarbonate on compounds of (v. MEYER), 1885, A., 140.

action of nitrous acid on (v. MEYER), 1883, A., 352.

bases from (v. MEYER), 1883, A., 352.

derivatives of (RIESS), 1885, A., 235; (v. MEYER), 1889, A., 685.

Cyanethine carboxylamide (v. MEYER), 1885, A., 140.

carboxylanilide (v. Meyer), 1885, A., 140.

Cyanetholine (? ethylic cyanate) (Mul-DER), 1883, A., 304.

a reaction of the compounds of normal cyanuric acid and (MULDER), 1883, A., 305.

Cyanhydric acid. See Hyd: ocyanic acid under Cyanogen.

Cyanhydrins, action of carbamide on (PINNER and LIFSCHUTZ), 1887, A., 1054.

action of phenylhydrazine on (REISSERT), 1884, A., 1152.

of nitroso-compounds (LIPPMANN and FLEISSNER), 1885, A., 1212.

Cyanic acid. See under Cyanogen.
Cyanides. See Hydrocyanic acid under
Cyanogen.

isoCyanilic acid (Scholvien), 1886, A., 137.

Cyanine (quinoline-blue) (HOGEWERFF and VAN DORP), 1885, A., 673.
Cyanite. See Kyanite.

Gyanmethethine, and its derivatives (v. Meyer), 1883, A., 653; (RIESS and v. Meyer), 1885, A., 646.

Cyanmethine (4-amido-2:6-dimethyl-m-diazine) (v. MEYER), 1883, A., 653.

formation of (SCHWARZE), 1890, A., 1158.

synthesis of (HOLTZWART), 1889, A., 683.

derivatives of (v. MEYER), 1883, A., 653; (KELLER), 1885, A., 961.

Cyanobenzaldehydes, m- and p- (REIN-GLASS), 1891, A., 1345, 1346.

m-diCyanobenzene (isophthalonitrile), preparation of (Goldberg), 1890, A., 147.

derivatives of (Luckenbach), 1884, A., 1157.

"diCyanobenzenylamidoxime" (Nor-DENSKIOLD), 1890, A., 1120. Cyanobenzine (PINNER), 1884, A., 1292.

Cyanobenzine (PINNER), 1884, A., 1292, o-Cyanobenzotrichloride (GABRIEL and WEISE), 1888, A., 261.

m-Cyanobenzoic acid (SANDMEYER), 1885, A., 981; (BRÖMMR), 1887, A., 484.

derivatives of (Brömme), 1887, A., 484.

Cyanobenzoic acids, behaviour of, on distillation (BROMME), 1887, A., 484.

p-diCyanohenzophenone (Brömme), 1887, A., 484. a-Cyanohenzoylacetone (Burns), 1892,

A., 451. Cyanobenzylic chloride. See Benzylic

chloride. cyanide. See Phenylacetonitrile,

cyano-.
o-Cyanobenzylic bromide (Droky),

1891, A., 1461.

diselenide and methylic selenide

(Drory), 1891, A., 1461. methylic sulphide (DAY and GABRIEL), 1890, A., 1250. o-Cyanobenzylic selenocyanate (Drorr), 1891, A., 1460.

thiocyanate (DAY and GABRIEL), 1890, A., 1249.

ω-Cyanobenzylidenephthalide (GAB-RIEL), 1885, A., 902.

m-Cyanobenzylidenic chloride (REIN-GLASS), 1891, A., 1344.

o-Cyanobenzylidenic chloride (GAB-RIEL and WEISE), 1888, A., 261; (DRORY), 1891, A., 1460.

Cyanobenzyline (6-amido-5-phenyl-2:4dibenzyl-m-diazine) (WACHE), 1889, A., 684.

m-Cyanobenzylphthalimide (REIN-GLASS), 1891, A., 1345.

o-Cyanobenzylphthalimide (GABRIEL), 1887, A., 1038.

p-Cyanobenzylphthalimide (Gunther), 1890, A., 977.

Cyanobutine (homocyanethine) (Troger), 1888, A., 801.

Cyanocamphor. See Camphor.

Cyanocarbamides (HECHT), 1892, A., 702.

Cyanocarbimidoamidobenzoic acid, derivatives of (GRIESS), 1885, A., 1225. Cyanocarboxamidobenzoicacid(GRIESS), 1885, A., 1226.

α-Cyanocinnamic acid [m.p. 178°] (CAR-BICK), 1892, A., 1087.

o-Cyanocinnamic acid [m.p. 252°] (Deory), 1891, A., 1462.

Cyanoconiine and its derivatives (v. MEYER), 1883, A, 352.

Cyano-derivatives containing oxygen, volatility of (HENRY), 1885, A., 880.

o-di-Cyanodibenzylamine (DAY and GABRIEL), 1890, A., 1251.

di-o-Cyanodibenzylic disulphide (DAY and GABRIEL), 1890, A., 1251.

Cyanodiethylpropine (6-amido-2:4:5triethyl-m-diuzino) (WACHE), 1889, A., 684.

Cyanodiphenylethine (4-amido-2:6-diphenyl-5-methyl-m-diazne) (V. MEYEE), 1889, A., 578; 1890, A., 1890, A.; (SCHWARZE), 1890, A., 1159.

Cyanodiphenylsuccinic acid (POPPE), 1890, A., 504.

Cyanodiphenylethylidenediamine (CHAUTARD), 1888, A., 810.

Gyanogen, preparation of gaseous (JAC-QUEMIN), 1885, A., 880. refraction of (CHAPPUIS and RIVIERE).

refraction of (CHAPPUIS and RIVIDRE), 1886, A., 887; 1887, A., 753. compressibility of (CHAPPUIS and RIVIERE), 1887, A., 753.

liquid, vapour tension of (CHAPPUIS and RIVIERE), 1887, A., 764.

Cyanogen, combustion of (Dixon), 1886, T., 384; P., 171.

flame, experiments on (SMITHELLS and INGLE), 1892, T., 215.

decomposition of (BERTHELOT), 1883, A., 303.

substitution of, for the amido-group (AHRENS), 1888, A., 266.

use of aniline as an absorbent of, in gas analysis (LOEB), 1888, T., 812; P., 87.

Paracyanogen, constitution of (MUL-DER), 1888, A., 1046.

Cyanogen compounds, constitution of some simple (CALMELS), 1884, A., 1277.

additive products of (RATHKE), 1886, A., 217.

detection of (HILGER and TAMBA), 1891, A., 1555.

estimation of, in the products of the distillation of coal (PENDRIL), 1889, A., 653.

Hydrocyanic acid (cyanhydric acid; hydrogen cyanide; formonitrile) (v. Meyer), 1888, A., 242.

distribution of, in the vegetable kingdom (Greshoff), 1891, A.,

from animals (WEBER), 1884, A., 348.

formation of, from fulminates (Divers and KAWAKITA), 1884, T., 14.

synthesis of (Figurer), 1886, A., 521.

properties of (BRAME), 1883, A., 129. heat of formation of (TOMMASI), 1885, A., 716.

heats of combustion and formation of (BERTHELOT and PETIT), 1889, A., 812.

condensation of (V. DER PFORD TEN), 1885, A., 1120.

action of, on calomel (Fouquer), 1890, A., 223.

action of, on hydrochloric acid and alcohol (PINNER), 1883, A., 730. action of, on mercurous salts (VI-

TALI), 1892, A., 1416. action of, on seeds (SCHÄR), 1886,

A., 575. simultaneous oxidation and reduction by means of (Michael and Palmer), 1886, A., 155.

influence of germination and growth on the development of, in the flax and sweet almond (JORISSEY), 1885, A, 181.

physiological action of (GREHANT), 1889, A, 1232. Hydrocyanic acid (cyanhydric acid; hydrogen cyanide; formonitrile), poisoning by (BISCHOFF), 1883, A., 1022; (BELKY), 1887, A., 392.

poisoning, antidote for (KROHL), 1892, A., 1019.

poisoning, dextrose and lactic acid in (ZILLESSEN), 1891, A., 1126. poisoning by, applied to the surface of the eye (GRÉHANT), 1891, A.,

Hydrocyanic acid, detection and estimation:—

detection of (Brame), 1884, A., 371; (Kobert), 1892, A., 361. detection of traces of (Vortmann),

1886, A., 1082. detection of, in chemico-judicial investigations (Beckurts), 1884, A., 222.

systematic method of testing for (Longi), 1883, A., 1172.

estimation of (ĆRIPPS), 1883, A., 1174; (SIEBOLD), 1885, A., 600; (LINDE), 1887, A., 1143; (VENTUROLI), 1892, A., 1530.

hydrochloric, thiocyanic and, method of estimating when simultaneously present (Bor-CHERS), 1883, A., 1173.

Cyanides, preparation of, from trimethylamine (WILLM), 1884, A., 1276.

a reddish coloration of solutions of (HABEL), 1885, A., 233.

action of cupric salts on metallic (VARET), 1890, A., 464.

condensation of, with ethereal salts (FLEISCHHAUER), 1892, A., 431. hydration of (ARMSTRONG), 1889, P., 122.

detection of, in presence of compound cyanides (TAYLOR), 1885, A., 196.

isoCyanides, refractive power of (Cos-TA), 1892, A., 757.

n-Cyanic acid, properties of (Mul-DER), 1883, A., 304.

derivatives of (MULDER), 1886, A., 38.

thio-. See Thiocyanic acid.

Cyanic acids, additive products of (TRAUBE), 1889, A., 393.

Cyanates, aromatic, and their polymerides (FRENTZEL), 1889, A., 241.

aromatic (GATTERMANN and CANTZLER), 1892, A., 832.

actions of (LEUCKART), 1885, A., 773.

Cyanates, aromatic, presence of, in the first runnings of the distillation of crude benzene (Nülting), 1885, A., 463.

organic, conversion of, into thiocarbimides (MICHAEL and PAL-MER), 1885, A., 526.

thio. See Thiocyanates.

Cyanogen bromide, polymerisation of (PONOMAREFF), 1886, A., 216; (MULDER), 1886, A., 859.

melting and boiling points of (Mul-DER), 1886, A., 38.

action of, on ethylic alcohol (MULDER), 1886, A., 859.

additive compounds of normal ethyl cyanurate with (MULDER), 1886, A., 38.

iodide (v. MEYER), 1888, A., 242. vapour density and melting point of (SEUBERT and POLLARD), 1890, A., 949.

action of, on certain metallic salts (CALMELS), 1884, A., 1277.

action of sulphuric acid on (Gossin), 1885, A., 645.

sulphydrate (Anschütz), 1890, A., 351.

disulphydrate (Wollny), 1884, A., 1109; (Ephraim), 1889, A., 1142; (Formánek), 1890, A., 29; (Forssell), 1891, A., 1003; (Wallach and Reinhardt), 1891, A., 1008.

persulphide (SCHNEIDER), 1885, A., 1193.

Cyanogen, ψ-thio-, properties of (HECTOR), 1892, A., 292.

Cyanogen, detection, estimation and separation:—

detection of (VOGEL), 1885, A., 297. estimation of, in coal gas (WRIGHT), 1887, A., 86; (LEYBOLD), 1891, A., 367.

estimation of chlorine, iodine, bromine, and (ERRERA), 1889, A., 304.

estimation of, by Field's method (WILLGERODT), 1886, A., 838.

estimation of, in gaseous mixtures (JACQUEMIN), 1885, A., 933.

separation of, from chlorine, iodine and bromine (ERRERA), 1889, A., 304.

Cyanomalonic acid, ethereal salts of (HALLER), 1889, A., 858.

Cyanomethæmoglobin (Kobert), 1892, A., 361.

Cyanonaphthalene. See Naphthonitrile.

1:2-diCyanonaphthalene (CLEVE), 1892, A., 1477.

a-Gyanonaphthalenesulphonic acid (ARMSTRONG and WILLIAMSON), 1887, P., 43.

Cyanonaphthaphenazine (Brunner and Witt), 1888, A., 59.

"diCyano-β-naphthenylamidoxime" (Nordenskiold), 1890, A., 1121.

Cyanopalmitic acid (Hell and Iorda-NOFF), 1891, A., 821. c-Cyanophenol (Ahrens; Meyer),

o-Cyanophenol (AHRENS; MEYER), 1888, A., 266. 2-Cyanophenol (KLEPL), 1884, A.,

p-Cyanophenol (KLEPL), 1884, A., 447.

p-Cyanophenylacetamide (MELLING-HOFF), 1890, A., 239.

p-Cyanophenylacetic acid (MELLING-HOFF), 1890, A., 239.

Cyanophenylacetonitrile. See Phenylacetonitrile.

"diCyanophenylbenzylidenehydrazine" (BLADIN), 1889, A., 702.

"diCyano-o-phenylenediamine" (BLADIN), 1885, A., 257.

p-Cyanophenylethenylamidoxime (ROSENTHAL), 1890, A., 147.

Cyanophenylformamidine (Comstock and Wheeler), 1892, A., 707.

Cyanophenylhydrazine and its hydrochloride (SENF), 1887, A., 929.

chloride (SENF), 1887, A., 929.
"dioyanophenylhydrazine," action of
ethylic acetoacetate on (BLADIN),
1892, A., 597.

condensation of, with fatty aldehydes (Bladin), 1892, A., 596.

derivatives of (BLADIN), 1885, A., 979; 1886, A., 146; 1887, A., 138; 1889, A., 702.

isoCyanophenylic dichloride (NEF), 1892, A., 1439.

Cyano-n-phenylosotriazole (Jonas and v. Pechmann), 1891, A., 1114.

γ-Cyanopropylphthalimide (GABRIEL), 1890, A., 360.

Cyano- and dioyano-pyrene (Goldschmiedt and Wegscheider), 1883, A., 1003, 1004.

Cyanopyrenepicric acid (Goldschmiedt and Wesscheiden), 1883, A., 1004.

m-Cyanoquinoline (FISCHER), 1883, A.,

o-Cyanoquinoline (FISCHER), 1883, A., 92; (LELLMANN and REUSCH), 1889, A., 905.

p-Cyanoquinoline (FISCHER and WITT-MACK), 1884, A., 1051.

c-Gyanostearic acid (HELL and SADOM-SKY), 1891, A., 1451.

diCyanostilbene (CHALANEY and KNOEVENAGEL), 1892, A., 618.

diCyanothiophen (JAEKEL), 1886, A.,

derivatives (Bladin), 1885, A., 257.

ω-Cyano-p-toluamide (Mellinghoff), 1890, A., 239.

o-Cyanotoluene. See Toluonitrile.

ω-Cyano-p-toluic acid (Mellinghoff), 1890, A., 240.

Cyano-o-, -m- and -p-toluidines and their salts (BLADIN), 1884, A., 1142, 1141.

Cyano-p-tolylformamidine (COMSTOCK and WHEELER), 1892, A., 707. isoCyano-o- and p-tolylic dichlorides

(NEF), 1892, A., 1441, 1442.

o-Cyanotriphenylmethane (DRORY), 1891, A., 1461.

diCyanotri-p-tolylguanidine, and its salts (BLADIN), 1884, A., 1141.

γ-Cyanovaleric acid (WISLICENUS), 1886, A., 880.

γ-Cyanovalerolactone (Block and Tol-LENS), 1886, A., 533.

Cyanoxylide (SENF), 1887, A., 929.

Cyanphenine. See Cyaphenine. Cyanpropine (amidomethyldipropyl-m-

diazine) and its derivatives (v. MEYER), 1888, A., 800. formation of (Suhwarze), 1890, A.,

1159. Cyanuracetic acid (Krüger), 1891, A.,

163. Cyanuramides. See Melamines.

Cyanurates (CLAUS and PUTENSEN), 1889, A., 30.

n-Cyanuric acid (MULDER), 1886, A., 38. synthesis of (BAMBERGER), 1890, A., 1082.

constitution of (v. Hofmann), 1886, A., 42, 931; (Ponomareff), 1886, A., 216.

compounds, an action of (MULDER), 1883, A., 305.

compounds of, with ethers and alcohols (Klason), 1887, A., 789.

derivatives of (KLASON), 1886, A., 325; (MULDER), 1886, A., 860.

ethereal salts of (PONOMAREFF), 1884, A., 1278.

Cyanuric acid, dithio- (Klason), 1886, A., 325.

trithio-, and its salts (v. HOFMANN), 1885, A., 1193; (KLASON), 1886, A., 324.

isoCyanuric acid (SCHOLVIEN), 1886, A., 137.

Cyanuric acids, supposed isomeric (SENIER), 1886, T., 693, 743.

Cyanuric derivatives (FRIES), 1886, T., 314, 739; P., 167.

crystallography of (v. Hofmann), 1886, A., 929.

Cyanuric bromide (MERZ and WEITH), 1884, A., 588.

chloride (FRIES), 1886, T., 739; P., 229; (Klason), 1886, A., 1001. preparation of (JAMES), 1887, T.,

action of ammonia and amines on (v. Hofmann), 1886, A., 38. action of benzamide on (SENIER),

1886, T., 312; P., 166. tion of naphthylan action

tion of naphthylamine or (FRIES), 1886, T., 314; P., 167. action of sodium acetate, formate, and benzoate on (SENIER), 1886, T., 311, 312; P., 166.

ethers (v. HOFMANN), 1886, A., 929.

iodide chloro-derivative and(Klason), 1886, A., 1001.

disulphide (Klason), 1886, A., 325. Cyanuric trithioglycollic acid (KLA-

son), 1886, A., 325. Cyaphenine (cyanphenine), preparation of (PINNER), 1885, A., 142; (KLASON), 1887, A., 363; (OTTO; KRAFFT), 1889, A., 951; (EITNER and KRAFFT), 1892, A.,1183.

Cyclamin and cyclaminic acid (MICHAUD), 1888, A., 496.

Cyclamiretin (HILGER and MUTSCHLER), 1886, A., 366; (MICHAUD), 1888, A., 497.

Cyclamose, a new sugar (MICHAUD), 1886, A., 782.

(WEIDEL and Cyclothraustic acid STRACHE), 1886, A., 950; (WEIDEL and WILHELM), 1887, A., 979.

Cymatolite, from spodumene (Brusii and DANA), 1883, A., 439.

Cymene (p-isocymene), from homocumic acid (Paternò), 1884, A., 426.

synthesis of (DA SILVA), 1885, A., 1054; (TÜHL), 1891, A., 1022; (REUTER), 1892, A., 1310. constitution of (WIIMAN), 1891, A.,

686, 897; (MEYER), 1891, A., 688; (FILETI), 1891, A., 1344.
nature of the propyl-group in (WID-MAN), 1891, A., 686.

action of chlorine on (ERRERA), 1885, A., 655.

action of chlorine on boiling

(ERRERA), 1884, A., 300. action of chromyl chloride on (v. RICHTER and SCHUCHNER), 1884, A., 1342; (v. Miller and Rohde), 1890, A., 978; 1891, A., 898; (ERRERA), 1890, A., 1254; 1891, A., 1020.

nitration of (HOLLEMAN), 1886, A., 1017.

Cymene (p-isocymene), oxidation of WIDMAN and BLADIN), 1886, A., 541; (REMSEN and EMERSON), 541; 147; (CLAUS and 1887, A., 147; (Claus and Pieszczek), 1887, A., 240; (Oddo), 1892, A., 724.

derivatives, constitution of (MAZZARA), 1891, A., 46.

cumene derivatives and, reciprocal transformation of (FILETI), 1887, A., 36, 471; (WIDMAN), 1887, A., 133.

hydrochloride, diamido-(LIEBERmann and Ilinsky), 1886, A., 240.

Cymene, amido. See Cymidine. 3-bromo-, from thymol (FILETI and

CROSA), 1887, A., 37. bromo-, from thymol and from cymene, oxidation of (FILETI and Crosa), 1889, A., 495.

2:5-dibromo-(MAZZARA), 1890, A., 366. 3:6-diamido- (CLAUS), 1888, A., 583; (CLAUS, RAPS, HERFELDT and Berkefeld), 1891, A., 1199.

2:5-bromonitro- (FILETI and CROSA), 1889, A., 493.

3-bromo-(?)-nitro- (MAZZARA), 1886, A., 1016; (FILETI and CROSA), 1889, A., 494.

bromodinitro- [m.p. 94°] (MAZZARA), 1886, A., 1016; (FILETI and CROSA), 1889, A. 494.

bromodinitro-[m.p. 125°-126°] (Fileti and Crosa), 1889, A., 494.

chloro-, from cymene and from thymol, oxidation of (FILETI and Crosa), 1889, A., 495.

from thymol (FILETI and CROSA), 1883, A., 37.

action of sulphonic chloride on (Carrara), 1890, A., 1288.

tetrachloro- (Kelbe), 1883, A., 806. 2:5-chloronitro- (FILETI and UROSA), 1889, A., 494.

2-chlorodinitro- (FILETI and CROSA), 1889, A., 494.

nitro- (WIDMAN and BLADIN), 1886, A., 542; (Schumoff), 1888, A., 469.

preparation and oxidation products of (Soderbaum and Widman), 1888, A., 1076.

β-nitro- (Holleman), 1886, A., 1017; 1888, A., 454.

dinitro- and 2:6-dinitr-3-amido-, constitution of (MAZZARA), 1890, A., 753. m-Cymene (Me:Pr=1:3) (m-propyltolu-

cne) (SPICA), 1883, A., 459. 4:6-dibromo (CLAUS, RAPS, FELDT and BERKEFELD), 1891, A., 1200.

m-Cymene (Me:Pr=1:3) (m-propyltolu-4:6-dibromo-2:5-diamido-(CLATS, Raps, HERFELDT and BURKEFELD), 1891, A., 1200.

4.6.dibromo-2:5.dinitro-(CLAUS, RAPS, HERFELDT and BERKEFELD), 1891, A., 1200.

o-Cymene (Me:Pr=1:2) (o-propyltoluene), presence of, in resin spirit (Kelbe), 1886, A., 939.

4:5-dibromo- (CLAUS, RAPS, HER-FELDT and BERKEFELD), 1891, A., 1200.

4:5-dibrom-3.6-dinitro-(Claus, Raps, HERFELDT and BERKEFELD), 1891, A., 1201.

p-Cymene (Me:Pr=1:4) (p-propyltoluene; methylpropylbenzene) (WIDMAN),

1891, A., 686. p-Cymene, 2:5-dibromo- (CLAUS), 1888, A., 583.

2:5-dibromo-3:6-diamido- and 2:5dibromo-3:6-dinitro- (CLAUS, RAPS, HERFELDT and BERKEFELD), 1891, A., 1201.

m-180Cymene (m-methylisopropylbenzene) (ARMSTRONG and MILLER), 1884, A., 43, 299.

4:6-dibromo- (Kelbe and v. Czarкомѕкі), 1887, А., 147.

nitro-, action of dilute nitric acid on (KELBE and WARTH), 1884, A., 46. p-isoCymene. See Cymene.

Cymenes, chloro-, three isomeric, and their derivatives (ERRERA), 1885, A.,

Cymene series, the propyl group in the (Widman), 1886, A., 453.

Cymenecarboxylic acid (CLAUS and CROPP), 1886, A., 463.

2)-Cymenecarboxylic acid (CLAUS), 1891, A., 564.

Cymene-a-sulphonamide, nitro- (ER-RERA), 1890, A., 1287.

Cymene-β-sulphonamide, oxidation of (REMSEN and DAY), 1884, A., 456. bromo- (REMSEN and DAY), 1884, A.,

Cymene-2-sulphonic acid (p-methylisopropylbenzencsulphonic acid), derivatives of (WIDMAN), 1891, A., 687. See Cymidine-2-sulphonic amido-. acid.

5-biomo- (Widman), 1886, A., 470. 6-bromo- and 6-chloro- (ERRERA), 1890, A., 1288.

6-nitro-, and an isomeride (ERRERA), 1890, A., 1287, 1288; 1891, A., 1066. Cymene-3-sulphonic acid. 6-bromo-

(REMSEN and DAY), 1884, A., 456; (CLAUS and CHRIST), 1886, A., 1032.

Cymenesulphonic acids (PATERNO), 1883, A., 999; 1884, A., 321; (CLAUS), 1883, A., 1129.

chloro- and chloronitro- (CARRARA), 1890, A., 779.

Cymenesulphonic acids, m- and (SPICA), 1883, A., 320; (CLAUS), 1883, A., 918.

Cymenesulphonic acids, a- and \beta-(KELBE and Koschnitzky), 1886, A., 884.

derivatives of (WIDMAN), 1891, A., 687.

m-isoCymene-4-sulphonic acid (m-methylisopropylbenzencsulphonic acid) (Kelbe and v. Czarnomski), 1884,

A., 1355. action of bromine and water on (Kelbe and v. Czarnomski), 1887, A., 147.

6-bromo- (KELBE and V. CZARNOMski), 1887, A., 147.

m-isoCymene-6-sulphonic acid, action of chlorine on (Kelbe), 1883, A.,

4-bromo- (Kelbe and v. Czarnom-

SKI), 1887, A., 147. trichloro, and its soc (Kelbe), 1883, A., 806. sodium

m-isoCymenesulphonic acids, preparation of (ARMSTRONG and MILLER), 1884, A., 43.

Cymenol. See Carvacrol.

m-isoCymenol (m-isocymophenol), and tribromo-derivative (JESURUN), 1896, A., 696, 697.

Cymenotic acid (m-isocymenolearboxylic acid) (JESURUN), 1886, A., 696.

m-isoCymidine and its derivatives (Kelbu and Warth), 1884, A., 46. nitro- (KELBE and WARTH), 1884, A.,

Cymidine-6-sulphonic acid (WIDMAN), 1886, A., 470.

Cymidine-2-sulphonic acids (ERRERA), 1890, A., 1287. Cyminyl-. See Cymyl-.

Cymophane, formation of (HAUTE-FEUILLE and PERREY), 1888, A.,

m-isoCymophenol. See m-isoCymenol. m-Cymo-2:5-quinol, 4:6-dibromo-

(CLAUS, RAPS, HERFELD rand BERKE-FELD), 1891, A., 1200.

o-Cymo-3:6-quinol, 4 5-dibiomo-(CLATS, RAPS, HERFELDT and BERKEFELD), 1891, A., 1201.

p-Cymo- and p-isocymo-3:6-quinols and quinones, 2:5-dibromo- (CLAUS, RAPS, HERFELDT and BERKEFELD), 1891, A., 1201, 1200.

m-Cymo-2:5-quinonė, 4:6-dibromo-(CLAUS, RAPS, HERFELDT and BERKE-FELD), 1891, A., 1200.

o-Cymo-3:6-quinone, 4:5-dibromo-(CLAUS, RAPS, HERFELDT and BERKE-FELD), 1891, A , 1201.

Cymyl ethyl ether. See Ethoxycymene. o-Cymyl methyl ketone (CLAUS), 1890, A., 770.

p-Cymyl methyl ketone (CLAUS), 1891, A., 199.

p-Cymyl ethyl and p-cymyl propyl ketones (CLAUS), 1891, A., 1223. Cymyl, iodo-, salts of (WILLGERODT and

KORNBLUM), 1889, A., 697.

p-Cymyl-acetamide and acetic acid (CLAUS), 1891, A., 199, 200.

m-isoCymyl-carbamide, -carbamine and -ethylthiocarbamide (Kelbe and WARTH), 1884, A., 47.

p-Cymyl-glycollic and -glyoxylic acids (CLATS), 1891, A., 199. Cymylic benzenesulphonate (GEORG-

ESCU), 1891, A., 569. chloride (ERRERA), 1884, Α.,

300. p-Cymylmethylcarbinol (CLAUS), 1891,

A., 199. p-Cymyl-propyl- and -ethyl-carbinols (Claus), 1891, A., 1223.

(Kelbe m-isoCymylurethane and

WARTH), 1884, A., 47. -Cynene. See Cinene under Terpenes. Cynurenic (kynurenic) acid. See Hydroxyquinolinecarboxylic acid. Cynuric acid. See Kynuric acid.

yperus esculentus, fatty oil of (Hell TWERDOMEDOFF), 1889, and1029.

Cyprusite (DEBY), 1887, A., 644.

Cyrtolite, so-called, of Ytterby (BLOM-STRAND), 1889, A., 220.

Cyrtosperma, hydrocyanic acid in the fruit of (Greshoff), 1891, 338.

Cyst formed under the tongue, analysis of the contents of (Guinocher), 1885, A., 285.

liquid from (Macquaire), 1886, A.,

Cysts, ferments in the contents of (v. Jaksch), 1888, A., 180.

hydatid, liquids from (Roeser), 1891, A., 97.

ovarian, analyses of liquids from (PATEIN), 1891, A., 851.

Cystein (BAUMANN), 1884, A., 1382; 1885, A., 514; (BRENZINGER), 1892, A., 1111. fate of, in the animal body (Guld-

MANN), 1885, A., 922.

Cystin (BAUMANN), 1884, A., 1382; 1885, A., 513; (Külz), 1885, A., 140; (MAUTHNER), 1885, A., 822; (RADZIWILLOWICZ), 1889, A., 430; (Brenzinger), 1892, A, 1111.

in the horse's liver (Drechsel), 1892, A., 516.

in pancreatic digestion (Kulz), 1891, Ā., 235.

in the unine (GOLDMANN and BAU-MANN), 1888, A., 519; (DELÉ-PINE), 1890, A., 1018.

not present in normal human urine (STADTHAGEN) 1885, A., 830.

action of water on (MAUTHNER), 1884, A., 1054.

Cystinuria (MESTER), 1890, A., 189. diamines (ptomatines) in (v. UDR.(N-SZKY and BAUMANN), 1889, A., 1024; 1891, A., 350.

Cystisine, differences between ulexine and (GERRARD and SYMONS), 1891, A., 334.

and its derivatives (PARTHEIL), 1891, A., 231, 750; (v. Buchka and MAGALHAES), 1891, A., 587, 750; (VAN DE MOER), 1891, A., 946.

detection of (VAN DE MOER), 1891, A., 947.

Cytisus Luburnum, nitrogen assimilation of (Nobbe, Schmid, Hiltnen and Hotten), 1891, A., 1533. Cytoplastin (SCHWARTZ), 1888, A.,

D.

984.

Dacite (HAGUE and Indinus), 1884, A.,

Dahlia tubers, asparagine and tyrosine in (Leitgeb), 1889, A., 433. crystalline deposits in (LETGEB), 1887, A., 1136.

Dahllite, from Norway (Brögger and Bäckstrom), 1890, A., 714.

Dairy farm, experimental, at Kiel. annual report of (Schrodt), 1884, A., 1396.

Dairy products, analysis of (ANON.), 1888, A., 93.

Dalton's law (GALITZIN), 1891, 378; (MARGULES), 1891, A., 520.

Damascenine (SCHNEIDER), 1890, A., 1317.

Dambose, identity of, with inosite (MAQUENNE), 1887, A., 909.

Dammara resin (GRAF), 1889, A., 621. Damourite from Maine, analysis of (CLARKE and CHATARD), 1885, A., 491.

Danaidin and danain (HECKEL and Schlagdenhauffen), 1886, A_{\cdot} , 173,

Danvis fragrans, root of (HECKEL and SCHLAGDENHAUFFEN), 1886, A., 173. Danburite (WHIFFIELD), 1888, A.,

from the Scope, in Graubundten (Ludwig), 1883. A.,437.

from Switzerland (SCHRAUF), 1883, A., 956.

Daniell's cell. See Cell, under Electrochemistry.

Daphnetin, synthesis of (v. Pechmann), 1884, A., 1173.

and its ethyl-derivatives (WILL and

Jung), 1884, A., 1042. diacetyl and dibenzoyl derivatives of (v. Pechmann), 1884, A., 1174.

methyl and ethyl derivatives of (Jung), 1886, A., 558.

Daphnidium Cubeba, fruit of (BRAITH-WAITE and FARR), 1886, A., 1064. Darapskite (Dietze), 1892, A., 124.

Dari as a source of alcohol (HOLZAPFEL), 1885, A., 102.

Dari seeds, analysis of (VOELCKER),

1884, A., 630. "Darmena" (ČECH), 1885, A., 108. Data, critical. See Critical data.

Date-sugar (ANON.), 1884, A., 1234. Datolite (WHITFIELD), 1888, A., 348.

artificial (DE GRAMONT), 1891, A., 1437.

Datura Stramonium, al (Schutte), 1892, A., 232. alkaloids of

Daturio acid (GÉRARD), 1890, A., 1396. salts of (GERARD), 1892, A., 582. bromo- (Genard), 1892, A., 582.

Daturine, preparation of, from Stramonium seeds (HARTZ), 1885, A., 820. Daturone (GLEARD), 1892, A., 582.

Daubréelite, artificial formation (MEUNIER), 1891, A., 990.

Daucus Carota, essential oil of (LANDs-BERG), 1889, A., 277.

Dawsonite, composition of (FRIEDEL), 1883, A., 430.

Daylight, action of, on water and oil colours used in dyeing and printing

(DECAUX), 1884, A., 700. Dead space in chemical reactions (LIE-BREICH), 1888, A., 1242; 1890, A., 1207; 1891, A., 1150; (WATSON), 1889, A., 335.

in the chloral-soda reaction (BUDDE),

1891, A., 975. Deca-acetyldiglucoheptose (FISCHER), 1892, A, 1167.

Decahydroanthracene (Lucas), 1890, A., 637.

Decahydroquinoline, and its derivatives (BAMBERGER and LENGFELD), 1890, A., 1319.

Decahydroquinolyl dithiocarbamate (BAMBERGER and LENGFELD), 1890, A., 1319.

Decamethylenediamine, and (PHOOKAN methyleneimine and Krafft), 1892, A., 1181.

Decamethylenedicarboxylic acid (Noerdlinger), 1890, A., 1237.

Decane [b.p. 160°], and chloro-, from American petroleum (LEMOINE), 1884, A., 1107.

See also Diisoamyl.

n-Decane. See Diamvl.

Decay, properties of the volatile products of (LE Box), 1884, A., 225.

Decenylicalcohol(dipropylally/carbinol). hydrocarbon prepared by the action of sulphuric acid on (REFORMATSKY), 1883, A., 1073; (NIKOLSKY and SAYTZEFF), 1883, A., 1074.

Decinylic alcohol (propyldiallylcarbinol) (Schestakoff), 1885, A., 237.

Decoic acid (capric acid), preparation of from suint (A. and P. Buisine), 1888, A., 44.

Decoic chloride (KRAFFT and KOENIG), 1890, A., 1252,

Decylacetylene (KRAFFT and REUTER). 1892, A., 1164.

Decylene (diamylene) [b.p. 156] molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

Decylene [b.p. 159°-174°] (LEMOINE), 1884, A., 1107.

Decylene (hexylbutylene) [b.p. 160°-161°] (FITTIG and RIECHELMANN), 1890, A., 594.

Decylene [b.p. 172°] and its derivatives (Grosjean), 1892, A., 691.

Decylenic glycol (Grosjean), 1892, A., 691.

Decylenic acid, and its salts (SCHNEE-GANS), 1885, A., 650.

Decylic acetate bronto- (GROSJEAN), 1892, A., 691.

alcohol (LEMOINE), 1884, A., 1107. normal primary, preparation of, and its derivatives (KRAFFI), 1883, A., 1075.

benzoate, chloro- (GROSJEAN), 1892, A., 691.

iodide (Krafft), 1886, A., 998. Decyllactone (Schneegans), 1885, A., 650.

α-Decyl-β-isopropylacrylic acid (LAN-GER), 1889, A., 741.

Dehydracetic acid (PERKIN), 1885, A., 515; 1887, T., 484, P., 35; (Feist), 1889, A., 957; 1892, A., 584. preparation of (v. Pechmann), 1892, A., 296.

Dehydracetic acid, preparation and properties of (Collie), 1891, T., 618.

constitution of (Perkin), 1885, T., 277; (Collie), 1890, P., 169; 1891, T., 179; (Feist), 1892, A., 587.

actions of (COLLIE), 1891, T., 617. action of hydroxylamine on (ODERN-HEIMER), 1884, A., 1302.

action of sulphuric acid on (COLLIE), 1891, T., 609.

distillation of, with lime (TIVOLI), 1891, A., 1455.

derivatives of (Perkin and Bern-HART), 1884, A., 1121; (HAI-TINGER), 1885, A., 761.

oxime of (Perkin), 1887, T., 493. phenylhydrazone (Perkin), 1887, T.,

494. bromo- (Perkin and Bernhart), 1884, A., 1121; (Perkin), 1887, T., 490; (Feint), 1892, A., 584.

m-Dehydracetic acid (HANTZSCH), 1883, A., 1083.

iso-Dehydracetic acid (carboacetoacetic ether) (Anschutz, Bendix and Kerp), 1891, A., 172.

Dehydracetic chloride (FEIST), 1892, A., 587.

Dehydracetonebenzil (JAPP and MIL-LER), 1885, T., 22, 26, 28; (JAPP and BURTON), 1887, T., 420.

actions of (JAPP and MILLER), 1885, T_29.

Dehydracetonedibenzil (JAPP and MIL-LER), 1885, T., 26, 34.

Dehydracetonephenanthraquinone (JAPP and MILLER), 1885, T., 17; (WADSWORTH), 1891, T., 105.

Dehydracetophenoneacetoacetic acid, compounds of, with hydroxylamine and phenylhydrazine (PAAL), 1885, A., 250.

Dehydracetophenoneacetone and its carboxylic acid (PAAL), 1885, A., 248, 249.

Dehydracetophenonebenzil, and action of, with bromine (JAPP and MILLER), 1885, T., 34, 36.

Dehydracetophenylhydrazine and dehydracetoxime (PERKIN and BERNHART), 1884, A., 1121.

Dehydracetylpæonol (NAGAI), 1892, A.,

Dehydrobenzoylacetic acid (v. Baeyer and Perkin), 1884, A., 839; (Feist), 1891, A., 458.

preparation and properties of (Pen-KIN), 1885, T., 277.

constitution of (PERKIN), 1885, T., 294.

Dehydrobenzoylacetic acid, action of phosphorus pentachloride on (Per-Kin), 1885, T., 292.

action of potassium hydroxide on (Perkin), 1885, T., 284.

action of sulphuric acid on (v. BAEYER and PERKIN), 1884, A., 839.

reduction of (Perkin), 1885, T., 287. chloro-, preparation and properties of (Perkin), 1885, T., 292.

Dehydrobenzylhydroxanthranol(LEVI), 1885, A., 1240; (BACH), 1890, A., 1144.

bromide (BACH), 1890, A., 1144. bromo- (BACH), 1890, A., 1145.

isoDehydrocholal and dichloro-(LASSAR-COHN), 1892, A., 741.

Dehydrocholeic acid (LATSCHINOFF), 1886, A., 270; (MYLIUS), 1886, A., 952; (LASSAR-COHN), 1892, A., 741. phenylmercaptan and phenylmercaptan-phenylhydrazine of (MYLIUS),

1887, A., 982. trialdoxime (MYLIUS), 1886, A., 952. chloro- (LASSAR-COHN), 1892, A., 741.

Dehydrocinchenine (Comstock and Koenics), 1887, A., 282.

dibromide (Comstock and Koenigs), 1892, A., 1012.

Dehydrocinchonine and its chloride (Comstock and Koenics), 1887, A., 281, 282.

dibromide (Comstock and Koenigs), 1892, A., 1011.

Dehydrodiacetonephenanthraquinone (JAPP and MILLER), 1885, T., 16.

Dehydrodiacetovanillone (TIEMANN), 1892, A., 61.

Dehydrodiacetyllevulinic acid, preparation of (MAGNANINI), 1890, A., 864

action of ammonia on (MAGNANINI), 1890, A., 864; (MAGNANINI and SCHEIDT), 1892, A., 1429. action of benzaldehyde on (MAG-

action of benzaldehyde on (Mac-NANINI and SCHEIDT), 1892, A., 1429.

action of hydroxylamine and phenylhydrazine on (MAGNANINI and SCHEIDT), 1892, A., 1429.

hydrazone and oxime of (MAGNANINI and Scheidt), 1892, A., 1429.

Dehydrodiacetylpæonol (NAGAI), 1892, A., 845; (TAHARA), 1892, A., 846.

Dehydrodiacetylresacetophenone (Tahara), 1892, A., 846.

Dehydrodiprotocatechuic acid (TIE-MANN), 1886, A., 239.

Dehydrodipyridine (WEIDEL), 1883, A., 483.

Dehydrodivanillin (TIEMANN), 1886, A., 238.

Dehydrodypnopinacolin (DELACRE), 1592, 1., 995.

Dehydroerythritol (GRIMAUX and ULOEZ), 1890. A., 730.

Dehydrofichtelite (BAMBERGER STRASSER), 1890, A., 385. and

Dehydrogenation by means of benzoic peroxide (Lippmann), 1887, A., 151.

Dehydromethylacetylpæonol and its derivatives (NAGAI), 1892, A., 846.

Dehydromucic acid (ZENONI), 1891, A.,

Dehydronicotine (PINNER and WOLF-FENSTEIN), 1892, A., 1010. dibromo- (PINNER), 1892, A., 1497.

Dehydrophotosantonic acid (VILLA-VECCHIA), 1886, A., 74.

Dehydropiperylmethylurethane, nitro-(SCHOTTEN), 1883, A., 814.

Dehydropiperylurethane, nitro-, and its bromohydroxyl-derivative (SCHOT-TEN), 1883, A., 814.

Dehydroquinenine (COMSTOCK and Kornics), 1887, A., 1123.

Dehydrothiotoluidine (GREEN), 1889, T., 228.

synthesis of (GATTERMANN and NEU-BERG), 1892, A., 839.

constitution of (GREEN), 1889, T., 232; (PFITZINGER and GATTER-MANN), 1889, A., 867.

and its derivatives (Jacobson), 1889, A., 498.

Dehydrothiotoluidinesulphonic (Green), 1889, T., 231.

ydrotriacetonamine (RUHEMANN and CARNEGIE), 1888, T., 426. Dehydrotriacetonamine products of reduction of (CANZONERI

and SPICA), 1885, A., 883.

Dejections, influence of the pancreatic juice on the colour of (WALKER), 1890, A., 397.

Deliquescence and efflorescence of salts. relation of, to the maximum vapour tensions of their saturated solutions (Lesceur), 1887, A., 208.

Delokanic acid (KAYSER), 1886, A., 255. Delphine, reaction of (FERREIRA DA SILVA), 1891, A., 1562.

Delphinine, composition and properties

of (Charalampi), 1891, A., 843. Delphinium Staphisagria, alkaloids from the seeds of (CHARALAMPI), 1891, A., 842.

Delphinoidine and delphisine (CHARA-LAMPI), 1891, A., 843.

Delta metal, preparation of (ANON.), 1885, A., 461.

Delvauxite. See Dufrenite.

Denitrification. See Agricultural Chemistry.

Densimeter, application of, to cider must (LECHARTIER), 1885, A., 842.

Densimetric estimation of albumin in urine (Z.(HOŘ), 1888, A., 1227.

of the phosphorus in iron (METZ), 1891, A.,,961.

of proteids (HUPPERT and (ZAHOK), 1888, A., 1226.

Density of certain oils (Long), 1389, A., 85.

of chloral, chloral hydrate and hydrated aldehyde (PERKIN), 1887. T., 808; P., 82. relative, of hydrogen and oxygen

(RAYLEIGH), 1888, A., 643.

of nitrous oxide, ethylene and carbonic anhydride (CAILLETET and MATHIAS), 1886, A., 758.

of isomeric organic compounds, relation of the heats of combustion to the (MÜLLER-ERZBACH), 1883, A., 1044.

molecular weight, diathermanous power and refractive index of a substance, relation between (Av-MONNET), 1892, A., 1.

of a gas, determination of the absolute (Joly), 1891, A., 379.

of gases, determination of the (Lux), 1886, A., 412; (COOKE), 1890, A., 321; (Moissan and Gautier), 1892, A., 1267.

of explosive gaseous mixtures, in-fluence of the, on the pressures which they develop (BERTHELOT and VIEILLE), 1884, A., 805.

of liquefied gases and their saturated vapours (Cailleter and Mathias), 1886, A. 758; (AMAGAT), 1892, A., 934, 1043.

maximum, displacement of the point of, by pressure (AMAGAT), 1887, A., 695.

and volume of liquids, alteration in, produced by the absorption of gases (Angstrom), 1888, A., 401.

of aqueous vapour, influence of hygroscopic condensation in glass vessels on the determination of (MACALUSO and GRIMALDI), 1883, A., 507.

the richness in sugar and the purity of the juice of the sugar beet, relations between (PAGNOUL), 1886, A., 915.

Density and atomic volume of oxygen and hydrogen (AMAGAT), 1885, A.,

See also Specific gravity and Vapour density.

Density, relative, of the deposit on the photographic plate, measurement of (ABNEY and EDWARDS), 1890, A.,

Density numbers of Groshans (GER-L(CH), 1889, A., 813.

law of (GROSHANS), 1886, A., 194, 411.

extension of the law of, to a case in thermochemistry (GROSHANS), 1886, A., 498.

Deoxyamalic acid (FISCHER and REESE),

1884, A., 467.

Deoxybenzoin (phenyl benzyl ketone) ANSCHUTZ and BERNS), 1887, A., 829; (MEYER and OELKERS), 1888, A., 703; (Wege), 1892, A., 338. preparation of (JUILLARD and TIS-

SOT), 1891, A., 1492; (WACHTER), 1892, A., 1095.

action of p-amidodimethylaniline on (VOGTHERR), 1892, A., 855.

action of ammonium formate on (LEUCKART and JANSSEN), 1889, A., 883.

displacement of the methylene hydrogen atoms in (BUDDEBERG),

1890, A., 1142.

derivatives of (BISCHOFF), 1889, A., 512; (EPHRAIM), 1890, A., 1143; 1891, A., 1492.

sodium derivative of (BECKMANN and

PAUL), 1892, A., 171. and its analogues, thio-derivatives of

(MEYER), 1888, A., 484. of thiocarbonyl-derivative (Ber-

GREEN), 1888, A., 446.

Deoxybenzoin, chloro- and diiodo-(Currius and Lang), 1892, A.,

p-nitro- (Petrenko-Kritschenko), 1892, A., 1227.

Deoxybenzoinacetic acid (desylucetic β-Benzoyl-β-phenyl-See propionic acid.

Deoxybenzoin-o-carboxylic acid, amide of (Gabriel), 1885, A., 1229.

ethylamide of (GABRIEL), 1885, A., 903, 1229.

a-Deoxybenzoin-o-carboxylic acids, diand tetra-chloro- (GABRIEL and HEN-DESS), 1888, A., 145.

β-Deoxybenzoin-o-carboxylic acid (GA-BRIEL), 1885, A., 1231.

methylamide of (GABRIEL), 1888, A., Deoxybenzoin-p-carboxylic acid.

bromo- (Bucher), 1890, A., 168. Deoxybenzoin-o-dicarboxylic acid and derivatives (EPHRAIM), 1890, 1143; 1891, A., 1492.

Deoxybenzoin-o-dicarboxylic anhydride (EPHRAIM), 1891, A., 1493.

Deoxybenzoinhydrazide (NEY), 1888, A., 1197.

Deoxybenzoin-o-imidodicarboxylic acid (EPHRAIM), 1890, A., 1143.

Deoxybenzoinoxime, change of (GUNTHER), 1889, A., 1067.

p-amido-and p-nitro-(NEY), 1888, A., 1197.

Deoxycholic acid (MYLIUS), 1886, A., 481; (Latschinoff), 1887, A., 683,

Deoxyfulminuric acid (Seidel), 1892, A., 1417.

Deoxyfuroin (MACNAIR), 1890, A., 1245. Deoxypyranilpyroic acid (REISSERT), 1888, A., 697.

bromo (Anschutz and Hensel), 1889, A., 258.

Deoxypyranilpyroic dibromide (Anschutz and Hensel), 1889, A., 258,

Deoxy-strychnine and -strychnic acid (TAFEL), 1892, A., 1013, 1014. Deoxytoluoin (deocy-p-dimethylbenzoin)

(STERLIN), 1889, A., 513. Deposit from a spring at Carmaux

(MEUNIER), 1885, A., 644. from the spring at Chabetout (THA-

BUIN), 1886, A., 215. Derris elliptica, poisonous principle of (GRESHOFF), 1891, A., 335.

Desaurin (WACHTER), 1892, A., 1095. formation of (WACHFER), 1892, A.,

molecular weight of (MEYER), 1890, A., 1144.

action of sulphuric acid and of aniline on (WACHTER), 1892, A., 1096. p-chloro- (Petrenko-Kritschenko), 1892, A., 1227.

Descloizite from American localities (HILLEBRAND), 1890, A., 341. from Mexico (Penfield), 1884, A., 24.

from New Mexico (GENTH and VOM RATH), 1886, A., 26.

Desiccation of gases (VAN DER PLAATS), 1888, A., 409.

Desiccator for substances sensitive to light (Liebermann), 1888, A., 1155.

vacuum, arranged for evaporation at any temperature (BRUHL), 1891, A., 1152.

Desiccators (FLEISCHER), 1884, A.,

491; (Hempel), 1892, A., 524. Desincrustant Marseillais" (Bell-MER), 1884, A., 1088.

"Desincrustant Ragosine" MER), 1884, A., 1088.

Desmine. See Stilbite.

Desmotropy (Hantzsch and Herr-Mann), 1888, A., 954.

in phenols (Herzig and Zeisel), 1888, A., 822; 1889, A., 247, 966; 1880, A., 243, 1404; 1891, A., 75.

Destinezite (CESARO), 1887, A., 709.

Desylacetic acid. See \$\beta\$-Benzoyl-\$\beta\$phenylpropionic acid.

Desylacetophenone (SMITH), 1890, T.,

648; P., 105. action of phenylhydrazine on (SMITH), 1890, T., 647.

oximes of (SMITH), 1890, T., 650.

Desylamine (NEUMANN), 1890, A., 890. p-Desylanisoil (JAPP and WADSWORTH), 1890, T., 969.

p-Desylphenol (JAPP and WADSWORTH), 1890, T., 965; P., 71.

fusion of, with potash (JAPP and WADSWORTH), 1890, T., 971.

reduction of, with hydriodic acid (JAPP and WADSWORTH), 1890, T., 971.

Desyl-phthalamic acid and -phthalimide (NEUMANN), 1890, A., 890.

Desylpropionic acids, α- and β- (KNOE-VENAGEL), 1888, A., 706.

Detonation in solid and liquid explosives, rate of propagation of (BERTHELOT), 1885, A., 478.

Deuteroalbumose (Kühne and Chit-TENDEN), 1884, A., 1389; (NEU-MEISTER), 1887, A., 285.

Deuterocaseose (CHITTENDEN and PAINTER), 1888, A., 76.

Deuteroelastose (CHITTENDEN and HART), 1889, A., 423.

Deuterogelatose (CHITTENDEN and SOLLEY), 1891, A., 950.

Deuteroglobulose (Kuhne and Chit-TENDEN), 1886, A., 819.

Deuteroglutose (KLUG), 1891, A., 233. Deuteromyosinose (KÜHNE and CHITTENDEN), 1889, A., 423; (CHITTENDEN and GOODWIN), 1891, A., 950.

Deuterovitellose (Neumeister), 1887, A., 286; (Chittenden and Hart-Well), 1891, A., 343.

Developers for photographic plates, action of borax in (MERCIER), 1891, A., 139.

See also Photochemistry.

Development of frogs' spawn, influence of inorganic salts on (RINGER), 1890, A., 393.

Deweylite, analysis of (BRUNNER and SMITH), 1884, A. 663

SMITH), 1884, A., 663.

Dextran, animal (LIEBERMANN), 1888,
A., 177.
formation of (BAUER), 1883, A., 105.

thermochemistry of (Stohmann and Langbein), 1892, A., 764. Dextrin. See Carbohydrates.

Dextrinase (WIJSMAN), 1890, A., 998.

Dextrin syrup, examination of molasses for (WOLFF), 1883, A., 624.

Dextritol (SCHEIBLER and MITTEL-MEIER), 1891, A., 34.

Dextronic acids. See Gluconic acids.

Dextrose (d-glucose, grape sugar). See

Carbohydrates.

Dextrose-anilide (SOROKIN), 1886, A., 526; 1888, A., 808.

Dextrosecarboxylic acid, constitution of (KILIANI), 1886, A., 687.

phenylhydrazide (FISCHER and PASS-MORE), 1890, A., 154.

Dextroseoxime (JACOBI), 1891, A., 664; (WOHL), 1891, A., 813.

Dextroso-cellulose (SCHULZE), 1891, A., 1179; 1892, A., 907.

Diabase from Graveneck, rich in apatite (STRENG), 1884, A., 275.

from Weilburg (WILL and AL-BRECHT), 1883, A., 959. products of the weathering of

(Brauns), 1892, A., 1412.

Diabase porphyrite from Petrosawodsk (v. Vogdt), 1887, A., 454.

Diabetes, action and metamorphosis of some substances in the animal organism in relation to (Albertoni), 1885, A., 683.

artificial production of (LÉPINE and BARRAL), 1892, A., 364.

glycerof and (RANSOM), 1887, A...985. phloridzin (MORITZ and PRAUSNITZ), 1890, A., 1336; (KULZ and WRIGHT), 1890, A., 1337.

variations of glycolytic and saccharific powers of blood in (LEPINE and BARRAL), 1892, A., 517.

Diabetes mellitus, occurrence of hydroxybutyric acid in the urine in cases of (Minkowski), 1885, A., 413.

Diabetic coma and acetonuria (WEST), 1890, A., 399.

Diabetic patient, behaviour of milk sugar in a (Voit), 1892, A., 903.

lævorotatory \$\beta\$-hydroxybutyric acid in the blood of (Hugouneno),1887, A., 986.

α-δ-Diacetadipic acid, salts of (Perkin and Obremsky), 1886, A., 936.

Diacetalamine (WOLFF), 1888, A., 809. Diacetalylthiocarbamide (MARCK-WALD), 1892, A., 1327.

Diacetamide (HENTSCHEL), 1890, A. 1239.

compound of sodium with (Curtius) 1891, A., 58.

Diaceto-m-p-diamidobenzoic acid (Zehra), 1891, A., 304. Diacetamidochrysene (ABEGG), 1891, A., 731.

Diacetohexamidoditolyl (BANKIEWICZ), 1888, A., 1185.

Diacetamidoethenylamidocarvacrol (MAZZARA and PLANCHER), 1892, A., 309.

Diacetamidoethenylamidothymol (MAZZARA), 1891, A., 188.

Diacetamidophenylhydrazine (BISCH-LER and BRODSKY), 1890, A., 151.

p-Diacetodiamidoquinol, chloro-(KEHR-MANN and TIESLER), 1890, A., 243. 2:5-Diacetodiamido-4-quinone,6-chloro-

(Kehrmann and Tiesler), 1890, A., 243.

Diaceto/liamidoquinone (NIETZKI and PREUSSER), 1886, A., 1024.

Diacetodiamidotetrahydroxybenzene (NIETZKI and SCHMIDT), 1888, A., 944.

Diacetodiamidothymol (MAZZARA), 1891, A., 188.

Diaceto-3:4-diamidotoluene (BISTRZYC-KI and ULFFERS), 1890, A., 1115. nitro- and dinitro- (BISTRZYCKI and ULFFERS), 1892, A., 1197.

Diacetin, preparation of (Seclic), 1892, A., 289.

Diacetobenzidine-m-sulphonic acid, sodium salt of (ZEHRA), 1891, A.,

313. m-dinitro- (Zehra), 1891, A., 313.

Diacetobenzyl-p-phenylenediamine (MELDOLA and COSTE). 1889, T., 592.

p-Diaceto-c-bromamidoacetylthymol (MAZZARA), 1890, A., 602. Diaceto-1:2-bromonaphthalide (CLAUS

and PHILIPSON), 1891, A., 461.

Diacetobromotolylenediamine (HART-MANN), 1890, A., 975.

Diaceto-o-diamines (BISTRZYCKI and ULFFERS), 1890, A., 1115; 1892, A., 1197.

Diacetodiphenylpropylamine (FREUND and REMSE), 1890, A., 1423.

Diacetodi-p-tolykliamidomethylene-ophenylenediamide (Moore), 1890, A. 246.

Diacetoditolylethylenediamide, dichloro-(BISCHOFF and NASTYGGEL), 1890, A., 1161.

Diaceto-m-ethoxy-o-phenylenediamide (AUTENRIETH and HINSBERG), 1892, A., 161.

Diacetoethylenediamide (v. HOFMANN), 1888, A., 1050.

Diacetoethylenediamine, dicyano-(Guareschi), 1892, A., 1071.

Diacetoethylenediphenyldiamide (BISCHOFF and NASTVOGEL), 1889, A., 1010, Diacetoformamidide (PINNER), 1883, A., 1099; 1884, A., 722.

Diacetomethylenediamine (PULVER-MACHER), 1892, A., 579.

Diacetonamine and derivatives (Fis-CHER), 1884, A., 53; (WELL), 1886, A., 528.

compounds of, with aldehydes (AN-TRICK), 1885, A., 502.

platinothiocyanate (GUARESCHI), 1892, A., 287.

α-Diacetonaphthalide, o- and p-nitro-(LELLMANN and REMY), 1886, A., 624.

1:4-Diaceto-α-naphthylenediamine and 2-nitro-derivative (KLEEMANN), 1886, A., 472.

Diacetone phosphorus compounds (MICHAELIS), 1885, A., 747.

Diacetonediphenoldihydrazine (Kunze), 1889, A., 263.

Diacetonephenanthraquinone (JAPP), 1883, A., 597.

action of acetic anhydride on (JAPP and MILLER), 1885, T., 15.

Diacetonephenylphosphinic acid (MI-CHAELIS), 1886, A., 609.

Diacetonephosphinic acid (MICHAELIS), 1884, A., 991.

Diacetonephosphorous chloride (MI-CHAELIS), 1884, A., 991.

Diacetonetolylphosphinic acid (MI-CHAELIS), 1886, A., 609.

Diaceto/initramidodiphenylamine (NIETZKI and ERNST), 1890, A., 1114.

Diacetodinitrophenylenediamine (NIETZKI and HAGENBACH), 1887, A., 477.

Disceto-6-nitro-1:3:4-xylidine (Annexs), 1892, A., 1437.

Diacetopentamethylenediamine, dicyano- (Guareschi), 1892, A., 1071.

Diacetophenonecarboxylic acid (GABRIEL), 1885, A., 167.

Diacetophenonethylenediphenyldiamine (GARZINO), 1892, A., 633.

Diaceto-m-phenylenediamine (KELBE), 1883, A., 916.

Diaceto-o-phenylenediamine (BISTRZ-YCKI and ULFFERS), 1890, A., 1115.

αβ-Diacetophenylhydrazide (MICHALL-LIS and SCHMIDT), 1887, A., 366; 1889, A., 1159.

Diacetopropylenediamine (STRACHE), 1888, A., 1172.

Di-ψ-acetopyrroline (CIAMICIAN and DENNSTEDT), 1885, A., 378.

Diacetotetrahydro-1:4-naphthylenediamine (BAMBERGER and BAMMANN), 1889, A., 782; (BAMBERGER and SCHIEFFELIN), 1889, A., 803.

Diacetotolylenediamine (KELBE), 1883, A., 916.

Diacetotrimethylenediamine (STRACHE), 1888, A., 1174.

Diacetoxydiphenyl sulphoxide (SCHALL and UHL), 1892, A., 1077.

Diaceto-m-xylidine (WALLACH), 1890, A., 1315.

Diacetyl. See Dimethyl diketone. Diacetylacetone (Perkin), 1892,

825, 858. refractive and dispersive powers of

(Perkin), 1892, T., 860. chloro- (FEIST), 1892, A., 811.

Diacetylamarine (BAHRMANN), 1883,

A., 799. Diacetylamidoalizarin (ROEMER), 1885,

A., 1069. Diacetyl-1:4-amidonaphthol (GRAND-MOUGIN and MICHEL), 1892, A., 862.

Diacetylamido-naphthyl and -phenyl mercaptans (JACOBSON), 1887, A., 962.

Diacetyl-v-amidophenol. 3-nitro-(Hähle), 1891, A., 430.

Diacetyldiamidophenylazine (NIETZKI and Ernst), 1890, A., 1115.

Diacetyl-o-amidopiperonaloxime (HABER). 1891, A., 706.

Diacetylbenzylpyrroline (CIAMICIAN and SILBER), 1887, A., 843.

Diacetylbrazilein, dibromo- (SCHALL and DRALLE), 1890. A., 997.

Diacetyl/librom-o-toluidide (ABENIUS and WIDMAN), 1889, A., 135.

ωω₁-Diacetylbutane (MARSHALL and PERKIN), 1889, P., 143; 1890, T.,

Diacetylcaproic acid. See Diacetylhexoic acid.

Diacetylcapronamide. See Diacetylhexoic acid, amide of.

Diacetylcarbinylic acetate (Combes), 1891, A., 29.

Diacetylchloralammonia, trimolecular (Schiff), 1892, A., 134.

Diacetylchloranilic acid (NEF), 1890, A., 1271.

Diacetylchlorotribromoquinol (LING), 1887, T., 784.

Diacetyl-m-chlorobromoquinol and diacetyl-p-dichlorobromoquinol(LING), 1892, T., 563, 565.

Diacetyl-m-dichlorodibromoquinol (LING), 1892, T., 580.

Diacetyl-p-dichlorodibromoquinol (LEVY), 1885, A., 1210.

Diacetyltrichlorobromoquinol (LING and Baken), 1892, T., 593.

Diacetyl-m-dichlorobromoquinone (LING), 1892, T., 567.

Diacetyl-n-dichloroquinone (LING), 1892, T., 560.

Diacetylchrysaniline (ANSCHÜTZ), 1884. A., 1034.

Diacetyleupreine (HESSE), 1886, A.,84. (JACKSON Diacetylcurcumin MENKE), 1885, A., 271.

Diacetyl-mono- and -di-cyanhydrins, tetrachloro- (LEVY, WITTE and CURснор), 1890, А., 233.

Diacetyldaphnetin (diacetyldihydroxycommurin) (v. Pechmann), 1884, A., 1174.

acetyl-p-desylphenol (JAPP WADSWORTH), 1890, T., 968. Diacetyl-p-desylphenol

Diacetyldiacetoxystilbenediamine (JAPP and HOOKER), 1884, T., 680,

Diacetyldiamylquinol (KOENIGS

MAI), 1892, A., 1444.

Diacetyldianil. See Dimethyl diketone, diphenylimide of.

Diacetyldicarboxylic acid (FITTIG and DAIMLER), 1887, A., 362; (FITTIG, DAIMLER and KELLER), 1889, A., 490.

aω-Diacetyl-aω-diethylpentane PING and PERKIN), 1890, T., 29, 32.

aω-Diacetyl-aω-diethylpentanedioxime (Kipping and Perkin), 1890, T., 33. Diacetyldiisoeugenol (TIEMANN), 1892,

Diacetyldihydrocollidine (A. and C. Combes), 1889, A., 1073.

Diacetyldihydroxycoumarin. See Diacetyldaphnetin.

Diacetyldihydroxy-p-dimethylthiobenzene (Tassinari), 1889, A., 246. Diacetyldihydroxystilbenediamine

(JAPP and HOOKER), 1884, T., 681, 682.

Diacetyldiketohexamethylenedicarboxylic acid (FEIST), 1892, A., 586. Discetyldimethoxyditolylquinol (Nöl-TING and WERNER), 1891, A., 209.

Discetyldiphenylglyoximes, a and B. (Auwers and Meyer), 1888, A.,

Diacetyldiphenylhydrazoxime (BALT-ZER and V. PECHMANN), 1891, A.,

Diacetylene, diiodo- (v. BAEYER), 1885, A., 1199.

Diacetylenecarboxylic acid (v. BAE-YER, 1885, A., 1199.

Diacetylenedicarboxylic acid (v. BAE-YER), 1885, A., 759. preparation of (v. BAEYER), 1885,

A., 1198.

tert.-Diacetylethylpyrroline (ZANETTI), 1890, A., 1430,

Diacetylisoeuxanthone (v. Kostanecki and Nessler), 1892, A., 504.

Diacetylflavol (Schuler), 1883, A., 74. Diacetylglycerol (Seelig), 1892, A., 288.

αω-Diacetylhexoic acid (diacetylcaproic acid) (KIPPING and PERKIN), 1889, T., 834.

amide of (diacetylcapronamide) (KIP-PING and PERKIN), 1889, T., 342.

Diacetylhydrastineoxime (FREUND), 1889, A., 908.

Diacetylhydrazoxime (v. PECHMANN and WEHSARG), 1889, A., 47.

Diacetylhydro -lapachone and -isolapachone (Paterno and Minunni),1890, A., 1810.

Diacetylhydroxamic acid (HANTZSCH), 1892, A., 699.

Diacetylhydroxyanthranol (LIEBER MANN), 1888, A., 717.

Diacetylic dicyanide, method of preparing (KLEEMANN), 1885, A., 505.

Diacetylindigotin (LIEBERMANN and DICKHUTH), 1892, A., 480.

Diacetylindole (ZATTI), 1889, A., 712. Diacetyldiodoquinol (METZELER), 1888, A., 1278.

Diacetyllupinine (BAUMERT), 1884, A., 1387.

Diacetylmaleinfluorescein (Burck-HARDT), 1886, A., 51.

Diacetylmesoanthramine (GOLDMANN), 1890, A., 1426.

Diacetylmethylhydroxyanthranol (LIEBERMANN), 1888, A., 717.

Diacetylmethylphenylhydrazoxime (Baltzer and v. Pechmann), 1891, A., 1115.

Diacetylmethylpyrroline (CIAMICIAN and SILBER), 1887, A., 843.

Diacetylmorphine, and its derivatives (HESSE), 1884, A., 613.

Diacetyl-α-nitralizarin (Brasch), 1891, A., 1077.

Diacetyldinitrotoluquinol (KEHRMANN and BRASCH), 1889, A., 970.

Diacetyloctylthiophen (v.Schweinitz), 1886, A., 535.

Diacetylosazone, preparation of (v. Pechmann), 1888, A., 1287.

Diacetylosotetrazone (v. Pechmann), 1888, A., 1288.

Diacetyloxalenediamidoxime (ZINKEI-SEN), 1890, A., 123.

Diacetyl-o-oxybenzylidenephenylhydrazine and its derivatives (Ros-SING), 1885, A., 389.

Diacetyl-p-oxydiphenylamine (PHILIP and CALM), 1885, A., 156.

Di-p-acetyloxyisohydrobenzoin (Tur-MANN), 1886, A., 460.

Diacetylpentamethylpararosaniline (FISCHER and KORNER), 1884, A., 607.

αα'-Diacetylpentane, action of reducing agents on (ΚΙΡΡΙΝG and ΡΕΡΚΙΝ), 1891, T., 214; P., 24.

αω-Diacetylpentane (KIPPING and PERKIN), 1889, T., 330, 335; P., 79.

action of dehydrating agents on (KIPPING and PERKIN), 1889, P., 143; 1890, T., 13.

action of reducing agents on (KIPPING and PERKIN), 1889, P., 145.

condensation products of (Kipping and Perkin), 1890, T., 26.

αω-Diacetylpentanedioxime (ΚΙΡΡΙΝΟ and PERKIN), 1889, T., 337.

Diacetylphenanthraquinonedioxime (Auwers and Meyer), 1889, A., 1202.

Diacetylphenylamidophenol (Lim-PRICHT), 1890, A., 159.

Diacetylphenylhydrazoacetoxime
(BALTZER and V. PROHMANN), 1891

(BALTZER and V. PECHMANN), 1891, A., 1115. Diacetylphenylimidophenol (Selferi).

1890, A., 490.

Diacetylphenyllactamidine (PINNER),

1891, A., 63.

Diacetylpiperazine (SCHMIDT and

WICHMANN), 1892, A., 211.

Diacetyl-m-propenylcatechol (CIAMI-

CIAN and SILBER, 1892, A., 973. Diacetylpyromecazonic acid (Ost),

1883, A., 791.

Di-ψ-acetylpyrroline. See Dimethylpyrrylene diketone.

Diacetylquinol (SCHEID), 1884, A., 430.

chloro- (SCHEID), 1884, A., 430. thio- (Leuckart), 1890, A., 604.

Diacetylresorcinol (TYPKE), 1883, A., 917.

nitro- (Errera), 1886, A., 51.

Diacetyl-β-resorcylonitrile (MARCUS), 1892, A., 317.

Diacetylrubbadin (SCHALL and UHL), 1892, A., 1076. Diacetylsaccharic acid, lactone of

(MAQUENNE), 1888, A., 676.

Diacetylsafranine hydrochloride (NIET-

ZKI), 1883, A., 732. Diacetylsalicenylamidoxime (Spilker), 1890, A., 143.

Diacetylsuccinenediamidoxime (SEM-BRITZKI), 1890, A., 125.

Diacetylsuccinic acid (Knorn), 1889, A., 386. Diacetyltartaric acid, stereochemistry of (Colson), 1892, A., 669, 758; (GUYE), 1892, A., 759.

Diacetyltartaric derivatives, rotatory power of (LE BEL), 1892, A., 669.

Diacetyltetramethylenedicarboxylic acid [1,2,1,2] (PERKIN), 1887, T., 26.

Diacetyl-p-tolylosazone (JAPP KLINGEMANN), 1888, T. 543.

Diacetyltriphenodioxazine (SEIDEL), 1890, A., 491.

Diadelphite (hæmatolite) (Sjögren). 1885, A., 960; (BERTRAND), 1886, A., 601.

Diadochite from Visé (CESARO), 1888,

A., 233. from Vysočany, Bohemia (Kovář), 1890, A., 715.

isoDialdane (LOBRY DE BRUYN), 1885, A., 240.

Dialdehydes, action of hydroxylamine and phenylhydrazine on (MUNCH-MEYER), 1887, A., 482.

action of methylhydrazine on (Kohl-RAUSCH), 1890, A., 24.

Dialkylanilines, nitroso-, periodides of

(DAFERT), 1883, A., 979. as-Dialkylcarbamides (VANDER ZANDE), 1889, A., 962.

Dialkyleyanothiocarbamides (HECHT), 1890, A., 1103.

Dialkyldisulphisethionic acids GELCKE), 1883, A., 972.

Dialkyldisulphobenzoates (STENGEL), 1883, A., 999.

Dialkylphthalides, synthesis (Котне), 1889, А., 257.

Dialkylsuccinic acids, isomeric (BIS-

CHOFF), 1888, A., 254.

Diallage, from Lower Silesia, analysis of (TRAUBE), 1886, A., 212.

chemical composition of (CATHREIN), 1883, A., 1068.

Diallyl (hecinene) (Sabanéeff), 1885, A., 495.

isomeric change in (FAWORSKY), 1891, A., 1331.

first oxide of a tetrahydric alcohol from (Reformatsky), 1890, A.,

hydrolysis of (BEHAL), 1888, A., 241.

oxidation of (WAGNER), 1889, A.,

derivatives of (CIAMICIAN), 1890, A.,

Diallyl tetrabromides (CIAMICIAN and ANDERLINI), 1890, A., 20; (WAG-NER), 1890, A., 223.

dioxide (Przybytek), 1885, 741.

Diallylacetic acid (octinoic acid), molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

magnetic rotation of (PERKIN), 1886, T., 212; P., 153.

Diallylacetone (Volhard), 1892, A., 435.

Diallylacetonedicarboxylic acid (Vol-HARD), 1892, A., 435.

Diallylamine, action of sulphuric acid on (LIEBERMANN and HAGEN), 1883, A., 1086.

Diallylcarbinol, composition of a byeproduct obtained in the preparation of (Schestakoff), 1885, A., 237.

first oxide of the pentahydric alcohol from (REFORMATSKY), 1890, A.,

pentatomic alcohol and unsaturated (DUBINEWITCH), glycerol from ĭ890, A., 729.

Diallylethylenedithiocarbamide (LELL-MANN and WURTHNER), 1885, A., 978.

Diallylmalonic acid (PERKIN), 1886, T., 209, 211.

Diallyloxalic acid and its derivatives (SCHATZKI), 1885, A., 511; 1887, A., 361.

action of sulphuric acid on (BULITSCH), 1888, A., 450.

oxidation of (Bulitsch), 1888, A., 449.

Diallylthiocarbamide (HECHT), 1890, A., 477.

Diallyldithiotetrahydrotriazole (HEC-TOR), 1892, A., 292.

Dialuric acid, thio- (Trzerński), 1883, A., 914.

isoDialuric acid (Behrend ROOSEN), 1888, A., 581.

Dialysis, chloroform-water and ether in (v. Štruve), 1884, A., 375. electrical (WARREN), 1888, A., 1235.

Diamarine silver nitrate (CLAUS and Kohlstock), 1885, A., 1132.

Diameters of molecules, relation of (SCHALL), 1885, A., 1182.

Diamide and diamidogen. See Hydr-

Diaminechromium cadmium thiocyanate (Christensen), 1892, A., 1002.

hydrogen thiocyanate, compounds of, with nitrogenous bases (Christensen), 1892, A., 1000.

Diaminechromiumthiocyanate. monium salt of (CHRISTENSEN), 1892, A., 798.

Diamine-compounds, metallic (JÖRGEN-SEN), 1889, A., 351; 1890, A., 953.

Diamines (ptomaines) in cystinuria (v. Udránszky and Baumann), 1889, A., 1024; 1891, A., 350.

in diseases (Roos), 1892, A., 518. action of diketones on (COMBES),

1889, A., 851.

behaviour of, towards nitrous acid (LADENBURG), 1884, A., 738.

aromatic, general method for determining the constitution of (Lell-Mann), 1885, A., 976; 1886, A., 625.

difference in chemical behaviour of (LELLMANN), 1884, A., 49.

action of cyanogen on (BLADIN), 1885, A., 256.

action of, on sugars (GRIESS and HARROW), 1888, A., 267.

action of thiocyanates on (LELL-MANN), 1884, A., 49.

synthesis of mixed azo-dyes from (Linge), 1886. A., 886.

cyanogen compounds of (BLADIN),

1885, A., 784.
fluorescent derivatives of (Schiff and Vanni), 1890, A., 138; (v. Miller), 1891, A., 1108.

reagent for (HINSBERG), 1885, A., 934.

fatty and, chemical behaviour of (Lellmann and Wurthner), 1885, A., 977.

fatty, anhydro-bases from (v. Hof-MANN), 1888, A., 1050.

benzoic chloride as a reagent for (v. Udránszky and Baumann), 1888, A., 1296.

primary, action of ethyl chloracetate on (ZIMMERMANN and KNYRIM), 1887, A., 97.

secondary, containing an ethylenegroup (Colson), 1888, A., 684.

o-Diamines (FISCHER), 1892, A. 1472.

action of acid chlorides on (BISTRZYCKI and CYBULSKI), 1891, A., 694.

action of aromatic carbodiimides on (Keller), 1891, A., 1468.

action of carbonyl chloride on (HART-IANN), 1890, A., 975.

ac on of dioxyquinones on (NIEIZKI nd HASTERLIK), 1891, A., 944. ac on of formaldehyde on (FISCHER

ac_on of formaldehyde on (Fischier and Wreszinski), 1892, A., 1496. action of quinones on (Leicester), 1890, A., 1445.

oxidation of (Kehrmann), 1889, A., 1154.

oxidation products of (FISCHER and HEPP), 1890, A., 1444. o-Diamines, constitution of the compounds obtained from α-hydroxyacids and (HINSBERG), 1892 Λ., 1359.

formation of azines from polyamines and (NIETZKI), 1890, A., 178.

Ladenburg's method of distinguishing (MAZZARA and LEONARDI), 1891, A., 1354.

p-Diamines, oxidation of (MELDOLA and EVANS), 1889, P., 115.

Diamond, occurrence of, in Borneo (Posewitz), 1886, A., 674.

presence of, in an Indian pegmatite (CHAPER), 1884, A., 563.

discovery of, in meteoric iron (FOOTE), 1892, A., 284.

from Russel Co., Kentucky (Kunz), 1890, A., 337.

nature of (Khause), 1890, A., 1210.
dispersion equivalent of (Schrauf),

1885, A., 14. specific heat of (CARBONELLI), 1892, A., 761.

phosphorescence of (CROOKES), 1887, A., 1067.

artificial conosion of (Luzi), 1892, A., 1394.

carburation of iron by (Osmond), 1891, A., 807.

combustion of (FRIEDEL), 1884, A., 1090.

Diamond-bearing rocks of South Africa (Roscoe), 1885, A., 131.

Diamond-fields of South Africa, minerals and rocks of (KNOP), 1891, A., 25.

Diammonium salts. See Hydrazine, salts of.

Diamyl (n-decane) (Lachowicz), 1884, A., 166.

Dissamyl (decane) (LACHOWICZ), 1884, A., 166.

complete chlorination of (HART-MANN), 1891, A., 811.
Diisoamylacetal (CLAUS and TRAINER),

1887, A., 231.

Diamylamine hydrochloride (Berg),

1891, A., 169. Diamylamine, chloro- (BERG), 1890, A.,

action of sodium and potassium cyanide on (BERG), 1892, A., 804.

Diamylanilineazyline (LIPPMANN and FLEISSNER), 1883, A., 55, 185.

Dissamylbenzene, dispersion and molecular refraction of (Costa), 1890, A., 1201.

Diisoamylbismuthine bromide (MAR-QUARDT), 1888, A., 1067.

Diamyleyanamide (BERG), 1892, A., 804.

Diamyldihexylphenanthroline (v. MIL-LER), 1891, A., 1104.

1 4-Diisoamyldioxybenzene (KOENIGS and MAI), 1892, A., 1444.

Diamylene. See Decylene.

Diisoamylhydroxypropylenediamine, synthesis of (Louise), 1889, A., 118. Diamyloxamide (FREUND and LENZE),

1890, A., 1388; (BERG), 1891, A.,

Diamylpyrocatechol (Koenigs and Mai), 1892, A., 1445.

Diamylpyrogallol (Koenigs and Mai), 1892, A., 1445.

Diamylquinol and diamylquinolphenylcarbamate (Koenigs and Mai), 1892, A., 1443, 1444.

Diamylquinone (Koenigs and Mai), 1892, A., 1444.

Diamylresorcinol (KOENIGS and MAI), 1892, A., 1444.

dispersion and molecular refraction of (Costa), 1890, A., 1201.

Dissoamylselenocarbamide and u-dissoamylthiccarbamide (SPICA and CAR-RARA), 1892, A., 216.

Diamylsulphonamic acid (TRAUBE), 1891, A., 569.

Diamylsulphone, action of chlorine on (SPRING and WINSSINGER), 1884, A., 1127.

Diisoamylsulphonedimethylmethane

(STUFFER), 1891, A., 180. Diamyldithioxamide (WALLACH and REINHARDI), 1891, A., 1008.

Dianhydrolupinine (BAUMERT), 1883, A., 100.

Dianildicyandiamide (PELLIZZARI and Tivoli), 1892, A., 1323.

See Dianilidopropyl Dianilglycerol. alcohol.

p-Dianilidobenzene, derivatives (Brunck), 1892, A., 1450.

Dianilido-o-diazothiole (HECTOR), 1889, A., 872; 1890, A., 526. cyanide (HECTOR), 1889, A., 872.

Dianilidodicarboxylic acid (LOEWEN-HERZ), 1892, A., 1464.

Dianilidodimethenyldiamidoresorcinol (Jacobson and Schencke), 1890, A., 248.

3:6-Dianilido-2-ethoxy-1:4-quinone, 5chloro- (KEHRMANN), 1891, A., 903.

Dianilidohydroxybenzene (MINUNNI), 1891, A , 191.

Dianilidomethylbromacetoacetic (REISSERT), 1890, A., 642. Dianilidomethyldichloracetoacetic acid

(Reissert), 1890, A., 643. 2:2'-Dianilidonaphthalene (CLAUSIUS), 1890, A., 629,

p-Dianilidonaphthalene and dianilidonaphthaquinone (FISCHER and HEPP), 1890, A., 911.

 $p ext{-} extbf{Diamilido} di ext{-}m ext{-} ext{nitrobenzophenone}$ (Schopff), 1892, A., 336.

Dianilidophenylquinoneimide, (Andresen), 1884, A., 431.

Dianilido-o-phosphoric acid (MICHAELIS and v. Soden), 1885, A., 1134.

Dianilidophthalyldiamide (Horte). 1887, A., 670.

Dianilidopropyl alcohol (dianilglycerol) (FAUCONNIER), 1888, A., 586, 1281.

Dianilidopyruvic acid, tribromo- (Bor-TINGER), 1891, A., 1054.

2:5-Dianilidoquinone (ZINCKE), 1883, A., 1117; (NIETZKLand SCHMIDT), 1889, A., 968.

derivatives of (ZINCKE), 1883, A., 1117.

Dianilidoquinoneanilide (ZINCKE), 1885, A., 787; (Fischer and Hepp), 1891, A., 1046.

synthesis of (v. Bandrowski), 1888, A., 1081.

Dianilidosuccinanilide, acetyl-derivatives of (Polikier), 1892, A., 55.

Dianilidosuccinic acid (GORODETZKY and HELL), 1888, A., 952.

Dianilidotoluquinone, and derivatives of (ZINCKE), 1883, A., 1118.

Dianilido-p-xyloquinone (Pflug), 1890, A., 606.

Dianisidine (Hirsch), 1889, A., 511. Dianisylamine (STEINHART), 1888, A.,

Dianisylarsine chloride (MICHAELIS and WEITZ), 1887, A., 367.

Dianisyldinitrosacyl (HOLLEMAN), 1892, A., 971.

Dianisylguanidine (Forkster), 1888, A., 945.

Dianisylhydroxyvaleric acid (FITTIG and Politis), 1890, A., 772.

Dianisyl-pentalactone and -bromopentalactone (FITTIG and POLITIS), 1890, A., 772.

Dianisylpentolic acid (FITTIG), 1890, A., 584; (Firrig and Politis), 1890.

Dianisylpentylenic acid (FITTIG and Politis), 1890, A., 771.

Dianisyltetrylene (FITTIG), 1890, A., 584; (Firm and Poliris), 1890, A., 772.

Dianisylthiocarbamide (Goldschmidt and Polonowska), 1887, A., 1041.

Dianisylthiohydantoin (FOERSTER), 1888, A., 946.

Dianthramine (Bollert), 1883, A., 1139.

Dianthraminemethenylamidine (Bol-LERT), 1883, A., 1140.

Dianthranyl (dianthryl) (SCHULZE), 1886, A., 248.

preparation of (LIEBERMANN and GIMBEL), 1887, A., 965.

boiling point of (SCHWEITZER), 1891, A., 1240.

action of chlorine and of bromine on (SACHSE), 1888, A., 718. derivatives (GIMBEL), 1887, A., 1049.

derivatives (GIMBEL), 1887, A., 1049. tetrahydride (SACHSE), 1888, A., 1201; 1890, A., 638.

1890, A., 638.

Dianthranyl, dibtomo- (LIEBERMANN and GIMBEL), 1887, A., 965; (SACHSE), 1888, A., 1201; 1890, A., 638.

Cotchiomide (SACHSE) 1890 A

octobiomide (SACH-E), 1890, A., 638.

hexabromo- (Sauhse), 1890, A., 638.

dichloro- (SACHSE), 1888, A., 1201; 1890, A., 638.

octochloride (SACHSE), 1890, A., 638.

hexachloro- (SACHSE), 1890, A., 638.

Diantipyrin (KNORR), 1884, A., 1379. Diaptomus, colouring matter analogous to carrotene from (BLANCHARD), 1890, A., 640.

Diarabinantrigalactangeddic acid (O'SULLIVAN), 1891, T., 1038.

Diarrhœa, sulphates and ethereal hydrogen sulphates in urine during (Bartoschewitsch), 1892, A., 1505. Diaspore (empholite) (Schubert), 1883,

A., 35.

from Colorado (Cross), 1891, A., 1828.

from Wermland (IGELSTROM), 1886, A., 31; (NORDENSKIOLD), 1889, A., 220. from Newlin, Pa. (DANA), 1887, A.,

343. from Sweden (IGELSTROM), 1885, A.,

from Sweden (IGELSTROM), 1885, A. 31.

Diastase. See Enzymes.

Diastatic action (LINTNER), 1886, A., 386; (DUGGAN), 1886, A., 483; (MORITZ), 1892, T., 689. of saliva (Schlesinger), 1891, A., 1522.

Diastatic ferments. See Ferments.

Diathermanous power, refractive index,
density and molecular weight of a
substance, relation between (AYMONNET), 1892, A., 1.

Diauromethylamine (RASCHIG), 1887, A., 112.

p-Diazine. See Pyrazine.

Diazinedicarboxylic acid (STORIER), 1892, A., 507.

Diazinenaphthoic acid sulphide (EK-STRAND), 1889, A., 153.

m-Diazines (pyrimidines, cyanalkines)
(PINNER), 1885, A., 751; 1886, A.,
45; 1887, A., 1053; 1889, A., 1004,
1006; 1890, A., 69; (v. Meyer),
1890, A., 68; (Schwarze), 1890,
A., 1158.

tairachloro- (Clamician and Mag-NAGHI), 1886, A., 226. Diazo-compounds. See under Azo-.

Diazo-compounds. See under Azo Dibenzal-. See Dibenzylidene-.

Dibenzamide (GUMPERT), 1885, A., 53; (KRAFFT), 1890, A., 1289.

silver compound of (KRAFFI), 1890, A., 1289.

sodium compound of (Currius), 1891, A., 58.

Dibenzamide, imido- (Krafft and Karstens), 1892, A., 713. m-nitro- (Lossen), 1892, A., 52.

p-nitio- (HAFNER), 1890, A., 486. Dibenzamidodiethylic disulphide (Cob-LENTZ and GABRIEL), 1891, A., 817.

Dibenzamidodihydroxytetrene (Rudhelmer), 1889, A., 249, 391.

Dibenzamidoethylpiperonylcarboxylic acid (Perkin), 1890, T., 1059.

o-Dibenzamidotoluene, nitro- (BI-STRZYCKI and ULFFERS), 1892, A., 1197.

Dibenzanilide (COHEN), 1890, P., 162; 1891, T., 67.

Dibenzdiamidylcarbamide (PINNER), 1891, A., 60.

Dibenzenesulphone-diphenetidine and p-phenylenediamine (HINSBERG), 1892, A., 65.

Dibenzenesulphone-o-tolylenediamine (HINSBERG), 1892, A., 66.

Dibenzenylazosulphime (v. HOFMANN and GABRIEL), 1892, A., 1109.

Dibenzenyldiazoximeoxalene (Wurm), 1890, A., 259.

Dibenzenylethyleneamidoxime(FALCK), 1886, A., 797.

Dibenzenylpiperidine (Rughelmer), 1891, A., 1246.

Dibenzhydroxamic acid (MULLER), 1883, A., 1130.

Dibenzimidine (PINNER), 1885, A., 158; 1892, A., 1110.

Dibenzimidinesulphonic acid (PINNER), 1885, A., 158.

Dibenzimido-oxide (GUMPERI), 1885, A., 53.

Dibenzobenzidine (STERN), 1884, A., 1015.

Dibenzobenzyl-m-phenylenediamine (Meldola and Coste), 1889, T., 598.

Dibenzobenzyl-p-phenylenediamine (MELDOLA and Coste), 1889, T., 592. Dibenzobromotolylenediamine (HART-

MANN), 1890, A., 976. Dibenzocarbamide (HOLLEMAN), 1891,

A., 65, 446.

«S-Dibenzocarbamide (Buddéus), 1890,

A., 1258.

Dibenzodicinnylenediamine (JAPP and WYNNE), 1886, T., 469.

Dibenzodihydroxystilbenediamine, and its dibenzoyl derivative (JAPP and HOOKER), 1884, T., 681, 684.

Dibenzodimethyl/liamidobenzophenone (NATHANSON and MULLER), 1889, A., 1188.

Dibenzoethylenephenyldiamine (NEW-MAN), 1891, A., 1207.

s-Dibenzohydrazine (Currius), 1891, A., 56.

Dibenzomethylenediamine (hipparaffin) (KRAUT and SCHWARTZ), 1884, A., 838.

Dibenzomethylenic glycol (DE NEUF-VILLE and V. PECHMANN), 1891, A., 319.

Dibenzomethylhydrazine (v. Bruning), 1890, A., 23.

Dibenzo-as-naphthylenediamine (HINS-BERG and V. UDRÁNSZKY), 1890, A., 870.

Dibenzopentamethylenediamine (v. Udranszky and Baumann), 1888, A., 1297.

Dibenzo-o-phenylenediamine (HINS-BERG and V. UDRANSZKY), 1890, A., 370.

Dibenzo-\(\psi\)-phenylhydrazidomandelic acid (REISSERT and KAYSER), 1891, A., 438.

Dibenzophenylhydrazines, isomeric (Michaelis and Schmidt), 1887, A., 365.

Dibenzophenylmethylhydrazine (TAFEL), 1885, A., 1060.

Dibenzopropylenediamine (STRACHE), 1888, A., 1173.

Dibenzosalicylin (FRITSCH), 1891, A., 708.

Dibenzo-o-tolylenediamine (HINSBERG and v. Udránszky), 1890, A.,

Dibenzotrimethylenediamine (STRACHE), 1888, A., 1174.

Dibenzotrimethylenephenyldiamine (BALBIANO), 1890, A., 1244.

Dibenzoyl, See Benzil.

Dibenzoyl ketone. See Diphenyl triketone.

Dibenzoylacetic acid (v. BAEYER and PERKIN), 1884, A., 64; (PERKIN), 1885, T., 246.

action of hydroxylamine on (Perkin and Stenhouse), 1891, T., 1004; P., 42.

reduction of (PERKIN and STEN-HOUSE), 1891, T., 1001.

decomposition products of (PERKIN), 1885, T., 249.

salts of (Perkin), 1885, T., 246.

Dibenzoylacetone (FISCHER and Bu-Low), 1885, A., 1237.

Dibenzoylacetonitrile (v. MEYER), 1890, A., 1251.

Dibenzoylamylenenitrolamine (WAL-LACH and WAHL), 1891, A., 1005.

Dibenzoylelibromoeliamidophenyl. See Bisbenzobromamidophenyl.

Dibenzoylbromocarbinylic acetate (DE NEUFVILLE and V. PECHMANN),1891, A., 318.

Dibenzoyldibromomethane (DE NEUF-VILLE and v. PECHMANN), 1891, A., 318.

Dibenzoylcarbinylic acetate (DE NEUF-VILLE and v. PECHMANN), 1891, A., 318.

Dibenzoyleinnamenimide (JAPP and KLINGEMANN), 1890, T., 692.

erystallography of (TUTTON), 1890, T., 718.

dibromide (JAPP and KLINGEMANN), 1890, T., 693. Dibenzoyl-ψ-cumidide(Fröhlich),1884,

A., 1319.

Dibenzoyldaphnetin (v. Pechmann),

1884, A., 1174.

Dibenzoyldiacetylethane (FISCHER and Bülow), 1885, A., 1237.

Dibenzoyldiisoeugenol (TIEMANN), 1892, A., 46.

Dibenzoyldihydroxyanhydroecgonine, derivatives of (EINHORN and RASsow), 1892, A., 1016.

Dibenzoyldi-o-hydroxystilbene (HAR-RIES), 1892, A., 168.

Dibenzoyldisulphydronaphthalene (benzoyldithiomephthol) (GROSJEAN), 1890, A., 1306.

Dibenzoylethane (Culmann), 1890, A., 1269.

Dibenzoylglutazine (v. PECHMANN), 1888, A., 68.

Dibenzoyl-p-hydroxybenzenylamidoxime (KRONE), 1891, A., 700.

Dibenzoylhydroxytolenylamidoxime (dibenzoylsalicenylamidoxime) (SPIL-KER), 1890, A., 143. Dibenzoyl-o-hydroxytolenylamidoxime (dibenzoyl-o-homosalivenylamidoxime) (PANCHEN), 1892, A., 320.

Dibenzoyl-p-hydroxytolenylamidoxime (dibenzoyl-p-homosalwenylamidoxime) (Guldbeck), 1892, A., 319.

Dibenzoylmesitylene (Louise), 1884, A., 904.

Dibenzoylmethane (diphenylmethylene diketone) (v. BAEYER and PERKIN), 1884, A., 64.

preparation of (PERKIN), 1885, T., 246, 249.

nitroso- (v. Pechmann), 1889, A., 712; (de Neufville and v. Pechmann), 1891, A., 318.

Dibenzoylmethylenic bromide (v. Pech-MANN), 1889, A., 712.

Dibenzoylmethylic bromide (v. Pech-MANN), 1889, A., 712; (DE NEUFVILLE and v. Pechmann), 1891, A., 318.

Dibenzoyl/initro-m-hydroxyphenyl-ptolylamine (HATSCHEK and ZEGA), 1886, A., 456.

Dibenzoyl-p-oxydiphenylamine and its dinitro-compound (Philip and Calm), 1885, A., 156.

αω-Dibenzoylpentane (KIPPING and PERKIN), 1889, T., 330, 347, 348; P., 80.

action of dehydrating agents on (Kipping and Perkin), 1890, T., 27. Dibenzoylpentanedioxime (Kipping

Dibenzoylpentanedioxime (KIPPING and PERKIN), 1889, T., 349.

2:4-Dibenzoyl-1-phenyl-3-5-pyrazolidone (MICHAELIS and BURMEISTER), 1892, A., 1005.

2.4-Dibenzoyl-1-phenyl-3-methylpyrazolone (NEF), 1892, A., 146.

Dibenzoylphloroglucinols, isomeric (SKRAUP), 1889, A., 1152.

Dibenzoylpyridine (RUGHEIMER), 1892, A., 1365.

Dibenzoylquinhydrone (KLINGER and STANDKE), 1891, A., 900.

Dibenzoylresorcinols, mono- and trinitro- (ERRERA), 1886, A., 50, 51.

nitro- (ERRERA), 1886, A., 50, 51.
Dibenzoylstilbene, action of alcoholic
ammonia on (Klingemann and
Laycock), 1891, T., 142.

action of methylamine on (KLINGE-MANN and LAYCOCK), 1891, T., 146. action of phenylhydrazine on (KLINGE-MANN), 1892, A., 995.

Dibenzoylstilbenimide (KLINGEMANN and LAYCOCK), 1891, T., 144.

as-Dibenzoylstyrene (anhydracetophenonebenzil) (Japp and Burton), 1887, T., 429; P. 32; (Japp and Klingemann), 1889, P., 136, 139; 1890, T., 662. αβ-Dibenzoylstyrene (anhydracetophenonehenzil), preparation of (JAPP and KLINGEMANN), 1890, T., 672.

erystallogiaphy of (Tutton), 1890, T., 715.

action of heat on (JAPP and KLINGE-MANN), 1890, T., 677.

distillation of (JAPP and KLINGE-MANN), 1890, T., 685.

action of bromine on (JAPP and KLINGEMANN), 1890, T., 711.

action of hydroxylamine on (JAPP and KLINGEMANN), 1890, T., 710.

action of phenylhydrazine on (JAPP and HUNTLY), 1888, T., 184; (JAPP and KLINGEMANN), 1890, T., 708. nitro- (JAPP and KLINGEMANN), 1890,

T., 676.

isoDibenzoylstyrene (isodibenzoylcinnamene) (JAPP and KLINGEMANN), 1889, P., 139; 1890, T., 707.

Dibenzoylstyrenehydrazone (JAPP and KLINGEMANN), 1889, P., 141.

Dibenzoylsuccinic acid, mono- and dilactones of (v. BAEYER and PERKIN), 1884, A., 839.

Dibenzyl. See s-Diphenylethane.

Dibenzyl-derivatives, formation of (POPPE), 1890, A., 504.

Dibenzyl dibenzyl ketone (RATTNER), 1888, A., 704.

Dibenzyl ketone (Young), 1891, T., 621; P., 119; (v. Bogdanowska), 1892, A., 851.

vapour pressures of (Young), 1891, T., 626; P., 119.

bromo-derivatives of (BOURCART), 1889, A., 884.

Dibenzyl oxide (Lowe), 1887, T., 700. Dibenzylacetamide (Schneidewind), 1888, A., 705.

Dibenzylacetic acid (MICHAEL and PALMER), 1885, A., 987; (BISCHOFF and V. KUHLBERG), 1890, A., 1135.

Dibenzylacetonitrile (SCHNEIDEWIND), 1888, A., 705.

Dibenzylacetoacetic acid (FITTIG and CHRIST), 1892, A., 963.

Dibenzylacetone and dibenzylacetonedicarboxylic acid (Dunschmann and v. Pechmann), 1891, A., 674.

Dibenzylacetoxime (RATTNER), 1888, A., 704.

Dibenzylalsorbite (MEUNIER), 1890, A., 731.

Dibenzylamarine and its iodides (CLAUS), 1883, A., 203.

Dibenzylamidoindamine (MELDOLA and COSTE), 1889, T., 598. Dibenzyldiamidophenazine (MELDOLA and COSTE), 1889, T., 599.

353 23

Dibenzylamidosulphonic acid (SCHMIDT), 1892, А., 476.

Dibenzylamine and its derivatives (WALDER), 1886, A., 796; 1887, A., 246.

nitrate (SCHMIDT), 1892, A., 476. thiocyanate (SALKOWSKI), 1891, A., 1474.

o-dichloro-p-dinitro-Dibenzylamine (WITT), 1892, A., 445.

o-dicyano- (DAY and GABRIEL), 1890, A., 1251.

nitroso- (WALDER), 1887, A., 247. Dibenzylaniline and its derivatives (Matzudaira), 1887, A., 812. o-dichloro-p-dinitro- (WITT), 1892, A., 445.

Dibenzylanthracene hydride and dibenzylanthrone (HALLGARTEN), 1888, A., 1202.

Dibenzylarsine trichloride (MICHAELIS and Paetow), 1885, A., 526.

Dibenzylarsinic acid (MICHAELIS and Paetow), 1885, A., 527.

as-Dibenzylazine (Currius and Thun), 1891, A., 1357.

Dibenzylbenzene, m-dinitro- (BECKER), 1883, A., 203.

p-dinitro- (BASLER), 1884, A., 310. Dibenzylbromobenzeneazoammonium chloride (BEHREND and LEUCHS), 1889, A., 502.

(HAM-Dibenzylisobutylcarbamide MERICH), 1892, A., 1083.

benzylcarbamic chloride MERICH), 1892, A., 1083. (Ham-Dibenzylcarbamic

Dibenzylcarbamide, p-dinitro-NER), 1889, A., 982. (HAF-

Dibenzylcarbinol (v. Bogdanowska), 1892, A., 851; (Noves), 1892, A., 1094. Dibenzylcarbinylamine (Noves), 1892, A., 1093.

Dibenzylcarbinylaminedibenzylcarbinaminethiocarbamate (Noves), 1892, A., 1094.

Dibenzyl-o-carboxylic acid. See Diphenylethane-o-carboxylic acid.

Dibenzylcyanocarbamide argentocyanide (Hammerich), 1892, A., 1084.

Dibenzyldi-o-carboxylic acid. Diphenylethanedi-o-carboxylic acid. Dibenzyldiethyldiamidotriphenyl-

methane (FRIEDL'INDER), 1889, A., 606; (Philips), 1889, A., 1158.

Dibenzyldiethylphosphonium chloride (Collie), 1888, T., 724.

Dibenzyldimethylthiocarbamides and p- (KRÖBER), 1890, A., 968.

Dibenzyldimethylammonium chloride (JACKSON and WING), 1887, A., 722.

Dibenzyldiisoquinoline (Krauss), 1891, A., 86.

Dibenzylditolylcarbamide (Ham-

MERICH), 1892, A., 1083. Dibenzylethylamine (WALDER), 1887, A., 813; (KRAFT), 1891, A., 51.

Dibenzylethylphosphine (Collie), 1888, T., 725.

Dibenzylglycollic acid (oxytolylic acid), products of the reduction and oxidation of (SPIEGEL), 1884, A., 841.

Dibenzylglycosine (JAPP and CLEMIN-SHAW), 1887, T., 555.

a-Dibenzylhomo-o-phthalbenzylimide (Pulvermacher), 1887, A., 1112.

a-Dibenzylhomo-o-phthalic anhydride, and'-o-phthalimide (PULVERMACHER), 1887, A., 1111.

Dibenzylhydrazine hydrochloride (Cur-TIUS and JAY), 1889, A., 393.

Dibenzylhydroxylamine (Schramm), 1884, A., 51; (BEHREND and LEUCHS), 1889, A., 704.

derivatives (WALDER), 1886, A., 796; 1887, A., 246, 813.

Dibenzylhydroxylamine, nitro-, oxida-tion of (Behrend and König), 1892, A., 1456. nitroso- (Walder), 1887, A., 246.

Dibenzylic sulphide, platinum compounds (SÖNDAHL), 1889, A., 368. disulphide, di-o-cyano- (DAY and GABRIEL), 1890, A., 1251.

ono- and di-sulphides, o-nitro-(JAHODA), 1890, A., 487, 488.

See Distyryl Dibenzylideneacetone. ketone.

Dibenzylidene@iamidodiphenylamine (MELDOLA and Coste), 1889, T.,

Dibenzylidene-p-diamidodiphenylmethane (GRAM), 1892, A., 618.

Dibenzylidene-2:6-dimethylpyridine (dibenzylidenc-2:6-lutidine) (Schus-TER), 1892, A., 1361.

Dibenzylidenediphenyline (REULAND), 1890, A., 166.

βδ-Dibenzylidenelevulinic acid (dibenaallevulinic acid) (Erdmann), 1890, A., 1129.

Dibenzylidenenitrotolidine (LOEWEN-HERZ), 1892, A., 852.

Dibenzylidenepimelic acid (dibenzalpimelic acid) (PERKIN and PRENTIUE), 1891, T., 850.

Dibenzylidenepropylenediamine (STRACHE), 1888, A., 1173.

Dibenzylidenestilbenediamine (Gross-MANN), 1889, A., 1191.

Dibenzylidenedithioxamide and dinitroderivative of (EPHRAIM), 1891, A., 831. Dibenzylidenethylenediamine (MASON), 1887, A., 493.

Dibenzylmalonic acid (PERKIN), 1885, T., 821; (Bischoff and Siebert), 1887, A., 952; (Bischoff and v. Киньвикс), 1890, А., 1134.

preparation and nitration of (SIMON-Тиомая), 1888, А., 479.

Dibenzylmethylamine, m-nitro- (Borg-MANN), 1886, A., 56.

di-o-nitro- (GABRIEL and JANSEN), 1892, A., 218.

Dibenzylmethylenediamine (mcthylenedibenzylamine) (KEMPFF), 1890, A., 887.

Dibenzylnitroquinol (Pellizzari), 1884, A., 438.

1:4-Dibenzyloxybenzene (Colson), 1889, A., 1152.

Dibenzylpentanetetracarboxylic (PERKIN and PRENTICE), 1891, T.,

Dibenzyl-p-phenylenediacetonitrile (RATTNER), 1888, A., 704.

Dibenzylphosphine (LETTS and BLAKE), 1890, A., 767.

Hofmann's, identity of, with tribenzylphosphine oxide (LETTS and BLAKE), 1890, A., 492.

Dibenzylphosphinic acid (LETTS and BLAKE), 1890, A., 767.

Dibenzylpimelic acid (Perkin and

PRENTICE), 1891, T., 846.

ωω'-Dibenzylpimelic acid, dissociation constant of (WALKER), 1892, T., 702. Dibenzylpyridine (RUGHEIMER), 1892,

A., 1364. Dibenzyl-pyrocatechol, -quinol and -resorcinol (PELLIZZARI), 1884, A., 437, 438.

Dibenzylsuccinamide (WERNER), 1889, T., 631.

Dibenzylsulphone-methane and -thiobenzylmethane (LAVES), 1892, A., 612.

Dibenzylsulphonephenylmethane (LAVES), 1892, A., 613.

Dibenzylthiocarbamide, action of acetic anhydride on (Wenner), 1891, T.,

action of alkyl iodides on (REIMARUS), 1887, A., 43.

p-dinitro- (Hafner), 1890, A., 487. Dibenzyldithioxamide (WALLACH and

REINHARDT), 1891, A., 1008. Dibornylamine (WALLACH and GRIE-PENKERL), 1892, A., 1238.

and its derivatives (LEUCKART and LAMPE), 1889, A., 1003.

Dibornylthiocarbamide (WALLACH and GRIEPENKERL), 1892, A., 1238.

Dibrassidin (REIMER and WILL), 1887,

heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, A., 11.

bromhydrin, preparation (Aschan), 1889, A., 31. a-Dibromhydrin. constitution of (Aschan), 1890, A.,

1083.

Diisobutenyl, isomeric change (FAWORSKY), 1891, A., 1331. oxide (Przybytek), 1888, А., 244.

Disobutyl, complete chlorination of (HARTMANN), 1891, A., 811.

Disobutyl dichloroglycollate (Anschutz), 1890, A., 286.

Dibutyl and dissobutyl ethers (REBOUL),

1889, A., 477.
Dibutyl ethers (Reboul), 1889, A., 366, 477.

Dissobutylacetylene dissovalerate (KLINGER and SCHMITZ), 1891, A., 891.

Diisobutylallylamine (Paal and HEMPEL), 1892, A., 31.

obutylamine, preparation (MALBOT), 1887, A., 356. Diisobutylamine, of

magnetic rotatory power of (Perkin), 1889, T., 697, 730.

separation of, from isobutylamine by means of ethylic oxalate (MALBOT), 1887, A., 357.

Dissobutylamine salts (MALBOT), 1887. A., 461.

oxalate, action of amines on (Colson), 1891, A., 377. chloro- (Berg), 1892, A., 1173.

Dibutylanilineazyline (LIPPMANN and Fleissner), 1883, A., 55, 185.

tert.-Dibutylbenzene (Seńkowski), 1890, A., 1297.

Dissobutylbismuthine bromide hydroxide (MARQUARDT), 1888, A.,

Diisobutyleyanamide (Berg), 1892, A.,

Dissobutylene, heat of combustion of (Malbor), 1890, A., 320. oxidation of (Wagner), 1888, A.,

dichloride, chloro- (MA GENTIL), 1889, A., 843. (MALBOT and

Dissobutylglycollic acid (KLINGER and SCHMITZ), 1891, A., 891.

Diisobutylglyoxaline (oxalisobutylisoamyline) (RADZISZEWSKI and SZUL), 1884, A., 986.

Diisobutylhexinene diketone butyrone) (BRUGGEMANN), 1888, A., 1176.

Dissobutylketine (LANG), 1885, A., 963.

Dibutyloctohydrophenanthroline

(SCHIFF and VANNI), 1890, A., 138. Dissobutyloxamic acid, calcium salt of (Malbot), 1887, A., 357.

Dissobutyloxamide (MALBOT), 1887, A., 357.

Diisobutylpimelic acid (PERKIN and PRENTICE), 1891, T., 843.

Dissobutylquinol, and its chlorobromo-, nitro-derivatives and (Schubert), 1883, A., 60.

Diisobutylsulphone-dimethylmethane and -methane (STUFFER), 1891, A., 180, 181.

 γ -dithio-Dibutyramide, (GABRIEL). 1890, A., 1221.

Dibutyric acid, a-thio- (Lovén), 1886, A., 333.

γ-mono- and γ-di-thio- (GABRIEL), 1890, A., 1221.

Dissobutyric acid, thio- (Loven), 1886, A., 333.

Dibutyronitrile, γ-thio-(GABRIEL),

1890, A., 1221.

Dibutyryl. See Dipropyl diketone.
Diγ (Brauner), 1883, T., 281, 285.

Dicalcium phosphate. See diCalcium

phosphate.

Dicampholylcarbamide (ERRERA), 1892, A., 1345.

Dicapronamidinebiuret (PINNER), 1891, A., 60.

Dicaprylamine. See Diisooctylamine. Dicarbanilido-α-, -β- and -γ-benzildioximes (Goldschmidt), 1890, A., 252,

Dicarbanilidohydrazobenzene (Gold-SCHMIDT and Rosell), 1890, A., 614. Dicarbanilidosalicylaldoxime

SCHMIDT), 1890, A., 251.

Dicarbocaprolactonic See acid. Hydroxypentanetricarboxylic acid, lactone of.

Dicarbodecahexanic acid (Brown and WALKER), 1891, A., 1193.

n-Dicarbododecanic acid (Brown and WALKER), 1891, A., 1192.

Dicarbodinicotinic acid. See Pyridine -2:3:5:6-tetracarboxylic acid.

Dicarbonyl-group, condensations of compounds which contain, with aldehydes and ammonia (JAPP), 1883, T., 197.

Dicarbonyltriamidobenzene (JENTZ-SCH), 1889, A., 46.

wo-Dicarboxybenzyl oxide (REINGLASS), 1891, A., 1345.

Dicarboxyglutaconic acid (RUHEMANN and Mourett), 1892, T., 791; P., 143. Dicarberyglutaric acid (propanetetra-carbonylic acid) (Perkin), 1886, A., 691; (Lierre), 1886, A., 1057. Dicarboxylic acids, new synthesis of, from monocarboxylic acids (SEIFERT), 1885, A., 983.

βγ-Dicarboxy-γ-valerolactone (RACH), 1886, A., 1012.

Dicarvacrylamine (LLOYD), 1887, A., 721.

Dicetyl, C₃₂H₆₆ (clotricontane) (Lebe-Deff), 1885, A., 736. from cetyl iodide (Sorabji), 1885,

T., 39.

Dichloralphosphine and its derivatives (DE GIRARD), 1886, A., 684.

Dichlorhydrin, action of sodium on (Tornoe), 1891, A., 1442.

aluminium chloride (CLAUS and MERCKLIN), 1886, A., 143.

benzoate (Fritsch), 1891, A., 708. salicylate (GÖTTIG), 1891, A., 707.

β-Dichlorhydrin m-hydroxybenzoate (Gottig), 1891, A., 1482.

iso-β-Dichlorhydrin m-hydroxybenzoate (Gottig), 1892, A., 471.

Dichloroformberberine (GAZE), 1891, A., 332.

Dichroins (Brunner and Chuit), 1888, A., 363, 1182.

Dichroite. See Cordierite.

Dichromates. See Chromates.

Dichrysyl- carbamide and -thiocarbamide (ABEGG), 1891, A., 730, 731.

Dicinchonicine (HESSE), 1885, 675.

Diapocinchonine (Jungfleisch LEGER), 1892, A., 1253.

Dicinene (HELL and STURCKE), 1884. A., 1363.

Dicinnamic acid, dithio- (Bondzyński). 1887, A., 1109.

Dicinnamoylphenylazimide, imide of (Ruhemann), 1892, T., 283.

Di-ψ-cinnamoylpyrrole (Ciamician and DENNSTEDT), 1885, A., 379.

Dicinnamoyltolylenediamine TRZYCKI and ULFFERS), 1890, A.,

Dickinsonite from Branchville (BRUSH and DANA), 1890, A., 1072.

Dicodethine (cthylenedimorphine) (GRI-MAUX), 1883, A., 359.

Dicoumarin (FITTIG), 1886, A., 47; 1890, A., 584. preparation of (Dyson), 1887, T., 62.

Dicresol (Helle), 1892, A., 1467.
diamido-, action of nascent nitrous acid on (DENINGER), 1890, A., 38. nitro- (LOEWENHERZ), 1892, A., 852. dinitro- (DENINGER), 1888, A., 838. o-Dicresol (GERBER), 1888, A., 484.

and its derivatives (Hobbs), 1888, A., 708.

Dicresoldicarboxylic acid (Deninger), 1888, A., 838.

Dicresoldisulphonic acid (IIELLE), 1892, A., 1467.

Dissorotyl (octinene), and its derivatives (Przybytek), 1889, A., 362.

Di-ψ-cumenol (hexamethyldiphenol) dibromo- (Auweus), 1885, Δ., 381; 1886, A., 144.

Dicumenylcarbamide (GOLDSCHMIDT and GESSNER), 1889, A., 774.

Dicumenyloxamide (GOLDSCHMIDT and GESSNER), 1889, A., 773.

Di-ψ-amidine and its derivatives (Auwens), 1886, A., 144.

Dicuminal acetone. See Dipropyl distyryl ketone.

Di-ψ-cumyl ethylene diketone (CLAUS and SCHLARB), 1887, A., 827.

Di-ψ-cumylcarbamate (FRENTZEL), 1889, A., 241.

Di-ψ-cumylcarbamide (Engel), 1885, Λ., 1216; (Conrad and Limpauh), 1888, Α., 504.

Di-ψ-cumylcarbamide (GATTERMANN and CANTZLER), 1892, A., 832.

Di-ψ-cumyldimethylmethane (KRAEMER and SPILKER), 1891, A., 1463.

Di-ψ-cumylmethenylamidine (SENIER), 1885, T., 768.

Di- ψ -cumyltetrazine (RUHEMANN), 1890, T., 56.

Di-ψ-cumylthiocarbamide (ENGEL), 1885, A., 1216.

Dicyandiamide (BAMBERGER), 1883, A., 907, 1090; (DUVILLIER), 1884, A., 613; (BAMBERGER and SEEBER-GER), 1891, A., 838.

constitution of (WUNDERLICH), 1886, A., 217.

Dicyandiamidine, preparation of (SMOL-KA and FRIEDREICH), 1889, A., 951. thio- (BAMBERGER), 1883, A., 1090.

Dicyanic acid, amido- (WUNDERLICH), 1886, A., 435.

Di-m-iso-cymylcarbamide and dicymylthiocarbamide (Kelbe and Warth), 1884, A., 47.

Didehydrotrichlorodihydroxypiperazine (Béhal and Choay), 1890, A., 231.

Di-p-dimethylbenzoin (STIERLIN), 1889, A., 513.

Di-p-diphenylmethanethiocarbamide (Manns), 1889, A., 261.

Didymium, distribution of (Cossa), 1884, A., 262.

atomic weight of (Brauner), 1883, T., 278; (Cleve), 1883, A., 852.

extraction of, from cerite (ARCHE), 1884, A., 557.

Didymium, an element accompanying (CLEVE), 1893, A., 18.

complex nature of (Brauner), 1883, T., 281.

valency of (CossA), 1884, A., 821.

Spectra (Demargay), 1886, A., 837; 1887, A., 1008; (Becquerell), 1887, A., 537, 873; (Schottländer), 1892, A., 686.

compounds (CLEVE), 1885, A., 1039. Didymium salts, molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

variations in the absorption spectra of (Becquerel), 1887, A., 873.

Didymium molybdates (Cossa), 1884, A., 821; 1886, A., 981.

phosphates (OUVRARD), 1888, A., 1037.

sulphate (BAILEY), 1887, T., 682. tungstates (Cossa), 1886, A., 981.

Didymium, estimation of (SMITH), 1884, A., 111.

examination of different constituents of (Brauner), 1883, T., 285.

separation of, into its elements (AUER VON WELSBACH), 1885, A., 1113.

Didymium and erbium earths, separation of (KRUSS), 1891, A., 1425.

Didymium-group (KRUSS), 1891, A.,

1421.
absorption spectra of the elements of

(CROOKES), 1889, T., 259.

Dielectric. See Electrochemistry.
Dierucin (Reimer and Will.), 1887,

heats of combustion and formation of (Stohmann and Langbein), 1891, A., 11.

Diet, amount of acid in the stomach in an amylaceous (ROMENHEIM), 1888, A. 617.

influence of, on the climination and absorption of carbon (HANRIOT and RICHET), 1888, A., 615.

influence of, on respiratory changes (HANRIOT and RICHET), 1888, A.,

influence of, on the secretion of amidic substances (Schulze), 1890, A., 278.

Diethenyldiamidodiphenol (KUNZE), 1889, A., 262.

Diethenylttramidobenzenes (NIETZKI and HAGENBACH), 1887, A., 476, 477; (NIETZKI and SCHMIDT), 1889, A., 974.

Diethenyltetramidoditolyl, dinitro-(BANKIEWICZ), 1888, A., 1184. Diethoxyacetone (GRIMAUX and LE-

Diethoxyacetone (Grimaux and Lafevre), 1889, A., 235. m-Diethoxyacetophenone MANN, EHRHARDT and MAISCH), 1890, A., 964.

Diethoxy/liamidodiphenylamine(NIET-ZKI and KAUFMANN), 1892, A., 314.

1:2-Diethoxyanthraquinone (dicthyl alizaria ether) (Habermann), 1884, A., 1187.

1:4-Diethoxyanthraquinone (dicthyl quinizarin ether) (LIEBERMANN and Ĵellinek), 1888, A., 716.

1:2-Diethoxybenzene (pyrocatechol dicthul ether) (Herzig and Zeisel), 1889, A., 967.

1:3-Diethoxybenzene (resorcinol diethyl cther), preparation of (HERZIG and ZEISEL), 1890, A., 1404.

action of nitrous acid on (KRAUS), 1892, A., 44.

1:3-Diethoxybenzene, amido- (WILL and PUKALL), 1887, A., 661.

(PUKALL), o-anrido-hydrochloride 1887, A., 662.

a- and B-bromo- (HERZIG and ZEISEL), 1890, A., 1404.

nitroso- (Kitaus), 1892, A., 44. 1:4-Diethoxybenzene (quinol of diethyl See Diethoxyether), diamido-. phenylenediamine

mono-, di- and tri-nitro- (NIETZKI), 1883, A., 466.

trinitro-, actions of (NIETZKI and KAUFMANN), 1892, A., 314.

1:3-Diethoxybenzene-o- and -p-azo-1:3dihydroxybenzenes (PUKALL), 1887, A., 662.

Diethoxychloromethylpurin (FISCHER), 1884, A., 996.

Diethoxy/lichloroquinols, aand B-(KEHRMANN), 1890, A., 137.

p-Diethoxydichloroquinone (KEHR-MANN), 1889, A., 707; 1890, A., 136. Diethoxycollidine. See Diethoxytrimethylpyridine.

Diethoxycoumarilic acid (WILL), 1884, A., 69.

Diethoxydihydroxybenzene (tetruhydroxybenzene diethyl ether) (NIETZKI and Rechberg), 1890, A., 968.

Diethoxydimethyl/iamidophenazine (Nietzki and Kaufmann), 1892, A., 315.

Diethoxydimethyldiphenylquinone (Nölting and Wenner), 1891, A.,

Diethoxydinaphthyls, a- and B- (dinaphthyl diethyl ethers) (OSTERMAYER and Rosenher), 1885, A., 171.

Disthoxydiphenylcarbamide (GATTER-MANN and CANTELER), 1892, A., 833.

(GATTER- | Diethoxydiphenyldiketopiperazine (BISCHOFF and NASTVOGEL), 1890, A., 1161.

p-Diethoxydiphenyl- $\alpha\gamma$ -diketopiperazine (BISCHOFF and NASTVOGEL), 1889, A., 1012.

 $p ext{-Diethoxydiphenylenedinitrosacyl}$ (HOLLEMAN), 1892, A., 972.

p-Diethoxydiphenylethylenediamine and TRAPESONZJANZ), (Bischoff 1890, A., 1332.

p-Diethoxydiphenylpiperazine (Bis-CHOFF), 1889, A., 1011.

nitroso- (Bischoff and Trapesonz-Janz), 1890, A., 1332.

Diethoxyditolylquinone (Nolting and WERNER), 1891, A., 209.

Diethoxyethylidene oxide (LAATSUH), 1883, A., 788.

1:3:5-Diethoxyhydroxybenzene (phloroglucinol dicthyl ether) (WILL and ALBRECHT), 1884, A., 1336.

(Fischer), Diethoxyhydroxycaffeine 1833, A., 355; (FISCHER and REESE), 1884, A., 466.

Diethoxyhydroxyethyltheobromine (FISCHER), 1883, A., 357.

Diethoxymethane (HENRY), 1886, A.,

preparation of (GREENE), 1885, A., 38. Diethoxymethylene (PRATESI), 1884, A., 171.

Diethoxyclinitrodiphenylamine (NIET-ZKI), 1883, A., 466.

Diethoxyoxydimethylpurin (FISCHER), 1884, A., 997.

Diethoxyphenylenediamine (quinol diethyl ether, diamido-) (NIETZKI and RECHBERG), 1890, A., 967.

Diethoxypyridine and its salts (WEIDEL and BLAU), 1886, A., 76.

dichloro-3-amido- (STOKES and V. Pechmann), 1887, A., 157.

Diethoxyquinone (NIETZKI and RECH-BERG), 1890, A., 967.

Diethoxysuberic acid (HELL and REM-PEL), 1885, A., 756; (HEMPEL), 1885, A., 757.

p-Diethoxysulphophenylhydrazide (Altschul), 1892, A., 1082.

3:5-Diethoxytoluene (orcinol diethyl ether) preparation of (Herzig and Zeisel), 1890, A., 1405.

dibromo- (Herzig and Zeisel), 1890, A., 1405.

2:3'- or 4'-Diethoxy-3-toluquinoline, chloro-(Rugheimerand Hoffmann), 1886, A., 160.

3:5-Diethoxy-2:4:6-trimethylpyridine (dicthoxycollidine) (Pfeiffer), 1887, A., 845.

m-Diethoxyxylene (Kipping), 1888,

Diethyl alizarin ether. Sec 1:2-Diethoxyanthraquinone.

Diethyl ketone (propione) (HAMONET), 1889, A., 235.

preparation of, by Perkin's method (Perkin), 1886, T., 323.

combination of, with hydrogen sodium sulphite (Schramm), 1883, A., 1080.

nitroso- (CLAISEN and MANASSE), 1889, A., 585.

Diethyl thicketone (BERGREEN), 1888, A., 445.

Diethyl-acetamide and -acetanilide (FREUND and HERRMANN), 1890,

Diethylacetic acid (hexoic acid), solubility of salts of (KEPPICH), 1889, A., 122.

Diethylacetic anhydride and chloride (Freund and Hermann), 1890, A.,

aa'-Diethylacetonedicarboxylic acid (Dunschmann and v. Pechmann), 1891, A., 674.

Diethylacetonitrile (FREUND HERRMANN), 1890, A., 474.

Diethylacetophenone (PERKIN), 1884, T., 185; (v. BAEVER and PERKIN), 1884, A., 63.

Diethylacetothienone and its oxime (MUHLERT), 1886, A., 535.

B-Diethylacrylic acid (heptenoic acid)

(Reformatsky), 1891, Å., 170. Diethylæsculetin (WILL), 1884, A.,

bromo- (WILL), 1884, A., 69.

Diethylallylamine, and its platino- and platini-chlorides (LIEBERMANN and PAAL), 1883, A., 909.

Diethylallylcarbinol, glycerol fr (REFORMATSKY), 1890, A., 121. glycerol from the hydrocarbon, C₈H₁₁, prepared from (REFORMATSKY), 1885, A.,

Diethylallylthiocarbamide (GEB-HARDT), 1885, A., 383; (NOAH), 1890, A., 1241.

p-Diethylamidobenzaldehyde (Boess-NECK), 1886, A., 458.

Diethyl-a-amidobutyric acid (Duvil-LIER), 1885, A., 750.

Diethylamidocinnamic acid (FISCHER and Kuzel), 1884, A., 440.

Biethylamido-n-hexoic acid (DUVIL-LIER), 1892, A., 294.

Diethylamidohydroxyphenyltrichlorethane hydrochloride (Boessneck), 1886, A., 458,

Diethylamidophenylarsine oxide (MICHAELIS and RABINERSON), 1892, A., 1321.

Diethylamidophenylphosphenyl chloride (Michaelis and Schenk), 1891, A., 436.

Diethyl-a-amidopropionic acid (DUVIL-LIER), 1889, A., 1139.

Diethyld:amidoquinoxazone (Мон-LAU), 1892, A., 888.

Diethylamidosulphonic chloride (BEII-REND), 1884, A., 286.

Diethylamine, properties of (v. Hor-MANN), 1889, A., 688.

magnetic rotatory power of (Perkin), 1889, T., 691, 729.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

Diethylamine, hydrobromide, compound

of thiocarbamide with (REYNOLDS), 1891, T., 389.

hydrochloride, magnetic power of (PERKIN), 1889, T., 713. hydrosulphide, vapour-tension of (ISAMBERT), 1883, A., 727.

platinothiocyanate (GUARESCHI), 1892, A., 286.

chloro- (GATTERMANN), 1886, A., 796.

Diethylisoamylphosphine (COLLIE), 1888, T., 722.

Diethylamylthiocarbamide (Noah), 1890, A., 1241.

Diethylaniline, preparation of (REIN-HARDT and STAEDEL), 1883, A.,

action of benzotrichloride on (DOEB-NER) 1883, A., 861.

action of silicon tetrachloride on (REYNOLDS), 1892, T., 457.

Diethylaniline cyanhydrin, nitroso-(Lippmann and Fleissner), 1885, A., 1213.

methiodide (CLAUS and HowITZ), 1884, A., 1006.

(REINHARDT platinochloride STAEDEL), 1883, A., 578.

Diethylaniline, p-amido-. See Diethyl-p-phenylenediamine.

Diethylaniline, m-nitro- (GROLL), 1886, Λ., 347.

p-nitro- (Lippmann and Fleissner), 1883, A., 868, 1100.

dinitro- (Lippmann and Fleissner), 1884, À., 179.

thio- (HOLZMANN), 1888, A., 1080; (MICHAELIS and GODOHAUX), 1890, A., 611.

dithio- (Holzmann), 1887, A., 723. Diethylanilinealloxan (PELLIZZARI), 1888, A., 682.

Diethylanilineazyline (LIPPMANN and FLEISNER), 1883, A., 55, 185. action of methylic iodide on (LIPP-

action of methylic iodide on (LIPP-MANN and FLEISSNER), 1884, A., 178.

Diethylanilinethiosulphonic acid, \$\textit{\beta}\$-amido- (Bernthsen), 1889, A., 776.

Diethylanthrone (GOLDMANN), 1888, A., 715.

Diethylbenzamide, nitro- (VAN ROM-BURGH), 1886, A., 546.

m-Diethylbenzene and its delivatives (Yoswinkel), 1889, A., 38.

oxidation of (ALLEN and UNDER-WOOD), 1884, A., 587.

o-Diethylbenzene (Voswinkel), 1889, A., 388.

p-Diethylbenzene and its derivatives (Aschenbrandt), 1883, A., 318; (Voswinkel), 1889, A., 493.

Diethylbenzenes, chlorinated (Istrati), 1886, A., 231, 343.

p-Diethylbenzenesulphonamide (Vos WINKEL), 1889, A., 493.

 o-Diethylbenzenesulphonic acid, derivatives of (Voswinkel), 1889, A., 388.

p-Diethylbenzenesulphonic acid and its salts (Aschenbrandt), 1883, A., 318.

cadmium salt of (Voswinkel), 1889, A., 493.

Diethylbenzidinephthalic acid (SCHIFF and VANNI), 1890, A., 1298.

Diethylbenzoic acid (v. BAEYER and PERKIN), 1884, A., 63.

Diethylbenzoylacetic acid (PERKIN), 1884, T., 182.

Diethylbenzoylacetic ether and its decomposition products (Perkin), 1884, T., 183, 184.

Diethylbenzylphosphine (Collie), 1888, T., 723.

Diethylbenzylthiocarbamide hydrochloride (NOAH), 1890, A., 1241. Diethylbismuthine bromide (MAR-

QUARDT), 1887. A., 803.

Diethylbromaniline (CLAUS and

Diethylbromaniline (CLAUS and Howitz), 1884, A., 1006.

Diethyl-bromodinitroresorcinol and -tribromonitroresorcinol (JACKSON and WARREN), 1891, A., 1025, 1026.
Diethylbromotoluene (DAFERT), 1883,

A., 1094.

Diethylisobutylidenedisulphone (Fromm), 1890, A., 56.

Diethyleamphor (BRÜHL), 1892, A., 200.

u-Diethylearhamide (VAN DER ZANDE), 1889, A., 962. Diethyl- and isodiethyl-carbobenzonic acids (Anschutz and Berns), 1891, A., 913.

Diethyltrichloracetamide (Cloëz), 1887, A., 1098.

Diethylcurcumin dihydride (JACKSON and MENKE), 1883, A., 481.

Diethylcyanine iodide (Hoogewerff and VAN DORP), 1885, A., 674.

Diethylcyanpropine (WACHE), 1889, A., 684.

Diethyleyanuric acid and its salts (PONOMAREFF), 1886, A., 216.

Diethyldaphnetilic acid (Will and Jung), 1884, A., 1042; (Jung), 1886, A., 558.

Diethyldaphnetone (JUNG), 1886, A., 558.

Diethyldibenzoylpropane (Behal and Auger), 1890, A., 493.

Diethyldiguanide (EMICH), 1891, A., 1180.

Diethyldimethylenetrisulphone (BAU-MANN), 1890, A., 1093.

Diethyldiphenyl (ADAM), 1888, A., 959.

Diethyldisulphisethionic acid, sodium salt of (ENGELCKE), 1883, A., 972.

Diethyldisulphobenzoic acid, salts of (STENGEL), 1883, A., 999.

Diethyldisulphoneacetone (Orro and

TRÜGER), 1891, A., 665.

Diethylene series of hydrocarbons

Diethylene series of hydrocarbons (BEHAL), 1889, A., 839.

Diethylene sulphide methyl-sulphine salts (Massox), 1886, T., 237. methyl-sulphine hydroxide (Massox), 1886, T., 247.

disulphide, preparation of (Masson), 1886, T., 235.

constitution of (Masson), 1886, T., 234.

compounds of (MANSFELD), 1886, A., 525; 1887, A., 122.

tetrasulphide (FASBENDER), 1887, A., 462; 1888, A., 805; (OTTO and ROSSING), 1887, A., 954.

nitroso- (GIBBS and REICHERT), 1891, A., 1393.

Diethylenediamine (LADENBURG and ABEL), 1888, A., 1268; (SIEBER), 1890, A., 476; (v. HOFMANN), 1891, A., 169, 414, 415; (MAJERT and SCHMIDT), 1891, A., 415; (LADENBURG), 1891, A., 416, 1333. See also Piperazine.

Diethylenediamine cobalt chloride, chloro- (Jorgensen), 1889, A., 352.

B-Diethylethylamine (FREUND and HERRMANN), 1890, A., 474.

Diethylethylenedisulphone (Orro and) CASANOVA), 1888, A., 255.

Diethylethylene-\psi-thiocarbamide (NOAH), 1890, A., 1242.

Diethylformamide, platinochloride (PINNER), 1883, A., 1089.

? Diethylformamidine (formimidodiethylamide), hydrochloride (PIN-NER), 1884, A., 724.

Diethylglutaramidine platinochloride (PINNER), 1891, A., 62.

Diethylglutaric acid (GUTHZEIT and DRESSEL), 1890, A., 878.

Diethylglycerolphosphoric acids, two isomeric (Hundeshagen), 1884, A.,

p-Diethylglyoxaline (oxalcthylpropyline), synthesis of (RADZISZEWSKI), 1883, A., 729.

Diethylguanidine (NOAH), 1890, A., 1241.

Diethylhexadecylamine (KRAFFT and Move), 1889, A., 689.

a-Diethylhomo-o-phthalic acid and anhydride (Pulvermaoner), 1887, A., 1111.

a-Diethylhomo-o-phthalimide (Pulver-MACHER), 1887, A., 1111.

Diethylhydroanthracene (Goldmann), 1888, A., 715.

Diethylhydroxypropylamine platinochloride (Liebermann and Paal), 1883, A., 910.

Diethylic allophanyltartrate (TRAUBE), 1889, A., 394.

amarinedicarboxylate (BAHRMANN), 1883, A., 799.

phosphate (Lossen and barium Kohler), 1891, A., 1014.

camphorate (FRIEDEL). 1892, A., 500; (BRUHL), 1892, A., 1102.

isocamphorate (FRIEDEL), 1892, A., 501.

carbopyrotritarate (KNORR), 1885, A., 247; (Knork and Cavallo), 1889, A., 384.

p-dichloro-a-dimethylbenzo-p-difurfuran-\beta-dicarboxylate (IKUTA), 1892, A., 609.

dichloroglycollate (ANICHUTZ), 1886, A., 1011.

β-dichloromuconate (RUHEMANN and ELLIOTT), 1890, T., 934.

diethylethylenedibenzamate (Schiff and PARENTI), 1885, A., 266.

dimethoxydimethylmalonate (KLE-BER), 1888, A., 1057.

dimethylfurfurandicarboxylate (KNORR), 1885, A., 248.

dimethylsuccinate (BARNSTEIN), 1888, A., 135.

Diethylic diphenylazimethylenedicarboxylate (Cunrius and Lana), 1892, Δ., 453.

diphenylenedicarbamate 1886, T., 256. (SNAPE),

ethanetetracarboxylate (GUTHZEIT), 1883, A., 46.

furfuralmalonato(Marckwald), 1888, Δ., 678.

furfurinedicarboxylate (BAHRMANN), 1883, A., 800.

furfuryl-2:4-dimethylpyridinedicarboxylate and its salts (HEIBER), 1892, A., 1362.

hydrofurfuryl-2:4-dimethylpyridinedicarboxylate (Schiff and Puliti), 1883, A., 1151; (Heiber), 1892, A., 1362.

hydrogen carboxybenzylmalonete (Wislicenus), 1888, A., 150.

hydrogen cyanurate (PONOMAREFF), 1886, A., 217.

hydrophenyldimethylpyridinedicarboxylate (Schiff and Puliti), 1883, A., 1151.

hydrotrimethylpyridinedicarboxylate (Hantzsun), 1883, A., 82.

malonate, action of methylenic iodide

on (TANATAR), 1892, A., 1304. methronate (v. Eynern), 1889, A., 592.

methylic propanetricarboxylate (Bisсногг), 1883, А., 45.

methylmethronate (DIETZEL), 1889, A., 594.

nitrilosuccinate (Piuiti), 1891, A., 175.

oxaldiamidopropionate (SCHIFF), 1885, A., 760.

phenyl-2:4-dimethylpyridinedicarboxylate (Schiff and Puliti), 1883, A., 1151.

phenythronate (SCHLOESSER), 1889, A., 595.

quinone-p-difurfuran-a-dimethyl-Bdicarboxylate hydrochloride (IKUтл), 1892, А., 610.

quinonehydrodicarboxylate and formula of (WEDEL), 1884, A., 834.

quinonetetrahydridedicarboxylate (Herrmann), 1883, A., 1084.

phosphate (Lossen silver Könler), 1891, A., 1015.

succinosuccinate, formula of (WEDEL), 1884, A., 835.

sulphacetate (MAUZELIUS), 1888, A., 821; (FRANCHIMONT), 1888, A., 1175.

(MOULTON), a-sulphaminephthalate 1891, A., 1063.

Diethylic sulphoxide, diamido-, picrate Diethylpropylthiocarbamide of (Choss and BEVAN), 1892, A., 130.

(MARQUARDI and telluride Mı-CHAELIS), 1888, A., 1066. thiodiacetoacetate (v. Brunka), 1885.

A.. 1200. Diethylidene-cinchonine and-cin-

choxine (CLAUS), 1892, A., 1252. Diethylidenic tetrasulphide (FASBEN-DEE , 1887, A., 463.

Diethylindigo (v. BAEYER), 1884, A., 76; (HEUMANN), 1891, A., 837.

Diethyliodamine (RASCHIG), 1886, A.,

Diethylketoxime (Scholl), 1888, A., 443.

Diethylmaleic acid. See Xeronic acid. Diethylmalonic acid, potassium and sodium salts of (SCHUKOWSKI), 1889, A., 959.

Diethylmethyl. See Methyldiethyl. Diethylmuscarinepyridine (LOCHERF), 1891, A., 82.

Diethyl-m-nitraniline (NoLTING and STRICKER), 1886, A., 544.

Diethyloxetone and diethyloxetonecarboxylic acid (FITTIG and DUBOIS), 1890, A., 869.

Diethylpentanetetracarboxylic acid. See Nonanetetracarboxylic acid.

m-Diethylphenol (Voswinkel), 1889, A., 39.

p-Diethylphenol (Voswinkel), 1889, A., 493.

Diethyl-m-phenylenediamine (GROLL), 1886, A., 347.

Diethyl-p-phenylenediamine MANN and FLEISSNER), 1883, A., 869, 1100,

disulphide (Bernithsen), 1889, A.,

Diethylphosphorous acid (THORPE and NORTH, 1890, T., 634; P., 75.

Diethylphthalide (KOTHE), 1889, A., 257. Diethylpimelic acid (PERKIN and PREN-TICE), 1891, T., 835.

ωω'-Diethylpimelic acid, dissociation constant of (WALKER), 1892, T., 701. Diethylpiperazine (SCHMIDT and WICH-

MANN), 1892. A., 212. Diethylpiperidine (PRAUSNITZ), 1892,

A., 1358. Diethylpropargylamine hydriodide (PAAL and HEUPEL), 1892, A., 30.

Diethylisopropylidene disulphide (BAU-MANN), 1887, A., 126.

Diethylpropylcarbinol (Sokoloff), 1888, A., 1170,

Diethylpropylphosphine (Collie), 1888, T., 721.

picrate (Noah), 1890, A., 1241.

αγ-Diethylpyridine (LADENBURG),1886, A., 159; 1887, A., 60.

1-Diethylpyrrole (CLAMICIAN ZANETTI), 1889, A., 728; (ZANETTI), 1890, A., 908.

See 1:4-Diethoxy-Diethylquinol. benzene.

Diethylquinoline (REHER), 1888, A., 66. Diethylresorcinol. See 1:3-Diethoxybenzene.

Diethylsafranines (NIETZKI), 1883, A., 732; (ANON.), 1884, A., 539.

as-Diethylsuccinic acid (BISCHOFF and MINTZ), 1890, A., 744.

s-Diethylsuccinic acids (HJELT), 1888, A., 254; (Bischoff and HJELT), 1888, A., 1057; (HELL), 1889, A., 377; (Bitschichin and Zelinsky), 1890, A., 740; (Bischoff and MINTZ), 1890, A., 743.

synthesis of (Brown and Walker), 1891, A., 1193.

Diethylsulphamic acid and its barium salt (Beilstein and Wiegand), 1883, A., 971.

Diethylsulphone, diamido- (GABRIEL), 1892, A., 131.

Diethylsulphonechlorodimethylmethane (AUTENRIETH), 1891, A., 568.

Diethylsulphonediethylmethane (BAU-MANN and KAST), 1889, A., 1233; (Fromm), 1890, A., 56.

Diethylsulphonedimethylmethane (isopropylidenedicthylsulphone; phonal) (BAUMANN), 1887, A., 123; (Fromm), 1890, A., 56; (Stuffer), 1891, A., 180.

See also Sulphonal.

Diethylsulphonediodomethane

(Fromm), 1890, A., 56. Diethylsulphonemethane (BAUMANN), 1887, A., 124; (FROMM), 1890, A., 56. dibromo- (BAUMANN), 1887, A., 124.

Diethylsulphonemethylethylmethane (BAUMANN and Kast), 1889, A., 1233. Diethylsulphonemethylpropylmethane

(BAUMANN), 1887, A., 123. Diethylsulphonephenylsulphonemethane and its chloro- and bromo-derivatives (Laves), 1892, A., 613.

Diethylsulphonephenylsulphonemethylmethane (Laves), 1892, A., 613.

Diethylsulphonethiophenylmethane (Fromm), 1890, A., 57.

Diethylsulphonethiophenylmethylmethane (LAVES), 1892, A., 613.

Diethylsulphonethylmethylmethane (Fromm), 1890, A., 56.

Diethyltaurine, preparation of (JAMES), 1885, T., 371.

Diethyltetrahydroxyditolyl (NOLTING and WERNER), 1891, A., 209.

u-Diethylthiocarbamide (SPICA and CARRARA), 1892, A., 216.

s-Diethylthiocarbamide, action of acetic anhydride on (WERNER), 1891, T., 409.

Diethylthiocarbamide, derivatives of (NOAH), 1890, A., 1241.

Diethylthionine (Bernthsen and Goske), 1887, A., 667.

Diethylthiophen (MUHLERT), 1886, A., 535.

p-Diethylthiophenol (Voswinkel), 1889, A., 493.

Diethyldithiophosphinic acid (v. Hof-MANN and MAHLA), 1892, A., 1422.

Diethyl- ψ -thiosinamine (AVENARIUS), 1891, A., 549.

Diethyldithioxamide (WALLACH and REINHARDT), 1891, A., 1008.

Diethyltoluene and its derivatives (DAFERT), 1883, A., 1093.

Diethyl-o-toluidine (CHASE), 1886, A., 57.

and its platinochloride, preparation of (REINHARDT and STAEDEL), 1883, A., 578.

amido. See Methylethylphenylenediamine.

Diethyltoluquinol (Nonting and Werner), 1891, A., 209.

Diethyltolylenediamine (HINSBERG) 1892, A., 66.

Diethyl-2:4-tolylenediamine (Wein-Berg), 1892, A., 1078.

Diethyltrimethylene-ψ-thiocarbamide (NoAH), 1890, A., 1242.

Diethylumbellic acids, α- and β- (WILL and BECK), 1886, A., 881.

Dietrichite (ARZRUNI), 1883, A., 433.

Dissougenol and its derivatives (TIE-MANN), 1892, A., 45.

Difenchyl-oxamide and -thiocarbamide (WALLACH and GRIEPENKERL), 1892, A., 1239.

Diferroheptacarbonyl (Mond and Langer), 1891, T., 1092, P., 149. Diffusion—

Diaphragms, relative permeability of (ZOTT), 1886, A., 414.

precipitated, osmose through (TAM-MANN), 1888, A., 898.

Diffusion, extracting by (ZWERGEL), 1884, A., 539.

evaporation and dissolution considered as processes of (STEFAN), 1891, A., 384.

experiments, simple (Beyerinck), 1889, A., 565.

Diffusion- -

Diffusion, theory of electrolysis and (Planck), 1892, A., 985.

of gases and vapours (WINKELMANN), 1885, A., 10.

of vapours, influence of temperature on (Winkelmann), 1889, A., 461.

gaseous, lecture experiment on (Winkermann), 1886, A., 591.

of ammonia through the atmosphere (BERTHELOT and ANDRÉ), 1887, A., 11.

of liquids, law of (VERNON), 1891, A., 383.

influence of, on their solvent action (v. Klobukoff), 1890, A., 555.

liquid (Coleman), 1887, A., 440.

through water and through alcohol (MULLER), 1891, A., 1147.

in agar jelly (Voigtlander), 1889, A., 817.

of acids and bases into one another (STEFAN), 1889, A., 1046.

of aqueous solutions (SCHRFFER), 1888, A., 1144; (ARRHENIUS), 1892, A., 1265.

of fresh water into sea water (THOULET), 1891, A., 970.

of homologous othereal salts (WINKELMANN), 1885, A., 10.

of some organic and inorganic compounds, experiments on (Scher-Fer), 1883, A., 1047.

of salt solutions (WIEDEBURG), 1891, A., 383.

Osmose of salts (Enkhaar), 1883, A., 420.

through precipitated diaphragms (TAMMANN), 1888, A., 898.

Osmosis, absorption without (Reid), 1892, A., 646.

with living and dead membranes (Reid), 1890, A., 277, 1176.

Osmotic equilibrium (Gouy and Chapperon), 1887, A., 1013.

Osmotic experiment (NERNST), 1890, A., 1365.

Osmotic experiments with living bacteria (WLADIMIROFF), 1891, A., 1181.

with living membranes (DE VRIES), 1888, A., 1153.

Osmotic pressure (Duhem), 1888, A., 1022; (PLANCK), 1891, A.,

in the analogy between solutions and gases (VAN'T HOFF), 1888, A., 778.

DIFFUSION-

Osmotic pressure, nature of (Bredic), 1890, A. 105; (Mryer), 1890, A., 441; (Van't Hoff), 1890, A., 555; (Pinkering), 1890, A., 546; (Nasini), 1891, A., 522,

theory of (Pickering), 1890, A., 846; (Dieterici), 1892, A., 676, 765; (Planck), 1892, A., 1143. measurement of (Tammann), 1892,

 Λ ., 556.

of salts in solution (ADIE), 1891,

T., 344; P., 25.

molecular weight determinations from (LADENBURG), 1889, A., 820.

reduction of the freezing point and electrical conductivity, relations between (van't Hoff and REICHEN), 1889, A., 668.

the kinetic theory of gases and (BOLTZMANN), 1891, A., 389,638.

Diffusion photometer (CROVA), 1885,

A., 320.
Diffusion-residues (MARCKER), 1887,
A., 521.

drying of (MARCKER), 1885, A., 79. from beet-sugar manufacture, preservation of (ANON.). 1883, A., 695.

as cattle food (MARCKER), 1884, A., 921.

feeding value of fresh and dried (Morgen), 1883, A., 680.

Diffusioscope and diffusometer (v. THAN), 1883, A., 630, 629. p-Diffuoryl (Hodgkinson), 1885, P.,

Diformyldiamidophenazine (FISCHER and HEPP) 1890 A 800

and Hepp), 1890, A., 800. Diformylbenzidine (STERN), 1884, A., 1015.

Diformyl-p-dianilidobenzene (BRUNCK), 1892, A., 1451.

Diformyl-m-phenylenediamine (To-BLAS), 1883, A., 326.

Difuranylquinoxaline-m-carboxylic acid (ZEHRA), 1891, A., 303.

Ponder), 1884, A., 1167.

Difurfuraldiphenyline (REULAND), 1890, A., 166.

Difurfuramidodihydroxytartaric acid (MAQUENNE), 1891, A., 331.

Difurfuran (HANTZSCH), 1887, A., 262. Difurfurodiacetylene, dibromo-(GIBSON and KAHNWEILER), 1890, A., 960.

s-Difurfurylearbamide (Marckwald), 1891, A., 182; (Deutzmann), 1892, A., 43.

Difurfuryldimethylenetolidine (SCHIFF and VANNI), 1890, A., 1299.

Difurfurylthiocarbamide (DEUTZ-MANN), 1892, A., 43.

Difurfurylmethyloyanidine (PINNER), 1892, A., 1006.

Difurfuryl-quinoxaline, '-naphthaquinoxaline and -toluquinoxaline (Fischer), 1892, A., 1475.
2":3"-Difurfuryl-1"-tolyldihydro-

2":3"-Difurfuryl-1"-tolyldihydronaphthaquinoxaline (FISCHER), 1892, A., 1476.

Digalactangeddic acid (O'SULLIVAN), 1891, T., 1057.

Digallic acid (Böttinger), 1884, A., 1178.

Digesters (autoclaves), high pressure, for chemical laboratories (MUENCKE), 1886, A., 112.

Digestibility of boiled milk (RAUD-NITZ), 1889, A., 1225; 1890, A., 650.

of fodder, influence of heat on (STUTZER), 1891, A., 752.

of meadow hay, beans, barley, swedes and rice meal (LEHMANN and Vogel), 1891, A., 595.

of meat, raw and boiled (STUTZER), 1892, A., 1367.

of proteid, influence of oil or fat on (STUTZER), 1891, A., 752.

of the proteids of various grasses (EMMERLING and LOGES), 1890, A., 657.

of rice-straw (Kellner), 1890, A., 546.

of soiling rye (FREAR), 1889, A., 735.

Digestion, absorption of proteids in, seat of the (Neumeister), 1891, A., 233.

changes of carbohydrates in the alimentary canal (SEEGEN), 1888, A., 171.

changes effected on fibrinogen and fibrin by (WOOLDRIDGE), 1888, A., 618.

chemical theory of (CHANDELON), 1884, A., 1390; 1885, A., 1252.

comparative absorption of fish and flesh in the alimentary canal (ATWATER), 1887, A., 1130.

experiments on (OGATA), 1884, A., 912; (ARMSBY), 1886, A., 380. influence of calomel on (WASSILIEFF),

1883, A., 743. influence of "saccharin" on (STIFF),

1889, A., 1022. influence of salt on (STUTZER), 1891,

A., 752. physiology of (EWALD and BOAS), 1886, A., 727. Digestion, relation of carbohydrates in | food to digestive ferments (STUTZER and Isbert), 1888, A., 170.

respiration during (HANRIOT and RICHET), 1888, A., 615.

Digestion, amylolytic and proteolytic, influence of certain therapeutic agents on (CHITTENDEN and STEW-ART), 1889, A., 533.

artificial (STUTZER), 1887, A., 388. of agricultural feeding stuffs (NIE-BLING), 1890, A., 1451.

of glue, products of (KLUG), 1891, A., 232.

of proteids (STUTZER), 1890, A., 275.

versus animal (LADD), 1887, A., 513; 1889, A., 734.

natural and (PFEIFFER), 1887, A., 167; (Lea), 1890, A., 536. of nitrogenous matter, natural and

(Pfeiffer), 1883, A., 227. gastric, during deprivation of chlorine

(CAHN), 1886, A., 1052.
a first product of (HASEBROEK), 1887, A., 609.
formation of peptone in (CHITTEN-

DEN and HARTWELL), 1891, A., 953.

in the horse (GOLDSCHMIDT), 1886, A., 952.

influence of amido-acids on (SALkowski), 1892, A., 742.

pancreatic (HIRSCHLER), 1886, A., 729.

action of bile on (DASTRE), 1888, A., 618; (MARTIN and WIL-LIAMS), 1888, A., 618; 1891, A., 96.

cystin in (KtLz), 1891, A., 235.

of fibrin, formation of ammonia in (STADELMANN), 1888, A., 512. papain (MARTIN), 1886, A., 641.

peptic, influence of salts on (STADEL-MANN), 1889, A., 431.

influence of wine on (HUGOUNENQ), 1892, A., 87.

micro-organisms and proteolytic, (HARRIS and TOOTH), 1889, A., 64. salivary, action of organic acids on

(John), 1891, A., 592.

in the horse, experiments on (ELLEN-BERGER and HOFMEISTER), 1885, A., 178.

intestinal (Goldschmidt), 1887, A., 610.

of albumin (WENZ), 1886, A., 376.

in Hydra (GREENWOOD), 1889, A., in mules (Sanson), 1889, A., 533.

Digestion in the pig (ELLENBERGER and HOFMEISTER), 1887, A., 512, 684; 1890, A., 183.

in rhizopods (GREENWOOD), 1886, A., 1053; 1888, A., 79.

in the stomach, researches on (KIETZ),

1883, A., 815. of albumin (BoAs), 1888, A., 733. in fodders, influence of sodium

chloride on (SIEWERT), 1888, A.,

of beans in the human alimentary canal (Prausnitz), 1889, A., 1226.

of beef and fish, influence of cooking on (Popoff), 1890, A., 1450.

of carbohydrates (HANRIOT and GAU-TIER), 1892, A., 742.

of elastic fibres and allied structures (EWALD), 1889, A., 912.

of fats, influence of bile on (DASTRE), 1888, A., 618.

of fibrin by trypsin (HERRMANN) 1887, A., 1130

of flesh in normal stomachs (CAHN and v. Mering), 1888, A., 859.

of various foods in the human intestines (MALFATTI), 1886, A., 379.

of foods free from nitrogen, influence of proteid on (ROSENHEIM), 1891, A., 344.

of gelatin (CHITTENDEN and SOLLEY), 18**91, A., 94**9.

of meat and milk, time required for (Jessen), 1884, A., 470.

of myosin (CHITTENDEN and Good-WIN), 1891, A., 950.

pentose carbohydrates (STONE), 1892, A., 645.

of proteids, effect of certain organic acids on (STUTZER), 1891, A., 751. effect of "saccharin" on (STUTZER), 1890, A., 1450.

of starch by dogs (ELLENBERGER and HOFMEISTER), 1892, A., 516.

and absorption of fat oils by plants (SCHMIDT), 1892, A., 1118.

and digestive secretions in the horse (ELLENBERGER and HOFMEISTER), 1887, A., 744.

Digestion-products of gluten-casein CHITTENDEN and SMITH), 1891, A., 342.

Digestive ferments. See Enzymes, Ferments.

Digestive juices, nitrogenous contents of (ELLENBERGER and HOFMEISTER), 1887, A., 1129.

Digestive organs, action of the ferments in oats on (ELLENBERGER and HOF-MEISTER), 1888, A., 867.

Digestive processes, certain, influence of salts on (PFEIFFER), 1885, A., 827.

Digestive tract of certain animals, search for a cellulose-dissolving enzyme in (Brown), 1892, T., 352; P., 30.

Digitalein (HOUDAS), 1892, A., 222:
(KILLANI), 1892, A., 501, 1482.
estimation and separation of, from
digitalin and digitin (PALM), 1884,
A., 507.

Digitaligenin (KILIANI), 1892, A., 1482.

Digitalin (ARNAUD), 1890, A., 171; (KILIANI), 1892, A., 1482. crystallised (ARNAUD), 1890, A., 65. reaction for (LAWON), 1885, A., 1014;

reaction for (LAFON), 1885, A., 1014; (FERREIRA DA SILVA), 1891, A., 1562.

estimation and separation of, from digitalein and digitin (PALM), 1884, A., 507.

Digitalonic acid (KILIANI), 1892, A., 1241.

lactone of (KILIANI), 1892, A., 1242, 1482.

Digitalose (KILIANI), 1892, A., 1482. Digitic acid (KILIANI), 1891, A., 577. Digitin, estimation and separation of, from digitalin and digitalein (PALM), 1884, A., 507.

Digitogenic acid (KILIANI), 1891, A., 577.

Digitogenin (KILIANI), 1890, A., 996; 1891, A., 576.

preparation of (KILIANI), 1892, A., 1483.

Digitonin (KILIANI), 1892, A., 501. preparation of (KILIANI), 1891, A., 576.

composition of (KILIANI), 1890, A., 996.

Digluco-o-phenylenediamine (GRIESS and HARROW), 1887, A., 930.

Diglycerylmethylal (Höland), 1887, A., 905.

Diglycidylpyrocatechol (LINDEMANN), 1891, A., 1199.

Diglycol compounds, thio- (MEYER), 1887, A., 228.

Diglycollanilic acid (Anschutz), 1891, A., 177.

Diglycollic acid, thio- (Lovén), 1885, A., 241.

Diglycollic anhydride (ANSCHUTZ), 1891, A., 177.

Diglycolylmaleic acid (Pum), 1888, A., 1059.

Diguanide (EMICH), 1883, A., 973 1891, A., 1180. Diguanide, preparation of (SMOLKA and FRIEDREICH), 1888, A., 830.

preparation of, from guanidine (BAM-BERGER and DIECKMANN), 1892, A., 787.

constitution of (EMICH), 1883, A., 973.

derivatives of (SMOLKA and FRIED-REICH), 1889, A., 951.

Diheptadecylcarbamide (TURPIN), 1888, A., 1175.

Diheptinene, a (TILDEN), 1884, T., 419. Diheptyl. See Tetradecane.

Dihexamethylenamine methyleniodide (Wohl), 1886, A., 863.

Dihexinene (RENARD), 1887, A., 566.
"Dihexolactone" and "dihexonic acid"
(FITTIG and DUBOIS), 1890, A., 868.

Dihexyl ketone (Kipping), 1890, T., 533.

hydrazone and oxine of (Kipping), 1890, T., 535.

Dihexylcarbinol (KIPPING), 1890, T., 536.

ψ-Dihexyloxamide (FREUND and HERR-MANN), 1890, A., 474.

Dihexylthiocarbamide (FRENTZEL), 1883, A., 1075.

o-Dihomobenzenylazoxime (STIEGLITZ), 1890, A., 256.

p-Dihomobenzenylazoxime (SCHU-BART), 1890, A., 48.

Dihydrazidodiphenyldisulphonic acid (Limpricht), 1891, A., 930.

Dihydrazidoditolyldisulphonic acid (HELLE), 1892, A., 1467.

Dihydrazidopimelic anhydride (Vol-HARD), 1892, A., 435.

Dihydrazonepyruvic acid hydrazide (MESSINGER and ENGELS), 1889, A., 36.

Dihydrazophenine (FISCHER and HEPP), 1887, A., 1106.

Dihydrazopimelic anhydride (Vol-HARD), 1892, A., 435.

Dihydriodocinchonine (Pum), 1892, A., 514; (LIPPMANN and FLEISSNER), 1892, A., 639.

Dihydriodo-quinidine and apoquinidine (Schubert and Skraur), 1892, A., 640.

Dihydroacenaphthene dibromide (BAM-BERGER and LODTER), 1888, A., 604. Dihydroanthracene, behaviour of, with carbonyl chloride (BEHLA), 1887, A., 594.

Dihydroanthracenecarboxylic acid (Bornstein), 1884, A., 330.

α-Dihydroanthracenecarboxylic acid (Gnaebe and Juillard), 1888, A., 156. Dihydromesoanthramine (GOLDMANN), 1890, A., 1426.

Dihydroapiole (CIAMICIAN and SILBER), 1890, A., 1294.

Dihydro-arecaidine and -arecoline (JAHNS), 1892, A., 739.

Dihydrobenzaldehyde and phonylhydrazone of (Eighengrün and Einhorn), 1891, A., 67.

Dihydrobenzamide (Hutchinson), 1891, A., 561.

Dihydrobenzene, synthesis of (v. BAEYER), 1892, A., 1074.

hexabromo- (THEURER), 1888, A., 1085.

Dihydrobenzoic acid (EICHENGRÜN and EINHORN), 1891, A., 68; (HUTCHIN-SON), 1891, A., 562; (ASCHAN),1891, A., 1482.

Dihydrobenzoxime (EICHENGRÜN and EINHORN), 1891, A., 67.

Δ^{3:5}-Dihydrobenzyldimethylamine (Merling), 1892, A., 358.

Dihydrocamphene, derivatives of (TANRET), 1887, A., 676.

Dihydrocarveol and dihydrocarvylamine (WALLACH), 1892, A., 499.

Dihydrocinchonine (Comstock and Koenigs), 1884, A., 1384.

Dihydrocinene (HELL and RITTER), 1885, A., 172.

Dihydrocollidine. See Trimethyldihydropyridine.

β-Dihydrocollidine. See 4-Methyl-3ethyldihydropyridine.

Dihydrocoumaroxime (TIEMANN), 1886, A., 880.

Dihydrodiphenyl (BAMBERGER and LODTER), 1888, A., 604.

dibromide and its bromo-derivative (BAMBERGER and LODTER), 1888, A., 604.

bromo- (BAMBERGER and LODTER), 1888, A., 604.

"Dihydrodiphenyldihydroxyantetrazine" (PINNER), 1890, A., 70.

Dihydrodipyridyl. See Dipyridine. Dihydrofurfuran (Henninger), 1884, A., 897.

Dihydroapoharmine (FISCHER), 1889, A., 731.

Dihydroindoxyl, amido-, derivatives of (Burmeister and Michaelis), 1891, A., 1068.

Dihydrolutidine. See Dimethyldihydropyridine.

Dihydromeconic acid, chloro- (HILSE-BEIN), 1885, A., 1203.

Dihydromethylfurfuran (LIPP), 1889, A., 843. Dihydromethylquinoxaline, derivatives of (Leuckaur and Hermann), 1887, A., 383.

Dihydromethylstilbazole (BACHER), 1889, A., 162.

Dihydronaphthalene (BAMBERGER and LODTER), 1887, A., 719.

bromo- (AGRESTINI), 1883, A., 346.

Dihydronaphthalenedicarboxylic acid (Anselm), 1889, A., 717.

Dihydronaphthoic acid, synthesis of (v. Pechmann), 1883, A., 808.

Dihydro-α- and -β-naphthoic acids (v. Sowinski), 1891, A., 1380, 1381.

Dihydro-α-naphthoic acids, labile Δ²and stable Δ¹- (v. BAEYER, SCHODER and BESEMFELDER), 1892, A., 192.

Dihydro-8-naphthoic acids, labile Δ³and stable Δ²- (v. BAEYER, SCHODER and BESEMFELDER), 1892, A., 193.

Dihydrophenanthridine and its derivatives (Picter and Ankersmit), 1892, A., 197, 838.

Dihydrophthalic acid (v. BAEYER), 1890, A., 1278.

transΔ^{3:5}-Dihydrophthalic acid (v. Baeyer), 1892, A., 1214.

Dihydrophthalic acid dibromide and dihydrobromide (v. BAEYER), 1890, A., 1278.

Dihydrophthalic acids, $\Delta^{1:4}$ - and $\Delta^{2:4}$ - (v. BAEYER), 1892, A., 1216.

Dihdyrophthalic acids, $\Delta^{4:6}$ - and cis $\Delta^{3:5}$ - (v. Baeyer), 1892, A., 1215.

"Dihydropyranilpyroic acid" and "lactone" of (REISSERT), 1888, A., 696.

Dihydropyrrole and derivatives of (CIAMICIAN and DENNSTEDT), 1883, A., 1142; (ANDERLINI), 1890, A., 65, 1430.

Dihydroquinazolines (PAAL and Krecke), 1890, A., 1443; (Gabriel and Jansen), 1892, A., 219.

Dihydro-santinio (dimethyldihydronuphthylpropionic) and -isosantinio acids (Gucci and Grassi-Cristaldi), 1892, A., 871.

Dihydroshikimic acid (EIJKMAN),1891, A., 919.

Dihydrosparteine and its derivatives (AHRENS), 1887, A., 1056.

Dihydro-a-stilbazole (BAURATH), 1888, A., 608.

Dihydrostrychnine (Loebisch and Schoop), 1886, A., 815.

Dihydroterephthalic acid (v. BAEYER), 1887, A., 371; 1888, A., 1072. Wbromide and dihydrolromide (v. BAEYER), 1888, A., 1072, 1073. Δ¹ 5-Dihydroterephthalic acid dibromide (v. BALLYER and HERB), 1890, A., 1131.

Dihydroterephthalic acid, nitrile of (v. BAEYER), 1892, A., 834.

p-dichloro- (LEVY and ANDREOCCI), 1888, A., 840, 1091.

p-dichloronitro-(LEVY and ANDREOU-(I), 1888, A., 1091.

Dihydroterephthalic acids, isomeric, (v. BAEYER), 1889, A., 1176.
Dihydroterephthalic acids, \$\triangle^{1.4}\$ and

Dihydroterephthalic acids, Δ^{1.4} and Δ^{1.5}, thermochemistry of (Stoh-Mann and Kleber), 1891, A., 376.

Dihydrothenardite (MARKOWNIKOFF), 1888, A., 794.

non-existence of (MARKOWNIKOFF), 1891, A., 156.

o-Dihydrotoluic acid, and its amide (Hutchinson), 1891, A., 562.

Dihydroximidopropionic acids, primary and secondary (Soderbaum), 1892, A., 815, 816.

Dihydroxindole (Bischoff), 1883, A., 919.

4:2:1-Dihydroxyacetophenone (resacetophenone) (v. PECHMANN and DUISBERG), 1884, A., 66; (MICHAEL and PALMER), 1886, A., 239.

Dihydroxyacridine (ELIASBERG and FRIEDLANDER), 1892, A., 1108.

Dihydroxyaldehydes, aromatic, nitrogenous derivatives of (MARCUS), 1892, A., 317.

Dihydroxyalizarin-blue (Schmidt and Gattermann), 1891, A., 1382.

Dihydroxyamidoanthraquinonesulphonic acid (Lifschutz), 1884, A., 1189.

Dihydroxyisoamylamine (RADZISZEW-SKI and SCHRAMM), 1884. A., 1190.

Dihydroxy iso amylphosphinic acid (VIL-LE), 1889, A., 1135.

Dihydroxyamylpiperidine aurochloride (Marino-Zuco), 1892, A., 86.

Dihydroxyanhydroecgonine (EIN-HORN and RASSOW), 1892, A., 1015. Dihydroxyanisoil, dinitro- (NIETZKI and KURTENACKER), 1892, A., 596.

Dihydroxyanthracene (fluvol), from a-anthraquinonedisulphonic (SCHULER), 1883, A., 74.

o-Dihydroxyanthracoumarin (v. Kosta-NECKI), 1888, A., 292.

1:2-Dihydroxyanthraquinone. See Alizarin.

m-Dihydroxyanthraquinone (xanthopurpurin), synthesis of (NOAH), 1886, A., 475.

1:4-Dihydroxyanthraquinone (quinizarin) (Liebermann), 1888. A., 716. 1:4'-Dihydroxyanthraquinone (anthrurufin) (ROEMER), 1883, A., 737.

2:3-Dihydroxyanthraquinone (hystazaria) and its compounds (Schoeller), 1888, A., 1203; 1889, A., 719.

Dihydroxyaurindicarboxylic acid (CARO), 1892, A., 1469.

Dihydroxybehenic acid (HAZURA and GRUNSNER), 1889, A., 375; (UR-WANZOFF), 1889, A., 1146.

heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, A., 11.

isoDihydroxybehenic acid (GRUSSNER and HAZURA), 1889, A., 956.

2:4-Dihydroxybenzaldoxime (\$\beta\$-resorcyl-aldoxime) (MARCUS), 1892, A., 317.

Dihydroxybenzamidopyrroline (Rüg-HEIMER), 1889, A., 1211.

2:4-Dihydroxybenzdialdoxime (β-resorcyldialdoxime) (MARCUS), 1892, A., 317.

1:2-Dihydroxybenzene. See Pyrocatechol.

1:3(?)-Dihydroxybenzene, tetranitro-(HENRIQUES), 1883, A., 327, 329.

1:3-Dihydroxybenzene. See Resorcinol. 1:4-Dihydroxybenzene. See Quinol.

Dihydroxybenzenes, action of dichlorether on (Wislicenus and Sieg-FRIED), 1888, A., 374.

benzylic ethers of (Pellizzari), 1884, A., 437.

 2:4-Dihydroxybenzenylamidoxime (βresorcenylamidoxime) (MARCUS), 1892, A., 317.

Dihydroxybenzodiphenyldipyrazolone (Boniger), 1889, A., 879.

3:5-Dihydroxybenzoic acid, action of chlorine on (Zincke and Fuchs), A., 1461.

2:4-Dihydroxybenzoic acid (\$\textit{\beta}\text{-resorvylic} acid), thermochemistry of (\$\text{STOII}\text{-MANN}, KLEBER and LANGBEIN), 1889, A., 1096.

Dihydroxybenzoic acid, di- and trichloro- (ZINCKE and FUCHS), 1892, A., 1461.

Dihydroxybenzophenone (DALE and SCHORLEMMER) 1883, T., 187.

o-Dihydroxybenzophenone and its derivatives (GRAEBE and FEER), 1887, A., 152.

o:p-Dihydroxybenzophenone (salicylphenol), and its derivatives (MICHAEI), 1884, A., 311.

p-Dihydroxybenzophenone (KLINGER and STANDKE), 1891, A., 900. oxime of (SPIEGLER), 1884, A., 1182.

Dihydroxybenzophenones, α - and β -, and their compounds (STAEDEL), 1883, A., 991.

Dihydroxybenzophenonesulphonic acid (dihydroxybenzoylbenzenesulphonic acid), ammonium salt of (REMSEN and LINN), 1889, A., 710.

Di-p-hydroxybenzoyl-p-hydroxybenzoic acid (KLEPL), 1884, A., 447.

Dihydroxybenzoylphosphinic acid (VILLE), 1890, A., 619.

Dihydroxybenzylenephosphinic acid (VILLE), 1889, A., 141.

o-Dihydroxybenzylidenediphenyline (REULAND), 1890, A., 166.

Di-o-hydroxybenzylidenethylenediamine (MASON), 1887, A., 493.

Dihydroxybutane, mono- and di-chloro-Zikes), 1885, A., 1046.

Dihydroxybutanedisulphonic acid (Przybytek), 1888, A., 245.

αβ-Dihydroxybutyric acid (propyleneglycolcarboxylic acid) (Kolbe), 1883, A., 574; (Melikoff), 1884, A., 1301.

βγ-Dihydroxybutyric acid (FITTIG), 1892, A., 957.

isoDihydroxybutyric acid (? βγ-dihydroxybutyric acid) (FITTIG and KOCHS), 1892, A., 958.

3':1'-Dihydroxycarbostyril (v. BAEYER and Homolka), 1884, A., 79.

Dihydroxy-o-carboxyphenylpropionic acid, lactone of (ZINCKE), 1892, A.,

Dihydroxychloralphosphine (DE GIRard), 1884, A., 1119.

Dihydroxyperchloromethylcyanidine (TSCHERVEN-IWANOFF), 1892, Ì291.

Dihydroxycinchonic acid (dihydroxyquinoline-4'-curboxylic acid) (Gold-SCHMIEDT), 1888, A., 302.

Dihydroxycinnamic acid. See Caffeic acid.

o-Dihydroxy-compounds, reagent for (STAHL), 1892, A., 1133.

(TIEMANN and Dihydroxycoumarin WILL), 1883, A., 200.

evo-Dihydroxy-\psi-cumene (Hjelt and GADD), 1886, A., 615.

Dihydroxydibenzylacetic acid (Perkin and STENHOUSE), 1891, T., 1002; P. 43. o-Dihydroxydibenzylamine (EMMER-

ICH), 1888, A., 50.

Dihydroxydiethylmethylamine (Knorn), 1889, A., 1218.

Dihydroxydiethoxybenzene (NIETZKI and Rechberg), 1890, A., 968. 2':4'-Dihydroxy-3':4'-dihydroquinoline

(hydroxyhydrocarbostyril) (Einhorn), 1884, A., 1838.

2':4'-Dihydroxy-3':4'-dihydroquinoline (hydroxyhydrocarbostyril), 3-chloro-(Eichengrun and Einhorn), 1890, A., 1128; 1891, A., 1100.

Dihydroxydihydroquinolinelactone (LIEBERMANN and KLEEMANN), 1887, A., 48.

Dihydroxydiketo-pentamethylene -pentamethylenecarboxylic acid (ĤANTZSCH), 1888, A., 132.

Dihydroxydiketotetrahydronaphthalene (ZINCKE), 1892, A., 859.

Dihydroxydimethoxybenzene 1888, A., 458.

Dihydroxydimethylanthraquinones, isomeric (v. Kostanecki and Nie-MENTOWSKI), 1885, A., 1240.

Dihydroxydimethylbenzophenone (Sch-ROEFER), 1890, A., 899.

Dihydroxydimethylcinnamic acids (dimethylumbellic acids) (WILL), 1884, A., 68; (WILL and BECK), 1886, A., 880.

Dihydroxydimethyldiphenylmethane (DIANIN), 1889, A., 1187.

Dihydroxydimethyldiquinoxaline (NI-ETZKI and MULLER), 1889, A.,

Dihydroxydimethylglutaric acid (Au-WERS and Jackson), 1890, A., 1892, 1099; (ZELINSKY),

lactone and dilactone of (Zelinsky), 1892, A., 436, 437.

Dihydroxydimethylglutaric acids, stereoisomerism of (Zelinsky), 1892, A., 436.

Dihydroxydimethylheptamethylene (Kipping and Penkin), 1889, P.,

145; 1891, T., 217. synthesis of (KIPPING and PERKIN), 1891, T., 214; P., 24.

constitution of (KIPPING and PERKIN).

1891, T., 221. action of hydroxylamine and of phenylhydrazine on (Kipping and Perkin), 1891, T., 221.

condensation product of (KIPPING and Perkin), 1891, T., 228.

sodium derivative of (KIPPING and Perkin), 1891, T., 220.

Dihydroxydimethylpurin (FISCHER), 1884, A., 997.

Dihydroxydimethyltriphenylmethane (SCHROETER), 1890, A., S98.

Dihydroxydinaphthylic disulphide (LANGE), 1888, A., 375.

Dihydroxydinaphthylphenylmethane (DOEBNER), 1890, A., 902.

Dihydroxydiphenylamine (SEYEWITZ), 1890, A., 369.

369 24 Dihydroxydiphenylamine, dibromo-(Mohlau), 1884, A., 594.

o:p-Dihydroxydiphenylcarbinol (MICH-AEL), 1884, A., 311.

p-Dihydroxydiphenyltrichlorethane, di- and tetra-nitro- (ELBS and HOER-MANN), 1889, A., 998.

Dihydroxydiphenyldibenzylmethane (v. Bogdanowska), 1892, A., 851.

Dihydroxydiphenyldimethyldiazobenzophenylmethane (MAZZARA), 1885, A., 904.

Dihydroxydiphenylic mono- and disulphides. See Hydroxyphenylic mono- and di-sulphides.

Dihydroxydiphenylic sulphoxide (Schall and Uhl), 1892, A., 1077. Dihydroxydiphenylpentane (Dianin),

1889, A., 1187.

Dihydroxydipropyldiphenylcarbamidedicarboxylic acid (WIDMAN), 1884, A., 1023.

B-Dihydroxydiquinoline (Roser), 1884, A., 1872; (Weidel and Gläser), 1886, A., 950.

Dihydroxydiquinoyl. See Rhodizonic acid.

Dihydroxydurylic acid (NEF), 1886, A., 241; 1887, A., 255; 1888, T., 435.

"Dihydroxyethenylphenylenediamine" (Aschan), 1886, A., 147.

3-Dihydroxy-2-ethoxyanthraquinone from anthragallol (LIEBERMANN and JELLINEK), 1888, A., 716.

p-Dihydroxyethoxyquinone, chloro-(KEHRMANN), 1891, A., 904.

m-Dihydroxyethoxyquinoxaline (Au-TENRIETH and HINSBERG), 1892, A., 160.

p-Dihydroxyethoxyquinoxaline (Auten RIETH and HINSBERG), 1892, A., 734.

Dihydroxyethylaniline (KNORR), 1889, A., 1219.

3:4-Dihydroxy-1-ethylbenzene (SEMPO-TOWSKI), 1890, A., 55.

Dihydroxyethylbensene (styrolene alcohal), hydrocarbon (C₁₆ H₁₂) from (ZINCKE and BREUER), 1885, A., 269; (ZINCKE), 1887, A., 959.

droxyethylpyridinecarboxylic thylcomenamic acid) (MENNEL), 4., 1203.

A., 1203. droxy-3'-ethylquinoline and Schramm), 1888,

> 'n (MEYER and HOFF-'., 970. 'cids, αγ- and βγ-48,

cistrans-p-Dihydroxyhexamethylene (v. BAEYER), 1892, A., 833.

Dihydroxyhexane (havylenic δ-glycol) (Lipp), 1886, A., 219; (Perkin), 1887, T., 722.

Dihydroxyhexoic acid [m.p. 152°] (LIEBEN and ZEISEL), 1883, A., 571.

Dihydroxyhexoic acid lactone and salts of (FITTIG and HILLERT), 1892, A., 959.

isoDihydroxyhexoic acid lactone and salts of (Fittig and Hillert), 1892, A., 959.

o-Dihydroxyhydrobenzoin and dicsoanhydride of (TIEMANN), 1892, A., 168, 167.

p-Dihydroxyisohydrobenzoin (Tie-MANN), 1886, A., 460.

o-Dihydroxyhydrobenzoins, isomeric (TIEMANN), 1892, A., 167.

Dihydroxyhydrolapachic acid (Hook-ER), 1891, A., 1239.

Dihydroxyhydrolapachol (Hooker), 1892, T., 647.

Dihydroxylamine barium and cadmium chlorides (CRISMER), 1890, A., 559. zinc chloride (CRISMER), 1890, A., 558.

m-Dihydro-xylene (WALLACH), 1890, A., 1314.

Dihydro-p-xylene, synthesis of (v. BAEYER), 1892, A., 1182.

Dihydroxymaleic acid, the so-called (HENDRIXSON), 1890, A., 958.

Dihydroxymesitylene (mesitylenic glycol) (ROBINET and COLSON), 1883, A., 1095.

A., 1095. 2':4'-Dihydroxy-p-methoxy-3':4'-dihydroquinoline (Eichenghun and Einhorn), 1891, A., 1098.

Dihydroxymethylanthraquinone (chrysophanic wid) (GRANDIS), 1892, A., 1354.

reactions for distinguishing, from the santonin colouring matter in urine (HOPPE-SEYLER), 1887, A., 406.

βγ-Dihydroxymethyl-ψ-carbostyril (FRIEDLANDER and MULLER), 1887, A., 978.

m-α-Dihydroxymethylcoumarilic acid (LANG), 1887, A., 263.

Dihydroxymethylcoumarin (v. Pech-MANN and Duisberg), 1884, A., 67.

4: 6-Dihydroxy-\(\beta\)-methylcoumarin (V. PECHMANN and COHEN), 1885, \(\Lambda\). 57.

Dihydroxymethyldihydroquinolinecarboxylic acid (Knóllkowski and Nencki), 1888, A., 865.

2':4'-Dihydroxymethyl-3'-ethylquinoline (RUGHEIMER and SCHRAMM), 1887, A., 738; 1888, A., 502. 2':4'-Dihydroxy-1-methylquinoline, 3'-chloro- (chlorohydroxy-o-tolucarbostyril) (RUGHEIMER and HOFFMANN), 1886, A., 160.

Dihydroxy-2'-methylquinoline-derivatives, synthesis of (CONRAD and LIMрасн), 1888, А., 853.

 β -o-Dihydroxy- α -naphthaldehyde (Bradley and Dains), 1892, A., 1459.

1:4'-Dihydroxynaphthalene (ARMstrong and WYNNE), 1887, P., 43.

1:1'(?)-Dihydroxynaphthalene (MEL-DOLA and HUGHES), 1890, T., 633.

1:3'-Dihydroxynaphthalene (CLAUS), 1889, A., 714.

2:2'-Dihydroxynaphthalene (CLAUS-IUS), 1890, A., 627.

1:1'-dichloro- and 1 3:3':1'-tetrachloro- (CLAUSIUS), 1890, A., 629.

Dihydroxynaphthalene, action of, on blood (LÉPINE), 1888, A., 184.

Dihydroxynaphthalenedicarboxylic acid (CLAUS and MEIXNER), 1888, A., 612.

Dihydroxynaphthalenedisulphonic acid, sodium ammonium salt of (Witt), 1889, A., 273.

isomeric Dihydroxynaphthalenes, (ERDMANN), 1889, A., 157.

1:2'-Dihydroxynaphthalenes, and 2:3'- (EMMERT), 1888, A., 57.

Dihydroxy-α-naphthaquinone (hydroxyjuglone) and its derivatives (MYLIUS), 1885, A., 803.

3:4-Dihydroxy-1:2-naphthaquinone (BAMBERGER and KITSCHELT), 1892, A., 494; (ZINCKE), 1892, A., 720. 2":3"-Dihydroxynaphthaquinoxaline

(Kühling), 1892, A., 70.

Dihydroxynaphthoxanthones (BENER), 1892, A., 1100.

2':2:1-Dihydroxynaphthylamine (CLAUSIUS), 1890, A., 628.

αβ-Dihydroxynaphthylamine, hydrochloride of (Konn), 1884, A., 1186.

Dihydroxyisonicotinamide (Rune-MANN), 1888, A., 728.

Dihydroxy//initroberberine (MARFORI), 1889, A., 628.

1:3-Dihydroxy/linitrodiphenylamine (NIETZKI and SCHÜNDELEN), 1892, A., 310.

p-Dihydroxydinitrodiphenyltrichlorethane (Elbs and Hoermann), 1889, A., 998.

Dihydroxyœnanthylphosphinic acid VILLE), 1889, A., 1135.

Dihydroxypentane [b.p. 260°] (pentyl-(GUSTAVSON and enic glycol) `1889, 950; DEMIANOFF) (DEMJANOFF), 1892, A., 1292.

Dihydroxypentane [b.p. 260°] (pentylinic glycol), oxides of (DEMJANOFF), 1892, A., 1292.

Dihydroxypentane [b.p. 220°]. γ -Amylene glycol.

Dihydroxypentenecarboxylic acid, dichloro- (HANTZSCH), 1888, A., 131; 1889, A., 853.

trichloro- (HANTZKUH), 1888, A., 130; 1889, A., 853; (HOFFMANN), 1889, A., 856.

Dihydroxyphenazine (FISCHER HEPP), 1890, A., 801.

Dihydroxyphenoquinone, tetrachlorodibromo- (Benedikt), 1883, A., 984.

Dihydroxyphenoxypropane (phenylglycerol) (Lindemann), 1891, A., 1198.

3:5-Dihydroxyphenylacetic acid (Con-NELIUS and V. PECHMANN), 1886, A., 802.

Dihydroxyphenylacrylic acid. See Caffeic acid.

aγ-Dihydroxy-γ-phenylbutyric acid, lactone of (BIEDERMANN), 1892, A., 472.

 $\beta\gamma$ -Dihydroxy- γ -phenylbutyric acid (Firtig), 1888, A., 595; (Firtig and OBERMULLER), 1892, A., 986.

Dihydroxyphenylbutyrolactone, bromo-(FISCHER and STEWART), 1892, A., 1447.

aß-Dihydroxyphenylpropionic acid. See \$-Phenylglyceric acid.

Dihydroxyphenylquinoline [m.p. 114°] (Weidel), 1887, A., 847.

 $p ext{-Dihydroxyphenylthiocarbamide}$ (Kalckhoff), 1883, A., 1110.

Dihydroxyphenylvaleric acid (FITTIG and MAYER), 1892, A., 986.

Dihydroxyphosphinic acids (VILLE), 1889, A., 1134; 1890, A., 618.

a'γ-Dihydroxy-a-picoline (Collie and MYERS), 1892, T., 722.

a'B'-Dihydroxy-a-piccline, di- and trichloro- (HOFFMANN), 1889, A., 856.

Dihydroxypicoline dibromide (Collie and Myers), 1892, T., 724.

Dihydroxypiperohydronic acids, and \$\gamma_{\gamma}\tag{v. Regel}, 1887, A., 488.

Dihydroxypropanetricarboxylic and its salts (KILIANI), 1885, A., 744.

aß-Dihydroxypropionic acid. See Glyceric acid.

(Koenigs Dihydroxypyridine GEIGY), 1884, A., 1369; (WEIDEL and BLAU), 1886, A., 76. salts of (Koenigs and Geigy), 1884,

A., 1369.

2:6-Dihydroxypyridine, 4-amido-. See Glutazine.

Dihydroxypyridinecarboxylic acid (orimidocomanic acid) (Ost), 1884, A., 1302.

Dihydroxypyridinecarboxylic acid (comenamic acid) (Osr), 1883, A.,

2:4-Dihydroxypyridine-5- or 6 (?)- carboxylic acid, 3-nitro- (BISCHOFF), 1889, A., 519.

2:6-Dihydroxypyridine-3-carboxylic acid. See Citrazinic acid.

Dihydroxypyromellitic acid (quinoltetracurboxylic acid) (NEF), 1888, T., 453.

pyrazolone derivative of (NEF), 1890, A., 984.

anhydride of (NEF), 1890, A., 984. Dihydroxyquinoline (LELLMANN), 1887, A., 973.

130°a-Dihydroxyquinoline [m.p. 136°] (LA Coste and VALEUR), 1886, A., 629.

B-Dihydroxyquinoline [m.p. 68°] (L.a. Coste and Valeur), 1886, A., 629; 1888, A., 297.

1:2'-Dihydroxyquinoline (hydroxycarbostyril) (v. BAEYER and BLOEM), 1883, A., 197; (FRIEDLÄNDER and WEIN-BERG), 1883, A., 351.

1:4-Dihydroxyquinoline (CLAUS and Posselt), 1890, A., 523.

1:1'-Dihydroxyquinoline, 2:4-dichloro-(HEBEBRAND), 1889, A., 61.

Dihydroxy isoquinoline, chloro- (Rüg-HEIMER), 1886, A., 702. Dihydroxyquinolines, 2':3' and 2':4'-(FRIEDLANDER andWEINBERG), 1883, A., 351.

2':4'-Dihydroxyquinoline-3'-carboxylic acid (Bischoff), 1889, A., 519.

2':4'-Dihydroxyquinoline-3'-oxime (quinisatoxime) (v. Baryen and Homolka), 1884, A., 1029.

2':4'-Dihydroxyquinolinesulphonicacid (v. BAEYER and BLOEM), 1883, A., 197.

Dihydroxyquinone, Chloranilic acid. dichloro. See

nitramido-, potassium salt of (NIETZKI and Benckiser), 1885, A., 779.

2:5-Dihydroxyquinone (NIETZKI and SCHMIDT), 1888, A., 1181.

derivatives of (NIETZKI and SCHMIDT), 1889, A., 968.

2:5-Dihydroxyquinone, 3:6- diamido-(NIETZKI and SCHMIDT), 1888 A.,

3-chloro (KEHRMANN and TIESLER), 1890, A., 242.

2:5-Dihydroxyquinone, 3-chloro-, action of aniline on (KEHRMANN), 1890, A., 756.

chloro-3-iodo- (KEHRMANN TIESLER), 1890, A., 242. 6-chloro-3-iodo-

dimido- (Nietzki), 1884, A., 58. nitro- (NIETZKI and SCHMIDT), 1889, A., 968.

3:6-Dihydroxyquinone (LOEWY), 1886, A., 1028.

2:5-dinitro-. See Nitranilic acid.

Dihydroxyquinones, action of, on o-diamines (NIETZKI and HASTER-LIK), 1891, A., 944.

action of hydroxylamine hydrochloride on (KEHRMANN and TIESLER), 1890, A., 493.

Dihydroxyquinonephenazine (NIETZKI and SCHMIDT), 1888, A., 690.

Dihydroxyquinoxaline (BLADIN), 1885 A., 257, 786.

Dihydroxysebacic acid (CLAUS and STEINKAULER), 1888, A., 134.

Dihydroxyshikimic acid (EIJKMAN), 1891, A., 920.

Dihydroxystearic acid (SAYTZEFF), 1886, A., 140; (SPIRIDONOFF), 1889, 123; (GRÖGER), 1889, A., 690.

Dihydroxystearic acids (M., C., and A. SAYTZEFF), 1888, A., 816.

o-Dihydroxystilbene (HARRIES), 1892, A., 168.

p-Dihydroxystilbene (Elbs and Hoer-MANN), 1889, A., 997.

Dihydroxystilbenediamine (JAPP and HOOKER), 1884, T., 680. action of acetic and benzoic anhydr-

ides on (JAPP and HOOKER), 1884, T., 683.

Dihydroxysuccinic acid. See Tartaric

Dihydroxytartarie acid (carboxytar-tronic acid) (Kekulé), 1884, A., 41; (MILLER), 1889, A., 1149. action of carbamide and thiocarbamide

on (Anschutz and Geldermann), 1891, A., 725. action of hydroxylamine on (Mul-

LER), 1884, A., 584.

behaviour of, with sodium hydrogen sulphite (HINSDERG), 1892, A., 148

condensation of, with secondary hydrazines (ZIEGLER and LOCHER), 1887, A., 579.

diphenylhydrazine, reduction (TAFEL), 1887, A., 467.

Dihydroxyterephthaldihydroxamic (JEANRENAUD), acid 871.

- 3:6-Dihydroxyterephthalic acid (quinoldirarboxylicacid; quinonchydrodicarboxylic acid) (WEDEL), 1884, A., 834.
 - constitution of (GEUTHER), 1888, A., 579.
 - derivatives of (WEDEL), 1884, A., 834.
- 3:6-Dihydroxyterephthalic acid, dibromo- (Böniger), 1888, A., 954. y-diehloro- (Hantzsch and Zecken-
 - DORF), 1888, A., 278. diinido- (BÖNIGER), 1888, A.,
- 955.

 Dihydroxytetrahydroterephthalic acid
- [m.p. 191°] (JEANRENAUD), 1889, A., 872.
- Dihydroxythiobenzene, properties of (Tassinari), 1891, A., 186.
- Dihydroxythiobenzenes (TASSINARI), 1889, A., 245; 1892, A., 1316.
- Dihydroxydithiobenzoic acid (LIPP-MANN), 1890, A., 163.
- Dihydroxythymoquinone (Kowalski), 1892, A., 1098.
 - constitution of (MAZZARA), 1890, A., 884.
- 2:3-Dihydroxytoluene, synthesis of (LIMPACH), 1892, A., 447.
- 2:4-Dihydroxytoluene (vresorvinol) from tolylenediamine (WALLACH), 1883, A., 329.
 - identity of, with isocreinel (Nölting and Weingärtner), 1886, A., 346. dinitro- and dinitroso- (v. Kosta-
- NECKI), 1888, A., 264, 263. 2:6-Dihydroxytoluene (ULLMANN),
- 1884, A., 1317. 3:5-Dihydroxytoluene. See Orcinol.
- 2:4-Dihydroxy-1:3- or -1:5-toluic acid (cresorcinolcurboxylic acid) (v. Kosta-Necki), 1886, A., 242.
- 5:3-Dihydroxy-o-toluic acid (eresorsellinic acid), and its salts (JACOBSEN and WIERSS), 1883, A., 1121.
- 5:3-Dihydroxy-p-toluic acid (WEIN-REICH), 1887, A., 669.
- Dihydroxytoluic aldehyde (orcylaldehyde) (v. Pechmann and Welsh), 1884, A., 1346.
- Dihydroxytoluquinone (ZINCKE), 1883, A., 1118.
 - constitution of (KEHRMANN), 1890, A., 756.
- 3:6-Dihydroxytoluquinone, 5-nitro-(tolunitranilic acid) (KEHRMANN), 1888, A., 940; (KEHRMANN and BRASCH), 1889, A., 969.
- Dihydroxytoluquinoxaline (BLADIN), 1885, A., 785; (HINSBERG), 1886, A., 82.

- Dihydroxytolylcarbamide (Söderbaum and Widman), 1889, A., 972.
- p-Dihydroxytriphenylmethane, and its derivatives (RUSSANOFF), 1889, A., 1188: 1891. A., 1234.
 - 1188; 1891, A., 1234. m-nitro- (DE VARDA and ZENONI), 1891, A., 1346.
 - dinitro- (Russanoff), 1891, A., 1235.
- Dihydroxyundecylic acid (HAZURA and GRUSSNER), 1889, A., 375.
- Dihydroxyvaleric acid (αβ-dimethylglyceric acid) (ΜΕΙΙΚΟΓΕ), 1886, A., . 1009; 1887, A., 30; (ΜΕΙΙΚΟΓΕ and ΡΕΤΡΕΝΚΟ-ΚΕΙΤSCHENKO), 1892, A., 297.
 - salts of (FITTIG and URBAN), 1892, A., 959.
- 3:4-Dihydroxyxanthone (GRAEBE and Eichengrun), 1891, A., 707.
 - bromo-, derivatives of (GRAEBE and Eigheneury), 1892, A., 1226.
- Di-ω-hydroxy-m-xylene (m-xylenic ylycol) (Colson), 1884, A., 1313.
- Di-ω-hydroxy-o-xylene (o-xylenic glycol) (Colson), 1884, A., 1000.
- 2:4-Dihydroxy-m-xylene (dimethylresorcinol) (Wischin), 1891, A., 74.
 - bromo- and chloro- (WISCHIN), 1891, A., 74.
- 4:6-Dihydroxy-m-xylene. See Xylorcinol.
- 3: 5-Dihydroxy-p-xylene (v. Kosta-NECKI), 1887, A., 39.
- Dihydroxyxylenes (xylenic glycols), saponification of the haloid derivatives of, by neutral substances (Colson), 1885, A., 146.
- Diimide, attempts to prepare (THIELE), 1892, A., 1430.
- Diketodihydropentene, tetrachloro-(ZINCKE and RABINOWITSCH), 1891, A. 691.
- A., 691. 2':4'-Diketodihydroquinazoline (Apr.), 1889, A., 609.
- Diketoheptane. See Methyl isobutyl diketone.
- m-Diketohexamethylene, heptachloro-(ZINGKE and RABINOWITSCH), 1891, A., 690.
- Diketohexamethylene-dioxime and -diphenylhydrazone (v. BAEYER and NOYES), 1889, A., 1147, 1148.
- Diketchexanes. See Methyl propyl diketones.
- a-Diketohexene, hexachloro- (ZINCKE), 1890, A., 964.
- m-Diketohexene, hexachloro- (ZINCKE and Fuchs), 1892, A., 1461

o-Diketohexene, herachloro-, action of phosphoric chloride on, and behaviour of, on heating (ZINCKE and KUSTER), 1891, A., 819.

p-Diketohexene, hevachloro- (ZINCKE and FUCHS), 1892, A., 447.

pentachloramido- (ZINCKE and FUCHS), 1892, A., 450.

αβ-Diketohexylene (OTTE and v. PECH-MANN), 1889, A., 1139.

a-Diketohydrindene (Wislicenus), 1888, A., 1194; (Wislicenus and Kotzle), 1889, A., 1067.

dichloro- (ZINCKE), 1888, A., 489. Diketohydrindene, dioxime of (WISLICENTS and KOTZLE), 1889, A., 1067. chlorinated and brominated (ZINCKE and GEELAND), 1888, A., 1199.

Diketohydronaphthalene, tetruchloro-(ZINCKE), 1888, A., 489. and its decomposition products (ZINCKE and COOKSEY), 1890, A., 784.

o-Diketohydronaphthalene,tetruchloro-, its hydrates and alcoholates (ZINCKE and ARNST), 1892, A., 858.

2':2-Diketohydronaphthalene, decachloro- (CLAUSIUS), 1890, A., 629.

Diketohydronaphthalene hydrate, triehloro- (ZINCKE), 1888, A., 158.

αβ-Diketohydronaphthalene hydrate, dichloronitro- (ZINCKE and SCHAR-FENBERG), 1892, A., 1232.

 a_1a_2 -Diketo- γ_1 -methyljulole (Reissert), 1892, A., 496.

Diketones (Béhal and Auger), 1890, A., 388.

action of bleaching powder and of hypochlorous acid on (ZINCKE), 1892, A., 720.

action of diamines on (Combes), 1889, A., 851.

action of hydroxylamine on (Goldschmidt), 1884, A., 62; (MUNCHMEYER), 1886, A., 350, 877; 1887, A., 373.

action of methylhydrazine on (Kohl-RAUSCH). 1890, A., 24.

additive and condensation compounds of, with ketones (JAPP and MILLER), 1885, T., 11.

o-Diketones, colour reaction exhibited by (Bambergen), 1885, A., 807. fatty, preparation of (v. Pechmann),

1892, A., 425.

Diketones, hydrocyanides of, preparation and hydrolysis of (JAPP and MILLER), 1886, P., 249; 1887, T., 29.

saponification of (JAPP and MIL-LER), 1884, A., 329.

a-Diketones (v. PECHMANN), 1888, A., 811.

action of aldehydes and ammonia on (Wadsworth), 1890, T., 8.

condensation of, with ethylic acetoacetate (JAPP and KLINGEMANN), 1888, P., 114.

reduction of (JAPP and KLINGEMANN), 1890, P., 31.

transformation of, in alkaline solution (HOOGEWERFF and VAN DORP), 1891, A., 835.

hydrazides of (JAPP and KLINGE-MANN), 1888, P., 11.

mixed (MULLER and v. PECHMANN), 1889, A., 1170.

B-Diketones, action of hydroxylamine on (HANTZSCH), 1891, A., 739.

γ-Diketones, action of phenylhydrazine on (JAPP and HUNTLY), 1888, T., 184; P., 11.

Diketonic acids (Kues and Paal), 1887, A., 261.

αβ-Diketo-octane, secondary (OTTE and V. PECHMANN), 1889, A., 1138.

Diketopentamethylene derivatives, action of amines on (INCE), 1890, A., 1090.

bromo- and chloro-derivatives of (HANTZSCH), 1889, A., 855.

chloro- (HANTZSCH), 1888, A., 132. Diketopentamethylenecarboxylic acid, chloro- (HANTZSCH), 1888, A., 132.

αδ-Diketopentanecarboxylic acids, mono- and ε-dichloro- (HANTZSCH), 1889, A., 854.

αβ-Diketopiperazines (BISCHOFF and NASTVOGEL), 1889, A., 1015.

αγ-Diketopiperazines (BISCHOFF and NASTVOGEL), 1889, A., 1011.

Diketotetrahydrobenzene, hesuchloro-(ZINCKE and KUSTER), 1888, A., 1277.

Dilactylic acid (TANATAR and TSCHELE-BEEFF), 1891, A., 177.

Dilactylic acids, α- and β-mono- and -di-thio- (Loven), 1884, A., 1298, 1299.

Dilatometer, differential, and its application in an investigation on the formation of alums (SPRING), 1884, A., 887.

Dilauryl-carbinol and -carbinylic acetate (KIPPING), 1890, T., 983, 984.

Dilituric acid (CERESOLE), 1883, A., 913.

Diluents, influence of, on the illuminating power of gases (FRANKLAND), 1884, T., 227.

Dilution, influence of, on the rate of chemical reactions (DE LA CROIX), 1884, A., 1090. Dilution constants, electromotive (Mies-LER), 1887, A., 1072; 1888, A., 13.

Dimalonylmaleic acid (PUM), 1888, A., 1059.

Dimethamido.. See Dimethylamido..
Dimethoxyanthranilcarboxylic acid

(LIEBERMANN), 1886, A., 468. 1:3-Dimethoxybenzene (resorciny) dimethyl cher), 4-amido-, and its derivatives (Bechhold), 1889, A., 1155

dinitro- (JACKSON and WARREN), 1891, A., 1025.

Dimethoxybenzoic acid, dibromo- (v. Boyen), 1888, A., 680.

Di-o-methoxybenzylidene-ethylenediamine (MASON), 1887, A., 493.

Dimethoxydichloroquinol (Kehr-Mann), 1889, A., 707.

Dimethoxydichloroquinols, α- and β-(ΚΕΗΝΜΑΝΝ), 1890, A., 137.

Dimethoxydichloroquinone (KEHR-MANN), 1889, A., 707.

p-Dimethoxy/lichloroquinone (KEHR-MANN), 1890, A., 136.

Dimethoxycinehonic acid (GOLDschmiedt), 1886, A., 479; 1888, A., 302.

m-o-Dimethoxycinnamic acid (Sch-NELL), 1884, A., 1166; 1887, A., 140.

Dimethoxyconiferin (syringin) (Kür-NER), 1889, A., 159.

Dimethoxyconiine (v. Hofmann), 1885, A., 563.

Dimethoxydibenzyl (anisyl) mercaptan and disulphide (BAUMANN and FROMM), 1891, A., 1051.

Dimethoxydiethylacetone(JAMES), 1886, T., 57.

Dimethoxydihydrochloroquinolinelactone (LIEBERMANN and KLEEMANN), 1887, A., 48.

Dimethoxydihydroxybenzene (climethylapionole) from apiole (CIAMICIAN and SILBER), 1889, A., 407; 1890, A., 35.

Dimethoxydimethylbenzidine (Me:NH₂:OMe=2:4:5) (Brasen and Freyss), 1891, A., 1231.

Dimethoxydimethylmalonic acid (KLE-BER), 1888, A., 1057.

Dimethoxydinaphthalenes, α- and β-(OSTERMAYER and ROSENHEK), 1885, A., 171.

Dimethoxydinaphthylenemethane (DIA-NIN), 1889, A., 1188.

p-Dimethoxydiphenylpiperazine (Bis-CHOFF), 1889, A., 1011.

action of nitrous acid on (BISCHOFF and TRAPESONZJANZ), 1890, A., 1332, Dimethoxyditolylquinone (NIETZKI), 1883, A., 467.

Dimethoxygentisein (v. Kostanecki and Schmidt), 1891, A., 1386.

Dimethoxyhydrocarbostyrillactone (LIEBERMANN and KLEEMANN), 1887, A., 48.

Dimethoxyindigo (RIECHE), 1889, A.,

p-γ-Dimethoxy-2'-methylquinoline (CONRAD and LIMPACH), 1888, A., 853

Dimethoxyphenylorotonic acid (dimethyl-B-methylumbellic acid) (v. PECHMANN and COHEN), 1884, A., 1331.

Dimethoxyphenylglyoxylic acid (CLA-MICIAN and SILBER), 1890, A., 967.

Dimethoxyphenylglyoxylic phenylhydrazone (GARELLI), 1891, Å., 711. Dimethoxyphenylpropionic acid(WILL), 1884, Å., 68.

Dimethoxy-o-phthalic acid, See Hemipinic acid.

Dimethoxyquinazoline (ABT), 1889, A.,

Dimethoxyquinoline (LA Coste and Valeur), 1887, A., 973; (Goldschmiedt), 1887, A., 1119; 1888, A., 303.

Dimethoxyquinone (WILL), 1888, A., 458.

from trimethylpyrogallol, constitution of (Will), 1888, A., 1090.

Dimethoxystilbenes, o- and p- (KOPP), 1892, A., 719.

Dimethoxyterephthalic acid (NEF) 1890, A., 986.

o-Dimethoxy-m-tolidine (Brasch and Freyss), 1891, A., 1232.

Dimethoxytolylenephthalamidone (BISTRIZYCKI), 1891, A., 746.

Dimethoxyumbellic acid (TIEMANN and WILL), 1883, A., 200.

Dimethyl diketone (diacetyl) (V. PECH-MANN), 1888, A., 248; (FITTIG), 1888, A., 252; (V. PECHMANN and OTTE), 1888, A., 1052.

preparation of (Fittig, Daimler and Keller), 1889, A., 491; (v. Pech-Mann), 1892, A., 425.

MANN), 1892, A., 425. action of benzaldehyde and ammonia on (WADSWORTH), 1890, T., S.

action of cinnamaldehyde and ammonia on (WADSWORTH), 1890, T.,

action of salicylaldehyde and ammonia on (Wadsworth), 1890, T.,

reduction of (v. Pechmann), 1889 A., 1137. Dimethyl diketone (diacetyl), derivatives of (v. Pechmann), 1888, A., 811. diphenylimide of (diacetylavil) (v.

PECHMANN), 1883, A., 812. phenyl hydrazide and diphenyldihydrazide (JAPP and KLINGEMANN), 1888, P., 11.

homologues of (v. Pechmann), 1888, A., 248; (v. Pechmann and Otte), 1888, A., 1052; 1889, A., 1137.

Dimethyl diketone, dibromo- (FITTIG, DAIMLER and KELLER), 1889, A., 491.

s-tetrabromo- (Keller), 1890, A., 359.

tetruchloro- (LEVY and JEDLICKA), 1888, A., 443.

action of ammonia and ethylenediamine on (LEVY), 1890, A.,

derivatives of (LEVY, WITTE and

Сикснор), 1890, А., 232. trichloramido- (Levy, Witte and Сикснор), 1890, А., 233.

Dimethyl diketonecarboxylic acid (ketipic acid) (FITTIG and DAIMLER), 1887, A., 362; (FITTIG, DAIMLER and KELLER), 1889, A., 490.

Dimethyl ketone. See Acetone.

Dimethylacetal, trichloro- (MAGNA-NIMI), 1887, A., 28.

Dimethylacetoacetic acid (Ceresole), 1883, A., 41.

See Methyl iso-Dimethylacetone. propyl ketone.

Dimethylacetylbutylamine (LIPP), 1892, A., 1244.

Dimethylacetylene and its tetra bromides (FAWORSKY), 1890, A., 1220. See also Butinene.

Dimethylacetylenedicarbamide (Fran-CHIMONT and KLOBBIE), 1889, A., 126.

aa'-Dimethylacetylhexoic acid (KIP-PING and MACKENZIE), 1891, T., 570, 584.

aω-Dimethyl-ω-acetylhexoic acid (KIP-PING and MACKENZIE), 1890, P., 117.

 $Di-\alpha$ -methyl- β -acetylpropionic (mesitonic acid) (Ansunutz and Gil-LET), 1888, A., 1272.

αβ-Dimethylacraldehyde (LIEBEN and Zeisel), 1886, A., 783; (HAYMANN), 1889, A., 487.

Dimethylacridine (BONNA), 1887, A., 928.

Dimethylacridinium hydroxide (BERN-THSEN), 1884, A., 1356.

Dimethylacrylic acid (pentenoic acid) (Gorboff and Kessler), 1888, A., Š14.

Dimethylacrylic acid (pentenoic acid) from isovaleric acid (DUVILLIER), 1891, A., 1011.

polymeric (Hell and Mayer), 1889, A., 374.

β-Dimethylacrylic acid, and its salts (Ustinoff), 1886, A., 140; 1887, A., 359.

s-Dimethyladipic acid (Zelinsky; Auwers and Meyer), 1890, A., 132.

Dimethyladipic acids, stereoisomeric (ZELINSKY), 1892, A., 430. Dimethylæsculetin (TIEMANN and

Will), 1883, A., 199.

Dimethylalloxanphenylhydrazone (Kuhling), 1892, A., 442,

Dimethylalloxazine (Kuhling), 1891, A., 1342.

Dimethylallylcarbinol, bye-product of the preparation of (Dieff), 1883, A., 1076.

crude, an alcohol in (Poutokin), 1884, A., 1283.

glycerol from (Reformatsky), 1890, A., 121.

Dimethyl-\beta-allylcarbinol (dimethyl-(CHUPOTSKY isopropenylearbinol) and MARIUTZA), 1890, A., 727. action of acids on (MARIUTZA), 1890,

A., 728. Dimethylallylene (pentinene), action of hydrogen chloride on (KONDAKOFF), 1889, A., 1127.

conversion of, into isopropylacetylene (FAWORSKY), 1888, A., 1169. properties and transformation

transformations of (Albitzky), 1888, A., 797.

αβ-Dimethylallylic alcohol (Lieben and Zeisel), 1886, A., 784.

Dimethylamarine, formula of (CLAUS), 1883, A., 204.

s-Dimethylamides (HENRY), 1885, A., 887.

Dimethylamidoazo -. See under Azo -. p-Dimethylamidobenzaldoxime (KNO-FLER and BOESSNECK), 1888, A., 267.

Dimethylamidobenzamide (KNAPE), 1891, A., 910.

Dimethylamidobenzeneazo-. See under

Dimethyl- mono- and -di-amidobenzhydrols and their derivatives (AL-BRECHT), 1889, A., 263, 264.

p-Dimethylamidobenzoic acid, nitroso-, and its derivatives (BISCHOFF), 1889,

Dimethylamidobenzophenone, nitroso-(Bischoff), 1889, A., 511.

Dimethyldiamidobenzophenone, nitro- (VAN ROMBURGH), 1888, A., 1079, 1197. p-Dimethylamidobenzylidenephenylhydrazine (Knofler and Boessneck), 1888, A., 267.

B-Dimethylamidocrotonanilide (KNORR), 1892, A., 708.

Dimethylamidocyanuric acid and chloride (v. Hofmann), 1886, A., 40.

Dimethylamidodicarbimidoamidobenzoic acid (GRIESS), 1885, A., 1225.

Dimethylamidodiphenylamine(FISCHER and WACKER), 1888, A., 1286. dinitro- (LELLMANN and MACK), 1890,

A., 1410. Dimethyltriamidodiphenylamine (KEHRMANN and MESSINGER), 1892,

A., 1109.

Dimethyldiamidodiphenylmethane (Albrecht), 1889, A., 264.

Dimethyltriamidodiphenyltolylmethane (Nolting), 1891, A., 727; 1892, A., 189.

Dimethylamidohexylene (TAFEL and NEUGEBAUER), 1890, A., 1001.

Dimethylamidohydroquinoline hydrochloride (OSTERMAYER), 1885, A., 814.

Dimethylamidomethylhydroquinoline dimethiodide (ZIEGLER), 1888, A., 610.

Dimethylamidomethylphenazine (BERNTHSEN and SCHWEITZER),1887,

A., 139. Dimethylamidomethylthiazole (HANT-ZSCH and WEBER), 1888, A., 257.

a-Dimethylamido-a-naphtha-phenazine and -tolazine (EICKER), 1891, A., 471.

Dimethyl-m-amidophenetoil (VOM BAUR and STAEDEL), 1883, A., 579.

Dimethylamidophenol, dinitro-, and its derivatives (LIPPMANN and FLEISS-NER), 1886, A. 235.

Dimethyl-m-amidophenol, nitroso-(MOHLAU), 1892, A., 887.

Dimethylamidophenyl hexyl ketone (Auger), 1887, A., 815.

Dimethylamidophenylarsine oxide and sulphide (MICHAELIS and RABINER-SON), 1892, A., 1321.

Dimethylamidophenyltrichloromethylcarbinol (Boessneck), 1885, A., 976. Dimethylamidophenylethane (Heu-

MANN and WIERNIK), 1887, A., 1039. Dimethyl-p-amidophenylic ethylxanthate (LEUCKART), 1890, A., 605.

Dimethylamidophenyl-phosphinous and phosphonic acids (SCHENK and Michaelis), 1888, A., 884.

Dimethylamidophenylphosphorous chloride (Schenk and Michaelis), 1888, A., 834,

Dimethylamidophenylquinoneimide (phenol-blue) (Michlat), 1884, A., 594; 1886, A., 146; (Fogh), 1888, A., 592.

trichloro- (MÜHLAU), 1884, A., 595.

Dimethylamidopropionic acid (DUVIL-LIER), 1892, A., 1302.

Dimethylamidoquinoline (LA COSTE), 1883, A., 811.

Dimethyldiamidoquinoxaline (NIETZKI and MULLER), 1889, A., 604.

Dimethyl-mono- and -di-quinoxazones (Mohlat), 1892, A., 888.

Dimethylamidosulphonic chloride and its derivatives (Behrend), 1884, A., 285.

Dimethylamine, properties of (v. Hor-MANN), 1889, A., 688.

heat of formation of (MULLER), 1889, A., 811.

action of bromine on (RASCHIG), 1885, A., 1195.

Dimethylamine chlororhodate (VIN-CENT), 1886, A., 311.

hydrogen diaminechromium thiocyanate (Christensen), 1892, A., 1000.

platinothiocyanate (Guareschi), 1892, A., 286.

vanadates (BAILEY), 1884, T., 693, 694.

nitro-, reduction of (FRANCHIMONT), 1885, A., 963.

Dimethylanhydracetonebenzil (JAPP and Burton), 1887, T., 432; P., 32. Dimethylaniline (v. Hofmann), 1884,

A., 1320. manufacture of (SCHOOP), 1887, A., 474; (Mühlhauser), 1887, A., 578

Preparation of (REINHARDT and STAEDEL), 1883, A., 578.

refractive power of, at different temperatures (PERKIN), 1892, T., 302. action of aluminium chloride on

(GIRAUD), 1890, A., 137. action of benzoic chloride on (HESS), 1885, A., 783.

action of carbon disulphide on, in presence of nascent hydrogen (Wiernik), 1889, A., 130.

action of chloral hydrate on (Boess-NECK), 1885, A., 976.

action of, on ethylene bromide (Hün-NER, TÜLLE and ATHENSTÄDT), 1884, A., 1317.

action of cenanthaldehyde and heptylic chloride on, in presence of zinc chloride (ATGER), 1887, A., 814.

action of sulphur on (Mühlau and Krohn), 1888, A., 361.

Dimethylaniline, nitration of (Nölting and Collin), 1884, A., 1013; (Nolting), 1886, A., 543.

derivatives of (LAUTH), 1891, A., 457.

Dimethylaniline cyanhydrin, nitroso-(LIPPMANN and FLEISSNER), 1885, A., 1213.

hydrochloride, action of m-nitrodiazobenzene chloride on (Mel-DOLA), 1884, T., 120.

oxyalkyl derivatives of, reaction of (GRIMAUX), 1891, A., 693.

platinochloride, preparation of (REIN-HARDT and STAEDEL), 1883, A., 578.

disilicofluoride, trinitroso- (Comey and Smith), 1888, A., 1283.

sulphate (Vignon), 1888, A., 1282. disulphide, diimido- (Beknihsen), 1889, A., 776.

Dimethylaniline, amido-. See Dimethylphenylenediamine.

o- and p-chloro-, and their derivatives (Heidlerns), 1887, A., 474. m-nitro- (Groll), 1886, A., 347; (STANDEL and BAUER), 1886, A., 941.

p-nitro- (LIPPMANN and FLEISSNER), 1883, A., 1100; (NOLTING and COLLIN), 1884, A., 1013.

di- and tri-nitro- (VAN ROMBURGH), 1888, A., 1080.

isodinitro- (VAN ROMBURGH), 1887, A., 245.

pentanitro-, non-existence of (VAN ROMBURGH), 1885, A., 660.

nitioso-, action of hydrochloric acid on (MOHLAU), 1886, A., 941.

action of phenylhydrazine on (FISCHER and WACKER), 1888, A., 1286.

phenylmethylhydrazone of (FISCHER and WACKER), 1889, A., 702. thio- (HOLZMANN), 1887, A., 723; (MICHAELIS and GODCHAIX),1890, A., 610.

dithio- (MERZ and WEITH), 1886, A., 792.

Dimethylanilinealloxan (Pellizzari), 1888, A., 682.

Dimethylanilineazobenzylpiperidine (LELLMANN and PEKRUN), 1891, A., 89.

Dimethylanilineazyline (LIPPMANN and FLEISSNER), 1883, A., 55, 185.

Dimethylanilinefurfural hydrochloride (SCHIFF), 1886, A., 612.

Dimethylanilinequinonimide. See Phenol-blue, Dimethylanilinesulphonic acid (MICH-AELIS and GODCHAUX), 1890, A., 610. Dimethylanilinisatin (v. BAEYER and

LAZARUS), 1886, A., 155.

Dimethyl-o-anisidine, action of nitrio acid on (VAN ROMBURGH),1892,A., 159.

actions of (GRIMAUX), 1891, A., 694. mono- and tri-nitro- (GRIMAUX and LEFEVRE), 1891, A., 1031.

Dimethylanthracene [m.p. 216°] (ELBS and WITTICH), 1885, A., 518.

2:3-Dimethylanthracene (ELBS and EURICH), 1887, A., 841.

1:3-Dimethylanthracene, dibromo-(ELBS), 1890, A., 511.

Dimethylanthrachrysone (CAHN), 1886, A., 556.

"m-Dimethylanthracylene" (ELBS), 1890, A., 511.

Dimethylanthrafiavic acid (dihydroxydimethylanthruquinone) and its acetyl- and benzoyl-derivatives (v. KOSTANECKI and NIEMENIOWSKI), 1885, A., 1240.

Dimethylanthragallol (trihydroxydimethylanthraquinone) (BIRUKOFF), 1887, A., 592.

Dimethylanthramine (Bollert), 1883, A., 1139.

1:3-Dimethylanthranol (ELBs), 1890, A., 511.

Dimethylanthraquinone [m.p. 236°] (Anschutz and Romic), 1885, A., 768.

α-m-β-Dimethylanthraquinone (ELBS), 1886, A., 557.

1:4-Dimethylanthraquinone (ELBs), 1890, A., 512.

Dimethylanthraquinones, 1:3- and 2:3-(ELBS and GUNTHER; ELBS and EURICH), 1887, A., 841.

Dimethylanthraquinonecarboxylic acid (GRESLY), 1886, A., 1029.

Dimethylanthrarufin (s-dihydroxydimethylanthraquinone) (v. Kostanecki and Niementowski), 1885, A., 531.

distillation of, with zinc-dust (v. Kostanecki and Niementowski), 1885, A., 1240.

Dimethylanthrone (HALLGARTEN), 1888, A., 1202.

Dimethylapionole (dimethoxydihydroxybenzene) (CIAMICIAN and SILBER), 1889, A., 407; 1890, A., 35.

Dimethylapionylcarboxylic acid (BAR-TOLOTTI), 1892, A., 1315.

Dimethylarsinic acid (cacodylic acid), action of, in the animal economy (Marshall and Grefn), 1886, A., 730. Dimethylasparagine (Körner and Menozzi), 1890, A., 870.

Dimethylaziethane (CURTIUS and THUN), 1891, A., 1356.

Dimethylazobenzene, tetrunitro- (MERTENS), 1886, A., 1022.

Dimethylbarbituric acid (dimethylmalonylurea) (CONRAD and GUTH-ZEIT), 1883, A., 315.

Dimethylbenzaldehyde (HINRICHSEN), 1889, A., 131, 391.

Dimethylbenzamide, nitro- (VAN ROM-BURGH), 1886, A., 546.

Dimethylbenzidine, tetranitro- (VAN ROMBURGH), 1887, A., 245.

2:2'-Dimethylbenzimidazole (BAMBER-GER and BERLE), 1892, A., 632.

Dimethylbenzodihydroxyanthraquinone and its acetyl derivative (v. KOSTANECKI and NIEMENTOWSKI), 1885, A., 1240.

2:3-Dimethylbenzoic acid (hemimellithylic acid) (JACOBSEN), 1887, A., 36.

 2:4-Dimethylbenzoic acid (xylic acid), bromo- (GUNTER), 1884, A., 1847. nitro- (AHRENS), 1892, A., 1437.
 3-nitro- (CLAUS), 1890, A., 980.
 3:5-dinitro- (CLAUS), 1890, A., 981.

2: 5-Dimethylbenzoic acid (p-xylic acid), bromo-, and its salts (GUNTER), 1884, A., 1347.

3:5-Dimethylbenzoic acid (mesitylenic acid), thermochemistry of (Ston-Mann, Kleber and Langbein), 1889, A., 1096.

bromo-, preparation of, from bromomesitylene (Sussenguth), 1883, A., 469

dibromo-, and its salts (Süssenguth),

1883, Á., 470. o-m-Dimethylbenzoylacetic acid (CLAUS

and FICKERT), 1887, A., 253. "ay-Dimethylbenzoylenecarbamide"

(ABT), 1889, A., 610. o-p-Dimethylbenzoyl-β-propionic acid

(CLAUS and WERNER), 1887, A., 827. Dimethylbenzoyl-ψ-cumidine meth-

iodide (Fröhlich), 1885, A., 154. Dimethylbenzyl salts (Hinrichsen),

1889, A., 391.

Dimethylbismuthine bromide and

chloride (MARQUARDT), 1887, A.,

hydroxide (MARQUARDT), 1887, A., 803.

Dimethylbromobenzeneazammonium compounds (ZINCKE and ARZBERGER), 1889, A., 502.

Dimethyldibromoheptamethylene (Kipping and Perkin), 1891, T., 223.

Dimethylbromodinitroresorcinol (JACK-SON and WARREN), 1891, A., 1025.

Dimethyltribromonitroresorcinol(JACK-SON and WARREN), 1891, A., 1026.

"Dimethylbutylallylcarbinamine" (MERLING), 1891, A., 1506.

Dimethylisobutylallylcarbinol(Schatz-KI), 1885, A., 237.

2:6-Dimethyl-1-isobutylpyridine (isobutyllutidine) (Engelmann), 1886, A., 260.

2:6-Dimethyl-4-isobutylpyridine-3:5-dicarboxylic acid (ENGELMANN), 1886, A., 260.

as-Dimethylcarbamide (VAN DER ZANDE), 1889, A., 962.

Dimethylearbazole (TAUBER and LOEWENHERZ), 1891, A., 835, 1491. diamido-(TAUBER and LOEWENHERZ), 1891, A., 834.

Dimethylcarbostyril (KNORR), 1888, A., 1111.

o-, m- and p- (Knorn), 1888, A., 1112.

1':4'-Dimethyl-\(\psi\)-carbostyril (Knorr), 1887, A., 159; (Knorr and Klotz), 1887, A., 278; (Reissert), 1892, A., 498.

Dimethylcarbostyrilsulphonic acid (KNORR), 1888, A., 1111.

Dimethyltrichloracetamide (Cloëz), 1887, A., 1098.

Dimethyl-m-chloraniline and its salts (vom BAUR and STALDEL), 1883, A., 579.

Dimethylchlorodiamidoethoxyquinone (KEHRMANN), 1891, A., 904.

Dimethyltrichlorobromobenzeneazammonium iodide (ZINCKE and ARZ-BERGER), 1889, A., 502.

p-α-Dimethyleinchonic acid (PFITZ-INGER), 1889, A., 413.

Dimethylcinchonine (FREUND and ROSENSTEIN), 1892, A., 892.

Dimethylcolchicinic acid (ZEISEL), 1888, A., 614.

Dimethylconmarilic acids (HANTZSCH and LANG), 1886, A., 706.

8-5-Dimethylcoumarin (V. PECHMANN

and COHEN), 1885, A., 56. Dimethylcoumarone (HANTZSCH and LANG), 1886, A., 706.

Dimethyl-ψ-cumidine (v. Hofmann), 1883, A., 324.

Dimethyleyanidine, amido- (Tscherven-Iwanoff), 1892, A., 1291.

Dimethylcyanine iodide (Hoogewerff

and VAN DORP), 1885, A., 673.

Dimethyl-n- and -iso-cyanuric acids
(v. HOFMANN), 1886, A., 929, 930.

Dimethyldehydrothiotoluidine (GREEN), 1889, T., 230.

 αα'-Dimethyl-αα'-diacetylpentane
 (ΚΙΡΡΙΝG and ΜΛΟΚΕΝΖΙΕ), 1890,
 P., 116; 1891, T., 570, 587.
 dioxime of (ΚΙΡΡΙΝG and ΜΛΟΚΕΝαχη) 1801 These

ZIE), 1891, T., 588.

Dimethyldiazine (STOEHR), 1892, A. 507; (DENNSTEDT), 1892, A., 633.

2:6-Dimethyl-m-diazine, 4-amido-. See Cyanmethine.

Dimethyl-dicoumaric acid and -dicoumarin (Hantzsch and Zürcher), 1887, A., 830.

Dimethyldiethylammonium chloride and hydroxide, action of heat on (COLLIE and SCHRYVER), 1890, T., 780.

Dimethyldiethylindamine thiosulphonate (Bernthsen), 1889, A., 778.

Dimethyldiethyl-p-phenylenediamine (LIPPMANN and FLEISSNER), 1884, A., 179.

diodomethylate (LIPPMANN and FLEISSNER), 1884, A., 178.

Dimethyldiethylphosphonium chloride, action of heat on (COLLIE), 1888, T., 720.

Dimethyldiethylsulphonamide (BEH-REND), 1884, A., 286.

Dimethyldihydrazimethylene (Curtius

and Thun), 1891, A., 1356. s-Dimethyldihydroanthracene (Ansoutz and Romig), 1885, A.,

768.
synthesis of, from benzene and ethylidania chlorida (ANGENTRY)

idenic chloride (Angeleis and Angeleitz), 1884, A., 753. as-Dimethyldihydroanthracene (Hall-

GARTEN), 1888, A., 1202.

Dimethyldihydronaphthol (CANNIZZARO), 1884, A., 327.

Dimethyldihydronaphthylpropionic acids (dihydrosantinic acids) (Gueri and Grassi-Cristaldi), 1892, A., 871.

Dimethyldihydropentene methyl ketone (Perkin and Stenhouse), 1892, T., 77.

oxime of (Perkin and Stenhouse), 1892, T., 79.

Dimethyldihydropentenedicarboxylic acid (Perkin and Stenhouse), 1892, T., 81.

Dimethyldihydropyridine [b.p. 199°] (GATTIER and MOURGUES), 1888, A., 1315.

βγ-Dimethyldihydroquinazoline (GABRIEL and JANSEN), 1892, A., 218. Dimethyldiketohexamethylene (v. BABLIER), 1892, A., 1183. Dimethyldiketohydrindene (WISLI-CENUS and KOTZLE), 1889, A., 1068.

Dimethyldimethylenetrisulphone (BAUMANN), 1890, A., 1093.

Dimethyldipiperidyl [b.p. 265°], and its derivatives (LADENBURG), 1892, A., 1487.

Dimethyldipiperidyl [b.p. 280°—232°] and its derivatives (LIEBRECHT), 1887, A., 162.

isoDimethyldipropyldithioxamide (Wallach and Reinhardt), 1891, A., 1008.

αα'-Dimethyldipyridyl (Heuser and Stoehn), 1891, A., 80.

ββ'-Dimethyldipyridyl (Stoehr and Wagner), 1892, A., 629.

"Dimethyldiquinizinhydrobenzene" (Knorr and Bülow), 1884, A., 1381.

Di-2'-methyldiquinolyl (HINZ), 1888, A., 39.

Dimethyldiquinolyl [m.p. 162°] (v. Miller), 1888, A., 966.

Dimethyldiquinolyl [m.p. 104°—105°] (ELIASBERG and FRIEDLÄNDER),1892, A., 1107.

p-Dimethyldisalicylaldehyde(BRADLEY and DAINS), 1892, A., 1459.

Dimethyldisulphisethionic acid, sodium salt of (Engeleke), 1883, A., 972.

Dimethyldisulphobenzoic acid, salts of (STENGEL), 1883, A., 1000.

Dimethylenedisulphone, derivatives of (AUTENRIETH), 1887, A., 463.

Dimethylenedi-p-toluidine (GRUN-HAGEN), 1890, A., 888.

Dimethylenemethane (GUSTAVSON and DEMJANOFF), 1889, A., 30.

Dimethylenethane, preparation and oxidation of (Armstrong and Mil-Ler), 1886, T., 81.

Dimethylenethylenedisulphone (FASBENDER), 1888, A., 805.

1:4-Dimethyl-6-ethylaniline (Hodg-Kinson and Limpach), 1892, T.,420; P., 56.

Dimethylethylazimethylene (Currius and Thun), 1891, A., 1355.

1:3-Dimethyl-5-ethylbenzene (Anschutz and Romig), 1885, A., 769; (Jacobsen), 1887, A., 37; (Tohl and Gerger), 1892, A., 969.

1:2-Dimethyl-4-ethylbenzene. See Laurene.

Dimethylethylearbinol. See tert-Amylic alcohol.

2':3'-Dimethyl-1'-ethyl-1':2'-dihydroquinoline (FISCHER and STECHE), 1887, A., 976.

Dimethylethylenediamine (ANGELI), 1890, A., 954.

Dimethylethylenedisulphone (Otto and Casanova), 1888, A., 255.

Dimethylethylene-o-phenylenediamine and its derivatives (RIS), 1888, A., 468.

s-Dimethylethylenic oxide (ψ-butylenic oxide) (Ειτεκοff), 1883, A., 567.

2':3'-Dimethyl-1'-ethylindole (WOLFF), 1889, A., 259.

Dimethylethylnaphthalene (Gucci and Grassi-Cristaldi), 1892, A., 872.

Dimethylethylphosphine(Cóllié), 1888, T., 720.

Dimethylethylpiperidine (JAECKLE), 1888, A., 1104.

Dimethylethylpyridine (parvoline) (Durkoff and Schlaugk), 1888, A., 607.

preparation of (HESEKIEL), 1886, A., 257.

2: 6-Dimethyl-4-ethylpyridine and salts of (Engelmann), 1886, A., 259. oxidation of (Altar), 1887, A., 379.

2: 6-Dimethyl-4-ethylpyridine-3: 5-dicarboxylic acid (ENGELMANN), 1886, A., 259.

3:3'-Dimethyl-2'-ethylquinoline and its derivatives (HARZ), 1886, A., 261.

3:3'-Dimethyl-2'-ethylquinoline-1-carboxylic acid (v. Miller), 1890, A., 1327.

Dimethylethylsuccinic acid (BISCHOFF and MINTZ), 1890, A., 743; 1891, A., 290; (BISCHOFF), 1891, A., 829.

Dimethylethylsulphine, preparation of (CARRARA), 1892, A., 1422.

and its derivatives (KLINGER and MAASSEN), 1888, A., 357.

Dimethylethylthymoquinol (REYCH-LER), 1892, A., 1312.

Dimethylformamide, platinochloride of

(PINNER), 1883, A., 1089. Dimethylformamidine, and its hydrochloride (PINNER), 1883, A., 731.

isoDimethylformamidine hydrochloride (Pinner), 1883, A., 1090.

Dimethylfraxetin (Korner and Bigi-NELLI), 1892, A., 628.

Dimethylfurfurancarboxylic acid. See Pyrotritaric acid.

Dimethylfurfurandicarboxylic acid. See Carbopyrotritaric acid.

Dimethylgentisic acid (SCHNELL), 1887, A., 140.

Dimethylgentisic aldehyde (SCHNELL), 1884, A., 1166.

Dimethylglutaric acid, relative properties of trimethylsuccinic acid and (Zelinsky and Besnedka), 1891, A., 669.

aa-Dimethylglutaric acid (AUWERS and JACKSON), 1890, A., 1099.

s-Dimethylglutaric acid (BISCHOFF), 1890, A., 1099; (AUWERS and KOB-NER), 1891, A., 1015.

Dimethylglutaric acids (GUTHZEIT and DRESSEL), 1890, A., 878; (AUWERS and KÖBNER), 1891, A., 1016.

s-Dimethylglutaric acids, isomeric (Zelinsky), 1890, A., 132.

ac-Dimethylglutaric anhydride (Au-WERS and Jackson), 1890, A., 1099.

aa-dibromo- (AUWERS and JACKSON), 1890, A., 1099.

as-Dimethylglyceric acid. See Dihydroxyvaleric acid.

αβ-Dimethylglycidic acid (MELIKOFF), 1886, A., 1009; 1888, A., 1177.

Dimethylglycolurile (FRANCHIMONT and Klobbie), 1888, A., 1180; 1889, A., 126.

Dimethylglyoxaline (oxalmethylethyline), synthesis of (RADZISZEWSKI), 1883, A., 728.

Dimethylglyoxime peroxide (SCHOLL), 1891, A., 316.

Dimethylheptamethylene (KIPPING and PERKIN), 1891, T., 227.

o-Dimethylheptamethylene (KIPPING and PERKIN), 1889, P., 145.

dibromo- (KIPPING and PERKIN),

1889, P., 145.

Dimethylheptamethylenic diacetate (Kipping and Perkin), 1891, T., 225.

glycol (Kipping and Perkin), 1891, T., 217.

α-Dimethylheptylethylene (nonylene) (FREUND and SCHÖNFELD), 1892, A., 133.

Dimethylhexadecylbenzene (KRAFFT and GÖTTIG), 1889, A., 130.

2:6-Dimethylhexahydropyridine (/upetidine) (LADENBURG), 1887, A., 64.

and allied substances, relation between the physiological action and chemical constitution of (GÜRDER), 1891, A., 854.

Dimethylhexylazimethylene (CURTIUS and THUN), 1891, A., 1355.

Dimethylhexylearbinol (nonylic alcohol) (FREUND and SCHÖNFELD), 1892, A., 133.

Dimethylhexyl-hexahydropyridine and -pyridine (JAECKLE), 1888, A., 1104. Dimethylhomogentisic acid (WOLKOW

and BAUMANN), 1891, A., 1129. Dimethylhomo-o-phthalimide (GAB-RIEL), 1887, A., 51, 726. Dimethylhomopyrocatechol schmiedt), 1884, A., 186. (GOLD-

2:4-Dimethylhydropyridine (LADEN-BURG and ROTH), 1885, A., 816.

Dimethylic acetylenedicarboxylate (v. Bandrowski), 1883, A., 313. amidocyanurate (v. Hofmann), 1886, A., 930.

barium phosphate (Lossen and Kon-LER), 1891, A., 1015.

berberilate (PERKIN), 1890, T., 1050. camphorate (WALKER), 1892, T., 1092; (BRUHL), 1892, A., 1102.

carbopyrotritarate (Knorr and Ca-VALLO), 1889, A., 385.

carboxycarbamate (Franchimont and Klobbie), 1889, A., 1144. dichloroglycollate (Anschutz), 1890, A., 236.

diacetylracemate, molecular weight of (Anschütz), 1888, A., 1273.

diethylic oxalate (Anschutz), 1890, A., 236.

 $\Delta_{1,4}$ -dihydroterephthalate, heats of combustion and formation of (STOH-MANN and KLEBER), 1891, A., 376.

dipropylic glycol (Marshall and Perkin), 1890, P., 138; 1891, T.,

fumaroid-hexahydroterephthalate, heats of combustion and formation of (Stohmann and Kleber), 1891, A., 376.

succinosuccinate (EBERT), 1885, A., 1122.

a-sulphaminephthalate (Moulton), 1891, A., 1063.

terephthalate and A1-tetrahydroterephthalate, heats of combustion and formation of (STOHMANN and KLEBER), 1891, A., 376.

Dimethylimidomethylthiazoline (TRAU-MANN), 1889, A., 415.

Dimethylimidothiazoline (NAF), 1891, A., 1516.

Dimethylindamine thiosulphonate (BERNTHSEN), 1889, A., 778.

2':3'-Dimethylindazole (dimethylindazine) (FISCHER and TAFEL), 1885, A., 542.

1': 3'-Dimethylisoindazole (FISCHER and TAFEL), 1885, A., 543.

βγ-Dimethylindene, m-amido- (v. Mil-LER and ROHDE), 1890, A., 1138.

Dimethylindigo (FLIMM), 1890, A., 383. synthesis of (Eckenroth), 1891, A., 722.

2:2'-Dimethylindole (RASCHEN), 1887, A., 956.

2':3'-Dimethylindole (FISCHER), 1886, A., 805; 1887, A., 149; (WOLFF), 1888, A., 371.

4:1'-Dimethylindole (HEGEL), 1886, A.,

Dimethylindoles (FISCHER), 1887, A.,

Dimethylindoles, 1':2'- and 1':3'- (DEGEN), 1887, A., 149.

Dimethylindoleacetic acid (FISCHER), 1886, A., 806.

1:2'-Dimethylindole-1'-carboxylic acid (Fischer), 1886, A., 806; (Degen), 1887, A., 149.

2:1'-Dimethylindole-2-carboxylic acid (HEGEL), 1886, A., 552.

4: l'-Dimethylindole-2'-carboxylic acid (HEGEL), 1886, A., 552. Dimethyliodamine (RASCHIG), 1886, A.,

Dimethylketol (v. Pechmann), 1889, A., 1137; (v. Pechmann and Dahl), 1890, A., 1234.

Dimethylketopentene (DIETZEL), 1889, A., 594.

Dimethyllactamidine hydrochloride (PINNER), 1891, A., 63.

Dimethyllevulinic acid (ZELINSKY), 1887, A., 921.

a-Dimethyllevulinic acid (mesitonic acid) (Anschutz and Gillet), 1888, A., ì272.

s-Dimethylmaleic acid (pyrocinchonic acid) (Roser), 1883, A., 98.

from a-dichloropropionic acid (Orro and Beckurts), 1885, A., 753.

relation of, to the dimethylsuccinic acids (Bischoff and Voit), 1890, A., 743.

anhydride of (RACH), 1886, A., 1012. preparation of (MICHAEL and TIS-SOT), 1891, A., 1456; (FITTIG and PARKER), 1892, A., 814. action of phenylhydrazine on (Orro and Holst), 1890, A., 1327.

s-Dimethylmaleic α - and β -phenylhydrazines (Orro and Holst), 1890, A.,

Dimethylmaleinfluorescein (Burck-HARDT), 1886, A., 51.

Dimethylmalonamide (FREUND), 1884, A., 728.

dibromo- (FREUND), 1884, A., 1124. dinitro-(Franchimont), 1886, A., 449.

Dimethylmalonic acid (isopyrotartaric acid) (CARETTE), 1886, A., 335, 611; (GORBOFF), 1888, A., 1179.

specific heat of (HESS), 1889, A., 93, 94. thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097.

o-p-Dimethylmandelic acid (CLAUS), 1890, A., 979.

Dimethylmethylenethylene disulphide (Fasbender), 1888, A., 805.

Dimethylmethylenehydrazine (CURTIUS and Pfluc), 1892, A., 457.

Dimethylmethyleneimidosulphonic acid (KRAFFT and BOURGEOIS), 1892, A., 701.

Dimethylmethylenesulphone MANN and Kast), 1889, A., 1232.

Dimethylmethylene/ithioglycollic acid (Bongartz), 1888, A., 479.

Dimethyl-\beta-methylumbellic acid (dimethoryphenylerotonic acid) (v. Pech-MANN and Comen), 1884, A., 1331.

(WITT), Dimethylnaphthaeurhodine 1888, A., 491; (EICKER), 1891, A., 471.

Dimethylnaphthalene [b.p. 265] (CAN-NIZZARO and CARNELUTTI, 1883, A., 79; (CANNIZZARO), 1884, A., 328.

Dimethylnaphthaloxazine (KÜHLING), 1892, A., 70.

Dimethyl-α-naphthaquinoline (REED), 1887, A., 681; (COMBES), 1888, A., 968. Dimethyl- β -naphthaquinoline BES), 1888, A., 968.

2'. 4'.-Dimethyl- β -naphthaquinoline (REED), 1886, A., 370; 1887, A., 681.

Dimethyl-β-naphthaquinolinesulphonic acid (REED), 1887, A., 681.

2":3"-Dimethyl-α-naphthindole (Wolff), 1889, A., 259. 2''-3''-Dimethyl-β-naphthindole

(STECHE), 1888, A., 285; (WOLFF), 1889, A., 259.

Dimethylnaphthol (CANNIZZARO and CARNELUTTI), 1883, A., 79.

2:6-Dimethylnicotinic acid (dimethylpyridinecurboxylic acid) (WEISS), 1886, A., 720.

Dimethyldinitrodiamidobenzophenone, tetranitro- (van Romburgh), 1888, A., 1079, 1196.

Dimethylnitropyrrylene diketone (CI-AMICIAN and SILBER), 1886, A., 74, 718.

Dimethylnitrosamine (VAN ROMBURGH), 1887, A., 230.

Dimethylorcinol dimethyl ether (Kraus), 1891, A., 1347.

Dimethylorcinols (KRAUS), 1891, A., 1347.

Dimethyloxamide (MALY and An-DREASCH), 1883, A., 1018. dinitro- (Franchimont), 1886, A.,

αγ-Dimethylisooxazole, reduction (CLAISEN), 1892, A., 507.

Dimethyloxetone (FITTIG and RASCH), 1890, A., 868.

Dimethyloxetonecarboxylic acid (FITTIG and RASCH), 1890, A., 868.

Dimethyloximidohexoic acid (KIPPING

and MACKENZIE), 1891, T., 586. Dimethyloxindole (WISPEK), 1883, A.,

Dimethyloxydihydrotoluquinoxaline (HINSBERG), 1889, A., 280.

Dimethyloxyquinizine. See Phenyldimethylpyrazolone.

3:5-Dimethylpentamethylenemethylcarbinol (PERKIN and STENHOUSE), 1892, T., 79.

Dimethylpentanetetracarboxylic (Perkin and Prentice), 1891, T.,

dissociation-constant of (WALKER), 1892, T., 704.

Dimethylphenanthroline (v. Miller), 1891, A., 1105.

Dimethylphenylacetic acid, a-mitro-, and its salts (Wispek), 1883, A., 1096.

Dimethylphenylenediamine (a midodimethylaniline), action of aldehydes on (CALM), 1885, A., 387.

Dimethyl-m-phenylenediamine(GROLL), 1886, Å., 347; (STAEDEL and BAUER), 1886, A., 941.

(?)2:4:6-trinitro- (VAN ROMBURGH), 1888, A., 1185.

Dimethyl-o-phenylenediamine, 4-nitro-(Heim), 1888, A., 1097.

Dimethyl-p-phenylenediamine (MEL-DOLA), 1884, T., 108; (NÖLTING and BAUMANN), 1885, A., 385.

action of, on aldehydes (Nuru), 1885, A., 784.

action of, on ketones (VOGTHERR), 1892, A., 854.

Dimethylphenylenediamine mercaptan (BERNTHSEN), 1889, A., 775.

Dimethylphenylenediaminethicsulphonic acid (Bernthsen), 1889, A., 776. Dimethylphenylene-green and -safran-

ine (ANON.), 1884, A., 539. p-Dimethyl-o-phthalic acid (Gucci and

GRASSI-CRISTALDI), 1892, A., 872. Dimethylphthalide (KOTHE), 1889, A., 257.

Dimethyl-o-phthalyldi-d-ecgonine (DECKERS and EINHORN), 1891, A., 476.

2:4-Dimethylpicolinic acid (dimethylpyridinecarboxylic acid) (ALTAR), 1887, A., 378.

aa'-Dimethylpimelic acid (KIPPING P., 117; and MACKENZIE), 1890, 1891, T., 570, 577, 587; (PERKIN and PRENTICE), 1891, T., 832.

ωω'-Dimethylpimelic acid, dissociation constant of (WALKER), 1892, T., 701. Dimethylpimelic acids, stereoisomeric | (ZELINSKY), 1892, A., 430.

Dimethyl-a-pipecolylammonium iodide (Merling), 1891, A., 1508.

Dimethylpiperazine [b.p. 153°-158°] (SCHMIDT and WICHMANN), 1892, A., 212.

(LADENBURG), γ -Dimethylpiperazine

1891, A., 1333.

1:2-Dimethylpiperidine (methyl-apipecoline) (LADENBURG), 1883, A., 1154.

towards hydrogen behaviour of, chloride (MERLING), 1891, 1506.

Dimethylpiperidine, action of bromine on (MERLING), 1887, A., 164. derivatives of (LADENBURG), 1885, A., 565.

bromo-derivatives of (Merling), 1884, A., 1385.

aa'- and Dimethylpiperidines, ay-(LADENBURG), 1887, A., 64, 65. See

Dimethylisopropenylcarbinol. Dimethyl-B-allylcarbinol.

Dimethylisopropylallylcarbinol and its derivatives (DIEFF), 1883, A., 1076; (Kononowitsch), 1885, A., 497.

2:6-Dimethyl-4-propylhexahydropyridine (propyllupetidine) (JAECKLE), 1888, A., 1104.

2:6-Dimethyl-4-propylpyridine (propyllutidine) (JAECKLE), 1888, A., 1104.

Dimethylpropylpyridinedicarboxylic acid (propyllutidinedicurboxylic acid) (JAECKLE), 1888, A., 1104.

Dimethylpropylsuccinic acid ('HOFF), 1891, A., 829.

Dimethylpyridine (lutidine) (LADEN-BURG and ROTH), 1885, A. isolation of (LADENBURG and ROTH), 1885, A., 815.

thio-(GUTHZEIT and EPSTEIN), 1887, A., 920.

2:4-Dimethylpyridine (Hantzsch), 1883, A., 85; 1885, A., 397; (LADENBURG and ROTH), 1885, A., 557, 816; (LADENBURG), 1887, A., 59; (LUNGE and ROSENBERG),1887, A., 499.

dibromo- (Pfeiffer), 1887, A., 845. 2:5-Dimethylpyridine 5-Dimethylpyridine (LUNGE ROSENBERG), 1887, A., 499.

2:6-Dimethylpyridine (LADENBURG and ROTH), 1885, A., 557; (EPSTEIN), 1885, A., 815; 1886, A., 258; (Roth and Lange), 1886, A., 558; 1887, Α., (Ladenburg), (COLLIE), 1891, T., 177. action of benzaldehyde on (SCHUSTER),

1892, A., 1360.

2:6-Dimethylpyridine, oxid (Collie), 1891, T., 178. oxidation platinochloride (LEIVEH), 1887, A., 378.

4-chloro-, and its derivatives (CONRAD

and Erstein), 1887, A., 501. 3:5-Dimethylpyridine (Durkoff and Göttsch), 1890, A., 1002.

Dimethylpyridinecarboxylic (DURKOPF and GOTTSCH), 1890, A., 795.

2:4-Dimethylpyridine-3-carboxylic acid (2:4-lutidine-3-carboxylic acid) (MI-CHAEL), 1885, A., 1244.

2:4-Dimethylpyridine-6-carboxylicacid (dimethylpicolinicacid)(Altan), 1887, A., 378.

2:6-Dimethylpyridine-5-carboxylicacid (2:6-dimethylnicotinic acid) (Weiss), 1886, A., 720.

2:4-Dimethylpyridine-3:5-dicarboxylic acid (Dürkopf and Gottsch), 1890, A., 1002.

2:4-Dimethylpyridine-3:6- or -5:6-dicarboxylic acid and its salts (MI-CHAEL), 1885, A., 62.

2:6-Dimethylpyridine-3:5-dicarboxylic acid (Engelmann), 1886, A., 259. chloro- (CONRAD and EPSTEIN), 1887, A., 501.

Dimethylpyridines, isomeric separation of (OECHSNER DE CONINCK), 1883, A., 740.

2:4-Dimethylpyridinetricarboxylicacid and its salts (HANTZSCH), 1883, A.,

2:6-Dimethylpyridone (lutidone) (Con-RAD and GUTHZEIT), 1887, A., 508; (Collie), 1891, T., 177.

methiodide (CONRAD and ECKHARDT), 1889, A., 520.

2:6-Dimethylpyridone-3-carboxylicacid (COLLIE), 1891, T., 176.

2:6-Dimethylpyridone-3:5-dicarboxylic acid (CONRAD and GUTHZEIF), 1887, A., 500.

2:4-Dimethylpyridone. See ψ-Lutidostyril.

Dimethylpyridylquinoline (lutidylquinoline) (LEPETIT), 1887, A., 1053. 2:6-Dimethylpyridinetricarboxylicacid

(Epstein), 1886, A., 258. 2:4-Dimethylpyrocoll (MAGNANINI),

1889, A., 58. Dimethylpyrone (FEIST), 1889, A., 957. Dimethylpyrrolidine (CIAMICIAN and 1885, A., MAGNAGHI), 1243; (TAFEL), 1889, A., 977; (TAFEL and NEUGEBAUER), 1890, A., 1000.

derivatives of (TAFEL), 1889, A. 977.

Dimethylpyrrolidine methiodide (CIA-MICIAN and MAGNAGHI), 1885, A., 1243; (TAFEL and NEUGEBAUER), 1889, A., 1016.

nitroso- (TAFEL and NEUGEBAUER), 1890, A., 1001.

Dimethylpyrrolidone (TAFEL and Neu-GEBAUER), 1889, A., 1016.

2:5-Dimethylpyrrolidyldimethylammonium chloride (MERLING),1891, A., 1508.

2:5-Dimethylpyrroline (Knorr), 1884, A., 1368; 1885, A., 995; (Dennstedt), 1889, A., 1209.

αβ'-Dimethylpyrroline, molecular weight of (MAGNANINI), 1890, A., 906.

m-Dimethylpyrroline, derivatives o (MAGNANINI), 1889, A., 408.

as-Dimethylpyrroline, derivatives of (MAGNANINI), 1889, A., 57.

Dimethylpyrrolines (DENNSTEDT), 1889, A., 1209.

Dimethylpyrrolineacetic acid (KNORE), 1887, A., 276.

2:4-Dimethylpyrroline-3-carboxylanilide (KNORR), 1887, A., 277.

Dimethylpyrrolinecarboxylic acid [m.p. 197°] (KNORR), 1884, A., 1368.

2:4-Dimethylpyrroline-5-carboxylic acid (Magnanini), 1889, A., 409.

2:5-Dimethylpyrroline-4-carboxylic acid and its salts (KNORR), 1885, A., 994.

2:4-Dimethylpyrroline-3:5-dicarboxyacetic acid (KNORR), 1887, A., 276.

2:4-Dimethylpyrroline-3:5-dicarboxylic acid, muno- and di-anilides of (Knorr), 1887, A., 277.

imineanhydride of (MAGNANINI), 1889, A., 58.

2:5-Dimethylpyrroline-3:4-dicarboxylic acid and its salts (KNORR), 1885, A., 994.

Dimethylpyrryl styryl ketone [m.p. 166°] (DENNSTEDT), 1889, A., 1210.

2:4-Dimethylpyrryl styryl ketone (DENNSTEDT), 1889, A., 1209.

2:5-Dimethylpyrryl-m-benzoic acid (PAAL and SCHNEIDER), 1886, A., 559.

Dimethylpyrrylene diketone (di-\psiacctylpyrroline) (CLAMICIAN and DENNSTEDT), 1885, A., 378; (CIA-MICIAN and SILBER), 1885, A., 808, 993; 1886, A., 74.

action of nitric acid on (CIAMICIAN and SILBER), 1885, A., 993.

nitro- (CIAMICIAN and SILBER), 1886, . A., 718.

2:5-Dimethylpyrryl-o-phenol (Paal and Schneider), 1886, A., 559. Dimethylquereitin. See Rhamnetin. Dimethylquinitol (v. BALYER), 1892, A., 1185.

Dimethylquinogen and its derivatives v. PECHMANN, 1888, A., 813. Dimethylquinol. See Xyloquinol.

1:2'-Dimethylquinoline (o-toluquinaldine), oxidation of (v. Millen), 1891, A., 1095.

ethiodide and methiodide (MOLLER), 1888, A., 298.

hydrochloride (v. Miller). 1890, A., 1325.

1:3-Dimethylquinoline (xydoquinoline), 4-amido- (Nolfino and Tratif-Mann), 1891, A., 328; 1892, A., 729.

4-nitro-(NOLTING and TRAUTMANN), 1891, A., 328; 1892, A., 729.

1:4-Dimethylquinoline (LEILMANN and ALT), 1887, A., 502.

from p-xylidine sulphate (MEYER), 1886, A., 161; BEREND), 1886, A., 260.

3-amido- (MARCKWALD, 1890, A., 1004.

2:2'-Dimethylquinoline (methylquinaldine) (Rist), 1891, A., 329.

2':3'-Dimethylquinoline (ROHDE), 1887, A., 974; 1889, A., 523; (ELIASBERG and FRIEDLANDER), 1892, A., 1107.

2:4-Dimethylquinoline (BEREND), 1885, A., 274.

2':4'-Dimethylquinoline (BEYER), 1885, A., 1246; 1886, A., 629; (COMBES), 1888, A., 505.

oxidation of (v. MILLER), 1891, A., 1096.

derivatives of (BEYER), 1886, A., 629.

3:4- or 2:3-Dimethylquinoline, and its derivatives (BEREND), 1884, A., 1197.

3:4'-Dimethylquinoline (4'-mcthyl-βtoluquinoline) (v. Miller), 1890, A., 1325.

Dimethylquinolines and their derivatives (DOEBNER and v. MILLER), 1884, A., 184.

Dimethylquinolines, 3':4'-, 4':1- and 2:4'- (KNORR), 1888, A., 1112.

1:2'-Dimethylquinoline-3-carboxylic acid (PANAJOTOW), 1887, A., 382.

 o-p-Dimethylquinoline-α-carboxylic aldehyde (Panajorow), 1890, A., 1158.

1:3-Dimethylquinolinesulphonic acid (Panasorow), 1857. A., 382.

1:4-Dimethylquinolinesulphonic acids (1:4-vyloquinolinesulphonic acids) (Nölting and Frithling), 1889, A., 164.

385

25

1':2'-Dimethyl-4'-quinolone (dimethylψ-quinoxyl). See 4'-Hydroxy-1':2'dimethylquinoline.

1':4'-Dimethylquinolone (methyllepidone) (KNORR), 1887, A., 159.

dyes obtained from (REISSERT), 1892, A., 498.

reduction of (KNORR and KLOTZ), 1887, A., 278. bromo- (Knorn), 1887, A., 160.

Dimethylquinolthiocarbamide (BAES-SLER), 1884, A., 1330.

Dimethylquinoltrimethylammonium iodide (Baessler), 1884, A., 1329; 1887, A., 364.

1:3-Dimethylquinolyl-a-acrylic acid (PANAJOTOW), 1887, A., 382.

Dimethylquinophenol (BEREND), 1884, A., 1197.

Dimethylquinoxaline (methyltoluquinoculine) (HINSBERG), 1886. A., 561.

3':4'-Dimethylquinoxaline, tetrachloro-(LEVY, WITTE and CURCHOD), 1890, A., 232.

3':4'-Dimethylquinoxaline-m-carboxylic acid (ZEHRA), 1891, A., 303.

Dimethyl- $\delta\psi$ -quinoxalines, $\alpha\beta$ - and $\beta\gamma$ -(Weddige), 1887, A., 1044.

Dimethylracemic acid (FITTIG, DAIM-LER and KELLER), 1889, A., 491; (BOTTINGER), 1892, A., 698.

Dimethylresorcinol (2:4-dihydroxy-mxylene) (Wischin), 1891, A., 74. bromo- and chloro- (WISCHIN), 1891, A., 74.

Dimethylresorcyl pentadecyl ketone (Krafff), 1888, A., 1087.

Dimethyl-a-resorcylic acid, amido- and nitro- (MEYER), 1888, A., 148.

Dimethyl-\$\beta\$-resorcylic acid (V. Pech-MANN and DUISDERG), 1884, A., 67; (v. Pechmann and Cohen), 1884, A., 1331.

Dimethylrubbadin (SCHALL and UHL), 1892, A., 1077.

Dimethylsafranine hydrochloride (MENTON), 1891, A., 1205.

p-Dimethylstilbene (Anschutz a Wirtz), 1885, T., 901; A., 1064. and

Dimethylstilbene sulphide, diamido-(Anschutz and Schultz), 1889, A., 602.

Dimethylstrychnine (TAFEL), 1890, A., 1448.

isoDimethylstrychnine (TAFEL), 1891, A., 1264.

3-Dimethylsuccinamic acid, a-dichloro-(OTTO and Holst), 1890, 958.

Dimethylisosuccinamide (Franchi-MONT), 1886, A., 449.

Dimethylsuccinic acid (BISCHOFF and JAUNSNICKER), 1891, A., 290.

us-Dimethylsuccinic acid (LEVY and Englander), 1888, A., 133; (Barnstein), 1888, A., 135; (Bis-Ά., CHOFF and V. KUHLBERG), 1890, A., 742.

an oxidation product of copaiba balsam (LEVY and Engländer), 1886, A., 250.

formation of (HELL and ROTHBERG), 1889, A., 959.

p-s-Dimethylsuccinic acid (hydropyroeinchonic acid) (BISCHOFF and RACH), 1885, A., 885; 1886, A., 1012; (Отто and Rössing), 1888, A., 45.

s-Dimethylsuccinic acid, a-dichlorosubstitution products of (Otto and Holst), 1890, A., 957.

Dimethylsuccinic acids, action bromine on (HELL and ROTHBERG), 1889, A., 371.

substituted (Bischoff), 1891, A.,

anti- and p-s- (Bischoff and Voit), 1889, A., 490.

synthesis of (BROWN and WALKER),

1891, A., 1193. as- and s- (Leuckart), 1885, A., 1200.

thermochemistry of (Stohmann, KLEBER and LANGBEIN), 1889, A., 1097.

s-Dimethylsuccinic acids (Otto and BECKURTS), 1885, A., 754; (BIS-CHOFF and RACH), 1885, A., 885; 1886, A., 1012; (Bischoff and Voir), 1889, A., 490; 1890, A., 743.

preparation of the isomeric (Zelinsky), 1889, A., 122.

relation of, to pyrocinchonic acid (BISCHOFF and VOIT), 1890, A., 743.

bromination of (Auwens and Imhäu-SER), 1891, A., 1191.

derivatives of (ZELINSKY and KRA-PIRVIN), 1889, A., 692.

us-Dimethylsuccinic anhydride (BARN-STEIN), 1888, A., 135.

s-Dimethysuccinic anhydride, a-dichloro- (OTTO and HoLST), 1890, A., 957.

action of phenylhydrazine on (Otto and Holst), 1890, A., 1327.

Dimethylsuccinimidine hydrochloride (PINNER), 1883, A., 1089.

Dimethylsuccinonitrile (HELL and ROTHBERG), 1889, A., 959.

s-Dimethylsulphonamide (FRANCHI-MONT), 1885, A., 969.

s-Dimethylsulphonamide, dinitro-(Franchimont), 1885, A., 969.

Dimethylsulphonamides, action of nitric acid on (FRANCHIMONI), 1885, 4., 969.

Dimethylsulphonedicarboxylic acid. See Sulphonediacetic acid.

Dimethylsulphone-diethyl- and -dimethyl-methanes (BAUMANN and KAST), 1889, A., 1233.

Dimethylsulphonemethylethylmethane (BAUMANN and KAST), 1889, A., . 1233.

Dimethyl-tartaramide and -tartarimide, tetrachloro- (LEVY, WITTE and CURCHOD), 1890, A., 233.

Dimethyltaurine, preparation of (JAMES), 1885, T., 370.

β-Dimethyltaurine and dimethyltaurocarbamic acid (GABRIEL), 1890, A., 128.

Dimethyltaurocyamine, formation of (JAMES), 1885, T., 374.

2:5-Dimethylterephthalic acid (CLAUS), 1890, A., 982.

2:6-Dimethylterephthalic acid (CLAUS), 1890, A., 981.

Dimethyl-a-tetrahydronaphthylamine (BAMBERGER and HELWIG), 1889, A., 892.

Dimethyl-\$\textit{\textit{BIM}}\text{Dimethyl-\$\text{\$\texitit{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\

1:2-Dimethyl-Δ²-tetrahydropyridine (Lipp), 1892, A., 1243.

Dimethyltetrahydroquinoline (FINCHER and STECHE), 1887, A., 976; (ZATTI and FERRATINI), 1892, A., 614.

1:2'-Dimethyltetrahydroquinoline (Doebner and v. Miller), 1884, A., 183; (Möller), 1888, A., 297.

1:8-Dimethyltetrahydroquinoline (BAMBERGER and WULZ), 1891, A., 1255.

1':3'-Dimethyltetrahydroquinoline (FISCHER and STECHE), 1887, A., 976.

1:4-Dimethyltetrahydroquinoline (BEREND), 1886, A., 261.

1':4'-Dimethyltetrahydroquinoline (Knorr and Klorz), 1887, A., 279.

Dimethyltetrahydroquinolinium hydroxide (FEER and KOENIGN), 1885, A., 1245.

αβ'-Dimethyltetramethylenediamine (CIAMICIAN and ZANETTI), 1890, A., 1155; 1891, A., 1503.

as-Dimethyltetraphenylethane (Will-GERODT and Schiff), 1890, A., 959. Dimethylthalline iodide, quaternary (Skraup), 1886, A., 80.

Dimethylthetin-mono- and -di-carboxylic acids (Deliber, 1892, A., 1433.

acid. | aa'-Dimethylthiazole (HANIZSCH), 1888, A., 574.

αμ-Dimethylthiazole (HANTZSCH), 1889, A., 723.

βμ-Dimethylthiazole(Huracher), 1891, A., 222.

αμ-Dimethylthiazole-β-carboxylic acid (RUBLEFF), 1891, A., 224.

Dimethylthiocarbamide (HECHT), 1890, A., 477.

as-Dimethylthiocarbamide (SPICA and Carrara), 1892, A., 216.

Dimethylthioformaldinium iodide (WOHL), 1887, A., 28.

Dimethylthiohydantoin (MARCKWALD, NEUMARK and SIELZNER), 1892, A., 151.

Dimethylthiohydantoins, α- and β- (AN-DREASCH). 1888, A., 47.

Dimethylthionine (BERNTHSEN and GOSKE), 1887, A., 667.

Dimethylthionoline (methylene-violet) (BERNIHSEN), 1886, A., 54.

Dimethylthiophen (thiowen, thiowylene), method of obtaining (Schulze), 1885, A., 251.

Dimethylthiophen [b.p. 139°] (DE-MUTH), 1886, A., 871.

2:3-Dimethylthiophen (PAAL), 1887, A., 1101; (GRUNEWALD), 1888, A., 48.

2:4-Dimethylthiophen and its derivatives (Zelinsky), 1887, A., 921.

2:5-Dimethylthiophen, synthesis of

(PAAL), 1885, A., 1205. from coal-tar, derivatives of (MESSINGER), 1885, A., 767, 1052, 1205. di- and tri-bromo- (PAAL), 1885, A., 1206.

3:4-Dimethylthiophen (Zelinsky), 1888, A., 939.

2:4-Dimethylthiophen-5-carboxylic acid (GATTERMANN), 1888, A., 575.

Dimethylthioresorcinol (OBERMEYER), 1888, A., 124.

Dimethyldithiotetrahydrotriazole (Hector), 1892, A., 293.

Dimethyldithioxamide (WALLACH and REINHARDT), 1891, A., 1008.
Dimethyltolenylamidine salts (GLOCK),

1888, A., 1290.

Dimethyl-o-toluidine, action of formaldehyde on (ALEXANDER), 1892, A., 1320.

Dimethyl-p-toluidine, action of, on ethylenic bromide (Hübner, Tülle and Athenstädt), 1884, A., 1817. tion of (REINHARDT and STAEDEL), 1883, A., 578.

platinochlorides of (REINHARDE and STABILI), 1883, A., 578.

Dimethyltoluindamine thiosulphonate (Bennthsen), 1889, A., 778.

Dimethyltoluquinoline. See Trimethylquinoline.

Dimethyltoluquinoxaline. See Trimethylquinoxaline.

Dimethyltrimethylenedisulphonesulphide (CAMPS), 1892, A., 593.

Dimethyltrimethylenetrisulphone (CAMPS), 1892, A., 591, 593.

Dimethyltropine, decomposition of, by heat (LADENBURG), 1883, A., 672. Dimethylumbellic acids, α - and β -

(dihydroxydimethylcinnamic ucids) (WILL), 1884, A., 68; (WILL and BECK), 1886, A., 880.

αβ-Dimethylumbelliferone (v. Pech-MANN and Duisberg), 1884, A.,

B-6-Dimethylumbelliferone (v. Pech-MANN and COHEN), 1885, A., 56.

aβ-Dimethylumbelliferonecarboxylic acid (v. Pechmann), 1892, A., 432. methyluracil (Behrend; Hoff-Dimethyluracil MANN), 1890, A., 31.

imido- (JAEGER), 1891, A., 1007.

Dimethyluric acids (FISCHER), 1884. A., 1308.

α-Dimethylvalerolactone (ANSCHUTZ and GILLET), 1888, A., 1272.

 β -Dimethylvalerolactone (isokeptolactone) (FITTIG and ZANNER), 1890. A., 590.

Dimethylxanthone (WEBER), 1892, A., 1093.

Dimethyl-o-xylidine (MENION), 1891, A., 1205.

Dimethylxylidines (VOM BAUR and STAEDEL), 1883, A., 579.

Dimethylxyloquinols, n-, m- and p-(NOLTING and WERNER), 1891, A., Ž10.

Dimethylxylylphosphine (CZIM LTIS), 1853, A., 58.

a-Dinaphthadiquinone (ELSBACH), 1883, A., 70.

 β -Dinaphthalene oxide (WALDER), 1883, A., 209.

β-Dinaphthenylimidine (PINNER), 1892, A., 1110.

 α -Dinaphthilbenzil (Bandrowski), 1889, A., 147.

a-Dinaphthol (Julius), 1888, A., 161. B-Dinaphthol (WALDER), 1883, A., 208; (Julius), 1888, A., 161. picrate (WALDER), 1883, A., 209.

Dimethyl-o- and -p-toluidines, prepara- | Dinaphthols, isomeric, derivatives of (OSTERMAYER and ROSENHEK), 1885, A., 171.

α-Dinaphtholbenzylidenesulphonic acid, barium salt of (Kafka), 1891, A., 721.

8-Dinaphtholdisulphonic acid, barium salt of (JULIUS), 1888, A., 161. dinitro- (Julius), 1888, A., 161.

β-Dinaphtholtetrasulphonic acid, barium salt of (Julius), 1888, A., 161.

Dinaphthoxanthone (v. Kostanecki) 1892, A., 1099.

 $\beta\beta$ -Dinaphthoylcarbamide (EKSTRAND), 1887, A., 840.

Dinaphthoylhydroxamic acids, $\beta\beta$ -, and $\alpha\beta$ - (EKSTRAND), 1887, A., 840.

aa-Dinaphthyl (WALDER), 1883, A., 209; (Wegscheider), 1884, 1185.

αβ-Dinaphthyl (Wegscheider), 1884, A., 1185.

Dinaphthyl derivatives (JULIUS), 1888, A., 161.

Dinaphthyl, diamido-, and its derivatives (NIETZKI and GOLL), 1886, A., 245; (Julius), 1887, A., 56. mono- and di-nitro- (Julius), 1887, A., 56.

ββ-Dinaphthyl (isodinaphthyl) (Weg-SCHEIDER), 1884, A., 1185.

formation of, from amylic chloride and naphthalene (Roux), 1884, A., 1358.

derivatives of (STAUB and SMITH), 1885, T., 104.

tetranitro-, and tetramido- (STAUB and SMITH), 1885, T., 105, 106.

Dinaphthyl diethyl ether. Diethoxydinaphthyl.

B-Dinaphthyl ketone, boiling point of (Schweifzer), 1891, A., 1240.

B-Dinaphthyl ketone oxide (CLAUS and RUPPEL), 1890, A., 510.

dibromo-, and dinitro- (CLAUS and Ruppel), 1890, A., 510. (Pin-

Dinaphthylamidinecarbamide NER), 1892, A., 1008.

Di-α-naphthylamidocyanuric (FRIES), 1886, T., 315, 740.

Dinaphthyldiamido-o-diazothioles, and \$- (Herror), 1890, A., 526,

cyanides of (HECTOR), 1890, A., 527. B-Dinaphthylamine, behaviour of, $\alpha\beta$ -Dinaphthylamine, when combining with diazobenzene (MATTHES), 1890, A., 385.
Di-β-naphthylamine (Κιορεκ), 1885,

A., 990; (Ris), 1886, A., 947; 1888, A., 57.

Di-B-naphthylamine, boiling point of (Schweitzer), 1891, A., 1240.

Di- β -naphthylamine, tetrabromo- (RIS), 1888, A., 57.

tetru- and octo-bromo- (RIS), 1888, A., 57, 58.

di- and tetra-nitro- (RIS and WEBLE), 1884, A., 752; (RIS), 1888, A., 58. hexanitro- (RIS), 1888, A., 58. nitroso- (RIS), 1888, A., 58.

thio- (Ris), 1886, A., 1036; (KYM), 1889, A., 51.

Dinaphthylamines, $\alpha\alpha$ -, $\beta\beta$ -, and $\alpha\beta$ -(Benz), 1883, A., 594. dithio. two isomeric (KYM), 1889,

 β -Dinaphthylcarbamic chloride (KYM). 1890, A., 633, 993; (Kunn and Landau), 1890, A., 634, 1311. thio- (Paschkoweizky), 1892, A.,

165. u-Di- β -naphthylcarbamide.

(PASCHKOWETZKY), 1892, A., 166. Dinaphthylcarbamides, α- and β-, tetra-nitro- (Perkin), 1892, T., 467.

Dinaphthylcarbazole (NIETZKI

GOLL), 1886, A., 246. β-Dinaphthylcarbazole (RI\), 1886, A., 1036.

 α -Dinaphthyldiketodihydro- ρ -diazine (ABENIUS), 1890, A., 269.

a-Dinaphthyl-aγ-diketopiperazine (BIS-CHOFF and NASTVOGEL), 1889, A., 1015; (Bischoff and HAUSDORFER), 1890, A., 1309.

 β -Dinaphthyl- $\alpha\gamma$ -diketopiperazine (BIS-CHOFF and HAUSDORFER), 1890, A., 1309; 1892, A., 1342.

β-Dinaphthyl-αγ-dimethyl-βδ-diketopiperazine (Bischoff and HAUS-DORFER), 1892, A., 1337.

as-Di- β -naphthyldiphenylcarbamide, thio- (Paschkowetzky), 1892, A.,

Di-8-naphthyldiphenylcarbamides, and as- (Paschkowerzky), 1892, A., 166, 167.

Dinaphthyldiquinone, derivatives and constitution of (KORN), 1885, A., 392.

Dinaphthyldi-p-tolylamine (WITT), 1888, A., 492.

Dinaphthylenamine, and its derivatives (Walder), 1883, A., 209.

Dinaphthylene ether (CLAT'S and VOLZ), 1886, A., 247.

Dinaphthyleneoxidetetrasulphonic acid, constitution of (Hodekinson and Limpach), 1891, T., 1099; P., 135.

Dinaphthylenephenylamine (WALDER), 1883, A., 209.

β-Dinaphthyleniĉ oxide, new method of preparation of (Hodgkinson and Limpa(н), 1891, T., 1096; P.,

tetrabromo- (Hodgkinson and Lim-PACH), 1891. T., 1100.

mono- and tetru-nitro- (Hodgkinson

and Limpach), 1891, T., 1100. Dinaphthylethanes, α - and β - (BAM-BERGER and LODGER), 1888, A.,

Di- β -naphthylethylamine (R18), 1888, A., 57.

Di-a-naphthylethylenediamine, action of chloracetic and oxalic acids on (BISCHOFF and NASIVOGEL), 1890, Δ., 1162.

Di-β-naphthylethylenediamine (HAUS-TORFER), 1890, A., 1333.

Di-a-naphthylformamidine (Comstock and WHEELER), 1892, A., 706.

(hydracos-Dinaphthylhydrazine naphthaline) (Nietzki and Goll), 1886, A., 245.

Dinaphthylic hydrochloride dimido-(Julius), 1887, A., 56. picrates (WEGSCHEIDER), 1891, A.,

αβ-Dinaphthylic sulphide (KRAFFI), 1890, A., 1312.

disulphide, diamido- (NH2:S=1:3') (EKROM), 1891, A., 573.

disulphide, diamido (NH2:S=1:4') (Еквом), 1890, А., 994.

aa-Dinaphthylic sulphoxide (Eks-TRAND), 1885, A., 171; (KRAFFI), 1890, A., 1311.

Dinaphthyline (NIETZKI and GOLL), 1886, A., 245.

Di-\(\beta\)-naphthylketoneoxidesulphonic acid, barium salt of (CLAUS and RUPPEL), 1890, A., 510.

Dinaphthylmethane (CLAUS and Ruppel), 1890, A., 511.

B-Dinaphthylmethylamine (RIS), 1888, A., 57.

thio- (KYM), 1890, A., 1306.

Dinaphthylmethylcyanidine (PINNER), 1892, A., 1110.

Dinaphthylnaphthalene (Roux), 1888, A., 1305.

a-Dinaphthylparabanic acid (EVERS), 1888, A., 602.

8-Dinaphthylphenylcarbamide ПАВОТ), 1885, А., 384; (КИНМ and LANDAU), 1890, А., 634. thio- (Расенкометект), 1892, А.,

166.

a-Dinaphthylphenylcarbinol (ELBS and STEINIKE), 1886, A., 947; (ELBS), 1887, A., 943.

its derivatives (RUEFF), 1889, A.,

Dinaphthylphenylmethane 1887, A., 943.

isaDinaphthylquinone (Sriub and SMITH), 1885, T., 104. a-Dinaphthylpiperazine (BISCHOFF),

1889, A., 10**1**1.

B-Dinaphthylpiperazine (Brachoff and Hausdorfer), 1890, A., 1333.

Dinaphthylsulphone (v. HOFMINN), 1884, A., 1362.

 $\beta\beta$ -Dinaphthylsulphone (Kriffi), 1890, A., 1311.

Dinaphthylsulphones, aaand αβ-(Kraffi), 1890, A., 1312.

Dinaphthylthiocarbamide, bases from (Evers), 1888, A., 600.

8-Dinaphthylthio-carbazide and -carbazone (FREUND), 1892, A., 513.

Dinaphthylthiohydantoins, α- and β-(Evers), 1888, A., 602.

Dinicotinic acid (pyrulinc-3:5-diearboxylic acid) (HANTZS(H and WEISS), 1886, A., 478.

2:6-dichloro- (Guinzer and Dres-SEL', 1891, A., 940.

m-Dinitriles (HENRY), 1886, A., 860. Dinitrosacyls (HOLLEMAN), 1892, A., 971.

Dioctoic acid (hexadecoic acid) (CANZO-NERI), 1884, A., 462.

Dioctyl (n-hexadecane) (Lachowicz), 1884, A., 166; (KRAFFI, 1886, A., 998.

Dioctylamine (heradecylamine) dissoctylamine (MERZ and GASIO-ROWSKI), 1884, A., 984, 985. conversion of

nversion of palmitonitrile into (KRAFFF and MOYE), 1889, A., 668.

Diol alcohol and diolic acid (SHIMO-

Tint), 1888, A., 1206. Diopside from Nordmarken (FLINK), 1886, A., 777.

from Zermatt (SIRENG), 1885, A., 1118. Dioptase from the Corderillas of Chili (Buter), 1883, A., 446.

from the French Congo (JANNETI IZ), 1891, A., 647.

Diorite, analysis of (Dollier, 1883, A., 720.

Diorites of Montreal (HARRINGTON), 1883, A., 561.

Diorite dyke in Orange Co., New York (Kfmp), 1888, A., 1045.

Dioritic rocks of Klausen in the Tyrol (TELLER and JOHY), 1883, A., 1069. Diosmin (Spica), 1888, A., 1310.

Diosphenol (SHIMOYAMA), 1888, A., 1205.

8-Dinaphthyl-p-phenylenediamine and Diospyros virginiana, crystalline principle from the bark of (SCHLEIF), 1891, A., 324.

(ELBs), Dioxalethyline (WALLACH), 1883, A., 50. Dioxal-p-toluidide and (ABENIUS), 1890, A., 525.

> Dioximes, action of phenylhydrazine on (Polonowsky), 1888, A., 366.

> Di-m-oxybenzoid (Schiff), 1883, A., 335.

> Dioxyberbenine (Perkin), 1890, T., 1003, 1087 constitution & (PERKIN), 1890, T.,

1008. action of alkelis of (Prekin), 1890, T., 1089.

Dioxydehydronicotine, dibromo- (PIN-NER), 1892, A., 1497.

Dioxy-m-diazine. See Uracil.

Dioxydibenzylidenedithioxamide (EPH-RAIM), 1891, A., 831.

Dioxydiethylaniline (HOLZMANN), 1887, A., 723.

Dioxydimethylaniline (Menz and Wеітн), 1886, А., 792.

Dioxydimethylanthraquinone (dimethylanthraflavic acid) and its acetylderivative (v. Kostanecki and Nie-MENTOWSKI), 1885, A., 1240.

Dioxydiphenylene, perchloro- (Hugou-NENQ), 1889, A., 1150.

Dioxymethyl-m-diazine. See Methyluracil.

Dioxymethylene-2'-methylquinoline (HABER), 1891, A., 705.

Dioxymethylenephenylglyoxylic acid CLAMICIAN and SILBER), 1890, A.,

hydrazone of (GARELLI) 1891, A., 711. Dioxymethylenephenyloximidoacetic acid (GARELLI), 1592, A., 327.

Dioxyphenazine (NIETZKI and HASTER-LIK), 1891, A., 944.

Dioxyphenylmethylpyrazoleoxime (isonitrosomethyldioxyquinizine)(Knorn), 1884, A., 1379.

Dioxyretistene (BAMBERGER), 1884, A., 1040; (EKSTRAND), 1884, A., 1041. action of barium hydroxide, and of acetic anhydride on (EKSTRAND), 1854, A., 1041.

Dioxystyryl-m-pyrazole. See Styrylhydantoin.

Dioxytetrazotic acids (Lossen), 1891, A., 1038.

Dioxythiodiphenylimide (BERNTHSEN), 1886, A., 55.

"Dioxythiophenetoil" (Tasinari), 1892, A., 1316.

Dioxytrimethylpyrrole (WEIL), 1886 A., 528.

Dipalmitylcarbinylicacetate (KIPPING), 1890, T., 987.

Dipentadecyl ketone. See Palmitone. Dipentamethylbenzenethiocarbamide (v. HOFMANN), 1885, A., 1129.

Dipentene and its derivatives. See Terpenes.

Dipentenylbenzene (DAFERF), 1883, A., 1094.

Diphellandrene (Pesci), 1886, A., 1038. Diphenacyl (diphenylethylene dikrotone; succinophenone) (ULAUS and WERNER), 1887, A., 527; (AUGERI, 1888, A., 952; (KAPF and PAAL), 1889, A., 147.

Diphenacylacetic acid (KUES and PAAL), 1887, A., 261.

Diphenacyldiphenyldihydrazone (KAUF and PAAL), 1889, A., 147.

Diphenacylmalonic acid (Kues and Paal), 1887, A., 261.

Diphenacyl-p-toluidine (LELLM ANN and DONNER), 1890, A., 525.

Diphenamic acid and diphenamide (WEGERHOFF), 1888, A., 1201; (GRAEBE and AUDIN), 1889, A., 145.

Diphenanthryleneazotide (JAPP and BURTON), 1887, T., 101.

conversion of ditolaneazotide into (JAPP and BURTON), 1886, T., 843. "Diphenesuccindone" and its derivatives (ROSER), 1888, A., 1301.

3:3'-Diphenic acid (GRIESS), 1888, A., 589.

formula of (GRAEBE), 1887, A., 589.

condensation of (GRAEBE and AUBIN), 1887, A., 589.

brominated derivatives of (CLAUS and ERLER), 1887, A., 268.

bronio- (CARNELLEY and THOMSON), 1885, T., 591; P., 88.

p-nitro- (STRASBURGER), 1884, A., 329.

Diphenic anhydride (GRAEBE and AUBIN), 1889, A., 145.

molecular weight of (PATERNO and NASINI), 1890, A., 725.

Diphenic chloride (GRAEBE and AUBIN), 1889, A., 145.

Diphenimide (Wegerhoff), 1888, A., 1200; (Graebe and Aubin), 1889, A., 145.

o-Diphenol (HODGKINSON and MATTHEWS), 1883, T., 169; (LIMPRICHT), 1891, A., 930.

p-Diphenol, derivatives of (Schutz), 1889, A., 402.

3:3'-diamido-andtetramido-(KUNZE), 1889, A., 262.

3:3'-dinitro- (Kunze), 1889, A., 262.

Diphenoltrichlorethane (Ells and HOERMANN), 1889, A., 997.

p-Diphenoldicarboxylic acid (Schwiff and Krefzschwar, 1828, A., 56.

Diphenoldihydrazine hydrochloride (Kunze), 1859, A., 262.

Diphenoldisulphonic acid (LIMPRICHT), 1891, A., 930.

γ-Diphenoxypropylamine (LOHMANN), 1891, Δ., 1167.

Diphenyl, occurrence of, in coal-tar oil Schulze), 1881, A., 1030.

conversion of aniline into (CATTER-MANN, HALSKNEINT, CANTZIER and EHRHARDI). 1890, A., 972.

heats of combustion and formation of (STORMANN, KLEBER and LANG-BEIN), 1859, A., 1012.

action of nitrous anhydride on (FRIED-BURG and MANDEL), 1890, A., 1401.

action of organic chlorides on, in presence of aluminium chloride (Adam), 1886, A., 1033.

oxidation of, in the animal organism (Klingenberg), 1891, A., 1529.

derivatives of (LELLMANN), 1883. A., 313; (ADAM), 1887. A., 589; 1888, A., 959; (TAUBER), 1890, A., 782; (KAISER), 1890, A., 897.

derivatives of, from alkylquinols (NÖLTING and WERNER), 1591, A., 209

derivatives, dehydration of amides in contact with (BIZZARRI), 1892, A., 617.

Diphenyl, o-amido-, preparation of (Hirsch), 1892, A., 1198.

diamido-o- [m.p. 81°] (TAUBER),1891, A., 570.

diamido- [m.p. 125°] (BERNTHSEN), 1886, A., 471.

m:m-diamido-[m.p. 257°] (BRUNNER and WITT), 1887, A., 673.

o:p-diamido- [m.p. 45]. See iso-Benzidine.

p:p-diamido-[m.p. 122']. See Benzidine.

tetramido. See Benzidine, diamidobrominated derivatives of (CARNEL-LEY and THOMSON), 1885, T., 586; P., 88.

dibromodiamido-, and its azoimidocompound (SCHULIZ),1884, A.,903. dibromo-mono- and tri-nitro- (LELL-

MANN), 1883, A., 313. perchloro- (MERZ and WEIFH', 1884,

A., 589.

chlorodiamido (MENTHA and HET-MANN), 1887, A., 247. dichlorodiamido (SCHULEZ), 1884, A.,

903.

Diphenyl, difluoro- (WALLACH and) Heu-ler, 1558, A., 362.

1:2-dinitro- (Tauben), 1891, 570.

1:3-dinitro- (BRUNNER and WITT), 1887, A., 673.

*m-di*nitro-a-diamido- (Täuber), 1892, A., 481.

(Nölting Diphenyl bases WERNER), 1891, A., 211.

Diphenyl benzyl and dibenzyl ketones (Pipcke), 1888, A., 701.

Diphenyl dimethyl dithioether (LEUCK-

ARF), 1890, A., 605. Diphenyl diphenyl ketone and diphenyl methyl ketones (ADAM), 1887. Å., 589. Diphenyl ketone. See Benzophenone.

Diphenyl ketones, alkylated, and their conversion into alkylated anthracenes

(CLAUS and ELBS), 1885, A., 1065. Diphenyl ketoxime (JANNY), 1883, A., 580.

and some of its derivatives (Spiegler), 1884, A., 1155.

Diphenyl tetraketone (ABENII'S and SODERBAUM), 1892, A., 69.

Diphenyl triketone (dibenzoyl ketone) (v. Pechmann), 1889, A., 712; (de Neufville and v. Pechmann), 1891, A., 318.

mono- and di-anilides of (DE NEUF-VILLE and V. PECHMANN), 1891, A., 319.

"Diphenyl triketone hydrate" (DE NEUFVILLE and V. PECHMANN), 1891, A., 319.

Diphenylacediamine, action of carbonyl chloride on (Loub), 1885, A., 1213.

Diphenylacetaldehyde, derivatives of (WEISE), 1889, A., 253.

Diphenylacetaldehydephenylhydrazone (RITHOLPH), 1859, A., 251.

Diphenylacetaldoxime (Auwers), 1891, A., 1070.

Diphenylacetic acid, derivatives of (BICKEL), 1889, A., 999.

Diphenylacetic chloride (BICKEL), 1889, A., 999.

Diphenylacetonitrile (Anschutz and ROMIG), 1886, A., 1034; (ZINSSER), 1892, A., 344; (MICHAEL and JEAN-PRÊTRE), 1892, A., 1094. isoDiphenylacetonitrile (Anschutz and

Roмig), 1886, A., 1034. Diphenylacetoxime. See Benzophenone-

oxime.

Diphenylacetyl (ADAM), 1887, A., 589. Diphenylacetylene (tolune), hydration of (BEHAL), 1888, A., 959.

chlorine compounds of (EILOART),

1890, A., 899.

Diphenylacetylene (tolane), p-dimitro-(ELBS and BAUER), 1887, A., 152.

Diphenylacetylenediureine and its derivatives (ANGELI), 1890, A., 1290.

Diphenylacetylenic alcohol (JAPP and OWENS), 1885, T., 90.

Diphenylacetylenic dibenzoate (KLIN-GER and STANDKE), 1891, A.,

dichlorides (Wislicenus and Blank), 1889, A., 262; (Redzko), 1890, A., 783.

tetruchloride (GATTERMANN), 1885, A., 167.

sulphide (BAUMANN and KLETT), 1892, A., 185.

platinochloride Diphenylaldine (SCHMIDT), 1890, A., 373.

Diphenylamidine (v. HOFMANN), 1887, A., 1040.

Diphenyl/liamido-. See Dianilido-.

Diphenyl-1:3:4-triamidobenzene, condensation of, with benzoin (FISCHER), 1891, A., 748.

Diphenyldiamidomethylene-o-phenylenediamine (Moore), 1889, A., 983.

Diphenyl/liam idomethylenephenyl-ophenyleneguanidine (KELLER), 1891, A., 1469.

Diphenylamidophenylene (LIMPRICHT and v. RECHENBERG), 1890, A., 158. $\alpha\beta$ -Diphenyl- μ -amidothiazole BACHER), 1891, A., 222.

Diphenyl-m-amido-p-tolylcarbamide (LELLMANN and BONHOFFER), 1887, A., 936.

αβ-Diphenyl-μ-amidoazole (Anschütz and Geldermann), 1891, A., 725.

Diphenylamine, formation of, from aniline and phenol (Bucu), 1885, A.,

formation of, from o-bromobenzoic acid (Heidenreich and Meyer), 1892, A., 1188.

preparation of, from phenol (MERZ and MULLER), 1887, A., 243.

as a reagent for free chlorine (HAGER), 1886, A., 96.

as a reagent for nitrates and nitrites (HAGER), 1886, A., 99.

use of, in qualitative analysis (LAAR), 1883, A., 239.

and its homologues, boiling points of (GRAEBE), 1887, A., 812.

action of cinnamic acid on, in presence of zinc chloride (BERNTHSEN), 1887, A., 814.

action of diazo-p-nitrobenzene (MELDOLA), 1883, T., 440.

action of m-nitrodiazobenzene chloride on (Meldola), 1884, T., 118.

Diphenylamine, action of nitrous anhydride on (FRIEDBURG and MANDEL), 1890, A., 1401.

action of pieric chloride on (TURPIN), 1891, T., 717. action of silicon tetrachloride on

(REYNOLDS), 1892, T., 454.

oxidation of (v. Bandrowski), 1886, A., 1023. oxidation of, in the organism

oxidation of, in the organism (KLINGENBERG), 1891, A. 1529. derivatives of (SCHOPFF), 1889, A.,

772.

Diphenylamine arsenious bromide

Diphenylamine arsenious bromide (LANDAU), 1889, A., 211. diphenylphthalamate (Piurri), 1884,

A., 451.

hydrochloride, action of, on fatty amines (Eckenroth and Ruckel), 1888, A., 942.

phenylethylphthalamate (Pittri), 1884, A., 452.

sulphate (Vignor), 1888, A., 1283. sulphoxide, nitro- (Bernthsen), 1885, A., 259.

sulphoxides, dinitro- (BERNTHSEN), 1884, A., 1156.

Diphenylamine, amido-. See Phonylphenylenediamine.

2:4-diamido- (KEHRMANN and MES-SINGER), 1892, A., 1109.

SINGER), 1892, A., 1109. triamido-(Nietzki and Ernst),1890, A., 1114.

mono- and di-amidothio- (BERNTH-SEN), 1885, A., 259; 1886, A., 53. p-chloro- (IKUTA), 1888, A., 467.

5-chloro-2-amido- (ERNST), 1891, A., 299.

chloro-p-nitroso- (IKUTA), 1888, A., 468.

o-nitro- (Schopff), 1889, A., 773; 1890, A., 1113.

trinitro- (Norton and Allen), 1885, A., 1214. 1:1:2:2-tetranitro- (Hager), 1885,

A., 150.

dinitramido- (ΝΙΕΤΖΚΙ and ERNST), 1890, Δ., 1114. p-nitroso- (FISCHER and HEPP), 1887,

A., 244; (IKUTA), 1888, A., 467. thio- (Bernthsen), 1884, A., 595,

thio- (Bernthsen), 1884, A., 595, 1156; 1885, A., 259; (Holz-Mann), 1888, A., 1080.

synthesis of (BERNTHSEN), 1887, A., 245.

derivatives of (BERNTHSEN), 1884, A., 595, 1156; 1885, A., 259; (FRAENKEL), 1885, A., 1130.

dithio- (HOLZMANN), 1888, A., 1080. Diphenylaminealloxan (Pellizzari), 1888, A., 682.

Diphenylamine-o-carboxylic acid, dinitro-, and its derivatives (JOURDAN), 1885, A., 988.

Diphenylamine-p-carboxylic acid, m-nitro-(Schopff), 1890, A., 374.

Diphenylamine-o:p-disulphonic sold (FISCHER), 1892, A., 333.

Diphenylaminefumaride (PIUTII), 1886, A., 621.

Diphenylaminephthalein and its derivatives (Piutti), 1884, A., 451; 1885, A., 783.

"Diphenyl-\u03c4-amphiphenacylnitrile" and its nitroso- and nitro-derivatives (Mohlay), 1885, A., 560.

Diphenylisoamylsemithiocarbazide (Philips), 1889, A., 1159.

Diphenylanthracene dibromide and dihydride (LINEBARGER), 1892, A., 720.

Diphenylarsine trichloride (MICHAELIS and SCHULTE), 1883, A., 187.

Diphenylasparagine (Piutri), 1886, A., 621.

Diphenylazo-. See under Azo-.

Diphenylbenzenylamidine (Nolting and Weingariner; Kuhn), 1885, A., 979.

α-Diphenyl-β-benzoylpropionic acid (JAPP and KLINGEMANN), 1890, T., 681.

action of heat on (JAPP and KLINGE-MANN), 1890, T., 685. action of hydroxylamine on (JAPP

action of hydroxylamine on (JAPP and KLINGEMANN), 1890, T., 683. action of phenylhydrazine on (JAPP

and KLINGEMANN), 1890, T., 682. reduction of (JAPP and KLINGEMANN), 1890, T., 681.

Diphenylbenzoylpropionic acid, ethylamide and methylamide of (Jappand Klingemann), 1890, T., 706, 703.

Diphenylbenzylacetic acid, and nitrile of (NEURE), 1889, A., 597.

Diphenylbenzylidenemaleide and its derivatives (GABRIEL and COHN), 1892, A., 179; (COHN), 1892, A., 483.

Diphenylisobenzylidenemaleide (COHN), 1892, A., 486.

Diphenylbenzylidenemaleimidine (Сонк), 1892, A., 484. nitro-(Сонк), 1892, A., 487.

Diphenylisobenzylidenemaleimidine (COHN), 1892, A., 486.

Diphenylbenzylidenemaleinethylimidine (COHN), 1892, A., 484.

1:3-Diphenylbenzylidene-5-pyrazolone (KNORR and KLOTZ), 1887, A., 1121, 833.

tives (Comx), 1892, A., 484.

Diphenylbenzyl-maleimidine and -maleinethylimidine (COHN), 1892, A., 484, 485.

Diphenyl benzylphosphine (Dorken), 1888, A., 832.

oxide and Archloride (MICH VELIS and La Cosre), 1885, A., 1215. oxide, frinitro- (Dorken), 1888, A.,

Diphenylbenzylsemithiocarbazide (PHILIPS), 1889, A., 1159.

Diphenylbenzylthiourea (WERNER). 1892, P., 97.

Diphenylbismuthine bromide (MI-(HAELIS and MARQUARDY), 1889, A., 1061.

Diphenylbromobenzylidenemaleide (Cohn), 1892, A., 483.

Diphenylbromodinitroresorcinol (JACKSON and WARREN), 1891, A., 1026.

Diphenylbromotoluquinoxaline (HART-MINN), 1890, A., 976.

Diphenyl-butane and -butylene (FREUND and IMMERWAHR), 1890, A., 1409, 1408.

Diphenylbutylenediamine (Colson), 1888, A., 139.

Diphenylisobutylglyoxaline (JAPP and WYNNE), 1886, T., 467.

Diphenylisobutylsemithiocarbazide (Philips), 1889, A., 1159.

Diphenylbutyric acid (JANSSEN), 1889, A., 596.

Diphenylbutyrolactone (Augen), 1888. A., 952.

Diphenylbutyronitrile (JANSSEN), 1889. A., 596.

Diphenylcarbamic acid, thio-, derivatives of (FRAENKEL), 1885, A., 1130. Diphenylcarbamic chloride, thio-

(Paschkowetzky), 1892, A., 161. s-Diphenylcarbamide (carbanilide)

(HENISCHEL), 1883, A., 1107. action of sulphuric acid on (HLN r-SCHEL), 1884, A., 1016.

s-Diphenylcarbamide, m-amido- (Levek-ART), 1890, A., 760.

biomo- (GATTERMANN and CANTZ-LER), 1892, A., 833.

m-nitro- (LEUCKART), 1890, A., 760. p-nitro- (Goldschmidt and Moli-NARI), 1888, A., 1285; (LEUCK-ART), 1890, A., 760.

m-dinitio- (Losanitsch), 1883, A.,

Diphenylcarbamide, p-bromo- (Gol.D-SCHMIDT and MOLINARI), 1888, A., 1284.

Diphenylbenzylmaleide and its deriva- | Diphenylcarbamide, m- and p-chloro-(Goldschmidt and Bardach), 1892, 1., 979.

as-Diphenylcarbamide, thio- (Pasch-KOWETZKY), 1892, A., 164.

Diphenylcarbamidedicarboxylic (Traube), 1883, A., 194.

Diphenylcarbazide (SKINNER and RUHEMANN), 1888, T., 551; A.,

properties of (Fischer), 1889, A., 1164.

Diphenylcarbazone (HELLER), 1891, A., 1212.

Diphenylcarbinol. See Benzhydrol.

p-Diphenylcarboxyanilide (LEUCKARI), 1890, A., 759.

o-Diphenylcarboxylic acid, condensation of (GRABBE and AUBIN), 1887, A., 589.

Diphenylcarboxylic acid, dibromo-[m.p. 212°] (Ногм), 1883, А., 922.

Diphenylcarboxylic acids, m- and pand salts of (BARTH and SCHREDER) 1883, A., 468.

Diphenylearboxylic acids, dibromo-[m.p. 204° and 232"] (CARNELLEY and THOMSON), 1885, T., 589; P., 88. Diphenyltrichlorethane and its homologues (ELBs and FORSTER), 1889,

A., 713.

Diphenyldichlorodiketo-p-diazine (ABENIUS), 1890, A., 526. Diphenylchloroformamide, compounds

from (LELLMANN and BENZ), 1891, A., 1214.

Diphenylchloromethyldimethylcarbinol (Willgerod' and Genieser), 1888, A., 811.

αβ-Diphenylcinchonic acid (PFITZIN-(JER), 1889, A., 413.

Diphenylcrotolactone (KLINGEMANN), 1892, A., 1002.

Diphenylcyanamide (WERNLR), 1892,

Diphenylcyanethylidene (CHAUTARD), 1888, A., 810.

Diphenylcyanine chloride v. Meyer), 1887, A., 363.

Diphenyltricyanocarboxylic (KRAFFT and Koenig), 1890, A., 1252.

Diphenyloyanotriazole (BLADIN), 1889, A., 702.

Diphenyl-o-isocyanuric acid (v. Hor-M (NN), 1886, A., 234.

Diphenyldiaceto-o-tolylenediamine (BISTREYCKI and CYBULSKI), 1891, A., 694.

Diphenyldiacetylene (Holleman), 1888, A., 261.

Diphenyldi/soamyltetrazone (Philips), Diphenyl-αβ-diketopiperazine 1889, A., 1159.

2:6-Diphenyl-m-diazine, 4-amido. formation of (Schwirze), 1890, A., 1159.

s-Diphenyldibenzylsuccinonitrile CH 1-LANEY and KNOEVENAGEL, 1892, A., 619.

Diphenyldibutinyl ketone, p-denitro-(EINHORN and GLHRENBICK), 1890, A., 162.

Diphenyldi/subutyltetrazone (Phillips), 1889, A., 1159.

Diphenyldissobutyrylglyoxime (Au-WERS and MEYER), 1888, A., 598.

Diphenyl-o:p-dicarboxylic acid (RL1-LAND), 1890, A., 167. Diphenyl-m-dicarboxylic acid. Ma hloto-

(STOLLE), 1888, A., 700.

Diphenyl-αγ-diethyl-βδ-diketopiperazines (Νινινοι ΕΙ, 1889, Α., 1013: 1890, Α., 1160.

Diphenyldiethylene (REBUFFAI), 1885, A., 1137.

and its derivatives REBUFFAI, 1891,

Diphenyldiethyl-oxamide and -thiocarbamide (Neublel), 1886, A., 874, 873.

s-Di-p-phenyldiethylthiocarbamide (MAINZER), 1883, A., 1106.

p-Diphenyldiguanide (EMICH), 1891, A., 1180.

Diphenyldihydrazimethylene (Curtius and Thun), 1891, A., 1357.

Diphenyldihydrazine (ARHEIDT), 1887, A., 958.

2:3-Diphenyl-5:6-dihydropyrazine (MASON), 1887, A., 493; 1889, T., 98.

ca'-Diphenyldihydropyridine-γ-carboxylic acid (PAAL and STRASSER), 1888, A., 62.

3':4'-Diphenyldihydroquinoxaline (FISCHER), 1891, A., 747.

Diphenyldihydroxylamine (Fischer and Hepp), 1887, A., 1115.

Diphenyldi/soindole, and its salts (Monlay), 1883, A., 342.

identity of, with 3'-phenylindole (Mohly), 1888, A., 483.

azo-colouring substances from (Mon-LAU), 1883, A., 342.

Diphenyldi/soindoleazo-. See under Azo-.

Diphenyldi.isoindolesulphanilic acid (Mohlau), 1853, A., 343. Diphenyldiketodihydropyrazine (Aben-

1U5), 1890, A., 268.

Diphenyldiketopiperazine and its derivatives (BISCHOFF), 1888, A., 726; (ABENIUS), 1888, A., 854.

Diphenyl-αβ-diketopiperazine (BIS-CHOFF and NASIVOGEL), 1889, A., 1015; 1890. A., 1161.

Diphenyl-αγ-diketopiperazine (HAUS-DORLER, 1859, A., 1013; (BISS-CHOFF and HAUSDORFEE, 1890, A., 1332.

homologues of (Nativechi, 1559 A., 1012.

Diphenyl-ad-diketopiperazine (HAUS-DORFER), 1889, A., 1014; (BISCHOFF and HAUSDORFER), 1890, A., 1333.

Diphenyl-αγ-diketopiperazine-βδ-homocarboxylic acid Bra HoF1 and NA-1-VOGLL , 1890, A., 1162.

Diphenyldiketopyrazine ABINIUS, 1890, A., 526.

Diphenyldimethyl (ADAM, 1885. A., 959.

Diphenyldimethylaldine Schuldi, 1890, A., 373.

Diphenyldimethyl//iamidomethylene-ophenylenediamine (MOORE, 1890, A., 246.

Diphenyldimethylazimethylene /Currus and Rautenberg, 1891, A., 1359.

Diphenyl-αγ-dimethyl-βδ-diketopiperazine (NASTVOCEL:, 1889, A., 1012.

Diphenyl-αγ-dimethyl-βδ-diketopiperazines, isomerism of (NANTYUGEL), 1890, A., 1160.

Diphenyldimethylenediamine (PEA-TESI), 1885, A., 782.

Diphenyldimethylindole (ARHEIDI), 1887, A., 958.

Diphenyldimethylmalonamide (FREUND), 1884, A., 729.

Diphenyldimethylphosphonium iodide (Dorken), 1888, A., 833.

Diphenyldimethylpyrazoloneacetic acid (Pellizzari), 1890, A., 645.

s-Diphenyldimethylsuccinonitrile (Chalaney and Knoevenagell', 1892, A., 619.

2:3-Diphenyl-1:4-dimethyltetrahydropyrazine (MASON), 1859, T., 104.

Diphenyldimethylthiocarbazide (STAHEL), 1890, A., 1260.

Diphenyldinitrosacyl (Holliman, 1889, A., 50.

Diphenyldiphenylenedicarbamide (KUHN), 1885, A., 979.

3-Diphenyl-4:5-diphenyl-1-methylpyrrolone (KLINGLMANN), 1891, A., 736.

Diphenyldipropylguanidine (FRANK-SEN), 1884, A., 1008.

Diphenyldi/sopropyltetrazone (Philips), 1889, A., 1159.

Diphenyldipyridazine (CIAMICIAN and ZANETTI), 1891, A., 1502.

Diphenyldisulphine, m - dinitro - (EKBOM), 1891, A., 567.

Diphenyldisulphonic acid and its derivatives (LIMPRICHI), 1891, A., 930.

amido- (LIMPRICHT), 1891, A., 930. bromamido- (LIMPRICHT), 1891, A., 929.

isoDiphenylene, new reaction (Julius), 1884, A., 1181.

Diphenylene ketone (CARNELLEY and DUNN). 1888, P., 53; A., 1095.

bromo- (CLAUS and ERLER), 1887, A., 269.

**Mibromo- (Hodgkinson and Marthews), 1883, T., 165; (Holm), 1883, A., 921; (Claus and Erler), 1887, A., 269.

Diphenylene ketone oxide. See Xanthone.

Diphenylene ketoxime (SPIEGLER), 1884, A., 1182; (WEGERHOFF), 1889, A., 1067.

Diphenyleneazone (Täuber), 1892, A., 184, 482.

mono-and di-oxides of (Tät BER), 1892, A., 183.

diamido- (TÄUBER), 1892, A., 184.

Diphenylenebisazo-dimethylaniline, -βnaphthol and -resorcinol (Reuland), 1890, A., 167.

Diphenylenediacetonehydrazine (AR-HEIDT), 1887, A., 958.

p-Diphenylenediamine (Täuber), 1892, A., 481.

Diphenylenediethylidene, synthesis of, from benzene and ethylidenic chloride (ANGELEIS and ANSCHUTZ), 1884, A., 753.

Diphenylenedihydrazinepyruvic acid (ARHEIDT), 1887, A., 958.

Diphenylenedimethylic disulphide (OBERMEYER), 1888, A., 125.

Diphenylenedisemicarbazide (AR-HEIDT), 1887, A., 958.

Diphenylenediurethane (SNAPE), 1886, T., 256; P., 158.

Diphenylenehydrazone (TAUBER), 1892, A., 184.

Diphenylenehydroxydihydroanthraquinone (LIEBERMANN and BERGAMI), 1890, A., 515.

Diphenyleneketonecarboxylamide (WE-GERHOFF), 1888, A., 1201.

Diphenyleneketonecarboxylic acid (BAMBERGER and HOOKER), 1885, A., 906, 1070; (GRAEBE and AUBIN), 1887, A., 589.

o-Diphenyleneketonecarboxylic acid (GRAEBE and AUBIN), 1889, A., 145. Diphenyleneketonedicarboxylic acid (BAMBERGER and HOOKER), 1885, A., 906.

Diphenyleneketoximedicarboxylic acid (BAMBERGER and HOOKER), 1855, A., 906.

Diphenylenemethane sulphide and sulphone (GRAEBE and SCHULTESS), 1891, A., 1059.

Diphenylenenaphthaquinoxalinesulphonic acid, sodium salt of (WITT), 1886, A., 889.

Diphenylene-m-phenylenediamine, amido- (FISCHER and HEPP), 1890, A., 614.

p-Diphenylene-a-tetramethyldipyrrole (PAAL and SCHNEIDER), 1887, A., 273. Diphenylenetologyinoxaline (HINS-

Diphenylenetoluquinoxaline (HINS-BERG), 1884, A., 1053.

Diphenylenic diisocyanate (SNAPE), 1886, T., 255.

oxide (Galewsky), 1891, A., 1234. synthesis of (Tauber and Halberstadt), 1892, A., 1470.

diamido- (GALEWSKY), 1891, A., 1234.

s-Diphenylethane (dibenzyl) (Anschutz), 1883, A., 807.

formation of, from henzylic bromide (GLADSTONE and TRIBE), 1885, T., 453.

formation of, from ethylenic dichloride and benzene in presence of aluminium chloride (GREENE), 1885, A., 58.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 591.

derivatives of (HEUMANN and WIERNIK), 1887, A., 673.

Diphenylethane, di-o-chlorodinitrosyl-(Behrend and Nissen), 1892, A., 1200.

p-dinitro-, preparation of (Rosen), 1887, A., 836.

o-dinitrocyano- (BAMBERGER), 1887, A., 131.

di-p-nitrod/nitrosyl- (Behrend and König), 1891, A., 1032.

as-Diphenylethane, synthesis of, from benzene and ethylidenic chloride (Angelbis and Anschütz), 1884, A., 753; (D. SILVA), 1884, A., 1356.

A., 753; (DA SILVA), 1884, Á., 1356. action of nitric acid on (ANSCHUTZ and ROMIG), 1886, A., 1033.

nitration-products of (Anschutz and Romio), 1885, A., 800.

mono- and di-nitro- (ANSCHUTZ and ROMIG), 1885, A., 768.

s-Diphenylethane-o-carboxylic acid (Gabriel), 1885, A., 1230.

(WISLICENUS), 1885, A., 58; (DOB-REFF), 1887, A., 958; (EPHRAIM', 1890, A., 1143.

Diphenylethenylsulphone phenylic sulphide (LAVES), 1890, A., 958.

Diphenylethenylureide (PINNER), 1891,

2':4'-Diphenyletho-a8-dihydronaphthaquinoxaline (FISCHER and BUSCH), 1891, A., 1514.

1':3'-Diphenylethonaphthazonium bromide, hydroxide and nitrate (Fischer and Busch), 1891, A., 1110.

Diphenylethyl o-xylyl ketone (Wege), 1892, A., 338.

β-Diphenylethylamine (FREUND and IMMERWAHR), 1890, A., 1407.

s-Diphenylethylamine (LEUCKART and Janssen), 1889, A., 883.

Diphenylethylamine, action of diazo-pnitrobenzene on (MELDOLA), 1884, T., 111.

Diphenylethylcarbamide (GEBHARDT), 1884, A., 1321.

s-Diphenylethylene. See Stilbene.

Diphenylethylene diketone (diphenacyl; succinophenone) (CLAUS and WERNER), 1887, A., 827; (AUGER), 1888, A., 952; (KAPF and PAAL), 1889, A., 147.

Diphenylethyleneallylidenediamine (MASON), 1887, A., 493.

Diphenylethylenediamine, action carbonyl chloride on (HANSSEN), 1887, A., 577

action of succinic acid and anhydride on (Bischoff and Nastvogel), 1890, A., 1164.

α-Diphenylethylenedihydrazine (Burchard and Michaelis), 1889, A., 138; (Burchard), 1890, A., 250.

Diphenylethylenedihydrazine, 172thionyl- (MICHAELIS and RUHL), 1892, A., 1324.

Diphenylethylenedihydrazinedisuccinic acid (BURCHARD), 1890, A., 250.

Diphenylethylenepropylidenedihydrazine (BURCHARD), 1890, A., 251. Diphenylethylenesulphone (OTTO and

DAMKOHLER), 1885, A., 261. action of potash and of ammonia on

(Otto and Damkohler), 1885, A., 537.

Diphenylethylenedithiocarbamide (LELLMANN and WURTHNER), 1885, A., 978.

Diphenylethylenic glycol mononitrite (Anschutz and Romig), 1886, A.,

Diphenylethylic cyanide (MEYER), 1888, A., 693.

s-Diphenylethane-o-dicarboxylic acid: Diphenylethylic tricyanide (KRAFFF and v. HANSEN), 1889, A., 697.

hydrogen phosphate (Lossen and Kohler), 1891, A., 1015.

Diphenylethylidene ether (BIGINELLI), 1891, A., 296.

Diphenylethylidenediamine, cyano-(CHAUTARD), 1888, A., 810.

Diphenylethylidenedisulphone (Es-CALES and BAUMANN), 1887, A., 123.

Diphenylethylidenehydrazine (v. MIL-LER and PLOCHL), 1892, A., 1196. Diphenylethylsemithiocarbazide (PHI-

LIPS), 1889, A., 1158. Diphenylethylthicarbamide (GEB-

HARDT), 1884, A., 1321. action of aniline on (GEBHARDT),

1885, A., 383. Diphenylethyltriazole (BLADIN), 1890,

A., 271. Diphenylethylurazine (PINNER), 1888,

A., 1084. Diphenylformamidine(WALLACH), 1893, A., 49; (PINNER), 1883, A., 731.

m-nitro- (Comstock and Wheeler),

1892, A., 707. m-dinitro-(Comstock and Wheeler), 1892, A., 706.

(PITTI), Diphenylfumaramic acid 1886, A., 792.

Diphenylfurazan (Donge), 1891, A., 1237.

2:5-Diphenylfurfuran (KAPF and PAAL), 1888, A., 839; 1889, A., 148: (PERKIN and SCHLOESSER), 1889, P., 162; 1890, T., 944, 953.

reduction of (PERKIN and SCHLOES-SER), 1890, T., 955.

tetrabromo- (PERKIN and SCHLOES-SER), 1890, T., 954.

2: 5-Diphenylfurfuran-3-carboxylic acid (Kapf and Paal), 1988, A., 839; (PERKIN and SCHLOESSER), 1890, T., 951.

action of bromine on (PERKIN and SCHLOESSER), 1890, T., 953.

2:5-Diphenylfurfuran-3:4-dicarboxylic acid (PERKIN and CALMAN), 1886, T., 168; (PERKIN and SCHLOESSER), 1890, T., 951.

preparation of (PERKIN), 1885, T.,

s-Diphenylglutaric acid (Zelinsky), 1890, A., 132; (ZELINSKY and FELD-MANN), 1890, A., 384.

s-Diphenylglyceryl ether (Rossing), 1886, A., 345.

Diphenylglycollic acid. See Benzilic acid.

Diphenylglyoxaline (JAPP), 1887, T., 557; P., 34.

a-Diphenylglyoxime (Goldschmidt and | s-Diphenylhydrazine-o-carboxylic acid MEYER), 1883, A., 1120.

B-Diphenylglyoxime (GOLDSCHMIDT), 1584, A., 62.

Diphenylglyoxime peroxide (Scholl), 1891, A., 316.

Diphenylguanidine (SCHONE), 1886, A.,

dicyanide, bromo- and nitro- (HIRSCH), 1888, A., 947.

Diphenylhexylmethane and its derivatives (Krafft), 1887, A., 253.

Diphenylhomofluorindine (FISCHER and HEPP), 1890, A., 1444.

Diphenylhydantoin (Bischoff and HAUSDORFER). 1892, A., 1334.

as-Diphenylhydrazine, derivatives of (STAHEL), 1890, A., 1259.

cyanuric chloride (FRIES), 1886, T.,

s-Diphenylhydrazine (hydrazobrazene), action of benzaldehyde on (CLEVE), 1886, A., 545.

action of dibasic organic acids on (v. Bandrowski), 1884, A., 1015. action of ethyldichloramine on (PIER-

son and Heumann), 1883, A., 915. action of ethylic acetoacetate on (v. Perger), 1886, A., 898; (Müller), 1886, A., 899.

intramolecular change in (Jacobson and Fischer), 1892, A., 840.

derivatives of (STERN; V. BANDROWski), 1884, A., 1015.

halogen derivatives of (JANOVSKY and ERB), 1887, A., 478.

s-Diphenylhydrazine, diamido- (hydrazamiline), preparation of (GRAEFF), 1885, A., 1127. bromo- [m.p. 63°] (JANOVSKY and

ERB), 1886, A., 1024.

p-bromo- [m.p. 115°] (JANOVSKY and Erb), 1887, A., 479.

dibromo- (JANOVSKY and ERB), 1887, A., 479.

p-chloro- (HEUMANN and MENTHA), 1886, A., 875.

m-chloro-o-nitro- (WILLGERODT and FERKO), 1888, A., 830.

p-iodo- (NÖLTING and WERNER),

1891, A., 211.
a-dinitro- (Willgerour and Ferko), 1888, A., 829; (WILLGEROUT and HERMANN), 1889, A., 1160; 1890, A., 1259.

trinitro- (FISCHER), 1890, A., 40. conversion of, into nitrosodinitrazobenzene (FREUND), 1889, A.,

Diphenylhydrazineacetonylacetone (PAAL), 1885, A., 505.

(PAAL), 1892, A., 67. p-bromo-, and p-chloro- (PAAL), 1892,

A., 68.

s-Diphenylhydrazinedi-m-carboxylic acid (m-hydrozobentoic acid), acids obtained by heating, with stannous chloride (Kussenow), 1890, A., 778.

s-Diphenylhydrazinedi-o-carboxylic acid (o-hydruzobenzoic ucid) (Homol-KA), 1884, A., 1342.

s-Diphenylhydrazinedisulphonamide (LIMPRICHT and MEYER), 1892, A.,

973. s-Diphenylhydrazinedisulphonic acid

(RODATZ), 1883, A., 479; (LIMPRICHT), 1889, A., 399; 1890, A.,

s-Diphenylhydrazinedisulphonic action of nitrous acid on (LIM-PRICHT), 1885, A., 1216.

Diphenylhydrazinepyruvic acid, synthesis of (Fischer and Hess), 1884, A., 1181.

s-Diphenylhydrazinedithiodisulphonic acid and its barium salt (BAUER), 1885, A., 1139.

s-Diphenylhydrazinethiodisulphonic acids (LIMPRICHT), 1885, A., 985. p-Diphenylhydrazohexamethylene (v.

BAEYER and Noves), 1889, A., 1148. Diphenylhydrazonebenzylidenesulphonic acid, sodium salt of (KAFKA),

1891, A., 720. Diphenylhydrazonenitro-opianic (Bistrzycki), 1888, A., 1209.

Diphenylhydrazoneopianic acid (Bis-TRZYCKI), 1888, A., 1209; (Tust), 1892, A., 1210.

Diphenylhydrazonephthalaldehydic acid (Allendorff), 1891, A., 1370.

Diphenylic carbonate, action of aniline, o- and p-toluidines, naphthylamine, and of diphenylcarbamide оп (Ескеппотн), 1885, А., 786. conversion of, into salicylic acid

(HENTSCHEL), 1883, A., 589. dodecachloride (SCHUPPHAUS), 1885, A., 52.

dicyanide (PINNER), 1891. A., 60. o:p-dicyanide (RETLAND), 1890, A., 167.

△1.3-dihydroterephthalate (v. BAEYER and HERB), 1890, A., 1132.

Δ2.5-cistrans dihydroterephthalate (v. BAEYER and HERB), 1890, A., 1131.

diphenylenedicarbamate (SNAPE). 1886, T., 256.

hydrogen cyanide (KRAFFT and KOENIG), 1890, A., 1252.

Diphenylic lead oxide (Polis), 1888, | A., 293. lead salts (Polis, 1857, A., 573;

1888, A., 283.

sebacamide (GEHRING, 1887, A, 822. disulphide (CLLVE), 1888, A., 695.

Diphenylimide, imidothio-, and its salts (Bernthsen), 1885, A., 259.

Diphenylimidomethylthiazoline (TR \Uм мм), 1889, А., 415.

"Diphenylelimidonaphthol" (3-myhthaquinonedianilul_t) (MELDOLA), 1884, T., 157.

Diphenylimidophenylene 1890, A., 490.

Diphenylimidothiazoline (FISCHER and Виьсн), 1891, А., 1517.

Diphenylindole (FISCHER), 1886, A., 806; (PFULF), 1887, A., 956. Diphenyline. See iso Benzidine.

Diphenylizindihydroxytartaric acid

(ZIEGLER and LOCHER), 1887, A., m-nitro- (BISCHLI'R and BRODSKY),

1890, A., 151. Diphenylketazine (Currius and Raurenberg), 1891, A., 1359.

Diphenylketopiperazine (BISCHOFF and NASTVOGEL), 1889, A , 1009; 1890, A., 1160.

β-Diphenyllactic acid and anhydride (Weise), 1889, A., 253.

(Anschutz Diphenylmaleanil BENDIX), 1891, A., 71.

Diphenylmaleic acid, action of soda on (Deliste), 1892, A., 297.

Diphenylmaleic anhydride (ANSCHUTZ and Bendix), 1891, A., 71; (Gabriel and Cohn), 1892, A., 178.

Diphenylmaleonitrile (CHALANEY and Knoevenagel), 1892, A., 618.

Diphenylmethane (Hodgkinson and MATTHEWS), 1883, T., 164. inthe organism oxidation of,

(KLINGENBERG), 1891, A., 1529. derivatives of (STADDEL and HAASE),

1890, A., 1422. Diphenylmethane, m-amido- (BECKER), 1883, A., 203.

p-amido- (Bisler), 1884, A., 310. derivatives of (MANNs), 1889, A.,

p-diamido-, and its nitro-derivatives (GRAM), 1892, A., 618.

(STAEDEL), 1883, A., 991. brome, preparation of (HENDERSON), 1891, T., 781. m-nitro. (Procompounds

m-nitro- (BECKER), 1883, A., 202. o-nitro-, preparation of (GEIGY and Koenigs), 1885, A., 1237.

Diphenylmethane, p-nitro- (BASLER), 1854, A., 310; MANN, 1889, A., 261.

Juntto- (BASLER 1884, A., 310. tetromitio- v. Richards, 1888, A.,

preparation of (Staldel, 1883, A.,

p-Diphenylmethanecarbamide(MANN, 1889, A., 261.

Diphenylmethanedicarboxylic acid GRAEBL and JUHLALD), 1888, A., 156; (Juillard , 1888, A., 708.

(SEIFERT), | Diphenylmethanehydrazine (M 1888), 1889, A., 261.

Diphenylmethanetricarboxylic GRAEBE and JULIARD), 1889, A., 154; (JUILLARD), 1858, A., 707.

Diphenylmethenylamidine SENIER), 1885, A., 767.

Diphenylmethenylazidine (PINNER), 1884, A., 1323.

Diphenylmethenyldiamine (Tobi 45), 1883, A., 326.

Diphenylmethylamine, molecular 1efraction and dispersion of (GLAD-SIONE\, 1891, T., 296.

Diphenylmethylamine, diamidothio-. and its derivatives (BERNTHSEN). 1885, A., 259.

p-nitroso- (Fischer and Hepp), 1890, A., 614.

thio- (HOLZMANN), 1888, A., 1080. Diphenylmethylamineazyline MANN and Fleissner), 1884, A., 180.

Diphenylmethylaminesulphone (Bernthsen), 1884, A., 596.

Diphenylmethylcarbamide (GEB-HARDI), 1884, A., 1321.

Diphenylmethylcarbinol (ADAM), 1888, A., 959.

nitro- (ANSCHUTZ and ROMIG), 1885, A., 768.

Diphenyl-o-, -m- and -p-methylcarbinylamines (GOLDSCHMIDT STOCKER), 1891, A., 1480, 1479.

Diphenyl-m-methylcarbinylcarbamide (homobenzhydrylcurbamide) (GOLD-SCHMIDT and STOCKER), 1891, A., 1480.

Diphenyl-p-methylearbinyl-phenylcarbamide and -thiocarbamide (Gold)schmidt and Stocker), 1891, A., 1480.

Diphenylmethylcinnamaldazimethyl-ene (Currius and RAUIERBERG), 1891, A., 1360.

2.6-Diphenyl-5-methyl-m-diazine, amido- (v. MEYER), 1889, A., 578; (SCHWARZE), 1890, A., 1159.

Diphenylmethyldihydropyrazine (KNORR and BLANK), 1885, A., 556. 4':5'-Diphenyl-3'-methyldihydroquinoxaline (Fischer and Buson), 1891, A., 1515.

Diphenylmethylene diketone. See Dibenzoylmethane.

Diphenylmethyleneaniline (v. Miller and Ploche), 1892, A., 1195.

Diphenylmethylene-benzaldazine and -cinnamaldazine (Curtius and Rauterberg), 1891. A., 1359.

Diphenylmethylene-hydrazine and -tetrazone (Curtius and RAUPER-BERG), 1891, A., 1358, 1359.

Diphenylmethylenedithioglycollic acid (Bongartz), 1888, A., 479.

Diphenylmethylenethylene disulphide (FASBENDER), 1888, A., 805.

Diphenylmethylethophenazonium hydroxide (KEHRMANN and MISSINGER), 1892, A., 1108.

Diphenylmethylglyoxaline (JAPP and WYNNE), 1886, T., 465; P., 201; (JAPP), 1887, T., 557; P., 34.

Diphenylmethylic tricyanide (KRAFFT and v. HANSEN), 1889, A., 696. formation of (EITNER and KRAFFT), 1892, A., 1184.

preparation of (KRAFFT and KOENIG), 1890, A., 1252.

sulphide (OBERMEYER), 1888, A.,124. Diphenylmethylphthalide (v. HEMI-LIAN), 1884, A., 321.

Diphenylmethylpyrazole and its derivatives (Knorr and Blank), 1885, A., 556; (Fischer and Bulow), 1885, A., 1237.

o- and p-nitro- (KNORR and JODICKE), 1885, A., 1247, 1248.

1:3-Diphenyl-5-methylpyrazole, trinitio- (Knorr and Laubmann).1889, A., 409.

1:5-Diphenyl-3-methylpyrazole (Knorn), 1887, A., 678.

Diphenylmethylisopyrazole and its salts (KNORR and BLANK), 1885, A.,

Diphenylmethylpyrazolecarboxylic acid (Knorn and Bhank), 1885,

A., 556. p-amido- (Knone and Jodicke),1885,

A., 1248. o- and p-nitro-(KNORR and JODICKE), 1885, A., 1247, 1248.

Diphenylmethylisopyrazolecarboxylic acid and its salts (Knorn and Blank), 1885, A., 810.

Diphenylmethylpyrazolecarboxylic anhydride, o-amido- (KNORR and JODICKE), 1885, A., 1248.

1:5-Diphenyl-3-methylpyrazoline (KNORR), 1887, A., 678.

1:3-Diphenyl-2-methylpyrazolone
(KNORR and KLOTZ), 1887, A., 1121.

1:5-Diphenyl-2-methylpyrrole (L DERER and PAAL), 1886, A., 75.

1:5-Diphenyl-2-methylpyrrole-3-carboxylic acid and its ethyl salt (LE-DERER and PAAL), 1886, A., 75.

3':4'-Diphenylmethylquinoxaline (HINSBERG), 1884, A., 1053.

Diphenylmethylsulphonephenylic sulphide (LAVES), 1890, A., 988.

αβ-Diphenyl-μ-methylthiazole (Hu-BACHER), 1891, A., 222.

Diphenylmethylthiocarbamide (GEB-HARDY), 1884, A., 1320.

action of ammonia and of o-toluidine on (Gebhardt), 1885, A., 383.

Diphenylmethyltriazole (BLADIN), 1889, A., 138.

Diphenylnaphthaleneazammonium hydroxide and its salts (ZINCKE and LAWSON), 1887, A., 731.

Diphenylnaphthaquinoxaline (LAW-SON), 1885, A., 1239.

Diphenyl-αβ-naphthatriazine (MEL-DOLA), 1890, T., 381. and its derivatives (MELDOLA and

FORSTER), 1891, T., 681.

Diphenylnaphthylenecarbamide (BAM-

BERGER and Schieffelin), 1889, A., 892.

Diphenylnaphthylenediamine [m.p. 168°] (ANNAHEIM), 1887, A., 839. Diphenylnaphthylene-p-diamine

(FISCHER and HEPP), 1890, A., 911.

Diphenyl-o-nitrobenzylcarbamide (PAAL and Bodewig), 1891, A., 944.

Diphenyldinitroethane(GABRIEL), 1885, A., 1229.

Diphenylelinitromethane (Scholl), 1891, A., 315.

Diphenyl-m- and -p-nitrophenylearbamides (LELLMANN and BONHOFFER), 1887, A., 936.

Diphenylnitrosamine, o-nitro-CHER), 1892, A., 332.

Diphenyldinitrosohydrazine (AR-HEIDF), 1887, A., 958.

Diphenylnitrosoketopiperazine (BISCHOFF and NASTVOGEL), 1890, A., 1161.

Diphenyltrinitrosopropane (DE Neuf-VILLE and V. PECHMANN), 1891, A., 319.

Diphenyl-m-nitro-p-tolylcarbamide (LELLM ANN and BONHOFFER), 1887, A., 936.

Diphenyloxalylguanidine, nitro-(HIRSCH), 1888, A., 947.

Diphenyloxamide, See Oxanilide.

Diphenyloxycyanidine (PINNER), 1891, A., 59.

Diphenylparabanic acid (V.STOJENTIN), 1885, A., 1195, 1196. nitro- (Hirsch), 1888, A., 947.

dinitro- (v. Stojentin), 1885, A., 1195.

Diphenyl-p-phenylene diketone (Nölting and Kohn), 1885, A., 389; 1886, A., 349.

Diphenyl-m- and -p-phenylenediamines and their derivatives (CALM), 1884, A., 591, 592.

Diphenyl-m-phenylenediamine, p-nitroso- (Fischer and Herr), 1890, A., 613.

Diphenylphenylenedicarbamide (Kühn), 1885, A., 979.

m-Diphenylphenylenedisulphone, action of potash on (Orio and Rossing), 1887, A., 372.

Diphenylphenylenepropionic acid (LIEBERM NN and HARTM (NN),1892, A., 1228.

Diphenylphenylene//thiocarbamides, o- and m- (LELLMANN and WURIH-NER), 1885, A., 977.

Diphenylphosphinic acid, diamido-(DORKEN), 1889, A., 534. dinitro-(DORKEN), 1888, A., 833.

Diphenylphosphonium salts (Dorken), 1888, A., 833.

Diphenylphosphoric acid, dimitro-(RAPP), 1884, A., 1337.

Diphenylphosphorous acid (NOACK), 1883, A., 737.

Diphenylphosphoryl chloride (NOACK), 1883, A., 735; (ANSCHUTZ and EMERY), 1890, A., 34.

trichloride and thiochloride (Anschurz and Emery). 1890, A., 35.

Diphenylphthalamic acid, and its salts

(Piurri), 1884, A., 451. Diphenylphthalidecarboxylic acid (v.

(HEMILIAN), 1887, A., 267.

Diphenylphthaloylic acid (KAISER),

1890. A., 897.

Diphenylphthalylasparagine (Piurri)

Diphenylphthalylasparagine (Piurti), 1886, A., 621.

Diphenylpiperazine (BISCHOFF and TRAPESONZJANZ), 1890, A., 1332, preparation of (LELLMANN and

Schleich), 1889, A., 904. and its homologues, preparation of (Bischoff), 1889, A., 1010.

Diphenylpiperazine, p-diamido-, formation of colouring matters from (LELLMANN and SCHLEICH), 1889, A., 904.

p-dinitro-(Schmidt and Wichm INN), 1892, A., 210. 2:3-DiphenyIpiperazines, α- and β-, and their derivatives MASON', 1859, T., 102, 105.

αα-Diphenylpiperidine and αα-diphenylpiperidine-γ-carboxylic acid (PAAL and STRASSLE, 1888, A., 63.

αβ-Diphenylpropane Wispek and Zuber), 1883, A., 977; Kraemer, Spilker and Eberhardt), 1891, A., 207.

Diphenylpropionic acid and its derivatives (BOITINGER), 1884, A., 55.

β-Diphenylpropionic acid, ματραιαtion of (Henderson), 1891, T., 781; P., 123; (Liebermann and Harrmann, 1892, A., 849, 1225.

Diphenylpropylamine FREUND and REMSED, 1890, A., 1122.

Diphenylpropyl-carbamide, -oxamide and -phenylthiocarbamide (FREUND and REMS), 1 590. A., 1422.

Diphenylpropylic alcohol FLEUND and REMSEI, 1890. A., 1423; PERKIN and STLNHOLSEI, 1891, T., 1009.

Diphenylpropylpropionitrile Rosso-LYMO, 1889, A., 862. Diphenyl/sopropylsemithiocarbazide

(PHILIPS), 1889, A., 1159. 2.3-Diphenylpyrazine (MASON', 1889,

T., 99. Jinitro- (Mason), 1889, T., 101.

3:6-Diphenylpyrazine (initialote, amphiphenacylnitrile) (FRIEDLANDER and MAHLY), 1883, A., 918; (Mohlay), 1885, A., 560.

molecular weight of (TREADWELL and MEYER), 1883, A., 665.

1:3-Diphenylpyrazole (KNORR and LAURMANN), 1889, A., 410.

Diphenylpyrazolecarboxylic acid (Beyen and Claisen), 1887, A., 944. Diphenylpyrazoledicarboxylic acid

(Knore and Laubminn), 1889, A., 409.

1.5-Diphenylpyrazoline (LAUBMANN), 1888, A., 726.

1:3-Diphenylpyrazolone and its derivatives (Knorr and KLOIZ), 1887, A., 1121.

Diphenylpyrazoloneazobenzene (KNORR and KLOTZ), 1887, A., 1121.

2:6-Diphenylpyridine 'PAYL and STRASSER), 1898. A., 63; DOEBNLE and KUNTZE), 1889, A., 1212.

2:6-Diphenylpyridine-4-carboxylic acid (PAAL and STRASSER), 1888, A., 62. aa'-Diphenylpyridinetricarboxylic acid

(DOEBNER and KUNTZE, 1889, A., 412. 2:6-Diphenylpyridone and 2:6 diphenylpyridone-8-carboxylic acid (FEIST), 1891, A., 458. 2:6-Diphenylpyrone and 2:6 diphenylpyronecarboxylic acid (FEIST), 1891, A., 458.

Diphenylpyrrole (BAUMANN), 1887,
 A., 736; (KAPF and I'AAL), 1889,
 A., 149.

2:5-Diphenylpyrrole-3-carboxylic acid (KAFF and PAAL), 1888, A., 840; 1889, A., 149.

Diphenyl-pyrrolidone and -pyrrolone (KLINGEMANN), 1892, A., 1003.

Diphenylpyrroylcrotolactone (ANGELI), 1890, A., 1000.

α-Diphenyl-β-pyrroylpropionic acid (ANGELI), 1890, A., 1000.

p-Diphenylquinol (Muller and v. Pechmann), 1889, A., 1171.

Diphenylquinol, di-, tri- and tetra-nitro-(NICTEKI and SCHUMDELEN), 1892, A., 310.

2:1-Diphenylquinoline (Beyen), 1887, A., 849.

αβ-Diphenylquinoline (Buddeberg), 1890, A., 1142.

Diphenylquinolylmethane and its derivatives (FISCHER and FRANKEL), 1886, A., 561; 1888, A., 56.

p-Diphenylquinone (MULLER and v. PECHMANN), 1889, A., 1171.

Diphenylquinoxaline, //iamido-(NIETZKI and MULLER), 1889, A., 605.

Diphenylquinoxaline-m-carboxylic acid (Zehra', 1891, A., 303.

Diphenylresorcinol, tetra-, penta- and heau-nitro- (NIETZKI and SCHUNDELEN), 1892, A., 310.

Diphenylrosamine (Heumann and Rey), 1890, A., 158.

au-Diphenylselenazole (HOFMANN), 1889, A., 727.

Diphenylselenocarbamide (STOLTE), 1887, A., 43.

Diphenylselenone (Charmé), 1890, A., 34.

Diphenylsemicarbazide (Kühn), 1885, A., 261.

Diphenylsemithiocarbazide, p-bromo-onitro-, and m-nitro- (BISCHLER and BRODSKY), 1890, A., 152, 151.

Diphenylsemithiocarbazidecarboxylic acid (RODER), 1887, A., 150.

Diphenylsilicon dichloride (Polis), 1886, A., 619.

Diphenyl-stibic acid and -stibine chloride (MICHAELIS and REESE), 1886, A., 885.

Diphenylsucoinamic acid, and its salts (Piutti), 1885, A., 783.

Diphenyl-succinanii and -succinanilic acid (Anschütz and Bendix), 1891, A., 72. Diphenylsuccinic acid, action of strong sulphuric acid on (Rosen), 1888, A., 1301.

cyano- (POPPE), 1890, A., 504.

Diphenylisosuccinic acid, preparation of (Henderson), 1891, T., 732; P., 123.

Diphenylsuccinic acid (Anschutz and Bendix), 1891, A., 71.

Diphenylsuccinic anhydrides (TILL-MANNS), 1890, A., 1135; (ANSCHÜTZ and BENDIX), 1891, A., 72.

Diphenylsuccinimidine (Blochmann), 1887, A., 931.

Diphenylsuccinonitriles, stereoisomeric (C'HALANEY and KNOEVENAGEL), 1892, A., 619.

Diphenylsulphamic acid, amido- (Spie-GEL), 1885, A., 987.

Diphenylsulphide-o-carboxylio acid (Zieglen), 1890, A., 1292; (Graebe and Schultess), 1891, A., 1058.

Diphenylsulphonamic acid, ammonium salt of (TRAUBE), 1891, A., 569.

Diphenylsulphone (benzenesulphone; sulphobenzide) (Otto), 1885, A., 535.

decomposition of (Otto), 1886, A., 1031.

Diphenylsulphone, diamido- and its derivatives (LAUTH), 1892, A., 1093.

o-dichloro- (FRIEDEL and CRAFTS), 1887, A., 1101.

W. Otro, 1888, A., 282.

s-Diphenylsulphoneacetone, synthesis of (OTTO), 1889, A., 1186.

Diphenylsulphonebromopropane (STUF-FER), 1890, A., 988.

Diphenylsulphone-o-carboxylic acid (GRAEBE and SCHULTESS), 1891, A., 1058.

Diphenylsulphonedimethylacetone (Otro), 1886, A., 801.

Diphenylsulphonedisulphonic acid and its derivatives (Otro and Rossing), 1887, A., 263.

Diphenylsulphonemethane (Fromm), 1890, A., 56.

Diphenylsulphonephenyl ether (Otto and Rossing), 1857, A., 372.

s-Diphenylsulphone isopropylic alcohol (Orro and Rossing), 1890, A., 780.

Diphenylsulphone-m-sulphonic acid (Otto), 1886, A., 1031.

αβ-Diphenylsulphone-β-thiophenylpropane (AUTENRIETH), 1891, A., 1068.

Diphenylsulphonethylamine (OTTO), 1890, A., 380.

Diphenylsulphonethylic oxide (Orio 's-Diphenylthiocarbamide, and Damkohler), 1885. A., 263. sulphide (Orro and Damkohler), 1885, A., 538.

Diphenylsulphonethylmethylamine (Otto and Damkonler), 1885, A.,

538. Diphenylsulphonic acid, p-amido- (C'AR-NELLEY and Schleschmann), 1886, T., 380; P., 184.

Diphenylsulphoxide (Colby and Mc LOUGHLIN), 1887, A., 371. dinitro- (Colby and McLoughlin).

1887, A., 372.

Diphenyltartaric acid, and the hydrobromide of the amide of (Burron), 1884, A., 62.

Diphenyltaurocarbamic anhydride (AN-DREASCH), 1883, A., 661.

Diphenyltetrahydrofurfuran (KAPI and Paal), 1889, A., 148.

Diphenyltetrahydrophenanthroline (Schiff and Vanni), 1890, A.,

Diphenyltetrazine and methiodide of Т., (RUHEMANN), 1889,

bromo-derivatives of (RUHEMANN), 1889, T., 246.

nitro- (RUHEMANN), 1890, T., 51. aμ-Diphenylthiazole (HUBACHER), 1891, A., 221.

Diphenylthiazolecarboxylthiamide (BLADIN), 1892, A., 638.

Diphenylthienylmethane (LEVI), 1886, A., 787.

s-Diphenylthiocarbamide (thururbanilide) (Schiff and VANNI), 1892, A., 600.

constitution of (GOLDSCHMIDE and MEISSLER), 1890, A., 500. melting point and crystalline form of

(Losanitsch), 1886, A., 876. action of acetic acid on (CAIN and

COHEN), 1891, T., 329. action of acetic anhydride on (WER-

NER), 1891, T., 396. action of allylic bromide on (Wer-

NER), 1890, T., 303; P., 33. action of benzylic chloride on (WER-

NER), 1890, T., 297; P., 33. action of chloracetone on (PAWLEWккі), 1888, А., 473.

action of ethoxalyl chloride on (v. STOJENTIN), 1884, A., 1159.

action of silicon tetrabromide on (REYNOLDS), 1888, T., 857.

action of water on (CAIN and COHEN), 1891, T., 328.

compounds of, with metallic salts (RATHKE), 1884, A., 1018.

p-amido- (Lellmann and Wurth-NER), 1885, A., 977.

mono- and di-nitro-, action of iodine on 'Losanisch, 1883, A., 582.

us-Diphenylthiocarbamide (WERNER), 1892, P., 96; (Paschkoweizky), 1892, A., 164.

Diphenylthiocarbazinic acid 'STAHEL), 1890, A., 1260.

Diphenylthiocarbimide, m-mono- and -di-nitro- (Speudemann), 1883, A., 801.

Diphenylthiohydantoin (Kossel), 1892, A., 468.

2:5-Diphenylthiophen (KAPF PAAL, 1889, A., 148.

Diphenyltolenylamidine GLOCK, 1558, A., 1290.

phenyl-p-toluylamide Leli MANN and Bonnoffin, 1887, A., 935. Diphenyl-p-toluylamide

Diphenyl-p-tolylbiuret (PAWLEW-KI, 1888, A., 474.

Diphenyltolylcarbinol, triamido-. Rosaniline.

Diphenyltolylcarbinol-m-carboxylic acid (v. Hewilian), 1884, A., 323.

Diphenyl-m-tolylenediamine and its derivatives (Zega and Buch), 1886. A., 873.

Diphenyltolylenedicarbamide (KUHN), 1885, A., 979; (LEUCKART), 1890, A., 760.

Diphenyl-m-tolylenethiocarbamide (BILLETER and STEINER), 1886, A.,

Diphenyl-p-tolylenedithiocarbamide (LELLMANN and WURTHNER), 1885, A., 977.

Diphenyltolylenic *(licarbamate* (Snape), 1886, T., 258.

Diphenyl-p-tolylguanidine (HUHN), 1886, A., 1036.

Diphenyl-m-tolylmethane (v. HEMI-LIAN), 1884, A., 322.

Diphenyltolylmethane, triamido-. Leucaniline.

Diphenyl-p-tolylmethanecarboxylic acid [m.p. 217] (v. Hemilian), 1884, A., 322.

Diphenyl-p-tolylmethanecarboxylic acid [m.p. 155°] (GRESLY), 1886, A., 1035.

3':4'-Diphenyl-1'-tolylmethyldihydroquinoxaline (FISCHER), 1891, A., 748. 2":3"-Diphenyl-4"-tolylnaphthadihydroquinoxaline (Fischer), 1892,

A., 1474. 2'':3''-Diphenyl-4''-tolylnaphthahydronaphthazonium hydroxide (Fischer), 1892, A., 1474.

DIP

p-Diphenyltolylphosphine and its derivatives (DORKEN). 1885, A., 833. 2:5-Diphenyl-o-tolylpyrrole (PAAL and

Braikoff), 1890, A., 263.

2:5-Diphenyl-/>-tolylpyrrole (BAU-MANN), 1887, A., 736. Diphenyl-o- and -p tolylpyrrolecarb-

oxylic acids (PAAL and BBAIKOFF), 1890, A., 263.

Diphenyltriazenylamidoxime (BLADIN), 1889, A., 978.

Diphenyltriazenyl-benzenyland -ethenyl-azoximes (BL\DIN), 1889, A., 978.

Diphenyl-triazole and -triazolecarboxylic acid (BLADIN), 1889, A., 703. (BAM-Diphenyltricarboxylic acid

BERGER and HOOKER), 1885, A., 906, 1070. Diphenyltrimethylene//ithiocarbamide

(LELIMANN and WURTHNER), 1885, A., 978.

aa-Diphenyltrimethylenic cyanide (ZELINSKY and FELDMANN), 1890, A., 384.

Diphenylurazine (PINNER), 1888, A., 1084.

Diphenylurethane, and its derivatives (HAGER), 1886, A., 59.

Diphenylvinylic nitrite (Anschutz and Romig), 1886, A., 1034.

Diphenyl-o-xylylenediamine (Lesen), 1884, A., 1313.

Diphenyl-o- and -m-xylylmethanes (v. HEMILIAN), 1887, A., 267, 266.

Diphenyl-p-xylylmethane and its products of oxidation (v. HEMILIAN), 1884, A., 321.

Diphenyl-m-xylylpyrrole (PALL and Braikoff), 1890, A., 263.

Diphloroglucinolcarboxylic acid (Schiff), 1888, A., 810.

Diphosphoric acid, mono- and dimido-(MENTE), 1889, A., 210.

Diphosphormonamic acid (Mente), 1889, A., 210. acid, diimido-

Diphthalide ether (RACINE), 1887, A.,

Diphthalyl (GRAEBE and GUYE), 1885,

A., 267. and its derivatives (WISLICENUS), 1885, A., 57; (Rosen), 1885, A., 267; (GRAEBE and SCHMALZIGATI), 1885, A., 797; (Graebe and Guye), 1886, A., 882

bromide, crystalline form of (Sorer), 1886, A., 619.

Diphthalyl, tetrachloro-, and nitro-(GRAEBE and GUYE), 1886, A., 882. Diphthalylamidoethyl sulphide (GA-

BRIEL), 1891, A., 815.

Diphthalyldi-//-benzidine (v. BIN-DROWSKI), 1884, A., 1015.

Diphthalyldiethylenephenyltriamine (GABRIEL), 1889, A., 1166.

Diphthalylditrimethylenetriamine (Goldenking), 1890, A., 976.

Diphthalylethane (thindiphthalyl) (Roser), 1885, A., 165. monn- and di-nitro- (GABRIEL), 1886.

A., 620.

isoDiphthalylethane (Rosen), 1885, A., 267.

Diphthalylethane anhydride (Rosen), 1885, A., 165.

Diphthalylic acid (GRAEBE and JULL-LARD), 1888 A., 154; (JUILLARD), 1888, A., 707.

Diphthalylimide (GRAEBE and (ILYE). Ī886, Ā., 883.

Diphthalylimidoethylic sulphide (GA-BRIEL), 1892, A., 130.

disulphide (Coblentz and Gabriel), 1891, A., 817.

sulphoxide (GABRIEL), 1891, A., 816; 1892, A., 130.

Diphthalylimidoethylsulphone (GA-BRIEL), 1892, A., 131.

β-Diphthalylimidopropylic disulphide (Seitz), 1891, A., 1473.

Diphthalyllactonic acid (GRAEBE and Schmalzigaug), 1885, A., 798.

Diphthalylpropane (propincal phthalyl) (Roser), 1885, A., 268.

Diphthalyl-succinanilide and -succindehydranilide (Roser), 1886, A., 244. Diphtheria, chemical p (MARTIN), 1892, A., 741. pathology of

Dipicolinic acid. Sec Pyridine-2:6dicarboxylic acid.

Dipicolyl (Ahrens), 1889, A., 59. Dipicolylmethane (LADENBURG), 1889,

A., 161. Dipicrylhydroxylamine (MICHAEL and Browne), 1887, A., 663.

Dipipecolinemethane (Ladenburg), 1889, A., 161.

Dipiperideine (LELLMANN and SCHWA-DERER), 1889, A., 901.

Dipiperidyl [h.p. 251°] and its derivatives (Liebrichi), 1886, A., 161; 1887, A., 161.

2:2-Dipiperidyl (BLAU), 1889, A., 1213. 2:3-Dipiperidyl (BLAU), 1891, A., 583;

1892, A., 1365. 4:4-Dipiperidyl and its derivatives (Aurens), 1889, A., 59; 1891, A.,

Dipiperidylcarbamide (WALLACH and LEHMANN), 1887, A., 385.

Dipiperidylisatin (SCHOTTEN), 1891, A., 928.

Dipiperidylisatin, bromo- (Schotten), | Dissopropyl ketone (Poletelef), 1889, 1891, A., 1491.

Dipiperidyl-methane and -phenylmethane (Ehrenberg), 1857, A., 1027.

Dipiperonylideneacetone (dipiperonylucryl ketone) (HABER), 1891, A.,

dibromo- (Oelker), 1891, A., 1475. dinitro- (HABER), 1891, A., 705.

Dipiperylquinone (LACHOWICZ), 1998, A., 1314.

Dipiperylsemithiocarbazide (KNORR), 1884, A., 468.

Dipropargyl (herenene), constitution of (BRUHL), 1892. A., 1437.

isomeric change in (FAWORSKY', 1891, A., 1332.

molecular refraction of (BRUHL). 1892, A., 1437.

benzene and (BEUHL), 1892, A., 1436. Diisopropenyl (MARIUTZA), 1890, A.,

Dipropionamide (O1TO and Trooper). 1890, A., 726.

Dipropionyl-o-diamidotoluene TRZYCKI and ULFFERS), 1890, A.,

Dipropionyldiphenylglyoxime (Ar-WERS and MEYER, 1888, A., 598.

Dipropionylic dicyanide (LOBRY DE BRÜYN), 1885, A., 963.

Dipropionylmorphine (HESSE), 1884, A., 613.

Dipropionylnaphthylenediamine (BIS-TRZYCKI and ULFFERS), 1890, A.,

Dipropionylpyrrole (DENNSTEDT and ZIMMERMANN), 1887, A., 844.

Dipropyl. See n-Hexane.

Dipropyl acetoxime (MEYER and WAR-RINGTON), 1887, T., 689.

action of acetic chloride on (MEYER WARRINGTON), 1887, T., **689.**

Dissopropyl acetoxime and its behaviour with acetic chloride (MEYER and WARRINGTON), 1887, T., 684, 685.

Dipropyl diketone (dibutyryl) (KLINGER and SCHMITZ), 1891, A., 890.

Dipropyl diketoxime (dibutyryloxime) (MUNCHMEYER), 1886, A., 350, 877.

Dipropyl distyryl ketone (dicuminalwetune) (CLAISEN and PONDER), 1884, A., 1167.

Dipropyl ketone (butyrone) (HAMONET), 1889, A., 235.

preparation of, by Perkin's method (PERKIN), 1886, T., 322.

action of zinc ethyl and zinc inducthide on (MENSCHIKUFF), 1888, A., 248.

A., 477.

Disopropyl ketoxime (MEYER and WARRINGTON', 1886, A., 783.

Dipropylacetic acid (acto'c acid), preparation of, from ethylic ma'onate (Furih), 1888, A., 1053.

Dipropylacetylenic dibutyrate (KLIN-GER and SCHMITZ), 1891, A., 891.

B-Dipropylacrylic acid, and its salts (ALBITZKY), 1885, A., 242.

Dipropylallylamine and its platinochloride (Liebermann and Path, 1883, A., 909.

Dipropylallylcarbinol. See Decenylic alcohol.

Dipropylamido-\gamma-disulphide hydrochloride (GABRIEL and LAUER), 1890, A., 472; LACER, 1890, A., 1090.

Dipropylamine (VINCENT', 1886, A., 1005.

magnetic rotatory power of (Perkin), 1859, T., 693, 730.

molecular refraction and dispersion of 'Gr Abstoni , 1891, T., 296.

action of, in aqueous solution on metallic salts (VINCENT), 1886, A., 1005.

Dipropylamine arsenious bromide (LAN-DAU), 1889, A., 211.

nitroso- (VINCENT), 1886. A., 1005. Dissopropylamine (VAN DER ZANDE), 1889, A., 953.

Dipropylaniline (LIPPMANN and FLEISS-NEIL), 1883, A., 185. cyanhydrin, nitroso- (MANDL), 1886,

A., 793. dinitro- (van Romburgh), 1889, A.,

Dipropylanilineazyline (LIPPM INN and Fleissner), 1883, A., 55, 185.

Dipropylanthracene dihydride (HALL-GARTEN), 1889, A., 895.

Dipropylanthrone (HALLGARTEN), 1889, A., 594.

p-Dipropylbenzene (Könven), 1883, A., 321; (Fileti, 1891, A., 1022. dibromo- (Körner), 1883, A., 322. dibromodinitro- (FILETI), 1891, A., 1022.

dinitro- (Körner), 1883, A., 321. Disopropylbenzene (DA SILVA), 1885, A., 1054.

and its derivatives (Unlhorn), 1891, A., 184.

Dipropylbenzenes, synthesis of (Heise), 1891, A., 685.

p-Dipropylbenzenesulphonamide (REMsen and Keiser), 1884, A . 457.

m-Dipropylbenzenesulphonic (HEISL), 1891, A., 685.

 α-p-Dipropylbenzenesulphonic acid and its salts (KORNER), 1883, A., 321;
 (REMSEN and KEISER), 1884, A., 457;
 (FILERI), 1891, A., 1022.

β-p-Dipropylbenzenesulphonic acid (Fileii), 1891, A., 1022.

s-Dipropylcarbamide (HECHT), 1890, A., 476.

US-Dipropylearbamide (VAN DER ZANDE), 1889, A., 963; (CHANCEL), 1892, A., 1421.

as-Diisopropylcarbamide (VAN DER ZANDE), 1889, A., 963.

Dipropylearbinol (sec-heptylic alcohol) [b.p. 150] (USTINOFF and SAYTZEFF), 1887, A., 353.

Disopropylearbinol (see-heptylic alcohol) [b.p. 131°] (Poleteeff), 1889, A., 477.

properties of (Poleteeff), 1891, A., 889.

Disopropylearbinylic acetate, properties of (Poletteff), 1891, A., 889. Dipropyl-m-cresol (Mazzara), 1883, A., 463.

Diisopropyl-m-cresol and its derivatives (MAZZARA), 1883, A., 463.

Dipropyldiphenyldiketodihydro-p-diazinecarboxylic acid (ABENIUS), 1890, A., 270.

Diisopropyldipyrrole (DENNSTEDT), 1889, A., 401.

Dipropyldisulphide-\gamma-diphthalamic acid (GABRIEL and LAVER), 1890, A., 472.

Dipropyldisulphobenzoic acid, barium salt of (STENGEL), 1883, A., 1000.

β-Dipropylene (hexylene) (CottuRIER), 1891, A., 282.

Dipropylethylenedisulphone (Otro and Casanova), 1888, A., 255.

Dipropylglutaric acid (GUTHZEIT and DRESSEL), 1890, A., 879.

DRESSEL), 1890, A., 879.

Dipropylglycollic acid (KLINGER and

SCHMITZ), 1891, A., 891. Dipropylglyoxaline (oxalpropylbutyline) (RIEGER), 1889, A., 119.

Dipropylhomo-o-phthalic acid and anhydride (LE BLANC), 1889, A., 256.

Dipropylhomo-o-phthalimide Blanc), 1889, A., 256.

Dipropylhydroxypropylamine and its platinochloride (LIEBERMANN and PAAL), 1883, A., 910

PAAL), 1863, A., 910.

Dipropylic dichloroglycollate (Anschutz and Schonfeld), 1886, A., 756.

Disopropylic ammonium nitrite (VAN DER ZANDE), 1889, A., 954. glycol (Fossek), 1884, A., 37.

3:3'-Dissopropylindole (DENNSTEDT), 1589, A., 401.

Dipropylmethane. See Heptane. Dipropyl- and disopropyl- nitramines

(SIMON-THOMAS), 1891, A., 168. Dissopropylnitrosamine (VAN DEE ZANDE), 1889, A., 954.

Dipropyl- and dissopropyl-pimelic acids (Perkin and Prentice), 1891, T., 838, 840.

ωω'-Dipropyl- and ωω'-di/sopropylpimelic acids, dissociation constants of (WALKER), 1892, T., 701, 702.

Dipropylpropylidenic oxide (SCHUDEL), 1884, A., 1283.

Disopropylsuccinic acid (Hell and Mayer), 1889, A., 373.

Dipropyl-α-sulphaminephthalate (MOULTON), 1891, A., 1063.

p-Dipropylsulphonamide, oxidation of (REMSEN and KEISER), 1884, A., 457.

Dipropylsulphone (SPRING and WINS-SINGER), 1883, A., 659.

Di-o-propylsulphone (WINSSINGER), 1888, A., 243.

Di/sopropylsulphonediethylmethane (STUFFER), 1891, A., 180.

Dipropylthiocarbamide (HECHT), 1890, A., 476.

Dipropylthiocarbanilide (BILLETER and STROHL), 1888, A., 364.

Dipropyltrimethylenetrisulphone (CAMPS), 1892, A., 592.

Diprotocatechuic acid (SCHIFF), 1883, A., 335.

Dipyre from Connecticut (ARZRUNI), 1887, A., 903.

Dipyridine (dihydrodipyridyl) (WEIDEL and Russo), 1883, A., 483.

description and measurement of the spectrum of (HARTLEY), 1885, T., 717.

Dipyridine carbonyl bromo- and chloroplatinosites (FOERSTER), 1892, A., 353, 352.

copper sulphate (Jörgensen), 1886, A., 857.

silicotetrafluoride (COMEY and SMITH), 1888, A., 1283.

Dipyridines, actions of (OECHSNER de CONINCK), 1886, A., 898.

Dipyridyl (Skrauf and Vortmann), 1883, A., 88; (Roth), 1886, A., 477.

derivatives (SKRAUP and VORTMANN), 1883, A., 85.

αα-Dipyridyl (BLAU), 1888, A., 728; 1889, A., 1212.

β-Dipyridyl (Leone and Oliveri), 1886, A., 78.

γ-Dipyridyl (AHRENS), 1891, A., 1003; and its derivatives (WEIDEL and RUSSO), 1883, A., 483. αβ-Dipyridyl-β-carboxylic acid and its salts (SKRAUP and VORTMANN), 1883, A., 87.

aβ-Dipyridyl-βγ-dicarboxylic acid and salts of (Skraup and Vorthann), 1883, A., 87; (SKRAUP and COBENZL',

1883, A., 1010.

Dipyridyl-aa-dicarboxylic acid (HEUSER and Stoken), 1892, A., 75.

Dipyrogallocarboxylic acid (Schiff),

1888, A., 840. Dipyrogallopropionic acid, and derivatives (Bouringer), 1884, A.,

318; 1890, A., 982. Dipyromeconic acid. nitroso- (Osr), 1883, A., 793.

Dipyropentylene (ETARD and LAMBERT), 1891, A., 1085.

Dipyrryl ketone (CIAMICIAN and MAG-NAGHI), 1885, A., 809.

Dipyruvylanilidediphenylhydrazide (Messinger and Engels), 1889, A.,

Diquinaldyl (diquinaldine). See Dimethyldiquinolyl.

Diquinhydrone (Burr and Schreder), 1885, A., 521.

Diquinidine and its platinochloride (Hesse), 1883, A., 601.

Diquinizine-blue (KNORR), 1884, A., 1379.

Diquinizinehydrobenzene, action nitrous acid on (KNORR and BULOW), 1884, A., 1381.

Diquinol (tetrahydrorydiphenyl) (BARTH and Schreder), 1895, A., 521.

Diquinolyl (diquinoline) (JELLINEK), 1886, A., 1045. preparation of (TRE-IDDER), 1584,

A., 84.

Diquinolyl [m.p. 114°], and its de-(WEIDEL), rivatives 1887, 848.

2':2'-Diquinolyl, derivatives of (Weidel and Glaser), 1886, A., 949.

oxidation products of (WEIDEL and WILHELM), 1887, A., 979.

2':3'-Diquinolyl (CARLIER and EIN-HORN), 1891, A., 83.

a-Diquinolyl, synthesis of, and its derivatives (OSTERMAYER and HEN-

RICHSEN), 1885 A., 173. from azobenzene, and the action of nitric acid on (CLAUS and STEGEL-

ITZ), 1885, A., 173. constitution of (WRIDEL and STRAсне). 1886, А. 950.

methochloride (OSTERMAYER), 1885, chloriodide (OSTERMAYER), 1885,

A., 814.

B-Diquinolyl, formation of, by aid of heat (ZPINITEMIN) and MITTLE, 1854, A., 1572.

peculiar method of familion of, in l derivatives of Fischer and VAN Loo , 1884, A., 1372; 1887, A., 63. ethiodide (Fischen and Van Loo',

1887, A., 64.

y-Diquinolyl from benzidine and its derivatives (Roser, 1884. A., 1871; 1885, A., 275.

a base derived from Colson, 1889, A., 416.

diethyl ether of Colsus, 1889. A., 729.

8-Diquinolyl and its derivatives (F15-CHER), 1885, A., 1247.

Diquinolyls (OSTERWAYEL), 1885, A.,

560; (FISCHER, 1885, A., 300, 1246, Diquinolyls, a-4- and B-4- (Kornes and Nef, 1887, A., 600, a-m. Diquinolyls and their salts (v.

MILIER and KINKELINI, 1855, A.,

8-Diquinolyldisulphonic acid (Weidel and GLASER, 1856. A., 950; FISCHER and van Loo), 1887, A., 64.

γ-Diquinolyldisulphonic acid and its salts (Roser), 1884, A., 1371.

a-Diquinolyl-a- and -β-disulphonic acids (Weidel and Glasen), 1856, A., 949. Diquinolylethane (Comly), 1590, A., 1007.

Diquinolylethylene (Bulleth), 1889, A., 528.

(NIETZKI and Diquinolylimide SCHMIDT), 1888, A., 914.

Diquinone (BARTH and SCHREDER), 1885, A., 521.

Diquinoylphenazine (NILIZKI SCHMIDT), 1885, A., 690.

Diquinoyltetroxime / KEHEMANN Mr-Singer). 1890. A., 1403. anhydride of (Goldschuldt

STRAUSS), 1887, A., 809. Diquinoyltolazine (NIELZRI and KEHR-MANN), 1857, A., 473.

ketone (Nolling Diquinyl Schwartzi, 1891, A., 1106.

(tetrahydroxydiphenyl), Diresorcinol detection of, in synthetically prepared phloroglucinol (HERZIG and ZEINEL), 1891, A., 125.

and its derivatives (BENEDIKT and JULIUS), 1894, A., 1139.

dichlorodibromo- (BENEDIKT), 1883, A., 985.

dinitro (HAZURA), 1883, A., 1111. Diresorcinoldicarboxylic acid, and its salts 'WILL and AIRREGHI, 1884, A., 1336.

Diresorcinolphthalein, and its derivatives (BENEDIKF and JULIUS), 1884, A., 1140.

insoluble (BENEDIKE and JULIUS), 1884, A., 1140.

Diresorcinyl tetrethyl ether (HERZIG and Zrisel), 1891, A., 76.

Directoringlic tetrabenzoate (SKRAUP), 1890, A., 136.

Disalicylaldehyde(GATTERM INN),1888, A., 575: (Bradley), 1889, A., 873.

Disalicylbenzoin (FRHSCH), 1891, A., 708.

Disease, blood changes in (LUTHAM), 1888, A., 1324.

Diseases, diamines in (Roos), 1892, A., formation of alkaloids in (VILLIERS),

1885, A., 926.

infectious, ptomaines of (Griffiths), 1892, A., 1258.

phosphates in urine in (VANNI and Poss), 1888, A., 621.

of animals (Roloff), 1884, A., 95, 914; (Pasteur), 1884, A., 623. of cattle (ANON.), 1884, A., 95; (KOCH),

1884, A., 96; (MULLER), 1884, A., 473; (Metzdorf), 1884, A., 1398; (EGGELING; PASTEUR), 1885, A., 73.

Diseleno .. See Seleno ..

Diseptdecylthiocarbamide (TURPIN), 1888, A., 1175.

Disinfectant powders, carbolic, examination of (Williams), 1890, A., 300.

Disinfectants (Kocu), 1883, A., 249. studies of, by new methods (Blyth), 1886, A., 573.

value of, in chicken-cholera (Colin), 1885, A., 140.

Disinfection, chemical products of putrefaction in their relation to (BURDON Sanderson), 1886, A., 112.

with chlorine and bromine (Fischer and Proskaver), 1885, A., 846.

Dispersive power and dispersion. See Photochemistry.

Dissociating gases, laws of (SWART), 1891, A., 780.

Dissociation (INAMBERT), 1884, A., 549; (Roozевоом), 1888, А., 1148.

contact actions in (KONOWALOFF), 1886, A., 9.

continued (RIECKE), 1891, A., 381. See Electrochemistry. electrolytic.

evaporation and (RAMSAY and Young), 1886, P., 225; 1887, T., 755; 1888, A., 18.

hypothesis, contributions to (Det-MER), 1883, A., 489. of Arrhenius (TRAUBE), 1891, A.,

255, 638.

Dissociation, hypothesis, strong solutions and (Pickering), 1892, A., 10%.

influence of pressure on (PAWLEWSKI),

1891, A., 381. rate of, as a measure of the vapour tension of hydrated salts (SCHULZE), 1888, A., 104.

rate and vapour tension of (MULLER-ERZBACH), 1887, A., 696.

tension, compounds which have a, equal to the vapour pressure of their saturated solutions (LESCEUR), 1890, A., 553.

theory (TRAUBE), 1891, A., 874.

Lockyer's (Vogel), 1883, A., 762, studies in chemical optics with reference to (LE BLANC), 1890, A., 313.

velocity of (LESCIEUR), 1887, A., 100. solutions, versusassociation

(Pickering), 1891, A., 972. in dilute solutions of tartrates (Sox-NENTHAL), 1892, A., 588, 1144. into ions, theory of, and its con-

sequences (Pickering), 1890, P., 171; 1891, A., 972.

of aluminium fluoride (v. Asboth), 1891, A., 806.

alums and of sodium acetate (Müller-Erzbach), 1888, A., 1022. of amine hydrochlorides and salts of

the fatty acids in solution (MULLER), 1890, A., 684.

of amine vapours (BURCH and MARSH), 1889, T., 656; P., 127.

of ammonium chloride (R. and G. F. R. Blochmann), 1891, A., 1415.

of ammonium hydrogen carbonate (BERTHELOT and ANDRÉ), 1887, Λ., 10, 11.

of amylenie hydrobromide under low pressures (LEMOINE), 1891, A., 970.

of bismuth chloride by water, effect of sodium chloride on the (CAUSSE), 1892, A., 122.

of calcium carbonate (LE CHATELIER), 1886, A., 760.

of carbonicanhydride (LECHATELIER), 1889, A., 205.

of carbonic anhydride and steam (v. HOFMANN), 1891, A., 143.

of copper sulphate (MULLER-ERZ-BACH), 1887, A., 208; 1888, A., 101.

of electrolytes (OSTWALD), 1889, A., 931.

influence of temperature on the (ARRHENIUS), 1889, A., 1044.

theory of (OSTWALD), 1888, A., 1142; (VAN'T HOFF and REICHER), 1889, A., 202.

Dissociation of gases and vapours by Dissociation-constants of organic acids the silent discharge (v. Horm and), 1891, A., 143.

of the hydrate HBr, 2H2O (VAN'r Hoff), 1886, A., 501.

of hydrated oxalic acid (Lescour),

1887, A., 915. of hydrated salts (Frowein), 1888, A., 337.

of hydrogen bromide and ammonia compounds (Roozeboom), 1886, A..

of iodine and bromine vapours by the electric discharge (Thouson), 1887, A., 1013.

of liquids (ROOZEBOOM), 1896, A.,

of magnesium oxide by means of metallic magnesium (Morse and WHITE), 1891, A., 643.

of nitrogen peroxide (E. and L NATANSON), 1885, A., 862; 1856, A., 657.

of nitrogen peroxide, liquid (CUNDALL), 1891, T., 1076; P., 129; (Ostwaid). 1892, T., 242; P., 13.

of oxyhemoglobin, influence of temperature on the tension of (BRASSE), 1889, A., 630.

of phosphonium bromide (NEWTH), 1892, A., 401.

of saline hydrates and analogous compounds (Lescour), 1889, A.,

of salts containing water of crystallisation (MULLER-ERZBACH), 1884, A., 952; 1886, A., 10; 1887, A., 207; 1890, A., 206.

of salts in very dilute solutions (Wiedemann), 1888, A., 1021; (Planck), 1888, A., 1144.

of selenium chlorides (RAMSAY), 1891, A., 11.

of sodium carbonate (KISSLING), 1891, A., 364.

substances dissolved in water (ARRHENIUS), 1888, A., 896.

of substances in solution (MEN-DELEEFF), 1890, A., 325.

of the sulphides of cadmium and zinc by means of metallic cadmium and zine (Morse and White), 1889, A., 946.

supposed, of zinc oxide (Morse and BURTON), 1888, A., 652.

of zinc and cadmium oxides in the vapours of the respective metals (Morse and Whire), 1889, A.,

isoDissociation, laws of (LE CHATE-LIER), 1892, A., 3.

(BADER), 1891, A., 257; WALKER, 1892, T., 696; P., 197.

of stereoisomeric nitrogen compounds (HANTZSIH and MIOIAII, 1892, A., 1268.

Dissolution. See Solution.

Dissolved substances and solids immersed in the solutions, attraction between Thorter, 1885, A., 476,

volatilisation of, during the evaporation of the solvent (MARGULRITE-DPLACHARLONNY), 1887, A., 211.

"Dissolved wool," manurial value of (Pliermann), 1883, A., 500.

Dissymetry, molecular (GUYE, 1892, A., 399, 758.

α-Distearin, preparation of (HUNDE-SHAGEN), 1884, A., 280.

a-Distearylglycerolphosphoric acid and its salts (HUNDISHAGLN), 1884, A., 281.

a-Distearylglycerolphosphoric chloride (HUNDESHAGEN), 1984, A., 291.

Distillation, different methods of, compared (KREIN), 1884, A., 1248.

fractional, apparatus for (Wins-SINGER), 1884, A., 364; (HART), 1885, A., 481; (CLAUDON and MORIN; NOBION and OTTEN), 1888, A., 646.

apparatus for, use of condensation in (CLAUDON), 1985, A., 331.

in a current of steam (LAZARU-), 1885, P., 46; A., 716; (Rasiński), 1885, A., 950.

in a vacuum, apparatus for (Se HUL-LER), 1883, A., 545; (LEW-KOWITSCH), 1889, T., 359; P., 90; /Newbury), 1889, A., 12; (Bruhl), 1889, A., 207; (Schulz), 1891, A., 259.

under reduced pressure, apparatus for (THORNE), 1883, T., 301; (GORBOFF and KISSLER), 1885, A., 950; (MEYER), 1887, A., 884; (GAUTIER), 1890, A., 329; (VALENTA), 1890, A., 556; (Wislicents), 1891, A., 146.

under reduced pressure, apparatus for maintaining a constant pressure during (PERKIN), 1888, T., 689; P., 74.

method for avoiding bumping in (REISSMANN), 1888, A., 547; (REISSMANN), 1888, A., 547; (MARKOWNIKOFF), 1888, A., 1155. of wood, products of the (VLADESCO),

1890, A., 956. of zinc ethyl and zinc methyl appara-

tus for (KAULFUSS), 1888, A., 255.

Distillers' waste, influence of, on milk secretion (SCHMOEGER and NEUBERT), 1854, A., 194.

Distyrene and distyrenic acid (ERD-MANN), 1883, A., 474.

Distyryl ketone (cinnamone; dibencylideneacetone) (Claisen and Pon-

DER), 1884, A., 1166. p-nitro- (v. Baeyer and Becker), 1883, A., 1120.

Distyryl vinyl diketone and its phenylhydrazine derivative (DIEHL and EINHORN), 1885, A., 1221.

di-a-nitro- (DIEHL and EINHORN), 1885, A., 1222.

Disuccinimidodihydroxamic acid (Garny), 1892, A., 138.

o:p-Disulphaminebenzoic acid (FAHL-BERG and LIST), 1888, A., 367.

Disulphamine isophthalic anhydride (Wischin), 1891, A., 74.

Disulphamine-p-toluic acid (HOLMES), 1891, A., 1375.

Disulphanilic acid. See Anilinedisulphonic acid.

Disulphones (OTTO and DAMKÖHLER) 1885, A., 261, 537; (Otto and 1888, CASANOVA), 255; (Fromm), 1888, A., 357; 1890, A.,

formation of trisulphones from (LAVES), 1892, A., 613, 850. action of various substances on (OTTO and Damköhler), 1885, A., 537.

Disulphonic acids (LIMPRICHT), 1885, A., 1232.

Diterebenthyl (RENARD), 1888, A., 161. action of heat and of bromine on (RENARD), 1888, A., 721.

Diterebenthylene (RENARD), 1888, A.,

Diterebenthylsulphonic acid (RENARD), 1888, A., 162.

Diterpene from urine (LE NOBIL), 1885. A., 668.

Diterpodilactones and -diterpolactonic acids, α- and β- (FITTIG and LEVY), 1890, A., 873.

Diterpoxylic acids, α - and β -, salts of (Fittig and Levy), 1890, A., 873, 874.

a-Diterpylic acid (FITTIG and LEVY), 1890, A., 874.

Ditetrahydro-a-naphthaquinoline (BAMBERGER and STETTENHEIMER), 1891, A., 1261.

Di-a-tetrahydronaphthylcarbamide (Bamberger and Althausse), 1888, A., 960.

Ditetrahydronaphthylcarbamide, amido- (BAMBERGER and BAMMANN), 1889, A., 783.

Ditetrahydro-\beta-naphthylcarbinyl

-carbamide and -thiocarbamide (Bamberger and Helwig), 1889, A., 1198.

Di-β-tetrahydronaphthylthiocarbamide (BAMBERGER and MULLER), 1888, A., 600.

Ditetrahydronaphthyl//ithiocarbamide (Bamberger and Bammann), 1889, A., 783.

Ditetramethylene ketone (COLMAN and Perkin), 1887, T., 236.

Ditetramethylenic diethylic and di-

phenylic glycols (Perkin and Sinclair), 1892, T., 58, 66.

Dithienyl (NAHNSEN), 1884, A., 1132; 1885, A., 51.

perbromo- (NAHNSEN), 1885, A., 51. Dithienyl ketone (β -thievne) and its hydrazide (GATTERMANN), 1886, A., 228.

Dithienyl-tribrom--trichlorand ethanes (PETER), 1884, A., 1001.

hexubromo-Dithienyltrichlorethane,

(PETER), 1884, A., 1001. Dithienyl-dibrom- and dichlor-ethylenes (PETER), 1884, A., 1001.

Dithienylmethane (MEYER), 1884, A., 586; (Peter), 1884, A., 1001.

Dithienylsulphonic acid (NAHNSEN), 1885, A., 51*.*

Dithionates. See Sulphur.

Dithionic acid. See Sulphur.

Dithymol (MESSINGER and PICKERS-GILL), 1890, A., 1403.

Dithymylamine (LLOYD), 1887, A., 721. Dithymylic carbonate (BENDER), 1887, A., 38.

Ditolane he.cuchloride (Wislicenus and Blank), 1889, A., 262.

Ditolaneazotide. See Tetraphenylpyr-

Ditolenylimidine (PINNER), 1892, A., 1110.

p-Ditolilbenzil (BANDROWSKI), 1889, A., 147.

Ditoluamides, o- and p- (Kraffr and KARSTENS), 1892, A., 712.

imido- (Krafft and Karstens), 1892, A., 712.

Ditoluene, dichlorodiexonitroso- (bis-ochloronitrosylbenzyl) (BEHREND and NISSEN), 1892, A., 1200.

di-p-nitrodinitroso-(bis-p-nitro-(BEHREND nitrosylbenzyl) Konig), 1891, A., 1035.

dinitroso- (BEHREND and KONIG), 1890, A., 1122.

Ditoluidotoluquinone (FISCHER and Hepp), 1890, A., 912; 1891, A., 1046.

p-Ditoluidotoluquinone-p-toluidide (Fischer and Hepp), 1888, A., 473.

Ditolyl, quinol and quinone of (BRUN-NER), 1889, A., 996.

diamido. See Tolidine.

m:m-Ditolyl (STOLLE), 1888, A., 699; (Perrier), 1892, A., 851; (Loe-Wenherz), 1892, A., 852.

dichloro-, and diiodo- (STOLLE), 1888,

A., 699, 700.

o:m-Ditolyl (Schultz), 1884, A., 903. o: p-Ditolyl, bromo- derivatives of (CAR-NELLEY and THOMSON), 1885, T., 590; P.,88.

dibromo-, product of the oxidation of CARNELLEY and THOMSON), 1885,

Ť., 592; P., 88.

o-Ditolyl, dinitro, preparation (TAUBER and LOEWENHERZ), 1891, A., 1491.

p-Ditolyl ketone (ELBS), 1887, A., 940; (ERRERA), 1891, A., 1053.

Ditolyl ketone, diamido- and dinitro-(LANGE and ZUFALL), 1892, A., 1460.

p-Ditolyl ketoxime (Goldschuldt), 1590, A., 1412.

Ditolyldiamido-o-diazothioles, o- and ρ-, and their derivatives (HECTOR), 1890, A., 527.

Di-p-tolyldiamido-o-diazothiole cyanide (HECTOR), 1890, A., 527.

nitroso- (HECTOR), 1890, A., 527.

p-Ditolyldiamidohydroxybenzene (MI-NUNNI), 1891, A., 190.

p-Ditolylamidomethylene-o-phenylenediamine (Moore), 1889, A., 983.

Ditolylamine, condensation of, with benzaldebyde (FISCHER and SIED-ER), 1891, A., 434. o-amido-. See Tolyltolylenediamine.

p-Ditolylbenzylcarbamide (Hammerисн), 1892, А., 1083.

o:p-Ditolylbiuret (Kunn and Hen-SCHEL), 1888, A., 474.

p-Ditolylisobutylcarbamide (HAM-MERICH), 1892, A., 1083.

p-Ditolylcarbamic chloride (HAMмекисн), 1892, А., 1083.

m-Ditolylcarbamide (GATTERMANN and CANTZLER), 1892, A., 832.

o-Ditolylcarbamide (MAUTHNER and SUIDA), 1886, A., 886; (Bischoff and HAUSDORFER), 1890, A., 1285.

p-Ditolylcarbazide (FREUND), 1892, A.,

Ditolylcarbolactone (BISTRZYCKI and v. Kostanecki), 1885, A., 1077.

Ditolylchlorocarbindimethylcarbinol (WILLGERODT and GENIESER), 1888. A., 811.

p-Ditolylcyanocarbamide diargentocyanide (HAMMERICH), 1892, A., 1084. Ditolyldiacetylethylenediamide,

dichloro-(Bischoff and NASIVOGEL), 1890, A., 1161.

Ditolyldicarboxylic acid (LOEWEN-HERZ), 1892, A., 852.

 μ -Ditolyl- $\alpha\gamma$ -diethyl- $\beta\delta$ -diketopiperazines (BISCHOFF and MINIZ), 1892, A., 1338.

Ditolyldiethylenediamine (MAUTHNER and Stida), 1886, A., 886.

p-Ditolyldiketodihydropyrazine (ABEN-11's), 1890, A., 269.

o-Ditolyldiketopiperazine (BISCHOFF), 1888, A., 727; (ABENIUS and WID-MAN), 1888, A., 824.

p-Ditolyldiketopiperazine (Bischoff), 1888, A., 727; (CONRAD and LIM-PACH), 1888, A., 854.

(B15- O-Ditolyl-αβ-diketopiperazine CHOFF and NASTVOGEL), 1889, A., 1015.

 μ -Ditolyl- $\alpha\beta$ -diketopiperazine (Bis-CHOFF and NASTVOGEL), 1890, A., 1162.

o-Ditolyl-ay-diketopiperazine (Bis-CHOFF and NASTVOGEL), 1889. A, 1011; (BISCHOFF and HAUSDORFER, 1890, A., 1285; 1892, A., 1334.

p-Ditolyl- $\alpha\delta$ -diketopiperazine CHOFF and HAUSDORFER), 1892, A., 1336.

p-Ditolyl- $\alpha\gamma$ -diketopiperazines CHOFF and HAUSDORFER), 1890, A., 1281; 1892, A., 1337.

Di-p-tolyldimethyl-m- and -p-phenylenediamines (HATSCHEK and ZEGA), 1886, A. 456, 457.

Ditolyldiquinone (BRUNNER), 1889, A., 997

5:5'-Ditolyl-4:4'-disulphonic acid(HEL-LE), 1892, A., 1466. 2-amido- (Helle), 1892, A., 1467.

Ditolylene-ethylenetetramine (GATTER-MANN and HAGER), 1884, A., 1142.

Ditolylenic disulphide (JACOBSON and NEY), 1889, A., 772.

p-Ditolylenic sulphoxide (PARKER), 1890, A., 1136.

us-Di-p-tolylethane (A Romic), 1885, A., 769. (Anschütz

Ditolylethenylamidine (MADERY and KRAUSE), 1890, A., 371.

p-Ditolylethylene diketone (CLAUS and SCHLARE), 1887, A., 827.

Ditolylethylene ether (SCHREIBER), 1891, A., 553.

o-Ditolylethylenediamine (MAUTHNER and Suida), 1886, A., 886; (Colson), 1857. A., 788; 1888, A., 684.

Ditolylethylenediamines, o- and p-, action of chloracetic acid and oxalic acid on (Bischoff and NASTVOGEL), 1890, A., 1161, 1162.

Di-p-tolylethylenesulphone (Offic) and Damkohler), 1885, A., 538.

Di-o-tolylethylsulphine (Purgotri), 1890, A., 1420.

Di-p-tolylethyltriazole (BLADIN), 1890, A., 271.

Ditolylformamidine. See Ditolyl-methenylamidine.

p-Ditolylglycerol (Lindemann), 1891, A., 1199.

Ditolylhydantoins, o- and p- (BISCHOFF and HAUSDORFER), 1892, A., 1334, 1336

s-Di-p-tolylhydrazine (p-hydracotolucar), formation of an o-amidotolylamine from (TAUBER), 1892, A., 853.

8-Ditolylhydrazine, diamido- and its salts (Limpricht), 1885, A., 975; (Graffer), 1885, A., 1128.

p-brom- (JANOVSKY and ERB), 1887, A., 479.

s-Ditolylhydrazinedisulphonamide (Helle), 1892, A., 1468.

m-Ditolylic dicyanide (LOEWENHERZ), 1892, A., 852.

disulphide, μ-diamido- (Jacobson and Ney), 1889, A., 771.

o-Ditolylic dihydrosulphide (Levek-Aut), 1890, A., 606.

p-Ditolylic carbonate (Bender), 1897, A., 38.

dicyanate (FRENTZEL), 1889, A., 454. methylic tricyanide (KRAFFF and KOENIG), 1890, A., 1253.

Ditolylic lead salts (Polis), 1889, A., 400.

Ditolylic oxide (tolyl ether), preparation of, from p-cresol (Buch), 1885, A., 147.

Ditolyline hydrochloride (Nöltting and Wenner), 1891, A., 211.

27-Ditolylketopiperazine (BISCHOFF and NASTYOGER), 1889, A., 1010.

m-Ditolylmethenylamidine (ditolylformamidine) and its derivatives (NIEMENTOWSKI and OBREMSKY), 1887, A., 935.

Ditolyimethenylamidines, o- and p-(SENIER), 1885, T., 764, 766.

Ditolylmethylcyanidine (Pinner), 1892, A., 1110.

Di-p-tolylmethyltriazole (BLADIN), 1890, A., 271.

p-Ditolylnaphthylenediamine (ANNA-HEIM), 1887, A., 839.

p-Ditolykliisonitrosoethane (Holle-MAN), 1888, A., 456. Di-p-tolyloxamide (BLADIN), 1884, A., 1141.

Ditolyloxindole (toluisatin) and its derivatives (v. BARYLE and LAZA-RUS), 1886, A., 154.

Ditolyloxydiethylamine (imidouthyl crosyl ether) (Schreiber), 1891, A., 552.

Di-o-tolyl-p-phenylenediamine (Phill-1P), 1886, A., 942.

Di-p-tolyl-p-phenylenediamine (CALM), 1884, A., 593.

Di-p-tolyl-m- and -p-phenylenediamines and their derivatives (HATSCHEK and ZEGA), 1886, A., 456, 457.

Ditolylphthalide (VAN BERCHEM), 1885, A., 266.

Ditolylpiperazine [m.p. 154°] (BISCHOFF and NASTVOGEL), 1890, A., 1161.

Ditolylpiperazines, o- and p-(Bischoff), 1889, A., 1011; (Bischoff and Hausdorffer), 1890, A., 1933.

p-Ditolylpyrroline (HOLLEMAN), 1898, A., 455.

Ditolylsemithiocarbazides, o- and p-(DIXON), 1892, T., 1017, 1018.

o-Ditolylsulphone (Purgotti), 1890, A., 1420.

p-Ditolylsulphoneacetone (R. and W. Otto), 1888, A., 282.

Ditolylsulphonepropyl ether (Otro), 1891, A., 1229.

p-Ditolylsulphonethylamine and its derivatives (OTTO and DANKOHLER), 1885, A., 538.

o-Ditolyltetrazine (RUHEMANN), 1890, T., 52. nitro- (RUHEMANN), 1890, T., 54.

p-Ditolyltetrazine (RUHEMANN), 1889, T., 217; 1890, T., 50.

derivatives of (RUHEMANN), 1890, T., 50.

dibromo., and nitro- (RUHEMANN), 1890, T., 51.

o-Ditolyltetrazinesulphonic acid (RUHEMANN), 1890, T., 53.

Ditolylthiocarbamide (FISCHER -And STEDER), 1891, A., 431.

Ditolylthiocarbamides, o-, m- and p-, action of acetic anhydride on (Wern-Ner), 1891, T., 402, 403.

p-Ditolylthiocarbamide, o-nitro-, and dinitro- (Steudemann), 1884, A., 308, 307.

o-Ditolylthio-carbazide and -carbazone (Freund), 1892, A., 513.

p-Ditolylthio-carbazide and -carbazone (FREUND), 1892, A., 512.

p-Ditolylthiophen (Holleman), 1888, A., 455.

Di-o-tolyltolylenediamine, amido (Kuhlwein), 1890, A., 371.

p-Ditriazobenzene and m-ditriazobenzoic acid (GRIESS), 1888, A., 826, 827.

Ditriazole, derivatives of (BLADIN), 1890, A., 271.

Diundecylenic acid (Krafft and Brunner), 1885, A., 373; (Brunner), 1886, A., 1011.

Diuramidonitrobenzoic acid (GRIESS), 1885, A., 54.

1885, A., 54. Diuretics (Popoff), 1886, A., 485.

Diuretin and analysis of (VULPIUS), 1890, A., 1475.

Divalolactone (FITTIG and RASCH), 1890, A., S67; (FITTIG and HOLFF-KEN), 1892, A., S14.

Divalonic acid (FITTIG and RASCH), 1890, A., 868.

Dissovaleric acid, thio- (Loven), 1886, A., 333.

Disovaleryl (KLINGER and SCHMITZ), 1891, A., 890.

Dixanthone (v. Kostanecki and Seid-Mann), 1892, A., 1097.

p-Dixylyl ketone (Elbs and Olderc), 1886, A., 463; (Elbs), 1887, A., 941; (Errer), 1891, A., 1053.

Dixylyls, diamido-, and colouring matters derived therefrom (Noltring and Stricker), 1889, A., 135.

m-Dixylyldiamido-o-diazothiole (HEC-TOE), 1890, A., 528.

Di-o- and -m-xylylamines (MULLER), 1887, A., 663.

Dixylylbenzene (SENFF), 1884, A., 427.

Dixylylcarbamide (FRENTZEL), 1889, A., 241; (GATTERMANN and CANTZ-LER), 1892, A., 832.

m.-Dixylylcarbamide (Browne), 1888, A., 1296.

p-Dixylylearbinol (ELES and OLBERG), 1886, A., 463; (ELES), 1887, A., 942. Dixylyltrichlorethanes, m- and p-(ELES and FORSTER), 1889, A., 713.

m-Dixylyl/ichlorethylene (ELBS and FORSTER), 1889, A., 713.

p-Dixylyldiketodihydro-p-diazine (ABE-NIUS), 1890, A., 269.

p-Dixylyldiketopiperazine (ABENIU»), 1888, A., 854.

Dixylyleneammonium salts (Scholtz), 1891, A., 1353.

Dixylylenic disulphide (Jacobson and Ney), 1889, A., 772.

Dixylylethane (Anschütz and Romic), 1885, A., 769.

Di-m-xylylethylene diketone (CLAUS and WERNER), 1887, A., 827.

amido- Di-p-xylylethylene diketone (CH tts and MURIFELD), 1887, A., 827.

s-Di-m-xylylhydrazine (m-hydrazaxylear) (Nolfing and Stricker, 1889, A., 136.

Di-o-xylylhydrazines, s- and ms-, and di-p-xylylhydrazine (Nolling and Stricker), 1889, A., 135, 136.

m-Dixylylthiocarbamide, action of acetic anhydride on (WERNER), 1891, T., 404.

Dodecahydrotriphenylbenzene (MEL-LIN), 1890, A., 1423.

Dodecaredicarboxylic acid (Brown and Walker), 1891, A., 1192.
Dodecoic acid. See Lauric acid.

Dodecylene, preparation of (KRAFFI', 1881, A., 571.

Dodecylenic dibromide and dodecylidene (Krafff), 1584, A., 1108.

Dodecylic palmitate (KEATFT), 1884, A., 572.

Dog, formation of fat from carbohydrates in the (MUNK), 1887, A., 288. hamoglobin of the (AUCUE), 1888, A., 731; 1890, A., 273.

nutrition of the (GUIMARAES), 1884, A., 344.

urine of the, nitrogenous constituents of (Bleibtreu), 1890, A., 279.

Dogs, digestion of starch by (ELLEN-BERGER and HOFMEISTER), 1892, A., 516.

new-born, glycogen in the liver of (Demant), 1887, A., 167.

Dog-fish, formation of urea in (v. Schroeder), 1890, A., 1451.

Dolerite of Londorf (STRENG), 1889, A., 110.

Dolomite from the Central Ural (SAY-TZEFF), 1889, A., 837.

from the coal-measures (WEIS).1886, A., 775.

from Leadhills (Collie), 1889, T., 96.

from Teruel in Spain (BRUN), 1883, A., 31.

concentration of zinc carbonate in (DIEULAFAIT), 1885, A., 640.

Domeykite, from Zurickau (WEISEACH), 1883, A., 433.

Doona zeylanica, resin from (VALENIA). 1891, A., 1385.

Dopplerite (MAYER), 1884, A., 265; (FRÜH), 1884, A., 923; (ALEXÉEFF), 1892, A., 689.

from Aussee (DEMEK), 1883, A., 160. substance resembling, from a peat log near Scranton, Pa. (Lewis), 1853, A., 427.

Dotriacontane. See Dicetyl.

Double bond, specific refraction in reference to (NASINI), 1885, A., 210.

Double bonds, theory of (SKRAUP), 1891, A., 1320.

Double refraction. See Photochemistry. Double salts. See under the respective metals or basic radicles.

Doundaké or African quinine (HECKEL and Schlagdenhauffen), 1886, A., 267.

Dracena australis, carbohydrate from (EKSTRAND and JOHANSON), 1888, A., 246.

Dracæna cinnabari, red resin from (Dobbie and Henderson), 1885, A., 808.

Dragon's blood, so-called (DOBBIE and HENDERSON), 1884, A., 462.

Dreelite, identity of, with barytes (LAGROIX), 1888, A., 33.
Drinking water. See Water.

Driving-bands, dressing for (ANON.), 1883, A., 640.

Dropping-flask (Pool), 1885, A., 930. Drops, dependence of the size of, on

external influences (Traube), 1886, A., 844.

weight of, and their relation to the constants of capillarity and the capillary meniscus angle (TRAUBE), 1887, A., 210.

Dropsy, nature of the effusion in (HALLI-BURTON), 1890, A., 1173.

Drosera rotundifolia, experiments with

(Busgen), 1884, A., 917.

Drosera Whittakerii, colouring matters of (RENNIE), 1887, T., 371; P., 36.

Drugs, estimation of ash in (KWASNICK), 1890, A., 833.

"Dry extract" (JAY), 1885, A., 602. Drying, apparatus for (MEYER), 1886,

A., 417. apparatus for heating and (MEYER),

1886, A., 278.

in a vacuum at higher temperatures than that of the atmosphere, apparatus for (Anschutz and Kekulé), 1885, A., 1035. Drying oils. See Oils.

Duboisine (LADENBURG and PETERSEN), 1887, A., 740.

Dudgeonite (HEDDLE), 1891, A., 275. Duelo, Galician (v. MIKLUCHO-MACLAY), 1885, A., 224.

Dufrenite (delvauxite) from Cornwall (KINCH, BUTLER and Miers), 1887, A., 451; (KINCH), 1891, A.,

274. from Vysocany, Bohemia (Kovář), 1890, A., 715.

Dulcitol, isodulcitol and derivatives. See Carbohydrates.

isoDulcitolcarboxylic acid and its lactone (FISCHER and TAFEL), 1888, A.,

Dumortierite from Harlem, New York. and Clip, Arizona (DILLER and WHIT-FIELD), 1889, A., 681.

Duodecylacetylene (KRAFFT and REU-TER), 1892, A., 1164.

Duodecylamine and its salts (Lutz), 1886, A., 685.

Duplothicacetone and its derivatives (SPRING), 1884, A., 580; (AUTENкіктн), 1887, А., 463.

(WILLGERODT), Duploc/ithioacetone 1887, A., 1045.

Durdenite (DANA and WELLS), 1891. A., 154.

1:2:3:4-Durene. Sec Prehnitene.

(1:2:4:5-tetramethylbenzene) Durene (Schulze), 1886, A., 232.

preparation of (BEAUREPAIRE), 1889, Δ., 966.

heats of combustion and formation of (STOHMANN, KLEBER and LANG-DEIN), 1889, A., 1042.

action of phosphoric chloride on (Colson and Gautien), 1886, A.,

action of sulphuric acid on (JACOBSEN),

1886, A., 694. oxidation of, by chromic acid (Giss-MANN), 1883, A., 333.

methyl duryl ketone from (CLAUS and FOECKING), 1888, A., 275. derivatives of (NEF), 1886, A., 64;

(JACOBSEN and SCHNAPAUFF), 1886, A., 67.

Durene, bromo- (GISSMANN), 1883, A.,

action of sulphuric acid on (JACOB-SEN), 1888, A., 137.

dibromo- (JACOBSEN), 1888, A., 137. chloro-, action of sulphuric acid on (TOHL), 1892, A., 968.

mono- and di-chloro- (Töhl), 1892, A., 967.

tetrachloro- (COLSON and GAUTIER), 1886, A., 679; (Colson), 1886, A., 1016.

6-iodo- (Töhl), 1892, A., 967.

1:3:4:5-Durene (1:3:4:5-tetrumethylbenzene, isodurene) and its derivatives (JACOBSEN), 1883, A., 52; (ARM-STRONG and MILLER), 1884, A., 44. action of benzoic chloride on, in

presence of aluminium chloride (Essner and Gossin), 1885, A., 253. nitration of (NÖLTING and STOECK-LIN), 1891, A., 693.

1:3:4:5-Durene (1:3:4:5-tetramethylbenzene, isodurene), methyl duryl ketone from (CLAUS and FOECKING), 1888, A., 275.

Durenecarboxylic acid. See Tetramethylbenzoic acid.

Durenedisulphonamide (JACOBSEN), 1886, A., 695.

"Dureneglycerol" (Colson and GAUTIER), 1886, A., 679.

Durenesulphonamide (JACOBSEN and SCHNAPAUFF), 1886, A., 67.

Durenesulphonic acid (Jacobsen and Schnapauff), 1886, A., 67; (Jacobsen), 1886, A., 694. chloro- (Tohl), 1892, A., 1465.

Durenesulphonic chloride (JACOBSEN and SCHNAPAUFF), 1886, A., 67.

Durenol [m.p. 117] and its derivatives (JACOBSEN and SCHNAPAUFF), 1856, A., 68.

1:2:3:4:5-Durenol [m.p. 87]. See Prehnitol.

Duridine (tetramethylamidobenzene) [b.p. 253°] (v. Hofmann), 1884, A., 1320.

[b.p. 260°] (LIMPACH), 1888, A., 464. isoDuridine (1:2:3:5-tetramethyl-4-amidobenzene) (Nolting and Baumann), 1885, A., 384, 893.

Duroquinone (NEr), 1886, A., 65; 1888, T., 430.

Duroquinonecarboxylic acid (NEF), 1886, A., 241.

o-Duroylbenzoic acid (tetrumethylbenzoylbenzoic acid) (FRIEDEL and CRAFTS), 1889, A., 242.

Duryl methyl ketone from as- and sdurenes (CLAUS and FOECKING),1888, A., 275.

c-Duryl methyl ketone (CLAUS and FOHLISCH), 1889, A., 50.

B-isoDurylamide (HARRIS), 1890. A., 158. Durylanilide and B-isodurylanilide (LEUCKART), 1890, A., 759.

Durylglyoxylic acid (CLAUS and FOEC-KING), 1888, A., 276.

Durylic acids. See Cuminic acids.

Durylsulphone (JACOBSEN and SCHNA-FAUFF), 1886, A., 67.

Dust explosions (Engler), 1886, A., 404. Dusts, explosive and dangerous (Tobin), 1883, A., 836.

Dutch metal, action of chlorine on (COWPER), 1883, T., 154.

Dvi-tellurium, theoretical properties of (MENDELEEFF), 1889, T., 649.

Dyed cotton fabrics, microscopic investigation of (MEVER), 1883, A., 751. Dyed fabrics, estimation of indigo in (RENARD), 1890, A., 931.

Dyeing cotton (Vic. Non), 1891, A., 662. cotton-yarn with aniline-black in the cold (RENARD), 1884, A., 942.

novelties in (ANON.), 1883, A., 895. substitute for tartar emetic in (ANON.), 1884, A., 796.

theory of (KNECHT), 1889, A., 49; (KNECHT and APPLEYARD), 1889, A., 869; (VIGNON), 1891, A., 832.

Turkey red (Schaal), 1883, A., 256; (Schatz), 1883, A., 635; (Müller-Jacobs), 1884, A., 1236.

with alizarin on indigo (ANON.), 1885, A., 106; (SCHEURER), 1885, A., 711. with aniline-black in the dry way

(GRAWITZ), 1892. A., 323. wool and silk with basic coal-tar dyes, chemical process which takes place

in KNECHI, 1888, A., 832. Dyes. See Colouring matters.

Dynamite, analysis of (SCHEIDING), 1891, A., 623.

Dypnopinacolene (DELACRE), 1892, A., 994.

Dypnopinacolins, α- and β- (Delacre), 1892, A., 993, 994.

α-Dypnopinacolin alcohol (Delacre), 1892, A., 994.

Dypnopinacone (DELACRE), 1892, A., 993. Dysalbumose (Kuhneand Chittenden), 1884, A., 1389; 1885, A., 277.

Dyslyte (C'IAMICIAN and ZATTI), 1890, A., 872; (BASSETT), 1891, T., 978. "Dysoxydabel" (TRAUBE), 1883, A., 709. Dysprosium (LECOQ DE BOISBAUDRAN),

1886, A., 667.

Dysvitellose (Neumeister), 1887, A., 286.

E.

Earth, black, Russian (BRUCKNER), 1887, A., 687.

blue, from the South African diamond fields (KNOP), 1891, A., 25. edible, from Bolivia (ARZRUNI), 1886,

A., 514. infusorial from Richmond, Virginia

(CABELL), 1885, A., 228.

Earthenware enamels (ANON.), 1884, A., 1229.

gilding (ANON.), 1885, A., 459. goods (ANON.), 1883, A., 888.

Earth-nut. See Agricultural chemistry. Earth-nut oil. See Oil.

Earths, alkaline. See Alkaline earths. Earths of the cerium- and yttriumgroups (DEMARCAY), 1887, A., 551;

(Bettendonff), 1890, A., 851; 1891, A., 984; 1892, A., 1400. of the yttrium-group, separation of

(Knuss), 1891, A., 1425.

Earths, rare, derived from fergusonite (Kruss and Nilson), 1887, A.,

> methods and operations for extracting (Auer von Weisbach), 1885, A., 350.

> process for obtaining, from ceriferous Hainstadt clays (STROнескев), 1888, А., 28.

absorption spectra of (BAILEY), 1888, A., I; (Kieswetter and Kruss), 1888, A., 1038.

components of, yielding absorption spectra (KRUSS and NILSON), 1887, A., 890; 1888, A., 208; (BAILEY), 1888, A., 208.

spectroscopic researches on (Crookes), 1889, T., 255.

fluorescence of (Lecoq DE Bois-BAUDRAN), 1885, A., 1174.

fractionation of (Lecoq DE Bois-BAUDRAN), 1886, A., 423.

action of hydrogen peroxide on Boisbaudran; (LECOQ DE ('LEVE), 1885, A., 635. estimation of (LECOQ DE BOIS-

BAUDRAN), 1890, A., 565. Eau celeste (BAUBIGNY), 1887, A.,

773. Ebony wood, colouring matters of

(Bělohoubek), 1885, A., 396.

Ebulliscope, Raoult's (LESPIEAU), 1891, Λ., 9.

Ecgonic acid (Liedermann), 1891, A., 749.

Ecgonine. Sec Alkaloids.

Ecgoninelactone, α-brom-(Eichengrun and EINHORN), 1891, A., 66. "Echurin" (ANON.), 1884, A., 1450.

Eclogite, from Frankenstein in Silesia

(TRAUBE), 1889, A., 681.

Edenite from Greenland (LORENZEN), 1886, A., 519.

Edible earth from Bolivia (ARZRUNI), 1886, A., 51 i.

Edible fungi, nutritive value of (Mönner), Ī886, A., 1053.

poisonous properties of (DUPETIT), 1883, A., 611; 1884, A., 204.

Edisonite (HIDDEN), 1889, A., 354. Edmondsonite (FLIGHT), 1883, A., 169; 1884, A., 417.

Efflorescence and deliquescence of salts, relation of, to the maximum vapour tensions of their saturated solutions (Lescerr), 1887, A., 208.

Effluvia from chemical or voltaic reactions, electrification of (Brown), 1891, A., 7.

Effluviography (Tommasi), 1886, A., 959.

Effusion of gases (TIMOFÉEFF), 1891, A., 381.

lecture experiment on (FREER), 1892, A., 1150.

Effusions, pathological (HALLIBURTON), 1890, A., 1173.

Egg, proteids of white of (Corin and Berard), 1889, A., 1075.

Egg-albumin. See Albumin.

Eggs, infection of, by chicken cholera (BARTHELEMY), 1884, A., 1398.

the Bombye mori, chemical changes attending the development of the embryo in (Tichominoff), 1885, A., 1000, 1150.

crustacean, digestive ferments in (ABELOUS and HEIM), 1892, A.,

hens', occurrence of peptone in, during incubation (FISCHEL), 1886,

A., 166. Egg-substance, estimation of (BEIN), 1890, A., 840.

Egg-yolk, heat of combustion of (BER-THELOT and ANDRE), 1890, A.,

detection of the colouring matter of (BEIN), 1890, A., 840.

estimation of fat in (BEIN), 1892, A.,

Egyptian blue (MUHLHÄUSER), 1890, A., 215.

Egyptian sugar corn (maire), analyses of (RICHARDSON), 1885, T., 88.

Eikosihydrotriphenylbenzene LIN), 1890, A., 1423.

Eisenkobaltkies. See Safflorite.

Ekdemite (heliophyllite) from Harstigen mine, Sweden (Hambers), 1891, A., 20.

from Sweden (FLINK), 1890, A., 459. Elæolite from Litchfield, (Clarke), 1886, A., 677.

Elæolite-syenite from Jivaara (WIIK), 1884, A., 413.

Elaidic acid, stereoisomerism of oleic acid and (SAYTZEFF), 1892, A., 812.

boiling points of (KRAFFT and Nornd-LINGER), 1889, A., 691.

oxidation of, with potassium permanganate in alkaline solution (SAYTZEFF), 1886, A., 140.

addition of chlorine and halogen acids to (Piotrowski), 1890, A., 1396.

Elaidin reaction with fatty oils (Welle-MAN), 1891, A., 870.

Elaphomyces granulatus, constituents of (Bissinger), 1884, A., 480.

Elasticity of crystals, coefficients of (Beckenkamp), 1885, A., 729.

Elastin (CHITTENDEN and HART),1889, A., 423.

behaviour of, in peptic digestion (HORBACZEWSKI), 1883, A., 927. digestion of, with pepsin (Horbac-

ZUWSKI), 1886, A., 270.

Elastin-peptone (Horb tozewski), 1883, A., 927; 1886, A., 270.

Elastoses (CHITTENDEN and HART), 1889, A., 423.

Elaterin, detection of (JOHANNSON), 1885, A., 606.

Elaterite (ALEXERFF), 1892, A., 689. from Dingwall (MACADAM), 1891, A.,

from Ross-shire (Morrison), 1891, A., 272.

Electrochemistry:-

Accumulators (BARKER), 1883, A., 765; (Jablochkoff), 1885, A., 854; (ANON.), 1885, A., 1268; (SCHENEK and FARBAKY), 1886, A., 106; (Kalischer), 1887, A., 314; (DRAKE and GORHAM), 1887. A., 418; (GLADSTONE and HIB-BERT), 1891, A., 3, 777; (CAN-TOR), 1891, A., 514.

high pressure (SMITH), 1884, A., 246.

charge and discharge of (CROVA and GARDE), 1885, A., 1099. charging (PREECE), 1885, A., 1175.

chemistry of (FRANKLAND), 1883, A., 839; 1890, A., 842; (CANTOR), 1891, A., 514.

reactions in (Lodsinsky), 1888, A., 1141.

theory of (STREINTZ), 1890, A., 315; 1892, A., 1381; (STREINTZ and NEUMANN), 1890, A., 1354. thermal alterations in the (MEYER),

1888, A., 393. variation of E.M.F. in (REYNIER),

1884, A., 881.

Actinoelectricity of quartz (HANKEL), 1883, A., 412, 950; 1885, A., 1187. Alternating currents. See Currents. Balance, voltaic (GORE), 1888, A.,

1230. detection of the combining proportions of compounds by the

(GORE), 1889, A., 665. Battery. See Cells, Galvanic Combinations.

Battery residues, util (ANON.), 1883, A., 896. utilisation

Carbon contacts, electrical resistance of (BIDWELL), 1883, A., 841.

Carbon electrodes. See Electrodes. Cathodes, unequal electric conduction resistance at (Gone), 1885, A., 324.

ELECTROCHEMISTRY-

Cells (Jablochkoff), 1885, A., 468; (BORGHERS), 1887, A., 541; (V. NEUMANN), 1887, A., 757; (EISENMANN), 1887, A., 757; (FILIDRICHS), 1888, A., 99; (ROBERIS), 1888, A., 639.
chemical theory of (EXNER and TUMA), 1889, A., 456.
theory of (WARDERS), 1890, A., 314.

cause of irregularities in the action of (HAYES and TROWBRIDGE), 1886, A., 293.

depolarisation of, by bromine (Koosen), 1885, A., 3.

relation between electrical and chemical energy in (LEVAY), 1891, A., 513.

E.M.F. of (Braun), 1883, A., 764; (OBERBECK and EDLER), 1891, A., 514.

distribution of E.M.F. in the cells of batteries (Miesler), 1888, A.,

seat of the E. M. F. in (Longe), 1885, A., 1027; 1886, A., 751; (AYR-TON and PERRY), 1886, A., 750.

a probable cause of the difference between the observed E.M.F. of, and that calculated from thermochemical data (CHAPERON), 1884, A., 802.

resolution of the E.M.F. of. into their differences of potential (Moser), 1888, A., 209; (Mies-LER), 1888, A., 392.

effect of chlorine on the E.M.F. of

(Gore), 1889, A., 90.

change of potential of (GURE), 1889, A., 200, 201. measurement of the internal resist-

ance of (Peirce and Willson), 1890, A., 315.

effect of temperature on the E.M.F. and resistance of (PREECE), 1883, A., 840; 1884, A., 243. relation of "Peltier's heat effect"

to the available energy of (GUCKEL), 1885, A., 856. for electric light (PROBERT), 1884,

A., 1240.

photoelectric (Borgmann), 1883, A., 625.

Cell. Bunsen, suppression of nitrous fumes from (D'ARSONVAL), 1885, A., 854.

founded on the oxidation of carbon in the cold (BARTOLI and PAPAsogli), 1884, A., 1239.

with carbon electrodes (TOMMASI and Radiguer), 1884, A., 1240.

ELECTROCHEMISTRY-

Cell, Clark's, E.M.F. of (WRIGHT and THOMPSON), 1884, A., 246.

standard, practical form of (CAR-HART), 1890, A., 202; (NEG-BAUR), 1892, A., 669.

chromic and nitric acid batteries, variation of the E.M.F. in (FROMME), 1883, A., 766.

constant (Vohwinkel), 1885, A., 853.

Daniell's, of small internal resistance (BOTTOMLEY), 1885, A., 469.

E.M.F. of (KITTLER), 1883, A., 409; (MEYER), 1888, A., 393. E.M.F. of certain dry forms of (v. Beetz), 1886, A., 3.

relation between the E.M.F. of, and strength of the zinc sulphate solution (CARHART), 1885, A., 321.

thermal alteration in (MEYER), 1888, A., 393.

dichromate (GENDRON), 1890, A., 1354.

modification of (Trouvé; Reg-NIER), 1883, A, 700.

reply to observations of Regnier on (Trouvé), 1883, A., 765. or electrical measurements (v.

BEETZ), 1885, A., 2. electrolytic, resistance of (SANKEY),

1890, A., 317.
fetric chloride, modification of (Moore), 1887, A., 1071.

gas (Mond and Langer; Wright and Thompson), 1890, A., 841; (Scharf), 1891, A., 374. E.M.F. of (Markovsky), 1892, A., 393.

and the silent discharge, compounds obtained by means of

(Figurer), 1884, A., 1242. Leclanché, and the reactions of manganese oxides with ammonium

ehloride (DIVERS), 1883, A., 273. Leyden, electric discharge of (DVOŘÁK), 1883, A., 763.

of certain metals, platinum and nitric acid, variations of E.M.F. in cells (Burch and Veley), 1891, A., 514.

silver chloride, experimental researches on the electric discharge with (DE LA RUE and MULLER), 1885, A., 322.

standard (Gouy), 1887, A., 541. for small differences of potential (Negraur), 1892, A., 670. See also Galvanic combinations. ELECTROCHEMISTRY-

Circuit, apparatus for breaking, in an atmosphere of hydrogen (Men-GES), 1885, A., 3.

production of the current in the (SOHNCKE), 1889, A., 556.

metallic, of Ayrton and Perry (GOOSSENS), 1883, A., 141.

Conductivity as a means of investigating the interaction of acids of complex function (Berthelot), 1890, A., 204.

basicity of acids deduced from their (Berthelot), 1891, A., 631, 632.

determination of the velocity of etherification by means of (NEGREANY), 1888, A., 1213.

irreciprocal (GEE and HOLDEN), 1889, A., 3.

molecular changes in metals as shown by their (LE CHATELIER), 1891, A., 1308.

quantitative estimations by measurement of (Reichert), 1859, A., 545.

relative size of molecules calculated from the of salt solutions (JAGER), 1888, A., 217.

study of the chemical constitution of neutralisation of acids and bases by means of their (BERTHELOT), 1892, A., 2.

analogy between capillarity and (TRAUBE), 1891, A., 1409.

fluidity and (STEPHAN), 1883, A., 769.

freezing point and (TRAUBE), 1891, A., 971.

specific inductive capacity and (COHN and ARONS),1888,A.,391, 395.

osmotic pressure and reduction of the freezing point, relation between(YAN'THOFF and REIGHER), 1889, A., 668.

of air due to the formation of ozone (Elster and Gerrel), 1890, A., 676.

of air under reduced pressure (Homen), 1886, A., 3.

of illumined air (ARRHENIUS), 1888, A., 544.

of gases and vapours (STENGER), 1885, A., 1028; (LUVINI), 1887, A., 4.

of hot gases (Buchanan), 1887, A., 1071.

of solid electrolytes (RUSENTHAL), 1891, A., 1307.

unipolar, of solid bodies (Braun), 1883, A., 769.

Conductivity of solid substances at high pressure (GRAEIZ, 1887,

of alloys of antimony and copper (KAMENSKY), 1885, A., 323.

of amalgams (Webers, 1885, A., 211; Ì857. A., 757.

of carbon, effect of absorbed gases on the (PROBERT and SOWARD), 1883, A., 769.

of solid carbon compounds (BAR-TOLI', 1885, A., 624; 1886, A.,

of ice(Foussereau), 1884, A., 1241. of lead dioxide (SHILLDS,, 1892.

A., 672.

of mercury and other metals at low temperatures (CAILLETER and BOUTY), 1885, A., 855.

of impure mercury, and methods of purification (MICHAELIS), 1885, A., 322.

of solid mercury (GRUNMACH', 1890, A., 98.

of solid mercury and its temperature coefficient (WEBER), 1885, A., 1028.

of fused salts (Poincard), 1889, A., 457.

of fused and solid salts (GRAETZ), 1890, A., 1037.

of salts in the Bunsen flame (ARR-

HENIUS), 1891, A., 5. of a fused mixture of potassium and sodium nitrates (Boury and Poincaré), 1888, A., 1231.

of precipitated membranes (TAM-MANN), 1891, A., 140.

of selenium, effect of light on (Kalischer), 1888, A., 99.

of serpentine (WIECHERT), 1886, A., 113.

of silver haloid salts (KOHLRAUSCH), 1883, A., 769.

of sulphur (DUTER), 1888, A., 640. of liquids, effect of pressure on

(BARUS), 1891, A., 250. of water (Foussereau), 1884, A., 1241; (Kohlrausch), 1885, A.,

323; (Ostwald), 1890, A., 1357. of pure water (PFEIFFER), 1888, A., 11.

of a solution, alteration of, by addition of a non-electrolyte (Holland), 1892, A., 1382.

of solutions (PICKERING), 1889, P.,

of some solutions at temperatures between 18° and 100° (KRANN-HALS), 1890, A., 676.

ELECTROCHEMISTRY-

Conductivity of aqueous solutions CROMPION .1887, P., 126; 1888, T., 116.

of dilute solutions (Bot IX, 1884, A., 1241.

of substances in mixed solvents (ARRHENII S), 1892, A., 1038.

of saline solutions (Kohlrausch), 1886, A., 111; (BOUTY), 1886, A., 753; (OSTWALD), 1888, A., 331; ¡Jageri, 1888. A., 397, 398; (Chrustschoff), 1889, A., 808, 809; CHRUSISCHOFF and PASH-KOFF, 1859. A., 809; 1591. A., 141.

of solutions of salts in mixtures of alcohol and water (SPEPHAN.

1853. A., 769.

of salt solutions, influence of water of crystallisation on the (Trorsch), 1891, A., 141,

of salt solutions, relative size of the molecules calculated from (Jäglr), 1888, A., 217.

of salt solutions, determination of the size of the molecules of salts from (WALDEN), 1888, A., 591, 1008.

of supersaturated salt solutions (HEIM), 1886, A., 654.

of salts in dilute solutions (Boury), 1884, A., 881, 882; 1887, A., 758.

of mixtures of salts in dilute solution (Boury), 1886, A., 829; 1887, A., 877.

of solutions of double salts (KLEIN), 1886, A., 407; (KISTIAKOWSKI),

1891, A., 6. change of, in freshly prepared solu-tions (Pfeiffer), 1890. A., 204.

of electrolytes in solution (Os1-WALD), 1889, A., 202.

of electrolytes, apparatus for determining the (Osrwald), 1889, A., 4.

of electrolytes in very dilute solutions, coefficient of (KOHL-RAUSCH), 1886, A., 113.

of acids (OSTWALD, 1885, A., 3, 323, 1029; 1888, A., 331; (Kohl.-RAUSCH), 1886, A., 114; (HARI-WIG), 1888, A., 399; (WALKER, 1892, T., 696.

of mixtures of aqueous solutions of acids (ARRHENIUS), 1887, A., 415. of acids in dilute solution (BOUTY),

1887, A., 758.

of acids, influence of their constitution on (Osrwald), 1886, A., 294.

ELECTROCHEMISTRY-

Conductivity of organic acids and their salts (Berriecoi), 1891, A., 631, 632; (OSINALD), 1891, A., 632.

of isometic organic acids and their salts (Berthelor), 1891, A., 375, 517; (OSTWALD), 1891, A., 517.

of solutions of organic acids, influence of boric acid on (MAGNA-NINI), 1892, A., 256, 1265.

of aspartic acid (BERTHELOT), 1890, A., 201.

of boric acid solutions (Bock),

1887, A., 758.

of bonic acid solutions in presence of dulcitol (MAGNANINI), 1891, A., 251.

of boric acid solutions containing mannitol (Macananini), 1890, A., 1357.

of hydrochloric acid in different solvents (Kablukoff), 1890, A., 97.

hydroxybenzoic acids phenols (Berthelot), 1890, A.,

of the ammonium and aniline salts of hydroxybenzoic acids (Berchelot), 1890, A., 1039.

of concentrated nitric acid (BOUTY), 1888, A., 640.

of substituted succinic and glutaric acids (Bischoff and Walden), 1890, A., 1038.

of sulphuric acid solutions (CROMP-TON), 1888, T., 118; (PICKER-ING), 1889, P., 88; 1890, T., 86,

of sulphuric acid, concentrated solutions of (Boury), 1889, A., 556.

of sulphuric and pyrosulphuric acids (Kohlrausch), 1883, A.,

of alcohol (Pfeiffer), 1886, A., 4. of aqueous alcohol (PFEIFFER), 1885, A., 1029.

of mixtures of alcohol and ether (Pfeiffer), 1886, A., 115.

of cetylic alcohol (BARTOLI), 1885, A., 855.

of bases in solution (KOHLRAUSCH), 1886, A., 114; (Ostwald), 1886, A., 585.

of cadmium salts, solutions of (Wershoven), 1890, A., 1203.

of liquid carbon compounds (BAR-TOLI), 1885, A., 624; 1886, A., 191.

ELECTROCHEMISTRY-

Conductivity of carbonic anhydride solutions (Pfeiffer), 1885, A., 212.

of chromic acid, aqueous solutions of (ONIWALD), 1888, A., 1009.

maximum, of copper sulphate in very dilute solutions (SACK), 1591, A., 965.

potassium chloride, aqueous solutions of (Boury), 1886, A.,

of potassium sulphur compounds in solution (Bock). 1887, A., 758.

of their sodium salts, determination of the basicity of acids from (Ostwald), 1889, A., 327.

of sodium sulphide, solutions of (Bock), 1887, A., 758.

of solutions of zinc sulphate containing gelatin (LUEDEKING). 1889, A., 809.

See also Electrical Resistance.

Conduction, galvanie, relations between coefficients of friction and (Wiedemann), 1884, A., 139.

Conduction resistance, unequal, at cathodes (GORE), 1885, A., 324.

Conductors, hollow, in electrolytes, distribution of electricity

(TRIBE), 1884, A., 248.
Contact potential. See Potential.
Couples, galvanic, a probable cause of the difference between the observed E.M.F. of, and that calculated from thermochemical

data (Chaperon), 1884, A., 802. change of potential of (Gone), 1889, A., 200, 201.

effect of chlorine on the E.M.F. of

(Gore), 1889, A., 90. metallic, E.M.F. of the currents yielded by, in simple saline solutions (DAMIEN), 1886, A.,

thermoelectric, influence of temperature on the E.M.F. of (LE Chatrlier), 1886, A., 587.

Current reversal (Koch and Will-NER), 1892, A., 759.

Currents produced by fused nitrates in contact with incandescent carbon (Brard), 1883, A., 273.

immersion produced by and emersion, and by the movement of a metal in a liquid (Kroven-

KOLL), 1884, A., 2. yielded by metallic couples in simple saline solutions, E.M.F. of (DAMIEN), 1886, A., 190.

Currents, effects of, on wine (MEN-GARINI), 1888, A., 188.

application of electrolysis to the standardising of (GRAY), 1887, A., 315.

electrochemical measurement of (Potier), 1889, A., 557.

strong, measurement of (Trow-

BRIDGE), 1885, A., 855. weight voltameter for measuring (LEDINGHAM), 1884, A., 654. aemtion (Weight and Thompson),

1888, A., 639.

alternating, electrolysis and (SHEL-

DON), 1888, A., 769. electrodynamic interference of (OBERBECK', 1883, A., 897.

electrolysis with (MANEUVRIER and Chappuis), 1888, A., 1005; (AYRION and PERRY), 1888, A., 1006; (DRECHSEL), 1888, A., 1234, 1276.

electrolysis of ammonium carbamate and carbonate with platinum electrodes and (GER-

DES), 1883, A., 27.

electrolysis of n-hexoic acid with (DRECHSEL), 1886, A., 1008. trustworthiness of, for measuring electrical resistances

WALD), 1885, A., 856. rapidly, measurement of, with the galvanometer (CHEESMAN), 1885, A., 471.

amalgamation (HAGA), 1883, A., 412.

galvanic, action of, on chlorides and chlorates (Lidoff and Tichomiroff), 1883, A., 149.

theory of (Wilkowski), 1883, A., 948. oxidation experiments with

(Ѕміти), 1889, А., 926. oxidation by

idation of sulphides (SMITH), 1890, A., 1342. photoelectric, increase of (Moser),

1888, A., 9.

voltaic, relation of chemical corrosion to (Gore), 1885, A.,

estimation of lead as lead dioxide by means of (TENNEY), 1884, A.,

Depolarisation of an electric cell by bromine (Koosev). 1885, A., 3.

Dielectric constants of certain gases and vapours (Klemenčić), 1885, A., 1030.

of insulating liquids (QUINCKE), 1883, A., 945.

ELECTROCHEMISTRY-

Dielectric liquids, behaviour of, electric charges under strong (Quincke), 1886, A., 959.

Dieletric polarisation, electromagnetic action of (RONTGEN), 1885, A., 1030.

Dielectric power, co-existence of electrolytic conductivity and (BOUTY), 1892, A., 759.

Pseudo-dielectrics (ARMSTRONG),

1886, A., 754.
Electric arc, formation of, without contact of the electrodes (MAN-

EUVRIER), 1887, A., 626. an arrangement of, for the study of radiation of vapours (LIVEING and Dewan;, 1883, A., 262.

action of, on gases, and its employment for demonstrations (LEP-SIUS), 1890, A., 1047.

reaction current of (JAMIN and Maneuvrier), 1883, A., 4.

Electric arc light, action of, on water and oil colours used in dyeing and printing (DECAUX), 1884, A., 700.

Electric charges, strong, behaviour liquids dielectric (QUINCKE), 1886, A., 959.

Electric discharge, dissociation of some gases by (Thomson), 1887, A., 1013.

influence of ultra-violet light on the (HERTZ), 1888, A., 13.

of Leyden batteries (Dvokik), 1883, A., 763.

of, through nitrogen passage THRELFALL), (THOMSON and 1887, A., 328.

positive and negative, difference of (Hellmann), 1883, A., 949.

production of ozone by the (BICHAT and GUNTZ), 1888, A., 1234.

prolonged action of, on iodine (Lueneking), 1890, A., 687.

spectroscopic study of compounds rendered phosphorescent by the action of light or by the (BEC-QUEREL), 1885, A., 1098.
Frough air and other gases

through (HERTZ), 1883, A., 700. through gases (Schuster), 1888,

A., 396.

through rarefied gases (GOLDSTEIN), 1883, A., 266.

with the silver chloride battery, experimental researches on (DE LA RIE and MULLER), 1885, A., 322.

glow, researches on (HERTZ), 1883, A., 949.

Electric discharge, vacuum, movement of gas in (Spottiswoode and MOULTON), 1883, A., 5.

Electric discharge, silent (SHEN-STONE and CUNDALL), 1887, T., 622.

behaviour of chlorine under the (VERNON), 1891, A., 877.

compounds obtained by means of gas batteries and (FIGUIER), 1884, A., 1242.

condensation of acetylene and benzone under the influence of (Schutzenberger),1890,A.,961.

condensation of carbon monoxide under the influence of the (BER-THELOT). 1890, A., 691, 692; (SCHUTZENBERGER), 1890, A., 691, 692, 1358.

action of, on oxygen and nitrogen in presence of chlorine (HAUTE-FEUILLE and CHAPPUIS), 1884, A., 710.

decomposition of carbon compounds by the (Maquenne), 1884, A., 542.

decomposition of formic acid by (Maquenne), 1883, $\Lambda.$, 457.

dissociation of vapours by (v. Hor-

MANN), 1891, A., 143. effects of the (SCHUTZENBERGER), 1890, A., 1358.

fluorescence of manganese com-pounds under the influence of the (LECOQ DE BOISBAUDRAN). 1887, A., 3.

synthesis of ammonium cyanide by (Figurer), 1886, A., 604.

Electric double refraction of insulating liquids (QUINCKE), 1883, A.,

Electric lamps, preparation of carbons for, from furfuraldehyde, or fucusaldehyde (SMITH), 1885, A., 1267. See also Incandescent lamps.

Electric layers of two liquids which are in contact, difference of potential of (BICHAT and BLONDLOT), 1884, A., 383.

Electric leakage (Thomson and NEWALL), 1888, A., 400.

Electric light, as used in projecting spectra on the screen, handregulator for (WALTER), 1885, A., 631.

galvanic batteries for (PROBERT), 1881, A., 1240.

preparation and purification of earbon for (JACQUELAIN), 1883, A., 752.

ELECTROCHEMISTRY-

Electric light, influence of, on the development of plants (DEHÉ-RAIN), 1883, A., 105.

use of, to influence chemical change (Armstrong), 1886, P., 182.

Electric liquid condenser for examining the phenomenon of double refraction (QUINCKE), 1883, A., 947.

Electric luminosity of gases and heat of dissociation of the water molecule (Wiedemann), 1883, A., 547.

Electric shadows (RIESS), 1883, A.,

Electric spark, decomposition of carbon compounds by the (Pizza-RELLO), 1886, A., 10.

decomposition of carbon dioxide by (DIXON and Lowe), 1885, T., 571 ; P., 83.

particles of matter in (WACHTER), 1883, A., 415.

action of, on mixtures of nitric oxide with hydrogen, with methane, etc. (COOKE), 1889, A., 15.

Electric. See also Electrical and Electrolytic.

Electrical behaviour of some bismuth tin alloys, in a magnetic field (v. Ertingshausen and NERNST), 1888, A., 546.

of metals in salt solutions (PELLAT), 1892, A., 393.

of platinum in persulphuric acid (RICHAUZ), 1889, A., 1041.

of precipitated membranes (OBER-BECK), 1891, A., 517.

Electrical dialysis (WARREN), 1888, A., 1235.

Electrical energy, chemical action and (Braun), 1883, A., 413.

equivalence of chemical energy and (JAHN), 1886, A., 840.

relation between chemical and, in galvanic cells (LÉVAY), 1891, A., 513.

and radiation in the spectrum of incandescent lamps, relation between (ABNEY and FESTING), 1885, A., 325.

Electrical forces, change of refractive index of liquids by (Quincke), 1883, A., 948.

Electrical furnace (E. H. and A. H. ('owles and Mabery), 1886, A., 401.

('owles', products from (MABERY), 1887, Å., 551.

Electrical measurements, a constant element for (v. BEEIZ), 1885, A., 2.

ELECTROCHEMISTRY-

Electrical neutrality of vapourarising from electrified surfaces of liquids (Blake), 1884, A., 243.

Electrical phenomena developed in the formation of solid carbonic anhydride (HAUSSENECHT), 1891, A., 777.

Electrical properties of glass (T. and A. GRAY and DOBBIE), 1885, A., 470.

of palladium and platinum when containing hydrogen (FROMME), 1883. A., 766.

of rock salt (Braun), 1888, A., 9. of salt solutions (Moser, 1886, A., 4. 925.

of semi-permeable walls (OSTW VLD), 1890, A., 1354.

of stannic chloride (Coldridge), 1890, A., 1065.

Electrical relations, certain generic, of the alloys of platinum (BARUS), 1889, A., 201.

Electrical researches (FROMME), 1883, A., 697, 766; (QUINCKE), 1883, A., 945.

Electrical resistance, influence of the state of aggregation of various substances on their (GRUNMACH), 1889, A.. 201.

method of measuring (PAGLIANI), 1892, A., 105.

trustworthiness of alternating currents for measuring (OSTWALD), 1885, A., 856.

of alcohol (Foussereau), 1885, A., 1100.

of the alloys of ferromanganese and copper (Nichols), 1890, A., 1356.

of antimony and cobalt, variations of, in a magnetic field (FAE), 1887, A, 760.

internal, of batteries, measurement of (Peirce and Willson), 1890, A., 315.

of hismuth (VAN AUBEL), 1889, A., 807; (ZAHN), 1891, A., 515.

of bismuth. variation of, when placed in a magnetic field (Hu-RION), 1885, A., 469.

of bismuth and its alloys (VAN AUBEL), 1888, A., 545. of soft carbon under pressure (MEN-

DENHALL), 1887, A., 315. of carbon contacts (Bidwell), 1883,

of carbon contacts (BIDWELL), 1883, A., 811.

of copper at very low temperatures (v. Wroblewski), 1885, A., 1099.

ELECTROCHEMISTRY-

Electrical resistance of gases, influence of a magnetic field on (Witz), 1890, A., 1359.

(WITZ), 1890. A., 1359.
of glass. influence of temper on the (FOUSSERIAU), 1883, A., 701.

of insulators (Foussereau), 1884, A., 245.

of iron and its alloys at high temperatures (LE CHATELIER), 1890, A., 549.

of mercury (Kohlrausch), 1889, A., 201; (Grunmach), 1889, A., 202.

of metals (LE CHATELIER', 1891 A., 4.

of metals, influence of light on (Bostwick), 1885, A., 469.

of nitrogen peroxide, variation in the, with rise of temperature (v. Bootski, 1890, A., 203.

of psilomelane (MEYER, 1883, Λ , 701.

of salts in the Bunsen flame (Aur-HENIUS), 1891, A., 5. See also Conductivity.

Electrical transport of dissolved salts (CHASSY), 1889, A., 665.

Electrical units (CLAUSIUS). 1883, A., 764; (ANON.), 1885, A., 2. Electrical volatility of the metals

Electrical volatility of the metals (Dudley), 1892, A., 1037.

Electrical. See also Electric and Electrolytic.

Electricity developed in the disengagement of gases (HANKEL), 1885, A., 2.

development of, in electrolytes (PLANCK), 1890, A., 677.

fuel to produce (BRARD), 1883, A., 626.

influence of the chemical nature and pressure of gases on the generation of, by an induction machine (HEMPEL), 1884, A., 701; 1885, A., 1098.

method of generating (KENDATI', 1884, A., 652.

production of, by condensation of aqueous vapour (Kalischer', 1884, A., 138; (Palmieri, 1885, A., 99.

production of, by evaporation (BLAKE), 1884, A., 243.

distribution of, on hollow conductors in electrolytes (TRIBE), 1884, A., 248.

conduction of, through gases (NARR), 1888, A., 397; (NAHR-WOLD), 1888, A., 769.

ELECTROCHEMISTRY-

Electricity, conduction of, by the vapours of heated salts (Ann-HENIUS), 1891, A., 515.

passage of, through hot (Тномьох), 1890, А., 1037.

of flame (ELSTER and GEITEL), 1883, A., 141; 1884, A., 1238; (KOLLERT), 1884, A., 651; 1885, A., 2.

application of, in metallurgy (Fischer), 1883, A., 398; 1884, А., 785, 933; (SCHUCHT), 1884, A., 541; (ANON.), 1884, A., 1229, 1885, A., 940.

decomposition of water by (Tom-MASI), 1885, A., 1029.

saponification of fats by (ROTONDI), 1885, A., 1274.

treatment of syrups by (DESPEISsis), 1885, A., 205.

influence of, on the growth of roots and potatoes (Holdefleiss), 1885, A., 1152.

measurement of the quantity of, produced by a Zamboni's pile (RIECKE), 1884, A., 138.

atmospheric, connection of, with the formation of ozone in the air (Wurster), ·1887,

contact (v. Uljanin), 1888, A., 390; (Oszwald), 1888, A.,

theory of researches on (EXNER), 1888, A., 208.

statical, researches on (Dvořák), 1883, A., 763.

voltaic, development of, by atmospheric oxidation (WRIGHT and Тномгвох), 1887, А., 1008; 1889, A., 90.

Electrification, conditions affecting area of (TRIBE), 1884, A., 247.

influence of, on the absorption of nitrogen by vegetable soils (BER-THELOT), 1889, A., 1237.

of effluvia from chemical or from voltaic reactions (Brown), 1891,

of a gas by a glowing platinum wire (Nahrwold), 1888, A., 1231.

of ice by water friction (SOHNCKE), 1886, A., 960.

Electrocapillary phenomena(Braun), 1892, A., 349, 393; (Gouy), 1892, A., 553, 760.

Electrochemical actinometer (GOUY and Rigollor), 1888, A., 883.

ELECTROCHEMISTRY-

Electrochemical effects on magnetising iron (Andrews), 1889, A., 92; 1890, A., 678.

Electrochemical energy of light (GRIVEAUX), 1884, A., 382.

Electrochemical formation of hydroxy- and chloro-cellulose (Gor-PELSROEDER), 1885, A., 208.

Electrochemical investigations (Exner), 1891, A., 1309.

apparatus for (v. Klobukoff), 1886, A., 653; 1887, A., 200; 1888, A., 769; 1889, A., 1094.

Electrochemical measurement currents (Potier), 1889, A., 557.

Electrochemical phenomena, Nobili's rings and allied (ELSAS), 1887, A., 759.

Electrochemical researches nitrogen (Johnson), 1884, A., 383.

Electrochemical studies (OSTWALD), 1885, A., 1029; 1888, A., 331; 1889, A., 202.

Electrochemistry of acetic acid (BER-THELOT and MATIGNON), 1892, A., 1139.

of some organic acids (JAHN), 1890, A., 99.

Electrodeposition of carbon and silicon (GORE), 1885, A., 110.

Electrodes, carbon, used for the electrolysis of acids, alteration of (DEBRAY and PECHARD), 1887, A., 1009.

dropping (Ostwald), 1889, A., 807.

moist, use of (Hartley), 1885, A., 325.

platinum, polarisation of, in sulphuric acid (FROMME), 1888, A., 390; 1890, A., 316, 675; (Richarz), 1890, A., 551, 676.

polarisation of (Poincare), 1890, A., 933.

polarised, distortion of (Gory), 1883,

A., 897. small, ga galvanic polarisation at (KOCH and WÜLLNER), 1892, Δ., 759.

Electrodissolution and its use in analysis (WARREN), 1887, A., 531.

Electrodynamic interference alternating currents (OBERBECK), 1883. A., 897.

Electrodynamometer, absolute (Perlat), 1887, A., 200.

mercurial (LIPPMANN), 1884, A., 949.

Electrolysis (Schuche), 1884, A., 541; (Drechsel), 1884, A., 1136; (CLARK), 1886, A., 294; (GRE and Holden). 1888, A., 887; (VIOLLE and CHASSAGNY), 1889, A., 558; (Briun), 1891, A., 778; (SWINBURNE), 1892. A., 257.

new apparatus for (ROSENFELD), 1885, A., 715.

determination of the limits of (TRU: HOT), 1851, A., 2.

experiment in (SEMMOLA), 1833, A., 540.

initial phase of (Pilischikoff), 1889, A., 663.

laws of (Chassy), 1892, A., 1037. phenomena of (Gold), 1885, A., 324.

secondary (SEMMOLA), 1850, A., 651.

theory of (Armstrong), 1821, P., 118.

theory of diffusion and (PLINCK), 1892, A., 935.

with alternating currents (MANEU-VRIER and CHAPPUIS), 1888, A., 1005; (AVRION and PERRY), 1888, A., 1006; (1 1888, A., 1234, 1276. A., 1006; (DRECHSEL),

with semi-permeable walls (Osr-WALD), 1890, A., 1354.

with zinc-carbon couples (Tommasi), 1883. A., 4.

work done during (WRIGHT and THOMPSON), 1884, A., 217. application of, to the standardising

of electric current and potential meters (GRAY), 1887, A., 315.

extraction of the precious metals from all kinds of ores by (BLA4 and Miest), 1883, A., 134.

oxidation-products of carbon obtained by (MILLOI), 1883, A., 65. preparation of alloys by (WARREN),

1888, A., 27; 1892, A., 391. preparation of boron and silicon by (HAMPE), 1889, A., 103.

precipitation of copper by, and its electrolytic purification (ANON.), 1886, A., 109.

precipitation of copper by, inprovement in the apparatus used for (FOOTE), 1885, A., 597.

application of, in preparing indigovats (Goppel-romer), 1881, A., 942, 1448.

preparation of magnesium (Graetzel), 1885, A., 940. production of metals and chlorine by (Fischer), 1885, A., 941.

ELECTROCHEMI-TRY-

Electrolysis, preparation of nitrogen chloride by (MARECK), 1885, A.,

preparation of persulphocyanogen by (Goppel-Roedle, 1885, A., 107.

of sulpho-colouring production matters by (EWER and PICK), 1886, A., 187.

preparation of vanadious sulphate by (Briefley), 1886, T., 822.

decomposition of ammonia by (IRVING), 1886, A., 548.

qualitative ŧń application of, analysis (Kohn), 1892, A., 510. analysis of red wine by means of (Klohn), 1885, A., 298.

indirect determination of bromine, chlorine and iodine by (WHIT-

FIEID), 1887, A., 525.

quantitative analysis by (WIE-LAND), 1884, A., 1426; 1885, A., 442; (CLASSEN), 1885, A., 190, 597, 1094; 1888, A., 528; (CLASSEN) SEN and LUDWIG 1. 1885. A., 932; 1886, A., 493; (Moore), 1886, A., 921; (CLASSEN and SCHELLE), 1889, A., 76.

quantitative estimation of nitric acid by (VORTMANN), 1890, A., 1467.

of animal tissues (STEWART), 1891, A., 597.

of bile (Stewart), 1891, A., 591. aluminium fluoride fused (MINEI), 1890, A., 552, 1040; 1891, A., 152.

of fused aluminium oxide (MINET), 1890, A., 552.

of fused barium chloride (LIMB), 1891, A., 1421.

of fused compounds of boron and silicon (MINET), 1891, A., 1321.

of fused potassium acetate (LASSAR-COHN), 1889, A., 1056.

of comper (GRAY), 1887, A., 315; 1888, A., 545; (Shand), 1887, A., 1000.

of copper chloride (QUINCKE), 1889. A., 458.

of ervolite (Hampe), 1889, A., 676. of solid glass (WARBURG), 1881, Λ., 1241.

of molybdenum (BAERWALD), 1886, A., 18.

of silver (GRAY), 1887, A., 315. of zine (SHAND), 1857, A., 1000. of alcohol (HABERMANN). 1887, A.,

94.

ELECTROCHEMISTRY-

Electrolysis of glycerol with electrodes of carbon and platinum (BARTOLI and PAPASOGLI), 1884, A., 170.

of water (Bartoli and Papasogli), 1883, A., 540; (v. Helmholtz), 1888, A., 100; (Duter), 1889, A., 1094.

of solutions, present condition of the theory of (Kohlrausch), 1888, A., 1231.

of salt solutions (RENARD), 1886, A., 115, 407.

of salt solutions, crystallisation during (Pagliani), 1888, A., 892.

of hydrated salts (GLADS FONE and TRIBE), 1881, A., 654.

of mixed solutions (LEHMANN), 1890, A., 317.

of a mixture of two salts in aqueous solution (Houlleviene), 1890, A., 678.

of fatty acids (Bunge), 1890, A., 1236.

of bromo-derivatives of acetic, propionic and succinic acids (LASSAR-COHN), 1889, A., 1056.

of ethylic potassium salts of the oxalic series (Brown and WALKER), 1890, A., 583; 1891, A., 1192.

of ammonia with carbon electrodes, oxidation of the azulmic matter obtained by (MILLOT), 1888, A., 242.

of aqueous ammonia with carbon electrodes (MILLOT), 1886, A.,

of aqueous ammonia, oxidation of carbon in (Millor), 1885, A., 1125; (Barrolf and Papasouli), 1886, A., 406.

of ammonia and ammoniacal salts in solution with carbon electrodes (BARTOLI and PAPASOGLI), 1884, A., 176.

of ammonium carbamate and carbonate with alternating currents and platinum electrodes (Gerdes), 1883, A., 27.

of ammonium sulphate (McLEOD), 1886, P., 218.

of bismuth solutions (Thomas and SMITH). 1883, A., 1034.

of boric acid solutions (BARTOLI and PAPASOGLI), 1883, A., 540. of chlorates (Lidoff and Ticho-

MIROFF), 1884, Δ., 542.

of cobalt salts in solution, oxidation by (MARSHALL), 1891, T., 760. Electrochemistry-

Electrolysis of cobalt oxalates (Kehr-Mann and Pickersgill), 1891, A., 1189.

of copper sulphate solutions, quantity of heat evolved in (JAHN), 1883, A., 1043.

of n-hexoic acid with alternate currents (DRECHSEL), 1886, A., 1008.

of hydrochloric acid (TOMMASI), 1883, A., 142; (v. HOFMANN), 1883, A., 280; (ROSENFELD), 1887, A., 633; (DEBRAY and Phythard), 1887, A., 1009.

of hydrofluoric acid (BARTOLI and PAPASOGLI), 1883, A., 590; 1889, A., 559; (Moissan), 1886, A., 819, 976.

of hydrogen carbonates in solution (Aslanoglov), 1890, A., 1204.

of magnesium chloride solutions (Cross and Bevan), 1888, P., 91.

of molyhdenum solutions (SMITH and Hoskinson), 1886, A., 102.

of metallic phosphates in acid solution (SMITH), 1891, A., 1140.

of nitric acid (DEBRAY and PECHARD), 1887, A., 1009.

of organic potassium salts in solution (LASSAR-COHN), 1889, A., 1056.

of potassium acetate solutions (MURRAY), 1891, P., 134; 1892, T., 10; (BROWN and WALKER), 1891, A., 1192.

of potassium acetate in alcoholic solutions (HABERMANN), 1887, A., 94.

of potassium antimonate in solution with carbon electrodes (Bartoli and Papasogli), 1883, A., 590; 1889, A., 559.

of potassium chlorate and perchlorate and of chloral hydrate (TOMMASI), 1886, A., 408.

of potassium hydroxide in solution (BERSON and DESTREM), 1888, A., 1007.

of pyrogallol solutions (ROTONDI), 1884, A., 175.

of silver chloride dissolved in sodium thiosulphate (ASLANO-. GLOU), 1890, A., 1204.

of silver fluoride, chlorate and perchlorate (GORE), 1885, A., 110.

of *sodium chloride (ROTONDI), 1884, A., 248; (NAUDIN and BIDET), 1884, A., 541.

ELECTROCHEMISTRY-

Electrolysis of concentrated solutions of sulphuric acid (Boury), 1889, A., 556.

of aqueous sulphuric acid, with reference to the forms of oxygen obtained (McLeon), 1886, T., 591.

of dilute sulphuric acid and hydrated salts (GLADSTONE and TRIBE), 1884, A., 654.

of dilute sulphuric acid, formation of hydrogen peroxide at the anode during (RICHARZ), 1888, A., 12.

of dilute sulphuric acid, products of (Richard, 1885, A., 624.

of solutions of metallic thiocyanates (FRANKEI, 1891, A., 1170.

of zine sulphate solutions, quantities of heat evolved in JAHN), 1883. A., 1043.

Electrolyte, development of E.M F. between mercury and an (Posens), 1891, A., 374.

Electrolytes, composite ARMSTRONG, 1886, A., 754.

conditions of equilibrium between (Arrhenius), 1890, A., 437.

alternating currents and (Shuldon), 1888, A., 769.

fused, batteries with (POINCARL). 1890, A., 551.

constitution of (BARTOLI), 1883, A., 540.

conductivity of (OSTWALD), 1889, A., 202.

apparatus for determining (Osrwald), 1889, A., 4.

conductivity of solid (ROSENTHAL), 1891, A., 1307.

coefficient of conductivity of, in very dilute solutions (Kohl-Rausch), 1886, A., 113.

specific inductive capacity of (Ros 1), 1891, A., 778.

determination of potential difference between mercury and (BLONDLOT and BICHAT), 1888, A., 1005.

binary, difference of potential between two dilute solutions of (PIANCE), 1890. A., 1355.

development of heat and electricity in (Planck), 1890, A., 677.

E.M.F. of a metal in a series of (MIGNININI), 1891, A. 3.

changes of E.M.F., volume and temperature on mixing (Gore), 1892, A., 930.

relation of heat to voltaic and thermoelectric action of metals in (GORE), 1885, A., 325.

· ELECTROCHEMISTRY-

Electrolytes, heat of formation of (JAHN), 1885, A., 1100.

thermoelectric phenomena at the contact of two BAGARD, 1892, A., 1037.

thermoelectric relations of (Donle), 1886, A., 960.

cryoscopy of dilute aqueous solutions of non-electrolytes and (PICKERING; TRAUBE), 1891, A., 971.

dissociation of (Osrwald), 1889, A., 931.

dissociation of, influence of temperature on the Arrhenius, 1889, A., 1014.

heat of dissociation of (ARR-HENIUS), 1859, A., 1044.

heat of dissociation of, correction in the calculation of the (ARRHE-NIUS), 1892, A., 931.

dissociation of, theory of the (Ost-WALD), 1888, A., 1142; VAN'R HOFF and REPHER, 1889, A., 202.

free ions in Osi wald and Nernst , 1889, A., 558.

influence of the chemical energy of, on the minimum-point and change of potential of a voltaic couple (GORE), 1889, A., 200.

influence of pressure on the resistance of (Fink), 1886, A., 586.

separation of precipitates at the boundary of (KUMMELL), 1892, A., 1038.

surface-tension of polarised mercury in different (PASCHEN), 1890, A., 552, 1036.

validity of Joule's law for (JAHN), 1885, A., 1029; 1888, A., 10. voltaic energy of (Gore, 1889, A.,

voltaic energy of (GORE, 1889, A., 665.

loss of voltaic energy of, by chemical union (Gore), 1889, A., 810. work done in the decomposition of (Jahr), 1885, A., 1100.

Electrolytic copper, occlusion of gases by (Sober), 1889, A., 946.

gas, ignition temperature of Freyer and Meyer', 1892, A., 680.

explosions of volatile carbon compounds and (PIZZABELLO, 1986, A., 762.

Electrolytic actions, non-reversible, thermoelectric law respecting (BOLIZMANN), 1887, A., 1072.

behaviour of mica at high temperatures (SCHULIZE), 1889. A., 664.

Electrolytic actions, cells, resistance of (Sankey), 1890, A., 317.

(ARM-Electrolytic conduction STRONG), 1887, P., 127; 1888, T., 125.

action of the solvent on (FITZ-PATRICK), 1888, A., 101.

correlation of molecular composition and (ARMSTRONG), 1886, A.,

Electrolytic conductivity of polybasic acids (Osrwald), 1892, A., 1145.

of halogen compounds (HAMPE),

1888, A., 211, 887. of rock crystal (WARBURG and TEGETMEIGH), 1889, A., 91.

coexistence of dielectric power and (Boury), 1892, A., 759.

Electrolytic crystallisation and dimorphism of lead (Lehmann), 1890, Λ., 437.

Electrolytic detection of manganese in presence of zinc and of bismuth in presence of lead (Guy-ARD), 1884, A., 368.

of mercury (Wolff), 1889, A., 441. of mercury in urine (ZIEGELER), 1888, A., 1344.

Electrolytic trolytic dissociation, formulæ for (VAN DER WAALS), 1891, A., 1309.

hypothesis of (Arrhenius), 1891, A., 521.

in solution (ARRHENIUS), 1891, A., 1148.

of salts, determination of, by means of solubility experiments

(Noves), 1892, A., 1143. absorbent power of coloured salts and (MAGNANINI), 1892, A., 757. the molecular theory and (CIAMI-CIAN), 1891, A., 390.

osmotic pressure and, theories of (Plan(κ), 1892, Δ., 1143.

versus hydration (ARRHENIUS), 1889, A., 1099.

Electrolytic estimations (SMITH and KNERR), 1886, A., 923.

use of double pyrophosphates in (Brand), 1890, A., 294.

Electrolytic estimation of metals, apparatus for (Levoir), 1889, A., 548.

of metals as amalgams (Vort-MANN), 1891, A., 1553; (GIBBS), 1892, A., 753.

of antimony (BRAND), 1890, A., 295; (LECRENIER), 1890, A., 421.

ELECTROCHEMISTRY-

Electrolytic estimation of (Sміги), 1888, А., 1344.

of mercury (DE LA ESCOSURA), 1886, A., 650.

of palladium (SMITH and KELLER), 1890, A., 831.

of rhodium (Joly and Leidin), 1891, A., 1141.

of zinc (MILLOT), 1883, A., 122.

Electrolytic extraction of antimony (Borchers), 1888, A., 230.

formation of hydrogen peroxide at the anode (Richarz), 1888, A., 12, 769; (Traube), 1888, A., 210.

oxidation, attempts to obtain tartronic acid from glycerol and tartaric acid from erythritol by (BIZZARRI and CAMPANI), 1884, A., 298.

method of liquefying gases (WAR-REN), 1889, A., 7.

polarisation by metals (Piltechi-koef), 1889, A., 663.

produced by small electromotive forces (FROMME), 1887, A., 317,

researches (JAHN), 1883, A., 1042. Electrolytic separations (SMITH and Knerr), 1886, A., 923; (Brand), 1890, A., 294; (SMITH and FRAN-KEL), 1890, A., 661, 1029; (SMITH), 1890, A., 1028; (SMITH and MUHR), 1891, A., 1296, 1896; (SMITH and WALLACE), 1892, A., 920.

Electrolytic separation of metals (Freudenberg), 1892, Δ., 1521.

of the metal on the free surface of the solution of its salt (GUBKIN), 1888, A., 101.

of arsenic from copper (McCAY), 1891, A., 114.

of cadmium from zinc (SMITH and FRANKEL), 1889, A., 1033.

of iron (SMITH and MUHR), 1892 Λ_{-} , 917.

of mercury from copper (SMITH and FRANKEL), 1889, A., 797; (SMITH and MACCAULEY), 1892. A., 239.

of zine from cadmium (ELIAS-BERG), 1886, A., 281.

Electrolytic synthesis (Drechsel), 1884, A., 1136.

of dibasic acids (Brown and WALKER), 1891, A., 1192.

theory of solution (LE BLANC), 1891, A., 1405. See also Electric and Electrical.

Electrolytically-dissociated substances, solubility of mixtures of (Noves), 1891, A., 142.

Electromagnetic action of dielectric polarisation (RONIGEN), 1885, A., 1030.

Electrometallurgy of aluminium (MINET), 1891, A., 525.

Electrometer, an (Blake), 1884, A., 243.

application of, to the study of chemical reactions (BOUTY), 1887, A., 882.

Lippmann's capillary, experiments with (Phatr), 1888, A., 639. limits of accuracy of (Paschen), 1890, A., 552.

Electrometric measurement of energy radiated from incandescent lamps (GARBE), 1884, A., 881.

Electromotive activity of the ions (Nernsr), 1889, A., 1095; (Nernsr and Pauli), 1892, A., 671.

Electromotive dilution constants (MIESLER), 1888, A., 13.

of silver and copper salts (MIESLER), 1887, A., 1072.

Electromotive force produced by the action of light on selenium (Kalischer), 1887, A., 693; (V. Ulianin), 1888, A., 883.

produced during the combination of zinc and iodine in presence of water (LAURIE), 1886, A., 751.

produced in the reaction of cadmium, iodine and water (LAURIE), 1886, T., 700; P., 227. development of, between mercury

development of, between mercury and an electrolyte (PASCHEN), 1891, A., 374.

distribution of, in the cells of batteries (Miesler), 1888, A.,

seat of, in the voltaic cell (LOIGE), 1885, A., 1027; 1886, A., 751; (AVETON and PERRY), 1886, A., 750.

relation of latent heat, specific gravity, etc. to (Gore), 1892, A., 257.

seat of the variation of, with temperature (Gockel), 1890, A., 1035.

between metals at high temperatures (ANDREWS), 1885, A., 1175. changes in, produced by changes of concentration of the exciting

liquid (Gore), 1890, A., 1035. changes of, on mixing electrolytes (Gore), 1892, A., 930. Electrochemistry-

Electromotive force, variation of, in accumulators (Reynler), 1884, A., 881.

variation of, in chromic and nitric acid batteries (FROMME) 1883, A., 766.

variation of the capillary constants of the surfaces, water-ether, and water-carbon disulphide under the action of (Krovehkoll), 1883, A., 1047.

small, electrolytic polarisation produced by (FROMME), 1887, A., 317, 541.

chemical affinity in terms of (WRIGHT and THOMPSON), 1884, A., 246; 1885, A., 325, 721.

in terms of chemical energy (Czarski), 1884, A., 650.

neasurement of (REYNIER), 1884, A., 246; (Pagliani), 1892, A., 105.

of annilgams (Lindeck), 1889, A.,

of latteries, effect of temperature on the resistance and (PREECE), 1883, A., 840; 1884, A., 243.

of cells containing mixed salt solutions (Blochmann), 1890, A., 202.

of cells of certain metals, platinum and nitric acid (Burch and Veley), 1891, A., 514.

of Clark'scell (WRIGHT and THOMPron), 1884, A., 246.

of a Daniell's cell (KITTLER), 1883, A., 409; (MEYER), 1888, A., 393.

of a Daniell's cell and the strength of the zinc sulphate solution, relation between (CARHART), 1885, A., 321.

of certain dry forms of Daniell's cell (v. Beetz), 1886, A., 3.

of a copper-iron junction, inversion of, at a high temperature (LE ROUX), 1885, A., 110.

of the currents yielded by metallic couples in simple saline solutions (DAMIEN), 1886, A., 190.

of galvanic combinations (Braun), 1883, A., 764.

of galvanic couples, a probable cause of difference between the observed, and that calculated from thermochemical data (CHAPERON), 1884, A., 802.

of galvanic elements (OBERBECK and EDLER), 1891, A., 514.

Electromotive force of galvanic elements, resolution of into their differences of potential (Moede), 1888, A., 200; (Mieslei), 1888, A., 392.

of gas batteries (MARKOVSKY),

1592, A., 393.

of metallic salts (Speyers), 1890, A., 843; 1892, A., 255.

of metals in cyanide solutions (Thompson), 1888, A., 392.

of a metal in a series of electrolytes (MAGNANINI), 1891, A., 3.

of mixtures (BOUTY), 1887, A., 877. of mixtures of aqueous solutions of

acids (Arrhenius), 1887, A., 415. of polarisation (Le Blanc), 1891, A., 1405.

of selenium (KALISCHER), 1889, A., 3: (v. ULJANIN), 1889, A., 202; (RIGHI), 1889, A., 555.

of thermoelectric couples, influence of temperature on (LE CHATE-LIER), 1886, A., 587.

of thermoelectric piles (LODGE), 1886, A., 751.

of thermo-elements, consisting of metals and solutions of their salts (EBELING), 1887, A., 414.

(EBELING), 1887, A., 414. and resistance of new forms of thermopiles (KAYSER), 1886, A., 3. of this larger of high trial approximation.

of thin layers of hydrated peroxides (Schreber), 1889, A., 661.

of tin cells (Herroux), 1886, A., 752.
of a constant voltaic cell with
moving plates (LAURIE), 1887,
A., 314.

of voltaic cells having an aluminium plate as electrode (LAURIE), 1887, A., 315.

of a voltaic couple, effect of chlorine on (GORE), 1889, A., 90.

of zinc, property of the alkalis of increasing the (Koosen), 1888, A., 209.

Electromotive forces, abnormal (Herroun), 1889, A., 157.

Electroplating zine with nickel (MEIDINGER), 1884, A., 231.

Electropotential series, position of amalgams of zinc and cadmium in the (Robb), 1884, A., 382.

"Electro-pseudolysis" (TOMMASI), 1885, A., 1029.

"Electrostenolysis" (BRAUN), 1892, A., 393.

Electrosyntheses. See Electrolytic synthesis.

Electrothermal method of elementary analysis (OSER), 1891, A., 621. 1 Electrochemistry-

Galvanic battery and cell. See Cell, Galvanic combination.

Galvanic circuit, production of the current in (Sonneke), 1859, A., 556.

metallic, of Ayrton and Perry (Goossess), 1883, A., 141.

Galvanic combinations:-

E.M.F. of, having an aluminium plate as electrode (LAURIE), 1887, A., 315.

E.M.F. of constant, with moving plates (LAURIE), 1887, A., 314.

E.M.F. of, containing mixed salt solutions (Blochmann), 1890, A., 202.

ferric chloride as an exciting agent for (WARREN), 1887, A., 413.

substitution of hydrogen peroxide for nitric acid in (KONIG), 1883, A., 765.

new class of, in which oxidisable metals are replaced by alterable solutions (Whight and Thompson), 1887, T., 672; P., 84.

constant, with a negative electroden of carbon (FABINGI and FARKAS), 1888, A., 1001.

copper oxide (DE LALANDE and Chaperon), 1884, A., 1, 541; (DE LALANDE), 1891, A., 1405.

with fused electrolytes (Poincard), 1890, A., 551.

liquid, conversion of, into dry piles (ONIMUS), 1884, A., 1240.

with a circulating liquid (CAR-PENTIER), 1885, A., 714.

with two liquids (DUPRE), 1885, A., 853; (WRIGHT and THOMP-SON), 1889, A., 89.

use of magnesium in (HeIM), 1888, A., 1002.

selenium (FRITTS), 1886, A., 107. experiments with (BIDWELL), 1891, A., 777.

sensitiveness to light of (BID-WELL), 1886, A., 2.

silver-mercury, and its relation to temperature (STREINTZ), 1890, A., 550.

Skrivanoff's (ANON.), 1883, A., 840. (pocket form) (MONNIER), 1884, A., 881.

sodium dichromate (HARDING), 1887, A., 412.

sulphur, sensitiveness to light of (Bidwell), 1886, A., 2. tin, E.M.F. of (Herroun), 1886,

A., 752.

Galvanic combinations:-

water, simple form of (Row1 4ND. 1887, Λ ., 412.

See also Cell.

Galvanic conduction, relations between coefficients of friction and (Wiedemann), 1881, A., 139.

current. See Current.
Galvanic element. See Cells, Galvanic

combinations.

Galvanic temperature coefficient
(STROUHAL and BARUS), 1884, A.,

Galvanometer for the determination of the magnetic rotatory polarisation of compounds (Perkin), 1884, T., 431.

mercury (LIPPMANN), 1864, A., 881; (CARPENTIER, 1884, A., 949.

Gas-battery. See Cell.

Glow, residual, examination of (Crookes), 1887, A., 1066.

Glow discharge, researches on (HERTZ), 1883, A., 949.

Induction machine, simplest form of (Elster and Gerrel), 1885, A., 1098.

influence of the chemical nature and the pressure of gases on the generation of electricity by an (HEMPEL), 1884, A., 701; 1885, A., 1098.

Induction machines, variation of (LOMMEL), 1885, A., 1098.

Induction spark, action of, on benzene, toluene and aniline (DESTREM), 1884. A. 1243.

1884, A., 1243.
action of, on carbonic anhydride
and hydrogen (Dixon), 1886,
T., 101.

action of, on carbonic oxide and steam (DIXON), 1886, T., 103.

action of, on phosphorus trifluoride (Moissan), 1885, A., 215.

decomposition of the vapour of ethyl ether by means of (v. KLO-BUKOFF), 1886, A., 1003.

use of, for detecting traces of arsenic (v. Klobukoff), 1890, A., 922.

Insulating liquids, dielectric constants and electric double refraction of (QUINCKE), 1883, A., 945, 946.

Insulating properties of liquid oxygen and nitrogen (v. WROBLEWSKI), 1885, A., 1099.

Insulator, benzene as an (Hentz), 1884, A., 244.

Insulators, electrical resistance of (Fousserfau), 1884, A., 245.

ELECTROCHEMISTRY-

Ions, free, in electrolytes (OSTWAID and NLEYSII, 1889, A., 558.

absolute velocity of the (WEBER), 1889, A., 1095.

electromotive activity of the (NEENST), 1889, A., 1095; (NEENST and PAULI', 1892, A., 671.

Leyden batteries, electric discharge of (Dvorák), 1883, A., 763.

Nobili's rings and allied electrochemical phenomena (ELSAS), 1887, A., 759.

Non-electrolytes, eryoscopy of dilute aqueous solutions of electrolytes and Pickering; Trauer).1891, A., 971.

nature of chemical change in (ARM-STRONG), 1591. P., 118.

Ohm, method of determining (Jou-BERT), 1883, A., 4.

Photoelectric battery (BORGMANN), 1883, A., 625.

Photoelectric currents, increase of (Moser), 1888, A., 9.

Piezoelectricity of quartz (HANKEL), 1883, A., 412, 950.

Pile or auto accumulator (Jabloch-KOFF), 1885, A., 854.

Zamboni's, measurement of the quantity of electricity produced by a (RIECKE), 1884, A., 138.

by a (RIECKE), 1884, A. 138. Piles, dry, conversion of liquid batteries into (ONIMIS), 1881, A., 1240.

Polarisation (STREINTZ), 1883, A., 410; 1888, A., 99, 541; (PIRANI), 1885, A., 623; (Jahn), 1886, A., 839.

E.M.F. of (LE BLANC), 1891, A., 1405.

oscillations of the plane of, by electric discharges (Bichat and BLONDLOT), 1883, A., 4.

dielectric, electromagnetic action of (Ronigen), 1885, A., 1030.

electrolytic, produced by small electromotive forces (FROMME), 1887, A., 317, 541.

by metals (Pilitschikoff), 1889, A., 663.

in the formation of persulphuic acid (RICHARZ), 1889, A., 1041.

influence of, on friction (WAITZ), 1884, A., 139.

of aluminium (STREINTZ), 1887, A., 415.

of copper by the extension of the surface in contact with a liquid conductor (Krouchkoll), 1887, A., 757. EIECTROCHEMISTRY-

Polarisation of electrodes (Poincaré), 1890, A., 933.

of platinum electrodes in sulphuric acid (FROMME), 1888, A., 390; 1890, A., 316, 675; (Richard), 1890, A., 551, 676.

at small electrodes (Kocn and Wullner), 1892, A., 759.

theory of (WARBURG), 1890, A., 314. Potential, change of, of a voltaic couple (GORE), 1889, A., 200, 201.

contact, differences of (Gory), 1892, A., 553.

difference of, of metals (PASCHEN), 1891, A., 139.

of metals and their salts (Pellit), 1889, A., 661.

fall of, at the cathode, in Geissler's tubes (WARBURG), 1890, A., 1035.

Potential difference between two dilute solutions of binary electrolytes (Planck), 1890, A., 1355.

between mercury and electrolytes, determination of (BLONDLOT and BICHAT), 1884, A., 1005.

of electric layers of two liquids which are in contact (BICHAT and BLONDLOT), 1884, A., 383.

at the surface of contact of very dilute solutions (NEGBAUR; NERNST), 1892, A., 671.

relation between striking distance and, in various gases (PASCHEN), 1889, A., 806.

small, standard galvanic cell for (NEGBAUR), 1892, A., 670.

meters, application Potential electrolysis to the standardising of (GRAY), 1887, A., 315.

Pyroelectricity of blende and sodium chlorate (FRIEDEL and CURIE), 1884, A., 3.

of boracite (FRIEDEL and CURIE), 1884, A., 3; (Mack), 1881, A., 655. of quartz (HANKEL), 1883, A., 412, 950; 1885, A., 1187; (FRIEDEL and Curie), 1883, A., 897.

of topaz (FRIEDEL and CURIE), 1885, A., 469.

Resistance. See Electric resistance. batteries. Secondary See cumulators.

Siemens' mercury unit, reproduction of (Strecker), 1885, A., 1027, 1099. Silent electric discharge. See Elec-

tric discharge.

Specific conductivity. See Conductivity.

ELECTROCHEMISTRY-

Specific inductive capacity, conductivity and (Conv and Arons), 1888, A., 391, 395.

relation of, to latent heat of evaporation (OBACH), 1892, A., 258. of electrolytes (Rosa), 1891, A.,

of liquids (NEGREANT), 1887, A., 413; (Cohn and Arons), 1888, A., 394, 395; (Tomaszewski), 1888, A., 395.

of water (COHN), 1890, A., 203. Storage batteries. See Accumulators.

Thermal alteration in a Daniell's cell and in an accumulator (MEYER), 1888, A., 393.

Thermoelectric and voltaic action of metals in electrolytes, relation of heat to (GORF), 1885, A., 325.

couples, influence of temperature on the E.M.F. of (LE CHAPF-LIER), 1886, A., 587.

forces at the surface of contact of a metal and a fused salt (Poin-CARÉ), 1890, A., 551.

law respecting non-reversible electrolytic actions (BOLTZMANN), 1887, A., 1072.

phenomena at the contact of two electrolytes (BAGARD), 1892, A.,

piles, an arrangement of (CLAMOND and Carpentier), 1885, A., 854.

E.M.F. in (Lodge), 1886, A.,

E.M.F. and resistance of (KAY-SER), 1886, A., 3.

position of carbon (Buchanan), 1886, A., 295.

properties of bismuth placed in a magnetic field (RIGHI), 1888, A., 102.

of compounds, effect of occluded gases on (MONCKMAN), 1889. A., 92.

of minerals (HANKEL), 1883, A., 510.

relations of electrolytes (Donle). 1886, A., 960.

Thermoelectricity, practical application of (FISCHER), 1883, A.,

Thermo-elements, E.M.F. of some (EBELING), 1887, A., 414.

Unit, Siemens' mercury, reproduction of (Strecker) 1885, A., 1027, 1099.

Units, electrical (CLAUSIUS), 1883, A., 764; (ANON.), 1885, A., 2.

ELECTROCHEMISTRY-

Volt, a standard (GAIFIE), 1885, A., 1009.

Voltaic action, theory of (Brown), 1557, A., 417.

and thermoelectric action of metals in electrolytes, relation of heat to (Gori , 1885, A., 325.

Voltaic balance. See Balance, voltaic. Voltaic battery and cell. See Cells, Galvanie combinations.

Voltaic current, relation of chemical corresion to Gene 1155, A., 324. electricity, development of, by atmospheric oxidation Weight and Thompson), 1887, A., 1008; 1889. A., 90.

Voltaic energy of dissolved chemical compounds (GORF, 1890, A, 317.

of electrolytes (GORE), 1889, A., 665.

of electrolytes, loss of, by chemical union Gort), 1889, A., 810.

of aqueous solutions (Gold, 1990, A., 941.

Voltameter, heat changes at the poles of (EDIUND), 1883, A , 767. for measuring electric currents (LEDINGHAM), 1884, A., 654.

Element (galvanic). See Cells and Galvanic combinations under Electrochemistry.

accompanying didymium Element (CLEVE; BRAUNER), 1883, A., 18. new, spectroscopic, evidence of a, in antimony, copper and tellurium (GRUNWALD), 1890, A., 434.

new, in cobalt and nickel (Knuss and Schmidt), 1889, A., 349, 1114.

evidence of a new, in an Egyptian mineral (RICHMOND and OFF), 1892, T., 101; P., 87.

Elements, list of announced from 1877-1887 (BOLTON), 1859, A.,

occurring in rare earths (KRISS and Nii 508), 1887, A., 890.

existence of certain, in the sun (HUICHINS and HOLDEN), 1887, A., 1065.

some probable, in some "Lower Silurian " rocks (PRINGIE), 1887, A., 107.

in yttrotantalite, etc. (KIESEWEFFER and Kruss), 1888, A., 1038.

atomic weights of (MILLS), 1885, A., 344; (BASAROFF), 1888, A., 406; (DELAUNEY), 1889, A., 1104. equivalents of the (Delauney), 1888,

A., 902.

Elements, apparatus for the determination of the equivalents of certain (Morse and Keiser, 1985, A.,

dispersive powers of Bruhl', 1891. $\Lambda...776$

atomic refraction of LF BLANCI, 1590, A., 313.

indices of refraction of KANONNI-KOFF), 1885, A., 1.

metallic, spark-spectra emitted by, undervarying conditions Willion-M 1884, A., 801.

ultra-violet spark spectra enditted by, and by their combinations under varying conditions, photographic investigations of HARIier, 1994. A., 137.

of the second periodic group, spectra of Karser and Runge, 1891, A., 965.

Structure of the line spectra of (RYDLERG, 1890, A., 674.

ultra-violet spectra of LIVLING and DEWAR), 1883, A., 262.

in various allotropic madifications, specific gravity and chemical affini-ties of (MULLER-ERZBACH), 1883, A., 779.

mutual relations of the physical properties of (FRIIZ), 1885, A., 117. periodic law of the (MENDELLEFF', 1889, T., 634.

periodic relation of, tabular expression of the (Basserr, 1892, A.,

the periodic law and the occurrence of, in nature (Cannelley), 1885, A., 13.

periodic property of (SUTHERLAND, 1891, A., 12.

place of fluorine in the classification of (Moissan), 1892, A., 11.

relation between the atomic volume of, and the allotropic modifications of iron (O-MOND), 1890, A., 567.

Elementary analysis. See Analysis. Elemi oil (WALIACH), 1889, A., 1072. Eleonorite (Konic.), 1890, A., 219.

Eleoptene from Burosmu cremuta (SPICA), 1885, A., 1142.

Elephant's milk (Dorewes), 1891, A., 98.

Ellagic acid (GOIDSCHMIEDT and JA-HODA, 1892, A., 990.

Ellagitannic acid (Zolffel), 1891. A.,

Ellonite from Aberdeenshire HEDDLE, 1886, A., 131. Elpasolite (Cross and HILLEBRAND).

1887, A., 344.

Embelic acid (WARDEN), 1889, A., 408. Embolite (Welch), 1886, A., 988.

from Australia (MUNRO), 1886, A.,

Embryo, form in which reserve starch enters the (Brown and Morris), 1890, T., 513.

localisation of the secretion of diastase in the (Brown and Morris), 1890, T., 493. relation of the endosperm to the

(Brown and Morris), 1890, T., 474.

visible changes in the, during germination (Brown and Morris), 1890, T., 466.

young, secretion of an amylohydrolyst (diastase) by (Brown and Monnis), 1890, T., 489.

Embryos, excised, development of, on foreign endosperms (Brown and

Morris), 1890, T., 478. of barley, culture of, on nutrient solutions and on water (Brown and Morris), 1890, T., 483, 482. of ungerminated rye, analysis of

(NACHBAUR), 1883, A., 107.

Emerald, artificial (HAUTEFEUILLE), 1888, A., 1044.

from Alexander Co. (HIDDEN), 1885, A., 878.

from Paavo, in Finland (WIIK), 1883, А., 561.

Emery, analyses of (JAGNAUX), 1886, A., 675.

Emetine (KUNZ), 1887, A., 980.

assay of, in inccacuanha (BLUNT), 1890, A., 310, 548. wine

estimation of (JONES), 1886, A., 1086; (KREMEL), 1888, A., 1351.

Emmonsite (culciostrontianite, cmmonite) (HILLEBRAND), 1887, A., 344; (CATHREIN), 1888, A., 1258; (DANA and Wells), 1891, A., 154.

Emodin (Schwabe), 1889, A., 69. from Nephoroma Insitanica (Bach-MANN), 1888, A., 722.

Empholite. See Diaspore.

Emplectite from Rézbanya (Krenner), 1886, A., 126.

Emulsin, distribution of, in almonds (Johannsen), 1888, A., 869.

action of, on amygdalin, salicin, and carbamide (TAMMANN), 1889, A., 566.

Emulsions (RACHFORD), 1891, A., 948. Enamel, oriental, on tiles and its imitation (Boeck), 1889, A., 1112.

Enamels for earthenware (ANON.), 1884, A., 1229.

porcelain, composition of (WAGENER), 1883, A., 397.

Enargite from Montana (SEMMONS), 1887, A., 707.

Encysted fluids, contribution to the chemistry of (HAMMARSTEN), 1883, A., 874.

Endlichite (PENFIELD), 1887, A., 347. from New Mexico (GENTH and VOM RATH), 1886, A., 26.

Endocarditis, infective, chemical pathology of (MARTIN), 1892, A., 744.

Endosperm, foreign, development of excised embryos on (Brown and Morris), 1890, T., 478. function of the starch of (Brown and

Morris), 1890, T., 478.

visible changes in, during germination (Brown and Morris), 1890, T., 466.

relation of, to the embryo (Brown and Morris), 1890, T., 474.

Endothermic reactions, spontaneous, and Berthelot's law of maximum work (Colley), 1890, A., 681.

Energy as the unit of an absolute system of measurement (OsTWALD), 1892, A., 1149.

changes in, accompanying solution (Braun), 1887, A., 436.

chemical. See Affinity, chemical. content in chemistry and physics

(WALD), 1891, A., 1414. electrical. See Electrical energy and

Voltaic energy under Electrochemistry. electrochemical, of light (GRIVEAUX),

1884, A., 382.

factors of (Meyerhoffer), 1891, A., 975.

radiation, and temperature, relation between (ARNEY and FESTING), 1884, A., 249.

Ennane. See Nonane.

Ensilage. See Agricultural Chemistry. Enstatite (v. Chrustschoff), 1890,

from the enstatite porphyrite of the Cheviot Hills, analysis of (Peter-

SEN), 1886, A., 211. Enterochlorophyll (MacMunn), 1883, Λ., 1159; 1884, Λ., 195; 1885, Λ.,

Enzyme, cellulose-dissolving, search for, in the digestive tract of certain animals(Brown), 1892, T., 352; P., 30.

Enzymes (O'SULLIVAN and Tompson), 1890, T., 835; P., 107.

hydrolytic, origin of the, of germinated grain (Brown and Morris). 1890, T., 511.

thrombogenic (Armstrong), 1890, T., 531.

Enzymes, tryptic. gelatin as a reagent ! for the detection of (FERMI), 1891, A., 1523.

ENZYMES:-

Amylase, presence of, in leaves (BRASSE), 1885, A., 182.

"Cerealin" (GIRARD), 1885, A., 678. Dextrinase (WIJSMAN), 1890, A., 998.

Diastase (Bourquelon), 1885, A., 927; (FANKHAUSER), 1886, A., 1061: 1868, A., 867; (LINTNER), 1887, A., 165; 1888, A., 497; (LOEW), 1887, A., 367; (KRABBE), 1892, A., 92.

artificial (REYCHLER), 1889, A.,

of secretion and of translocation (Brown and Morris), 1890, T.,

action of, on ungelatinised starch (Brown and Morris), 1890, T., 510.

considered as a mixture of maltase and dextrinase (WIJSMAN), 1890, A., 993.

genesis and distribution of the two varieties of, in the resting and germinating seed (Brown and Morris), 1890, T., 505.

distribution of, in malted burley (Brown and Morris), 1890, T.,

presence and function of, in plants (WORTMANN), 1891, A., 856.

formation of, under various conditions (ANON.), 1884, A., 476. preparation of (O'SULLIVAN), 1884,

T., 2; (LOEW), 1888, A., 607. pure, preparation of (SCHARTLER), 1887, A., 1117.

artificial production of (Schneider),

1884, A., 1366. does the aleurone-layer secrete?

(Brown and Morris), 1890, T., 520.

localisation of the secretion of, in the embryo (Brown and Mor-nis), 1890, T., 493. characters of (Lintner and Eck-

напрт), 1890, А., 519.

absorption spectrum of (HARTLEY), 1887, T., 60.

deterioration of, by the action of heat (Bourquelor), 1887, A.,

action of (MÜLLER), 1887, A., 166. action of acids, alkalis and alcohol on (Junuk), 1884, A., 530.

action of hydrofluoric acid on (Effront), 1891, A., 477.

ENZYMES-

Diastase, action of, on starch grains within the plant (KRABBE), 1891, A., 605; 1892, A., 92.

Emulsin, distribution of, in almonds (JOHANNSEN), 1888. A., 869.

action of, on amygdalin, salicin and carbamide (TAMMANN), 1889, A., 566.

Invertase (\$\beta\$-inv'rtun, invertin) (Kjel-DAHL), 1883, A., 225; (BOUR-QUELOT), 1884, A., 983: (O'SUL-LIVAN and TOMPSON', 1890, T., 834, 896; P., 107; (KELLNER, Mori and NAGAOKA), 1890, A.,

preparation of (O'SULLIVAN and Tompson), 1890, T., 869.

purification of (O'SULLIVAN and Tompson), 1890, T., 884.

absorption spectra of (HARTLEY), 1887, T., 60.

action of (MAYER), 1883. A., 486; (Muller), 1887, A., 166.

action of, temperature most favourable to the (MAYER), 1883, A., 101.

effect of heat on solutions of (O'SULLIVAN and Tompson), 1890, T., 899.

action of, on cane-sugar (TAM-MANN), 1889, A., 566; (O'SULLI-VAN and Tompson), 1890, T., 843.

action of, on gelatinised starch

(BOURQUELOT), 1884, A., 983. influence of, on the fermentation of cane-sugar (BAUER), 1883, A.,

influence of foreign substances on the action of, on cane-sugar and Tompson), (O'Sullivan

1890, T., 852. theory of inversion by (O'SULLI-VAN and Tompson), 1890, T., 918.

preservation of (O'SULLIVAN and Tompson), 1891, T., 47.

Maltase (WIJSMAN), 1890, A., 998.

Papain (MARTIN), 1886, A., 74. action of, on vegetable proteid (MARTIN), 1886, A., 642.

Papain digestion (MARTIN), 1886, A.,

Pepsin (SUNDBERG), 1885, A., 921; (LANGLEY and EDKIN-), 1886, A., 1051.

animal and vegetable (SCHADE), 1886, A., 271.

differences between trypsin and (Bourquelor), 1885, A., 408.

ENZYMES-

Pepsin in normal and pathological urine (STADELWANN), 1889, A., 430.

methods of preparing extracts of (Podwyssozki), 1887, A., 65. influence of temperature on (BIER-

NACKI), 1891, A., 1272. commercial, digestive power of

(DANA), 1884, A., 471

fate of (LEO), 1886, A., 381. estimation of (VIGIER), 1885, A., 279.

comparative estimation of preparations of (Lipski), 1887, A., 66.

quantitative relationship of, to peptones (Schurz), 1885, A., 1147.

Pepsin digestion versus animal digestion (LADD), 1887, A., 513; 1889, A., 734.

Pepsinogen (LANGLEY and EDKINS),

1886, A., 1051. Rennet in human urine (Helwes),

1889, A., 536. action of (LEA and DICKINSON), 1890, A., 1175. See also Agricultural Chemistry.

Trypsin, differences between pensin

and (Bourquetor), 1885, A., 408. in urine (LEO), 1887, A., 69.

formation of (LEWASCHEW), 1886, A., 381. influence of temperature on (BIER-

NACKI), 1891, A., 1271. digestion of fibrin by (HERRMANN), 1887, A., 1130. fate of (LEO), 1886, A., 381.

Zymase of human milk (BLCHAMP), 1883, A., 926.

of jequirity (BLCHAMP and DU-JARDIN), 1885, A., 1085.

Zymases, observations concerning organisms which produce (Bi.снаму), 1885, А., 580.

(trtrubromofluorescrin), escence of alcoholic solutions of, on heating (Wiedemann), 1891, A.,

dichlor- (LE ROYER), 1887, A., 832. thio- (GRAEBE and Zschokke), 1884, A., 1025.

Eosin group of dyes, action of, as photographic sensitisers (Borhamley), 1887, A., 874.

Ephedra . vulgaris, alkaloids from (LADENBURG and Oclschlagel), 1889, A., 1020.

Ephedrine from Ephedra monostachya (Spehr), 1892, A., 893.

ψ-Ephedrine and its derivatives (LADEN-BURG and OELSCHLAGEL), 1889, A., 1020.

constitution of (Filenne), 1891, A., 1264.

Epidibromhydrin (LESPIEAU), 1892. A., 420.

Epichloramine (Schiff), 1892, A., 29. Epichlorhydrin (ZIKES), 1885, A., 1046; (PAAL), 1889, A., 31; (FAUCON-

NIER), 1889, A., 232.

relation between the spectrometrical constants and chemical constitution

of (Brunk), 1891, A., 630. action of allylic iodide and zinc on

(Lopaikin), 1885, A., 497. action of ammonia on (FAUCONNIER).

188**8, A.**, 1265. action of aniline on (FAUCONNIER),

1888, A., 586, 1280. action of benzoic anhydride on (VAN

Romburgh), 1883, A., 62.

action of phenylhydrazine on (Ger-, HARD), 1891, A., 582. Epidemics caused by unsound bread (v. POEHL), 1883, A., 1157.

Epidote, magnesium, from the Baikal Lake (DAMOUR and DES CLOI-

ZEAUX), 1885, A., 31. white, from the Beagle Canal, Terra del Fuego (Lacroix), 1887, A., 350. from Rowe, Massachusetts (DANA), 1886, A., 23.

from Syphnos (v. FOULLON and GOLDьсимирт), 1890, А., 344.

as a rock-forming mineral (HOBBS), 1890. A., 460.

chemical composition of (Lunwig; RENARD), 1883, A., 413.

absorption spectra of (BEQUERTL). 1889, A., 553.

Epistilbite, analysis of (TRECHMANN; Jannasch), 1883, A., 442. Epsomite from the Falu mine (WEI-

BULL), 1886, A., 25. from the Peychagnard anthracite mine

(Kuss), 1886, A., 516.

from Poland (ZGLENICKY), 1887, A., 1021.

from White Island, New Zealand (MacIvon), 1888, A., 563. See also Magnesium sulphate.

Equilibrium, conditions of, in aqueous solutions (Thomsen), 1886, A., 12. conditions of, between solid and liquid compounds of water with salts (Roozевоом), 1889, А., 752.

conditions of, of two substances in the three states, solid, liquid, and gaseous (ROOZEBOOM), 1887, A., 629.

Equilibrium, labile conditions of, in mixtures of two substances at a temperature below the melting point of either (Blumcke), 1892, A. 935.

between hydrogen. chlorine and oxygen (Le CHATELIER), 1890, A., 8. in the action of hydrochloric acid on antimony trisulphide, and of hydrogen sulphide on a solution of antimony trichloride (LANG), 1886,

A., 20.

in homogeneous solutions when unequally heated (VAN BERCHEM', 1890, A., 444.

of chemical systems under unequal pressures (LE CHATELIER', 1892, A., 937; (SPRING), 1892, A., 1148.

of double salts of lead and potassium iodides with their aqueons solutions (SCHREINEMAKERS', 1892, A., 560. chemical. See Chemical equilibrium.

Equisetacese, composition of the ash of, and its bearing on the formation of coal (DIEULAFAIP), 1885, A., 583.

Equivalents of the elements (DE-LAUNEY), 1888, A., 902.

of certain metals, apparatus to determine (Morse and Keiser), 1885, A., 481.

optical (DOUMER), 1890, A., 433. thermo-dynamic (DE LANDERO and PRIETO), 1887, A., 99.

Erbia. See Erbium oxide.

Erbium, spectral researches on (THALÉN), 1883, A., 954.

thulium and, phosphorescence of (Crookes), 1887, A., 1068.

oxide (erbia) from Brazilian xenotime (Gorceix), 1886, A., 676.

spectra of (Crookes), 1886, A., 749. Erbium earths, separation of, from didymium earths (Kruss), 1891, A., 1425.

Erbium group (KRUSS), 1891. A., 1424. absorption spectra of the elements of (CROOKES), 1889. T., 265.

"Erebodium" (PRINGLE), 1887, A., 107. Ergosterin (TANRET), 1889, A., 407.

Ergot of rye and pharmaceutical preparations of (HATLBERG), 1893, A., 640.

constituents of (Kobert), 1885, A., 821.

source of trimethy lamine in (BRIEGER), 1887, A., 394.

chemical properties of the violet colouring matter in, and its detection in flour and bread (PALM), 1884, A., 376.

Ergotic acid (Kobert), 1885, A., 821.

Ergotinine (TANREI', 1885, A., 821; (BOMBEION, 1888, A., 970.

Erica ralgaris, analysis of, and of its ash (Peremann', 1884, A., 207.

Ericaceæ, andromedotoxin in Pruces. 1889, A., 644.

Presence of cinnamic acid in the (EIJKMAN), 1887. A., 517.

Ericalco from Vesuvius Scacchi), 1886, A., 600.

"Erika" (TRAUTMANN', 1891, A., 195. Erinite from Utah (HILLEBRAND and WASHINGTON', 1888, A., 1043.

See also Copper aisenate.

Ersbyite, so-called, from Pargas (WIIK), 1883, A., 561.

Erucamide and erucanilide (REIMER and WILL), 1887, A., 233.

Erucic acid and its derivatives (REIMER and WILL), 1887, A., 233.

heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, A., 11.

boiling points of (Kraffi and Noerblinger), 1889, A., 691.

oxidation of (Hazt R4 and GRUSSNER, 1889, A., 375; URWANZOFF), 1889, A., 1146.

conversion of, into behenic acid (REYCHLER), 1889, A., 1140.

stereometric relations of brassidic acid and (Holf), 1892, A., 129, 812, 1427. Erucic acid dichloride (Holf), 1892, A.,

429. brom- and chlor- (Holr), 1892, A, 429.

isoErucic acid (SAYTZEFF), 1892, A., 812. Erucic anhydride (REIMER and WILL),

1887, A., 233. phenylhydrazide (Holt), 1892, A., 1428.

Eruptive rocks. See Rocks.

Errum hirsutum and E. Leus, composition of (NII SON), 1892, A., 522.

Erythema nodosum, chemical composition of the bacillus from (Bover), 1889, A., 539.

Erythrea centaurium, constituents of (Lendrich), 1892, A., 1262.

Erythrane, the first anhydride of erythritol (HENNINGER), 1884, A., 897.

constitution of (GRIMATY and CLOEZ), 1890, A., 730.

(C₄H₆O₂), second anhydride of erythritol (Przyrytek), 1884, A., 979.

Erythrene. See Butinene.

Erythrina Broteroï and E. subumbraus, alkaloids from (GRESHOFF), 1891, A., 335. Erythritol (crythrite, crythrol) (Colson), 1887, A., 353.

heat of combustion of (LUGININ), 1889, A., 668.

thermochemistry of (BERTHELOT and 1890, A., MATIGNON), (STOHMANN and LANGBEIN), 1892, A., 764.

action of, on alkali alkyloxides (DE FORURAND), 1890, A., 935.

action of Bacterium aceti on (Brown). 1887, T., 641.

oxidation of (Fischer and Tafel), 1887, A., 652.

reduction of, by formic acid (HEN-NINGER), 1884, A., 897.

derivatives of (Grimaux and Cloëz), 1890, A., 730.

alkaline derivatives of (DE Forc-RAND), 1891, A., 657.

Erythritol bromhydrin (Colson), 1887, A., 354.

bromide (Grimaux and Cloëz), 1890, A., 730.

Erythritolhydroxyanthraquinonecarboxylic acid (Birukoff), 1887, A., 1049.

Erythrocentaurin (LENDRICH), 1892, A., 1262.

Erythrochromium salts, normal and basic (Jürgensen), 1883, A., 554,

glycerose Erythroglucic acid from (FISCHER and TAFEL), 1889, A., 478. Erythrogranulose (BRUKNER), 1884,

А., 576. Erythrohydroxyanthraquinonesul-

phonic acid and its anhydride (LIFschütz), 1884, A., 1189.

Erythroxide, sodium, preparation and heat of formation of (DEFORCRAND), 1890, A., 935.

disodium (DE FORCRAND), 1891, A.,

Erythroxides, dibasic, constitution and heat of formation of (DE FORCRAND), 1891, A., 1312.

Erythroxyanthraquinone, new method of preparing (ROEMER), 1883, A., 71. Erythroxyline (BENDER), 1886, A., 85.

Erythroxylon, alkaloids from (BEN-DER), 1886, A., 85.

Erythroxylon cocu grown in India (WARDEN), 1889, A., 297.

Eschscholzia californica, morphine in (BAUDET and ADRIAN), 1889, A.,

Eserine, reaction for (FERREIRA DA SILVA), 1891, A., 1562.

Essence of rosewood (MORIN), 1888, A., 1308.

Essence of sandal wood (CHAPOTEAUT), 1883, A., 76.

adulteration of (MENNARD), 1892, A., 1379.

Essences, detection of turpentine and other impurities in (CRISMER), 1892, A., 386.

See also Oils, essential.

Essential oils. See Oils.

MILLER and Etard's reaction (v. Rohde), 1890, А., 978. "Etazole" (Piutti), 1891, А., 176.

Etching ink, manufacture of (ANON.), 1884, A., 880.

Sec Acetaldeliyde. Ethaldehyde.

Ethane, preparation of (FRANKLAND), 1885, T., 236.

heat of formation of (Thomsen), 1883, A., 545.

illuminating power of (FRANKLAND), 1885, T., 235; P., 31.

action of heat on (Lewes), 1892, T., 329.

absorption coefficient of, in water (HENRICH), 1892, A., 1044.

derivatives, stereochemistry of (Au-WERS and MEYER), 1890, A., 1083. from active amylic alcohol, influence of asymmetrical carbon-atoms on (Just), 1884, A., 169.

haloid derivatives of (HENRY), 1884, A., 571.

hydrate of (VILLARD), 1888, A., 1021. substitution-products (Anschütz), 1884, A., 32.

bromo-derivatives of, molecular refraction of (WEEGMANN), 1888, Λ., 999.

chlorinated, properties of (Henry), 1884, A., 979.

Ethane, dibrom- (ethylidenic bromide), bromination of (MEYER and MUL-LER), 1892, A., 1114.

tribrom- (bromethylidenie bromide), action of sodium ethoxide on (Michael), 1884, A., 418.

chloro-derivatives of, action of ammonia on (ENGEL), 1887, A., 793.

dichlor-, action of aluminium chloride on mixtures of, with benzene, toluene or m-xylene (Anschutz and Romic), 1885, A., 768.

behaviour of, with amylamine and ethylamine (v. Hofmann), 1884, A., 1275.

trichlor- (nethylchloroform), action of, on phenol in presence of alkalis (BIGINELLI), 1891, A., 296. action of sodium benzenesulphinate

on (R. and W. Otto), 1888, A., 841.

Ethane, hexachlor-, thermochemistry of (BERTHELOT and MATIGNON), 1891, A., 1311.

chlorobrom- (cthylenic chlorobromide) and some compounds obtained therefrom (JAMES), 1883, T. 37. trichlorobrom- (HENRY), 1881, A.,

978.

chlorobromiod-, and its decomposition (HENRY). 1884, A., 830.

dichloriod- (HENRY), 1884, A., 719. God- (methyliodeform) (DE Bois-TET), 1888, A., 930.

ni o-derivatives of (VILLIERS), 1884, A., 717.

nitr-, non-existence of a (DUNSTAN and DYMOND), 1887, P., 125; 1888, T., 134.

A., 355; (Bewah), 1889, A., 112.

magnetic rotatory power of (Pen-KIN), 1889, T., 687. action of alkali carbonates and hydroxides on (Dunstan and Dunond), 1891, T., 411.

action of ammonia on (DUNSTAN and DYMOND), 1891, T., 412. action of benzaldehyde on (PRIEBS),

1885, A., 160.

action of feeble bases on (Soko-LOFF), 1888, A., 797.

action of zinc ethyl on (KISSEL), 1888, A., 436; (BEWAD), 1889, A., 112.

ammonium derivative of (Drx-STAN and DYMOND), 1891, T., 412.

sodium derivative of, action of alkylic iodides on (Sokoloff), 1889, A., 365.

trinitr- (Franchimont), 1887, A.,

Ethanedisulphonic acid and its salts (Andreasch), 1883, A., 912; (Mo-NARI), 1585, A., 970; (MAUZELIUS), 1888, A., 821.

Ethanesulphonic acid and its salts (BEILSTEIN and WIEGAND), 1883, A., 971.

preparation of (Franchimont), 1887, A., 468; (MAYER), 1890, A., 748. amide of, preparation of (JAMES), 1883, T., 42.

amides of (Franchimont and Klob-DIE), 1887, A., 468.

Ethanesulphonic acid, amido-. Taurine.

\$\beta\$-chlor-, preparation of (James),
 1885, T., 365; P., 47.
 salts of (James), 1883, T., 41;
 (Hübner), 1884, A., 1126.

Ethanesulphonic acid, β-chlor-, action of primary, secondary, and tertiary monamines on their respective salts of (James), 1885, T., 367.

Ethanesulphonic chloride, \$-chlor-, action of ammonia on an ethereal . solution of (JAME>), 1883, T., 42.

Ethanesulphonimide (JAMES), 1886, T., 490.

s-Ethanetetracarboxylic acid (BUCHNER and WITTER), 1892, A., 824.

Ethanethiosulphonates, action of phosphoric chloride on (Orro and Rös-SING), 1891, A., 927.

Ethanetricarboxylic acid (BISCHOFF), 1883, A., 45.

Ethanetrisulphonic acid and its salts (Monari), 1885, A., 970.

Ethenyl amidomercaptan (JACOBSON), 1888, A., 1307.

Ethenylamidine (ucctamidine) (v. Hor-MANN), 1884, A., 1289.

hydrochloride and platinochloride (PINNER), 1884, A., 723. nitrite (Lossen), 1892, A., 53.

picrate (DIECKMANN), 1892, A., 705. Ethenyl-o-amidobenzamide, and its salts

(Weddice), 1885, A., 661. tetrachlor- (Dehoff), 1890, A., 802; 1891, A., 84.

nitr- (Dehoff), 1890, A., 802; 1891, A., 84; (THIEME), 1891, A., 917.

Ethenyltetramidobenzene (NIETZKI and HAGENBACH), 1887, A., 477.

Ethenyldiamidobenzoic acid (KAISER), 1886, A., 149.

Ethenyl-o-amidobenzomethylamide (WEDDIGE), 1887, A., 1044.

Ethenylamidocumyl mercaptan (JACOBson and NEY), 1889, A., 772.

Ethenylamidodimethylaniline mercaptan (BERNTHSEN), 1889, A., 775.

Ethenylamidohemipinic acid (LIEBER-MANN and KLEEMANN), 1887, A., 47.

Ethenylteiamidonaphthalene and its derivatives (MELDOLA and STREAT-FEILD), 1887, T., 691.

(Böttcher), Ethenylamidonaphthol 1883, A., 1114; 1885, A., 659.

Ethenyleliamidonaphthyl ethyl ether (Heermann), 1892, A., 1098.

Ethenylamido-a-naphthyl mercaptan (v. Hofmann), 1587, A., 839; (Jacobson), 1887, A., 961.

Ethenyltriamidotoluene, and its acetylderivative (Niementowski), 1886, A., 545.

Ethenyl-o-amido-p-tolylamide MENTOWSKI), 1888, A., 837.

Ethenylamidoxime and its derivatives (NORDMANN), 1885, A., 238.

Ethenylamidoxylyl mercaptan (Gude-MAN), 1888, A., 1292; (JACOBSON and NEY), 1889, A., 772.

Ethenylanilidoxime (NORDMANN), 1855, A., 239; MULLER), 1590, A., 43.

Ethenylazoximebenzenyl (NORDMANN), 1585, A., 239.

Ethenylchlor-o-amidodiphenylamine (ERNST), 1891, A., 300.

Ethenyldiphenylamidine (Nolting and WEINGARTNER), 1885, A., 384; (MABERY and KRAUSE), 1890, A., **371.**

action of carbonyl chloride on (LOEB), 1895, A., 1213.

Ethenyldipropionimidine (PINNER), 1883, A., 1099.

Ethenylethyl-o-phenylenediamine

(Henrel), 1889, A., 600; 1890, A., 612. Ethenylfurfuran, nitro-derivatives of (Priebs), 1885, A., 971.

Ethenylglycollic acid, and its salts (LOBRY DE BRUYN), 1886, A., 224. trisulphide (Bongarrz), Ethenvlic

1886, A., 1000. Ethenylimidobenzanilide (LOEB), 1887,

A., 42.

Ethenyl- α -naphthol. nitrodiamido-. hydrochloride (MEERSON), 1888, A.

Ethenylnaphthylenediamine (PRIGER), 1885, A., 1239.

Ethenylnitrotriamidobenzene (Nietzki and Hagenbach), 1887, A., 476.

Ethenyl-o-phenylenediamine, (HEIM), 1888. A., 1097.

Ethenyltolyleneamidine. See Tolyleneethenylamidine.

Ethenyltolylenediamine (NIEMEN-TOWSKI), 1886. A., 545; (WIFF), 1887, A., 247.

nitr- (BANKIEWICZ), 1888, A., 1184. Ethenyl- and isoethenyl-tolylenediamines and their derivatives (NIE-

MENTOWSKI), 1892, A., 837, 838. Ethenyltri-a-naphthol (Wislicenus and ZWANZIGER), 1888, A., 376.

Ethenyltriphenol (WISLICENUS and REINHARDT), 1888, A., 374.

Ethenyltripiperidine (Busz and Ke-KULÉ), 1888, A., 302.

Ethenyl-tripyrocatechol, -triquinol and -triresorcinol (WISLICENUS and SIEGfried), 1888, A., 374.

Ether. See Ethyl ether.

Ethereal carbonates (BENDER), 1887, A., 245.

Ethereal oils. See Oils.

Ethereal salts, formation of, by means of ethylic chlorocarbonate (R. and W. Otro), 1891, A., 288,

Ethereal salts, formation and decomposition of (Konowaloff), 1888, A., 340, 1053, 1167. preparation of, by double decom-

position (BERTONI and TRUFFI), 1884, A., 1110.

production of, by fermentation (JAC-QUEMIN), 1890, A., 1454. velocity of formation of (MENSCHUT-

KIN), 1888, A., 105, 901.

dispersion of (BARBIER and ROTX). 1891, A., 774.

of some fatty acids, heat of combustion of (Luginin), 1885, A., 327.

normal isomeric, of the fatty series. calculation of the boiling points of (HINRICHS), 1892, A., 260.

vapour densities of (MENSCHURKIN and Konowaloff), 1886, A., 299.

saturated and unsaturated, specific volumes of (Weger), 1884, A., 8.

homologous, diffusion of (WINKEL-MANN), 1885, A., 10.

of nitrous acid (BERTONI), 1886, A., 217; 1887, A., 458; 1890, A., 353.

of organic acids, hydrolysis of, by potassium acetate (CLAISEN), 1891, A., 425.

of polybasic acids, hydrolysis of (Lossen and Köhler), 1891, A., 1013.

action of alcohols on (PURDIE and Marshall), 1888, T., 391; P., 25.

action of metallic alkylic oxides on mixtures of alcohols and (PURDIE), 1887, T., 627; P., 78.

action of sodium on (Hongkinson), 1891, P., 167.

fatty a-brominated or a-chlorinated, action of potassium cyanide on (ZEI INSKY and BITSCHICHIN), 1889, A., 377.

condensation of cyanides (FLEISCHHAUER), 1892, A., 431.

decomposition of, in the alimentary canal (BAAS), 1890, A., 1013.

estimation of, in brandy and spirits (Mohler), 1891, A., 503.

estimation of, in spirits (Bell), 1892, A., 387.

Ethereal solutions. See Solutions. Etherification by double decomposition (Bertoni), 1886, A., 975; 1887, A., 458.

by uranium salts (Pohl), 1890, A., 727.

continuous (Norton and Prescort), 1885, A., 496.

determination of the velocity of, by means of electrical conductivity (NEGREANU), 1888, A., 1243.

Etherification, velocity of (NEGREANU), 1:4-Ethoxyacetamidoquinoline 1554, A., 1025.

influence of isomerism on (MESSCHUL-KIN), 1884, A., 726.

of alcohols and acids (MENSCHUIKIN), 1884, A., 726.

Ethers, formation of, in the preparation of isoallylene and its homologues (Vaubll), 1891, A., 996.

dispersion of (Barbier and Roux), 1890, A., 1353.

of the benzene series, heat equivalents of (SIGHMANN, RODAIZ and HERZ-BERG), 1587, A., 125.

of the benzene series, action of phosphoric chloride on (Corson), 1885, A., 252.

normal fatty, boiling points and specific volumes of (DOBRINLR), 1888, A., 334.

compounds of hydrogen sulphide and selenide with (DE FORCRAND), 1883, A., 961.

mixed, decomposition of, by heat and by nitrie acid ERRERA), 1887, A., 1103.

Ethinediphthalyl. See Diphthalyl- 1 ethane.

Ethoxalvlacetyl-furfuramidine -tolenylamidine (PINNER), 1892, A., 1007, 1008.

Ethoxide, baium, heat of solution of (DE FORGRAND), 1884, A., 4. ferric (GRIMAUX), 1884, A., 573.

potassium, heat of formation of (DE FOR(RAND), 1887, A., 204.

heat of solution of (DE FORCRAND), 1884, A., 5.

sodium, action of iodine on (MULDER), 1889, A., 363.

oxidation of, by atmospheric oxygen (V. HEMMELMAYR), 1891, A., 1332. saponification by (Kossel and 1891. A., 1143; KRUGER), (OBERMULLER), 1892, A., 1139.

zinc, non-existence of (DEMUTH and MEYER), 1890, A., 482.

Ethoxides, sodium, heats of formation and solution of (DE FOR RAND), 1884, A., 142.

heat of solution of (DE FORCRAND), 1884, A., 4.

action of carbonic oxide on mixtures of sodium salts of organic acids and (Schroeder), 1884, A., 38.

Ethoximidofurfuran (Douglas), 1892, A., 831.

thio- (AUTENBILTH), Ethoxyacetal, 1891, A., 541.

Ethoxyacetamide, action of bromine on (v. Hofmann), 1886, A., 45.

(VIS. 1592, A., 1104.

Ethoxyacetonediphenylmercaptole. thio- (At IENRIETH, 1891, A., 568.

Ethoxyacetone-ethylmercaptole, thio-(ALTINRIETH) 1891, A., 567.

o-Ethoxyacetophenone (Fillio CLAUS), 1892, A., 989.

Ethoxyacrylic acid from a-dichloropropionie acid (O1To), 1800, A , 957.

3-Ethoxy-4-amidophenol Will and PUKALL), 1857, A., 661.

Ethexyanisimide (TAPEL and ENOCH), 1890, A., 491.

p-Ethoxyantipyrine (S1012), 1592, A.,

1050. salicylate (At 15) Ht 1 1, 1892. A., 1052. Ethoxyanthracene (Goldwan, 1888,

A., 711. (LILLERWANN Ethoxyanthraquinone

and Jeilinek , 1855, A., 716. Ethoxyarecaidine JAHNS), 1891, A., 95.

Ethoxyazobenzene. See under Azo. o-Ethoxybenzaldoxime Low), 1892, A...

Ethoxybenzamide [m p. 201] (GALLER-

MANN and Rossola Mol, 1890, A., 975. p-Ethoxybenzamide [m p. 206] Pin-NER), 1891, A., 61.

Ethoxybenzamide, nitr-(THIEME), 1891, A., 916.

5-p-Ethoxybenzamidine-2-p-ethoxyphenyl-6-hydroxy-m-diazine-4-carboxylic acid (PINNER), 1891, A., 64.

Ethoxybenzamidine hydrochlorides, oand p- (PINNER), 1891, A., 64.

Ethoxybenzene (phenyl ethyl ether), mono-, di- and tri-homo-m-amidoand bromo-m-nitro-(LINDNLR), 1885, A., 775.

m-Ethoxybenzenesulphonic acid (DE-LISLE and LAGAI), 1891, A., 310.

Ethoxybenzenesulphonic acids, u-, ut-, and p-, and then derivatives (LAGAI), 1892, A., 1059.

m-Ethoxybenzenylamidoxime ethyl ether (CLEMM, 1891, A., 699.

 μ -Ethoxybenzenylamidoxime ethyl ether (KRONE), 1991, A., 700.

//-Ethoxybenzimidoethyl ether hydrochloride (PINNER), 1891. A., 64.

Ethoxybenzoic acid, brom-, and dibrom- (Peratonell), 1887, A., 457.

nitr- (Thirmr), 1891, A., 916.

21-Ethoxybenzoic anilide (LITTKART and SCHMIDT), 1885, A., 1224. sulphinide (REMSTN and PAIMER), 1887, A., 144.

o-Ethoxybenzonitrile (PINNER), 1891, A., 63; (Low), 1892. A., 58.

p-Ethoxybenzonitrile (PINNER), 1891, A., 64.

Ethoxybenzonitriles, o- and p-, imidoethers from (PINNER), 1891, A.,

nitro- (Lobry de Bruyn), 1885, A., 657.

p-Ethoxybenzophenone (p-benzou1phenetoil) (GATTERMANN, EHRHARDT and Maiscn), 1890, A., 964.

o-Ethoxybenzylamine (Low), 1892, A.,

Ethoxybenzyleneanthrone (BACH), 1890, A., 1425.

Ethoxybromo:m-nitrobenzene $\langle Lind -$ NER), 1885, A., 775.

Ethoxybromotoluene (Schreiber), 1891, A., 552.

 γ -Ethoxybutyric acid (FITTIG and Strom), 1892, A., 813.

Ethoxycaffeine (FISCHER), 1883, A., 355; (THOMS), 1890, A., 1166.

p-Ethoxycarbanil (Kühler), 1884, A.,

Ethoxychlorides, silicon derivatives of, action of phosphorus oxychloride on (STOKES), 1891, A., 1171.

6-Ethoxy-2:3:5-trichloro-4-amidopyridine (STOKES and v. PECHMANN), 1887, A., 157.

Ethoxychloro-oxydimethylpurin

(FISCHER), 1884, A., 997.

Ethoxycinchonic acid and its salts (Koenigs and Körner), 1884, A., 84.

Ethoxycinnoline (Busch and Klett), 1892, A., 1494.

p-Ethoxycoumarilic acid (Will and BECK), 1886, A., 882.

Ethoxy-o-cresol (LIMPACH), 1892, A.,

β-Ethoxycrotonic acid and its salts (Friedrich), 1883, A., 968.

Ethoxycyano-p-tolenylimide (Glock), 1888, A., 1291.

ethyl Ethoxycymene (cymyl cther) (Jesurun), 1886, A., 696.

iodo- (Willgerodt and Kornblum), 1889, A., 697.

Ethoxydihydroxyanthraquinone from anthrapurpurin (LIEBERMANN and Jellinek), 1888, A., 717.

Ethoxydimethyl/liamidoquinone, chlor-(Kehrmann), 1891, A., 904.

m-Ethoxydimethylaniline, actions of (Grimaux), 1891, A., 693.

Ethoxydimethylbenzidine (Nölting and Wennen), 1891, A., 213.

Ethoxydimethyl-m-diazine (PINNER), 1891, A., 469.

hydrobromide (PINNER), 1889, A., 1006.

Ethoxydimethylpyridine (CANZONERI and Spica), 1887, A., 499; (Conrad and Epstein), 1887, A., 501; (Conrad and ECKHARDT), 1889, A., 520.

Ethoxydiphenyl (Hirson), 1889, A., 510. diamido- (Weinberg), 1888, A., 285. dinitr- (Hirsch), 1889, A., 511.

Ethoxydiphenylamine, (SCHOPFF), 1889, A., 773. dinitro-

Ethoxydiphenyldiethyldisulphone-

phenylenediamine (AUTENRIETH and HINSBERG), 1892, A., 161.

m-Ethoxydiphenyldisulphone-o-phenylenediamine (AUTENRIETH and HINS-BERG), 1892, A., 161.

p-Ethoxydiphenylethylamine (PHILIP and Calm), 1885, A., 155.

p-Ethoxydiphenylquinoxaline (AUTEN-RIETH and HINSBERG), 1892, A., 732.

acid, ... 285; Ethoxydiphenylsulphonic amido- (Weinberg), 1888, A., 285 (Feer and Müller), 1889, A., 258.

Ethoxyethanetricarboxylic acid (Bis-

CHOFF), 1889, A., 45. Ethoxyethylamine (Lossen), 1889, A., 1065.

Ethoxyethylanthranyl (GOLDMANN), 1888, A., 1202.

Ethoxyethylbenzamide (Lossen), 1889, A., 1065.

Ethoxyethylhydroguinoline ethiodide (Kohn), 1886, T., 505. dinitr- (Kohn), 1886, T., 509.

Ethoxyethylhydroquinolium hydroxide (KOHN), 1886, T., 505. Ethoxyethylphenol, nitroso- (KRAUS),

1892, A., 45.

Ethoxyethyltheobromine (Fischer). 1883, A., 357.

Ethoxyhydrocotarnine methiodide (HECTOR), 1890, A., 531.

21-Ethoxyhydrocoumarilic acid (WILL and Beck), 1886, A., 882.

Ethoxyhydroquinoline (FISCHER), 1883. A., 1146; (FISCHER and RENOUF). 1884, A., 1049.

Ethoxymethenyl-amidophenol, -phenylenediamine and -tolylenediamine (Sandmeyer), 1887, A., 135.

Ethoxymethyl ethyl and propyl ketones (ISBERT), 1886, A., 1011.

p-Ethoxymethylaniline (Bischoff and NASTVOGEL), 1889, A., 1012.

Ethoxymethylbenzidine (NoLTING and WERNER), 1891, A., 213.

γ-Ethoxymethyl-ψ-carbostyril (FRIED-LÄNDER and MULLER), 1887, A., 978. B-Ethoxymethylcrotonic acid (FRIED-

пин), 1883, А., 969. Ethoxymethyldiphenyl (ADAM), 1888,

A., 959.

a-Ethoxymethylhydroquinoline (FISCHER), 1883, A., 1147.

Ethoxymethylindole (ERLENBACH), 1892, A., 955.

3-Ethoxy-1-methyl-1-propylbenzene (thymol ethyl ether), 2-bromo- and 2:5-bromamido- (MAZZARA and VIGHI), 1890, A., 883.

Ethoxy-4'-methylquinoline (KNORR), 1887, A., 159.

a-Ethoxynaphthalene, nitro-derivatives of (HEERMANN), 1891, A., 1379.

β-Ethoxynaphthalene (nuphthyl ethyl ether), 1':4'-dinitr- (ONUFROWICZ), 1891, A., 321.

β-Ethoxynaphthalene, 1-nitro-, and action of ammonia on (WITT-KAMPF), 1884, A., 1036.

nitro-derivatives of (GAESS), 1891, A., 459.

α-nitroso- (v. ILINSKI), 1886, A., 474. 4-Ethoxynaphthaquinone, 3-chloro-(ZINCKE), 1888, A., 710.

Ethoxynaphthazine (AUTENRIETH and HINSBERG), 1892, A., 733.

Ethoxynaphthoic acid (GATTERMANN), 1888, A., 575.

Ethoxynaphthyl phenyl ketone (benzoyl-a-thoxynaphthalene) (GATFERMANN, EHRHARDT and MAISCH), 1890, A., 964.

1:4-Ethoxynaphthylamine (amidonaphthyl ethyl ether) and its derivatives (Grandmough and Michel), 1892, A. 862; (HEERMANN), 1892, A., 1097.

Ethoxynaphthylamines and derivatives of (GAESS), 1891, A., 460.

β-Ethoxynaphthylic mono- and di-sulphides (ONUFROWICZ), 1891, A., 322. Ethoxynaphthylphenyl, diamido-

Ethoxynaphthylphenyl, damido-(WEINBERG), 1888, A., 286.

Ethoxyd/nitronaphthylic sulphide (ONUFROWICZ), 1891, A., 321.

Ethoxynitrotoluenesulphonic acid (LIMPRICHT), 1885, A., 1234.

Ethoxynitro-m-xylenesulphonic acid and its salts (LIMPRICHT), 1885, A., 1234.

p-Ethoxyphonanthrazine (AUTENRIETH and HINSBERG), 1892, A., 733.

Ethoxyphenylacetylene (FITTIG and C'LAUS), 1892, A., 989.

p-Ethoxyphenylamidoacetic acid (BIschoff and NASTVOGEL), 1889, A., 1011.

Ethoxyphenyl//ibromonitroethane, mnitr- (FRIEDLÄNDER and LAZARUS), 1885, A., 1138.

p-Ethoxyphenylcarbamide (BERLINER-BLAU), 1895, A., 148. o-Ethoxyphenylchloracrylic acid (Firita and CLATN, 1892, A., 989.

Ethoxyphenyleyanamides, o- and p-(Berlinder at ', 1885, A., 148.

1-p-Ethoxyphenyl-2:3-dimethylpyr-azolone (Sroiz), 1592, A., 1080.

m-Ethoxy-o-phenylenediamine (AUTEN-RIETH and HINSBERG), 1892, A., 160.

Ethoxyphenylethyl-p-tolylamine (HATSCHER and ZEGA), 1886, A., 456.

p-Ethoxyphenylhydrazine and its salts (STOLZ; ALTSCHUL), 1892, A., 1080, 1081.

p-Ethoxyphenylhydrazinesulphonic acid and its salts (Altschul), 1892, A., 1082, 1081.

2-p-Ethoxyphenyl-6-hydroxy-4:5 -dimethyl-m-diazine and -4:5-methylethyl-m-diazine (PINNER), 1891, A.,

Ethoxyphenylic sulphide (Tassinari), 1892, A., 1316.

p-Ethoxyphenylimidodiacetic acid, ethoxyanilide of (Bischoff and Nasyvogel), 1889, A., 1012.

1-Ethoxyphenyl-3-methyl-5-pyrazolone (Srolz), 1892, A., 1080.

5-Ethoxy-1-phenyl-3-methyl-6-pyridazone (ACH), 1890, A., 71.

Ethoxyphenylnaphthastilbazonium chloride, action of heat and of ammonia on (WITT and SCHMIDT), 1892, A., 1217.

hydroxide (Witt and Schmidt), 1892, A., 863.

Ethoxyphenyl-o-naphthylenediamine (Wrrr and Schmidt), 1892, A., 863.

o-Ethoxyphenylpropiolic acid (FITTIG and CLAYS), 1892, A., 989.

3-Ethoxy-1-phenylpyrazoline, 4-broin-(FISCHER and KNOEVENAGEL), 1887. A., 933.

Ethoxyphenylisoquinoline (GABRIEL), 1886, A., 631.

Ethoxyphenylthiocarbamide (Tid-MANN), 1889, A., 1165; (VOLTMER), 1890, A., 1126; 1891, A., 558.

Ethoxyphenylthiocarbamides, o- and p- (Berlinerblau), 1885, A., 148.

Ethoxyphenyltoluene, diamido-(Weinberg), 1888, A., 286.

Ethoxyphenyltoluenesulphonic acid, diamido-(Weinberg), 1888, A., 286.

p-Ethoxyphenyl-p-tolylethylamine (HATSCHEK and ZEGA), 1886, A., 457. p-Ethoxyphenylurethane and some of

p-Ethoxyphenylurethane and some of its derivatives (Köhler), 1884, A., 1159.

Ethoxypiaselenole (HINSBERG), 1890, A., 161.

- p-Ethoxypiazthiole (Autenmeth and) HINSBERG), 1892, A., 734.
- a-Ethoxypropanilide (BISCHOFF and HAUSDORFER), 1892, A., 1337. α-Ethoxypyridine (v. Pechmann and
- BALTZER), 1892, A., 209.
- a-(!)Ethoxypyridine, dichlor- (KOENIUS and (HEIGY), 1884, A., 1369.
- (Fischer and β -Ethoxypyridine RENOUF), 1884, A., 1370; (WEIDEL and BLAt), 1886, A., 77.
- 6-Ethoxypyridine, 2:3:5-trichloro-4amido- (Stokes and v. Pechmann), 1887, A., 157.
- 6-Ethoxy-2-pyridone-3:f-dicarboxylic acid (Gurhzeit and Dressel), 1889, A., 861.
- 3-Ethoxyquinol (WILL and PUKALL), 1887, A., 661.
- 1-Ethoxyquinoline (Fischer), 1883, A., 1146; (Fischer and Renous), 1884, A., 1049.
- 1-Ethoxyquinoline, derivatives of (VIS), 1892, A., 1105.
 - 4-amido- (Vis), 1892, A., 1105.
- 1'-Ethoxy isoquinoline, 3'-chlor-(G.1-BRIEL), 1887, A., 62.
- a-Ethoxy-β-quinolinecarboxylic (FRIEDLANDER and GOHRING), 1884, A., 1020.
- 3-Ethoxy-1:4-quinone (WILL and Pukall), 1887, A., 661.
- 3-Ethoxyquinone, 6-chloro-2.5-diamido-(KEHRMANN), 1891, A., 904.
- p-Ethoxyquinoxaline (AUTENRIETH and HINSBERG), 1892, A., 732.
- p-Ethoxyquinoxalinedicarboxylic acid (AUTENRIETH and HINSBERG), 1892, A., 733.
- o-Ethoxystyrene, α-brom- (FITTIG and CLAUS), 1892, A., 989.
- Ethoxystyrylhydantoin hydrobromide (PINNER and SPILKER), 1889, A., 706.
- Ethoxy-α-styrylpyridine 1890, A., 1459. (Butren),
- Ethoxysuberic acid and its salts (HELL and REMPEI), 1885, (HEMPEL), 1885, A., 756. Α., and
- Ethoxysuccinic acid and some of its salts (PURDIE), 1885, T., 866, 875.
- Ethoxy/sosuccinic acid (TANAT. 1891, A., 175; 1892, A., 1305. (TANATAR), See also Ethylmalic acid.
- a-Ethoxy-ur-tetrahydronaphthalene (BAMBERGER and BORDY), 1890, A.,
- Ethoxytetrahydroquinoline, preparation of methyl- and ethyl-derivatives of (ANON.), 1883, A., 871.
- Ethoxytetramethylenecarboxylic acid (PERKIN and SINCLAIR), 1892, T., 46.

- Ethoxythioxyl chloride, decomposition of, on distillation (Geuther), 1884, A., 1256.
- 2-Ethoxytoluene (tolyl ethyl ether), preparation of (STARDEL), 1883, A., 585.
- brom- and Ethoxytoluene, imido-(SCHREIBER), 1891, A., 552.
- 3-Ethoxytoluene, 4:6-dinitr- and 2:4:6trinitr- (STAEDEL and KOLE), 1891, A., 187.
- 2-Ethoxytoluene-3.5 disulphonic (LIMPRICHT), 1885, A., 1233.
- 2-Ethoxytoluene-4-sulphonic acid (HEFFTER), 1884, A., 454.
- 4-Ethoxy-m-toluic acid (COOH:Me = 1:3) (Brown), 1883, A., 471.
- Ethoxytriphenylmethane (ALLEN and Kölliker), 1885, A., 655.
- 6-Ethoxy-m-xylene-4-sulphonic acid (Lімркіснт), 1885, А., 1234.
- 4 Ethoxy-maxylene-6-sulphonic acid" (Moody), 1891, P., 190.
- Ethyl allyl ether, action of hydrogen chloride and bromide on (KIJNER), 1891, A., 164.
- Ethyl tert.-amyl ether (Kondakoff), 1888, A., 802.
- Ethyl iso-amyl ether, a-chlor- (CLAU's and TRAINER), 1887, A., 231.
 - amyl ketone (Béhal), 1889, A., 227. bromopropyl ether (LESPIEAU), 1892, A., 420.
 - butyl ether (HENRY), 1892, A., 28. isobutyl ether (Meissler), 1887, A., 1088.
 - B-butyl ketone (Wislicenus), 1883, A., 966.
 - isobutyl ketone and oxidation of (WAGNER), 1892, A., 36.
 - isocrotyl ether (Schrschukoff), 1884, A., 1276.
 - a-cyanethyl ketone (HANRIOT and BOUVEAULI), 1889, A., 842.
 - ketoxime (Hana-cyano*iso*propyl RIOT), 1592, A., 80.
- Ethyl ether, production of, by the action of "Aspergillus glancus" on lemon juice (Phipson), 1884, A., 855.
 - vinylic alcohol a constant constituent of (Poleck and Thummel), 1890, A., 118.
 - refractive index and specific gravity of (Oudemans), 1886, A., 437.
 - electrical conductivity of mixtures of ethylic alcohol and (PFEIFFER), 1886, A., 115.
 - heat of combustion of (STOHMANN), 1887, A., 425.
 - thermal properties of (RAMSAY and Young), 1887, A., 320.

Ethyl ether solutions, dilute, cryoscopy of (Pickering), 1892, A., 1045.

expansion of, at various pressures

(GRIMAIDI), 1886, A., 498. temperature of solidification of (OLSZEWSKI), 1884, A., 817.

ZEWSKI), 1884, A., 817.
slow combustion of (Dunstan and Dunoud), 1890, T., 585.
products of the slow combustion of

products of the slow combustion of (Legler), 1883, A., 860; 1886, A., 327; 1889, A., 579.

decomposition of the vapour of, by means of the induction spark (v. Klobukoff), 1866, A., 1003.

action of light on (DUNSIAN and DYMOND), 1890, T., 574, 988; P., 69.

action of light on pure, in presence of moist oxygen (RICHARDSON), 1889, P., 134; 1890, P., 146; 1891, T., 15.

action of ozone on (Dunstan and Dymond), 1890, T., 584.

behaviour of, with sulphuric acid (SCHOLVIEN), 1891, A., 410.

action of sulphuric anhydride on (HUBNER), 1884, A., 1126.

action of, on plant-life (BRENSTEIN). 1888, A., 624.

preservative effect of vapour of, on organic substances (Dubois), 1884, A., 932.

formation of an explosive substance from (CLEVE), 1891, P., 15.

formation of hydrogen peroxide from, influence of temperature on the (RICHARDSON), 1891, T., 56.

conditions under which hydrogen peroxide is formed from (RICHARD-SON), 1889, P., 134; (DUNSTAN and DYMOND), 1890, T., 574, 988; P., 69.

influence of, on the velocity of the hydrolytic action of yeast (O'SUL-LIVAN), 1892, T., 935.

examination of (Vulpius), 1886, A.,

liquid paraffin as a reagent for the presence of water in (C'RISMER), 1884, A., 1073.

separation of, from ethylic bromide (SCHOLVIEN), 1891, A. 410.

primary haloid derivatives (HENRY), 1885, A., 882.

Ethyl ether, chlor- (BACHMANN), 1883, A., 726.

dichlor-, actions of (NATTERER), 1885, A., 365; (WISLICENUS), 1885, A., 366.

s-isodichlor- (cthylidenic chloride), derivatives of (Geuther), 1885, A., 237. Ethyl ether, tri- and tetra-chlor- (Gode-FROY), 1886, A., 607.

Ethyl hexyl ketone (WAGNER), 1892, A., 35.

licaryl ether (BARBIER), 1892, A., 1236.

menthyl ether (BRIHL, 1892, A., 200, 348.

Ethyl mercaptan, action of diazobenzenesulphonic acid and diazobenzene chloride on (STADLER), 1884. A., 1328.

action of iodine on a mixture of sodium benzenesulphinate and (Office and Troofer), 1891, A., 924.

action of, on phenylic salts (SEIFFRT, 1885, A., 1057.

action of phenylearbinide on GOIDschmidt and Meissler), 1890, A., 500.

action of sulphur on (BOITGER), 1884, A., 1282.

compounds of aldehydes and ketones with (BAUMANN), 1887, A., 126.

Ethyl mercaptan, amido- (GABRIEL) 1889, A. 870. hydrochloride (GABRIEL), 1891, A., 815.

Ethyl isopropenyl ether (FAWORSKY), 1889, A., 360.

propyl ether (HENRY), 1892, A.,

propyl ketone, action of methylic iodide and zinc on (Sokoloff), 1888, A., 1170.

oxidation of (WAGNER), 1892, A., 35.

isopropyl ketone (WAGNER), 1892, A., 36.

propyl pinacone, isomeride of (Pen-KIN), 1883, T., 94.

vinyl ether, mono-, di- and tri-chlor-(Godefroy), 1886, A., 606.

Ethylacetanilide (Piciei), 1890, A., 758.

nitration of (NOLTING and COLLIN), 1884, A., 1013.

p-nitr- (Nölting and Collin), 1884, A., 1013.

Ethylacetimide, and its hydrochloride (PINNER), 1883, A., 1090.

Ethylacetone. See Methyl propyl ketone.

Ethylacetonitranilide (Weller), 1883. A., 579.

Ethylacetothienone (SCHLEICHER), 1886, A., 539.

oxime of (Schleicher), 1886, A., 227. nitr- (Schleicher), 1886, A., 227. (NIE-

thylacetotoluidide, m-nitr-

ENTOWSKI), 1887, A., 938. ylacetyl. See also Acetylethyl. ylacetylacetone (COMBES), 1887, А., 653. agnetic rotation of (Perkin), 1892, T., 813, 851. thyl-y-acetylbutyric acid (FITTIG nd Christ), 1892, A., 962. ylacetylene. See Butinene. thyl-8-acetylpropionic acid (Young), 1883, T., 173. nhydride obtained by the distilla-tion of (Young), 1883, T., 180. ylacridine (Volpi), 1892, A., 342. ylæsculetin (WILL), 1884, A., 67. ylaldoxime (Petraczek), 1883, A., ction of azotoluene and diazobenzene on (Mai), 1892, A., 1079. ıylallylamine and its platini- and platino-chlorides (LIEBERMANN and 'AAL), 1883, A., 909. 1ylallylsuccinic acids, isomeric HJELT), 1890, A., 133; 1892, A., 697. ıylallylthiocarbamide (НЕСИТ), 890, A., 477. 1ylamarine (CLAUS and SCHERBEL), .886, A., 237, ylamidoacetic hydrochloride, action of nitrous acid on (Cuntius), 1884, A., 42. nitrite (Currius), 1884, A., 987. 1ylamidoacetocyamidine, reatinine (DUVILLIER), 1886, A., 1016. Ithylamidoacetophenone (V. BAEYER), 1884, A., 1021. hylamidoazobenzenesulphonic acid, sodium salt of (cthyl-orange) (BERNTH-EN and GOSKE), 1887, A., 666. ithylamidobenzamide (FINGER), 1888, A., 948. hylamidobenzoic acid, o-sulpho-, otassium salt of (FAHLBERG and hylamidobenzoic LIST), 1887, A., 835. hylamido-α-butyrocyamidine (Dr-VILLIER), 1884, A., 613. hylamidocarbamidobenzoic acid, and tts salts (GRIESS), 1885, A., 1226. hyl-o-amidocinnamic acid, and ni-

troso- (FISCHER and KUZEL), 1884, A.,

hylamidocresols (STAEDEL), 1883, A.,

derivatives (Duvillier), 1884, A.,

action of cyanamide on (DUVILLIER),

acid,

and

718.

hylamidoethylpiperonylcarboxylic anhydride (Perkin), 1890, T. 1035.

hyl-a-amidohexoic

1883, A., 1154.

440.

Ethylamidohydrocarbostyril (FISCHER and Kuzel), 1884, A., 442. α-Ethylamido-α-naphthaphenazine (Eicker), 1891, A., 470. α-Ethylamido-α-naphthatolazine (Eic-KER), 1891, A., 471. p-Ethylamido-m-nitrobenzophenone (Schöpff), 1892, A., 336. Ethyl-o-amidophenol, chlor- (Knorn). 1889, A., 1219. Ethylamido-β-phenylpropionic nitroso (FISCHER and KUZEL), 1883, A., 1132. Ethylamidopiperonyl-ω-carboxylic anhydride (PERKIN), 1891, T., 158. a-Ethylamidopropionic acid (Duvii.-LIER), 1885, A., 373. α-Ethylamidopropionocyamidine VILLIER), 1885, A., 819. Ethylamine, properties of (V. HOFMANN), 1889, A., 688. magnetic rotatory power of (PERKIN), 1889, T., 691, 729. compressibility of an aqueous solution of (Isambert), 1888, A., 216. nitrification of, by soil (MUNRO), 1886, T., 633. derivatives (GABRIEL), 1888, A., 439; 1891, A., 815. Ethylamine arsenious bromide (LAN-DAU), 1889, A., 211. hydriodide, \$\beta\$-iod- (GABRIEL), 1888, Л., 669. magnetic rotatory hydrochloride, power of (Perkin), 1889, T., 713. hydrogen diaminechromium cyanate (Christensen), 1892, A., 1000. hydrosulphide, vapour-tension (ISAMBERT), 1883, A., 727. picrate (SMOLKA), 1886, A., 453. platinothiocyanate (GUARESCHI), 1892, A., 286. vanadates (BAILEY), 1884, T., 692, 695; (DITTE), 1887, A., 899. Ethylamine, brom-, and its derivatives (GABRIEL), 1888, A., 439; 1889, A., 848, 1134. conversion of, into vinylamine (Gabriel), 1888, A., 1267. B-chlor-, salts of (Garriel), 1888, A., 440. thio-derivatives and seleno-(COBLENTZ), 1891, A., 1216. thio-, and its derivatives (GARRIEL), 1891, A., 816; 1892, A., 130. dithio- (COBLENTZ and GABRIEL), 1891, À., 817. thionyl- (MICHAELIS), 1891, A., Ethylanhydracetonebenzil (JAPP and) Burron), 1887, T., 432; P., 32.

Ethylanhydroecgonine and its derivatives (EINHORN), 1887, A., 741.

(PELLIZZARI), Ethylanildiguanidine 1892, A., 357.

Ethylaniline (PICTET), 1890, A., 758. preparation of (Keinhardt Staedel), 1883, A., 578.

action of phthalic anhydride on (PIUTTI), 1884, A., 448. action of silicon tetruchloride on

(REYNOLDS), 1892, T., 455.

acetyl-derivative, preparation (REINHARDT and STAEDEL), 1883, A., 578.

ethylphenylphthalamate (Pitti), 1884, A., 450.

*Ethylaniline, amido-. See Ethylphenylenediamine.

brom. See Ethylbromaniline. chloro-, hydrochloride (NEMIROW-SKY), 1885, A., 741.

nitr . See Ethylnitraniline.

dinitr- (Hempel), 1889, A., 600.

o-nitronitroso- (HEMPEL), 1889, A., 600; 1890, A., 612.

1:4-nitroso- (FISCHER and HEFF), 1887, A., 244. Ethylanilphthalein (PIUTTI), 1884, A.,

450.

Ethylarecaidine (JAHNS), 1891, A., 95; 1892, A., 739.

β-Ethylasparagine (Piutti), 1889, A.,

Ethylazaurolic acid and its derivatives (MEYER and CONSTAM), 1883, A., 40. Ethylazimidobenzene (HEMPEL), 1890, A., 612.

Ethylazimidotoluene (Nolting and

ABT), 1888, A., 273. Ethylbarbituric acid (CONEAD and

GUTHZEIT), 1883, A., 314. Ethylisobarbituric acid (LEHMANN), 1590, A., 32.

(Goldschmidt Ethylisobenzaldoxime and KJELLIN), 1891, A., 1478.

Ethylbenzaldoximes, a- and \$\beta\$- (Beck-MANN), 1889, A., 607.

Ethylbenzamide [m.p. 67°] (GATTER-MANN and SCHMIDT), 1867, A., 358; (Müller), 1890, A., 43.

Ethylbenzamide, \$\beta\$-brom- (GABRIEL),

1889, A., 1134. B-bromo-m-nitr- (ELFELDT), 1892, A.,

213. B-chlor- (GABRIEL and HEYMANN), 1890, A., 1267.

?-Ethylbenzamide [m.p. 115-116] (GATTERMANN and ROSSOLYMO), 1890, A., 975.

p-Ethylbenzanilide (Simil), 1892, A., 488.

Ethylbenzene (phenylethane), occurrence of, in commercial xylene (Nolting and PALMER), 1891, A., 1197.

dispersive power of (BARBIER and ROUX), 1889, A., 805.

action of heat on (Ferko), 1887, A., 572. action of aluminium chloride on (Heise and Töhl), 1892, A., 1309.

action of chlorine on, in sunlight (SCHRAMM), 1887, A., 807.

action of chromyl chloride on (v. MILLER and ROHDE), 1890, A., 978. action of ethylmalonic chloride on (BÉHAL and AUGER), 1890, A., 493. derivatives of (SUIDA), 1890, A., 134. isomeric derivatives of (Sempotow-

SKI, 1890, A., 54.

Ethylbenzene, o- and p-amido-, derivatives of (PAUCKSCH), 1884, A., 1142; 1885, A., 255.

p-brom- (Aschenbrandi), 1883, A.,

ω-brom-, from styrolene (BERNTHSEN and Bender), 1883, A., 70.

matabrom- (FRIEDEL and CRAFTS), 1886, A., 229.

chloro-derivatives of (ISTRATI), 1885. A., 251; 1886, A., 230, 343.

ωω-dichlor- (Fornen), 1884, A., 1020. chloronitro-derivatives of (ISTRATI), 1888, A., 260.

Ethylbenzene-m- and -p-sulphonic acids (Šempotowski), 1890, A., 54.

Ethylbenzenesulphonic acid, o-amido-(Paucksen), 1885, A., 256.

Ethylbenzene-m-sulphonic acid.o-brom-(Sempotowski), 1890, Λ., 55. Ethylbenzene-o-sulphonic acid, p-brom-

(Sempotowski), 1890, A., 55. Ethylbenzenylamidine (Lossen), 1892,

Δ., 53.

Ethylbenzhydroxamic acids, a- and \$-(Lossey), 1884, A., 1324; 1889, A., 1064; (l'inner), 1884, A., 1325.

Ethyl-unti- and -syn-benzhydroximic acids (Werner), 1892, A., 463, 464. Ethylbenzimide hydrochloride (PIN-

NER), 1883, A., 1090. m-Ethylbenzoic acid (Voswinkel), 1889, A., 39.

p-Ethylbenzoic acid and its sa (Aschenbrandt), 1883, A., 319.

nitr-, and its salts (AscHENBRANDT), 1883, A., 320.

p-Ethylbenzophenoneoximes, unti- and syn- (Sм17н), 1892, A., 488.

Ethylbenzoylacetic acid (PERKIN) 1884, T., 179; (v. BAEYER and Perkin), 1884, A., 63.

(CLAISEN Ethylbenzoylacetone and ' LOWMAN), 1888, A., 692,

acid, Ethylbenzoylcarboxylic o-dichloronitr- (ZINCKE and LAT-TEN), 1892, A., 1229; (ZINCKE and Scharfenberg), 1892, A., 1232.

> lactone of (ZINCKE and LAT-TEN), 1892, A., 1230; (ZINCKE and SCHARFENBERG), 1892, A.,

Ethylbenzoylecgonine (Novy), 1887, A., 1126.

Ethylbenzoyl-d-ecgonine (EINHORN and Marquardt), 1890, A., 913.

Ethylbenzoyl-p-nitranilide (MELDOLA

and Salmon), 1888, T., 779. Ethylbenzoyl. See also Benzoylethyl. Ethylbenzyl. See also Benzylethyl.

Ethylbenzylic cyanide (NEURE), 1889, A., 597.

Ethylbergaptic acid (Pomer anz), 1892, A., 72.

Ethylbismuthine iodide (MARQUARDT), 1887, A., 803.

Ethylborneol (BOUCHARDAT and LAFONT), 1887, A., 596.

Ethyl-p-bromaniline, action of dinzotised m- and p-nitranilines on (MEL-DOLA and STREATFEILD), 1889, T., 423, 428.

Ethylbromisatoid (v. BAEYER and OECONOMIDES), 1883, A., 201.

Ethyl/libromomaleimide (ZANETTI), 1890, A., 907.

Ethylbromopiperonylcarboxylic a.n.hydride, ω-amido- (Perkin), 1890, T., 1017.

Ethylbutane. See n-Hexane.

Ethylbutylacetaldehyde (RAUPEN-STRAUCH), 1887, A., 791.

Ethylbutylbenzene (Barr), 1891, A., 1 166.

Ethylisobutylglyoxaline (oxulethylisoamyline) (Radziszewski and Szui), 1884, A., 986.

Ethylisobutylhydantoin (PINNER and SPILKER), 1889, A., 706.

Ethylisobutylquinol (FIALA), 1886, A.,

s-Ethylisobutylthiocarbamide (HECHT), 1892, A., 702.

a-Ethylbutyrolactone (CHANLAROFF), 1885, A., 374. Ethylcaprolactone. See Hydroxyoctoic

acid, lactone of. Ethylcarbostyril (FRIEDL'INDER and

Weinberg), 1883, A., 204.

Ethyl-\psi-carbostyril and its derivatives • (FREIDLANDER andWEINBERG), 1885, A., 989.

α-Ethylcarboxyphenylacetic acid, imide (cthylhomo-o-phthalimide) (GA-BRIEL), 1887, A., 1113.

 β -Ethylcarboxylphenyl α -methylpyrrole-acetic acid and -m-benzoic acid (PAAL and SCHNEIDER), 1857, A., **274.**

Ethylcarvacrol (Lustic), 1886, A., 346. Ethylcetyl. See Ethylhexadecyl.

Ethylchitenidine (CLAUS), 1892, A., 1250.

Ethyldichloramine, action of, on aromatic amines, and on hydrazobenzene (Pierson and Heumann), 1883, A., 915.

4'-Ethylelichloroisoquinoline RIEL', 1887, A., 1113.

a-Ethyl-β-chlorotetracrylic acid (Koll), 1889, A , 488.

Ethylchrysoidine and its derivatives (NOLTING and STRICKER), 1886, A., 543.

Ethylapocinchenine (Comstock Kõenigs), 1885, Å., 1249.

dibrom- (Comstock and Koenigs), 1888, A., 72.

Ethylopocincheninic acid (Comstock and Koenigs), 1885, A., 1249; 1888, A., 72.

Ethylcinchonamine (HESSE), 1885, A., 66.

α-Ethylcinchonic acid (DOEBNER), 1887, A., 504.

a-Ethylcinnamaldehyde, m-nitr- (v. MILLER and ROHDE), 1889. A., 984.

Ethylcinnamylamide, β-broin-FELDT), 1892, A., 215.

Ethylcinnamylhydantoin (PINNER and SPILKER), 1889, A., 705.

Ethylcitraconic acid and anhydride (FITTIG), 1891, A., 453.

Ethyl-d-cocaine aurochloride (EINHORN and Marquarder, 1890, A., 913.

1-Ethylcomenamic acid(dihydroxyethylpyridinecarboxytic acid) (MENNEL), 1885, A., 1203.

Ethylcoumaric acid (EBERT), 1883, A.,

a-Ethyleoumarin (FITTIG and BROWN), 1890, A., 777.

derivatives of (ALDRINGEN), 1892, A.,

thio- (ALDRINGEN), 1890, A., 624. Ethylcoumarinic acid and its salts (EBERT), 1883, A., 471.

Ethylcoumarinic dibromide (Firrig and CLAUS), 1892, A., 989.

a-Ethylcoumaroxime and its acetate (ALDRINGEN), 1890, A., 624.

a-Ethylcoumarphenylhydrazide (ALD-RINGEN), 1890, A., 624.

Ethylcoumazonic acid (WIDMAN), 1884, A., 304.

Ethylcrotonic acids. See Hexenoic acids. Ethyl-ψ-cumene and its derivatives (Tohl and v. Karchowski), 1892, A., 990.

Ethylcyanacetamide (HENRY), 1887, A., 796.

Ethylcyanethine (v. MEYER), 1883, A.,

Ethylcyanocamphor (HALLER), 1891, Λ ., 1499.

Ethylcystein (Brenzinger), 1892, A.,

Ethyldaphnetins (WILL and JUNG), 1884, A., 1042. Ethyldeoxybenzoin (MEYER and OEL-

KERS), 1888, A., 703. Ethyldibenzoin (JAPP and OWENS), 1885, T., 90.

Ethyldiguanide and its compounds (Емиси), 1883, А., 974.

Ethyldihydrocurcumin (Jackson and MENKE), 1883, A., 481.

Ethyldihydrostyrylpyridine (Plath), 1889, Å., 164.

3'-Ethyl-2':4'-diketodihydroguinazoline (Soderbaum), 1890, A., 1254.

Ethyldiosphenol (SHIMOYAMA), 1888, A., 1205.

Ethyldipropylamine (Passon), 1891, A., 1118.

Ethyldipropylcarbinol (nonylic alcohol) (TSCHEBOTAREFF and SAYTZEFF), 1886, A., 437.

5-Ethyl-2:4-dipropyl-m-diazine, amido-. Sec Cyanpropine.

Ethyldiresoroinyl tetrethyl (Herzic and Zeisel), 1891, A., 75. Ethylene, preparation of (FRANKLAND), 1884, T., 31.

flame, experiments on (Smithells and INGLE), 1892, T., 210.

illuminating power of, when burnt with non-luminous combustible gases (Frankland), 1884, T., 30.

illuminating power of, when mixed with carbonic oxide (FRANKLAND), 1884, T., 36.

illuminating power of, when mixed with marsh gas (FRANKLAND), 1884, T., 37.

illuminating power of, influence of aqueous vapour on the (FRANK-LAND), 1884, T., 232.

illuminating power of, influence of incombustible diluents on the (FRANKLAND), 1884, T., 227.

density of liquid and saturated vapour (CAILLETET and MATHIAS), 1886, A., 758.

Ethylene, absorption coefficient of, in water and in alcohol (HENRICH), 1892, A., 1044.

boiling points of, under low pressures (Olszewski), 1884, A., 1257.

solidifying point of (OLNZEWSKI), 1887, A., 634; 1889, A., 821. action of heat on (DAY), 1886, A.,

781; (Norton and Noves), 1887, A., 226; (LEWES), 1892, T., 329.

action of heat on mixtures of, with benzene, naphthalene and toluene (Ferko), 1887, A., 572. action of aluminium bromide on

(Gustavson), 1886, A., 999.

oxidation of (WAGNER), 1888, A., 665. direct combination of hydrogen with

(Bertheloi), 1883, A., 565. explosion of, with less than its own volume of oxygen (LEAN and BONE), 1892, T., 873; P., 144.

explosion of, with oxygen, under diminished pressure (MEYER and Seuberf), 1884, T., 584, 594.

derivatives of diazoamido-compounds (MeldolaandStreatfeild), 1892, P., 119.

s- and as-dihaloid derivatives of. table of the formulæ and boiling points of the known (HENRY), 1884, A., 831.

hydrate (VILLARD), 1888, A., 1241. Ethylene, bromo-derivatives of (Anschutz), 1884, A., 32.

molecular refraction of (WEEG-MANN), 1888, A., 999.

brom-. See Vinylic bromide.

as-dibrom-, formula of (MICHAEL), 1884, A., 418.

(acctylenic dibromide), s-dibrommolecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of aluminium bromide on benzene and (Anschütz), 1883, A., 807.

as-bromiod- (HENRY), 1884, A., 830, 831.

dibromiod- (Homolka and Stolz), 1885, A., 1198.

chlor-. See Vinylic chloride.

as-dichlor- (HENRY), 1884, A., 719. tetrachlor-, thermochemistry of (Bea-THELOT and MATIGNON), 1891, A., 1311.

as-chloriod- (HENRY), 1884, A., 719,

diod- (acetylenic diiodide), isomeric varieties of (KEISER), 1890, A., 594; (PATERNO and PERATONER), 1890, A., 1219; 1891, A., 654.

(Homolka Ethylene, tetriodand | STOLZ), 1885, A., 1198. nitro-delivatives of (VILLIERS), 1884,

A., 33; 1885, A., 1044.

Ethylene chlorhydrin, preparation of (LADENBURG), 1883, A., 1 (BOUCHARDAT), 1885, A., 498.

action of benzylamine on (GOLDschmiedr and Jahoda), 1891, A., 1351.

action of carbonyl chloride 011 (Nemirowsky), 1885, A., 741; (Orto), 1891, A., 1373.

Ethylene diketones, aromatic (CLAUS, WERNER, SCHLARB and MURTFELD),

1887, A., 827.

Ethylene ethers of the nitrophenols and hydroxybenzoic acids (WAGNER), 1884, A., 433.

Ethylene grouping, refraction equiva-lent of (BRULL), 1887, A., 193.

Ethylene series, some oxides of, and their action on water (ELTEKOFF), 1883, A., 566.

Ethyleneamidobenzoic acids (Schiff and PARENTI), 1885, A., 266.

Ethylene/li-β-amidodi-α-crotonic acid (MASON), 1887, A., 494.

Ethyleneaniline, condensation of, with aldehydes (Moos), 1887, A., 577.

Ethyleneauramine (FEHRMANN), 1888,

A., 157.

Ethylenebisbenzoyl-o-carboxylic acid, action of amines on (BAUMANN), 1887, A., 735.

Ethylenebisphenylenediamine (Gat-TERMANN and HAGER), 1884, A.,

Ethylenebisphenylmethylammonium bromide, and its salts (HUBNER, TOLLE and ATHENSTADI), 1884, A.,

Ethylenebisphenylmethylpyrazolone (cthylenedimethyloxyquinizine) (Pen-KIN and OBREMSKY), 1886, Δ., 936.

Ethylenebistolylmethylamine, and its salts (Hübnen, Tolle and Athenstadt), 1884, A., 1318.

Ethylenebistolylmethylammonium bromide (Hubner, Tolle and Athensтарт), 1884, A., 1317.

Ethylenecarbamide (Fischer Косн), 1886, А., 528.

Ethylenecarbamide, dinitr- (FRANCHI-

MONT and KLOBBIE), 1888, A., 1180. Ethylene-\u00fc-carbamide (GABRIEL), 1889, A., 849.

Ethylenediamine, action of, on acetylacetone (Combes), 1889, A., 851.

action of, on pyrocatechol (MERZ and Ris), 1887, A., 722.

Ethylenediamine, action of, on ethylic dibromosuccinate (Forssell), 1891, A., 1004.

action of, on succinic acid (MASON), 1888, P., 96; 1889, T., 10.

action of, on thioamides (Fons-SELL), 1891, A., 1003; 1892, A., 1247.

action of dithioxamide on (Forssell), 1892, A., 1247.

condensation derivatives of (MASON), 1887, A., 493.

platinothiocyanate (Guareschi), 1892, A., 287.

Ethylenediamines, characteristics (Colson), 1888, A., 139.

Ethylenediamine -dibromo- and -dichloro-praseocobalt salts (Jorgensen), 1890, A., 953.

Ethylenediaminec/ichlorovioleocobalt salts (Jorgensen), 1890, A., 953.

Ethylenediamineluteocobaltic chloride (Jorgensen), 1889, A., 352.

Ethylenedibenzamic acid, and its salts (Schiff and Parenti), 1885, A.,

Ethylenedicarbanilic chloride (HANS-SEN), 1887, A., 578.

Ethylenedimethyloxyquinizine. Ethylenebisphenylmethylpyrazolone.

Ethylenedimorphine (dicodethine) (GRI-MAUX), 1883, A., 359.

Ethylenediphthalimide(GABRIEL), 1887, A., 1037.

Ethylenediquinoline (WARTANIAN), 1891, A., 330.

Ethylenedisuccinamic acid (MASON), 1889, T., 12.

Ethylenedisuccinimide (MASON), 1889, T., 11.

Ethylenedisulphone (Office and CASA-NOVA), 1888, A., 255. Ethylenediurethane (Fischer

Косн), 1886, А., 528. Ethylene-ethenyldiamine Hor-

MANN), 1888, A., 1050. Ethyleneimidothiocarbamate hydro-

(Andreasch), 1883, A., bromide 665.

Ethyleneimine (LADENBURG and ABEL), 1888, A., 441, 1268; (MAJERT and SCHMIDT), 1891, A., 415.

of (Ladenburg derivatives ABEL), 1888, A., 441.

Ethylenelactic acid. See Hydracrylic acid.

Ethylenemalonamide (FREUND), 1884, A., 729.

Ethylenemalonic acid. See Trimethylene-1:1-dicarboxylic acid.

Ethylene-mercaptandipyruvicand-mercaptolepyruvic acids (FASBENDER), 1888, A., 805.

Ethylenemethyl. See Methylethylene. Ethyleneclinitro- carbamide or -ureine (Franchimont and Klobbie), 1889, A., 126.

Ethylene- ψ -selenocarbamide (BARINGER), 1890, A., 880.

Ethylene-ψ-thiocarbamide (GABRIEL), 1889, A., 848.

Ethylenethiocyanosulphonic acid, formation of (JAMES), 1883, T., 40.

Ethylene/lithiodicarbamide (SCHATZ-MANN), 1891, A., 744.

Ethylenetolyl .. See Tolylethylene .. Ethylenic anisyl-imidoanisylthiocarb--thiocarbamate (Foerster), 1888, A., 945.

Ethylenic bases (GABRIEL), 1889, A., 1166; (v. Hofmann), 1891, A., 414. action of heat on the hydrochlorides of (v. Hofmann), 1891, A., 415.

Ethylenic bromide, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of, on alkyl metallic oxides (DE FORCRAND), 1887, A., 544. action of ammonia on (GALEWSKY),

1890, A., 952.

action of dimethyl-p-toluidine and dimethylaniline OH (HUBNER, Tolle and Athenstädt), 1884, A., 1317.

action of ethylic sulphide on (MASSON), 1886, T., 249; P., 168.

action of, on the sodium derivatives of ethylic acetoacetate, henzoylacetate, and acetonedicarboxylate (FREER and PERKIN), 1887, T., 820; P., 95.

action of normal sodium sulphite on (James), 1883, T., 43.

tetranitr- (Losanitsch), 1883, A., 564; (VILLIERS), 1884, A., 33.

Ethylenic carbamate (GATTERMANN), 1888, A., 574. carbonate (Nemirowsky), 1884, A.,

419.

chloride, action of phosphoric chloride on (Colson and Gautier), 1886, A., 680.

action of, on the cornea (Dubois

and Roux), 1888, A., 517.

perchloride, heat of formation of Thomsen), 1883, A., 544.

chlorobromide (chlorobromethane) and some compounds obtained from it (James), Ī883, T., 37.

chlorothiocyanate, preparation (JAMES), 1885, T., 39; 1885, 365; P., 47.

Ethylenic chlorothiocyanate, action of sodium sulphite on (JAMES), 1883, T., 40.

cyanide. See Succinonitrile.

diphenylcarbamide (HANSSEN), 1887, A., 578.

fluoride, hydrolysis of (Chabrié), 1891, A., 281.

Ethylenic glycol in wine (HENNINGER), 1883, A., 631.

preparation of (BOUCHARDAT), 1885, A., 498.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

thermal value of the hydroxyl groups in (DE FORCEAND), 1892, A., 576.

action of ammonium chloride on, at high temperatures (v. Hofmann), 1884, A., 1284.

action of Barterium acction (BROWN),

1887, T., 638. action of carbon oxychloride (NEMIROWSKY), 1884, A., 419.

oxidation of, in alkaline solution with lead peroxide (GLÄSER and MORAWькі), 1890, А., 20.

of, compounds with aldehydes (LOCHERT), 1888, A., 670.

compound of chloral with (DE Forc-RAND), 1889, A., 689.

sodium (DE FORCRAND), 1888, A., 1238.

alcoholates of (DE FORCRAND), 1889, A., 367, 562.

disodium (DE FORCRAND), 1892, A.,

phenylcarbamate (SNAPE), 1885, T., 773.

nitr-, magnetic rotatory power of (Perkin), 1889, T., 684, 726.

Ethylenic imidophenylthiocarbamate (Bertram), 1890, A., 1292.

imidothioacetate hydrobromide (GAB-RIEL and HEYMANN) 1891, A., 702.

imidothiobenzoate hydrobromide (GABRIEL and HEYMANN), 1891, Λ., 701.

mercaptan dibenzonte (GABRIEL and HEYMANN), 1891, A., 701.

a- and \$-naphthylimidonaphthylthiocarbamates (EVERA), 1888, A., 601.

α-naphthyl-thio- and -dithio-carb-amates (EVERS), 1888, A., 602.

nitrate, magnetic rotatory power of (Perkin), 1889, T., 684, 726. action of alkaline solutions on (MIXIER), 1892, A., 692.

nitrite (BERTONI), 1886, A., 217.

Ethylenic cenanthylidenic oxide (Lochert), 1888, А., 670.

oxide, heat of combustion of (BRUHL), 1891, A., 633.

thermochemistry of (BERTHELOT), 1883, A., 174, 275.

action of phosphonium iodide on (DE GIRARD), 1885, A., 1121.

phenylethyl oxide (HENRY), 1883, A., 803.

selenide (HAGELBERG), 1890, A., 950. sodium thiosulphate (Purgotti),

1892, A., 1418. tetraphenyl hazacyanide (KRAFFF and KOENIG), 1890, A., 1253.

thiobenzenesulphonates (Orio and Rossing), 1887, A., 953.

dithiocyanate (James), 1883, T., 40; (PARENTI), 1891, A., 29.

thio-p-toluenesulphonate (O110 and Rossing), 1887, A., 954; (O170 and HEYDECKE), 1892, A., 990.

Ethylethenyltolylenediamine BERG), 1887, A., 817.

Ethyleuxanthones (HERZIG), 1892, A., 1355.

Ethylformanilide (PIOTET and CRE-PIEUX), 1888, A., 689; (PICTET), 1890, A., 758.

Ethylisoformanilide (Comstock Clary), 1892, A., 708. and

Ethylformimide, and its derivatives (PINNER), 1883, A., 731.

Ethyl-fumaramic acid and -fumarimide (Piutri), 1889, A., 591, 590.

Ethylfurfuraldoxime (ODERNHEIMER),

1884, A., 585. Ethylfurfurylcarbinol (PAWLINOFF and Wagner), 1884, A., 1304.

Ethylglutaconic acid (Guinzell and DRESSEL), 1891, A., 179.

111-Ethylglycolylamidocuminic acid (Abenīus), 1890, A., 270.

Ethylglycolyl-p-toluidide (ABENIUS), 1888, A., 851; 1890, A., 269.

Ethylglycolyl-p-xylidide (ABENIUS), 1890, A., 269.

Ethylglycuronic acid, trichlor- (Kulz), 1885, A., 283.

Ethylglyoxaline [b.p. 210°] and its derivatives (WALLACH), 1883, A.,

(oxalpropyline), p-Ethylglyoxaline synthesis of (RADZISZEWSKI), 1883, A., 729.

Ethyl-hemipinamic acid and -hemipinisoimide (Goldschmiedt), 1888, A.,

Ethylhexadecyl (ethylcetyl) from ethylic and hexadecylic iodides (SORABJI), 1885, T., 40.

Ethylhexadecyl-amine and -ammonium iodide (KRAFFT and MOYE), 1889, A., 689.

Ethylhexoimide hydrochloride (PIN-NER), 1883, A., 1090.

Ethylhexylglyoxaline (malethylwnan-thyline) (KARCY), 1887, A., 911.

a-Ethylhomo-o-phthalimide (imide of a-cthylcarboxyphenylacetic acid) (GABRIEL), 1887, A., 1113.

a-Ethylhomo-o-phthalonitrile (GA-BRIEL), 1887, A., 1112.

a-Ethylhomopiperidinic acid (Aschan), 1891, A., 466.

Ethylhydrastamide (FREUND and Неім), 1891, А., 92.

Ethylhydrasteine (FREUND and ROSEN-BERG), 1890, A., 533.

Ethylhydrastimide (FREUND and HEIM), 1891, A., 92.

Ethylhydrastine (Power), 1885, A., 675; (Kersiein), 1890, A., 74; (SCHMIDT and KERSTEIN), 1890, Λ., 649.

ethiodide (FREUND and Rosenberg), 1890, A., 533. hydroxide (Schmidt),

1890. 1169.

Ethylhydrazido- β -phenylpropionic acid (FISCHER and KUZEL), 1883, A., 1132.

Ethylhydroberberine (GAZE), 1890, A., 1012.

derivatives of (LINK), 1892, A., 1499.

Ethylhydrocarbazostyril (Fischer and Ktzel), 1883, A., 1132; 1884, A.,

Ethylhydrocarbostyril (FRIEDLANDER and WEINBERG), 1883, A., 204.

Ethylic salts of αβ-halogenised acids, dehalogenisation of (MICHAEL and SCHULTHESS), 1891, A., 1184. of normal fatty acids, boiling points

and specific volumes of (GARTEN-MEISTER), 1886, A., 966.

Ethylic acet-o-amidohenzoate (WED-DIGE), 1887, A., 1043.

acetamidotolyloxamate (Schiff and Vanni), 1892, A., 599.

acetanilidoacetate and a-acetanilidopropionate (PAAL and OTTEN), 1890, A., 1415, 1416.

Ethylic acetate, formation of, from acetic acid and ethylic alcohol (Menschutkin), 1884, A., 1295.

commercial, preparation of (CLARK), 1883, A., 1080.

action of, on isoamylic and isobutylic alcohols (PURDIE and MARSHALL), 1888, T., 395.

Ethylic acetate, action of, on ethylic phthalate (WISLICENES), 1888, A., Ĩ193.

action of alkaline hydrosulphides on (Gottig), 1886, A., 332.

action of phenylbromacetic acid on (WELTNER), 1885, A., 793.

influence of neutral salts on the rate of hydrolysis of (ARRHENIUS), 1888, A., 340.

compound of, with calcium chloride (Allain Lecanu), 1885, A., 371.

combination of, with magnesium chloride (ALLAIN LECANU), 1885, A., 371; 1886, A., 440.

substituted, hydrolysis of (FREER and DUNLAP), 1892, A., 1148.

Ethylic acetate, amido- (GABRIEL and HEYMANN), 1890, A., 1268. of

chloro-derivatives (DELACRE). 1888, A., 672.

Ethylic acetoacetate (JAMES), 1885, T., 1; (ISBERT), 1886, A., 1009; (NEF). 1892, A., 140; (FREER), 1892, A., 953.

preparation of, from chloracetone (MATTHEWS and Hodgkinson), 1883, A., 311.

synthesis of (v. BAEYER), 1886, A., 223.

synthesis of, from cyanacetone (JAMES), 1886, A., 333.

constitution of (Geuther), 1884, A., 836; (FREER), 1891, A., 1181; (BRÜHL), 1892, A., 583; (V. PECHMANN), 1892, A., 816; (CLAISEN), 1892, A., 1072.

formula of (WEDEL), 1884, A., 835.

magnetic rotation of (PERKIN), 1892, T., 808, 836.

action of the homologues of acetaldehyde on ammonia and (ENGEL-

MANN), 1886, A., 258. action of chlor- and brom-acctone, acetophenone bromide and phenylbromacetic acid on (WELTNER), 1884, A., 746.

action of alcohols on (Peters), 1890, A., 1096.

condensation of, with aldehydes (CLAISEN and MATTHEWS), 1884, À., 443; (PERKIN), 1885, T., 258.

action of alkylamines, amides, and amidines on (Kuckert; Canzo-NERI and SPICA; PINNER), 1885, A., 751.

action of ammonia on (COLLIE), 1885, A., 373; (Conead and Epstein), 1888, A., 253. Ethylic acetoacetate, condensation of henzaldehyde with (MATTHEWS), 1853, T., 206.

action of carbamide on (BEHREND). 1881, A., 583; (Behrend and ERNERT), 1890, A., 1240.

condensation of members of the carbamide-group with (BEHREND).

1886, A., 443. action of, on cinnamaldehyde (Bigi-NELLI), 1890, A., 768.

action of, on dicyanophenylhydrazine (Bladin), 1892, A., 597.

action of, on dextrose in presence of

alcoholic ammonia (BIGINELLI), 1890, A., 732. action of, on aromatic diamines (KNORR; WITT), 1887, A., 247.

action of diazobenzene chloride on (JAPP and KLINGEMANN), 1888, T., 540.

condensations of a-diketones with (JAPP and KLINGEMANN), 1888, P., 114.

action of ethylic B-bromopropionate on (EMERY), 1891, A., 547.

action of ethylenic bromide on (PER-KIN), 1884, A., 64; 1885, T., 828. action of guanidine on (KOHLER), 1886, A., 443.

action of hydrazo-compounds on (v. Perger), 1886, A., 1046.

action of hydroxylamine on (WESTEN-BERGER), 1884, A., 581; (HANTZsen), 1891, A., 740.

action of methyltetramethylenic dibromide on (COLMAN and PERKIN), 1888, T., 197.

action of nitric acid on (PRÖPPER). 1883, A., 573; (CHANCEL), 1883, Λ., 914.

action of phenylhydrazine on (NEF), 1892, A., 142; (FRECR), 1892, A.,

action of propylenic bromide on (PER-

KIN), 1885, T., 850. condensation of, with pyruvic acid (DIETZEL), 1889, A., 593.

condensation of, with quinone (v. PECHMANN), 1889, A., 42.

condensation of, with succinic acid (v. Eynenn), 1889, A., 592.

action of sulphur dichloride on (DE-LISLE), 1887, A., 915. action of thiocarbamide on (LIST),

1886, A., 443; 1887, A., 127. action of trimethylenic bromide on

(PERKIN), 1883, A., 1083; 1887, A., 32.

condensation of, with urethane (MEISTER), 1888, A., 675.

Ethylic acetoacetate, condensationproducts of (HANIZSCH), 1883, A., 1083; (ANSCHUTZ, BENDIX and KERP), 1891, A., 172. stereoisomeric dioximes from (NUSS-

BERGER), 1892, A., 1175.

syntheses with (Knonn), 1887, A., 159, 275, 601; 1888, A., 1111. addition of bromine to (Lippmann),

1883, A., 177; (Duisberg), 1883, A., 656.

introduction of acid radicles into (v. Pechmann), 1892, A., 696.

method for introducing nitrogenous radicles into (JUST), 1885, A., 513. detection of, in unine (LEGAL), 1888,

A., 1346. derivatives of (Wedel), 1884, A., 834; (James), 1885, T., 1; (Is-Bert), 1886, A., 1009; (Schor-Brode), 1890, A., 27.

derivatives of, action of ammonia on (CONRAD and Erstein), 1888, A., 253.

derivatives of, action of nitric acid on (CHANCEL), 1883, A., 914.

acetyl and benzoyl derivatives of (v. Pechmann), 1892, A., 817. aldehydeuramides (Biginelli), 1891,

A., 908; 1892, A., 56. monalkyl-derivatives of, action of

diazo-salts on (JAPP and KLINGE-MANN), 1888, T., 532.

amidobenzoic derivatives of (Pelliz-ZARI), 1891, A., 1484.

dibromide (LIPPMANN), 1883, A., 177. haloid derivatives of (CONRAD), 1883, A., 177; (CONRAD and GUTHZEIT), 1883, A., 1082; (MEWES), 1888, A., 817; (HANTZSOH), 1890, A., 1238; (HALLER and HELD), 1892, A., 697.

sulphur derivatives of (Autenrieth), 1891, A., 201.

chlorination of (Ossipoff), 1889, A.,

chlorine derivatives of (Genuresse). 1889, A., 122.

Ethylic acetoacetate, chlor-, action of nitric acid on (PRÖPPER), 1883, A., 573.

action of thiocarbamide on (Zün-CHER), 1889, A., 725. dichlor-, action of barium thio-

cyanate on (Zürcher), 1889, A., 726.

Ethylic acetoacetated thioglycollic acid (BONGARTZ), 1888, A., 479.

Ethylic acetonedicarboxylate (HALLER and HELD), 1891, A., 171; (v. PECH-MANN), 1891, A., 671; 1892, A., 481.

Ethylic acetonedicarboxylate, magnetic rotation of (Perkin), 1892, T., 812, 839.

action of ammonia on (v. Pechmann and STOKES), 1885, A., 1202;

1887, A., 155. action of ammonia, isobutylamine and aniline on (EMERY), 1891, A., 422.

action of ethylenic bromide on (FREER and PERKIN), 1887, T.,

action of hydrazo-compounds on (v. Percer), 1886, A., 1046.

action of nitrous acid on (v. Pech-MANN), 1891, A., 738.

action of phosphoric chloride on (Burroy and v. Premann), 1887, A., 467.

imido-ethers (HALLER and HELD), 1891, A., 171.

Ethylic acetonedioxalate (C'LAINEN), 1891, A., 426.

Ethylic acetoneoxalate (cthylic acetylpyrurute) (CLAISEN and STYLOS), 1887, A., 917.

refractive and dispersive powers of (Perkin), 1892, T., 854.

magnetic rotation of (Perkin), 1892, T., 820, 854.

conversion of, into s-hydroxytoluic acid (CLAISEN), 1890, A., 364.

coloured compounds from (CLAISEN), 1891, A., 422.

Ethylic acetonitramidobenzoate (ZACH-ARIAS), 1891, A., 912.

acetonylacetoacetate, action of hydrochloric acid on (PAAL), 1885, A.,

derivatives of (PAAL), 1885, A., 218.

acetophenoneacetoacetate Ethylic (Paal), 1884, A., 598.

action of ammonia and primary amines on (LEDERER and PAAL). 1886, A., 75.

action of reducing agents and of hydrochloric acid on (WELTNER), 1884, A., 746.

derivatives of (PAAL), 1885, A., 248.

Ethylic acetophenoneoxalate, magnetic rotation of (Perkin), 1892, T., 833, 864.

acetosodacetate. See Ethylic sodacetoacetate.

aceturate, and its conversion into ethylic acetylglycollate (CURTIUS), 1884, A., 1307.

Ethylic acetylacetoacetate, preparation of (JAMES), 1885, T., 5.

Ethylic acetylacetoacetate, action of sodium ethylate on (James), 1885, T., 8.

decomposition of, by water at the ordinary temperature (JAMES), 1885,

metallic derivatives of (JAMES), 1885, Т., в.

Ethylic acetylacetonedicarboxylate CLAISEN and ZEDEL), 1889, A.,

acetyladipate (Perkin), 1889, P.,

acetylallophanate (Seinel), 1886,

A., 357.

acetylisoamylidineacetate (MAT-THEWS), 1883, T., 202; (Claisev and Matthews), 1884, A., 443. acetylbenzilate (Bickell), 1889, A.,

acetylbenzylideneacetate (CLAISEN MATTHEWS), 1884, A., and 443.

of, on phenylhydrazine action (KNORE and BLANK), 1885, A.,

acetylisobutylideneacetate (Mat-THEWS), 1883, T., 202; (CLAISEN and MATTHEWS), 1884, A., 443.

acetylbutyrate, oxime of (WESTEN-BERGER), 1884, A., 581.

B-acetylisobutyrate (ZANETTI), 1892, A., 74.

(NEF), acetylcarbintricarhoxylate 1892, A., 145; (ČLAISEN), 1892, A., 1070.

acetyltrichlorethylideneacetate (MAT-THEWS), 1883, T., 203; (CLAISEN and MATTHEWS), 1884, A., 443.

a-acetyltrichlorocrotonate (MAT-THEWS), 1883, T., 203.

acetylcitrate (Ruhemann), 1887, T., 404.

a-acetylcrotonate (CLAISEN and MAT-THEWS), 1884, A., 443.

3-acetyldihydro-2:4:6-collidinecarboxylate (Beyer), 1891, A., 1091.

acetylenedicarboxylate (PUM), 1888, A., 1058.

a-acetylfurfuracrylate (MATTHEWS), 1883, T., 204.

acetylfurfuralacetate (CLAISEN and MATTHEWS), 1884, A., 443.

α-acetylglutarate (EMERY), 1891, A., 547.

action of ammonia and aniline on (EMERY), 1891, A., 1187.

acetylglycollate, preparation of (Cur-TIUS), 1884, A., 1307.

acetylhexoate, oxime of (WESTEN-BERGER), 1884, A., 581.

Ethylic B-acetylhydroxy-αβ.dibromopropionate and B-acetylhydroxymethylacrylate (v. PECHMANN), 1892, A., 817.

a-acetyl-β'-hydroxyhydromuconate (NEF), 1892, A., 143.

acetyl-8-imidolmtyrate (CANZONERI and Spica), 1885, A., 750.

acetyllutidonedicarboxylate (CONRAD

and GUTHZEIT), 1887, A., 500. acetylmalonate (CONRAD and GUTHZEIT), 1883, A., 44; (MICHAEL', 1888, A., 1054.

action of, on benzamidine (PIN-

NER), 1890, A., 496. decomposition of, and of its homologues, by nitrous acid (LANG), 1887, A., 717.

acetylmethylacetoacetate 1885, T., 9. $(JAME^{}),$

acetylmethylamidoformate(Klobbie), 1891, A., 293.

acetylmethylhexamethylenecarboxylate and its hydrolysis (FREER and PERKIN), 1888, T., 212, 213.

acetylmethylpentamethylenecarboxylate and its hydrolysis (FREER PERKIN), 1888, T., 197, and

acetylmethyltrimethylenecarboxylate (Perkin), 1884, A., 1155; 1885, T., 850; (PERKIN and STENHOUSE), 1892, T., 67.

acetylphenylhexamethylenecarboxylate (Kipping and Perkin), 1890,

acetylpropionate, oxime of (WESTEN-BERGER), 1884, A., 581.

acetylpropylacetate (CHANCEL), 1883, A., 915.

acetylpyruvate. See Ethylic acetoneoxalate.

Ethylic acetylsuccinate and its homologues, action of ammonia and amines on (EMERY), 1891, A., 544.

action of hydrocyanic acid on (RACH), 1886, A., 1012.

action of nitrous acid on (THAL), 1892, A., 1074.

Ethylic acetyltartronate (CONRAD and Brückner), 1892, A., 39.

acetyltetramethylenecarboxylate, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

acetylthienoneoxalate (ANGELI), 1892 A., 154.

derivatives of (SALVATORI), 1892, A., 303.

acetyldithiocarbamate(CHANLAROFF), 1883, A., 40.

Ethylic α- and β-acetyltricarballylates (Empry), 1891, A., 423.

Ethylic acetyltrimethylenecarboxylate (Perkin), 1885, T., 829; (Freer and Perkin), 1887, T., 825; A., 33.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of isoamylic iodide and sodium ethoxide on (MARSHALL and PER-KIN), 1891, T., 892.

action of phenylhydrazine on (FREER and PERKIN), 1887, T., 839.

action of phosphoric chloride on (FREER and PERKIN), 1887, T., 841.

oxidation of (FREER and PERKIN), 1887, T., 840.

Ethylic acetyltrimethylenedicarboxylate (FREER and PERKIN), 1887, T., 845.

aconitate (RUHEMANN), 1888, A., 255.

action of ethylic sodomalonate on (AUWERS), 1891, A., 546.

acrylate, action of ethylic alcohol on (Purdie and Marshall), 1891, T., 475.

conversion of, into β -alanine (WENDER), 1890, A., 862.

adipate, synthesis of, from ethylic potassium succinate (Brown and Walker), 1890, A., 583.

alkali tartrates (LASSAR-COHN), 1887, A., 918.

Ethylic alcohol (spirits of uine), artichokes a source of (ANON.), 1884, A., 526.

from melon-juice (LEVAT), 1884, A., 233.

formation of, in the fermentation of bread (MARCANO), 1884, A., 532.

manufacture of, from wheat (ANON.), 1883, A., 630.

preparation of (ANON.), 1884, A., 132. purification of (NAUDIN), 1884, A., 645; (CAZENEUVE and CHAPUIS), 1884, A., 1085; (WALLER), 1890, A., 727; (MOHLER), 1891, A., 997.

technical purification of (LUNGE, MEYER and SCHULZE), 1885, A., 708.

purification of, prepared from molasses or beetroot (SALZER), 1883, A., 630.

physical properties of mixtures of, with water (Gerlach), 1886, A., 193; (Farrington), 1890, A., 856.

hydrated, magnetic rotation of (Per-KIN), 1886, T., 780.

Ethylic alcohol (spirits of wine), electrical conductivity of (Pfeiffer), 1886, A., 4.

electrical conductivity of aqueous solutions of (Pfelffer), 1885, A., 1029.

electrical conductivity of mixtures of ether and (Pfeiffer), 1886, A., 115.

electrical resistance of (Foussereau), 1885, A., 1100.

heats of combustion and formation of (BERTHELOT and MATIGNON), 1892, A., 1139.

heat conductivity of (CHREE), 1888, A., 642.

heat conductivity of mixtures of, with water (HENNEBERG), 1889, A., 459.

specific heats of solutions of (Blumcke), 1885, A., 1031; (Timofeeff), 1891, A., 1406.

thermal properties of (RAMSAY and Young), 1885, A., 1178.

thermal properties of a mixture of ethylic oxide and (RAMSAY and YOUNG), 1887, T., 755; P., 91.

cryoscopy of dilute solutions of (Pickering), 1892, A., 1045.

specific gravities of mixtures of carbonic anhydride and (Blumcke), 1887, A., 435.

solidification of (WROBLEWSKI and Olszewski), 1883, A., 781.

Vapour pressures of (RAMSAY and YOUNG), 1885, T., 654; (RICHARD-SON), 1886, T., 762, 768, 771, 773; (SCHMIDT), 1892, A., 397.

alteration of volume on mixing with ether (RAMSAY and YOUNG), 1887, T., 768, 774.

solubility of some substances in a mixture of water and (Bodlander), 1891, A., 791.

conversion of, into aldehyde by "Champignon du muguet" (LINOS-SIER and ROUX), 1890, A., 1179; 1891, A., 854.

decomposition of, by the silent discharge (MAQUENNE), 1884, A., 548

electrolysis of (HABERMANN), 1887, A., 94.

evaporation of, from wooden vats (SCHROBE), 1884, A., 526.

action of Bacterium aceti on (Brown), 1886, T., 175; P., 186.

action of, on the compound (SCN₂H₄₎₈SiBr₄ (REYNOLDS), 1888, T., 857.

action of iodine on (TRAUBE and NEUBERG), 1891, A., 656.

Ethylic alcohol (spirits of wine), action of hot manganese dioxide on vapour of (Donath), 1889, A., 230.

action of metallic alkyl oxides on mixtures of ethereal salts and (PURDIE), 1887, T., 630.

action of potassium dichromate and chlorine on (Gode-FROY), 1884, A., 660.

action of heated zinc dust on a mixture of benzene and (DENN-STEDT), 1890, A., 1429.

of heated zinc dust on piperidine and, products of the (Dennstedt), 1890, A., 1429.

action of zine dust on a mixture of pyrrole and (DENNSTEDT), 1890, A., 1428.

oxidation of, by permanganate (BENE-DIKT and NEUDORFER), 1892, A., 1529.

influence of, on the action of invertase on cane-sugar (O'SULLI-VAN and Tompson), 1890, T., 860.

formation and change of, in the organism (Albertoni), 1888, A., 973.

in the brain in cases of inebriation (Kuijper), 1884, A., 370.

influence of, on metabolism in man (Keller), 1889, A., 288.

influence of, on proteid metabolism (CHITTENDEN and SMITH), 1891, A., 1272.

is it eliminated by the milk? (KLINGE-MANN), 1892, A., 365.

secretion of perspiration by the skin after taking (Bodländer), 1888, A., 977.

compound of, with sodium disulphide (DEMONT), 1891, A., 1170.

compounds of, with stannic chloride (FISCHER), 1885, A., 377.

compounds of, with water (MENDE-LEEFF), 1887, T., 778. supposed hydrates of (PICKERING), 1890, A., 857.

examination of commercial (GIRARD and Rocques), 1889, A., 445; (Borntrager), 1889, A., 552.

alleged tests for (GLADSTONE and TRIBE), 1883, T., 346.

liquid paraffin as a reagent for the presence of water in (CRISMER), 1884, A., 1073.

detection of higher alcohols in (BARDY), 1892, A., 1379.

detection and estimation of, in corpses (SEYDA), 1891, A., 118.

Ethylic alcohol (spirits of wine), detection of impurities in (Gode-FROY), 1888, A., 875; (ROPOTES), 1888, A., 993; (CAZENEUVE), 1889, A., 928; (Borntriger), 1890, A., 669; (Mohler), 1890, A., 1472.

estimation of (Bonlic), 1886, A., 493; (Röse), 1888, A., 1133; (Bene-DIKT and NEUDÜRFER), 1892, A., 1529.

estimation, indirect, of (BLUNT), 1892, A., 543.

estimation of, by Röse's process

(GRUNHUT), 1892, A., 1031. estimation of, by oxidation with potassium dichromate and sulphuric acid (FRANKLAND and FREW), 1891, T., 93.

estimation, halymetric, of, in beer (KLEINERT), 1884, A., 641.

estimation of, in essential oils (HAGER), 1889, A., 445.

estimation of small proportions of, in viscous liquids (Borgmann), 1884, A., 641.

estimation of acetone in denaturised (Vignon), 1891, A., 1142.

estimation of impurities in, by Rose's method (SCALA), 1891, A., 1555.

estimation of methylic alcohol in presence of (VAN DE VYVERE), 1885, A., 600; (HEHNER), 1887, A., 1142.

titration of, with chromic acid (Bour-CART), 1890, A., 1030.

Ethylic alcohol, amido-. See Hydroxyethylamine.

dichlor-, and its derivatives (Del-ACRE), 1887, A., 713.

trichlor-, action and fate of, in the animal organism (Külz), 1885, A., 283.

zine salt of (DELACRE), 1888, A., 663.

nitr- (DEMUTH and MEYER), 1889, A., 366; 1890, A., 857.

sodium salt of (DEMUTH and MEYER), 1890, A., 858.

oxime of (ALEXERFF), 1886, A., 999. Ethylic aldehyde. See Acetaldehyde.

aldehydophenoxyacetates, m- and p-(ELKAN), 1887, A., 258.

allophanyl-glycollate and -α-lactate (TRAUBE), 1889, A., 394, 964.

allophanyltartrate (Thaube), 1889, A., 965.

allylacetate, action of alcoholic sodium ethoxide on (PURDIE and MAR-SHALL), 1891, T., 482.

allylacetoacetate, magnetic rotation of (Perkin), 1892, T., 809.

Ethylic allyleyanacetate (HENRY), 1887, A., 796.

isoallylenetetracai boxylate. Ethylic propanetetracarboxylate.

amidoacetate and its hydrochloride (Currius), 1883, A., 1087; (Currius and Goeber), 1888, A., 576.

p-amidoacetoacetate, and its derivatives (Collie), 1885, A., 373.

condensation products of, with hydrochloric acid (CULLIE), 1887, A., 501.

"amidoacetosuccinate" (CONRAD and Epstein), 1888, A., 253.

o-amidobenzoate, action of ammonia on derivatives of (ZACHARIAS), 1891, A., 912.

m-amidocarboxyphenyloxamate (Schiff), 1884, A., 906.

(ethy/lie 8-amidocrotonate Ethylic B-imidobutyrate), refractive dispersive powers of (Perkin), 1892, T., 861.

magnetic rotation of (PERKIN), 1892, T., 828, 859.

action of heat on (COLLIE), 1891, T., 172.

action of nitrous acid on (KNORR), 1884, A., 1368.

Ethylic m-amidocumate 1888, A., 854. (ABENIUS).

diamidocyanuiate HOFMANN), (v. 1886, A., 931.

diamidodiethylideneadipate (Perkin

and Obremsky), 1886, A., 936. "amidoethylacetoacetate" (Conrad and Epstein), 1888, A., 253.

amidoethylenedicarboxylate (RUHE-MANN and MORRELL), 1891, T., 747; 1892, T., 792.

action of baryta on (RUHEMANN and MORRELL), 1891, T., 749.

B-amido-α-ethylideneglutarate, lactam of (EMERY), 1891, A., 1187.

B-amidoethylidenesuccinate and its derivatives (Emery), 1891, A.,

amidoformic chloride (GITTERMANN and SCHMIDT), 1887, A., 358. β-amidoglutaconate (EMERY), 1891,

A., 422.

"amidomethylacetoacetate" (CONRAD and Epstein), 1888, A., 253.

amidomethylthiazolecarboxylate (ZÜRCHER), 1889, A., 725; (HALLER and HELD), 1892, A., 697.

m-amidophenyllutidinedicarboxylate (LEPETIT), 1887, A., 846.

amidopropionate (Currius and Koch), 1889, A., 376.

Ethylic diamidopyromellitate (NEF), 1886, A., 64; 1887, A., 257; 1888, T., 443.

Ciamidoquinoldicarboxylate, acetvlderivatives of (Bonger), 1888, A., 955.

(Ziamidoquinonedicarboxylate (HAY-TZSCH and ZECKENDORF), 1887, A., 727.

diamidoquinonedihydrocarboxylate (Boniger), 1888, A., 954.

2)-amidoquinonedimalonate LITZ), 1891, A., 455.

22-diamidoterephthalate (v. BAEYER), 1886, A., 445.

u-amidothiazoledicarboxylate (Rub-LEFF), 1891, A., 224.

(Hantzsch), amidothiazylacetate 1890, A., 1238.

μ-amidothiazylacetate (STEUDE), 1891,

A., 743. amidothiazylisobutyrate (Hanrzsch and Schiffer), 1892, A., 697.

mono- and di-amidothiocyanurates (Klason), 1886, A., 523, 524.

amidotolylearbamates, (SCHIFF and VANNI), 1891, A., 702. 1-m-amidotoly-2.5-dimethylpyrrole-

3:4-dicarboxylate (Knorn), 1887, A., 276.

amidotolyloxamate (SCHIFF and Vanni), 1892, A., 1208.

amidovalerate hydrochloride (TAFEL), 1889, A., 961.

ammonium sulphate (Kraffr and Bourgeois), 1892, A., 700.

a-isoamyl-β-amidocrotonate (Peters), 1890, A., 1097.

amyliedisulphide (Orroand Rossing), 1887, A., 212.

isoamylmalonate (PAM and Hoff-MANN), 1890, A., 1099.

B-amyloxyquartenylate (Enke), 1890, A., 865.

isoninylquinol (FIALA), 1886, A., 451. angelate (Beilstein and Wiegand), 1885, A., 42.

action of alcoholic sodium ethoxide on (PURDIE and MARSHALL), 1891, T., 482.

anilidoacetate, and nitrite of (Kossel), 1892, A., 468, 469.

B-anilidoacrylate (V. PECHMANN), 1892, A., 818.

a-anilidobutyrate (NASTVOGEL), 1889, A., 1013.

anilidocrotonate, action of methylic iodide on (Conrad and Eckhardt), 1889, A., 508.

α-anilido-α-cyanopropionate(GERSON), 1887, A., 260,

Ethylic β-anilido-α-ethylidenoglutarate. lactam of (EMERY), 1891, A., 1187. anilidoformacetate (PAAL and OTTEN), 1890, A., 1415.

2:5-anilidonitrobenzoate (Gron-

MANN), 1892, A., 326.

anilidotrinitrophenylmalonate (JACKson and Bentley), 1892, A., 1218.

nitrite (Jackson and Bentley), 1892, A., 1217.

anilidotrinitrophenyltartronate

(JACKSON and BENTLEY), 1892, A., 1218.

B-anilidophenylacrylate (CONRAD and Lімрасн), 1888, A., 505.

anilidophenylsuccinate (HELL and Poliakoff), 1892, A., 820.

a anilidopropionate (NASTVOGEL), 1889, A., 1012.

anilidopyrotartaramate (SCHILLER-WECHSLER), 1885, A., 900.

anilidoisosuccinamate (Genson), 1887,

anilidosuccinate (Kusserow), 1889, A., 1064.

anisate, melting point of (Perkin), 1889, T., 551.

anisenylamidoximecarboxylate (MIL-LER), 1890, A., 145.

anisylhydroxamate (PIEPER), 1883, A., 462.

a- and β-aspartates (PIUTTI), 1889, A., 382, 381.

constitution of (PIUTTI), 1889, A.,

isortropate. See Ethylic truxillate. azinethylenedicarboxylate (Currius and Lang), 1892, A., 453.

formation of, from azinsuccinate, ethylic diazoacetate (Currius), 1885, A., 886.

azinsuccinates (Currius and Koch), 1885, A., 885.

azo-. See under Azo-.

benzamidoxalacetato (Wislicenus), 1891, A., 922.

benzamidylcarbamate (PINNER), 1891, A., 59.

m-henzammalonate (SCHIFF), 1884, A., 906.

benzam-sebate and -succinate (PELLIZ-ZARI), 1885, A., 534, 538.

benzanisylhydroxamates, a- and B-, and decomposition of, by heat (PIEPER), 1883, A., 461.

benzeneazocamphocarboxylate (HAL-

LER), 1892, A., 1344. benzenediazo- $\Delta^{1.4}$ - and $-\Delta^{2.5}$ -dihydroterephthalates (v. BAEYER and v. BRUNING), 1891, A., 1487.

Ethylic benzenediazoterephthalate (v. BAEYER and v. BRUNING), 1891. A., 1487.

p benzenedihydrazo- Δ^{1} and $-\Delta^{2}$ 5dihydroterephthalates (v. BAEYER, JAY and JACKSON), 1891, A., 1486. benzenesulphinate (Orro and Ros-

sing), 1885, A., 1231.

benzenesulphonate (Krafft and Roos), 1892, A., 1220.

benzenesulphone-o-amidobenzoate (Franke), 1892, A., 334.

benzenetrisulphonate (Jackson and Wing), 1888, A., 159.

benzenylamidoximecarbonate (FALCK), 1885, A., 1217.

benzenylamidoxime-m-carboxylate (Muller), 1886, A., 808.

benzenyl-amidoximeoxalate and -azoximemethenylcarboxylate (WURM), 1890, A., 258, 259.

benzhydroxamate (PIEPER), 1883, A., 462.

benzhydroximate (TIEMANN KRUGER), 1885, A., 790; (KRUGER), 1885, A., 896.

benzilate (KLINGER and STANDKE), 1889, A., 885.

benzoate, amido-, salts of (GABRIEL and HEYMANN), 1890, A., 1267.

benzoic sulphinide (FARLBERG and List), 1887, A., 835.

Ethylic benzoylacetate (v. BAEYER and Perkin), 1884, A., 63; (James), 1885, T., 10.

preparation of (Perkin), 1884, T., 174; (CLAISEN and LOWMAN), 1887, A., 583.

magnetic rotation of (Perkin), 1892, Ť., 831, 861.

condensation of, with benzaldehyde (Perkin), 1885, T., 258.

action of bromine on (RENDER), 1888, A., 1189.

action of ethylenic bromide (PERKIN),1884,A.,64; 1885,T.,836. condensation of, with furfuraldehyde (Perkin and Stenhouse), 1891, T., 1011.

action of phosphorus pentachloride on (Perkin), 1885, T., 256.

condensation of, with sodium succinate (FITTIG and SCHLOESSER), 1888, A., 1089.

condensation of, with succinic acid

(Firtig), 1889, A., 592. action of trimethylenic bromide on (PERKIN), 1883, A., 1083; 1887, A., 32.

condensation products of (PERKIN), 1885, T., 280.

Ethylic benzoylacetate, reduction of | (PERKIN), 1885, T., 253.

derivatives of (STIERLIN), 1888, A., 1088, 1298.

copper salt of (JAMES), 1885, T., 10; (Feist), 1891, A., 459.

pyrazoline derivatives from (Knorn and KLOTZ), 1887, A., 1121.

stereoisomeric dioximes from (Nuss-BERGER), 1892, A., 1175.

Ethylic benzoylallylacetate (PERKIN), 1885, T., 241.

preparation of, and decomposition products of (Perkin), 1884, T., 186.

benzoylisobutylacetate (Perkin and CALMAN), 1886, T., 165.

benzoyleyanacetate and its salts (Haller), 1886, A., 240; 1887, A., 1031.

heat of neutralisation of (HALLER and Guntz), 1888, A., 894. 3-benzoyldihydro-2:4:6-collidinecarb-

oxylate (Beyer), 1891, A., 1091.

benzoyl-a-dimethyl-p-difurfuran-B-dicarboxylate (IKUTA), 1892, A., 610.

m-benzoyldimethyldifurfurandicarboxylates, α- and β- (HANTZSCH), 1887, A., 262.

o- and p-benzoyldimethyldifurfurandicarboxylates (NUTH), 1887, A.,

benzoylethylacetate (Perkin), 1885,

T., 241. and its decomposition products (Perkin), 1884, T., 179, 180.

β-henzoyl-α-ethylisosuccinate (Drr-TRICH and PAAL), 1889, A., 257.

benzoylhomoconate (BAUM), 1886, A., 562.

(Curtius benzoylmalamate Koču), 1887, A., 31.

benzoylmalonate (BISCHOFF), 1883, A., 912.

benzoylmethylacetate (PERKIN and CALMAN), 1886, T., 156.

and Stenhouse), 1891, T., 999. benzoyl-1-methyldibyda. benzoylmethylallylacetate

3-benzoyl-1-methyldihydrocollidinecarboxylate (BEYER), 1891, A., 1091. benzoylmethyltrimethylenecarboxyl-

ate (Perkin and Stennouse),1892, T., 84.

benzoylnitrosoacetate, preparation and properties of (Penkin), 1885, T., 243.

benzoyl-nand -iso-propylacetates (PERKIN and CALMAN), 1886, T.,

benzoylpyruvate (BEYER and CLAIsen), 1887, A., 943.

Ethylic benzoylsantonite (CANNIZZARO and Carnelulli), 1883, A., 77.

benzoylsuccinate, preparation and properties of (Perkin), 1885, T., 272.

decomposition products of (Per-KIN), 1885, T., 274.

B-benzoyl isosuccinate (Bischoff), 1883, A., 912.

benzoyltetramethylenecarboxylate (PERKIN), 1883, A., 1083.

benzoyltrimethylenecarboxylate (PERKIN), 1885, T., 836, 840.

benzoyltrimethyltrifurfurantricarboxylate (LANG), 1887, A., 263.

benzylacetoacetic-o-carboxylate (Bu-

Low), 1887, A., 144. a-benzylacetylglutarate (FITTIG and Сипіст), 1892, А., 962.

benzylallylsulphonacetate (MICHAEL

and PALMER), 1885, A., 986. benzylbenzoylacetate and its hydrolysis (Perkin and Stenhouse), 1891, T., 1006, 1007.

benzylbutanetricarboxylate (CHOFF and WALDEN), 1889, 959; (Bischoff and Mintz), 1890,

benzylisobutanetricarboxylate CHOFF and MINTZ), 1890, A., 774.

benzylcyanosuccinate (BARTHE), 1889, A., 708.

benzyldicarboxyglutaconate (GUTH-ZEIT and DRESSEL), 1891, A.,

action of ammonia on (Ruhemann and Morrell), 1891, T., 748.

phenylhydrazine on action of (RUHEMANN and MORRELL), 1892, T., 795.

4-benzyl-2:6-dimethylhydropyridine-3:5-dicarboxylate (JEANRENAUD), 1888, A., 965.

benzylethanetricarboxylate (B14-CHOFF and MINIZ), 1890, A., 771.

benzylethyldicarboxyglutarate(Gutu-ZELF and DRESSEL), 1891, A., 179.

benzylidenebenzoylacetate, preparation and properties of (Perkin), 1885, T., 260, 262.

benzylidenediacetoacetate, and the action of bromine on (HAN 125CH), 1886, A., 77.

benzylidenedibenzoyldiacetate (Buch-NER and CURTIUS), 1885, A.,

4-benzylidene-2:6-dimethyldihydropyridine-3:5-dicarboxylate STEIN), 1886, A., 257.

Ethylic 4-benzylidene-2:6-dimethylpyridine-3:5-dicarboxylate (Erstein), 1886, A., 258.

benzylidenemalonate, action of ethylic sodacetoacetate on (BREDT),

1891, A., 712.

and its carboxylic acid (CLAISEN and CRISMER), 1884, A., 444.

benzyliodomalonate (BISCHOFF and HAUSDÖRFER), 1887, A., 916.

benzylpropanetricarboxylate (Bischoff and Mintz), 1890, A., 774. bisdinitrophenylacetate (v. Richter),

1888, A., 1189. brassate (REIMER and WILL), 1887,

A., 233.

a-bromacetate, action of potassium eyanide on (Zelinsky and Birschichin), 1889, A., 377.

bromacetate, chlor- (HENRY), 1884,

A., 421.

bromacetoacetate (NEF), 1892, A., 143; (HALLER and HELD), 1892, A., SIS.

dibromadipate (RUHEMANN and BLACKMAN), 1890, T., 372.

tetrabromadipate (RUHEMANN and DUFTON), 1891, T., 753.

dibrom-o-amidophenylvalerate hydrochloride (DIEHL and EINHORN), 1887, A., 486.

bromanilidodinitrophenylmalonate (JACKSON and BANCROFT), 1890, A., 982.

α-bromethylacetoacetate (NEF), 1892, A., 144.

ω-bromethylacetoacetate (FREER and PERKIN), 1887, T., 833; A., 33. bromethylamido-α-crotonate (Ga-

bromethylamido-a-crotonate BRIEL), 1891, A., 817.

bromide, molecular refraction and

dispersion of (GLADSTONE), 1891, T., 295.

bromide, bromination of (MEYER and MÜLLER), 1892, A., 577, 1414.

p-bromobenzenesulphonate (Krafft and Roos), 1892, A., 1220.

p-bromobenzoate (ERRERA), 1887, A., 1107.

a-bromobutyrate, action of triethylamine on (DUVILLIER), 1890, A., 234. a8-dibromobutyrate (PALMER), 1889,

A., 686; (MICHAEL and SCHULT-HESS). 1891, A., 1184.

a-hromoisobutyrate, action of, on ethylic propylmalonate and isopropylmalonate (BISCHOFF and TIGERSPEDT), 1890, A., 1103.

bromocinnamate, conversion of, into ethylic benzoylacetate (MICHAEL and BROWNE), 1886, A., 703.

Ethylic α-bromocinnamates, action of phenylhydrazine on (RUHEMANN), 1892, T., 279.

bromoctylate (AUWERS and BERN-HARDI), 1891, A., 1190.

a-bromeenanthylate (Hell and Schule), 1885, A., 757.

bromofumarate (Pum), 1888, A., 1058.

action of potassium ethoxide on (MULDER and WELLEMAN), 1889, A., 376.

γ-bromoisohexoate (Bredt), 1886, A., 531.

dibromohydromuconate (RUHEMANN and DUFTON), 1891, T., 752,

di- and tetra-bromoketipates (FIIITG, DAIMLER and KELLER), 1889, A., 491.

mono- and di-bromomaleates (Рим), 1888, A., 1058.

bromomaleate, action of potassium ethoxide on (MULDER and WELLE-MAN), 1889, A., 376.

bromomalonate (Knoevenagel), 1888, A., 707. action of potassium acetate on

action of potassium acetate on (Connad and Bruckner), 1892, A., 39.

bromomethylacetoacetate (RUBLEFF), 1891, A., 223.

a-bromomethylacetoacetate (NEF), 1892, A., 144.

bromomethylpentamethyleneace toacetate (FREER and PERKIN), 1888, T., 211.

bromo-\$\beta-naphthoate (EKSTRAND), 1891, A., 934.

bromodinitrophenylacetoacetate

(JACKSON and MOORE), 1889, A., 781; 1890, A., 772.

bromodinitrophenylmalonate (Jackson and Robinson), 1888, A., 1091; 1890, A., 377; (Jackson), 1889, A., 880.

nitrite (Jackson and Bentley), 1892, A., 1219.

bromotrinitrophenylmalonate (JACK-SON and MOORE), 1890, A., 497.

action of nitric acid on (JACKSON and BENTLEY), 1892, A., 1217. nitrite (JACKSON and BENTLEY),

1892, A., 1217. dibromodinitrophenylmalonate (Jackson and Bancroff), 1890,

A., 982. bromotrinitrophenyltartronate (JACKson and BENTLEY), 1892, A., 1218. dibromopentanetetracarboxylate

(PERKIN and PRENTICE), 1891, T., 827.

Ethylic dibromophenylpropionate, melting point of (Aronstein and Hol-LEMAN), 1889, A., 878.

bromophloroglucinoldicarboxylate (Bally), 1888, A., 956.

a-bromopropionate (ZELINSKY), 1887, A., 912; (Duvillier), 1890, A., 234.

action of potassium cyanide on (ZELINSKY), 1889, A., 122.

action of silver on (HELL and ROTHBERG), 1889, A., 371.

bromopropylacetoacetate, preparation of (Liff), 1886, A., 218. bromopyronucate (Hill and SAN-

GER), 1886, A., 447.

/labromoquinonehydrodicarhoxylate (Boniger), 1868, A., 954.

dibromoquinoneterephthalate (STIEG-LITZ), 1891, A., 456.

bromostearate (Auwers and Bernнакы), 1891, А., 1190.

bromosuccinate, action of ammonia on (Können and Menozzi), 1887, A., 1031.

action of α - and β -naphthylamines on (HELL and Poliakoff), 1892, A., 860.

Ethylic dibromosuccinate, action of aniline on (LOPATINE), 1887, A., 1046.

action of ethylenediamine on (Fous-

SELL), 1891, A., 1004. action of, on ethylic malonate (Per-KIN), 1884, A., 1300.

action of potassium ethoxide (MULDER and WELLEMAN), 1889, A., 376.

action of silver on (GORODETZKY and HELL), 1888, A., 937.

action of zine on (MICHAEL and 1891, A., 1 1 A., 1338; (MI-Schulthess), (CLAUS), 1891, A., CHAEL), 1892, A., 40.

Ethylic dibromo-2:4:6-trimethyl-pyridine- and -hydropyridine-3:5-dicarboxylates, dibromides of (HAN rzsch), 1883, A., 82.

a-bromovalerate (Juslin), 1885, A., 137.

bromoisovalerate, action of silver on (HELL and MAYER), 1889, A., 372. action of trimethylamine on (Du-VILLIER), 1890, A., 956.

a-bromisovalerate, action of, on sodium malonic ether (RUNER), 1884, A., 423.

bromundecylenate (Noendlinger), 1890, A., 1237.

butaneheptacarboxylate (BISCHOFF), 1888, A., 1061.

Ethylic butanehexacarboxylate (Bisсногг), 1883, А., 912.

butanetetracarboxylate (Bischoff and RAUCH), 1885, A., 240.

butanepentacarboxylate (EMERY), 1891, A., 424.

butane- $\omega_2\omega_2$ -tetracarboxylate кіх), 1886, А., 934; 1887, Т., 19. butanetricarboxylate (Роцко), 1888,

A., 131; (BISCHOFF and V. KUHL-BERG), 1890, A., 743.

isobutanetricarboxylate (LEUCKART), 1885, A., 1201; (Barnstein), 1888, A., 135; (BARTHE), 1889, A., 588; (Bischoff and v. Kuhlberg), 1890, A., 743; (Bischoff), 1891, A., 292.

β-isobutoxyquartenylate (Enke), 1890, A., 865.

a-isobutyl-B-amidocrotonate (PEIERS), 1890, A., 1097.

β-isobutylamidoglutaconate (ΕΜΕΚΥ), 1891, A., 422

isobutylparaconate (FITTIG and KRAENCKER), 1890, A., 874. butyrate, production of, by ferment-

ation (JACQUEMIN), 1890, A., 1455. action of sodium on (BRUGGE-MANN), 1888, A., 1176.

action of, on ethylic isobutyrate, oxalate (Wislicentis), 1888, A., 1193.

action of sodium on (BRUGGEMANN), 1888, A., 1176; (Hantzech), 1889, A., 372.

α-butyrobutyrate (HAMONET), 1890, A., 235.

n- and iso-butyrocyanacetates (HAL-LER), 1888, A., 818.

butyromalonate (LANG), 1887, A., 717. camphocarboxylate (Rosen), 1886, A., 249; (BRUHL), 1892, A., 348.

action of sodium benzyloxide on (Minguin), 1892, A., 74.

camphorates and isocamphorates (Friedel), 1892, A., 500.

camphorimidoacetate (HALLER and Акти), 1887, А., 1031.

(Tingle), 1890, T., 655. camphoroxalate

camphorylmalonate (WINZER), 1890, A., 1150.

so-called carbacetoacetate, (Polo-NOWSKA), 1886, A., 1011; (HANTZып), 1892, А., 819.

Ethylic carbamate (urcthanc) and its derivatives (JACQUEMIN), 1886, A., 1085; (MULDER), 1888, A., 1063. in the alcoholic extract of normal

urine (JACQUEMIN), 1888, A., 878; (JAFFE and COHN), 1890, A., 654.

of p-chloro-phenylhydrazine on (HEWITT). 1891, T., 211.

condensation of, with ethylic acetoacetate (MEISTER), 1888, A., 675.

decomposition of (ARTH), 1854. A.,

731; 1886, A., 692. an hypnotic (v. Jaksen), 1886, A., 572. therapeutic action of (MAIRET and COMBEMALE), 1886, A., 640.

chlor- (Nemirowsky), 1885, A., 741; (Gattermann), 1888, A., 574.

Ethylic carbamidotolyloxamate (SCHIFF and VANNI), 1891, A., 834, 908; 1892, A., 603, 1208.

carbamylphenylcarbamate {carboxycthyl-o-amidobenzumide) (ABr), 1889, A., 610.

carbanilate, conversion of, into amidobenzoic acid (HENTSCHEL), 1885, A., 792.

carbanilido-2: 4-dimethylpyrrole-3and -5-carboxylates (KNORR), 1887, A., 277, 276.

carbonate, thio-derivatives of (KLAson), 1887, A., 1029.

carbonates, heats of combustion of (Lucinin), 1884, A., 547.

isocarbopyrotritarate (Knonn), 1889, A., 3§5.

carboxyacetoacetate (Claisen), 1892, A., 1070.

α-carboxy-β-acetylglutarate (Connan and Guthzeir), 1886, A., 336.

carboxycarbamate (WURTZ and HEX-NINGER), 1885, A., 969.

carboxy-2:5-dimethylpyrrolylacetate (Knorr), 1886, A., 332. carhoxyethylacetoacetate (MICHAEL),

1892, A., 1179. a-carboxyethylpimelate (SCHLEICH-

ER), 1892, A., 427. carboxyglutarate (EMERY), 1891, A., 547.

carboxyphenyl-sebate and -succinate (Pellizzari), 1885, A., 534, 533. chelidamate (LERCH), 1885, A., 46.

chloracetate, action of, on primary diamines (ZIMMERMAN KNYREM), 1883, A., 797. (ZIMMERMANN and

action of sodium on (FITTIC and ERLENBACH), 1888, A., 1052, 1269; (ERLENBACH), 1692, A.,

chlor- (HENRY), 1884, A., 421. dichloracetate, action of, on barium thiocyanate (Zurcher), 1889, A.,

726.

action of, on the sodium derivative of ethylic malonate (Bishor and Perkin), 1891, P., 41.

Ethylic carbamate (urethune), action | Ethylic chloracetoacetate, constitution of (HANIZ-CH and SCHIFFER), 1892, A., ri97.

action of nitric acid on (PRÖPPER), 1883, A., 573.

tion of phenylhydrazine (BENDER), 1888, A., 53. action of

action of sodium phenylmercaptide on (Otro and Rossing), 1891, A., 712.

dichloracetoacetate, action potassium cyanide on (JAME-), 1887, T., 289; P., 25.

chloracetoacetates (HALLER Held), 1889, A., 588.

tetru- and pentu-chloracetoacetates (Genvresse), 1889, A., 123. dichloradipate (Ruhemann), 1890,

T., 939. chloralimidocarboxylate (Mosche-

LES), 1891, A., 1003. chloranilate (KEHRMANN), 1890, A.,

chlorethenyltricarboxylate (Bin-

сноғғ), 1883, А., 45. dichlorethenyltricarboxylate (BIS-

сно**г** and RACH), 1885, A., 244. mono- and di-chlorethylacetoacetates (Isbert), 1886, A., 1010.

dichlorethylcrotonate (FREER Perkin), 1887, T., 843.

trichlorethylidenemalonate (KOMNE-NOS), 1884, A., 423.

chloride, nitr- (DEMUTH and MEYER), 1890, A., 858.

chlorimidocarbonate (SANDMEYER), 1886, A., 611.

p-chlorobenzenesulphonate (KRAFFT and Roos), 1892, A., 1220.

tetrachlorobenzoate (Tust), 1887, A., 1046.

chlorobromomalonate (CONRAD and BRUCKNER), 1892, A., 39.

chlorobutanetricarboxylate (Bis-(HOFF), 1890, A., 1101.

Ethylic chlorocarbonate (l'AWLEWSKI), 1892, A., 963.

action of, on nitrogenous organic matter (v. MEYER), 1885, A., 140.

action of, on potassium cyanate (WURTZ and HENNINGER), 1885, A., 968.

action of, on salts of fatty and aromatic acids (R. and W. Otto). 1888, A., 813.

action of, on sodium formate, acetate, etc. (R. and W. O1ro), 1891, A.,

decomposition of, by zinc chloride (Ulsch), 1885, A., 376.

TZSCH and ZECKENDORF, 1887, A., 727.

chloroformate, chlorine substitution products of (MULLER), 1890, A., 1095.

chlor- (Nemirowsky), 1885, A., 741.

chlorofumarate (Perkin), 1888, T., 700.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295. action of ammonia on (PERKIN), 1888, T., 702.

y-chloroisohexoate (BREDI), 1886, A.,

trichloro-p-hydroxybenzoylfurfurana-methyl-\$\beta\$-carboxylate (IKUTA), 1892, Å., 609.

 $tetrachloro-\alpha$ -hydroxy- and dichlorohydroxyketo-hydrindenecarboxylates (ZINCKE and ARNST), 1892,

A., 858. chlorolevulinate, action of, on ethylic sodomalonate (CONRAD GUTHZEIF), 1886, A., 336.

action of phenylhydrazine on (BEN-DER), 1888, A., 1188.

chloromaleate (PERKIN), 1888, T., 708.

chloromalonate, action of phenylhydrazine on (BURMEISTER and MI-CHAELIS), 1891, A., 1068.

chloromalonate (CONRAD BRUCKNER), 1892, A., 39. dichloromalonate and

a-chloromethylacetoacetate (Rub-LEFF), 1891, A., 223.

B-dichloromuconate (RUHEMANN and ELLIOTI), 1890, T., 933.

chloronaphthalenesulphonate (CLEVE), 1889, A., 155.

αβ-dichloro-naphthyl-, -propyl- and -iso-propyl-carbamates(OTio),1891, A., 1374.

dichloronicotinate (SEYFFERTH), 1887, A., 158.

o-chlorophenylhydrazidopyruvate (HEWITT), 1891, T., 211.

αβ-dichloro-phenyl-, propyl- and -isopropyl-carbamates (OT10), 1891, A., 1374.

B-chlorophthalate (GRAEBE and REE), 1886, T., 529.

dichlorophthalate (LE ROYER), 1887, A., 832.

chloropropenyltricarboxylate (Bis-CHOFF), 1890, A., 1101.

B-dichloropropionate (FROMME and Отто), 1887, А., 913.

aβ-dichloro-propyl- and -isopropylcarbamates (ŌTTO), 1891, A., 1374.

Ethylic tetrachlorodiketoadipate (HAN- Ethylic dichloro-propyl- and -isopropylchlorocarbonates (OTIO), 1891, A., 1374.

di- and tri-chloropyromucates (HILL and JACKSON), 1890, A., 600, 601. trichloroquinolacetoacetate (IKUTA),

1892, Ā., 608. p-dichloroquinoldiacetoacetate (IKU-

TA), 1892, A., 609.

dichloroquinoldicarboxylate (HAN-TZSCH and ZECKENDORF), 1888, A., 278; (HANTZSCH and HERR-MANN), 1888, A., 954.

p-dichloroquinoldimalonate (SIIEG-LITZ), 1891, A., 455.

trichloroquinoneacetoacetate (IKUTA), 1892, A., 608.

p-dichloroquinonediacetoacetate(IKU-TA), 1892, A., 609.

additive products of (IKUTA), 1892, A., 610.

dichloroquinonedicarboxylate (HIN-TZECH and ZECKENDORF), 1887, A., 727.

dichloroquinonedihydrodicarboxylate (HANTZSCH and ZECKENDORF), 1888, A., 278.

p-chloroquinonedimalonate (STIEG-LITZ), 1891. A., 455.

chloro-thio- and -perthio-carbonates (Klason), 1887, A., 1029, 1080.

chlorothioformate (BERGREEN), 1888, A., 445.

chloroxalate (Anschütz), 1890, A., 236.

chrysylcarbamate (ABEGG), 1891, A., 730.

cinchonate (VAN DER KOLF and VAN LEENT), 1889, A., 1017.

Ethylic cinnamate, refractive power of, at different temperatures (Perkin), 1892, T., 301.

polymerisation of (LIEBERMANN), 1889, A., 1196.

conversion of, into methylic cinnamate (Purdie), 1887, T., 628. additive compound of, with ethylic

sodacetoacetate (MICHAEL FREER), 1891, A., 914.

Ethylic o- and p-cinnamates, preparation of (STUART), 1883, T., 408.

cinnamic diazoacetate (Buchner), 1888, A., 1275.

cinnamidoximecarboxylate (Wolff), 1890, A., 42.

cinnamoylcyanacetate 1888, A., 1298. (HALLER),

cinnamoyldiethylacetate (MAT-THEWS), 1883, T., 205, 207; 1888, P., 102; 1889, T., 38; (CLAISEN and MATTHEWS), 1884, A., 444.

Ethylic cinnamoyldiethylacetate, di-bromide (MATTHEWS), 1883, T.,

cinnamoylethylacetate (MATTHEW-), 1893, T., 207; (CI VISEN and MATтнем»), 1884, А., 444.

citra//bromopyrotaitiate (Michari. and Schreiness), 1891, A., 1185. citraconate, magnetic rotation of (PER-KIN), 1857, P., 99; 1858, T., 581, 591.

action of ethylic sodomalonate on (MICHAEL and SCHULTHESS), 1892, A., 590.

cocaylhenzoylhydroxyacetate (EIN-HORN). 1889, A., 420.

creosolearboxylate (WENDE), 1887,

crotonate, action of ethylic alcohol on (Purdic and Marshall), 1891, Ť., 478.

cumate, m-amido- (ABENITS), 1888,

cumylacetoacetate (WIDMAN), 1889, A., 1183.

ψ-cumylcarbamate (FRENTZEL), 1889, A., 241.

↓-cumylizinacetoacetate (HALLER). 1885, A., 818.

cumylmalonate (WIDMAN), 1889, A., 1182.

cuproacetonedicarboxylate (Dünsch-MANN and V. PECHMANN), 1891, A., 673.

Ethylic cyanacetate (HALLER), 1887, A., 797.

action of, on aniline (QUENDA), 1892, A., 1072.

action of, on organic bases (GUARES-

CHI), 1892, A., 1071. condensation of, with henzaldehyde (CARRICK), 1890, A., 1270; 1892,

A., 1086. action of hydroxylamine on (Mo-DEEN), 1892, A., 139.

Ethylic dicyanacetate (HALLER), 1890, A., 1395.

cyanacetoacetate (JAMES), 1887, T., 287; P.,25; (Haller and Held), 1887, A., 799, 1029. heat of neutralisation of (Haller

and Guntz), 1888, A., 894. derivatives of (HELD), 1889, A.,

1141. homologues of (HALLER), 1888, A.,

(HALLER 2-cyanacetoacetate and

Held), 1892, A., 819. cyanate, molecular weight of (PA-

TERNÒ and NASINI), 1890, A., 725. See also Cyanetholine.

Ethylic cyanethinecarboxylate MEYER), 1985, A., 140. cyanide. See Propionitrile.

o- and m-cyanobenzoates (MULLER), 1886, A., 803.

p-cyanobenzoate (Muller), 1885, A., 1227.

n-evanolienzylacetate (GABRIEL and Нагумалл), 1859, А., 1172.

o-dicyanobenzylacetoacetate BRIEL and HAUSMANN), 1889, A.,

o-dicyanobenzylmalonate (HATS-MANN), 1889, A., 1172.

cyanocinnamamate (CARRICK), 1892, A., 1087.

a-cyanocinnamate (CARRICK), 1892, A., 1086.

cyanoconylcarbamate (v. Meyer) 1885, A., 140.

cyanodiphenylsuccinate (POPPE), 1890, A., 504.

cyanomalonate (HILLER), 1887, A., 1030; 1889, A., 858.

heat of neutralication of (HAL-LER and GUNTZ), 1888, A., 894.

α-cyanopropionate (Zelinsky), 1889, A., 122.

additive compound of hydrogen cyanide with (ZELINSKY and Вітесніснік), 1892, А., 1301.

cyanopyruvate, oxime of (Fleisch-HAUER), 1892, A., 431.

eyanosuccinate (HALLER and BAR-THE), 1888, A., 937; (ZELIN-SKY and BITSCHICHIN), 1889, A., 377.

synthesis by means of (BARTHE), 1889, A., 588.

cyanotricarballylate (HALLER and BARTHE), 1888, A., 937; (MUL-LER), 1892, A., 1181.

cyanurate, molecular weight of (PA-TERNO and NASINI), 1890, A., 725.

action of phosphorus pentuchloride and of ammonia on (PONOMA-REFF), 1886, A., 216.

additive compounds of, with cyanogen bromide (MULDER), 1886, A., 38.

isocyanurate (Ponomareff), 1886, A., 217.

vapour density of, at different temperatures (KRAPIRVIN and ZELINSKY), 1889, A., 1128.

anurocarboxylate (WURTZ HENNINGER), 1885, A., 969. cyanurocarboxylate (Polonowska), *iso*dehydracetate 1886, A., 1011.

Ethylie dehydrobenzoylacetate, preparation and properties of (PERKIN), 1885, T., 283.

dehydrolenzy lidenediacetoacet ite (HANTZSCH), 1886, A., 77.

dehydrocholate (LAS-AR-COHN,, 1892, A., 741.

dehydrodiacetylacetonedicarboxylate (CONRAD and GUTHZEIT), 1886, A., 333.

dehydrophotosantonate (VILLAVEC-

(HIA), 1886, A., 74.

diacetoacetate, refractive and dispersive powers of (PERKIN), 1892, T., 857.

magnetic rotation of (PERKIN), 1892, T., 823, 854.

diacetoxy-succinosuccinate

-terephthalate (NEF), 1890, A., 986. ad-diacetyladipate (PERKIN and OB-REMSKY), 1886, A., 936.

aa1-diacetyladipate (PERKIN), 1889, P., 141; 1890, T., 204, 215. tion of phenylhydrazine on

action (PERKIN), 1890, T., 221.

decomposition of, by heat (PER-KIN), 1890, T., 224.

diacetyldiamidopyromellitate (NEF), 1888, T., 446.

diacetylcomenamate, and its monacetyl-derivative (Ost), 1885, A.,

aw-diacetyl-aw-diethylpimelate (KIP-PING and PERKIN), 1890. T., 30.

aa'-diacetyl-aa'-dimethyl-Ethylic pimelate (KIPPING and MACKEN-ZIE), 1890, P., 117; 1891, T., 569; P., 110.

preparation of (KIPPING and MACKENZIE), 1891, T., 571.
hydrolysis of (KIPPING and MAC-

KENZIE). 1891. T., 580. decomposition products of (KIPPING and MACKENZIE), 1891, T., 569;

P., 110. dihydrazone of (KIPPING and MAC-KENZIE), 1891, T., 573.

Ethylic diacetylenedicarboxylate BAEYER), 1885, A., 1198.

diacetylfumarate (Just), 1886, A., 141.

aß-diacetylglutarate (KNORR), 1886, A., 332.

aw-diacetylhexoate (KIPPING and PERKIN), 1889, T., 333.

action of alcoholic ammonia on (Kipping and Perkin), 1889, Ť., 339.

diacetylmethyladipate and its decomposition by heat (PERKIN and STENHOUSE), 1892, T., 73, 75.

aw-diacetyl-a-methylhexoate Ethylic (Kipping and Perkin), 1889, T., 345.

aß-diacetylpropionate (Ossipoff), 1890, A., 863.

diacetylracemate (PERKIN), 1887, T.,

Ethylic diacetylsuccinate, action of, on primary ammonia and amines (KNORR), 1885, A., 554.

action of, on ammonia, hydroxylphenylhydrazine and(KNORR), 1885, A., 994, 995.

action of nitrous acid on (THAL),

1892, A., 1074.

hydrolysis of (Knorr), 1889, A., 385. derivatives of (KNORR), 1889, A.,

dioxime of (Munchmeyer), 1886, A., 877.

Ethylic diacetyltartrate (PERKIN), 1887, T., 368.

crystalline form of (SORET), 1886, A., 619.

diacetyltetramethylenedicarboxylate (PERKIN and OBREMSKY), 1886, A., 937.

aw-diacetylvalerate and hydrolysis of (PERKIN), 1890, T., 228, 229.

anallylacetonedicarboxylate HARD), 1892, A., 434.

diallyldicarboxyglutarate (GUTHZEIT and Dressel), 1890, A., 879. diallylmalonate (MATVEEFF), 1889,

A., 124.

magnetic rotation of (PERKIN), 1886, T., 209; P., 153.

dianilidosuccinate (GORODETZKY and Hell), 1888, A., 951.

dianisylimidothiocarbamate STER), 1888, A., 945.

See under Azo-.

dibenzoylacetate, preparation of (Per-KIN), 1885, T., 246, 248.

preparation and properties of (PER-KIN and STENHOUSE), 1891, T., 1000.

action of phenylhydrazine (PERKIN and STENHOUSE), 1891, Ť., 1005.

dibenzoylacetoacetate (NEF), 1892, A., 145.

dibenzoylcomenamate (Ost), 1885.

dibenzoyldioxy-pyromellitate and -terephthalate (NEF), 1890, A., 985, 986.

aw-dibenzoylhexoate (KIPPING and Perkin), 1889, T., 347.

dibenzoylmethylacetate (PERKIN and STENHOUSE), 1891, T., 1005; P., 43. Ethylic α-dibenzoyloxysuccinosuccinate · Ethylic diethylacetoacetate, condensa-(NEF), 1890, A., 986.

Ethylic dibenzoylsuccinate (v. BAEYER and Perkin), 1884, A., 838. preparation of (PERKIN and SCHLOES-

SER), 1890, T., 949.

preparation and properties of (Per-KIN), 1885, T., 263.

action of sulphuric acid on BAEYER and PERKIN), 1884, A., 838; (PERKIN), 1885, T., 271.

decomposition products of (Perkin), 1885, T., 265.

Ethylic dibenzylacetoacetate (FITTIG and CHRIST), 1892, A., 963.

aa'-dibenzylacetonedicarboxylate (DUNSCHMANN and V. PECHMANN), 1891, A., 674.

dibenzylcarbamate (HAMMERICH), 1892, A., 1084.

dibenzyldicarboxyglutarate (GUTH-ZEIT and DRESSEL), 1890, A., 879.

dibenzyldihydroxyterephthalate (NEF), 1890, A., 986.

(Bischoff dibenzylmalonate and SIEBERT), 1887, A., 952.

dibenzylpentanetetracarboxylate (PERKIN and PRENTICE), 1891, T.,

di isobutylamineoxalate (MALBOT), 1891, A., 284.

di isobutylpentanetetracarboxylate (PERKIN and PRENTICE), 1891, T., **841.**

di isobutylpimelate (Perkin and PRENTICE), 1891, T., 842.

dicarbontetracarboxylate (CONRAD and GUTHZEIT), 1883, A., 46; 1884, A., 297; (BISCHOFF and RACH), 1885, A., 244, 264; (Bischoff and HAUSDÜRFER), 1887, A., 916.

dicarboxyglutaconate, action of ammonia on (Ruhemann and Mor-RELL), 1891, T., 745; 1892, T., 791.

action of phenylhydrazine on (RUHEMANN and MORRELL), 1892, T., 793.

alkyl substitution products of (GUTHZEIT and DRESSEL), 1891, A., 178.

dicarboxyglutarate (Guthzeit and DRESSEL), 1888, A., 1061.

dicinnamylcyanacetate (HALLER), 1888, A., 1298.

diethoxyacetoacetate (ERLENBACH), 1892, A., 955.

diethylacetoacetate, action of ammonia on (JAMES), 1886, T. 58.

tion of benzaldehyde with (MAT-THEWS), 1883, T., 205.

action of phosphorus pentuchloride on (JAMES), 1886, T., 50.

aa' diethylacetonedicarboxylate (DUNSCHMANN and V. PECHMANN), 1891, A., 673.

diethyl-monoand -di-chloracetoacetates (JAMES), 1886, T., 52. 54.

action of sodium methoxide on (JAMES), 1886, T., 54, 56.

diethyleyanosuccinate (ZELINSKY and BITSCHICHIN), 1889, A., 377.

diethyldicarboxyglutarate (GUTHZEIT and Dresser., 1890, A., 878.

B-diethyldisulphonebutyrate MANN), 1887, A., 123.

diethylethanetetracarboxylate (Bischoff), 1888, A., 1061.

diethylmalonate (Schukowski),1889, A., 1179.

diethylpentanetetracarloxylate (Per-KIN and PRENTICE), 1891, T., 533. diethylpimelate (PERKIN and PREN-TICE), 1891, T., 834.

diethylprotocatechuate (HERZIG), 1884, A., 846.

dihydrodiamidopyromellitate (NEF), 1890, A., 983.

a-dihydrodibenzyldihydroxyterephthalate (NEF), 1890, A., 986.

dihydrodibenzoyldioxy-pyromellitate and -terephthalate (NEF), 1890, A., 986, 987.

dihydrogen hydrocamphorylmalonate (WINZER), 1890, A., 1151.

dihydrogen phosphate (Lossen and Köhler), 1891, A., 1014.

dihydroxybutanetetracarboxylate (Polonowsky), 1888, A., 1067.

dihydroxydicarboxyphenylacetate Cornelius and v. Pechmann), 1886, A., 802.

dihydroxydurylate (NEF), 1888, T.,

m-a-dihydroxymethylcoumarilate (LANG), 1887, A., 263.

dihydroxypropionate (CURTIUS and Косн), 1889, А., 376.

dihydroxypropyldicarboxyldiphenylallophanate (WIDMAN), 1884, A., 1023.

dihydroxypyromellitate (NEF), 1888, T., 447.

dihydroxyquinonedicarboxylate (HANTZSCH and LOEWY), 1886, A., 354.

and its hydro-derivatives (Böni-GER), 1889, A., 878.

Ethylic dihydroxytartrate (Anschütz and Geldermann), 1891, A., 725; (Anschutz and Parlato), 1892, A., 1181.

dihydroxyterephthalate (NEF), 1890, A., 986.

p-diketohexamethylenetetracarboxylate (NEF), 1887, A., 257; 1888, T., 455.

derivatives of (NEF), 1889, A., 509.

diketohydrindenecarboxylate (Wisli-CENUS), 1888, A., 1193.

dimethoxydiethylacetoacctate (James), 1886, T., 57.

dimethoxytercuhthalate (NEF), 1890, A., 986.

aa'-dimethylacetonedicarboxylate (DÜNSCHMANN and V. PECHMANN), 1891, A., 674.

2:4-dimethyl-5-acetylpyrrole-8-carboxylate (MAGNANINI), 1889, A., 57

dimethylamidobenzeneszophenyldimethylpyridinedicarboxylate (LE-PETIT), 1887, A., 1053.

2:6:4-dimethyl-isobutyl- and -isopropyl-hydropyridine-3:5-dicarboxylates (Engelmann), 1886, A., 259.

2:6-4-dimethyl/sobutylpyridine-3:5dicarboxylate (ENGELMANN), 1886, A., 260.

dimethylisobutyrylacetate (Wohlвийск), 1887, А., 1099.

dimethyldicyano- adipate and -pimelate (Zelinsky), 1892, A., 430.

dimethyldicyanoglutarate (ZELIN-SKY), 1890, A., 132.

dimethyldicarboxyglutarate (GUTH-ZEIT and DRESSEI), 1890, A., 878. a8-dimethylglycidate (MELIKOFF and ZELINSKY), 1888, A., 1056.

2:6:4-dimethylhexyl-pyridine-3:5-dicarboxylate and -hydropyridinedicarboxylate (JAECKLE), 1888, A., 1104.

dimethylhydropyridinedicarboxylate (GRIESS and HARROW), 1888, A., 1313.

dimethylic phosphate (Lossen and Köhler), 1891, A., 1015.

dimethyloxypyridinecarboxylate (Collie), 1891, T., 174.

brom- (COLLIE), 1891, T., 175. dimethylpentanetetracarboxylate (PERKIN and PRENTICE), 1891, T.,

aa'-dimethylpimelate (KIPPING and MACKENZIE), 1890, P., 117; 1891, T., 571, 575; (PERKIN and PREN-TICE), 1891, T. 831. Ethylic-2:6:4-dimethylpropyl-hydropyridine- and -pyridine-3:5-dicarboxylates (JAECKLE), 1888, A., 1103, 1101.

dimethylpyridinecarboxylate [b.p. 260] (CANZONERI), 1885, A., 751.

αγ-dimethylpyridine-β-carboxylate (Michael), 1885, A., 1244.

2: 6-dimethylpyridine 3: 5-dicarboxylate (Engelmann), 1886, A., 259.

2:6:4-dimethylpyridone-3:5-dicarboxylate (Conrad and Guthzeit) 1886, A., 334.

2:6:4-dimethylpyrone-3:5-dicarboxylate (CONRAD and GUTHZEIT), 1887, A., 502; (PERATONER and STRAZZERI), 1891, A., 1334.

action of ammonia and of primary amines on (CONRAD and GUTH-ZEIT), 1887, A., 500.

action of phosphoric sulphide on (GUTHZEIT and EPSTEIN), 1887, A., 920.

2:5-dimethylpyrrolinecarboxylate, formation of (Hantzsoh), 1890, A., 1155.

2:5-dimethylpyrroline-3:4-dicarboxylate (Knorn), 1884, A., 1368; 1885, A., 248, 554, 994.

2:4-dimethylpyrroline-3:5-dicarboxylate (Knorr), 1887, A., 276.

antidimethylsuccinate (BISCHOFF and Voit), 1889, A., 490.

dimethylsuccinosuccinate (v. BAE-YER), 1892, A., 1182.

dimethyltetrazonedicarboxylate (KLOBBIE), 1891, A., 293. dimethylthiazolecarboxylate

(HANTZSCH), 1889, A., 724. αβ-dimethylumbelliferonecarboxylate

(V. PECHMANN), 1892, A., 432. dioxysuccinate (Annohütz and Par-Lato), 1892, A., 1181.

diphenacylacetoacetate (PAAL and HOERMANN), 1890, A., 258.

diphenacylbenzoylacetate (KAPF and PAAL), 1888, A., 839.

diphenacylmalonate (Kuesand Paal), 1887, A., 261.

diphenoxymalonate (CONRAD and BRUCKNER), 1892, A., 40.

diphenylacetosodacetate (Hodekinson), 1886, P., 189.

diphenylanilidoacetate (KLINGER and STANDKE), 1889, A., 885.

diphenylazimethylenedicarboxylate (Currius and Land),1892, A., 453.

diphenylearbamyl-dibromo- and -dichloro-quinoldicarboxylates (GOLD-SCHMIDT and MEISSLER), 1890, A., 500, 499. Ethylic diphenyl-chloracetate and -cyanacetate (BICKEL), 1889, A., 999.

5-diphenyl-α-dimethyldipyrrol-1ethylene-β-dicarboxylate (PAAL and SCHNEIDER), 1887, A., 273.

β-diphenyl-α-ethylsulphonebutyrate (AUTENRIETH), 1891, A., 205.

aa-diphenylfurfuran-8-carboxylate (KAPF and PAAL), 1889, A., 148.

diphenylfurfurandicarboxylate (PER-KIN and CALMAN), 1886, T., 167.

diphenylhydrazinediacetyladipate (Perkin), 1889, P., 111; 1890, T., 221.

diphenylimidodihenzylmalonate (Just), 1886, A., 150.

β-diphenylimidolactate(Weise), 1889, A., 253.

diphenylizindiacetyladipate (Perkin and Obremsky), 1886, A., 936.

diphenylizin-diacetylsuccinate and succinosuccinate (KNORR and BULOW), 1884, A., 1882, 1381. \$-diphenyllactate (WEISE), 1889, A.,

253. diphenylmethanecarbamate (MANNS),

1889, A., 261. 1:5-diphenyl-3-methylpyrazole-4-

1:5-diphenyl-3-methylpyrazole-4carboxylate (KNOR and BLANK), 1885, A., 556.
1.3-diphenyl-5-methylpyrazole-4-

1.8-diphenyl-5-methylpyrazole-4carboxylate (Knorn and Blank), 1895, A., 810.

diphenylpropionate (Henderson), 1891, T., 735.

diphenylpyrazolecarboxylate (BEYER and CLAISEN), 1887, A., 944.

2:6:4-diphenylpyrone-3:5-dicarboxylate (FEIST), 1891, A., 459; (DÜNNCH-MANN and v. PECHMANN), 1891, A., 675.

2:5-diphenylpytrole-β-carboxylate (KAPF and PAAL), 1888, A., 840; 1889, A., 148.

diphenylisosuccinate, preparation of (HENDERSON), 1891, T., 731.

B-diphenylsulphonebutyrate (AUTEN-RIETH), 1891, A., 204.

2:5-diphenyl-1-o- and p-tolylpyrrolecarboxylates (PAAL and BRAI-KOFF), 1890, A., 263.

diphthalate (GRAEBE and JUILLARD), 1888, A., 154.

dipropyldicarboxyglutarate (GUTH-ZEIT and DRESSEL), 1890, A., 878.

dipropyl- and disspropyl-pentanetetracarboxylates (Ferkin and Prentice), 1891, T., 836, 839.

dipropyl- and dissopropyl- pimelates (Perkin and Prentice), 1891, T., 837, 840. Ethylic disulphaminebenzoate (FAHL-BERG and LIST), 1887, A., 836.

ditannacetoacetate (Borringen), 1892, A., 181.

p-ditolylearbamate (HAMMERICH), 1892, A., 1084.

1:2-m-ditolyl-3-methylpyrazolonecarboxylate (v. Penger), 1886, A., 1046.

duroquinonecarboxylate (NEF), 1887, A., 255.

eegonate (LIEBERMANN),1891, A., 749. erucate (REIMER and WILL), 1887, A., 283.

ethanetetracarboxylate (CONRAD and BISCHOFF), 1883, A., 46: (BISCHOFF), 1883, A., 912; 1888, A., 1061; (CONRAD and GUIHZLIF), 1884, A., 297; (BISCHOFF and RACH), 1885, A., 211, 264.

cthanetricarboxylate (Bischoff), 1883, A., 45; 1890, A., 742; (Bischoff and v Kuhlbeng),

1890, A., 742.

physical constants of alkyl-derivatives of (BISCHOFF and WAL-DEN), 1890, A., 745.

ethoxy-acetoacetate and -chloracetoacetate (Erlenbach), 1892, A., 954, 953.

ethoxyethylacetoacetate (Isbert), 1886. A., 1010.

1886, A., 1010. 6-ethoxy-2-hydroxypyridine-3:5-dicarboxylate (GUTHZEIT and DRES-SEL), 1891, A., 939.

2'-ethoxy-4'-hydroxyquinoline-3'carboxylate (Bischoff), 1889, A.,

ethoxyhydroxyquinoxalineacetate (AUTENRIETH and HINSBERG), 1892, A., 733.

ethoxymethylacetoacetate (Isnert), 1886, A., 1010.

ethoxyoctoate (HANTZSCH), 1889, A., 372.

ethoxyoxalacetate (Wislicenes and Scheidt), 1891, A., 545.

phenylhydrazone (WISLICENTS and SCHEIDT), 1892, A., 458.

o-ethoxyphenylglycinate (VATER), 1884, A., 1144.

6-ethoxy-a-pyrone-3:5-dicarboxylate (GUTHZEIT and DRESSEL), 1889, A., 860; 1891, A., 939.

6-ethoxy-a-pyridone-3:5-dicarboxylate (furnzer and Dressel), 1891, A., 939.

β-ethoxyquartenylate (Koll), 1889, A., 488.

ethoxysuccinate (PURDIE), 1885, T., 866.

Ethylic ethylacetoacetate, magnetic rotation of (PERKIN), 1892, T., 809, 837.

action of diazobenzene chloride on (JAPP and KLINGEMANN), 1888, T., 587.

bromine derivatives of (WEDEL), 1884, A., 835.

sulphur derivatives of (AUTENRIETH), 1891, A.. 204.

Ethylic ethylacetonedicarboxylate (Dunschmann and v. Pechmann), 1891, A., 673.

a-ethylacetylglutarate (FITTIG and CHRIST), 1892, A., 962.

β-ethylacetylsuccinate, decomposition of (Young), 1883, T., 172, 175; A., 456.

ethylbutanetricarboxylate (BIS-GHOFF and HJELF), 1888, A., 1057; (BISCHOFF and MINTZ), 1890, A., 744.

ethylisobutanetricarboxylate (BISCHOFF and MINTZ), 1890, A., 744. ethylcomenamate hydrochloride

(MENNEL), 1885, A., 1203. ethylcyanacetate (HENRY), 1887, Λ.,

ethylcyanacetoacetate (Held), 1884, A., 727; 1889, A., 1141.

ethyldicarboxyglutarate (GUTHZEIT and DRESSEL), 1891, A., 179.

a-ethyl-\$\text{\$\text{diethyldisulphone}\$butyrate} (\Delta v \text{renrie} i \text{\$\texit{\$\text{\$\texitex{\$\text{\$\text{\$\text{\$\text{\$\texitit{\$\text{\$\texit{\$\texit{\$\text{\$\texit{

ethylenedi-B-amido-a-crotonate (MASON), 1887, A., 494.

ethylenediamidoformate and its nitroderivative (FRANCHIMONF and KLOBBIE), 1889, A., 125.

ethylenecarbanilate (HANSSLN), 1887, A., 578.

ethylenedicarbamate (RHOUSSOPOU-LOS). 1891, A., 1195.

ethylenedicarbonate(WALLACH),1885, A., 254.

ethylenephenoloxybenzoates (WAGNER), 1884, A., 435.

a-ethylenetricarboxylate (Bishor and Perkin). 1891, P., 41.

ethylethanetetracarboxylate (BIschoff and RACH), 1885, A., 244.

ethylethauetricarboxylate (BARTHE), 1889, A., 588; (Bischoff and V. Kuhlberg), 1890, A., 743.

ethylideneacetoacetate, magnetic rotation of (PERKIN), 1892, T., 810, 837. ethylidene-malonate and -dimalonate

(KOMNENOS), 1884, A., 422. ethylimidophenylethylthiocarbamate (BERTRAM), 1890, A., 1291; 1892, A., 466.

Ethylic ethylmalonate (DAIMLER), 1887, A., 360.

ethyloxalacetate (ARNOLD), 1888, A., 1179.

ethylpiperidinebetainesalts(Krüger), 1891, A., 943.

ethylpropanetricarboxylate (Bischoff and Mintz), 1890, A., 743.

ethylsantonite (CANNIZZARO and CARNELUTTI), 1883, A., 78.

ethylurethanephenylacetate(Kossel), 1892, A., 469.

ferrocyanide (FREUND), 1888, A., 571. fluoride (MOISSAN), 1888, A., 1262; 1889, A., 363.

hydrates of (VILLARD), 1890, A., 1386.

o-formate (HULLEMAN), 1890, A., 582. formylacetate. See Ethylic β-hydroxyacrylate.

fulminurate (SEIDEL), 1892, A., 690. isomer of (SEIDEL), 1892, A., 1417.

Ethylic fumarate, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

magnetic rotatory power of (Perkin), 1887, P., 99; 1888, T., 574, 592.

action of ethylic sodomalonate on (MICHAEL and SCHULTHESS), 1892, A., 590.

action of methylamine on (KÜRNER and MENOZZI), 1890, A., 869.

action of sodium methoxide and ethoxide on (Pundle), 1885, T., 856, 865. conversion of, into methylic fumerate (Pundle), 1887, T., 627.

Ethylic furfuralbenzoylacetate (Perkin and Stenhouse), 1891, T., 1011.

furfurylacrylate (MARCKWALD), 1888, A., 678; (CLAINEN), 1891, A., 427. 8-furfurylamidocrotomate (BIGI-

NELLI), 1892, A., 57. furfurylcarbamate (MARCKWALD), 1891, A., 182.

glutaconate, action of ammonia on (RUHEMANN and MORRELL), 1891, T., 745.

glutarate, magnetic rotatory power of (Perkin), 1888, T., 567, 589.

glycidate (MELIKOFF and ZELINSKY), 1888, A., 1056.

glycollate (MEYER), 1884, A., 992. isoheptanetetraearboxylate (FREER and PERKIN), 1888, T., 217.

a-heptoheptoate (HAMONET), 1890, A., 235.

hexane-tetra- and deca-carboxylates (Bischoff), 1888, A., 1061.

hexanetricarboxylate (Bischoff and HJELT), 1888, A., 1057; (Bischoff and Mintz), 1890, A., 744. Ethylic hexamethylene-1:1:3:3-tetracarboxylate (Perkin),1891,T., 803. hippuramidoacetate (Currius), 1883, A., 339.

hippurate, synthesis of (Currius), 1884, A., 1348.

action of sodium ethoxide on (RUGHEIMER), 1889, A., 1210. compound obtained by the action of sodium ethoxide on (Rug-

HEIMER), 1892, A., 1002. p-homobenzenylamidoximecarboxyl-

ate (SCHUBART), 1890, A., 48. homogentisate (WOLKOW and BAU-MANN), 1891, A., 1129.

homo-o-phthalate (GABRIEL), 1887, A., 1112.

hydrazine-benzoate and -benzoylpyruvate (Roder), 1887, A., 150. hydrazomethylthiazolecarboxylate

(WOHMANN), 1891, A., 225. hydrazopropionate (CURFIUS and LANG), 1892, A., 452.

hydrocamphorylmalonate (Winzer), 1890, A., 1151.

hydrochloranilate (NEF), 1890, A, 1271.

hydrogen adipate, dissociation constant of (WALKER), 1892, T., 712. hydrogen camphorate, allo-(BRUHL),

1892, A., 1102. hydrogen carboxylanthranilate (SCHMIDT), 1888, A., 371.

hydrogen carbuvate (FEIST), 1889, A., 593.

hydrogen ac-m-crotonamidobenzoate (Pellizzari), 1891, A., 1485.

hydrogen dimethylmalonate, dissociation constant of (WALKER), 1892, T. 712.

hydrogen 2:6-dimethylpyridine-3:5dicarboxylate (Weiss), 1886, A., 719. hydrogen ethylmalonate, dissociation constant of (WALKER), 1892, T., 712.

hydrogen fumarate (PURDIE), 1885, T., 857.

preparation and properties of (Shields), 1891, T., 736. dissociation constant of (Walker),

1892, T., 714.
vdrogen furfuralmalonate (MARCK

hydrogen furfuralmalonate (MARCK-WALD), 1888, A., 678.

hydrogen hemipinate (WEGSCHEIDER), 1891, A., 712.

hydrogen 2:6-hydroxyethoxypyridine-3:5-dicarboxylate (GUTHZEIT and DRESSEL), 1891, A., 939.

hydrogen hydroxyisophthalate (Hähle), 1891, A., 1369.

hydrogen maleate, preparation and properties of (SHIELDS), 1891, T., 740.

Ethylic hydrogen maleate, dissociation constant of (WALKER),1892,T.,714. hydrogen malonate, properties of (Massou), 1891, A., 1012.

dissociation constant of (WALKER), 1892, T., 711.

action of sodium ethoxide on (PURDIE), 1885, T., 873.

hydrogen methronate (v. EYNERN), 1889, A., 592.

hydrogen methyldehydrohexonedicarboxylate (PERKIN), 1887, T.. 741.

hydrogen oxalate (Ans. HUIZ), 1884, A., 296.

hydrogen oximidosuccinates, isomerism of (HANIZSCH and WERNER), 1890, A., 350; (CRAMER, 1891, A., 823.

hydrogen 4 2:6-phenyldimethylpyridine-3:5-dicarboxylate and its derivatives (HANIZSCH), 1885, A., 397.

hydrogen phenylsuccinimidate (Blochmann), 1887, A., 932.

hydrogen phthalate, dissociation constant of (WALKER), 1892, T., 714. hydrogen propiononedicarboxylate (MARCKWALD), 1888, A., 678.

hydrogen sebate and suberate, dissociation constants of (WALKER), 1892, T., 713.

hydrogen succinate and isosuccinate, dissociation constants of (WALKER), 1892, T., 711, 712.

hydrogen sulphate, non-existence of the supposed modification of (Ress), 1888, A., 1156.

estimation of, in Rabel water (GAUTRAND), 1886, A., 1079.

hydrogen sulphide (Klason), 1888, A., 356.

hydrogen 2:4:6-trimethylpyridine-3:5-dicarboxylate and its salts (Michael), 1885, A., 61.

hydrogen γ-truxillate (LIEBERMANN), 1889, A., 1194.

hydroparvolinedicarboxylate (Engel-MANN), 1886, A., 258.

hydrophthalyloxalate, derivatives of (Williams), 1888, A., 1194.

β-hydroxyaerylate (ethylic formylacetate) (Wishicenus), 1888, A., 129; (v. Pechmann), 1892, A., 816.

acetyl- and benzoyl-derivatives of (v. Pechmann), 1892, A., 817.

 β-hydroxyamidoglutamate (v. Pech-MANN and STOKES), 1885, A.,1202.
 p-hydroxybenzoyl-α-methylfurfuranβ-carboxylate (IKUTA), 1892, A., Ethylic m-hydroxycoumarilate (HAN-12-сн), 1887, Л., 262.

1:2:5-hydroxydimethylpyrrole-3:4-dicarboxylate (Knork), 1887, A., 275. hydroxydiphthalylate (HASSELBACH), 1888, A., 486.

hydroxymethylthiazolecarboxylate(HANTZSCH and WEBER), 1888, A., 257.

hydroxyisooxazoledicarboxylate (v. Pechmann), 1891, A., 738.

hydroxyphenylacetate (ÁLEXANDER), 1890, A., 1135.

(SALKOWp-hydroxyphenylacetate ski), 1889, A., 1173.

m-hydroxyphenyldimethylpyridinedicarboxylate (LEPETIF), 1887, A.,

1 v-hydroxyphenyl-2:5-diphenylpyrrole-3-carboxylate (PAAL and BRAI-KOFF), 1890, A., 264. hydroxyphenylethenylamidoxime-

carbonate (Gross), 1885, A., 1218. 6:2:4-hydroxyphenylmethyl-m-diazinc-5-acetate- and -5-propionate

(Pinner), 1890, A., 69, 70. 4'-hydroxy-2'-phenyl-1- and -3-methylquinoline-3 -carboxylates (JUST),

1886, A., 812. hydroxyquinolinecarbonate MANN), 1888, A., 164.

hydroxytetrate (CLOEZ), 1890, A., 739. hydroxytoluquinoxalineacetate (Au-TENRIETH and HINSBERG), 1892, A., 709.

(NEUGEBAUER), γ-hydioxyvalerate 1885, A., 651.

hypochlorite (Sandmeyer), 1885, A., 1045; 1886, A., 607.

β-imidobutyrate. See Ethylic Bamidocrotonate.

imidocarbonate (SANDMEYER', 1886, A., 611.

action of, on aromatic ortho-compounds (SANDMEYER), 1887, A., 135.

dimidodiacetyladinate (Perkin), 1889, P., 141.

imidodicarboxylate (KRAFT), 1891, A., 42.

dimidodiethyladipate (Perkin), 1890, T., 218.

imidophenyl-ethylthiocarbamate and -thiocarbamate (BERTRAM), 1890, A., 1291; 1892, A., 466.

imidosuccinamate (HELL and POLIA-KOFF), 1892, A., 820.

indoledicarboxylate (Roder), 1887, A., 150.

iodacetate, chlor- (HENRY), 1884, A., 421.

Ethylic iodacetoacetate (Schonbrodt), 1890**, A**., 28.

Ethylic iodide, preparation of (WALK-ER), 1892, T., 717.

molecular refraction and dispersion

of (GLADSTONE), 1891, T., 295. action of, on magnesium (MASSON and WILSMORE), 1891, P., 17.

action of, on triethylamine, effect of various solvents on the velocity of (MENSCHURKIN), 1890, A., 1366.

Ethylic iodopropargylate (v. BAEYER), 1885, A., 1199.

diiodosuccinamate (CURTIUS Коси), 1887, А., 34.

itadibromopyrotartiate (MICHAEL and Schuliness), 1891, A., 1185.

itachloropyrotartiate, action of ethylic sodomalonate on (MICHAEL and Schulthess), 1892, A., 591.

itaconate, magnetic rotatory power of (Perkin), 1867, P., 99; 1868, 584, 591.

action of ethylic sodomalonate on (MICHAEL and SCHULTHLSS), 1892, A., 591.

ketacetate (ERLENBACH), 1892, A., 955. ketipate (FITTIG and DAIMLER), 1887, A., 362.

lactate, production of, by fermentation (JACQUEMIN), 1890, A., 1455. physiological action of (PELLA-CANI and BERTONI), 1888, A., 309.

levulinate, derivatives of (MICHAEL), 1891, A., 1337.

halogen derivatives of (CONRAD and GUTHZEIT), 1885. A., 42. malate, inactive (Wislicenus), 1892,

A., 1431. Ethylic maleate, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

magnetic rotatory power of (Perkin), 1887, T., 99; 1888, T., 572, 591. action of ethylic sodomalonate on

(MICHAEL and SCHULTHESS), 1892, A., 590.

action of methylamine on (Körner and Menozzi), 1890, A., 869.

action of sodium methoxide and ethoxide on (PURDIE), 1885, T., ან7, 868.

Ethylic malonanilidate (RUGHEIMER and Hoffmann), 1884, A., 1023.

Ethylic malonate, action of fatty aldehydes on (Kommenos), 1884, Å., 422. action of allylic iodide and zinc on (MARTINOFF and SCHUKOWSKI), 1888, A., 820; (Matyreff), 1889, A., 124.

Ethylic malonate, action of benzaldehyde on (CLAISEN and CRISMER), 1884, A., 444.

action of αβ-dibromopropionic acid on (Conrad and Guthzeit), 1884, A., 991.

action of ethylenic bromide on (Per-KIN), 1884, A., 832; 1885, T., 807. action of ethylic \$\beta\$-bromopropionate

on (EMERY), 1891, A., 547.

action of ethylic dibromosuccinate on (Perkin), 1884, A., 1300; 1885, T., 822.

action of ethylic iodide and zinc on (DAIMLER), 1887, A., 360; (MARTINOFF and SCHUKOWSKI), 1888, A., 820; (SCHUKOWSKI), 1888, A., 1179; 1889, A., 958.

condensation of formaldehyde with (Perkin), 1886, A., 691.

action of methylenic iodide on (Ta-

NATAR), 1891, A., 175. action of methylenic iodide and chloride on, in the presence of sodium ethoxide (TANATAR), 1891, A., 174.

action of sodium on (v. BAEYER),

1886, A., 223.

action of trimethylenic bromide on (Perkin), 1883, A., 1083.

action of zinc alkyl-compounds on (LANG), 1887, A., 261.

addition of, to compounds containing

doubly-linked carbon atoms (CLAI-SEN), 1887, A., 800. method for introducing nitrogenous

nethod for introducing nitrogenous radicles into (Just), 1885, A., 513.
preparation of mono., di- and trisubstituted succinic acids from (Bischoff), 1890, A., 742.

nitrobenzyl-derivatives of (Lell-MANN and Schleich), 1887, A., 490.

phenylhydrazide and nitrosophenylhydrazide (MICHAELIS and BURMEISTER), 1892, A., 1004.

Ethylic mandelate (BEYER), 1884, A., 65; (MICHAEL and JEANPRÉTRE), 1892 A 1089

1892, A., 1089. meconates (MENNEL), 1883, A., 656. mercaptides (KLASON), 1888, A.,

mesaconate, magnetic rotatory power of (Perkin), 1887, P., 99; 1888, T., 585, 592.

action of ethylic sodomalonate on (MICHAEL and SCHULTHESS), 1892, A., 591.

mesityloxide-anhydrodicarboxylate and -dicarboxylate (Нахтгьсн), 1883, A., 1083. Ethylic mesoxalate (CONRAD and BRÜCKNER), 1892, A., 40.

methacrylate (At wers and Kobner), 1891, A., 1016.

action of alcoholic sodium ethoxide on (PURDIE and MARSHALL), 1891, T., 481.

methanedimalonate (Kleber), 1888, A., 1057.

methanetetracarboxylate (CLAISEN and ZEDEL), 1889, A., 377.

methanetricarboxylate (CONLAD and GUTHZEIT), 1883, A., 44; (MI-CHALL), 1885, A., 1055; (CLAI-SEN and ZEDEI), 1889, A., 377. action of nitric acid on (FRANCHI-

MONT and KLOBBIE), 1591, A., 426. m-inethoxybenzoylacetate (TAHARA).

1892, A., 814. methoxydiethylacetoacetate (JAME~), 1886, T., 55.

p-methoxyphenylamidocrotonate (CONRAD and LIMPACH), 1888, A.,

853. \$\beta\$-methoxyquartenylate (Enke), 1890, A., 865.

methylacetoacetate, action of diazobenzene chloride on (JAPP and KLINGEMANN), 1888, T., 532.

action of o- and p-diazotoluene chlorides on (JAPP and KLINGE-MANN), 1888, T., 535, 537.

sulphur derivatives of (AUTEN-RIETH), 1891, A., 204.

methylacetonedicarboxylate(DUNSCH-MANN and V. PECHMANN), 1891, A., 674.

β-methylacetylsuccinate, action of nitrous acid on (THAL), 1892, A., 1074.

methylallylacetoacetate, preparation of (JAMES), 1885, T., 4.

a-methyl-8-amidocrotonate (PETERS), 1890, A., 1097. methylamidoformate, action of nitrous

acid on (Klobbie), 1891, A., 292. methylazimidothiazolecarboxylate

(WOHMANN), 1891, A., 226. methyl-bromo- and -chloro-thiazolecarboxylates (WOHMANN), 1891, A., 225.

methylbutanetricarloxylate (Bis-(HOFF and WALDEN), 1889, A., 959; (Bischoff and Minrz), 1890, A., 743.

methylisobutanetricarboxylate (Bischoff and MINTZ), 1890, A., 744. methylcanphocarboxylate (HALLER), 1891, A., 1500; (BRUHL), 1892, A., 201. Ethylic 1:2-methylcarboxyethylpyrroleacetate (NEF), 1892, A., 144.

α-methyl-β-chlorocinnamate (PERKIN and CALMAN), 1886, T., 158.

B-methylconmarilate (HANIZSUH), 1886, A., 707.

methylcvanacetate (HENRY), 1887, A., 796.

methylcyanacetoacetare (HELD), 1884, A., 727; (HELD), 1889, A., 1142.

methylcyanosuccinate (BARINE), 1889, A., 588.

methyl-a-cyanotricarballylate (MUL-LEE', 1892, A., 1182.

methyldehydrohexonecarboxylate (Perkin), 1887, T., 709.

preparation of (Kipping and Per-kin), 1889, T., 331.

action of hydrogen bromide on (Perkin), 1887, T., 725. methyldehydrohexonedicarboxylate (PERKIN), 1887, T., 739.

a-methyl-\beta-diethyldisulphonebutyrate (AUTENRIETH), 1891, A., 205.

methyldihydropentene-dicarboxylate and -methylketonecarboxylate (Perkin), 1889, P., 142; 1890, T., 206.

methylenemalonate and its isomeride (ZELINAKY), 1890, A., 364.

methylethanetricarboxylate (Bis-CHOFF and v. KUHLBERG), 1890, A., 742.

methylethylacetoacetate (JAMES), 1885, T., 5.

methylformylacetate (WISLICENUS),

1888, A., 180. α-methylglycidate (MELIKOFF and ZELINSKY), 1888, A., 1056.

methylamphiglyoximecarboxylate (NUSSBERGER', 1892, A., 1176. methylsynglyoximecarboxylate

(ethylic αβ-diisonitrosobutyrate) (CERESOLE and KOECKERT), 1884, A., 1121; (NUSSBERGER), 1892, A., 1175.

methylhexamethylenedicarboxylate (Freen and Perkin), 1887, P., 96; 1888, T., 206.

allomethylic camphorate (BRUHL), 1892, A., 1101.

methylic sulphide (Klason), 1888, A., 356.

methyl-α- and -β-naphthafurfurancarboxylates (HANTZN'H PFEIFFER), 1886, A., 717.

methyloxalacetate (WISLICENUS and ARNOLD), 1888, Α., (ARNOLD), 1888, A., 1179.

Ethylic methyloxalacetate, action of aniline on (WISLICENUS and SPIRO), 1890, A., 378.

methylpentamethylenedicarboxylate (COLMAN and PERKIN), 1888, T., 192.

methylpropylacetoacetate and saponification with alcoholic potash (JONES), 1885, A., 376.

4'-methylquinoline-2'-carbonate, methiodide of (HANTZSCH), 1886, A., 369.

2'-methylquinolylcarboxylate (Cox-RAD and LIMPACH), 1888, A., 1109. methylthiazolecarboxylate (Won-

MANN), 1891, A., 226. diazohydrate (Wohmann), 1891, A., 225.

methylthiazolepropionate (RUBLEFF), 1891, A., 223.

methylthiazylacetate (HINTZECH), 1890, A., 1238; (STEUDE), 1891, A., 743.

morphine carbonate (Orro and Holsr), 1892, A., 638.

mucobromate, action of potassium nitrite on (HILL and SANGER), 1883, A., 47.

isomuconate (RUHEMANN and BLACK-MAN), 1890, T., 374.

myristate, boiling point of (REIMER and Will), 1885, A., 1197.

 β -naphthalenesulphonate and Roos), 1892, A., 1220.

a- and B-naphthenylamidoximecarboxylates (RICHTER), 1890, A., 63, 62. a-naphthindolecarboxylate (Schlier-ER), 1887, A., 963.

β-naphtholazophenyldimethylpyridinedicarboxylate (LEPETIT), 1857, A., 1053.

α-naphtholcarboxylate (SCHMITT and BURKHARD), 1888, A., 59.

α- and β-naphthylamidoacetates (BIN-CHOFF and HAUSDÖRFER), 1892 A., 1341.

β-naphthyl-β-amidoisobutyrate (Bis-

CHOFF and MINTZ), 1892, A., 1342. and β-naphthylamidobutyrates (BIM HOFF and MINTZ), 1892, A.,

and \$-naphthylamidocrotonates (Conrad and Limpach), 1888, A., 504.

aa- and aβ-naphthylamido-a-cyanopropionates (Gerson), 1887, A., 261.

α- and β-naphthylamidopropionates (Bischoff and HAUSDORFER), 1892, A., 1337.

and \$\beta\-naphthylamidosuccinates (HELL and POLIAKOFF), 1892, A., 860.

Ethylic (ODDO), 1891, A., 1381; 1892, A., 367. β-naphthylbenzenylmalonate (Just), i 1886, A., 617.

naphthylchlorethylcarbamates (Отто), 1891, А., 1373.

1-a-naphthyl-2:5-dimethylpyrrole-3:4-dicarboxylate (Knonn), 1887, A., 275.

1-\$-naphthyl-2:5-dimethylpyrrole-3:4-dicarboxylate (KNORR), 1885, A., 555.

1-α- and β-naphthyl-2:5-diphenylpyrrole-3-carboxylates (PAAL and Braikoff), 1890, A., 263.

naphthylhydrazinelevulinate (STECHE), 1888, A., 284.

naphthylic carbonate (BENDER), 1887, A., 37.

a- and B-naphthylimidonaphthylthiocarbamates (EVER-), 1888,

B-naphthylphenylcarbamate (PASCH-KOWETZKY), 1892, A., 166. nicotenylamidoximecarbonate

(MICHAELIS), 1892, A., 208.

nitracetamidobenzoates (THIEME), 1891, A., 916, 917.

nitracetoacetate (?) (SCHONBRODT), 1890, A., 28.

nitracetylmethylamidobenzoate (Тніеме), 1891, А., 917.

3:4-nitramidobenzoate (GROHMANN), 1891, A., 306.

3 2-nitramidobenzoate (ZACHARIAS), 1891, A., 912.

5:2-nitramidobenzoate (GROHMANN), 1892, A., 326.

5:4-nitramidobenzoate (THIEME), 1891, A., 916.

nitranthrolate, nitroso-anthrone (LIEBERMANN and HAGEN), 1883, A., 73.

nitrate, magnetic rotatory power of (PERKIN), 1889, T., 682.

action of alkaline solutions on (MIXTER), 1892, A., 692.

and di-nitrethoxybenzoate (THIEME), 1891, A., 915, 916. nitrilosuccinamate (PIUTTI), 1891,

A., 175. Ethylic nitrite (nitrous other), preparation of (DUNSTAN and DYMOND),

1888, A., 1048. methylated, detection of (MUTER),

1891, A., 123. estimation of (ALLEN), 1886, A.,

279; (LUNGE), 1886, A., 392. estimation of, in "spirit of nitrous ether" (DYMOND), 1885, A., 842; (THRESH), 1890, A., 927.

a-naphthylazoacetoacetate | Ethylic nitrite (nitrous ciher), estimation of, in "spirit of nitrous ether" and kindred preparations (ALLEN), 1885, A., 1013.

Ethylic p-nitrobenzenylamidoximecarboxylate (Weise), 1890, A., 45.

p-nitrobenzoylacetate (Perkin and Bellenot), 1886, T., 447.

p-nitrobenzoylallylacetate (Perkin and Bellenor), 1885, A., 795; 1886, T., 451.

nitrobenzoylamidobenzoate (ZACHA-RIAS), 1891, A., 912.

o-nitrolenzoylbenzylmalonate CHOFF and SIEBERT), 1887, A., 952.

p-nitrobenzoylethylacetate (Perkin and Bellenor), 1885, A., 794; 1886, T., 450.

o-nitrobenzoylmalonate (BI-CHOFF), 1883, A., 912.

quinoline derivatives from (BISCHOFF), 1889, A., 519.

mono- and di-nitrobenzoylmalonates (BISCHOFF and RACH), 1885, A., 264, 263.

di-p-nitrobenzoylsuccinate (Perkin and Bellenor), 1885, A., 795; 1886, T., 452.

p-nitrobenzoyl-tetramethylene--trimethylene-carboxylates (Per-KIN and BELLENOT), 1885. A., 795. p-nitrobenzylcarbamate (HAFNER),

1889, A., 982; 1890, A., 487. nitrobenzylethylmalonate (LELLMANN and Schleich), 1887, A., 490.

a-nitro sobutyrate (Kolotoff), 1889, A., 1140.

o- and p-nitrocinnamates, preparation of (STUART), 1883, T., 408.

*di*nitrocinnamate (FRIEDLÄNDER and MAHLY), 1885, A., 1137, 1138.

reduction of (FRIEDLANDER and Mähly), 1883, A., 918.

o-nitrocinnamylacetoacetate (Fischer and Kuzel), 1883, A., 587, 588. nitro-o- and -p-cresolates (STAEDEL),

1883, A., 662. trinitrodiphenylacetoacetate

RICH), 1890, A., 1418. p-nitrodiphenylmethyland pyrazenecarboxylates (Knorr and Jodicke), 1885, A., 1248, 1247.

mono- and di-nitrohydroxybenzoate-, action of ammonia on (THIEME),

1891, A., 915, 916. nitromalonate (Franchimont and KLOBBIE), 1889, A., 1143.

m-nitromandelate (BEYER), 1885, A.,

nitromethylamidobenzoate 1 (THIEME), 1891, A., 917.

p-nitromethylcoumarilate (Nuth). 1887, A., 803.

p-nitronitrosobenzoylacetate (PERKIN and Bellenor), 1886, T., 449.

dinitrophenylacetate, derivatives of (DITTRICH and MEYER), 1891, A., 1224; 1892, A., 178.

o:p-dinitrophenylacetoacetate (HECK-MANN), 1884, A., 178.

trinitrophenylacetoacetate

RICH), 1890, A., 1418. p-nitrophenyldehydrohexonecarboxy-

late (PERKIN), 1887, T., 735. 4-o- and m-nitrophenyl-2:6-dimethyl hydropyridine-3:5-dicarboxylates

(LEPETIT), 1887, A., 845. 4-m-nitrophenyl-2:6-dimethylpyridine-3:5-dicarboxylate (LEPETIT),

1887, A., 845. trinitrophenylenedimalonate (JACKson and Moore), 1890, A.,

nitrite (Jackson and Bentley), 1892, A., 1219.

o-nitrophenylglycollate (Duparc), 1887, A., 948.

o-nitrophenylic carbonate (BENDER), 1887, A., 38.

dinitrophenylmalonate (v. RICHTER). 1888, A., 1189.

dinitrophenyl-m-methylacetate (SEX-KOWSKI), 1889, A., 255.

o-nitrophenyl-nitroso- and -isonitrosoacetates (GABRIEL), 1883, A., 920. nitropiperonylacrylate (Perkin),

1891, T., 156. dinitropyromellitate (NEF), 1888, T., 442.

nitrosoacetoacetate, reduction οf (Knonn), 1884, A., 1368.

nitrosoacetonedicarboxylate (v. Ресн-MANN), 1891, A., 738.

nitrosobenzoylacetate (v. BAEYER

and Perkin), 1884, A., 64. a8-diisonitrosobutyrate. See Ethylic methylsynglyoximecarboxylate.

nitrosobutyrylacetate (LANG), 1887, A., 717.

nitrosocyanacetate (MULLER), 1891, A., 1450.

p-nitro-sodiobenzoylacetate, action of trimethylenic bromide on (Per-KIV), 1887, T., 702, 734.

nitrosomethylamidoformate BIE), 1891, A., 293.

nitrosomethylisostrychnate (TAFEL), 1892, A., 1013. nitrosophenolearboxylate (WALKER),

1884, A., 1003.

Ethylic dinitrososuccinosuccinate and its derivatives (EBERT), 1885, A.,

nitrostearate (CLAUS and PFEIFFER), 1891, A., 542.

nitrotolyl-carbamate and -oxamate (Schiff and Vanni), 1891, A., 702; 1892, A., 601.

nitrouracilcarboxylate (Kohler), 1887, A., 128.

octanetesserakaidecacarboxylate (Bis-CHOFF), 1888, A., 1061.

opianate, action of potassium cyanide on (Goldschmiedt and Eggen), 1891, A., 1371.

orcinyldicarbonate (WALLACH), 1885, A., 254.

oxalacetanilate (Wislicenus

SATTLER), 1891, A., 902. Ethylic oxalacetate (WISLICENUS), 1887, A., 234; 1888, A., 361, 1178.

action of aniline on (WISLICENUS and Spiko), 1890, A., 378.

action of bromine on (WISLICENUS), 1890, A., 133.

reduction of (Wislicenus), 1892, A.,

compound of, with phenylhydrazine Wislicenus and Scheidt), 1892, A., 49.

phenylhydrazone (Wislicenus), 1887, A., 235.

Ethylic oxalaceto-p-toluidate (WISLI-CENUS and SATTLER), 1891, A., 903.

Ethylic oxalate, preparation of (SCHATZ-KI), 1885, A., 512; 1887, A., 360. action of, on acetone (CLAISEN and STYLOS), 1887, A., 917.

action of organic acids on (LORIN), 1888, A., 937.

action of a mixture of allylic and ethylic iodides and zinc on (BARA-TAEFF), 1887, A., 361.

action of ethylic isobutyrate and other ethereal salts on (Wislicenus), 1888, A., 1193.

action of ethylic chloracetate and zinc on (FITTIG and DAIMLER), 1887, A., 361.

action of, on lactones (WISLICENUS), 1888, A., 1194.

action of phosphorie chloride (FAUCONNIER), 1892, A., 588.

behaviour of, towards resorcinol (MICHAEL), 1887, A., 949.

combinations of, with anilides (WIS-LICENUS and SATTLER), 1891, A., 902.

and alanine: a correction (Schiff), 1884, A., 995.

Ethylic oxalate, diphenylhydrazide (Bolsing and TAFEL), 1892, A., 981. and β-naphthylhydrazides (Freund), 1892, A., 511, 509. phenylhydrazide (Burow), 1887, A., p-tolylhydrazide (FRIUND), 1892, A., 512. Ethylic oxalethylacetanilate (WINLI-CENUS and SATTLER), 1891, A., 903. oxalhippurate (WISLICENUS), 1891, A., 922. ovallevulinate (WISLICENUS), 1888, A., 1273. oxalosuccinate (Wishicenus), 1889, A., 767. oxamate (oramethane) (Morley and SAINT), 1883, T., 401. (St HIFF oxamethanetolylcarbamate and VANNI), 1891, A., 702. (o.amethuneoxamidotolyloxamate tolylocamide) (Schiff and Vanni), 1891, A., 908; 1892, A., 603. a-oximepropionate (HANTZSCH and WOHLBRUCK), 1887, A., 717. ovimidoacetate (CRAMER), 1892, A., oximidobenzoate (PINNER), 1884, A., oximidocarbonate (SANDMEYER), 1886, A., 612. oximidosuccinate its and salts (EBERT), 1885, A., 1122; (PIUTTI), 1889, A., 383. 6-oxy-2:4-dimethylpyridine-3-carboxylate (Collie), 1885, A., 374. 4-oxy-1:2:6-trimethylpyridine-3:5-diearboxylate (Conrad and Guth-ZEIT), 1887, A., 500. parvolinedicarboxylate(ENGELMANN), 1886, A., 259. pentacetylgluconate (VOLPERT), 1887, A., 127. pentamethylenedicarboxylate (PER-KIN), 1887, T., 244. pentaneoctocarboxylate (CHABRIÉ), 1892, A., 1316. pentanctetracarboxylate (Perkin), 1886, A., 225; 1887, T., 241. preparation of (Perkin and Pren-TICE), 1891, T., 822. syntheses with the aid of (PERKIN), 1891, T., 798; (PERKIN and PRENTICE), 1891, P., 43. 1:3:3:5-pentanetetracarboxylate (EMERY), 1891, A., 547. pentanetricarboxylate (WALTZ), 1883, A., 46; (Bischoff and WALDEN), 1889, A., 959; (BISCHOFF and

MINTZ), 1890, A., 743.

peroxide (BERTHELOT), 1883, A., 305.

Ethylic phenacylisoamylmalonate (PA LL

and Hoffmann), 1890, A., 1100. phenacyllienzoylacetate (KAPF and Paali, 1888, A., 839. phenacylbenzoy lacetate. derivatives of (KAPF and PAAL), 1889, A., 147. phenacylethylmalonate (DITTRICH and PAAL), 1889, A., 257. Ethylic phenanthroxyleneacetoacetate (JAPP and STREATFEILD), 1883, T., 28; (Jappand Klingemann), 1891, T., 1. actions of (JAPP and KLINGEMANN), 1888, P., 114. action of acetic acid, of alcoholic hydrogen chloride, of alcoholic notash and of ammonia on (JAPP and KLINGEMANN), 1891, T., 14, 22, 21, 25. action of formic acid on (JAPP and KLINGEMANN), 1891, T., 3. action of hydriodic acid on (JAPP and STREATFEILD), 1883, T., 29. action of propionic acid and of sulphuric acid and alcohol on (JAPP and KLINGEMANN), 1891, T., 17, 18. biom- (JAPP and STREATFEILD), 1883, T., 29. Ethylic isophenanthroxyleneacetoacet-ate (JAPP and KLINGEMANN), 1891, T., 2, 4. action of acetic anhydride, of phenylhydrazine and of bromine on (JAPP and KLINGEMANN) 1891, T., 7, 8. hydrolysis of, with caustic alkalis (JAPP and KLINGEMANN), 1891, T., reduction of, with hydriodic scid, and with zinc and hydrochloric acid (JAPP and KLINGEMANN), 1891, Ť., 10, 8. Ethylic a-phenanthroxyleneisocrotonate (JAPP and KLINGEMANN), 1891, and its behaviour towards caustic

alkalis (JAPP and STREATFEILD), 1883, T., 31. phenoxyethoxybenzoate (WAGNER),

1884, A., 435. phenylacetate, amido- (GABRIEL and

ELFELDT), 1892, A., 214. phenylacetylsuccinate, and its deriva-

tives (Weltner), 1884, A., 746. phenylacetylurate (Hotten), 1887, A., 369,

phenylallophanate (v. STOJENTIN), 1885, A., 1196.

phenylazo-acetyland -benzoylpyruvates (BEYER and CLAISEN), 1888, A., 829.

(BENDER), phenyl-\$-azocrotonate 1888, A., 53; (Nef), 1892, A., 143. Ethylic phenylbenzamidopyrazolone-carboxylate (Wislicenus), 1891, (Risheny A., 923.

phenylbromacetate (ALEXANDER), 1890, A., 1135.

phenyldibromopropionate, preparation of (PERKIN), 1853, T., 172. action of an alcoholic solution of silver nitrate on (KINNICUTT and MOORE), 1891, A., 1055.

phenylcarbamate, nitration of (VAN ROMBURGH), 1892, A., 712.

phenylcarbazate (Heller), 1891, A., 1213.

phenylcarbonate (PAWLEWSKI), 1884, A., 1005.

(HENTSCHEL), 1883, A., 588.

phenylearboxysuccinate (ALEX-ANDER), 1890, A., 1135.

phenylcyanacetoacetate (HALLER), 1888, A., 1298.

phenylcyanopyruvate (ERLENMEYER), 1889, A., 990.

phenyldehydrohexonecarboxylate (PERKIN), 1887, T., 727.

phenyldiazolonecarboxylate (FREUND), 1892, A., 513.

phenyldimethylpyridazindicarboxylate (Knorr), 1885, A., 555.

1-phenyl-2:6-dimethyl-4-pyridone-3:5-dicarboxylate (CONRAD and GUTHZEIT), 1886, A., 331.

phenyldimethylpyriolecarboxylate (LEDERER and PAAL), 1886, A., 75.

1:2:5-phenyldimethylpyrrole-3:4-diearboxylate (Knorn), 1885, A., 555. 1-p-phenylenebis-2:5-diphenylpyrrole-3-carboxylate (P.AL and BRAI-

KOFF), 1890, A. 264. 1-m-phenylenediphenyl-α-dimethyldipyrrole-β-dicarboxylate (PAAL and

SCHNEIDER), 1887, A., 274. m-phenylenedipropionate (Kipping),

1888, T., 34.
phenylethylallophanate (Neubert),

1886, A., 874.
phenylethyl-mono- and -di-thiocarbamates (BILLETER and STROHL),

1888, A., 365. phenylformylacetate (Wislicenus), 1888, A., 129.

phenylglyoxylate, oxime of (cthylic phenylisonitrosoacetate) (GABRIEL), 1883, A., 920.

phenylhexamethylenedicarboxylate (KIPPING and PERKIN), 1890, T., 315. phenylhippurate (KOSSEL), 1892, A., 468,

phenylhydrazidoscetate (REISSERT and KAYSER), 1891, A., 1054.

Ethylic phenylhydrazidopropionate (Reissert), 1892, A., 1456.

phenylhydrazilethylenedicai boxylate (RUHEN ANN and MORRELL), 1892, T., 794.

phenylhydrazineacetylacrylate (Ben-DER), 1888, A., 1188; (DECKER), 1889, A., 49.

phenylhydrazine-β-carboxylate(NEF), 1892, A., 145.

phenylhydrazineoxalacetate (Wislicenus), 1888, A., 1178.

phenyl-β-hydrazociotonate (NEF), 1892, A., 142.

phenylhydrazoneacetylglyoxylate, action of phenylhydrazine on (JAPP and KLINGEMANN), 1888, T., 529.

phenylhydrazoneketophenylpyrazolonecarboxylate (Wishicents and Scheidt), 1892, A., 458.

phenylhydrazonemesoxalate (v. Pech-MANN), 1891, A., 739.

phenylic o-oxalate (CLAPAREDE and SMITH), 1883, T., 360; (SIAUE and SMITH), 1884, T., 301.

phenylic disulphide (Orro and Rossino), 1887, A., 243.

phenylimidoacetoacetate, action of hydrocyanic acid on (v. MILLER and PLOCHL), 1892, A., 1196.

phenylimidobenzenyl-ethylmalonate and -malonate (Just), 1886, A., 150.

phenylimidodiacetate anilide (HAUS-DORFER), 1889, A., 1014.

phenylimidomethyloxalacetate (Wis-LICENUS and SPIRO), 1890, A., 379.

phenylimidopyrroylpyruvate (ANGELI), 1890, A., 1243.

phenylimidoxalacetate (WISLICENUS and SPIRO), 1890, A., 378.

phenylizinacetylsuccinate (Knork and Blank), 1884, A., 1380.

phenylizin-diacetylsuccinate and -succinosuccinate (KNORR and BULOW), 1884, A., 1381, 1380.

phenylizinphenylpyrazolehydrobenzenecarboxylate (Knork and Bullow), 1884, A., 1381.

phenylmethylcarbamate (GEBHART), 1883, A., 384.

phenylmethylcyanosuccinate (ZELINsky and Buchstab), 1891, A., 1065.

phenylmethylhydrazonitrosoacetoacetate (Baltzer and v. Pechmann), 1891, A., 1116.

1-phenyl-3-methylpyrazolone-4-acetate (Knorr and Blank), 1884, A., 1380. carboxylate (BURTON and v. PRCH-MANN), 1891, A., 673; (RUHEMANN) and Morrell), 1892, T., 798.

1-phenyl-3-methylpyrazolone-4-succinate (EMERY). 1891, A., 423.

2:5-phenylmethylpyrrole-3-carboxylate (LEDERER and PAAL), 1886, A., 75.

 μ -phenyl-a-methylthiazolecarloxylate (Hubacher), 1891, A., 221.

phenylisonitrosoacetate. See Ethylic phenylglyoxalate, oxime of.

phenyloxalacetate (Wislicenus), 1887, A., 587.

phenylhydrazide (Wislicents), 1888, A., 1193.

phenylparaconate (FITTIG and LEONI), 1890, A., 894.

preparation phenylpropiolate, (Perkin), 1884, T., 174.

1-phenylpyrazolonecarboxylates(WIS-LICENUS), 1888, A., 1178; (RUHE-MANN and MORRELL), 1892, T., 794, 798.

phenylsulphoformate, preparation of Orto and Rössing), 1885, A.,

phenylsulphonacetates, properties of (MICHAEL and COMEY), 1884, A., 319; (Michael and Palmer),1885,

phenyltartronate (CONRAD and BRÜCK-NER), 1892, A., 40.

phenyltetramethylamidocrotonate and its condensation (CONRAD and LIM-PACH), 1888, A., 851.

phenylthio-carbonate and -formate OTTO and Rössing), 1886, A.,

phenylthiouramidotolyloxamate (Schiff and Vanni), 1890, A., 1125; 1892, A., 599.

phenylthiouranilidoacetate (Kossel), 1892, A., 468.

phenyltrimethylamidopyrroledicarboxylate (KNORR), 1887, A., 275.

phenyltrimethylenedicarboxylate (Buchner), 1888, A., 1275.

phenyl-uramido- and -uranilido-acetates (Kossel), 1892, A., 468. (Anschütz phenylvalerate

BERNS), 1891, A., 913. phloroglucinoltricarboxylate (BALLY),

1888, A., 955. phosphate (GEUTHER), 1884, A., 1282. phosphite (JAEHNE), 1890, A., 858. phthalamidobenzoate (PELLIZZARI),

1885, A., 534. phthalate, action of ethylic acetate on (Wislicenus), 1888, A., 1193.

Ethylic 1-phenyl-4-methylpyrazolone-4- ` Ethylic phthalate, action of ethylic propionate on (WISLICENUS and Köizle), 1889, A., 1068.

chloride and its decomposition with ethylic sodomalonate (ZELINSKY), 1887, A., 669.

γ-phthalimido-benzylpropylmalonate and -dipropylmalonate (AscHAN), 1891, A., 467.

8-phthalimidoethylmalonate chan), 1891, A., 1247.

γ-phthalimidoethylpropylmalonate (Aschan), 1891, A., 466.

γ-phthalimidomethylpropylmalonate (Aschan), 1891, A., 1246.

γ-phthalimidopropylmalonate (GAB-

RIEL), 1890, A., 1129. preparation of (GABRIEL and As-CHAN), 1891, A., 948.

phthalocyanacetate (MULLER), 1891, A., 1337.

phthaloxyldimalonate (WISLICENES), 1888, A., 150.

phthalylacetoacetate (FISCHER and KOCH), 1883, A., 806; (BÜLOW), 1887, A., 144.

phenylhydrazine derivative (Bu-Low), 1887, A., 144.

phthalylamidoacetate (REESE), 1888, A., 149.

phthalylethoxy-ethylmalonate -sodomalonate (WISLICENTS), 1888, A., 151.

phthalyl-malonate and dimalonate (Wislicenus), 1888, A., 150.

B-picolinebetaine salts (KRUGER), 1891, A., 943.

pimelate, preparation of (PERKIN and PRENTICE), 1891, T., 825.

(SCHMIDT piperazyloxamate and Wichmann), 1892, A., 211. peridyloxamate (Wallach

piperidyloxamate and LEHMANN), 1887, A., 385.

platinocyanide (FREUND), 1888, A., 571. potassioacetonedicarboxylate (Dünschmann and v. Pechmann), 1891, A., 673.

potassiocyanacetoacetate (JAMES), 1887, T., 287.

potassium malonate, preparation of (FREUND), 1884, A., 1123. properties of (MASSOL), 1891, A.,

1012. electrolysis of (Brown

WALKER), 1890, A., 583; 1891, A., 1192.

potassium suberate, electrolysis of Brown and Walker), 1891, A., 1192.

potassium succinate, electrolysis of (Brown and Walker), 1890, A., 583.

Ethylic propanetetracarboxylate (BISCHOFF), 1883, A., 46; (PERKIN), 1886, A., 691; (AUWERS, KÜBNER and V. MEYENBURG), 1892, A., 41. propanetetracarboxylate, preparation of (PERKIN and PRENTICE), 1891, T., 991.

propanetricarboxylate (BISCHOFF), 1883, A., 45; (BISCHOFF and V. KUHLDERG), 1890, A., 742.

synthesis of mesaconic and citraconic acids from (BISCHOFF), 1890, A., 1101.

β-propanetricarboxylate (BISHOP and PERKIN), 1891, P., 41.

propenyl-o-amidophenol-ω-carboxylate (HANTZSCH), 1883, A., 1111.

a-propiobutyrate (HAMONET), 1890, A., 235.

propiocyanacetate (HALLER), 1888, A., 818.

propiomalonate (LANG), 1887, A., 717. propionate, action of, on ethylic phthalate (WISLICENUS and KOTZLE), 1889, A., 1068.

propiononedicarboxylate (MARCK-WALD), 1888, A., 677.

propionylpentacarboxylate (Bischoff), 1888, A., 1061.

propiopropionate (ISRAEL), 1886, A., 334; (HANTZSCH and WOHL-BRICK), 1887, A., 717. constitution of (GEUTHER), 1887,

A., 915.β-propoxyquartenylate (Enke), 1890,A., 865.

propylic carbonate (PAWLEWSKI), 1884, A., 1279.

α-propyl-β-chlorocinnamate (Perkin and Calman), 1886, T., 162.

propyleyanosuccinate (BARTHE), 1889, A., 588.

propylene-bis-β-amido-α-crotonate (STRACHE), 1888, A., 1173.

n- and iso-propylethanetricarboxylates (WALTZ), 1883, A., 46.

propylic succinate, hydrolysis of (Lossen and Köhler), 1891, A., 1013.

n- and iso-propylmalonates, action of ethylic a-bromoissbutyrate on (Bischoff and Tigerstedt), 1890, A., 1103.

propylparaconate (FITTIG and SCHMIDT), 1890, A., 872.

isopropylisovalerylacetate (WOHL-BRÜCK), 1887, A., 1099.

pyridinebetaine salts (Krügen), 1891, A., 941.

pyridonetetracarboxylate(Peratoner and Strazzeri), 1891, A., 1334.

Ethylic pyrogallocarboxylate (WILL and Albrecht), 1884, A., 1335. pyromucate, chloro-derivatives of (Hill and Jackson), 1890, A., 482. pyronetetracarboxylate (Peratoner and Strazzeri), 1891, A., 1334. pyrovanadate (Hill), 1887, T., 754. pyrovate (Angeli), 1890, A., 1000, 1156.

oxime of (ethylic purroylismitrosopropionate), anhydride of (AN-GELI), 1890, A., 1156.

3:1-pyrrylphenylpyrazole-5-carboxylate (Angell), 1890, A., 1214.

quinoline-p-methonylamidoximecarloxylate (BIEDERMANN), 1890, A., 175.

quinoltetracarboxylate (Nef), 1887, A., 257; 1888, T., 447.

quinoltetrahydrodicarboxylate (HAN-TZSCH and ZECKENDORF), 1888, A., 279.

quinone-p-dicarboxylate, derivatives of (Hantzsch and Zeckendorf), 1887, A., 727; 1888, A., 278.

quinonedihydro-p-dicarboxylate (Herrmann), 1886, A., 1027.

quinonedihydrodicarboxylate, hydrate of (Hantzsen and Zeckendorf), 1888, A., 279.

quinonedioximecarboxylate (JEANRE-NAUD), 1889, A., 872.

quinonedurylate (NEF), 1888, T., 436. quinonedimidotetracarboxylate (NEF), 1889, A., 509.

quinoneoximerarloxylate (BRIDGE), 1892, A., 1457.

quinonepyromellitate (NEF), 1888, T., 446.

quinonetetracarboxylate (NEF), 1886, A., 550; 1888, T., 446.

quinonetetrahydrocarboxylate (HERR-MANN), 1883, A., 1085.

quinovate (LIEBERMANN), 1884, A., 1191.

racemate, magnetic rotation of (Per-KIN), 1887, T., 364; P., 29.

vapour-density of (Anschütz), 1885, A., 966.

resorcinyldicarbonate (WALLACH), 1885, A., 254.

isosaccharate (TIEMANN), 1884, A., 725. salicenylamidoximecarboxylate (Mil-LER), 1890, A., 146.

santonate, amine and hydrazone of (Francesconi), 1892, A., 1353. oxime of (Francesconi), 1892, A.,

1352. sebate, magnetic rotatory power of (Perkin), 1884, T., 518; 1888, T.,

568, 587.

Ethylic selenocyanacetoacetate (Hor-

MANN), 1889, A., 726. silicates, action of phosphorus oxychloride on (STOKES), 1891, A., S14, 1171.

Ethylic sodacetoacetate, preparation and properties of (ELION), 1891, A., 171. constitution of (MICHAEL), 1888, A., 674, 1054; 1892, A., 1178, 1428;

(NEF), 1892, A., 140. action of acetic acid on (JAMES), 1885, T., 2.

action of, with henzaldehyde, etc. (Michael), 1887, A., 716.

action of bromacetophenone on (PAAI), 1884, A., 59S.

action of o-cyanohenzylic chloride on

(HAUSMANN), 1889, A., 1172. action of ethereal salts of unsaturated acids on (MICH LEL), 1887, A., 672; (MICHAEL and SCHULTHESS), 1892, A., 590.

action of ethylenic bromide on (FREEL and Perkin), 1887, T., 820; P., 95; (Marshall and Perkin), 1891, T., 853.

action of, on ethylic benzylidenemalonate (Bredf), 1891, A., 712.

action of ethylic chlorocarbonate on (CLAISEN), 1889, A., 375; 1892, A., 1070; (CLAISEN and ZEDEL), 1889, A., 377; (Nef), 1892, A., 145; (Michael), 1892, A., 1178.

action of, with phenylic isocyanate (MICHAEL), 1887, A., 716.

action of pieric chloride on (DIFT-

RICH), 1890, A., 1418. action of propylenic bromide on (PERKIN and STENHOUSE), 1892, T., 67.

action of sulphur chloride on (v. BUCHKA), 1885, A., 1200. tion of, with thice

thiocarbimides (MICHAEL), 1887, A., 716. action of trimethylenic bromide on

(PERKIN), 1887, T., 702. additive products of, with ethereal salts of unsaturated acids (MICHAEL and FREER), 1891, A., 914.

Ethylic sodacetonedicarboxylate, action of ethylenic bromide on (FREER and Perkin), 1887, T., 820. action of trimethylenic bromide on

(PERKIN), 1887, T., 702; A., 32. (PURCOTTI), sodacetothiosulphate 1892, A., 1419.

sodacetylmalonate, constitution (MICHAEL), 1888, A., 674.

sodethanetetracarboxylate, action of benzoic chloride on (PERKIN), 1888, T., 10.

Ethylic sodethylacetoacetate, preparation and properties of (ELIUN),

1891, A., 171. action of ethylenic bromide on (MARSHALL and PERKIN), 1891, T., 893.

sodethylmalonate, action of acetic chloride on (MICHAEL), 1892, A., 1179.

sudiobenzamidoxalacetate (WIs-LICENUS), 1891, A., 922.

Ethylic sodiobenzoylacetate, action of chloracetone on (COLLEAX), 1891, T., 191.

action of ethylenic bromide on (FREER and PERKIN), 1887, T., 820; (MARSHALL and PERKIN),

action of propylenic bromide on (Perkin and Sienhouse), 1892, T., 82.

action of trimethylenic bromide on (Perkin), 1887, T., 702, 726.

Ethylic sodiocarbamate (MULDER), 1888, A., 1064.

action of iodine on (MULDER), 1989, A., 363.

syntheses with (KRAFT), 1891, A., 42.

sodiocyanacetate (HENRY), 1887, A., 796.

action of dibasic acid chlorides on (Muller), 1891, A., 1337.

action of ethylic salts of unsaturated acids on (MICHAEL), 1887, A., 672; (MULLER), 1892, A., 1181. sodiocyanotricarballylate (MULLER),

1892, A., 1181. disodiodiacetyladipate (PERKIN),

1890, T., 216.

disodioisoheptanetetracarhoxylate, action of bromine on (FREER and Perkin), 1888, T., 220.

Ethylic sodiomalonate, actions of (MI-(HAEL), 1887, Λ., 716. action of benzanilidoimide chloride

on (Just), 1886, A., 149.

action of chloroform on (CONRAD and GUTHZEIT), 1883, A., 311.

action of, on chloromethyl ether (Kleber), 1888, A., 1056. action of a-cyanobenzylic chloride on

(HAUSMANN), 1889, A., 1172. action of ethereal salts of unsaturated

acids on (MICHAEL and SCHUL-THE&>), 1892, A., 590.

action of ethylenic bromide (Fittig and Roeder), 1883, A., 730.

action of ethylic a-bromisovalerate on (ROSER), 1884, A., 423.

481

Ethylic sodiomalonate, action of ethylic dichloracetate on (BISHOP and PERKIN), 1891, P., 41.

action of ethylic chlorocarbonate on (CLAISEN), 1889, A., 375; (CLAISEN and ZEDEL), 1889, A., 377.

action of phthalyl dichloride on (Winlicenus), 1888, A., 149. action of, on resorcinol (MICHAEL),

1888, A., 956.

action of triphenylcarbinylic bromide on (HENDERSON), 1887, T., 224.

additive products of, with ethereal salts of unsaturated acids (MICHAEL and Freer), 1891, A., 914.

derivatives, action of iodine on (Bischoff and HAUSDÖRFER), 1887, A., 916.

Ethylic disodiomalonate (Bischoff and

Rach), 1885, A., 244.

disodiopentanetetracarboxylate (PER-KIN), 1887, T., 243; (PERKIN and PRENTICE), 1891, P., 43.

action of benzylidenic chloride on (PERKIN and PRENTICE), 1891, T., 850.

action of methylenic iodide on (Perkin), 1891, T., 798.

sodiophenylsulphonacetate, action of heat on (OTTO and Rössing), 1889, A., 994.

behaviour of alkyl-halogen compounds with (Otto and Rössing),

1889, A., 994. replacement of the sodium of, by alkyls (Michael), 1890, A.,781; (Otto and Rossing), 1890, A.,

1137. disodiopropanetetracarboxylate, action of trimethylenic bromide on (PER-KIN and PRENTICE), 1891, T., 994. sodioquinoltetracarboxylate (NEF),

1889, A., 509.

disodiotartrate, transformation of, by ethylic chloride (MULDER), 1891, A., 830.

mono-and di-sodiotartrates (MULDER),

1890, A., 595.

sodiothiosulphate, preparation and properties of (OTTO and Rossing), 1892, A., 799.

sodium hydroxyisophthalate (Hähle), 1891, A., 1369.

sodoxalacetanilate (WISLICENUS and SATTLER), 1891, A., 902.

sodoxalacetate (Wislicenus), 1888, A., 1178.

succinate (DAVIDOFF), 1886, A., 444. synthesis of, from ethylic potassium malonate (Brown and WALKER), 1890, A., 583.

Ethylic succinate phenylhydrazide (MICHAELIS and HERMENS), 1892, A., 1495.

succinic chloride (MICHAELIS and HERMENS), 1892, A., 1495.

succinimidoacetate (HALLER and Arth), 1887, А., 1031.

succinocyanacetate (MULLER), 1891, A., 1337.

Ethylic succinosuccinate (v. BAEYER), 1886, A., 445; (HANTZSCH and HERRMANN), 1888, A., 675.

formation of, from ethylic dihydroxyterephthalate (HERRMANN), 1886, A., 550, 706.

constitution of (HERRMANN), 1883, A., 1084; (EBERT), 1885, A., 1122.

action of phosphoric chloride on (LEVY and ANDREOCCI), 1888, A., 840; (LEVY and CURCHOD), 1889, A., 1179.

relationship between phloroglucinol and (v. BAEYER), 1891, A., 1485.

and allied compounds, alleged tautomerism of (NEF), 1890, A., 983.

benzene derivatives from (Loewy), 1886, A., 1028.

desmotropic derivatives of (Boniger), 1888, A., 954.

phenylhydrazine derivatives of (v. BAEYER, JAY and JACKSON), 1891, A., 1486.

constitution of (v. BAEYER and v. BRÜNING), 1891, A., 1486. quinone derivatives of (HANTZSCH

and LOEWY), 1886, A., 354. Ethylic o-sulphaminebenzoate (FAHL-

BERG and LIST), 1887, A., 835; (REMSEN and DOHME), 1889, A., sulphide, action of ethylenic bromide

on (Masson), 1886, T., 249. platinum derivatives of (Blom-

STRAND), 1889, A., 230. mono- and s-dichlor-, physiological action of (MEYER), 1887, A.,

857. disulphide, chlor-, constitution of Guthrie's (SPRING and LECRENIER),

1888, A., 664. sulphides (Böttger), 1884, A., 1282; (Klason), 1888, A., 356.

sulphochloride, dichlor-, (JAMES), 1885, A., 365.

tannacetoacetate (Böttinger), 1892, A., 181.

tartrate, magnetic rotation of (Pen-KIN), 1887, T., 363; P., 29.

action of alkali ethoxides on (MUL-DER), 1890, A., 595; (MULDER and WELLEMAN), 1889, A., 376. Ethylic tartronate (FREUND), 1884, A., 1124; (PINNER), 1885, A., 759. preparation of (PINNER), 1886, A.,

telluride (MARQUARDT and MI-CHAELIS), 1888, A., 1066. preparation of (DEMARÇAY), 1884, A., 663.

teraconate (FROSI), 1885, A., 393.

terpenylate (FITTIG and LEVY), 1890, A., 873.

tetracarbanilidotetrahydroxyterephthalate (GOLDSCHMIDI and MEISS-LER), 1890, A., 500.

tetracetylisosaccharate (TIEMANN and ĤAARMANN), 1886, À., 689.

tetrahydronaphthalenetetracarboxylate (v. BAEYER and PERKIN), 1884, A., 908; (PERKIN), 1887, P., 93;

1888, T., 1.

(ANSCHUTZ tetrahydroxysuccinate and PARLATO), 1892, A., 1181.

tetramethylenecarboxylate (PERKIN),

1887, T., 12.

tetramethylenedicarboxylates (PER-KIN), 1883, A., 1084; 1887, T., 2,

tetramethylenetetracarboxylate (Pen-KIN), 1886, A., 934; (GUTHZEIT and DRESSEL), 1890, A., 879.

tetraphenylsuccinate (BICKEL), 1889, A., 999.

tetrate (Moscheles and Cornelius), 1888, A., 1272.

tetrethylacetonedicarhoxylate (Dun-SCHMANN and v. PECHMANN), 1891, A., 674.

thioacetamidoacetoacetate (STEUDE), 1891, A., 743.

trithioacetate (LAVES), 1892, A., 154.

Ethylic thioacetoacetate (MICHAELIS and Philips), 1890; A., 582; (Sprague), 1891, T., 329; P.,

preparation of (v. Buchka and SPRAGUE), 1890, A., 28; (SPRAGUE), 1891, T., 331.

action of phenylhydrazine on (v. BUCHKA and SPRAGUE), 1890, A., 796; (SPRAGUE), 1891, T., 332.

condensation of, with p-tolylhydrazine (SPRAGUE), 1891, T., 339.

Ethylic μ-thioacetylacetoacetate (STEUDE), 1891, A., 744.

thiocarbimidoacetate (KLASON), 1891, A., 180.

perthiocarbonate (KLASON), 1887, A., 1030.

(Berthiocarbonylbenzoylacetate GREEN), 1888, A., 446.

Ethylic thiocyanate, molecular refraction and dispersion of (GLAD-STONE), 1891, T., 296.

action of chlorine on (JAMES), 1885, A., 365.

action of thioacetic acid on (CHAN-LAROFF), 1883, A., 39.

perthiocyanate (Klason), 1889, A., 228.

4-thio-2:6-dimethylpyrone-3:5-dicarboxylate (GUTHZEIT and Er-STEIN), 1887, A., 920.

 β -dithiodiphenoxybutyrate (Est ALES and BAUMANN), 1886, A., 879.

 β -dithiodiphenoxy- α -ethylbutyrate (AUTENRIETH), 1891, A., 205.

thiodiphenylallophanate (SEIDEL), 1886, A., 357.

thiomethylsalicylate (Seiferr), 1855, A., 1058.

thiomethyluracilacetate (Lisr), 1887, A., 128.

β-thiophenoxylevulinate (Delisle), 1889, A., 489.

isothiophenylallophanate (SEIDEL), 1886, A., 357. thiophenyldimethylpyridinedicarb-

oxylate (GUTHZEIT and EPSIEIN), 1887, A., 920.

thioisophthalate(LUCKENBACH), 1881, A., 1158.

thioxalate (Morley and SAINT), 1883, T., 400.

thymol carbonate (RICHTER), 1883. A., 1112.

tiglate (Beilstein and Wiegand), 1885, A., 42.

p-tolueneazoacetoacetate (v. RICHTEL and MÜNZER), 1884, A., 1342.

toluene-sulphinate and -sulphoformate (Orro and Rössing), 1885, A., 1232.

p-toluenesulphonate (KRAFFF and Roos), 1892, A., 1220.

o- and p-toluidoacetates (Bischoff and HAUSDÖRFER), 1892, A., 1334, 1335.

β-p-toluidoacrylate (v. Pechmann), 1892, A., 818.

a-o- and -p-toluidobutyrates (Bis-CHOFF and MINTZ), 1892, A., 1338.

a-o-and -p-toluido-a-cyanopropionates (GERSON), 1887, A., 260, 261.

β-p-toluidodiacrylate (v. Pechmann), 1892, A., 818.

a-o- and -p-toluidopropionates (Bisand HAUSDORFER), 1892, CHOFF Δ., 1337.

o-toluidoisosuccinamate (GERSON). 1887, A., 260.

p-tolylbenzylmalonate (JUST), 1886, A., 617.

Ethylic o-tolylcyanacetate (HALLER), 1888, A., 1298.

p-tolyldiazolonecarboxylate(FREUND), 1892, A., 513.

1-p-tolyl-2:5-dimethylpyrrole-3:4-dicarboxylate (KNORR), 1885, A., 555. tolylenedimethylpyrroledicarboxylate (KNORR), 1887, A., 276.

p-tolylhydrazine acetoacetate (Knonn), 1884, A., 1154.

triacetoacetate (NEF), 1892, A., 145. triacetylphloroglucinoltricarboxylate (BALLY), 1888, A., 955.

triazoacetate (CURTIUS and LANG),

1889, A., 370.

tricarbanilidophloroglucinoltricarboxylate (Goldschmidf and Meisslen), 1890, A., 500.

4-tridecyl-2:6-dimethyl-hydropyridine- and -pyridine-3:5-dicarboxylates (KRAFFT and MAI), 1889, A.,

1017.

triethylacetonedicarboxylate (Dunschmann and v. Pechmann),1891, A., 674.

triethyl-gallate and -pyrogallocarboxylate (WILL and ALBRECHT), 1884, A., 1335.

triketohexamethylenecarboxylate trioxime (BALLY), 1888, A., 955.

trimesate (PIUTTI), 1887, A., 491. synthesis of (PIUTTI), 1887, A., 587. 2:4:6-trimethyldihydropyridine-3-

carboxylate (HANTZSCH), 1883, A., 84.

trimethylenecarbanilate (HANSSEN), 1887, A., 578.

trimethylenecarboxylate (PERKIN), 1885, T., 817; A., 1049.

trimethylenedicarboxylate (Perkin), 1884, A., 832; 1885, T., 807.

trimethylenetetracarboxylate (Per-KIN), 1884, A., 1300; 1885, T., 822.

trimethylenetricarboxylate (Conrad and Gurnally, 1884, A., 991.

2:4:6-trimethylpyridine-3-carboxylate (HANTZSCH), 1883, A., 84; (MICHAEL), 1885, A., 61.

Ethylic 2:4:6-trimethylpyridine-3:5dicarboxylate and its derivatives (HANTZSCH), 1883, A., 83.

ammonium salt of, decomposition of, by potash (Hantzsch), 1884, A., 1046.

methiodide and methohydroxide of (HANTZSCH), 1884, A., 1045.

methiodide, decomposition (HANTZSCH), 1885, A., 397.

Ethylic 1:2:6-trimethyl-4-pyridone-3:5-dicarboxylate (Conrad and Guthzeif), 1886, A., 334.

Ethylic trimethylpyrroledicarboxylate (Knorr), 1885, A., 555.

triphenylcarbinylmalonate (HENDER-SON), 1887, A., 671.

triphenylmethylmalonate (HENDERson), 1887, T., 225.

8-triphenylpropionate (HENDERSON), 1887, T., 227.

1:2:5-triphenylpyrrole-3-carboxylate (KAPF and PAAL), 1889, A., 149.

tropate (LIEBERMANN), 1891, A., 749.

truxillates (cthylic isoatropates) (Liebermann), 1888, A., 1211.

undecylenate (PERKIN), 1886, T., 296; (NOERDLINGER), 1890, A., 1237.

magnetic rotation of (PERKIN), 1886, T., 207.

urethanotolyloxamate (orumethanotolylurethane) (Schiff and VANNI), 1892, A., 601.

uvitonate (Böttinger), 1884, A., 758.

valerovalerate (HAMONET), 1890, A., 235.

o-vanadate (HALL), 1887, T., 752. vinaconate, constitution of (MICHAEL), 1887, A., 468.

xanthochelidonate (CLAINEN), 1891, A., 426.

xylenylamidoximecarboxylate (Op-PENHEIMER), 1890, A., 50.

m-xylylchloromalonate (POPPE), 1890, A., 499.

o-xylyldimalonate (v. BAEYER and PERKIN), 1884, A., 908.

1-m-xylyl-2:5-diphenylpyrrole-3carboxylate (PAAL and BRAIKOFF), 1890, A., 263.

o-, m- and p-xylylenedichlorodimalonates (Kipping), 1888, T., 14, 26, 35.

o-, m- and p-xylylenedimalonates (Kippixo), 1888, T., 16, 27, 35. m-xylyl-malonamate, -malonate, and -malonmethylamate (Poppe), 1890, A., 498.

Ethylidene derivatives (Rübencamp), 1885, A., 136.

Ethylidene diethyl ether. See Acetal. Ethylideneacetophenone, trichlor-(Koenics), 1892, A., 695.

Ethylidenebishydroxynaphthaquinonehydrazide (ZINCKE and THELEN),

1888, A., 1098.
Ethylidenebisthioglycollic acid

(Bongartz), 1888, A., 478. Ethylidenechloro-phenyl- and -p-tolylsulphones (Otro), 1890, A., 379, 380. Ethylidene-cinchonic and -cinchoxinic acids (('1 tt > , 1592, A , 1490.

Ethylidene//cyanophenylhydrazine (BLADIN), 1892, A., 597.

Ethylidenediacetic acid. See 8 Methylglutaric acid.

Ethylidene-diethoxy- and -dimethoxybenzene (GATIERMANN, EHRHALDI and Maisin), 1889, A., 862.

Ethylidenediethyldisulphone (E-CALEand BAUMINN) 1887, A., 123; (Frown), 1890, A., 55.

chloride (Frown), 1890, A., 55. Ethylidenedimethyldisulphone (Bur-

X11X and Kasr), 1859, 1232.

Ethylidenedi-a-naphthol (Craus and TRAINIR), 1587, A., 231.

Ethylidene-dinaphthylacetal and -Bdinaphthylic oxide (CLAINTN), 1857. A., 271.

(Cr ves **Ethylidenediphenol** and TRAINTR', 1857, A., 231.

Ethylidenediureide, tichloiand Lifsiniz, 1887, Α., NER 1032.

Ethylidene-ethanetricarboxylic acid and its silts (HJELT), 1985, Α.,

Ethylidene-ethylenedisulphone (F15-BENDER), 1888, A., 804.

Ethylidene-ethylenic disulphide (FAS-BENDER), 1888, A., 804.

Ethylideneimide silver nitrate ($REY \in H$ -LER), 1883, A., 903.

Ethylidenelactic acid. See Lactic

Ethylidene-2'-methylquinoline, trichlor-(EINHORN), 1886, Α., 264.

Ethylidenephenylhydrazine. See Acetaldehydephenylhydiazone.

Ethylidenephthalide, dinitr-(GABRIEL), 1586, A., 620.

Ethylidenepropionic acid (FITTIG and FRANKEI), 1890, A., 585.

2-Ethylidenepyrazoline (PINNER and Lifschitz), 1887, A., 1032.

Ethylidenerhodanic acid (NFNCKI and Bourguin), 1885, A., 40.

Ethylidene-p-toluidine, chlor- (Ben-IINERELAU and Polikier), 1887, A.,

Ethylidenic acetochloride (FRANCHI-MON1), 1583, A., 452.

bromide (dibromethane), bromination of (MEYER and MULLER), 1892, A., 1414.

brom- (tribromethane), action of sodium ethoxide on (MICHAEL), 1884, A., 418.

Ethylidenic chloride A May Tri, action of aluminium chloride on mixtures of, with benzene, toluene or m-vylene (ANSCHUTZ and ROMIG), 1890, Λ_{*} , 1885, Λ_{*} , 768. behaviour of, with ethylamine and amylamine (v. Hofvann), 1884, A., 1275.

trichlorolactate, tetrachlor- (ANN-CHUIZ and HASLAM), 1890, A., 27. diacetate (Franchinoni), 1883, A.,

453.

glycol, trichlor-. See Chloral hydrate. lactate (LEIPTN), 1889, A., 550.

oxyacetate, action of ammonia on (Get ther), 1989, A., 514.

ovvilcoholates (Lause H), 1993, A.,

ovychloride, constitution (LAAIS H), 1893, A., 758.

Ethylidenic chloride (s-rsmluhlorethul ethur, derivatives of (GELIHER), 1885, A., 237.

(PIN- | Ethylimidodiethyldioxamide (States), 1554, A., 995.

Ethylimidomethylene-ethylenic sulphide (MIOLAII), 1591, A., 895.

Ethylindazole (FISCHER and TAFEL). 1885, A., 541.

Ethylisoindazole-acetic acid and -carboxylic acid (FISCHER and TAPEI), 1885, A., 542, 543.

Ethylindene, amido- (v. MILLER and ROHDE), 1889, A., 984.

Ethylindole, synthesis of (FISCHER and Hess), 1884, A., 1181.

3'-Ethylindole (PICIET and DUPARC), 1898. A., 370.

Ethylindolecarboxylic acid, synthesis of (FISCHER and HFSS), 1884, A., 1181.

Ethyldiodamine (Ruschie), 1886, A.,

Ethyl-4-isatin (v. B 11 YEB), 1894, A., 74. synthesis of (FISCHER and HESS), 1894, A., 1181.

a-ethyloxime and \$-oxime (v. BAE YER), 1884, A., 74, 75.

B indogenide of (v. BAEYFR), 1884, A., 76.

Ethylitaconic acid (FITTIG), 1891, A, 453.

Ethylitamalic acid, salts of (FIIII) and DELISLE', 1590, A., 588.

Ethylleucazone and its derivatives (MEYER and CONSTAM), 1883, A., 40. Ethylmaleic acid, formation of (BIN-

CHOFF), 1891, A., 1221. Ethylmalic acid, brom-, sodium salt of (MULDER and HAMBURGER), 1883,

A., 312. See also Ethoxysuccinic acid. Ethylmalon-amide and -anilide (Freund and Goldsmith), 1888, A.,

Ethylmalonanilic acid (FREUND and Goldsmith), 1888, A., 676.

Ethylmalonic acid, thermochemistry of (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1097.

derivatives of (FREUND and GOLD-

SMITH), 1888, A., 675. brom- [m.p. 104°] (CONRAD and BRÜCKNER), 1892, A., 40.

γ-brom- [m.p. 116°] (Perkin), 1885, T., 814.

Ethylmalonic chloride, action of, on ethylbenzene (BEHAL and AUGER), 1890, A., 493.

Ethylmalonylhydrazide (FREUND and Goldsmith), 1888, A., 687.

Ethylmercaptomethylthiazoline. See Ethylsulphydromethylthiazoline.

Ethylmercaptophthalimide. See Ethylphthalimide, sulphydro...

Ethylmesaconic acid (FITTIG), 1891, A., 453.

Ethylmethyl. See Methylethyl. Ethylmorphine. See Codethyline under Alkaloids.

B-Ethylnaphthalene (BRUNEL), 1884, A., 1035.

a-Ethylnaphthalenecarboxylamide (Harris), 1890, A., 158.

Ethyl- β -naphthindolesulphonic sodium salt of (HINSBERG), 1892, A., 1458.

Ethyl-a- and -\beta-naphthols, *tri*nitr-(STAEDEL), 1883, A., 863.

Ethyl-\$-naphthoxindole (HINSBERG), 1892, A., 1458.

Ethylnaphthylamine. See Naphthylethylamine.

Ethyl-1:4-naphthylenediamine (BAM-BERGER and GOLDSCHMIDT), 1891, A., 1239.

hydrochloride (Kock), 1888, A., 469.

Ethylnitramine (FRANCHIMONT KLOBBIE), 1889, A., 492.

Ethyl-o-nitraniline (HEMPEL), 1889, A., 600; 1890, A., 611.

(Nolting Ethyl-m-nitraniline STRICKER), 1886, A., 543.

Ethyl-m- and -p-nitranilines, action of diazotised p-bromaniline on (Mel-DOLA and STREATFEILD), 1889, T., 428, 423.

action of diazotised nitranilines on (Meldola and Streatfeild), 1887, T., 110, 111.

Ethyl-p-nitraniline (Weller), 1883, A., 579.

Ethyl-m- and -p-nitrobenzaldoximes (Goldschmidt and Kiellin), 1891, A., 1478, 1477.

Ethyl-m-nitrobenzenylamidine ses), 1892, A., 52.

Ethyl-//-nitrobenzenyloxime nitrite (Weise), 1890, A., 46.

acid, preparation of Ethylnitrolic (MEYER and CONSTAM), 1883, A., 40.

Ethyl-p-nitrophenylnitrosamine (MEL-DOLA and STREATFEILD), 1886, T., 631.

Ethylnitrouracil (LEHMANN), 1890, A., 32,

Ethylnitrous acid, potassium salt of (CHANCEL), 1883, A., 914.

Ethylœnanthaldoxime (Westenber-GER), 1884, A., 581.

Ethyl-orange (BERNTHSEN and GOSKE), 1887, A., 666.

Ethyloxalamidobenzoic acid and its derivatives (Schiff), 1886, A., 549.

Ethyloxalenediuramidoxime and its dicarbonate (ZINKEISEN), 1890, A., 124.

Ethyloxalic acid, potassium salt of (MORLEY and SAINT), 1883, T., 402.

Ethyloxalic chloride (Anschütz), 1886, A., 1011.

action of, on derivatives of carbamide and guanidine (v. Stojentin), 1885, A., 1195.

Ethyloxalylacetylbenzamidine NER), 1889, A., 1009.

Ethyloxalyl-o-amidobenzamide (KNAPE), 1891, A., 910.

Ethyloximide, derivatives of (PINNER), 1883, A., 1098.

a-Ethyl-y-oxyvaleric acid and its salts

(Young), 1883, T., 174. Ethylparaconic acid (Firrig and De-LISLE), 1890, A., 587.

Ethylpentylic sulphide, occurrence of, in Ohio petroleum (MABERY and Sмітн), 1891, A., 1173.

Ethylphenetoil (AUER), 1884, A., 1002. Ethylphenol, preparation of, by Liebermann's process (ERRERA), 1885, A., 775.

and its derivatives (AUER), 1884, A., 1002.

o-Ethylphenol. See Phlorol.

p-Ethylphenol (Sempotowski), 1890,

Ethylphenolammonium iodide, o-brom-(Hantzsch), 1883, A., 1111.

Ethylphenolphthalein (AUER), 1884, A., 1002.

Ethylphenol-m-sulphonic acid, derivatives of (Sempotowski), 1890, A.,

Ethylphenyl propyl ketone (BÉHAL and AUGER), 1890, A., 493.

Ethylphenyl-. See also Phenylethyl-. Ethylphenylene-blue (Nölfing and Siricker), 1886, A., 544.

Ethyl-m-phenylenediamine (amidoethylanilim) (Nolffing and Stric-Ker), 1886, A., 545.

Ethyl-o-phenylenediamines (HEMPEL), 1889, A., 600; 1890, A., 612.

Ethyl-p-phenylenediamine (Schweitzer), 1886, A., 347; (Fischer and Hepp), 1887, A., 244.

p-Ethylphenyl-p-ethylimesatin (PAU-CKSCH), 1885, A., 256.

Ethylisophthalic acid (DOHENER), 1890, A., 1283; 1891, A., 1064.

Ethylphthalimide (Landsberg), 1883, A., 476; (Gradee and Pictet), 1889, A., 141.

brom- (GABRIEL), 1887, A., 1037. preparation of (GABRIEL), 1889, A., 870.

ehlor- (SEIFZ), 1891, A., 1472.

sulphydro- (GABRIEL), 1889, A., 870; 1891, A., 815; 1892, A., 130.

Ethylphthalimidine (GRAEBE and Picter), 1889, A., 141.

Ethylpicoline. See Methylethylpyridine.

Ethylpiperidine (β-lutidine hexuhydride) (Öechsner de Coninck), 1884, A., 1047.

a-Ethylpiperidine (Ladenburg), 1886, A., 159; 1887, A., 65, 740. specific rotation of (Ladenburg),

specific rotation of (LADENBURG), 1887, A., 283.

γ-Ethylpiperidine (LADENBURG), 1884, A., 760; 1887, A., 65.

synthesis of (LADENBURG), 1884, A., 1054.

Ethylpiperidine, 1-amido- (GABRIEL), 1891, A., 817.

Ethylpiperidinebetaine and its salts (KRUGER), 1891, A., 943.

Ethyl-β-piperidone (Aschan), 1891, A., 466, 1246.

Ethylpiperidylthiocarbamide (DIXON), 1889, T., 624.

Ethylpiperonylic acid, \(\omega\$-amido-, preparation of (Perkin), 1890, T., 1053.

action of heat, of methylic iodide and of nitrous acid on (PERKIN), 1800 T 1059

1890, T., 1058. salts of, with acids (PERKIN), 1890, T., 1056.

ω-chlor- (Perkin), 1890, T., 1029.

Ethylpiperonylic anhydride, ω-amido-(Perkin), 1890, T., 992, 1013. Ethylpiperonylic anhydride, ω-amido-, fusion of, with potash (PERKIN), 1890, T., 1015.

opianate of (PERKIN), 1890, T., 1082.

ψ-opianate of (Perkin), 1890, T., 1076, 1080.

nitrosoamido- (Perkin), 1890, T., 1018.

a-Ethylpiperylalkine. See Hydroxypropylpiperidine.

propylpiperidine. Ethylpropargylamine hydriodide (P.A.A.

and HERMANN), 1890, A., 230. Ethylisopropenyl sulphide (AUTEN-

RIETH), 1890, A., 361.
Ethylpropionimide hydrochloride (Pin-

NER), 1883, A., 1090.

Ethylpropylacetic acid (KILIANI), 1886, A., 441.

α-Ethyl-β-propylacraldehyde (RAUPEN-STRAUCH), 1887, A., 794.

Ethylpropylaniline and its derivatives (ULAUS and HIRZEL), 1887, A., 134.

Ethylpropylbenzene (WIDMAN), 1891, A., 688.

m-Ethylpropylbenzene (RENARD), 1884, A., 173.

m-Ethylisopropylbenzene and its derivatives (v. DER BECKE), 1891, A., 183.

p.Ethylpropylbenzene and its derivatives (Widman), 1891, A., 45; (v. Der Becke), 1891, A., 183.

p-Ethylpropylbengene-a- and -A-sulphonamides (WIDMAN), 1891, A., 45.

Ethylisopropylbenzenesulphonic acids, derivatives of (v. der Becke), 1891, A., 183.

β-Ethylpropylglyoxaline (β-oxalpropylpropyline), synthesis of (RADZISZEW-SKI), 1883, A., 729.

Ethylisopropylglyoxaline (oxulethylbutyline) (RIEGER), 1889, A., 119.

Ethylpropylic sulphide, occurrence of, in Ohio petroleum (MABERY and SMITH), 1891, A., 1173.

p-Ethylisopropylphenol (V. DER BECKE), 1891, A., 184.

Rthylpropylquinol (FIALA), 1886, A.,

3'-Ethyl-2'-propylquinoline (DOEBNER and v. MILLER), 1884, A., 1376; (KAHN), 1886, A., 262.

Ethylpropylthiocarbamide (HECHT), 1890, A., 476.

Ethylpropylthiocarbanilide (BILLETER and STROHL), 1888, A., 365.

o-Ethyl-p-isopropyltoluene (CLAUS), 1892, A., 985. α-Ethylpyridine (LADENBURG), 1886, A., 159; 1887, A., 60.

β-Ethylpyridine, properties and desivatives of (Stoehr), 1891, A., 579; 1892, A., 629.

γ-Ethylpyridine (OECHSNER DE CON-INCK), 1884, A., 910; (LADEN-BURG), 1886, A., 159; 1887, A., 60.

synthesis of (LADENBURG), 1883, A., 1151.

4-Ethylpyridine (β-Intidine) (OECHSNER DE CONINCK), 1883, A., 739.

hydrate of (OECH-NER DE CONINCK), 1883, A., 220.

Ethylpyridinecarboxylic acid (DÜR-KOPF and GOTTSCH), 1890, A., 795. Ethylpyridium iodide, action of heat

on (LADENBURG), 1883, A., 1151. Ethyl-a-pyridone (v. Pechmann and

BALTZER), 1892. A., 209.

Ethylpyromeconamic acid (MENNEL), 1885, A., 1204.

Ethylpyrrole [b.p. 164°] (DENNSTEDT and ZIMMERMANN), 1886, A., 1043.
1-Ethylpyrrole (ZANEFFI), 1890, A., 65, 907; 1891, A., 1387.

Ethylpyrroles, α - and β -, constitution of (ZANETTI), 1892, A., 350.

Ethylpyrroleazo. See under Azo.

1-Ethylpyrrole-2:5-dibenzoic acid (BAUMANN), 1887, A., 736.

Ethylquercetin (Henzid), 1889. A., 1309.

Ethylquinazole (FISCHER and KUZEL', 1884, A., 442.

and its salts (FISCHER and KUZEL), 1883, A., 812.

Ethylquinazolecarboxylic acid (FISCHER and KUZEL), 1883, A., 812; 1884, A., 442.

bromo-derivatives of (FIREHER and KUZEL), 1884. A., 442.

Ethylquinidine (CLAUS), 1892, A., 1250.

Ethylquinol, thio- (LEUCKART), 1890, A., 604.

2'-Ethylquinoline (REHER), 1887, A., 279; 1888, A., 66; (DUEBNER), 1887, A., 504.

oxidation of (v. MILLER), 1891, A., 1095.

derivatives of (REHER), 1887, A., 279; 1888, A., 66.

w-dichlor- (CARLIER and EINHORN), 891, A., 83.

3'-Ethylquinoline (KAHN), 1886, A., 263; (REHER), 1887, A., 279; 1888, A., 66.

2'-Ethylquinoline-3'-carboxylic acid (KAHN), 1886, A., 263.

Ethylquinoline-3.4'-dicarboxylic acid (v. Miller), 1890, A., 1325.

3'-Ethylquinolinesulphonic acid

(REHER), 1887, A., 280.

Ethylquinolone, homo-, and nitroderivatives of (Decker), 1892, A..
879, 880.

Ethylrosinduline (FISCHER and HEPP), 1890, A., 908.

Ethylsafranines, α- and β- (Schweitzer), 1886, A., 348.
 Ethylsalicylaldehyde, melting point of

(Perkin), 1889, T., 551. Ethylsantonous acid (Cannizzaro and Carnelutti), 1883, A., 78.

Ethyl-\$\(\text{Coblentz}\), 1891, A., 1216.

8-Ethyl-a-stilbazole 6:3-styrylethylpyridine), and its derivatives (PLATH), 1889, A., 163, 901.

Ethylsuccinic acid (Intunedicurborylic urid) YOUNG, 1883, T., 178; (POLKO), 1888, A., 135; (BISCHOFF and V. KUHLEERG, 1890, A., 742.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097.

dibrom-, and its salts (CLAUS), 1883. A., 44.

Ethylsuccinimide (LANDSBERG), 1883, A., 477.

derivatives of (PINNER), 1883, A., 1088.

hydrochloride (PINNER), 1883, A., 731.

Ethylisosuccinimide (Comstock and Wheeler), 1892, A., 701.

Ethylsuceinosuceinic acid, and its salts (Wedel), 1884, A., 835; (Mod Heles and Cornelius), 1888, A., 1272: 1889, A., 489.

Ethylsulphamic acid (Beilstein and Wiegand), 1883, A., 971.

Ethyl://isulphidediphthalamic acid (Coblentz), 1891, A., 1216. Ethylsulphine, isothiocyan- (Miolati),

1891, A., 893. Ethylsulphinic acid (AUTENRIETH),

1891, A., 203. Ethylsulphoneacetic acid (R. and W.

OTTO). 1888, A., 577. Ethylsulphoneacetone (OTTO and Tro-

GER), 1891, A., 665.

β-Ethylsulphone socrotonic acid (Ar-

TENRIETH), 1891, A., 204. Ethylsulphonecyanamide (Heben-

STREIT), 1890, A., 502. Ethylsulphonediphthalamic acid (GAB-

RIEL), 1892, A., 131. Ethylsulphonephenylsulphonal (Au-TENRIETH), 1891. A., 1067. Ethylsulphonepropionic acids, a- and β- (R. and W. Otto), 1855, A., 577.

Ethylsulphydroacetal (ATTENRIETH, 1591, A., 541.

Ethylsulphydromethylthiazoline (Hirsen), 1890, A., 860.

Ethyltaurine, preparation of (JAMES), 1885, T., 368.

Ethylteraconic acid, salts of (Rover), 1884, A., 459.

Ethyl- β -tetrahydronaphthylamine (BAMBERGER and MI LLER), 1889, A.,

Ethyltetrahydroquinoline, Wischnegradsky's (CLAUS and STEGELILE), 1884, A., 1051.

2'-Ethyltetrahydroquinoline (REHER), 1887, A., 279.

Ethylthalline, and some of its salts (Skraup), 1886, A., 80.
Ethyltheobromine, brom-, and its

derivatives (FISCHER), 1883, A., 357. upoEthyltheobromine (FISCHER), 1853, A., 357.

Ethylthienyl hexyl ketone and acetoxime (Schleicher), 1886, A., 539. -di-thiobiurets Ethyl-monoand

(ЙЕСИГ), 1892. А., 703, 704.

Ethylthiocarbamide, action of nitrous acid on (Dixon), 1892, T., 525.

Ethylthiocarbamide-allylic, -benzylic, -ethylic, and -propylic (HECHT), 1890, A., 1104. cyanides

Ethylthiocarbimide, molecular refraction and dispersion of (GLADS FONE). 1891, T., 296.

of aldehyde-ammonia action (DIXON), 1888, T., 414.

a-Ethylthiocoumarin (ALDRINGEN), 1892, A., 330.

Ethylthio- β -dinaphthylamine 1890, A., 1307.

a-Ethylthiophen (Schleicher), 1886, A., 227.

limited oxidation of (Schleicher), 1886, A., 534.

brom- (DEMUIH), 1986, A., 538.

B-Ethylthiophen (DAMSKI), 1887, A., 237; (GERLACH), 1892, A., 829. derivatives of (Bonz), 1885, A., 766.

Ethylthiophenhydroximic acid (Doug-LAS), 1892, A., 831.

Ethylthiophenic acid, and its salts (Schleicher), 1886, A., 227. Ethyl-thiosinamine and $-\psi$ -thiosinamine

(HECHT), 1890, A., 477; (AVENARIUS), 1891, A., 549. m-Ethylthiouramidobenzoic acid (As-

CHAN), 1884, A., 907. Ethylthymolsulphonic acid (WIDMAN),

1886, A., 470.

platinochloride Ethyltolenylamidine (4Lock), 1888, A., 1290.

Ethyl-p-tolindole and -p-tolindolecarboxylic acid (HEGFI \ 1886, A., 552.

Ethyltoluene. See Methylethylbenzene. Ethyl-o-toluidine (CHASE), 1886, A., 57.

and its acetyl-derivative, preparation of (REINHARD and STAEDEL), 1983, A., 578.

See Methylethylphenyl- ρ -amido-. enediamine.

p-nitroso- (FIS: HER and HEPP), 1557, A., 244.

Ethyl-p-toluidine and its derivatives (GASTIGER), 1885, A., 381; (GASTIGER), 1885, A., 975.

m-nitro- (NOLTING and STRICKER). 1886, A., 544; (NoLTING and ABF, 1888, A., 271.

Ethyltoluidinephthalein (PIUTTI). 1584. A., 450.

Ethyl-m-tolylenediamine (Nülfing and STRICKER), 1886, A., 544.

Ethyl-o-tolylenediamine (KOCK), 1588, A., 469.

Ethyltolylenediglycocine" (ZIMMER-MANN and KNYRIM), 1893, A., 797. Ethyltribenzylphosphonium chloride,

action of heat on (COLLIE), 1885, T., 725.

Ethyltricarballylic acid (AUWERS), 1891, A., 546.

a-Ethyltricarballylic acids, stereoisomeric (AUWERS, KOBNER and V. MEYENBURG), 1892, A., 42.

Ethyltrimethylenedisulphone sulphide (Camps), 1892, A., 593.

Ethyltrimethylenetrisulphone (CAMP-), 1892, A., 591, 593.

Ethylurethane, influence of, on digestion (CHITTENDEN and STEWART), 1889, A., 533.

Ethylurethanophenylacetic acid (curhoxyumidophenyluctic acid) (Kos-rl). 1892, A., 469.

a-Ethylvalerolactone (Young), 1883. T., 172; A., 455.

Ethylvinylcarbinol, oxidation of (WAG-NER), 1889, A., 231.

Ethylvinylpyridine (PRAUSNITZ), 1892. A., 1358.

Ethylxylenes and their derivatives (STAHL), 1890, A., 882.

o- and m-, and their sulphonic derivatives (JACOBSEN), 1887, A., 37.

Ethyl-m-xylenes, as- and s-, and their derivatives (Tohl and Geygen),1892, A., 968, 969.

Ethylxylenesulphonic acids (TOHL and GEYGER), 1892, A., 969. Ethylxylenol (SIAHL), 1890, A., 883.

Ethyl-o-xylidine and its derivatives (MENTON), 1891, A., 1204.

Ethylxylidines (Tonk and Gevere), 1592, A., 969.

Etna, products of the eruption of (RIC-(14Rb1), 1886, A., 857.

Eucairite from the Argentine (O110), 1890, A., 948; (KLOCKMANN), 1891, A., 1435.

Eucalyn, identity of, with melibiose (SCHEIBLER and MITTELMEIER), 1890, A., 227.

Encalyptol. See Cincol under Terpenes. EucalyptusGlobulus, essence (Voiry), 1888, A., 961.

Eucalyptus honey (MAQUENNE), 1890, A., 122.

manna, melitose from (TOLLENS), 1886, A., 527.

oil. See Oil.

Euchlorine (BOLTZMANN), 1886, A., 418. Euchlorine from Vesuvius (Scacchi), 1886, A., 600.

Euclase, description of a crystal of (Сичот), 1885, А., 228. from the Alps (Becke), 1883, A:, 34.

Eucolite from Magnet Cove, Arkansas (WILLIAMS), 1891, A., 529. Eucryptite (Brush and Dana), 1883,

A., 439.

Eudialyte from Arkansas (WILLIAMS), 1891, A., 529; (GENTH, PENFIELD and Presson), 1891, A., 1330.

chemical nature of (RAMMELSBERG), 1888, A., 234.

Eudidymite (v. Nordenskiold), 1889, A., 219.

Eudiometer, new form of (MARCET), 1889, A., 301.

Eudnophite from Greenland (DES CLOI-ZEAUX), 1885, A., 641.

Eugenol (Clamician and Silber), 1890,

A., 966. presence of, in sassafras oil (Po-

MERANZ), 1890, A., 1111. formation of, from coniferin (CHIOZ-

za), 1888, A., 941. (TIEMANN constitution of KRAAZ), 1883, A., 200.

action of bromine on (CHASANOWITZ and Hell), 1885, A., 779.

brom-, derivatives of (v. BOYEN), 1888, A., 680.

isoEugenol (TIEMANN and KRIAZ), 1883, A., 201.

and its derivatives (TIEMANN), 1892, A., 45.

Eugenyl carbonate (LOWENBERG), 1886, A., 789.

ethyl ether. See 3-Methoxy-4-ethoxyallylbenzene.

Eugenyl glucoside (MICHAEL), 1885, A., 521.

phenylcarbamate (SYAPE), 1885, T., 777.

Eulyte (Chambles and Zarri), 1890. A., 872; (Bassett), 1891, T., 978; (Angeli), 1891, A., 889. Eulytite (Weisbach), 1883, A., 433.

Euonymin (ROVM), 1886, A., 72.

Eupatorin, active principle of Eupatorium perfoliatum (Shamel), 1892, A., 1103.

Euphorbiaceæ, milky juice of certain (HENKE), 1887, A., 72.

Euphorbium and euphorbone (HENKE), 1887, A., 72.

Eurhodines (WITT), 1886, T., 391; P., 187; A., 473; 1887, A., 153; 1888, A., 1186.

constitution of (KEHRMANN), 1890, A., 1265.

formulæ of (Fischer and Hepp), 1890, A., 1444.

formulæ of eurhodoles and (NIETZKI and Hasterlik), 1891, A., 944.

relations between indulines, safranines and (Kehrmann and Messinger), 1891, A., 746, 1213.

safranines and (WITT), 1888, A.,

Eurhodole (WITT), 1886, T., 397; A., 473; (ZINCKE), 1892, A., 859.

Eurite, Dumont's (RENARD), 1883, A.,

Eusynchite, analysis of (BAERWALD), 1883, A., 1063.

Eutaxitic glasses of the liparites (WENUKOFF), 1891, A., 649. Eutexia (GUTHRIE), 1885, A., 329.

Euxanthic acid (purreic acid) (HERZIG), 1892, A., 1354.

formation of, from euxanthone in the animal organism (V. Kostanecki), 1387, A., 272.

properties constitution and (GRAEBE), 1890, A., 505.

action of hydroxylamine on (Henzig), 1892, A., 1355.

derivatives of (Spiegel), 1883, A., 219.

Euxanthone (Spiegel), 1883, A., 219; (KULZ), 1887, A., 498; (HERZIG), 1891, A., 1349 ; 1892, A., 1354.

synthesis of (Graebe), 1889, A., 886; 1890, A., 506.

formula of (SPIEGLER), 1884, A., 1182.

constitution of (GRAEDE), 1889, A., 886; (v. Kostanecki and Nessler), 1892, A., 504.

properties of (GRAEDE), 1890, A., 506.

isoEuxanthone (BISTRZYCKI and V. Kostaneckii, 1885, A., 1077; (v. KOSTANECKI and NESSLEE), 1591, A., 1061.

constitution of (ARLENZ), 1-90, A., 53.

β-isoEuxanthone (GRAEBL), 1590, A.,

Euxanthone ethyl ether (Herzic). 1891, A., 1349.

Euxanthone-group (SPIEGLER), 1884, A., 1182; (GRAFBE and FEER), 1587, A., 152; (GRAEDE), 1-90, A., 504.

Euxanthone-series, compounds (Phomina), 1890. A., 389.

Euxenite from N. Carolina (HIDDEN), 1883, A., 163, 1064.

Evaporation (ROOZEBOOM), 1888, A., 1149.

considered as a process of diffusion (STEFAN), 1891, A., 384.

by aid of heat applied from above, apparatus for (HEMPEL), 1890,

rapid method of, in analysis (Jones). 1889, A., 1246.

at any desired temperature, vacuum dessicator for (BRUHL), 1891, A., 1152.

under reduced pressure, apparatus for (Schulze and Tollens), 1892, A., 1386.

latent heat of, relation of specific inductive capacity to (OBACH), 1892, A., 258.

influence of temperature on (Winkel-MANN), 1889, A., 461.

influence of physical and chemical properties of the soil on (Esnn), 1885, A., 80.

rate of, determination of vapour pressure from (MULLER-ERZBACH), 1888, A., 1016.

experiment on (FISCHER), 1884, A.,

studies on (SORATER), 1884, A., 627; (Schall and Kossakowsky), 1891, A., 1316.

of liquids (HEMPEL), 1888, A., 546. of liquids, relation between molecular weight and velocity of (SCHALL), 1884, A., 551, 950; 1885, A., 112; (SCHALL and KOSSAKOWSKY), 1891, A., 1317.

of water in a vacuum, and apparatus for (McLEOD), 1883, T., 384.

relation between the theories of capillarity and (STEFAN), 1887, A., 323. spheres of condensation and (BEYER-INCK), 1892, A., 936; (LEHMANN), 1892, A., 1149.

Evaporation, dissociation and (RAMSA) and Young), 1887, T., 755; 1899, A., 18.

dissociation and; a study of the thermal properties of acetic acid (RAMSAY and YOUNG), 1886, T., 790; P., 225.
Evigtokite. See Gearksutite.

Exalgine (GIRAUD), 1889, A., 704. Excreta, human, utilisation of (Engles),

1884, A., 1418. Excretion, cutaneous, of albumin by the horse (LECLERC), 1888, A., 1320.

of digestive ferments from the animal (BENDERSKY), 1891, A., 483.

of iron (GOT PLIES), 1891, A., 1125. of nitrogen in kidney disease (Konn-BLUN, 1892, A., 743; (GUMLICH', 1892, A., 1504.

of nitrogen in the sweat (ARGUIINьку), 1891, А., 350.

of nitrogen in urine (GUMLICH), 1892. A., 1503.

of nitrogen, influence of water and sodium chloride on (DIBLLIE', 1892, A., 904.

of nitrogen and unic acid in cases of leucemia (Bohland and Schurz), 1891, A., 483.

of nitrogen and uric acid from the human system, influence of hot baths on (Formánek), 1892, A., 1503.

of uric acid, influence of drinking large quantities of water on (Schon-DORFF), 1891, A., 348.

Expansion, cooling of carbonic anhydride on (NATANSON), 1887, A.,

thermal, of liquid bismuth (VICEX-TINI), 1891, A., 518; (CATTANEO).

1892, A., 259. by heat, of salt solutions (BREMER),

1889, A., 329. by heat, of sulphuric acid solutions (PICKERING), 1890, T., 114, 177.

of air (ANTOINE), 1889, A., 460. of liquids (MENDELLEFF), 1884, T., 126; (THORPE and RUCKER), 1884, A., 135; (DE HEEN), 1884, A., 408; (AMAGAR), 1888, A., 215.

of liquids, attempt to eliminate the change in volume of the vessel when measuring (v. Bogu-Ki), 1888, A., 1237.

Mendeléeff's for, for mula Thorpe and Rucker's formula for determining the critical tem-perature of liquids from their coefficient of expansion (BARTOLI and STRACCIATI), 1885, A., 859.

Expansion of water (Scheel), 1892, A., (Marek), 1892, A., 106; (Puschl), 1892, A., 1382.

of water and other liquids (PICKER-

ING), 1891, A., 8.

of salt solutions (Tschernai), 1889, A., 204, 330, 1101; 1890, A., 318. of solutions of potassium and calcium

chlorides (Drecker), 1888, A., 1010.

of substances in gaseous, vaporous, and liquid states, relation of, to temperature (SCHALL), absolute 1885, A., 1179.

Expiration of carbonic anhydride, action of pulmonary tissue in (GARNIER), 1886, A., 1052.

of plants (KREUSLER), 1888, A., 742. Explosion, occasioned by impurities in commercial ether (CLEVE), 1891,

P., 15.

wave of (BERTHELOT and VIEILLE), 1883, A., 777.

of ammonium nitrate (LUBRY DE Bruyn), 1892, A., 683.

of electrolytic gas and volatile carbon compounds (PIZZARELLO), 1886, A., 762.

gaseous mixtures, influence of temperature on the limits of (v. of Roszkowski), 1891, A., 975.

of homogeneous gaseous mixtures (CLERK), 1886, A., 761.
of a mixture of carbonic oxide and

oxygen with varying quantities of aqueous vapour, velocity of (Dixon). 1883, A., 12.

of a tube containing liquid carbonic anhydride (Pfaundler), 1893, A., 422.

of water-gas (v. OETTINGEN and v. Gernet), 1888, A., 549.

Explosions, theory of (THRELFALL), 1886, A., 761.

dust (Engler), 1886, A., 404.

gaseous, spectroscopic studies (LIVEING and DEWAR), 1885, A.,

gaseous, imperfect combustion in (DIXON and SMITH), 1889, A., 337. Explosive alloys of zinc with certain platinum metals (SAINTE-CLAIRE

DEVILLE and DEBRAY), 1883, A., 19. Explosive gaseous mixtures (MEYER and SEUBERT), 1884, T., 583; (BERTHELOT and VIEILLE), 1884, A., 709.

influence of the density of, on the pressures which they develop (BER-THELOT and VIEILLE), 1884, A., 805.

Explosive gaseous mixtures, some relations between temperatures of combustion, specific heats, dissociation and pressure of (BER-THELOT), 1883, A., 771.

combustion of (MALLARD and LE CHATELIER), 1883, A., 844; 1884,

A., 549.

combustion of, in various states of dilution (WITZ), 1884, A., 1247.

relative rapidity of combustion of (BERTHELOT and VIEILLE), 1884, A., 804.

"Explosive gelatin," spontaneous decomposition of (MUNROE), 1884, A., 947.

Explosive mixture of chlorine and hydrogen, action of light on; a lecture experiment (MEYER), 1884, A., 552.

of coal-gas and air, combustion of (WITZ), 1885, A., 857.

of sodium nitrate and hypophosphite (CAVAZZI), 1886, A., 980.

Explosive pyrites, so-called, cause of

the decrepitations in samples of (BLOUNT), 1885, T., 593; P., 90.

Explosives (BERTHELOT), 1884, A., 540; (ANON.), 1884, A., 239,1452; 1885, A., 852; (MATIGNON), 1892, A., 1141.

solid and liquid, rate of propagation of detonation in (RERTHELOT), 1885. A., 478.

analysis of (LUNGE), 1887, A., 86. Exsiccator, error in the principle of the ordinary (HEMPEL), 1891, A., 259. See also Drying apparatus.

"Extract, dry" (Jay), 1885, A., 602.

Extract, nitrogen free, constituents of (STONE), 1892, A., 653.

of meat, Liebig's, two new substances obtained from (KRUKEN-BERG and WAGNER), 1885, A., 921. of Senega, liquid (Rose), 1884, A., 540.

Extraction apparatus (KING), 1888, A., 1134; (KNÖFLER), 1890, A., 663; (WILLARD and FAILYER), 1892, A., 910.

of fat. apparatus for (Foerster), 1888, A., 760; (CRAWLEY), 1890, A., 304; (EDRINS), 1891, A., 625.

of solutions with liquids, apparatus for (NEUMANN), 1886, A., 198.

Eyster's scheme for qualitative analysis (WARDER), 1886, A., 100.

F.

Fabia vulgaris, composition of the seeds of (Schulze, Steigen Maxwell), 1891, A., 1543.

RICKVAN), 1884, A., 1234.

dyed cotton, microscopic investigation of (MEVER), 1883, A., 751.

dyed, estimation of indigo in (RE-NARD), 1890, A., 931.

human, ferments Fæces, in (١. JAKSCH), 1888, A., 180.

bacteria of, in suckling children (Baginsky), 1888, A., 865.

analysis of nitrogenous metabolites in (SIUTZER), 1887, A., 613.

estimation of nitrogen in (CAMERER, 1885, A., 303; (RILDEL), 1885, A., 414.

estimation of products of metabolism in (Pfeiffer), 1886, A., 571.

Fagine (HABERMANN, 1885, A., 676.

Fahlore. See Tetrahedrite.

Fairfieldite from Branchville (BRUSH and DANA, 1890, A., 1072.

from Rabenstein (V. SANDBERGER),

185, A., 640.
"Fairy ring" tungus, composition of the ash of one species of (LAWE), GILBERT and WARINGTON), 1883, T., 212.

soils, preparation and analysis of LAWES, GILBERT and WARING-10x), 1883, T., 215.

"Fairy rings" (v. Thumen), 1885, A.,

chemistry of (LAWES, GILBERT and WARINGTON), 1883, T., 208.

Falkenhanyite from Joachimsthal (v. SANDBERGER), 1891, A., 1167.

Faraday lecture (MENDELLEFF), 1889, T., 634; P., 93.

Farm and farming. See Agricultural Chemistry.

Fassaite, a new pseudomorph of (CATH-REIN), 1889, A., 23.

"Fast red," description and measurement of the spectram of (HARILEY), 1887, T., 197.

Fasting, decomposition of albumin during (MUNK), 1891, A., 1524.

Fat of Amenita partherina and Boletus luridus (Orirz), 1891, A., 1285.

of Bassin longifolia (VALENTA), 1884, A., 919.

of the soja bean (Morawski and STINGL), 1887, A., 687.

of bicuhyba nuts (Noendlinger), 1886, A., 139.

of bone marrow (MOHR), 1890, A.,

of butter, nature of (BLYTH and ROBERTSON), 1889, P., 5.

of cochineal (LIEBERMANN), 1885, A., 1015; (RAIMANN), 1886, A., 441.

Fabrics, bleaching (THOMPSON and | Fat of fodder, composition of (SIELL-WAAG), 1890. A., 657.

from Fungi (Genard), 1891, A.,

of the horse (LENZ), 1889, A., 1076; (AMTHOR and ZINK), 1892, A., 1533.

from milk solids, extraction of (RICHMOND), 1890, (STOKES), 1892, A., 391. A., 91;

of the fiuit of Myristica surian mensis (Reimer and Will), 1885, A., 1197.

of palm nuts (v. Wilm), 1985, A.,

of sabadilla seeds (OPITZ), 1891, A.,

sawarii (Lewkowiese H), 18-9, P.,69. of the fruit of Vaterua indica (v. HOHNEL and WOLFBAUER), 1986, A., 223.

extraction of, apparatus for (Chiw-LEY), 1890, A., 304; (EDKINS), 1891, A., 625.

extraction of, in the cold, apparatus for (FOERSTER), 1888, A., 760.

extraction of, by Soxhlet's apparatus (MILNE), 1888, A., 95.

neutral, formation of, from fatty acid in the animal system (MUNK), 1884, A., 852.

formation of, from carbohydrates in animals (Techirwinsky), 1884, A., 345, 912; (CHANIEWSKI), 1885, A., 280; (RUBNER), 1886, A., 482; (Munk), 1887, A., 288; (Pflu-GER), 1889, A., 175.

formation and migration of, in phosphorus poisoning (LEO), 1885, A.,

formation, absorption and storage of, in animals (MUNK), 1885, A., 829, pathological formation of (LEBEDEFF), 1884, A., 1392.

thermochemistry of (STOHMANN and LANGBEIN), 1891, A., 11.

specific gravity of (Champton), 1889, A., 801.

melting point of (REINHARDF), 1886, A., 495; (ANON.), 1888, A., 93.

melting and solidifying points of (TERREIL), 1590, A., 929.

drying (Sonnenschein), 1886, A., 1083.

saponification of, by electricity (Ro-TUNDI), 1885, A., 1274.

saponification of, formation of basic salts in the (DECHAN and MABEN), 1886, A., 186.

behaviour of, with glacial acetic acid (VALENTA), 1894, A., 1078.

Fat, decomposition of, by heating under | Fat, optical examination of (AMAGAT pressure (ENGLER), 1889, A., 586. behaviour of, in normal germination

(MAXWELL), 1891, A., 489. ferments which decompose, in plants

(SIGMUND), 1890, A., 1455; 1892, A., 1261.

A., 1201. absorption of (MINKOWSKI), 1890, A., 1171; (MUNK and SIEIN), 1891, A., 755, 849.

absorption of, from the alimentary canal (Arnschink), 1890, A., 811. absorption of, in the absence of bile

(Munk), 1891. A., 593.

absorption of, in the intestines of (TSCHIRWINSKY), 1884, animals 912; (GRUENHAGEN Knonn), 1890, A., 183.

as-imilation of (LANDWEHR), 1885, A., 999; (MUNK), 1885, A., 1148. influence of bile on the digestion of

(DASTRE), 1888, A., 618.

influence of, on the digestibility of proteids (KERN and WATTENBERG), 1891, A., 752.

relative nutritive value of carbohydrate and (KELLNER), 1888, A., 173.

nutrition by (LEBEDEFF), 1883, A.,

power of the liver to form sugar from (SELGEN), 1887, A., 67.

hydrolysis of (BENEDIKT), 1888, A., 1269.

transformation of, in the alimentary canal (Wassilieff), 1883, A., 744. analysis of (Zulkowski), 1883, A., 1036; (BENEDIKT and ULZER), 1887, A., 620; (ROSE), 1887, A., 621; (MUTER and DE KONINGH), 1890, A., 91; (NOERDLINGER), 1890, A., 929; (Lewkowitsch), 1891, A., 509; (BENEDIKT), 1891, A., 870. optical analysis of butter-fat (EL-LINGER), 1891, A., 1401.

revision of constants employed in the analysis of oil and (Thomson and BALLANTYNE), 1892, A., 547.

examination of (DE SCHEPPER and GEITEL), 1883, A., 125; (ZUL-KOWSKI),1883, A., 936; (VALENTA), 1884, A., 504; (V. HUBL), 1884, A., 1435; (KINGZETT), 1885, A., 446; (DIETERICH), 1886, A., 1083; (LEWKOWITSCH), 1890, P., 72, 91; (WARREN), 1890, A., 1347; 1891, A., 248, 506; (Konig and Hart), 1891, A., 1301.

examination of, by the "iodine-addition method" (v. Hubl.), 1884, A., 1436; (Moore), 1885, A., 1014.

and JEAN), 1890, A., 91.

foreign, detection of, in (ERDELYI), 1892, A., 1532. detection of cotton seed oil

(LEONE), 1890, A., 930.

hydrocarbons in of detection (NITSCHE), 1886, A., 395.

detection of suint in (MEYER), 1883, A., 750.

estimation of (Kretzschmar), 1887, A., 402; (WARREN), 1891, A., 505. neutral, estimation of (GROGER), 1890, A., 200.

estimation of free acid in (ARCHBUTT), 1885, A., 446.

estimation of, in butter (GANTTER), 1888, A., 537.

estimation of, in cream, etc. (SCHMID), 1888, A., 1347; (LEZÉ and ALLARI), 1892, A., 392.

estimation of, in feeding stuffs (WAGNER), 1884, A., 631; (Buh-RING), 1888, A., 633; (PATTERSON), 1890, A., 930.

estimation of glycerol in (DAVID), 1883, A., 123.

estimation of beef-fat, in lard (WILson), 1889, A., 659.

of, in estimation linseed cake (Wrampelmeyer), 1889, A., 1251. estimation of, in margarine (Lezé and Allard). 1892, A., 392.

estimation of, in milk (EMMERICH). 1883, A., 246; (LIEBERMANN). 1884, A., 372; 1885, A., 695; (GEIS-LER), 1885, A., 1014; (CALD-WELL and PARR), 1886, A., 283; 308; (CRONANDER), 1887, A., (FABER), 1887, A., 1144; (GANITER), 1888, A., 537; (SCHREID), 1888, A., 1135; (SCHMID), 1888, A., 1347; (Short), 1889, A., 1037; (Patrick), 1889, A., 1250; (Parsons), 1890, A., 92; (Stokes), 1890, A., 304; (LEZE), 1890, A., 837; (SJÜSTROM), 1891, A., 508; (BABCOCK), 1891, A., 509; (GORODETZKY), 1891, A., 625; (MOLINARI), 1891, A., 1299; (KUHN), 1891, A., 1402; (SHUTF), 1891, A., 1559; (GOTTLIEB), 1892, A., 549; (NIL-SUN), 1892, A., 550; (PINEFFE), 1892, A., 1134; (LEFFMANN and BEAM), 1892, A., 1532.

estimation of, in milk in dairies (LANGKOFF), 1890, A., 1346.

estimation of, in skim milk (Fleisch-MANN). 1884, A., 1435. estimation of, in sour milk (KUHN),

1890, A., 304.

Fat, estimation of, in the products from milk (Lezr and Alland), 1892, A., 391.

percentage of, in the milk of cows of different breeds (ANON.), 1884, A.,

estimation of, in palm-nut meal (v. WILM), 1885, A., 1164.

estimation of, in poppy cake (BAENS-LER), 1890, A., 306.

estimation of unsaponifiable matters in (Mansbridge), 1892, A., 1533.

estimation of, in vaseline (VIZERN and Nicolas), 1891, A., 1401. estimation of, in yolk of eggs (BEIN),

1892, A., 1134. separation of mineral oils from

(GAWALOWSKI), 1887, A., 1001. separation, quantitative, of, from resin (GLADDING), 1885, A., 603.

See also Grease and Tallow.

Fats, food, alterability of some (REIT-MAIR), 1891, A., 770. natural (DUBOIS and PADE), 1885,

A., 844; 1886, A., 495. constitution of (WANKLYN and Fox), 1884, A., 35.

solid animal and vegetable, composition of (BENEDIKT and HAZURA), 1889, A., 1057.

vegetable (Jacobson), 1889, A., 295. cholesterol in (HECKEL and SCHLAG-DENHAUFFEN), 1886, A., 829.

occurrence of the higher fatty acids in the free state in (SCHMIDT and ROEMER), 1884, A., 96.

Fatigue, change of chemical composition of muscle by (Monari), 1888, A., 174.

Fatty acids. See Acids. alcohols. See Alcohols.

compounds, conversion of benzene derivatives into (HANTZSCH), 1888, A., 130.

oils. See Oils.

Fatty series, heats of combustion of compounds of (LUGININ), 1886, A.,

unsaturated compounds of (Beil-STEIN and WIEGAND), 1885, A., 740.

Fauserite from Hodrusbánya (Loczka), 1892, A., 1054.

Fayalite (IDDINGS), 1886, A., 319. artificial (FIRKET), 1890, A., 20. from Colorado (HIDDEN), 1885, A., 878.

in the obsidian of Lipari (IDDINGS and PENFIELD), 1891, A., 158. Febrifuges, effect of, on hepatic glycogen

(Nebelthau), 1891, A., 1527.

Feeding and feeding stuffs. See Agricultural Chemistry.

Fehling's solution, modification in the use of (CAUSSE), 1889, A., 1036.

action of light on (AMATO), 1884, A., 1238; (EDER), 1885, A., 1173.

rapidity of separation of cuprous oxide by the action of invert-sugar on (URECH), 1883, A., 385; 1884, A., 574.

rate of reduction of, by sugars (URECH), 1884, A., 1112.

titration with (BECKMANN), 1887, A., 185.

titrations with, effect of pyrocatechol on (WOHL), 1888, A., 994.

Fellic acid (SCHOTTEN), 1887, A., 606. Felspar (BECKER), 1884, A., 716.

in the Corsican diorite (SCHLUTTIG), 1887, A., 784.

sodium, from Krageroe, Norway (Вів-сног), 1887, А., 453. potash. See Orthoclase.

triclinic, from Quatre Ribeiras (Forque), 1885, A., 642.

from Syria (Doss), 1888, A., 432. from Weiler, near Weissenberg,

analysis of (Linck), 1886, A., 212. triclinic potash-soda- (unorthoclase; microclasc) (WIIK), 1884, A., 970.

crystallographic association (Bréon), 1886, A., 992.

with twinning striations on the brachypinacoid (PENFIELD), 1888, A., 350.

ground, as a potash manure (AITKEN), 1887, A., 996.

large porphyritic crystals of (HoL-LAND), 1891, A., 276.

phosphoricanhydridein (LINDSTRÖM, 1887, A., 347.

change in colour in, due to the action of light (Erdmann), 1883, A., 438; 1886, A., 27.

conversion of, into a scapolite (JUDD), 1891, A., 277.

Felspars from Elba (Funaro), 1887.

A., 560. from Krakatoa ashes (Retgers), 1886, A., 602.

from Pantelleria (Folkstner,), 1884, A., 1104. artificial changes in (FÜRSTNER),

1886, A., 602. barytic, from Sweden (IGELSTRÖM),

1890, A., 343. potash-soda-, of Silesia (BETTELL).

1885, A., 31. Fenchene (WALLACH), 1891, A., 1082, 1088.

Fencholenamine (WALLACH and JENKEL), 1892, A., 1240.

Fencholenic acid and its derivatives (WALLACH and HARTMANN), 1991, A., 219; (WALLACH), 1892, A., 1237.

Fenchone (fenchole) (WALLACH and HARTMANN), 1891, A., 218; (WAL-LACH), 1891, A., 1082, 1086.

and camphor series (WALLACH), 1892, A., 1236.

Fenchoneoxime (WALLACH and HART-MANN), 1891, A., 218; (WALLACH), 1891, A., 1087.

(WALLACH isoFenchoneoxime HARTMANN), 1891, A., 219.

B-isoFenchoneoxime (WALLACH), 1892, A., 1237.

Fenchonitrile and its derivatives (WAL-

LACH), 1892, A., 1236. Fenchylamine (WALLACH), 1891, A., 1087.

salts of (Wallach and Griepenkerl), 1892, A., 1239.

Fenchylbenzylideneamine (WALLACH), 1891, A., 1087; (WALLACH and GRIEPENKERL), 1892, A., 1239.

Fenchyl-carbamide, and -phenylthiocarbamide (Wallach and Griepen-Kerl), 1892, A., 1239.

Fenchylic alcohol and chloride (WAL-LACH), 1891, A., 1087, 1088.

Fenugreek seeds, alkaloids of (JAHNS), 1886, A., 85.

Fergusonite from Brindletown, Burke Co., N. Carolina (SEAMON), 1883, A., 32; (HIDDEN), 1883, A., 163, 1064. from Llano Co., Texas (HIDDEN and MACKINIOSH), 1890, A., 459.

earths and niobic acid from (KRUSS and NILSON), 1887, A., 706.

Ferment, presence in chyle of a, which destroys sugar (LÉPINE), 1890, A., 810.

in human fæces, and in the contents of cysts (v. Jaksch), 1888, A., 180.

from human saliva (KRAWKOFF), 1888, A., 862.

in the latex of plants (HANNEN), 1886, A., 1059.

in pineapple juice (CHITTENDEN, Joslin and Meara), 1892, A.,

from purefactive bacteria, which dissolves fibrin (SALKOWSKI), 1888, A., 1326.

of succinic acid and its action on cane sugar (Teixeira-Mendes), 1885, A., 1152.

in normal urine (STADELMANN), 1888, A., 308; (Rosenberg), 1891, A., 760.

Ferment, method of obtaining, in pure aqueous infusions (KRAWKOFF), 1888, A., 862.

acetic, which forms cellulose (Brown), 1886, T., 432; P., 194.

aerobic nitrate-reducing, in straw

(BRÉAL), 1892, A., 1259. ammoniacal (LADUREAU) 1885, A., 181; 1886, A., 386.

anaerobic, decomposition of albumin by (NENCKI), 1890, A., 78.

decomposition of gelatin by (SELI-TRENNY), 1890, A., 543

reduction of calcium sulphate by (QUANTIN), 1886, A., 573.

butyric, occurrence of (Zopf), 1884, A., 476.

in arable soils (DEHÉRAIN and MAQUENNE), 1883, A., 610.

conversion of starch into dextrin by the (VILLIERS), 1891, A., 659, 1446.

fermentation of starch by (VIL-LIERS), 1891, A., 660.

diastatic, formation of, in the cells of the higher plants (DETMER), 1884, A., 917, 1063, 1402.

of ungerminated wheat (LINTNER), 1890, A., 650.

in saliva (Goldschmidt), 1886, A., 726.

of the liver (KAUFMANN), 1890, A., 185.

in urine (Holovokschiner), 1886, A., 902; (Rosenberg), 1891, A., 760.

fibrin (Pekelharing), 1892, A., 1112. origin of (Wooldridge), 1885, A., 571.

nature of (HALLIBURTON), 1889, A.,

action of (LEA and DICKINSON), 1890, A., 1175.

fungoid, activity of (DIAKONOFF), 1886, A., 1060.

glycolytic, of the blood, isolation of (LEPINE and BARRAL), 1891, A.,

gum (Wiesner), 1885, A., (REINITZER), 1890, A., 998.

inverting, of cane-sugar (LADUREAU), 1886, A., 169.

koji (KELLNER, MORI and NAGAOKA), 1890, A., 281.

lactic, occurring in malt wort (LIND-NER), 1888, A., 622.

in milk (Hueppe), 1885, A., 1170.

nitrie (Muntz), 1887, A., 1135; P. F. and G. C. FRANKLAND), 1891, A., 352.

Ferment, nitric, distribution of, and its function in the disintegration of rocks (MÜNTZ), 1887, A., 1135.

oxalic (KOHL), 1891, A., 857.

pancreatic, changes which proteid matters undergo by the action of (Orro), 1884, A., 1056.

saccharific, localisation of (LLPINE and BARRAL), 1892, A., 517.

soluble, of urea (MIQUEL), 1891, A., 100.

from Torula wreæ (LEA), 1886, A., 641.

Ferments, glycogen in (ERRERA), 1885, A., 1254.

value of nitrates and ammonium salts as food for (LAURENT), 1891, A., 1135.

action of (TAMMANN), 1889, A., 566.

action of salicylic acid on (GRIFFITHS), 1886, A., 386.

reduction of nitrates by (SPRINGER), 1884, A., 350.

fate of certain, in the organism (Hoff-MANN), 1889, A., 178. digestive (VIGIER), 1885, A., 279.

in crustacean eggs (ABELOUS and HEIM), 1892, A., 362. influence of temperature on (BIER-

NACKI), 1891, A., 1271. action of uranium salts on (CHIT-

TENDEN and HUTCHINSON), 1888, A., 78.

decomposition of (LANGLEY), 1883, A., 815.

excretion of (BENDERSKY), 1891,

relations of carbohydrates in food to (STUTZER and ISBERT), 1888, A., 170.

relation of proteids to (STUTZER), 1887, A., 1129.

fat-decomposing, in plants (SIG-MUND), 1890, A., 1455; 1892, A., plants 1261.

hydrolytic, terminology of (Armsrrong), 1890, T., 528.

proteolytic and other, in oats (ELLEN-BERGER and HOFMEISTER), 1888, A., 867.

unorganised (Loew), 1888, A., 607; (Krawkoff), 1889, A., 515; (O'SULLIVAN and TOMPSON), 1890, T., 835; (TAMMANN; JACOBSON), 1892, A., 899. behaviour of, at high temperatures

(HUEPPR), 1883, A., 101. See also Bacillus, Bacterium, En-

Fermentation, Microbe, Micrococcus, and Saccharomyces.

Ferment-action of bacteria (BRUNTON and MACFADYEN), 1890, A., 916.

Fermentation (BUCHNER), 1892, A., 820. alleged elective (MAUMENE), 1885, A., 1085.

induced by the Paramocoicus of Filedlander (Frankland, Stanley and Friew), 1891, T., 253.

aldehyde as the chief product of a (Linossier and Roux), 1890, A., 1180.

production of the higher alcohols in (LINDER), 1891, A., 411.

production of higher alcohols by, influence of temperature on (LIN-DEr), 1888, A., 1263.

production of ethereal salts during (JAQUEMIN), 1890, A., 1454.

decomposition of proteids by, and formation of non-hydroxylated aromatic acids (SALKOWSKI), 1885, A., 998.

experiments with gluten instead of diastase in the mash (HEINZEL-MANN), 1884, A., 789.

influence of barley on (ANON.), 1883, A., 756.

influence of calomel on (WASSILIEFF).

1883, A., 743. influence of carbonic anhydride on the products of (LINDET), 1890, A., 281.

action of fluorides on, conditions affecting the (Effront), 1892, A.,

effects of thiocyanates on (MEUSEL), 1887, A., 519.

influence of oxygen on (HOPPE-SEYLER), 1883, A., 489; (BUCH-NEB), 1885, A., 1002.

abnormal, under unfavourable circumstances and its influence on the composition of the wine (Barte), 1885, A., 942.

acetic (Romegialli), 1886, A., 732. action of light on (GIUNTI), 1890, A., 1181.

influence of artificial gastric juice on (Cohn), 1889, A., 1227; (Hirschfeld), 1891, A., 488.

acid, of glucose (BUTTROUX), 1886, A., 682.

alcoholic (TEIXEIRA-MENDES: HANsen), 1885, A., 1168.

selective (BOURQUELOT), 1885, A., 1003.

by Champignon du muguet (Linos-SIER and ROUX), 1890, A., 1179; 1891, A., 854.

formation of amylic alcohol in (LE Bel), 1883, A., 908.

by (Moria), 1888, A., 572; (TANRET), 1858, A., 573.

bases produced by, toxic action of (WURIZ), 1888, A., 622.

formation of glycerol in (THYL-MANN and HILGER), 1889, A., 579; (v. Udránszky), 1889, A., 1027.

formation of hydrogen sulphide during (Sostegni and Sannino), 1890, A., 1454.

reduction of copper sulphate during (QUANTIN), 1887, A., 171. influence of the age of yeast on

(REGNARD), 1888, A., 184.

influence of the hydrolytic action of yeast on its power of (O'SULLI-VAN), 1892, T., 940.

influence of oxygen and concentration on (Brown), 1892, T., 369; P., 33.

influence of salicylic acid on (HEINZELMANN), 1884, A., 764. of dextrin and starch (GAYON and

DUBOURG), 1887, A., 171. of galactose (BOURQUELOT), 1888, A., 572.

of invert sugar (GAYON and DUBOURG), 1890, A., 950.
of the juice of the sugar cane (MARCANO), 1889, A., 915.

of milk (MARTINAND), 1889, A.,

of milk-sugar (VIETH), 1887, A.,

ammoniacal, of uric acid (F. and L. SESTINI), 1890, A., 1399. butyric, in the diffusion vessels of

factories (Deherain), sugar 1885, A., 464.

excited by garden-soil (DEHERAIN MAQUENNE), 1884, \mathbf{and} 1063.

action of mineral acids on (EF-FRONT), 1891, A., 488.

morphology of (GRUBER), 1887, A., 1135.

frothy (PAMPE), 1883, A., (MARCKER), 1885, A., 1168.

lactic (MARPMANN), 1886, A., 733. influence of artificial gastric juice

on (COHN), 1889, A., 1227; (Hirschfeld), 1891, A., 488. action of mineral acids on (Er-

FRONT), 1891, A., 488. marsh-gas (Berthelot), 1890, A., 855.

in the mud of ditches, swamps and sewers (TAPPEINER), 1883, A., 1177.

Fermentation, alcoholic. bases formed Fermentation, marsh-gas, of acetic acid (HOPPE-SEYLER), 1887, A., 1135; (BERTHELOT), 1890, A., 855.

mucous (KRAMER), 1890, A., 76. panary, bacillus of (LAURENT), 1887, A., 70.

peptonic (MARCANO), 1885, A., 181. of meat (MARCANO), 1888, A.,

1318. by protoplasm from recently-killed animals (FOKKER), 1887, A., 984.

by Saccharomyces apiculatus (Amтнов), 1888, А., 1218.

schizomycetic (MARPMANN), 1883, A., 363; (Fitz), 1884, A., 1062. secondary, method of preventing

(GAYON and DUPETIT), 1887, A., 171.

selective, invert-sugar and (MAU-MENÉ), 1886, A., 90.

urinary (MULLER), 1886, A., 276. zymotic virus and (ARLOING), 1887, A., 292.

of arabinose with Bacillus ethaceticus (FRANKLAND and MACGREGOR). 1892, T., 737; P., 132.

of blood (BERTHELOT and ANDRÉ),

1892, A., 900. of bread (Boutroux), 1891, A., 1532.

of calcium glycerate by Bacillus (FRANKLAND *ethaceticus* FREW), 1890, P., 173; 1891, T.,

of cellulose (TAPPEINER), 1887, A.,

of cherry/and current juice (KEIM), 1891, A., 1539.

of cranberry juice (MACH and Pon-TELE), 1890, A., 1455.

of galactose, arabinose, sorbose and other sugars (STONE and TOLLENS), 1889, A., 480.

of grape juice (AUDOYNAUD), 1888, A., 989.

of glycerol and mannitol (FRANK-

LAND and Fox), 1890, A., 915. of invert-sugar (Bourquelot), 1885, A., 1085; (LEPLAY), 1885, A., 1152.

of mannitol and dextrose with Bacillus ethaceticus (Frankland and Lumsden), 1892, T., 432; P.,

of mannitol and dulcitol, a pure (FRANKLAND and FREW), 1892, T., 254; P., 11.

of farmyard manure (Schlesing), 1892, A., 1123.

of manure in absence of oxygen (SCHLŒSING), 1890, A., 282.

Fermentation of nitrogenous matters, loss of nitrogen in (v. Krarse, 1890, A., 1340.

of raffinose by heer yeast Lorslat, 1890, A., 22.

of starch (Schavo and Gosto), 1891, A., 1284.

of sugar, formation of paragalactic acid during (Nencki and Sieble), 1890, A., 78.

See also Agricultural Chemistry.

Ferment-organisms in the alimentary canal (MILLER), 1887, A., 289.

Fermented liquids, bouquet of (JA: QUE-MIN), 1890, A., 1180. estimation of glycerol in (LEGLER),

1887, A., 1142.
Fern extract, ethereal, poisonous con-

stituent of (Pourson), 1892, A., 380.

Ferns, some epiphytic, inorganic constituents of (DIXON), 1883, A., 108.

Ferrates: a lecture experiment (BLOXAM), 1886, A., 848.

Ferric compounds. See under Iron. Ferricyanides (MULLER), 1887, A., 649; (RAMMELSBERG), 1889, A.,

950. actions of (PRUD'HOMME), 1891, A.,

410. testing for (Longi), 1883, A., 1172. estimation of, by Field's method (WILLGERODY), 1886, A., 833.

estimation, volumetric, of (KASSNER), 1890, A., 834.

Ferrinitroso-8-naphthol (v. ILINSKI and v. KNORRE), 1886, A., 101.

Ferrite (HEDDLE), 1886, A., 130. Ferro-aluminium, analysis of (Ziegler),

1890, A., 1471.
Ferrocobalt, malleable, preparation of

(ANON.), 1885, A., 461. Ferrocyanides (MULLER), 1887, A.,

649. green, or glaucoferrocyanides (ETARD

and Bemont), 1885, A., 496. of the alkaloids (Beckurts), 1890, A., 1318.

preparation of (STERNBERG), 1886, A., 110.

preparation of, from trimethylamine (William), 1884, A., 1276.

alkaline, and their compounds with ammonium chloride (ETARD and

BEMONT), 1885, A., 364. testing for (LONGI), 1883, A., 1172. estimation of (ZALOZIECKI), 1891,

A., 247. estimation of, by Field's method (Willgerodt), 1886, A., 833.

Ferrocyanides, estimation of, in the bye-products of gas works (GASCH). 1890, A., 834; (ZALOZIECKI), 1891, A., 367.

estimation of, in gas-lime (KNUB-LAUCH), 1890, A., 87.

Ferro-goslarite, a variety of zinc sulphate (Wheeler), 1891, A., 992.

Ferromanganese, crystalline (RATHKE), 1891, A., 646.

electrical resistance of alloys of, with copper (Nichols), 1890, A., 1356. estimation of manganese in (Kalmann

and SMOLKA), 1885, A., 690. ore from Portugal, analysis of (GRIFFITHA), 1883, A., 858.

Ferronatrite (MACKIN FOSH), 1890, A., 455; (ARZRUNI and FRENZEL), 1891, A., 649.

from Chili (GENTH and PENFIELD), 1891, A., 274.

Ferronickel, malleable, preparation of (ANON.), 1885, A., 461.

Ferronitrosohydrosulphuric acid, salts of (PAVEL), 1883, A., 297.

Ferronitroso-β-naphthol (v. ILINSKI and v. KNORRE), 1886, A., 101.

Ferropentacarbonyl (Mond and Lan-Ger), 1891, T., 1091; P., 149.

Ferrostibian from Orebro (IGELSTROM), 1890, A., 1075.

Ferrous compounds. See under Iron. Fertilisers and fertility. See Agricultural Chemistry.

Ferulic aldehyde (TIEMANN), 1886, A., 251.

Ferulic methyl ketone (TIEMANN), 1886, A., 251.

Festuca heterophylla, analyses of (WILSON), 1889, A., 1078.

Fever, elimination of urea in (Wood and MARSHALL), 1891, A., 1530. increased output of nitrogen in (RICHTER), 1891, A., 600.

Fevers, infectious, relation of ptomaines to (LUFF), 1889, A., 1026.

Fibres, specific gravity of (DE CHARDONNET), 1892, A., 1036.

crude, filtering of (OSBORNE), 1888, A., 1351.

estimation of (Hönig), 1891, A., 865.

elastic, action of digestive fluids on (EWALD), 1889, A., 912.

(EWALD), 1889, A., 912. vegetable, bleaching of (Thumpson and RICKMAN), 1886, A., 187.

method of imparting the appearance of silk to (ANON.), 1884, A., 799.

action of nitric acid on (Cross and BEVAN), 1891, A., 1001. Fibres, vegetable. action of nitric and | sulphuric acids on (Lifschütz),

1891, A., 914. method of distinguishing, from animal (Molisch), 1886, A.,

detection of, in silk or woollen tissue (FURBINO), 1892, A., 667.

woody vegetable, the pentosans of (SCHULZE and TOLLENS), 1892, A., 1420.

test for (REICHL), 1884, A., 118.

Fibrin, formation of (HLAVA), 1884, A., 912.

heat of combustion of (BERTHELOT and Andre), 1890, A., 938.

coagulation of (KRUGER), 1888, A., 305.

solubility of (Fermi), 1892, A., 897.

action of saline solutions on (LIM-

BOURG), 1889, A., 787. action of sodium chloride in dissolving (GREEN), 1888, A., 304.

action of superheated steam on (NEU-MEISTER), 1889, A., 910.

decomposition of, in the human body (GRAFFENBERGER), 1892, A., 904. cause of the evolution of oxygen from hydrogen peroxide by, and the influence of hydrocyanic acid in preventing the activity of (Br-

снамр), 1883, А., 227. digestion of, by trypsin (HERRMANN),

1887, A., 1130.

changes effected by digestion on (Wooldridge), 1888, A., 618.

formation of ammonia in the pancreatic digestion of (STADELMANN), 1888, A., 512.

ferment from putrefactive bacteria which dissolves (SALKOWSKI), 1888, A., 1326.

Fibrin-ferment (PEKELHARING), 1892, A., 1112.

origin of (Wooldridge), 1885, A., 571. nature of (HALLIBURTON), 1889, A.,

action of (LEA and DICKINSON), 1890, A., 1175.

(Schützenberger), Fibrin-peptone 1892, A., 1500.

Fibrinogen, tissue (WRIGHT), 1891, A., 1524. changes effected by digestion

(WOOLDRIDGE), 1888, A., 618. Fibroferrite (stypticite) (DARAPSKY), 1890, A., 456.

from Chili (Brun), 1883, A., 31.

Fibroin (KRUKENBERG), 1886, A., 481. heat of combustion of (BERTHELOT and ANDRL), 1890, A., 938.

solubility of (LIDOFF), 1885, A., 406. Fichtelite (Hell.), 1889, A., (Bamberger), 1889, A., 714.

constitution of (SPIEGEL), 1890, A., 385. properties of (BAMBERGER and STRAS-

ser), 1890, A., 384.

Ficus Carica, the latex of (HANSEN), 1886, A., 1059; (Mrssi), 1892, A., 653. Ficus rubiginosa and F. macrophylla, resins of (RENNIE and GOYDER), 1892, T., 916; P., 146.

Field. See Agricultural Chemistry. Fig wine (CARLES), 1891, A., 1135.

Filicic acid (DACCOMO), 1889, A., 54; (Luck), 1889, A., 276; (Poulson), 1892, A., 380.

constitution of (PATERNO), 1889, A., 615; (Schiff), 1890, A., 162.

derivatives of (DACCOMO), 1889, A., 54. Filicin (Poulson), 1892, A., 380.

Fillowite from Branchville (Brush and DANA), 1890, A., 1072.

Films, metallic (HARTLEY), 1890, A., 692. colours and absorption spectra of (Dudley), 1892, A., 1037.

thin, discrimination of (Loviton), 1886, A., 1076.

thin, table of properties of (RUCKER), 1888, T., 260.

Filter yielding physiologically pure water (Chamberland), 1884, A., 1440. Filter-funnel (RICHTER), 1884, A., 364.

Filter-holder for drying and weighing (REINHARDT), 1890, A., 193.

Filter-paper, presence of matter soluble in ether in (VIETH), 1886, A., 1083. retention of lead salts by (O'SHEA), 1886, P., 206.

toughened (Francis), 1885, T., 183; P., 19.

Filters, asbestos, preparation of (Casa-MAJOR), 1883, A., 506.

dried, weighing of (RUDORFF), 1891, A., 613.

metallic felt (MUNROE), 1888, A., 1333. plaster, use of, to sterilise liquids (CAZENEUVE), 1885, A., 288.

with greased edge (GAWALOWSKI), 1887, A., 295.

influence of, on water (SNIJDERS), 1888, A., 866.

Filtration apparatus for (WITT), 1886, A., 592; (Bornträger). 1886, A., 917; (ALLIHN), 1888, A., 526. in a vacuum or in a current of gas (Allihn), 1885, A., 631.

hot, apparatus for (PAUL), 1892, A., 1150.

Filtration, a method of, by means of easily soluble and easily volatile filters (GOUCH), 1886, A., 96.

rapid, of organic liquids, use of liquefiel carbonic anhydride tor (D'AR-SONVAL), 1891, A, 851.

use of ashestos in (BARBA), 1892, A.,

Fiorin, analyses of (WILSON), 1889, A., 1078.

Fire damp (FRANKE', 1888, A., 570; (WINKLER), 1888, A., 663.

(Winkler), 1888, A., 663. Fire extinguisher, liquid carbonic anhydride as a (Rayri), 1883, A., 408. Firwood, dextrose from (Lianger and

Tollers), 1892. A., 801.

so-called artificial pretic acid from (LINDSEY and TOLLENS), 1892, A., 827.

chaicoal, composition of (RINMAN), 1883, A., 533.

Fisetin (SCHMID), 1886, A., 894; (HERZIG), 1891, A., 1886.

hexethylic and hexamethylic oxides (SCHMID), 1886, A., 895.

Fisetol (HERZIG), 1891, A., 1387.

dimethyl and dimethyl ethyl ethers (Herzie), 1891, A., 1387.

ethyl and triethyl ethers (Herzic), 1891, A., 1386, 1387.

Fish, gases in the swimming bladder of (TRAUBE-MENGARINI), 1890, A., 183.

guanine in (EWALD and KRUKEN-BERG), 1884, A., 623.

ptomaines from (BOCKLISCH), 1885, A., 566, 1146.

comparative absorption of ment and, in the alimentary canal (ATWATER), 1887, A., 1130. influence of cooking on the digestion

influence of cooking on the digestion of (Poroff), 1890, A., 1450. relative digestibility of, in gastric

relative digestibility of, in gastric juice (CHITTENDEN and CUMMINS), 1885, A., 569.

American, analysis of (ATWATER), 1883, A., 1179; 1888, A., 308, 732.

Fish-oil. See Oil.

Flame, experiments on (Burch), 1885, A., 466; (Anschutz and Kekule), 1885, A., 1035.

nature of (TECLT), 1891, A., 1309.

nature of the vibratory movements which accompany the propagation of, in mixtures of combustible gases (MALLARD and LE CHATELIEL), 1893, A., 148.

velocity of propagation of (MALLARI) and LE CHATELIEE), 1883, A., 845.

Flame, optical proof of the existence of suspended matter in (Siokes),1502, A., 111.

origin of acetylene in (Lewes), 1892, P., 47.

structure of (Lewes), 1892, T., 331. structure and chemistry of (SMITHELLS and INGLE), 1891, P., 159; 1892, T., 204.

Imminosity of (v. Sieven-, 1883, A., 539; (Hifforf), 1883, A., 697.

electricity of (ELSTER and GEHTEL', 1883, A., 141, 412; 1884, A., 1238; (KOLLERT), 1884, A., 651; 1885, A., 2.

interactions occurring in Stokes and Armstrong, 1892, P., 22. production of ozone by (Cundall).

1890, P., 26.

blus, produced by sodium chloride in a coal fire (Leon Mr), 1889, A., 336; (SALET), 1890, A., 560; (SMIIH), 1890, A., 1202.

coal-gas, carbon deposited from (FONFIL), 1892, P., 46. luminosity of (Lewes), 1892, T.,

322; P., 2. flat, temperature of various parts of

(LEWES), 1892, T., 326. gaseous, coloration of (SANTINI), 1885,

A., 209, 465.

Iuminous, structure of (SMIFHELLS), 1891, P., 164; 1892, T., 217. theory of (Burch), 1885, A., 467.

non-luminous, experiments on (SMI-THELLS and INGLE), 1892, T., 205.

Flame-coloration, origin of (SMITHELLS), 1892, P., 8.

Flameless combustion (FLETCHER), 1883, A., 523; (FISCHER), 1883, A., 626.

Flashing-point of heavy mineral oils, determination of (GRAY), 1892, A., 542.

of mineral oils, causes influencing (Newbury and Cutter), 1889, A., 82.

of petroleum, determination of (Srud-DARD), 1883, A., 517.

Flask, dropping (Pool), 1885, A., 930. for distilling frothing liquids in a vacuum (Lewkowitsch), 1889, T., 359.

Flavaniline (1-amido-2'-phenyl-2'-methylopainotiae) (Besthous and Fischen), 1883, A., 600; (NoN.), 1884, A., 1150; (Fischen), 1886, A., 631.

Constitution of 'Fischen and Tauben', 1885, A., 100.

ψ-Flavaniline (Weidel and Bam-Berger), 1858, A., 966. salts (Schuler), 1883, A., 74.

Flavenol (BESTHORN and FISCHER), 1883, A., 600. constitution of (FISCHER and TAU-

BER), 1885, A., 400.

ψ-Flavenol and its derivatives (WEIDEL and BAMBERGER), 1888, A., 966.

Flavin, preparation of (SOXHLER), 1892, A., 503.

thio- (Trautmann), 1891, A., 195.

Flavol (dihydroxyanthracene), and some of its derivatives (Schuler), 1883, A., 74.

Flavoline (BESTHORN and FISCHER), 1883, A., 600; (Fischer and TAUDER), 1885, A., 400.

synthesis and constitution of (Fis-CHER), 1886, A., 632.

Flavopurpuranthranol (LIEBERMANN), 1888, A., 493.

Flavopurpurin, conversion of anthraquinone- α - and - β -sulphonic acids into (Schmidf), 1891, A., 934.

purification of (Jellinek), 1888, A., 1204.

diethyl and ethyl ethers (LIEBER-MANN and JELLINEK), 1888, A., 717.

Flavopurpuryl phenylcarbamate (TES-MER), 1886, A., 50.

Flavoquinoline (FISCHER), 1886, A., 631.

See Agricultural Chemistry. Flax. Fleeces, merino, composition of (CHLUD-

SINSKY), 1886, A., 105. Flesh, heat of combustion of (Berthe-

LOT and ANDRE), 1890, A., 938. blood and liver, composition of, under varying conditions (Weiske), 1887, A., 855.

Flesh-meal (Rousse 10), 1885, A., 620. as food for horses (FINDEISEN), 1883, $\Lambda_{-}, \ 102.$

Flesh-peptone, nutritive value (Pollitzer and Zuntz), 1886, A.,

Flinkite from Harstigen Mine, Sweden (Hamberg), 1891, A., 20.

Flour. See Agricultural Chemistry.

Flower petals, absorption of water by (Burgerstein), 1884, A., 1403.

Flowers, constituents of (URBAIN), 1884, A., 862.

withering of (Wiesner), 1884, A.,

Flue deposits, manganiferous, estimation of zine in (JENSCH), 1890, A.,

Fluellite (GROTH), 1884, A., 266. See also Aluminium fluoride.

Flavanthracenedisulphonic acid and its 'Fluid cavities in Brazilian topaz (v. Nordenskiold), 1886, A., 674.

Fluid crystals (LEHMANN), 1890, A., 106.

Fluids, expansion of (NADESCHDIN), 1888, A., 775.

highest boiling points of (Puschl), ĭ888, A., 17.

pressure curves of, at their critical condition (v. WROBLEWSKI), 1886, Δ., 964.

encysted, contribution to the chemistry of (HAMMARSTEN), 1883, A., 874.

See also Liquids.

Fluidity and galvanic conductivity (STEPHAN), 1883, A., 769.

a-Fluoboracetone, decomposition of, by water (LANDOLPH), 1883, A., 655.

Fluorerite from Osterby (WEIBULL), 1889, A., 765.

Fluorammonium molybdic anhydride (MAURO), 1889, A., 106.

Fluoran (MEYER), 1891, A., 1029; (MEYER and HOFFMEYER), 1892, A., 970.

constitution of (MEYER and HOFF-MEYER), 1892, A., 1228.

tribromo- (MEYER and HOFFMEYER), 1892, A., 970.

m-Fluoraniline (WALLACH), 1887, A., 131.

p-Fluoraniline (WALLACH), 1887, A., 131; (WALLACH and HEUSLER), 1888, A., 362.

Fluorapatites, preparation of (DITTE), 1885, A., 126.

replacement of the phosphoric acid in, by arsenic or vanadic acid (DITTE), 1885, A., 225.

Fluorarsenates (DITTE), 1885, A., 225. Fluorazein (BERNTHSEN and METTE-GANG), 1887, A., 737.

Fluorene (Hodgkinson), 1885, P., 36. derivatives of (Hodgkinson and Matthews), 1883, T., 163.

oxidation of (Holm), 1883, A., 921. hydrides (GUYE), 1891, A., 314.

perhydride (LIEBERMANN and SPIE-GEL), 1889, A., 720.

Fluorene, p-amido- (STRASBURGER), 1884, A., 329, 754.

brome- (Hodgkinson and Mat-THEWS), 1883, T., 165; (Hodgkinson), 1885, P., 37.

a-dibromo-, and fusion of, with potash (Hodgkinson and Mat-THEWS, 1883, T., 161.

p-dichloro- (Hodgkinson and Mar-THEWS), 1883, T., 170. trichloro- (HOLM), 1883, A., 922.

Fluorene, p-nitro-(Strasburger), 1884, | Fluorescence of ferruginous calcium A., 754; (Hodgkinson), 1885, P., 37.

o-Fluorenecarboxylic acid (GRAEBE and AUBIN', 1889, A., 145.

Fluorenedicarboxylic acid (BAMBERGER and Hooker), 1885, A., 906.

Fluorenesulphonic acid, α -dibromo-(Hodekinson and Matthews), 1883, Ť., 172.

Fluorescein (MEYER and OPPELT), 1889, A., 246: (Meyer and Hoff-MEYER), 1892, A., 970; (HERZIG), 1892, A., 1319.

from maleic acid (LUNGE and BURCK-HARDT), 1884, A., 1310; (BURCKнапот), 1886, А., 51. constitution of (MEYER and HOFF-

MEYER\, 1892, A., 1228.

Fluorescein, tetrabromo-. See Eosin. B-chloro- (GRAEBE and REE), 1856, T., 530.

dichloro- (LE ROYER), 1887, A., 832. trtrachloro- (Graebe), 1887, A., 833. dichlorotetriodo- (LE ROYER), 1887, A., 832.

thio- (GRAEBE and ZSCHOKKE), 1884, A., 1025.

Fluorescein ethyl ether (Herzig), 1892, A., 1319.

Fluorescein-group (MEYER and HOFF-MEYER), 1892, A., 1228.

Fluoresceinsulphonic acid (GRAEBE), 1885, A., 902.

Fluorescence (LOMMEL), 1883, A., 763; LECOQ DE BOISBAUDRAN), 1890, A., 435.

appearance of, in quinine salts (ARM-STRONG), 1892, T., 789; P., 143, 189; (HARTLEY), 1892, P., 189.

with well defined spectra (LECOQ DE Boisbaudran), 1887, A., 1008; 1888, A., 97; 1890, A., 435.

change of, with concentration (WAL-TER), 1888, A., 881; 1889, A.,

evidence afforded by, of the decomposition of molecular groups in solutions (WALTER), 1889, A., 554. Stokes's law of (HAGENBACH), 1883, A., 537.

red, of alumina (Lecog de Bois-BAUDRAN), 1887, A., 191, 409, **538, 625.**

of bismuth compounds (Lecoq DE Boisbaudran), 1887, A., 4, 189, 873, 1006.

of cupriferous calcium oxide (Lecoq DE BOISBAUDRAN), 1888, A., 882.

of rare earths (LECOQ DE BOISBAU-DRAN), 1885, A., 1174.

oxide (LECOQ DE BOISBAUDRAN), 1888, A., 1001.

of manganese and hismuth (LECOQ DE BOISBAUDRAN), 1887, A., 189, 873, 1006.

of manganese compounds (LECOQ DE Boisbaudran), 1887, A., 3, 189, 873, 1006.

of naphthalene-red (WESENDONCK), 1886, A., 585.

of spinel (LECOQ DE BOISBAUDEAN), 1887, A., 1005.

Fluorescent mixtures (Lucoq de Bois-BAUDRAN), 1888, A., 544.

chromium and manganese in (Lecoq DE BOISBAUDRAN), 1868, A., 329, 544, 1001, 1229; 1889, A., 2.

Fluorindine (FISCHER and HEPP), 1890, A., 1444.

Fluorine, discovery of, in the idocrase from Vesuvius (JANNASCH), 1883, A., 1067.

free, probable occurrence of, in the fluorspar of Quincié (Becquerel and Moissan), 1891, A., 149.

occurrence of, in recent and fossil bones (CARNOT), 1892, A., 1161.

proportion of, in fossil bones of various ages (CARNOT), 1892, A., 1413.

occurrence of, in the organism (TAM-MANN), 1888, A., 732.

occurrence of, in natural phosphates (CARNOT), 1892, A., 1055. isolation of (MOISSAN), 1886, A., 976.

place of, in the classification of the elements (Moissan), 1892, A., 11. atomic weight of (Christensen),

1886, A., 854; 1887, A., 892; (Moissan), 1891, A., 15. atomic refraction and dispersion of

(J. H. and G. GLADSTONE), 1891, A., 774.

refraction of (GLADSTONE), 1886, A., 497.

colour and spectrum of (Moissan), 1890, A., 329.

heat of combination of, with hydrogen (BERTHELOT and MOISSAN), ĭ889, A., 1096.

density of (Moissan), 1890, A., 208. action of, on different forms of carbon (Moissan), 1890, A., 557.

Fluorine compounds, natural (GROTH), 1884, A., 265.

thermochemical researches on (GUNTZ), 1884, A., 1245.

of copper (Balbiano), 1884, A., 1264. of uranium (SMITHELLS), 1883, T., 125.

Fluorine compounds of vanadium (Petersen), 1889, A., 107, 1123; 1890, A., 15; 1891, A., 884; (Piccini and Giorgis), 1889, A., 214. organic (WALLACH and HEUSLER), 1888, A., 362.

Hydrofluoric acid (hydrogen fluoride), preparation of (THORPE and HAMBLY), 1889, T., 166. purification of (Hamilton), 1890,

A., 687.

thermochemical study of (GUNTZ), 1884, A., 544.

liquefaction and solidification of (Olszewski), 1886, A., 977.

vapour density of (THORPE and HAMBLY), 1888, T., 765; P.,87; 1889, T., 163; P., 27.

electrolysis of (BARTOLI and PAPAsogli), 1883, A., 590; 1889, A., 559; (Moissan), 1886, A., 849, 976.

action of, on silica and silicates (MACKINTOSH), 1886, A., 979.

action of, on yeast (Effroni), 1891, A., 1532.

and other acids, reciprocal displacements of (BERTHELOT and Guntz), 1884, A., 703.

Fluorides, non-metallic (Guntz), 1886, A., 850.

heat of formation of (GUNTZ:

TOMMASI: BERTHELOT), 1884, A., 545.

heat of neutralisation of (PETERsen), 1890, A., 1.

action of boron on (Moissan), 1892, A., 1153.

action of, on yeast (Effront), 1891, A., 1532.

influence of, on fermentation (Effront), 1892, A., 906.

of heavy metals, compounds of, with sodium, ammonium and potassium fluorides (WAGNER), 1886, A., 670.

estimation of silicic acid in 1892, (HAMPE), A., 1127; (REGELSBERGER), 1892, A., 1128.

Hydrofluogermanic acid (KRUSS and NILSON), 1887, A., 704; (WINK-LER), 1887, A., 1083.

Hydrofluosilicic acid, titration of (Fresenius), 1890, A., 926.

Silicofluorides, investigation of (GUN 1Z), 1884, A., 1246. alkaline, thermochemistry of (Твиснот), 1884, А., 884.

of insoluble bases, hardening of soft calcareous rocks by means of (Kessler), 1883, A., 940.

Fluorine, detection and estimation:detection of (TAMMANN), 1886, A.,

estimation of (TAMMANN), 1886, A., 97; (CHAPMAN), 1887, A., 295; (OFFERMANN), 1891, A., 615; (CARNOT), 1892, A., 911.

estimation of, in substances decomposable by sulphuric acid and especially in natural phosphates (LASNE), 1889, A., 74.

estimation, indirect, of (Bein), 1886, A., 918; 1888, A., 527.

estimation, volumetric, of (OETTEL), 1887, A., 179.

Fluorobenzene (Paternò and Oliveri). 1884, A., 426.

See also Benzene.

Fluorobenzene-p-diazopiperidide (WAL-LACH and HEUSLER), 1888, A., 362.

Fluorobenzoic acid, pro (GRIESS), 1885, A., 788. preparation of

diFluorobenzoic acid and some of its salts (JACKSON and HARTSHORN), 1885, A., 1224.

Fluorobenzoic acids, transformation of, in the animal system (COPPOLA), 1884, A., 446.

p-Fluorobenzoic sulphinide (DE ROODE), 1891. A., 1227.

p-Fluorobromo-, p-fluorochloro- and p-fluoriodo-benzene (WALLACH and HEUSLER), 1888, A., 362.

o-Fluorocinnamic acid (GRIESS), 1885, A., 788.

6-Fluoro-ψ-cumene (WALLACH HEUSLER), 1888, A., 362; (TÖHL), 1892, A., 968.

diFluorodiphenyl (WALLACH and HEUSLER), 1888, A., 362.

Fluoroform (ME-LANS), 1890, A., 724; (Chabrié), 1892, A., 1316.

Fluorohippuric acids (COPPOLA), 1884, A., 446.

Fluoroline (HESSE), 1892, A., 1492. Fluoromesitylene (Tohl), 1892, A., 968. Fluoronaphthalenes, 1- and 2- (EKBOM

and MAUZELIUS), 1889, A., 999. 1:4'-Fluoronaphthalenesulphonic acid (MAUZELIUS), 1889, A., 1001.

p-Fluoronitrobenzene (WALLACH), 1887, A., 131; (WALLACH and HEUSLER), 1888, A., 362.

Fluoronitro-m-xylene (Ahrens), 1892, A., 1437.

p-Fluorophenol (WALLACH and HEEs-LER), 1888, A., 362.

Fluorophosphamide (Poulenc), 1891, Δ., 1418.

Fluorophosphorous acid (BERTHELOT), 1885, A., 328.

p-Fluorotoluene (PAFERNO and OLI-VERI), 1884, A., 426; (WALIACH), 1887. A., 130.

1:4-Fluorotoluene-2-sulphonic acid (DE ROODE), 1891, A., 1226.

Fluorovanadates (DITIE), 1885, A., 225. Fluoro-vanadites, -oxyhypovanadates and -oxyvanadates (Piccini and Giorgis), 1892, A., 785.

4-Fluoro-m-xylene (Tonk), 1892, A.,

Fluoroxypertitanic acid PICCINI. 1888, A., 1255.

Fluorspar, association of, with Babel quartz (GONNARD), 1888, A., 561. obtained from Quincie (BEQUELEL and Moissan), 1891, A., 118.

from St. Lawrence Co., New York (Kunz), 1890, A., 337.

from Vesuvius (Scacehi), 1887, A.,

a peculiar kernel structure in (VAN ('ALKER'), 1884, A., 403.

refractive indices of (SARASIN), 1886, A., 22.

utilisation of, for the production of opal glass (Weinres), 1885, A., 1019.

corrosion faces of (VAN CALKER), 1884, A., 403.

See also Calcium fluoride.

Fluoryl benzyl ketone (Pärcke), 1888, A., 702.

Fodders. See Agricultural Chemistry. Feetal tissues, amount of iron (Bunge), 1889, A., 789; 1892, A., 516, 1502.

"Folia uva ursi," behaviour of, in the animal organism (Lewin), 1884, A.,

Foliation, study of "longrain" and measure of, in schistose rocks by means of their thermic properties (JANNETTAZ), 1883, A., 300.

Food, asparagine as a nourishing constituent of (WEISKE), 1888, A.,

composition and digestibility of some foods (Jordan, Bartlett and

MERRILL), 1889, A., 913. calorific value of constituents of (Stohmann and Lingbein), 1802, A., 4.

chemistry of (Bell), 1883. A., 1160. action of micro-organisms from the mouth and from faces on (VIGNAL), 1887, A., 1059.

assimilation of (Hofmeister), 1886, A., 728.

Fluorosulphonic acid (THORFE and KIRMAN), 1892, T., 921; P., 160.

Food, influence of proteid on the digestion of, free from nitrogen (Rosenнеім), 1891, А., 344.

relation of carbohydrates in, to digestive ferments (STUTZER and

ISEERT), 1888, A., 170. peptonised (HORTON-SMITH), 1891, A., 953.

preserved, presence of tin in (UNGAR),

1884, A., 800. use of boric acid for preserving (Forster), 1883, A., 1178; 1884. A., 782.

of larval bees (v. Planta), 1889, A., 1022.

detection of benzoic acid in (MOHLER, 1890, A., 1031.

detection of cochineal in (LAGORCE), 1859, A., 324.

detection of Fahlberg's "saccharin" in (Bornstein), 1888, A., 760.

estimation of ash in (KWASNICK), 1890, A., 833.

estimation of chromium and barium in (DE KONINGH), 1890, A., 195.

estimation of manganese in (SIEIN). 1889, A., 188. estimation of starch and glucose in

(FAULENBACH), 1884, A., 930. See also Agricultural Chemistry.

Footeite (König), 1892, A., 415. Forage crops, growth of, at Grignon in

1888 (Dehérain), 1889, A., 542. Forces, electrical, change of refractive index of liquids by (QUINCKE), 1883, A., 948.

molecular (PEARSON), 1888, 907.

range of (RÜCKER), 1888, T., 222; P., 7.

sphere of action of (GALITZIN), 1890, A., 105.

See Agricultural Chemistry. Form of homogeneous solid substances, spontaneous change of, induced by internal energy (LEHMANN), 1885, A., 1033.

Formaldehyde (methaldchurte: OUTIImethylene) (Tollens), 1884, A., 293; 1886, A., 1006; (Tollens and MAYER), 1889, A., 369; (KRAUI, ESCHWEILER and GROSSMANN), 1890, A., 1092; (Lösek ann), 1892, A., 423; (Kekulé), 1892, A., 1423. formation of, from ethylic nitrate (PRAIESI), 1885, A., 501.

preparation of (LOEW), 1886, A., 609; (TISTSCHENKO), 1888, A., (ESCHWEILER), 1890, A., 954.

synthetical formation of (JAHN), 1889, A., 766.

Formaldehyde (methoddehyde; orymethylene), molecular weight of (Tollens and Mayer), 1888, A., 809.

actions of (PLOCRL), 1888, A., 1051; (PULVERMACHER), 1892, A., 579.

condensation of (LOEW), 1886, A., 609, 864; 1888, A., 358.

action of amines on (KOLOTOFF), 1885, А., 647; 1886, А., 138.

action of, on o-diamines (FISCHER and Wreszinski), 1892, A., 1496.

condensation of, with ethylic malonate

(PERKIN), 1886, A., 691. action of halogen hydrides and of halogens on (TISTSCHENKO), 1888, A., 803, 804.

action of hydrogen sulphide on (BAU-

MANN), 1890, A., 477.

action of, on phenols (KLEEBERG), 1891, A., 1199.

action of zinc organic compounds on (Tistschenko), 1888, A., 804.

condensation products with (PULVER-MACHER), 1892, A., 1450.

formation of acrose from (Fischer and Passmore), 1889, A., 483.

nascent, bases produced by (Trigger), 1888, A., 286.

formation of nitrous and nitric acids from ammonia and, in the saliva (Wurster), 1889, A., 1228.

formation of saccharoses from (LOEW), 1889, A., 581.

formation of starch from (BOKORNY),

1891, A., 1539. sugars synthesised from, cryoscopic behaviour of (v. Klobukoff), 1890,

A., 465. nutrition of green plant cells with (Bokonny), 1892, A., 1259.

iôle of, in the assimilation of plants

(LOEW), 1889, A., 640. derivatives of (TOLLENS), 1884, A., 988; (WELLINGTON and TOLLENS), 1886, A., 330. sodium hydrogen sulphite (Kratt,

Eschweiler and Grossmann), 1890, A., 1092.

test for, by ammoniacal alkaline silver solution (Tollens), 1883, A., 125.

estimation of (LEGLER), 1883, A., 1035; (LOSEKANN), 1889, A., 1036; (ESCHWEILER), 1889, A., 1250. estimation of, by titrating v

ammonia (Eschweiler), 1889, A., 1250.

Formaldehyde, thio-, polymeric (WOHL), 1887, A., 27; (BAUMANN and FROMM), 1891, A., 1011. derivatives of (WOHL), 1887, A., 27. Formaldehyde, trithio-, reactions of (PULVERMACHER), 1892, A., 579.

Paraformaldehyde (trioxymethylene) (BARFOLI and PAPASOGLI), 1884, A., 170; (Pratesi), 1885, A., 240. molecular weight of (Tollens and MAYER), 1889, A., 369.

Formamide, preparation of (SCHULZE), 1883, A., 1088.

chloro- (GATTERMANN and SCHMIDT), 1887, A., 569.

synthesis with (GATTERMANN), 1888, A., 574; (GATTERM ANN and Rossolymo), 1890, A., 974.

Formamides, aromatic, nitriles from (GASIOROWSKI and MERZ), 1885, A., 772.

substituted, action of phosphoric chloride on (WALLACH and LEH-MANN), 1887, A., 384.

Form-amidine and -amidoxime. Methenyl-amidine and -amidoxime.

and Form-mono--cli-o-amidobenzamides (KNAPE), 1891, A., 909.

Form-m-amidobenzoic acid (Pelliz-ZARI), 1886, A., 548. Form-p-amidobenzoic acid (ZEHRA),

1891, A., 304. Form-o-amidobenzomethamide (KNAPE),

1891, A., 909. o-Formamido-p-toluic acid (NIEMEN-

TOWSKI), 1889, A., 1066. Formanhydroisotolylenediamine. See isoTolylenemethenyldiamine.

Formanilide and its homologues (To-BIAS), 1883, A., 325.

action of trimethylenic chlorobromide on (Pinkus), 1892, A., 1491.

alkylation of (Comstock), 1890, A., 1258.

silver derivative of (Comstock and Kleeberg), 1890, A., 1414.

Formanilide, p-iodo- (Com-rock and Kleeberg), 1890, A., 1415.

m-nitro- (Comstock and Wheeler), 1892, A., 706.

p-nitro- (OSBORNE and MIXTER), 1887, Λ_{-} , 250.

thio-, and its homologues, action of heat in closed tubes on (SENIER), 1885, T., 768.

isoFormanilide, iodo- (Comstock and KLEEBERG), 1890, A., 1414.

Formanilidoacetic acid (Pull OTTEN), 1890, A., 1415.

a-Formanilidopropionic acid (PAL and Offen), 1890, A., 1415.

Formanthramine (BOLLERY), 1883, A., 1140.

Formic acid, presence of, in plants (Borgmann), 1883, A., 611.

Formic centrated (MAQUENNE), 1889, A.,

magnetic rotation of hydrated (PER-KIN), 1886, T., 778.

electrical conductivity of solutions of, in water and in alcohols (HARTWIG), 1888, A., 399.

thermochemistry of (JAHN), 1890, A., 99; (BERTHELOT and MATIGNON), 1892, A., 1139.

vapour pressures of (RICHARDSON), 1886, T., 765, 774, 776.

electrochemistry of (JAHN), 1890, A.,

decomposition of, by the silent discharge (MAQUENNE), 1883, A., 457. estimation of, in presence of acetic and butyric acids (SCALA), 1891, A.,

estimation of, in water KLEIN, 1887, A., 1000.

separation of acetic acid from MAC-NAIR', 1887, A., 751.

Formic acid, amido-. See Carbamic

thio- (Demont), 1892, A., 421.

Formates, metallic (Lossen and Voss), 1892, A., 140.

ammonium, magnetic rotatory power of solutions of (Perkin), 1891, T., 982.

barium and calcium, solubility (v. Krasnicki), 1888, A., 359.

copper (Lossen and Voss), 1892, A., 140.

sodium, magnetic rotatory power of solutions of (Perkin), 1891, T., 986.

action of carbonyl chloride on (Orro), 1888, A., 672.

action of ethylic chlorocarbonate on (R. and W. Otto), 1891, A., 288. in the organism (GREBANT and QUINQUAUD), 1887, A., 513.

o-Formates, frithio- (LAVES), 1892, A., 611, 850.

Formimidodiethylamide. See Diethylformamidine.

Formins (HENNINGER), 1884, A., 897. Formobenzhydrylamine (LEUCKART and Влен), 1886, А., 1023.

Formobenzylamidobenzoic acid (CLAUS and GLYCKHERE), 1883, A., 1009.

Formocarbamide, thermochemistry (MATIGNON), 1891, A., 1448.

Formochloralimide (Moschells), 1891. A., 1003.

Formocumidide (SENIER), 1885, T., 707. thio- (SENIER), 1885, T., 768.

acid, preparation of con- Formodibenzilamine (LEUCKART and BACH\, 1886, A., 1023.

Formo-diphenylhydrazide and -di-oand -p-tolylhydrazides (GATTER-MANN, JOHNSON and HOLZLE), 1892, A., 843.

Formofenchylamine (WALLACH), 1891, A., 1087.

Formoguanamine, formation of (BAM-BERGER and DIECKMANN), 1892, A., 736.

Formo-p-hydroxydiphenylamine (PHILIP and CALM), 1885, A., 156.

Formo-m-hydroxyphenyl-p-tolylamine (HATS) HER and ZEGA), 1896, A., 456. Formo-p-iodoanilide (Comstock), 1890,

A., 1258. Formo-o-methylamidobenzamide

(KNAPE), 1891, A., 910.

Formomethyl-o-amidochlorobenzoic acid (LA Coste and Bodewig), 1885, A., 792.

See Hydrocyanic acid Formonitrile. under Cyanogen.

Formophenylcarbizin (Freund GOLD-MITH), 1888, A., 1187.

Fermophenylhydrazide (Jusi), 1886, A., 700; (Pellizzari), 1886, A., 1025; (RUHEMANN), 1889, T., 242, 248; P., 37.

Formophenylhydrazide, p-chloro- (HE-WITT), 1891, T., 213; P., 3.

Formopiperidide (WALLACH and LEH-MANN), 1887, A., 385.

o-Formotripiperidide (Busz and Ke-KULE), 1888, A., 302.

B-Formosazone (LOEW), 1888, A., 359. Formose. See Carbohydrates.

Formo-m-toluidide, and its derivatives (NIEMENTOWSKI), 1887, A., 985. Formo-p-toluidide (BAMDERGER and WULZ), 1891, A., 1202.

Formo-v- and -p-toluidides (Tobias),

1883, A., 826; (SENIER), 1885, T., 763, 765.

action of trimethylenic chlorobromide on (Pinkus), 1892, A., 1491. thio- (Senier), 1885, T., 763, 765.

Formo-o-tolylhydrazide (GATFERMANN, Johnson and Hölzle), 1892, A., 8 13.

(SCHOLL), 1891, A., 663. Formoxime

Formoxylidide, thio- (GUDEM IN), 1888, A., 1282.

Formyl compounds, aromatic, derivatives of (Comstock and Clarr), 1892, A., 707.

and thioformyl compounds derived from aniline and homologous bases (Senier), 1885, T., 762.

Formylacetic acid, oxime of (v. Pech-MANN), 1891, A., 1458.

Formylanthranilie acid (formyl-oamidobencoic acid) (v. MEYER and BELLMANN), 1886, A., 358.

Formylcamphor. See Camphoraldehyde.

Formyldeoxybenzoin (CLAISEN and MEYEROWITZ), 1890, A., 359.

Formyldiethyl ketone (CLAISEN and MEYEROWITZ), 1890, A., 357.

Formylethyleamphor (CLAISEN), 1891, A., 574.

Formylhydroxamic acid (MIOLAII), 1892, A., 699.

Formylphenacylanthranilic acid (BAM-BERGER), 1888, A., 301.

Formylpropyl phenyl ketone (CLAISEN and MEYEROWITZ), 1890, A., 358.

Forsythia suspensa, glucoside from (Eijkman), 1886, A., 1040.

Fossil resin from the coal measures

(MACADAM), 1889, A., 353. analysis of (Boussingault), 1883,

A., 941.

Fouquéite (LACROIX), 1892, A., 1056.
Fowl, tissue-waste in, during starva-

tion (Kuckein), 1883, A., 603. Fowlerite from New Jersey (Pirsson), 1891, A., 530.

Foyaite from the Serra de Monchique, analysis of (JANNASCH), 1884, A., 970.

Fozaite from S. Vicente, Cape Verde Islands, analysis of (Doeller), 1883, A., 720.

Fracticornitannin (VILLON), 1888, A., 77.

Fractional distillation. Sec Distillation.

Fractionation, chemical (Chookes), 1886, A., 974.

Francein from 1.2.1:trichlorobenzene (ISTRATI), 1890, A., 51.

from 1:3:4:5-tetruchlorobenzene (Georgescu and Mincu), 1889, A., 970.

Franceins (ISTRATI), 1888, A., 259, 591; 1890, A., 51.

Frangulin. See Glucosides.

Frankincense, olibene from (WALIACH), 1889, A., 1072.

Franklinite, artificial formation of (Gorgev), 1887, A., 557.

analyses of (STONE), 1888, A. 791.

ores from New Jersey, analyses of (Ricketts), 1884, A., 27.

Fraxetin and fraxin, constitutions of (Korner and Biginelli), 1892, A., 628. Fraxinus excelsior, constituents of the leaves of (GINTL and REINITZER), 1883, A., 216.

Fraxitannic acid, and its derivatives (GINTL and REINITZER), 1883, A., 216.

Freezing, Raoult's law of (HENTSCHEL), 1888, A., 1143; (FABINYI), 1889, A., 565; (EIJKMAN), 1889, A., 566. of aqueous solutions of carbon com-

of aqueous solutions of carbon compounds, law of (RAOULT), 1883, A., 7, 952.

of colloidal solutions (PATERNO), 1890, A., 105; (LJUBAVIN), 1890, A., 685.

of solvents, general law of (CAHOURS; BERTHELOF; DEBRAY), 1884, A., 254; (RAOULT), 1884, A., 952.

apparatus (Lommel), 1885, A., 5; (Ciamician), 1889, A., 336.

mixture (BACHMAN), 1888, A., 643 mixtures containing solid carbonic anhydride (CAILLEFET and COLAR-DEAT), 1888, A., 1025.

Freezing point, adhesion at the (WALD), 1891, A., 969.
determination of, with the platinum

determination of, with the platinum thermometer (GRIFFITHS), 1891, A., 251.

of triple alloys of gold, cadmium and tin (Heycock and Neville), 1891, T., 936.

of cadmium, bismuth and lead, lowering of the, when alloyed with other metals (HEYCOCK and NEVILLE), 1892, T., 888; P., 145.

of gold containing aluminium or silver (Roberts-Austen), 1891, A., 1161.

of isomorphous mixtures (Kusier), 1890, A., 1209; 1892, A., 396.

of sodium, lowering of, by the addition of other metals (HEYCOCK and NEVILLE), 1889, T., 666; P., 127.

of solutions, law of (PICKERING), 1889, P., 149; 1890, P., 9. See also Cryoscopy.

Freiberg gneiss (STELZNER), 1884, A., 829.

Frenzelite (guanajuatite) (GENTH), 1891, A., 1328.

Friction, influence of galvanic polarisation on (WAITZ), 1884, A., 139.

and galvanic conduction, relations between coefficients of (WIEDE-MANN), 1881, A., 139.

internal, of liquids (GRAEIZ), 1888, A., 776.

Friction constants, internal, of organic liquids and their aqueous solutions (TRAUBE), 1886, A., 657.

Friedel-Crafts' synthesis (Schöpff), 1892, A,, 337, 594.

Friedelite from Sweden (FLINK), 1892, A., 1405.

Frigidite (D'ACHIARDI), 1883, A., 428. Fritillaria Imperialis (Frackle), 1589, A., 284.

Frog, common, chemical composition of the egg and its envelopes in (GIACOSA), 1884, A., 198.

of exhalation carbonic acid by (AUBERT), 1884, A., 91.

muscle, excitability of, in salt solutions (TAMMANN), 1892. A., 515. spawn, influence of inorganic salts on the development of (RINGER), 1890, A., 393.

Frost, irrigation as preventive of injury from (v. NEERGARD), 1884, A.,

Fructose. See Carbohydrates.

Fructosecarboxylic acid (FISCHER), 1890, A., 599.

Fruit, stone, ratio of flesh to stone in (Wilhelm), 1884, A., 477.

from the Southern States (PARSONS), 1889, A., 434.

constituents of (URBAIN), 1884, A., 862.

Fruit sugar. See Levulose under Carbohydrates.

Fruit syrup, discrimination of beet syrup and (König and Wesener), 1889, A., 1089.

Fruit trees, nourishment of (TSCHAP-LOWITZ), 1886, A., 390.

ovata, chlorophyll Fuchsia (Tschirch), 1887, A., 1117.

Fuchsite from Canada (CHESTER), 1887, A., 782.

Fucose, an isomeride of rhamnose (GUNTHER and TOLLENS), 1890, A., 1393.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 763.

Fucus, sugar from (BIELER and ToL-LENS), 1890, A., 1105.

Fucus resiculosus, gases contained in the bladders of (WILLE), 1890, A., 916.

iodine in (VAN ITALLIE), 1890, A.,

Fucusol (fucusaldehyde) (MAQUENNE), 1890, A., 33; (BIELER and TOLLENS) 1890, A., 238, 1105; (OLIVERI and Peratoner), 1890, A., 1242.

Fuel, mineral, composition of (Bous-SINGAULT), 1883, A., 941; 1884, A., 521, 780.

consumption of, in blast furnaces (ANON.), 1885, A., 200.

Fuel, consumption of, for heating boilers (SCHEURER-KESTNER), 1884. A., 780. to produce electricity (BRARD, 1853, Ā., 626.

estimation of, calorimetric (Schwack-HOFER, 1885, A., 691.

See also Coal.

Fulgurite, from Mt. Thielson, Oregon (Diller), 1855, A., 493.

Fulminates (WARREN), 1888, A., 1047. constitution of (DIVERS and KAWA-KITA), 1884, T., 13; (DIVERS), 1884, T., 19; 1885, T., 77; (ARM-STRONG), 1884, T., 25; (DIVERS and SHIMIDZY), 1886, T., 582.

conversion of, into hydroxylamine (STEINER), 1883, A., 1074; 1884, Å., 277.

Fulminic acid and its derivatives

(SCHOLVIEN), 1886, A., 137. constitution of (SCHOLL), 1891, A., 282; (HOLLEMAN), 1891, A., 446.

copper salt of, attempts to form (DIVERS and KAWAKITA), 1884, Ť., 30.

mercury salt of, preparation of (Beck-MANN), 1886, A., 606; (LOBRY DE BRUYN), 1886, A., 680.

constitution of (HOLLEMAN), 1892, A., 25.

decomposition of (DIVERS and KAWAKITA), 1885, T., 72, 76; (EHRENBERG), 1885, A., (SCHOLVIEN), 1885, A., 39.

oxalic acid not a product of the decomposition of (DIVERS and KAWAKITA), 1884, T., 18; 1885, T., 77.

benzoic chloride action of (HOLLEMAN), 1891, A., 64.

action of bromine and of hydrogen sulphide on (DIVERS), 1884, T., 24, 22.

action of chlorine on (DIVERS), 1884, T., 24; (HOLLEMAN), 1892, A., 26.

action of thiocyanic acid and of ammonium thiocyanate (Ehrenberg), 1884, A., 419; 1885, A., 39.

as a source of hydroxylamine free from ammonia (DIVERS and KAWARITA), 1884, T., 13.

analysis of (DIVERS and KAWA-KITA), 1884, T., 17.

silver salt of, preparation of (DIVERS

and KAWAKITA), 1884, T., 29. Liebig's production of, without the use of nitric acid (DIVERS and KAWAKITA), 1884, T., 27, 76.

Fulminic acid, silver salt of, decomposition of, by hydrochloric acid (Divers and Kawakiia), 1884, T., 75; 1885, T., 69.

action of primary alcoholic iodides on (CALMEI'S), 1885, A., 133.

Fulminuramide (SEIDEL), 1892, A., 1417.

Fulminurates, action of hydrochloric acid on (Divers and KAWAKITA), 1985, T., 77.

Fulminuric acid and its derivatives (EHRENBERG), 1885, A., 1192; (SEIDEL), 1892, A., 690, 1417. chloro-, bromo- and iodo- (EHREN-

BERG), 1885, A., 1192.

isoFulminuric acid (Ehrenberg), 1885, A., 39.

β-isoFulminuric acid (SCHOLVIEN), 1886, A., 137.

Fumaramic acid (CURTIUS and KOCH), 1887, A., 34; (ANSCHUTZ), 1891, A., 177.

Fumaramide (Curius and Koch), 1885, A., 885.

Fumaranilic acid (Anschutz and Wirtz), 1887, A., 934; (Anschutz), 1891, A., 177.

Fumaranilic chloride (Anschutz), 1891, A., 176.

Fumarates, aromatic, decomposition of, by heat (Anschurz and Wiriz), 1885, A., 1064.

ethereal, action of sodic alcoholates on (PURDIE), 1885, T., 855.

action of Princellium glaucum and Asperyillus nuger on maleates and (BUCHNER), 1892, A., 820.

Fumaric acid, conversion of maleic acid into (SKRAUP), 1890, A., 1397; 1891, A., 1338; (TANATAR), 1892, A., 1305.

molecular weight of (PATERNO and NASINI), 1888, A., 1059.

preparation of, from succinylic chloride (KAUDER), 1885, A., 652.

synthesis of (KRINER), 1890, A., 594. constitution of (ANNURUTZ), 1887, A., 916; (WISLICENTS), 1888, A., 1058. geometrical formula of, deduced from its products of oxidation (LE BEL), 1883, A., 44.

molecular refraction of (KNOPs), 1888, A., 938; 1889, A., 198.

heat of combustion of (LUGININ), 1888, A., 893.

thermochemistry of (GAL and WERNEE), 1887, A., 205; (STOHMANN, KLEERR and LANGERIN), 1889, A., 1097; (STOHMANN and KLEER), 1892, A., 1041.

Fumaric acid, conversion of, into asparagine (Kokner and Menozzi), 1867, A., 1100.

conversion of, into aspartic acid (Engel), 1887, A., 917; (Korner and Menozzi), 1887, A., 1100.

conversion of, into maleic acid (SEMENOFF), 1899, A., 1146; (TANATAR), 1892, A., 1306.

isomerism of, with maleic acid (PEFRIEFF), 1884, A., 1301; (AN-CHUTZ), 1887, A., 916; 1888, A., 448; 1890, A., 363; (OSSIPOFF), 1889, A., 124.

ethereal salts of (Ossipoff), 1889, A.. 237.

decomposition of aromatic (ANSCHITZ and WIRTZ), 1885, T., 899.

Fumaric acid, amido-, diamide of (Perkin), 1888, T., 703.

bromo- (v. Bandrowski), 1883, A., 313.

chloro- [m.p. 191"] (KAUDER), 1885, A., 652; (PERKIN), 1888, T., 697; P., 25.

ammonium and potassium salts of (PERKIN), 1888, T., 698.

chloro-, action of aniline on (MICHAEL), 1886, A., 698.

chloro- [m.p. 178°] and its salts (v. BANDROWSKI), 1883, A., 313.

iodo-, and some of its salts (V. BANDROWSKI), 1883, A., 313. sulpho- (HILL and PALMER), 1889,

A., 386.

Fumaric chloride, magnetic rotatory power of (Perkin), 1888, T., 575, 593.

chloro- (Perkin), 1888, T., 696. molecular refraction and dispersion of (Gladstone), 1891, T., 295.

dianilide (Ansohutz and Wirtz), 1887, A., 934; (Bischoff), 1891, A., 1220.

α-dinaphthalide (BI-CHOFF), 1891, A., 1220.

di-p-toluidide (Bischoff and Nasrvogel), 1890, A., 1163.

Fumarimide, mono- and di-chloro-(CIAMICIAN and SILBER), 1884, A., 293.

Funarine (REICHWALD), 1890, A., 272. Fungi, sugars present in (BOURQUELOT), 1889, A., 740; 1891, A., 103; (FERRY), 1891, A., 954.

colouring matters of (ZOPF), 1889, A., 919.

fluorescence of pigments of (WEISS), 1887, A., 314.

Fungi, accumulation and consumption of glycogen by (Erkela, 1888. A., 950.

formation and physiological significance of oxalic acid in (WEHMER), 1592, A., 230.

chemical and toxicological relations of some (BOHM), 1885, A., 1008.

See also Agricultural Chemistry and Mushrooms.

Fungoid ferment, activity of (DIAKO-NOFF), 1886, A., 1060.

Fungus, larch, constituents of (JAHNS), 1884, A., 353.

of the lily of the valley, alcoholic fermentation and conversion of alcohol into aldehyde by LINOSSIER and Roux), 1890, A., 1179; 1891, A., 854.

parasitic (Phoma Gentiana) (KIHN), 1883, A., 1025.

Fungus-symbiosis of the Leguminosæ (Frank), 1890, A., 1020; 1891, A., 353.

Funnel for collecting carbon in iron analysis (Drown), 1888, A., 1129. for protecting liquids from dust,

during evaporation on the water-

bath (Meyer), 1884, A., 552. Funnels, support for, while drying (Meurer), 1888, A., 192.

Furane. See Furfuran.

Furazancarboxylic acid (Söderbaum) 1891, A., 827; 1184; (Wolff and GANS), 1891, A., 896.

Furazanpropionic acid and amidoxime and anhydride of (Wolff), 1891, A.,

Furfuraldehyde (furfurol) (GUYARD). 1884, A., 1304; (Schiff), 1887, A., 571; (OLIVERI and PERA-TONER), 1890, A., 1242.

occurrence of, in pyroligneous acid (Guyard), 1884, A., 1304.

presence of, in commercial alcohols (LINDET), 1890, A., 1400.

significance formation and (NICKEL), 1891, A., 867.

formation of, from glyenronic acid derivatives and from albumin (Günther, CHALMOT DE Tollens), 1892, A., 1433.

preparation of, from jute fibre (CROSS and BEVAN), 1889, T., 209.

constitution of (PAWLINOFF and WAGNER), 1884, A., 1304.

colour bases from (SCHIFF), 1886, A., 612, 1013.

colour reactions of (v. UDRÁNSZKY), 1888, A., 863, 878; 1889, A., 449. condensation of, with acetoacetic

ether (MATTHEWS), 1883, T., 204.

Furfuraldehyde (furfural), condensation products of, with bases (DE CH 11-Mot), 1892, A., 1451, 1452.

action of ammonia and, on benzil (JAPP and Hooken, 1884, T., 684.

condensation of, with chloraldehyde (MEHNE), 1888, A., 453.

action of 2'-methylquinoline (SRPEK), 1887, A., 976.

action of, on animals (GIBB- and REICHERT), 1891, A., 1393.

behaviour of, in the animal organism (JAFFÉ and COHN), 1887, A., 1032.

metabolism of, in fowls (JAFFE and Conn), 1889, A., 289.

derivatives of (ODERNHEIMER), 1884, A., 585.

oximes of (GOLDSCHMIDT and ZANOLI). 1892, A., 1433.

estimation of (GUNTHER and TOL-LENS), 1890, A., 1352; (GUNTHER, DE CHALMOT and Tollens), 1892, A., 389.

estimation of, in spirits (Allen and CHAPTAWAY), 1892, A., 245.

Furfuraldehyde, thio-, Cahours' polymeride of (BLUMANN and FROMM), 1892, A., 301.

and B-trithio- (BAUMANN and FROMM), 1892, A., 301.

Furfuraldehyde group, action of hydroxylamine on compounds (ÖDERNHEIMER), 1884, A., 585.

Furfuraldehydediphenylhydrazone (STAHEL), 1890, A., 1260.

Furfuraldehydedithioglycollic (Bongartz), 1888, A., 479.

Furfuraldoxime, and its hydrochloride (Odernheimer), 1884, A., 585.

two stereochemically isomeric derivatives of (WERNER), 1890, A., 1266.

Furfur-anti-and -syn-aldoximes (Gold-schmidt and Zanoli), 1892, A., 1434, 1433.

Furfursunaldoxime, compound of, with phenylic cyanate (Goldschwidt and ZANOLI), 1892, A., 1434.

Furfuramidine hydrochloride (PINNER),

1892, A., 1006.
Furfuran (furane), formation of (PRZY-

BYTEK), 1886, A., 449. rmation of, from acetophenone formation acetone (ERLENMEYER), 1885, A.,

constitution of (CANZONERI and OLIVERI), 1887, A., 470. transformation of, into pyrrole (CAN-

ZONERI and OLIVERI), 1887, A., 470.

Furfuran derivatives (HILL and HARTS-HORN), 1885, A., 762; (NUTH), 1887, A., 803; (MARCKWALD), 1888, A., 135, 677; (PINNER), 1892, A., 1006.

of the naphthalene series (HANTZSCH), 1836, A., 707.

of the phenanthrene series (HANTZ-SCH and Preiffer), 1886, A.,

synthesis of, from ethylic diacetylsuccinate (KNORR), 1885, A., 247. from phloroglucinol (LANG), 1887,

A., 262.

from resorcinol (HANTZSCH), 1887, A., 262.

action of phosphoric sulphide on (HANTZN'H), 1886, A., 1014.

relation between, and sugars (MA-QUENNE), 1890, A., 33.

Furfuran, β-bromo- (CANZONERI and OLIVERI), 1887, A., 658. di- and tetra-bromo- (HILL), 1883, A.,

912.dibromo-, tetrabromide of (HILL),

1883, A., 912.

trichlorobromo- (HILL and JACKSON), 1890, A., 601.

nitro-derivatives of (PRIEBS), 1885, A., 971.

Furfuran-group (OLIVERI and PERA-TONER), 1890, A., 1242.

Furfurancarboximidoethyl ether (PIN-NER), 1892, A., 1006.

Furfuran-a-carboxylic acid. See Pyromucie acid.

"Furfuraniline" (DE CHALMOT), 1892, A., 1452.

Furfuran-\$\beta\$-sulphonic acid, \$aa-dibromo-(HILL and PALMER), 1889, A., 386. Furfurine, reduction of (GROSSMANN),

1889, A., 1192. derivatives of (BAHRMANN), 1883,

A., 799. Furfurol. See Furfuraldehyde.

Furfurenitrile (Douglas), 1892, A., 831; (PINNER), 1892, A., 1006.

Furfuropicramic acid, ammonium salt of (Schiff), 1886, A., 612.

Furfuryl grouping, reciprocal transformation of, into the pyrrole and thiophen groupings (CANZONERI and OLIVERI), 1885, A., 1144.

Furfurylacraldehyde, chloro-, and its derivatives (MEHNE), 1888, A., 453. Furfurylacrylamide (GIBSON and KAHN-

WEILER), 1890, A., 960.

Furfurylacrylylglycocine (JAFFÉ and CORN), 1887, A., 1033.

Furfarylacrylic soid (HILL), 1888, A.,

Furfurylacrylic acid, derivatives of (GIBSON and KAHNWEILER), 1890, À., 959.

ethereal salts of, preparation of (CLAISEA), 1891, A., 427.

Furfurylacrylic acid, bromo- (Gibson and KAHAWEILER), 1890, A., 960.

γ-chloro- (MEHNE), 1888, A., 453.

Furfuryl-bromacrylic and -dibromopropionic acids, bromo- (GIBSON and KAHNWEILER), 1890, A., 960.

Furfurylbromethylene, bromo- (GIBSON and KAHNWEILER), 1890, A., 960.
Furfurylbutylene, action of nitrous

acid on (TONNIES and STAUB), 1884, A., 1129.

Furfurylbutylenic oxide (Tönnies and STAUB), 1884, A., 1129.

Furfurylearbinyl-allyland -amvlthiocarbamides (DEUTZMANN), 1892, A., 43.

Furfurylcarbinylamine and its salts (TAFEL), 1887, A., 470; (Gold-SCHMIDT), 1887, A., 568; (DEUIZ-MANN), 1892, A., 43.

action of methylic iodide on (ZENONI), 1891, A., 294.

nitro- (DEUTZMANN), 1892, A., 43. Furfurylcarbinyl-carbamide and -thiocarbamide (Ďeutzmann), 1892, A.,

43. Furfurylcarbinyldiphenylguanidine (DEUTZMANN), 1892, A., 43.

Furfurylcarbinylethyl-carbamide and -thiocarbamide (DEUTZMANN), 1892, A., 43.

Furfurylcarbinylguanidine salts (Deutzmann), 1892, A., 43.

Furfurylcarbinylmalonic acid (MARCK-WALD), 1888, A., 679.

Furfurylcarbinylmethylthiccarbamide

(Deutemann), 1892, A., 43. Furfurylcarbinyltrimethylammonium iodide (Deutzmann), 1892, A., 43.

a-Furfuryleinchonic acid (DUEBNER), 1888, A., 299.

Furfuryldiphenylhydrazoin(Cornelius and Homolka), 1886, A., 1026.

Furfuryl-ethylpiperidine and -vinylpyridine (MERCK), 1888, A., 1314, Ī315.

2-Furfuryl-6-hydroxy-5-benzyl-4-methyl- and 2-furfuryl-6-hydroxy-4phenyl-m-diazines (PINNER), 1892. A., 1007.

2-Furfuryl-6-hydroxy-m-diazine-4carboxylic acid (PINNER), 1892, A. 1007.

2-Furfuryl-6-hydroxy-4:5-dimethyl-m diazine (PINNER), 1892, A., 1007.

2-Furfurylhydroxyethylpyridine (pico- | Furze (Uler curopeus), composition of lolfurglalkow) (KLEIN), 1890. A., 1437.

2-Furfuryl-6-hydroxy-4 methyl-m-diazine (Pr\\EL), 1892, A., 1006.

Furfurylmethylenebenzylideneacetone CLAISLY and PONDER), 1884, A., 1167.

Furfurylmethylenelevulinic acid (Lt D-WIG and KEHRER), 1891, A., 1456;

(ERDWANN), 1892, A., 117. Furfurylmethylenemalonic acid, and its amide (MARCKWALD), 1888. A., 678.

8-Furfurylmethylenenaphthylamine (Schiff), 1886, A , 612.

Furfarylmethylenepinylamine (WALand Lorentz), 1592, A., LA! H 997.

Furfurylpentic acid, y-chloro-(MEHNE). 1889, A., 453.

Furfurylphenyldihydro-β-naphthatriazine (Goldschmidt and Polizer), 1**~91, A.**, 841.

γ-Furfuryl-β-phenylpropylamine (FREUND and IMMERWAHR), 1890, A., 1407.

 γ -Furfuryl- β -phenyl-propylearbamide and -propylic alcohol (FREUND and IMMERWAHR), 1890, A., 1107, 1108. Furfurylisophthalic acid (DOEBNER),

1891, A., 1065. Furfurylpropionamide (MARCKWALD),

1888, A., 136. a-Furfurylquinoline (DOEBNER), 1888,

A., 300. Furil, action of potassium cyanide on

(Jourdan), 1883, A., 805.

Furiloximes, α- and β- (MACNAIR), 1890, A., 1245.

Furilphenyl-hydrazone and -osazone (MACNAIR), 1890, A., 1245.

Furnace, combustion- (Fuchs), 1892, A., 1514.

a modified Glaser's (Anschutz and KEKULL), 1885, A., 1035. electrical (E. H. and A. H. Cowles

and MABERY), 1886, A., 401.

Cowles' electrical, products from (MABERY), 1887, A., 551. smelting (ANON.), 1885, A., 1272.

"sulphate" (LARKIN), 1885, A., 1268. Furnace gases, obtaining sulphur from

(HANISCH and SCHROEDER), 1886, A., 288.

absorption and utilisation of sulphurous anhydride contained in (ANON.), 1883, A., 248.

Furoin-oxime and -phenylhydrazine (MACNAIR), 1890, A., 1245.

(Thosenkr), 1885, A., 684.

Fusain, analysis of (Borssing author), 1583, A., 941.

Fusel oil. American (Lone, and Line-BARGELJ, 1890, A., 859.

removal of, from spirit (LI NOT, MIVER and SCHUIZE, 1885, A., 708.

detection of, in spirituous liquois (Rose), 1885, A., 600. estimation of, in beer (Hamlei),

1888, A., 1263.

estimation of, in spirits Traubry, 1886, A., 743; 1889, A., 91; 1889, A., 651; 1892, A., 543; (Uffel-Mann), 1886, A., 1079; (EKMAN), 1899, A., 190; (Siuizer and Rehmair, 1891, A., 622; (Scala), 1891, A., 1891, A., 622; (Scala), 1891, A., 622; (Sc 1891, A., 1550; (ALLEY and CHAFTAWAY), 1892, A., 211.

Otto's method for the estimation of, in brandy (Kratch), 1883, A., 123.

Fusibility, relation of, to solubility (CARNELLTY and THOMSON), 1888, Ť., 782; P., 80.

Fusion (ROOZLBOOM), 1888, A., 1150. point of, and point of transition (VAN'r HOFF), 1888, A., 404.

Fusion salt, a simple (HOLTHOF), 1885, A., 687.

Fustet wood, colouring matter (Schuid), 1886, A., 894.

"Fustin" and tannide of (SCHMID), 1886, A., 894.

G.

Gα, Gβ, etc., evidence as to nature of (Chookes), 1897, A., 1069. Gadenium (Pringle), 1887, A., 107.

Gadolinite (EAKIN), 1896, A., 779; (RAMMCLSBERG', 1889, A., 219; (PETERSON), 1891, A., 1168; 1892, A., 1410; (BLOMSTRAND), 1892, A., 1410.

from Hitters (Rammelsberg), 1889,

A., 112. from Texas (GENTH; HIDDEN and MACKIN FOSH), 1890, A., 457.

from Ytterby (ATER VON WELSBACH). 1884, A., 717; (RAMMELSBERG). 1888, A., 112.

elements in samarskite and

(C'ROOKES), 1887, A., 334. Gadolinium, the Ya of Murignac (Lecoo DE BOISBAUDEAN), 1886, A., 667; 1889, A., 455; 1891, A., 17.

chloride, spark spectrum of (LECOQ DE BOISDAUDRAN), 1891, A., 2.

ovide, Gadolinium, equivalent of : NORDENSKIULD), 1887. 109.

Gadolinium earths (BRAUNER), 1883, T., 288; (Bertendorff), 1892, A., 1400.

separation of (KRLSS), 1891, A., 1426.

Gaduine (GAUTIER and MOURGUES), 1889, A., 170.

Gaduinic acid (GAUTIER and MOUR-GUES), 1888, A., 1315.

Gahnite (GENTH), 1884, A., 268.

trom Delaware Co., Pennsylvania (GENTH), 1891, A., 1168. from Rowe, Massachusetts (DANA), 1886, A., 23.

Galactan. See Carbohydrates.

Galactangeddic acid (O'SULLIVAN), 1891, T., 1057.

Galacto-y-diamidobenzoic acid (GRIESS and Harrow), 1888, A., 268

Galacto-arabane (SCHULZE), 1891, A., 1179.

Galactonic acid (KILIANI), 1885, A., 967.

polarisation phenomena of (SCHNELLE and Tollens), 1892, A., 1432.

rotatory lower of (Weld, Lindsey, SCHNELLE and Tollens), 1891, A., 43.

phenylhydrazide (FISCHER and PASS-MORE), 1890, A., 154.

Galactonic acids, i- and l- (FISCHER and HERTZ), 1892, A., 825, 826.

Galactonolactone (FI-CHER), 1890, A., 598.

polarisation phenomena of (SCHNELLE and Tollens), 1892, A., 1432.

Galacto-o-phenylenediamine (GRIESS and HARROW), 1888, A., 268. Galactose. See Carbohydrates.

Galactose-anilide (SUROKIN), 1886, A., 683; 1888, A., 808.

Galactosecarboxylic acid (MAQUENNE), 1888, A., 580; (KILIANI), 1888,

A., 581. oxidation of (KILIANI), 1889, A.,

lactone (Fischer), 1890, A., 599.

Galactosediphenylhydrazone (STAHEL), 1890, A., 1260.

Galactoseoxime (RISCHBIETH), 1888, А., 40; (ЈАСОВІ), 1891, А., 665. Galactosephenylhydrazine (FISCHER),

1887, A., 567. Galactosone (Fischer), 1889. 484.

Galahaptose (FISCHER), 1890, A., 599. Galega officinalis (MUNRO), 1886, A., 829.

Galena with octahedral cleavage (BRUN), 1883, A., 428; (SJOGREN), 1886, A.,

separation of lead, silver and zinc in (AUBIN), 1892, A., 1378. See also Lead sulphide.

Galenobismuthite containing selenium from Falun (WEIBULL), 1887, A.,

Galic acid (Bottinger), 1891, A., 713. Galipeine, and its salts (Korner and Bohringer). 1884, A., 341.

Galipidine and galipine (BECKURTS and NEHRING), 1892, A., 642.

Gall bladder, secretion of the (BIRCH

and Spong), 1888, A, 307.

Gallamide (SCHIFF), 1883, A., 335. and its derivatives (Schiff and

Pons), 1885, A., 796. Gallanilide (Schiff), 1883, A., 335. Gallein as an indicator (DECHAN), 1885, A., 1012.

preparation of (GURKE), 1885, A., 850. acetyl-derivatives of (HERZIG), 1892, A., 1319.

tetrachloro- (GRAEBE), 1887, A., 833. Gallic acid (pyrogallolcarboxylic acid; 3:4:5-trihydroxybenzoic acid) (Bot-

TINGER), 1891, A., 70. and tannin (Bottinger), 1888, A., 1090.

molecular weight of (SABANÉEFF), 1891, A., 145.

heat of solution of (BERTHELOT), 1885, A., 1178.

of (STOHMANN. thermochemistry KLEBER and LANGBEIN), 1889 A., 1096.

condensation of cinnamic acid with (JACOBSEN and JULIUS), 1888, A., 56.

action of formaldehyde on (KLEE-BERG), 1891, A., 1199.

fusion of, with soda (BARTH and Schreder), 1883, A., 59.

acetylisation of (Buttinger), 1884, A., 1178.

oxidation of (BUTTINGER), 1890, A.,

1130; 1891, A., 713. conversion of, into benzoic acid (GUIGNET), 1891, A., 1481.

conversion of, into pyrogallol (CAZE-NEUVE), 1892, A., 1314.

derivatives of (SCHIFFER), 1892, A., 715.

amide of (Schiff and Pons), 1885, A., 796.

phenylhydrazide of (Fischer and Passmore), 1890, A., 155.

physiological action of (MORNER), 1892, A., 904.

3:4:5-trihulroraduntoic acid), re- and Gratte, 1887, A., 1107. action of (BOLLINGER), 1890 A., Gallotannic acid estimation of, in 1275.

tests for (Yorne), 1884. A., 119; Galvanic. See Electrochemistry. RANSON, 1889, A., 447.

estimation of, in banks (HINSDALE', 1892, A., 390.

estimation of, in urine (Monnel), 1892, A., 924.

isoGallic acid phenylhydrazide (Borringer), 1891, A., 202.

Gallisin, the unfermentable part of commercial glucose, and its derivatives (SCHWILL and COBFNZL), 1884, A., 981.

preparation and properties (Scheibler and Milielweier), 1891, A., 536.

conversion of. into grape-sugar (SCHMITI and COBENZE). 11584, A., 982.

estimation of, in commercial glucose (SCHWIFT and ROSENHEK), 1885, A., 134.

Gallium (Lecoq de Boiseaudran), 1887, A., 1081.

molecular weight of (RAWSAY), 1889, T., 531, 533.

spectrum of (Lecoq de Boisbaudran). 1892, A., 930.

chromiferous, red fluorescence (LECOQ DE BOISBAUDRAN), 1887, A., 755.

fluorescence of, spectra of (LECOQ DE BOISBAUDRAN), 1888, A., 97.

as a halogen carrier (WILLGERODT), 1887, A., 326.

Gallium dichloride, vapour density of (NILSON and PETTERSSON), 1888, T., 825.

trichloride, vapour density of (NIL-son and Pettersson), 1888, T., 823; (FRIEDEL and CRAFTS), 1888, A., 1250.

ovide, fluorescence of (LECOQ DE BOINBAUDRAN), 1887, A., 409. action of magnesium on (WINKLER), 1890, A., 694.

Gallium, separation of (LECOQ DE BOIS-BAUDRAN), 1883, A., 21, 153, 156, 293, 715, 1054; 1884, A., 17, 158.

separation of, from boric acid (LECOQ DE BOISBAUDRAN), 1884, A., 822.

Gallnuts, Austrian, tannin in (Councler), 1885, A., 947.

and its derivatives Gallocyanin (NIETZKI and OTTO), 1888, A., 949. Gallocyanins (PARST), 1893, A., 70;

(KOECHLIN), 1883, A., 796.

Gallic acid (pyrogallologrosculic acid; | Galloflavin and its derivatives (Bons

barks (HINSDAIE), 1892, A., 390.

Galvanometer, mercury Lippwink', 1584, A., 551; (CALPENITER), 1564, A., 949.

for the determination of the magnetic rotatory polarisation of compounds (Perkin), 1881, T., 431.

Gambier, analysis of (Proceed), 1892, A., 928.

Gamoose, milk of the (Papper and Винуохо), 1890, Т., 754; Р., 114.

Gamsigradite (Licholk), 1887, A., 351.

Gannister from Sheffield, analyses of (STEAD), 1884, A., 518.

Ganomalite, and analysis of (Storken), 1584, A., 972

Ganophyllite from Harstigen mine, Sweden (HAMBERG), 1892, A., 1412 Garcinia Mangostana, (Liechti), 1892, A., 205.

Garnet (NIKOLAEFF), 1886, A., 601. (var. spessartate) from Amelia Co., Vinginia (Bradellay), 1885. A.,

in the amphibole schists of the Tyrol, alterations of (CATHREIN), 1886, A., 29.

from Canada (Kunz), 1884, A., 828; (HARRINGTON), 1891, A., 647.

from Csiklova (Lorzka), 1886, A., 513.

in the trachytes of Hungary (Szabo DE ST. MIKLOS), 1883, A., 66.

from Kedabek in Caucasia (Muller), 1891, A., 1169.

in rhyolite (Cross), 1886, A., 991. from the South African diamond fields (Conen), 1890, A., 1076.

strata containing, from the Ural Mts. (KARPINSKY), 1888, A., 115.

chromium (SCHUBERI), 1883, A., 35. white. See Leucite.

artificial production of (DOELTER and HU-84K; BOURGEOIS), 1884, A.,

decomposition-products of (DOELTER and HUSAK), 1884, A., 565.

pseudomorphs of (Penfield and Sperry), 1887, A., 117. Garnet group, minerals of the (Bros.-

GER and BACKSTROM), 1891, A., 24. Garnet rock (Schubert), 1883, A., 35. Garnet rocks of the Bastogne region (REVARD), 1883, A., 958.

Garnierite from Norway (MUNSTER), 1892, A., 1409.

Gas evolved during the solution of iron) in acids (BACKSTROM and PALL-KLLI), 1888. A., 420.

movement of, in "vacuum discharges" (Spotriswoode and Mourion),

1883, A., 5. heating by (Meyer), 1889, A., 751. coal. See Coal-gas.

compressed, products from the residue of (Colson), 1887, A., 787. pyrogenic hydrocarbons in (Bno-

CHET), 1892, A., 797. terpene in the oil from (Erard

and LAMBERT), 1891, A., 1085. pressure of (MARGULES), 1891, A., 520.

generator-, composition of (FISCHER), 1887, A., 1078.

illuminating-, preparation of, use of limed coal in (WANKLYN), 1884, A., 223.

physiological action of the products of incomplete combustion of (GREHANT), 1888, A., 517.

and gas-engines (Fischen), 1884, A., 508.

examination of (v. THAN), 1883, A., 629.

detection of sulphur not combined with hydrogen in (ILOSVAY), 1891, A., 862.

See also Coal-gas.

natural (ANON.), 1885, A., 1020. of Pennsylvania (Sorge), 1888, A.,

petroleum, compressed, liquid hydrocarbons from (WILLIAMS), 1884, A., 879.

action of sulphuric and hydrochloric acids on (LONATSCHEW-SKI-PETRUNIAKA), 1889, A., 187.

water- (NAUMANN and PISTOR), 1885, A., 1036. composition of (FISCHER), 1887, A.,

1078. explosion of (v. Oettingen and v.

Gennet), 1888, A., 549.

reactions occurring in the prepara-tion of (LANG), 1888, A., 1029. action of, on iron (Roscoe and SCUDDER), 1891, P., 126.

water-generator and carbonic anhydride-generator, reconversion heat into chemical energy by production of (NAUMANN), 1892, A., 673.

Gas-absorption, capillary (Bunsen), 1885, A., 867.

Gas-analyses (Fischer), 1886, A., 107; Drenschmidt), 1889, A., 185. calculation of (MEYER), 1884, T., 601.

Gas-analysis, technical (WINKLER). 1889, A., 924.

source of error in (HEMPEL), 1897, A., 1062.

apparatus for ((iepperi), 1883, A., 378; (Ladenburg), 1883, A., 1048; (Bheneman), 1884, A., 213; (Elliot), 1884, A., 214; (Lux), 1886, A., 412; (Keiser), 1886, A., 647; (Petterson), 1887, A., 179; (Mackintosh), 1887, A., 179; (Willard), 1888, A., 270; (Adente), 1881, A., 1887, A., 1887 A., 750; (ADENEY), 1891, A., 240.

for collecting and analysing gases dissolved in water (THORNER), 1885, A., 691.

clamps for (LUNGE), 1892, A., 524.

removal of exhausted solutions from (HERTZOG), 1890, A., 557.

by Bunsen's method, kaolin balls for (Bunge), 1889, A., 544.

by combustion (EHRENBERG), 1885, A., 1261.

under greatly diminished pressure (MEYER and SETBERT), 1884, T.,

use of aniline as an absorbent of cyanogen in (Loer), 1888, T., 812; P., 87.

Gas-balance (Lux), 1890, A., 823. Gas-battery. See Cell under Electro-

chemistry. Gas-burette (FRANKE), 1887, A., 687; (Hempel), 1887, A., 1062.

Gas-burners (GROGER), 1890, A., 106. Gas-carbon, behaviour of, in chromic acid (Fromme), 1883, A., 699.

Gas-engines, illuminating (FISCHER), 1884, A., 508.

Gaseous exchanges in plants, blood pigment as a gauge of (ENGIL-MANN), 1889, A., 182.

explosions, spectroscopic studies on (Liveing and Dewar), 1885, A., 465.

imperfect combustion in (DIXON and SMITH), 1889, A., 337.

mixtures, slow combustion (Askenasy and Meyen), 1892, A., 938.

explosive(BerthelotandVieille), 1884, A., 709.

combustion of (MALLARD and LE CHATELIER), 1883, A., 844; 1884, A., 549; (WITZ), 1884, A., 1247.

relative rapidity of combustion of (BERTHELOT and VIEILLE), 1884, A., 804.

relations between temperatures of combustion, specific heats, dissociation and pressure of (BERTHELOT), 1883, A., 771.

influence of the density of, on the pressures which they develop (BERTHELOT and VIEILLE), 1884, A., 805.

explosiveness of, under diminished pressure (MEYER and SETBERT), 1884, T., 583.

homogeneous, explosion of (CLERK), 1886, A., 761.

influence of temperature on the limits of the explosion of (v. Roszkowski), 1891, A., 975.

systems, homogeneous, influence of molecular contiguity on the chemical equilibrium of (SARRAU and

VIEILLE), 1888, A., 339. and liquid states of matter, representation of the connection between, by isopyknies (v. Whoblewski), 1887, A., 432.

Gases from petroleum (ARMSTRONG and MILLER), 1885, P., 77; 1886, T.,

flue-, from vitriol chambers, determination of total acidity of (Younger), 1888, A., 193.

of, from evolution homogeneous liquids (Veley), 1889, A., 94.

evolution of, from liquids, automatic apparatus for (THIELE), 1890, A., 6. evolved in the fermentation of mannitol and dulcitol (FRANKLAND

and Frew), 1892, T., 259. dissolved in water, extraction of

(Hoppe-Seyler), 1892, A., 1526. plants, variation of (Peyhou), 1886, A., 273; 1889, A., 641.

evolved during the conversion of grass into hay (FRANKLAND and JORDAN), 1883, T., 294.

exchange of, between lichens and the atmosphere(BONNIER and MANGIN), 1885, A., 580.

evolution of, by plants, influence of acids on (MANGIN), 1890, A., 190.

contained in the bladders of Fucus resiculosus and Ozothellin nodosa (WILLE), 1890, A., 916.

evolved in the putrefaction of serum albumin (NENCKI and SIEBER), 1800, A., 78.

in vegetable tissues, nature of (Boll W, 1554, A., 670.

inflammable, in the animal organism (Tacke), 1884, A., 1395.

Gaseous mixtures, explosive, some | Gases in the swimming bladder of fishes (TRAUBE-MENGARINI), 1890, A., 183.

> of the alimentary canal of Herbivora (TAPPEINER), 1884, A., 852.

> of parotid saliva (KVLZ), 1887, A., 287.

> of peptone blood (BLACHSTEIN),1892, A., 363.

relation between solids, liquids and (Spring), 1884, A., 256.

osmotic pressure in the analogy and (VAN'r between solutions Hoff), 1888, A., 775.

kinetic theory of, and osmotic pressure (BOLIZMANN, 1891, A., 389, 63S.

simple and rapid preparation of (Borningel.), 1890, A., 849; 1891, A., 14.

аррагаtus for preparing (v. Ктоьч-когг), 1888, А., 1244; (Виксе-MRISTER), 1590, A., 556.

apparatus for the constant production of (Tissandier), 1885, A., 722.

composition of, lecture experiments on (Hawkeidgel), 1889, A., 336; (ALESSI), 1889, A., 567.

composition of, produced in the combustion of pyrites (SCHEURER-KESTNER), 1885, A., 199, 706; (LUNGE), 1891, A., 496.

constitution of (BRUHL), 1891, A.,

refraction of (BRUHL), 1891, A., 629. refractive indices of (DALE), 1890, A., 201.

non-luminosity of, at high temperatures (HITTORF), 1883, A., 697.

Spectra of, at low temperatures (SUNDELL), 1887, A., 1066; (KOLH), 1890, A., 313.

electric luminosity of, and heat of dissociation of the water molecule (WIEDEMANN), 1883, A., 547.

electrical conductivity of (SIENGER), 1888, A., 1028; (LUVINI), 1887, A., 4; (BUCHANAN), 1887, A., 1071.

electrical resistance of, influence of a magnetic field on (WITZ), 1890, A., 1359.

dielectric constants of vapours and (Klemenčic). 1885, A., 1030.

molecular heats of (LE CHAPELIER), 1858, A., 213, 772.

heat of combination of, direct estimation of (RAABF), 1883, A., 274.

heat of solution of (Page 1111), 1890, A., 846; (Pickering), 1892, A., Gases, specific heats of, at high temperatures (VIEILLE), 1883, A., 771, 898; (BERTHELOT), 1884, A., 804; (BERTHELOT and VIEILLE), 1885,

specific heats of, at constant volume (Joly), 1889, A., 459.

relation of the conductive capacity of, to temperature (WINKELMANN), 1887, A., 5.

determination of the densities of (Lux), 1886, A., 412; (COOKE), 1890, A., 321; (Moissan and Gautier), 1892, A., 1267.

density of, determination of the absolute (JoLY), 1891, A., 379.

compressibility of solutions of (Isamberr), 1888, A., 20. compressibility of (Jamin), 1884, A.,

5; (AMAGAT), 1884, A., 145; 1889, A., 8; 1891, A., 378; (Andrews), 1889, A., 95.

condensation of, on the surface of glass (Bollomley), 1885, A., 477. critical point of (ANSDELL), 1883, A.,

277; (JAMIN), 1883, A., 898. diffusion of vapours and (WINKEL-

MANN), 1885, A., 10.

diffusion of, lecture experiment on (Biltz), 1892, A., 562. diffusion of, through a porous septum

(Hansemann), 1884, A., 1251. effusion of (Timofleff), 1891, A.,

381; (FREER), 1892, A., 1150. expansion of elementary (Chaffs), 1884, A., 889.

coefficient of expansion of, demonstration of the, as a lecture experiment (Schiff), 1887, A., 1013.

phenomena which accompany the evaporation of permanent, in a vacuum (v. Wroblewski), 1885, A., 861.

behaviour of mixed, at high pressures (Andrews), 1889, A., 96.

liquefaction of (JAMIN), 1884, A., 5; (Andrews), 1889, A., 97.

liquefaction of, electrolytic method of

(WARREN), 1889, A., 7. liquefied, indices of refraction of (BLEEKRODE), 1885, A., 467; (DECHANT), 1885, A., 621.

measurement of the latent heat of vaporisation of (Chappuis), 1887, A.,627; 1888, A.,773; (MATHIAS), 1888, A., 773.

determination of the density of, and of their saturated vapours (AMAGAT), 1892, A., 934, 1043. solubility of (WUKOLOFF), 1889, A., 670.

Gases, solubility of, in water (WINKLER), 1891, A., 384; 1892, A., 271; (Bohn and Bock), 1892, A., 107.

viscosity of, at high temperatures (Barus), 1888, A., 1014.

volume change of, on mixture (Braun), 1888, A., 1015.
volumes of, apparatus for correcting

1883, (Harcourt), Α, 378; (KREUSLER), 1884, A., 775; (WINKLER), 1886, A., 96; (LUNGE),

1890, A., 660; 1891, P., 168, 171. volumes of, apparatus for the correct neading of, over water (MORSE), 1885, A., 1010.

weight of, determination of, from their volume (JAPP), 1891, T., 894; 1891, P., 68; (LUNGE), 1891, A., 1135.

relation of, to the laws of Mariotte and Gay Lussac (Puschl), 1888, A.,

relation of, to Maniotte's law at high temperatures (Puschl), 1888, A., 547.

hehaviour of, in relation to Boyle's law at low pressures (Fuchs), 1889,

slow combustion of mixed (Krause and MEYER), 1891, A., 1153.

impermeability of glass to (BARTOLI), 1885, A., 869.

preservation of, over mercury (Dixon), 1887, A., 105.

influence of the chemical nature and pressure of, on the generation of electricity by an induction machine (HEMPEL), 1884, A., 701; 1885, A., 1098.

furnace-, obtaining sulphur from and (HANISCH SCHRUEDER), 1886, A., 288.

absorption and utilisation of sulphurous anhydride contained in (ANON.), 1883, A., 248.

absorbing and washing, bottle for (Kuhnlenz), 1890, A., 288. absorption of, by carbon (Baker),

1887, T., 249; P., 7.

absorbed, effect of, on the electrical conductivity of carbon (Probert and Soward), 1883, A., 769.

absorption of, by grey vulcanised caoutchoue (HUFNER), 1888, A., 783. absorption coefficients of (HENRICH), 1892, A., 1043.

absorption of, by liquids (WINKLER).

1892, A., 556.

absorption of, by liquids under high pressure (v. WROBLEWSKI), 1883, A., 418.

density of liquids, produced by the absorption of (Angstrom), 1888, A., 401.

absorption of, by mixtures of alcohol and water (LUBARSCH), 1890, A., 103. absorption of, by petroleum (GNIEWOSZ

and Walfisz), 1888, A., 342. absorptive power of water for (PET-TERSSON and SONDEN), 1889, A., 935.

occluded by coke (STORER and LEWIS), 1884, A., 377.

occluded by electrolytic copper (Soret), 1889, A., 946.

occluded, effect of, on the thermoelectric properties of compounds (Monckman), 1889, A., 92.

rate of the chemical absorption of (HOOD), 1885, A., 341.

condition of chemical change in (Dixon), 1885, A., 479.

combustible, nature of the vibratory movements which accompany the propagation of flame in mixtures of (MALLARD and LE CHATELIER), 1883, A., 148.

action of the electric arc on, and its employment for demonstrations

(LEFSITS), 1890, A., 1047. electrification of, by a glowing platinum wire (NAHRWOLD), 1888, A., 1231.

passage of electricity through (Schuster), 1888, A., 396; (NARR), 1888, A., 397; (NAHRWOLD), 1888, A., 769; (Thomson), 1890, A., 1037.

electric discharge in rarefied (Gold-STEIN), 1883, A., 266. electricity developed in the disengage-

ment of (HANKEL), 1885, A., 2. dissociating, laws of (SWART), 1891, A., 780.

dissociation of, by the silent discharge (v. HOFMANN), 1891, A., 143. dessication of (VAN DER PLAATS),

1888, A., 409. moisture remaining in, after drying by phosphoric anhydride (MORLEY), 1888, A., 192.

quantity of moisture remaining in after drying by sulphuric acid (Morley), 1886, A., 278.

dried, combustion in (BAKER), 1885, T., 349.

action of, on the development of micro-organisms (FRANKLAND), 1889, A., 738.

behaviour of vegetable tissues, starch, and charcoal towards (BOHM), 1884, A., 1250.

Gases, alteration in the volume and 'Gases, respiratory exchange of (MARGET), 1891, A., 1270.

influence of some organic and inorganic substances on gas-metaholism (CHITTENDEN and CUMMINS), 1888, A., 77.

combination of (Thomson), 1885, A., 341.

hydrates of (DE FORCRAND and VIL-LARD), 1888, A., 644; (ROOZE-BOOM), 1888, A., 897; (VIL-LARD), 1888, A., 1020; 1890, A., 1386.

chlorination of combustible, influence of mass on the (ROMER), 1886, A., 845.

chlorinated organic, properties of (BERTHELOT), 1883, A., 394.

boiler examination of, from a (Fischer), 1883, furnace 942.

chamber exit, testing (LUNGE), 1891, A., 497.

sampling and testing, apparatus for (STEAD), 1890, A., 411.

detection of small amounts of (Ross-LER), 1888, A., 88.

reducing, ferric ferricyanide as a reagent for detecting traces of (Brown), 1888, A., 627.

estimation of the amount of, disappearing in a reaction, apparatus for (Cross and Bevan), 1889, A.,

estimation, volumetric, of, dissolved in water (Petiersson), 1889, A.,

estimation of the quantities of, dissolved in watery liquids (LONGI),

1884, A., 364. titration of small quantities of, in mixtures (BEHREND and KAST), 1890, A., 290.

Gas-regenerative furnaces, utilisation of coal-dust for (ANON.), 1885, A., 1272.

Gas-generator, constant (SLEENBUCH), 1887, A., 634.

regulator constructed without metal (SCHIFF), 1886, A., 15.

self-regulating (HILLYER), 1890, A.,

with constant removal of the exhausted solutions (BREYER), 1889, A., 1048.

water-vapour Gas-generators, (SCHMIDT), 1885, A., 705.

Gasholder, universal (Eichhorn), 1891, A., 1414.

Gasholders, special form of (DE SAINT-Martin), 1883, A., 847.

Gasholders, zinc, storage of oxygen in (Loewe), 1883, A., 619.

containing oxygen, explosion (PFAUNDLER), 1883, A., 524. use of lime-water in (LOEWE), 1885,

A., 835.

Gas-lime, analysis of (MAYER and CLAUSNITZER), 1883, A., 506. estimation of ferrocyanide in (KNUB-

LAUCH), 1890, A., 87. Gas-liquor, purification of (ANON.), 1884, A., 1221.

working up gas purification residues and (ANON.), 1884, A., 1221.

examination of (D1803), 1884, A., 928. estimation of pyridine bases in (KIN-ZEL), 1890, A., 1349.

Gasometer. See Gasholders.

assaying, Gasometric comparative (BARNES), 1887, A., 80.

investigations, levelling instrument for (Lunge), 1892, A., 400.

Gasometry, graduation of tubes for (BERTHELOT), 1889, A., 301. use of potassium ferricyanide in

(Quincke), 1892, A., 526.

Gas-pipette, improved (GILL), 1892, A., 1124, 1374.

Gas-receiver for absorption analyses (WILBER), 1888, A., 320.

Gas-refuse, estimation of ferrocyanides in (GASCH), 1890, A., 834; (ZALOzierki), 1891, A., 367.

Gastric juice of clayfish (STAMATI), 1889, A., 534.

of the pig (ELLENBERGER and Horмыьгы.), 1886, А., 271.

acute phosphorus poisoning (Cahn), 1886, A., 1053.

composition of, influence of chlorides on (Girand), 1889, A., 1227.

nitrogenous substances insoluble in (Siutzer), 1885, A., 827.

relative digestibility of fish in (CHIT-TENDEN and CUMMINS), 1885, A., 569.

influence of the secretion of, on the quantity of chlorine in the urine Siicker), 1888, A., 620.

artificial, influence of, on the acctic and lactic fermentations (Coun), 1889, A., 1227; (HIRSCHFELD), 1891, A., 458.

a pepsin in (CHAPOTTAUT), 1883, A.,

fice hydrochloric acid in (LIND-WEHR), 1887, A., 287; (Boas), 1889, A., 734.

detection of hydrochloric acid in Kost), 1888, Å., 996; (Flwitzky), 1891, A., 767.

Gastric juice, estimation of hydrochloric acid in (Sjoquisi), 1889, A., 302; (v. Jaksch), 1889, A., 1242; (Sal-KOWSKI and KUMAGAWA), 1891, A., 593; (Jolles), 1891, A., 613; (FAWITZKY), 1891, A., 767; (Boas), 1892, A., 97.

Gastric mucous membrane of the pig, histology of (ELLENBERGER and Hof-MEISTER), 1886, A., 271.

Gas-volumetric analysis (BAUMANN; LUNGE), 1892, A., 538.

Gas-works, examination of water for contamination by (DICKMANN), 1891, A., 117.

Gaylussite, artificial andnatural (Arzruni), 1883, A., 430.

Gearksutite (erigtolite) (FLIGHI), 1883, T., 140; (GLOIR), 1884, A., 265.

from Colorado (Choss and Hille-BRAND), 1884, A., 22.

from Greenland (Cross and HILIE-BRAND), 1884, A., 22; (v. Non-DENSKIOLD), 1887, A., 344.

Gedda gums (O'SULLIVAN), 1891, T., 1029; P., 131.

Geddic acids (O'SULLIVAN), 1890, T., 59; 1891, T., 1029; P., 131.

Geddinosic and \$B-geddinosic (O'SULLIVAN), 1891, T., 1041, 1054.

Gedrite, occurrence of, as an essential constituent of certain (SJOGREN), 1884, A., 274.

from Fiskernas, Greenland (Ussing), 1890, A., 19.

in the gneiss of Beaunan, near Lyons (Gonnard), 1883, A., 444.

Gehlenite in a furnace slag (DILLER), 1859, A., 681.

artificial production of (Bourgeois), 1884, A., 564.

pseudomorphs \mathbf{of} grossular after (CATHREIN), 1889, A., 24.

Geierite from Breitenbrunn (McCAY),

1884, A., 1100. Gelatin (Weiske), 1884, A., 619; (Schurzenberger), 1886, A., 818; (BUCHNER and CURITUS), 1886, A., 635.

absorption spectrum of (HARTLEY), 1857, T., 59.

electrical conductivity of solutions of zine sulphate containing (Lumbi-

KING), 1889, A., 809. decomposition of, by anacrobic fer ments (Seiiiliani), 1590, A., 543.

liquefaction of, by bacteria (BLUNION and MACFADVEN), 1890, A., 916. nitrification of, by soil (MUNEO), 1886, T., 641.

Gelatin, oxidation of, with potassium | Geranium essence, Turkish, detection of, permanganate (MALY), 1889, A., 629.

digestion of (CHITTENDEN and SOL-LEY), 1891, A., 949.

decomposition of, in the human body (GRAFFENBERGER), 1892, A., 904.

albuminoids and peptones, capillarimetric distinction between (Bop-LÄNDER and TRAUBE), 1886, A., 1087.

compounds of, with tannin (BOTTIN-GER), 1888, A., 614.

compounds of, with metaphosphoric acid (Lorenz), 1891, A., 477.

estimation of sulphur in (HAMMAR-STEN', 1985, A., 915.

valuation of (Prolific), 1884, A., 647. Gelatin-peptone (TATARINOFF), 1554, A., 344; (CHITTENDEN and SOLLEY, 1891, A., 950.

Gelatin plates, isochromatic (LOHSE), 1885, A., 612.

oxalate developer for (Lond), 1886, A., 106.

Gelsemium root, alkaloids of (Thompson), 1887, A., 981.

Gems, ancient process for rendering, fluorescent (BERTHELOT), 1888, A., 552.

Generator-gas, composition of (Fis-CHER), 1887, A., 1078.

Genipu brasiliensis, crystalline constituent of (KWASNICK), 1892, A.,

Genista pilosa (broom), analysis of, and of its ash (Petermann), 1884, A., 207.

Genthite (WALKER), 1888, A., 660. Gentiana verna, substances contained in the petals of (Goldschmiedt and Јанова), 1892, А., 205.

Gentianose (MEYER), 1883, A., 810. Gential (Goldschmieder and Jahoda), 1892, A., 205.

Gentisein and gentisin (v. Kosta-NECKI), 1891, A., 1244, 1386; (v. KOSTANECKI and SCHMIDT), 1891, A., 1386.

Geology of the district of Ričan (Karzen), 1889, A., 357. application of thermochemistry to (DIEULAFAIT), 1886, A., 35, 132.

Geranaldehyde (Semulier), 1891, A.,

tetrabromide (SEMMLER), 1891, A.,

Geranic acid (SEMMLER), 1891, A.,

Geraniol, oxidation of (SEMMLEE), 1891, A., 30.

in oil of roses (PANAJOTOW), 1891, A., 1555.

oil, Indian (SEMMLER), 1890, A., 951; 1591. A., 30, 323; (Dodge,, 1891, A., 287.

Gerhardite (Wells and Penfield).

1886, A., 315. crystallised basic copper nitrate identical with (Boungeons), 1890, A., 714.

German silver. See Nickel.

Germanium (WINKLER), 1886, P., 161, 197; A., 421, 985; 1887, A., 1081.

source of (KRUSS), 1888, A., 345. atomic weight of (LLCOQ DE BOIS-BAUDRAN), 1886, A., 768.

extraction of, from its ores (WINK-LERS, 1887, A., 1082. spectrum of (LEGOQ DE BOISBAU-

DRAN), 1886, A., 768; (KOBE), 1887, A., 313.

volatility of (MEYER), 1887, A., 445. and its compounds, physical constants of (Nilson and Periersson), 1887. A., 778.

Germanium tetrabromide (WINKLER),

1887, A., 1082. dichloride (Winkler), 1886, A., 986. tetrachloride (WINKLER), 1886, A., 421, 986; (HAMPE), 1888, A., 891. oxychloride and chloroform (WINK-

LER), 1887, A., 1082.

tetrafluoride (WINKLER), 1887, A., 1083.

hydroxide and iodide (WINKLER), 1886, A., 986, 987. oxide (Winklim), 1886, A., 421, 986;

(van Bemmelen), 1888, A., 1041. action of magnesium on (WINK-LER), 1891, A., 802.

dioxide (Winkler), 1886, A., 986. disulphide (WINKLER), 1886, A., 421, 986.

ultramarine (WINKLER), 1887, A., 1083.

ethide (Winkler), 1887, A., 1083. detection of small quantities of (v. HAUSHOFER), 1889, A., 78.

Agricultural Sec Germination. Chemistry.

Germs, existence of, in the air at great heights (Glarosa), 1884, A., 225.

Gerontine (GRANDIS), 1891, A., 588. See also Pentamethylenediamine.

Geyser waters and deposits, analyses of (LEFFMANN), 1884, A., 30. Gibbsite from Brazil (Everis), 1884,

A., 23.

so-called, from Pennsylvania (GENTH), 1591, A., 275.

Gilding earthenware goods (ANON.), 1885, A., 459.

Gismondite from Westphalia (RINNE), 1892, A., 1056.

Githago segetum (Agrostemma Githago), poison of the seeds of (LEHMANN and Mori), 1890, A., 1458.

sapotoxin from (KRUSKAL; Ko-BERT), 1892, A., 350.

metabolism in pigs fed on (Kor-NAUTH and ARCHE), 1892, A., 1018.

Glaciale or cristalline ("Mesembryanthemum crystallinum") (MANGON), 1883, A., 499; (HECKEL), 1883, A.,

Glacialin and glacialin-salt (BESANA), 1884, A., 378.

Glairin (barcyin) (JoLY), 1883, A., 302. Glanders, bacilli of (ISRAEL; WAS-SILIEFF), 1884, A., 914.

ptomaine of (GRIFFITHS), 1892. A., 1258.

Glaserite from Douglashall (BUCKING), 1890, A., 18.

See also Potassium sulphate.

Glass (WAGENER), 1883, A., 397. arsenic in (Fresenius), 1884, A., 220; (MARSHALL and POTTS), 1889, A., 341.

graphical chemistry of (NICKEL), 1892, A., 1158.

composition of, suitable for chemical purposes (WEBER and SAUER), 1892, A., 410, 1052; (MYLIUS), 1892, A., 411.

composition of slides and coverglasses, influence of, on the duraof microscopic objects (Weber), 1892, A., 1276.

gradual alteration in, produced by slight alteration of temperature (PICKERING), 1890, A., 440. ancient method for rendering fluor-

escent (Berthelot), 1888, Å., 552. electric qualities of (T. and A. Gray and Dobbie), 1885, A., 470. electrical resistance of, influence of

temper on the (Foussereau), 1883, A., 701.

impermeability of, to gases (BAR-

TOIL), 1885, A., 869.
penetrability of, by water (Schurzenberger; Berthelot), 1890, A., 691, 692.

solubility of (Bohlig), 1885, A., 688. solubility of, in hot and cold water (MYLIUS and FOERSTER), 1889, A., 828.

solubility of, in cold water (Kohl-RAUSCH), 1892, A., 277.

Glass, solvent action of hot water on (BARUS), 1891, A., 634.

action of superheated water and solutions of alkalis and of salts on (Foerster), 1892, A., 1401.

action of water on (PFEIFFER), 1892, A., 120.

electrolysis of solid (WARBURG), 1884, A., 1241.

action of compressed carbonic anhydride on (Pfaundler), 1885, A.,

decomposition of, by carbonic anhydride condensed on its surface (Bunsen), 1887, A., 13.

catalytic action of, in vapour density determinations (Alexaeff), 1886, A., 591.

alkaline reactions of (WARIHA), 1885, A., 838.

alkaline reaction of, as a source of error in analysis (KREUNLER and HENZOLD), 1884, A., 775.

adhesion of mercury to, in presence of halogens (Shenstone), 1892, T., 452; P., 70.

cracking with certainty (BECKMANN), 1887, A., 105.

silvering of (Bottger), 1885, A., 847; (Henzoc), 1885, A., 1020.

toughened (LUBISCH), 1883, A., 399. analysis of (TSCHEUSCHNER), 1885, A., 937; (Lindo), 1889, A., 1246.

testing, by colour reactions (MYLIUS), 1889, A., 549.

beakers, toughened, action of strong sulphuric acid on (FRISWELL), 1885, P., 86.

bottle-, action of dilute acids on (EGGER), 1885, A., 459.

an English, analysis of (GorTsTEIN), 1894, A., 1443.

(MULLER), 1883, A., 395. laboratory vessels,

stoppers, fixed, removal of (ANON.), 1883, A., 524.

surfaces, influence of, on the velocity of reaction (Speranski), 1890, A.,

wool, presence of lead in (BLUM), 1892, A., 1375.

Glauber's salt. See Mirabilite and Sodium sulphate.

Glaucine (BATTANDIER), 1892, A.,

Glaucoferrocyanides (EFARD and BÉ-MONT), 1885, A., 496.

Glauconite (v. Gumbel), 1888, A.,

from Chester Co., Pa. (SMIIH), 1865, A., 960.

Glaucophane (Koró), 1887, A , 1086. from Brittany (Schlutte,), 1887,

A., 784. from Zermatt, analysis of (BEL-WERTH), 1886, A., 29.

schists of the island of Groix (BAL-EOIS), 1884, A., 412.

Glazes, experiments on (ANON.), 1883, A., 890. porcelain (LAUTH and DULAILLY),

1885, A., 307.

Gleditschin triacunthos, nitrogen assimilation of (Nonce, Schuld, HILTNER and Holren), 1591, A., 1533.

Globularetin and paraglobularetin (HE KEL and SCHLADENHAUFFEN), 1983, A., 1025.

Globularia, chemistry of (HE KLL and Schlagdenhauffin . 1553. A., 1025.

Globulin (KUHNE and CHITTENDEN), Gluconic acid (KILIANI and KLEE-1556, A., 818.

from proteid matters by the action of panereatic ferment (O110), 1854, 1 A., 1056.

which kills bacteria (HANKIN), 1891, A., 352.

estimation of (POHL), 1888, A., 878. se paration of, from albumin in urine (O11), 1887, A , 406.

separation and estimation of serumalbumin and, by means of magnesulphate (Hanmarsien), sium 185, A., 611.

Cell- and myo-globulins (HALLIBURron), 1887, A., 984; 1888, A., 974.

Globulins, vegetable (MARTIN), 1887, A., 507.

detection of, in urine (MARTIN), 1888, A., 763.

separation of, from albumins (MI-CHAILOFF), 1886, A., 164.

Globuloses (KUHNE and CHIFTENDEN), 1886, A., 819.

Glover tower, influence of, in the of sulphuric acid manufacture (SCHEURER-KESTVER), 1885, A., 706.

Glow and glow discharge. See Electrochemistry.

Glucina. See Beryllium oxide.

Glucinum. See Beryllium.

Glucobiose, synthesis of a (Fischer, 1891, A., 412.

Gluco-o-diamidobenzene (GRIE-- and HARROW), 1887, A., 931.

Gluco-y-diamidobenzoic acid, and -m.pdiamidotoluene (GRIESS and HAR-ROW), 1887, A., 931.

Gluco-o-coumaraldehyde, and its derivatives (TIEMANN and KEE-), 1985. A., 1073.

· Gluco-o-coumaraldoxime, -couand marylic alcohol (TIEMANN KEEN, 1995, A., 1073.

Glucoferulic aldehyde and glucoferulic methyl ketone (TIEM NN), 1886, A., 250, 251.

a-Glucoheptitol (FINHER), 1892, A., 1167.

Glucoheptonic acids, a- and B- (FIS-(HER), 1892, A., 1166, 1165.

β-Glucoheptonic lactone (Fi HEL), 1992, A., 1169.

Glucoheptose (Fischer), 1890, A., 599. Glucoheptoses, α- and β- (FIN HEL), 1592, Δ., 1166, 1168.

a-Glucoheptose-osazone and glucoheptosephenylhydrazones, a. and B-(Fischell), 1892, A., 1168, 1167. c/-Glucolactone (Fischer), 1890, A.,

MINN), 1884, A., 730; (VOLPELI), 1887. A., 127; (BOULLOUX), 1887. A., 169.

optical isomerides of (Fischer), 1590. 1., 1399.

preparation of (Heffier), 1889, A., 557.

polarisation phenomena of (Schnelle and Tollers), 1892, A., 1432.

notatory power of (Weld, Lindsey, Schnelle, and Tollens), 1891, Δ., 43.

oxidation of, with Fehling's solution (TIEMANN), 1891, A., 426.

reduction of (Fischer), 1889, A., 1149.

conversion of, into n-caprolactone (KILIANI and KLEEMANN), 1854, A., 993.

anilide and phenylhydrazide (FI<4 HEI) and PASSMORE), 1890, A., 155, 153.

Gluconic acids from different sources, and their calcium and barium salts (HERZFELD), 1881, A., 423.

isomeric (Herzfeld), 1883, A., 652; (FISCHER), 1890, A., 1391, 1389.

Gluconolactone, polarisation phenomena of (Schnelle and Tollens), 1892, A., 1432.

Glucononic acid and glucononose (Fischer), 1892, A., 1170.

Glucononitol and a-gluco-octitol (FI--CHER), 1892, A., 1170.

Gluco-octonic acid (FISCHER), 1890, A.,

Gluco-octonic acids, α - and β - (FI \times HER), 1892, A., 1169, 1170.

a-Gluco-octose and its phenylhydrazone (Fischer), 1892, A., 1169.

Glucoprotein (SCHUTZENDERGER), 1886, | GLUCOSIDES-A., 270.

hydroxide (GAUTIER and ETARD), 1884, A., 90.

Glucosalicyl-carbamide and -tolylenediamine (SCHIFF), 1883, A., 347,348.

Glucosamine (glycosamine) and hydrobromide of (TIEMANN), 1886, A., 329.

tetrabenzoate (BAUMANN), 1887, A., 229.

benzoyl-derivatives of (KUENY), 1890, А., 578; (Ргм), 1892, Л., 134.

hydrochloride (TIEMANN), 1884, A., 724; 1886, A., 329.

isoGlucosamine and its salts (FISCHER), 1886, A., 933.

levulose from (FISCHER and TAFEL), 1888, A., 39.

See Carbohydrates. Glucose.

Glucosediphenylhydrazone (STAHEL), 1890, A., 1260.

Glucosediphenylhydrazones, i- and l-(Fischer), 1890, A., 1392, 1391.

Glucoseoxime (JACOBI), 1891, A., 664; (WOHL), 1891, A., 813.

Glucoside (SCHIFF), 1883, A., 347. allied to coniferin (TIEMANN), 1886,

A., 250. from Boldoa fragrans (Chapoteaut),

1884, A., 845. of calamus root (THOMS), 1886, A., 895; 1888, A., 984; (Kunz), 1888, A., 1221.

from Camellia oleifera seeds (Mc-Callum), 1883, A., 1166.

from Forsythia suspensa (Eijkman),

1886, A., 1040. from the bark of Gonolobus Condurango (Carrara), 1891, A., 1387.

from helicin (TIEMANN and KEES), 1885, A., 1073.

from Herniaria hirsuta (BARTH and HERZIG), 1889, A., 1003.

from Japanese Oleacea (EIJKMAN), 1886, A., 1040.

from Millettia atropurpurea (GRES-HOFF), 1891, A., 335.

of rhamnetin (HERZIG), 1890, A., 64. from Strychnos Nux romicu (Dun-STAN and SHORT), 1885, A., 395.

benzoyl-derivatives of (KUENY), 1890, A., 578.

Glucoside group, synthetical researches in (Michael), 1884, A., 439; 1885, A., 521.

GLUCUSIDES-

Acorin (Thoms), 1886, A., 895; 1888, A., 984.

Adonidin, from Adonis vernalis (More-DAGNE), 1886, A., 94.

Adonin from Adonis amurensis (Mor-DAGNE), 1886, A., 94; (TAHARA), 1891, A., 1501.

Æsculin, diathermancy of (WESEN-DONCK), 1885, A., 213.

reactions for (RABY), 1885, A., 302. Amygdalin in leaves of Gymnema latifolium (Greshoff), 1891, A., A., 338.

in Pygeum parviflorum and P. letifolium (Greshoff), 1891, A.,

distribution of, in almonds (Jo-HANNSEN), 1888, A., 869.

action of emulsin on (TAMMANN), $1889, \Lambda., 566.$

Anhydrosalicylic glucoside, synthesis of (MICHAEL), 1883, A., 76.

Arbutin (Schiff), 1883, A., 347; 1884, A., 432; (HABERMANN), 1884, A., 175; (DALMON), 1885, A., 1096.

behaviour of, in the animal organism (LEWIN), 1884, A., 915.

"Asclepiadin" (GRAM), 1887, A., 377.

"Asebotoxin" (EIJKMAN), 1883, A., 215, 348.

Benzylarbutin (Schiff), 1884, A., 432.

Catalpin (CLAASSEN), 1888, A., 1309. Cathartic acid (STOCKMAN), 1885, A.,

Chitin (HALLIBURTON), 1885, A., 991,

occurrence of, in the Cephalopoda (KRUKENBERG), 1885, A., 826. heat of combustion of (BERTHELOT

and André), 1890, A., 938. solubility of (Krukenberg), 1856,

A., 808. Colocynthin (HENKE), 1884, A., 181.

Condurangin (CARRARA), 1892, A.,

Coniferin in asparagus (v. Lippmann), 1886, A., 387.

occurrence of, in the woody structures of beet-root (v. Lipp-MANN), 1883, A., 611.

glucoside allied to (TIEMANN), 1886, A., 250.

formation of eugenol from (CHIOZz 1), 1888, A., 941.

test for (Molisch), 1887, A., 692. Convallamarin and convallarin

(LANGLEBERT), 1885, A., 271. Convolvulin, physiological action of (Dragendorff), 1887, A., 291.

Crocin and crocetin (KAYSER), 1885, A., 59, 60.

HERER and MUTSCHLER), 366; (Michard), 1855,

HECKI Land SCHLAGDEN-), 1886, A., 173. (Houpas), 1892, A., 222; NI), 1892, A., 501, 1482. on and separation of, from lin and digitin (PALM), A., 507.

Digi (ARNAUD), 1990, A., 65, 17. (KILIANI), 1991, A., 576, 1482.

reaction for (LAFON), 1885, A., 1014; (FERREIRA DA SILVA), 1891, A., 1562.

Digitonin (KILIANI). 1890, A., 996; 1892, A., 501, 1482.

preparation of (KILIANI), 1891, A.,

Euonymin (ROMM), 1886, A., 72. Frangulin (THORPE and ROBINSON), 1839, P., 165; 1890, T., 38; (Schwade), 1889, A., 69; (THORPE and MILLER), 1892, T., 1.

preparation of (THORPE and ROBIN-SON), 1890, T., 41; (THORPE and MILLER), 1892, T., 1.

composition of (THORPE and MIL-LER), 1891, P., 158; 1892, T., 3. hydrolysis of (Thurpe and Robinson), 1890, T., 45; (Thurpe and MILLER), 1892, T., 4.

Fraxin, constitution of (Körner and

BIGINELLI), 1892, A., 628. "Fustin" (SCHMID), 1886, A., 894. Globularin (HECKEL and SCHLAGDEN-HAUFFEN), 1883, A., 1025.

Glucovanillin (HAARMANN REIMER), 1884, A., 1343; (TIEmann), 1885, A., 980.

phenylhydrazine derivative of (TIE-MANN and KEES), 1885, A., 1072.

Guaiacol glucoside (MICHAEL), 1885, A., 521.

Hederaglucoside (BLOCK), 1889, A., 294.

Helicin, constitution of (Schiff), 1883, A., 347.

actions of (TIEMANN and KEES), 1885, A., 1072.

glucosides prepared from (TIEMANN and KEES), 1885, A., 1078.

phenylhydrazine derivative of (TIE-MANN and KEES), 1885, A., 1072. Hesperidin and isohesperidin (TAN-RET), 1888, A., 963.

sugar from (WILL), 1887, A., 715.

GLUCOSIDES-

Indican, modification of Jaffe's test for (OBERWAYER), 1891, A., 245. detection, spectroscopic, of (MAC-MUNNI, 1884, A., 198.

detection and estimation of, and of its homologues, in mine (Michailoff), 1885, A., 890.

Jalapin (Poleck and Samelson), 1885, A., 669.

physiological action of (Dragen-DORFF), 1887, A., 291

Linamarin (JORISSEN and HAIRS), 1892, A., 502.

Loganin (DUNSTAN and SHORT), 1885, A., 396.

"Lupiniin" (BAUMERF), 1888, A., 1222.

Menyanthin (LENDRICH), 1892, A.,

Methylarbutin (Schiff), 1883, A., 60, 347; 1884, A., 432.

synthetical (MICHAEL), 1884, A., 439; 1885, A., 521. separation of, from arbutin (SCHIFF).

1884, A., 432. Methylhesperidin (WILL), 1885, A.,

906. Morindin (THORPE and GREENALL), 1886, P., 256; 1887, T., 52. Naringin (WILL), 1887, A., 497.

and its derivatives (WILL), 1885,

A., 906. sugar from (WILL), 1887, A., 715.

Neriin (Pieszczek), 1890, A., 1316. Ouabain, poisonous glucoside from ARNAUD), 1888, A., 848; (GLEY), (ARNAL), 1888, A., 1326.

Phlorizin (RENNIE), 1887, T., 634. dextrose from (RENNIE), 1887, T.,

Virginia Quercitrin, in creeper Cissus quinquefolia) (Phirson),

supposed identity of, with rutin (Schunck), 1888, T., 262; P., 12. derivatives (Henzig), 1888, A., 1309.

Rhinanthin (Phipson), 1888, A., 1310.

Rosaginin" (PIESZCZEK), 1890, A., 1316.

Salicin (Michael), 1883, A., 76. synthesis of (MICHAEL), 1883, A., 76; 1884, A., 439.

solubility of (Dorr), 1886, A., 366. Saponin (senegin) (McCALLUM), 1883, A., 1166; (STUTZ), 1884, A., 463; (HILGER and MUTSCHLER), 1886, A., 367; (HESSE), 1891, A., 938.

GLUCOSIDES-Saponin (senegin) from Polygala Seneya (Funaro), 1890, A., 262. "Saponaria officinalis" (Schlaparelli), 1884, A., 332. position of, in the roots of certain plants (Rosoll), 1884, A., 847. products of decomposition (Schiaparelli), 1884, A., 334. acetyl-derivatives of (STUTZ), 1884, A., 463. reaction for (FERREIRA DA SILVA), 1891, A., 1562. Saponins (KOBERT), 1891, A., 1531; 1892, A., 350; (KRUSKAL), 1892, A., 350. Sapotin (MICHAUD), 1892, A., 724. Scopolin (EIJKMAN), 1885, A., 404. Skimmin (EIJKMAN), 1885, A., 553. Strophanthin (GERRARD), 1887, A., 970; (Fraser), 1887, A., 1115; 1888, A., 606; (MERCK; EL-BORNE), 1887, A., 1116; (AR-NAUD), 1888, A., 1310. properties of (FRASER), 1890, A., 262. toxic action of (GLEY), 1888, A., 1326. reaction for (Helbing), 1887, A., 1001. Syringin (KÜRNER), 1889, A., 159. synthesis Tartaric glucoside, (GUYARD), 1884, A., 1304. Teucrin, action of nitric acid on (Oglialoro-Todaro), 1884, 332. Viola-quercitrin (Mandelin), 1884. A., 1191. Glucosine, constitution of (JAPP and CLEMINSHAW), 1887, T., 552; P., 33. Glucosines, α - and β - (TANRET), 1885, A., 1048. Glucosometer, percentage (GERRARD), 1890, A., 300. Glucosonephenylmethylhydrazone (Fischer), 1889, A., 484. Glucososalicylthiocarbamide (Schiff), 1883, A., 348. Gluco-syringic acid and -syringin-aldehyde (KORNER), 1889, A., 159. Glucovanillic acid (TIEMANN), 1885, A., 980. Glucovanillin (HAARMANN and REI-MER), 1884, A., 1343; (TIEMANN), 1885, A., 980. phenylhydrazine derivative of (TIE-MANN and KEES), 1885, A., 1072. Glucovanillinaldoxime (TIEMANN and Kees), 1885, A., 1073.

Glucovanillyl alcohol (TIEMANN), 1885,

A., 950.

Glue, products of the arti
of (KLUG), 1891, A., 2:
Glutaconic acid (BUCHN
737.

B-chloro-(BURTON and V
1887, A., 467.
tetruchloro- (ZINCKE i
1892, A., 1463.
Glutamic acid (umidogluta
its rotatory power (
1884, A., 1308.
condensation of, with suestphonic chloride (HEDIN), 1891, A.,

202. and its derivatives (MENOZZI and

APPIANI), 1892, A., 298. i-Glutamic acid (Wolff), 1891, A.,

solubility of (Schulze), 1885, A., 916. Glutamine (Schulze and Bosshard),

1883, A., 658.
presence of, in sugar-beet (SCHULZE and BOSSHARD), 1885, A., 759:

and Bosshard), 1885, A., 759; 1886, A., 105. optical behaviour of (Schulze and

Bosshard), 1885, A., 759. detection of, in vegetable juices and

extracts (Schulze), 1884, A., 373. quantitative estimation of (Schulze), 1885, A., 935.

Glutaramide and glutaramidine salts (PINNER), 1891, A., 62.

Giutaramidyl isobutyl, ethyl and methyl ethers, hydrochlorides of (PINNER), 1891, A., 62, 61.

Glutaramidylic acetate (PINNER),1891, A., 62.

Glutarene-diamidoxime and -imidodioxime (BIEDERMANN), 1890, A., 126. Glutarenediazoximediethenyl (BIEDER-MANN), 1890, A., 126.

Glutaric acid (n-pyrotartaric acid), preparation of (PERKIN and PREN-TICE), 1891, T., 993.

magnetic rotatory power of (PERKIN), 1888, T., 566, 589.

specific heat of (HESS), 1889, A., 93.

thermochemistry of (Stohmann, Kleber and Langbein), 1889, A., 1097; (Stohmann and Kleber), 1892, A., 1041; (Massol), 1892, A., 1141.

action of heat on (KRAFFT and NOERD-LINGER), 1889, A., 690; (WISBAR), 1891. A., 1011.

1891, A., 1011. action of hydroxylamine on derivatives of (GARNY), 1892, A., 136.

decomposition of, at a high temperature (CLAUS), 1892, A., 40; (LOSSEN), 1892, A., 297.

Glutaric acid (a-pyrotacturic acid). decomposition of, by sunlight in presence of an utanium salt Wis-BAR,, 1891, A., 1013.

bromination of Arwers and IM-HAUSER), 1891, A., 1191.

alkyl substitution products of, electrical conductivity of (BISCHOFF and WALDEN), 1890, A., 1038.

dialkyl substitution products of, synthesis of (GUTHZEII, 1890, A., 877; (GUFHZEIT and DEENEL), 1891, A., 178.

Glutaric acid, amido-. See Glutamic acid.

dibromo- (AUWERS and BERNHARDI), 1891, A., 1191.

pentachloro- (ZIN) KE , 1892, A., 1186. a-nitroso- (WOIFF), 1591, A., 119.

Glutarimide (WOLFFENSIEIN, 1892, A.,

Glutarimidoxime GARNY1,1892, A., 138. Trimethylemo Glutaronitrile. See evanide.

Glutazine (2 6-dehydroxu-4-amidopuridine), constitution of (v. Pech-MANN), 1888, A., 67.

and the action of phosphorus pentachloude on (v. Prenmann and STOKES), 1885, A., 1202.

and its derivatives (Stokes and v. PE(HMANN), 1887, A., 155.

nitronitrosamine (v. Pechmann), 1888, A., 68.

Glutazine, 3 5-dichloro- (STOKES and v. PECHMANN), 1887, A., 156.

mono- and di-nitro- (v. PECHMANN), 1888, A., 67, 68.

Gluten and its presence in wheat grain (Johannsen), 1889, A., 296.

wheaten, as a food (Constantinibi), 1887, A., 511. heat of combustion of (BERTHELOT

and ANDRE), 1890, A., 938.

fermentation experiments with, instead of diastase, in the mash (HEINZEL-MANN), 1884, A., 789.

chemistry of (KRUGER), 1889, A.,

action of sulphurous and other acids on (BALLAND), 1891, A., 95.

estimation of, time element in (FREAR), 1885, A., 1014.

estimation of, in flour (REED), 1884, A., 122.

estimation of, in wheat (STUMPF), 1883, A., 236; (GATELLIER and L'HOTE), 1889, A., 740, 919.

Gluten-bread, estimation of starch in (Richard), 1885, A., 229; (Mallat), 1885, A., 445.

Gluten-casein, digestion moduets of (CHILIPNOEN and SMITH), 1891, A. 342.

Glutic acid Burton and v. Promanni. 1887, A., 467.

Glutimide (MENOZZI and APPIANI), 1892. A., 298.

Glutin, peptone salts from (PAAL), 1892, A., 895; (BOTHNER), 1892, A., 1016.

upoGlutin (KLUL), 1891, A., 232. Glutinofibrin (MARTIN), 1886, A., 1065. Glutinopeptone (KLUG), 1891. A., 233. Glutonic acid (CONRAD and GUTHZEII),

1883, A., 312. Glutose (KLUG), 1891, A., 232.

Glyceraldehyde (GRIMAUX), 1887, A., 794.

fermentation of (GRIMAUX), 1868, A., 247.

Glyceria fluitans. analyses of (WILSON), 1889, A., 1078.

Glyceric acid (a8-ddipdrorapropionic ucid), optically active (Lewko-wrisch), 1884, A., 296; (Frank-LAND and Frew), 1890, P., 174; 1891, T., 96.

preparation of (Bonnscein), 1886, A., 327; (LFWKOWIISCH), 1889, P., 14. heat of neutralisation of (GAL and

WERNER), 1887, A., 205. calcium salt of fermentation of, by the Bacillus ethaceticus (FRANK-

LAND and FREW), 1890, P., 173; 1891, T., 81. (active) calcium salt of, crystalline form of (Tulton), 1891, T., 233;

P., 29. Glyceride pyroracemate (ERHART), 1885, A., 1201.

Glyceride-hydrolyst (ARMSTRONG), 1890. T., 531.

of butter fat (BLYTH and ROBERTSON), 1889, P., 5.

fatty, stability of (WARREN), 1889, A., 1130.

Glycerol (glikerin), formation of, in alcoholic fermentation (THYLMANN and HILGER), 1889, A., 579; (v. Udránszky), 1889, A., 1027.

synthesis of, by means of hypochlorous scid (REFORMATSKY), 1890, A., 121.

formed in wines, influence of salicylic acid on the proportions of alcohol and (WEIGERT), 1889, A., 433.

purification of (Moldenhauer and Heinzebling), 1884, A., 938.

molecular refraction and dispersion of (GLAINTONE), 1891, T., 295. thermochemistry of (Stohmann and

LANGBEIN), 1892, A., 764.

Glycerol (gly run), vapour pressures of p (Richardson . 1556, T., 764.

volatility of, at 100 (NF-LER and Ballin , 1881, A., 1131.

non-volatility of with aqueous vapour (HIHNI I.), 1887, A., 1143.

spe the gravity of aqueous solutions of (Nicon), 1888, A., 437.

specific gravity, boiling-point, and vapour-tension of aqueous solutions of (Gerlach), 1885, A., 499.

isotonic coefficient of (DE VRIF-), 1389, A., 9.

action of Bacterium aceti on (Brown), 1857, T., 639.

fermentation of (FRANKLAND and

Fox), 1890, A., 915. fermentation of, with the bacteria from ammonium tartrate (VIGNA), 1884, A., 170.

electrolysis of, with electrodes of carbon and platinum (BARTOLI and Papasogli), 1884, A., 170.

action of ammonia salts on (STORCH), 1886, A., 1044.

action of ammonium salts on, bases formed by the (Stoehr), 1891, A.,

action of arenious anhydride on (JACKSON), 1884. A., 896.

action of hydrogen chloride on (FAU-(ONNIER and Sanson), 1995, A., 244.

action of nitrous anhydride on (MASson), 18°3, T., 348.

action of sulphur on (KEUTGFN),1990, A., 577.

oxidation of (Bornstein), 1996, A., 327; (FISCHER and TAFEL), 1887, A., 651; 1998, A., 1261; 1889, A., 478.

oxidation of, with lead peroxide in alkaline solution (GLISER and MORAWSKI), 1890, A., 20.

action of, on egg-albumin (GRANDIS), 1891, A., 589.

action of, in diahetes (RINSOM), 1887, A., 985.

influence of, on gaseous metabolism (MUNK), 1891, A., 345.

nutritive value of (ARNSCHINK), 1887, A., 509; (v. Torning), 1889, A., 736.

derivatives of (SEELIG), 1892, A.,

fluorhydrins from (MESLANS), 1892, A., 799.

formation of propylene from (CLAUS), 1886, A., 186.

Glycered dibenzacte (BAUMANN), 1887. A., 229.

Glycerol, trioleate and triricinoleate,, action of sulphuric acid on (LIECHII and Sum 1), 1884, A., 238.

Glycerol, detection and estimation:test for (REIGHT), 1884, A., 118; (Kohn), 1890, A., 1473.

erude, analysis of (Filsinger), 1892, A., 544.

eramination of (Endemann), 1885, A., 443.

estimation of (Fox and WANKLYA), 1886, A., 395; (DIEZ), 1887, A., 750; (LEGLER), 1857, A., 1142; (HEHNER), 1887, A., 1143; (FILSINGER), 1888, A., 1133; (GRUNWALD), 1890, A., 198; (MORAWSKI), 1890, A., 299.

estimation of, by alkaline permanganate (JOHNSTONE), 1892, A., 544.

estimation of, by oxidation (PLANthon), 1888, A., 1345.

estimation of, in aqueous solution by means of its refractive power (STROHMER), 1884, A., 877.

estimation of, in beer (AMTHOR). 1883, A., 385.

estimation of. in fatty matters (David), 1883, A., 123.

estimation of, in crude glycerol (BENEDIKT and CANTOR), 1888. A., 1345; (Filsinger), 1889, A., 748; (Lewkowirsch), 1889, A., 748; 1890, A., 300; (VIZERA). 1890, A., 835; (HEHNER), 1890, A., 425.

estimation of, in the residuary liquois of brandy distillation (v. Torring), 1889, A., 735. estimation of, in soap lyes (Hehner),

1890, A., 425.

estimation of, in sweet wines (Lecco), 1892, A., 1263.

estimation of, in wine (BENSEMANN), 1896, A., 1080; (SIMFLSON),1887,

A., 86; (BARTH), 1887, A., 184; (Weigert), 1889, A., 446; (Oliveri and Spira), 1891, A., 369; (JEAN), 1892, A., 246; (BAUMERT), 1892, A., 1529.

estimation of, in wine and beer (SKALWEIT), 1887, A., 306: (v. Torring). 1890, A., 426.

nitro-. See Glyceryl trinitrate. Glycerol-borin (Dunstan), 1884, A.,

Glycerolphosphoric acid (FLEMMING), 1883, A., 682.

estimation of, in urine (EYMONNET), 1884, A., 1058.

Glycerosazone (FISCHER and TAFEL), 1888, A., 35S.

Glycerose, preparation of (Fischer and ; TAFEL), 1858, A., 1264.

Glyceroxide potassium, heat of formation of (DE FORCRAND, 1887, A., 320.

alcoholates of (DE FORCRAND), 1887, A., 427.

sodium, heat of solution of (DE FORCEAND), 1857. A., 8.

alcoholates of (DE FORCRAND), 1887, A., 426.

Glyceroxides, thermochemistry dibasic (DE FORCRANDI, 1888, A.,

polybasic (DE FORCHAND), 1888, A.,

Glyceryl acetate distearate (HUNDES-HAGEN), 1884, A., 281.

dichloro- (Seelig), 1892, A., 259 diacetate, chloro- (SEELIG), 1892, A.,

carbamate (GATTERMANN), 1888, A., 575.

chloriodide. See Chloriodohydrin. formate dichloride (PFUNGSF), 1885. A., 1197.

trinitrate (nitroglymrol), elementary composition of (HAY and MASson), 1885, A., 742.

magnetic rotatory power of (PER-KIN), 1889, T., 685, 726.

chemistry of (HAY), 1885, A., 742. action of alkaline solutions on (MIXTER), 1892, A., 692.

reconversion of, into glycerol (BLoxлм), 1883, А., 788.

physiological action of (HAY), 1855, A., 681.

trinitrite (Masson), 1883, T., 349. , phosphate (Hundeshagen), 1884, A., 282.

pyruvate (Böttinger), 1891, A., 1018.

distearate, compound of, with ammonia (HUNDESHAGEN), 1884, A.,

sulphate hydroxyoleate, and trihydroxyoleate and their salts (Likchill and SUIDA), 1884, A., 238, 239.

Glycerythritol (BALLO), 1884, A., 766. Glycidic acid, homologues of (MELI-KOFF), 1884, A., 1301; 1885, A.,

Glycidic pyruvate (Iowanowitsch), 1885, A., 1125.

Glycines, anhydrides of, substituted (ERLENMEYER), 1889, A., 708. lactones derived from (ABENIUS),

1888, A., 825; 1890, A., 245.

Glycocholic acid, preparation of (MAR-SHALL), 1887, A., 390.

Glycocine (aluciu : amidowetie u id) (EHRLE H), 1883. A., 593; (MAUTH-NER and SUIDA), 1591, A., 38; (GOLDBERG, KUNZ and KRAUT', 1892, A., 294.

formation of, from chloracetic acid (Kraut', 1890, A., 1395.

preparation of (Cultures), 1883, A., 237; (NENCKI), 1884, A., 583; (GABRIEL and KRO-EBERG, 1889, A., 590; (MAUTHNER and SUIDA), 1891, A., 38.

molecular weight of (Curtius and Schulz), 1891, A., 38.

action of benzoic chloride on Cur-TIU-1, 1883, A., 338.

action of hydrochloric acid on (Cun-11Us). 1883, A., 1087.

derivatives (MAUTHNER and SUIDA). 1889, A., 143: (Goldberg, Kunz and KRAUT, 1892, A., 291.

derivative of a-thiophenic acid and (JAFFE and LEVY), 1889, A.,

ethereal derivatives of (Curius and GOEBEL), 1888, A., 576.

anhydride (Curtius and Goebel), 1888, A., 576.

molecular, weight of (CURTIUS and SCHULZ), 1591, A., 38.

ethers (Ehrlich), 1883, A., 593. pyromucate (JAFFE and COHN), 1887, A., 1032.

amido- (Curtius), 1891, A., 56.

Glycocineimide-anhydride (Curtius), 1883, A., 1087.

Glycocinephthaloic acid (GABRIEL and Kroseberg), 1889, A., 590. salts of (REESE), 1888, A., 149.

Glycogen. See Carbohydrates.

Glycogenesis in icterus (Dasine and

ARTHUS), 1889, A., 1233.

Glycol, an aromatic, from S-naphthol and its derivatives (ROUSSEAU), 1884, A., 180.

formation of a, in the fermentation of sugar (HENNINGER and SANson), 1898, A., 571. See also Ethylenic glycol.

Glycolaldehyde, preparation and pro-perties of (FISCHER and LAND-STEINER), 1892. A., 1424.

Glycoline (STORHR), 1892, A. (DENNSTEDI', 1892, A., 633.

Glycollamidobenzoic acid (PELLIZZARI), 1886, A., 548.

Glycollamine, heats of combustion and formation of (BERTHELOT and ANDRE), 1890, A., 936.

Glycollic acid in suint (A. and P. Buisine), 1889, A., 178.

52934 Glycollic acid, preparation of (KIII INI), 1554, A., 295; (HOLZER,, 1854, A., 583; (COLMAN), 1892, P., 72. direct synthesis of (HENRY), 1890,

A., 739.

transformation of glyoxal into (DE Force and), 1884, A., 898.

crystallography of (Colman), 1892, P., 72.

pyrogenic decomposition of (HAN-Rioti, 1886, A., 224.

salts of, thermochemistry of (DE FOR-(RAND), 1883, A., 644, 708, 774, 775; (TOMMASI), 1883, A., 708, 775.

ethereal salts of, boiling points of (Forsing), 1884, A., 897. calcium salt of (HOLZER), 1884, A.,

583.

lead alt of, chloride of (ENGEL), 15\6, A., 335.

disodium salt of (DE FORCRAND), 1883, A., 1085; 1884, A., 548.

disulphide (GIN-BURG and BONDZYNькі), 1886, А., 325.

thio-, compounds of aldehydes, ketones and ketonic acids with (Bongariz), 1556, A., 937; 1568, A., 478.

Glycollic anilide (COLMAN), 1892, P.,

nitrile (HENLY), 1890. A., 739. oxides, distinct types of HLNLY,

1854, A., 730. o-toluidide (BISCHOFF and NASI-

VOIGEL \, 1590, A., 1161. Glycollide, preparation and heat of hydration of the Follerann, 1851,

A., 547. Glycoluril, constitution of (WIDMAN), 1887, A., 34.

dinitro- (FLANCHIMONT and KLOB-BIE, 1888, A., 1180.

Glycolyldibromo-o-toluidide (ABENIUS

and WIDMAN', 1889, A., 185. Glycolylearbamide. See Hydantoin.

Glycolyldiethoxyanilide (Bischoff and NASTY (MEL), 1889, A., 1012.

Glycolylphenylglycocine and its amide (ABENIUS), 1890, A., 245.

Glycolyl-o-tolylglycocine (ABENIUS),

1868, A., 825. amide of (Alenius), 1890, A., 245. Ciyoolysis, hematic (Lepine and Bar-

RAL), 1892, A., 89. in blood (ARTHUS), 1891, A., 1528; 1892, A., 900.

Glypolyticferment of the blood, isolation of (Latrice and Barral), 1891, A., 755.

Glycosamine. See Glucosamine.

Glycosuria, chemical detection of (JoL-LLS, 1891. A., 369.

Glycosuric acid (MARSHALL), 1887, A., 1047.

Glycuronic acid (THIERPELDER), 1887, A., 235, 717; (Kulz), 1887, A., 498.

formation of, during inanition (THIER-FELDER), 1886, A., 572; (NEBLLтнац, 1891, Л., 1529.

synthesis of (FI-CHER and PILOTY), 1891, A., 677.

reduction of, by sodium amalgam (THIERFELDEE), 1891, A., 294.

derivatives of (THIERFELDER), 1889. A., 377; (Kulz), 1890, A., 1286. formation of furfuraldehyde from (GUNTHER, DE CHALMOT and TOLLENS), 1892, A., 1433.

Glycuronic anhydride (SPIEGEL), 1883, A., 219; (THIERFELDER), 1887, A.,

718; 1889, A., 378. "Glycuvic acid," so-called,

tinger's (ERHARI), 1885, A., 1201. Glycyphyllin (Rennic), 1886, T., 857;

Glycyrrhizin, existence of, in several vegetable families GUIDNET), 1885. A., 395.

in Murchis adorate (Schnoeder), 1886, A., 172.

Glyoxal, action of, on aromatic amines (HINSBELG), 1888, A., 372.

action of ammonium eyanate on (Liubana, 1853, A., 178.

action of hydroxylamine on (WII FEN-BERG and MEYEL), 1883, A., 504.

condensation of, with ethylic malonate and ethylic acetoacetate (Polonow-SKY!, 1888, A., 1067.

condensation products of, with mercaptans (SIUFFER 161, A. 156.

transformation of, into glycollic acid (DE FORGRAND), 1884, A., 898.

derivatives, preparation of, fron trichlorolactic acid (PINNER), 1884 A., 1298.

Glyoxal ammonium hydrogen sulphit (DE FORCE AND), 1885, A., 648. heat of formation of (DE FORC RAND), 1885, A., 627.

barium and potassium hydroger sulphites, preparation and heats o formation of (DE FORCEAND), 1884 A., 959.

See isoButylgly Glyoxalisoamyline. exaline.

Glyczalbisphenylmethylhydrazone (KOHLRAUSCH), 1890, A., 24.

Glyoxal-n- and -iso-butylines. See n- 1 and iso-Propylglyoxalines.

Glyoxaldiphenyldihydrazone (Pickel', 1556, A., 546.

Glyoxalethylenemercaptole (FAS-

BENDER, 1888, A., 805.
Glyoxalethyline. See Methylglyoxalin. Glyoxaline (RUNG and BEHREND), 1892, Λ_{-1} 1493.

constitution of (JAPP), 1883, T., 16; (MARCKWALD), 1892,

1326. action of ethylic chloracetate on

(RUNG and BEHLEND), 1892, A., 1493. isomeride of (Buchnell), 1889, A.,

1214. and its homologues (RADZI-ZEW-KI).

1883, A., 308. nitro- (RUNG and BEHREND), 1892, A., 1493.

See also Imidazoles.

Glyoxalinedicarboxylic acid (MAQUEN-NE', 1590. A., 1439.

Glyoxalines (nealines) (WALLACH', 1883, A., 910.

synthesis of (RADZISZEWSKI), 1883, A., 728.

general formula of (JAPP), 1883, T., 198.

oxidation of, by means of hydroxyl (RADZINZEWSKI), 1884, A., 986. Glyoxal-n- and -iso-cenanthylines. See

n- and 150-Hexylglyoxalines. Glyoxalosotetrazone (v. Pechmann),

1558, A., 1288.

Glyoxalsulphonic acid, action of amidobases on the sodium salt of (HINS-BERG), 1892, A., 1458.

Glyoxalylamidoformic acid phenylhydrazone (Kuhling), 1892, A., 442. Glyoxime (WITTENBERG and MEYER), 1883, A., 804.

peroxide (SCHOLL), 1891, A., 252. phenylhydrazine (Polonowsky), 1888, A., 366.

Glyoxime-mono- and -di-carboxylic dissociation acids, constants (HANTZ-CH and MIOLATI), 1892, A., 1268.

Glyoximes (WITTENBERG and MEYER), 1883, A., 805.

aliphatic stereoisomeric (HANTZSCH), 1892, A., 693.

action of nitric peroxide on (SCHOLL), 1891, A., 315.

chloro-, amphi- and anti- (HANIZECH), 1892, A., 693.

Glyoxylcyanide-bisphenylhydrazone and -osotetrazone (v. Pechmann and Wehsarg), 1880, A., 47, 48.

Glyoxylcyanide-a-phenylhydrazone and -ac-hydrazoxime .v. PICHWANN and Wensalo . 1889, A. 47, 48.

Glyoxylcyanidephenyl-a-methylhydrazone v. PLCHMANN and WEH-ARG), 1589, A., 49.

Glyoxylic acid in grapes (BRUNNER and Chuard), 1886, A., 576.

theimochemistry of the Folicianny, 1886, A., 207.

calcium salt of, action of tolylenediamine on (HIN-DERG), 1885, A., 910.

phenylhydrazone (l'ischel), 1551, A., 1151; (Elblis), 1885, A., 535.

Glyoxylic acids of the thiophen series RUFII, 1887. A., 204.

Glyoxylpropionic acid and its derivatives (Wolff), 1891, A., 416.

Gmelinite from Nova Scotia (Piksson), 1592, A., 21.

Gneiss of Beura Spezia, 1853, A., 960. Freiberg (STLLZNER), 1884, A., 829. Göthite from Nova Scotia (HARRING-

10Nr. 1891, A., 647. from Pitkaranta in Finland (WEI-

BULL, 1556, A., 24. from Saone-et-Loire (LACROIX, 1888, A., 503.

Gold (LEIBIU~, 1886, A., 774. alluvial, genesis of (Cohen), 1889, A.,

bismuthic (M & Ivon), 1887, A., 707. from Biazil (Denny), 1885, A., 356. from Burmah (ROMANIS), 1887, T.,

221. in calcite, native (DILLER), 1590, A., 569.

Chaldean (Berthelot), 1857, A., 443.

in turquoise, from New Mexico (Gentu), 1891, A., 155.

from New South Wales (LIVERSIDGE), 1886, A., 774; (MacIvor), 1888, A., 560.

from Thibet, native (KALECSINSZKY), 1887, A., 780.

from Vorospatak (Loczka), 1886, A., 513.

natural solutions of (Becken), 1887. A., 555.

atomic weight of (THORPE and LAURIE), 1887, T., 565, 866; P., 57, (THORPE and 106; (Knuss), 1887, A., 340, 778, 1019; 1888, A., 345; (MALLEI), 1890, A., 708; (SEUBERI), 1891. A., 885.

molecular weight of (RAMSAY), 1889, T., 532, 533; P., 39.

allotropic states of (PEIERSES), 1892, A., 405.

Gold metal, extraction of Gold, 1888, A., 1042.

extraction. electrolytic, of | Cassel . 1556. A., 109.

extraction, use of bromine in (Bur-TLIND', 1985, A., 1344.

extraction of, from ores by means of sodium thiosulphate (ANON.), 1884, A., 1084.

preparation of pure (KRL--), 1887, Λ_{-} , 554.

spectrum of (DEMAIL IV), 1888, A..

765. spark spectrum of (KRUs-), 1887, A., 555.

crystallisation of (DANA', 1886, A., গুৎৎ.

prismatic crystallised, in forms (BLAKE), 1885, A., 487.

aluminium (ROBELIS-AUSTEN), 1891. A., 1161. freezing point of, containing alumin-

ium or silver (Roberts-Austen), 1891, A., 1161.

absorption of oxygen by (NEUMANN), 1892. A., 943.

occlusion of hydrogen by (NEUMANN and Sireintz), 1892. A., 567.

actions of (CARNOI), 1884, A., 115. action of chlorine on (LINDEF', 1888, A., 919.

behaviour of, in chromic and nitric acids (FROMME, 1853, A., 699,

action of nitrosyl chloride on SUBвопотан , 1591, Т., 662.

action of silicon on WARREN, 1889, A., 1125.

demercurising (Fischer', 1856, A., 109.

temoval of, from suspension and solution by fungoid growths (LIVER-IDGE), 1591, A., 401.

toughening, in the melting crucible (Bouth , 1884, A., 1445; 1885, A.,

Reynold's process for parting from bais (Guizkow), 1885, A., 708.

cffect of, on the freezing point of sodium (HEYOOK and NEVILE,, 1889, T., 668. effect of, on the freezing point of tin

(HEYCOCK and NEVILLE), 1890, T.,

lowering of the freezing points of bismuth, cadmium and lead by (HEYCOCK and NEVILLE), 1892, T., 897, 902, 909; P., 145.

Gold alleys: alloy with cadmium (HEYCOCK and NEVILLE), 1892, T., 914; P., 146.

Gold alloys :-

alloy with lead, analysis of (HEYCOCK and NEVILLE). 1892, T., 912.

alloys with cadmium and tin, freezing point of (HEYCO: K and NLVILLE), 1891, T., 936.

alloys with platinum, liquation of (MATTHEY), 1890. A., 947.

alloys with sodium, properties (HEYCOCK and NEVILLE), 1859, T., 670.

Gold, compounds of, with nitrogen (RASCHIE), 1887, A., 112.

fulminating (RASCHIE', 1987, A.,

purple (purple of Cassius) (Deblay), 1885, A., 875.

preparation of (MULLLL), 1855, A., 352.

Gold salts (SCHOITLANDER), 188J, A.,

potassium aurobiomate, preparation of pure (THORPE and LAURIE), 1887, T., 568.

potassium bromide (SCHOITLANDEL), 1883, A., 854.

erystalline (of form (SCHOTT-Linder', 1887, A., 1079.

chloride, potassium anhydrous (LAINER), 1890, A., 1217.

chlorides of the alkali metals, solubility of (ROSENBLADT), 1887, A.,

phosphobiomides and phosphochlorobromides (LINDET), 1885, A., 1115. "purple oxide" of, non-existence of

KRUSS', 1887. A., 16. oxides, hydrated (Scholflander), 1883, A., 855.

hydrosulphide (LINDER and PICTON), 1892, T., 135.

sulphide, natural (ATHERTON), 1892, A., 285.

tellurides, roasting of (Kistel), 1883. A., 691.

Auric acid, non-existence of (Kruss), 1887, A., 16.

Auric bromide and chloride (KRUSS and Schmidt), 1888, A., 28, 1256. chloride, auhydrous (LINDER),

1556, A., 430. sublimed (Knuss), 1887, A., 341. action of hydrogen on (Knuss),

1887, A., 450. action of phosphine on (CAVAZ-

zi', 1885, A., 875. decomposition of, in solution (Folssereau), 1886, A., 975.

compound of, with sulphur and selenium tetrachlorides (LINDET', 1856, A., 310.

Gold salts :-

Auric imidochloride RASCHIG. 1987. A., 112.

phosphoric chloride (LIND) 1 .1884, A., 969.

oxide (Krt ->), 1>>7, A., 16, 450.

sulphide (Hoffming and Kriss), 1887, A., 1019; 1558, A., 29; (Antony and Licentes, 1891, A., 526.

properties and reactions of (ANTONY and LTCCHT-1),1592, A., 290.

Auro-auric chloride, preparation of (Thomes, 1888, A., 559.

non-existence of (KRLS) and SCHMIDT, 1888, A., 28. oxide (KRLSS), 1887, A., 15, 450.

sulphide (HOFFWINN and Km --). 1999. A., 29.

colloidal (Schneider), 1991, A.,

actions of (ANTONY and Luc-CHE-I), 1890, A., 1217.

solution of, in ethylic alcohol (Schnrider), 1992, A., 775.

Aurous phosphorous chloride (LIN-DET), ISS1, A., 968.

action of alcohols on (LINDET), 1887, A., 227.

ovide (KRL S), 1897, A., 15, 150; (Raschie), 1887, A., 112.

salts of (CARNOT), 1884, A., 17.

sulphide (HOFFMANN and KEI >>), 1887, A., 1020.

colloidal (SCHNEIDER), 1891, A., 1162. solution of, in ethylic alcohol (Schneider), 1892, A., 775.

Auryl nitrate and sulphate (Se norr

LANDER). 1883, A., 855. Gold, detection, estimation and separation:

detection, electrolytic, of (Konn), 1892, A., 541.

assay of, in bar copper (WISTMORE-

LAND), 1887, A., SI. assay of fine, errors in the (CHAR-PENTIFR), 189, A., 798.

assaying, use of cadmium in (WHITE-

HEAD). 1892, A., 919. estimation of minute quantities of (Gozdorf), 1887, A., 184; (Tate), 1890, A., 830.

estimation of small quantities of, in base metals (WHITEHEAD), 1892, A., 1525.

estimation of cadmium, tin and, in alloys (French), 1892, A., 1030.

Gold, estimation and separation:-

estimation of silver and, in pota-siunc cyande solutions (HIFRIES 1884, A., 159.

estimation of, by means of hydroxylamme hydrochloride LAINEL', 1892. A., 662.

estimation, colorimetrie, of CALSOI), 1854, A., 17, 115.

estimation, electrolytic, of (SMIIH), 1991, A., 1140; (SMITH and MUHR), 1891, A., 1296, 1396.

estimation, volumetric, of 'FLAN-(Eschi), 1892, A., 1526.

separation of, by Gutzkow's process in California (3808., 1883, A., 251.

separation of, from other metal-Kills, 1887, A., 555.

separation of, from arsenic, antimony and tin (1)F KONINCK LICIENIEN, 1888, A., 1344.

separation of, from the platinum metals Britist, 1887, A., 1084.

separation of, from sulphides by airblast (1808.), 1883. A., 400.

separation, electrolytic, of, molyhdenum, tungsten arsenic. and osmium (SMIIH and WAI-LACT). 1892, A., 920.

paration, electrolytic, of, from colalt (SMITH), 1891, A., 1141; separation, (Surin and Munn), 1891. A., 1296, 1396.

separation, electrolytic, of, from cobalt, copper, nickel, palladium and platinum (Swith and Muhh), 1891, A., 1396.

separation, electrolytic, of, from zine (Suirn), 1891, A., 1110.

separation, quantitative, of platinum and, from tin, autimony and arsenie (FRESENI -), 1886, A., 651.

Gold-bearing hot spring deposit (WFED). 1892, A., 24.

Gold-beds of Mount Morgan, Quienslind (Julk), 1886, A., 21.

Gold-coloured surface on lass, production of (Pt SCHER), 1881, A., 128.

Gold-quartz from the Transvall (Hot-1 AND), 1888, A., 428.

Gombo, cultivation of (GRIGOILE), 1883, A., 613.

Gonolobus Cundurango, constituents of the bank of (Cara ara), 1981, A., 1387.

Goose fat (Lebederf), 1953, A., 741. Gordaite (Auzet NI and Frenzer 1,1-91, A., 649.

Goslarite from Montana (PEAL TV. 187, A., 346,

See also Zine sulphate.

Gossypose. See Carbohydrates. Gourds. See Agricultural Chemistry. Gout, latent, Pfeitfer's test for (ROBERTS), 1590, A., 401.

Goyazite (DAMOUR), 1885, A., 640.

Grains and Gramineæ. See Agricultural Chemistry.

Graminin (EKSTRAND and JOHANSON), 1888, A., 246, 439. molecular weight of (EKSTRANI) and

MAUZELIUS), 1890, A., 227. Grammatite. See Tremolite.

Grandiflorine (FREIRE), 1888, A., 166. Grangesite (LACHOIX), 1887, A., 351.

Granite, Greisenstein, rutile and cassiterite in (v. MIKLUCHO-MACLAY), 1885, A., 1185.

Rapakiwi, from Finland (v. UNGERN-Šternberg), 1883, A., 447.

vein, near Tryberg in the Black Forest (WILLIAMS), 1883, Λ., 724.

weathering of (HILGER and LAMPERT), 1886, A., 995.

Granites from Ričan (KATZER), 1889, A., 357.

on the banks of the Saûne (GONNARD), 1883, A., 36.

soda, so-called (GERHARD), 1888, A.,

Granite district of the Black Forest

(KLOOS), 1884, A., 1273. Granite hills of Konigshain, in Oberlausitz, with especial regard to the mineralsfound therein (Worrschach), 1883, A., 446.

Granitic rocks of the Ural (ARZRUNI), 1886, A., 995.

"Tryberg" Granitite, (WILLIAMS), 1883, A., 723.

Granuline (Scacchi), 1883, A., 1065.

Granulite, minerals from (SAUER), 1888, A., 34.

Grapes. See Agricultural Chemistry. Grape-juice, rapid fermentation of (AUDOYNAUD), 1888, A., 989.

solubility of the colouring matter of wine in the various constituents of (GANTTER), 1883, A., 1141.

Grape-seed oil, preparation and utilisation of (v. Joest), 1885, A., 710.

Grape-stones, nuclein of (AMTHOR), 1885, A., 823.

See Grape-sugar. Dextrose under Carbohydrates.

Graphite from the Bagoutal Mts., Siberia (Collins), 1888, A., 428. from Ceylon (v. SANDBERGER), 1887, A., 901.

from Dakota (HEADDEN), 1891, A., 1328.

Graphite from Kaison, analysis of (BOUSSINGAULT), 1883, A., 941. New Zealand (MACLYOR), 1887, A., 555.

from various metals (WARREN), 1889, A., 313.

in pig iron (JORDAN and TURNER), 1886, T., 220.

celestial (Ansdell and Dewar), 1887, A., 351.

metamorphic (Karpinsky), 1888, A.,

varieties of (Luzi), 1892, A., 565.

different forms of, and their derivatives (BERTHELOT and PETIT), 1890, A., 448.

formation of, by contact metamorphosis (Beck and Luzi), 1891, A., 989.

artificial formation of (Luzi), 1892. Λ., 407.

corundum in (WICHMANN), 1886, A.,

physical properties of (Sjögren), ĭ886, A., 774.

action of nitric acid on (Luzi), 1892, Λ, 406.

estimation of carbon in (WIDMER), 1890, A., 923.

estimation of, in minerals (MACKIN-TOSH), 1885, A., 689: 1890, A., 923.

See also Carbon.

Graphite-crucibles (BOOTH), 1885, A.,

Graphitic acid (BARTOLI and PAPAsogli), 1883, A., 593.

Graphitic carbon. See Carbon. oxide. See Carbon hydroxide.

Graphitoid (amorphous carbon) in the Saxon Erzgebirge (SAUER), 1887, A.,

allotropy of (Luzi), 1892, A., 945. Grass, China, preparation and dyeing of (Anon.), 1884, A., 797.

See also Agricultural Chemistry. Grass-oils, Indian (Dodge), 1890, A., 231; 1891, A., 285.

Gravimetric analysis. See Analysis. Gravitation and atomic weight (DULK), 1885, A., 722; 1886, A., 591.

Gravitational forces (Pearson), 1888, A., 909.

Gravity, specific. See Specific gravity. Gravivolumeter (JAPP), 1891, T., 894; P., 68; (Lunge), 1891, P., 168, 171; 1891, A., 1135.

Grease, analysis of (ARCHETT), 1889, A., 321.

estimation of (GADD and LEES), 1891, A., 1144. See also Fat.

Greenockite, synthesis of (LORENZ), 1891, A., 990.

See also Cadmium sulphide.

Gregarinæ, amylaceous granules in (Maupas), 1886, A., 383.

composition of the granules of the entoplasm of (Burschli), 1886, A., 87.

Grevillea gum (FLEURY), 1885, A., 238.

Griqualandite (HEPBURN), 1887, A., 709; (Brough), 1888, A., 236.

Groddeckite, a zeolite (Anznuni), 1885,

Grossular, pseudomorphs of, after gehlenite (CATHREIN), 1889, A., 24.

Grossularite, pink, from Mexico (DE LANDERO), 1891, A., 993.

Growth of plants, effect of artificial influences on (WOLLNY), 1884, Δ., 624.

loss of nitrogen by plants during (ATWATER and ROCKWOOD), 1887, A., 292.

See also Agricultural Chemistry.

from Michigan (LANE, Grünerite KELLER and SHARPLESS), 1892, A.,

Guaiacol, action of nitrous acid on (HERZIG), 1883, A., 464. physiological action of (MARFORI),

1891, A., 99.

glucoside (MICHAEL), 1885, A., 521.

Guaiacol diamido-, dimido-, and di-nitro- (Henzig), 1884, A., 464. p-nitroso- (Bent), 1890, A., 608. Guaiacolphthalein (v. Baeyer and Kochendoerfer, 1889, A., 1153.

Guaiaconic acid (Henzie), 1883, A.,

Guaiacum resin, action of ozone on (KOWALEWSKY), 1889, A., 900.

distinguishing purified from natural (HAGER), 1887, A., 752.

Guaiaretic acid (Henzig), 1883, A.,

Guanajuatite. See Fronzelite.

Guanamine, synthesis of (BAMBERGER and DIECKMANN), 1892, A., 736.

Guanamines (HAAF), 1891, A., 416. Guanidine (EMICH), 1891, A., 1180.

occurrence of, in plants (SCHULZE), 1892, A., 908.

constitution of (EMICH), 1883, A., 973. thermochemistry of (MATIGNON), 1892, A., 1142.

condensation of, with ethereal salts of \$B-ketonic acids (JAEGER), 1891, A., 1007.

of, with diketones compounds (Wense), 1886, A., 556.

Guanidine, derivatives, action of ethyloxalic chloride on (v. STOJENTIN), 1885, A., 1195.

Guanidine salts (MATIGNON), 1892, A., 1142.

cyanurate (BAMBERGER), 1887. A., 358.

nitrite (Lossen), 1892, A., 53.

picrate (EMICH), 1891, A., 1180. (GUARESCHI), platinothiocyanate 1892, A., 287.

thiocyanate (Engel), 1886, A., 330. Guanidine, test for (SCHULZE), 1892,

A., 926. picric acid as a reagent for (PRE-

LINGER), 1892, A., 950. Guanidine, amido-, and its derivatives

(THIELD), 1892, A., 1295. bromo- (HIRSCH), 1888, A., 947.

nitro- (Pellizzari), 1892, A., 579; (Franchimont), 1892, A., 951; (Thiele), 1892, A., 1295.

thermochemistry of (MATIGNON), 1892, A., 1142.

Guanidobutyric acid, hydrochloride of (DUVILLIER), 1883, A., 1154.

Guanine, occurrence of (BAGINSKY), 1885, A., 286.

in fish (EWALD and KRUKENBERG). 1884, A., 623.

in the excrement of spiders (Wein-LAND), 1889, A., 430.

as a plant-constituent (SCHULZE; Bosshard), 1885, A., 1007. colour reaction of (v. Brucke), 1887,

A., 280.

estimation of (Schindler), 1889, A.,

estimation of, in various organs, and in fresh and formented (SCHINDLER), 1889, A., 791. separation of, from hypoxanthine (Kussel), 1885, A., 286. bromo-(Fischer and Reese), 1884,

A., 467. Guano. See Agricultural Chemistry.

Guanylcarbamide, preparation of (SMOLKA and FRIEDREICH), 1889, A., 951.

synthesis of (Bamberger), 1887, A.,

salts (Bamberger), 1887, A., 358. Guanylthiocarbamide (BAMBERGER), 1883, A., 1090.

Guarana, estimation of caffeine in (FEEMSTER), 1883, A., 232; (Kris-MEL), 1888, A., 876.

Guejarite from Bolivia (v. SAND-

BERGER), 1886, A., 431.
Guitermanite from Colorado (HILLE-BRAND), 1885, A., 879,

d-Gulonic acid, preparation of (Fis-THER and PILOTY), 1891, A., 678.

I-Gulonic acid (FISCHER and STAHEL), 1891, A., 667.

Gulonic acids, i- and I- (FISCHER and Curtiss), 1892, A., 822.

i-Gulonolactone (FISCHER and STAHEL), 1891, A., 668.

Gulonolactones, d- and l- (Fischer and (Curtiss), 1892, A., 822.

Gulose. See Carbohydrates.

Gum from Araucarias (HECKEL and SCHLAGDENHAUFFEN), 1889, A., 1236.

from the sugar-beet (V. LIPPMANN), 1891, A., 284.

from urushi (lacquer), examination of (Yōshida), 1883, T., 481.

formation and physiological significance of (FRANK), 1885, A., 684. animal (LANDWEHR), 1887, A., 26;

1888, A., 175. in normal urine (WEDENSKI), 1889,

A., 293. gedda (O'Sullivan), 1891, T., 1029;

P., 131.

Grevillea (FLEURY), 1885, A., 238. peach-, carbohydrates in (STUNE), 1890, A., 1022.

saccharine matter in (BAUER), 1888, A., 744.

plum-, galactose from (BAUFR),1888, A., 1329.

straw- (Hébert), 1890, A., 1460.

See Xylan.

Gums of the arabin group (O'SULLIVAN), 1884, T., 41; 1891, T., 1029; P., 131.

which yield xylose, occurrence of (Voswinkel), 1892, A., 380; (Hr-BERT), 1892, A., 1371.

colour reactions of (IHL), 1887, A., 534.

examination of (WILLIAMS), 1889, A., 322.

Gum-arabic (LIEBERMANN), 1891, A., 866.

casein-glue, a substitute for (KAYSER), 1885, A., 1024.

adulteration of, with gum-senegal (LIEBERMANN), 1891, A., 866.

solution, improved (ANON.), 1886, A., 188.

estimation of, in syrup (ANDOUARD), 1885, A., 299.

Gum-ferment (WIESNER), 1885, A., 1241.

Gum-ferments, nature of (REINITZER), 1890, A., 998.

Gummites and similar minerals, analyses of (v. Foullon), 1885, A., 223.

Gum-senegal (LIEBERMANN), 1891, A.,

Gum-tragacanth (OGLE), 1890, A., 228. Gun-cotton, compressed, experiments with (v. Forster), 1884, A., 948.

sodium nitrate in (NETTLEFOLD), 1887, A., 715.

regeneration of acid residues in the manufacture of (ALLARY), 1887, A., 770.

estimation of calcium and magnesium in (Schjerning), 1889, A., 1032; 1892, A., 1520.

See also Cellulose nitrates and Pyroxylin.

Gunpowder, chemical theory of (DE-BUS), 1883, A., 258.

flashing test for (MUNROE), 1884, A., 927.

Gutta-percha from Bassia Parkii (HECKEL and SCHLAGDENHAUFFEN), 1886. A., 249.

Guvacine (JAHNS), 1891, A., 1520; 1892, A., 740. nitroso- (JAHNS), 1892, A., 740.

Gymnema latifolium, amygdalin in the leaves of (GRESHOFF), 1891, A.,

Gymnemic acid (HOOPER), 1889, A., 723.

Gynocardia odorata (HECKEL and SCHLAGDENHAUFFEN), 1885, A., 927. Gypsum. See Calcium sulphate.
Gyrolite from California (CLARKE),

1890, A., 343.

H.

Hæmafibrite (Sjogren), 1885, A., 959; (BERTRAND), 1886, A., 601.

Hæmatein (ERDMANN and SCHULTZ), 1883, A., 349.

Hæmatic acid (STRUVE), 1885, A., 71. Hæmatin (NENCKI and SIEBER), 1885, A., 69.

and bile pigments (MACMUNN), 1886, A., 638.

spectrum, sensitiveness of (JANECEK), 1892, A., 1369.

action of reducing agents on (LE NOBEL), 1887, A., 1127.

reduction products of, in pathological urine (LE NOBEL), 1887, A., 1127. compounds of (HARRIS), 1886, A., 1052.

compound of, with nitric oxide (LINOSSIER), 1887, A., 854.

Mychæmatin (MacMunn), 1886, A., 568; 1887, A., 983; 1889, A., 1024; 1890, A., 652; (COPEMAN), 1891, A., 478.

Hæmatite from the Hargita Mountains (SCHMIDT), 1884, A., 405; (LOCZKA), 1892, A., 1054.

regular polyhedral cavities in (CLA 15-SEN), 1883, A., 1066.

See also Ferric oxide under Iron.

Hæmatococcus, assimilation by (ENGEL-MANN), 1883, A., 611.

Hæmatoidin, origin of, in extravasations and thrombi (NEUMANN), 1888, A.,

Hæmatolin (Nencki and Sieber), 1885, A., 70.

Hæmatolite. See Diadelphite.

Hæmatoporphyrin (Nencki and Sie-BER), 1885, A., 70; 1888, A., 971; (MACMUNN), 1886, A., 638; 1888, A., 304; (LE NOBEL), 1887, A., 1127. in molluses (MACMUNN), 1887, A., 613. molecular weight of (NENCKI and

ROTSCHY), 1890, A., 76. detection of, in urine (SALKOWSKI), 1891, A., 601, 1130; (HALLIBUR-TON), 1891, A., 1279; (HAMMAR-

STEN), 1892, A., 649, 1136. isoHæmatoporphyrin (LE Nobel),1887, A., 1127; (MACMUNN), 1888, A., 615. Hæmatoporphyrinuria (HARLEY and

TORUP), 1891, A., 601; (HALLIBURTON), 1891, A., 1279; (SOBERNHEIM), 1892, A., 1118; (GARROD), 1892, A., 1506.

Hæmatoporphyroidin (LE Nobel), 1887, A., 1127.

Hæmatoscope (Hénocque), 1887, A., 312. use of (HENOCQUE), 1888, A., 204.

Hæmatoscopy; a method of blood analysis (Hénocque), 1887, A., 312. Hæmatosin, action of hydrogen peroxide on (BECHAMP), 1883, A., 103.

Hæmatostibiite from strom), 1887, A., 645. Örebro (IGEL-

Hæmatoxylin (Endmann and Schultz), 1883, A., 319; (LINOSSIER), 1891, A., 751; (Phipson), 1891, A., 845. action of chlorine on (Macfarlane and Clarkson), 1890, A., 905.

use of, in alkalimetry (GUYARD), 1884, A., 638.

derivatives of (DRALLE; v. BUCHKA), 1884, A., 1043.

Hemic acid (STRUVE), 1885, A., 72. Hæmidin crystals (AMTHOR), 1887, A.,

Hæmin, crystallographic form of (La-GORIO), 1885, A., 567; (BIKFALVI), 1887, A., 165.

preparation of (NENCKI and SIEBER), 1885, A., 69; (Schalfeeff), 1885, A., 566; (HOPPE-SEYLER), 1885, A., 826.

Hæmin, action of ammonia on (SCHAL-

FREFF), 1886, A., 165. iudo-, formation of, as a method for detecting blood stains (BUFALINI), 1886, A., 184.

Hæmochromogen (MACMUNN), 1884, A., 196; 1886, A., 568.

Hæmocyanin (GRIFFITHS; HEIM), 1892, A., 898; (Frederico; Cuénot), 1892, A., 1370.

preservation of (FREDERICQ), 1891, A., 591.

respiratory value of (CUENOT), 1892, A., 1370.

Hæmoglobin (SIEGFRIED), 1891, A., 845. of dog's blood (JAQUET), 1888, A., 731; 1890, A., 273.

of hen (JAQUET), 1890, A., 274.

is it present in the free state in the blood plasma of the splenic vein? (Schifer), 1890, A., 1016.

in blood, increase of, at great altitudes (Můntz), 1891, A., 754.

cutaneous pigment as an antecedent of (Delépine), 1891, A., 480.

preparation of (Zinoffsky), 1886, A., 165.

molecule (Zinoffsky), 1886, A., 165. heat of combustion of (BERTHELOT and André), 1890, A., 938.

colloidal solutions of (PICTON and LINDER), 1892, T., 157, 162.

crystallisation of (MAYET), 1889, A., 1223; (COPEMAN), 1891, A., 343. crystals in septic diseases (BOND), 1888, A., 181.

crystals, method of obtaining (v. Stein),1885, A., 406; (Jäderholm),

1885, A., 407. crystals of rodents (HALLIBURTON), 1886, A., 637.

crystals, venous (NENCKI and SIEBER), 1886, A., 374, 482.

poisons and drugs which act on, especially those which convert it intomethemoglobin (HAYEM), 1884, A., 764.

reciprocal action between protoplasm and (Schwartz), 1889, A., 629.

resistance of, towards different decomposing agents (KRUGER), 1888, A., 510.

transformation of, in the bile (FIL-

EHNE), 1891, A., 482. conversion of, into methemoglobin (HAYEM), 1886, A., 637.

decomposition products of (HOPPE-

SEYLER), 1886, A., 726. decomposition of, into albumin and hæmatin, amount of oxygen taken up in the (LEBENSBAUM), 1887, A., 854.

Hæmoglobin, reduced (HERMANN), 1889, A., 530.

compounds of, with oxygen (Bohn), 1890, A., 1450; 1892, A., 1369.

carbonic-oxide- (rarboryha moglobia) (SALFELD), 1884, A., 313; (Lt-CHOWICZ and NENCKI), 1885, A., 1251; (Вонк), 1891, А., 343. behaviour of (Hoppe-Sevler), 1889,

A., 788. solutions of (Picton and Linder),

1892, T., 159.

conversion of, into methemoglobin (BERTIN-SANS and MOITESSIER), 1891, A , 1522.

detection of (Wetzel), 1890, A., 432, 1200.

Hoppe-Seyler's soda test for (SAL-KOWSKI), 1888, A., 510. reaction of (v. Zaleski), 1885, A.,

825.

detection of, in urine (ROSENTHAL), 1886, A., 956.

estimation of, in blood by optical means (BRANLEY), 1883, A., 394.

estimation of, in blood passing to and from the liver and spleen (v. MID-DENDORFF), 1889, A., 1023.

estimation of, in the blood during inanition (GROLL and HERMANN), 1889, A., 531.

estimation, colorimetric, of (Hoppe-SEYLER), 1892, A., 1264.

ψ-Hæmoglobin (Siegfried), 1891, A.,

Hæmoglobins, conditions of absorption of various (Jolin), 1890, A., 182.

Cholomethemoglobin (WERTHEIMER and MEYRE), 1889, A., 637.

(HOPPE-SEVLER), Methæmoglobin 1883, A., 814; (Otto), 1881, A., 911; (Lachowicz and Nencki), 1885, A., 1251; (ARAKI), 1890, A., 1012.

conversion of carboxyhæmoglobin into (BERTIN-SANS and MOITES-SIER), 1891, A., 1522.

conversion of hemoglobin into (HAYEM), 1886, A., 637.

formation of, in blood by the action of allovantin (Kowalewsky), 1887, A., 508.

acid, spectrum of (BERTIN-SANS), 1888, A., 858.

crystalline, from the dog (Hüfner), 1885, A., 276; (JADERHOLM), 1885, A., 407.

crystals of rodents (HALLIBURTON), 1886, A., 637.

study of (Janerholm), 1885, A., 407.

Hæmoglobins:-

Methæmoglobin, estimation of, in of presence oxyhæmoglobin (LAMBLING), 1889, A., 660.

sulphur- (ARAKI), 1890, A., 1013. суапо- (Ковент), 1892, А., 361.

Oxyhemoglobin in the bile (WERTH-HEIMER and MEYER), 1889, A., 636; (Stern), 1891. A., 599.

of the dog (Hufner), 1883, A., 678. of the horse (HUFNER and BUCHE-LER), 1885, A., 277.

formation of, from hæmatin and a proteid (Bertin-Sans and Moi-

TRSSIER), 1892, A., 1017. crystals, oxygen in (Bohr and Torup), 1892, A., 1017. absorption of light by (Kruger),

1887, A., 1126. solutions of (Pictor and Linder), 1892, T., 158.

tension of oxygen in (HUFNER),

1888, A., 1214. stability of (Yeo), 1890, A., 1012. influence of temperature on the tension of dissociation of (Brasse). 1889, A., 630.

does water free from oxygen act on? (Hüfner), 1886, A., 567.

reducing action of indigo-white on (LAMBLING), 1889, A., 530.

reduction of, in the heart (HAND-

LER) 1889, A., 1225. reduction of, in typhoid fever (HENOCQUE and BAUDOIN), 1888, A., 865.

activity of reduction of (Hinocque). 1888, A., 512.

preservation of (FREDERICQ), 1891, A., 591.

estimation of methamoglobin in presence of (Lambling), 1889, A., 660.

Parahæmoglobin (NENCKI and SIF-BER), 1885, A., 826; (LACHOWICZ and NENCKI), 1885, A., 1251.

Hæmosiderin (ABEL), 1890, A., 1452. igin of. in extravasations and thrombi (NEUMANN), 1888, Δ., 864. origin of.

Hagemannite (GROTH), 1884, A., 265. Hailstones, temperature of (Boussin-

GAULT), 1885, A., 685. Hailstorms and their origin (RINICKER; Dosserel), 1883, A., 234.

forests as a protection (GLASER), 1884, A., 632.

Halloysite from California, analysis of (CLARKE and CHATARD), 1885, A., 492. Halogen acids, actions of (BAILEY

and Fowler), 1888, T., 755; P., 79.

Halogen acids, action of light on, in ! Halogens, action of, on aromatic compresence of oxygen (Richard-

son), 1887, T., 801. estimation of, in presence of hydrosulphide (CLASSEN and BAUER), 1883, A., 931.

mercuric acids (NEUMANN), 1889, A., 1049.

oxy-acids, products and rate of decomposition of the salts of, by heat (Potilizin), 1888, A., 219; 1889, A., 338.

Halogen carriers (WILLGERODT), 1885, Ā., 1034; 1887, A., 130, 326; (MEYER), 1887, A., 326.

carriers in the natural groups of the elements (WILLGERODT), 1887, A.,

compounds, electrolytic conductivity of (HAMPE), 1888, A., 211, 887.

magnetic rotation of (Perkin), 1890, P., 142.

ethers of the benzene series, saponification of, by neutral substances (Colson), 1885, A., 146.

Halogen salts, thermochemistry of (BERTHELOT), 1884, A., 656.

melting points of, in relation to the contraction occurring during their formation from their elements (Müller-Erzbach), 1884, A., 709.

solubilities of (ETARD), 1884, A., 960.

of the alkalis, action of, on oxides of the heavy metals (BERSCH), 1891, A., 1413.

action of sulphuric acid on, in presence of some metallic salts VITALI), 1890, A., 289.

double (Remsen; Herry), 1892, A., 779.

constitution of (REMSEN), 1889, A., 934.

compounds of, with oxy-salts of the same metal (LE CHATELIER), 1884, A., 1261.

quinine test for (DIVERS), 1885, T., 210.

Halogens, refraction equivalents of (GLADSTONE), 1884, T., 256.

density of, at high temperatures (BERTHELOT), 1884, A., 804.

specific volumes of, in carbon compounds (Schalffeff), 1885, A., 717.

surface tension of (Trussewitsch), 1891, A., 257.

reaction aptitudes" of, in mixed haloid ethers (HENRY), 1883, A., 787.

pounds in presence of light (SCHRAMM), 1885, A, 767; 1886, A., 151; 1887, A., 807; 1889, A., 240; 1891, A., 898. action between metals and, velocity

of (Stschukareff), 1891, 1149.

mutual displacement of (BERTHELOT), 1883, A., 8; (Larareva), 1892, A., 1270.

mutual displacement of, in their compounds with oxygen (THORPE and Rodger), 1888, P., 20; (Po-TILIZIN), 1888, A., 220.

displacement of, by the amido-group (Seelig), 1891, A., 36.

reciprocal diplacement of oxygen and (Berthelot), 1890, A., 6.

reactions for distinguishing, when mixed together (HAGER), 1885, A., 1010.

estimation of free, in presence of chlorides and bromides (Lebeau). 1890, A., 825.

estimation of, in the side-chains of aromatic compounds (Schulze), 1884, A., 1422; (KINNICUTT and

SWERTSER), 1885, A., 1010. estimation of, in carbon compounds (Mulder and Hamburger), 1883, A., 379; (Zulkowski and Lepez), 1885, A., 591; (Zulkowski), 1885, A., 1162; (Klason), 1886, A., 918.

estimation of, in volatile organic compounds (PLIMPTON GRAVES), 1883, T., 119.

separation, quantitative, of (WEINS). 1886, A., 97.

See also Bromine, Chlorine, Fluorine and Indine.

Halotrichite from Colorado (BAILEY),

1891, A., 993. from the Falu Mine (WEIBULL),

1886, A., 25. from New 1 Mexico. analysis of (CLARKE and CHATARD), 1885, A., 492.

from the Tyrol (Hockauf), 1888, A., 923.

Hamathionic acid (Spiegel), 1883, A.,

Hambergite (Brögger), 1890, A., 1078. Hamlinite (HIDDEN and PENFIELD), 1891, A., 20.

Hanksite (DANA and PENFIELD), 1886, A., 315.

in California (HANKS), 1889, A.,471. Hannayite (MacIvor), 1887, A., 709. Hardhead," estimation of tin in (FRE-SENIUS and HINTZ), 1886, A., 180.

Haricot beans, cooked, composition of | (WILLIAMS), 1892, T., 227.

Harmaline, harmalol and harmine (FISCHER and TAUBER), 1885, A., 820; (Fischer), 1889, A., 730.

apoHarmine (FISCHER), 1889, A., 731. Harminic acid and harmol (FISCHER and TAUBER), 1885, A., 820.

Harmolic acid (Fischer), 1889, A., 731.

Harmotome in Wicklow (JOLY), 1888, A., 116.

Harstigite (FLINK), 1888, A., 232.

Hatchettite from Seraing (DEWALQUE), 1885, A., 220.

production Hauerite, artificial (DOELTER), 1886, A., 208.

Hausmannite, artificial (Gorgeu), 1883, A., 859, 1062.

See also Trimanganese tetroxide under Manganese.

See Agricultural Chemistry.

Haydenite (Morse and BAYLEY), 1884, A., 1271.

Hayesine. See Ulexite.

Hazel pollen, chemical composition of (v. Planta), 1885, A., 182.

Heart, action of nicotine on (Collas), 1891, A., 96.

effect of carbohydrates on the action of the (Albertoni), 1889, A., 1023.

reduction of oxyhemoglobin in the (HANDLER), 1889, A., 1225. Heart-disease, nature of the effusions

in (Halliburton), 1890, A., 1174.

Heat liberated by the compression of solid bodies (Spring), 1884, A.,

distribution of, in the ultra-red region of the solar spectrum (DESAINS), 1883, A., 143.

phosphorescence of minerals under the influence of (Becguerel), 1891, A., 776.

effect of, on the optical properties of vesuvian, apatite and tourmaline (Doelten), 1885, A., 26.

of, $_{
m in}$ electrolytes development (Planck), 1890, A., 677.

changes at the poles of a voltameter (Edlund), 1883, A., 767.

animal (BERTHELOT and PETIT), 1890,

relation of the production of, to the destruction of glucose (CHAU-VEAU and KAUFMANN), 1887, A., 289.

production of, in animals, calorimetric investigations on (ROSENTHAL), 1890, Ā., 182.

Heat, production of, in nerves during excitation (STEWART), 1892, A., 365. action of, on the animal system

(SENATOR), 1884, A., 1393. the theory of, and living motors (Lezé), 1890, A., 807.

radiation of, from the earth (TYN-DALL), 1884, A., 486.

radiation of, and solar radiation, comparative action of (Duclaux), 1887, A., 411.

solar, measurement of (FRÖHLICH), 1885, A., 326.

See also Thermochemistry.

Heather (Erica vulgaris) and its ash, analysis of (Petermann), 1884, A., 207.

Heating by gas (MEYER), 1889, A., 751. apparatus for drying and (MEYER), 1886, A., 278.

Heating power of coal, formulæ for calculating (Scheurer-Kestner), 1892, A., 1143.

Heavy-spar. See Barium sulphate and Barytes.

Hedera Helix, constituents of (Block), 1889, A., 294.

Hederaglucoside (Block), 1889, A., 294. Hedychium spicatum, proximate constituents of (THRESH), 1885, A., 582.

Heintzite (hintzeite) (Milch), 1891, A., 528; (Luedecke), 1891, A., 528; 1892, A., 791; (Feit), 1892, A., 791.

Helianthin (methyl-orange) (Möhlau), 1884, A., 1149; (BERNTHSEN and GOSKE), 1887, A., 666. as an indicator (Thomson), 1883, A.,

682, 824, 827; 1884, A., 691, 869. description and measurement of the

spectrum of (HARTLEY), 1887, T., 192.

Helichrysin (Rosoll), 1884, A., 817. Helicin. Ser Glucosides.

Helicinaldoxime (TIEMANN and KEES), 1885, A., 1073.

Heliophyllite. See Ekdemite.

Helia pomutia, the so-called liver of LEVY), 1891, A., 235.

Helvite, an American locality (LEWIS), 1885, A., 227.

from Hungary (Kalecsinszky), 1892,

A., 1412. from Virginia (HAINES), 1883, A., 437. Hemato-alkalimetry, method

(Droun), 1891, A., 348. Hemellithene. See Hemimellithene.

Hemialbumose (KUHNE and CHITTEN-DEN), 1884, A., 849; 1886, A., 819; (HERTH), 1884, A., 1388; 1886, A., 567; (AXENFRLD), 1887, A. 1127.

Hemialbumose in urine (KUHNE), 1884, A., 854.

preparation of, from vegetable albumin (SZYM NSKI), 1885, A., 997.

Hemialbumosuria (Ter-Grigoriantz), 1883, A., 1162.

Hemicelluloses (Schulze), 1891, A., 1179; 1892, A., 907.

Hemielastin (Horeaczewski), 1883, A., 927; 1886, A., 270.

Hemihydroxyimidosulphonic acid, lead salt of (Divers and Haga), 1892, T., 970.

Hemillactine (Horbaczewski), 1883, A., 927.

Hemimelli-benzaldehyde and -benzylamine (Kromer), 1891, A., 1353, 1352.

Hemimellibenzylic alcohol (Krömer), 1891, A., 1352.

Hemimellithene (hemellithene) (JACOB-SEN), 1883, A., 53; 1887, A., 36. synthesis of (JACOBSEN and DEIKE), 1887, A., 659.

derivatives (Jacobsen), 1883, A., 53. tribromo- and trinitro- derivatives (Jacobsen), 1887, A., 36.

Hemimellithenesulphonic acid (JACOB-SEN), 1883, A., 53.

Hemimellithenol (JACOBSEN), 1887, A., 36.

Hemimellithylic acid (2:3-dimethylbenzoic acid) (Jacobsen), 1887, A., 36.
Hemipeptone (Kuhne and Chit-

Hemipeptone (Kuhne and Chit-TENDEN), 1884, A., 849.

Hemipinethylimide (LIEBERMANN), 1887, A., 46.

Hemipinic acid (Wegscheider), 1883, А., 996; (Goldschmiedt), 1889, А., 167.

amido-, sodium salt of (GRÜNE), 1887, A., 49.

nitro- (Liebermann), 1887, A., 46. Metahemipinic acid (dimethoxy-o-

Metahemipinic acid (dimethoxy-o-phthalic acid) (Goldschmiedt and Ostersetzer; Golschmiedt), 1889, A., 167; (Rossin), 1892, A., 180.

Hemipinic anhydride (Perkin), 1890, T., 1094.

o-amido- (Liebermann), 1886, A., 468; 1887, A., 257; (Grune),1887, A., 48.

nitro- (GRUNE), 1887, A., 49. Hemipinimide (LIEBERMANN), 1887,

A., 46. isomeride of (LIEBERMANN), 1887,

A., 258. bromo- (Tust), 1892, A., 1210.

Hemipin isoimide (Goldschmiedt), 1888, A., 302. Hemipinimidine (SALOMON), 1887, A., 585.

Hemipinphenylhydrazide, o-amido-(Liebermann), 1887, A., 45.

Hemlock, casseic acid in (v. Hofmann), 1884, A., 1353.

Hemlock-red, and its derivatives (Bortinger), 1884, A., 1025.

Hemp fibres, discrimination of jute fibres from (LENZ), 1890, A., 928.

Hemp seed oil, acids from (HAZURA), 1887, A., 799; (HAZURA and GRÜSS-NER), 1888, A., 817.

Hemp tissues, bleaching (ANON.), 1884, A., 793.

Hen, hemoglobin of the (JAQUET), 1890, A., 274.

Henbane seed, constituents of (RANSOM), 1892, A., 231.

Hendecenoic acid. See Undecylenic acid. Hentriacontane and heptacosane from bees-wax (SCHWALB), 1887, A., 124.

bees-wax (Schwalb), 1887, A., 124. Hepatin (v. Zaleski), 1886, A., 1054. Heptacetyl-e-glucoheptitol (Fischer), 1892 A 1168

1892, A., 1168. Heptadecyl p-tolyl ketone (Krafff), 1888, A., 1087.

Heptadecylamine and its derivatives (Turpin), 1888, A., 1174.

Heptadecylcarbamide (Tunpin), 1888, A., 1175.

Heptadecylene (MAI), 1889, A., 1126. Heptadecyl-phenylearbamide, -phenylthiocarbamide, -thiocarbamide, -thiocarbimide and -urethane (TURPIN), 1888, A., 1175.

Heptamethylaniline (v. Hofmann), 1885, A., 1129.

Heptamethyldihydropyridine (ANDER-LINI), 1890, A., 1432.

Heptamethylene and its amido-derivative (MARKOWNIKOFF), 1890, A., 728, 729.

derivatives, experiments on the synthesis of (FREER and PERKIN), 1887, P., 96; 1888, T., 215.

Heptanaphtheneamine (ASCHAN), 1891, A., 1452.

Heptanaphthenecarboxylic acid and its derivatives (Aschan), 1891, A., 1452.

Heptane of *Pinus Sabinianu*, derivatives of (Schorlemmer and Thorpe), 1883, A., 651.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

refractive power of, at different temperatures (Perkin), 1892, T., 294.

flame, experiments on (SMITHELLS and INGLE), 1892, T., 210.

critical temperature of (THORPE and RÜCKER), 1884, T., 165.

Heptane, bromination of (VENABLE), 1888, A., 929.

Heptanesulphonic acid, chloro-derivatives (Spring and Winssinger), 1888, A., 939.

Heptarabinan-tri-, -tetra- and -pentagalactangeddie acids (O'Sullivan), 1891, T., 1065, 1071, 1074.

1891, T., 1065, 1071, 1074. Heptenoic acid. See Heptylenic acid. Heptic acid (Pawloff), 1884, A., 41.

Heptinene (anylacetylene; heptine; wnanthylidene) (BEHAL and DESGREZ), 1892. A., 1064.

GREZ), 1892, A., 1064. conversion of, into an isomeric hydrocarbon (BÉHAL), 1888, A., 929.

synthesis of a ketone from (BÉHAL), 1886, A., 45.

(methylbutylacetylene) (Béhal), 1888, A., 929; (Béhal and Desgrez), 1892, A., 1064.

[b.p. 104°] (MAQUENNE), 1892, A., 1235.

from perseitol (MAQUENNE), 1889, A., 361.

nature of (MAQUENNE), 1892, Δ., 1065, 1235.

action of heat on (RENARD), 1887, A., 565.

action of sulphuric acid on (MAQUENNE), 1892, A., 967. nitrosochloride (MAQUENNE), 1892, A., 1235.

Heptinenebenzidine (Schiff and Vanni), 1890, A., 1299.

Heptinoic acid (butylacetylenecarboxylic acid) (FAWORSKY), 1888, A., 1169.

Heptinylic alcohol. See Diallylcarbinol. Heptitol. See Perseitol under Carbo-

hydrates.

Hepto-diethylamide, -dimethylamide and -ethylamide (Franchimont and Klobbie), 1888, A., 1063.

n-Heptoic acid (heptylic acid; anunthic acid) (Perkin), 1883, T., 48, 59, 69.

γ-bromo- (FITTIG and SCHMIDT), 1890, A., 589.

chloro-derivatives of (Spring and Winssinger), 1888, A., 939.

Heptoic acid (isoamylucetic acid) (POETSCH), 1883, A., 729; (PAAL and HOFFMANN), 1890, A., 1100.

HOFFMANN), 1890, A., 1100.

Heptoic acid (methylbutylaretic acid)
(KILIANI), 1886, A., 438, 441.

isoHeptoic acid, γ-bromo- (FITTIG and Zanner), 1890, A., 590.

Heptoic aldehyde (wnanthaldchyde; wnanthot), condensation of, with aniline (v. Miller and Plüchl), 1892, A., 1194.

Heptoic aldehyde (wnanthaldehyde; wnanthol), action of as-dialkylcarbamides on (VAN DER ZANDE), 1889, A., 963.

action of glycol on (LOCHERT), 1888, A., 670.

action of heptylic chloride and, on dimethylaniline in presence of zinc chloride (Augen), 1887, A., 814.

action of nascent hydrogen on (Perkin), 1883, T., 67.

condensation of, with methylsuccinic acid (FITTIG and RIECHELMANN), 1890, A., 593.

action of potash and of zine chloride on (Perkin), 1883, T., 47, 50.

action of zinc and ethylic chloracetate on (Reformatsky), 1892, A., 1300.

condensation products of (PERKIN), 1883, T., 45, 67.

polymerisation of (Perkin), 1883, T., 79.

polymerised, action of nascent hydrogen on (Perkin), 1883, T., 86.

polymeride of, decomposition-products of (Perkin), 1883, T., 81.

oxime of, and its ethylic salt (Westenberger), 1884, A., 581. oximes of (Goldschmidt and Zanoli), 1892, A., 1436.

Heptolactone (Young), 1883, T., 172; A., 455.

[b.p. 235°] (FITTIG and SCHMIDT), 1890, .A., 589.

from dextrose (Kiliani), 1886, A., 526.

[b.p. 220°], from levulose (KILIANI), 1886, A., 220.

isoHeptolactine (\$\beta\$-dimethylvalero-lactions) (FITTIG and ZANNER), 1890, A., 590.

Heptomethylamide (FRANCHIMONT and KLOBBIE), 1888, A., 1063.

Heptose (FISCHER), 1890, A , 598.

Heptoylsodacetaldehyde (CLAISEN and STYLOS), 1888, A., 671.

Heptylamine (wnanthylamine) (TAFEL), 1886, A., 940.

Heptylbenzene (Krafft), 1887, A., 253; (Bally), 1888, A., 65. amido- and nitro- (Augen), 1887, A.,

816.

Heptylbenzylic cyanide (Rossolymo), 1889, A., 862. ψ-Heptylene (methylbutylethylone)

(Schoulemmen and Thorre), 1883, A., 652.

action of chlorous anhydride on (Grissom), 1888, A., 929.

Heptylenic acid (heptenoic acid) (Fir-Tit.), 1888, A., 252; (Firtic and SCHMIDT), 1890, A., 589.

Heptylenic acid (β-diethylacrylic acid) (Reformatsky), 1891, A., 170.

isoHeptylenic acid (FITTIG and ZAN-NER), 1890, A., 590.

sec.-Heptylic acetate (Béhal and Desgrez), 1892, A., 1162.

Hentylic acid. See Heptoic acid.

n-Heptylic alcohol, preparation of (Sorabji), 1885, T., 40.

sec.-Heptylic alcohol [b.p. 150°] (dipropylcarbinol) (Ustinoff SAYTZEFF), 1887, A., 353.

[b.p. 131°] (diisopropylearbinol), properties of (Poleikeff), 1889, A.,

477; 1891, A., 889.

tert.-Heptylic alcohol (triethylcarbinol) (BARATAEFF and SAYTZEFF), 1887, A., 353.

(Soko-(methylethylpropylcarbinol) LOFF), 1888, A., 1170.

diphenylic tricyanide Heptylic (KRAFFT and KOENIG), 1890, A., 1252.

nitrite (Bertoni), 1890, A., 353.

salts of normal fatty acids, boiling points and specific volumes of (GARTENMEISTER), 1886, A., 966.

Herbivora. See Agricultural Chemistry. Herderite (DES CLOIZEAUX), 1884, A., 827; (Weisbach), 1884, A., 1102; (GENTH), 1885, A., 448; (DES CLOIZEAUX and DAMOUR), 1887, A., 19.

from Oxford Co., Maine (HIDDEN and MACKINTOSH), 1885, A., 359. composition of (Penfield and Hau-

PER), 1886, A., 989.

remarkable crystal of (HIDDEN), 1887, A., 117.

Hernandia sonora, and H. ovigera, alkaloid from (GRESHOFF), 1891, A.,

Herniaria hirsuta, constituents (BARTH and HERZIG), 1889, A., 1003.

Herniarin (BARTH and HERZIG), 1889, A., 1003.

Herrengrundite (urvolgyte) (Szabó de

St. Miklos), 1886, A., 517. Herring offal as manure (HECQUET D'ORVAL; PAGNOUL), 1884, A., 866.

See Limonene under Hesperidene. Terpenes.

isonitroso-. See Carvoxime. Hesperidin, sugar from (WILL), 1887, A., 715; (TANKET), 1888, A., 963.

isoHesperidin (TANRET), 1886, A., 577; 1888, A., 963.

Hesperisium (PRINGLE), 1887, A., 107.

Hessite from Alizona (GENTH), 1888, A., 564.

from Botes (LOCZKA), 1892, A., 1054. from Mexico (GENTH and PENFIELD), 1892, A., 793.

Heteroalbumose (Kuhne and Chitten-DEN), 1884, A., 1389; 1885, A., 277; 1886, A., 819; (NEUMEISTER), 1887, A., 285.

Heterocaseose (CHITTENDEN and PAIN-TER), 1888, A., 76.

Heulandite (Jannasch), 1887, A., 903. from Lancaster Co., Pa. (SMITH), 1885, A., 960.

occurrence of strontia in (JANNASCH), 1887, A., 453.

action of heat on (MALLARD), 1884, A., 828.

analysis of (JANNASCH), 1883, A., 442. Heulandite group, relations between minerals of the stilbite group and (RINNE), 1892, A., 417.

Hexabenzoyl- β -inosite (MAQUENNE), 1890, A., 355.

Hexabenzoylmannitol (Skraup), 1889, A., 1152.

Hexacetylfisetin (SCHMID), 1886, A., 895. Hexacetyl-α-glucoheptose (Fischer), 1892, A., 1167.

Hexacetyl-β-inosite (Maquenne), 1890, A., 355.

Hexacresotide (BARGIONI and SCHIFF). 1888, A., 838.

n-Hexadecane (dioctyl) (LACHOWICZ), 1884, A., 166; (KRAFFI), 1886, A., 998.

Hexadecane (cetane) from cetylic iodide (Sorabji), 1885, T., 38.

Hexadecanedicarboxylic acid (Brown and WALKER), 1891, A., 1193. Hexadecoic acid. See Dioctoic acid.

Hexadecylacetylene (KRAFFT and REU-TER), 1892, A., 1164.

Hexadecylamine. See Dioctylamine. Hexadecylbenzene and its derivatives (KRAFFT), 1887, A., 252.

Hexadecyldeoxybenzoin (Sudborough), 1892, A., 1224.

Hexadecylene (cetene), preparation of

(KRAFFT), 1884, A., 571. derivatives (KRAFFT and GROSJEAN). 1890, A., 1218.

bromide (KRAFFT), 1884, A., 1108. bromo- (Kraffr and Reuter), 1892, A., 1163.

Hexadecylenedicarboxylic acid and anhydride (KRAFFT and GROSJEAN), 1890, A., 1219.

Hexadecylenic glycol (KRAFFF and GROSJEAN), 1890, A., 1219.

Hexadecylic alcohol (etylic alcohol) (KRAFFT), 1884, A., 1280.

preparation of (KRAFFT), 1883, A., 1075. conductivity of (BARTOLI), 1885, A.,

855.

oxidation of (CLAUS and V. DREDEN), 1891, A., 535.

Hexadecylic allophanate (GATTER-MANN), 1888, A., 574.

iodide, complete chlorination of (HARTMANN), 1891, A., 811. reduction of, with sodium amalgam

(LEBEDEFF), 1885, A., 736.

Hexadecylidene (Krafft), 1884, A., 1108.

Hexadecyl-malonamic and -malonic acids (Hell and Sadomsky), 1891, A., 1451.

Hexadecylmalonic acid (Kraffr), 1884, A., 1280.

Hexadecylphenetoil (KRAFFT and Gor-TIG), 1889, A., 129.

Hexadecylphenol (KRAFFT), 1887, A., 252.

Hexadecyltoluene. See Methylhexadecylbenzene.

Hexahydroanthracenecarboxylic acid (Börnstein), 1884, A., 330.

Hexahydrobenzoic acid and its derivatives (Aschan), 1891, A., 1481. properties of (Markownikoff), 1892,

properties of (MARKOWNIKOFF), 1892, A., 714. Hexahydro-ψ-cumene (Konowaloff),

1891, A., 185. and its relation to nononaphthene (KONOWALOFF), 1888, A., 679.

Hexahydrodimethyldiazine (Stoehr), 1892, A., 507.

Hexahydrohæmatoporphyrin (Nencki and Sieber), 1885, A., 70.

Hexahydromellitic acid, thermochemistry of (Stohmann and Kleber),1891.
A., 1147.

Hexahydronaphthalene (AGRESTINI), 1883, A., 345; (GRAEBE and GUYE), 1884, A., 608.

Hexahydronaphthalenesulphonic acids and their potassium salts (AGRESTINI), 1883, A., 345.

Hexahydronicotine (BLAU), 1891, A., 583; 1892, A., 1365.

Hexahydronicotinic acid (nipecotinic acid) and its derivatives (LADENBURG), 1891, A., 735; 1892, A., 1485, 1486.

Hexahydroisonicotinic acid (isonipecotinic acid) (LADENBURG and KARAU; LADENBURG), 1892, A., 1486.

Hexahydrophloroglucinol, trichloro-(HAZURA and BENEDIKT), 1886, A., 52.

trans-Hexahydrophthalicacid, dibromo-(v. Baeyer), 1892, A., 1216.

Hexahydrophthalic acids, fumaroid and maleinoid (v. Baeyer), 1890, A., 1282.

constitution of (v. BAEYER), 1890, A., 1277.

Hexahydrophthalic anhydrides, fumaroid and maleinoid (v. BAEYER), 1890, A., 1282, 1283.

Hexahydropicolinic acid (Ost), 1883, A., 794.

Hexahydropyridine. See Piperidine. Hexahydropyridinecarboxylic acid

(MARINO-ZUCO), 1892, A., 85. Hexahydroquinoline (BAMBERGER and LENGFELD), 1890, A., 1820.

Hexahydroterephthalic acid and 2:3-dibromo- (v. BAEYER), 1887, A., 370.

tribromo-, lactone ether of (v. BAEYER), 1888, A., 1073.

cis-Hexahydroterephthalic acid, derivatives of (v. BAEYER), 1888, A., 1074.

cistrans-Hexahydroterephthalic acid, synthesis of (MACKENZIE and PERKIN), 1892, T., 172; P., 12.

Hexahydroterephthalic acids, cis- and cistrums- (v. Baeyer), 1888, A., 1074; 1889, A., 1176.

thermochemistry of (STOHMANN and KLEBER), 1891, A., 376; 1892, A., 1041.

Hexahydroxyanthraquinone (SCHMIDT; GATTERMANN), 1891, A., 935.

1:2:3:2':3':4'-Hexahydroxyanthraquinone. See Rufigallol.

Hexahydroxyaurin (CARO), 1892, Λ., 1470.

Hexahydroxybenzene (Nietzki and Benckisen), 1885, A., 780.

derivatives and their relation to croconic and rhodizonic acids (NIEIZKI and BENCKISER), 1885, A., 779.

δ-Hexahydroxydiphenyl (BARTH and Schreder), 1885, A., 520.

Hexahydro-xylene from Caucasian petroleum (MARKOWNIKOFF and SPADY), 1887, A., 922.

Hexahydroxy-methylenediamine and -methylenic peroxide (Legler),1886, A., 327.

Hexamethoxy-benzil and -benzilic acid (MARX), 1891, A., 1219.

Hexamethoxy-deoxybenzoin and -hydrobenzoin (MARX), 1891, A., 1219. Hexamethyltriamidodinaphthyl-

phenylmethane (FRIEDLANDER and WELMANS), 1889, A., 151.

Hexamethyltriamidodiphenyltolylmethane (Nolting), 1892, A., 190.

Hexamethyltriamidophenylditolylmethane (Nolting), 1891, A., 728.

Hexamethyltriamidotriphenylamine methochloride (HEYDRICH), 1886, A., 553.

Hexamethyltriamidotriphenylarsine (MICHAELIS and RABINERSON), 1892, A., 1321.

Hexamethyl/riamidotriphenylcarbinol (WICHELHAUS), 1886, A., 362.

Hexamethyltriamidotriphenylethane (HEUMANN and WIERNIK), 1887, A., 1039.

Hexamethyltramidotriphenylphosphine (SCHENK and MICHAELIS), 1888, A., 835.

Hexamethyltriamidotriphenylsulphine hydroxide (MICHAELIS and God-CHAUX), 1891, A., 715.

salts (MICHAELIS and GODCHAUX), 1891, A., 714.

Hexamethyltriamido-tritolylmethane and -trixylylmethane (NoLIING), 1891, A., 729.

Hexamethylaniline (v. HOFMANN), 1885, A., 1129.

Hexamethylanthracene (FRIEDEL and CRAFTS), 1887, A., 1102.

Hexamethylbenzene (FRIEDEL CRAFTS), 1887, A., 1101.

heats of combustion and formation of (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1042.

derivatives (Colson), 1886, A., 1016. hexachloro- (Colson), 1886, A., 1016.

Hexamethyldiphenol. See Di-\(\psi\)-cumenol.

Hexamethylene molecule, configuration of (HERRMANN), 1890, A., 1105. derivatives, geometrical isomerides

of (SACHSE), 1890, A., 1386. synthesis of (FREER and PERKIN), 1887, P., 96; (Perkin), 1891, T., 798.

p-diamido- (v. BAEYER and NOYES), 1889, A., 1147.

Hexamethyleneamine. See Hexamethylenetetramine.

Hexamethylenecarboxylic acid (As-CHAN), 1890, A., 738.

Hexamethylene-m-dicarboxylic acids, cis- and cistrans- (Perkin), 1891, T., 808, 814.

synthesis of (PERKIN and PRENTICE), 1891, T., 990.

conversion of one form into the other (Perkin), 1891, T., 813.

cis-Hexamethylenedicarboxylic hydride (PERKIN), 1891, T., 812. Hexamethylenedicyanhydrin (v. BAE-YER and NOVES), 1889, A., 1148.

Hexamethylene-1:1:3:3-tetracarboxylic acid, formation of (PERKIN), 1891, T., 804; (PERKIN and PRENTICE), 1891, T., 994.

dissociation constant of (WALKER), 1892, T., 706.

Hexamethylenetetramine (hexamethylcneamine) (Pratesi), 1884, A., 287; (Tollens), 1884, A., 998; (GRIESS and HARROW), 1888, A., 1268.

action of ethylic acetoacetate on (GRIESS and HARROW), 1888, A., 1313.

action of ethylic chloracetate on (HARTUNG), 1892, A., 1173.

action of nitrous acid on (MAYER), 1889, A., 33.

action of sulphurous anhydride on (HARTUNG), 1892, A., 1173.

behaviour of, with various reagents (HARTUNG), 1891, A., 1179.

additive products of (Moscharos and TOLLENS), 1891, A., 663.

derivatives of (FREER and PERKIN), 1888, T., 202; (Horton), 1888, A., 1051; (HARTUNG), 1892, A., 1173.

Hexamethylenetetramine benzochloride (HARTUNG), 1892, A., 1173.

dibromide (LEGLER), 1889, A., 579. ethiodide and methiodide (WOHL), 1886, A., 863.

tetrasilver bromide (SCHWARTZ), 1891, A., 818.

Hexamethylmalonamide (Franchi-MONT), 1886, A., 449.

Hexamethylparaleucaniline (RATHKE),

1886, A., 460. synthesis of (Fischer and Konnen), 1884, A., 749.

Hexamethylpararosaniline hydrochloride (v. Hofmann), 1885, A., 791.

Hexamethylphloroglucinol (MARGU-LIES), 1889, A., 1153; (SPITZER), 1890, A., 1110.

Hexamethylqueroetin, and its diacetylderivative (Herziu), 1884, A., 847.

isoHexamide (isobutylacetamide) (JA-(OBY), 1886, A., 785; (TIEMANN), 1891, A., 538.

(dipropyl; ethylbutane), n-Hexane heats of combustion and formation of (Stohmann and Kleber), 1891,

diamido-, and its derivatives (TAFEL), 1889, A., 976; (TAFEL and NEUGE-BAUFR), 1890, A., 1000.

nitro- (Konowaloff), 1892 A., 575.

sec.-Hexane (methyldiethylmethane) (Wislicenus), 1883, A., 966.

Hexanedicarboxylic acid. See Tetramethylsuccinic acid.

Hexa-oxymethylenic peroxide and oxymethylenediamine (LEGLER), 1889, A., 579.

Hexa-oxystearic acid. See Linusic

Hexaphenylmelamine (v. HOFMANN), 1886, A., 41, 233.

Hexaphenylrosaniline and its salts (HEYDRICH), 1886, A., 553.

Hexapropyltrimethylenetrisulphone (CAMPS), 1892, A., 592.

Hexarabinan-tri- and -penta-galactangeddic acids (O'SULLIVAN), 1891, T., 1065, 1074.

Hexazobenzene. See Azo.

Hexenoic acid (hydrosorbic acid) (Firtie), 1888, A., 595; (Firtie and Hiller), 1892, A., 959.

(methylethylacrylic acid) and its salts (Lieben and Zeisel), 1883, A., 571. (ψ -pyroterebic acid) (Endmann), 1885, A 964

(a-cthylcrotonic acid), oxidation of (Fittig), 1888, A., 595; (Fittig and Ruer), 1892, A., 958.

Hexenoic acids, thio- (\$\textit{\beta}\cdot cthyl-n-\$ and -iso-crotonic acids, thio-) (AUTEN-RIETH), 1890, A., 361.

Hexenoic aldehyde. See Methylethylacraldehyde.

Hexenylamidoxime and its derivatives (JACOBY), 1886, A., 785.

Hexenylglycerol. See Trihydroxy-hexane.

Hexenylsulphuric acid (Ludwig), 1892, A., 951.

isoHexeric acid (FITTIG and RUER), 1892, A., 958.

Hexethylbenzene (GALLE), 1883, A., 1091; (JACOBSEN), 1889, A., 41.

Hexethylic dimalonylmaleate (Pum), 1888, A., 1059.

Hexethylphloroglucinol (Herzic and Zeisell), 1888, A., 822.

Hexethylquercetin (HERZIG), 1884, A., 846.

Hexethyltriketohexamethylene (HERzig and Zeisel), 1889, A., 247.

Hexethyltrimethylenetrisulphone (CAMPS), 1892, A., 591.

Hexic acid, so-called (FITTIG), 1883,
A., 1085.

Hexinene [h.p. 70°—73°] (RENARD), 1887, A., 565. See also Diallyl.

Hexitamalic acid. See &-Hydroxyheptylsuccinic acid. Hexo-cyamidine and -cyamine, α-amido-(DUVILLIER), 1887, A., 850.

n-Hexoic acid (cuprote acid) (Perkin), 1883, T., 59; (VAN ROMBURGH), 1888, A., 447.

electrolysis of (DRECHSEL), 1886, A., 1008.

silver salt of, action of iodine on (SIMONINI), 1892, A., 1301.

solubility of salts of (Keppich), 1889, A., 122.

δ-lactone of (Wolff), 1883, A., 455. n-Hexoic acid, α-amido-. See Leucine. dibromo-, decomposition of (FITTIG and HILLERT), 1892, A., 960. sulpho- (Ludwic), 1889, A., 121.

Hexoic acid (diethylacetic acid), solubility of salts of (Kerrich), 1889, A., 122.

amide, anilide, anhydride and chloride of (FREUND and HERRMANN), 1890, A., 473.

Hexoic acid (ββ-methylethylpropionic acid) (VAN ROMBURGH), 1887, A., 228; 1888, A., 447.

Hexoic acid (methylpropylacetic acid) (LIEBEN and ZEISEL), 1883, A., 570; (LIEBERMANN and KLEE-MANN), 1884, A., 1120.

preparation of, from ethylic acetoacetate and from diethylic malonate (STIASSNY), 1892, A., 581.

solubility of salts of (STIASSNY), 1892, A., 581.

Hexoic acid (methylisopropylacetic acid) (VAN ROMBURGH), 1887, A., 232.

isoHexoic acid (isobuty/acctic acid) (KASSNER), 1888, A., 673.

Hexoic aldehyde sulphonic acid (Lubwig), 1889, A., 121.

amidine hydrochloride and platinochloride (Pinnen), 1884, A., 723.

imido-ether and its hydrochloride (PINNER), 1884, A., 732.

Hexolactone (CHANLAROFF), 1885, A., 374.

Hexonitrile, action of hydroxylamine on (Jacoby), 1886, A., 785.

Hexophenylhydrazide (AUTENRIETH), 1888, A., 251.

Hexoylhexenylamidoxime (JACOBY), 1886, A., 785; (TIEMANN), 1891, A., 538.

Hexunene. See Dipropargyl.

Hexyl dimethylamidophenyl ketone (Kraffi), 1887, A., 253; (Augen), 1887, A., 815.

Hexyl phenyl ketone (KRAFFT), 1887, A., 253; (AUGER), 1887, A., 816.

Hexylacetylene (octinene) (BEHAL and DESGREZ), 1892, A., 1064.

Hexylacetylene (octinene), formation of, from methylvalerylacetylene (BEHAL), 1889, A., 950.

Hexylamine and \(\psi - \texylamine \) (FREUND and HERRMANN), 1890, A., 473, 474. Hexylammoniumhexylthiocarbamate

(Frentzel), 1883, A., 1075.

Hexylbenzene (Schramm), 1883, A., 977. Hexylbenzylic cyanide (Rossolymo), 1889, A., 862.

Hexylbutylene (decylene) (Firms and RIECHELMANN), 1890, A., 594.

Hexylbutyrolactone (Schneegans), 1885, A., 650.

ψ-Hexylcarbamide (FREUND and HERR-MANN), 1890, A., 474.

Hexyldeoxybenzoin (Bischoff), 1889, A., 512.

Hexyldiphenylic tricyanide (KRAFFF and v. Hansen), 1889, A., 697.

Hexylene (β-dipropylene) (Couturier), 1891, A., 282.

(a-methylethylpropylene) (Wislicenrs), 1883, A., 967.

(tetramethylethylene), action of chlorine on (Chupotsky), 1885, A., 645; (Chupotsky and Mariutza), 1890, A., 727.

Hexylenic derivatives (HENRY), 1884, A., 33.

obtained dibromide fromdiallyl (Demjanoff), 1891, A., 160.

δ-glycol (dihydroxyhcxane) (LIPP), 1886, A., 219; (PERKIN), 1887, T., 722.

(tetramethylethylenic oxide oxide) (ELTEKOFF), 1883, A., 567. oxide [b.p. 93°] (Béhal), 1888, A.,

241; 1889, A., 839.

δ-oxide (Lipr), 1886, A., 218.

Hexylerythritols (WAGNER), 1889, A.,

Hexylglyoxaline (glyoxal@nanthyline) and its derivatives (KARCY), 1887, A., 911.

isoHexylglyoxaline (glyoxalisownanthyline) (Radziszewski), 1883, A., 1087.

Hexylhexonitrile, imido-(WACHE), 1889, A., 684.

n-Hexylic alcohol, and its derivatives (FRENTZEL), 1883, A., 1075.

sulphonic acid of (Ludwig), 1889, A.,

(methyldicthylcarbinol) (Reformat-SKY), 1888, A., 244.

(methylethylpropylic alcohol), essence of chamomile (VAN ROMвиксн), 1887, А., 228.

(methylisobutylcarbinol) (Kuwschinoff), 1888, A., 125.

sec.-Hexylic alcohol (methyl-B-butylcarbinol) (Wislicenus), 1883, A., 966.

Hexylic alcohol, glycide of (KABLU-KUFF), 1888, A., 1172.

ψ-Hexylic alcohol (FREUND and HERR-MANN), 1890, A., 474.

See Trihydroxy-Hexylic glycerol. hexane.

Hexylic salts of normal fatty acids, boiling-points and specific volumes of (Gartenmeister), 1886, A., 966. benzoate, chloride and formate

(Frentzel), 1883, A., 1075.

hexoate (LIEBEN and ZEISEL), 1883, A., 570.

iodide, from sorbite (HITZEMANN and Tollens), 1889, A., 841.

sulphide, occurrence of, in Ohio petroleum (MABERY and SMITH), 1891, A., 1173.

Hexylnitrous acid (CHANCEL), 1885, A., 646.

Hexylparaconic acid, and its salts (Schneegans), 1885, A., 650.

Hexyl-thiocarbamide and -thiocarbimide (FRENIZEL), 1883, A., 1075.

Hiddenite, an emerald-green variety of spodumene (SMITH; DANA), 1883, A., 440.

from Alexander Co. (HIDDEN), 1885,

Hieratite (Cossa), 1883, A., 955.

See Heintzite. Hintzeite.

Hipparaffin. See Dibenzoylmethylenediamine,

Hippuramide (Pellizzari), 1889, A., 286. Hippuramidacetic acid and its salts (Curtius), 1883, A., 339.

Hippuric acid (ben amidoacetic acid), source of, in the urine (SCHOTTEN), 1884, A., 1057.

formation of (TAPPEINER), 1886, A., 482.

simple method for preparing (BAUM), 1885, A., 981.

synthesis of (Curtius), 1883, A., 337; 1884, A., 1347.

heats of combustion and formation of (BERTHELOT and ANDRÉ), 1890, A.,

condensation of, with aldehydes (RE-BUFFAT), 1886, A., 547.

action of phenol and sulphuric acid on (ZEHENTER), 1885, A., 55, 1235. action of phosphoric chloride on

(RÜGHEIMER), 1886, A., 702. action of phthalic anhydride (Erlenmeyer), 1889, A., 708.

condensation of, with salicylaldehyde (Plochl and Wolfnum), 1885, A., 898.

Hippuric acid (benzamidoacctic acid), action of sodium hypobnomite on (Deniges), 1889, A., 139.

relation of tyrosine to (BAAS), 1887, A., 1133.

compound of, with pyruvic acid (HOFFMANN), 1887, A., 44. estimation of, in urine (Volker),

1887, A., 535, 1001.

fluoro- (Coppola), 1884, A., 446. nitrosohydrazone of (CURTIUS), 1891, A., 57.

Hippuroflavin (RUGHEIMER), 1859, A., 252.

Hippurophosphates(GAUBE), 1891, A, 98. Hippurylbenzylidenehydrazine (Cur-TIUS), 1891, A., 57.

Hippurylcarbamide (CURTIUS), 1883, A., 1088.

Hippurylglycollamide and its hydrochloride (Curtius), 1883, A., 339.

Hippurylhydrazine, and nitroso- (Cur-11us), 1891, A., 56, 57.

Histohematins (MACMUNN), 1886, A.,

Histological chemistry in relation to physiology of the (Dreser), 1885, A., 923.

"Histon" (Kossel), 1885, A., 572. Hjelmite (WEIBULL), 1889, A., 219.

van t'Hoff hypothesis, investigation of the second (Auwers and Meyer), 1888, A., 597.

theory, deductions from (PAGLIANI), 1890, A., 845, 1205.

Hofmann's violet, description and measurement of the spectrum of (HARTLEY), 1887, T., 171.

Hohmannite (FRENZEL), 1888, A., 923, 921; (Diripsky), 1890, A., 456.

Holcus Soryhum. See Sorghum. Holmium, or Soret's X (Lecoq de Bois-BAUDRAN), 1886, A., 667.

Honurus rulgaris, blood of (GRIF-FITHS), 1892, A., 648.

Homatropine (mandelic tropcine), salts of (LADENBURG), 1883, A., 671.

ψ-Homatropine (mandelic ψ-tropeina) (LIEBERMANN and LIMPACH), 1892, A., 891.

Homilite (Petersson), 1891, A., 1168. m-Homoanthranilic acid. See m-Amidop-toluic acid.

Homobenzenyl-. See Tolenyl-.

Homobenzhydryloarbamide. See Phenyltolylcarbinylcarbamide.

Homobenzoyl-. See Toluoyl-.

α-Homobetaines, and B- (Weiss), 1890, A., 747.

γ-Homochelidonine (König), 1891, A., 844.

Homochelidonines, a- and B- (Selle), 1891, A., 229.

Homognocinchenine and its derivatives (Comstock and Koenics), 1888, A., 72.

B-Homocinchonidine (HESSE), 1890, A.,

Homoconic acid and anhydride (BAUM), 1886, A., 562.

acid (p-cumylacetic 2)-Homocuminic acid), and its derivatives (FILETI and BASSO), 1891, A., 1057.

dibromo- (FILETI and BASSO), 1891, A., 1057: (FILETI and BONIS-CONTRO), 1892, A., 604.

(TIEMANN Homoferulic acid

KRAAZ), 1883, A., 201. derivatives of (TIEMANN and KRAAZ), 1883, A., 198.

Homofluorescein (GRIMAUX), 1890, A.,

Homofluorindine (Leicester), 1890, A., 1445.

Homogentisic acid (Wolkow BAUMANN), 1891, A., 1129.

estimation of, in urine (BAUMANN), 1892, A., 925.

Homohydrocinchonic acid and its salts (Weidel and Hazura), 1885, A., 561.

o-Homo-p-hydroxybenzaldehyde. p-Hydroxytolualdchyde.

Homohydroxybenzenyl-. See p-Hydroxytolenyl-.

o-Homo-p-hydroxybenzophenylhydr-See p-Hydroxytoluophenylhydrazone.

See Propionyl-Homolevulinic acid. acetic acid.

Homologous compounds, specific volume of (WEGER), 1884, A., 11. vapour tension of (SCHMIDI), 1891, A., 969; 1892, A., 396.

Homology, alicyclic (BAMBERGER), 1891, A., 1097.

Homomethylsalicylonitrile. See Hydroxytoluonitrile.

Homonapelline (DUNSTAN and UMNEY), 1892, T., 393.

Homonicotinic acid. See 4-Methylpyridine-3-carboxylic acid.

Homo-o-phthalaminic acid. See o-Carboxyphenylacetic acid, amic acid of. Homo-o-phthaleneamidoimidoxime

(EICHELB WM), 1890, A., 146. Homo-o-phthalethylimidoazobenzene

(Pulverm Cher), 1887, A., 1111.

Homophthalic acid. See o-Carboxyphenylacetic acid.

Homo-o-phthalimide. See o-Carboxyphenylacetic acid, inside of. Homo-o-phthalimidoazobenzene (GAB-

RIEL), 1887, A., 726.

Homopiperidic acid, derivatives of (Ascn 18), 1891, A , 466, 1246. hydrochloride (Schotien), 1885, A., 176.

a-Homopiperonic acid (TIEMANN), 1892, A., 47.

Homopterocarpin from red sandal wood (CAZENEUVE andHUGOUNENQ), 1887, A., 971; 1889, A., 160.

Homopyrocatechol. See Methylpyrocatechol.

Homoquinine (HESSE), 1884, A., 1384; 1886, A., 83; 1890, A., 1166; (PAUL and Cownley), 1885, A., 563, 997. synthesis of (HESSE), 1885, A., 276. salts of (Hesse), 1884, A., 1384.

Homosalicenyl. See Hydroxytolenyl. Homosalicyl. See Hydroxytolu. p-Homosalicylic acid. See o-Hydroxy-

m-toluic acid.

"Homosalol" (WEBER), 1892, A., 1092. Homoterephthalenediamidoxime and its derivatives (EICHELBAUM), 1890, A., 147.

Homoterephthalenediazo-. See under Azo-.

Homoterephthalic acid. See p-Carboxyphenylacetic acid.

Homoumbelliferone (v. PECHMANN and WELSH), 1884, A., 1346.

Honey, eucalyptus (MAQUENNE), 1890, A., 122.

pine tree (WILEY), 1891, A., 412. unfermentable dextrorotatory constituent of (v. RAUMER), 1890, A.,

composition and adulteration (SIEBEN), 1885, A., 693.

adulteration of, with sugars (HAGER), 1886, A., 282.

harvest, correct time for (ZWILLING),

1885, A., 590. analysis of (Henner; Bisnor), 1885, A., 414.

estimation of water in (WILEY and BROADBENT), 1886, A., 282.

Honey-dew, pine tree (Wiley), 1891,

Hoofs, analysis of (Hughes), 1887, A.,

Hop-bitter, precipitation of, by lead acetate (ARNOLD; ALLEN; JOHNSTONE), 1888, A., 763.

"Hop-bitter acid" (HAYDUCK), 1888,

A., 187.

Hop culture in peat soils (FLEISCHER), 1885, A., 185.

process for preparing (FORSTER), 1884, A., 800.

foliage, feeding value of (WEIN), 1886, A., 577.

Hop mildew, nature of, and means of counteracting it (Schwarz), 1884, A., 629.

detection of, in beer substitutes, (ALLEY), 1887, A., 1146; 1888, A.,

763; (ARNOLD), 1888, A., 763. Hopeine (ANON.), 1886, A., (LADENBURG), 1886, A., 563; (WIL-LIAMSON), 1886, A., 724.

Hops and their constituents (HAYDUCK). 1888, A., 187.

asparagine in (Bungener), 1886, A., 387.

choline in (GRIESS and HARROW), 1885, T., 298; P., 35.

bitter principle of (BUNGENER), 1884, A., 1366; 1886, A., 809.

behaviour of tannin in, towards the albuminoids in malt (Moritz and LEE), 1884, A., 527.

antiseptic action of (ANON.), 1885, A., 1169.

manuring of (Pott), 1884, A., 1422; (KRATS), 1888, A., 319.

sulphured, testing (ANON.), 1884, A., 1439.

estimation of lupulin in (REINITZER), 1890, A., 431; (STOCKBRIDGE), 1890, A., 658.

estimation of tannin in (Kokosinski). 1891, A., 870,

Hornbeam, spring sap of the (Horn-Berger), 1888, A., 313.

Hornblende (amphibole) of secondary origin (Cnoss), 1890, A., 1081.

from the Aranyer Mountain (FRAN-ZENAU), 1885, A., 226.

from Finland, calculation of analyses of (KENNGOTT), 1883, A., 1065. from Franklin, containing manganese

and zine (KLOOS), 1886, A., 678. from the Lizard (TEALL), 1891, A., 276. from Nordmarken (FLINK), 1889, A.,

Porthalla Cove, from Cornwall

(Collins), 1887, A., 1022.
of St. Lawrence Co., New York
(Williams), 1886, A., 128; 1890. A., 1073.

artificial (v. Chrustschoff), 1891, A., 887, 1439.

basaltic (Schneider), 1891, A., 649. of, pseudomorphs after olivine (BECKE), 1883, A., 444; Kolenko), 1885, A., 1188.

fragments, enlargement HISE), 1886, A., 318.

chemical composition of (BERWERTH), 1886, A., 28.

constitution of, containing alumina (SCHARIZER), 1885, A., 32.

Hornblende (amphibole), relation between the optical properties and chemical composition of (WIIK), 1883, A., 560; 1884, A., 971.

solubility of, in sea water (Thoulet), 1889, A., 682.

Hornblende-anthophyllite from Baltimore (WILLIAMS), 1886, A., 128.

Hornblende-diabase from Graveneck (STRENG), 1884, A., 275.

Hornblende-granite, biotite-holding, from Syene (Stelzner), 1884, A., 413.

Hornblende-rocks of the Bastogne region (RENARD), 1883, A., 958.

Hornblende-schists near Glatz in Lower Silesia (TRAUBE), 1890, A., 1076. of the Tyrol, alterations of the garnets in (CATHREIN), 1886, A., 29.

Horns, analysis of (Hughes), 1887, A.,

Hornstone, occurrence of, in the porphyry district of Teplitz (LAUBE), 1886, A., 24. Horse and horse-chestnut. See Agri-

cultural Chemistry.

Howlite (PENFIELD and SPERRY), 1888. A., 116.

Hübnerite (GENTH and PENFIELD), 1892, A., 793.

from Colorado (HILLEBRAND), 1884,

A., 827. from Nevada, optical properties of (DES CLOIZEAUX), 1884, A., 407.

from the Pyrenees (BERTRAND), 1884, A., 406.

Human subject, excretion of carbamide

in (GENTH), 1885, A., 830. system, influence of hot baths on the excretion of nitrogen and uric acid from the (FORMINEK), 1892, A., 1503.

Humic acid (Hoppe-Seyler), 1889, A., 285; (BERTHELOF and ANDRE), 1891, A., 1089.

properties of (Rodzianko), 1892, A., 1373.

thermochemistry of, from sugar (BERTHELOT and ANDRÉ), 1891, A., 1456.

spontaneous oxidation of (BERTHELOT and André), 1892, A., 655.

Humic compounds (BERTHELOT and André), 1891, A., 1089.

Humin, properties of (Rodzianko), 1892, A., 1373.

Humite, green, from Monte Somma (FREDA), 1884, A., 272.

Vesuvian, from Ladugrufvan, analysis of (v. Wingard), 1886, A., 29. composition of (SJÜGREN), 1883, A., 436; (KENNGUTT), 1883, A., 1068.

Humus. See Agricultural Chemistry. Hunger, influence of, on the exhalation of carbonic anhydride (GRANDIS), 1890, A., 1334. See also Starvation.

Hunteria corymbosa, alkaloid from (GRESHOFF), 1891, A., 336.

Hureaulite from Branchville (BRUSH and DANA), 1890, A., 1072.

Huronite (HARRINGTON), 1888, A., 431. Hyacinthus orientalis, analysis of (Tscnirch), 1885, A., 1254.

Hyaline cartilage, microchemical observations on (Mörner), 1888, A., 860.

Hyalite, artificial production of, at the ordinary temperature (MEUNIER), 1891, A., 991.

Hyalogens (KRUKENBERG), 1886, A., 481.

Hyalophane from Jakobsberg (IGELstrom), 1885, A., 227; 1886, A., 212.

Hyalotekite from Långban (LIND-STROM), 1889, A., 219.

Hydantoic acid (carbamidoacetic acid), thio- (Klason), 1891, A., 180. action of phenylhydrazine (Probst), 1892, A., 966.

Hydantoin (glycolylcarbamide), formation of (Anschürz), 1890, A., 365. nitro- (FRANCHIMONT and KLOBBIE), 1888, A., 1179.

action of water on (FRANCHIMONT and KLOBBIE), 1889, A., 125.

thio-, and its derivatives (ANDREASCH), 1886, A., 226; 1888, A., 47; (KLASON), 1891, A., 179.

Hydantoins (PINNER), 1888, A., 1102;

(PINNER and SPILKER), 1889, A., 704.

and bases derived from them (MARCK-WALD, NEUMARK and STELZALR), 1892, A., 149.

y-substituted (Guaneschi), 1892, A., 827; (QUENDA), 1892, A., 828.

Hydnocarpus, hydrocyanic acid in (GRESHOFF), 1891, A., 338.

Hydra, digestion in (GREENWOOD), 1889, A., 287.

Hydracetine, p-alkyloxy-derivatives of (ALISCHUL), 1892, A., 1080.

Hydraerylic acid (ethyleneluctic acid; β-hydroxypropions acid; β-lactic acid) (Siegfried), 1890, A., 128; (ΚLIMENKO), 1891, A., 170.

from flesh extract (KLIMENKO), 1890, A., 235.

thio- (Lovén), 1884, A., 1299. ydrargillite (v. Nordenskiöld), Hydrargillite 1889, A., 220.

Hydrargyrine (TANRET), 1887, A.,

Hydrastaldehyde (FREUND), 1889, A., 1221.

Hydrasteine, constitution of (FREUND and Rosenberg), 1890, A., 531.

Hydrastic acid (FREUND and LACH-MANN), 1889, A., 1220; (PERKIN), 1890, T., 1095.

Hydrastine and its compounds. Sec under Alkaloids.

Hydrastinic acid (FREUND and WILL), 1887, A., 384; (FREUND), 1889, A., 908; (FREUND and LACHMANN), 1889, A., 1220.

Hydrastinine. Sec Alkaloids.

Hydrustis canadensis, substances contained in the root of (FREUND and Will), 1887, A., 174.

fluorescent principle of (Power), 1886, A., 1041.

Hydrastophthalimidine (FREUND and

PHILIPS), 1891, A., 91.
"Hydrate of carbon" from cast iron (Zabudsky), 1885, A., 42.

Hydrated salts. See Salts.

Hydrates in solution (PICKERING), 1886, T., 275.

definite, method of obtaining (MAY-MENÉ and LIMB), 1888, 644.

Hydration rersus electrolytic dissociation (ARRHENIUS), 1889, A., 1099. Hydratropic acid, See a-Phenyl-

propionic acid.

Hydrazides, acid (TAFEL), 1892, A., 710; (GATTERMANN, JOHNSON and HÖLZLE), 1892, A., 843; (BÜLSING and TAFEL), 1892, A., 981. action of carbonyl chloride

(FREUND and GOLDSMITH), 1888, A., 686.

relation between azo-compounds and (Bernthsen), 1888, A., 469.

Hydrazidoacetic acid (Curtius), 1891,

Hydrazidoamidodiphenyldisulphonic acid (LIMPRICHT), 1891, A., 930.

Hydrazidoamidoditolyldisulphonic acid (HALLE), 1892, A., 1468.

o-Hydrazidoanisoil, and its derivatives (Reisenegger), 1884, A., 440.

Hydrazidobenzenesulphonic acids. See Phenylhydrazinesulphonic acids.

Hydrazidobenzoylpyruvicacid (Roder), 1887, A., 150.

Hydrazidocinnamic acid (Fischer and Kuzel), 1884, A., 441; (Fischer and TAFEL), 1885, A., 540.

o-Hydrazidocinnamic anhydride (Fis-CHER and KUZEL), 1884, A., 441.

Hydrazido-β-phenylpropionic anhydride (Fischer and Kuzel), 1884, A.,

Hydrazidophenylpyrazole derivatives, action of ethylic acetoacetate on (KNORR), 1884, A., 1153.

Hydrazidouracil hydrochloride (BEH-REND and ERNERT), 1890, A., 1241.

Hydrazidouracilcarboxylic acid (Beh-REND and ERNERT), 1890, A., 1240.

Hydrazine (diamide; diamidogen) (Cun-TIUS), 1887, A., 715; (CURTIUS and SCHULZ), 1891, A., 263. preparation of, from aldehyde am-

monia (Currius and JAY), 1890, A., 734.

thermochemistry of (BERTHELOT and MATIGNON), 1892, A., 261; (THOMsen), 1892, A., 1143.

residue, displacement of, by halogens (GATTERMANN and HOLZLE), 1892, A., 842.

physiological action of (LORW), 1891, A., 239.

poisonous action of (LOEW), 1891, A.,

compounds (LIMPRICHT), 1885, A., 1216.

compounds of phenol and anisoil (Fischer and Kuzel), 1884, A.,

thermochemistry of (BACH), 1892, A., 933.

halogen compounds (Currius and Schulz), 1891, A., 263.

Hydrazine hydrate (Currius and JAY), 1889, A., 340; (CURTIUS and SCHULZ), 1891, A., 263. constitution of (CURTIUS), 1889,

A., 587.

molecular refraction of (BACH),

1892, A., 934. action of, on benzophenone (Crr-TIUS and RAUTERBERG), 1891, A., 1358.

action of, on isatin and phenols (Curtius and Thun), 1891, A., 1360.

action of, on ketones and o-diketones (Curtius and Thun), 1891, A.,

a-hydrazopropionate (CURTIUS), 1891,

hydriodide and hydrobromide (Cun-TIUS and SCHULZ), 1891, A., 264.

di-hydrobromide, -hydrofluoride and -hydriodide (Curtius and Schulz), 1891, A., 264.

hydrochlorides (Currius and JAY), 1889, A., 340. nitride (Curtius), 1892, A., 113,

Hydrazine sulphate (Curtius), 1887, A., 715; (Curtius and JAY), 1889, A., 340; (Currius and SCHULZ), 1891, A., 263.

semisulphate (Currius), 1891, A., 1321.

Hydrazine salts (diammonium salts) (Curtius and JAY), 1889, A., 340.

Hydrazines (FISCHER), 1887, A., 932; (WILLGERODT), 1888, A., 949; (FREUND), 1890, A., 148.

constitution of (FISCHER), 1885, A., 257.

condensation of, with aldehydes (CURTIUS and JAY), 1889, A., 393.

aromatic, action of the chlorides of phosphorus, arsenic, boron and silicon on (MICHAELIS and OSTER), 1892, A., 1324.

action of chloroform and alcoholic potash on (RUHEMANN), 1889, T., 242; P., 37, 168; 1890, T., 50.

physiological action of (GIBBS and REICHERT), 1891, A., 1280.

mpounds of, with the ketones (Reisenegger), 1883, A., 798. compounds of, with

compounds of, with ketonic and aldehydic acids (ELBERS), 1885, A., 534. quinoline compounds of, with (Dufton), 1892, T., 782; P., 142.

as-Hydrazines, secondary (Philips), 1887, A., 1104; (CURTIUS and PFLUG), 1892, A., 456.

aromatic, containing unsaturated alcohol radicles (MICHARLIS and CLAESSEN), 1889, A., 1161.

Hydrazinesulphonic acid, dibromo-(LIMPRICHT), 1889, A., 398.

Hydrazo-compounds, molecular chauges of (SCHULTZ), 1884, A., 902.

Hydrazoaniline. See s-Diphenylhydrazine, diamido-.

Hydrazobenzene. See s-Diphenylhydrazine.

Hydrazobenzoic acid. See s-Diphenylhydrazinedicarboxylic acid.

Hydrazocamphenes, action of hydrogen on (TANREY), 1887, A., 675. oxidation of (TANKET), 1888, A., 719.

p-Hydrazo-o-dichlorodibenzylic alcohol (W1TT), 1892, A., 444.

Hydrazocumene (Pospechoff), 1886, A., 459.

Hydrazocuminic acid (ALEXÉEFF), 1885, A., 390; (Moltschanowski), 1888, A., 277.

Hydrazodicarbonamide, preparation of (Thiele), 1892, A., 1298, 1429. Hydrazodicarbonamidine nitrate (TIII-

ELE), 1892, A., 1298.

Hydrazodimethylquinol (BAESSLER), 1887, A., 364.

See Azoimide. Hydrazoic acid.

Hydrazoimido-compounds (ZINCKE and LAWSON), 1886, A., 795; 1887, A., 731; 1888, A., 159.

Hydrazoines (Cornelius and Homol-KA), 1886, A., 1026. Hydrazoisatin (Curtius and Thun),

1891, A., 1360.

Hydrazomethylethylisooxazole (HANптот), 1892, А., 79.

Hydrazonaphthalene. See s-Dinaphthylhydiazine.

Hydrazonehippuric acid, nitroso- (Cur-TIUS), 1891, A., 57.

Hydrazonepyravic acid hydrazide (MES-

SINGER and ENGELS), 1889, A., 36.

Hydrazones (Fischer), 1888, A., 590.
isomeric (Hantzsch), 1892, A., 1083. of a-ketonic acids, formation of (JAPP and KLINGEMANN), 1888, T., 532. action of carbamide on (PINNER), 1888,

A., 687, 1084. action of carl carbon disulphide on (Jacobson and Schencke), 1890, A., 248.

action of hydrocyanic acid on (v. MILLER and PLOCHL), 1892, A., 1195. reduction of (TAFEL), 1889, A., 975.

aromatic, and thionyl-derivatives of (Michaelis and Ruhl), 1892, A., 1324.

Hydrazophenetoil (Buchstab), 1884, A., 1147.

p-Hydrazophenetoil (KINZEL), 1892, A., 159.

Hydrazo-o-phenoxyacetic acid, and its salts (THATE), 1884, A., 1171.

Hydrazopropionylhydrazine (Curtius and Land), 1892, A., 452. Hydrazoterephthalic acid (Homolka

and Low), 1886, A., 702.

Hydrazotoluene. See s-Ditolylhydrazine.

Hydrazoximes (v. PECHMANN Wehsarg), 1889, A., 47.

See s-Dixylylhydr-Hydrazoxylene. azine.

Hydrindene(hydrindonuphthene)(KRAE-MER and SPILKER), 1891, A., 206.

derivatives (v. BAEYER and PERKIN), 1884, A., 752; (Perkin), 1887, P., 92; 1888, T., 1.

conversion of, into substituted acetophenonecarboxylic (ZINCKE and GERLAND), 1888, A., 1192.

trioxime (Wishicenus and Kotzle), 1889, A., 1067.

Hydrindenecarboxylic acid (v. BAEYER and PERKIN), 1884, A., 753; (SCHERKS), 1885, A., 533; (PERKIN), 1887, P., 93; 1888, T., 9.

Hydrindenedicarboxylic acid (v. Bae-YER and PERKIN), 1884, A., 753; (PERKIN), 1887, P., 93; 1888, T., 7.

Hydrindone (GABRIEL and HAUSMANN; HAUSMANN), 1889, A., 1172.

o- and m-bromo- (MIERSCH), 1892, A., 1222.

m- and p-bromo- (v. MILLER and ROHDE), 1890, A., 1139.

dibromo- (HAUSMANN), 1889, A., 1173. tetrabromo- (Rosen and HASELHOFF), 1888, A., 1304.

m-chloro- (v. MILLER and ROHDE), 1890, A., 1139.

p-chloro-, and p-iodo- (МІЕКЬСН), 1892, A., 1222.

See also Ketohydrindene.

Hydrindonecarboxylic acid. See Hydroxyindenecarboxylic acid.

a-Hydrindoneoxime (Hausmann),1889, A., 1172.

Hydriodic acid. See under Iodine.

Hydriodocinchonine, and its salts (Lipp-MANN and Fleissner), 1891, A., 1517; 1892, A., 1363.

Hydriodoquinidine, and its salts (Skraup), 1892, A., 83; (Lippmann and Fleissner), 1892, A., 1864.

Hydriodoquinine (LIPPMANN and FLE-ISSNER), 1892, A., 82; (SCHUBERT and SKRAUP), 1892, A., 640.

Hydriodompoquinine (Lippmann and Fleissner), 1892, A., 82.

Hydroacridine (BERNTHSEN and BENDER), 1883, A., 1184.

syntheses of derivatives of (Jourdan), 1885, A., 987.

Hydroacridine ketone, diamido-, and its derivatives (JOURDAN), 1885, A., 988. Hydroacridylacrylic acid (BERNTHSEN

and MUHLERT), 1887, A., 850.

Hydroacridylbenzoic acid (BERNTHSEN

and Traube), 1884, A., 1183. Hydroanemonin (HANRIOT), 1887, A., 843.

Hydroantipyrine (Knore and Duden),

1892, A., 731. **Hydrobenzamide**, action of amines on (Lachowicz), 1889, A., 132.

reduction of (FISCHER), 1886, A., 546. Hydrobenzamidetrialdehyde (OPPEN-

HEIMER), 1886, A., 547. Hydrobenzamidotricarboxylic acid (Oppenheimer), 1886, A., 547; (RACINE), 1887, A., 951.

Hydrobenzoic acids (MARKOWNIKOFF), 1892, A., 714; (ASCHAN), 1892, A., 847.

Hydrobenzoin, preparation of (JUILLARD and TISSOT), 1891, A., 1492.

diacetate (PAAL), 1883, A., 806.

dibenzoate (PAAL), 1884, A., 1164; (KLINGER and STANDKE), 1891, A., 931.

isoHydrobenzoin dibenzoate (PAAL), 1884, A., 1164.

Hydrobenzoin and isohydrobenzoin carbonates (WALLACH), 1885, A., 254.
Hydrobenzoins and their anhydrides (AUWERS), 1891, A., 1069.

Hydrobenzoindicarboxylic acid (OPPEN-HEIMER), 1886, A., 877.

Hydrobenzylcinnamic acid (MICHAEL and PALMER), 1885, A., 987; (BISCHOFF and V. KUHLBERG), 1890. A., 1135.

nitrile of (SCHNEIDEWIND), 1888, A., 705.

Hydroberberine and its compounds. See under Alkaloids.

Hydrobilirubin, molecular weight of (ABEL), 1890, A., 914.

(ABEL), 1890, A., 914. and stercobilin, identity of (MAC-MUNN), 1883, A., 1159.

Hydrobromanhydroecgonine hydrobromide (EICHENGRUN and EINHORN), 1891, A., 94.

Hydrofromic acid. See under Bromine. Hydrofromo-cinchenine and cinchonine (COMSTOCK and KOENIGS), 1887, A., 1124.

Hydrobromocinchonine chloride (Comstock and Koenigs), 1892, A., 1011. Hydrobromodehydrocinchonine (Comstock and Koenigs), 1887, A., 1125.

Hydrobromoquinine (Comstock and Koenics), 1887, A., 1123.

Hydrobromoapoquinine, and its salts (Julius), 1886, A., 83.

Hydrobromostannic acid (Preis and Rayman), 1883, A., 425; (Seubert and Schuemann), 1887, A., 554.

Hydrobromoxycinchenine hydrobromide (Koenigs), 1890, A., 1433.

Hydrobutylacridine (BERNTHSEN and TRAUBE), 1884, A., 1183.

Hydrocaffuric acid (Fischer), 1883, A., 356.

Hydrocamphoryl-acetic and -malonic acids (WINZER), 1890, A., 1151.

Hydrocarbon (C₈H₁₁)_n (Emment and Friedrich), 1883, A., 39.

C₃H₁₄, prepared from allyldiethylcarbinol (Reformatsky), 1885, A., 232.

C₈H₁₆, from methyldipropylcarbinol (SOKOLOFF), 1888, A., 1168. action of hypochlorous acid on

есной от пуросиютом асм с (Ригунутек), 1888, А., 123.

- Hydrocarbon C9H18, from ethyldipropylcarbinol (SOKOLOFF), 1888, A., 1168.
 - C₁₀H₁₈, prepared from allyldipropylcarbinol (Reformatsky), 1883, A., 1073.
 - C₁₂H₂₀, prepared from allyldimethylcarbinol (NIKOLSKY and SAYT-ZEFF), 1883, A., 1074.
 - refractive power of (Albitzky), 1885, A., 211.
 - non-volatile product of the oxidation of (Albitzky and Nikolsky), 1886, A., 141.
 - $C_{16}H_{19}$, from styrolene alcohol (Zincke and Brever), 1885, A., 269.
 - $C_{60}H_{122}$ (Hell and Higele), 1889, A., 575.
 - from isobutyl-o-toluidine (Effront), 1885, A., 152.
 - obtained from carminic acid, constitution of (BISCHOFF), 1890, A., 1145.
 - from distilled Japanese petroleum (Divers and Nakamura), 1885, T., 924.
 - derived from perseitol (MAQUENNE), 1892, A., 1065.
- compounds of aluminium chloride and bromide with a (GUSTAVSON), 1886, A., 999.
- Hydrocarbons from peat (DURIN), 1883, A., 652.
 - from American petroleum and their derivatives (LEMOINE), 1884, A., 1106.
 - from Caucasian petroleum, chlorination of (MARKOWNIKOFF and OGLOBIN), 1883, A., 564.
 - from Pennsylvania petroleum, critical temperatures and specific volumes of (Bartoli and Stracciati), 1885, A., 859.
 - from compressed petroleum gas (Wil-LIAMS), 1884, A., 879.
 - from tar oils boiling between 170° and 200° (JACOBSEN), 1887, A., 35. pyrogenic, in compressed gas (Bro-
 - CHEr), 1892, A., 797.
- solid, in plants (ABBOT and TRIMBLE). 1888, A., 1329; (GUTZEIT), 1889, A., 68.
- natural synthesis of vegetable (MA-QUENNE), 1892, A., 1281.
- genesis and decomposition of, at high
- temperatures (ARMSTRONG and MILLER), 1885, P.,77; 1886, T., 74. formation of, by the reversal of Friedel and Crafts' reaction (JACOESEN), 1885, A., 516.
- method for preparing (HEUSSER), 1884, A., 788,

- Hydrocarbons, synthesis of (HEISE), 1891, A., 685.
 - of the formula (C₅H₈)_n (TILDEN), 1883, A., 75.
 - constitution of (Thomsey), 1891, A., 632.
 - structure of cycloid (ARMSTRONG), 1890, P., 101.
 - spectra of (Liveing and Dewar), 1883, A., 641; (DESLANDRES), 1891, A., 773.
 - illuminating power of (FRANKLAND),
 - 1885, T., 235; P., 31. flames of (SMITHELLS and INGLE), 1892, T., 204, 210, 212.
 - heat of combustion and constitution of (Thomsen), 1891, A., 632.
 - heats of combustion and formation of solid (Berthelor and Vieille), 1886, A., 756. relation of the heats of combustion
 - of solid dibasic acids to those of gascous (Stohmann), 1891, A., 252.
 - melting points of binary mixtures of (Vignon), 1891, A., 1495.
 - spontaneous polymerisation of volatile, at the ordinary atmospheric temperature (Roscoe), 1885, T., 669.
 - action of aluminium chloride on (Friedel and Crafts), 1885, A., Ġ54.
 - action of aluminium chloride and bromide on (Gustavson), 1883, A., 577.
 - action of ozone on (MAQUENNE), 1883, A., 37.
 - action of sulphuric acid on closedchain (MAQUENNE), 1892, A.,
 - decomposition of, with steam (Coquit-LION and HENRIVAUX), 1892, ydr-288.
 - conversion of, into aldehydes the action of chromyl dichlorida (ETARD), 1884, A., 312.
 - preparation of acids from (Schaal), 1886, A., 290.
 - and their oxides and chlorides, combustion of, with mixtures of chlorine and oxygen (Schlegel), 1885, A., 214.
 - products of the combustion of, in air, presence of hydrogen peroxide and ammonium nitrite and absence of ozone in the (LEEDS), 1884, A., 818.
 - compounds of aluminium bromide with, thermic data for (Gustavson), 1885, A., 472.

Hydrocarbons, addition products of nitro-derivatives with (HEPP), 1883, A., 317.

velocity of the halogenisation of fatty (WILDERMANN), 1891, A., 145.

Hydrocarbons, aromatic, in Caucasian petroleum (Doroshenko), 1886, A., 142.

method of preparing (Anschütz), 1885, T., 898; A., 1064. ring and nucleus structure of (VAU-

BEL), 1891, A., 1343.

action of aluminium chloride on (Heise and Töhl), 1892, A.,

1309.

action of bromine on (SCHRAMM), 1883, A., 977.

action of bromine on, spectrum researches on the energy of the (Schramm and Zakrzewski),1888, A., 9.

action of chlorocarbonylamide o (HARRIS), 1890, A., 158.

action of ethylic diazoacetate on (Buchner and Curtius), 1885, A., 1207.

chlorinated and brominated, preparation of, from aromatic amines (GASIOROWSKI and WAIJSS), 1885, A., 1060.

hydrogenation of (BAMBERGER and LODTER), 1888, A., 292.

substitution in (SRPEK), 1891, A., 44. substitutions of halogens in (ERRERA), 1891, A., 1020; (LASAREVA), 1892,

A., 1310. substitution-products of, oxidation of (Remsen and Comstock), 1884, A., 319; (Remsen and Day), 1884, A., 456; (Remsen and Keiser),

1884, A., 457.
Additive compounds of, coefficients of expansion and specific volumes of (Lossen and Zander), 1884, A., 1252.

higher, perhydrides of (LIEBERMANN and SPIEGEL), 1889, A., 719.

of the benzene series, separation of mixtures of (FRIEDEL and CRAFTS), 1886, A., 229.

Hydrocarbons of the methane series, mitration of (Konjwaloff), 1892, A., 575.

Hydrocarbons, unsaturated, isomeric change in (FAWORSKY), 1891, A., 1330.

constitution of saturated and (WIL-DERMANN), 1892, A., 285.

specific volumes of saturated and (Weger), 1884, A., 8.

Hydrocarbons, unsaturated, condensation of, with phenols (KOENIGS), 1891, A., 208, 571; (KOENIGS and CARL), 1892, A., 446; (KOENIGS and Mar), 1892, A., 1443.

of the acotylene series (Behal), 1889, A., 839.

isomerism of (FAWORSKY), 1885, A., 736.

isomeric change of, by heating with potash (FAWORSKY), 1888, A., 798. action of, on mercuric oxide and its salts (KUTSOHEROFF), 1883, A., 172; 1884, A., 572, 719.

action of organic acids on (BÉHAL and DESGREZ), 1892, A., 1064.

alcoholic silver nitrate as a reagent for (Béhal), 1888, A., 930. higher members of (Krafft), 1884,

A., 1108; (KRAFFT and REUTER), 1892, A., 1163.

Hydrocarbons, analysis of, gaseous halogenated (SEUBERT), 1886, A., 181. detection of, in alcohols (WARREN), 1887, A., 1088.

detection of, in oil and fat (NITSCHE), 1886, A., 395.

estimation of heavy (WINKLER), 1889, A., 924.

estimation, volumetric, of volatile (HEMPEL and DENNIS), 1891, A., 1141.

See also Olefines and Paraffins.

Hydrocarbostyril (2'-hydrocydihydroquinoline; 2'-oxydihydroquinoline), constitution of (FRIEDLÄNDER and WEINBERG), 1883, A., 204.

amido- (FISCHER and KUZEL), 1884, A., 441.

Hydrocarbostyril-2-carboxylic acid (WIDMAN), 1889, A., 1182. Hydrocarbostyrilsulphonic acid (o-

unidosulphohydrocinmmic anhydride) (Fisoher and Kuzel), 1883, A., 1132.

Hydrocarrotene (REINITZER), 1887, A., 265.

Hydrocellulose, action of phenylhydrazine on (Cross and Bevan), 1884, A., 897.

Hydrocerussite (plumbonacrite) (HEDDLE), 1891, A., 275. artificial production and composition

of (Bourgeois), 1889, A., 21.

Hydrochelidon-amic and -anilic acids
(Volhard), 1892, A., 432, 433.

Hydrochelidon-bismethylimide and imide (Volhard), 1892, A., 433.

Hydrochelidonic acid (HAITINGER and LIEBEN), 1885, A., 47; (VOLHARD), 1890, A., 30; 1892, A., 432. Hydrochelidonic acid dioxime (Vol-HARD), 1592, A., 431.

Hydrochloric acid. See under Chlorine. Hydrochlorides of chlorides (ENGEL), 1890, A., 106.

Hydrochlorobutallyl-carbindimethyl--methylcarbinamine amine. and -methylcarbindimethylamine (Mer-LING), 1891, A., 1506, 1507, 1508.

Hydrochlorocarvoxime and its benzoylderivative (Goldschmidt and Zur-RER), 1885, A., 1210.

Hydrochlorocinchonine (Comsrock and Koenigs), 1887, A., 1124.

Hydrochloroupocinchonine, specific rotatory power of, under the influence of acids (OUDEMANS), 1883, A., 359.

Hydrochlorodimethylpyrone (FEIST), 1892, A., 811.

Hydrochlorodipentenenitrobenzylamine (WALLACH), 1892, A., 1349.

Hydrochlorofurfuran-aa'-dicarboxylic acid (TIEMANN and HAARMANN), 1886, A., 690.

Hydrochloro-a-methyltropidine (MER-LING), 1892, A., 358.

Hydrochloropentallylcarbindimethylamine salts (MERLING), 1891, A., 1508.

Hydrochloroquinine (Comstock and Koenigs), 1887, A., 1123.

Hydrochlorostannic acid (Seubert),

1887, A., 554. Hydrocinchonic acid, derivatives (Weidel and HAZURA), 1885, A., 561.

Hydrocinchonidine, and its (HESSE), 1883, A., 97.

Hydrocinnamaldehyde (v. Miller and ROHDE), 1890, A., 979.

Hydrocinnamanilide (Huohes), 1891, P., 71.

Hydrocinnamenylacrylic acid. See Hydrostyrylaerylie acid.

Hydrocinnamic acid. See B-Phenylpropionic acid.

Hydrocinnamide (PEINE), 1884, 1311.

Hydrocollidine from the putrefaction of albuminoids (GAUTIER), 1885, A., 676.

platinochloride of (GAUTIER and Erard), 1884, A., 89.

Hydroconquinine. See Hydroquinid-

Hydrocotarnine, physiological action of (Stockman and Dott), 1891, A.,

Hydrocotoin, a constituent of coto bark. (CIAMICIAN and SILBER), 1891, A., 578.

Hydrocotoin, neutrions of (CIAMICIAN and Struck), 1892, A., 62.

"Hydrocoton," nature of (Clamician and Silber), 1892, A., 873.

Hydrocoumaric acid (0-hydroxy-Bphenylpropionic acid; melilotic acid) (Hochstetter), 1885, A., 390; (Dyson), 1887, T., 70. anhydride of (Hocustetter), 1885, A., 390.

Hydro-m-coumaric acid (m-hydroxy-Bphenylpropionic acid) (TIEMANN and Lunwig), 1883, A., 189.

Hydro-p-coumaric acid (p-hydroxy-βphenylpropionic acid) and its derivatives (STOEHR), 1884, A., 1349.

Hydrocoumarilic acid, and its salts (FITTIG and EBERT), 1883, 474.

Hydrocoumarin (Dyson), 1887, T., 71.

Hydrocoumarone (ALEXANDER), 1892. A., 1318.

Hydrocuminamide (UEBEL), 1888, A., 1079.

Hydrocupreine (HESSE), 1888, A., 71. Hydrocyanic acid. See under Cyanogen.

Hydrodesylphenol (JAPP and WADSworth), 1890, Т., 970.

Hydrodicoumaric acid and its salts (Dyson), 1887, T., 65.

Hydrodicoumarin (Dyson), 1887, T.,

bromo- (Dyson), 1887, T., 67. Hydrodiffusion, theory of (WIEDEBURG), 1891, A., 383; (Planck), 1892, A.,

Hydrodimethylamarine methylic

chloride (CLAUS), 1883, A., 203. Hydrodimethyl-\$-naphthindole (Sгесне), 1888, А., 285.

Hydrodimethylquinolines (DOEBNIER

and v. Miller), 1884, A., 184. Hydrodiphthalyl (Wisliebnys), 1885, A., 57; (Hasselbach), 1888, A., 485.

Hydrodiphthalyllactonic acid (Wishi-CENUS, 1885, A, 57; (GRAEBE and SCHMALZIGAUG), 1885, A., 798; (HASSELBACH), 1888, A., 485.

Hydrodiquinoline (LELLMANN), 1889, A., 904.

Hydroethylquinoline, ethoxy-derivatives of (FISCHER and RENOUF), 1884, A., 1049.

Hydroferrocyanic acid, and its derivatives (ETARD and BEMONT), 1885, A., 233.

Hydrofluogermanic acid. See under Fluorine.

Hydrofluoranic acid (MEYER and HOFF-MEYER), 1892, A., 1228.

Hydrofluoric acid and hydrofluosilicic acid. See under Fluorine.

Hydrofurfuran, constitution of (GRI-MAUX and CLOEZ), 1890, A., 730. Hydrogels (VAN BEMMELEN), 1888. A.,

Hydrogen in the meteoric iron of Lenarto (WILLIAMS), 1885, A.,

atomic weight of (AMAGAT), 1885,

atomic weight of, carbon as an impurity affecting the estimation of the (Morley), 1890, A., 1369.

relative values of the atomic weights of oxygen and (Cooke and RICHARDS), 1888, A., 647, 910.

atomic volume of (AMAGAT), 1885, A., 631.

mascent (Tommasi), 1883, A., 7.

preparation of (HEMBERT HENRY), 1886, A., 184; (HABER-MANN), 1889, A., 465.

preparation of, apparatus for (CLOEZ; AMAGAT), 1885, A., 631.

preparation of, by the aid of zinc dust (SCHWARZ), 1886, A., 660.

structure of (GRUNWALD), 1892, A., 1381.

chemical structure and dissociation of, in the sun's atmosphere (Grün-WALD), 1887, A., 1070.

dispersion equivalent of (GLAD-STONE), 1888, A., 389.

refraction equivalent of (GLADSTONE), 1884, T., 251; (BRUHL), 1887, A., 193.

spectrum of. See under Photochemistry.

flame, coloration of (SANTINI), 1885, A., 209, 465.

, experiments on (SMITHELLS and INGLE), 1892, T., 215.

relation between potential difference and striking distance in, at different pressures (Paschen), 1889, A., 806.

critical temperature of (v. Wrob-LEWSKI), 1889, A., 564.

critical-density, -pressure and -volume of (v. Wroblewski), 1889, A., 564. of, to Mariotte's law relation

(Puschi), 1888, A., 18.

compressibility of (AMAGAT), 1884, A., 146; 1889, A., 8; 1891, A., 378; (v. Wroblewski), 1889, A., 563.

compressibility of mixtures of air and (LALA), 1891, A., 634.

Hydrogen, heat of combination of, with fluorine (BERTHELOT and MOISSAN), 1889, A., 1096. heat of combination of, with oxygen

(Boillot), 1885, A., 8. density of (AMAGAT), 1885, A., 631; (RAYLEIGH), 1890, A., (Cooke), 1890, A., 322; (Leduc), 1891, A., 1416.

relative densities of oxygen and (RAYLEIGH), 1888, A., 643.

maximum tension with which, is set free from solutions by metals (TAM-MANN and NERNST), 1892, A., 561.

liquefaction of (v. Wroblewski), 1884, A., 888; 1889, A., 565; (Olszewski), 1884, A., 889.

liquid, temperature of (v. Wrob-LEWSKI), 1885, A., 861.

occlusion of (BERLINER), 1889, A.,

occlusion of, hy metals (THOMA), 1889, A., 568; (NEUMANN and STREINTZ), 1892, A., 567.

occlusion of, by lead (SHIELDS), 1892, A., 942.

occlusion of, by palladium, lecture experiments (Schiff), 1885, A., 1035; (WILM), 1892, A., 563.

occlusion of, by zinc-dust (WIL-LIAMS), 1885, A., 634; 1886, A.,

passivity of (WANKLYN and COOPER), 1891, A., 392.

action of light on an explosive mixture of chlorine and (PRINGSHEIM), 1888, A., 205.

action of the electric spark on mixtures of nitric oxide and (COOKE), 1889, A., 15.

action of induction sparks on carbon dioxide and (Dixon), 1886, T.,

action of, with chlorine and oxygen (HARKER), 1892, A., 1147.

action of, on oxygen (Dixon), 1886, T., 107.

action of nascent, in increasing the activity of oxygen (HOPPE-SEYLER), 1886, A., 120.

action of platinum and palladium on (Traube), 1883, A., 422.

behaviour of, towards lead and other metals (NEUMANN and STREINTZ), 1892, A., 567.

oxidation of, to hydrogen peroxide (TRAUBE), 1889, A., 937.

influence of moisture on the oxidation of (MULLER-ERZBACH), 1886, A., 199.

Hydrogen, reducing action of, in presence of platinum (Cooke), 1888, A., 1245.

reduction of inorganic thio-salts by (Kruss and Solereder), 1887, A., 111.

absorption coefficient of, in alcohol (HENRICH), 1892, A., 1043.

solubility of, in alcohol (TIMOFÉEFF), 1891, A., 15.

solubility of, in water (TIMOFÉEFF), 1891, A., 15; (WINKLER), 1891, A., 384; (Bonn and Bock), 1892, A., 108.

solubility of, in mixtures of alcohol and water (Lubarsch), 1890, A.,

103.

combustion of weighed amounts of (Keiser), 1887, A., 1078.

combustion of, in air, presence of hydrogen peroxide and ammonium nitrite and absence of ozone in the products of the (LEEDS), 1884, A., 818.

combustion of carbonic oxide and (Dixon), 1885, P., 128; 1886, T., 94. combustion of, in nitric acid (Hodg-

KINSON and LOWNDES), 1888, A., 1244.

explosion of oxygen and, under diminished pressure (MEYER and

SEUBERT), 1884, T., 586. slow combustion of a mixture of oxygen and (KRAUSE and MEYER), 1891, A., 1153; (MEYER), 1892, A., 562; (ASKENASY and MEYER), 1892, A., 938.

direct union of nitrogen with (BAKER), 1884, A., 152.

equilibrium between chlorine, oxygen and (LE CHATELIER), 1890, A., 8. "Hydrogen acid," a11 antiseptic (Schrodt), 1885, А., 612.

Hydrogen compounds, heats of formation of (Tommasi), 1885, A., 716. correlation of, with oxygen compounds (FLAWITZKY), 1892, A., 1270.

See Hydrobromic Hydrogen bromide. acid under Bromine.

perbromide, formation of (BERTHE-LOT), 1890, A., 6.

carbonates, electrolysis of (Aslano-

glou), 1890, A., 1204. doride. See Hydrochloric acid chloride. under Chlorine.

gold chloride (Schottländer), 1883, A., 853; (Thomsen), 1883, A., 1054. cyanide. See Hydrocyanic under Cyanogen.

fluoride. See Hydrofluoric acid under Fluorine.

Hydrogen iodide. See Hydriodic acid under Iodine.

potassium fluoride. See Potassium. nitride. See Azoimide.

Hydrogen peroxide (HANRIOT), 1885, A., 344.

probable existence of, in natural waters (RAMSAY), 1886, P., 225.

supposed presence of, in animal and vegetable juices (Bokorny), 1888, A., 751.

presence of, in saliva (WURSTER), 1887, A., 298; 1888, A., 863.

molecular weight of (TAMMANN), 1890, A., 106.

formation of (KAPPEL), 1883, A., 282.

formation of, at the anode during the electrolysis of dilute sulphuric acid (RICHARZ), 1888, A., 12, 769;

(TRAUBE), 1888, A., 210. formation of, during the combustion of carbonic oxide and of hydrogen (TRAUBE), 1885, A., 1108.

formation of, from moist ether (RICHARDSON), 1889, P., 134.

conditions of the formation of, from ether (Dunstan and Dymond), 1890, T., 574, 988; P., 69.

influence of temperature on the formation of, from other (RICHARDson), 1891, T., 56.

formation of, from persulphuric acid

(TRAUBE), 1889, A., 940. formation of, on exposure of water to light (RICHARDSON), 1889, P.,

formation of, by the exidation of water by active oxygen (TRAUBE), 1885, A., 1107.

oxidation of hydrogen to (TRAUBE), 1889, A., 937.

preparation oť. chemically (MANN), 1889, A., 101; (CRISMAR), 1892, A., 270.

constitution of (TRAUBE), 1886, A.

evaporation of (TRAUBE), 1889, A.,

decomposition of, by certain organised bodies (Bechamp), 1883, A., 103.

spontaneous decomposition of (TAM-MANN), 1890, A., 106.

decomposition of, explanation of the (Debus), 1888, T., 326.

formation of dyes by means of (Wur-STER), 1888, A., 141.

action of, on chromic acid (Berthe-LOT), 1889, A., 350, 468, 571. action of, on the rare earths (CLEVE),

1885, A., 635.

Hydrogen peroxide, action of, on Hydrogen peroxide, detection of minute hydriodic acid, catalytic influence of acids on the velocity of (MAGNA-NINI), 1892, A., 110.

action of iodine and its oxy-acids on (BAUMANN), 1892, A., 539.

action of, on magnesium (Giorgis), 1892, A., 17.

action of, on the oxides of chromium

(MARTINON), 1886, A., 984. action of, on manganese oxides (GORGEU), 1890, A., 946.

action of, on the hydrated oxides of zinc, cadmium and magnesium (Kuriloff), 1892, A., 1278.

action of, on permanganic acid and the permangunates (Gorger), 1890, A., 1062.

action of, on potassium permanganate solutions (ENGEL), 1892, A., 277.

action of, on phenols (MARTINON), 1885, A., 658.

influence of, on the solution of zinc in dilute sulphuric acid (PULLIN-GER), 1890, T., 822.

reducing action of (MARTINON), 1885, A., 1036.

oxidations by (Radziszewski), 1885, A., 496.

oxidation of ammonia by (TRAUBE), 1889, A., 939.

bleaching of cotton by (PRUD'HOMME), 1891, A , 1447.

bleaching wool with (Löbner), 1886, A., 292.

in medicine(Sonnerat),1884, A., 1082. action of, on the red colouring matter of the blood and on hæmatosin (Béchamp), 1883, A., 103.

cause of the evolution of oxygen from, by fibrin (Bechamp), 1883, A., 227. supposed connection of, with the liberation of silver by living cells (Bokorny), 1888, A., 980.

as a beer preservative (WEINGÄRT-

NER), 1884, A., 1447.

use of, in analysis (CLASSEN and BAUER), 1883, A., 934; (DUN-NINGTON), 1889, A., 546; (HIEPE), 1890, A., 419; (DONATH), 1892, A., 1031.

use of, in volumetric analysis (ELIAS-BERG), 1886, A., 488.

separation of metals in alkaline solution by (Jannasch and Niederпогнеім), 1892, А., 537.

test for (TRAUBE), 1884, A., 1073; (WURSTER), 1887, A., 296; (DENI-GES), 1890, A., 1185; 1891, A., 1549; 1892, A., 1124; (CRISMER), 1892, A., 381.

quantities of (FAIRLEY), 1891, A., 360.

naphthylamine as a reagent for, in the presence of sodium chloride

(Wurster), 1889, A., 1242. estimation of (Hanriot), 1885, A., 344; (CARPENTER and NICHOLSON), 1885, A., 480; (MARTINON), 1885, A., 1036; (DE THIERRY), 1886, A., 579; (THOMS), 1887, A., 862; (CONTAMINE), 1888, (KINGZETT), 1889, 751; A., (KINGZETT), 1889, A., 301; (QUINCKE), 1892, A., 526. estimation, rapid, of, apparatus for (MARTINON), 1885, A., 430; (DE THIERRY), 1886, A., 579.

estimation of the oxygen value of commercial (SONNERAT), 1884, A., 1082.

Hydrogen phosphide, spontaneously inflammable (GATTERMANN HAUSSKNECHT), 1890, A., 942.

preparation of (Messinger and Engels), 1888, A., 441; (Lupke), 1891, A., 397.

liquefaction and solidification (Olszewski), 1886, A., 977.

actions of (CAVAZZI), 1884, A., 155. action of, on an ethereal solution of bismuth tribromide (CAVAZZI and Tivoli), 1892, A., 279.

action of, on the halogen compounds of arsenic (Besson), 1890, A., 1052. action of, on solutions of metallic

salts (Kulisch), 1886, A., 200. action of phosphorous chloride on (LÜPKE; BESSON), 1891, A., 398. action of, on zinc ethyl (GAL), 1883,

A., 653. reduction of sulphurous acid by

(Cavazzi), 1886, A., 978. combination of, with boron chloride and silicon sesquichloride (BESSON), 1890, A., 690.

combination of, with boron fluoride and silicon fluoride (Besson), 1890, A., 448.

compounds of, with mercury salts (Aschan), 1886, A., 423.

combination of, with silicon bromide and chloride (Besson), 1890, A., 559. hydrobromide, dissociation of (Isam-BERT), 1883, A., 646.

Hydrogen phosphide, liquid (GATTER-MANN and HAUSSKNECHT), 1890, A., 942.

action of light on (AMATO), 1884, A., 1237.

solid, hydroxylated (FRANKE), 1887, A., 635.

Hydrogen selenide, preparation of, from iron selenide (DIVERS and SHIMIDZU), 1885, T., 443.

heat of formation of (FABRE), 1886, A., 961.

action of sulphur on (DIVERS and SHIMIDZU), 1885, T., 444.

action of sulphurous acid with (DIVERS and SHIMIDZU), 1885, T., 441; P., 52.

compounds of, with ethers (DE FOR-CRAND), 1883, A., 961.

Hydrogen sulphide, occurrence of, in the Stassfurt salt deposits (Pfeiffer), 1890, A., 336.

presence of, in urine (Muller), 1888, A., 178; (Salkowski), 1889, A., 432.

biogenesis of (DEBRAYE and LE-GRAIN), 1891, A., 102.

formation of, during alcoholic fermentation (Sosteoni and San-NINO), 1890, A., 1451.

preparation of (DRAPER), 1885, A., 346.

preparation of, from coal-gas (TAY-LOR), 1883, A., 821.

preparation of, free from arsenic (FRESENIUS), 1887, A., 885; (WINKLER), 1888, A., 220.

preparation of pure, from magnesium hydrosulphide solution (DIVERS and SHIMIDZU), 1884, T., 699.

apparatus for preparing (DAGGER), 1889, A., 14.

apparatus, Kipp's, modification of (REINHARDY), 1885, A., 1261.

recovery of, from alkali waste (v. Miller and Opl.), 1884, A., 1442. purification of (Lenz), 1881, A., 215, 776; (O170), 1884, A., 638.

purification of, from hydrogen arsenide (v. DEE PFORDIES), 1885, A., 317; (JACOBSEN), 1887, A., 885.

purification of, by means of hydrochloric acid (Lenz), 1884, A., 776. flame, experiments on (SMITHELLS

and Indie, 1892, T., 216. absorption coefficient of, in water (Henry 1892 A 1044

(HENRICH), 1892, A., 1044. absorption of small quantities of, in gaseous mixtures (OSMOND), 1885,

A., 688.
action of, on calcium carbonate and calcium polysulphides (Divers and Shimidzu), 1884, T., 282,283.

action of dry, on metals (LORENZ), 1891, A., 990.

distribution of, between the metals of two dissolved salts (CHESNEAU), 1890, A., 1367. Hydrogen sulphide, influence of, on the interaction of zinc and sulphuric acid (Pullinger), 1890, T., 821.

explosion of, with air or oxygen (Pedler), 1890, T., 625; P., 66, preservation of solutions of (Lindo),

preservation of solutions of (Lindo), 1888, A., 750.

rhombic sulphur from (AHRENS), 1890, A., 1371.

recovery of sulphur from (CLAUS), 1885, A., 304; (ANON.), 1885, A., 937.

recovery of sulphur from, by means of nitrohydrochloric acid in presence of air (Lunge), 1885, A., 454.

poisoning by (BROUARDEL and LOYE), 1885, A., 1151; (BELKY), 1887, A., 392.

compounds of, with ethers (DE FORC-RAND), 1883, A., 961.

hydrate of (DE FORCEAND and VIL-LARD), 1888, A., 897.

hydrate of, vapour tension of (DE FORGRAND and VILLARD), 1888, A., 644.

formation of methylene-blue as a reaction for (FISCHER), 1884, Λ.,

estimation of (CLASSEV and BAUER), 1883, A., 934; (DE KONINCK), 1889, A., 437.

estimation of, in aqueous solution (FAUSER), 1889, A., 1031.

- estimation of, in coal-gas (WRIGHT), 1883, T., 267; 1887, A., 86.

estimation of small quantities of, in gaseous mixtures (Osmond), 1885, A., 688.

estimation of, in admixture with sulphurous anhydride (Lunge), 1891, A., 498.

estimation, volumetric, of (BEHREND and KAST), 1890, A., 290.

Hydrogen pursulphide, composition of (Sabarier), 1885, A., 952; (Rebs), 1888, A., 1155.

stability of (Sabarier), 1885, A., 1037. Hydrogen telluride (Berthelor and Fabre), 1889, A., 210.

pertelluride (Divers and Shimosé), 1883, T., 330.

Hydrogen organic compounds:

diphenylic cyanide (Krafft and Koenig), 1890, A., 1252.

ethylic salts. See Ethylic hydrogen salts.

methylic salts. See Methylic hydrogen salts.

potassium tartrate (creum of tartur). See Tartaric acid, potassium hydrogen salt of. Hydrogen, estimation of:-

estimation of, in presence of methane, apparatus for (Hoppe-Seyler), 1887, A., 618.

estimation of carbon and, by means of copper-oxide asbestos (LIPP-MANN and FLEISSNER), 1886, A., 580.

estimation, simultaneous, of nitrogen and (Gehrenbeck), 1889, A., 1031.

Hydrogen thermometer, comparison of mercurial thermometers with (Crafts), 1883, A., 144.

the limit to the use of (v. WROBLEWski), 1885, A., 861.

Hydrogenation of closed chains (STOH-MANN and KLEBER), 1891, A., 376, 1146.

process, characteristics of (BAM-BERGER and LENGFELD), 1890, A.,

Hydrogiobertite (SCAUCHI), 1887, A., 17.

Hydrohomoferulic acid and its methoxyderivative (TIEMANN and KRAAZ), 1883, A., 198.

Hydrohydrastine (Power), 1885, A., 675.

Hydrohydrastinine. See under Alkaloids.

Hydroisoindileucine (Engler and Has-SENKAMP), 1885, A., 1223.

Hydrojugiones, α - and β -, relations of (MYLIUS), 1886, A., 69. and their derivatives (MYLIUS), 1885,

A., 169. Hydrolapachol, dibromo- (HOOKER),

1892, T., 643. chloro- (HOOKER), 1892, T., 631.

(ARM-

Hydrolysis, terminology of strong), 1890, T., 528. Hydrolysts and hydrolyte strong), 1890, T., 531. (ARM-

Hydromellitic acid (BARTOLI and PAPA-

SOGLI), 1883, A., 593.
"Hydrometer" (NEUMANN), 1888, A., 1332.

demonstrating alterations for in changes weight chemical (Gröger), 1884, A., 1253.

Hydromethylacridine (BERNTHSEN and Bender), 1883, A., 1134.

Hydromethylbenzylamarine (CLAUS), 1883, A., 203.

Hydro-m-methylcinnamic acid. See m-Tolylpropionic acid.

Hydromethylindole [b.p. 232°] and its derivatives (Wenzing), 1887, A.,

actions of (Bamberger), 1891, A.,

Hydro-α-methylindole, action of methylic iodide on (ZATTI and FER-RATINI), 1891, A., 311.

Hydromethylindoles [b.ps. 216° and 228'] (Wenzing), 1887, A., 957.

Hydromethyl-β-naphthindole (SCHLIE-PER), 1887, A., 151.

Hydromethylpyrroline and its derivatives (Clawician and Magnaghi), 1885, A., SO9.

Hydro-2'-methylquinoline, colouring from (v. MILLER and matters PLOCHL), 1891, A., 1102.

Hydromucic acid (oxypentic acid) (Gor-BOFF), 1888, A., 1179; (BISCHOFF), 1891, A., 1221.

Hydromuconic acid (RUHEMANN and Blackman), 1890, T., 371; P. 38; (RUHEMANN), 1890, T., 937; P., 139.

brome- (v. BAEYER and RUPE), 1890, A., 876.

Hydromuconic acids, $\Delta\beta\gamma$ - and $\Delta\alpha\beta$ -(v. BAEYER and RUPE), 1890, A., 875, 876.

Hydronaphthaquinone. See Naphthaquinol.

a-Hydronaphthindole (SCHLIEPER), 1887, A., 964.

Hydronaphthoic acids (v. BAEYER, SCHODER and BESEMFELDER), 1892, A., 191.

Hydronaphthylcarbinylamines (BAM-BEGER and HELWIG), 1889, A., 1198.

Hydronephelite from Litchfield, Maine (CLARKE), 1886, A., 677.

Hydronicotine (ETARD), 1884, A., 464. Hydro-oxytetraphenylfurfuran (bidesyl; hydro-oxylepiden) (Knoevenagel), 1888, A., 706; (Fehrlin), 1889, A., 623.

Hydrophane from Colorado (Kunz), 1888, A., 346.

Hydrophenanilide (Drechsel), 1888, A., Ī277.

Hydrophenylacridine and its derivatives (BERNTHSEN and BENDER), 1883, A., 1134, 1135.

Hydro-2'-phenylindole (FISCHER and SCHMIDT), 1888, A., 699.

Hydrophite (iron gymnite) from Styria (HATLE and TAUSS), 1891, A., 21.

Hydrophobia, experiments on (GIBIER), 1884, A., 914; (Pasteur), 1885, A.,

Hydrophthalaconecarboxylic acid and its ethyl salt (GABRIEL), 1884, A.,

Hydrophthalic acids (v. BAEYER), 1888, A., 1090; 1890, A., 1276; 1892, A., Hydrophenoketone (DRECHAEL), 1888, A., 1277.

a-Hydropiperic acid (Buni), 1883, A., 485.

Hydropiperic acids, α- and β-, and their derivatives (Weinstein), 1885, A., 664.

Hydroplumbite (Heddle), 1891, A., 275.

Hydroisopropylindole (TRENKLER), 1889, A., 260.

Hydroptyalin (BENDERSKY), 1891, A., 483.

Hydropyridine bases, synthesis of (A. and C. Combes), 1889, A., 1073.

Hydropyridine-derivatives, synthetical, constitution of (Hantzsch), 1886, A., 77.

Hydropyrocinchonic acid. See p-s-Dimethylsuccinic acid.

Hydropyrogallolbenzein (Doebner and Foerster), 1890, A., 899.

Hydropyromellitic acid (BARTOLI and PAPASOGLI), 1883, A., 593.

Hydropyrroline, action of hydriodic acid and phosphorus on (CIAMICIAN and MAGNAGHI), 1885, A., 809.

Hydroquercic and hydroquergalic acids (BOTTINGER), 1891, A., 1061, 1062.

Hydroquinicine (HESSE), 1888, A., 70. Hydroquinidine and its sulphate

(Hesse), 1883, A., 602. separation of quinidine from (Hesse),

1883, A., 602.

Hydroquinine and its compounds. See

under Alkaloids.

Hydroquinoline, derivatives of (SRPEK),

1890, A., 177. ethoxy-derivatives of (FISCHER and

RENOUF), 1884, A., 1049.

Hydroquinolines, conversion of indoles into (Fischer and Steche), 1888, A., 208

Hydroquinoline-1-,-3-, and -4-sulphonic acids (CLAUS), 1890, A., 266.

Hydroquinone. See Quinol.

Hydroresorufin (NIETZKI, DIETZE and MAECKLER), 1890, A., 157.

Hydrosorbic acid. See Hexenoic acid. Hydrostyrylacrylic acid (FITTIG and STERN), 1892, A., 988.

oxidation of (FITTIG and MAYER), 1892, A., 986.

Hydrosulphides (Linder and Picton), 1890, P., 49; 1891, P., 176; 1892, T., 114.

o-Hydrosulphobenzoic acid (Delisle), 1889, A., 1183.

Hydrotannic acid and isohydrotannic acid (Böttinger), 1892, A., 181, 182.

Hydroterephthalic acids (v. BAEYER), 1889, A., 1176.

thermochemistry of (STOHMANN and KLEBER), 1891, A., 1147.

Hydrothiazole derivatives, attempts to prepare (Schatzmann), 1891, A., 744.

Hydrothiocinnamic acid (GINSBURG and BONDZYŃSKI), 1886, A., 326.

derivatives of (Bondzyński), 1887, A., 1108.

amido- and nitro- (Bondzyński), 1887, A., 1109.

Hydrotoluquinone. See Toluquinol.

Hydrotriethyldaphnetic acid (WILL and Jung), 1884, A., 1043; (Jung), 1886, A., 558.

Hydrotrimellic acid. See Hydroxymellitic acid.

Hydrotrimethylamarine (CLAUS), 1883, A., 203.

Hydrotropidine and its salts (LADEN-BURG), 1883, A., 1155.

Hydrotropine iodide (LADENBURG), 1883, A., 672.

Hydroxamic acid derivatives, isomeric (Lossen), 1892, A., 711.

Hydroxamic acids, aliphatic, preparation of (HOFFMANN), 1890, A., 127; (MIGLATI), 1892, A., 698; (CRISMER), 1892, A., 828.

constitution of (TIEMANN), 1892, A., 300, 461; (LOSSEN), 1892, A., 461.

Hydroxanthochelidonic acid (HAITIN-GER and LIEBEN), 1885, A., 48.

Hydroxides, alkaline, magnetic rotation of (Perkin), 1890, P., 143.

detection of traces of (Kissling), 1891, A., 364.

detection and estimation of, in presence of alkaline carbonates (Dobbin), 1890, A., 293.

estimation of (QUINCKE), 1892, A., 526.

estimation of, in presence of carbonates (ISEERT and VENA-TOR), 1888, A., 1130.

metallic, dehydration of, by heat (CARNELLEY and WALKER),1887, P., 110; 1888, T., 59.

solubility of, in Rochelle salt (WARREN), 1888, A., 1131.

Hydroximic acids (Werner), 1892, A., 462.

Hydroximido.. See Hydroxyimido.. o-Hydroxyacetophenone and its derivatives (TAHARA), 1892, A., 845.

p-Hydroxyacetophenone (Klingel), 1886, A., 61; (Michael and Palmer), 1886, A., 239. Hydroxy-acids derived from ψ-cumenol (Jacobsen and Meyer), 1883, A., 589.

action of alkali hydrosulphides on (Frens), 1889, A., 496; 1891, A., 46.

action of hydrobromic acid on the ethereal salts of (Fölsing), 1884, A., 897.

reciprocal transformations of lactones and (HENRY), 1892, A., 1303.

velocity of lactone formation in the case of (HJELT), 1891, A., S22.

detection and estimation of, in urine (BAUMANN), 1883, A., 885.

a-Hydroxy-acids, action of phenyl-hydrazine on (Reissert and Kaxsen), 1890, A., 155; 1891, A., 438.

decomposition products of (v. Pech-Mann), 1891, A., 1457.

oxidation products of (Aristoff and Demianoff), 1888, A., 251.

constitution of the compounds obtained from o-diamines and (HINS-BERG), 1892, A., 1359.

ethereal salts of, action of phenylhydrazine on (Reissert and Kayser), 1890, A., 155; 1891, A., 438.

Hydroxyacridine and hydroxyacridylbenzoic acid (BESTHORN and CUR-TIUS), 1891, A., 1233, 1234.

Hydroxyacrylic acid, chlorobromo-(MABERY and SMITH), 1890, A., 27. o-Hydroxyaldehydes, action of acetic chloride on (BRADLEY and DAINS), 1892, A., 1458.

Hydroxyalizarin-blue, and its sulphonic acid (Schmidt and Gattermann), 1891, A., 1383.

Hydroxyallyldiamines (Reboul), 1884, A., 578.

Hydroxyamidobenzophenone (GRAEBE and Eichengrun), 1892, A., 1227.

Hydroxyamidocarbimidocarboxamidobenzoic acid (Gniess), 1885, A., 1226.

Hydroxydiamidodiphenyl (hydroxybrazidine) (Weinberg), 1888, A., 285; (Griess and Duisberg), 1890, A., 59.

Hydroxyamidohydroxyquinoneoxime, chloro- (Kehrmann and Tiesler), 1890, A., 493.

Hydroxyamidophenyl tolyl ketone (LIEBERMANN), 1883, A., 1097.

Hydroxyamidophenylacridine (FISCHER and KORNER), 1884, A., 748.

p-Hydroxy-α-amidophenylpropionic acid. See Tyrosine. Hydroxyamidosulphonic acid, barium salt of (Divers and Haga), 1889, T. 763.

Hydroxyamidothymoquinone (Kowalski), 1892, A., 1098.

Hydroxyammonium hemichloride, constitution of (Divers), 1884, T., 20. nitranilate (Neff), 1889, A., 497.

Hydroxyamylenedicarboxylic acid and its silver and ethylic salts (IIILSEBEIN), 1885, A., 1203.

Hydroxyamylenenaphthaquinone. See Lapachol.

Hydroxyamylphosphinic acid and its salts (Fossek), 1885, A., 504.

Hydroxyanisylbutyric acid, salts of (Fittig and Politis), 1890, A., 771.

m-Hydroxyanthracoumarin (v. Kosta-NECKI), 1888, A., 292.

Hydroxyanthranol (Innebarger), 1892, A., 346.

and its ethyl-derivative, constitution of (Liedermann), 1885, A., 1240. β-Hydroxyanthranol and its derivatives

(Schilze), 1886, A., 217.

m-Hydroxyanthraquinone (A. G. and W. H. PERKIN), 1885, T., 680.

Hydroxyanthraquinone, methyl-derivatives of, spectra of (LIEBERMANN and V. KOSTANECKI), 1887, A., 1. salts, reactions of (LIEBERMANN and II agen), 1883, A., 73.

ethylate, nitro- and amido- (LIEBER-MANN and HAGEN), 1883, A., 73.

Hydroxyanthraquinone dyes (Lieber-MANN and WENSE), 1887, A., 593.

Hydroxyanthraquinones, syntheses of (Liebermann and v. Kostanecki), 1886, A., 474.

ethyl-derivatives of (LIERERMANN and JELLINER), 1888, A., 715.

Hydroxy-aurins and aurinearboxylic acids (CARO), 1892, A., 855, 1469.

Hydroxyazelaic acid (Bujard and Hell), 1889, A., 376.
Hydroxyazo-. See Azo-.

Hydroxyazophenine (FISCHER and HEPP), 1887, A., 1105; (KOHLER), 1888, A., 587.

m-Hydroxybenzaldehyde and some of its derivatives (TIEMANN and LUD-WIG), 1883, A., 188; (LUDWIG), 1885, A., 663; (CLEMM), 1891, A., 699.

α-, β- and γ-nitro- (TIEMANN and (LUDWIG), 1883, A., 189, 586.

o-Hydroxybenzaldehyde. See Salicylaldehyde.

p-Hydroxybenzaldehyde, heat of solution of (BERTHELOT), 1885, A., 1177.

action 2.Hydroxybenzaldehyde, of | zinc chloride on (Bourquin), 1884, A., 1164.

m-nitro- (Schöpff), 1892, A., 336.

Hydroxybenzaldehydes, nitro-, and their methyl-derivatives (TIEMANN), 1889, A., 1168.

o-Hydroxybenzaldehydeacetic acid, dithio- (Bongartz), 1886, A., 937.

Hydroxybenzaldehydephenylhydrazones, m- and p- (RUDOLPH), 1889, A., 251, 252.

p-Hydroxybenzaldoxime (LACH), 1883, A., 1104.

n-Hydroxybenzamide, reduction (Hutchinson), 1890, T., 957.

Hydroxybenzenes, heat equivalent of (Stohmann), 1886, A., 655.

heat equivalent of the hydroxylgroups in (STOHMANN), 1886, A., 656. condensation of, with nitrobenzaldehydes (Siboni), 1892, A., 621.

m-Hydroxybenzenylamidoxime (Clemm), 1891, A., 699.

p-Hydroxybenzenylamidoxime (Krone), 1891, A., 700.

Hydroxybenzenylazo-. See Azo-. m-Hydroxybenzenylphenylhydrazone

(CLEMM), 1891, A., 699. o-Hydroxybenzhydrazoine (CORNELIUS

and Homolka), 1886, A., 1026.

p-Hydroxybenzide and its derivatives (Klepl), 1884, A., 446.

See Hydroxydi-Hydroxybenzidine. amidodiphenyl.

o-Hydroxybenzoic acid. See Salicylic

m-Hydroxybenzoic acid, absorption spectrum of (HARTLEY), 1888, T.,

action of baryta on (KLEPL), 1883, A., 664.

action of phosphoric chloride on (Anschutz and Moore), 1887, A.,

sodium salt of, action of phosphorus oxychloride on (RICHTER), 1884, A., 325.

m-Hydroxybenzoic ydroxybenzoic acid, 4-a. (Limpricht), 1891, A., 1037. 4-amido-

tri- and tetra-chloro- (ZINCKE and Walbaum), 1891, A., 709.

iodo- (LIMPRICHT), 1891, A., 1037. nitro-derivatives (GRIESS), 1887, A., 485.

2-nitro- (Thieme), 1891, A., 917.

p-Hydroxybenzoic acid, absorption spectrum of (HARTLEY), 1888, T.,

dry distillation of (KLEPL), 1884, A., 446.

p-Hydroxybenzoic acid, action phosphoric chloride on (Anschutz and Moore), 1887, A., 947.

calcium salt of, products of the distillation οť (GOLDSCHMIEDT), 1883, A., 664.

sodium salt of, action of phosphorus oxychloride on (RICHTER), 1884, A., 325.

p-Hydroxybenzoic acid, dibromo-(BAL-BIANO), 1883, A., 1125.

constitution of (ALESSI), 1886, A., 65. dichloro- (CLAUS and RIEMANN), 1883, A., 1112; (ZINCKE and WAL-BAUM), 1891, A., 710.

nitro-derivatives (GRIESS), 1887, A., 485.

Hydroxybenzoic acids, electrical conductivity of (BERTHELOT), 1890, A., 677.

heats of combustion and formation of (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1096.

heats of formation and transformation of (BERTHELOT and WERNER), 1885, A., 1103.

heats of neutralisation and solution of (Berthelot and Werner),

1885, A., 1032. action of heat on (GRAEBE and Eichengrun), 1892, A., 1208.

action of aniline on substitution derivatives of (LIMPRICHT), 1890, A., 158; (Seifert), 1890, A., 490. action of chlorine on (ZINCKE and Walbaum), 1891, A., 708.

tion of diazo-compounds (ZIBELL), 1891, A., 1473. action with

action of iodine on, in alkaline solution (MESSINGER and VORTMANN), 1889, A., 1151.

nitration of, with nitrous (DENINGER), 1891, A., 307.

inversion of cane sugar by (Koral), 1886, A., 932.

azo-dyes from (v. Kostanecki and

ZIBELL), 1891, A., 1038. ammonium and aniline salts of, electrical conductivities of (Berthelot), 1890, A., 1039.

ethylene ethers of (WAGNER), 1884, A., 433.

o-Hydroxybenzonitrile (MEYER), 1888, A., 266; (TIEMANN), 1888, A., 276.

p-Hydroxybenzonitrile (KLEPL), 1884, A., 447.

o-Hydroxybenzophenone (HEIBER), 1892, A., 309.

Hydroxybenzophenones, m- and p-, and their oximes (SMITH), 1892, A., 489, 490.

- Hydroxybenzotropeine and its salts (Ladenburg), 1883, A., 671.
- p-Hydroxybenzoyl-p-hydroxybenzoic acid (KLEPL), 1884, A., 447.
- p-Hydroxybenzoylpiperidine (Schotten), 1888, A., 1106.
- o-Hydroxybenzylacetamide (Goldschmidt and Ernst), 1890, A., 1411.
- o-Hydrexybenzylamine (salicylamine) (GOLDSCHMIDT and ERNST), 1890, A., 1411; (TIEMANN), 1891, A., 50.
- p-Hydroxybenzylamine (SALKOWSKI), 1889, A., 1173.
- Hydroxybenzylanilines, o- and p-(EMMERICH), 1888, A., 50, 51.
- Hydroxy-m-benzylbenzoic acid (m-benzhydrilbenzoic acid) and its salts (SENFF), 1884, A., 428.
- o-Hydroxybenzylcarbamide (Goldschmidt and Ernst), 1890, A., 1411.
- 4-Hydroxy-6-benzyl-m-diazine-2-carboxylic acid (PINNER), 1889, A., 1008.
- 6-Hydroxy-2-benzyl-4:5-dimethyl-mdiazine (PINNER), 1889, A., 1008.
- δ-Hydroxy-γ-benzylhexoic acid, lactone of (Firric and Christ), 1892, A., 963.
- 2-Hydroxybenzyl-6-hydroxy-4-methylm-diazine (PINNER), 1891, A., 63.
- 2-Hydroxybenzyl-6-hydroxy-4-methyl-5-ethyl-m-diazine (PINNER),1891, A.,
- o-Hydroxybenzylic alcohol. See Saligenin.
- p-Hydroxybenzylic alcohol (BIEDER-MANN), 1887, A., 38.
 - cyanide (Salkowski), 1884, A., 1175; 1889, A., 1173.
- Hydroxybenzylidene compounds (EM-MERICH), 1888, A., 50.
- o-Hydroxybenzylideneamidobenzamide (Schiff), 1884, A., 455.
- Hydroxybenzylideneamidodimethylanilines, o- and p- (NUTH), 1885, A., 784.
- o-Hydroxybenzylidene-p-amidodiphenylamine (HENCKE), 1890, A., 609.
- Hydroxybenzylidene-o- and -p-amidophenols (HAEGELE), 1892, A., 1451.
- o-Hydroxybenzylideneazine (CURTIUS and JAY), 1889, A., 393.
- o-Hydroxybenzylidenebisthioglycollic acid (BONGARTZ), 1888, A., 478.
- p-Hydroxybenzylidenediacetonamine oxalate (ANTRICK), 1885, A., 503.
- Hydroxybenzylidenediphenylmaleide (Cohn), 1892, A., 483. Hydroxybenzylidenefenchylmine
- Hydroxybenzylidenefenchylamine (WALLACH and GRIEPENKERL), 1892, A., 1239.

- m-Hydroxybenzylidene-4'-methylquinoline (HEYMANN and KOENIGS), 1888, A., 1114.
- p-Hydroxybenzylidene-4'-methylquinoline (HEYMANN and KOENIGS), 1888, A., 852.
- p-Hydroxybenzylidene-2'-methylquinoline (Bulach), 1889, A. 528.
- p-Hydroxybenzylidenepinylamine (WALLACH and LORENTZ), 1892, A.,
- 6-Hydroxy-2-benzyl-4-methyl-m-diazine (PINNER), 1889, A., 1007.
- 6-Hydroxy-2-benzyl-4-methyl-5-ethylm-diazine (Pinner), 1889, A., 1008.
- o-Hydroxybenzyl-4'-methylquinoline (HEYMANN and KOENIGS), 1888, A.. 852, 1113.
- p-Hydroxybenzyl-4'-methylquinoline (HEYMANN and KOENIGS), 1888, A., 852.
- Hydroxybenzyl-β-naphthylamines and -β-naphthylnitrosamines, o- and p-(ΕΜΜΕΚΙCΗ), 1888, A., 51.
- o-Hydroxybenzylphenylcarbamide (Goldschmidt and Ernst), 1890, A., 1412.
- Hydroxybenzylphosphinic acid (Fossek), 1886, A., 530.
- Hydroxybenzylphosphinous acid (VILLE), 1890, A., 618.
- p-Hydroxybenzylphthalimidine (HAF-NER), 1889, A., 983; 1890, A., 487.
- Hydroxybenzylphthalimidine, nitro-(GABRIEL), 1885, A., 1230.
- Hydroxybenzylpyrotartaric acid (phenylhomoitamalic acid), calcium salt of (Penfield), 1883, A., 473.
- p-Hydroxybenzylsulphonic acid (Mohr), 1884, A., 69.
- p-Hydroxybenzylthiocarbimide (SAL-KOWSKI), 1889, A., 1174.
- o-Hydroxybenzyl-p-toluidine (EMMERICH), 1888, A., 50.
- p-Hydroxybenzyltoluidine (EMMER-ICH), 1888, A., 51.
- Hydroxybenzyltrimethylenecarboxylic acid (MARSHALL and PERKIN), 1891, T., 884.
- γ-Hydroxy-β-benzylvaleric acid (ERD-MANN), 1890, A., 377.
- Hydroxydibromobenzylidenephenylhydrazine (Rössing), 1885, A. 389.
- a-Hydroxybromocarmine (WILL and LEYMANN), 1886, A., 252.
- Hydroxybromophenylpyrazoline. See 1-Phenyl-3-pyrazolone, 4-bromo-.

β-Hydroxybutaldehyde, formation of, from acetaldehyde (MICHAEL and KOPP), 1884, A., 420.

Hydroxybutanedisulphonicacid (HAUB-

NER), 1892, A., 424.

Hydroxybutane-β-sulphonic acid, sodium salt of (HAUBNER), 1892, Λ., 421.

γ-Hydroxyisobutanesulphonic acid, barium salt of (GUARESCHI and GARZINO), 1888, A., 436.

o-Hydroxy-p-isobutylbenzoic acid (v. Dobrzycki), 1888, A., 368.

Hydroxyisobutylphosphinic acid (Fosser), 1885, A., 504.

β-Hydroxybutylpiperidine (α-pipecolylcthylalkine) (MArzdonff), 1890, A., 1436.

Hydroxybutylpyridine (α-propylpyridylalkine) (ΕΝα-LER and MAJMON), 1891, A., 1505.

β-Hydroxybutylpyridine(a-picolylethylalkine) (MATZDORFF), 1890, A., 1436.

Hydroxyisobutylpyrotartaric acid, salts of (Fittig and Schneegans), 1890, A., 591.

Hydroxyisobutylpyrotartaric acids, αand β-, salts of (Fittig and Feist), 1890, A., 592, 593.

Hydroxyisobutyramide, betrachloro-, formation of (Levy, Witte and Curchon), 1890, A., 234. Hydroxyisobutyramidine hydrochloride

(PINNER), 1884, A., 1292. a-Hydroxybutyric acid, \$\beta\$-amido-

(Melikoff), 1884, A., 1301.

p-bromo- (Kolbe), 1883, A., 574; (Melikoff), 1885, A., 650.

β-chloro- (ΜΕΙΙΚΟΓΕ), 1883, A., 311; (ΜΕΙΙΚΟΓΕ and PETRENKO-KRIT-SCHENKO), 1892, A., 296.

SCHENKO), 1892, A., 296.

\$\beta\text{Hydroxybutyrie acid, levorotatory,} \\
in the blood of a diabetic patient (Hugouneno), 1887, A., 986.

(HUGOUNENQ), 1887, A., 986. in the urine in cases of *Diabetes* mellitus (MINKOWSKI), 1885, A., 413.

in diabetic urine (Kulz), 1885, A., 285; 1887, A., 290; (Deichmulter, Szymanski and Tollens), 1885, A., 830; (Stadelmann), 1887, A., 464; (Wolff), 1887, A., 857.

 β-Hydroxybutyric acid, α-chloro-(Melikoff), 1883, A., 969; 1884, A., 1301; 1885, A., 650; 1887, A., 30; (Melikoff and Phirenko-Kritschenko), 1892, A., 296.

y-trichloro- (v. Garzarolli-Thurn-Lackh), 1892, A., 429.

γ-Hydroxybutyric acid (FRUHLING), 1883, A., 42. transformation of, into its lactone

transformation of, into its lactone (Henry), 1892, A., 1303.

Hydroxyisobutyric acid, conversion of acetonechloroform into (WILL-GERODT), 1883, A., 177.

amido- (Melikoff), 1885, A., 650. p-bromo- (Kolbe), 1883, A., 573:

p-broino- (Kolbe), 1883, A., 573; (Melikoff), 1885, A., 650. chloro- (Melikoff), 1884, A., 1301;

1885, A., 650.

distillation of, with water (MELIKOFF and PETRENKO-KRITSCHENKO), 1890, A., 736.

tetruchloro- (LEVY, WITTE and CURCHOD), 1890, A., 234.

Hydroxyisobutyrimido-ether hydrochloride (Pinner), 1884, A., 1292.

Hydroxybutyro-o-toluido-o-tolylearbamine, α-chloro- (Rugheimer and Schramm), 1888, Δ., 503.

Hydroxycaffeine, and its salts (FISCHER), 1883, A., 355.

Hydroxycamphocarboxylic acid from camphocarboxylic acid (HALLER and MINGUIN), 1890, A., 638.

Hydroxycampholactonic acid (WORINGER), 1885, A., 669.

Hydroxycamphor. See Campholenic acid.

Hydroxycamphoronic acids (KACHLER and SPITZER), 1883, A., 1008; 1889, A., 158.

Hydroxycarbamidophenol (KALCK-HOFF), 1883, A., 1110.

Hydroxycarbimidophenol (BENDER), 1887, A., 245.

Hydroxycarbon compounds, action of non-metallic nitrides and hydronitrides on (Vidal), 1892, A., 1311.

3'-Hydroxycarbostyril (FRIEDLANDER and Weinberg), 1883, A., 351. 4'-Hydroxycarbostyril (v. Baeyer and

1-Hydroxycarbostyrii (V. BAEYER and Bloem), 1883, A., 197.

3'-nitroso-(quinisatorime) (v. Baryer' and Homolka), 1884, A., 1029.

α-Hydroxy-o-carboxycinnamic lactone
(Β \MBERGER and KITSCHELT), 1892,
Α., 857.

Hydroxycarboxylic acids, atomatic, anhydrides of (Schiff), 1883, A., 335.

Hydroxycarboxymethylquinoxalineureide (III NSBERG), 1885, A., 909. Hydroxycarboxytolylglyoxylic acid

Hydroxyearboxytolylglyoxylic acid, dibromo- (dibromohydroxymuthylbenzopldicarboxylic acud) (Will and LEY-MANN), 1886, A., 253.

Hydroxycellulose, formation of, electrochemically (Goppelshoeder), 1885, A., 208.

Hydroxyhexachloropentenecarboxylic acid (ZINCKE and KUSTER), 1888, A., 1277.

α-Hydroxycinchomeronic acid (2-hydroxypyridine-3: 4-dicarboxylic acid) (WEIDEL and STRACHE), 1886, A., 951.

Hydroxycinchonic acid (2'-hydroxyquinoline-4'-carboxylic acid) (Koe-NIGS and KORNER), 1884, A., 84.

a-Hydroxycinchonine and its derivatives (Jungfleisch and Leger). 1888, A., 380, 507; 1889, A., 906.

β-Hydroxycinchonine (JUNGFLEISCH and Léger), 1888, A., 380, 507.

Hydroxycinnamic acid. See Coumaric acid.

Hydroxycinnoline and its derivatives RICHTER), 1883, A., 1105; CH and KLEII), 1892, A., (Busch and 1494.

Hydroxycitraconic acid and its derivatives (SCHERKS), 1885, A., 513; (MELIKOFF and FELDMANN), 1890,

Hydroxycitric acid (v. LIPPMANN), 1883, A., 913.

sodioferrous salt of (ROTHER), 1883, A., 458.

Hydroxycitronic acid (v. LIPPMANN), 1884, A., 939.

Hydroxycocaylacetic acid (EINHORN), 1889, A., 169.

Hydroxycomazine, and its derivatives (Krippendorff), 1885, A., 1243.

Hydroxycomenamic acid. See 3:4:5-Trihydroxypicolinic acid.

Hydroxy-compounds, action of alumin-

ium chloride on (CLAUS and MERCKLIN), 1886, A., 143. action of sulphur on the salts of aromatic (LANGE), 1888, A., 375.

Hydroxyconiine, tribromo- (v. Hor-MANN), 1885, A., 563.

Hydroxy-m-coumaric acid and its de-(Ludwig), rivatives 1885.

m-Hydroxycoumarilicacid (HANTZSCH), 1887, A., 262.

m-Hydroxycoumarin (v. Pechmann and Welsh), 1884, A., 1346; (Biz-ZARRI), 1885, A., 901.

Hydroxycroconic acid. See Leuconic acid.

Hydroxycumidine, and the action of acetic anhydride on (LIEBERMANN and v. Kostanecki), 1884, A., 1147.

Hydroxycumylacrylic acids, o- and m-(WIDMAN), 1886, A., 466, 467.

Hydroxycyanamylamine (Troger), 1888, A., 802.

Hydroxycyanoconiine (v. MEYER), 1883, A., 352.

behaviour of, with bromine and potassium hydroxide (v. MEYER), 1883, A., 354.

derivatives of (v. MEYER), 1883, A., 352; (Riess), 1885, A., 235.

Hydroxycyanuric disulphide (KLASON), 1886, A., 325.

Hydroxycymene, bromo- (MAZZARA), 188**6, A.**, 1017.

γ-Hydroxydecylic acid (Schneegans), 1885, A., 650.

Hydroxydehydracetic acid and its acetyl-compound (PERKIN and BERN-HART), 1884, A., 1121; (PERKIN), 1887, T., 491, 492.

Hydroxydeoxybenzoin (NEY), 1888, A., 1197.

Hydroxy-m-diazines (v. MEYER), 1890, A., 68.

Hydroxydiethylallylamine. (REBOUL), 1884, A., 578.

6-Hydroxy-2: 4-diethyl-m-diazine-5carboxylic acid (v. MEYER), 1889, A., 686.

Hydroxydifurfurylcyanidine (PINNER), 1892, A., 1008.

Hydroxydihydropyridinecarboxylic acid, aldehyde of (Ost), 1883, A., 793.

2'-Hydroxydihydroquinoline. See Hydrocarbostyril

(ERLEN-Hydroxydihydroquinolone MEYER and LIPP), 1883, A., 993.

Hydroxydihydroquinoxaline (Рьочнь), 1886, А., 351.

Hydroxydiketodihydropentene, bromo- (NEF), 1890, A., 1272.

ydroxydiketohexene, pentaliromo-(ZINCKE and KEGEL), 1890, A., 1109. Hydroxydiketohexene,

Hydroxydiketohydrindocarboxylic acid, dichloro- (ZINCKE), 1888, A.,

Hydroxydiketopentamethylenecarboxylic acid, mono- and di-chloro-(HANTZSCH), 1890, A., 131, 132.

trichloro- (HANTZSCH), 1888, A., 1190; (LANDOLT), 1892, A., 835. tetrachloro- (LANDOLT), 1892, A., 836.

4'-Hydroxydimethylamido-α-naphthaquinone (MYLIUS), 1885, A., 803.

Hydroxydimethylamidoquinone (Kehr-MANN), 1890, A., 757.

Hydroxy-2:3-dimethylbenzoic acid (JACOBSEN), 1887, A., 36.

2-Hydroxy-3:5-dimethylbenzoic acid (hydroxyxylic acid) (Gunier), 1884, A., 1347.

2-Hydroxy-4:6-dimethylbenzoic acid (JACOBSEN), 1886, A., 709.

Hydroxydimethylbutyrolactonecarboxylic acid (Zelinsky), 1892, A., 436.

6-Hydroxy-2:4-dimethyl-m-diazine (Pinner),1886, A.,46; 1889, A.,1006.

4-Hydroxy-2:6-dimethyl-m-diazine, 5-bromo-, hydrobromide of (PINNER), 1887, A., 1054.

8-Hydroxydimethylethylamine (Knorn), 1889, A., 905.

6-Hydroxy-2:5-dimethyl-4-ethyl-mdiazine (v. MEYER), 1890, A., 69.

6-Hydroxy-4:5-dimethyl-2-ethyl-m-diazine (Pinnen), 1889, A., 1007.

β-Hydroxy-α-dimethylisohexoic acid (WOHLBRUCK), 1887, A., 1099.

Hydroxydimethyliodoheptamethylene (Kipping and Perkin), 1891, T., 224.

8-Hydroxydimethylnaphthaquinolinesulphonic acid (REED), 1887, A., 681.

Hydroxydimethylpurin (FISCHER), 1884, A., 997.

1-Hydroxy-2:5-dimethylpyrroline-3carboxylic acid (Knorr), 1887, A., 275.

4'-Hydroxy-2:2'-dimethylquinazoline (NIEMENTOWSKI), 1888, A., 837.

Hydroxy-2':3'-dimethylquinoline [m.p. 44°] (BEYER), 1886, A., 630. 1-Hydroxy-2':4'-dimethylquinoline

1-Hydroxy-2':4'-dimethylquinoline (Engler and Bruer), 1889, A., 524.

3-Hydroxy-2':4'-dimethylquinoline (ENGLER and BAUER), 1889, A., 525. 4'-Hydroxy-1':2'-dimethylquinoline.

See 4'-0xy-1':2'-dimethylquinoline.
4-Hydroxy-1:3-dimethylquinoline

(NOLTING and TRAUTMANN), 1891, A., 328; 1892, A., 729. 4'-Hydroxy-2':3'-dimethylquinoline

(Conrad and Limpach), 1892, A., 78.

Hydroxydimethylquinoxaline (Hins-BERG), 1884, A., 1053; 1889, A., 280; 1892, A., 1359.

dibromo- (NASTVOGEL), 1889, A., 238. Hydroxydimethylsulphonebenzide (dihydroxyditolylsulphone) (TASSINARI),

1889, A., 246.

p Hydroxydiphenyl and its derivatives (KAISER), 1890, A., 898.

synthesis of, from aniline (Hirsch), 1891, A., 437.

Hydroxydiphenyl, diamido- (Wein-Berg), 1888, A., 285; (Griess and Duisberg), 1890, A., 59.

Hydroxydiphenyl bases (WEINBERG), 1888, A., 285.

Hydroxydiphenyl triketone (Soder-Baum), 1891, A., 1043.

Hydroxydiphenylamine, dinitro- [m.p. 190°] (NIEIZKI and SCHUNDELEN), 1892, A., 310.

thio- (BERNIHSEN), 1885, A., 260; 1886, A., 55.

o-Hydroxydiphenylamine, dinitro-(Schopff), 1889, A., 772.

m-Hydroxydiphenylamine and its derivatives (CALM), 1884, A., 591.
p-amido and p-nitroso- (Kohleh),

1888, A., 587.

p-Hydroxydiphenylamine and its derivatives (Calm), 1884, A., 592; (Philip and Calm), 1885, A., 155.

Hydroxydiphenylbenzyl-maleide and -maleimidine, nitro- (Coun), 1892, A., 485, 486.

γ-Hydroxy-γ-diphenylbutyric acid (Auger), 1888, A., 952.

o-Hydroxydiphenylcarbamide (LEUCK-ART), 1890, A., 761.

Hydroxydiphenylcyanidine (PINNER), 1890, A., 497.

6-Hydroxy-2:4-diphenyl-m-diazine, formation of (PINNER), 1889, A., 1008; (SCHWARZE), 1890, A., 1159.

6-Hydroxy-2:4-diphenyl-m-diazine-5carboxylic acid (v. MEYER), 1890, A., 68.

4'-Hydroxydiphenyl-2:2'-disulphonic acid, 4-amido- (LIMPRICHT), 1891, A., 929.

Hydroxydiphenylene ketone, and its derivatives (RICHTER), 1884, A., 325.

Hydroxydiphenylethane (KOENIGS), 1891, A., 208; (KOENIGS and CARL), 1892, A., 466.

Hydroxydiphenylethylamine and its derivatives (Goldschmidt and Polonowska), 1887, A., 492; (Zanetti), 1891, A., 726.

Hydroxydiphenylmethane-di- and -tricarboxylic acids (Juilland), 1888, A., 707.

6-Hydroxy-2·4-diphenyl-5-methyl-mdiazine (v. MEYER), 1889, A., 578; 1890, A., 68.

formation of (SCHWARZE), 1890, A., 1159.

m-Hydroxydiphenylnitrosamine (Koh-LER), 1888, A., 587.

Hydroxydiphenylpropionic acid (LIE-BERM NN and HARIMANN), 1891, A., 1481.

Hydroxydiphenylpropylenediamine (FAUCONNIER), 1888, A., 1281.

p-Hydroxydiphenylquinoxaline (Autenrieth and Hinsberg), 1892, Δ., 733.

- 3-Hydroxydiphenyl-6-sulphonic acid, 4:4'-diamido- (Weinberg), 1888, A., 285.
- Hydroxydiphthalyl (GRAEBE and GUYE), 1886, A., 882.
- Hydroxydipropylamine platinochloride (LIEBERMANN and PAAL), 1883, A., 910.
- Hydroxydiquinolyl (Weidel and Gläser), 1886, A., 949; (Weidel), 1887, A., 848.
- 1-Hydroxy-4:2'-disulpho-β-naphthoic acid (König), 1889, A., 719.
- Hydroxyditolylcyanidine (PINNER), 1892, A., 1008.
- 2'-Hydroxy-5:5'-ditolyl-4:4'-disulphonic acid, 2-amido- (HELLE), 1892, A., 1468.
- Hydroxydixanthones (v. Kostanecki and Nessler), 1892, A., 504; (v. Kostanecki and Seidmann), 1892, A., 1097.
- Hydroxydurylic acid (JACOESEN and SCHNAPAUFF), 1886, A., 68.
- Hydroxy-β-isodurylic acid (Krohn), 1888, A., 594.
- Hydroxyethanedisulphonic acid, salts of (MONARI), 1885, A., 970.
- Hydroxyethanesulphonic acid. See Isethionic acid.
- Hydroxyethenylamylacetic acid (Poetsch), 1883, A., 730.
- Hydroxyethoxyanthraquinone (LIE-BERMANN and JELLINEK), 1888, A., 716
- Hydroxyethoxydiphenylamine, dinitro-(NIETZKI and KAUFMANN), 1892, Δ., 314.
- Hydroxyethoxymethylquinoxaline (AUTENRIETH and HINSBERG), 1892, A., 733.
- 6-Hydroxy-2-p-ethoxyphenyl-5-benzyl-4-methyl-m-diazine (PINNER), 1891, A.: 64.
- 6-Hydroxy-2-p-ethoxyphenyl-m-diazine-4-carboxylic acid (PINNER), 1891, A., 64.
- 6-Hydroxy-2-o- and -p-ethoxyphenyl-4-methyl-m-diazines (PINNER), 1891, A., 64.
- 6-Hydroxy-2-p-ethoxyphenyl-4-phenyl-m-diazine (PINNER), 1891, A., 64.
- Hydroxyethoxypyridine [m.p. 128°] (Weidel and Blau), 1886, A., 76.
- 2-Hydroxyethoxypyridine, dichloro-4amido- (STOKES and V. PECHMANN), 1887 A., 157.
- 1-Hydroxy-1 -ethoxyquinoline, 2:4-dichloro- (HEBEBRAND), 1889, A., 61.
- 4'-Hydroxy-2'-ethoxyquinoline (Bis-CHOFF), 1889, A., 519.

- Hydroxyethylacetamide picrate (GA-BRIEL), 1889, A., 1134.
- Hydroxyethyl-o-amidophenol (KNORR), 1889, A., 1219.
- Hydroxyethylamine (amidocthylic alcohol) nitrate (GABRIEL), 1888, A., 1268.
- salts (GABRIEL), 1888, A., 440.
- Hydroxyethylaniline, preparation of (Knorn), 1889, A., 1219; (Отто), 1891, A., 1373.
- Hydroxyethyl-o-anisidine (KNORE), 1889, A., 1219.
- Hydroxyethylbenzamide (GABRIEL), 1889, A., 1134.
- Hydroxyethylbenzoic acid (phlorolcarboxylic acid) (OLIVERI), 1884, A., 174
 - o-chloronitro-, lactone of (ZINCKE and LATTEN), 1892, A., 1230.
- γ-Hydroxy-α-ethylbutyric acid and its salts (Chanlahoff), 1885, A., 375.
- Hydroxyethyl-m-diazine-2-carboxylic acid (PINNER), 1892, A., 1008.
- 1-Hydroxy-1'-ethylenehydroquinoline (Kohn), 1886, T., 508.
- Hydroxyethylethylaniline (phenyldiethylalkine) (LAUN), 1884, A., 1011.
- 5-Hydroxyethyl-2-ethylpiperidine (2:5methylethylpiperidylulkine) (Phausnitz), 1892, A., 1858.
- 2-Hydroxyethyl-5-ethylpyridine (methylcthylpyridylalkine) (PRAUS-NITZ), 1890, A., 1436.
- δ-Hydroxyethylhexoic acid, salts of (Fittig and Christ), 1892, A., 962.
- Hydroxyethylhydroxyquinoline and salts of (Wurtz), 1883, A., 923.
- Hydroxyethylic sodium thiosulphate (Purgotti), 1892, A., 1418.
- Hydroxyethylidene-2'-methyl-\$\text{\maph-thaquinoline}, trichloro- (SEITZ), 1889, A., 527.
- Hydroxyethylmethylamine (KNORR), 1889, A., 1218.
- Hydroxyethylmethylaniline (phenylmethylethylulkine) and its derivatives (LAUN), 1884, A., 1011.
- Hydroxyethylmethyl-o-anisidine (Knorn), 1889, A., 1220.
- 2-Hydroxyethyl-1-methylpiperidine (methyl-a-pipecolylalkine) and its derivatives (IADENBURG), 1890, A., 68; 1891, A., 1093; (IAPP), 1892, A., 1245.
- 2-Hydroxyethyl-1-methyltetrahydropyridine (Lipp), 1892, A., 1244.
- Hydroxyethylnaphthylamines (Отто), 1891, A., 1374.
- Hydroxyethylphosphinic acid (Fossek), 1886, A., 530.

Hydroxyethyl-phthalamic acid and -phthalimide (GABRIEL), 1888, A., 440.

2-Hydroxyethylpiperidine (LADEN-BURG), 1890, A., 67; 1891, A., 1093.

 ω-Hydroxyethylpiperonylcarboxylic acid (Perκin), 1890, T., 996, 1020.
 oxidation of (Perkin), 1890, T., 1022.
 salts of (Perkin), 1890, T., 1023.
 bromo- (Perkin), 1890, T., 1025.

ω-Hydroxyethylpiperonylcarboxylic anhydride (Perkin), 1890, T., 1021. bromo- and nitro- (Perkin), 1890,

T., 1025, 1027.

Hydroxyethylpropylamine and its platinochloride (Liebermann and Paal), 1883, A., 910.

Hydroxyethylpropylaniline (LAUN), 1884, A., 1011.

2-Hydroxyethylpyridine (a-picolylalkine) and derivatives of (LADEN-BURG), 1890, A., 67; 1891, A., 1092.

ω-Hydroxyethylpyrocatecholcarboxylic anhydride (Perkin), 1890, Τ., 1027.

4-Hydroxy-3'-ethylquinoline,2'-chloro-(Rugheimer and Schramm), 1887, A., 738.

1-Hydroxy-1'-ethyltetrahydroquinoline (FISCHER),1883, A., 1146; (FISCHER and RENOUF), 1884, A., 1049. ethiodide (Kohn), 1886, T., 505.

4-Hydroxy-1'-ethyltetrahydroquinoline (RIEMERSCHMIED), 1883, A., 1148. Hydroxyethyltheobromine (FISCHER),

1883, A., 357.

Hydroxyethyltrihydroquinolinecarboxylic acid (LIPPMANN and FLEISS-NER), 1887, A., 1120.

Hydroxyethyltrimethylammonium platinochloride (Bode), 1892, A., 807.

Hydroxyethyltrimethylenecarboxylic acid (Marshall and Perkin), 1891, T., 870.

γ-Hydroxyethylvaleric acid (Young), 1883, T., 177.

Hydroxyethylxanthine (LEHMANN), 1890, A., 32.

Hydroxy-ψ-flavenol (Weidel and Bam-Berger), 1888, A., 966.

Hydroxyfluorenecarboxylic acid (GRAEBE and AUBIN), 1889, A., 146.

Hydroxyfurfuryl-. See Furfuryl-. Hydroxygluconic acid (Bouthoux), 1890, A., 1399.

a-Hydroxyglutaric acid (Wolff), 1891, A., 421.

8-Hydroxyglutaric acid (v. Pechmann and Jenisch), 1892, A., 147.

α-Hydroxy-β-halogen lactic acids, distillation of, with water (ΜΕΙΙΚΟΡΓ and ΓΕΓΚΕΝΚΟ-ΚRITSCHENKO), 1890, Α., 736.

Hydroxyheptoic acid (FITI'IG and SCHMIDT), 1890, A., 589. salts of (Young), 1883, A., 455.

Hydroxyisoheptoic acid (FITTIG and ZANNER), 1890, A., 590.

Hydroxyheptylphosphinic acid (Fosser), 1886, A., 529.

β-Hydroxyheptylsuccinic acid (heritamulic acid) and its salts (Schnee-GANS), 1885, A. 650.

Hydroxyhexanedisulphonic acid, barium salt of (Ludwig), 1889, A., 121.

Hydroxyhexic acid. See Propylsuccinic acid.

Hydroxyisohexic acid. See isoPropyltartaric acid.

γ-Hydroxyhexoamide (Fittig and Dubois), 1890, A., 880.

Hydroxyhexoic acid (HANIZSCH and WOHLBRUCK), 1887, A., 717.

γ-Hydroxyhexoic acid, ammonium salt of (FITTIG and DUBOIS), 1890, A.,

lactone of, conversion of gluconic acid into (KILIANI and KLEEMANN), 1884, A., 730, 993.

action of sodium ethylate on (FITTIG), 1885, A., 375; (FITTIG and DUBOIS), 1890, A., 868.

γ-Hydroxyisohexoic acid, lactone of, action of sodium ethylate on (Erdmann), 1885, A., 963.

action of water and of hydriodic acid on (FITTIG and RUHLMANN), 1885, A., 375.

δ-Hydroxyhexoic acid, α- and βlactones of (Gotistein), 1883, A., 454.

Hydroxyhydrastinine and its derivatives (FREUND and WILL), 1887, A., 1057.

α-Hydroxyhydrindenecarboxylamide, totruchloro- (ZINCKE and ARNSΓ), 1892, A., 858.

Hydroxyhydroarbostyril(2':4'-dihydro ory-3':4'-dihydroquinoline) (Einnorn), 1884, A., 1838.

3-chloro- (Eichengrun and Ein-HORN), 1890, A., 1128; 1891, A., 1100.

Hydroxyhydro-p-coumaric acid (BLEN-DERMANN), 1883, A., 818.

Hydroxyhydrocyanomesitenelactone (Obregia), 1892, A., 325.

Hydroxyhydroisodehydracetic acid, nitrile of (Obnegia), 1892, A., 325.

Hydroxyhydrodiphthalylic acid (WIS-LICENUS), 1885, A., 57. Hydroxyhydrolapachol (Hooker), 1892, T., 628.

Hydroxyhydromuconic acid, lactone of (RUHEMANN), 1890, T., 942. bromo-, lactone of (RTHEMANN and

DUFTON), 1891, T., 753.

1-Hydroxyhydroquinoline (SKRAUP). 1883, A., 93.

2-Hydroxyhydroquinoline (SKRAUP), 1883, A., 96; (RIEMERSCHMIED), 1883, A., 1148.

3-Hydroxyhydroquinoline (SKRAUP), 1883, A., 94.

Hydroxyhydroquinoxalines (HINS-BERG), 1889, A., 280.

Hydroxyimidomethyluracil (JAEGER), 1891, A., 1007.

Hydroxyimido-methyl- and -phenylsynoxazolones (Nussberger), 1892, A., 1175, 1177.

Hydroxyindazine (WITF, NÖLTING and GRANDMOUGIN), 1891, A., 312.

Hydroxyindenecarboxylic acid (hydrindoncearboxylic acid) (ZINCKE), 1887, A., 728.

Hydroxyindone, bromo- (Roser and Haselhoff), 1888, A., 1304; (Meldola and Hughes), 1890, Ť., 400.

benzylamide, hydrazone, hydrazonehydrazide, and 8-naphthylamide of (MELDOLA and HUGHES), 1890, T., 403.

Hydroxyketohydrindenecarboxylamide, dichloro- (ZINCKE and ARNST), 1892, A., 858.

Hydroxyketohydrindenecarboxylic acid, dibromo-, dichloro-, and chlorobromo- (ZINCKE and GERLAND), 1888,

A., 1199, 1198. Hydroxyketoindene, chloro- and bromo-ZINCKE and GERLAND), 1888, A.,

1199, 1200. γ_1 -Hydroxy- α_1 -ketojuloline and nitroso- (KAYSER and REISSERT), 1892, A., 884.

Hydroxyketone-dyes (GRAEBE Eichengrun), 1891, A., 706; 1892, A., 1224.

Hydroxyketones, aromatic (CRÉPIEUX), 1892, A., 62.

behaviour of, with sulphuric acid and with ammonia (GRAEBE and

Eichengrün), 1892, A., 1226. from fatty acids and phenols (Gold-

zweig and Kaiser), 1891, A., 447. Hydroxyl group, influence of certain groups on the thermochemical value of, in the aromatic series (ALEXEEFF and WERNER), 1890, A., 439.

Hydroxyl group, reagent for (LAND-WEHR), 1887, A., 124; (HINSBERG), 1891, A., 49.

quantitative estimation of (Jackson and Rolfe), 1887, A., 749.

Hydroxylamine (Divers and Shiminzu), 1885, T., 612.

of, from nitrie formation (DIVERS), 1883, T., 443.

formation of, by the reduction of nitrates (GLADSTONE and TRIBE), 1883, T., 344.

formation of, from nitrous acid (Divers), 1883, T., 454.

formation of, from silver, mercury and sodium nitrites (DIVERS and HAGA), 1887, T., 661.

formation of, by the action of potassium nitrite on hyposulphurous acid (LIDOFF), 1885, A., 722.

formation of, by the specific action of a mixture of sulphuric and nitric acids on zinc (DIVERS and SHIMIDZU), 1885, T., 597; P.,

mercury fulminate as a source of, free from aminonia (DIVERS and KAWA-KITA), 1884, T., 13. preparation of (RASCHIG), 1888, A.,

913.

preparation of crystallised (Cnis-MER), 1892, A., 771. preparation and properties of free

(LOBRY DE BRUYN), 1892, A., 402, 1391.

of (Auwers configuration MEYER), 1890, A., 1263.

constitution of (Lossen), 1889, A., 1064; (LOBRY DE BRUYN), 1892, A., 1392.

thermochemistry of (BERTHELOT and André), 1890, A., 934; (Thomsen), 1892, A., 1143.

actions of (NAGELI), 1883, A., 728; (FISCHER), 1889, A., 1163.

action of, on ethereal salts (JEAN-RENAUD), 1889, A., 870.

action of, with ferrous hydroxide and water (DUNSTAN and DYMOND), 1887, T., 655.

action of, on litmus (DIVERS and KAWAKITA), 1884, T., 16.

action of, on thiocarbimides (FISCHER), 1889, A., 1164; (TIEMANN), 1889, A., 1165.

action of, on animals (GIRBS and Reichert), 1891, A., 1393.

action of, on blood-pressure (BRUN-TON and BOKENHAM), 1859, A., 630.

Hydroxylamine, poisonous action of (Loew), 1885, A., 830.

compounds of, with metallic chlorides (Crismer), 1890, A., 558.

derivatives, organic (SCHRAMM), 1884,

isomeric monosubstituted (Beck-MANN), 1889, A., 607; (Auwers and Meyer), 1889, A., 609.

so-called physically isomeric (Lossen), 1892, A., 711.

stereochemical isomerism of (Beh-REND and Konig), 1891, A., 1032.

structure of (Lossen), 1884, A., 1324; 1885, A., 895.

alkyl-derivatives of (Behrend), 1889, A., 979; (Kothe), 1892, A., 316; (Behrend and Konic), 1892, A., 1456.

benzyl-derivatives of (WALDER), 1886, A., 796; 1887, A., 246, 813; (Behrend and Leucus), 1889, A., 500, 703.

titration of, by iodine, effects of dilution and the presence of sodium salts and carbonic anhydride on (HAGA), 1887, T., 794.

Hydroxylamine salts, action of, on plants (MEYER and SCHULZE),

1884, A., 1210.

hydrochloride, preparation of (MEYER), 1883, A., 646; (EICH-KOFF), 1890, A., 558.

use of, in quantitative analysis (LAINER), 1888, A., 1343.

estimation of hydrogen chloride in solutions of (MULLER), 1891, A., 107.

platinum bases (Alexander), 1888, A., 425.

thiocarbimide (v. DER KALL), 1891, A., 1222.

amido-derivatives of, constitution of (MINUNNI), 1891, A., 697.

Hydroxylaminedisulphonic acid, preparation of the alkali salts of (RAS-CHIG), 1888, A., 913.

Hydroxylaminesulphonates and their conversion into hyponitrites (DIVERS and HAGA), 1889, T., 760; P., 146.

Hydroxy-\$-lapachone (HOOKER), 1891, A., 1240; 1892, T., 649.

Hydroxylation by direct oxidation (MEYER), 1883, A., 983, 1072.

Hydroxylepidine. See Hydroxy-4'-methylquinoline.

 Hydroxylevulinic acids, α- and β-(WOLFF), 1891, A., 1187, 1185.
 Hydro-xyloquinone. See Xyloquinol. Hydroxylutidinecarboxylic acid, ethylic salt of (COLLIE), 1885, A., 374.

Hydroxymaleic acid (Schekks), 1884, A., 993; 1885, A., 513.

Hydroxymalonic acid. See Tartronic acid.

o-Hydroxymandelic acid (v. BAEYER and FRITSCH), 1884, A., 1022.

Hydroxymellitic acid (hydrotrimellic acid) and its salts (JACOBSEN and MEYER), 1883, A., 590.

Hydroxymesitenedicarboxylic acid (Hantzsch), 1883, A., 1083.

Hydroxymethanesulphonic acid, sodium salt of (Kraut, Eschweiler and Grossmann), 1890, A., 1092.

Hydroxymethenylamidophenol (SAND-MEYER), 1887, A., 135; (BENDER), 1887, A., 245.

Hydroxymethenyltolylenediamine (SANDMEYER), 1887, A., 135.

o-Hydroxy-p-methoxyacetophenone (Nagai), 1892, A., 59.

2-Hydroxy-4-methoxyallylbenzene (v. PECHMANN and COHEN), 1884, A., 1331.

p-Hydroxy-o-methoxybenzaldehydephenylhydrazone (MARGUS), 1892, A., 317.

1-Hydroxy-3-methoxybenzene, 4-amido-(Bechhold), 1889, A., 1155.

p-Hydroxy-m-methoxybenzoyformic acid (hydroxymethoxyphenylylyoxylic acid; vanilloyl acid) (TIEMANN), 1892, A., 64.

m-Hydroxy-o-methoxycinnamic acid (Schnell), 1884, A., 1165; 1887, A., 140.

4'-Hydroxy-1- and -3-methoxy-2'methylquinolines (Conrad and Limpach), 1888, A., 854, 853.

Hydroxymethoxyquinoline (LA Coste and Valeur), 1887, A., 973.

2'-Hydroxy-3-methoxyquinoline (methoxycarbostyril) (Eighengrun and Einhorn), 1891, A., 1101.

Hydroxymethoxytoluene (hydroxytolyt)
methyl ether) (Limpach),1889, A., 499.
Hydroxymethylbergere

Hydroxymethylbenzene pentaketone (Kehrmann), 1888, A., 940.

Hydroxy-β-methyl-γ-acetoxime-δ-isonitrosoamidovaleric acid, lactam of (ΟυκέσιΑ), 1892, A., 326.

Hydroxymethylacridine (Besthorn and Curtmin), 1891, A., 1233.

Hydroxymethylanthraquinone, and its acetyl-derivative (ROEMER and LINK), 1888, A., 1139.

Hydroxymethylanthraquinones, spectra of (Liebermann and v. Kostanecki), 1887, A., 1.

- m-Hydroxymethylbenzaldehyde (TIE-MANN and LUDWIG), 1883, A., 189.
 - nitro-derivatives of, and their constitution (TIEMANN and LUDWIG), 1883, A., 189.
 - α- and β-nitro- (TIEMANN and LUD-WIG), 1883, A., 586.
- Hydroxymethylbenzoic acid. See Hydroxytoluic acid.
- Hydroxymethylbenzoyldicarboxylic acid, dibromo- (dibromohydroxycarboxytolylglyoxylic acid) (WILL and LEYMANN), 1886, A., 253.
- 3'-Hydroxymethyl-4'-dibromomethylquinoxaline (NASTVOGEL), 1889, A.,
- Hydroxy-α-methylbutyric acids, α- and β-. See Hydroxyvaleric acids.
- 4'-Hydroxy-1-methylcarbostyril, 3'-chloro- (chlorhyldroxy-o-tolucarbo-styril) (Rugheimer and Hoffmann), 1886, A., 160.
- 6:4-Hydroxymethylcinnamic acid, anhydride of (v. Pechmann and Welsh), 1884, A., 1346.
- Hydroxymethyl-coniferinand-coniferyl alcohol (KÖRNER), 1889, A., 159.
- Hydroxy-B-methylcoumarilic acid, bromo- (v. Pechmann and Cohen), 1884, A., 1332.
- Hydroxymethylcoumarone (HANTZSCH), 1887, A., 262.
- Hydroxy-β-methyl-γ-cyanacetylbutyronitrile (OBREGIA), 1892, A., 325
- 4-Hydroxy-6-methyl-m-diazine-2-carboxylic acid (Pinner), 1892, A., 1008.
- 6-Hydroxy-4-methyl-2:5-diethyl-m-diazine (PINNER), 1889, A., 1007.
- 6-Hydroxy-5-methyl-2:4-diethyl-mdiazine (v. MEYER), 1889, A., 577, 685.
 - oxime of (v. MEYER), 1889, A., 685.
- Hydroxy-4'-methyldihydroquinoline (KNORR and KLOTZ), 1887, A., 278.
- Hydroxymethyldihydroquinoxaline (PLÜCHL), 1886, A., 351; (LEUCKART and HERMANN), 1887, A., 383.
- Hydroxymethyldiphenyl, diamido-(WEINBERG), 1888, A., 285.
- Hydroxymethyleneacetone, stereoisomerism of (CLAISEN), 1892, A., 1073.
- Hydroxymethylenediphenyl triketone (SÖDERBAUM), 1891, A., 1043.
- Hydroxymethylenequinolinium base (Claus, Howitz, Massan and Raps), 1892, A., 878.

- 4'-Hydroxy-1-methyl-3'-ethylcarbostyril (Rügheimer and Schramm), 1887, A., 738; 1888, A., 502.
- 6-Hydroxy-4-methyl-2-ethyl m-diazine (PINNER),1886,A.,46; 1889,A.,1007.
- 4-Hydroxy-6-methyl-2-ethyl-m-diazine 5-bromo- (Pinner) 1887, A., 1054.
- 4'-Hydroxymethylethylquinoline (Con-RAD and LIMPACH), 1892, A., 79.
- 4'-Hydroxy-1-methyl-3'-ethylquinoline, 2'-chloro- (Rügheimer and Schramm), 1887, A., 738.
- Hydroxymethylglutaric acid from levulinic acid and the corresponding lactonic acid (KRECKELER and TOLLERS), 1885, A., 1202; (BLOCK and TOLLERS), 1886, A., 533.
- Hydroxymethylhydrohydrastinine methiodide, bromo- (Freund and Dormeyer), 1891, A., 1520.
- 2'-Hydroxy-3'-methylhydroquinoline, 2-amido-. See Methylhydrocarbostyril, 2-amido-.
- 6-Hydroxy-4-methyl-2-hydroxyisopropyl-m-diazine (PINNER), 1890, A., 70.
- α_1 -Hydroxy- γ_1 -methyljulolidine, $\beta_1\beta_1\gamma_1$ -tribromo- (Reissert), 1892, A., 498.
- α₁-Hydroxy-γ₁-methyljuloline (REIS-SERT), 1892, A., 497.
- β_1 -bromo- and $\beta_1\gamma_1$ -dibromo- (Ressert), 1892, A., 497.
- "Hydroxymethylmalonic acid" (TANATAR), 1891, A., 175.
- 4'-Hydroxy-2'-methyl-a- and -\(\theta\)-naphthaquinolines (naphtha-\gamma\)-hydroxyquinaldines) (KNORR), 1884, A., 1198; (CONRAD and LIMPACH), 1888, A., 504.
- 4-Hydroxy-2'-methylphenofurfuran-1'-carboxylic acid, 1:2:3-tri-chloro-(IKUTA), 1892, A., 609.
- 4-Hydroxymethyl-1-phenyl-3-methylpyrazolone (Pellizzari), 1889, A., 518.
- Hydroxy-a-methyl-phthalanil and -phthalanilic acid (NIEMENTOWSKI), 1892, A., 608.
- Hydroxymethylphthalic anhydride, dibromo- (WILL and LEYMANN), 1886, A., 253.
- Hydroxymethylpurin (FISCHER), 1884, A., 997.
- dichloro- (FISCHER), 1884, A., 996. 4'-Hydroxymethylpyridine, and its derivatives (Lieben and Haitinger), 1884, A., 1196.
- Hydroxymethylpyridone and its derivatives (Bellmann), 1884, A., 841.

- Hydroxymethylpyrotartaric acid of (methylitamalie acid), salis (Fillie and Frinkel), 1890, A., 585.
- 4'-Hydroxy 2-methylquinazoline (Niemenrowski), 1889, A., 1065.
- 4'-Hydroxy-2'-methylquinazoline, nitro- and chloro- (DEHOFF), 1890, A., 802.
- Hydroxymethylquinazoline. See also Oxymethylquinazoline.
- 1-Hydroxy-2-methylquinoline (hydroxytoluquinoline) (Nolting and 1891, A., 326; Trautmann), 1892, A., 727.
 - 4-nitro- (Nolting and Trautmann), 1891, A., 326; 1892, A., 727.
- 1-Hydroxy-2'-methylquinoline hydroxyquinaddine) and its derivatives (DOEBNER and V. MILLER), 1884, A., 1374.
- 1-Hydroxy-4-methylquinoline TING and TRAUTMANN), 1891, A., 326; 1892, A., 727.
 - 2-amido- (GANELIN and V. KOSTA-
- NECKI), 1892, A., 506. 1-Hydroxy-4'-methylquinoline (hydroxylepidine) (Busch and Koenics), 1890, A., 1435.
- 3-Hydroxy-1-methylquinoline (Herz-FELD), 1884, A., 1199.
- 3-Hydroxy-2'-methylquinoline hydroxyquinaldine) (DOEBNER and v. Miller), 1884, A., 1374.
- 3-Hydroxy-4'-methylquinoline NIGS), 1890, A., 1434; (Busch and Koenigs), 1890, A., 1435.
- 3-Hydroxy-4-methylquinoline, 1-nitro-(Nouring and Trautmann), 1891, A., 326.
- 4-Hydroxy-1-methylquinoline (HERZ-FELD), 1884, A., 1199.
- 4-Hydroxy-3-methylquinoline nitroso- (NOLTING and TRAUTMANN), 1891, A., 326.
- 4'-Hydroxy-1-methylquinoline, 2':3'dichloro- (RUGHEIMER and HOFF-MANN), 1886, A., 160.
- 4'-Hydroxy-2'-methylquinoline (hydroxyquinaldine) (Conrad and Lim-РАСН), 1887, А., 679; 1888, А., 1109; (KNORR), 1887, A., 847.
 - synthesis of homologues of (Con-RAD and LIMPACH), 1888, A., 503.
 - derivatives (Connad and Limpach), 1887, A., 679; 1888, A., 1109. methiodide (CONRAD and ECKHARDT), 1889, A., 519.
- 2'-Hydroxy-4'-methylisoquinoline chloro- (GABRIEL), 1887, A., 1112.

- Hydroxymethylquinolines, 4:1:2-, 2:1:1- and 3:4:1-nitro- (Norting and TRAUTMANN), 1892, A., 727, 728, 729.
- 4'-Hydroxy-2'-methylquinoline-3'carboxylic acid and aldehyde (Cox-RAD and LIMPACH), 1888, A., 1109.
- Hydroxy-2'-methylquinolineazobenzenesulphonic acid, sodium salt of (CONRAD and LIMPACH), 1888, A., 1109.
- 1-Hydroxy-2'-methylquinolinecarboxylic acid (KONIG), 1888, A., 610.
- 2'-Hydroxy-4'methylquinoline-1-carboxylic acid (Reissert), 1891, A., 737.
- 4 Hydroxy-2'-methylquinoline-3'-carboxylic acid (Conrad and Limpach), 1888, A., 1110.
- 2'-Hydroxymethylquinolinesulphonic acid (FEER and KOENIGS), 1885, A., 1235.
- 4'-Hydroxy-2'-methylquinolinesulphonic acid (CONRAD and LIMPACH), 1888, A., 1110.
- Hydroxymethylquinoxaline (hydroxytoluquinoxaline) (HINSBERG), 1885, A., 910; 1886, A., 561.
- Hydroxymethylquinoxalinecarboxylic acid (HINSBERG), 1885, A., 909; (ZEHRA), 1891, A., 304.
- Hydroxymethylsuccinicacid, trichloro-, and its salts (FITTIG and MILLER), 1890, A., 586.
- Hydroxymethylsulphonebetaine(CLAUS and Posselt), 1890, A., 522.
- 5-Hydroxy-2-methylterephthalic acid (JACOBSEN and MEYER), 1883, A., Š90.
- 1-Hydroxy-1'-methyltetrahydroquinoline (kairin) (Fischen), 1883, A., 1146; (Fischer and Renous), 1884, A., 1049.
 - physiological properties of (FILEHNE), 1884, A., 474.
 - benzyl chloride and methiodide of
- (KOHN), 1886, T., 501, 506. 1-Hydroxy-2'-methyltetrahydroquinoline and its derivatives (DOEBNER and v. MILLER), 1884, A., 1374.
- 2-Hydroxy-4'-methyltetrahydroquinoline and its nitro-derivatives (FISCHER and WITTMACK), 1884, A., 1052.
- 1-Hydroxymethyltetrahydroquinolinecarboxylic acid (SCHMITT and ENGEL-MANN), 1887 A., 738; (Króli-KOWSKI and NENCKI), 1888, A., 865.
- Hydroxymethylthiazole (TCHERNIAC and Hellon), 1883, A., 654; (Tcher-NIAC), 1892, A., 1425.

Hydroxymethylthiazolecarboxylic acid (Zurcher), 1889, A., 725; (Woh-MANN) 1891, A., 226.

Hydroxymethylthiophen (hydroxy-thiotolen) (Kues and Paal), 1886, A., 536.

1-Hydroxymethyltrihydroquinolinecarboxylic acid, behaviour of, in the organism (Κκόμικοwsκι and Νενcki), 1888, A., 865.

β-Hydroxy-α-methylvaleric acid (HANTZSCH and WOHLBRUCK), 1887, A., 717.

γ-Hydroxy-α-methylvaleric acid (Gorrstein), 1883, A., 455.

Hydroxymethylxanthine (Behrend), 1886, A., 338; (Lehmann), 1890, A., 32.

B-Hydroxymethylxanthone (v. Kos-TANECKI and NESSLER), 1891, A., 1060.

Hydroxymyristic acid (Hell and Twerdomedoff), 1889, A., 956.

β-Hydroxy-α- and α-hydroxy-β-naphthahydroxamic acids (JEANRENAUD), 1889, A., 871.

Hydroxynaphthalide (GRAEBE and GFELLER), 1892, A., 864.

β-Hydroxynaphthaquinoline (GENTIL), 1885, A., 561.

Hydroxynaphthaquinone, dibromo-(ARMSTRONG and STREATFEILD), 1886, P., 232.

2'-Hydroxy-1:2-naphthaquinone (CLAU-SIUS), 1890, A., 628.

2-Hydroxy-1:4-naphthaquinone
(naphthalic acid), preparation of
(Kowalski), 1892, A., 1098.

phenylhydrazine derivatives of (Zincke and Thelen), 1884, A., 1359; 1888, A., 1097.

3-bromo- (MILLER), 1885, A., 667.

3-chloro- (CLAUS and MUELLER), 1886, A., 247.

3-bromo- and 3-chloro-, action of hypochlorous and hypobromous acids on (ZINCKE and GERLAND), 1888, A., 1198.

trichloro- (CLAUS), 1886, A., 714. tetrachloro- (CLAUS and WENZLICK), 1886, A., 713; (CLAUS), 1886, A., 714.

3-nitro-, derivatives of (Kehrmann and Weichardt), 1889, A., 1197. 4'-Hydroxy-1:4-naphthaquinone (juglone; nucin; regionin) (Bernthsen),

1884, A., 1365; (BERNTHSEN and SEMPER), 1885, A., 546; 1886, A., 363; 1887, A., 674; (MYLIUS), 1885, A., 803.

4'-Hydroxy-1:4-naphthaquinone (juglone; nucm; regionin), identity of, with regionin and nucin (Phipson), 1885, A. 1112.

synthesis of (BERNTHSEN and SEM-PER), 1887, A., 674.

PER), 1887, A., 674. constitution of (BERNTHSEN and SEMPER), 1885, A., 548.

derivatives (BERNIHSEN and SEM-PER), 1885, A., 546; (MYLIUS), 1885, A., 803.

2-Hydroxy-1:4-naphthaquinoneanilide and 3-chloro- (ZINCKE and KEGEL), 1889, A., 267, 268.

Hydroxynaphthaquinonecarboxylic acid, chloro- (Ekstrand), 1889, A., 153.

4'-Hydroxy-1:4-naphthaquinonedioxime (juylonedioxim) (BERNTHSEN and SEMPER), 1886, A., 364.

2-Hydroxy-1:4-naphthaquinoneimide (Kronfeld), 1884, A., 1037; (Meerson), 1888, A., 1200.

3-bromo- (ZINCKE and GERLAND), 1887, A., 838.

3-Hydroxy-1:4-naphthaquinone-4imide, 2-chloro- (ZINCKE and SCHMUNK), 1890, A., 1147.

3-Hydroxy-1:4-naphthaquinoneoxime (v. Kostanecki), 1889, A., 887.

2-chloro- (ZINCKE and SCHMUNK), 1890, A., 1147.

4'-Hydroxy-1:4-naphthaquinoneoxime (jugloneoximo) (BERNTHSEN and SEMPER), 1885, A., 547.

2'-Hydroxy-2:1-naphthaquinoneoxime (CLAUSIUS), 1890, A., 628.

2-Hydroxy-1:4-naphthaquinonesulphonic acid, 3-chloro- (CLAUS and VAN DER CLUET), 1888, A., 603.

Hydroxynaphthaquinoxalinecarboxylic acid (KUHLING), 1891, A., 1342.

Hydroxynaphthatoluic acid (WALDER), 1883, A., 666.

Hydroxynaphthotrichloride diethylic orthophosphate (Wolffenstein), 1889, A., 615.

1'-Hydroxy-a-naphthoic acid (naphtholcarboxylic acid) (Ekstrand), 1886, A., 715.

chlore-, and nitro- (EKSTRAND), 1889, A., 153.

2-Hydroxy-a-naphthoic acid [m.p.157°] and derivatives (NIETZKI and GUITERMANN), 1887, A., 732; (SCHMITT and BURKARD), 1888, A., 60.

action of phosphorus pentachloride on (RABE), 1889, A., 514.

- 1-Hydroxy-\$-naphthoic acid (NIETZKI and GUITERMANN), 1887, A., 732; (SCHMITT and BURKARD), 1888, A., 59.
 - constitution of (WOLFFENSTEIN), 1889, A., 615.
 - action of phosphorus pentachloride on (Wolffenstein), 1887, A., 963; 1888, A., 714.
 - 4-amido-(NIETZKI and GUITERMANN), 1887, A., 732; (SCHMITT and BUR-KARD), 1888, A., 59.
- 3-Hydroxy-β-naphthoic acid [m.p. 216°] (Schmitt and Burkard), 1888, A., 60.
 - action of aniline on (SCHÖFFF), 1892, A., 1476.
- 3-Hydroxy-\(\beta\)-naphthoic anilide (Schooper,), 1892, A., 1476.
- 3'-Hydroxy-β-naphthoxanthone (V Kostanecki), 1892, A., 1099.
- Hydroxynaphthoxanthones (BENER), 1892, A., 1100.
- α-Hydroxynaphthyl methyl ketone (WITT), 1888, A., 486.
- 8-Hydroxynaphthylacrylic acid and anhydride (KAUFFMANN), 1883, A., 1186
- αβ-Hydroxynaphthylbenzoic acid, and its derivatives (WALDER), 1883, A., 666.
- 6-Hydroxy-2-β-naphthyl-m-diazine-4carboxylic acid (PINNER), 1892, A., 1008.
- 6-Hydroxy-2-β-naphthyl-4:5-dimethylm-diazine (PINNER), 1892, A., 1009.
- Hydroxynaphthylic sulphide [m.p. 214°—215°] (TASSINARI), 1887, A., 808.
- β-Hydroxynaphthylic mono- and -disulphides (ONUFROWICZ), 1891, A., 320, 321.
- 6-Hydroxy-2-β-naphthyl-4-methyl-mdiazine (PINNER), 1892, A., 1009.
- Hydroxynaphthylphenyl, diamido-, delivatives of (MELDOLA and MORGAN), 1889, T., 124, 125.
- Hydroxy-α-naphthylthiocarbamide (Tiemann), 1889, A., 1165; (Voltmen), 1890, A., 1127; 1891, A., 558.
- 2-Hydroxynicotinic acid (2-hydroxypyridine-3-carboxylic acid) (WEIDEL and STRACHE), 1886, A., 951.
- 6-Hydroxynicotinic acid (6-hydroxypyridine-8-carboxylic acid) and its
 derivatives (Koenius and Geigy),
 1884, A., 1195; (v. Pechmann and
 Weish), 1885, T., 150; A., 174;
 (v. Pechmann), 1885, A., 176.

- 6-Hydroxynicotinic acid (6-hydroxypyridine-3-carboxylic acid), preparation of, from hydroxyquinolinic acid (Koenigs and Geigy), 1884, A., 945.
- Hydroxynitroethenylamido-α-naphthol (MEERSON), 1888, Λ., 713.
- α-Hydroxy-o-nitrophenylbutene-ω-diearboxylie acid (Εινησικ and Genrenbeck), 1890, A., 163.
- Hydroxyoctoic acid (HANTZSCH), 1889, A., 372.
- salts of (Young), 1883, A., 456; (Fir-TIG and CHRIST), 1892, A., 962.
- Hydroxyoleic acid and its salts (LIECHTI and SUIDA), 1884, A., 239.
- Hydroxyiso-oxazoledicarboxylic acid (v. Pechmann), 1891, A., 738.
- Hydroxyoxindole chloride, amido-(JACKson and Bentley), 1892, A., 1219.
- Hydroxyoxydipropionic acid, chloro-(WILLGERODT and SCHIFF), 1890, A., 959.
- a-Hydroxypalmitic acid (Hell and IORDANOFF), 1891, A., 820.
- Hydroxypentanetricarboxylic anhydride (dicarbocaprolactonic acid) and its derivatives (Hjelt), 1883, A., 970.
- Hydroxypentene, tetramido- (NIETZKI and ROSEMANN), 1889, A., 770.
- α-Hydroxypentene cyanide, γγ-hexachloro- (ZINCKE and KUSTER), 1890,
 Α., 1256.
- Hydroxypentenecarboxylic acid, γγhexachloro- (ZINCKE and KUSTER), 1890, A., 754.
- Hydroxypentic acid, identity of, with ethyltartaric acid (Gorboff), 1888, A., 1179.
- Hydroxyperezone (hydroxypipitzahoic acid) (ANSCHÜTZ and LEATHER), 1886, T., 728. and its self (March)
 - and its salts (MYLIUS), 1885, A., 778. dibromide (Anschütz and Leather), 1886, T., 732.
- Hydroxyphenanthraquinonephosphinic acid (Fossek), 1886, A., 530.
- Hydroxyphenanthraquinones (Anschurz and Meyer), 1885, A., 1067.
- p-Hydroxyphenanthrazine (AUTEN-RIETH and HINSBERG), 1892, A., 733.
- Hydroxyphenanthridine (PICTET and ANKERSMIT), 1892, A., 197.
- Hydroxyphenanthroline (LA COSTE), 1883, A., 811.
- Hydroxyphenindulone, chloro- (KEHR-MANN and MESSINGER), 1891, A., 747.
- Hydroxyphenonaphthoxanthone (v. Kostanecki), 1892, A., 1099; (Denen), 1892, A., 1100.
- Hydroxyphenyl ethyl ketone. See Propionylphenol.

- Hydroxyphenyl hydroxy-α- and -βnaphthyl ketones (Phomina), 1890, A., 389, 901.
- Hydroxyphenyl mercaptan (HAITINGER), 1883, A., 989.
- Hydroxyphenyl hydroxytolyl ketone (Phomina), 1890, A., 389.
- p-Hydroxyphenylacetamide (SALKOWski), 1889, A., 1173.
- Hydroxyphenylacetamidine and its hydrochloride (BEYER), 1884, A., 65; 1885, A., 982.
- o-Hydroxyphenylacetic acid and its derivatives (v. BAEYER and FRITSCH), 1884, A., 1021.
- m-Hydroxyphenylacetic acid (SALKOWski), 1884, A., 1176.
- p-Hydroxyphenylacetic acid (Salkow-8ki), 1884, A., 1176.
 - derivatives of (SALKOWSKI), 1889, A., 1173.
- a-Hydroxyphenylacetic acid. See Mandelic acid.
- Hydroxyphenylacetimidoether and its hydrochloride (BEYER), 1884, A., 65; 1885, A., 983.
- Hydroxyphenylacetonitrile, acetylderivative of (MICHAEL and JEAN-PRÉTRE), 1892, A., 1088.
- imidoethers of (PINNER), 1891, A., 62.

 Hydroxyphenylacridine (Hess and Bernthern), 1885, A., 801; (Bestnorn and Curthann), 1891, A., 1234.
- Hydroxyphenylacrylic acid. See p-Coumaric acid. α-Hydroxyphenylacrylic acid (PlöcHl),
- 1884, A., 605.
 7-Hydroxyphenylalanine(ERLENMEYER
- p-Hydroxyphenylalanine (ERLENMEYE and Lipp), 1883, A., 994.
- o-Hydroxyphenylallylthiocarbamide (v. Chelmicki), 1891, A., 52.
- Hydroxyphenylamidoacetic acid and derivatives (VATER), 1884, A., 1144.
- Hydroxyphenylbenzenylnaphthylenediamine (FISCHER), 1892, A., 1472.
- 6-Hydroxy-4-phenyl-2-benzyl-m-diazine and 6-hydroxy-2-phenyl-5benzyl-4-methyl-m-diazine(l'INNER), 1889, A., 1008.
- γ-Hydroxyphenylbutyramide (FITTIG and Morris), 1890, A., 890.
- Hydroxy-a-phenylbutyric acid (JAYNE), 1883, A., 473.
- a-Hydroxy-γ-phenylbutyric acid, γbromo- (BIEDERMANN), 1892, A., 471.
- α-Hydroxyphenylisobutyric acid, β-bromo- (KÖRNER), 1888, Δ., 368;
 1889, Δ., 372.
- Hydroxyphenylbutyrolactone (FITTIG), 1888, A., 595; (FITTIG and OBER-MÜLLER), 1892, A., 986.

- α-Hydroxy-γ-phenylbutyro-γ-lactone (BIEDERMANN), 1892, A., 472.
- α-Hydroxy-γ-phenylbutyronitrile, dibromo- (Fischer and Stewart), 1892, A., 1447.
- Hydroxyphenylcarbamide (TRAUBE), 1889, A., 394; (v. DER KALL), 1891, A., 1222.
- Hydroxyphenylcarbamides, o- and p-(Kalckhoff), 1883, A., 734, 735.
- o-Hydroxy-α-phenylcinehonic acid (Doebner), 1889, A., 410.
- a-Hydroxyphenylcrotonic acid (PEINE), 1884, A., 1344; (TIEMANN), 1892, A., 471.
 - bromo- (FISCHER and STEWART), 1892, A., 1447.
- a-Hydroxyphenylcrotonitrile (PEINE), 1884, A., 1344.
- 6-Hydroxy-2-phenyl-m-diazine-4-carboxylbenzamidine (PINNER), 1890, A., 69.
- 6-Hydroxy-2-phenyl-m-diazine-4-carboxylic acid and amide (PINNER), 1889, A., 1009.
- 6-Hydroxy-5-phenyl-2:4-dibenzyl-mdiazine (WACHE), 1889, A., 684.
- 2'-Hydroxy-3'-phenyldihydroquinazoline-(PAAL and Bodewig), 1891, A., 944.
- 6-Hydroxy-2-phenyl-4:5-dimethyl-m-diazine (PINNER), 1889, A., 1008.
- o-2-Hydroxyphenyl-4:5-dimethylglyoxaline (WADSWORTH), 1890, T., 10.
- m-4-Hydroxyphenyl-2:6-dimethylpyridine (Lepetit), 1887, A., 1053.
- 1-o-Hydroxyphenyl-2:5-dimethylsuccinic acid (Frrmg and Brown), 1890, A., 777.
- 1-o-Hydroxyphenyl-2:5-diphenylpyrroline (PAAL and BRAIKOFF), 1890, A., 264.
- Hydroxyphenylethenylamidine and its hydrochloride (BEYER), 1884, A., 65.
- Hydroxyphenylethenylamidoxime and its derivatives (Gross), 1885, A., 898, 1218.
- 8-Hydroxyphenylethyl methyl ketone, ni-chloro-o-nitro- (Enthergrun and Einhorn), 1890, A., 1128; 1891, A., 1099.
- β-Hydroxy-β-phenylethyl-α-isoamylmalonic acid (PAAL and HOFFMANN), 1890, A., 1101.
- Hydroxyphenylethyltrichloramidoethane (Boessneck), 1888, A., 588.
- 6-Hydroxy-4-phenyl-2-ethyl-m-diazine (Pinner), 1889, A., 1007.
- Hydroxy-β-phenyl-α-ethylpropionic aoid (Perkin and Stenhouse), 1891, T., 1009.

Hydroxy-2-phenylethylpyridine (hμdroxy-α-stilbacoline) (Butter), 1890, A., 1439.

Hydroxyphenylformamidine (Comstock and Clarr), 1892, A., 708.

o-Hydroxyphenylglyoxylic acid (V. Baever and Fritsch), 1884, A., 1021.

Hydroxyphenylhexoic acid (ERDMANN), 1890, A., 377.

Hydroxyphenylhydrindone and its hydrazone (v. MILLER and ROHDE), 1892, A., 1221.

Hydroxyphenylhydrocoumarin (LIE-BERMANN and HARTMANN), 1891, A., 1484.

and its isomerides (LIEBERMANN and HARTMANN), 1892, A., 849.

2'-Hydroxyphenylhydroquinoline. See Phenylhydrocarbostyril.

6-Hydroxy-4-phenyl-2-hydroxybenzylm-diazine (PINNER), 1891, A., 63.

6-Hydroxy-4-phenyl-2-hydroxy isopropyl-m-diazine (Pinnen), 1890, A., 70.

p-Hydroxy-2'-phenyl-4-hydroxyquinoline (Weidel and v. Georgievics), 1888, A., 967.

Hydroxyphenylic anthranilate (v. MEYER and BELLMANN), 1886, A., 358.

sulphide (Tassinari), 1887, A., 807. disulphide (Leuckart), 1890, A., 604. and its compounds (Haitinger), 1883, A., 988.

oxidation of the methyl ether of (HAITINGER), 1883, A., 989. thio-(LEUCKART), 1890, A., 604.

p-Hydroxyphenylimidomethylenic ethylenic disulphide (MIOLATI), 1891, A., 895.

2'-p-Hydroxyphenylindazine (PAAL), 1891, A., 724.

o-Hydroxyphenyllactic acid (sulicyllactic acid) (Plocine and Wolfreym), 1885, A., 899.

p-Hydroxyphenyllactic acid (ERLEN-MEYER and LIPP), 1883, A., 993.

α-m-Hydroxyphenyl-p-methoxy-hydroquinoline and -quinoline (v. Miller and Kinkelin), 1887, A., 979, 978.

Hydroxyphenylmethylamidotrichlorethane and its derivatives (Boess-Neck), 1888, A., 587.

Hydroxyphenylmethylisocrotonic acid (FITTIG), 1890, A., 584; (FITTIG and BROWN), 1890, A., 778.

4-Hydroxy-2-phenyl-6-methyl-m-diazine, derivatives of (Pinner), 1886, A., 46. diamido-(Pinner), 1887, A., 1054. 4-Hydroxy-2-phenyl-6-methyl-m-diazine, 5-bromo- (PINNER), 1887, A., 1053.

6-Hydroxy-2-phenyl-4-methyl-m-diazine (Pinner), 1885, A., 751; 1889, A., 1008; 1891, A., 468.

6-Hydroxy-4-phenyl-2-methyl-m-diazine (PINNER), 1889, A., 1007.

6-Hydroxy-2-phenyl-4-methyl-m-diazine-5-acetic acid (Pinner), 1890, A., 69.

6-Hydroxy-2-phenyl-4-methyl-m-diazine-5-propionic acid (PINNER), 1890, A., 70.

6-Hydroxy-2-phenyl-4-methyl-5-ethylm-diazine (Pinner), 1889, A., 1008.

6-Hydroxy-4-phenyl-5-methyl-2-ethylm-diazine (SCHWARZE), 1890, A., 1159.

Hydroxyphenyl-p-methylic sulphide (TASSINARI), 1887, A., 807.

Hydroxy-β-phenyl-α-methylpropionic acid (Perkin and Calman), 1886, T., 159; (Perkin and Stenhouse), 1891, P., 43.

Hydroxyphenylmethylpyridazone (Ach), 1890, A., 71.

β-Hydroxyphenylmethylpyrotartaric acid, salts of (FITTIG and LIEBMANN), 1890, A., 776.

4'-Hydroxy-2'-phenyl-8-methylquinoline (Just), 1886, A., 812.

Hydroxyphenylmethylquinoxaline (HINSBEEG), 1885, A., 909.

β-Hydroxyphenyl-α-naphthylamine, αβ-dichloro- (ZINUKE and KEGEL), 1889, A., 268.

6-Hydroxy-4-phenyl-2-\(\beta\)-naphthyl-m-diazine (Pinner), 1892, A., 1009.

j)-Hydroxyphenyl-m-nitrophenylthiocarbamide (Steudemann), 1884, A., 307.

Hydroxyphenylphthalamic acid (Pt-UTTI), 1886, A., 1027.

p-Hydroxyphenylphthalamide (PI-UTTI), 1886, A., 1026.

Hydroxyphenylpivalic acid. See & Ilydroxyphenylvaleric acid.

β-Hydroxyphenylpropaldehyde(phenylβ-lactic aldehyde), m-chloro-o-nitro-(Eighengrun and Einhorn), 1891, A., 1100.

o-nitro- (v. BAEYER and DREWSEN), 1884, A., 58.

m-nitro- (GOHRING), 1885, A., 792. p-nitro-, compound of, with aldehyde, (GOHRING) 1885, A., 527

(Gonning), 1885, A., 527.

β-Hydroxyphenylpropionamide, mchlbro-o-nitro- (EICHENGRUN and EINHORN), 1890, A., 1127; 1891, A., 1100.

acid | p-Hydroxy-α-phenylpropionic (phloretic acid), artificial formation of (Trinius), 1885, A., 529.

Hydroxy- β -phenylpropionic acids, o-, m- and p-. See Hydrocoumaric acids.

a-Hydroxyphenylpropionic acid.

Phenyl-a-lactic acid.

β-Hydroxyphenylpropionic (phenyl-B-luctic acid), formation of, from ethylic benzoylacetate (PER-KIN), 1885, T., 254.

bromo- (ERLENMEYER), 1883, A., 196; 1891, A., 1482.

m-chloro-o-nitro- (EICHENGRUN and EINHORN), 1890, A., 1127; 1891, A., 1099.

a-iodo- (Erlenmeyer and Rosen-

нек), 1887, А., 45.

o-nitro- (v. BAEYER and DREWSEN), 1884, A., 58; (EINHORN), 1884, A., 66.

alcohol of (CALM), 1883, A., 341. B-lactone of (EINHORN), 1884, A.,

m-nitro-, lactone of (PRAUSNITZ),

1884, A., 1175. p-nitro- and its ethyl and methyl derivatives (BALLER), 1884, A., 604. B-lactone of (BASLER), 1884, A., 604.

o-, m- and p-nitro-, etherification of EINHORN and PRAUSNITZ), 1884, A., 1351.

β-Hydroxyphenylpropionanilide (phenyl-β-lactanilide), p-nitro- (Bas-LER), 1884, A., 1173.

β-Hydroxyphenylpropyl ketone. chloro-o-nitro- (Eichengrun Einhorn), 1891, A., 1098.

β-Hydroxyphenylpropyl methyl ketone and its derivatives (v. Baryer and DREWSON), 1883, A., 341; (v. BAE-YER and BECKER), 1883, A., 1120; (EICHENGRUN and EINHORN), 1890, A., 1128; 1891, A., 1099.

Hydroxyphenylpyrazoline. See Phenyl-

pyrazolone.

2-Hydroxy-phenyl-γ-pyridone, 3:5-dichloro-, and its carboxylic acid (ZINCKE), 1890, A., 964; (ZINCKE and Fuchs), 1892, A., 449, 448.

Hydroxyphenylpyrotartaric acid (phenylitamalic acid), m- and p-nitro-, and barium salts of (SALOMONSON), 1888, A., 480.

2'-o-Hydroxyphenylquinoline (phenolquinoline) (DORBNER), 1889, A., 410. 2'-m-Hydroxyphenylquinoline (phenol-

quinoline), and its salts (v. MILLER and Kinkelin), 1885, A., 1145.

2'-p-Hydroxyphenylquinoline (phenolquinoline) (Weidel), 1887, A., 847.

3-Hydroxy-2'-phenylquinoline, p-amido- (Weidel and v. GIEVICS), 1888, A., 967.

4'-Hydroxy-2'-phenylquinoline (JUST), 1886, A., 811; (Knorr), 1888, A.,

synthesis of (CONRAD and LIMPACH), 1888, A., 505.

4'-Hydroxyphenylquinolines, α - and β -(Koenigs and Mai), 1887, A., 599.

4'-Hydroxy-2'-phenylquinoline-3'-carboxylic acid, and its ethyl salt (JUST), 1886, A., 161, 811.

α-Hydroxy-α- and -β-phenylsuccinic acids. See a- and B-Phenylmalic acids.

Hydroxyphenylsulphonic acid. Sec Phenolsulphonic acid.

Hydroxy-2'-phenyltetrahydroquinoline (Weidel), 1887, A., 848.

 μ -Hydroxy- α -phenylthiazole (Arapi-DES), 1889, A., 413.

chloro- (SCHATZMANN), 1891, A., 745. Hydroxyphenylthiocarbamide CHER, 1889, A., 1164; (TIEMANN), 1889, A., 1165; (VOLTMER), 1890, A., 1126; 1891, A., 558; (V. DER KALL), 1891, A., 1222.

p-Hydroxyphenylthiocarbamide (KALUKHOFF), 1883, A., 735.

3-Hydroxyphenyltoluenesulphonic 4:4'-diamido- (Weinberg), 1888, A., 285.

m-Hydroxyphenyltolylamine and Buch), 1886, A., 873.

Hydroxyphenyl-o-tolylamines, m- and р- (Рипле), 1886, А., 942, 941.

m-Hydroxyphenyl-p-tolylamine, nitroso-(HAINCHEK and ZEGA), 1886, A., 455.

Hydroxyphenyl-p-tolylamines, m- and p., and their derivatives (HATSCHEK and ZEGA), 1886, A., 455.

6-Hydroxy-4-phenyl-2-p-tolyl-m-diazine (PINNER), 1891, A., 470.

Hydroxyphenyltolylethanes, o- and m-(KOENIGS and CARL), 1892, A., 446.

Hydroxyphenyltriphthalamic acid (Piutri), 1886, A., 1027.

β-Hydroxyphenylvaleric acid (hydroxyphenylpiralic acid) (FITTIG and JAYNE), 1883, A., 471. and its derivatives (OTT), 1885, A.,

663.

γ-Hydroxyphenylvaleric acid (Fittig and STERN), 1892, A., 988.

γ-Hydroxyphenylésovaleric acid, salts of (FITTIG and LIEBMANN), 1890, A., 776.

Hydroxyphenylvalerolactone and MAYER), 1892, A., 986. Hydroxyphosphinic acids (FOSSEK), 1885, A., 504; 1886, A., 529. Hydroxyphosphinous acids (VILLE),

1890, A., 618.

Hydroxyisophthalaldehydes, α- and β-(Voswinckel), 1863, A., 190.

Hydroxyphthalanilide (Piutri), 1886, A., 1026. 1:2:3-Hydroxyphthalicacid (Jacobsen),

1:2:8-Hydroxyphthalicacid (JACOUSEN), 1883, A., 1124; (MILLER), 1884, A., 1177; (Srokes), 1885, A., 540. dinitro- (juglonic acid) (BERNTHSUN and SEMPRI), 1885, A., 548.

1:3:4-Hydroxyphthalic acid (GRAEDE), 1885, A., 902; (GRAEBE and REE), 1886, T., 522; P., 211.

Hydroxyisophthalic acid (Voswinck-EL), 1883, A., 190.

β-Hydroxyphthalide (GRAEBEand Rife), 1886, T., 525.

B-Hydroxyphthalimide (GRAEBE and REE), 1886. T., 524.

β-Hydroxy-β-phthalimidoethylic sulphide (GADRIEL), 1892, A., 130.

p-Hydroxypiazthiole (Autenrieth and Hinsberg), 1892, A., 734.

a-Hydroxypicolinic acid (a-hydroxypyridinecurboxylic acid), and its salts (Ost), 1883, A., 795. (ichloro, (Ost), 1883, A., 795

//ichloro- (Ost), 1883, A., 795. β-Hydroxypicolinic acid (β-hydroxypyridinearrboxy/icucid) (Ost), 1883, A., 795; 1885, A., 49. chloro- [β-acid] (Ost), 1883, A.,

795. chloro- [γ-acid] (SEYFFERTH), 1887,

A., 158. γ-Hydroxypicolinic acid and chloro-

γ-Hydroxypicolinic acid and chloro-(Bellmann), 1884, A., 840.

Hydroxypimelic acid (Schleicher), 1892, Å., 428. 6-Hydroxy-2-pipecoline (Bunzel),1869,

A., 904. Hydroxypiperhydronic acid (WEIN-

Hydroxypiperhydronic acid (WEIN-SPEIN), 1885, A., 664. Hydroxypiperic acids, α- and β-, oxida-

tion of (Regel), 1887, A., 488. 2-Hydroxypiperidine (Wolffenstein),

1892, A., 1485. Hydroxypiperohydrolaetone (Recell),

1887, A., 488.
8-Hydroxynineronylethyl methyl ke-

8-Hydroxypiperonylethyl methyl ketone (piperonyllactyl methyl ketone), and bromo- (OELKER), 1891, A., 1476.

Hydroxypipitzahoic acid. See Hydroxyperezone.

Hydroxypropamidine salts (PINNER), 1891, A., 63.

a-Hydroxypropenylamidoxime, \$\beta\$-trichloro- (Richter), 1892, A., 321. Hydroxypropenylbenzoic acid (p-propenylsalicylic acid) (HEYMANN and KOENIGS), 1887, A., 241.

α-Hydroxypropenylethenylazoxime, βtruchloro- (RICHTER), 1892, A., 321.

a-Hydroxypropionic acid. See Lactic acid.

β-Hydroxypropionic acid. See Hydracrylic acid.

Hydroxypropionitrile, imidoethers of (Pinner), 1891, A., 62.

ω-Hydroxypropyl phenyl ketone (Perkin), 1885, T., 844.

β-Hydroxypropylacridine, ω-trichloio-(methylacridinechloral) (BERNTHSEN and MUHLERT), 1887, A., 849.

a-Hydroxypropylamine (amidoisopropylic alcohol) (LIEBERMANN and PAAL), 1883, A., 909.

8-Hydroxypropylamine, trichloro- (FAU-CONNIER), 1888, A., 1265.

γ-Hydroxypropylamine (GABRIEL and WEINER), 1888, A., 1293.

Hydroxypropylamylamine (LIEBER-MANN and PAAL), 1883, A., 910.

β-Hydroxypropylbenzamide (Hirsch), 1890, A., 860.

4-Hydroxyisopropylbenzoic acid, 2amido- (WIDMAN), 1886, A., 466.

action of nitrous acid and of ethylic chloroformate on (WIDMAN), 1884, A., 1022.

2:5- dibromo- (FILETI and Boniscontro), 1892, A., 604.

2-nitro- (WIDMAN), 1886, A., 466. 8-nitro-, and its derivatives (WID-MAN), 1883, A., 330; 1884, A., 316.

exoHydroxyisopropylbenzoic acid, 3amido- (Widman), 1884, A., 317.

action of acetic anhydride on (WIDMAN), 1884, A., 302.

Hydroxypropylcarboxylphenylurethane (WIDMAN), 1881, A., 1023.

Hydroxyisopropyldiphenyleneketonecarboxylic acid (BAMBERGER and HOOKER), 1885, A., 1070.

Hydroxypropylenepiperidine (a-lupctidylalkine) (Ladenburg), 1891, A., 1119.

Hydroxypropylhydroxybenzoic acid (WIDMAN), 1884, A., 1022.

α-Hydroxy-β-propylidenebutyramide (Johanny), 1891, A., 38.

Hydroxypropylmalonic acid, salts of (HJELT), 1883, A., 456.

Hydroxypropylmethylaniline (phenylmathylpropylalkine) (LAUN), 1884, A., 1011.

- Hydroxypropylpiperidine (piperpropylulkine), and its derivatives (LATN), 1884, A., 1054; (Engler and BAUER), 1891, A., 1505.
- a-Hydroxypropylpiperidine. See Conhydrin.
- β-Hydroxypropylpiperidine (a-pipecolylmethylalkine) (LADENBURG), 1890, A., 68.
- Hydroxypropylphosphinic acid (Fossek), 1886, A., 530.
- Hydroxypropylphthalamic acid (GAB-RIEL and LAUER), 1890, A., 472.
- γ-Hydroxypropylphthalimide (GAB-RIEL and LAUER), 1890, A., 472; (LAUER), 1890, A., 1089.
- Hydroxypropylphthalimide, nitro-(NEUMANN), 1890, A., 890.
- Hydroxypropylpyridine [b.p. 213] (ENGLER and BAUER), 1891, A., 1505.
- Hydroxypropylpyridine (a-lutialulalkina) (ALEXANDER), 1890, A., 1447; (LADENBURG), 1891, A., 1119.
- β-Hydroxypropylpyridine (α-picolylmethylalkine) (LADENBURG), 1890,
 A., 68.
- α-Hydroxypropylpyridine, ω-trichloro-(ΕΙΝΗΟΚΝ and LIEBRECHT), 1887, A., 845.
- a-Hydroxypropylquinoline, trichloro-(EINHORN), 1886, A., 721.
- 2'-Hydroxy-2-isopropylquinoline (WID-MAN), 1886, A., 465.
- Hydroxypropylsuccinic acid, lactone of (HJELT), 1883, A., 656, 971.
- Hydroxy-p-isopropylsalicylic acid (HEYMANN and KOENIGS), 1887, A., 241.
- 2-Hydroxypyridine (α-pyridone) (ΚοΕΝΙΘΑ and ΚόΝΝΕΝ), 1884, Α., 85; (ΚΟΕΝΙΘΑ and GΕΙΘΥ), 1884, Α., 1195; (FERR and ΚΟΕΝΙΘΑ), 1886, Α., 1044; (V. PECHMANN and BALTZER), 1892, Α., 208.
 - dibromo- (Koenigs and Geigy), 1884, A., 1195.
 - dichloro- (Koenics and Geicy), 1884, A., 1369.
- 3:5-diolo-(Pfeiffer), 1887, A., 845. 3-Hydroxypyridine (Fischer and Renouf), 1884, A., 1050; (Koenios
 - and GeIGY), 1884, A., 1869. from pyridinesulphonic acid, derivatives of (FISCHER and RENOUF),
 - 1884, A., 1370. dibromo and its salts (Fischer), 1884, A., 1370.
- 4-Hydroxypyridine(chelamide)(LERCH), 1885, A., 46; (HAITINGER and LIEBEN), 1885, A., 811, 966.

- 4-Hydroxypyridine (chelamide) from β-hydroxypicolinic acid (Ost), 1885, A., 50.
 - and its dibromo-derivative (LIEBEN and HAIFINGER), 1883, A., 871.
- 6-Hydroxypyridine, 2:3:5-trichlor-4amido- (STOKES and V. PECHMANN), 1887, A., 156.
- Hydroxypyridine, amido- [m.p. 214°], and its derivatives (KRIPPENDORFF), 1885, A., 1243.
- Hydroxypyridine-bases, synthesis of (LADENBURG), 1890, A., 67; 1891, A., 1092.
- a-Hydroxypyridinecarboxylic acid (a-hydroxypicolinic acid) and its salts (Ost), 1883, A., 795. dichloro- (Ost), 1883, A., 795.
- β-Hydroxypyridinecarboxylic acid (β-hydroxypicolinic acid) (Ος Γ), 1883, A., 795; 1885, A., 49. chloro- (OsT), 1883, A., 795.
- 2-Hydroxypyridine-3-carboxylic acid (2-hydroxynicotinic acid) (WEIDEL and STRACHE), 1886, A., 951.
- 6-Hydroxypyridine-3-carboxylic acid (6-hydroxynicotinic acid), and its derivatives (Kobnics and Geigy), 1884, A., 1195; (v. Pechmann and Welsh), 1885, T., 150; A., 174; (v. Pechmann), 1885, A., 176.
 - preparation of, from hydroxyquinolinic acid (Koenigs and Geigy), 1884. A., 945.
- 2-Hydroxypyridine-3:4-dicarboxylic acid (a-hydroxycinchomeronic acid) (WEIDEL and STRACHE), 1886, A., 951.
- 4-Hydroxypyridine-2: 6-dicarboxylic acid. See Ammonchelidonic acid.
- 6-Hydroxypyridine-2: 3-dicarboxylic acid (hydroxyquinolinic acid), and its salts (Koenics and Koenee), 1884, A., 85; (Koenics and Geigy), 1884, A., 1195; (Feer and Koenics), 1885, A., 1236.
- 3-Hydroxypyridyl-2-butyric acid. See Morrhuic acid.
- Hydroxypyrotartaric acid (itemulic ucid) and its salts (Been), 1883, A., 457.
 - trichloro-, salts of (FITTIG and MIL-LER), 1890, A., 586.
- Hydroxypyruvic acid (WILL), 1891, A.,
- osazone of (WILL), 1892, A., 356. Hydroxyquinaldine. See Hydroxy-2'-
- methylquinoline.

 Hydroxyquinhydrone (Barth and Schreder), 1885, A., 520.

Hydroxyquinol, the third isomeric trihydroxybenzene (BARTH and SCHREDER), 1883, A., 987; 1885, A., 520.

derivatives of (SCHWEITZER), 1889, A., 389.

Hydroxyquinoline (kymurin) (SKRAUP), 1890, A., 174.

oxidation of (Kretschy), 1883, A., 674.

Hydroxyquinoline, 3'-amido-[m.p.109'-110'], and the action of its diazosalts on phenols and tertiary bases (RIEMBERCHMIED), 1888, A., 1148. nitro-(WEIDEL and HAZURA), 1888,

A., 223.

1-nitro- (SCHMITT and ENGELMANN), 1888, A., 67; (V. KOSTANECKI), 1891, A., 579; (VIS), 1892, A., 1105.

dinitro- (CLAUS and POSSELT), 1890, A., 523.

1-Hydroxyquinoline (SKRAUP), 1883, A., 92; (HERZFELD), 1884, A., 1199; (FINCHER and RENOUF), 1884, A., 1370; (KOHN), 1886, T., 500.

action of chlorine on (HEBEBRAND), 1889, A., 60.

action of methylic iodide on (CLAT's and Howitz), 1890, A., 1323.

quaternary base derived from (Wurtz), 1883, A., 923.

derivatives (Skraup), 1883, A., 92; (Herefeld), 1884, A., 1199; (Fischer and Renoup), 1884, A., 1870; (Kohn), 1886, T., 500; (Lipp-Mann and Fleisner), 1890, A., 265.

alkyl-halogen derivatives of (Lipp-MANN and Fleissner), 1890, A., 174; (Claus and Howitz), 1890, A., 1323.

methohydroxide (CLAUS, HOWITZ, MASSAN and RAPS), 1892, A., 878.

1-Hydroxyquinoline, bromo- [m.p. 119°] (SCHMITT and ENGELMANN), 1888, A., 67.

1888, A., 67. 4-bromo- [m.p. 124°] (CLAUS and HOWITZ), 1892, A., 354.

4: 3-dibromo- (CLAUS and POSSELT), 1890, A., 522; (CLAUS and HOWITZ), 1892, A., 354.

3:4:4'-tribromo- (SRPEK), 1890, A., 177; (CLAUS and HEERMANN), 1891, A., 83.

chloro-, 2:4-dichloro-, and 2:3:4-trichloro- (Hebebrand), 1889, A., 60. 2:4-dinitro- (V. Kostanecki), 1891,

A., 579. 2-Hydroxyquinoline (Fischer), 1883, A., 91; (Skraup), 1883, A., 95; (Claus), 1888, A., 729.

2-Hydroxyquinoline derivatives (FISCHER), 1883, A., 91; (SKRAUP), 1883, A., 95.

methiodide, methochloride and methohydroxide (Chaus, Howerz, Massan and Raps), 1892, A., 876.

2'-Hydroxyquinoline. See Carbostyril. 3-Hydroxyquinoline (Skraup), 1883, A., 93.

from p-quinolinesulphonic acid (HAPP), 1884, A., 758.

from 2-hydroxyquinolino-4'(?)-carboxylic acid (SKRAUP), 1884, A., 86.

action of chlorine on (ZINCKE), 1891, A., 1249.

derivatives (SKRAUP), 1883, A., 93.

alkyl-halogen derivatives of (CLAUS and Howitz), 1890, A., 1323.

benzylchloride, benzylhydroxide, ethohromide and ethohydroxide (CLAUs and Howitz), 1891, A., 1253.

hydrobromide, 4-bromo- (CLAUS and Howitz), 1892, A., 353.

methochloride, methohydroxide and methosulphate(CLAUsand Howitz), 1891, A., 1252.

methyl ether. See Quinanisoil.

1-amido- (MATHEUS), 1888, A., 852; (ALTSCHUL), 1888, A., 1108.

dibromo- (CLAUS and POSSELT), 1890, A., 523.

4-chloro-, and 2:4-dichloro- (ZINOKE), 1891, A., 1249.

1:2:4-trichloro- (ZINCKE), 1891, A., 1250.

1-nitro- (Schmitt and Altschul), 1888. A., 67; (MATHEUS), 1888, A., 965; (Altschul), 1888, A., 1108. 1-nitroso- (Matheus), 1888, A., 965.

3'-Hydroxyquinoline and its delivatives (RIEMERSCHMIED), 1883, A., 1147.

4-Hydroxyquinoline (Chaus), 1888, A., 729.

3-chloro- (Claus, Howitz, Massan and Raps), 1892, A., 877.

Hydroxyisoquinoline, mono- and dichloro- (Rugheimer), 1886, A., 702.

Hydroxyisoquinolines and their derivatives (Claus, Howitz, Massan and Rars), 1892, A., 877.

Hydroxyquinolines, preparation of (ANON.), 1884, A., 945.

derivatives of, and their physiological effects (FISCHER), 1883, A., 1146.

1-Hydroxyquinolinecarbothionylic acid (LIPPMANN and FLEISSNER), 1888, A., 1092.

Hydroxyquinolinecarboxylic acid (cymurenic acid; kymurenic acid), oxidation of (KRETSCHY), 1883, A., 674.

- 1-Hydroxyquinolinecarboxylic acid [m.p. 250°] (Lippmann and Fleissner), 1887, A., 63, 1119; 1888, A., 1092.
 - and its derivatives, behaviour of, in the organism (KRÓLIKOWSKI and NENCKI), 1888, A., 864.

NENCRI), 1888, A., 864. derivatives (Lippmann and Fleiss-NER), 1887, A., 63.

1-Hydroxyquinolinecarboxylic acid [m.p. 235°] (SCHMITT and ENGEL-MANN), 1887, A., 738; 1888, A., 66

derivatives (SCHMITT and ENGEL-MANN), 1887, A., 788.

nitro- (SCHMITT and ENGELMANN), 1888, A., 66.

2'-Hydroxyquinoline-3'-earboxylic acid (carbostyrilearboxylic acid) (FRIED-LÄNDER and GÜHRING), 1884, A., 1020.

2-Hydroxyquinoline-4'(?)-carboxylic acid (xanthoquinic acid) (SKRAUP), 1884, A., 86.

2'-Hydroxyquinoline-4'-carboxylic acid (hydroxycinchonic acid) (Koenigs and Konner), 1884, A., 84.

3-Hydroxyquinolinecarboxylic acid (Litemann and Fletisener), 1887, A., 1120; (Schmitt and Altschul), 1888, A., 67.

1-Hydroxyquinolinedisulphonic acid (LIPPMANN and FLEISSNER), 1890, A., 268; (CLATS and POSSELT), 1890, A., 523.

3-Hydroxyquinoline-1'-methylbetaine (CLAUS and HOWITZ), 1891, A., 1252.

3-Hydroxyquinoline-1:4-quinone, 2chloro-, and its anilide (ZINCKE), 1891, A., 1251.

1-Hydroxyquinolinesulphonic acid (LIPPMANN and FLEISSNER), 1890, A., 268.

1-Hydroxyquinoline-4-sulphonic acid (CLAUS and POSSELT), 1890, A., 522.

bromo- (CLAUS and POSSELT), 1890, A., 522.

2'-Hydroxyquinolinesulphonic acid (acrbostyrilsulphonic acid) (LA COSTE and VALEUR), 1886, A., 629; 1887, A., 379.

3-Hydroxyquinolinesulphonic acid (CLAUS and POSSELT), 1890, A., 523.

bromo- (CLAUS and Posselt), 1890, A., 523.

3'-Hydroxyquinolinesulphonic acid (LA COSTE and VALEUR), 1886, A., 629; 1888, A., 297.

and its salts (RIEMERSCHMIED), 1883, A., 1148.

acid Hydroxyquinolinic acid (6-hmh-EISS-888, and its salts (Koexigs and Können), 1881, A., 85; (Koexigs and Geigy), 1884, A., 1195; (Free and Kor-Nos), 1885, A., 1236.

Hydroxyquinone, tribromo- (BARTH and Schreder), 1885, A., 520.

p-chloro- (STIEGLITZ), 1891, A., 456. dinitro-, preparation of (NIETZKI), 1884, A., 58.

Hydroxyquinoneimide, chloramido-(KEHRMANN), 1890, A., 241.

Hydroxyquinones (NIErzki and Krhr-MANN), 1888, A., 268; (Kowalski), 1892, A., 1098.

formation of, from quinones (Kowal-ski), 1892, A., 45.

behaviour of, with mordants (v. KOSTANECKI), 1889, A., 869.

Hydroxyquinophenol, See 1-2-Dihydroxyquinoline.

3-Hydroxyquinoxaline (AUTENRIETH and Hinsberg), 1892, A., 732.

2'-Hydroxyquinoxaline-3'-carboxylic acid (Kühling), 1891, A., 1342.

Hydroxyresazoin (Enelich), 1888, A., 145.

Hydroxysebacic acid (CLAUS and STEINKAULER), 1888, A., 134. a-Hydroxystearic acid (HELL and

SADOMSKY), 1891, A., 1336.

β-Hydroxystearic acid (SAYTZEFF), 1886, A., 140; (M., C. and A. SAYTZEFF), 1887, A., 30; (GEITEL), 1888, A., 578.

γ-Hydroxystearic acid (GEITEL), 1888, A., 578.

Hydroxystearic anhydride (M., C. and A. SAYTZEFF), 1887, A., 31.

Hydroxy-a-stilbazoline. See Hydroxy-2-phenylethylpyridine.

p-Hydroxystyrolene (Bernthsen and Bender), 1883, A., 70.

o-Hydroxystyryl methyl ketone (methyl coumaro ketone) and its derivatives (HARRIES), 1892, A., 169.

Hydroxystyrylhydantoin bromide (PINNER and SPILKER), 1889. A., 706. Hydroxy-2'-styrylpyridine (hydroxy-a-

stilbazole) (BUTTER), 1890, A., 1438. Hydroxysuberic acid and its salts

(Hell and Rempel), 1885, A., 756; (Hempel), 1885, A., 757.

p-Hydroxy-o-sulphobenzoic acid (HEDRICK), 1888, A., 280; (PISA-NELLO), 1889, A., 1063.

p-Hydroxy-m-sulphobenzoic acid and its salts (KLEPL), 1884, A., 446.

1-Hydroxy-4-sulpho-β-naphthoic acid (König), 1889, A., 719; 1890, A., 636.

Hydroxysulphonebenzide (dilindrowndiphenulsulphone) (TASSINARI), 1889, A., 245.

Hydroxyterebic acid, salts of (ROSER), 1884. A., 459.

Hydroxyterephthalie acid, reduction products of (v. BALYER and TUTEIN), 1889, A., 1180.

A3-Hydroxytetrahydrobenzyldimethylamine (MERLING), 1892, A., 359.

Hydroxytetrahydronaphthoic acid. bromo-, lactone of (v. BAEYER, SCHODER and BESEMFELDER), 1892, A., 193.

1-Hydroxytetrahydroquinoline, paration of methyl and ethyl derivatives of (ANON.), 1883, A., 871.

3-Hydroxytetrahydroquinoline, bromo-, hydrochloride (SRPEK), 1890, A., 177.

1-Hydroxytetrahydroquinolinecarboxylic acid (LIPPMANN and FLEISS-NER), 1887, A., 1119.

Hydroxytetrahydroterephthalic acid (v. BAEYER and TUTEIN), 1889, A., 1180. Hydroxytetramethylenecarboxylic acid

(Perkin and Sinclain), 1892, T., 44. Hydroxytetramethylhexahydropyridine. See Triacetonealkamine.

Hydroxytetramethylpropylenediamine (BEREND), 1884, A., 1114. 4'-Hydroxy-1:3:4:2'-tetramethyl-

quinoline (CONRAD and LIMPACH), 1888, A., 504. aldehyde (Conrad and Limpach),

1888, A., 1110.

Hydroxytetrethylpropylenediamine (Berend), 1884, A., 1114.

Hydroxytetric acid. Methylsuccinic acid.

o-Hydroxythiocarbanilide (KALCKnoff), 1883, A., 1110.

9-Hydroxythiocarbanilide (KALCKноғғ), 1883, А., 735.

Hydroxythionaphthene (BIEDERMANN), 1886, A., 788.

Hydroxythiotolen. See Hydroxymethylthiophen.

Hydroxythiotoluene (TRUHLAR), 1887, A., 473.

Hydroxythymophenindulone MANN and Messinger), 1891, A., 747.

Hydroxythymoquinone (MAZZARA), 1890, A., 965; (Kowalski), 1892, A., 1098.

constitution of (MAZZARA), 1890, A.,

derivatives, constitution of (MAZ-ZARA), 1891, A., 297.

Hydroxythymoquinoneimide, amido-(Ansonutz and Leather), 1886, T., 725.

2-Hydroxy-m-tolenylamidoxime homosulicenylumidoxime) (PASCHEN). 1892, A., 320.

4-Hydroxy-m-tolenylamidoxime homosulicenylumidoxime) (Goldвеск), 1892, А., 319.

6-Hydroxy-m-tolenylamidoxime homo-p-hydroxybenzenylumidoxime) (Paschen), 1892, A., 320.

Hydroxytolenylazoxime-. See under

Azo-.

2-Hydroxy-m-tolualdehyde (o-homosalicyluldehyde) and oxime of (Pas-CHEN), 1892, A., 320.

6-Hydroxy-m-tolualdehyde (o-homo-phydroxybenzuldehyde) and oxime and phenylhydrazone of (Paschen), 1892, A., 320.

4-Hydroxy-m-tolualdoxime and -toluamide (p-homo-salicyl-aldorine and -amide) (Goldbeck), 1892, A., 318

Hydroxytolucarbostyril. See Hydroxymethylcarbostyril.

Hydroxytoluene. See Cresol.

o-Hydroxytoluic acid (o-hydroxymethylbenzoic acid) (HJELT), 1892, A., 715. rate of transformation of, into phthalide (Collan), 1892, A., 1270,

5-nitro- (Hönig), 1886, A., 242.

p-Hydroxytoluic acid, heats of combustion and formation of (Stohmann, KLEBER and LANGBEIN), 1889, A., 1096.

Hydroxy-o-toluic acids, 5- and 6-(JACOBSEN), 1883, A., 1124.

4-Hydroxy-m-toluic acid (p-homoa-cresotic acid), salicylic acid; occurrence of, in artificial salicylic acid (Dunstan and Bloch), 1891, A., 454.

derivatives of (GOLDBECK), 1892, A.,

anhydrides of (Bargioni and Schiff). 1888, A., **8**38.

5-Hydroxy-3-toluic acid, conversion of ethylic acetoneoxalate into (CLAIsen), 1890, A., 364.

2:4:6-trinitro- (nitrococcusic ucul), synthesis of (v. Kostanecki and NIEMENTOWSKI), 1885, A., 531.

2-Hydroxy-p-toluic acid (m-hydroxymethylben wie acid) (Weinreich), 1887, A., 669.

Hydroxy-m- and -p-toluic acids, 2- and 3- (\$\beta\$- and \gamma-cresotic acids), occurrence of, in artificial salicylic acid (Dunstan and Bloch), 1891, A., 454.

amido- (NIETZKI and RUPPERT), 1891, A., 308, 309.

- 2-Hydroxy-m-toluic phenylhydrazone (o-homosalicylphenylhydrazone) (Paschen), 1892, A., 320.
- 4-Hydroxy-m-toluonitrile (p-homosalicylonitrile) (Goldbeck), 1892, A., 319.
- methyl derivative of (Limpach), 1889, A., 499.
- Hydroxy-m-toluonitriles, 2- and 6-(Paschen), 1892, A., 320.
- Hydroxytoluquinoline. See Hydroxymethylquinoline.
- Hydroxytoluquinone, dibromo- (SPICA and MAGNANINI), 1884, A., 175.
- Hydroxytoluquinoxaline. See Hydroxymethylquinoxaline.
- Hydroxytolyl methyl ether. See Hydroxymethoxytoluene.
- Hydroxy-p-tolylacetic acid (CLAUS and KROSEBERG), 1887, A., 949.
- 6-Hydroxy-2-p-tolyl-5-benzyl-2-methyl-m-diazine (PINNER),1891, A., 470.
- ω-Hydroxytolylearbamide (Soderbaum and Widman), 1889, A., 972.
- 4-Hydroxy-6-p-tolyl-m-diazine-2-carboxylic acid (PINNER), 1892, A., 1008.
- Hydroxytolylene-o-dicarboxylic acid, lactide of (EPHRAIM), 1890, A., 1143.
- ω-Hydroxytolylethylthiocarbamide (Söderblum and Widman), 1890, A., 178.
- 4-Hydroxy-6-p-tolyl-2-methyl-m-diazine (GLOCK), 1888, A., 1290.
- 6-Hydroxy-2-tolyl-4-methyl-5-ethyl-mdiazine (PINNER), 1891, A., 469.
- 4'-Hydroxy-1-tolyl-2'-methylquinoline, synthesis of (KNORR), 1884, A., 1198.
- Hydroxytolylmethylthiocarbamide (Söderbaum and Widman), 1890, A., 178.
- ω-Hydroxytolylphenylcarbamide (Soderbaum and Widman), 1889, A., 973.
- Hydroxy-o-tolylthiocarbamide (Tie-MANN), 1889, A., 1165; (VOLTMER), 1890, A., 1126; 1891, A., 558.
- 6-Hydroxy-2:4:5-triethyl-m-diazine (WACHE), 1889, A., 684.
- o-Hydroxytrimethylbenzaldehyde (AUWERS), 1885, A., 380.
- 6-Hydroxy-2:4:5-trimethyl-m-diazine (Pinner), 1889, A., 1006.
- Hydroxytrimethylenediphthalamic acid (GOEDECKEMEYER), 1888, A., 1295.
- B-Hydroxytrimethylenediphthalimide (GOEDECKEMEYER), 1888, A., 1295; (GABRIEL), 1889, A., 486.

- Hydroxytrimethylethylammonium hydroxide (Brieger), 1884, A., 1202.
 - physiological action of (CERVELLO), 1885, A., 925; 1888, A., 309.
 - platinochloride, chloro- (Bode), 1892, A., 807.
- Hydroxytrimethylglutaric acid lactone (Auwers and Meyer), 1890, A., 480.
- Hydroxytrimethylpyrroline (WEIL), 1886, A., 529.
- 4'-Hydroxy-2':1:3-trimethylquinoline (CONRAD and LIMPACH),1888, A., 503.
- Hydroxy-2':1:3-trimethylquinolinecarboxylic acid (CONRAD and LIM-PACH), 1888, A., 504.
- Hydroxytrimethyluracil, dibromo- and dichloro- (HAGEN). 1888, A., 582.
- Hydroxytrimethylxanthine (HAGEN), 1888, A., 582.
- 6-Hydroxy-2:4:5-triphenyl-m-diazine (WACHE), 1889, A., 684.
- o-Hydroxytriphenylmethane (FISCHER and FRANKEL), 1888, A., 56.
- Hydroxytropine (oscine) (Hesse), 1892, A., 1498.
- p-Hydroxytruxillic acid (LIEBERMANN and BERGAMI), 1889, A., 699.
- β-Hydroxy-α-truxillic acid (Homans, Steltzner and Sukow), 1891, A., 1496.
- Hydroxyuracil, bromonitro-(Behrend), 1887, A., 920.
- γ-Hydroxyvaleramide (NEUGEBAUER). 1885, A., 651; (FITTIG and RANCH), 1890, A., 879.
- Hydroxyvaleric acid, oxime of (WOLFF), 1891, A., 1185.
- n-Hydroxyvaleric acid and its salts (MENOZZI), 1884, A., 1122; (JUSLIN), 1885, A., 137.
- γ-Hydroxyvaleric acid, transformation of, into its lactone (OSTWALD), 1891, A., 1151; (HENRY), 1892, A., 1303.
- β-Hydroxyisovaleric acid (Reform-ATSKY), 1887, Δ., 717.
- Hydroxyvaleric acids (& and β-hydroxy-α-methylbutyric acids), chloro-derivatives of (MELIKOFF), 1886, A., 1008; 1887, A., 30; 1888, A., 1177; (ΜΕLΙΚΟFF and PETRENKO-
- KRITSCHENKO), 1890, A., 786, 862.

 Hydroxyvalerolactone (FITTIG and URBAN), 1892, A., 958.
- Hydroxyvinylphenylethenylamidoxime (Bornemann), 1886, A., 799.
- Hydroxyvinylphenylpropionic acid, pnitro- (EINHORN and GEHRENBECK), 1889, A., 397.
- Hydroxyxanthine (BEHREND), 1887, A., 919.

of i

Hydroxyxanthone, constitution

(GRAEBE), 1890, A., 505.

Hydroxyxanthones (v. Kostanecki and Nessler), 1892, A., 504; (v. KOSTANECKI and RUTISHAUSER), 1892, A., 1096; (Bener), 1892, A., 1100.

of the naphthalene and quinoline series (v. Kostanecki), 1892, A.,

synthesis of (v. Kostanecki and NESSLER), 1891, A., 1060; (NESS-LER), 1891, A., 1494.

acid (2-hydroxy-3:5-Hydroxyxylic dimethylbenzoic acid) (GUNTER). 1884, A., 1347.

Hydrozincite (v. ZEPHAROVICH), 1887, A., 1021.

Hygric acid (LIEBERMANN and Kuhling), 1891, A., 586.

Hygrine (BIGNON), 1886, 388; Α., 1888, Α., STOCKMAN), 508; (LIEBERMANN), 1889, A., 732; KUHLING), (LIEBERMANN and 1891, A., 586.

separation of, from cocaine (HoWARD), 1887, A., 1126.

Hygrometer, a condensation (Cnova), 1883, A., 118.

Hymenodictyonine, the bitter principle of Hymenodictyon excelsum (NAYLOR), 1883, A., 1141; 1885, A., 565.

acids, a-Hyoglycocholic and B-(Jolin), 1887, A., 742; 1888, A., 1213; 1889, A., 422.

and hyoscyamine. Hyoscine Sea Alkaloids.

Hyperite, porphyritic, from California (v. Chrustschoff), 1886, A., 780.

Hypersthene (szaboite) (KRENNER and Косп), 1886, А., 432.

Krakatoa ashes (RETGERS),

1886, A., 602. om Transylvania, analysis (Косп), 1885, А., 735.

(HAGUE Hypersthene-andesite IDDINGS), 1884, A., 29; (Cross), 1884, A., 568.

from Peru (HATCH), 1885, A., 1189. Hypocaffeine and its salts (FISCHER),

1883, A., 356. Hypochlorin and its formation (FRANK),

1883, A., 483. crystals, Pringsheim's, nature of

(MEYER), 1883, A., 483. Hypochlorous acid. See Chlorine.

Hypoethyltheobromine (FISCHER), 1883, A., 357.

Hypomelanin (MÖRNER), 1887, A., 168. Hypomelaninic scid (NENCKI and Sieber), 1888, A., 976.

Hypomercurosic sulphite (DIVERS and

Shimidzu), 1886, T., 567.

Hyponitrous acid. See under Nitrogen. Hypophospho-molybdates and -tung-

states (Gibbs), 1884, A., 560. Hypo-phosphorous and -phosphoric acids. See under Phosphorus.

Hyposantonic acid (Gucci and Grassi-CRISTALDI), 1892, Λ., (Francesconi), 1892, A., 1353.

isoHyposantonic acid (Gucci Grassi-Cristaldi), 1892, A., 870.

Hyposantonin and isohyposantonin GRASSI-CRISTALDI), 1890, A., 904; Greer and GRASSI-CRISTALDI), 1892, A., 870.

Hypo-sulphurous and -sulphuric acids.

See under Sulphur.

Hypoxanthine (sarcine) (Kossel), 1883, A., 924; (Bruhns), 1890, A., 534; (BRUHNS and KOSSEL), 1892, A., 220.

occurrence of (BAGINSKY; KOSSEL), 1885, A., 286.

in urine (SALOMON), 1887, A., 739. as a plant-constituent (SCHULZE and Bosshard), 1885, A., 1007.

constitution of (GAUTIER), 1885, A., 276.

estimation of, in various organs and in yeast (SCHINDLER), 1889, A., 791.

(2:3-dihydroxyanthra. Hystazarin and its compounds quinone) (Schoeller), 1888, A., 1203; 1889, A., 719.

Ice, physical properties of (PETTERSson), 1884, A., 889.

refraction of light by (PULFRICH), 1888, A., 881.

refractive index of (MEYER), 1887, A., 753.

electrical conductivity of (Foussereau), 1884, A., 1241.

electrification of, by water friction (SOHNCKE); 1886, A., 960.

Ice-calorimeter, Bunsen's (Boys), 1887, A., 1073.

modifications of (Blümcke), 1886, A., 5; (BARRETT), 1888, A., 103. corrections for (Boltzmann), 1886.

A., 409.
Ice plant ("Mesembryanthemum crystal". linum") (Mangon), 1883, A., 499; (Heckel), 1883, A., 680.

Iceland moss, constituents of (HILGER and Buchner), 1890, A., 600.

Iceland spar, rate of the action between acids and (SPRING), 1888, A., 900; 1890, A., 843.

Iceland spar. See also Calcium carbonate. Ichthulin (WALTER), 1891, A., 1389. Ictorus (ENGEL and KIENER), 1889, A.,

glycogenesis in (DASTRE and ARTHUS), 1889, A., 1233.

Ictrogen (ARNOLD and KUHN), 1883, A., 228.

Idocrase (vesuvian) (SCHUBERT), 1883,

from Ala and Monzoni, analyses of (Ludwig and Renard), 1884, A., 408.

from Kedebék in the Caucasus (Korn), 1883, A., 1067.

from New South Wales (LIVER-SIDGE), 1886, A., 774.

from Norway (WIDMAN), 1892, A., 1408.

manganese-bearing from (IGELSTROM), 1888, A., 235.

from Vesuvius, discovery of fluorine in (Jannasch), 1883, A., 1067.

erystalline form of (Doelter), 1883, A., 441.

composition of (JANNASUH), 1884, A., 828; (Cossa), 1886, A., 601; (RAM-MELSBERG), 1888, A., 431; (VOCEL), 1890, A., 221; (LINDSTRÖM), 1890, A.,718; (Kenngott),1891, A.,651. effect of heat on the optical properties

of (DOELTER), 1885, A., 26.
decomposition-products of (DOELTER and HUSSAK), 1884, A., 566.
Idrialite (SCHARIZER), 1883, A., 427.

from Idria (v. ZEPHAROVICH), 1887, A., 1021.

Idunium (WEBSKY), 1884, A., 1265. Igelströmite. See Knebelite.

natieffite, a variety of alumnite (l'fluc), 1887, A., 1085; 1890, A., 454. Ignatieffite, Ilex Cassine, analysis of the leaves of (Venable), 1885, A., 1254.

Her paraguayensis, analysis of (Peck-OLT), 1884, A., 479.

Ilicyl alcohol (PERSONNE), 1884, A., 1366; (DIVERS and KAWAKITA), 1888, T., 274; P., 13.

Illicium anisatum. constituents of the fruit and seeds of (Oswald), 1891,

A., 957. Illicium religiosum, products of the distillation of the leaves and fruits of (Eijkman), 1886, A., 95; 1887, A., 497.

Illicium verum (ANON.), 1885, A., 1275. Illigera pulchra, alkaloid from (GRESnoff), 1891, A., 338.

Illumination, standard of (PREECE), 1885, A., 321.

Ilmenite (iron titanate; titanic iron) from the Ardennes (Klement), 1888, A., 430. Ilmenite (iron titunate; titanic iron), from the Fichtelgebirge (v. SANDвекскк), 1892, А., 1406.

conversion of rutile into (v. LA-

SAULY), 1884, A., 1104. composition of (KOENIG and V. DER PFORDTEN), 1889, A., 948.

action of sodium on (Koenic and v. der Pfordten), 1889, A., 1123. action of sulphuric acid on (KOENIG and v. DER PFORDTEN), 1889, A.,

Ilvaite (lievrite) from Kangerdluarsuk, Greenland (LORENZEN), 1886, A., 676.

Imabenzil (Japp), 1884, A., 313;(HENIUS), 1885, A., 1067; (Japp and WYNNE), 1886, T., 473; P., 202.

Image, photographic invisible, identity of photo-salts with the substance forming (LEA), 1888, A., 7.

Imidazoles (HANTZSCH), 1892, A., 313; (MARCKWALD), 1892, A., 1326. See also Glyoxaline.

μ-Imidazolone (MARCKWALD), 1892, A., 1327.

μ-Imidazolyl mercaptan and methylic sulphide (MARCKWALD), 1892, A.. 1328.

Imides, conversion of nitriles into (PINNER), 1883, A., 730.

action of hypochlorites and hypobromites on (Hoogewerff and

VAN DORP), 1891, A., 1216. substituted, modes of formation of (HALLER), 1892, A., 1204.

Imidoacetates, constitution of (PINNER), 1892, A., 982.

Imidobenzophenone hydrochloride (HANTZSOH and KRAFT), 1892, A., 339.

Imidobenzoylmethylic cyanide. See Phenylimidopropionitrile.

Imido-a-benzoylpropionitrile (imido-abenzoylethylic cyanide) (v. Meyer), 1889, A., 577.

Imidobutyrylpropylic cyanide. See Imido-octonitrile.

Imidocarbaminethio-n- and iso-butyric anhydrides (Andreasch), 1888, A., 48, 47.

Imidocarbamine-B-thiolactic acid (AN-

DREASCH), 1886, A., 226. nidochlorides and their reactions Imidochlorides and (JUST), 1886, A., 617.

Imidodiazoles (Hantzsch), 1892, A., 313. Imidodibenzamide (KRAFFT and KARstens), 1892, A., 713.

dilmido-2:5-dihydroxyquinone (NIETZ-K1), 1884, A., 58.

dilmido-3:6-dihydroxyterephthalic acid (Böniger), 1888, A., 955.

(liImidodimethylaniline (lisulphide (Bernthsun), 1889, A., 776.

Imidodimethyluracil (JAEGER), 1591, A., 1007.

dilmidodinaphthylic hydrochloride (Julius), 1887, A., 56.

Imidodinaphthylic oxide (Ris), 1886, A., 1036.

Imidodiphosphoric acids, mono- and di-(MENTE), 1889, A., 210.

(//Imidodiphosphormonamic acid (MENTE), 1889, A., 210.

Imido-o- and p-ditoluamides (KRAFFT and KARSTENS), 1892, A., 712.

Imido-ethers and their derivatives (PIN-

NER), 1891, A., 468.

from acetone cyanhydrin and allylic cyanide (PINNER), 1884, A., 1292. from o- and p-ethoxybenzonitrile (PINNER), 1891, A., 63.

from trimethylenic cyanide (PINNER),

1891, A., 61.
of hydroxypropionitrile and phenylhydroxyacetonitrile (PINNER), 1891,
A., 62.

action of hydroxylamine on (PINNER), 1884, A., 739.

action of phenylhydrazine on (PINNER), 1884, A., 743, 1323.

action of secondary amines on (PIN-NER), 1891, A., 37.

Imidoethoxytoluene (SCHREIBER), 1891, A., 552.

Imidoethyl cresyl ether. See Ditolyloxydiethylamine.

Imido-group, action of nitric acid on the hydrogen of (FRANCHIMONT), 1889 A 1145

1889, A., 1145. reagent for (HINSBERG), 1891, A., 49. d/Imidoguaiacol (HERZIG), 1883, A., 464.

Imidohexylhexonitrile (imidododeconitrile) (WACHE), 1889, A., 684.

Imidole (HANTZSCH), 1892, A., 312.

Imidomalonamide (Conkaband Brück-NER), 1892, A., 40.

μ-Imidomethylenic ethylenic and μimidomethylenic propylenic disulphides, salts of (Μισιλτι), 1891, Α., 894, 895.

μ-Imido-n-methylthiazoline (När), 1891, A., 1515.

Imidomethyluracil and its derivatives (JAEGER), 1891, A., 1007.

1':4'-d/Imido-α-naphthoic acid (Ekstrand), 1889, A., 152.

dilmidonaphthol (KRONFELD), 1884, A., 1037.

Imido-octonitrile (imidobutyrylpropylic cyunide) (WACHE), 1889, A., 684. Imidoparaldehyde. See Paraldimine. Imidophenylbenzoglycocyamidine (GRIESS), 1885, A., 1225.

Imidophenyluracil (JAEGER), 1891, A.,

Imidopimelimide (MARCKWALD), 1888, A., 678.

Imidopropylbenzoylethylic cyanide (Burns), 1891, A., 889.

a-Imidopropylethylic cyanide (imidohexonitrile) (v. MEYER), 1889, A., 114. diImidoresorcinol (TYPKE), 1883, A., 918. Imidosuccinodiamide (HELL and POLIA-

KOFF), 1892, A., 820. Imidosulphonamide (DIVERS and

HAGA), 1892, T., 952. Imidosulphonates (DIVERS and HAGA).

1892, T., 948; P., 147. Imidosulphonic acid (Divers and HAGA), 1892, T., 945; (Kraffer and BOTHGEOIS), 1892, A., 700.

Imidosulphurylamide (Mente), 1889, A., 211.

Imidothiocarbamates (BERTRAM), 1890, A., 1291; 1892, A., 465.

Imidothiodiphenylimide and its salts (Bernthsen), 1885, A., 259.

Imines (LADENBURG), 1883, A., 910; 1886, A., 139.

Imperatorine (peucedanine) reactions of (Brociner), 1890, A., 310.

Imperialine and its derivatives (Frag-NER), 1889, A., 284; (JASSOY), 1890, A., 1154.

Imphy-sugar, manufacture of, in the United States (BÜCKMANN), 1883, A., 633.

Implements, bronze, used by the miners of Peru (Boussingauli), 1883, A., 691.
Inactose (Maumené), 1888, A., 668.

Inanition, amount of hemoglobin in the blood during (Groll and Her-Mann), 1889, A., 531.

bile during (Lukjanow), 1892, A., 225. formation of glyeuronic acid in (Thierfelder), 1886, A., 572; (Nebelthau), 1891, A., 1529.

Incandescence by ultra-red rays (Lom-MEL), 1886, A., 5.

flameless, produced by coal gas (PARMENTIER), 1892, A., 768.

Incandescent lamps, Swan's, spectrum of (LIVEING and DEWAR), 1883, A., 1. relation between electric energy and radiation in the spectrum of (ABNEY and FESTING), 1885, A., 325.

radiation and energy of (Abney and Festing), 1884, A., 249.

electrometric measurement of, energy radiated from (GAREE), 1884, A., 881. See also Electric lamps under Electrochemistry. Incandescent substances, law of emanation of light from (Moller), 1885, A., 623.

Inclusions in sapphire, ruby, and spinel (PRINZ), 1883, A., 1062.

Indamines (NIETZKI and OTTO), 1888, A., 949.

Indazine (inducole) (FISCHER and KUZEL), 1884, A., 441; (FISCHER and HEPP), 1891, A., 1047.

derivatives of (FISCHER and TAFEL), 1885, A., 540; (STRASSMANN), 1890, A., 781; (WITT, NÖLTING and GRANDMOUGIN), 1891, A., 312; (PAAL), 1892, A., 67.

synthesis of (PAAL), 1891, A., 723. Indazine, amido and nitro (Witt, NOLTING and GRANDMOUGIN), 1891, A., 312.

isoIndazine derivatives, synthesis of (Auwers and v. Meyenburg), 1891, A., 1375.

Indazineacetic acid and its derivatives (FISCHER and TAFEL), 1885, A., 542. Indazinecarboxylic acid, brom- (FIS-

CHER and TAFEL), 1885, A., 542.

Indene (indomphthene) (Kraemer and

SPILKER), 1891, A., 205. ketone (ZINCKE), 1887, A., 728.

derivatives of (Kosen), 1888, A., 1303. conversion of β-naphthaquinone into (Zincke), 1887, A., 728.

formation of, from dibrom-a-naphthol (Meldola and Hughes), 1890, T., 393; P., 57.

synthesis of (ROSER), 1887, A., 729, 836; (v. MILLER and ROHDE), 1889, A., 984; 1890, A., 1138.

conversion of, into substituted acetophenonecarboxylic acids (ZINCKE and GERLAND), 1888, A., 1192.

Indene, dichlor- (HAUSMANN), 1889, A., 1173.

hydroxylromide (KRAEMER and SPILKER), 1891, A., 206.

Indian hemp (Cannabis indica), alkaloid in (HAY), 1883, A., 1155. Indian wheat (BALLAND), 1884, A., 355.

Indian wheat (BALLAND), 1884, A., 355. Indian wood, analyses of (CRIPER), 1883, A., 107.

Indian yellow (purre, piuri) (SPIEGEL), 1883, A., 219; (ANON.), 1885, A., 620; (KULZ), 1887, A., 498; (GRAEBE), 1890, A., 504.

India-rubber. See Caoutchouc.

Indican, modification of Jaffe's test for (OBERMAYER), 1891, A., 248. spectroscopic detection of (MAC MUNN), 1884, A., 198.

Indican and its homologues, detection and estimation of, in urine (MICHAIL-OFF), 1888, A., 880.

Indicator for weak acids (ENGEL),1886, A., 486.

showing the neutral point in alkalimetry and acidimetry (GAWALOW-SKI), 1884, A., 363.

gallein as an (Dechan), 1885, A., 1012.

iodic acid as an (Furry), 1885, A., 592.

Indicators (GAWALOWSKI), 1884, A.,
 1215; (THOMSON), 1885, A., 1157;
 (FISCHER and PHILIPP), 1885, A.,
 1159; (LUNGE), 1886, A., 278.

alkalimetric (WIELAND), 1883, A., 1167.

different, use of, in acidimetry (Ber-THELOT), 1885, A., 473.

for the estimation of hydroxides in presence of carbonates (ENGEL and VILLE), 1885, A., 931.

VILLE), 1885, A., 931. litmus, rosolic acid, methyl-orange, phenacetolin and phenolphthalein as (Thomson), 1883, A., 682, 824, 827: 1884, A., 691, 869.

827; 1884, A., 691, 869. Indicolite, so called, from Harlem (Riggs), 1888, A., 351.

Indigo, fixing, on cotton (SCHLIEPER and BAUM), 1884, A., 136. method for effecting discharges on

method for effecting discharges on fibre dyed with (Fianc), 1886, A., 291.

reducing vat for (Collin and Benoist), 1885, A., 1096.

assay of (Wolff), 1884, A., 507; (Lee), 1884, A., 1438; (Rau), 1885, A., 934; (Rawson), 1885, A., 697, 1015; 1888, A., 761; (Honio), 1890, A., 311; (Voeller), 1891, A., 1564.

estimation of indigotin in (OWEN), 1891, A., 1404.

Indigo-blue. See Indigotin.

Indigocarmine (indigotindisulphonic acid), synthesis of (Heymann), 1891, A., 1069; 1892, A., 69; (Knietsch), 1891, A., 1231.

Indigodicarboxylic acid, and its salts (Low), 1885, A., 799.

Indigo-dyes on fabrics, testing (LENZ), 1887, A., 1147.

Indigo-fermentation, microbe of (ALVA-REZ), 1887, A., 1061.

Indigo-forming substances in the urine, knowledge of (Hoppe-Seyler), 1884, A., 1058.

Indigo-green (SOXHLET), 1892, A., 991.
Indigo-group, compounds of the (v. BAEYER), 1884, A., 73.

Indigo-red (indirubin) (v. BAEYER), 1884, A., 76; (Forrer), 1884, A.,

extraction of, from urine (MEHU), 1884, A., 1059; (Rosin), 1891, A.,

occurrence and detection of, in urine (Rosenbach), 1890, A., 1032.

derivatives of (Forrer), 1884, A., 1028.

Indigo-stem, ash of (WHITE), 1889, A., 794.

Indigotin (indigo-blue), extraction of, from commercial indigo (Morgan), 1891, A., 722.

extraction of, from urine (MÉHU), 1884, A., 1059.

preparation of, from o-amidoacetophenone (v. BAEYER and BLOEM), 1884, A., 1026.

preparation of, from the o-amidoderivatives of acetophenone and phenylacetylene (ANON.), 1884, A., 237.

preparation of, from o-nitrobenzaldehyde (v. BAEYER and DREWSEN), 1883, A., 341.

preparation of, from o-nitrophenylpropiolic acid by means of potassium cyanide (Michael), 1887, A., 672.

synthesis of (Muller), 1885, A., 850; (Heumann), 1891, A., 311.

synthesis of, from bromacetanilide (FLIMM), 1890, A., 383.

synthesis of, from anilidoacetic acid (HEUMANN), 1891, A., 75, 206, 456; (Lederer), 1891, A., 75, 311, 928; (BIEDERMANN and LEPETIT), 1891, A., 206.

Baeyer's artificial, application of (Schmid), 1883, A., 257.

bleaching of, by electrochemical means (Goppelskoeder), 1885, A., 108.

decolourising action of ferric salts on (MARGARY), 1884, A., 457.

fixation of alumina as a discharge on (SCHEURER), 1885, A., 1276.

goods printed with artificial (Costo-BADIE), 1885, A., 1023.

products from (O'NEILL), 1892, A.,

estimation of (MANNLEY), 1887, A., 1147.

estimation of, for commercial purposes (OWEN), 1890, A., 96.

estimation of, in dyed (RENARD), 1890, A., 931. estimation of, in indigo (OWEN),1891,

A., 1404.

Indigotin (indigo-blue), estimation of, in textile fabrics (RENARD), 1887, A., 871.

Indigotin brom- (v. BAEYER and BLOEM), 1884, A., 1027.

chlor- (GNEHM), 1884, A., 1028.

tetrachlor-, preparation of (GNEHM), 1884, A., 1028; (ANON.), 1886, A.,

Indigotindisulphonic acid (indigocarmine), synthesis of (HEYMANN), 1891, A., 1069; 1892, A., 69; (KNIETSCH), 1891, A., 1231.

Indigo-vats, application of electrolysis in preparing (Goppelsroeder), 1884,

A., 942, 1448.

Indigo-white (lewindigo), conversion of, into indigotin (GOPPELSROEDER), 1884, A., 1449.

Indileucin, and its derivatives (FORRER), 1884, A., 1029.

isoIndileucin and its derivatives (Eng-LER and HASSENKAMP), 1885, A., 1223. Indirubin. See Indigo-red.

Indium as a halogen carrier (WILL-GERODT), 1887, A., 326.

effect of, on the freezing-point of tin (HEYCOCK and NEVILLE), 1890, T., 385.

Indium, mono., di- and tri-chlorides and their vapour densities (NILSON and Pettersson), 1888, T., 820, 818, 816.

hydrosulphide (LINDER and PICTON), 1892, T., 134.

hydroxide, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 74, 88.

oxide, action of magnesium on (WINK-LER), 1890, A., 694.

sulphide, colloidal state of (WINS-SINGER), 1888, A., 912.

Indoaniline (MOHLAU), 1886, A., 146. Indoanils (MOHLAU), 1884, A., 59%.

Indogen and indogenides (v. BAEYER), 1884, A., 78.

Indole (ketole) (Kolbe), 1883, A., 1130; (LIPP), 1884, A., 1030.

preparation of (E. and H. Salkowski), 1885, A., 567; (CIAMICIAN and ZATTI), 1889, A., 1187.

preparation of, and transformation of scatole into (Fileti), 1884, A.,

preparation of, from dichlorether and aniline (Berlinerblau), 1887, A., 836.

intermediate products in the formation of, from dichlorether and aromatic amines (Berlinerblau and Poli-KIER), 1887, A., 813.

Indole (ketole), preparation of, from anilidoacetic acid (MAUTHNER and SUIDA), 1889, A., 1068.

caustic potash (Goldschmidt), 1883, A., 99. obtained by fusing strychnine with

preparation of, from o-toluidine derivatives (MAUTHNER and SUIDA), 1886, A., 886.

synthesis of, from cumaldehyde (WIDMAN), 1883, A., 329. synthesis of, from tartaric acid and

aniline (Polikier), 1892, A., 66. constitution of (BAMBERGER), 1891, A., 1090.

actions of (CIAMICIAN and ZAFTI), 1889, A., 1187.

action of methylic iodide on (ZATTI and FERRATINI), 1890, A., 1292.

methylation of (FISCHER and STECHE), 1887, A., 976.

conversion of the homologues of, into quinoline derivatives (MAGNANINI), 1887, A., 1113; 1890, A., 1322.

Indole derivatives (HEGEL), 1886, A., 551; (Pfulf), 1887, A., 956; (Trenkler; Wolff), 1889, A., 259; (Ciamician and Zatii), 1889, A., 1187; (INCE), 1890, A., 57; (ZATTI and FERRATINI), 1890, A., 988, 1292.

m-hydrazinebenzoic acid (Roder), 1887, A., 149.

from methylphenylhydrazine (DE-GEN), 1887, A., 149.

from a-naphthylhydrazine (SCHLIEP-ER), 1887, A., 963.

from 8-naphthylhydrazine (SCHLIEP-ER), 1887, A., 153.

phenylhydrazine (FISCHER), 1887, A., 149.

from tolylhydrazine (Raschen), 1887,

A., 956. conversion of pyrroline derivatives into (DENNSTEDT), 1889, A., 400.

formation of (Bischler), 1892, A., 1465.

synthesis of (FISCHER and HESS), 1884, A., 1180; (FISCHER), 1886, A., 805; 1887, A., 148.

constitution of (FISCHER), 1887, A., 148.

reaction of (CIAMICIAN and ZATTI), 1889, A., 1187.

methylation of (LIPP), 1885, A., 167; (FISCHER and STECHE), 1887, A., 588; (FISCHER and MEYER), 1890, A., 1421.

conversion of, into hydroquinolines (FISCHER and STECHE), 1888, A., 298.

Indole derivatives, nitro-derivatives of

(ZATII), 1890, A., 897. Indole, nitroso- (ZATII and FERRATINI), 1890, A., 1293.

molecular weight of (ZATTI and FERRATINI), 1892, A., 67.

isoIndole (3:6-diphenylpyrazine; amphiphenacylnitrile) (FRIEDLANDER and MAHLY), 1883, A., 918; (MOHLAU), 1885, A., 560.

molecular weight of (TREADWELL and MEYER), 1883, A., 665.

3'-Indolescetoxime (ZATII), 1889, A.,

2'-Indolecarboxylic acid (Fischer), 1886, A., 806; (CIAMICIAN and MAGNANINI), 1888, A., 483; (CIAMICIAN and ZATII), 1888, A., 957.

action of acetic anhydride on (ZATTI). 1859, A., 712.

3'-Indolecarboxylic acid (CIAMICIAN and Magnanini), 1888, A., 483; (CIAMICIAN and ZATTI), 1888, A., 957.

synthesis of (ZATTI and FERRATINI). 1890, A., 1293.

Indonaphthene. See Indene.

a-Indone, γ-brom-, preparation (MELDOLA and HUGHES), 1890, T., 396.

> action of aniline on (MELDOLA and Hughes), 1890, T., 398.

 $\beta \gamma$ -dibrom-, derivatives of (Roser and HASELHOFF), 1888, A., 1304.

Indophenine, formation of (MEYER), 1883, A., 1091; (GUMPERT), 1886, A., 343.

Indophenol (a-naphthol-blue) (PABST), 1883, A., 69; (Korchlin), 1883, A., 695; (Möhlau), 1886, A., 146. preparation of (ANON.), 1883, A., 759; (Mohlau), 1884, A., 594.

Indophenols (WITT), 1884, A., 743; (Nietzki and Otto), 1888, A., 949.

and indophenol-like dyes (MOHLAU), 1884, A., 593.

Indothymol (BAYRAC), 1892, A., 1311. Indoxagene (CATHCART and MEYER), 1892, A., 993. 1892, A.,

Indoxyl, action of aldehydes and ketonic acids on (v. BARYER), 1884, A.,

action of isatin and ethyl-ψ-isatin on (v. Baryer), 1884, A., 76.

and indoxyl-compounds, action of nitrous acid on (v. BAEYER), 1884, A., 74.

nitrosamine of (v. BAEYER), 1884, A., 74.

Indoxyl, nitroso- (v. Baeyer), 1883, | A., 1131.

ψ-Indoxyl and oxime of (v. BAEYER), 1884, A., 73, 74.

Induction machine, simplest form of (ELSTER and GEITEL), 1885, A., 1098.

influence of the chemical nature and the pressure of gases on the generation of electricity by an (Hempel), 1884, A., 701; 1885, A., 1098.

machines, variation of (LOMMEL), 1885, A., 1098.

spark. See Electrochemistry.

Induline from fluorindine (FISCHER and HEPP), 1890, A., 1445. constitution of (KEHRMANN), 1890,

A., 1265.

Indulines (WITT and THOMAS), 1883, T., 112; (ULLRICH), 1886, A., 187; (Witt), 1887, A., 821; (FISCHER and HEPP), 1887, A., 1105; 1888, A., 1291; 1890, A., 764, 908; 1891, A., 1044; 1892, A., 341; (ISTEL), 1892, A., 492. formation of (Witt), 1884, A., 743; (France and Hepp) 1892, A., 1476.

(FISCHER and HEPP), 1892, A., 1476.

process for the production of, on the large scale (WITT and THOMAS), 1883, T., 113.

relations between eurhodines, safra-nines and (KEHRMANN and MEs-

SINGER), 1891, A., 1213. Inertia, moments of, establishment of fundamental formulæ for the calcula-

tion of (Hinrichs), 1892, A., 948. Inesite (rhodotilite) from Dillenburg (Schneider), 1888, A., 1261; 1890, A., 345, 460.

from Sweden (FLINK), 1890, A., 459. fection, substances which favour Infection, substances (ROGER), 1891, A., 100.

Infra-red spectra. See Photochemistry. Infusoriæ, ciliated, glycogen in (MAU-PAS), 1886, A., 383.

Infusorial earth from Richmond, Virginia (Cabell), 1885, A., 228.

Ink, etching, manufacture of (ANON.), 1884, A., 880.

process for printing, preparing (ANON.), 1883, A., 896.

writing, action of bleaching agents on (IRVINE), 1888, A., 764.

Inoculation against splenic fever with Pasteur's protective lymph (Ro-LOFF), 1884, A., 914.

Pasteur's protective, and cattle plague (Koch), 1884, A., 96; (Muller), 1884, A., 473.

Inorganic acids. See Acids.

Inorganic compounds, melting points of certain (CARNELLEY and O'SHEA), 1884, T., 409.

experiments on the diffusion of some organic and (Scheffer), 1883, A., 1047.

free from hydrogen, action of carbon tetrachloride on (QUANTIN), 1888, A., 785.

Inorganic salts. See Salts.

Inosite. See Carbohydrates.

Inosites, heat of transformation of isomeric (Berthelot), 1890, A., 1041. Insecticide, naphthalene as an (FISCHER), 1885, A., 454.

Insects, uric acid in (MacMunn), 1886, A., 1056.

Insensibility arising from a deficiency of oxygen in the air (WALLACE), 1883, A., 819.

Insolinic acid (MELLINGHOFF), 1890, A.,

Insulating liquids, dielectric constants of (QUINCKE), 1883, A., 915.

Insulator, benzene as an (HERTZ), 1884, A., 244.

Insulators, electrical resistance (Foussereau), 1884, A., 245.

Integral weights in chemistry (HUNT), 1887, A., 1077.

Intellectual activity, influence of, on the elimination of phosphoric acid by the urine (MAIRET), 1884, A., 1394.

Intercellular matter (Mangin), 1890, A., 656.

Intestinal gases, comparative investigations of (TAPPEINER), 1883, A., 928.

methyl mercantan human, (NENCKI), 1890, A., 540.

Intestine, absorption of fat in the (GRUENHAGEN and KROHN), 1890, А., 183.

absorption of sugar from the small (GINSBERG), 1890, A., 276.

nitrogenous constituents of the contents of the, which arise from the body (Hofmeister), 1888, A., 861.

action of opium and morphine on (Spitzer), 1891, A., 852.

dehydration of glucose in (CHIT-TENDEN), 1888, A., 79. digestion of various foods in (MAL-

FATTI), 1886, A., 379.

function of animal gum in (LAND-WEHR), 1888, A., 176.

putrefaction in (BAUMANN), 1886, A., 384.

Intravascular clotting (WOOLDRIDGE), 1886, A., 821; (KRUGER), 1888, A., 305; (WRIGHT), 1891, A., 953.

Inulin. See Carbohydrates.

Inuloid (Honig and Schubert), 1888, A., 247.

Inversion by invertase, theory (O'SULLIVAN and Tompson), 1890, T., 918.

of cane sugar by acids, rate of change in (Arrhenius), 1889, A., 1103.

β-Invertan. See Invertase under En-

Invertan copper compounds (O'SUL-LIVAN and TOMPSON), 1890, T., 914. series (O'Sullivan and Tompson), 1890, T., 894.

constitution of (O'SULLIVAN and Tompson), 1890, T., 921.

Invertase. See Enzymes.

Invertebrates, blood of (GRIFFITHS), 1892, A., 648.

action of nicotine on (GREENWOOD), 1891, A., 485.

Invertin. See Invertase under Enzymes. Invert-sugar. See Carbohydrates:

Iodacetaldehyde (CHAUTARD), 1886, A., 380, 1006; (BLOXAM and HER-ROUN), 1886, A., 864, 1006.

Iodacetamide (HENRY), 1885, A., 373. Iodacetanilides, o-, m- and p- (Körner WENDER), 1888, A., 1279, and 1280.

4-Iod-α-acetonaphthalide (MELDOLA), 1885, T., 523.

Iodacetone (DE CLERMONT and CHAUZ TARD), 1885, A., 648.

Iodacetonitrile (HENRY), 1886, 1001.

p-Iodacetophenone (Schweitzer), 1891, A., 684, 830.

Iodacetothienone (GATTERMANN and RÖMER), 1886, A., 537.

Iodacetylacrylic acids, mono- and di-(ANGELI and CHIUSSI), 1892, A., 1179.

Iodacetylacrylic oxime (Angeli and CHIUSSI), 1892, A., 1179.

Iodacetylenes, mono- \mathbf{and} (v. BAEYER), 1885, A., 1199.

dilodacrylic acid (Homolka STOLZ), 1885, A., 1198; (BRUCK), 1892, A., 431.

trilodacrylic acid (Homolka Stolz), 1885, A. 1198.

Iodamidothymol (KEHRMANN), 1889, A., 993.

Iodaniline, o-, m- and p- and 2:4-di-(Körner and Wender), 1888, A., 1279.

Iodanisic acid (SCHALL and DRALLE), 1885, A., 146.

Iodapatite (DITTE), 1883, A., 784. Iodates. Sec Iodic acid under Iodine. Iodation in the aromatic series, method of (ISTRATI), 1891, A., 1197.

p-Iodazobenzene (Nolting and Wer-NER), 1891, A., 211.

di-p-Iodazobenzene, colour of (LING), 1892, P., 198.

(methyliodoform) trilodethane Boissier), 1888, A., 930.

Iodethoxycymene (iodocymyl ether) (WILLGERODT and KORNBLUM), 1889, A., 697. •

 β -Iodethylamine hydriodide RIEL), 1888, A., 669.

dilodethylene (acetylenic diiodide), isomeric varieties of (Keiser), 1890, A., 594; (PATERNO and PERATONER), 1890, A., 1219; 1891, A., 654.

tetrIodethylene (HOMOLKA and STOLZ), 1885, A., 1198.

Iodic acid. See under Iodine.

Iodic anhydride. See Iodine pentoxide. Iodine, occurrence of, in cod-liver oil and other fish oils (STANFORD), 1884, A., 504.

occurrence of, in Fucus vesiculosus and Chondrus crispus (VAN ITALLIE), 1890, A., 402.

occurrence of free, in a mineral water

(Wanklyn), 1887, A., 221. occurrence of, in phosphorites (v.

SANDEERGER), 1887, A., 222.
origin of, in the gases of volcances
(RICCIARDI), 1887, A., 643.
molecular weight of, in solution
(LOEB), 1888, T., 805; P., 87;
(PATERNO and NASIRI), 1888, A., 1027; (BECKMANN; GAUTIER and CHARPY), 1890, A., 447; (HERTZ), 1891, A., 260.

extraction (ANON.), 1884, A., 1221. liberation of, from hydrogen iodide by

the action of light in presence of oxygen (RICHARDSON), 1887, T., 805. obtaining, in Peru (ANON.), 1885, A., 706.

recovery of, from organic iodide residues (GLADSTONE and TRIBE), 1883, T., 345.

purification of, from chlorine (Musset), 1891, A., 392.

affinities of, in solution (GAUTIER and CHARPY), 1891, A., 148.

absorption spectra of solutions of (RIGOLLOT), 1891, A., 374.

dispersion equivalent of (GLADSTONE), 1888, A., 389.

refractive equivalent of (BRÜHL), 1887, A., 193.

colour of, in solution (GAUTIER and CHARPY), 1890, A., 446; (WIEDE-MANN), 1891, A., 139.

593

Iodine, heat of combination of, with magnesium (Bekeioff), 1892, A., 762.

melting points and boiling (RAMSAY and YOUNG), 1886, T.,

vapour density of (KRAUSE and MEYER), 1890, A., 1365.

vapour density of, at a white heat (BILTZ and MEYER), 1889, A., 674. vapour pressures of (RAMSAY and YOUNG), 1886, T., 458; P., 181.

vapour, fluorescence of (LOMMEL), 1883, A., 763.

dissociation of. by the electric discharge (Thomson), 1887, A., 1013.

prolonged action of the electric discharge on (LUEDEKING), 1890, A., 687.

exchange of bromine, chlorine and, between inorganic and organic compounds (BRIX), 1885, A., 34; (KOHNLEIN),1885, A., 35; (WILDER-MANN), 1892, A., 574. action of arsenic trisulphide

(Schneider), 1888, A., 414.

action of, on carbon compounds at high temperatures (RAYMAN and Preis), 1884, A., 1311.

action of, on hydrogen arsenide and hydrogen antimonide (BRUNN), 1888, A., 1224.

action of, on hydrogen peroxide (BAU-MANN), 1892, A., 539.

action of, on iron (FLEURY), 1888, A., 654.

action of, on potassium chlorate (THORPE and PERRY), 1892. T., 925; P., 161.

action of, on potassium chlorate and water (Basseri), 1890, T., 760; P., 113.

action of, on potassium sulphite and thiosulphate (Coldfax), 1892, T., 1083; P., 155.

action of, on sodium hydrogen sulphite (Spring and Bourgeois), 1892, A., 681.

fixation of, by starch (ROUVIER), 1892, A., 578.

oxidation of, during nitrification (Müntz), 1885, A., 870.

solubility of, in chloroform (DUNCAN), 1892, A., 769.

solutions, standardising (KALMANN), 1886, A., 579; 1887, A., 618.

chlorine compounds of (STORTEN-BEKER), 1892, A., 1387.

combination of, with oxygen, in of spongy platinum presence (Wehsarg), 1885, A., 346.

Iodine, compounds of, with ammonia (RASCHIG), 1888, A., 26.

Hydriodic acid (hydrogen iodule), preparation of (MEYER), 1888, A., 219; (Etard). 1889, A., 14; (MERZ and HOLZMANN), 1889, A., 754.

preparation of, use of liquid paraffin in the (CRISMER), 1884, A., 1073.

magnetic rotatory power of (PER-KIN), 1889, T., 708, 739; P., 130.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891,

action of light on, in presence of oxygen (RICHARDSON), 1887, T., 805.

lecture experiments with (AUSTEN), 1889, A., 754.

action of, on substances containing sulphur (Benedikt and Bam-BERGER), 1891, A., 1296.

action of, on zinc containing lead (Spring and van Aubel), 1887, A., 1076.

influence of mineral acids on the velocity of action between bromic acid and (Magnanini), 1891, A., 144.

catalytic influence of acids on the velocity of the action between hydrogen peroxide and (MAG-NANINI), 1892, A. 110.

influence of, on the solution of zinc in dilute sulphuric acid (PUL-LINGER), 1890, T., 825.

oxidation of, by oxy-acids (Bur-CHARD), 1889, A., 207.

Iodides, specific volumes of normal alcoholic (Dobriner), 1888, A., 334.

some reactions of tertiary alcoholic (BAUER), 1881, A., 167.

action of chlorine and bromine on organic (MEYER), 1886, 929.

action of, on copper salts (CARNEGIE), 1889, P., 2.

action of inorganic, on organic chlorides and bromides (SPIND-LER), 1886, A., 434.

action of pyridine bases on alcoholic (OECHSNER DE CONINCK), 1884, A., 612.

decomposition of, by the stomach (Kulz), 1887, A., 508; (Drech-

SEL), 1889, A., 426. chlorides and bromides of the alkalis, distinction between (VI-TALI), 1890, A., 289.

Periodides (DAFERT), 1883, A., 978.

Iodine oxyacids (BLOMSTRAND), 1887, Iodine,

action of, on hydrogen peroxide (BAUMANN), 1892, A., 539.

Iodie acid (LESCEUR), 1890, A., 106; (BLOMSTRAND), 1890, A., 107; (DITTE), 1892, A., 1388.

preparation of (BASSETT), 1890, T., 760.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891. T., 592.

rate of chemical change between sulphurous acid and (LANDOLT), 1886, A., 658.

as an indicator (FURRY), 1885, A., 592.

use of, in quantitative analysis (Schwicker), 1892, A., 1027.

double salts of, with other acids (BLOMSTRAND), 1890 A., 107.

systematic method of testing for (Longi), 1883, A., 1172.

testing nitric acid and sodium nitrate for (BECKURTS and ROUGE-MONT), 1886, A., 834.

Iodates (DITTE), 1892, A., 1388.

precipitation of mixtures of sulphates and, by barium salts (Chrustschoff), 1887, A., 884. estimation of, in potassium iodide

(Gigli), 1892, A., 657.

Periodic acid, action of sulphurous acid on (Selmons), 1888, A., 338.

Periodates (KIMMINS), 1887, T., 356; P., 22; 1889 T., 148; P., 3. constitution of (KIMMINS), 1889, T., 152.

Iodine chloride (RAMSAY and Young), 1886, T., 461.

modifications of (STORTENBEKER), 1889, A., 102; 1892, A., 1387.

and its action on organic compounds, especially on quinolines and alkaloids (OSTERMAYER), 1885, A., 672.

trichloride (STORTENBEKER), 1889, A., 102; 1892, A., 1388; (TAVEL and TSCHIRCH), 1892, A., 1388.

action of hypochlorous anhydride on (BASSETT and FIELDING), 1887, A., 106.

1887, A., 106. chlorides, thermochemical investigation on (THOMSEN), 1883, A., 543.

pentoxide (iodic anhydride) (WEH-SARG) 1885, A., 346.

combination of, with sulphuric anhydride (Weben), 1887, A., 328.

Iodine, detection, estimation and separation: —

detection of (Long), 1883, A., 1172; (Cook), 1885, T., 471; P., 19; (Dechan), 1886, T., 682; P., 227.

detection of, in presence of large quantities of bromine (BRITO), 1885, A., 189.

detection of, in presence of chlorine and bromine (JONES), 1884, A., 492; (HART), 1885, A., 295; (DENIGES), 1891, A., 495, 1288; (MACNAIR), 1892, A., 1514.

detection of traces of, in presence of much chlorine (Johnstone), 1891, A., 242.

detection of, in Laminaria (Flück-IGER), 1887, A., 996.

detection of, in organic compounds (MARSH), 1889, A., 796.

detection of, in urine (Schwarz), 1888, A., 626.

testing for, in nitric acid and sodium nitrate (Beckurts and Rouge-Mont), 1886, A., 834.

Estimation of (Cook), 1885, T., 471;
P., 19; (Dechan), 1886, T., 682;
P., 227; (Weiss), 1886, A., 97;
(McCulloch), 1888, A., 526;
(Stortenbecken), 1889, A., 185;
1890, A., 1185; (Errera), 1889,
A., 304; (Reichardt and Upmeyer), 1889, A., 1086; (De Koning and Nihoul), 1892, A., 527; (Baumann), 1892, A., 539.
estimation of, by Field's method

(WILLGERODT), 1886, A., 833. estimation of, in presence of chlorine and bromine (Voltmann), 1883, A., 120; (LYTE), 1884, A., 649; (TEED), 1885, A., 1261; (LEBEAU),

1890, A., 825.

estimation of, in presence of chlorine and bromine by means of ferric sulphate (CAVAZZI), 1884, A., 366.

estimation, indirect, of bromine, chlorine and, by electrolysis of their silver salts (WHITFIELD), 1887, A., 525.

estimation of, in haloid salts (GOOCH and BROWNING), 1890, A., 1186.

estimation of, in organic compounds (ZULKOWSKI), 1885, A., 1162.

estimation of, in presence of sulphuretted hydrogen (Topsüe), 1883, A., 508.

estimation of, in urine (BAUMANN), 1884, A., 1423; (HARNACK), 1884, A., 1423; 1885, A., 296; (JOLLES), 1891, A., 1288. Iodine, estimation and separation: estimation, volumetric, of (SALZER), 1887, A., 862.

estimation, volumetric, of, in the presence of chlorine and bromine (McCulloch), 1888, A., 626.

separation of bromine and (Holton), 1886, A., 279.

separation of bromine, chlorine and (BARNES), 1883, A., 1167; (Schierholz), 1892, A., 1028.

separation of bromine, chlorine and, improved form of apparatus for the (Dechan), 1887, T., 690.

separation of bromine, chlorine, cyanogen and (ERRERA), 1889, A.,

separation of, from chlorine, in the dry way (Krutwie), 1884, A., 1073. See also Iodometry.

Iodine-carrier, ferric chloride as an (MEYER), 1886, A., 341.

sulphuric acid as an (NEUMANN), 1887, A., 573.

Iodine-green, description and measurement of the spectrum of (HARTLEY), 1887, T., 174.

dilodobehenolic acid (Liebermann and Sachse), 1892, A., 471.

Iodobenzene. See Benzene.

Iodoisobenzidine hydrochloride (Nült-ING and WERNER), 1891, A., 211.

p-Iodobenzoic acid (PAHL), 1884, A., 1009.

p-Iodobenzoic sulphinide (DE ROODE), 1891, A., 1227.

Iodo- and p-diodo-benzophenones (Hoffmann), 1891, A., 1236.

dilodohenzylamine (Biltz), 1892, A., 1449.

o-Iodobenzylidenemalonic acid (STUART), 1887, P., 118; 1888, T., 142.

p-Iodoisobutylbenzene (PAHL), 1884, A., 1009.

2-Iodo-5-isobutyltoluene (Effront), 1885, A., 152.

γ-Iodobutyric acid (HENRY), 1886, A., 440.

dilodoisobutyric acid (FISCHER and TAFEL), 1889, A., 478.

Iodocholic acid (MYLIUS), 1887, A., 606. Iodochromate (DIETZE), 1892, A., 124.

Iodochromic acid, non-existence of (Rawson), 1889, A., 678.

dilodocinnamic acid (LIEBERMANN and SACHSE), 1891, A., 1483; 1892, A., 470.

Iodocresol, See Cresol.

3-Iodo-o-cresol-5-sulphonic acid (Kehr-MANN), 1888, A., 841. dilodo-m-cresol-p-sulphonic acid (Kehrmann), 1889, A., 994.

Iodocrocein-scarlet (OSTERMAYER), 1885, A., 673.

5-Iodo ψ-cumene (W MLACH and HEUS-LER), 1888, A., 362.

6-Iodo ψ-cumene, action of sulphunic acid on (Kurzel), 1889, A., 995.

Iodo-ψ-cumene-6-sulphonic acid (Kürzel), 1889, A., 995.

Iodocymyl, salts of (WILLGERODT and KORNBLUM), 1889, A., 697.

Iodocymyl ethyl ether (iodocthoxy-cymene) (WILLGERODT and KORN-BLUM), 1889, A., 697.

dilododeoxybenzoin (Curtius and LANG), 1892, A., 451.

dilododiacetylene (v. Baeyer), 1885, A., 1199.

p-Iodo-s-diphenylhydrazine (Nolting and Werner), 1891, A., 211.

dilodo-m-ditolyl (STOLLE), 1888, A., 700. 6-Iodo-1:2:4:5-durene (TOHL), 1892, A., 967.

Iodoform, preparation of (ANON.), 1885, A., 463; (Guntherl, 1887, A., 787; (CASTHÉLAZ and BRUÈRE), 1890, A., 577.

manufacture of (SUILLIOT and RAY-NAUD), 1889, A., 1055.

cryoscopic behaviour of solutions of, in benzene and chloroform (v. Klobukoff), 1889, A., 821.

molecular reduction of the freezing point of benzene by (PATERNO), 1889, A., 566.

action of light on (DACCOMO), 1886, A., 1000.

action of bromine on (Löscher), 1888, A., 436.

action of, on mercuric salts (Cotton), 1888, A., 670.

action of sodium ethoxide on (MUL-DER), 1889, A., 363.

action of solid potash on a solution of, in acctone (WILLGERODT and MULLER), 1885, A., 618.

decomposition of, by silver nitrate (GRESHOFF), 1889, A., 445.

fate of, in the organism (Zeller), 1884, A., 1062. iodine in human urine after the

iodine in human urine after the external application of (Gründ-LER), 1885, A., 413.

detection of, in the fluids and organs of the animal body (LUSTGARTEN), 1883, A., 243.

estimation of (Greshoff), 1889, A., 445; (Richmond), 1892, A., 1528. p-Iodoformanilide (Comstock and Klee-

BERG), 1890, A., 1415.

596

Iodo*iso*formanilide (Comstock and Kleeberg), 1890, A., 1414.

Iodofulminuric acid (EHRENBERG), 1885, A., 1192.

Iodofumaric acid and some of its salts (v. Bandrowski), 1883, A., 313.

Iodohæmin, formation of, as a method for detecting blood stains (BUFALINI), 1886, A., 184.

p-Iodohydrindone (Miersch), 1892, A., 1222.

Iodo-m-hydroxybenzoic acid (LIM-PRICHT), 1891, A., 1037.

α-Iodo-β-hydroxyphenylpropionic acid (ERLENMEYER and ROSENHEK), 1887, A., 45.

3:5-dilodo-2-hydroxypyridine (Pfeif-FER), 1887, A., 845.

(tctriodopyrroline) (CIAMICIAN Iodole and DENNSTEDT), 1883, A., 350; (Clamician), 1887, A., 597. molecular weight of (Magnanini),

1890, A., 906.

4-Iodomandelic acid (Schweitzer), 1891, A., 831.

Iodomercuric acid (NEUMANN), 1889, A., 1050.

Iodomesitylene (Töhl), 1892,

dilodomethane. See Methylenic diiodide.

Iodo-p-methoxytoluene (SCHALL and Dralle), 1885, A., 146.

Iodomethylene, action of, on silver nitrate (MEYER), 1892, A., 575.

Iodomethylenic dichlorides, mono- and di- (Höland), 1887, A., 905.

a-Iodomethylethylhexamethylene(KIP-PING and PERKIN), 1890, T., 23.

6:5:2-Iodomethylpropylquinone oxime of (Kehrmann), 1889, A., 993. m-Iodomethylquinol (KEHRMANN),

1889, A., 993. Iodo-1-methylquinoline (LA Coste),

1885, A., 815.

Iodomethylquinones, mono- and di-(Kehrmann), 1889, A., 993, 994.

Iodomethylthiazolecarboxylic WOHMANN), 1891, A., 226.

Iodometry (Topr), 1887, A., 688, 997; (SALZER), 1892, A., 1514.

potassium bromide original as standard for (DENIGES), 1891, A.,

See also Iodine estimation.

Iodonaphthalene. See Naphthalene.

1-Iodonaphthalene-4'-sulphonic acid (MAUZELIUS), 1890, A., 168.

2-Iodonaphthalenesulphonic acids (Armstrong and Wynne), 1887, P., 23; 1889, P., 119.

1-Iodo-\$-naphthol (MELDOLA), 1885. T., 525.

Iodo-β-naphthol [m.p. 88°!] (OSTER-MAYER), 1885, A., 672.

Iodo-β-naphthol- and -naphthylaminesulphonic acids (OSTERMAYER), 1885, A., 673.

4-Iodo-2-nitro-a-acetonaphthalide (MELDOLA), 1885, T., 523.

o-dilodonitrobenzene (Körner (Wender), 1888, A., 1280.

Iododinitrobenzenes [3:1:2] and [4:1:3] (Wender), 1890, A., 886, 887.

2-Iodo-1:3:5-trinitrobenzene (HEPP), 1883, A., 316.

donitromethane, preparation (RUSSANOFF), 1892, A., 1415. Iodonitromethane,

Iodonitromethane-azobenzene and -azotoluene (Russanoff), 1892, A., 1416.

Iodonitronaphthalenes, 1:2-, 4:1-, and 2:1- (MELDOLA), 1885, T., 519, 520.

4-Iodo-2-nitro-α-naphthol (Meldola), 1885, T., 524.

p-Iodo-m-nitro-phenetoil and -phenol (Hähle), 1891, A., 431.

Iodonitrothiophen (KEEIS), 1884, A.,

Iodonitro-m-xylene (AHRENS), 1892, A., 1437.

p-Iodo-octylbenzene (Ahrens), 1887, A., 133.

Iodo-a-octylthiophen (v. Schweinitz), 1886, A., 535.

Iodophenol. See Phenol.

 $2:6-\epsilon \tilde{d}i$ I od ophenol-4-sulphonic acid (KEHRMANN), 1888, A., 595, 841, 842; (OSTERMAYER), 1888, A., 596.

(Kehr-Iodophenolsulphonic acids mānn), 1889, A., 993.

Iodophenylmethylenesulphone CHAEL and PALMER), 1885, A., 536.

Iodo- β -phenylpropionic acids, o-, m- and p- (Herzberg), 1885, A., 661, 662.

Iodoisophthalic acid and its salts (KLINGEL), 1886, A., 61; (HAM-MERICH), 1890, A., 1107.

Iodopilocarpine ethiodide (CHASTAING), 1885, A., 1250.

Iodopropiolic acid (Homolka and STOLZ), 1885, A., 1198; (V. BAEYER), 1885, A., 1199; (STOLZ), 1886, A.,

B-Iodopropionamide (HENRY), 1885, A., 372.

a-dilodopropionamide (Currius and LANG), 1892, A., 452.

B-Iodopropionic acid, preparation of (MEYER), 1887, A., 232; 1888, A., 360.

action of, on ethylic thiocarbamate (LANGLET), 1892, A., 440.

4-Iodopyridine (HAITINGER and LIE-BEN), 1885, A., 966.

tetrIodopyrroline (iodole) (CIAMICIAN and DENNSTEDT), 1883, A., 350; (CIAMIGIAN), 1887, A., 597. molecular weight of (MAGNANINI),

1890, A., 906.

dilodoquinol (METZELER), 1888, A., 1278.

2'-Iodoquinoline and its derivatives (FRIEDLANDER and WEINBERG), 1885, Λ., 989.

2:6-dilodoquinone (KEHRMANN), 1888, A., 841; (Metzeler), 1888, A., 1278. 3:5-dilodoquinone (Seifert), 1884,

A., 431. Iodoquinones (KEHRMANN), 1889, A.,

993, 1184. dilodoquinone-chlorimide and-di-

methylanilide (Seifert), 1884, A., 431.

Iodosobenzoic acid (MEYER and WACH-TER), 1892, A., 1460.

dilodostearolic acid and triodostyrene (LIEBERMANN and SACHSE), 1892, A., 470.

as-dilodosuccinamide (Curtius and Lang), 1892, A., 453.

Iodotarconine (Roser), 1888, A., 1116. Iodotetramethylpiperidine (FISCHER), 1884, A., 1290.

a-Iodothiophen (MEYER and KREIS), 1884, A., 1131.

dilodothiophen, action of ethylic chlorocarbonate and sodium amalgam on (Nahnsen), 1885, A., 1207.

Iodothiophenic acid (GATTERMANN and ROMER), 1886, A., 537.

Iodothymol (WILLGERODF), 1888, A., 910; (WILLGERODF and KORNBLUM), 1889, A., 697.

dilodothymol (Messinger and Vort-MANN), 1889, A., 1151.

o-Iodothymol-p-sulphonic acid (KEHR-MINN), 1889, A., 993.

Iodothymoquinone (KEHRMANN), 1889, A., 1185.

p-Iodotoluenedisulphonic acid (LIMP-RICHT), 1885, A., 1233; (RICHTER), 1886, A., 152.

o-Iodotoluenesulphonic acid (MABERY and Palmer), 1885, A., 538.

p-Iodotoluenesulphonic (DE acid ROODE), 1891, A., 1227.

4-Iodo-o-toluidine-5-sulphonic acid and its derivatives (Limpricht), 1885, A., 1234; (Готн), 1886, А., 153.

dilodo-p-tolylic acetate and benzoate (Schall and Dralle), 1885, A., 146.

Iodopropylthiophen (Rufi), 1887, A., Iodo-p-tolylmethylenesulphone (Outo), 1888, A., 482.

B-Iodotrimethylethylammonium (Sсимірт), 1892, А., 808.

Iodotrimethylpiperidine (Fischer), 1884, A., 1291.

γ-Iodotrimethylpropylammonium iodide (PARTHEIL), 1890, A., 357.

Iodoundecylenic acid (BRUNNER), 1886, A., 1011.

Iodoxydiodo-benzene and -resorcinol (MESSINGER and VORTMANN), 1889, A., 1150, 1151.

4-Iodo-m-xylene, action of sulphuric acid on (HAMMERICH), 1890, A.,

dilodo-m-xylene (HAMMERICH), 1890, A., 1107.

dilodo-o-xylene (Leser), 1884, 1314.

4-Iodo-m-xylenesulphonic acid (Bauch), 1891, A., 73.

Iolite. See Cordierite.

Ions, colour of the (Oslwald), 1892, A., 1137.

theory of dissociation into, and its consequences (PICKERING), 1890, P., 171; 1891, A., 972. transfer of, in fused and solid silver

iodide (Lehmann), 1890, Δ., 317. See also Electrochemistry.

Ipecacuanha, estimation of (RANSOM), 1887, A., 1147; (LYONS), 1889, A., 803.

root, dextrose from (MERCK), 1891, A., 1133.

wine, assay of emetine in (Blunt), 1890, A., 310, 548.

Ipomic acid. See Sebacic acid.

Ipomoic acid (Poleck and Samelson), 1885, A., 670.

Iridioammonium idioammonium compounds (PAL-MAER), 1889, A., 352; 1891, A., 402,

Iridium, atomic weight of (JoLY), 1890, A., 1067; (SEUBERT), 1891, A., 885.

for pen-points (CLARKE and JOSLIN), 1884, A., 400.

removal of platinum from (Antony), 1892, A., 1285.

fusion, casting, dephosphorising and plating of (Perry), 1885, A., 462. actions of (LECOQ DE BOISBAUDRAN), 1883, A., 905.

alloy of, with tin (DEBRAY), 1887, A., 779.

compounds of (VINCENT), 1885, A., 356.

Iridium phosphorus biomides (GEISEN-HEIMER), 1890, A., 1383.

Iridium chloride, molecular refraction and dispersion of, in solution (GLADSTONE), 1891. T., 595. chlorides (Joly), 1890, A., 1068.

phosphochlorides

(GEISENHEIMER), 1890, A., 1068.

combination of, with arsenic chloride (Geisenheimer), 1890,

A., 1069. dioxide (Geisenheimer),1890, A., 948. phosphide (CLARKE and Joslin), 1884, A., 400.

sulphate, violet (Lecoq DE Bois-BAUDRAN), 1883, A., 1057.

potassium sulphate (Lecoo de Bois-

BAUDRAN), 1883, A., 905.

Iridium, analysis of, fused (CLARKE and Joslin), 1884, A., 400.
detection of (Lecoq de Boisbaudran), 1883, A., 907.

Iridosmine, artificial production of (DEBRAY), 1883, A., 298.

"Irisin" (WALLACH), 1887, A., 26; 1888, A., 488.

molecular weight of (EKSTRAND and MAUZELIUS), 1890, A., 227.

Iron, native, of terrestrial origin, from Berezowsk (DAUBRÉE and MEUNIER), 1891, A., 1434.

from Canon Diablo (MALLARD; DAUBRÉE), 1892, A., 947.

from Greenland, analyses of (LOREN-ZEN), 1885, A., 639.

occurrence of, in Mexico (ANON.), 1884, A., 1101.

accompanying native gold in Montgomery Co., Virginia, and in Burke Co., N. Carolina (PAGE), 1883, A., 29.

containing nickel from Sanarka, in the Ural mountains (GREWINGK),

1884, A., 401. presence of, in bone-black (Tenne), 1892, A., 1053.

meteoric. See Meteoric iron and Meteorites.

pyrophoric (BIRNIE), 1885, A., 752. molecular changes in (LE CHATELIER), 1891, A., 1308.

passive state of (SAINT-EDME), 1888, A., 788; (Andrews), 1891, A., 250; (GAUTIER and CHARPY), 1891,

A., 1427. properties of, influence of foreign substances on the (Osmond), 1890, A., 566, 567.

properties of, influence of phosphorus on (Schneider), 1888, A., 421.

properties of, influence of silicon on the (Turner), 1886, P., 266; 1887, T., 129; 1888, T., 844.

Iron, relation of, to cobalt as indicated by absorption spectra (Russell and ORSMAN), 1889, P., 14.

refraction and dispersion of (DU Bois and Rubens), 1891, A., 373.

anomalous rotatory dispersion in (Lobach), 1890, A., 673.

electrical resistance of, at high temperatures (LE CHATELIER), 1890, A., 549.

electrochemical effects of magnetising (Andrews), 1889, A., 92; 1890, A., 678.

recalescence of (Tomlinson), 1888, A., 546.

specific heat of (NACCARI), 1888, A., 1236.

white, decomposition of, by heat (Fourquignon), 1884, A., 1444.

so-called burning of (LEDEBUR), 1884, A., 935.

volatilisation of, in presence of carbonic oxide (GARNIER), 1891,

process for producing a bronzecoloured surface on (MAYER), 1884, A., 127.

producing a coating of ferrosoferric oxide on (Honigmann), 1885, A., 1271.

production of galvanic deposits on (anon.), 1885, A., 940.

galvanising and nickeling of, in Cleveland, Ohio (ANON.), 1883, A., 404.

welding of (BOEHME), 1884, A., 786.

behaviour of, chemical in magnetic field (NICHOLS), 1886, A., 668.

action of various substances on (Anon.), 1884, A., 518.

action of ammonia on, at a red heat (WARREN), 1887, A., 702.

action of carbon monoxide on (GUNTZ), 1892, A., 568.

action of chlorine and of bromine on (GAUTIER and CHARPY), 1892, A,

action of ferric sulphate on (MENKE),

1887, A., 703. action of hydrogen chloride on (ISAMBERT), 1886, A., 425.

action of iodine on (FLEURY), 1888, A., 654

action of nitric acid on (GAUTIER and Charpy), 1891, A., 1426; (Montemartini), 1892, A., 1278.

action of nitric oxide on (BAYLEY), 1888, A., 388; (SABATIER and SENDERENS), 1892, A., 1152.

Iron, action of nitrosyl chloride on | (Sudborough), 1891, T., 660.

action of water in the slow oxidation of (TRAUBE), 1885, A., 1105.

action of water-gas on (RUSCUE and Scudder), 1891, P., 126.

addition of iron silicide to specially pure (Turner), 1887, T., 134.

behaviour of the different modifications of carbon towards, at an elevated temperature (HEMPEL), 1885, A., 725.

carburation of, by the diamond (Osmond), 1891, A., 807.

dephosphorisation of (HILGENSTOCK), 1884, A., 520.

dissemination of sulphur and phosphorus through masses of (WAR-REN), 1889, A., 13.

precipitation of copper by (Essner), 1892, A., 276.

solution of, in aqueous soda (ZIRNITÉ), 1889, A., 105.

solution of, in acids, volume and carbon contents of the gas evolved during (BACKSTROM and PAIJ-KULL), 1888, A., 420.

occlusion of hydrogen by (THOMA), 1889, A., 568; (NEUMANN and STREINTZ), 1892, A., 567.

distribution and condition of, in barley (PETIT), 1892, A., 1509.

in plant nutrition, substitution of manganese for (Spampani), 1891, A., 1394.

macro- and micro-chemical reactions of (v. Zaleski), 1890,

physiological action of (Skvortzow), 1888, A., 1325.

assimilation of, \mathbf{i} n $_{
m the}$ animal organism (Bunge), 1885, Α., 574.

in what form is it absorbed? (Social). 1891, A., 478. deposits of, in the tissues (Delipine),

1891, A., 1274.

excretion of, from the organism (v. Zaleski), 1888, A., 977; (Gottleb), 1891, A., 1128. in the liver and spleen (Krüger,

MEYER and PERNOÙ), 1891, A., 818.

normal storage of, in the liver (Delipine), 1890, A., 1177.

presence of, in the liver (v. Z LESKI), 1886, A., 1054; (Bunge), 1892, A.,

combination of carbon with, under pressure (HEMPEL), 1888, 557.

volatile compounds of, with Iron, carbonic oxide (Mond and Quincke), 1891, T., 604; P., 117; (Mond and Langer), 1891, T., 1090; Р., 149; (Вективьот), 1891, A., 1427.

Iron alloys, electrical resistance of, at high temperatures (LE CHATELIER), 1890, A., 549.

with copper and platinum (MAU-MENÉ), 1887, A., 778.

with aluminium, cobalt, manganese and nickel. See Ferro-.

Iron salts, preparation of, utilisation of burnt pyrites in (A. and P. Buisine), 1892, A., 1281.

effect of temperature on the magnetism of (Plessner), 1890, A., 678.

action of alkaline polysulphides on (DE KONINCK and LEDENT), 1892, A., 537.

as carriers of bromine (MEYER), 1885, A., 1182; (Scheufelen), 1885, A., 1182; 1886, A., 340.

Iron antimonates (BEILSTEIN and V. BLÄSE), 1889, A., 1124.

potassium fluoride (CHRISTENSEN),

1887, A., 448. nitride (WARREN), 1887, A., 702. phosphate, from Belgium (CESARO),

1885, A., 878. sulphates, native, from Chili (MACKIN-TOSH), 1890, A., 454; (DARAPSKY), 1890, A., 456; (GENTH and PEN-

FIELD), 1891, A., 274. ammonium sulphates (LACHAUD and LEPIERRE), 1892, A., 943.

copper ammonium sulphate (Roy), 1887, P., 53.

magnesium sulphate, native (BLAAS), 1884, A., 269.

sulphide (GAUTIER and HALLOPEAU),

1889, À., 677. nickel sulphide (Hunt), 1888, A., 1254; (Mackintosii), 1889, A.,

potassium sulphide, action of cuprous chloride on (Schneider), 1889, A.,

sodium sulphide (Brunner), 1890, A., 215.

telluride (Hillebrand), 1887, A., 341.

titanate. See Ilmenite.

Ferric salts, action of finely divided metals on (CARNEGIE), 1888, T.,

468; P., 48. action between thiocyanates and (Magnanini), 1891, A., 1150. reduction of (AUSTEN and HURFF),

1883, A., 512.

Ferric salts, solutions of, action of iron on (ESSNEI), 1892, A., 276. solutions of, reduction of, by means of amalgamated zinc and platinum foil (BEEBE), 1886, A.,

836.

behaviour of, as mordants (LIECHTI and SUIDA), 1884, A., 796.

behaviour of, as mordants, with silk (LIECHTI and SUIDA), 1885, A., 315.

rapid method for the titration of (CARNEGIE), 1888, T., 468; P.,

Ferric antimonate (EBEL), 1890, A., 216.

potassium and sodium arsenates (Lefèvre), 1890, A., 1378. pyroarsenate (Lefèvre), 1890, A.,

1378. bromide, reduction of, by boiling

(DE KONINCK), 1890, A., 111. chloride, absorption spectrum of (Russell and Orsman), 1889, P., 14.

molecular refraction and dispersion of, in solution (GLAD-STONE), 1891, T., 595.

electrolytic conductivity o (HAMPE), 1888, A., 890.

as an exciting agent for voltaic batteries (WARREN), 1887, A., 413.

vapour density of (FRIEDEL and CRAFTS), 1888, A., 1251.

vapour density of, at various temperatures (GRUNEWALD and MEYER), 1888, A., 422. reduction of, by light (LEMOINE),

reduction of, by light (LEMOINE), 1891, A., 965.

action of, on potassium iodide (CARNEGIE), 1889, A., 1113.

action of barium peroxide on (KWASNICK), 1892, A., 408.

action of potassium nitrite on (Pesci), 1888, A., 1252.

action of, on metallic sulphides (CAMMERER), 1892, A., 18, 278.

action of, on lead sulphide (GABBA), 1889, A., 947.

decomposition of, by water (FOUNSEREAT), 1886, A., 844. as a carrier of iodine (MEYER), 1886, A., 341.

use of, in sugar factories (Ben-GREEN and LICHT), 1884, A., 939.

compounds of, with nitric oxide and nitric peroxide (Besson), 1889, A., 834. Ferric chloride, double salts of, with other metallic chlorides (NEU-MANN), 1886, A., 124; 1888, A., 655.

hydrochlorides of (ENGEL; SABA-TIER), 1887, A., 894.

oxychlorides, crystallised (Rousseau), 1890, A., 1063; 1892, A., 119.

ethoxide. See Ethoxide, ferric. hydroxide (ferric hydrate) colloidal

(GRIMAUX), 1884, A., 573. molecular weight of (SABA-NEEFF), 1890, A., 1216.

solutions of (PICTON and LINDER), 1892, T., 152, 162.

derivatives of (GRIMAUX), 1884, A., 966.

change which it undergoes after a time (Tomması and Pellizzahi), 1883, A., 24.

dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 76, 89.

action of, on aluminic and ferric salts (Gorgeu), 1890, A., 946. behaviour of, with hydrogen sulphide (Wright), 1883, T., 156.

relative basicity of aluminium hydroxide and (Schneider), 1890, A., 1062.

See also Limonite.

hydroxides (Tommasi), 1883, A.,

crystallised, formation of, in the dry way (ROUSSEAU and BERN-HEIM), 1888, A., 917. hypophosphite, assay of (MOEEK),

hypophosphite, assay of (MOEEK), 1891, A., 1290. periodates (KIMMINS), 1889, T.,

149. oxide (Fe₂O₃), colloidal (VAN BEM-

MELEN), 1888, A., 1162. action between certain sulphates and, at high temperatures (SCHEUREN-KESTNER), 1885, A., 125.

influence of, on the decomposition of potassium chlorate (FOWLER and GRANT), 1890, T., 278.

reduction of, with carbonic oxide (AKERMAN), 1884, A., 20.

rehydration of (Cnoss), 1883, A., 853.

precipitation of, by ammonia (LUNGE), 1890, A., 420.

estimation of, in presence of alumina (DONATH and JEL-LER), 1886, A., 1076. Ferric oxide (Fe₂O₃), estimation of, in phosphates (v. Gruber), 1891, A., 501, 963.

estimation of, in mineral phosphates and manures (Thomson), 1887, A., 302.

estimation of, in phosphatic manures (STUTZER), 1891, A., 245

estimation of alumina and, in phosphates (Jones), 1891, A., 114.

estimation of alumina and, in phosphates, alcohol method of (Shepherd), 1891, A., 1138.

separation of, from alumina (BEILSTEIN and LUTHER), 1891, A., 1293.

separation of, from alumina and titanic oxide (Cohen), 1884, A., 640.

See also Hæmatite.

phosphate (HAUTEFEUILLE and MARGOTTET), 1888, A., 420.

tetrahydrated, formation of (ARTH), 1890, A., 292.

action of carbon tetrachloride on (QUANTIN), 1887, A., 330.

metaphosphate (Johnson), 1889, A., 757.

selenites (BOUTZOUREANU), 1888, A., 220; 1891, A., 262.

sulphate, anhydrous, crystallised (LACHAUD and LEPIERRE), 1892, A., 943.

basic, molecular weight of (Pickering), 1883, T., 182.

properties of (ROHART), 1883, A., 1178.

reduction of, in volumetric analysis (Jones), 1889, A., 1248.

sulphates, basic (ATHANASESCU), 1886, A., 982.

sulphide, action of potassium cyanide on (WRIGHT), 1883, T.,

See also Marcasite.

dithionate (KLuss), 1888, A., 1156.

thiosulphate (FOCK and KLUSS), 1890, A., 330.

o-titanate (Koenig and v. der Prordten), 1889, A., 948.

Ferrosoferric oxide (Fe₂O₄), producing a coating of, on iron (Honig-Mann), 1885, A., 1271.

See also Magnetite.

Ferrous salts, action of nitrites on (Piccini and Marino-Zuco), 1886, A., 418. Ferrous chloride, *electrolytic conductivity of (HAMPE), 1888, A., 890.

vapour density of (MEYER), 1884, A., 965; (NILSON and PET-TERSSON), 1888, T., 827.

hydroxide, crystallised (DE SCHUL-TEN), 1889, A., 1115.

and its behaviour with nitric oxide, nitrites, and nitrates in alkaline solution (DIVERS and HAGA), 1885, T., 364.

periodates (KIMMINS), 1889, T., 150.

oxide (FeO), action of, on vegetation (Kellner), 1886, A., 486.

estimation of, in insoluble silicates (CHESTER and CAIRNS), 1888, A., 196.

selenide, and the preparation of hydrogen selenide from (DIVERS and SHIMIDZU), 1885, T., 443.

sulphate, retentive properties of, for ammonia and phosphoric acid (GRIFFITHS), 1886, T., 121.

action of concentrated sulphuric acid on (EREMIN), 1889, A., 347.

solubility of (ETARD), 1888, A., 645.

See also Agricultural Chemistry. aluminium sulphate, native, from Mexico (Lippitr), 1884, A., 24.

ammonium sulphate as a reagent for nitric acid (AUNIEN and ('HAMBERLAIN), 1884, A., 493; (ROSA), 1886, A., 99.

(Rosa), 1886, Å., 99.
sulphide, heat of formation of
(MULLENHOFF), 1885, A., 950.
action of potassium cyanide on
(WRIGH1), 1883, T., 163.

See also Pyrites and Pyrrhotite.
dithionate and double dithionates

(KLUSS), 1888, A., 1156. thiosulphate and sodium thiosulphate (VORIMANN and PAD-BERG), 1890, A., 12.

Iron organic compounds:-

Iron potassium cyanogen compound (MAHLA), 1889, A., 359. potassium thiocyanates (Krüss and

Moraht), 1889, A., 1129. Ferric carbonylferrocyanide (Mul-Len), 1890, A., 117.

dextrosate (CHAPMAN), 1891, T., 325; P., 66.

ferricyanide as a reagent for detecting traces of reducing gases (Brown), 1888, A., 627.

Ferric ferrocyanide (Prussian blue), composition of (REYNOLDS), 1887, T., 644; P., 86.

peptonate (ROBIN), 1885, A., 1147. Ferropentacarbonyl (Mond and Lan-

GER),1891, T., 1091; P., 149. Ferrosoferric ferricyanide (REY-NOLDS), 1888, T., 773.

Ferroso-sodium tetracyanide (ETARD

and Bémont), 1885, A., 234. errous ferricyanide (Turnbull's Ferrous

blue), composition of (REYNOLDS), 1887, T., 644; P., 86.

(soluble potassium ferricyanide Prussian blue) (Guignet), 1889, A., 475.

Iron-ore, magnetic. See Magnetite. oolitic, of Lorraine, microscopic structure of (BLEICHER), 1892, A.,

pisolitic, formation of (MEUNIER), 1853, A., 1065.

Iron ores, specular, of Cuba, genesis of (KIMBALL), 1885, A., 356. of the Marquette district, Michigan

(van Hisē), 1892, A., 794.

of the Penokee-Gobec series of Michigan and Wisconsin (VAN HISE),

1889, A., 473. of Central Russia (ZEMJATSCHEN-SKY), 1892, A., 689.

of Sinaloa (SILLIMAN), 1883, A., 162. of Taberg in Smaaland, Sweden (TORNEBOHM), 1883, A., 429.

genesis of, by replacement of limestone (KIMBALL), 1892, A., 126.

origin of, in the older limestones of the secondary series (DIEULAFAIT), 1885, A., 644.

addition of manganese to (ANON.), 1885, A., 1271.

Iron-biotite from Auburn, Maine (Clarke), 1888, A., 118.

Iron-deweylite from Kraubach (HATLE and Tauss), 1888, A., 429.

Iron-glance, occurrence of MANN), 1886, A., 126. (SELIG-

from Ascension (vom RATH), 1883, A., 436.

Iron-gymnite (hydrophile) from Styria (HATLE and TAUSS), 1891, A., 21.

Iron-mica from Pike's Peak (CLARKE), 1888, A., 118.

Iron-pyrites. See Pyrites.

Ironstone concretions from New South Wales (Liversinge), 1886, A., 774.

Iron ores, estimation of:analysis of (Tamm), 1888, A., 529. titration of (HEMPEL), 1885, A., 932. estimation of arsenic in (LUNDIN), 1885, A., 838.

Iron ores, estimation of:-

estimation of manganese in (Zulkowski), 1884, A., 116.

estimation of phosphorus in (TAMM), 1884, A., 875; (Jennings), 1889, A., 189; (JONES), 1891, A., 363; (EMMERTON), 1892, A., 529.

estimation of titanium in (JENNINGS), 1889, A., 189.

estimation of zinc in (Platz), 1890, A., 1192.

Iron industry (ANON.), 1883, A., 132, 402, 531; 1884, A., 129, 1083. analysis of the raw materials and

products of (MEINERE), 1889, A., 441.

Iron ingot, malleable, production of (ANON.), 1885, A., 1271.

manufacture of (ANON.), 1883, A., 402; (KUPELWIESER), 1884, A., 519. Atwood's process for refining (ANON.), 1885, A., 1272

Cast iron, graphite in (JORDAN and

TURNER), 1886, T., 220. condition of silicon in (JORDAN and Turner), 1886, T., 215; P., 155. calorimetric researches on the con-

dition of silicon and aluminium in (Osmond), 1892, A., 19.

titanium carbide in (SHIMER), 1887, A., 703.

selective alteration of the constituents of (TURNER), 1885, T., 474; P., 61.

influence of charcoal on the amount of phosphorus in (ANON.), 1883, A., 403.

influence of silicon on the condition of carbon in (GAUTIER), 1887, A.,

influence of silicon on the properties of (Turner), 1885, T., 577, 902;

P.,85,100; 1886,T.,130; P.,133. influence of re-melting on the properties of (Turner), 1886, T., 493; P., 209.

relative oxidisability of malleable and (GRUNER), 1883, A., 755.

action of sea-water on (DRAPER), 1888, A., 421.

dephosphorising or desulphurising (ANON.), 1885, A., 1271. analyses of (ANON.), 1883, A., 132.

estimation of carbon in (BRENE-

MAN), 1884, A., 219. estimation of total carbon in (ANON.), 1883, A., 882.

estimation of manganese in (WEIS'-MANN), 1888, A., 992.

estimation of manganese in, effect of silica on (DEANE), 1887, A., 183.

Cast iron, estimation of phosphorus in (DEANE), 1887, A., 183; (JONES), 1891, A., 363; (EMMERION), 1892, A., 529; (REINHARDI), 1892, A., 912.

estimation of silicon in, method of rapid evaporation for (Jones), 1889, A., 1246.

estimation of sulphur in (ROCHOLL), 1883, A., 512; (WILSON), 1892, A., 382.

Wrought iron, estimation of slag in (BARROWS and TURNER), 1892, T., 551; P., 122.

Steel from pig-iron containing phosphorus, at Cleusot (Delafond), 1883, A., 403.

best, production of (MULLER), 1885, A., 1167.

cast, calorimetric study of the effect of tempering and hammering on (OSMUND), 1885, A., 856. heating and cooling of (OSMUND),

heating and cooling of (Osmond) 1887, A., 14.

relative oxidisability of malleable and (GRUNER), 1883, A., 755. cementation, crystals in (STOLTLER),

1883, A., 629. crucible (LEDEBUE), 1885, A., 616.

fused, cellular structure of (Obmond and Werth), 1885, A., 485. heating and cooling of (Osmond), 1887, A., 219.

malleable ingot, production of (ANON.), 1885, A., 1271.

Russian basic (KERN), 1883, A., 1036.

tungsten (ANON.), 1883, A., 533; (MULLER), 1885, A., 1167.

manufacture of (KUPELWIESER), 1884, A., 519.

Bessemer process for the manufacture of (ANON.), 1884, A., 517, 1083.

Bessemer converter, chemistry of (STEAD), 1883, A., 832.

Bessemer converter, utilisation of the heat of the flame of (ANON.), 1885, A., 1271.

molecular changes in (LE CHATE-LIER), 1891, A., 1308.

nature of (Kosmann), 1890, A., 215.

condition in which carbon exists in (ABEL and DEERING), 1883, T., 303.

manganese in (GAULIER), 1885, A., 307; (BABBITI), 1887, A., 619. recalescence of (NEWALL), 1888, A., 892.

hardness of (ANON.), 1883, A., 883.

Steel, passive state of (Andrews), 1891, A., 250.

so-called burning of (LEDEBUR), 1884, A., 935.

tempering of (Fromme), 1885, A., 26. influence of foreign substances on the properties of (Osmond), 1890, A., 566, 567.

influence of manganese, phosphorus, silicon and tungsten on the properties of (OSMOND), 1887, A., 639.

influence of silicon on the properties of (TURNER), 1886, P., 266; 1887, T., 129; 1888, T., 844. influence of sulphur and copper on

influence of sulphur and copper on the working of (WASUM), 1883, A., 404.

residues obtained from, by the action of acids (Osmond and Wenry), 1887, A., 894.

WERTH), 1887, A., 894. analyses of (ANON.), 1884, A., 1231. Steel-castings, evolution of gas from (MULLER), 1884, A., 787.

Steel ingots, irregularities in the composition of (Zetsche), 1886, A., 108.

rolling of, with their own initial heat without the use of fuel (ANON.), 1883, A., 532.

Steel-rails, chemical composition and testing of (ANON.), 1883, A., 531. Steel, analytical processes relating

to:—
aluminium, analysis of (ZIEGLER),
1890, A., 1471.

tungsten, analysis of (ANON.),1884, A.,1231; (SCHNEIDER and LIPP), 1885, A., 840.

detection of small quantities of aluminium in (CARNOI), 1891, A., 501.

examination of (ANON.), 1885, A., 1160.

estimation of aluminium in (Drown and McKenna), 1892, A., 102.

estimation of minute quantities of aluminium in (STEAD), 1890, A., 548; (CARNOI), 1891, A., 501.

estimation of carbon in (ZABUDSKY), 1884, A., 1427; (TURNER),1885, A., 1161; (GINTL), 1886, A., 98; (BLOUNT), 1888, A., 530; (V. JUPINER), 1889, A., 186; (HOGG), 1889, A., 308; (THORNER), 1892, A., 913.

estimation of minute quantities of carbon in (STEAD), 1883, A., 1032. estimation of free and combined

carbon in (Pettersson and Smitt), 1890, A., 1027.

Steel, analytical processes relating (

estimation of total carbon in (ANON.), 1883, A., 882.

estimation of chromium in (Rein-HARDT; WAHLBERG), 1890, A.,

85; (Hogo), 1892, A., 538. estimation of chromium in, in presence of phosphorus (ARNOLD

and HARDY), 1888, A., 757. estimation of copper in (REIN-HARDT), 1890, A., 85. estimation of iron in (Morgan),

1887, A., 1140.

estimation of manganese in (TROI-LIUS), 1885, A., 597; (Weiss-MANN), 1888, A., 992; (BLUM), 1891, A., 963; (RURUP), 1892, A., 916; (Rubnicius), 1892, A., 1030.

estimation of phosphorus in (Troi-LIUS), 1885, A., 597; (KAL-MANN), 1886, A., 280; (MACKIN-TOSH), 1886, A., 488; (Huss), 1886, A., 1073; (Deane), 1887, A., 183; (VORWERK), 1887, A., 299; (MEINEKE), 1887, A., 396; (SCHNEIDER), 1887, A., 527; (SHIMER), 1889, A., 76; (JONES), 1891, A., 363; (MALOT), 1892, A., 528; (EMMERTON), 1892, A., 529; (HAMILTON), 1892, A., 911. estimation of phosphorus in, modifiel molybdate method (Wood), 1886, A., 280.

estimation of silicon in (ANON.), 1883, A., 883; (TURNER), 1884, T., 260; 1887, A., 1140; 1888, A., 195; (Morgan), 1888, A.,

195.

estimation of sulphur in (CRAIG), 1883, A., 121, 512; (ANON.), 1883, A., 883; (PETER), 1885, A., 1161; (MORGAN), 1887, A., 1140; 1888, A., 1334; (ARNOLD and HARDY), 1888, A., 1333; (COHEN; ARCHBUTT), 1890, A., 1463; (REINHARDT), 1890, A., 1464; (WILSON), 1892, A., 382. estimation of tungsten in (NAMIAS),

1892, A., 539.

Iron (in general), detection, estimation

and separation:

analysis of (TAMM), 1883, A., 510: 1888, A., 529; (ANON.), 1884, A., 1281.

tungsten, analysis of (ANON.), 1884, A., 1231; (SCHNEIDER and LIPP), 1885, A., 840.

detection of small quantities of aluminium in (CARNOT), 1891, A., 501.

Iron (in general), detection, estimation and separation :-

detection of minute quantities of, in minerals (Johnstone), 1889, A.,

detection of, in oil (EMDE), 1889, A.,

testing for arsenic in (SAUTER-MEISTER), 1892. A., 1030.

reaction to detect the presence of metallic (v. Lasaulx), 1884, A.,

thiocyanate reaction for (WERNER), 1883, A., 510.

examination of (ANON.), 1885, A., 1160. estimation of (BARLOW), 1886, A., 393; (Schacht), 1888, А., 631.

estimation of aluminium and, by the Glaser method (GIBBINS), 1892, A.,

estimation of small quantities of, by Hamburger's method (HUPPERT), 1892, A., 1525.

estimation of, by hydrogen sulphide

(STORCH), 1883, A., 1169. estimation of, by Weil's method (ANON.), 1883, Å., 509.

estimation of, by nitroso-a-naphthol (MEINEKE), 1888, A., 1132.

estimation of, by nitroso-β-naphthol, and by zinc oxide (MEINEKE), 1889, A., 442.

estimation of, by means of permanganate solution (KRUTWIG and COCHETEUX), 1883, A., 1168.

estimation of, by potassium chromate (CRISMER), 1884, A., 1078. estimation of, by means of potassium

iodide (Falieres), 1885, A., 1011. estimation of, by potassium permanganate in presence of free hydro-chloric acid and chlorides (HOOD), 1885, A., 297.

estimation of, in alloys (PETERSON), 1885, A., 194.

estimation of, in ferro-alloys, influence of copper on (Hogg), 1889, A., 798. estimation of minute amounts of, in alum, etc. (TATLOCK), 1888, A., 90. estimation of, in aluminium (HUNT, CLAPP and HANDY), 1892, A., 1131.

estimation of aluminium in (STEAD), 1890, A., 548; (CARNOT), 1891, A., 501; (Drown and McKenna), 1892, A., 102.

estimation of aluminium and, in presence of calcium and phosphoric acid (KENNEPOHL), 1889, A., 188.

estimation of aluminium and, in the presence of phosphoric acid (KRUG), 1892, A., 755.

(in general), estimation and Iron separation:-

estimation of arsenic in (LUNDIN), 1885, A., 838; (v. Reis), 1890, A., 194. estimation of bismuth and lithium in

(WARREN), 1888, A., 1256. estimation of carbon in (LEDEBUR), 1883, A., 121; (STEAD), 1883, 1032; (TURNER), 1885, A., 98; 1161; (GINTL), 1886, A., A., 866; (DE (Brand), 1887, KONINCK), 1888, A., 1341; (v. Juptner), 1889, A., 186; 1892,

A., 1030; (Hogg), 1889, A., 308; (BLUM), 1889, A., 1088; (WIBORGH), 1890, A., 924; (PETTERSSON and SMITT), 1890, A., 1027; (THÖRNER), 1892, A., 913.

estimation of, in chars (DAVIDSON), 1888, A., 196.

estimation of chromium in, in presence of phosphorus (ARNOLD and HARDY), 1888, A., 757.

estimation of chromium and copper in (REINHARDT), 1890, A., 85.

estimation of, in cryolite (FRESENIUS and HINTZ), 1889, A., 927.

estimation of, in hydrochloric acid solutions by means of potassium permanganate (REINHARDT), 1890, A., 296.

estimation of manganese in (ANON.), 1883, A., 883; (Troilius), 1885, A., 597; (BABBITT), 1887, A., 619; (Morgan), 1887, A., 1140; (Blum), 1891, A., 963; (Rurup), 1892, A., 916; (Rubricius), 1892, A., 1030, 1524.

estimation of nickel in presence of (Moore), 1887, A., 1141.

rich in silicon, estimation of small quantities of manganese in (REIN-HARDT), 1888, A., 1132.

estimation of, in ores by the stannous chloride method, sources of error

in (FOHR), 1883, A., 242. estimation of, in iron ores by the tartaric acid method (BLUM), 1888, A., 757.

estimation of oxygen in (LEDEBUR), 1883, A., 121.

timation of, in phosphates (Kretzschmar), 1886, A., 393; (Dyer; Jones), 1886, A., 491; estimation (MEYER), 1892, A., 536.

estimation of, in phosphatic manures (GLASER), 1890, A., 420.

estimation of phosphorus in (TAMM), 1884, A., 875; (TROILIUS), 1885, A., 597; (KALMANN), 1886, A., 280; (MACKINTOSH), 1886, A.,

Iron (in general), estimation and separation:-

488; (Huss), 1886, A., 1073; (Vor-WERK), 1887, A., 299; (MEINEKE), 1887, A., 396; 1888, A., 1130; (SCHNEIDER), 1887, A., 527; (Wedding), 1887, A., 865; (Shimer), 1889, A., 76; (v. Reis), 1889, A., 648; (BORMANN), 1890, A., 416; (METZ), 1891, A., 961; (MALOT), 1892, A., 528; (HAMIL-TON), 1892, A., 911.

estimation of phosphorus in, in presence of silicon (Drown), 1889, A., 1245.

estimation of, in rock analysis

(CHATARD), 1891, A., 768. estimation of silicon in (ANON.),1883, A., 883; (TURNER), 1884, T., 260; 1887, A., 1140; 1888, A., 195; (Blum), 1886, A., 835; (Strick), 1887, A., 527; (MORGAN), 1887, A., 1140; 1888, A., 195.

estimation of, in slags (Kosmann), 1886, A., 489; (NEUMANN), 1887, A., 1140.

estimation of sulphur in (CRAIC), 1883, A., 121, 512; (ANON.), 1883, A., 883; (Peter), 1885, A., 1161; (WIBORGH), 1886, A., 743; (MoL-LER), 1887, A., 296; (MORGAN), 1887, A., 1140; 1888, A., 1334; (PLATZ), 1887, A., 1141; (ÁRNOLD and HARDY), 1888, A., 1383; (v. Reis), 1889, A., 648; (Blum), 1890, A., 921; 1892, A., 1376; (COHEN; ARCHBUTT), 1890, A., 1463; (REIN-HARDT), 1890, A., 1464; (v. Reis and Wiggert), 1891, A., 1549. estimation of, in water (Bell), 1890,

A., 419.

estimation, colorimetric, of (Thom-son), 1885, T., 493; P., 65; (SABANÉEFF and KISLAKOWSKY), 1888, A., 757; (LAPICQUE), 1892, A., 240; (RIBAN), 1892, A., 1132.

estimation, spectro-colorimetric, of (Keuss and Morant), 1889, A., 1247. estimation, electrolytic, of (CLASSEN), 1885, A., 191; (ŠMITH), 1888, A., 1344; (BRAND), 1890, A., 294. estimation, volumetric, of (BRUEL),

1884, A., 367; (ATKINSON), 1884, A., 873; (LINOSSIER), 1885, A., 840; (NAMIAS), 1892, A., 240.

estimation, volumetric, of, in Ferrum reductum (Parthiel), 1890, A., 827; (GRÜTZNER), 1892, A., 1524.

estimation, volumetric, of, normal solutions for (BRITTON), 1883, A., 241.

Iron (in general), estimation and separation:—

estimation, volumetric, of, by means of potassium dichromate (Bya), 1888, A., 530.

estimation of, in starving animals (v. Zaleski), 1888, A., 977.

estimation of, in blood (LAPICQUE), 1890, A., 297.

estimation of, in the feetal organism

(Bunge), 1889, A., 789; 1892, A., 516, 1502.

estimation of, in the liver and spleen of young animals (LAPPOUE), 1890, A., 185.

separation of, from aluminium (Vignon), 1885, A., 689; (v. ILINSKI and v. KNORRE), 1886, A.,

separation of, from aluminium, cobalt, manganese, nickel, and zinc (MOORE), 1888, A., 631.

separation of, from calcium and manganese (RIGGS), 1892, A., 916.

separation of, from cobalt and nickel (MACKINTOSH), 1887, A., 1141; (LEROY), 1891, A., 1139.

separation of, from cobalt, nickel, and manganese (CAMPBELL), 1892, A.,

separation of, from manganese (BLUM), 1887, A., 188; (MEINERE), 1889,

A., 441. separation of, from manganese and allied metals (Meineke), 1889, A.,

separation of, from titanium (GOOCH), 1886, A., 492; (CLASSEN), 1888, A., 532.

separation of, from zinc (CARNOT), 1886, A., 650; (v. BERG), 1887, A., 182

separation, electrolytic, of (SMITH and MUHR), 1892, A., 917.

separation, electrolytic, of, from aluminium and manganese (Classen), 1885, A., 1094.

Iron group, separation of, from calcium and magnesium (MEINEKE), 1889, A.,

Iron vessels, nickel-plated, action of organic acids on (BIRNBAUM), 1884, A., 520.

Irrigation. See Agricultural Chemistry.
Isatamidobenzamide (SCHIFF), 1884, A.,
455.

Isatin (Kolbe), 1883, A., 1130; (Gum-PERT), 1886, A., 342.

conversion of tetrahydroquinoline into (Schotten), 1891, A., 722.

Isatin, preparation of (ANON.), 1885, A., 167; (KNAPE), 1891, A., 909.

chemical constitution of (Kolbe), 1855, A., 665.

action of chromic acid on (KOLBE), 1855, A., 58.

action of hydrazine hydrate on (Currus and Thus), 1891, A., 1360.

action of potassium cyanide on (Jourdan), 1883, A., 805.

condensation products of (v. BAEYER and LAZARUS), 1886, A., 154.

ethers of (v. BAEVER and OECONO-MIDES), 1883, A., 201.

substituted derivatives of, preparation of, and their conversion into substituted indigos (ANON.), 1884, A., 944.

Isatin, mono- and di-brom-, ethers of (v. BAEYER and OECONOMIDES), 1883, A., 201.

bromonitro- (Dorsch), 1886, A, 360. ψ-Isatin (v. Baeyer), 1884, A., 73.

Isatin-blue (SCHOTTEN), 1891, A., 928. brom- (SCHOTIEN), 1891, A., 1491.

Isatinic acid, quinoline derivatives from (PFITZINGER), 1886, A., 370; 1889, A., 412.

dibrom- (v. BAEYER and OECONO-MIDES), 1883, A., 202.

Isatinoxime (GABRIEL), 1883, A., 920; (v. BAEYER), 1883, A., 1131. ψ-Isatin-α-oxime (v. BAEYER), 1884,

ψ-Isatin-α-oxime (V. BAEYER), 1884, A., 74.

Isatinphenyl mercaptan (BAUMANN), 1885, A., 749.

Isatoethyloxime and its derivatives (v. BAEYER and COMSTOCK), 1883, A., 1131.

Isatoic acid (FRIEDLÄNDER and WLEUGEL), 1884, A., 61; (KOLBE), 1885, A., 58, 665; (V. MEYER), 1885, A., 666; (V. MEYER and BELLMANN), 1886, A., 358; (SCHMIDT), 1888, A., 371.

synthesis of (NIEMENTOWSKI and ROZANSKI), 1889, A., 996.

identity of, with anthranilearboxylic acid (v. Meyen), 1885, A., 666; (Schmidt), 1888, A., 372.

derivatives (Kolbe), 1885, A., 665; (v. MEYER), 1885, A., 666.

Isatoic acid, m-brom- (NIEMENTOWSKI and ROZAŃSKI), 1889, A., 996.

m-brom- and chlor-, derivatives of (Dorsch), 1886, A., 359.

Isatoxime, and its derivatives (GABRIEL), 1883, A., 920; (v. BAEYER), 1883, A., 1130.

Isatylenemethylquinoxaline (HINS-BERG), 1886, A., 562. Isethionic acid (hydroxyethanesulphonic acid) in the body and thiosulphuric acid in the unine (Salkowski), 1887, A., 68.

derivatives of (Hubner), 1884, A., 126.

sodium salt of (JAMES), 1883, T., 44. chlor-, anilide of (LEYMANN), 1885, A., 787.

Isinglass, heat of combustion of (Berthelot and André), 1890, A., 938.

Iso-compounds, See under the substance to which iso is prefixed.

Isochoric lines (RAMSAY and YOUNG), 1887, T., 773.

Isodimorphism of arsenious and antimonious compounds (RIDEAL), 1886, A., 503.

Isoidiomatic compounds (LADENBURG), 1892, A., 1366.

Isologous compounds, specific volumes of (Weger), 1884, A., 12.

Isomeric organic compounds, heat of combustion of (Ossipoff), 1890, A., 680.

relation of the heat of combustion of, to their densities (MULLER-ERZ-BACH), 1883, A., 1044.

solubility of (CARNELLEY and THOM-SON), 1888, T., 782; P., 80.

antiseptic powers of (CARNELLEY and FREW), 1890, T., 636; P., 90.

Isomerism, special case of (SCHIFF), 1892, A., 1067.

dynamical (Auwers and Jackson), 1890, A., 1098.

geometrical (MEYER), 1890, A., 719. physical (LELLMANN), 1883, A., 343. of position (COLSON), 1887, A., 420. influence of, on etherification (MENSOHUTKIN), 1884, A., 726.

of acetylene hydrocarbons (FAWOR-SKY), 1885, A., 736.

in the benzene series (Berthelot and Werner), 1885, A., 628; (Berthelot), 1885, A., 1177.

in the benzene series: phenols of complex function, thermochemistry of (Benthelot), 1886, A., 7.

use of Raoult's method for determining molecular weights, to distinguish between polymerism and (Anschutz), 1889, A., 754.

Isomorphism (RETGERS), 1891, A., 146, 1151; 1892, A., 1048.

modification of the usual statement of the law of (KLEIN), 1889, A., 147. of the chlorates of silver and the

alkali metals (Returns), 1890, A., 1208.

Isomorphism of silver nitrate with the alkali nitrates (Retgers), 1890, A., 328.

of sulphur, selenium and tellurium (MUTHMANN), 1891, A., 1417.

Isomorphous groups (REIGERS), 1891, A., 1152.

Isomorphous mixtures, freezing point of (Kusper), 1890, A., 1209; 1892, A., 396.

specific gravity of (RETGERS), 1889, A., 931.

Isomorphous salts, expansion of (Spring), 1883, A., 146.

Isoprene (pentinene) (TILDEN), 1883, A., 75; 1884, T., 415.

refraction and dispersion equivalents of (GLADSTONE), 1886, T., 619. spontaneous conversion of, into caout-

chouc (TILDEN), 1892, A., 1482.

Isothermal curves for carbonic anhy-

dride (AMAGAT), 1892, A., 3.

Isothermals, theoretical and empirical,
of mixtures connection between

of mixtures, connection between (Blumcke), 1891, A., 375; 1892, A. 259.

Itacolumite, flexibility of (SPEZIA), 1887, A., 21.

Itaconamilic acid (Anschütz), 1888, A., 277; (Anschutz and Reuter), 1888, A., 594; 1890, A., 368; (Scharfenberg), 1890, A., 368.

ψ-Itaconanilie acid (ΜΙΟΗΑΕΙ and PALMER), 1888, A., 462; (ΑΝΣΟΗΙΤΖ and REUTER), 1888, A., 594; 1890, A., 368; (SCHARFENBERG), 1890, A., 368.

ψ-Itaconanilic chloride (Anschutz and Reuter; Scharfenberg), 1890, A., 369.

Itaconic acid, a non-saturated acid isomeric with (FITTIG and ROEDER), 1883, A., 730.

molecular weight of (PATERNO and NASINI), 1888, A., 1059.

constitution of (KANONNIKOFF), 1886, A., 335; (MICHAEL), 1886, A., 638. molecular refraction of (KNOPS), 1888,

A., 938; 1889, A., 198. heat of combustion of (LUGININ), 1888, A., 893.

heats of neutralisation and of solution of (GAL and WERNER), 1887, A., 205. UloItaconic acid. See Trimethylene-

alloItaconic acid. See 1:2-dicarboxylic acid.

ψ-Itacon-α-naphthalic acid, -phenylhydrazilic acid, and p-tolilic acid (Anschutz and Reuten; Scharfen-Berg), 1890, A., 369.

Itamalic acid. See Hydroxypyrotartaric acid.

Ivory, bleaching and dyeing (KAYSER), 1886, A., 188.

Ivy, essential oil of (MAQUENNE), 1886, A., 274.

Ivy berries, composition of (JANDOUS), 1883, A., 499.

J.

Jaborandi leaves, bases in (HARNACK). 1886, A., 85.

Jaboric acid (HARDY and CALMELS).

1886, A., 816.

Jaboridine (HARNACK), 1886, A., 85. Jaborine (HARDY and CALMELS), 1886, A., 815.

Jacobsen's testing churn (FLEISCH-MANN and SACHILEBEN), 1983, A.,

Jacobsite from Sweden (IGELSTROM), 1888, A., 562, 563; 1890, A., 1076;

1892, A., 1404. Jade from Siberia (JANNETTAZ and MICHEL), 1883, A., 436.

analysis of (CLARKE and CHATARD), 1885, A., 491.

composition of two specimens of (ALLEN), 1883, A., 163. See also Nephrite.

Jadeite (Krenner), 1883, A., 1066; (CLARKE and MERRILL), 1890, A., 716.

so-called, from Switzerland (MEYER), 1889, A., 839.

unwrought, from Switzerland (MEYER),

1885, А., 1188. from Thibet (Сонек), 1884, А., 407. See also Nephrite.

Jadeite axe from Rabber, Hanover ARZRUNI), 1883, A., 437.

Jalapin (Poleck and Samelson), 1885, A., 669. physiological action of (DRAGEN-

DORFF), 1887, A., 291. Jalapinole and jalapinolic acid (Poleck

and Samelson), 1885, A., 669, 670. Jamaica dogwood, piscidin, the active principle of (HART), 1884, A., 332.

Jambosa root (Myrtus Jambosa) crystalline substance (jambosin) (GERRARD), 1885, A., 396.

Jameson coking process (JAMESON), 1886, A., 288. Jamesonite, artificial production of

(Doelter), 1886, A., 209. Japaconitine (MANDELIN), 1885, A.,

911. "Japanese belladonna" (EIJKMAN), 1885, A., 404.

Jarosite from Utah (HILLEBRAND), 1886, A., 517; (GENTH), 1890, A., 573. "Jaune solide" (ANON.), 1884, A., 1450.

Jaundice, biliary acids in the urine during (BAELDE and LAVRAND), 1889, A., 637.

Jecorin (Drechsel), 1886, A., 636. in the animal body (BALDI), 1888,

A., 1313.

Jequirity (1brus precutorius), physiological action of the active principle of (MARTIN and WOLFENDEN; MARTIN), 1890, A., 398.

proteid poisons of (Martin), 1887, A., 990; 1889, A., 1026.

Jequirity zymase (Béchamp

DUJARDIN), 1885, A., 1085. Jeremejevite (DAMOUR), 1883, A., 719. Jervic acid. See Chelidonic acid.
Jervine and \(\psi\)-jervine (PEHKSUHEN),

1891, A., 88.

Johnstrupite (Brögger), 1890, A., 1078.

Joints, vacuum (SHENSTONE), 1890, T., 958; P., 140.

Jordanite and meneghinite, isomorphism

of (Schmidt), 1885, A., 639. iglone. See 4'-Hydr 4'-Hydroxy-1:4-Juglone. naphthaquinone.

Juglonic acid (BERNTHSEN and Sемрев), 1885, A., 548.

Julole (Reissert), 1891, A., 1892, A., 496; (KAYSER 736: 1892, A., REISSERT), 1892, A., 883.

Julole-violet and its base (REISSERT), 1892, A., 498.

Julolidine (Reissert), 1892, A., 1492. Juniper, oil of (NICOLAYSEN), 1890, A.,

Jute fibre, constitution of (Cross and BEVAN), 1889, T., 99; P., 30.

nitration of (CRUSS and BEVAN), 1889, T., 201.

preparation of furfuraldehyde from (Uross and Brvan), 1889, T., 209.

discrimination of, from flax and hemp (LENZ), 1890, A., 928.

K.

Kersutite from Greenland (LORENZEN), 1886, A., 519.

Kainite, synthesis of (DE SCHULTEN). 1891, A., 405.

working up the mother-liquors from picromerite in the production of (Vorster and Gruneberg), 1885, A., 306.

separation of, from rock (LOFASZ), 1885, A., 614. See also Agricultural Chemistry.

Kainosite, a mineral from Hittero, Norway (v. Nordenskiold), 1888, A., 234.

Kairin (1-hydroxy-1'-methyltetrahydroquinoline) (Fischer), 1883, A., (FISCHER and RENOUF), 1884, A., 1049. physiological properties of (FILEHNE),

1884, A., 474.

Kairocoll (FISCHER), 1883, A., 1147. Kairoline (1'-methyltetrahydroquinoline) and its derivatives (HOFFMANN and KOENIGS), 1883, A., 1144; (FEER and KOENIGS), 1885, A., 1245.

physiological properties of (FILEHNE),

1884, A., 474.

Kairoline-2-carboxylic acid (1'-mcthyltetrahydroquinoline-2-carboxylic acid) (Fischer and Körner), 1884. A., 1197.

Kaliborite (FEIT), 1890, A., 341.

Kallilite, a nickel ore (LASPEYRES), 1891, A., 1167.

Kamacite (MEUNIER), 1889, A., 766. from the Welland meteoric iron (DAVISON), 1892, A., 24.

Kamala (A. G. and W. H. PERKIN), 1887, A., 272.

crystalline substance from (JAWEIN), 1887, A., 498.

Kamés, relation between truffles and (CHATIN), 1892, A., 654.

Kanarin. See Canarin.

Kaolin balls for gas analysis by Bunsen's method (Bunge), 1889, A., 544.

Kaolinite (kaolin) fromColorado

(EAKINS), 1892, A., 1406. variety of, from Nelson Co., Virginia (VALENTINE), 1886, A., 128.

from the south-western provinces of Russia, geological and chemical examination of (Weinberg), 1885, A., 879.

occurrence of, in North Sweden (LINDSTRÜM), 1884, A., 273. composition of (Vogt), 1890, A.,

1060.

action of, on calcium chloride (GORGEU), 1888, A., 228. action of, on haloid salts of the alkalis (GORGEU), 1886, A., 664.

estimation of, in arable soils (Sachsse and BECKER), 1892, A., 1026.

Karlsbad salts, analysis of (KUBEL), 1892, A., 659.

Karyinite (Lindgren), 1883, A., 434. Karyocerite (Brügger), 1890, A., 1079. Kaslinite from Calhoun Co., Alabama (ROWAN), 1885, A., 228.

Katapleite, chemical composition of (SJOGREN), 1886, A., 34.

Katellagic acid (Schiff), 1883, A., 335. Kawa-Kawa (Mucropiper methysticum), substance from the root of (DAVIDOFF), 1888, A., 1207.

Kelp, estimation of iodine in (STAN-FORD), 1884, A., 505.

Kelyphite (Schrauf), 1884, A., 972.

Kephir (Kern), 1883, A., 229; (v. STRUVE), 1884, A., 1086, 1235; (HACCIUS), 1885, A., 942.

Keramohalite (Weisbach), 1883, A., 432. Keratin of wool fibre, formula of (WHITELEY), 1886. (MILLS), 1886, P., 147.

do bones contain it? (SMITH), 1884, A., 1398.

animal tissues, diagnosis (STEINBRUGGE), 1886, A., 106.

Kerosene. See Petroleum.

Kersantite from Wustewaltersdorf. Silesia (DATHE), 1887, A., 562. vein of the Upper Harz (v. GROD-

DECK), 1884, A., 409.

Kersantites of Southern Thuringia and the Frankenwald (Pohlmann), 1884, A., 1273.

Kesso oil from Valeriana officinalis (var. angustifolia) (BERTRAM and GILDEMEISTER), 1891, A., 238.

Kessyl acetate and alcohol (BERTRAM and GILDEMEISTER), 1891, A., 239. Ketazodiphenyl ketone (CURTIUS), 1889, A., 1157.

Ketinedicarboxylic acid and ketines (OECONOMIDES), 1887, A., 29.

Ketipic acid (dimethyldiketonecarboxylic acid) (FITTIG and DAIMLER), 1887, A., 362; (FITTIG, DAIMLER and KELLER), 1889, A., 490.

Ketoaldehydes (CLAISEN and MEYERO-WITZ), 1890, A., 357.

α-Ketoaldehydes (MULLER and PECHMANN), 1890, A., 51.

Ketoallyldihydroquinazoline (Soder-BAUM and WIDMAN), 1889, A., 973; 1890, A., 178.

 α_1 -Keto- γ_1 -benzoxyjuloline (KAYSER and REISSERT), 1892, A., 884.

Ketobenzylmethyldihydroquinoxaline (KEHRMANN and MESSINGER), 1892, A., 1108.

Ketochlorides (ZINCKE), 1888, A., 708. Keto-compounds, nitro-, formation of (ARMSTRONG and ROSSITER), 1891, **P.,** 89.

p-Ketodihydroquinazolylbenzoic (PAAL and Busch), 1890, A., 73.

γ-Ketodihydroquinoline (REISSERT), 1888, A., 277.

γ-Ketodihydroquinoline, derivatives of (REISSERT), 1888, A., 696.

3-Ketodihydroquinoline, tri- and tetruchloro- (ZINCKE), 1891, A., 1250.

Ketodimethyldihydroquinoxaline (KEHRMANN and MESSINGER), 1892, A., 1108.

Ketohexahydrobenzenedicarboxylic acid (v. BAEYER and TUTEIN), 1889, A., 1181.

99. Ketohexahydrobenzoic acid (v. Baeyer and Tutein), 1889, A., 1180.

Ketohydrindene, trichloro- (phenylenetrichlorethylene ketone) (ZINCKE), 1888, A., 158.

tetrachloro- (phenylenetetrachlorethylene ketone) (ZINCKE and FRÖHLICH), 1887, A., 955.

dichlorodibromo- (ZINCKE and FRÖHLICH), 1887, А., 955.

See also Hydrindone.

Ketohydroxy-. See Hydroxyketo-.

Ketoindene, dibromo- (Roser), 1887, A., 729.

α₂-Ketojuloline, γ₁-chloro- (KAYSER and REISSERT), 1892, A., 884.

Ketolactonic acid (Young), 1883, T.,

175, 179; A., 457. constitution of (Young), 1883, T., 181.

action of barium hydrate on (Young), 1883, T., 176.

salts of (Young), 1883, A., 457.

Ketole. See Indole.

Ketomethylethyldihydroquinoxaline (KEHRMANN and MESSINGER), 1892, A., 1108.

α₁-Keto-γ₁-methyl-β₁-ethyljuloline and its bromo- and nitro-derivatives (KAYSER and REISSERT), 1892, A., 833.

 α_1 -Keto- γ_1 -methyljulolidine (REISSERT), 1892, A., 497.

α₁-Keto-γ₁-methyljuloline, oxidation and reduction of (REISSERT), 1892,
 A., 496.

derivatives of (Reissert), 1891, A., 737.

dyes obtained from (REISSERT), 1892, A., 498.

 a-Ketonaphthalene, tri- and tetrachloro- (ZINCKE), 1888, A., 709, 710.
 B-Ketonaphthalene, a-di-, tri-, tetra-, and hexachloro- (ZINCKE and KEGEL),

1889, A., 267, 268, 270. **Ketonaphthol** (3-acetyl-a-naphthol) (ERDMANN), 1888, A., 488; 1890,

A., 376.

Ketone sulphites of organic bases (Schiff), 1889, A., 234.

Ketone thiocyanates, conversion of, into oxythiazoles (ARAPIDES), 1889, A., 413.

Ketones, preparation of (HAMONEF), 1889, A., 235.

formation of, from the compounds resulting from the union of anhydrides and salts (PERKIN), 1886, T., 317; P., 165.

from halogen derivatives of aromatic hydrocarbons (CLAUS), 1891, A., 911.

synthesis of, from phenol ethers by Friedel and Craft's method (GATTERMANN, EHRHARDT and MAIN'H), 1890, A., 962. aromatic (STAEDEL), 1883, A., 990;

aromatic (STAEDEL), 1883, A., 990; (ELES), 1886, A., 461; 1887, A., 940; (CLAUS), 1892, A.,

985. isomeric (CHANCEL), 1885, A., 505. of the acetic series formation of

of the acetic series, formation of (Combes), 1887, A., 653.
of the quinoline series (BEREND and

THOMAS), 1892, A., 1488. of the thiophen group (Schleicher), 1886, A., 539.

constitution of aliphatic (FREER), 1891, A., 1181.

heats of combustion of (LUGININ), 1884, A., 547.

ethereal salts and chlorauhydrides, similarity of the boiling points of the corresponding (Schrüder), 1883, A., 990.

action of heat on (BARBIER and ROUX), 1886, A., 865.

action of aldehydes on (CLAISEN), 1884, A., 445.

action of ammonium formate on (Leuckart), 1890, A., 783.

action of yellow ammonium sulphide on (WILLGERODT), 1887, A., 1045.

action of anhydrides on (FRANCHI-MONT), 1883, A., 452.

condensation of chloral with (Kor-NIGS), 1892, A., 694.

action of chlorine on fatty (VLADESCO), 1892, A., 424, 810.

action of dimethyl-p-phenylenediamine on (Vogthern), 1892, A., 854.

action of hydrazine hydrate on (CURTIUS and THUN), 1891, A.,

action of hydroxylamine and phenylhydrazine on aromatic (Münch-MEYER), 1887, A., 482.

action of nitrous acid on (CLAISEN), 1887, A., 463.

Ketones, action of phenylhydrazine on unsaturated (KLINGEMANN), 1892, A., 995.

action of sodium on (BECKMANN), 1889, A., 781; (BECKMANN and PAUL), 1892, A., 169.

action of concentrated sulphuric acid on aromatic (CLAUS), 1887, A., 251.

action of zinc and ethylic chloracetate on (REFORMATSKY), 1891, A., 169

application of Perkin's reaction to aromatic (Tahara), 1891, A., 1223.

colour reaction of, with aromatic nitro-compounds (v. Bittó), 1892, A., 1263.

conversion of, into acids and acid amides by means of ammonium sulphide (WILLGERODT), 1888, A., 476.

conversion of, into nitrosoketones (C'LAINEN and MANASSE), 1889, A, 584.

introduction of acid radicles into (CLAISEN), 1887, A., 575; 1890, A., 26; (BEYER and CLAISEN), 1887, A., 943.

oxidation of (Wagner, 1885, A., 1197; (Glücksmann), 1890, A., 237, 1416.

oxidation of, with potassium ferricyanide (v. Buchka and Irish), 1887. A., 825.

1887, A., 825. oxidation of aromatic (CLAUS), 1890, A., 769, 979; 1891, A., 199, 564,

oxidation of mixed fatty (WAGNER), 1892, A., 35.

oxidation of mixed fatty aromatic (CLAUS and NEUKRANZ), 1891, A., 1364.

passivity of certain, towards hydroxylamine and phenylhydrazine (Herzig and Zeisel), 1889, A., 254.

physiological action of (PASCHKIS and OBERMAYER), 1892, A., 1506.

synthesis of dihydric monobasic acids from (Reformatsky), 1887, A., 717: 1888, A., 819.

717; 1888, A., 819. synthesis of tertiary alcohols from (SAYTZEFF), 1885, A., 881.

additive and condensation compounds of diketones with (JAPP and MILLER), 1885, T., 11.

condensation compounds of, with benzil (JAPP and BURTON), 1887, T., 481; P., 32.

Ketones, reduction products of (v. Pechmann and Dahl), 1890, A., 1234.

compounds of, with dimethylaniline and diethylaniline (Doebner and Petschow), 1888, A., 287.

Perschow), 1888, A., 287. compounds of the hydrazines with (Reiseneggen), 1883, A., 798.

compounds of, with mercaptans (BAUMANN), 1887, A., 126; (FASBENDER), 1887, A., 462.

compounds of, with mercuric chloride (Volhard), 1892, A., 828.

metallic compounds of aromatic (Louise and Perrier), 1892, A., 1205.

compounds of sugars with (SCHIFF), 1888, A., 572.

halogen derivatives of, action of potassium cyanide on (Obreola), 1892, A., 324.

oximes of aromatic (CLAUS), 1892, A., 985.

oximes of asymmetrical (SCHÄFER), 1891, A., 1235.

isomeric oximes of unsymmetrical (Auwers and Meyer), 1890, A., 1263.

ammonia as a reagent for double (KNORR), 1886, A., 331.

phenylhydrazine, a reagent for (Fischer), 1884, A., 1150.

sodium nitroprusside as a reagent for (v. Birró), 1892, A., 924.

Ketones, bromo-, formation of, by the action of bromine on the alcohols of the ethyl series (ETAND), 1892, A., 809.

nitro-, preparation of (LANGE and ZUFALL), 1892, A., 1459.

nitroso- (Treadwell and Westenberger), 1883, A., 572; (Schramm), 1883, A., 573; (Claisen), 1887, A., 463; (Claisen and Manasse), 1887, A., 944. decomposition of (v. Pechmann), 1888, A., 248.

1888, A., 248. isonitroso. See Ketoximes.

thio-derivatives of (BAUMANN and FROMM), 1889, A., 852; 1890, A., 26.

Ketonic acids (SEISSL), 1889, A., 489. synthesis of (BISCHOFF), 1883, A., 912; (WISLICENUS), 1888, A., 1178. synthesis of, by the action of acid chlorides on proponitrile (Orro-

chlorides on propionitrile (Orro and Trüger), 1889, A., 957. synthesis of, from aldehydes and

ethylic diazoacetate (Buchner and Curtius), 1885, A., 1238.

analogy between sulphonecarboxylic acids and (Rossing), 1890, A., 781.

Ketonic acids, analogy between alkylsulphonated fatty acids and (R. OTTO), 1888, A., 360; (R. and W. Отто), 1888, А., 577.

action of aldehydes on (CLAISEN), 1884, A., 445.

action of diazo-salts on (JAPP and KLINGEMANN), 1888, T., 538.

condensation of, with dibasic acids (FITTIG and PARKER), 1889, A.,

condensation of, with dicarboxylic acids (FITTIG and PARKER), 1890, A., 1102.

action of hydrogen phosphide on (MESSINGER and ENGELS), 1888, A., 441; 1989, A., 35.

action of phenol on (BUTTINGER), 1884, A., 55.

conversion of, into lactones (Roser), 1885, A., 165.

of, conversion intounsaturated lactones (Thorne), 1885, Δ., 1200.

ethereal salts of, condensation of, with dibasic acids (FITTIG; v. FEIST; EYNERN; DIETZEL; Schloesser), 1889, A., 592, 593, 594.

ethylic salts of, synthesis of (Wisli-CENUS), 1887, A., 587. oximes of (GARELLI), 1892, A., 327.

a-Ketonic acids, synthesis of (HALLER), 1889, A., 873.

condensation-products of (Homolka),

1885, A., 758. oximes of (Hantzsch), 1891, A., 443. β-Ketonic acids, preparation of alkyl salts of (HAMONET), 1890, A., 235. preparation of ethereal salts of

(HAMONET), 1891, A., 1185. γ-Ketonic acids (DITTRICH and PAAL), 1889, Δ., 257; (PAAL and HOFF-MANN), 1890, Δ., 1099.

constitution of (BREDT), 1887, A., 126; 1890, A., 863.

Ketonic chlorine-atoms, displacement of, by hydrogen (Lachowicz), 1884, A., 1039.

Ketonic compounds, magnetic rotation of (Perkin), 1892, T., 800; P., 100. 8-Ketonic ethers, synthesis of (Bouve-

AULT), 1891, A., 41. Ketonic nitriles, action of aromatic amines on (Bouveault), 1891, A.,

action of hydroxylamine on (HAN-RIOT), 1892, A., 79.

Ketonic oxygen, substitution of the azo-group for (Currius), 1889, A., 1157; (Curtius and Lang), 1892, A., 451.

etonic oxygen, estimation (STRACHE), 1892, A., 546, 1530. Ketonic of

Ketopentene, βγ-hexachloro- [m.p. 31] (ZINCKE and KUSTER), 1888, A., 1278.

γγ-hexachloro- [m.p. 92°] (ZINCKE and KÜSTER), 1889, A., 599; 1890, A., 754, 1255.

γγ-pentachlorobromo- (ZINCKE and Kuster), 1890, A., 1256.

Ketophenylmethyldihydroquinoxaline (KEHRMANN and MESSINGER), 1892, A., 1108.

a-Ketophenyl-y-piperidone.pentachloro-(ZINCKE and FUCHS), 1892, A., 449.

Ketopiperazines (BISCHOFF and NAST-VOGEL), 1889, A., 1009.

Ketoquinazolines, synthesis of (Busi'h), 1892, A., 1495.

Ketoquinoline, trichloro-(HEBEBRAND), 1889, A., 61.

pentachloro-, derivatives of (HEBE-BRAND), 1889, A., 62.

Ketosulphides and ketosulphide acids (Delisle), 1889, A., 488.

Ketotetrahydrobenzoic acid, penta- and hera-chloro-(ZINCKE and WALBAUM), 1891, A., 708, 710.

a-Ketotetrahydronaphthalene, and hexu-chloro- (ZINCKE), 1888, A., 711.

8-Ketotetrahydronaphthalene, tctrachloro- (ZINCKE and KEGEL), 1889, A., 269.

a-pentachloro- [m.p. 123'] (ZINCKE), 1889, A., 886.

β-pentachloro- [m.p. 116'] (ZINCKE and KEGEL), 1889, A., 269.

 β -Ketotetrahydronaphthalene- α -oxime, trichloro- (ZINCKE and SCHMUNK), 1890, A., 1148.

Ketotetrahydroquinoline hydrate, tetruchloro- (ŽINCKE), 1891, A., 1252. Ketotetrahydroquinoxalines (GEOR-

GESCT), 1892, A., 886. Ketoximedimethylbutyric acid (WAL-LACH), 1889, A., 233.

Ketoximes (isonitrosoketones) (TREAD-WELL and WESTENBERGER), 1883, A., 572; (Schramm), 1883, A., 573.

aromatic (CLAUS), 1892, A., 985, 1200.

configuration of, influence of substituting radicles on the (SMITH), 1892, A., 487.

fatty, configuration of (HANTZSCH), 1892, A., 426.

stereoisomeric (Hantzsch), 1891, A., 445.

configuration of (HANTZSCH), 1891, A., 440.

Ketoximes (isonitrosoketones), action of hydrogen chloride on (Beckmann), 1888, A., 43.

action of hydroxylamine on (SCHOLL), 1891, A., 287.

action of nitric peroxide on aromatic (Scholl), 1891, A., 315.

conversion of, into ψ-nitroles (Scholl), 1888, A., 443.

γ-Ketoximic acids, configuration of (Dollfus), 1892, A., 1202.

Kidney, analysis of the liquid from a tumour of the (PATEIN), 1891, A., 852.

composition of a, which had undergone waxy degeneration (LAMBLING), 1889, A., 536.

fed with defibrinated blood, secretion by (ABELES), 1883, A., 875.

histological chemistry in relation to the physiology of (DRESER), 1885, A., 923.

Kidneys, effect of partial extirpation of, on nutrition (BRADFORD), 1891, A., 1273.

Kidney-cells, proteids of (HALLIBUR-TON), 1890, A., 1015.

Kidney-disease, excretion of nitrogen in (Konnblum), 1892, A., 743; (Gumlich), 1892, A., 1504.

nature of the effusions in (HALLI-BURTON), 1890, A., 1174.

Killinite (BRUSH and DANA), 1883, A., 440.

Kiln-smoke, injury to plants by (Prevost), 1888, A., 744.

Kinoin in Malabar kino (Erri), 1885, A., 59.

Kirschwasser, analyses of (Fresenius),

1890, A., 1195. "Ki-urushi" (raw lacquer) (Yöshida), 1883, T., 473.

Knebelite (igelstromite) from Sweden (Weishlle), 1884, A., 409; 1886, A.,

33, 928.

Knoxvillite (MELVILLE and LINDGREN),
1892. A 1407

1892, A., 1407. Kobellite from Colorado (Keller, 1890, A., 218.

Koch's cultivating fluids, alkaloid in (POUCHET), 1885, A., 1250.

Kola, chemical investigations on (HEC-KEL and SCHLAGDENHAUFFEN), 1884, A., 863.

Kola bitter (HECKEL and SCHLAGDEN-HAUFFEN), 1884, A., 864.

Kola nuts (Sterculiu acuminata) (NAT-TON), 1885, A., 712.

Kombie acid (Kraser), 1887, A., 1115. Konichaloite from Utah (HILLEBRAND), 1886, A., 516.

Koninckite, an hydrated phosphate of iron (CESARO), 1885, A., 878.

Koppite, analysis of (BAILEY), 1886, T., 153; P., 138.

Kopsia, alkaloids from (GRESHOFF), 1891, A., 337.

Kornerupine from Greenland (Lorenzen), 1886, A., 519; (Ussing), 1890, A., 19.

Korting's apparatus, use of, for forcing the gases through sulphuric acid chambers (Scheurer-Kestner), 1885, A., 1166.

Korynite from Siegen (LASPEYRES), 1891, A., 1167.

Koumiss (Marcano), 1883, A., 365. composition of (Vieth), 1885, A., 849; (Wiley), 1886, A., 782.

Krakatoa volcanic ashes (Reusch), 1884, A., 415.

analysis of (v. LASAULX; OEBBEKE), 1884, A., 974; (DE LOOS), 1884, A., 975.

minerals from (Reigers), 1886, A., 602.

Kreittonite from Bodenmais (OEBBEKE), 1891, A., 527.

Krennerite (Sipocz), 1886, A., 312. Kroehnkite (Darapsky), 1889, A.,680.

Krokydolite. See Crocidolite. Kryokonite from Greenland (WÜLFING), 1891, A., 408.

Kupfferite from Greenland (LORENZEN), 1886, A., 519.

Kuromoji oil (KWASNICK), 1891, A., 464; 1892, A., 1480.

Kusa-usu, aconitine from (LUBBE), 1891,

A., 91.

Kyanite (cyanite) from North Carolina (Kunz), 1889, A., 24.

crystallographical examination of (Primics), 1885, A., 733. yaphenine. See Cyaphenine.

Kyaphenine. See Uyaphenine. Kynurenic acid. See Hydroxyquinoline-

carboxylic acid. **Kynuric acid** (*cynuric acid*) (Krerschy), 1883, A., 674; 1884, A., 750.

schr), 1883, Å., 674; 1884, Å., 750. synthesis of (Krietschr), 1884, Å., 751.

salts of (Kretschy), 1884, A., 750.

Kynurin (hydroxyquinoliuc) (Skraup),
1890, A., 174.

oxidation of (KREISCHY), 1883, A., 674.

L.

Laboratories, improved method of ventilating (STUART), 1886, A., 15.

Laboratory at Dresden, apparatus and arrangements of (HEMPEL), 1885, A., 951.

Laboratory apparatus (LANDOLT; HART; GIBSON), 1885, A., 481. fittings (GIBSON), 1888, A., 26.

Labradorite, alteration of, into an albite and a zeolitic mineral (KLuos), 1886, A., 128.

from the enstatite-porphyrite of the Cheviot Hills, analysis of (PETER-SEN), 1886, A., 211.

from the basalt of Iceland (Breon), 1886, A., 602.

from the Krakatoa ashes, analysis of (SAUER), 1886, A., 211.

from the Lizard (TEALL), 1891, A., 276.

om Lower Silesia, analysis of (TRAUBE), 1886, A., 212. from

from St. Paul Island, solubility of (Jannasch), 1884, A., 971.

rock of the coasts of Labrador (COHEN), 1885, A., 644.

preparation of (MEUNIER), 1891, A., 22. Labrador-porphyries of the Vosges

(OSANN), 1888, A., 569. Laccaic acid (SCHMIDT), 1887, A.,

734.

Lac-dye, composition of (SCHMIDI), 1887, A., 734.

Lacmoid (lakmoul) (TRAUB and HOCK), 1885, A., 148; (HARPLEY), 1888, A., 295; (FOERSTER), 1891, A., 241.

as a reagent for alkalis (DRAPER),

1885, A., 931. and other indicators (Thomson), 1885, A., 1157.

Lacquer (urushi), chemistry of (Yoshi-DA), 1883, T., 472.

diastatic matter of, and its action on urushic acid (YOSHIDA), 1883, T.,

Lactalbumin (SEBELIEN), 1885, A., 1000; (HALLIBURTON), 1891, A.,

estimation of, in condensed milk

(FABER), 1890, A., 92.

Lactam (V. BAEYER and OECONO-MIDES), 1883, A., 202.

formation in the fatty series (AN-SCHUTZ), 1890, A., 774.

Lactamidobenzoic acid (Pellizzari), 1886, A., 548.

Lactamine (ENGEL), 1884, A., 725. Lactanilide (LEIPEN), 1888, A., 580.

Lactarius piperatus, constituents of (BISSINGER), 1884, Α., (CHODAT and CHUIT), 1890, A.,

fats obtained from (GERARD), 1891, A., 606.

Lactarius piperatus, sugars in (Boun-QUELOT), 1891, A., 103.

Lacterius vellereus, fats obtained from

(GERARD), 1891, A., 606. Lactates (MEYER), 1886, A., 1009.

Lactation, influence of pilocarpine and atropine on (HAMMERBACHER), 1884, A., 1396.

Lactic acid (inactive ethylidenelactic acid; a-hydroxypropionic acid), presence of, in blood (BERLINER-BLAU), 1888, A., 974.

presence of, in pale and red muscle (Gleiss), 1889, A., 177.

presence of, in urine (GAUBE), 1890, A., 188.

preparation of (JACQUEMIN), 1891, A., 1454.

formation of, from levulose (SUROKIN), 1886, A., 141.

formation of, from molasses, from raffinose, and from cane sugar (BEYTHIEN, PARCUS and TOLLENS), 1890, A., 583, 582.

formation of, from sugars (Cuisinier and Kiliani), 1883, A., 42.

formation of, in organs with impeded circulation and in hydrocyanic acid poisoning (Zillessen), 1891, A., 1126.

formation of, in the organism (BER-LINERBLAU), 1888, A., 974; (ARAкі), 1891, А., 1125, 1392; 1892,

A., 517, 1113. action of the bacillus of malignant œdema on (KERRY and FRAENKEL),

1890, A., 1454; 1892, A., 91. changes in, in the muscle during work (MONARI), 1890, A., 185. resolution of, into its optically active

components (PURDIE and WALKER), 1892, T., 754; P., 132.

resolution of, by Penicillium glaucum (Linossier), 1892, A., 297. oxidation of (Aristoff), 1885, A.,

pyrogenic decomposition of (HANвют), 1886, А., 224.

compounds of (LEIPEN), 1888, A., 580. aluminium and barium salts of (MEYER), 1886, A., 1009.

ammonium salt of, action of heat on, presence of ammonia (ENGEL), 1884, A., 725.

detection and estimation of (PALM), 1887, A., 307.

detection and estimation of, in wines (MACH and PORTELE), 1890, A.,

estimation of small quantities of (Windisch), 1888, A., 199.

Lactic acid, chloro-, decomposition products of the sodium salts of (Reisse), 1890, A., 1097.

trichloro-, preparation of glyoxal derivatives from (PINNER), 1884, A., 1298.

thio-, and its salts (Lovén), 1884, A., 1298.

preparation of (Börtinger), 1885, A., 752.

phenyl-derivatives of (BAUMANN), 1885, A.. 514.

Paralactic acid (dextrorotatory) (sarcolactic acid) (Lewkowitsch), 1884, A., 296.

presence of, in animals (HIRSCH-LER), 1887, A., 167.

presence of, in blood (Berliner-BLAU), 1888, A., 974; (SALOMON), 1889, A., 64.

presence of, in the urine of coldblooded animals after extirpation of the liver (Nebelthau), 1888, A., 1323.

formation of, during the artificial circulation of blood through the liver(Wissokowitsch), 1888, A., 860.

formation of, during the fermentation of sugar (Nencki and Sie-Ber), 1890, A., 78.

formation of, during muscular activity and its fate in the organism (MARCEUSE), 1887, A., 508.

formation of, in muscles (Wenther; Bohm), 1891, A., 348.

formation of, in the organism (Berlinerblau), 1888, A., 974. of the thymus and thyroid (Moscatelli), 1888, A., 860.

in the urine of soldiers after a forced march (Colusanti and Moscatelli), 1888, A., 1321.

Lactic acid (laworutatory) (SCHARDIN-GER), 1891, A., 666.

S-Lactic acid. See Hydracrylic acid. Lactic ferment occurring in malt wort (LINDNER), 1888, A., 622.

in milk (Hueppe), 1885, A., 1170. Lactic fermentation. See Fermentation.

Lactim (v. BAEYER and OECONOMIDES), 1883, A., 202.

Lactobionic acid (FISCHER and MEYER), 1889, A., 485.

Lactoisocitric acid (FITTIG and MIL-LER), 1890, A., 587.

Lactocrite (FABER), 1887, A., 1144; (NILSON), 1892, A., 550.

Lactoglobulin (Subelien), 1885, A., 1000.

Lactone, double, obtained in the preparation of diphthalylethane (ROSER), 1885, A., 267.

Lactone formation in the case of hydroxy acids, velocity of (HJELT), 1891, A., 822.

Lactone ring, resolution of, by alcohol and hydro-acids (BREDT), 1886, A., 531.

Lactones (FITTIG), 1884, A., 744; 1888, A., 251; 1890, A., 583; 1892, A., 812, 956.

conversion of ketonic acids into (Rosen), 1885, A., 165; (Thorne), 1885, A., 1200.

conversion of lactonic acids into (ERDMANN), 1885, A., 963.

conversion of unsaturated acids into the isomeric (FITTIG), 1883, A., 730.

derived from allylmalonic, diallylmalonic and diallylacetic acids (HJELT), 1883, A., 456.

derived from glycines (ABENIUS), 1888, A., 825; 1890, A., 245.

action of ammonia on (FITTIG), 1890, A., 879.

action of ethylic oxalate on (WISLI-CENUS), 1888, A., 1194.

action of phenylhydrazine on (Wisli-CENUS), 1887, A., 489.

action of sodium and sodium ethoxide on (Fittig), 1890, A., 866. action of water on (Fittig), 1883, A.,

730. condensation-products of (Fittig),

1885, A., 375. combinations of, with ethereal salts

(Wishicenus), 1887, A., 952.

B-Lactone of the quinoline series (EIN-HORN and LEHNKERING), 1888, A., 1208.

B-Lactones, aromatic, substituted (BAS-LER), 1884, A., 603. 1172.

Lactonic acids (FIFTIG), 1888, A., 251; 1890, A., 583; 1892, A., 812, 956. action of sodium and sodium ethoxide

on the ethereal salts of (FITTIC), 1890, A., 866.

conversion of, into lactones (ERD-MANN), 1885, A., 963.

reciprocal transformations of hydroxyacids and (Henry), 1892, A., 1803. Lactose (milk-sugar) and its derivatives. See under Carbohydrates.

Lactosecarboxylic acid (FISCHER), 1890, A., 599.

Lactosin (MEYER), 1884, A., 980.

Lactotoluidides, o- and p- (Leipen), 1888, A., 580.
Lactotoxine (FIRTH), 1887, A., 389.

Lactucerin (HESSE), 1886, A., 1020; 1888, A., 722; (KASSNER), 1887, A., 605.

Lactucerols, α - and β - (HESSE), 1886, A., 1021.

Lactucol (Kassner), 1887, A., 606. Lactylcarbamide. See Methylhydan-

Lævulinic acid. See Levulinic acid. Lævulose. See Levulose under Carbo-

hydrates.

Lake deposits of Kolsnaren, Viren, and Högsjon, Södermanland. Sweden (CRONQUIST), 1883, A., 448.
"Lakes," coloured, formation of (Vig-

NON), 1891, A., 807.

Lakmoid. See Lacmoid.

Lallemantia iberica, oil of (RICHTER), 1888, A., 83.

Laminaria, sugar-like compound from (BAUER), 1889, A., 687.
"Lamprophyry" (POHLMANN), 1884,

A., 1273.

Lamps, electric, preparation of carbons for, from furfuraldehyde or fucusaldehyde (SMITH), 1885, A., 1267. See incandescent. Incandescent lamps.

Lanarkite from Leadhills (Collie), 1889, T., 92.

See also Lead sulphate.

Land. See Agricultural Chemistry. Langbanite (FLINK), 1887, A., 782.

place of, in the mineral system (Васкатком), 1891, А., 1436.

Langite from Klausen, Tyrol (v. Foul-LON), 1888, A., 429.

Lanolin (Braun), 1884, A., 784; (Lie-BREICH), 1891, A., 97. See also Cholesterol.

Lansfordite (GENTH), 1888, A., 793; (Genth and Penfield), 1890, A., 571. Lanthana. See Lanthanum oxide.

Lanthanum, atomic weight of (CLEVE), 1883, A., 553; (BRAUNER), 1891, A., 881.

extraction of, from cerite (ARCHE), 1884, A., 557.

phosphoresence of (Bettenborff), 1891, A., 985.

Lanthanum oxide (lanthana) (BETTEN-DORFF), 1890, A., 852.

phosphorescent, sharp line spectrum of (Crookes), 1887, A., 1070.

action of magnesium on (WINKLER), 1890, A., 693.

salts, molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

metaphosphate (Johnson), 1889, A., 756.

Lanthanum phosphates (OUVRARD), 1888, A., 1037.

sulphate, phosphorescence of (CROOK-ES), 1887, A., 1067. sulphides of (DIDIER), 1885, A., 955.

Lapachol (hydroxyamylenenaphthaquinone; lapachic acid) (PATERNO), 1883, A., 210.

occurrence of, in Bethabarra wood (GREENE and HOOKER), 1889, A., 794.

constitution of (PATERNO), 1883, A., 214; (HOOKER and GREENE), 1889,

A., 999; (Hooker), 1892, T., 611. action of concentrated acids and of reducing agents on (PATERNO), 1883, A., 212.

derivatives of (PATERNO), 1883, A., 210; (PATERNO and MINUNNI), 1890, A., 1310; (HOOKER), 1891, A., 1239; (PATERNÒ and CABERTI), 1891, A., 1494.

acetyl-derivatives of (PATERNO), 1883, A., 211.

bromo- (PATERNO), 1883, A., 211; (HOOKER), 1892, T., 638; P., 125. Lapacholoxime (PATERNÒ and MIN-

UNNI), 1890, A., 1310.

B-Lapachone (PATERNO), 1883, A., 213. constitution of (HOOKER and GREENE), 1889, A., 1000.

condensation · of. with: thiophen (PATERNÒ and CABERTI), 1891, A., 1494.

β-Lapachones, bromo- (HOOKER), 1892, T., 638; P., 125.

Lapachones, α - and β - (HOOKER), 1892, T., 635, 636.

isoLapachone and \$-lapachoneoxime (PATERNÒ and MINUNNI), 1890, A., 1310.

"Lapidolyd" (Bellmer), 1884, A., 1087. Larch fungus, constituents of (JAHNA), 1884, A., 353.

Lard, adulteration of (AMBUHL), 1889, A., 659; (GLADDING), 1890, A., 93; (WILEY), 1891, A., 1560.

adulteration of, with cocoa-nut oil (ALLEN), 1889, A., 320. analysis of (MUTER and DE KONINGH),

1891, A., 130. detection of beef stearin in (PATTINson), 1890, A., 428.

detection of cotton-seed oil in (BISHOP and Ingé), 1889, A., 194; (Allen; Hehner), 1889, A., 319; (Williams; Jones), 1889, A., 320; (Ambühl), 1889, A., 659; (Pattinson), 1890, A., 428. detection of vegetable oils in (Welmann), 1890, A., 428.

MANS), 1892, A., 1133.

Lard, estimation of beef fat in (WILSON), 1889, A., 659.

estimation of cotton-seed oil in (WILson), 1889, A., 659; (BOCKAIRY), 1890, A., 307. Lard-cream (WILLARD), 1884, A., 536.

Lard-oil, specific gravity and refractive

index of (Long), 1889, A., 86. iodine number of, by Hubl's method (HAINES), 1892, A., 664.

Laserpitine, and its derivatives (Kulz), 1884, A., 182.

Lasia, hydrocyanic acid in the fruit of

(GRESHOFF), 1891, A., 338. Latent heat. See Thermochemistry. Latex, proteid substance in (GREEN), 1886, A., 828.

of Ficus Carica (Mussi), 1892, A., 653. Lathyrus, analyses of (NILSON), 1892,

Laubanite, a zeolite (TRAUBE), 1887, A.,

Laubenheimer's reaction (ODERN-

HEIMER), 1884, A., 1038. Laudanine (HESSE), 1884, A., 616.

Laumontite (Cross and HILLEBRAND), 1883, A., 957.

from Monte Catini (BECHI), 1883, A.,

from Striegau (TRAUBE), 1887, A., 903.

Laurel, leaves and berries of, essential oil from (WALLACH), 1889, A., 1072. oil of (Bruhl and Muller), 1892, A., 722.

Laurel-nut oil (HOOPER), 1889, A., 541. (1:2-dimethyl-4-ethylbenzene) Laurene

(Bruhl), 1888, A., 377. an isomeride of (Renard), 1884, A.,

Fittig's (Armstrong and Miller), 1884, A., 43.

Laurenes (Uhlhorn), 1890, A., 1248. Lauric acid (dodccoic acid), descent of the series from myristic acid to (Lutz), 1886, A., 685.

heat of combustion of (STOHMANN and Rodatz), 1885, A., 1176.

heats of combustion and formation of (Stohmann and Langbein), 1891, A., 11.

specific and latent heats of (STOHMANN and Wilsing), 1885, A., 1177. action of bromine on (KRAFFT and

BEDDIES), 1892. A., 696. bromo- (Auwers and Bernhardi),

1891, A., 1190. Laurone and lauroneoxime, preparation of (Kipping), 1890, T., 981, 983.

Lauronolic acid (Woringer), 1885, A., 669.

Laurotetanine, the active constituent of certain Lauraceæ (GRESHOFF), 1891, A., 337.

Laurus Persea, a sugar from (Muntz and Marcano), 1884, A., 1285.

Lauryl chloride (KRAFFT and BURGER), 1884, A., 1125. Lautarite (DIETZE), 1892, A., 124.

Lauth's violet (BERNTHSEN), 1883, A., 916; 1884, A., 595, 1156; 1885, A., 259.

Lautite, from Lauta, Saxony (WEIS-BACH), 1883, A., 432.

Lava current from Etna, chemical composition of various layers of (RICCIARDI), 1883, A., 36.

Lavas, recent Vesuvian (FREDA), 1890. A., 573.

Lavatera arborea (v. T.), 1884, A., 100.
Lavender, oil of (SEMMLER and TIE-MANN), 1892, A., 868; (BERTRAM and WALBAUM), 1892, A., 1235; (SCHIMMEL), 1892, A., 1347.

Lavendol (SEMMLER and TIEMANN), 1892, A., 868. Lavenite (Brögger), 1886, A., 34.

Law of Avogadro (Krebs), 1885, A., 13; (SCHALL), 1887, A., 698.

of Boyle applied to salts in solution (Adie), 1891, T., 351.

deviations of oxygen from, at low pressures (Bohr), 1886, A., 591. relation of gases to, at high temperature (Puschl), 1888, A., 547.

of chemical combination (DE LANDERO and PRIETO), 1887, A., 99. of cooling (RIVIÈRE), 1883, A., 144.

of diffusion of liquids (VERNON), 1891, A., 383.

of emanation of light from incandescent substances (MOLLER), 1885, Λ., 623.

of freezing of solvents (RAOULT), 1883, A., 278.

of heat of solution (OSTWALD), 1888, A., 1020.

of van't Hoff, applicability of Planck's proof to the (ARRHENIUS), 1892, A., 935.

of isomorphism, modification of the usual statement of (KLEIN), 1883, A., 147.

of Joule, validity of, for electrolytes (JAHN), 1885, A., 1029; 1888, A.,

Ì0. of molecular volumes and of boilingpoints (GULDBERG), 1890, A., 1043.

of smallest volumes (MULLER-ERZвасн), 1884, А., 12.

of Stokes, of fluorescence (HAGENвасн), 1883, А., 537.

Law of thermal constants (TOMMASI), 1883, A., 143; 1884, A., 883; 1885, A., 8; 1886, A., 408.

of thermo-chemical moduli or constants of substitution (BERTHELOT), 1884, A., 702.

of thermodynamical coincidence, and its application to the theory of solution (NATANSON), 1892, A., 557.

of thermodynamics, second, and its application to chemical phenomena (LE CHATELIER), 1892, A., 3.

of volumes (Hunt), 1887, A., 99. of volumes, Gay-Lussac's (LEDUC), 1892, A., 1271. periodic. See Periodic law.

Laws of Berthollet (BERTHELOT), 1883, A., 10; (Colson), 1890, A., 1367.

of Bouty and Faraday (WURTZ), 1884, A., 882.

of Mariotte and of Gay-Lussac, relation of gases to the (PUSCHL), 1888, A., 16, 18.

thermochemical (BECKER), 1886, A., 498; (BOLTZMANN), 1887, A., 1072.

Layers, formation of, in mixtures of alcohol, water and salts (TRAUBE and Neuberg), 1888, A., 783.

formation of, in solutions of salts in mixtures of water and organic liquids (LINEBARGER), 1892, A., 1146.

metallic, thin, optical properties of (Voigt), 1885, A., 1026.

Lazerin (lazerol) (KÜLZ), 1884, A., 183. Lead, native, from the Andaman Islands (MALLET), 1885, A., 1185.

in Idaho (Blake), 1884, A., 563. Pajsberg, Sweden (lGEL-STRÖM), 1890, A., 111; (HAM-BERG), 1890, A., 337.

molecular weight of (RAMSAY), 1889,

T., 531, 533.

(metal) extraction of, from ores occurring in the Upper Hartz (NON.), 1883, A., 891.

extraction of, from residues obtained in the manufacture of zinc (Prost), 1888, A., 915.

slags and their analysis (ILES), 1888, A., 416.

waste, assay of (STAHL), 1891, A., 365.

electrolytic refining of (FISCHER), 1884, A., 934.

electrolytic crystallisation of (Leu-MANN), 1890, A., 437.

dimorphism of (LEHMANN), 1890, A., 437.

specific heat of (NACCARI), 1888, A., 1236.

Lead (metal), occlusion of hydrogen by (Shields), 1892, A., 942.

action of nitric acid on (VELEY), 1892, A., 410; (MONTEMARTINI), 1892, A., 1403.

action of nitric oxide on (SABATIER and Senderens), 1892, A., 1151. action of nitrosyl chloride on (SUDвоготсян), 1891, Т., 658.

action of petroleum on (Fox), 1888,

A., 1249. action of concentrated sulphuric

acid on (PITKIN), 1885, A., 460. action of certain vegetable acids on (HALL), 1883, A., 1038.

action of water on (ALLEN), 1883, A., 128; (Muller), 1888, A., 225.

co-operation of water in the slow oxidation of (TRAUBE), 1885, A., 1105.

spongy, reducing action of (GLAD-STONE and TRIBE), 1883, T., 347. reduction with (ŠTOLBA), 1888, A., 756.

desilvering of (HAMPE), 1883, A., 134.

effect of, on the freezing point of cadmium (HEYCOCK and NE-VILLE), 1892, T., 903.

effect of, on the freezing point of sodium (HEYCOCK and NEVILLE), 1889, T., 675.

effect of, on the freezing-point of tin (HEYCOCK and NEVILLE), 1890, T., 381.

effect of various metals on the freezing-point of (HEYCOCK and

NEVILLE), 1890, P., 160. lowering of the freezing-point of, when alloyed with other metals (HEYCOCK and NEVILLE), 1892, T., 888, 904; P., 145.

physiological effect of, on ruminants (Ellenberger and HoF-MEISTER), 1885, A., 74.

distribution of, in the brain in cases of lead poisoning (BLYTH), 1857, P., 71.

distribution and elimination of (LEHMANN), 1883, A., 1163. Lead alloys, action of concentrated

sulphuric acid on (PITKIN), 1885, A., 460.

with cadmium (LAURIE), 1889, T., 679; P., 147.

with copper and tin (FRENCH), 1890, A., 335.

with gold, analysis of (HEYCOCK and

NEVILLE), 1892, T., 912. with potassium and with sodium , (Joannis), 1892, A., 773.

Lead alloys, with thallium, analysis of (HEYCOCK and NEVILLE), 1892, T., 914.

with tin (LAURIE), 1889, T., 677; P., 147.

specific heat of (SPRING), 1886, A.,

melting points of (Weld), 1891, A., 644.

specific gravity and composition of (KLEINSTUCK), 1889, A., 1051.

with tin and zinc (WRIGHT and Thompson), 1890, A., 336; 1891, A., 267.

with ziac (LAURIE), 1889, T., 678; P., 147.

with zinc and silver (Whight and THOMPSON), 1891, A., 267.

Lead salts, retention of, by filter paper

(O'SHE 1), 1886, P., 206. double (BEITHELOI), 1883, A., 275; (ANDRÉ), 1883, A., 717, 903. Lead antimonate (BEILSIEIN and V.

BLASE), 1889, A., 1124; (EBLL), 1890. A., 216.

magnesium bromide (O110

DREWES), 1892, A., 566. potassium bromide (Herry), 1892, A., 779.

oxybromide (ANDRE), 1883, A., 903. oxybromides, heats of formation of (ANDRE), 1884, A., 384.

calcium salt, basic (KLINGLE), 1883, A., 904.

carbonate, preparation of (KUBEL), 1887, A., 446.

See also Cerussite.

carbonate, basic (white lead), manufacture of (ANON.), 1884, A., 1232. composition of (Bourgeois), 1889, A., 21.

chloride, action of carbonic oxide on (Bloxam), 1886, A., 17.

solubility of, in solutions of mercuric chloride (FORMANEK), 1887, A.,

solubility of, influence of hydrochloric acid on the (ENGLL), 1890, A., 109.

double chlorides of ammonium and (Andre), 1883, A., 717.

chloride (0110 magnesium Drewes), 1891, A., 151.

tetrachloride (Nikoliukin), 1886, A., 123; (FRIEDRICH), 1890, A., 699. oxychloride (André), 1883, A., 717, 903; 1887, A., 446.

oxychlorides, heat of formation of (Andre), 1884, A., 384.

calcium and strontium oxychlorides (ANDRÉ), 1887, A., 446.

Lead chromate (LACHAUD and LEPIERne), 1892, A., 567.

combustion with (DE ROODE), 1890, A., 926.

basic (LACHAUD and LEPIERRE), 1892, A., 567.

See also Crocoite. chiomates, double (LACHAUD and

LEPIERRE), 1890, A., 1065. halogen salts of, action of ammonia on the (Wood and Borden), 1885,

A., 1114. double halogen salts of (HERTY), 1892,

A., 779.

inndosulphonates (DIVERS and HAGA), 1892, T., 969. periodates (KIMMINS), 1889, T., 149. potassium iodide, equilibrium of, with

its aqueous solution (SCHREINE-MAKERS), 1892, A., 560.

notassium iodides (HERTY), 1892, A.,

double iodides of potassium and, heat of formation of (Berthelor), 1883, A., 275.

brom- and chlorolnom-iodides (Guissom and Thorp), 1888, A., 916.

oxyiodide (GROGER), 1892, A., 1280. nitrate, action of phosphorus oxychloride on (WILLIAMS), 1886, T.,

nitrates, basic (SMOLKA), 1885, A., 725; (WAKEMAN and WELLS), 1887, A., 1080.

nitride (Currius), 1892, A., 112. copper potassium nitrite (VAN LESSEN), 1891, A., 1157.

oxides (Kassner), 1890, A., 699. monoxide (litharge), yellow and red (GEUTHER), 1884, A., 824.

process for preparing (ANON.), 1883, A., 891.

action of, on barium, strontium, calcium and magnesium chlorides (André), 1887, A., 446.

action of magnesium on (WINKLER), 1891, A., 802.

hydrated (Luedeking), 1891, A.,

compound of, with raffinose (BEY-THIEN and TOLLENS), 1890, A., 580.

compounds of, with silver oxide (Aston), 1891, T., 1093; P., 133. dioxide, preparation of (FEHRMANN),

1853, A., 157. electrical conductivity of (SHILLDS), 1892, A., 672.

influence of, on the decomposition of potassium chlorate (Fowler and GRANT), 1890, T., 279.

Lead dioxide, hydrated, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 70, 85.

analysis of (OPIFICIUS), 1889, A.,

examination of (EBELL), 1886, A.,

triplumbic tetroxide (red lead), process for preparing (ANON.), 1883, A., 891

Sec also Minium.

phosphates (OUVRARD), 1890, A.,

phosphite, hydrogen phosphite, nitrophosphite and pyrophosphite AMAT), 1890, A., 945.

selenate (MICHEL), 1888, A., 650. silicate, artificial, from Bonne Terre,

Missouri (Wheeler), 1887, A.,

artificial, crystallised (DANA and PENFIELD), 1886, A., 317.

sulphate, crystalline (KLOBB), 1892, A., 1399.

phosphorescence of (CROOKES), 1857, A., 1068.

analysis of (BENEDIKT), 1892, A., 1522.

See also Anglesite and Lanarkite. aluminium sulphate (BAILEY), 1888, A., 110.

nitrososulphate, existence of (DIVERS and HAGA), 1885, T., 364; P., 45. persulphate (MARSHALL), 1891, T., 782. sulphide, preparation of (DOELTER), 1886, A., 208.

synthesis of, by means of thiocarbamide and the deposition of, as a specular film (REYNOLDS), 1884, T., 162.

precipitated, composition of (AN-TONY and LUCCHESI), 1890, A., 1217.

action of ferric chloride on (GABBA),

1889, A., 947. analysis of (Jannasch and As-CHOFF), 1892, A., 662; (JAN-NASCH and BICKES), 1892, A., 663; (BENEDIKT), 1892, A., 1522. estimation of sulphur in (JANNASCH

and Aschoff), 1892, A., 658. See also Galena.

bromo- and chloro-sulphides (PAR-MENTIER), 1892, A., 685.

silver thiobismuthite (FOSTER), 1886, A., 515.

thionate, optical phenomena of (WYRUBOFF), 1886, A., 958. dithionate,

trithionate (Fogh), 1890, A., 700. thiosulphate and its decomposition by heat (FoGH), 1890, A., 700.

Lead sodium thiosulphate (VORTMANN and Padberg), 1890, A., 12; (Four), 1890, A., 700.

Lead organic compounds:-

aromatic compounds (Polis), 1887, A., 572; 1888, A., 283; 1859, A., 400. chlorocyanide (GRISSOM and THORP), 1888, A., 916.

ferricyanide compounds (RAMMELS-BERG), 1889, A., 950.

bromo-, chloro- and iodo-thiocyanates (GRISSOM and THORP), 1888, A., 916.

Lead ores, assay of, by the cyanide process (WARWICK), 1891, A., 863, 962; (COOPER), 1891, A., 962.

Lead, detection, estimation and separa-

detection of bismuth in (GUYARD), 1884, A., 640.

detection of, in the body in cases of poisoning (LEHMANN), 1883, A.,

detection of, in presence of iron (DEROS), 1884, A., 367.

detection, electrolytic, of (KOHN), 1892, A., 541.

microchemical test for (v. HAUS-HOFER), 1887, A., 301.

assaying in the wet way (Roessler). 1885, A., 596.

estimation of (BAUMANN), 1892, A., 539; (Medicus), 1892, A., 1522. estimation of, as lead dioxide by means of the electric current

(TENNEY), 1884, A., 777. estimation of, by phosphomolybdic

acid (BEUF), 1891, A., 113. estimation of, in alloys (WACH-SMUTH), 1887, A., 304.

estimation of, in presence of iron (Deros), 1884, A., 367.

estimation of, in tin (PERRON), 1890, A., 665.

estimation of, in tin-lead alloys (SCHWARTZ), 1888, A., 992; (WINK-LER), 1889, A., 309. estimation of, in tinplate (CARLES),

1884, A., 1078.

estimation, electrolytic, of (BRAND), 1890, A., 295.

estimation, electrolytic, of, as amalgam (VORTMANN), 1891, A., 1553.

estimation, volumetric, of (SCHIND-LER), 1888, A., 757; (NAMIAS), 1892, A., 1875.

estimation, volumetric, of, in the presence of tin (Yvox), 1889, A., 549.

separation of bismuth from (LEMME), 1890, A., 421; (REMMLER), 1892, A., 385.

Lead, separation of bismuth and, by means of bromine vapour (JAN-NASCH and ETZ), 1892, A., 540, 754.

separation of copper from (CLASSEN), 1888, A., 529.

separation of copper from, by refining, in Freiberg (ANON.), 1883, A., 400. separation of gold, silver, copper and, from sulphides, by air blast (ANON.), 1883, A., 400.

separation of, from mercury and palladium (Rosenbladt), 1887,

A., 302.

separation of silver and (BENEDIKT and GANS), 1892, A., 1522.

separation of silver, zinc and, in galena and blende (AUBIN), 1892, A., 1378.

separation of tin, bismuth, cadmium and (Jannasch and Etz), 1892, A., 754.

Lead chamber deposit from Japanese sulphuric acid (DIVERS and SHIMOSE), 1884, A., 392.

Lead flux, estimation of small quantities of silver in (HEPPE), 1891, A., 1292.

Lead pipes, action of water on (REICHARDT), 1888, A., 344, 544; (CARNELLEY and FREW), 1888, A., 555.

Lead precipitate, influence of, on polarisation (Sachs and DE BARBIERI), 1885, A. 694.

Lead works, Mechemich, crystalline sulphides from (Brand), 1890, A., 338.

Leadhillite from Leadhills (COLLIE), 1889, T., 91.

Leaf-green, observations on (HARTLEY), 1891, T., 106; P., 161.

1891, T., 106; P., 161. Leather, vegetable (BAUER, BROUARD and ANCEL), 1885, A., 851.

detection of grape sugar in (Kohnstein), 1886, A., 745.

estimation of nitrogen in (DANGUY), 1885, A., 930.

Leaves. See Agricultural Chemistry.

Lecithin (protagon) (Danilewsky), 1884, A., 1388; (Baumstark), 1885, A., 920; (Gibson), 1888, A., 1214. in plants (Heckel and Schlagden-

HAUFFEN), 1886, A., 1064. in the liver (Heffter), 1891, A., 1275.

in red blood corpuscles (MANASSE), 1890, A., 1017.

preparation of, from plant seeds (SCHULZE and LIKIERNIK), 1891, A., 413.

Lecithin (protugon), synthesis of (HUN-DESHAGEN), 1884, A., 280.

fate of, in the body (HASEBRUEK), 1889, A., 173.

estimation of, in the seeds of plants (SCHULZE and STEIGER), 1889, A., 645.

Lecithins, estimation of, in vegetable organisms (MAXWELL), 1891, A., 511.

role of, in normal germination (MAX-WELL), 1891, A., 489.

Leclanché cell, and the reactions of manganese oxides with ammonium chloride (DIVERS), 1883, A., 272.

Lecture apparatus (VALENTINI), 1885, A., 215.

for making sulphuric anhydride (Hodgekinson and Lowndes), 1888, A., 647.

Lecture experiments (DIVERS), 1883, T., 447; (v. HOFMANN), 1883, A., 280; (SCHWARZ), 1883, A., 292; (LADENBURG), 1883, A., 1048; (ROSENFELD), 1884, A., 258; (MEYER), 1884, A., 552; (RUDORFF), 1885, A., 869; (MULLER), 1886, A., 976.

with hydriodic acid (Austen), 1889, A., 754.

with nitric acid (Austen), 1889, A., 672.

with nitrogen chloride (MEYER), 1888, A., 343.

conversion of carbon dioxide into carbon monoxide (Lersius), 1890, A., 1048.

conversion of oxygen into carbon monoxide (LEPSIUS), 1890, A., 1048. conversion of steam into water gas (LEPSIUS), 1890, A., 1049.

conversion of sulphurous anhydride into arbon monoxide (LEPSIUS), 1890, A., 1049.

formation of acetylene (CAZENEUVE), 1884, A., 419.

formation of chromammonium compounds (KRAUT), 1886, A., 849.

formation and decomposition of sulphurous anhydride (Lepsius), 1890, A., 1049.

preparation of ferrates (BLOXAM), 1886, A., 848.

preparation of potassium ferrate (MERMET), 1887, A., 769.

preparation of silicon hydride (MERMET), 1887, A., 769.

synthesis of ammonia (VALENTINI), 1887, A., 442.

composition of hydrochloric acid and other gases (ALESSI), 1889, A., 567.

Lecture experiments, composition, volumetric, of certain gaseous compounds (HAWKEIDGE), 1889, A., 336.

composition, volumetric. of nitrous and nitric oxides (Keiser), 1886, A., 660.

on spectrum analysis (CLEMINSHAW), 1885, A., 1035.

action of the electric arc on gases (LEPSIUS), 1890, A., 1047.

electrolysis of ammonia (IRVING), 1886, A., 848.

electrolysis of hydrochloric acid (ROSENFELD), 1886, A., 848; 1887, A., 633.

delicate thermometer for (Young), 1888, A., 410.

the evolution and absorption of heat (FRANCHIMONT), 1883, A., 454.

combustion of air in coal gas (CRAIG), 1888, A., 1244.

combustion of hydrogen in nitric acid (Hodgkinson and Lowndes), 1888, A., 1244.

combustion of magnesium in water vapour (Moody), 1891, P., 20.

combustion of oxygen in ammonia (Hodgkinson and Lownder),1888, A., 1244.

explosion (OETTEL), 1888, A., 910. to illustrate the phenomena of coal dust explosions (THORPE), 1892, T.,

414; P., 53. on flame (Anschutz and Kekulé),

1885, A., 1035. continuous flame of nitric oxide and carbon disulphide (VALENTINI), 1887, A., 442.

decomposition of carbon disulphide by shock (THORPE), 1889, T., 220; P. 33

effusion of gases (FREER), 1892, A., 1150.

dissociation of ammonium chloride (R. and G. F. R. BLOCHMANN), 1891, A., 1415.

dissociation of phosphonium bromide (NEWTH), 1892, A., 401.

demonstration of Avogadro's law (SCHALL), 1887, A., 698. demonstration of Dulong and Petit's

demonstration of Dulong and Petit's law (SCHALL), 1887, A., 634.

demonstration of Raoult's law (CIA-MICIAN), 1889, A., 336.

demonstration of valency (LEPSIUS), 1888, A., 410; 1890, A., 1050.

coefficient of expansion of a gas (SCHIFF), 1887, A., 1013.

diffusion of gases (Biltz), 1892, A., 562.

Lecture experiments, occlusion of hydrogen by palladium (Schiff, 1885, A., 1035; (WILM), 1892, A., 563.

burning sulphur in oxygen (NOYES), 1892, A., 679.

combination of electrolytic gas (MEYER), 1892, A., 562.

combination of nitric oxide and oxygen (Austen), 1889, A., 754.

Ledum camphor (Hjelt and Collan), 1883, A., 346.

Ledum palustre, camphor from the ethereal oil of (RIZZA), 1888, A., 845.

Leech, medicinal, action of a secretion obtained from (HAYCRAFT), 1885, A., 571.

extract, effect of, on blood (Dickinson), 1891, A., 482.

Leidenfrost's experiment reversed, a lecture experiment (v. Hofmann), 1883, A., 281.

Legumin (RITTHAUSEN), 1883, A., 675. Leguminosæ. See Agricultural Chemistry.

Leguminous seeds, composition of (WAAGE), 1887, A., 991.

Leken, the paraffin from ozokerite (BEILSTEIN and WIEGAND), 1883, A., 1073.

Lemon grass oil (Dodge), 1891, A., 286.

Lemon-juice, production of ether by the action of Aspergillus gluucus on (Phipson), 1884, A., 855.

concentrated, estimation of free and precipitable acid in (GROSJEAN), 1883, T., 333.

estimation of citric acid in (WIL-LIAMS), 1890, A., 88.

Lemon oil. See Oil.

Lemons, Californian, analyses of (COLBY and DYER), 1892, A., 1511.

essence of, and detection of oil of turpentine in (OLIVERI), 1891, A., 1496.

Lepiden. See Tetraphenylfurfuran. "isoLepiden," reduction of (Japp and KLINGEMANN), 1889, P., 139; 1890,

KLINGEMANN), 1889, P., 139; 1890, T., 691. Lepidine. See 4'-Methylquinoline.

Lepidium sativum, influence of salt on the quantity of starch contained in the vegetating organs of (Lesage), 1891, A., 1133.

Lepidolite (lithia mica), extraction of lithium from (ANON.),1889, A.,344. See also Mica.

Lepidolites of Maine (CLARKE), 1887, A., 347. Lepidomelane from Baltimore and Maine (Clarke), 1886, A., 678; 1888, A., 118. See also Mica.

Lepidone-violet and its base (Reisser). 1892, A., 499.

Lepidote from India, estimation of alkalis in (PAGE), 1884, A., 27.

Lettsomite from Arizona and from Utah (GENTH), 1891, A., 156.

Lettuce, existence of hyoscyamine in (Dymond), 1891, P., 165; 1892, Ť., 90.

cooked, composition of (WILLIAMS), 1892, T., 227.

Leucæmia, excretion of uric acid and nitrogen in cases of (Bohland and Schurz), 1891, A., 483.

Leucæmic patients, peptones in the blood and organs of (v. JAKSCH), 1892, A., 519.

Leucaniline (RENOUF), 1883, A., 981. Paraleucaniline (triamidotriphenyl-methane) and its compounds compounds (RENOUF), 1883, A., 981.

Leucatropic acid (Kunz), 1886, A.,

Leucazocamphene (TANRET), 1888, A., 720.

Leucindigo. Sec Indigo-white.

Leucine (a-amido-n-hexoic acid) (Du-

VILLIER), 1884, A., 664. Institution of (Schulze Likiernik), 1891, A., 681. constitution and

optical rotatory power of (Lewkowitsch), 1884, A., 1115.

heats of combustion and formation of (BERTHELOT and ANDRF), 1890, A., 936.

condensation of, with henzenesulphonic chloride (HEDIN), 1891, A., 202.

action of methylic iodide on (Konner and MENOZZI), 1884, A., 425.

a-Leucinphthaloic acid (REESE), 1888, A., 369.

Leucinphthaloic acids (REESE), 1888, A., 149.

Leucite (unite garnet) (SCHUBERT), 1883, A., 35. from Wakefield, Canada (KUNZ),

(Kunz), 1884, A., 828.

metamorphism of (FREDA), 1884, A.,

artificial reproduction of (C. and G. 1890, A., Friedel), (MEUNIER), 1891, A., 22; (Du-BOIN), 1892, A., 1161.

analysis of (DORLTER), 1883, A., 721. Leucite-basalt from the Vogelsberg (Sommerlad), 1885, A., 33.

Leucitophyre from Persia (STEINECKE), 1890, A., 220.

Leuco-compounds from anthraquinonedyes (Liebermann), 1888, A., 492.

Leucodibromoquinonephenolimide (Mohlat), 1884, A., 594.

Leucocythæmia, the blood in (FREUND and ÖBERWAYER), 1891, A., 1124.

Leucocytosis, production of, in mammals (Horbaczewski), 1891, A., 1340.

Leucodextrin (WIJSMAN), 1890, A., 998.

Leucogallol (WEBSTER), 1884, T., 207. Leuco-indophenol, preparation (NON.), 1883, A., 759.

Leucoline. See Quinoline.

Leucomaines. See Ptomaines.

Leucomalachite-green (tetramethyldiamidotriphenylmethane), preparation of (Elbs), 1884, A., 1019; (DOEBNER and PETSCHOW), 1888, 288; (NENCKI), 1889, A., . 510.

aldehyde (Low), 1886, A., 461. *o*-nitro-(FISCHER and SCHMIDT), 1884, A., 1315.

Leucomanganite (7. SANDBERGER), 1885, A., 640.

colouring matters. Leucomethylene See under Colouring matters.

Leuconditolylenequinoxaline (NIETZKI and BENCKISER), 1886, A., 540.

Leuconic acid (hydroxycroconic acid) (NIETZKI and BENCKISER), 1886,

A., 450, 510. oximes of, and their reduction products (NIETZKI and ROSEMANN), 1889, A., 769.

Leuconotis eugenifolius, alkaloid from (GRESHOFF), 1891, A., 336.

(Brogger), Leucophane 1890, 1079.

Leucophenosafranine, constitution of (Bernth en), 1887, A., 140.

Leucosafranine (WITT; NIETZKI), 1887, A., 250.

Leucothionine (BERNTHSEN), 1885, A., 259; 1886, A., 53.

Leucoisothionine (BERNTHSEN), 1886, A., 53.

Leucothional and leucothionaline (BERNTHSEN), 1886, A., 56.

p-Leucotoluidine (KLINGER PITSCHKE), 1885, A., 151.

Leucoxene (CATHREIN), 1885, A., 28. "Levain de chef" (MARCANO), 1884, A., 532.

Level for gas analysis (Lunge), 1892, A., 400. Levels, ether (WEBER), 1889, A., 207.

Levonic acid, and its salts (WIEDER-HOLD), 1885, A., 653.

Levosin, a carbohydrate from cereals (TANRET), 1891, A., 661.

Levulinic acid (\$\beta\$-acctylpropionic acid) 1885, À., 1123; (WOLFF), (MICHAEL), 1891, A., 1337.

preparation of (RISCHBIETH), 1887, A., 799.

formation of, as a test for carbohydrates (WEHMER and TOLLENS), 1886, A., 532; 1888, A., 535.

constitution of (MICHAEL), 1888, A., 134.

magnetic rotation of (Perkin), 1892, T., 800.

action of acetic anhydride on (MAGNA-

NINI), 1888, A., 819. condensation of, with ale (ERDMANN), 1892, A., 147. aldehydes

action of bromine on (HELL and Kehrer), 1884, A., 1297. condensation of, with furfuraldehyde

(KEHRER), 1892, A., 442. action of iodic acid on (ANGELI and

Chiussi), 1892, A., 1179. derivatives of (Wolff), 1885,

1123; (MICHAEL), 1891, A., 1337. oxime of (THAL), 1892, A., 1074. phenylhydrazone (BENDER), 1888,

A., 1188. p-nitrophenylhydrazone (FISCHER

and AcH), 1890, A., 41. salts of (BLOCK and TOLLENS), 1887, A., 800.

reactions for (SELIWANOFF), 1887, A., 459.

Levulinic acid, a-bromo- and a\beta-dibromo- (WOLFF), 1891, A., 1187. β-bromo- (WOLFF), 1887, A., 464. BB-dibromo- (WOLFF), 1891, A., 417. chloro- and dichloro- (SEISSL), 1889, A., 489.

Levulinic anhydride phenylhydrazone (Ach), 1890, A., 70.

p-nitrophenylhydrazone (FISCHER and Ach), 1890, A., 41.

Levulinic oxime (Dollfus), 1892, A., 1202.

phenylhydrazide, hydrazone of (Bredt), 1890, A., 864; (Volmard), 1892, A., 436.

phenylhydrazoneazobenzene (Vol-HARD), 1892, A., 436.

Levulose and its derivatives. See Carbohydrates.

Levulosecarboxylic acid, preparation of (KILIANI and DULL), 1890, A., 596.

derivatives of (Düll), 1891, A., 547. lactone of (KILIANI), 1886, A., 869.

Levuloclithiodiglycollic acid (Bon-GARTZ), 1888, A., 479.

Leyden batteries, electric discharge of (Dvořák), 1883, A., 763.

Licarene (Morin), 1888, A., 1308.

Licareol and licareone (BARBIER), 1892, A., 1236.

Licari kanali, essential oil of (BAR-BIER), 1892, A., 1236.

Licaryl methyl and ethyl others (BAR-BIER), 1892, A., 1236.

Lichenin (Honic and SCHUBERT), 1888, A., 127.

Lichenin sugar (BAUER), 1886, A., 869.

Lichens, assimilation by (JUMELLE), 1891, A., 1132.

exchange of gases between, and the atmosphere (BONNIER and MAN-GIN), 1885, A., 580.

Lichen-starch (Honig and Schubert), 1888, A., 127.

Lichenstearic acid, preparation (HILGER and BUCHNER), 1890, A., 600.

Liebig memorial statue at Munich (V. PETTENKOFER; V. BAEVER and ZIMMERMANN), 1884, A., 880.

Liebig's condenser, a modified form of (Shenstone), 1883, T., 123.

Liebig's extract of meat, physiological action of (LEHMANN), 1886, A.,

Liebigite, so-called, from Joachimsthal (SCHRAUF), 1883, A., 955.

Lievrite. See Ilvaite.

Life, test for (KRETZSCHMAR), 1883, A., 489.

Ligamentum nuchæ, action of digestive fluids on (EWALD), 1889, A., 912.

Light, electric. See Electric Light under Electrochemistry.

emitted by comets (BERTHELOT), 1886, A., 261.

monochromatic, production (Fleischl v. Marxow), 1890, A., 549.

simple burner for (Noack), 1886, A., 14.

for the determination of the magnetic rotary polarisation of compounds (Perkin), 1884, T., 424.

white, production of, by mixing the colours of the spectrum (STROUMBO), 1887, A., 1.

law of emanation of, from incandescent substances (Moller), 1885, A., 623.

change in colour in felspar, due to the action of (ERDMANN), 1883, A., 438; 1886, A., 27.

Light, phosphorescence of minerals under the influence of (BLCQULREL), 1891, A., 776.

ultra-violet, influence of, on the electric discharge (Heniz), 1888, A., 13.

influence of, on the electrical resistances of metals (Bosiwick), 1885, A., 469.

influence of, on the electrical conductivity of selenium (Kalischer), 1888, A., 99.

electromotive force produced by the action of, on selenium (K lischer), 1887, A., 693; 1889, A., 3; (v. Uljanin), 1888, A., 883; 1889, A., 202; (Righi), 1889, A., 555.

sensitiveness of selenium and sulphur cells to (Bidwell), 1886, A., 2.

influence of, on the heat confductivity of scienium (Bellati and Lussana), 1888, A., 98.

resistance to, of dyes fixed in tissues (JOFFRE), 1889, A., 12.

dessicator for substances sensitive to (Liebermann), 1888, A., 1155.

influence of, on the development of bacteria (Jamieson), 1884, A., 475.

influence of, on the growth of yeast (KEY), 1886, A., 387.

variation with temperature of the velocity of, in metals (KUNDI), 1889, A., 719. velocity of, in carbon disulphide

velocity of, in carbon disulphide (Gouy), 1886, A., 957. velocity of, in quartz (Exell), 1886,

velocity of, in quartz (EXNLL), 1886, A., 653.

absolute unit of (Violle), 1885, A., 622.

a unit for the measurement of (v. Siemens), 1885, A., 1.

measurement of the quantity of, that enters water (REGNARD), 1891, A., 2.

See also Photochemistry.

Lighting, artificial, influence of, on the atmosphere of dwollings (Fis-CHER), 1884, A., 122.

Lignic acids (LANGE), 1890, A., 228.

Lignification, chemistry of (Choss and Bevan), 1883, T., 18; 1889, T., 199; P., 30.

technical aspects of (CROSS), 1883, A., 694.

Lignin (LANGE), 1889, A., 1235; 1890, A., 228; (LINDSEY and TOLLENS), 1892, A., 802.

quantitative reaction for (BENEDIKF and BAMBERGER), 1890, A., 1474. Lignite tar (HLUNLIE), 1892, A., 1075. Lignocellulose, action of, with ferric ferricyanide (ISANC), 1892, A., 1421.

Lignocelluloses (CROSS and BEVAN), 1892, A., 693.

constitution of (Cross and Bevan), 1892, A., 129.

action of nitric acid on (Cross and Bryan), 1891, P., 61.

Lignoceric acid, occurrence of, in earth nut oil (KREILING), 1888, A., 578.

Lignose (wood-cellulose), manufacture of (ANON.), 1884, A., 1451.

constitution of (Choss and Bryan), 1883, T., 20.

Liliaces, presence of salicylic acid in certain genera of the (GRIFFITHS), 1889, P., 122.

Lily of the valley (Convallaria majalis) (LANGLEBLRI), 1885, A., 271.

Limburgite, analysis of (Dollier), 1883, A., 722.

Lime, process for rendering cement and, less subject to atmospheric influences (Puschen), 1883, A., 398, 530.

"chloride of." See Calcium hypochlorite and Bleaching powder.

gas-. See Gas-lime, milk of. See Calcium hydroxide.

osmose process, Dubrunfaut's (DE PUYDF), 1884, A., 941.
1affinose (BEYTHIEN and TOLLENS),

1890, A., 580. sarcharate, influence of chlorides of the alkalis and alkaline earths on the precipitation of, from warm solutions (DLGENER), 1883, A., 692.

"waste" from sugar factories as manure (STROHMER), 1884, A., 925; (HOLDEFLEISS and STROH-MER) 1886 A. 647

Men), 1886, A., 647. water. See Calcium hydroxide. See also Calcium oxide.

"Lime of Theil," action of water on (LANDRIN), 1883, A., 830.

Lime-dialogite (Weibull), 1884, A.,

Lime juice, estimations of free and precipitable acid in (GROSJEAN), 1883, T., 333.

Lime leaves (Citrus Limetta), essential oil of (WATIS), 1886, T., 316; P., 158.

"Lime diphosphate" (HASENGLEVER), 1885, A., 615.

Lime-seed, oil of (Mueller), 1892, A., 92.

Limestone from the "Montagnola Senese" (FUNARO), 1890, A., 712. Limestone, granular, of Stainz in Styria ! (Hussak), 1887, A., 780.

older, of the secondary series, origin of iron, manganese, and zinc minerals in (DIEULAFAIT), 1885, A., 644.

erosion of (EWING), 1885, A., 358. See also Calcium carbonate.

Limettin (TILDEN and BECK), 1890, T., 323; (Tilden), 1892, T., 344; P., 33.

action of hydrating agents on (TIL-DEN), 1892, T., 351.

action of hydriodic acid on (TILDEN), 1892, T., 350.

oxidation of (TILDEN), 1892, T., 346, 349.

bromo-, trichloro-, and nitro-(TILDEN), 1892, T., 348, 349, \mathbf{a} nd *di*bromo-,

Limonene (citrone, hesperidene) and its derivatives. See Terpenes.

(Wagner), Limonetrol

Limonite (Welch), 1885, A., 1116. from South Africa, composition of

(Roscoe), 1885, A., 132. in Texas (Penrose), 1892, A., 1405. See also Ferric hydroxide under Iron.

Limonite-pseudomorphs after iron pyrites (SMITH), 1886, A., 992; (MEEM), 1887, A., 116.

Linaloe oil (SEMMLER), 1891, A., 540.

Linalcol (SEMMLER), 1891, A., 540; (SEMMLER and TIEMANN), 1892, A., 868; (Schimmel), 1892, A., 1347.

Linamarin (Jorissen and Hairs), 1892, A., 502.

Linarite, occurrence of, in slag (Dup-GEON), 1885, A., 226.

from Leadhills (Collie), 1889, T., 93.

Russian (v. Jereméeff), 1885, A., 1186.

Lindera sericea, ethereal oil of (KWAS-NICK), 1891, A., 464; 1892, A., 1480.

Line spectra. See Photochemistry. Linin (SCHWARTZ), 1888, A., 983.

Linkage, double, theory of (SKRAUP), 189ī, A., 1320.

Lincleic acid (linulic acid) (BAUER and HAZURA), 1886, A., 868; (PETERS), 1887, A., 126; (HAZURA), 1887, A. 913; 1888, A., 817; (NORTON and RICHARDSON), 1888, A., 44; (HAZURA and GRÜSSNER), 1888, A., 817; (REFORMATSKY), 1890, A., 362.

Linoleic acid (linolic acid), examination of commercial olein for (HAZURA), 1890, A., 306.

falsification of oleic acid by (GRAN-VAL and Valser), 1889, A.,

oxidation of (HAZURA), 1887, A., 359; (DIEFF and REFORMATSKY), 1887, A., 716; (HAZURA and FRIEDREICH), 1887, A., 798. Linolenic acid (HAZURA), 1887, A., 913; 1888, A., 817; (HAZURA and GRUSSNER), 1888, A., 817.

isoLinolenic acid (HAZURA), 1888, A., 816; (HAZURA and GRUSSNER), 1888, A., 817.

Linolic acid. See Linoleic acid.

Linseed, sugar from (BAUER), 1892, A., 1293. See also Agricultural Chemistry.

Linseed oil, adulteration of (AIGNAN), 1890, A., 1198.

and linseed oil varnish, points of difference between (FINKENER), 1888, A., 327.

Linusic acid (hexa-oxystearie (HAZURA), 1887, A., 359; 1888, A., 817; (HAZURA and FRIEDREICH), 1887, A., 798; (HAZURA and GRUSSNER), 1888, A., 817.

derivatives of (HAZURA), 1887, A., 359; (HAZURA and FRIEDREICH), 1887, A., 798.

isoLinusic acid (HAZURA), 1888, A., 816; (HAZURA and GRUSSNER), 1888, A., 817.

Lipaciduria (v. Jaksch), 1886, A., 1056.

Liparites, eutaxitic glasses of (Wenu-KOFF), 1891, A., 649.

so-called, from the Siebengebirge (v. Lasaulx), 1886, A., 603.

Lipic acid (Carette), 1886, 611.

Liquid state, limit of (HANNAY), 1883, A., 145.

continuous changes from the gaseous to, at all temperatures (RAMSAY and Young), 1887, A., 763; 1888, A., 18.

influence of change from, to solid state, on vapour pressures (RAM-SAY and YOUNG), 1885, A., 629; 1887, A., 430.

and gascous state of matter, representation of the connection between, by isopyknics (v. Wroblewski), 1887, A., 432.

Liquid, a pathological, composition of (REGNAULD and VILLEJEAN), 1884, A., 1060.

Liquids, relation between solids, gases | and (SPRING), 1884, A., 256.

bouquet of fermented (JACQUEMIN), 1890, A., 1180.

crystalline (LEHMANN), 1891, A., 249.

atomic weights and densities of (Moulin), 1891, A., 1315.

molecular weights of, solids and

(Pickering), 1886, A., 198. molecular weights of, as evinced by their boiling points (VERNON), 1892, A., 107.

relation between molecular weight of, and rate of evaporation of (SCHALL), 1884, A., 551, 950; 1885, A., 112; (SCHALL and Kossakowsky), 1891, A., 1317.

constitution of (SCHRODER), 1883, A.,

nature of, as shown by a study of the thermal properties of stable and dissociable substances (RAMSAY and Young), 1886, P., 226; 1887, A., 100, 430.

theory of (KONOWALOFF), 1888, A., 1019; (GRIMALDI), 1888,

1143.

composition of the vapour of mixed (Winkelmann), 1890, A., 554.

method of determining the purity of volatile (Duclaux), 1886, A., 322.

free surface of (Liebreich), 1891, A.,

fiee surface of, increase of chemical energy at the (SPRING; BECUHOLD), 1890, A., 328.

refractive indices of, instrument for comparing (Sondén), 1891, A.,

959.

refractive indices of, relation between compressibility and (QUINCKE), 1892, A., 669.

refraction of, between wide limits of temperature (Ketteler), 1888, A., 511.

double refraction of (FLEISCHL V. Marxow), 1885, A., 318.

electrical conductivity of, effect of pressure on the (BARUS), 1891, A., 250.

insulating, dielectric constants of

(QUINCKE), 1883, A., 945. behaviour of dielectric, under strong electric charges (QUINCKE), 1886, A., 959.

specific inductive capacity of (NEGRE-ANU), 1887, A., 413; (COHN and Arons), 1888, A., 394, 395; (Tomaszewski), 1888, A., 395.

Liquids, influence of magnetisation on the resistance of magnetic (NEESEN). 1885, A., 213.

conduction of heat in (CHREE), 1888, A., 641.

evolution of gases from homogeneous (VELEY), 1889, A., 94.

heat of solution of gases in (PICKER-ING), 1892, A., 1042.

mutual solution of (ALEXEEFF), 1883, A., 11; 1885, A., 340.

See also Solution.

comparison of the latent heat of vaporisation of, in relation to their molecular weight (SCHALL), 1884, A., 551.

specific heat of, at temperatures above the boiling point (GRIMALDI), 1892, A., 761.

specific heat of, calculation of (HIN-RICHS), 1892, A., 2.

thermal effect of mixing (Konowa-

LOFF), 1884, A., 1244. temperatures of saturated vapours of various, under the same pressure

(Color), 1892, A., 1143. mixed, of constant boiling point (Konowaloff), 1884, A., 1247.

evaporation of (HEMPEL), 1888, A.,

quantitative evaporation of, in the spheroidal state (Bohlig), 1886, Λ., 647.

boiling of, in a vessel contained in a water-bath (Tomlinson), 1885, A.,

relations between the boiling points, molecular volumes and chemical characters of (Masson; Young), 1891, A., 379.

critical state of, data for the (HEIL-BORN), 1891, A., 969.

connection between the critical data of liquids and their chemical constitution (Heilborn), 1891, A., 380.

temperatures of mixed critical (SCHMIDT), 1892, A., 262.

critical volumes of (DEWAR), 1885,

specific volumes of, method of determining the (Young), 1890, P., 157; 1891, T., 37.

specific gravity of, a function of their boiling points and molecular weights (RICHARDSON), 1891, A., 780.

specific gravity of, determination of (PAGLIANI), 1884, A., 213.

specific gravity of, easy method of finding (TAYLOR), 1888, A., 547.

Liquids, vapour tension of, influence of small amounts of impurities on (TAMMANN), 1888, A., 213.

specific molecular volumes of (LOSSEN; ZANDER), 1883, A., 13: (BLASERNA and Cannizzaro), 1883, A., 279; (Schiff), 1883, A., 1044; 1884, A., 386; (KOPP), 1884, A., 147; 1889, A., 566; (Lossen and Zander), 1884, A., 1252.

specific molecular volumes and absolute boiling points of, relation between the (GROSHANS), 1886, A.,

instruments for measuring (GREINER 1888, and FRIEDRICHS), 1332.

relation of volume, pressure and temperature in the case of (BARUS), 1890, A., 321.

alteration in the volume and specific gravity of, produced by the absorption of gases (Anaström), 1888, A.,

constants of capillarity of, at their boiling-point (Schiff), 1883, A., 549; 1884, A., 808; 1885, A., 717. influence of capillarity and diffusion

on the solvent action of (v. Klobu-KOFF), 1890, A., 555.

depression coefficient (Schiff), 1884, A., 811.

cohesion and adhesion of (SCHALL), 1885, A., 111.

internal friction of (TRAUBE), 1886, A., 657; (Graetz), 1888, A., 776; (WAGNER), 1890, A., 441; (HANDL and Pribram), 1892, A., 1143.

law of diffusion of (VERNON), 1891, A., 383.

compressibility of (AMAGAT), 1888, A., 215; 1891, A., 378.

compressibility of, attempt to eliminate the influence of the change in volume of the vessel when measuring

(v. Boguski), 1888, A., 1019. expansibility of general law which governs the (DE HEEN), 1884, T., 408.

expansion of (Mendeléeff), 1884, Т., 126; (Амлилт), 1888, А., 215; (NADESCHDIN), 1888, A., 775; (KONOWALOFF), 1888, A., 1019; (GRIMALDI), 1888, A., 1143; (PICKERING), 1889, P., 89; 1891, A., 8.

thermal expansion of, at various pressures (GRIMALDI), 1887, A.,

expansion of, measuring (v. Boguski), 1888, A., 1237.

Liquids, Mendeléeff's formula for the expansion of, and Thorpe and Rücker's formula for determining the critical temperature of, from their coefficient of expansion (BARTOLI and Stracciati), 1885, A., 859.

solidification of, by pressure (AMAGAT), 1887, A., 1013.

dissociation of (ROOZEBOOM), 1886, A., 499.

passage of alcoholic, through membranes (GAL), 1883, A., 549.

passage of alcoholic, through porous

vessels (GAL), 1883, A., 279. sterilisation of, by means of Papin's digester (HEYDENREICH), 1884, A., 864.

sterilisation of fermentable, in the cold (GAUTIER), 1885, A., 287.

organic, as solvents for metallic salts (ETARD), 1892, A., 558.

opaque, burette float for (REY), 1891, A., 1288.

examination and valuation of alcoholic (Fresenius), 1890, A., 1191.

analysis of, application of capillary phenomena to (Gossart), 1892, A., 236.

analysis of volatile organic (Reicнакот), 1889, А., 1088.

analysis, elementary, of highly volatile organic (Kassner), 1888, A., 197. analysis of pathological (HALLI-BURTON), 1890, A., 1173; (PATEIN),

1891, A., 851. detection of bases in alcoholic (LIN-

DET), 1888, A., 634. estimation of glycerol in fermented (LEGLER), 1887, A., 1142.

See also Fluids.

"Liquor sodæ chloratæ," constitution of (DUNSTAN and RANSOM), 1883, A., 617.

Liquors, alcoholic, purification of (NAU-DIN), 1884, A., 645. estimation of (NESSLER and BARTH),

estimation of (Neconial 1883, A., 518.
saccharine (NAUDIN), 1884, A., 645;
(ANON.), 1884, A., 791.
Liquoscope (SONDÉN), 1891, A., 959.
Liskeardite (FLIGHT), 1883, T., 140.
Tistwaenite from the Poroschnaja

MIKLUCHO-MACLAY), 1885, A., 224.

Litharge. See Lead monoxide. Lithia. See Lithium oxide.

1884, A., 26.

Lithia mica. See Lepidolite. Lithionite-granites (v. SANDBERGER),

1891, A., 652. Lithiophilite, analyses of (PENFIELD), Lithium, occurrence of, in psilomelane (v. Sandbleger), 1887, A., 222, molecular weight of (Ransax), 1889,

T., 530, 533.

(metal), extraction of, from its minerals (ANON.), 1889, A., 344. spectrum of (KAYSER and RUNGE), 1891, A., 137.

lines, order of reversibility of (LIVEING and DEWAR), 1883, A., 839.

magnetic rotation of (PERKIN), 1890, P., 142.

effect of, on the freezing point of sodium (HEYCOCK and NEVILLE), 1889, T., 675.

Lithium salts, molecular refraction and dispersion of, in solution (GLAD SIONE), 1891, T., 595.

phosphorescence of, in vacua (Brooks), 1891, A., 249.

action of (HAGER), 1885, A., 441. poisoning of plants by (GAUNERS-DORFER), 1887, A., 991.

physiological action of (Richet), 1886, A., 88, 385; (Blake), 1886, A., 385.

Lithium antimonate (Beilstein and v. Blase), 1889, A., 1124.

atsenate, normal, crystalline, preparation of (DE SCHULTEN), 1890, A., 10. bromate (POTILIZIN), 1892, A., 1275. bromide, anhydrous, heat of solution of (Bodisco), 1889, A., 1098.

stannibromide (Lettur, 1892, A., 121. carbonate (Fluckighe), 1887, A., 1000. preparation of, from lepidolite (Thompson, 1883, A., 1086

(THOMPSON), 1883, A., 1086. solubility of (Beward), 1885, A., 634; (Draper), 1887, A., 699. detection of sodium in (Symons),

1890, A., 547.
chlorate and perchlorate, decomposition of, by heat (POTILIZIN), 1889, A., 338, 389.

chloride, boiling-points of solutions of (Skinner), 1892, T., 341.

copper chloride (CHASSEVANT), 1892, A., 118.

double chlorides of, with metals of the magnesium group (CHASSE-

VANT), 1892, A., 1275. oxychloride (Kraut), 1883, A., 17; 1884, A., 16; (Lunge), 1884, A., 820. lead chromates (Lachaud and Le-

PIERRE), 1890, A., 1065. chromiodate (BERG), 1887, A., 777.

chromiodate (Berg), 1887, A., 777. halogen salts, molecular refraction of (Wegner), 1890, A., 549.

hydroxide, formation of hydrates of, from alcoholic solutions (Gürrie), 1888, A., 106.

Lithium hypochlorite (KRAUT), 1883,

hypophosphate (RAMMELSBERG), 1892, A., 403.

iodide, anhydrous, heat of solution of Bodisco), 1889, A. 329.

molybdate, combination of, with tartaric acid (Gernez), 1889, A., 860.

rotatory power of compounds of malic acid with (GERNEZ), 1890, A., 744.

nitide (OUVRARD), 1892, A., 565. oxide (*lithia*) (Beketoff), 1888, A., 1244.

heat of formation of (BEKETOFF), 1884, A., 1247; (MULLER), 1889, A., 811.

reduction of, by magnesium (WINK-LER), 1890, A., 331.

phosphate, normal crystalline, preparation of (DE SCHULTEN), 1890, A., 10.

phosphates (RAMMELSBERG), 1883, A., 424; (OUV RARD), 1890, A., 1055. silicates (HAUTEFEUILLE and MAR-

GOTTET), 1883, A., 559. sulphate, solubility of (Erard), 1888,

A., 645.

anhydrous, heat of solution of (PICKERING), 1885, T., 98; 1886, T., 309.

monohydrated, heat of solution of (Pickering), 1886, T., 310.

tungstates (Frit), 1888, A., 344. vanadates (Diftr), 1887, A., 705. zirconate (Ouvrard), 1891, A., 1481.

Lithium, estimation:—
estimation of sodium and, in mixtures
of their earbonates(Holdermann),

1887, A., 864. estimation of, as fluoride (CARNOI), 1888, A., 1312.

estimation of, in iron and slags (WARREN), 1888, A., 1256.

estimation of, in mineral waters (CARNOT), 1888, A., 1342; (WALLER), 1891, A., 1292.

estimation, quantitative, of (Gorrig), 1888, A., 106.

estimation, spectroscopic, of (Bell), 1885, A., 1012; (Hofmann), 1886, A., 178.

estimation, indirect, of alkalis in presence of (Kraut), 1888, A., 195. Lithomarge from New South Wales

(LIVERSIDGE), 1886, A., 774. Litmin (HARTLEY), 1888, A., 295.

Litmus as an indicator (Thomson), 1883, A., 682, 824; 1884, A., 691, 869. Litmus, purification of (FOERSTER), 1889, A., 1086.

tincture of, decolouration of, in closed vessels (Dubois), 1889, A., 67.

action of acids on (Marsh), 1890, A., 792.

decolouration and recolouration of, by light (Bellamy), 1889, A., 199. Litmus paper, neutral (MAYS), 1891, A.,

Litre, the true or Mohr's, for volumetrie analysis (Fresenius), 1891, A., 1548.

itsea chrysocoma, alkaloid (Greshoff), 1891, A., 337. Litter. See Agricultural Chemistry.

Liver, composition of, under varying conditions (Weiske), 1887, A., 855. so-called, of Helir pomatiu (Levy), 1891, A., 235.

of Putella rulgata (GRIFFITHS), 1888, A., 178.

cephalopod, pancreatic functions of (GRIFFITHS), 1885, A., 829. diastatic ferment of (KAUFMANN),

1890, A., 185.

disease, nature of the effusions in (HALLIBURTON), 1890, A., 1174. excretion of urea in diseases of the

(Morner and Sjoquist), 1891, A.,

carbohydrates in human (KRATSCH-MER), 1885, A., 679. cystin and xanthine in the horse's

(Drechsel), 1892, A., 516. formation of glycogen in (HERGEN-

nahy), 1890, A., 1334; (Nebelтнаг), 1891, А., 1526.

importance of ammonia in the formation of glycogen in (RÜHMANN), 1887, A., 68.

influence of alkalis on the glycogen of (Dufourt), 1891, A., 758.

influence of arsenic and antimony on the glycogenic function and fatty degeneration of the (CHITTENDEN and Blake), 1889, A., 537.

influence of starvation on the glycogen of (Aldenoff), 1889, A., 427.

hemoglobin in blood passing to and from (v. MIDDENDORFF), 1889, A., 1023.

iron in the (DELEPINE), 1890, A., 1177. jecorin in the (Drechsel), 1886, A.,

production of lactic acid during the artificial circulation of blood through the (Wissokowitsch), 1888, A.,

lactic acid in the urine of cold-blooded animals after extirpation of (Nr. вецтнат), 1888, А., 1323,

Liver, lecithin in the (HEFFTER), 1891, A., 1275.

nversion of peptone (Speces), 1886, A., 382. conversion bv the

peptone the source of sugar in (SEE-GEN), 1883, A., 818; 1888, A., 172. post mortem formation of sugar in the (Seegen), 1888, A., 172; (Girard),

1889, A., 176. power of the, to form sugar from fat (SEEGEN), 1887, A., 67.

of new-born dogs, estimation of glycogen in (DEMANT), 1887, A., 167.

estimation of iron in the (v. ZALE-KI), 1886, A., 1054; (KRIGER, MEYER and Pernoi'), 1891, (Bunge), 1892, A., 1503. 1891, A.,

of young animals, estimation of iron in (LAPICQUE), 1890, A., 185.

Liver-cells, crystals in the nuclei of (GRANDIS), 1891, A., 587.

proteids of (HALLIBURION), 1890, A., 1014.

Live-weight, influence of various salts on (Weiske), 1892, A., 647.

Loam, heavy, fertility of, increased by lime (Johnstone), 1892, A., 523.

Lobelia, alkaloids of (DRAGENDORFF and v. Rosen), 1887, A., 854.

Lobeline (Paschkis and Smita), 1890, A., 1169. Locust-bean, the shells of, as a con-

diment (VOELCKER), 1884, A., 631. Andreasberg Löllingite fromSt.

(LOCZKA), 1886, A., 513. and other minerals from Colorado

(HILLEBRAND), 1884, A., 826. Loganetin and loganin (Dunstan and

SHORT), 1885, A., 396. Logwood extract, action of chlorine on (MACFARLANE and CLARKSON),

1890, A., 905. extracts, testing (PALMER), 1889, A.. 1091.

Lokanic and lokaonic acids (KAYSER), 1886, A., 255.

Lokao (Chinese-green) and lokaose

(KAYSER), 1886, A., 254, 255. "Longrain" and measure of the foliation in schistose rocks by means of their thermic properties, study of (January 1883, A., 300.

Long-wool, composition of (CHLUDNIN-

sky), 1886, A., 105.

Lophin. See Triphenylglyoxaline.

Lotus corniculatus and L. uliginosus,

composition of (NILSON), 1892, A., 522. Lubricating oil. See Oil.

Lucasite, a variety of vermiculite (Chatard), 1887, A., 349. Lucerne. See Agricultural Chemistry.

Ludwigite (WHITFIELD), 1888, A., 347. Lugano eruptive district (HARADA), 1883, A., 167.

Lungs, influence of oxygen on the separation of carbonic anhydride in the (Werigo), 1892, A., 1369.

the (Werigo), 1892, A., 1369.

Lupanine, the alkaloid of the blue lupine (Hagen), 1886, A., 163; (Siebert), 1892, A., 223.

Lupeol (Likiernik), 1891, A., 551, 1446.

Lupeose. See β-Galactan under Carbohydrates.

Lupetidine. See 2:6-Dimethylhexahydropyridine.

a-Lupetidylalkine. See Hydroxypropylpiperidine.

Lupines. See Agricultural Chemistry.

Lupinidine. See Alkaloids.

Lupiniin (BAUMERT), 1888, A., 1222. Lupinindine (BAUMERT), 1884, A., 1387. Lupinine. See Alkaloids.

Lupinus albus, alkaloids of (Soldaini), 1892, A., 892.

vanillin in the seeds of (CAMPANI and GRIMALDI), 1888, A., 983.

Lupinus anyustifolius an alkaloid (lupanine) from the seed of (HAGEN), 1886, A., 163; (SIEBERT), 1892, A., 223.

Lupinus luteus, base from (SCHULZE and STEIGER), 1886, A., 725.

carbohydrate from the seed of (STEI-GER), 1886, A., 608.

composition of the seeds of (SCHULZE, STEIGER and MAXWELL), 1891, A., 1541.

the liquid alkaloid from (BAUMERT), 1884, A., 1387.

non-nitrogenous reserve substances of the seeds of (SCHULZE and STEI-GER), 1890, A., 284.

Lupulic acid (BUNGENER), 1886, A., 809.

Lupulin (STOCKBRIDGE), 1890, A., 657.
volatile fatty acids present in commercial (OSSIPOFF), 1886, A., 1007.
estimation of, in hops (REINITZER), 1890, A., 431.

Lussatite, a form of silica (MALLARD), 1890, A., 569.

Lustre, metallic (Spring), 1889, A., 206.

Lutecite (MICHEL-LEVY and MUNIER-CHALMAS), 1890, A., 712.

Lutein (MACMUNN), 1884, A., 196.

Luteo- and roseo-salts, relation between (Jörgensen), 1884, A., 1093.

Luteo-chromium, -cobalt and -rhodium salts. See under Chromium, cobalt and rhodium, Lutidine [b.p. 173°] (SCICHILONE and MAGNANIMI), 1883, A., 99.

behaviour of, with metallic salts (OECH-NER DE CONINCE), 1885, A., 671.

See also Dimethylpyridine.

B-Lutidine. See 4-Éthylpyridine. hexahydride. See Ethylpiperidine.

ψ-Lutidinecarbostyril (Collie), 1887, A., 502.

Lutidinic acid. See Pyridine-2:4-dicarboxylic acid.

Lutidone. See 2:6-Dimethylpyridone. ψ-Lutidostyril (2:4-dimethylpyridone) and its derivatives (Hantzsch), 1885, A 307

ψ-Lutidostyril-mono-and-di-carboxylic acids (NIEME and V. PECHMANN), 1891, A., 676.

α-Lutidylalkine. See Hydroxypropylpyridine.

Lutidylquinoline. See Dimethylpyridylquinoline.

Luting for conduct-pipes (ANON.), 1883, A., 536.

Luzonite from the Argentine (KLOCK-MANN), 1891, A., 1435.

Lycaconine and lycaconitine (DRAGEN-DORFF and SPOHN), 1885, A., 403.

Lycium barbarum, alkaloids of (Schütte), 1892, A., 232.

Lycoctonic acid and lycoctonine (DRAGENDORFF and SPOHN), 1885, A., 403.

Lycopersicum esculentum, composition of the fruit of (BRIONI and GRELI), 1891, A., 955; (PASSERINI), 1891, A., 956.

Lycopodium, acids from (LANGER), 1889, A., 1059.

spores, constituents of (LANGER), 1889, A., 741.

Lycopodium Saururus, alkaloids from (ARATA and CANZONERI), 1892, A., 894.

Lymph, effect of heptone on the clotting of (Shore), 1891, A., 481. human (Munk and Rosenstein), 1891, A., 755, 849.

Lysatine and lysatinine (DRECHSEL), 1891, A., 95.

Lysine (DRECHSEL and KRUGER), 1892, A., 1500.

M.

Macassar oil (Thummel and Kwas-NICK), 1891, A., 1133.

Mace oil (Wallach), 1889, A., 1072; (Semmler), 1890, A., 1150.

Macleaya corduta, alkaloid of (EIJK-MAN), 1885, A., 404. Macleyine (EIJKMAN), 1885, A., 404. Maclura aurantiaca, composition of the leaves of (Pizzi), 1891, A., 490,

Macropiper methysticum (Kawu-kawa), substance from the root of (DAVIDOFF),

1888, A., 1207.

Madder, Caucasian, examination of (Bergami), 1887, A., 1061.

Madder colours (WURTZ), 1883, A., 598. Magdala red and magenta. See under Colouring Matters.

Magmas, fused, action of, on various minerals (Doelter and Hussak), 1884, A., 401.

Magnesia. See Magnesium oxide. "Magnesia alba" (KRAUT), 1883, A.,

Magnesia industry (Schlæsing), 1885, A., 1166.

Magnesia-knebelite from Dalecarlia (ĬGELSTRÖM), 1890, A., 1075.

Magnesia-mica, artificial (Vogt), 1888, A., 1260; (v. Chrustschoff), 1890, A., 343.

Magnesium, presence of, in calcium and sodium phosphates (Schlag-DENHAUFFEN), 1890, A., 664.

atomic weight of (MARIGNAC), 1884, A., 815; (BURTON and VORCE), 1890, A., 850.

molecular weight of (RAMSAY), 1889, A., 531, 533.

(metal), preparation of (WALTER), 1884, A., 1231; (v. Püttner), 1885, A., 1112.

production, electrolytic, of (GROTH). 1885, A., 940; (FISCHER), 1885, A., 942.

burnt, ammonia in (Aslanoglou), 1890, A., 1209.

spectrum of (HARTLEY), 1883, T., 392; (LIVEING and DEWAR), 1883, A., 2; 1889, A., 89; (AMES), 1891, A., 1.

mathematical analysis of the (GRÜNWALD), 1888, A., 389, 882.

heats of combination of bromine and iodine with (BEKETOFF), 1892, A., 762.

melting point of (MEYER), 1887, A., 445.

combustion of, in water vapour (Moody), 1891, P., 20.

action of alkaline carbonates and dicarbonates on (Balló), 1883, A., 574.

action of ammonia on (WARREN), 1889, A., 345; (Merz), 1892, A., 409.

Magnesium (metal), action of bromine on (GAUTIER and CHARPY), 1892, A., 118.

action of, on chlorides (SEUBERT and SCHMIDT), 1892, A., 776.

action of chlorine on (Cowper), 1883, T., 154; (GAUTTER and CHARPY), 1892, A., 118. action of ethylic and methylic

iodides on (Löhr), 1891, A., 683.

action of hydrogen peroxide and of water saturated with carbonic anhydride on (Giorgis), 1892, A., 17.

action of nitric acid on (MONTE-

MARTINI), 1892, A., 1403. action of nitrosyl chloride on (Sudborough), 1891, T., 656.

propylic iodide on action of (Lohr), 1891, A., 684.

as a reagent (WARREN), 1890, A.,

reduction of oxygen compounds by (WINKLER), 1890, A., 331, 451, 693, 1372; 1891, A., 801, 1155. platinised, as a reducing agent

(Balló), 1883, A., 1053. use of, in primary batteries (HEIM),

1888, A., 1002. use of, for Bengal lights (ANON.), 1885, A., 1172.

effect of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 381.

lowering of the freezing point of lead by (HEYCOCK and NEVILLE), 1892, T., 904.

Magnesium halogen compounds (Cross and BEVAN), 1888, P., 91.

compounds of, with hydrocarbon radicles, experiments on the existence of (MASSON and WILSMORE). 1891, P., 16.

salts, magnetic rotation of (PERKIN), 1890, P., 142.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

and ammonia, thermochemistry of reactions between (BERTHELOT), 1887, A., 96.

acetate, basic ("sinidor") (ANON.), 1883, A., 396.

arsenate (DE SCHULTEN), 1885, A.,

ammonium arsenate (Blakez), 1887. A., 204.

and sodium potassium arsenates (LEFÈVRE), 1890, A., 562, 563. orthoborate [Mg3B2O6] (LE CHATE-LIER), 1892, A., 404.

Magnesium boride (WINKLER), 1890, A., 693.

bromide and ammonium bromide (Lere II), 1881, A., 262, 263. lead bromide (Orro and Drewes),

1892, A., 566.

manganese bromide (SAUNDERS),

1892, A., 781. potassium bromide (LERCH), 1884, A., 262; (FEIT), 1889, A., 827.

stannibromide (LETEUR), 1892, A.,

carbonate, solubility of, in carbonic acid (Engel), 1885, A., 484.

and its combination with potassium hydrogen carbonate (ENGEL), 1886, A., 121.

and potassium hydrogen carbonates, limit to the combination of (ENGEL), 1885, A., 872.

hydrocarbonate (Engel), 1885, A., 724.

chloride, anhydrous (HEMPEL), 1888, A., 554.

solubility of, in water at 0° (ENGIL), 1887, A., 771.

solution decomposition of, in (Fousserrau), 1886, A., 975.

solutions, boiling points of (SKIN-NER), 1892, T., 341.

solutions, electrolysis of (Cross and Bevan), 1888, P., 91.

manufacture of chlorine from (DEWAIL), 1888, A., 411. lead chloride (Offo and Drewes),

1891, A., 151.

manganese chloride (SAUNDERS), 1892, A., 781.

sodium chromate (STANLEY), 1887, A., 111.

chromiodate (Benc.), 1890, A., 1378. chromites, basic (VIARD), 1891, A.,

mercury bromo- and iodo-cyanides

(VARET), 1891, A., 1442. hydride (Winkler), 1891, A., 1156. hydrosulphide solution and its use in chemico-legal cases as a source of hydrogen sulphide (DIVERS and Shimidzu), 1884, T., 699.

hydroxide, crystallised, formation of (DE SCHULTEN), 1885, A., 1183.

iodide and potassium iodide (Lerch), 1884, A., 262.

molybdate, rotatory power of comof malic acid with pounds (Gernez), 1890, A., 744.

combination of, with tartaric acid (GERNEZ), 1889, A., 859.

permolybdate (Pachard), 1892, A., 1160.

Magnesium nitride (WINKLER), 1890. A., 451; (Merz), 1892, A., 409. suboxide (Gorn), 1885, A., 123.

oxide (magnesia), containing rare earths (Johnson), 1886, A., 980. crystalline (Brugelmann), 1890, A., 850.

effects of the presence of, in Portcement land(LECHARTIER),

1886, A., 770. fluorescence of (LECOQ DE BOIS-

Bludran), 1887, A., 409. phosphorescence of (CROOKES),

1887, A., 1068.

action of hydrogen peroxide on (Kuriloff), 1892, A., 1278.

action of magnesium and hydrogen on (Winkler), 1891, A., 1156. dissociation of, by means

metallic magnesium (Morse and WHIFE), 1891, A., 643. saturation of arsenic acid by

(Blarez), 1887, A., 204. See also Periclase.

peroxide (Gibson and Morrison), 1886, A., 305.

hypophosphate (RAMMELSBERG), 1892, A., 404.

phosphate, crystallised (DE Schulten), 1885, A., 724.

ammonium phosphate(GAWALOWSKI), 1886, A., 204; (BERTHELOT), 1887, A., 202. crystals of, in urine (WEISKE),

1883, A., 609.

solubility of, in alcohol (WAKE-MAN), 1888, A., 1131.

estimation of nitrogen in (MAISSEN and Rossi), 1890, A., 291. potassium and sodium phosphates

(Ouvrard), 1888, A., 1035.

selenites (Bourzoureanu), 1891, A., 262.

silicates, action of sea-water on (JOHNSTONE), 1890, A., 451.

silicide (WINKLER), 1890, A., 1372. preparation of (GAFFERMANN), 1889, A., 342.

sulphate (BAILEY), 1887, T., 682. anhydrous, monohydrated, and heptahydrated, heats of solution of (Pickering), 1885, T., 100; 1886, T., 291.

solubility of (ETARD), 1888, A., 645.

See also Epsomite.

ammonium sulphate, form of crystals of, after expulsion of the ammonia (WARINGTON), 1888, P., 65.

copper potassium sulphate (Roy), 1887, P., 53.

Magnesium iron sulphate, native (BLAAS), 1884, A., 269.
potassium sulphate. See Potassium

magnesium sulphate.

sulphite (HARTOG), 1887, A., 886. use of, in sugar factories (BERGREEN and LICHT), 1884, A., 939.

ammonium sulphite (HARTOG), 1887, A., 887.

ammonium and potassium thiosulphates (Fock and Klüss), 1890, A., 564.

vanadates (Manasse), 1887, A., 389. Magnesium, cyanogen compounds of (Varet), 1891, A., 1442.

dimethyl (Löhr), 1891, A., 683. ethyl, attempts to prepare (Masson

and WILSMORE), 1891, P., 17.

Magnesium, estimation and separation:—

precipitation of (BLUM), 1889, A., 1087.

estimation of (BROOCKMANN), 1883, A., 380; (BRIANT), 1886, A., 490.

estimation of, in guncotton (SCHJERN-ING), 1892, A., 1520.

estimation of, in presence of manganese (Štolba), 1887, A., 865.

separation of aluminium, calcium and (Blum), 1889, A., 652.

Magnesium copper group, isomorphous mixtures of sulphates of (Rov), 1887, P., 53.

mixed double sulphates of (RAY), 1889, A., 346.

Magnesium zinc group, peroxides of (HAASS), 1885, A., 20.

Magnet, action of a, on chemical action (ROWLAND and BELL), 1839, A., 9. iron, electrochemical effects with (Andrews), 1890, A., 678.

Magnetic field, chemical behaviour of iron in (NICHOLS), 1886, A., 668.

influence of, on the electrical resistance of gases (Witz), 1890, A., 1359.

effect of, on the thermoelectric properties of bismuth (GRIMALDI), 1888, A., 102.

influence of temperature and state of aggregation on the behaviour of bismuth in (DRUDE and NERNST), 1891, A., 779.

thermal and electrical behaviour of some bismuth-tin alloys in the (v. ETTINGSHAUSEN and NERNST), 1888, A., 546.

variations in the electric resistance of antimony and cohalt in (FAE), 1887, A., 760.

Magnetic forces, influence of, on the nature of the heat conductivity of bismuth (v. Ettingshausen), 1888, A., 400.

Magnetic intensity, absolute, new method of directly measuring (LEDUU),

__1884, A., 1243.

Magnetic iron ore. See Magnetite.

Magnetic pyrites. See Pyrrhotite.

Magnetic retation See Photo

Magnetic rotation. See Photochemistry.

Magnetisation, influence of, on the resistance of magnetic liquids (NEE-SEN), 1885, A., 213.

Magnetism, relation between atomic weight and (ERRERA), 1891, A., 518; (BACHMETIEFF), 1892, A., 672. effect of, on chemical action (LOEB), 1891, A., 1145.

of organic compounds (WLEUGEL and HENRICHSEN), 1884, A., 1243; (HENRICHSEN), 1888, A., 769; 1892, A., 672.

of salts of metals of the iron group, effect of temperature on the (Plessner), 1890, A., 678.

units of (CLAUSIUS), 1883, A., 764.

Magnetite (magnetic iron ore), compact, from Cogne, Valley of Aosta (Zec-

CHINI), 1883, A., 429. from Scalotta (CATHREIN), 1886, A., 928.

artificial production of (GORGEU), 1887, A., 708.

magnetism of (Hornstein), 1886, A., 654.

association of, with sphene and rutile (CATHREIN), 1885, A., 27. ore districts in Brazil (DERBY), 1891, A., 994.

See also Ferrosoferric oxide under Iron.

Magnitudes, molecular (Rucker), 1888, T., 260; P., 10.

Mahwa flowers (Church), 1886, A., 389; (Heckel and Schlagden-Hauffen), 1889, A., 434.

Mairogallol (WEBSTER), 1884, T. 208.

Maize. See Agricultural Chemistry.

Maize-fibrin (CHITTENDEN and OsBORNE), 1892, A., 749.

Maize-kernel, proteids of the (CHITTENDEN and OSBORNE), 1892, A., 379, 746, 749.

Maize-myosin and -vitellin (CHITTEN-DEN and OSEGRNE), 1892, A., 747.

Maize-starch, absorption spectrum of (HARTLEY), 1887, T., 59. manufacture of (v. WAGNER), 1884, A., 528,

Malachite, artificial formation of (DE | SURULTEN), 1890, A., 454.

Malachite-green. See Colouring matters.

Malacolite from the Lizard (TEALL), 1891, A., 276.

Malamic acid. See Maleinamic acid. Malamidobenzoic acids (SCHIFF), 1886,

A., 621.

Malanilic acid. See Maleinanilic acid.

Maleates, ethereal (Ossifoff), 1889, A., 237. action of sodic alcoholates on (Pur-

action of sodic alcoholates on (Pur-DIE), 1885, T., 855.

Maleic acid, molecular weight of (PATERNÒ and NASINI), 1888, A., 1059.

conversion of fumaric acid into (TANATAR), 1892, A., 1306.

constitution of (Annutut), 1887, A., 916; (Michael), 1888, A., 134; (Winlicenus), 1888, A., 1058.

geometrical formula of, deduced from its products of oxidation (LE BEL), 1883, A., 44.

isomerism of fumaric acid and (Petrieff), 1884, A., 1301; (Anschutz), 1887, A., 916; 1888, A., 448; 1890, A., 363; (Ossipoff), 1889, A., 124.

magnetic rotatory power of (PERKIN), 1888, T., 572, 591.

molecular refraction of (KNOPS), 1888, A., 938; 1889, A., 198.

heat of combustion of (LUGININ), 1888, A., 893.

thermochemistry of (GAL and WERNER), 1887, A., 205; (STUHMANN, KLEBER and LANGBEIN), 1889, A., 1097; (STOHMANN and KLEBER), 1892, A., 1041.

action of, on suiline (Ossipoff), 1889, A., 124.

action of bromine on (FITTIG), 1891, A., 39.

conversion of, into aspartic acid (Engel), 1887, A., 917; (Körner and Menozzi), 1887, A., 1100.

transformation of, into aspartic acid and asparagine (Korner and Men-

OZZI), 1887, A., 1100.
conversion of, into fumaric acid
(SEMENOFF), 1889, A., 1146;
(SKRAUP), 1890, A., 1397; 1891,
A., 1388; (DELISLE), 1892, A.,
297; (TANATAR), 1892, A., 1305.
homologues of (BISCHOFF), 1891, A.,

291.

Maleic acid, bromo-, action of aniline on (MICHAEL), 1886, A., 698.

Maleic acid, dibromo- (CIAMICIAN and SILBER), 1884, A., 1117.

Sigher), 1884, A., 1117. chloro- (KAUDER), 1885, A., 652; (Perkin), 1888, T., 706; P., 75. dichloro-, and its anhydride (KAUDER), 1885, A., 652.

Maleic anhydride, preparation of (Vol-HARD), 1892, A., 963. rate of formation of (REIGHER), 1885,

A., 757.

magnetic rotatory power of (PERKIN), 1888, T., 568, 596.

heat of hydration of (Ossipoff), 1890, A., 680.

action of phosphorus pentachloride on (ANSCHUTZ and WIRTZ), 1885, T., 899.

chloro- (PERKIN), 1888, T., 703.

Maleic anilide (MICHAEL and PALMER),

Maleic anilide (MICHAEL and PALMER)
1888, A., 461.

bromide, bromo- (HILL and SANGER), 1884, A., 1305.

tetruchloride, a- and B-dichloro-(KAUDER), 1885, A., 652.

dianilide (Anschutz and Wirtz), 1887, A., 934; (Michael and Palmer), 1888, A., 461.

phenylimide (malcinanil) (AN-SCHUTZ and WIRTZ), 1887, A., 934; (OSSIPOFF), 1889, A., 124. dichloro- (KAUDER), 1885, A., 652. chloride of, dichloro- (ANSCHUTZ and BEAVIS), 1891, A., 1047.

diethyl and dimethyl ethers, dichloro- (Anschutz and Beavis), 1891, A., 1048.

Maleimide. See Maleinimide.

Maleinamic acid (malamic acid) (Curtus and Koch), 1887, A., 34; (Anschutz), 1891, A., 176.

dichloro- (CIAMICIAN and SILBER), 1890, A., 25. Maleinanil. See Maleic phenylimide.

Maleinanil. See Maleic phenylimide.

Maleinanilic acid (malanilic acid)
(ANNCHÜTZ), 1891, A., 176.

Maleinimide (maleimide), derivatives of

Maleinimide (maleimide), derivatives of (CIAMICIAN and SILBER), 1889, A., 384.

dibromo- (CIAMICIAN and SILBER), 1884, A., 1116; 1885, A., 993.

chloro- (CIAMICIAN and SILBER), 1884, A., 293.

dichloro- (CIAMICIAN and SILBER), 1884, A., 293, 1115.

action of phosphorus pentachloride on (CIAMICIAN and SILBER), 1884, A., 1116.

derivatives of (CIAMICIAN and SILBER), 1890, A., 24.

chloramido- (CIAMICIAN and SILBER), 1890, A., 25. Maleinmethylimide, dibromo-(DE) VARDA), 1889, A., 57.

Maleylphenylhydrazide (Anschutz), 1885, A., 1049; (Hötte), 1887, A., 671.

Malic acid (VAN'r Hoff), 1885, A., 1201; 1886, A., 48; (SCHMIDT), 1886, A., 869.

in suint (A. and P. Buisine), 1888, A., 976.

synthesis of (v. GARZAROLLI-THURN-LACKH), 1892, A., 429.

obtained from fumaric acid, decomposition of (BREMER), 1886, A., 48.

optical properties of (Bell), 1886, Λ., 1.

heat of neutralisation of (GAL and Werner), 1887, A., 96, 205.

thermochemistry of (MASSOL), 1892, A., 260.

action of, on ammonium molybdate (GERNEZ), 1889, A., 1147.

condensation product of (v. Pech-MANN), 1884, A., 1124; (v. Pich-MANN and Welsh), 1885, A., 174.

combination of, with alkaline phosphomolybdates (GERNEZ), 1891,

A., 545.

potassium combination of, with sodium molybdate and with acid sodium molybdate (GERNEZ), 1891, A., 291.

combination of, with normal potassium and sodium tungstates (GER-

NEZ), 1890, A., 1102. rotatory power of compounds of, with normal lithium and magnesium molybdates (Gernez), 1890, A.,

calcium salts of (Iwig and Hechi),

1886, A., 870. ethereal salts of (Anschütz), 1885,

A., 1049. homologues of (MICHAEL and TISSOT),

1891, A., 1455. estimation of, in wine (GANS), 1890, A., 427; (Niederhauser), 1891, A., 128; (Schneider), 1891, A., 371.

separation of, from citric, succinic and tartaric acids (MICKO), 1892, A., 1531.

isoMalic acid. See Citric acid.

Malic a-dinaphthalide (Bischoff and NASTVOGEL), 1890, A., 1163. diphenylhydrazide (Bulow), 1887,

A., 138.

action of carbonyl chloride on (FREUND), 1892, A., 511.

Malic di-o- and -p-toluidides (BISCHOFF and Nastvogel), 1890, A., 1163. B-naphthil and o-toluil (BISCHOFF

and Nastvogel), 1890, A., 1163. Mallotoxin (A. G. and W. H. PERKIN), 1887, A., 272; (JAWEIN), 1887, A.,

Malonamide (HENRY), 1885, A., 886. preparation of (FREUND), 1884, A.,

728. diamido- (Conrad and Bruckner), 1892, A., 40.

dibromo- (FREUND), 1884, A., 1124. imido- (CONRAD and BRUCKNER), 1892, A., 40.

Malonamidobenzoic acid (Schiff), 1886, A., 549.

Malonanilic acid (phenylmulonamic acid) (Seifert), 1885, A., 983.

and some of its salts (RUGHEIMER), 1884, A., 729.

Malonanilide (FREUND), 1884, A., 728. Malonates, solubilities of (KLEEM INN),

1886, A., 935. ethereal, action of zinc and ethylic or allylic iodide on (MARTINOFF and Schukowski), 1888, A., 820.

Malonic acid (Komneyos), 1884, A., 422; (FREUND), 1884, A., 728, 1123.

magnetic rotatory power of (Penkin),

1888, T., 562, 587. heat of neutralisation of (GAL and Werner), 1887, A., 96; (Massol), 1888, A., 1240; 1889, A., 857.

specific heat of (HESS), 1889, A., 93. thermochemistry of (Luginin), 1889 A., 5; (Stohmann, Kleber and LANGBEIN), 1889, A., 1097; (MAS-

SOL), 1891, A., 968. behaviour of, on heating (KRAFFT and Noerdlinger), 1889, A., 690. peculiar reaction of (KLEEMANN),

1886, A., 935. action of aldehydes on (KOMNENOS), 1884, A., 422; (CLAISEN), 1884, A., 445.

action of benzaldehyde on (CLAISEN and CRISMER), 1884, A., 444.

condensation-products formed benzaldehyde with (STUART), 1883, T., 403.

action of cinnamic and salicylic aldehydes on (STUART), 1886, T., 365.

action of o-nitrocinnamaldehyde on (Einhorn and GEHRENBECK), 1890, A., 163.

action of phosphorus pentachloride on (Béhal and Auger), 1889, A., 958.

Malonic acid derivatives (FREUND), 1884, A., 728, 1123; (RUGHEIMER), 1884, A., 729.

substituted derivatives of, action of nitric acid on (FRANCHIMONI), 1886, A., 533.

phenylhydrazide (FISCHER and PASS-MORE), 1890, A., 155.

ammonium salts of (MASSOL), 1889, A., 857.

barium salts of, heats of formation and solution of (Massor), 1889, A., 958.

calcium salt of (MASSOL), 1889, A., 691.

lithium salts of, and their heats of formation (Massol), 1890, A., 1396. potassium salt of, thermochemistry of (Massol), 1888, A., 1239.

potassium hydrogen salt of (MASSOL), 1890, A., 740.

silver salt of, heat of formation of (MASSOL), 1890, A., 1397.

sodium salt of, thermochemistry of (MASSOL), 1888, A., 1239.

strontium salt of (MASSOL), 1889, A., 691.

Malonic acid, halogen derivatives of (CONRAD and BRUCKNER), 1892, A., 39.

dibromo- (MASSOL), 1892, A., 1140. cyano-, ethereal salts of (HALLER), 1889, A., 858.

nitroso-, constitution of (MEYER and MULLER), 1883, A., 790.

Malonic chloride, thermochemistry of (BERTHELOI), 1891, A., 967.
Malonobisphenylhydrazide (FREUND

and Goldsmith), 1888, A., 686. s-Malonotribromanilide (FREUND),

1884, A., 1123. Malonodianilide (Rughlimen), 1884,

A., 729; (QUENDA), 1892, A., 1072. Malonodinitrile (HENLY), 1886, A., 786, 860.

heats of combustion and formation of (BenimeLor and Perir), 1889, A., 812.

Malonophenylhydrazide (FISCHER and PASSMORE), 1890, A., 155.

Malonyldibenzamic acid (SCHIFF), 1884, A., 906; 1886, A., 549.

Malonyl-p-toluidic acid (RUGHEIMER and HOFFMANN), 1884, A., 1023.

Malonyltoluidic acids, isomeric, and their salts (Rügheimer and Hoff-Mann), 1886, A., 147.

Malt (ANON.), 1883, A., 631. stored (ANON.), 1885, A., 1169. preparation of (Bernheuther),1885, A., 1278. Malt, albuminoids in, behaviour of tannin in hops towards (Moriiz and Lee), 1884, A., 527.

nitrogenous constituents of (ULLIK), 1883, A., 821; 1884, A., 526; (LINTNEIL), 1884, A., 790; (BUNGERER and FRIES), 1884, A., 1446. non-nitrogenous extract-substance

from (LINTNER), 1891, A., 957. distribution of diastase in (Brown and Morris), 1890, T., 508.

oxalic acid in (SIEWERI), 1883, A., 232. from 1877 barley, composition of (ANON.), 1883, A., 111.

and barley, and analyses of (ANON.), 1884, A., 233.

biological test for (FAULKNER and VIRTUE), 1888, A., 1228.

estimation of acidity of (PRIOR),1887, A., 87.

See also Barley and Brewing.

Maltase (Wijsman), 1890, A., 998.

Malt-combings, utilisation of, in the manufacture of pressed yeast (HAYDUCK), 1884, A., 790.

and the amides contained in them, influence of, on the yield of milk (SOHRODT and HANSSEN), 1885, A., 929.

Malt-extract by different waters (Moritz and Hartley), 1884, A., 1445.

diastasic power of (CRIPPS), 1890, A., 432.

analysis of (Jungk), 1884, A., 529. estimation of (Kruis), 1884, A., 1439. Maltic acid (Cuisinier and Killani), 1883, A., 42.

Malto-γ-diamidobenzoic acid (GRIESS and HARROW), 1887, A., 931.

Maltobionic acid (FISCHER and MEYER), 1889, A., 1132.

Maltodextrin (Brown and Morris), 1880, T., 560; (HLEFFELD), 1886, A., 221; (Brown), 1886, A., 438. molecular weight of (Brown and Mouris), 1889, T., 465; P., 96.

Maltosaccharin (Cuisinier and Kili-Ani), 1883, A., 42.

Maltose and its derivatives, Sec Carbohydrates.

Malt-peptone(SZYMANSKI), 1885, A., 822.
Malt-residues, formation of arabinose and xylose from (STONE and TOL-LENS), 1889, A., 480.

Malt-wort, lactic ferment occurring in (LINDNER), 1888, A., 622.

Malyldibenzamic acid (SCHIFF), 1886, A., 622.

Mammals, formation of uric acid in the blood of (MARES), 1892, A., 1257. Mammals, origin of uric acid in (Hor-BACZEWSKI), 1890, A., 184. production of leucocytosis in (Hor-

BACZEWSKI), 1891, A., 1340.

Manchester yellow (Martius' yellow; dinitro-a-naphthol), physiological action of (WEYL), 1888, A., 1122. toxic effect of (CAZENEUVE and LE-PINE), 1886, A., 273. Mandelamide (BEYER), 1884, A., 65:

(Pulvermacher), 1892, A., 1203.

Mandelic acid (a-hydroxyphenylacetic acid; phenylglycollic acid) (MICH-AEL and JEANPRÉTRE), 1892, A., 1088.

preparation of (ENGLER and WOHRLE), 1887, A., 948.

action of nitric acid on (PRATESI), 1892, A., 607.

active, conversion of, into inactive (LEWKOWITSCH), 1884, A., 318. derivatives of (THATE), 1884, A.,

1170; (Beyen), 1885, A., 982. derivatives, preparation of (ENGLER

and Wohrle), 1887, A., 948. preparation of the amide, anilide and phenylhydrazide of (BIEDERMANN), 1892, A., 473.

nitrile of (MICHAEL and JEANPRÉTRE), 1892, A., 1088.

Mandelic acid, 4-iodo- (Schweitzer),

1891, A., 831. o-nitro- (Engler and Wohrle), 1887, A., 948; (Engler and Zielke),

1889, A., 508. action of reducing agents

(THATE), 1884, A., 1170. reduction of (DUPARC), 1887, A.,

p-nitro-, preparation of (ENGLER and ZIELKE), 1889, A., 508.

o-p-dinitro- (Pratesi), 1892, A., 607, 1333.

i-Mandelic acid, separation of, into two optically active isomerides (LEW-KOWITSCH), 1883, A., 1124.

/-Mandelic acid (Lewkowitsch), 1883,

А., 1124. Mandelic anilide (REISSERF and KAY-SER), 1891, A., 438.

Mandelic tropeine (homatropine), salts of (LADENBURG), 1883, A., 671.

Mandelic \(\psi\)-tropeine \((\psi\)-homatropine) (LIEBERMANN and LIMPACH), 1892, A., 891.

Mandragora, alkaloids of (Ahrens), 1889, A., 1074, 1222.

Mandragorine (AHRENS), 1889, A., 1074, 1222.

Manganese in marine muds (IRVINE and Gilson), 1891, A., 995.

Manganese in sea-water and in certain deposits (DIEULAFAIT), marine 1883, A., 725.

on the surfaces of rocks (Boussin-GAULT), 1883, A., 170.

existence of, in plants and animals (MAUMENE), 1885, A., 421. in wines and other vegetable and

animal products (MAUMENÉ), 1884, А., 879.

substitution of, for iron in plant nutrition (SPAMPANI), 1891, A., 1394.

fluorescence of (Lecoq DE Boisbau-DRAN), 1887, A., 189, 873, 1006.

fluorescence of compounds of, in a vacuum under the influence of the silent discharge (LECOQ DE Boisbaudran), 1887, A., 3.

in_fluorescent mixtures (Lecoq de Boisbaudran), 1888, A., 1229.

in fluorescent mixtures, degree of oxidation of (Lecoq de Boisbaud-RAN), 1888, A., 329, 544, 1001, 1229; 1889, A., 2.

phosphorescence of, in the sulphides of the alkaline earth metals (KLATT and LENARD), 1890, A., 201.

atomic weight of (DEWAR and SCOTT), 1883, A., 856; (MARIGNAC), 1884, A., 814.

molecular weight of (RAMSAY), 1889, T., 532, 533.

(metal) extraction of, from its ores (Anon.), 1884, A., 1233.

preparation of (GLATZEL), 1890, A., 110.

magnetic properties of (WARREN), 1887, A., 1081.

specific gravity of (GLATZEL), 1890, A., 110.

chemistry of (Christensen), 1886, A., 854.

action of carbonic oxide on (GUNTZ), 1892, A., 568.

action of nitric acid on (MONTE-MARTINI), 1892, A., 1404.

action of nitrosyl chloride on (Sunвопотен), 1891, Т., 660.

effect of, on the properties of steel (Osmond), 1887, A., 639.

effect of, on the phosphorescence of calcium carbonate (BECQUEREL), 1887, A., 190.

Manganese alloy with iron. Sec Ferromanganese.

Manganese compounds (FRINKE), 1887, A., 1016; 1888, A., 229; (Schjern-ING), 1892, A., 1052.

Manganese, salts of, effect of roasting on (Gorgev), 1888, A., 653.

Manganese antimonate (Beilstein and v. Blase), 1889, A., 1121; (EBEL), 1890, A., 216.

arsenate (Christensen), 1884, A., 399; (Colorianu), 1886, A., 771; (LEFEVRE), 1890, A., 563.

arsenates from Nordmarken in Wermland (Sjogren), 1885, A., 959. potassium and sodium arsenates (Le-

FEVRE), 1890, A., 563. carbonate, action of air on (GURGEU), 1889, A., 830.

See also Rhodochrosite.

chloride (Christensen), 1887, 335; (Saunders), 1892, Α., Α., 780.

electrolytic of conductivity (HAMPE), 1888, A., 889. action of metallic oxides on (ANDRI),

1888, A., 651.

double chlorides (Stunders), 1892, A., 780.

tetrachloride (VERNON), 1890, P., 58; 1892, A., 19; (Pickering), 1892, A., 687.

ammonium and potassium chromates (Hensgen), 1886, A., 426.

fluoride (Christensen), 1887, A., 335. ammonium fluoride (CHRISTENSEN), 1887, A., 448, 892.

potassium fluorides (CHRISTENSEN), 1887, A., 336.

sodium fluoride (Christensen), 1887, A., 443.

hydroxide (manganic hydroxide) from the Euganeen, Italy (DI Boc-CARD), 1892, A., 689.

action of aluminium sulphite on (Scurati-Manzoni), 1884, A., 700.

See also Manganite.

molybdate (Colorianu), 1889, A.,

oxides (Christensen), 1884, A., 397; (RAMMELSBERG), 1888, A., 232; (GORGEU), 1890, A., 570.

formation of deposits of (DUNNING-TON), 1889, A., 21.

formation of, in the wet way (GORGEU), 1889, A., 829.

effect of roasting on (GORGEU), 1888, A., 653.

actions of, with ammonium chloride (DIVERS), 1883, A., 272. action of hydrogen peroxide on

(Gorgeu), 1890, A., 946.

monoxide (manganous oxide), action of nitric oxide on (SABATIER and SENDERENS), 1892, A., 1152.

Manganous acid (FRANKE), 1888, A., 229; (Gorgeu), 1890, A., 1060.

Manganites of the alkaline earths (Rousseau), 1885, A., 1114; 1886, À., 425.

Manganese dioxide (peroxide) (Gongru), 1891, A., 270.

natural formation of (BERTHELOI), 1883, A., 425.

constitution of (SPRING and LUCION), 1890, A., 566. action of hydrochloric acid on

(Vernon), 1890, P., 58.

action of sclenious acid on (LAU-GIER), 1887, A., 775.

influence of, on the decomposition of potassium chlorate (McLEOD), 1889, T., 184; P., 26; (FOWLLR and GRANT), 1890, T., 277. estimation of, by means of hydrogen

peroxide (CHARPENIIER), 1885, A., 1162; (BAUMANN), 1891, A., 245.

estimation, volumetric, of '(HAR-VEY), 1883, A., 513; (LUNGE), 1890, A., 1470.

titration of, in Weldon muds (M'Kellar), 1890, A., 548.

See also Pyrolusite.

hydrated (FRANKE), 1888, A., 229; (Gorgeu), 1890, A., 1060. See also Psilomelane.

Manganic acid (Franke), 1887, A., 894. sulphur derivatives of (KRUSS),

1884, A., 1269. Manganates, formation of, from per-

manganates (Rousseau), 1887, A., 552. scsquioxide, compound of, with cupic

oxide (SCHNEIDER), 1887, A., 1081.

See also Braunite.

trioxide (FRANKL), 1887, A., 893; (THORPE and HAMBLY), 1888, T., 175; P., 2.

trimanganic tetroxide $(\mathbf{Mn_3O_4})$ (Franke), 1887, A., 1016. See also Hausmannite.

heptoxide (THORPE and HAMBLY), 1888, T., 177.

Permanganie acid, action of hydrogen peroxide on (Gorgev), 1890, A., 1062.

Permanganates, action of hydrogen peroxide on (Gorgeu), 1890, A., 1062; (ENGEL), 1892, A., 277.

formation of manganates and manganites from (Rousseau), 1887, A., 552.

compounds of ammonia with (KLOBB), 1886, A., 983; 1888, A., 230; 1890, A., 947.

Permanganates, titration of, with hydrogen peroxide (VANINO), 1891, A., 246.

Manganic manganous oxide (Mn₅O₈) (Franke), 1887, A., 1016.

Manganese soluble oxide (Spring and DE BOECK), 1888, A., 228.

phosphate (CHRISTENSEN), 1884, A., 399.

sodium metaphosphate (Schjerning), 1892, A., 1053.

hydrogen and potassium pyrophos-phates (Schjerning), 1892, A., 1052.

pyrophosphate (Christensodium sen), 1884, A., 399.

alkali phosphates (OUVRARD), 1888, A., 1035

selenites (BOUTZOUREANU), 1888, A., 220; 1891, A., 262.

silicates (DES CLOIZEAUX), 1886, A., 320.

See also Manganese-spar and Rhodonite.

chloro- and iodo-silicates (Gongre), 1884, A., 562, 563.

sulphate (CLAASSEN), 1887, A., 774. aluminium sulphate, a new hydrous, from Sevier Co., Tennessee (BROWN), 1885, A., 226.

zinc ammonium sulphate (Roy), 1887, P., 53.

oxysulphate (Frankr), 1887, A., 893. sulphide, solubility of, in fused potassium sulphide (CLAASSEN), 1887, A., 449.

sodium sulphide (BRUNNER), 1890, A , 215.

sulphides (GAUTIER and HALLOPEAU), 1889, A., 677.

sulphite (Gorgev), 1883, A., 558. double sulphites of, with the alkalis

GORGEU), 1883, A., 718. thiosulphate (VORTMANN and PAD-BERG), 1890, A., 12: (Fock and

KLUSS), 1890, A., 564. sodium thiosulphate (VORTMINN and

PADBERG), 1890, A., 12. paratungstate (GONZALEZ), 1887, A., 895.

Manganese compounds analogous to ferro- and ferri-cyanide of potassium, preparation of (Christensen), 1885, A., 737.

ammonium ferrocyanide (Вычм), 1891, A., 1293.

Manganese, detection, estimation and separation:-

microchemical test for (v. HAUS-HOFER), 1887, A., 300. detection of (KLEIN), 1889, A., 653.

Manganese, detection, estimation and separation :-

detection of, in commercial zinc-dross and in calamine (GUYARD), 1884, A., 640.

detection of, in presence of zinc ly electrolysis (GUYARD), 1884, A., 368.

of, with bromine precipitation (Wolff), 1884, A., 640; (Hol-Thof), 1885, A., 690.

precipitation of, as ammonium manganous phosphate (McKENNA), 1891, A., 1138.

precipitation of, as peroxide (ALT), 1890, A., 419.

estimation of (ANON.), 1885, A., 1264; (DIEHL), 1886, A., 101; (BARLOW), 1886, A., 393; (ATKINSON), 1887, A., 399; (MEINLKE), 1887, A., 1139; (SCHNEIDER), 1888, A., 873.

estimation of, as sulphide (MINEKE), 1888, A., 1132.

estimation of, by the chlorate method (v. Reis), 1892, A., 1132.

estimation of, by means of hydrogen peroxide (CARNOT), 1889, A., 443.

estimation of, with potassium per-mangenate (Jolles) 1889, A., 798. estimation of small quantities of, by Chatard's method (THORPE and HAMBLY), 1888, T., 182.

estimation of, in foods (STEIN), 1889, A., 188.

estimation of, in ferromanganese, spiegeleisen, etc. (BLOXAM), 1885, A., 84; (KALMANN and SMOLKA), 1885, A., 690.

estimation of, in cast iron or spiegeleisen (Bloxam), 1885, A , 84.

estimation of small quantities of, in iron rich in silicon (REINHARDY), 1888, A., 1132.

estimation of, in iron ores (ANON.), 1883, A., 883; (Zulkowski), 1884, A., 116.

estimation of, in iron and steel (Schoffel and Donath), 1884, A., 116; (TROILIUS), 1885, A., 597; (BABBITT), 1887, A., 619; (MORGAN), 1887, A., 1140; (WEISSMANN), 1888, A., 992; (BLUM), 1891, A., 963; (RURUP),1892, A., 916; (RUBRICIUS), 1892, A., 1030, 1524.

estimation of, in pig iron, effect of

silica on (Drand), 1887, A., 183. estimation of, in its ores and alloys (J. and H. S. Pattinson), 1892,

estimation of, in ores, slags, etc. (MYHLERTZ), 1891, (Nonnis), 1892, A., 385.

Manganese, estimation and separa- Manganese-hisingerite, a tion:- (Whibull), 1886, A., 34.

estimation of, in soils (VAN BEM-MELEN), 1890, A., 833.

estimation of zine in the presence of

(NEUMANN), 1888, A., 549. estimation, colorimetric. of (LEDEBUR), 1883, A., 242; (OSMOND), 1885, A.,

estimation, electrolytic, of (Moone), 1886, A., 921; (Brand), 1890, A.,

294; (SMITH), 1890, A., 1029. estimation, volumetric, of (MACKINtosu), 1884, A., 220; (Spone), 1881, A., 499; (SCHLAGDENHAUFFEN), 1885, A., 442; (RAIMOND), 1885, A., 840; (Schoffel and Donath), 1887, A., 399; (MEINEKE), 1887, A., 531; (VORTMANN), 1890, A., 1470; (MOORE), 1891, A., 962; (Blum), 1891, A., 1293.

estimation, volumetric, of, by means of potassium chlorate (HAMPE), 1886, A., 101; (v. Reis), 1892, A., 1132.

estimation, volumetric, of, influence of organic matter and iron on (MACKINTOSH), 1885, A., 85.

separation of, from calcium and iron (RURUP), 1892, A., 916.

separation of, from much lime, error in (Blum), 1889, A., 1087. separation of, from iron (Blum), 1887,

A., 183; (MEINEKE), 1889, A., 441; (CAMPBELL), 1892, A., 193.

separation of, from iron and nickel (CARNOT), 1886, A, 650.

separation of nickel and cobalt from (JANNASCH and FRANZEK), 1892, A., 240.

separation of, from the sequioxide and phosphoric (MEINEKE), 1889, A., 309.

separation of, from zinc (BAYLEY), 1888, A., 388; (JANNASCH and MACGREGORY), 1891, A., 963; (DONATH), 1892, A., 384; (JANNASCH and NIEDERHOFHEIM), 1892, A., 537.

separation of, from zinc, aluminium, iron, nickel, and cobalt (Moore),

1888, A., 631.

Manganese-apatite (WEIBULL), 1887, A., 781.

from Saxony (v. SANDBERGER), 1886, A., 432.

Manganese-blende. See Alabandite. See Piedmontite. Manganese-epidote. Manganese-garnet. See Spessartite. Manganese-hedenbergite (Gorgeu),

1884, A., 410.

analysis

Manganese-iron-olivine, artificial crystals of (LASPEYRES), 1884, A., 410.

Manganese minerals from Vester-Silf-

berg in Dalaine (Weibull.), 1884,

A., 409. from Wermland (IGELSTROM), 1886, A., 34.

origin of (Dieulafait), 1885, A., 644, 1119.

Manganese-ochre from Upsala (DE GEER), 1883, A., 429.

Manganese-ores (SCHUBERT), 1883, A., 36.

from Dillenburg (SCHNEIDER), 1888, A., 1260; 1890, A., 459.

in Ekaterinoslav (Kozowski), 1891, A., 648. of Transcaucasia (Kozowski), 1891,

A., 647. analyses of (v. Lill and Schneider),

1884, A., 24. estimation of cobalt in (MOORE), 1892,

A., 917. Manganese-spar from Arzberg (SANDBERGER), 1892, A., 1406. from Scharfenberg (ZINKEISEN), 1892, A., 1406.

See also Manganese silicate.

Manganese-steel (GAUTIER), 1885, A.,

Manganese-zinc-serpentine from Franklin, New Jersey (König), 1887, A., 646; 1888, A., 565.

Manganiferous spring waters (MASON), 1890, A., 854.

Manganite from Oberstein (BRAUNS), 1886, A., 675.

pseudomorph of (Gorgeu), 1888, A.,

See also Manganese hydroxide.

Manganocalcite (Whibull), 1886, A., 33; (Des Cloizeaux), 1886, A., 320. Mangano-magnesian magnetite (CHES-TER), 1891, A., 274.

Manganopectolite from Arkansas (WIL-LIAMS), 1891, A., 407.

Manganophyllite from Harstigen Mine, Sweden (Hamberg). 1892, A., 1411.

from Längban (FLINK), 1889, A., 221. Manganostibiite, a mineral from Werniland (IGELSTROM), 1886, A., 25.

Manganotantalite from the Ural (ARZ-RUNI), 1888, A., 234.

Manganous oxide. See Manganese monoxide.

Agricultural Mangel wurzel. Sec Chemistry. Mangostin and isomangostin (LIECHTI). 1892, A., 205, 206.

642

Manna, eucalyptus, melitose from (Tol-LENS), 1886, A., 527. Turkestan (turonijabin) (Markowni-

KOFF), 1885, A., 943. β-Mannide (SIWOLOBOFF), 1885, A., 367; 1886, A., 682.

307; 1850, A., 602.
isoMannide (FAUCONNIER), 1883, A.,
306; 1884, A., 573, 1111; 1885,
A., 743; (ALECHIN), 1885, A., 744.

derivatives of (FAUCONNIER), 1884, A., 1111.

٠١٠, ١١١١٠

Mannite and its derivatives. See Mannitol under Carbohydrates.

Mannitine, an alkaloid obtained from mannitol (Scientione and Denaro), 1883, A., 50.

Mannitoids (MEUNIER), 1888, A., 1019. d-Mannoctifol (FISCHER and PASS-

MORE), 1890, A., 1233.

Mannoctolactone (FISCHER), 1890, A., 598; (FISCHER and PASSMORL), 1890, A., 1232.

Mannoctonic acid and mannoctose (Fischer), 1890, A., 598.

d-Mannoctose (Fischer and Passwore), 1890, A., 1232.

Mannoheptitol (FISCHER). 1890, A., 598.
d-Mannoheptonic acid (manascaurbought acid) (FISCHER and HIRSCHERGER), 1889, A., 482; (FISCHER and PASSMORE), 1890, A., 1230.

reduction of (Fig. HER), 1889, A., 1149. derivatives of (Fischer and Hirsch-Berger), 1889, A., 482.

phenylhydrazide (Fischer and Pass-MORE), 1890, A., 154.

Mannoheptose (Fischer), 1890, A., 598. d-Mannoheptose and derivatives (Fischer and Passmore), 1890, A., 1230.

CHER and PASSMORE), 1890, A., 1230. Mannonic acid and its derivatives (Fischer and Hisscherger), 1890, A., 225.

i-Mannonic acid (Fischer), 1890, A., 467.

l-Mannonic acid. See Arabinosecarboxylic acid.

d-Mannonic lactone and d-mannonose (Fischer and Passmore), 1890, A., 1233.

i-Mannosaccharic acid (FISCHER), 1891, A., 679.

d-Mannosaccharic acid (EASTERFIELD), 1891, T., 306; P., 44; (FISCHER), 1891, A., 678.

configuration of (FISCHER), 1891, A., 1176.

phenylhydrazides of (Fischer), 1891, A., 679.

l-Mannosaccharic acid (metasaccharic acid) (Kiliani), 1888, A., 821; 1889, A., 590. l-Mannosaccharic acid (metasucchuric acid), configuration of (Fischer) 1891, A., 1176.

diphenylhydrazide (Killiani), 1888, A., 46.

double lactone of (KILIANI), 1887, A., 466; 1888, A., 46.

d-Mannosaccharodiamide (FISCHER), 1891, A., 679.

Mannose and its derivatives. See Carbohydrates.

Mannosecarboxylic acid. See Mannoheptonic acid.

Mannoso-cellulose (SCHULZE), 1891, A., 1179.

Manometers, alterations in the arrangement of (OL-ZEW-KI), 1885, A., 475. compressed gas, correction of the numerical results given in a former paper on (AMAGAT), 1885, A., 341.

Manures. See Agricultural Chemistry.

Maple syrups, composition of (WILEY),

1885, A., 499.

Microsmius oreadum (Liwes, Gilbert and Warington), 1883, T., 212.

Marble, black, of Kilkenny (HARTLEY), 1988, A., 119.

influence of temperature on the rapidity of the action of acidson (SPRING), 1887, A., 882.

rate of the action between hydrochloric acid and (v. Boguski), 1888, A., 900.

solubility of. in sea water (THOULET), 1889, A., 682.

See also Calcium carbonate.

Marbles, cipolin, of primary formations, manganese in (DIEULAFAIT), 1884, A., 716.

Marcasite from the Apfel mine and from Bleisebarley, analyses of (KOSMANN), 1884, A., 969. recent formation of (PALLA), 1887,

recent formation of (PALLA), 1887, A., 901.

artificial production of (DOELTER), 1886, A., 208.

pseudomorphs after (Conen). 1888, A., 563.

See also Ferric sulphide under Iron.

Margarimeter of Leune and Harbulet
(GABEL), 1883. A., 247

Margarine, addition of phenolphthalein to (HoLM) 1891, A., 872.

analysis of (BRULLE), 1891, A., 506. tests for (Horsley), 1885, A., 696.

detection of, in butter (PIANCHON), 1889, A., 315; (LEEÉ), 1891, A., 1300; (RODEWALD), 1892, A., 1034.

estimation of fat in (Lezu and Al-LAED). 1892, A., 392. Margarine and butter, discrimination of (VIOLLETTE), 1891, A., 130.

Margarite from Gainesville, analysis of (CLARKE and CHATARD), 1885, A., 491.

Markgräfler of different districts and vintages, analyses of (WACHTER), 1883, A., 631.

Marmalite from Himmelfahrt Mine, Freiberg (BRUCE), 1885, A., 222.

Marrow, bone-, fat of (Monn), 1890, A., 652.

cattle (THUMMEL), 1890, A., 1172.

Marsh-gas. See Methane.

Marsh-gas fermentation. See Fermentation.

Martinite from the West Indies (Kloos), 1888, A., 233.

Martite from Biazil (DLRBY), 1883, A., 559; (LAVENTR), 1892, A., 1055. of the Cerro de Mercado, or Iron Mountain of Durango, Mexico, and certain iron ores of Sinaloa (SILLIMAN), 1883, A., 162.

Martius' yellow. See Manchester yellow.

Mash, loss of sugar by long steaming
of (GRIESSMAYER), 1883, A., 136.
sweet, estimation of undissolved

starch in (SPITZER), 1886, A., 746.

Mashing temperature (STENGLEIN), 1884, A., 789.

Masrite and masrium (RICHMOND and OFF), 1892, T., 494; P., 87.

Mass, influence of, on chemical processes (Spring), 1885, A., 480; (Kehrmann), 1891, A., 257; (Magnanini), 1891, A., 480.

influence of, on the chlorination of combustible gases (ROMER), 1886, A., 845.

Massoy bark oil (Woy), 1890, A., 638. Massoyene (Woy), 1890, A., 638; 1891, A., 464; (Wallach), 1890, A., 1316; 1891, A., 935.

Maté (Spillin), 1884, A., 354; (Peckolt), 1884, A., 479.

Matezite. See β-Pinite under Carbohydrates.

Matezodambose. See β-Inosite under Carbohydrates.

Maticologymphor (Κυμική) 1881 A

Matico-camphor (Kugler), 1884, A.,

Matter, continuous transition from the liquid to the gaseous state of, at all temperatures (RAMSAY and YOUNG), 1887, A., 763.

properties of, in the gaseous and liquid state under various conditions of temperature and pressure (ANDREWS), 1889, A., 95.

organic. See Organic matter.

Mattes, estimation of arsenic in (Lenr-Mann and Mager), 1886, A., 100, 920. Mazapilite from North America (Ko-

NIG), 1890, A., 218.

Meadow. See Agricultural Chemistry. Meat, digestibility of (HONIGSBERG), 1883, A., 815.

boiled and raw, digestibility of (STUTZER), 1892, A., 1367.

time required for digestion of (JESSEN), 1884, A., 470.

peptonic fermentation of (MARCANO), 1888, A., 1318.

and fish, comparative absorption of, in the alimentary canal (Arwater), 1887, A., 1130.

Meat-extract from South America (NILDERSTADE), 1883, A., 406. influence of, on the temperature of

the body (RUBNER), 1885, A., 409. Meat-peptones, nutritive value of (ZUNIZ), 1886, A., 378.

Mecenic acid, chloro-, and its salts (HILSEBEIN), 1885, A., 1202.

Meconamic acid and its ammonium salt (Mennel), 1883, A., 657.

Meconarceine (MERCK), 1889, A., 906. Meconic acid (MENNEL), 1883, A., 656. heat of neutralisation of (BERTHELOT), 1886, A., 8; (GAL and WERNER), 1887, A., 206.

heat of solution of (BERTHELOT), 1886, A., 8.

action of hydroxylamine on (MEYER), 1884, A., 993; (ODERNHEIMER), 1884, A., 1302.

action of phosphoric chloride on (Hilsteen), 1885, A., 1202.

derivatives of (MENNEL), 1883, A., 656.

derivatives of, containing nitrogen, and their conversion into pyridine (Osr), 1883, A., 791.

nitrogenous derivatives of (Ost), 1885, A., 48.

Meconine (Weisscheider), 1883, A., 996. action of potassium cyanide on (Bow-Man), 1887, A., 586. ψ-Meconine and its derivatives (Salo-

p-Meconine and its delivatives (SALOмом), 1887, А., 585; (РЕККІМ), 1890, Т., 1072.

Meconineacetic acid and o-nitro-(LIEBERMANN and KLEEMANN), 1887, A., 47, 48.

ψ-Meconinic acid (Perkin), 1890, T., 1073.

Mecylene, perchloro- (Ost), 1883, A., 796.

Medicago, analyses of different varieties of (NILSON), 1892, A., 522. Medicagol (ETARD), 1892, A., 746. Medullic acid (Mohr.), 1890, A., 652.

Meerschaum (DAMOUR.), 1886, A., 316.

Meionite, artificial production of BourGEOIS), 1883, A., 561; 1884. A.,
564.

Vesuvian, formula of (KENNGOTF, 1892, A., 417.

Melam compounds (KLASON), 1886, A., 524.

524.

Melamine (cyanuremide), formation of (SMOLKA and FRIEDLEICH), 1889, A., 951; (RAIHKE), 1890, A., 1052. constitution of (V. HOTWANN, 1886, A., 41; (RATHKE, 1896, A., 217. derivative, (V. HOTWANN), 1886, A., 522. constitution of (V. HOTWANN), 1886, A., 41; 1887, A., 650.

isoMelamines, alkyl, derived from the alkyl cyanamides (v. HOFMANN), 1886, A., 41.

Melumpyrum protense, assimilation of (Koch), 1888, A., 739.

Melanin (MORNER), 1887, A., 168; (MIURA), 1887, A., 855; (BRANDL and PFEIFFER), 1890, A., 805.

artificial (POUCHIT), 1891, A., 1128. as a precursor of hamoglobin (DELL-PINE), 1891, A., 480.

Melanins, animal (ΝΕΝΚΚΙ and SIEBER), 1888, A., 976; (ABEL), 1890, Λ., 1452.

Melanite from the Kaiserstuhl (SOLT-MANN), 1891, A., 651.

from Lantigné, Rhône (Lacroix), 1883, A., 438.

Melanophlogite (SPEZIA), 1884, A., 1104; (FRIEDEL), 1891, A., 648.

 ψ-Melanose (NEUMANN), 1888, A., 864.
 Melanothallite (melanotallo) from Vesuvius (Scacchi), 1886, A., 600.

Melanurenic acid. See Aminelide. Melanuria, urine in (v. Jaksch), 1889, A., 637.

Melaphyres of the Little Carpathians (STEIN, 1883, A., 447. of Lower Silesia (COLEMAN), 1883,

of Lower Silesia (Coleman), 1883, A., 563.

"Meldometer" (JOLY), 1892, A., 414.
Melem (KLASON, 1886, A., 324.

and its decomposition by alkalis (KLASON), 1886, A., 524.

Melezitose (ALECHIN), 1890, A., 733. and its acetyl and phenylhydrazine derivatives (ALECHIN). 1886, A., 683.

Melibiose (SCHEIBLER and MITTEL-MEIER), 1889, A., 953; 1890, A., 226, 1085.

Melibiosephenylhydrazine (SCHEIELER and MITTELMEIER), 1890, A., 1085.

Melibiotite (Scheibier and Mittel-MLH R), 1890, A., 227.

Melicitose, the mochemistry of 'STOH-NANN and LANGLEIN', 1892, A., 764.

Melidoacetic acid, derivatives of (KRU-GFR), 1891, A., 162.

Melilite Strizner, 1993, A., 719. artificial production of (Bourgeois), 1884, A., 564.

formation of, during the burning of Portland cement (BODLANDER), 1892, A., 416.

composition of (Voc.r), 1892, A., 1410.

basalts (SIELZNER), 1883, A., 719.

Melilite-bearing rock from Canada (ADAMS, 1892, A., 1058.

Melilotic acid. See Hydrocoumaric acid.

Melilotus alba and M. officinalis, composition of NILSON, 1892, A., 522. Melilotus leucautha (MUNRO), 1886,

A., \$28.
Melinointrisulphonic acid, and its salts
Trace(\$84. A., 590, 1185.

Meliphane melinophane) (Brogger), 1810, A., 1079.

Melisse oil. German (SEMMLER), 1891, A., 540.

Melissic acid (STUREKE), 1884, A., 1281.

Melissylmellisate (Kissling), 1884, A., 173.

Melitose or melitriose. See Raffinose under Carbohydrates.

Mellite, artificial production of (FRIEDEL and BALSOHN), 1883, A., 427.

specific heat of (BARTOLI and SIRAC-(IAII), 1884, A., 1214.

Mellitic acid (BARTOLI and PAPASOGLI), 1883, A., 593.

thermochemistry of (Belliheloi), 1886, A., 8; (GAL and WERNER), 1887, A., 206; (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1096.

action of aniline and of methylamine on Home, 1885, A., 1220.

Mellityl acetate, alcohol and chloride (JACOB-EN), 1889, A., 875.

Mellogen, analyses of (BARIOLI and PAPASOGLI), 1883, A., 592.

incomplete oxidation of (BARTOII and PAPASORLI), 1886, A., 469.

Mellone, action of alkalis on (KL 180N), 1886. A., 524.

Me'odinus lucrigatus, alkaloid from (GRESHOFF). 1891, A., 336.

Melon-juice, alcohol from (LEVAT), 1884, A., 233.

Melon seeds, presence of cholesterol and a soluble carbohydrate in (FORTI), 1891, A., 357.

Melting point, depression of, by phenol (JUILLARD and CURCHOD), 1892, A., 556.

and their relation to the solubility of hydrated salts (TILDEN), 1884, T., 266.

and boiling point as related to chemical composition (MILLS), 1885, A., 329.

of minerals, determination of (JOLY), 1892, A., 414.

of mixtures (MIOLATI), 1892, A., 1139.

of nitrates (MAUMENÉ), 1884, A., 384.

of organic compounds (LANDOLT), 1890, A., 1; (Reissert), 1890, A., 1204.

of salts (MAUMENÉ), 1884, A., 3.

of haloid salts in relation to the contraction occurring during their formation from their elements from (MULLER-ERZBACH), 1884, 709.

of substances in contact (LEHMANN), 1885, A., 330.

certain inorganic substances (CARNELLEY and O'SHEA), 1884, T., 409.

apparatus for estimating (ROTH), 1886, A., 1070; (CHRISTOMANOS), 1890, A., 939.

calculation of (Groshans), 1886, A., 411.

determination of (Loviton), 1856, A., 417.

determination of errors in (CRAFTS),

1883, A., 844.

Membranes, living, osmotic experiments with (DE VRIES), 1888, A., 1153.

living and dead, osmosiv with (REID), 1890, A., 207, 277, 1176.

precipitated, electrical behaviour of (OBERDECK), 1891, A., 517.

electrical conductivity of (TAM-MANN), 1891, A., 140. permeability of (TAMMANN), 1892, A., 1383.

vegetable, permeability of, for air (LIETZMANN), 1888, A., 1023.

Men, healthy, proteid requirement of (STUDEMUND), 1891, A., 1272. influence of saline materials gaseous metabolism in (LOEWY), 1889, A., 533.

Menaccanite from Lancaster Co., Pa. (Smith), 1885, A., 960.

Meneghinite and jordanite, isomorphism

of (Schmider), 1885, A., 639. Menilite (Damour), 1886, A., 775.

Meniscus angle and capillary constants (TRAUBE), 1887, A., 101.

Mentha Puleyium, oil of (Beckmann; PLEISSNER), 1891, A., 936.

Menthene, menthol and menthone. See Terpenes.

Menthodicarboxylic acid (Bruhl), 1892, A., 202.

Menthonaphthene (Berkenheim), 1892, A., 866.

Menthyl ethyl ether (BRUHL), 1892, A., 200, 348.

Menthylamine (WALLACH), 1892, A., 500; (Andres and Andreeff),

1892, A., 723. Menthylic benzoate and carbonate (ARTH), 1886, A., 893. chloride (ARTH), 1884, A., 167.

(Leuckart), phenylamidoformate 1887, A., 376.

Menthylurethane (ARTH), 1883, A., 892.

Menthylxanthic acid (BAMBERGER), 1890, A., 517.

Menyunthes trifoliata, constituents of (LENDRICH), 1892, A., 1262.

Menyanthin and menyanthole (LEND-RICH), 1892, A., 1262.

Mercaptals (thioacctuls) (BAUMANN), 1885. A., 748.

Mercaptan. See Ethyl mercaptan. 1884, Mercaptans (Stadler), 1328.

aromatic (Leuckart), 1890, Δ., 603. synthesis of (Lustic), 1891, A., 1350.

amido- (Jacobson), 1887, A., 961; 1888, A., 1306.

compounds of, with aldehydes and ketones (FASBENDER), 1887, A., 462.

compounds of, with aldebydes, ketones and ketonic acids (BAU-MANN), 1885, A., 748.

reagents for (DENIGES), 1889, A., 655.

Mercaptoles (BAUMANN), 1885, Α.,

 $\mu\beta$ -Mercaptomethylthiazoline. See Sulphydromethylthiazoline.

μ-Mercaptopenthiazoline. See Sulphydropenthiazoline.

Mercaptophthalimide. See Sulphydroethylphthalimide.

8-Mercaptopropylphthalimide. See Sulphydropropylphthalimide.

μ-Mercaptothiazoline. See Sulphydrothiazoline.

Mercapturic acid, formation of, in the organism, and its detection in the urine (Baumann), 1884, A., 1395.

Mercapturic acids, oxidation of (BAU-MANN), 1885, A., 514.

oxidation products of (Konig), 1892, A., 1090.

Mercurial trough (LADENBURG), 1883, A., 1048.

Mercury, native, occurrence of, in the alluvium in Louisiana (WILKINson), 1885, A., 876.

from Servia (SCHAFARZIK), 1885, A., 730.

of, occurrence in tapeworms (Oelkers), 1890, A., 396.

of, relations to other metals

(Cousins), 1887, A., 1080. (metal), purification of (Michaelis), 1885, A., 322; (CRAFTS), 1889, A., 17.

purification of, by distillation in a vacuum (Clark), 1885, A., 350.

impurities in, sensitive test for (Gore), 1890, A., 827.

impure, electric conductivity of (Michaelis), 1885, A., 322.

electrical conductivity of WEBER), 1889. A., 557; (GRUNMACH), 1890, A., 98. electrical conductivity of, at low

temperatures (CAILLETET and BUTTY), 1885, A., 855.

electric conductivity and temperature coefficient of (WEBER), 1885, A., 1028.

electrical resistance of (Kohl-RAUSCH), 1889, A., 201; (GRUNMACH), 1889, A., 202. development of E.M.F. between an

electrolyte and (PASCHEN), 1891,

estimation of notential differences between electrolytes and (BLOND-LOT and BICHAT), 1888, A., 1005.

polarised, surface tension of, in different electrolytes (Paschen), 1890, A., 552, 1036.

specific heat of (Heilborn), 1891, A., 632.

variation in the specific heat of, with temperature (MILTHALER), 1889, A., 750.

expansion of (MENDELEEFF), 1884, T., 132.

expansion of, between 0° and 39° (AYRTON and PERRY), 1887, A.,

vapour-density of, at a white heat (BILTZ and MEYER), 1889, A., 674.

Mercury (metal), vapour pressures of (RAMSAY and Young), 1885, T., 656; P., 115; 1886, T., 37; (Young), 1891, T., 629; P., 120.

vapour pressure of, at ordinary temperatures (McLeon), 1884, A., 385; (VAN DER PLAATS), 1886, A., 963.

volatility of (Berthelot), 1885,

A., 953.

vapour, conductivity of, for heat (BERGET), 1888, A., 1287; (Schleiermacher), 1889, A.,

absorption of, by platinum black, etc. (IHMORI), 1886, A., 766.

action of chlorine on (COWPER), 1883, T., 155.

action of hydrogen chloride, bromide and iodide on, in presence of oxygen (BAILEY and FOWLER), 1888, T., 759, 760; P., 79. action of nitric acid on (MONTE-

MARTINI), 1892, A., 1403.

action of nitric acid on, conditions of (Veley), 1891, A., 525.

action of nitric peroxide on (DIVERS and SHIMIDZU), 1885, T., 631; P., 93.

action of nitrosyl chloride on (Sunвопотон), 1891, Т., 659.

action of silicon on (WARREN), 1889, A., 1125.

spontaneous oxidation of (Maca-LUSO), 1884, A., 263.

adhesion of, to glass in presence of halogens (SHENSTONE), 1892, T., 452; P., 70.

effect of, on the freezing point of sodium (Heycock and Neville), 1889, T., 672.

effect of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 383; P., 38.

lowering of the freezing points of bismuth, cadmium and lead by (HEYCOCK and NEVILLE), 1892, T., 897, 903, 910; P., 145.

Mercury alloys (amalgams) (LE BLANC), 1890, A., 1204; (SCHUMANN), 1891, A., 986.

change of property of, by repeated fusion (Gore), 1891, A., 80.

electric conductivity of (WEBER), 1885, A., 211; 1887, A., 757.

electromotive force of (LINDECK), 1889, A., 2.

with tin (mirror alloy), composition of (Harrison), 1887, A., 447. with tin and lead, melting point of

(Weld), 1891, A., 644.

647

Mercurammonium compounds (RAM-MELSBERG), 1889, A., 347; (PESCI), 1891, A., 268; 1892, A., 685; (BALESTRA), 1892, A., 276.

reaction for (PESCI), 1890, A., 1211.

bromide (PESCI), 1890, A., 1212.

chloride mercurichromate (JAGER and Knüss). 1889, A., 1120. chlorides (André), 1889, A., 570,

827; 1891, A., 986. chromates (HENSGEN), 1887, A.,

chromates (HENSGEN), 1887, A. 218.

hydroxide, hydrate of (RAMMELS-BERG), 1889, A., 347.

iodides, nitrates and sulphates (PESCI), 1891, A., 270, 268, 269.

Mercuricobaltammonium salts (Vort-MANN and Morgulis), 1890, A., 13; (Vortmann and Borsbach), 1890, A., 1377.

Mercury compounds, heat of formation of (Thomsen), 1888, A., 1011; (Nernst), 1888, A., 1012.

action of the haloid compounds of the alkalis on (DITTE), 1890, A., 1059.

haloid salts of, crystallised (SIEVERS), 1888, A., 419.

action of, with zinc haloid salts (VARET), 1890, A., 224.

salts, action of sodium thiosulphate on (Vortmann). 1889, A., 1108.

Mercury arsenates (H.A.CK), 1891, A., 400.

thioarsenate (PREIS), 1890, A., 1053.

calcium chloride, basic (KLINGER), 1883, A., 904.

dichloride. See Mercuric chloride. barium, calcium and strontium oxy-

chlorides (Andre), 1887, A., 447. hy brosulphides (Linder and Picton), 1890, P., 51; 1891, P., 176; 1892, T., 123.

imidesulphonates and their constitution (DIVERS and HAGA), 1892, T., 976.

barium imidosulphonate (DIVERS and IIAGA), 1892, T., 977.

dihydrogenimidosulphonates (DIVERS

and Haga), 1892, T., 977. potassium imidosulphonates (DIVERS and Haga), 1892, T., 976.

sodium imidosulphonates (DIVERS and HAGA), 1892, T., 980.

barium iodide (Rohrbach), 1883, A., 1060.

phosphide (GRANGER), 1892, A. 1398.

Mercury sulphate, basic (ATH NASESCU), 1886. A., 982.

oxysulphides (Poleck), 1890, A., 109.

sulphites (DIVERS and SHIMIDZU), 1886, T., 533; P., 139.

constitution of (DIVERS and SHIMIDZU), 1886, T., 574.

reduction of, with sulphurous acid (Divers and Shimidzu), 1886, T., 575.

Mercuric acids, halogen (NEUMANN), 1889, A., 1049.

Mercuric salts, action of acetylenic hydrocarbons on (Kutscheroff), 1883, A., 172; 1884, A., 572, 719.

antimonate (Beilstein and v. Blise), 1889, A., 1124.

bromide, crystallised (SIEVERS), 1888, A., 419.

oxybromides, heat of formation of (Andre), 1884, A., 707.

chloride (mercury dichloride; corrosive sublimate), crystallised (Sievers), 1888, A., 419.

behaviour of, with hydrogen ammonium carbonate (Thummel.), 1887, A., 774.

solubility of, in various organic liquids (ETARD), 1892, A., 558.

solution, stability of (MEYER), 1887, A., 774; 1888, A., 228. boiling points of solutions of

(SKINNER), 1892, T., 340; P., 28.

specific gravity of aqueous and alcoholic solutions of (Schroden), 1886. A., 412.

compounds of, with chromates (JAGER and KRUSS), 1889, A., 1120.

antiseptic properties of (CHIBRET), 1888, A., 1327.

poisoning by (FALKENBERG), 1891, A., 853.

detection of, in toxicological cases (Lecco), 1886, A., 743.

estimation, volumetric, of (KASS-NER), 1889, A., 78.

ammonium chloride (white precipitate) (RAMMEISBERG), 1889, A., 347.

solubility of, in solution of ammonia containing ammonium carbonate (Johnson), 1889, A., 755.

oxychloride (André), 1887, A., 447.

crystalline (Volhard), 1890, A. 565.

Mercuric oxychlorides (Thummel), 1889, A., 1050.

thermochemistry of (ANDRÉ), 1884, A. 884

hydroxide, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 64, 80.

iodide, crystallised (SIEVERS), 1888, A., 419.

action of nitrie acid on (KRAUT), 1886, A., 204.

solubility of, in fatty compounds and other solvents (MITHU), 1886, A., 110.

solubility of, in water and alcohol (Bourgoin), 1885, A., 350.

oxide, action of, on soluble chlorides (ANDRÉ), 1887, A., 447.

action of, on potassium chloride (Bersen), 1891, A., 1413.

action of the hydrocarbons of the acetylene series on (KUTS-CHEROFF', 1884, A., 719.

action of magnesium on (WINKLER), 1890, A., 452.

influence of, on the decomposition of potassium chlorate (FOWLER and GRANT), 1890, T., 279; P., 20.

combinations of, with acids, and Berthollet's laws (Berthelot), 1883, A., 10.

testing for chlorides (Fels), 1888, A., 873.

phosphate (HAACK), 1891, A., 400. sulphates from a furnace at Ideia (SEXFRIEDSBERGER), 1890, A.,

710. sulphide, colloidal state of (WINS-SINGER), 1888, A., 911.

colloidal solutions of (Picton), 1892, T., 138.

action of nitric acid on (Howe), 1886, A., 595.

action of potassium sulphide on (DITTE), 1884, A., 893, 964.

separation of, from the sulphides of the arsenic and copper groups (Polstorff and Bulow), 1891, A., 1292.

See also Cinnubar and Vermilion. potassium sulphide (DITTE), 1884, A., 964.

chlorosulphide(Poleck and Goencki), 1888, A., 1166.

sulphite "normal" (Divers and Shimidzu), 1886, T., 535; P., 140.

hydrogen sulphite (DIVERS and SHIMIDZU), 1886, T., 554; P. 139.

Mercuric sodium sulphite (DIVERS and SHIMIDZU), 1886, T., 538; P., 140. oxysulphite (DIVERS and SHIMIDZU), 1886, T. 568, P. 140.

1886, T., 546; P., 140. dithionate (Kluss), 1885, A., 1156. potassium thiosulphates (Fock and Kluss), 1891, A., 879.

Kluss), 1891, A., 879.

Mercurosic and hypomercurosic sulphites (Divers and Shimidzu), 1886.

phites (Divers and Shimidzu), 1886, T., 535, 559, 567.

Mercurous salts, action of ammonia on (Barfoed), 1889, A., 675; (Pecci), 1892, A., 686. action of hydrogen cyanide on

action of hydrogen cyanide on (VITALI), 1892, A., 1416.

action of soda on (BARFOED), 1889, A., 346.

action of sulphur on (VORTMANN and PADBERG), 1890, A., 9.

Mercurous bromide, crystallised (Stroman), 1888, A., 112.

chloride (calomel), crystallised (SIEVERS), 1888, A., 419. action of hydrocyanic acid on

action of hydrocyanic acid on (Forquet), 1890, A., 223. influence of, on fermentation and

on the life of micro-organisms (WAN-ILLEFF), 1883, A., 743. chromates (LUPTUN). 1888, P., 83.

hydroxide (BIRD), 1887, A., 447. iodide, crystallised (STROMAN), 1888, A., 111.

action of light on (EDER), 1885, A., 1173; (YVON), 1886, A., 17. permolybdate (PECHARD), 1892, A,

1160. nitrate, action of, on nitric oxide and nitrites (DIVERS and HAGA), 1885, P., 95.

nitride (CURTIUS), 1892, A., 112. oxide (BRUNS and V. DER PFORDTEN), 1888, A., 1037.

action of sulphur on (SENDERENS), 1892, A., 770.

sulphate (Buchner). 1886, A., 852. preparation of (Divers and Shimidzu), 1885, T., 639; P., 93.

sulphite, anhydrous (DIVERS and SHIMIDZU), 1886, T., 566; P., 140. hypochlorosulphite (GILPIN). 1892, A., 780.

Mercury organic compounds:— Mercurammonium cyanides (VAREI),

Mercurammonium cyanides (VAREI), 1890, A., 223. Mercury compounds, aromatic (MI-

CHAELIS and RABINERSON), 1890, A., 1269.

of acetylene (PLIMPTON), 1892, P., 110.

salts, compounds of pyridine with (GROOS), 1890, A., 643.

Mercury anisoil oxide and salts (MICHAELIS and RABINERSON), 1890, A., 1270.

dianisoil (MICHAELIS and RABINER-

son), 1890, A., 1269.

diethyl, oxidation of, with potassium permanganate (SEIDEL), 1884, A., 1135.

dimethylaniline (SCHENK and MI-CHAELIS), 1888, A., 834.

dimethylaniline salts (MICHAELIS and RABINERSON), 1890, A., 1269.

dipentamethylphenyl (JACOBSEN), 1889, A. 876, diphenyl and ditolyl, action

potassium permanganate on (Otro), 1884, A., 1135. di-o-xylene (JACOBSEN), 1885, A., 144.

dixylyl (Weller), 1887, A., 821. phenylamine and its derivatives

(Pesci), 1892, A., 1448.

propylphenyl (MEYER), 1886, A., 945. Mercuric cyanide, boiling-points of solutions of (SKINNER), 1892, T., 340; P., 27.

action of aluminium and of nickel, etc. on, dissolved in water and in organic solvents (VARET), 1892, A., 797.

action of ammonia on (VARET), 1891, A., 1441; 1892, A., 575.

action of copper salts on (VARET), 1889, A., 359; 1890, A., 464.

action of, on silver nitrate, in presence of ammonia (BLOXAM), 1884, A., 168.

antiseptic properties of (Chibrer),

1888, A., 1327. ammoniacal derivatives of (VAREI), 1891, A., 655.

combination of, with cadmium salts (VARET), 1891, A., 161.

combinations of, with lithium salts (Varet), 1891, A., 28.

compounds of, with metallic chlorides, action of ammonia on (VARET), 1890, A., 351. detection of, in toxicological in-

vestigations (Vitali), 1890, A.,

cadmium cyanide (Dunstan), 1892,

T., 687; P., 51, zine eyanide (Dunstan), 1890, A., 855; 1892, T., 666; P., 51. barium chlorocyanide, action of

ammonia on (VARET), 1891, A., 1442. cadmium iodocyanide, action of

ammonia on (VAREI), 1891, A., 1441.

magnesium bromo- and iodo-cyanides (VARET), 1891, A., 1442.

Mercuric oxycyanide, antiseptic properties of (CHIBRET), 1888, A., 1327.

thiocyanate, double salts of, with other thiocyanates (Bennens), 1892, A., 10.

chlorothiocyanate (McMurrry), 1888, P., 116; 1889, T., 50.

Mercury, detection, estimation, and separation:-

blowpipe test for (CHARLTON), 1890, A., 1343.

microchemical test for (v. HAUS-HOFER), 1887, A., 300.

detection of (Kroupa), 1886, A., 921; (KLEIN), 1889, A., 651.

detection of, in animal tissues (Pascu-KIS), 1883, A., 1169.

detection of, in corpses (SEYDA), 1891, A., 120.

detection of, in minerals (Johnstone), 1889, A., 797.

detection of, in organic liquids (AL-MÉN), 1887, A., 302; (BRUGNA-TELLI), 1890, A., 926; (BÖIIM), 1891, A., 351.

detection of, in toxicological investigations (LEHMANN, 1883, A., 687; (Lecco), 1886, A., 743; 1891, A.,

detection of, in urine (ALT), 1888, A.,

detection, electrolytic, of (ZIEGELER), 1888, A., 1344; (Wolff), 1889, A., 441.

estimation of (Feit), 1889, A., 927;

(VOLHARD), 1890, A., 565. estimation of, in animal tissues (Lub-WIG and ZILLNER), 1891, A., 962.

estimation of, in corpses (SEYDA), 1891, A., 120.

estimation of, in organic mixtures (Bohm), 1891, A., 351.
estimation of, in urine (Brasse), 1888, A., 196.

estimation, electrolytic, of ("LASSEN and LUDWIG), 1886, A., 493; (DE IA ESCOSURA), 1886, A., 650; (SMITH and KNERR), 1886, A., 923; (BRAND), 1890, A., 294; (VORTMANN), 1891, A., 1553.

estimation, electrolytic, of metals as alloys of (Vortmann), 1891, A., 1553; (Gibbs), 1892, A., 753. estimation, volumetric, of (Kroupa),

1884, A., 695; (CARNOT), 1889, A., 1246; (JONES), 1892, T., 364; P., 46; (NAMIAS), 1892, A., 663. estimation, volumetrie, of, by Has-

well's method (v. JUPTNER), 1883, A., 242.

Mercury, separation:-

separation of, from arsenic, phosphoric and nitric acids and from chlorine and sodium (HAACK), 1892, A., 530.

separation of, from palladium, lead, copper and bismuth (ROSENBLADT),

1887, A., 302.

separation, electrolytic, of (SMITH and MACCAULEY), 1892, A., 239; (KOHN), 1892, A., 541; (SMITH and WALLACE), 1892, A., 920.

separation, electrolytic, arsenic, molyhdenum, electrolytic, of, from palladium and tungsten (SMITH and FRANKEL), 1890, A., 1029.

separation, electrolytic, of, from cobalt, nickel and zinc (SMITH and Frankel), 1890, A., 664.

separation, electrolytic, of, from copper SMITH and FRANKEL), 1889, A., 797; (SMITH and MACCAULEY), 1892, A., 239.

separation, electrolytic, of, from osmium (SMITH and WALLACE), of, from

1892. A., '920.
Mercury unit, Siemens', reproduction of (STRECKER), 1885, A., 1027, 1099.

Merino fleeces, composition of (CHLU 1)-SINSKY), 1886, A., 105.

Mesaconanilic acid (REISSERT), 1889, A., 1174; (Anschutz and Reuten; SCHARFENBERG), 1890, A., 368.

Mesaconic acid (oxytetric ucid) (Gon-BOFF), 1888, A., 1179.

and its homologues (WALDEN), 1891, A., 1187.

molecular weight of (PATERN) and Nasini), 1888, A., 1059.

synthesis of, from ethylic propanetricarhoxylate (Bischoff), 1890, A., 1101.

real nature of (WALDEN), 1891, A., 1188.

constitution of (KANONNIKOFF), 1886, A., 335; (Anschutz), 1887, A., 917. molecular refraction of (Knors), 1888,

A., 938; 1889, A., 198. heat of combustion of (LUGININ),

1558, A., 893.

heat of neutralisation and of solution of (GAL and WERNER), 1887, A., 205. conversion of, into its isomerides by

soda (Delisle), 1892, A., 297. "Mesembryanthemum crystallinum" (icc plant) (MANGON), 1883, A., 499;

(HECKEL), 1883, A., 680. Mesidic acid. See Uvitic acid.

Mesidine, nitration of (Nolting and Stoecklin), 1891, A., 693.

nitramine from (KLOBBIE), 1888, A., 466.

Mesitene lactone (Anschurz, Bendix and KERP), 1891, A., 172.

Mesitol, bromo- (Schramm), 1886, A.,

Mesitonic acid (di-a-methyl-B-acelylpropionic acid), constitution of (Ansurutz and Giller), 1888, A., 1272.

Mesityl methyl ketone (CLAUS), 1890, A. 981; (DITTRICH and MEYER), 1891, A., 1224.

Mesitylacetic acid (DITTRICH MEYER), 1891, A., 1224.

nitro-, and its salts (WISPEK), 1883, A., 1096.

dinitro- (DITTRICH and MEYER), 1891, A., 1224.

Mesitylene, presence of, in different mineral oils (ENGLER), 1885, A., 1209.

preparation of (VARENNE), 1884, A., 588.

action of bromine on (Colson), 1883, A., 734; (Schramm, 1886, A., 451.

derivatives of (ROBINET), 1883, A., 577; (WISPEK), 1883, A., 1095; (FEITH), 1892, A., 329.

benzovl-derivatives of, formation of

(LOUIST), 1884, A., 1900. Mesitylene, dibromo, from coal-tar oil (Sussenguth), 1883, A., 469. bromodinitro- (Sussenguth), 1883,

A., 470. trichloro- (FRIEDEL and CRAFTS),

1887, A., 1101. fluoro- (TOHL), 1892, A., 968.

iedo- (Töhl), 1892, A., 967.

nitro-, oxidation of (EMERSON), 1887, A., 132.

Mesitylenic acid (3:5-dimethylbenzoic urid), thermochemistry of (STOH-MANN, KLEBER and LANGBEIN), 1889, A., 1096.

bromo-, preparation of, from bromomesitylene (Sussenguth), A., 469.

dibrono-, ami its salts (SUSSENGUTH , 1883, A., 470.

Mesitylenic diacetate (ROBINET and Colson), 1883. A., 1095.

methylnitramide, dinitro- (Klobbie), 1888, A., 467.

Mesitylglycollic acid and chloralide (FEITH), 1892, A., 329.

Mesitylglyoxylic acid (CLAUS), 1890, A., 981; (DITTRICH and MEYER), 1891, A., 1224. salts of (FLITH), 1892, A., 329.

dinitro- (DITTRICH and MEYER), 1891,

A., 1224. Mesitylic acetate (ROBINET), 1883, A., 577; (WISPEK), 1883, A., 1095.

Metals, action of, on mixtures of acetylene and air (BELLAMY), 1885, A., 951.

action of acids on (Armstrong), 1886, P., 189; 1889, P., 66; (Ve-Ley), 1889, T., 361; P., 65; (MONTEMARYINI), 1892, A., 1402.

action of anhydrous ammoniacal ammonium nitrate on (ARTH), 1885, A., 1039.

action of carbon disulphide on (CA-VAZZI), 1888, A., 106. action of dry chlorine on (COWPER),

1883, T., 153. velocity of action between halogens and (STSCHUKAREFF), 1891, A., 1149. action of dry hydrogen sulphide on

(LORENZ), 1891, A., 990. action of nitric oxide on (SABATIER

and SENDERENS), 1892, A., 1151. action of nitric peroxide on (SABA TIER and SENDERENS), 1892, A., 1390.

action of nitrogen on (WARREN), 1887, A., 702.

action of nitrosyl chloride on (Sun-BOROUGH), 1891, T., 655.

action of, on oils (LIVACHE), 1883, A., 756.

action of pyrosulphuric acid Divers and Shimidzu), 1885, T., 636; P., 92.

action of, on salts dissolved in organic liquids (VARET), 1892, A., 797.

action of, on sulphuric acid (VELEY), 1888, A., 104; (DITTE), 1891, A., 260.

comparative poisonous action of, on bacteria (RICHET), 1884, A., 351. lowering of the freezing point of sodium by the addition of other (Heycock and Neville), 1889, Ť., 666.

direct combination of bromine with (GAUTIER and CHARPY), 1892, A., 118.

direct combination of chlorine with (GAUTIER and CHARPY), 1892, A., 118; (Kreusler), 1892, A., 401.

and their salts, contact potential of (Pellat), 1889, A., 661.

salts of heavy, acid character of the (Lachowicz), 1889, A., 569. nitro- (Sabatier and Senderens),

1892, A., 1390.

Metals, detection, estimation separation :--

detection of, not precipitated by hydrogen sulphide, in the pre-cipitate produced by ammonia (BLOXAM), 1885, A., 1264.

Metals, estimation and separation: estimation of oxygen in (Muller), 1885, A., 1167.

estimation of, by means of sodium pyrophosphate (Vortmann), 1888, A., 755.

estimation, electrolytic, of, apparatus for (LEVOIR), 1889, A., 548.

estimation, electrolytic, of, as amalgams (Vortmann), 1891, A., 1553; (Gibbs), 1892, A., 753.

estimation, qualitative, of, without hydrogen sulphide (Eyster), 1885, Λ., 1012.

estimation, volumetric, o (Virali), 1892, A., 1521. volumetric, of heavy

separation of, precipitated by hydrochloric acid (BARNES), 1885, A., 597.

separation of, by oxalic acid (Luc-kow), 1886, A., 922; 1887, A., 529. separation of, by means of sodium pyrophosphate (VORTMANN), 1888, A., 755.

separation, electrolytic, of (FREUDEN-BERG), 1892, A., 1521.

Metameric bodies, comparative effect of, on the growth of Nicotiana longifloru (REYNOLDS), 1883, A., 495. Metamorphic rocks. See Rocks.

Metamorphism produced by pressure (Jund), 1890, T., 410; P., 35. of massive crystalline rocks (Dana), 1883, A., 562.

Metapectic acid (HERZFELD), 1892, A., 291.

Metaphosphates and metaphosphoric acid. See under Phosphorus.

Metasaccharic acid. See l-Mannosaccharic acid.

Metastannic acid. See under Tin. Metastasis in leaves (v. Sacus), 1885,

A., 831. Metatartaric acid in factory liquors (GROSJEAN), 1883, T., 336.

Metatungstic acid. See under Tungsten. Metaxin (SCHWARTZ), 1888, A., 983.

Meteoric dust (TACCHINI), 1884, A., 165.

Meteoric iron (RIGGS), 1888, A., 121; (Kunz), 1889, A., 358.

crystalline structure of (HUNTINGron), 1887, A., 119.

peculiar concretions in (SMITH), 1884, Δ., 976.

discovery of diamonds in (FOOTE), 1892, A., 284.

selenium in (WARREN), 1888, A., 435. Pallas (MEUNIER), 1884, A., 416. from Augusta Co., Virginia (Kunz),

1887, A., 454.

Meteoric iron from Batesville, Independence Co., Δrkansas (Hidden, 1886, Λ., 995.

from Bridgewater, Burke Co., North Carolina (KUNZ), 1891, A., 278.

from Coahuila, Mexico (Lupron). 1885, A., 880.

from Colfax Township, North Carolina (KUNZ), 1892. A. 1059.

from East Tennessee (GE VIH', 1890. A., 115.

at Fort Duncan, Texas (MEGNIER), 1887, A., 647.

from Georgia (SHEPA. N. 1884, A., 30. from Glorieta Mt., New -Mexico (Kunz), 1886, A., 321; 1887, A., 120.

from Greenbrier Co., West Virginia (FLEICHER), 1888, A., 662.

from Hamilton Co., Texas (HOWELL), 1891, A., 277.

from Henry Co., Virginia (VENABLE), 1891, A., 159.

from Laurens Co., South Carolina (HIDDEN), 1886, A., 996.

of Lenarto, hydrogen in (WILLIAMS), 1855, A., 634.

from Magura, Hungary (BERTHELOF and FRIEDEL), 1890, A., 1384; (WEINSCHENK), 1891, A., 27.

from Maryland (FOOTE),1892,A.,794. the Mazapil (HIDDEN), 1887, A. 564. from Nejed, Central Alabia (FLET-CHER), 1888, A., 662.

from North Carolina (EAKINS), 1890, A., 1081.

A., 1081. from North Dakota (HUNTINGTON), 1891, A., 531.

from Portugal (COHEN), 1889, A., 839. from Puquios, Chili (HOWELL), 1891, A., 277.

from Rockingham Co., North Carolina (VENABLE), 1891, A., 159.

from Santa Rosa, Columbia, 1810 (v. LASAULX), 1886, A., 133.

from Summit, Blount Co., Alabama (Kunz), 1891, A., 279.

from Texas (HIDDEN), 1887, A., 119. from Trinity Co., California (SHEP-ALD), 1886, A., 320.

from Waldron Ridge, Claiborne Co., Tennessec (KUNZ), 1888, A., 354.

from West Virginia (Kunz), 1886, A., 520.

from Wichita Co., Texas (MALLET), 1885, A., 493.

Welland, kamacite, tænite and plessite from (DAVISON), 1892, A., 24. See also Meteorites.

Metsoric sand (MAUGINI), 1885, A., 231.

Meteoric stone from Haywood Co., North Carolina (Kunz, 1891, A., 278. Meteoric stones from Utah and Cape Girardeau, Missouri (DANA), 1887, A., 120.

Meteorite in a tertiary lignite (GURLF; DAUBRIE), 1887, A., 22.

of Alfianello (Gallia; Brezina), 1883, A., 1071; (Flight), 1884, A., 276; (Marsen), 1884, A., 415; (v. Foullox and Flight), 1884, A., 976; (FRIEDHEIV), 1890, A., 115.

from Angra dos Reis (Ludwig and Tschi Ruak), 1887, A., 1087.

from Atacama, Chili (Howell), 1892, A., 1413.

supposed, found in Augusta Co., Virginia (SEAMON), 1883, A., 37. Bingera (Liversider), 1896, A., 133. Bishopville and Waterville (WADS-

WORTH), 1884, A, 976. from Brenham Toanship, Kiowa Co., Kansas (Kunz), 1891, A., 278.

from California (MERRILL), 1888, A., 1046.

from Carcote, Chili (V. SANDBERGER), 1890, A., 347; (WILL and PINNOW), 1890, A., 462.

the Chattooga Co., Georgia (Kunz), 1888, A., 353.

Coahuila (HUNTINGTON), 1887, A., 455. from Collescipoli (TROTTARELLI), 1891, A., 533.

the Cranbourne (FLIGHT), 1884, A., 416.

Deniliquin or Barratta (LIVERSIDGE), 1886, A., 134; 1891, A., 279. from Djati Pengilon, Java (DAUBRLE),

from Djati Pengilon, Java (DAUBRLE), 1887, A., 1024.

from Durango (HÄPKE), 1885, A., 230. at Eagle Station, Kentucky (MEU-NIER), 1889, A., 765.

Eli Elwah, New South Wales (LIVER-SIDGE), 1891, A., 279.

of Estherville, Emmet Co., Iowa (10th May, 1879), lithological determination of (MEUNIER), 1883, A., 37.

of Fomatlán, Jalisco, Mexico (Sherand), 1886, A., 321.

Gilgoin, New South Wales (LIVER-SIDGE', 1891, A., 279.

from Grand Rapids, Michigan (Easr-Man), 1885, A., 494; (Rieg-), 1886, A., 321.

from Green Co., Tennessee (BLAKE', 1886, A., 433.

supposed metallic, from Highland Co, Virginia (MILE-1,1887, A., 455. of Jelica (Los anitscu), 1892, A., 795. Meteorite from Kansas (Kunz and Weinschenk), 1892, A., 795.

of Karang-Modjo or Magetan in Java (Bosscha), 1887, A., 710.

from Kentucky and Mexico (Kunz), 1887, A., 564.

Klausenburg (v. HAUER), 1883, A., 1070.

of Ljungby (Nordenskiold), 1892, A., 1060.

of Louans, Indre-et-Loire (DAUBRÉE), 1883, A., 449.

from Mexico (WHITFIELD), 1890, A.,

from Mighei, Russia (MEUNIER), 1890, A., 346.

of Misshof in Kurland, Russia (Doss), 1892, A., 1059.

Ngawi (v. BAUMHAUER), 1885, A., 1190.

Nogoya (Websky; Daubrée), 1884, A., 977; (FRIEDHEIM), 1890, A, 115.

Northport, so-called (Robinson), 1888, A., 662.

from Novo-Urei (JEROFÉEFF LATSCHINOFF), 1889, A., 224.

from Ochansk (Tichominoff and Petroff), 1889, A., 358; (v. Sieмаясико), 1891, А., 532.

from Phu-Hong (MEUNIER), 1890, A., 222.

from Pipe Creek (LEDOUX), 1891, A., 532,

the Powder Mill Creek (KUNZ), 1888, A., 353.

from Rensselaer Co., N.Y. (BAILEY), 1888, A., 121.

the Rockwood (WHITFIELD), 1888, A., 352.

Rowton and Middlesbrough, analyses of (Figur), 1884, A., 977.

om St. Croix Co., (Fisher, 1888, A., 352. Wisconsin

of Saint-Denis-Westrem (KLEMENT), 1888, A., 238.

Santa Catharina (Derby), 1885, A., 362.

of Sewrjukowo (EBERHARD), 1884, A., 417.

of Shalka and Manbhoom (v. Foul-LON), 1889, A., 574.

the Taney Co., Missouri (Kunz). 1888, A., 353.

from Thunda, Queensland (Liver-SIDGE), 1891, A., 279.

the Tonganoxie (BAILEY), 1892, A.,

of Turgaisk (KISLAKOWSKY), 1892, A., 418.

Tysnes (REUSCH), 1886, A., 927.

Meteorite from Winnebago Co., Iowa (Kunz), 1891, A., 278.

Meteorites (Eakins), 1890, A., 574; (Howell), 1892, A., 1413.

classification of (TSCHERMAK), 1884, A., 975.

gaseous constituents of (Ansdell and DEWAR), 1887, A., 351. spectra of (Lockyen), 1888, A.,

examination of certain (FLIGHT), 1883, A., 169.

in the public collections of Mexico (VOM RATH), 1886, A., 133.

See also Meteoric iron.

Methacrylic acid. See Methylacrylic acid.

Methæmoglobin. See under Hæmoglobin.

Methaldehyde. See Formaldehyde. Methane (mursh-gus), formation of, from cellulose (HOPPE-SEYLER), 1886,

A., 577, 932. eparation of (GLADSTONE and TRIBE), 1884, T., 154; (WRIGHT), 1885, T., 200; P., 21. preparation

preparation of, from sodic acetate and

from zinc methyl (FRANKLAND), 1884, T., 31. flame, experiments on (Lewes), 1892,

T., 210; P., 2.

illuminating power of (WRIGHT), 1885, T., 200; P., 21.

heat of formation of (THOMSEN), 1883, A., 544.

solidification of (Olszewski), 1885, A., 860. absorption coefficient of, in water and

in alcohol (HENRICH), 1892, A., 1044.

liquefaction of (Olszewski), 1885, A., 860.

liquid, properties of, and its use as a refrigerator (v. WROBLEWSKI), 1884, A., 1275.

density of (Olszewski), 1887, A., 694.

action of heat on (Lewes), 1892, T., 328.

action of the electric spark on mixtures of nitric oxide and (COOKE), 1889, A., 15.

explosion of oxygen and, under diminished pressure (MEYER and SEUBERT), 1884, T., 583, 591. erivatives, volatility of (HENRY),

derivatives, vo 1887, A., 24.

hydrate (VILLARD), 1888, A., 1020,

estimation of (WINKLER), 1889, A., 924.

Methane, d.bromo-. $d\iota$ bromide.

bromiodo-(methylenic bromiodiale) (HENRY), 1586, A., 44.

bromonitro-, action of zinc ethyl on (BEWAD), 1889, A., 1128.

bromodinitro- (KACHLER and SPITzen), 1883, A., 961.

dibromodinitro- (Losanitach), 1884, A., 277.

formation of (Lo-ANITSCH), 1883, A., 5o 1.

chlorine derivatives of (Losanитесн', 1884, А., 1107.

chloro- and bromo-derivatives of, comparison of (HENRY', 1884, A., 718.

chloro -. See Methylic chloride.

dichloro. See Methylenic dichloride. trichloro .. See Chloroform.

tetruchloro-. See Carbon tetruchloride. chlorobromo-' methulenic rhlurobromide) (HENRY), 1886. A., 43.

chlorodibromo- (Dy-on), 1883, T., 36. chlorodinitro-, reduction of (R 150 HIG), 1886, A., 323.

dichlorodinitro- (LO-ANIFSCH), 1884, A., 1108.

trichloronitro-. See Chloropicrin. diodo. See Methylenic diodide.

iodonitro-, preparation of (Russan-off), 1892, A., 1415. nitro-, magnetic rotatory power of (PERKIN), 1889, T., 687.

reactions with (PFUNGST), 1885, A.,

action of alkalis on (DUNSTAN and Dymond), 1891, Ť., 430.

action of ammonia on (Sokoloff), 1889, A., 365.

action of benzaldehyde on (PRIERS),

1885, A., 160. of, action 011 chlorhydrins (PFUNGST), 1800, A., 862.

action of zinc methyl on (BEWAD),

1889, A., 113. action of, on animals (GIBES and

REIGHERT), 1891, A., 1393. Methane series of hydrocarbons, nitration of (KONOWALOFF), 1892, A., 575.

Methaneazobenzene, iodonitro- (Russanoff), 1892, A., 1416.

Methaneazobenzoic acid, nitro-(GRIE-5), 1885, A., 788.

Methaneazotoluene, iodonitro- (Rus-SANOFF), 1892, A., 1416.

Methanedisulphonic acid (methylenedisulphonic acid), action of nitric acid on (FRANCHIMONT and KLOB-BIE), 1891, A., 426.

salts of (Monani), 1895. A., 970.

See Methylenic Methanedisulphonic acid suchylene-disulphonic arid, chloro- (AN-DREAS(H), 1886, A., 787.

Methanesulphonic acid (methylanlphonic (McGOWAN), 1885, A., 367.
salts of (Nishick), 1883, A., 972.

dibromo-, and chlorobromo-, barium salts of (ANDREASCH), 1886, A., 786.

Methanesulphonic chloride, /richloro-(McGowan), 1885, A., 367. preparation of (Basseri), 1886, A.,

1000. dissociation of (Norman, 1883,

A., 38. action of ammonia on 'McGowan',

188 I. A., 1126.

(Noling Methanetriquinoil and SCHWARTZ), 1891. Α., (RHOUSSOPOULOS), 1891 A., 1261. hydriodide (Rhoussopoulos), 1883, A., 600.

Methanetrisulphonic acid, action of nitric acid on (FRANCHIMONE and KLOBBIE), 1891, A., 426.

Methenylamidine (formamidine) hydrochloride (PINNER), 1883, A., 731.

picrate (DIECKMANN), 1892, A., 705. ${\bf Methenylamidine phenyl-} m\text{-}{\bf carboxylic}$ acid (Zehra), 1891, A., 304.

Methenylamido-α-naphthyl mercaptan (v. Hofmann), 1887, A., 839.

Methenylamidoximeacethydroxamic acid (Modeen), 1892, A., 139.

Methenylamidoxylyl mercaptan (GUDE-MAN), 1888, A., 1282.

Methenylanilidoxime (MULLER), 1890, A., 44.

Methenylisotolylenediamine and its bromo-derivative (HUBNER SCHUPPHAUA, 1884, A., 1143. Methose (LOEW), 1889, A., 583.

molecular weight of (v. Klobukoff), 1890, A., 466.

Methothiothiophen. See Methoxythiophen, thio-. .

Methoxide, potassium, heat of formation of (DE FORCE AND), 1887, A., 204. sodium, heat of formation and of solution of (DE FORCRAND), 1885,

A., 1031. elimination of carbonic anhydride by aid of (M 11), 1889, A., 1126. oxidation of, by atmospheric oxygen (v. Hemmelmayr), 1891, A.,

1332. o-Methoxyacetophenone (TAHARA), 1892, A., 845.

Methoxyacetophenonecarboxylic acid (ZINCKE and LATTEN), 1892, A., 1231.

657

42

o-Methoxybenzaldehyde (o-methylsalicylaldehyde) (Voswinckel), 1883, A., 190.

nitro- [m.p. 102°] (v. Miller and Kinkelin), 1889, A., 989.

[m.p. 90°] and its derivatives (VOSWINCKEL), 1883, A., 190; (SCHNELL), 1884, A., 1164; 1887, A., 140.

trithio- (BAUMANN and FROMM), 1891, A., 1051.

m-Methoxybenzaldehyde (TIEMANN and LUDWIG), 1883, A., 189, 586. a- and 8-nitro-(ULRICH), 1886, A., 60; p-nitro- (ULRICH), 1886, A., 60;

p-nitro- (Ulricii), 1886, A., 60; (LANDSBERG), 1887, A., 483. preparation of (TIEMANN), 1891, A., 703.

m-Methoxybenzaldehydes, nitro-, the four isomeric (RIECHE), 1889, A., 1169. p-Methoxybenzaldehyde, m-nitro- (EIN-HURN and GRABFIELD), 1888, A., 478.

trithio- (BAUMANN and FROMM), 1891, A., 1050.

See also Anisaldehyde.

p-Methoxybenzaldoxime (MILLER), 1889, A., 254.

n-Methoxybenzamide. Sce Anisamide. Methoxybenzene,3:4-nitramido-(Scheidel), 1886, A., 1046. See also Anisoil.

p-Methoxybenzenylacetylamidoxime (MILLER), 1889, A., 254.

o-Methoxybenzenylamidoxime (MIL-LER), 1889, A., 255; 1890, A., 146.

p-Methoxybenzenylamidoxime (unisenylamidoxime) (MILLER). 1889, A., 254; 1890, A., 144; (Hoch-HEIM), 1890, A., 1265.

othyl ether (Miller), 1889, A., 254. o-Methoxybenzenylazoximebenzenyl (Miller), 1889, A., 254; 1890, A., 146.

v-Methoxybenzenylazoximebenzenyl (MILLER, 1889, A., 254.

p-Methoxybenzenylazoxime-ethenyl (MILLER), 1889; A., 254.

p-Methoxybenzenylazoximepropenyl-2carboxylic acid (MILLER), 1889, A., 255.

p-Methoxybenzenyl-ethylideneimidoxime and -imidoximecarbonyl (MILLER), 1889, A., 254.

Methoxybenzhydrylamine. See Methoxydiphenylcarbinylamine.

o-Methoxybenzoic acid, dibromo-(PERATONER), 1887, A., 487.

m-Methoxybenzoic acid, o- and m-nitro-(RIECHE), 1889, A., 1169, 1170.

p-Methoxybenzoic acid. See Anisic acid.

Methoxybenzonitriles, o- and p- (unisomitriles) (MILLER), 1889, А., 255, 254; 1890, А., 146; (Носиным), 1890, А., 1265; (GARELLI), 1891, А., 712.

6-Methoxybenzo-1-nitrile-, 2-nitro-(Lobry de Bruyn), 1885, A., 657.

Methoxybenzophenone and its ketoximes (HANTZSCH), 1891, A., 445.

p-Methoxybenzophenone chloride (HANTZSCH and KRAFT), 1892, A., 339.

hydrazones of (Hantzsch and Kraft), 1892, A., 340; (Auwers and Meyer), 1892, A., 598.

p-Methoxybenzophenone-p-amidobenzoic acid (Hantzsch and Kraft), 1892, A., 340.

p-Methoxybenzophenone-β-naphthylamine and -p-toluidine (HANTZSCH and KRAFT), 1892, A., 839.

o-Methoxybenzoylaceticacid (TAH AR A), 1892, A., 844.

Methoxykenzylacetamide. See o-Anisylacetamide.

p-Methoxybenzylic cyanide (SAL-KOWSKI), 1889, A., 1173.

p-Methoxybenzylideneamidodimethylaniline (Nuth), 1885, A., 784.

o-Methoxybenzylideneamidophenols (HAEGELE), 1892, A., 1451.

o-Methoxybenzylidenecamphor (methydsulicylulcamphor) (HALLER), 1891. A., 1498.

o-Methoxybenzylidene-dimethyl-pphenylenediamine and -8-naphthylamine (STEINHART), 1888, A., 52.

o-Methoxybenzylidenemalonic acid (STUART), 1887, P., 118; 1888, T., 142.

o-Methoxybenzylidenic chloride (STUART), 1888, T., 404; P., 25.

p-Methoxybenzylidenic ethylenic disulphide (FASBENDER), 1888, A., 805.

o-Methoxybenzyl-8-naphthylamine and -p-toluidine (EMMERICH), 1888, A., 51, 50.

Methoxycarballylic acid (SCHATZKI), 1885, A, 512.

Methoxycarbostyril (2'-hydroxy-3-methoxyquinoline) (Eichengrün and Einhorn), 1891, A., 1101.

Methoxycinnamaldehyde (methylcoumaroldchyde), nitro- (v. MILLER and KINKELIN), 1889, A., 990.

Methoxycinnamic acid (methylcoumaric acid), o-nitro- (v. Miller and Kin-Kelin), 1889, A., 989.

m-Methoxycinnamic acid (TIEMANN and LUDWIG), 1883, A., 189.
c-nitro-(EICHENGRUN and EINHORN), 1890, A., 1127; 1891, A., 1101.

- o-Methoxyeinnamic acid, derivatives of (Schnell, 1884, A., 1165; 1887, A., 140.
 - m-amido- and m-nitro- SCHNEIL), 184. A., 1165; 1887. A., 140.
- p-Methoxycinnamic acid (VAIENIINI, 1885, A., 264; (MAGNINI, 1886, A., 467.
 - dibromide and its derivatives Eight, 1887, A., 1110.
 - m-nitro- (EINHORN and GRALFIELD, 1888, A., 478.
- p-Methoxy-coumarilic acid and -coumarone Will and Beek), 1886, A., 881.
- Methoxycresol (LIMPΛ·H), 1592, Δ., 447.
- 6-Methoxy-ψ-cumene, 2:5-dibiomo- and m-nitio- (Auwers, 1886, A., 144.
- Methoxycymene and its nitro-derivative (JESTRUN), 1886, A., 696.
- Methoxydeoxybenzoin (NEY), 1888. A., 1197.
- Methoxydiallylacetic acid and itsethylic salt (Schalzki . 1885, A., 512; (Baralaeff), 1887. A., 359.
- p-Methoxydiazobenzenesulphonic acid. salts of (ALISCHUL), 1892, A., 1081.
- 4-Methoxy-2:6-dimethylpyridine (mellowylutidine) (CONN D and Eck-HAEDI', 1889, A., 520.
 3-Methoxy-2':4'-dimethylquinoline
- 3-Methoxy-2': 4'-dimethylquinoline (Cong and Limpach), 1888, A., 853.
- p-Methoxydiphenylcarbinylamine (pmothocybeazhydrylamine) (HANTZSCH and KRAFF), 1892, A., 338.
- o-Methoxy-1 3-diphenylpyrazolone (TAHARA), 1892, A., 844.
- Methoxydiquinolyline. See Methoxyquinolylquinoline.
- Methoxyethane, tetrachloro- (Mucnumi), 1887, A., 28.
- 3-Methoxy-4-ethoxyallylbenzene (eugenul ethyl ether), tribromide (Woy), 1890, A., 638.
- Methoxyethylbenzoic acid, o-chloronitro- (ZINCKE and LATIEN), 1892, A., 1291.
- Methoxyhydrocotarnine methiodide (Rosen, 1890, A., 531.
- p-Methoxyhydrocoumarilic acid (WILL and BECK), 1886, A., 881.
- p-Methoxyjulolidine (Pinkus', 1892, A., 1492.
- Methoxyl, estimation of (ZEISEL), 1886, A., 493, 1079; (BENEDIKT and GRUSSNLR), 1890, A., 209.
 - interference of substances containing sulphur with Zeisel's method for the estimation of (BENEDIKT and BAMBERGER'), 1891, A., 1296.

- Methoxylepidine. See Methoxy-4'-methylquinoline.
- o-Methoxymandelic acid Voswinck-
- Methoxymethyl butyl ketone JAMES, 1885, P., 115: 1886, T., 55.
- Methoxy-m-methylbenzanilides, o- and p- Letterald, 1890, A., 760.
- 7-Methoxymethyl-U-carbostyril FRIED-1 ANDER and MULLER, 1887, A., 977.
- Methoxymethylethylacetone (JAMES,, 1885, P., 115; T., 55.
- Methoxy-β-methylhydrocoumaric anhydride (v. Promunn and Cohen, 1854, A., 1332.
- 6-Methoxymethyl-p-phenylenediamine (Brs1, 1890, Λ , 608.
- Methoxymethylphthalic acid. Advonto-(WILI and LEYMANN 1886, A., 254.
- Methoxymethylpropyl-benzanilide and benzoic acid (LLUCKARII, 1890. A., 760.
- Methoxymethylquinolines (HERZIELD), 1884, A., 1199.
- Methoxy-2'-methylquinoline (CONRAD and LIMPACH), 1887, A., 680.
- 4'-Methoxy-2'-methylquinoline methiodide (Conkad and Eckhardr), 1889, A., 520.
- 3-Methoxy-2'-methylquinoline, 4'chloro-(CONRAD and LIMPACH,1858, A., 853.
- Methoxy-4'-methylquinoline (methorylepidine) (KNORR), 1887, A., 159.
- 3-Methoxy-4'-methylquinoline (Koll-NIGS), 1890, A., 1433.
- 1-Methoxy-2'-methyltetrahydroquinoline (Doebner and v. Miller), 1884, A., 1374.
- 1-Methoxy-1'-methyltrihydroquinoline (KOHN), 1856, T., 501; P., 210.
- methiodide and hydroxide (Кони', 1886, Т., 503; Р., 210.
- 1-Methoxynaphthalene, 2 4-biomonitro- (MELDOLA), 1885, T., 502.
- Methoxynaphthalenes, α- and β-(STAEDLL), 1853, A., 585.
- β-Methoxynaphthalenesulphonic acids (Percival), 1859, P., 73.
- Methoxynaphthaphenazine (Kehr-MANN and Messinger), 1891, A., 1213.
- Methoxynaphthoic acids, anilides of (Letterarr and Schmidt, 1885, Λ., 1224.
- p-Methoxynicotinic acid v. Pechyann and Welsh), 1885, T., 154; P., 6; A., 175.

acid

p-Methoxynicotinic acid, constitution of (v. Pechmann), 1885, A., 558.

Methoxyiso-oxazoledicarboxylic acid (v. Pechmann), 1891, A., 739. v-Methoxyphenoxycinnamic acid

p-Methoxyphenoxycinnamic (VALENTINI), 1885, A., 264.

p-Methoxyphenylacetamide- and -acetonitrile (Salkowski), 1889, A., 1173.

p-Methoxyphenylacetic acid (Salkowski), 1884, A., 1176. p-bromo- (Salkowski), 1889, A.,

p-bromo- (SALKOWSKI), 1889, A 1174.

p-Methoxyphenylacryl methyl ketone

(EINHORN and GRABFIELD), 1888, A., 477.

p-Methoxyphenylacrylic acid (Ein-

HORN and GRABFIELD), 1888, A., 477.
m-Methoxyphenyl-β-bromopropionic
acid, o-nitro- (ΕυθΕΝGRÜN and
ΕΙΝΗΟΚΝ), 1890, A., 1127.

o-Methoxy-α-phenylcinchonic acid (Doebner), 1889, A., 411.

1-p-Methoxyphenyl-2:3-dimethylpyr-azolone (ALTSCHUL), 1892, A., 1082.

p-Methoxyphenylethylene, m-nitro-(EINHORN and GRABFIELD), 1888, A., 477.

p-Methoxyphenylglyoxylic (GARELLI), 1891, A., 711.

p-Methoxyphenylhydrazine (Alf-schul), 1892, A., 1082.

27-Methoxyphenylhydrazinesulphonic acid, salts of (ALT-CHUL), 1892, A., 1081.

3-Methoxy-2'-phenylhydroquinoline, 2amido- (v. Miller and Kinkelin), 1887, A., 978.

m-Methoxyphenyllactamide, o-nitro-(Eichengrün and Einhorn), 1890, A., 1128.

m-Methoxyphenyllactic acid, o-nitro-(Eighengrun and Einhorn), 1890, A., 1127; 1891, A., 1100.

4-Methoxy-1-phenyl-3-methylphenylamine (Philip and Calm), 1885. A., 155.

α-Methoxy-ν-phenyl-β-methyl-μ-thiomethylglyoxaline (MARCKWALD, NEUMARK and STELZNER), 1892, A., 152.

p-Methoxyphenyloximidoacetic acid (GARELLI), 1892, A., 328.

o-Methoxyphenylphenamidoacetic acid, nitrile of (Voswinckel), 1883, A., 190.

as-o-Methoxyphenylaldphenylnaphthotriazine (Melbola and Forster), 1891, T., 697.

p-Methoxyphenylpropionic acid, dibromo-m-nitro- (EINHORN and GRAUFIELD), 1888, A., 478. 1-Methoxy-2'-phenylquinoline (DOEB-NER), 1889, A., 411.

3-Methoxy-2'-phenylquinoline (Doeb-

NER), 1889, A., 411. 2-nitro-, and its derivatives (v. MILLER and KINKELIN), 1887, A., 978.

Methoxyphenylthiocarbamide (Tie-MANN), 1889, A., 1165; (VOLTMER), 1890, A., 1126; 1891, A., 558.

p-Methoxyphenyl-p-tolylmethylamine (HATSCHEK and ZEGA), 1886, A., 457. Methoxyisopropylstilbene (MAGNA-NIMI), 1886, A., 468.

2-Methoxypyridine (v. Pechmann and Baltzen), 1892, A., 209.

4-Methoxypyridine (HAITINGER and LIEBEN), 1885, A., 811.

Methoxyquinine methiodide (GRIMAUX), 1892, A., 1363.

Methoxyquinol (WILL). 1888, A., 458; (SCHWEITZER), 1889, A., 390.

1-Methoxyquinoline (SKRAUP), 1883,

2-Methoxyquinoline (Fischer), 1883, A., 91.

3-Methoxyquinoline (VULPIUS), 1885, A., 398; (SKRAUP), 1886, A., 79.

1'-Methoxyisoquinoline, 3'-chloro-[m.p. 73°-74°] (GABRIEL), 1887, A., 62.

3-Methoxyquinoline-4'-carboxylic acid (quininia acid) (SKRAUP),1884, A., 86.

6-Methoxy-2:3-quinolinic acid (FEER and KOENIGS), 1885, A., 1235.

1-Methoxyquinolyl-1-hydroxyquinoline methiodide (Lippmann and Fleiss-NER), 1890, A., 174.

p-Methoxyquinolylquinolines (nethoxy-diquinolylines), α- and β- (v. Miller and Kinkelin), 1887, A., 979.

Methoxyquinone, derivatives of (SCHWEITZER), 1889, A., 389.

2-Methoxyquinone (Will), 1888, A., 458. Methoxyquinonedioxime (Best), 1890, A., 608.

Methoxysalicylic acid, dibromo-(PERA-TONER), 1887, A., 487.

Methoxysuccinamide (PURDIE and MARSHALL), 1891, T., 470; P., 82.

Methoxysuccinic acid (Brent), 1883, A., 176; (Purdie and Marshall), 1891, T., 471; P., 82.

and its salts, properties of (PURDIE), 1885, T., 863.

1-Methoxystyrylpyridine (Schuftan), 1890, A., 1438.

3-Methoxytetrahydroquinoline (tetrehydro-p-quinanisoil; "thullin") (SKRAUP), 1886, A., 80; (DRAGEN-DORFF and BLUMENBACH), 1887, A., 871. 3-Methoxytetrahydroquinoline (tetrahydro-p-quinanisoil; "thallia"), preparation of (ANON.), 1885, A... 1023.

physiological action of (PINENTI), 1888, A., 311.

derivatives of (SKRAUP), 1886, A., 80.

methyl- and ethyl- derivatives of, preparation of (ANON.), 1893, A., 871.

sulphate (Vulpius), 1885, A., 398, influence of, on digestion (Chittender and Stewart), 1889, A., 534.

tartrate (VULPIUS), 1885, A., 398.

α-Methoxy-μ-thiomethoxy-νβ-dimethylglyoxaline Μακκναιο, Νευмакк and Stellner, 1892, A., 153.

α-Methoxy-μ-thiomethoxy-β-methylν-υ- and -μ-tolylglyoxalines , MARCK-WALD, NEUMARK and STELZNER), 1892, A., 152.

Methoxythiophen, thio (MEYER and NEURE), 1887, A., 805.

p-Methoxytoluene tolyl methyl ether), amido-derivatives of (LIMPACH), 1889, A., 698.

m-amido (LIMPACH), 1889, A., 499. 3-bromo-(SCHALL and DRALLE', 1885, A., 146.

chloro- (SCHALL and DRALLE), 1885, A., 146; (LIMPACH), 1889, A., 499.

icdo- (Schall and Dralle), 1885, A., 146.

Methoxytoluenesulphonic acid (HEFF-TER), 1884, A., 454.

4-Methoxy-m-toluonitrile (homomethylsalirylonitrile) (Limpach), 1889, A., 499.

Methoxytriphenylmethane, diamido-(MAZZARA and POSSETTO), 1885, A., 1141.

Methronene (ERDMANN), 1885, A., 528.
Methronic acid (methylfurfurancerbasquactic acid; sylvanacarboxyavtic
acid) (FITTIG), 1886, A., 225;
(POLONOWSKY), 1888, A., 1067;
(FITTIG and HANTZSCH), 1889, A.,
126; (V. EYNERN), 1889, A., 592.
See also Carbopylotritaric acid.

Methyl amyl ketone ancthylisopropylactions) (VAN ROMBURGH), 1887, A., 232.

synthesis of (BEHAL), 1886, A., 45. Methyl isoamyl ketone (Sokoloff),

1888, A., 125. oxidation of (WAGNER), 1892, A., 36.

Methyl bromobutyl ketone, preparation of (1 pp., 1886, A., 219.

Methyl bromopropyl ketone (LIPP', 1889, A., 844.

Methyl butallyl pinacone (KABLUKOFF), 1888, A., 1170.

Methyl isobutenyl ketone (mesity) oride; isopropylidimacetone), magnetic rotatory power of (Perkin), 1887, P., 98; 1888, T., 586, 591.

compound of phenylhydrazine with (Fischer and Knoevenagel), 1887. A. 932.

1887, A., 982. nitroso- (Claisen and Manase), 1899, A., 585.

Methyl isobutenyl ketoxime (mesityl oxime; isopropylith macetoneosime) (Nageli), 1883, Å., 728.

Methyl butyl ether (HENRY), 1892, A., 27.

Methyl butyl ketone, oxidation of (WAGNER), 1885, A., 1197; 1892, A., 36.

Methyl isobutyl ketone (KIWSCHI-NOFF', 1888, A., 125; (WAGNER, 1892, A., 36.

Methyl isobutyl diketone diketokephenel (Offic and v. Pechmann), 1889, A., 1138.

Methyl sec.-butyl ketone and its derivatives (WINLIGENUS), 1883, A., 966.

Methyl tert.-butyl ketone (piaucoline), oxidation of (GIUCRSMANN), 1890, A., 237.

Methyl butyl ketoxime (JANNY), 1883,

A., 580. Methyl β-butyl pinacone (WISLICENUS), 1883, A., 966.

Methyl tetrachlorethyl ether (MAGNA-NIMI), 1887, A., 28.

Methyl chlorethyl ketone (VLADESCO), 1891, A., 1183; 1892, A., 810. reactions of (VLADESCO), 1892, A., 810. action of sodium on (VLADESCO), 1892, A., 810.

Methyl dichlorethyl ketone (VLADESco), 1891, A., 1183.

Methyl chlorovinylo diketone, dichloro-(ZINCKE and RABINOWITSCH), 1891, A., 690.

Methyl dichlorovinyl ether (DENARO), 1884, A., 1282.

Methyl coumaroketone. See o-Hydroxystyryl methyl ketone.

Methyl dimethylthienyl ketoxime (MESSINGER), 1885, A., 1205.

Methyl ethyl ketone (methylacetone), action of chlorine on (VLADENCO), 1891, A., 1183; 1892, A., 425. action of sodium on (SCHRAMM), 1883, A., 1079.

nitioso- (Ceresole), 1883, A., 41.

Methyl ethyl ketoxime (JANNY), 1883 A., 580. Methyl ethyl ketoxime, action of hydroeyanic acid on (v. MILLER and Property), 1892, A., 1196.

action of phosphoric chloride on (HANTZSCH), 1892, A., 426.

Methyl ethyl pinacone (SCHRAMM), 1883, A., 1080.

Methyl hexyl ketone [b.p. 208°—210°] (POETSCH), 1883, A., 729. normal [b.p. 172°] (BÉHAL), 1887, A.,

788; 1892, A., 293.

Methyl hexyl ketoxime (Béhal), 1887, A. 795; (Scholl), 1888, A., 443; (Hantzsch), 1892, A., 427; (Holleman), 1892, A., 971.

Man, 1892, A., 971.

Methyl ketones, aromatic, and their oxidation (Clays), 1886, A., 462.

Methyl mercaptan and its derivatives (OBERMEYER), 1888, A., 124. in human intestinal gases (NENCKI), 1890, A., 540.

perchloro-. See Thiocarbonyl tetrachloride.

Methyl mercaptides (Klason), 1888, A., 356.

Methyl nonyl ketone from Citrus Limetta (WATTS), 1886, T., 317; P., 158.

Methyl nonyl ketoxime (Spiegler), 1881, A., 1115.

Methyl propyl ether (HENRY), 1892, A., 27.

Methyl propyl ketone (chylacetone) (Lieben and Zeiseld, 1883, A., 570. https://doi.org/10.1883, A., 1882, A., 1462, 1463.

nitroso- (Claisen and Manasse), 1889, A., 585. thio- (Autenrieth), 1891, A., 541.

Methyl isopropyl ketone (dimethyl-actione) (Eltekoff), 183, A., 566. action of hydroxylamine on (Nagell), 1884, A., 611.

Methyl propyl and isopropyl diketones (diketohexanes) (OTTE and V. PLOH-MANN), 1889, A., 1138.

Methyl propyl ketoxime, action of phosphoric chloride on (HANTZSCH), 1892, A., 427.

Methyl isopropyl ketoxime (NAGELI), 1884, A., 611.

action of phosphoric chloride on (HANTZSCH), 1892, A., 427.

Methyl trimethylene ketone (PERKIN), 1885, T., 835.

Methylacetanilide (Giraud), 1889, A., 704; (Picter), 1890, A., 758. action of zinc chloride on (Picter and

FERT), 1890, A., 1112.

Methylacetoacetamide (Peters), 1890, A., 1097. Methylacetoacetanilide (Knorr), 1888, A., 1111.

Methylacetoacetic acid (CERESOLE), 1883, A., 41.

action of diazobenzene chloride on (JAPP and KLINGEMANN), 1888, T., 539; P., 11.

Methylacetone. See Methyl ethyl ketone.

Methylacetothienone. See Methylthienyl methyl ketone.

p-Methylacetotoluidide, m nitro- (NIE-MENTOWSKI), 1987, A., 937.

Methylacetylacetone (Combes), 1888, A., 128.

refractive and dispersive powers of (PERKIN), 1892, T., 850, 852; P., 100.

magnetic rotation of (Perkin), 1892, T., 813, 842, 848; P., 100.

Methylacetyl-acetonitrile and -carbinol (VLADESCO), 1892, A., 810.

Methylacetylcarbinyl acetate and butyrate (VLADESCO), 1892, A., 810. a-Methyl-B-acetylpropionic acid, distillation of (THORNE), 1885, A., 1200.

Methylacetyl. See also Acetylmethyl. Methylacridine (BERNTHSEN and BENDER), 1883, A., 1133; (FISCHER), 1883, A., 1134.

action of methylic iodide on (BERNTHSEN), 1884, A., 1356.

Methylacridinechloral (ω-trichloro-9hydrocypropylacridine) (BERNTHSEN and MUHLERT), 1887, A., 849.

Methylacridone (DECKER), 1892, A., 881.

Methylacrylic acid (methacrylic acid), brom-addition derivatives of (Kolbe), 1883, A., 573.

Methylacrylic anilide (Bischoff), 1891, A., 828.

Methylesculetin (TIEMANN and WILL), 18-3, A., 199.

Methylal, physiological action of (MAIRET and COMBEMALE), 1887, A., 391, 684.

Methylals (ARNHOLD), 1887, A., 911. Methylalloxazine (KUHLING), 1892, A., 70.

Methylallylbenzene (ERRERA), 1885, A., 772.

Methylallylcarbinol, oxidation of (WAGNER), 1889, A., 231.

(WAGNER), 1889, A., 231.

Methylisoallylene(NortonandNoves),
1889, A., 361.

Methylallylsuccinic acids (HJELT), 1892, A., 697.

Methylallylthiocarbamide (Hecht), 1890, A., 477; (AVENARIUS), 1891, A., 549. Methylallyl-ψ-thiocarbamide ARIUS), 1891, A., 549.

Methylallylthiohydantoin (MARCK-WALD, NEUWARK and SHIZNER), 1892, A., 151.

Methylamarine (CIAUS and SCHERBEL'. , 1886, A., 237.

Methylamidoacetic acid. sine.

Methylamidoazobenzene (b)nzeneazomethylaniline), and derivative (BERJU), 1881. A., 1149. p-nitro- (Nolting), 1858, A., 273.

Methylamidoazobenzenesulphonic acid, sodium salt of. See Helianthin.

Methylamidobenzamide, (Finger), 1959, A., 948.

o-Methylamidobenzene, nit1080-(Meyer), 1856. A., 63.

p-Methyl-o-amidobenzenylamidoxime (WEI-L), 1890, A., 47.

2-Methylamidobenzmethylamide, nitro- THIENE, 1891, A., 917.

Methylamidobenzoic acid (ZACHARIAN), 1891, A., 913.

Methylamidobenzoic acids, chloro- /Lx Cosre and Bodewick, 1885, A., 793.

nitro- (Thieve), 1891, A., 916, 917. Methylamido-α-butyrocyamidine (Du-VILLIER), 1883, A., 220.

Methylamidocarbimidocyanamidobenzoyl (GRILSS), 1885, A., 1227.

B-Methylamidocrotonanilide (KNORR and TAUFKIRCH), 1892, A., 705; (BRUHL), 1892, A., 730, 1106; (LEDERER), 1892, A., 965.

Methyl-mono- and -di-amidocyanidines, diperchloro- (WEDDIGE), 1886, A., 323, 324.

Methylamido-p-diketohexene, pentuchloro- (ANGELI). 1592, A., 449.

Methyl-p-amidodiphenylmethane (MANNS', 1889, A., 261.

Methylamidoformic chloride GATTER-MANN and SCHMIDI, 1887, A., 358.

Methylamido-a-hexoic acid, and its derivatives (DUVILLIER, 1884, A.,

Methylamido-a-hexoic cyamidine (Duvillier), 1883, A., 1153.

acid Methylamidohydroxybutyric (Fielinsky), 1885, A., 752.

Methylamidomethoxycyanuric chloride (v. Hofmann), 1886, A., 40.

Methylamidomethylnitramidobenzene, 2:4:6-, trinitro- (VAN ROMBURGH), 1889. A., 1154.

Methylamidomethylsuccinamic (Korner and Menozzi, 1890, A., 870.

AVEN- | Methylamidomethylthiazole HANTISCH and WEBER, 1889, A., 257.

Methyl-β-amidonaphthylhydroquinoline (RLID. 1887, A., 682.

Methylamidoperezone Mylius', 1885, A., 778.

See Sarco- Methylamidophenylethane, nitroso-(HEUMANN and WILENIK', 1987, A.,

its acetyl- as-Methyl-m-amidophenylpropionic acid (v. MII LER and ROHDE, 1890, A., 1140.

Methyl-o-amidostyrene, ω-chloro-LIPP, 1885, A., 167.

Methylamidosuccinamic acid (Konnen and MENOZZI, 1590. A., 871.

β-Methyl-μ-amidothiazole(HUB W HER), 1891, A., 222.

a-Methylamidovaleric acid and its derivatives Menozzi and Bellioni, 1887, A., 797.

Methylamidoisovalerocyamidine Dr-VILLIER, 1883, A., 221.

Methylamine, properties of av. Hor-MANN, 1889, A., 688. heat of formation of MULLER', 1889,

A., 811.

commercial, extraction of amines from Mullen), 1885. A., 501. chlorothodate (VINCENT), 1886, A.,

311. hydroferrocyanide, crystalline form of (HIORTDAHL), 1886, A., 522.

diaminech omium hydrogen cyanate (Christensen), 1892, A., 1000.

hydrogen malate, action of heat on (GIUSTINIANI), 1892, A., 820.

(GUARESCHI), platinothiocyanate 1892, A., 286.

trimethylacetic acid (FRANCHIMONT and Klobbie), 1888, A., 1062. vanadates (BAILEY), 1884, T., 692,

694; (DITTE), 1887, A., 899. Methylammoniochelidonic acid : LIEBEN and Haitinger), 1884, A., 1196.

Methylammonium rhodiochlorides (VINCENT), 1885, A., 1116.

salts, compounds of, with thiocarhamide (REYNOLDS), 1891, T., 392; P., 79.

Methylamylacetylene (Bi HAL and DEs-GREZ), 1892, A., 1065.

hydration of (Bihal), 1889, A., 227.

hexylacetylene from (BLHAL), 1889, A., 950.

Methylamylheptenylcarbinol and its acetate $[C_{14}H_{23}0]$ (Perkin), 1883, T., 56, 76. A., 454.

Methylanhydroacetonebenzil (JAPP and BURTON), 1887, T., 431; P., 32. methiodide

Methylanhydroecgonine (EINHORN), 1889, A., 170.

Methylanilalloxan (Pellizzani), 1888, A., 143, 682.

Methylanilidoacetamide and its hydrochloride (Silderstein), 1885, A., 160.

Methylanilidoacetic acid, hydrochloride of (SILBERSTEIN), 1885, A., 160.

Methylanilidoazotribromobenzene (SIL-BERSTEIN), 1883, A., 663.

Methylanilidocarbamidophenol (KALCKHOFF), 1883, A., 1110.

Methylanilidodimethylpyrroline (KNORR), 1887, A., 276.

Methylanilidoethylphthalimide (New-MAN), 1891, A., 1208.

Methylanilidoformylcamphor (CL \Isen), 1891, A., 575.

Methylaniline (Picter), 1890, A., 758. preparation of (Reinhardt and Staedel), 1883, A., 578.

heat of formation of (PETIT), 1888, A., 1239.

action of picric chloride on (TURPIN), 1891, T., 716. action of sulphur on (MÜHLAU and

Krohn), 1888, A., 364. estimation of (REVERDIN and DE LA

HARPE), 1889, A., 1038. acetyl-derivative of, preparation of (REINHARDT and STAEDEL), 1883, A., 578.

Methylaniline, p-bromo-, action of diazotised m- and p-nitrandines on (MELDOLA and STREATFEILD). 1889, T., 425, 418; P., 98.

action of diazotised p-toluidine on | (MELDOLA and STREATFEILD), 1889, T., 433, P., 98.

6-bromo-2:4-dinitro- (Norton and ALLEN), 1885, A., 1214.

p-chloro-, action of diazotised p-toluidine on (MELDOLA and STREAT-FEILD). 1889, T., 436; P., 98.

o-nitro- (HEMPEL), 1890, A., 612. m-nitro- (Nolting and Stricker),

1886, A., 544; (MELDOLA and SALMON), 1888, T., 777. action of diazotised p-bromaniline

on (Meldola and Streatfeild), 1889, T., 426; P., 98.

action of diazotised p-nitraniline on (MELDOLA and STREATFEILD), 1888, T., 667; P., 63.

p-nitro- (MELDOLA and SALMON), 1888, T., 775.

Methylisoamylquinol (FIALA), 1886, Methylaniline, p-nitro-, action of di azotised p-bromaniline on (Mel-DOLA and STREATFEILD), 1889, T., 419; P., 98.

action of diazotised m-nitraniline on (MELDOLA and STREATFEILD),

1888, T., 668; P., 63. dinitro- (Norton and Allen), 1885, A., 1214.

action of potassium cyanide on (LIPPMANN and FLEISSNER),

660; 1889, A., 971; (MERTENS), 1886, A., 1022.

o-nitronitroso- (HEMPEL), 1890, A., 612.

1.4-nitroso- (Fischer and Hepp), 1887, A., 244.

See also Phenylmethylnitrosamine. nitrosothio-, and thio- (MICHAELIS and GODCHAUX), 1891, A., 75.

(MICHAELIS nitrosothionyland Godenaux), 1891, A., 74.

thionyl- (MICHAELIS and GODCHAUX), 1891, A., 74.

Methylanilines, analysis of (GIRALD), 1890, A., 309; (REVERDIN and DE LA HARPE), 1890, A., 430.

nitration of (MERTENS), 1886, A., 1022. Methylaniline-fumaride and -succinide

(Piutti), 1886, A., 792. Methyl-n- and -iso-anisaldoximes (Goldschmidt), 1890, A., 1261.

Methyl-o-anisidine (BEST), 1890, A., 607.

trinitro- (GRIMAUX and LEFÈVRE), 1891, A., 1032. p-nitroso- (Best), 1890, A., 607.

a-Methylanthracene [Me=1] (BIRU-KOFF), 1887, A., 965.

8-Methylanthracene (ELBS), 1890, A., 511.

Methylanthracenes, conversion of cinnamene derivatives of aromatic hydrocarbons into (Kraemer, Spilker and EBERHARDT), 1891, A., 207.

Methylanthragallols and their derivatives (CAHN), 1887, A., 57.

p Methylanthranil-amidoanilide. -anilide and -imide (PANAOTOVIĆ), 1886, A., 361.

Methylanthranol, amido- (ROEMER; ROEMER and LINK), 1883, A., 1137.

diacetyl-derivative of (ROEMER and LINK), 1883, A., 1138.

a-Methylanthraquinone (BIRUKOFF), 1587, A., 965. and some of its derivatives (Bönn-

STEIN), 1883, A., 70.

B-Methylanthraquinone (ELBS), 1886, A., 557; 1890, A., 511.

amido- (ROEMER), 1883, A., 1137; (ROEVER and LINK), 1883. A., 1135. nitro- (Roemer and Link,, 1883, A., 1138.

Methylarabinose (WILL and PEIERS', 1889, A., 952.

Methylarbutin (Schiff), 1883, A., 60, 317.

synthesis of (Michael), 1881, A., 439; 1885, A., 521.

separation of, from arbutin (Schiff, 1884, A., 432.

Methylarecaidine (JAHNS), 1892, A., 7.39. Methylarsen disulphide / KLINGI R and KREUTZ), 1889, A., 363.

Methylasparagine (Korner and Men-

ozzi), 1890, A., 871.

Methylaspartic acid and dimethylamide (KORNER and MENOZZI', 1890, A., 871, 570.

Methylatropic acid (Oct 1 ALOLO-To-DARO), 1886, A., 468. derivatives of 'Cabella', 1888, A.,

Methylazaurolic acid (MEYER and Cox-STAM), 1583, A., 41.

Methylazelaic acid (octunedicarbocylic uvid) (FREER and PERKIN), 1888, T.,

Methylazimidobenzene, trichlorobromo-(Zincke and Arzberger), 1889, A.,

Methylazimidothiazolecarboxylic acid (Wohmann), 1891, A., 226.

Methylazobenzene, tetranitro-TENS), 1886, A., 1022.

Methylazophenine (Reichold), 1890, A., 610.

Methylisobarbituric acid (LEHMANN), 1890, A., 32.

Methylisobenzaldoxime (GOLDSCHMIDT and KJELLIN), 1891. A., 1478.

m-nitro- (Goldschmidt), 1890. A., 1262; (Goldschmidt and Kjellin), 1891, A., 1477.

p-nitro-(Goldschmidt and Kjellin), 1891, A., 1477.

Methylbenzamide, o-chloro- (GABRIEL), 1887, A., 1038.

nitro- (VAN ROMBURGH), 1886, A., 546. p-Methylbenzamide, o-nitro-. See p-Toluamide, 3-nitro-.

Methylbenzene. See Toluene.

derivatives, condensation of, with cinnamene (KRAEMER and SPIL-KER), 1891, A., 206.

compounds, nitroso-, so-called (GAB-RIEL), 1883, A., 581.

nitro.. See Phenylnitromethane.

Methylbenzenes, action of methylenic chlorideon, in presence of aluminium chloride (FRIEDEL and CRAFIS), 1887, A., 1102.

products of allylic condensation alcohol and (KLAPMER and SPIL-KER), 1891, A., 1462: 1592, A., 156.

p-Methylbenzenylamidoxime, o-nitro-. See p-Tolenylamidoxime, 3-nitro-.

(CORNELITS n-Methylbenzhydrazoin and Homolka), 1886, A., 1026.

o-Methylbenzidine (Hirsch), 1591, A., 210.

p. Methylbenzil (plean) tolel liletone) (Brenen), 1890. A., 168.

Methylbenzoic acid. See Toluic acid. p-Methylbenzonitrile, o-Litto-. p-Toluonitrile, 3 nitro-.

Methylbenzophenone. See Phenyl tolyl ketone.

v-Methylbenzylamine and its salts (SIRASSWANN, 1888, A., 474; (DAMBERGER and MULLER, 1888, A., 950.

in-Methylbenzylamine (Bromme), 1888, A., 1295.

p-Methylbenzylamine (BAMBERGLR and Lodger, 1887, A., 719; (Zaun-schirm), 1888, A., 1077; (Hinnberg), 1892, A., 65.

Methylbenzylhydroamarine (CLAUS), 1883, A., 203.

Methylbenzylidene, dithio (Bongarrz), 1888, A., 479.

Methylbenzylidenic chloride, conversion of, into triphenylbenzene (BÉHAL), 1889, A., 998.

Methylbergaptic acid (POMERANZ), 1892, A., 71.

Methylbismuthine dibromide, dichloride and diiodide (MARQUARDI), 1887,

oxide (MARQUARDT), 1887, A., 803. (LEUCKART

Methylbornylcarbamide and BACH), 1887, A., 377.

(W18-Methylbromodiketohydrindene LICENUS and KOTZLE), 1889, A., 1068. β Methylbromumbelliferone dibromide

(v. PECHMANN and COHEN), 1854, A., 1331.

Methylbrucine, ammonium base obtained from (HANSSEN), 1885, A., 819.

Methylbutallylcarbinamine (MERLING), 1591, A., 1507.

Methylbutallylcarbinoloxide, hydrated. See Trihydroxylexane.

Methylbutylacetic acid (hertoic acid) (KILIANI), 1886, A., 438.

Methylbutylacetylene. See Heptinene. (sec.-he enlic Methyl-S-butylcarbinol ulcohel) (Wislicenus), 1883, A., 966. Methylisobutylcarbinol (hcrylic alcohol) (Kuwschinoff), 1888, A., 125.

Methylbutylethylene. See Heptylene. Methylisobutylglyoxaline (oral methylisoamyline) (RADZISZEWSKI and SZUL), 1884, A., 986.

Methylisobutylparaconic acids, α- and B- (FITTIG and FEIST), 1890, A., 592.

Methylbutylphenylacetic acid (BEHAL and Augen), 1890, A., 388.

Methylisobutylphenyldimethylamine (dimethyl-o-toluisobutylamine) FRONT), 1885, A., 153.

Methylisobutylquinol (Fialla), 1884, A., 1139.

s-Methylisobutylthiccarbamide (Неспт), 1892, А., 702.

Methylcaffeidine (WERNECKE), 1888, A., 69.

Methylcaffuric acid (SCHMIDT and Schilling), 1885, A., 995.

Methylcamphor (MINGUIN), 1891, A., 1500; 1892, A., 1343.

Methylcarbamide, nitroso- (v. Brun-ING), 1888, A., 936.

Methylcarbamido -. See Methyl- 1 uramido-.

Methylcarbazacridine (Bizzarri), 1892, A., 343.

Methylcarbodinicotinic See acid. Picolinetricarboxylic acid.

Methylcarbophenyllutidyliumdehydride (HANTZSCH), 1885, A., 398.

Methylcarbostyril, amido-, and nitro-(FEER and KOENIGS), 1885, A., 1235. Methylcarbostyril (o-tolucarbostyril),

(RUGHEIMER 3'-4'-dichloro-HOFFMANN), 1886, A., 160.

3-Methylcarbostyril (p-tolucarbostyril), 3': 4'-dichloro-, and 3':4'-dichloronitro- (RUCHEIMER and HOFFMANN), 1886, A., 160.

4'-Methylcarbostyril, and derivatives (KNORE), 1884, A., 334, 1198; 1887, A., 159; (ANON.), 1884, A., 757; (FISCHER and WITTMACK), 1884, A., 1052.

reduction of (KNORR and KLOTZ), 1887, A., 278.

nitroso- (FISCHER and WITTMACK), 1884, A., 1052.

Methyl-ψ-carbostyril and its derivatives (FRIEDLANDER and MULLER), 1887, A., 977.

Methylcarboxyphenylacetic acid (BEHAL and AUGER), 1890, A., 389. Methylcarvoxime (Goldschmidt and

ZURRER), 1885, A., 1058.

Methylchlorallylcarbinol(GARZAROLLI-THURNLACKH), 1884, A., 1118.

2'-Methyltrichlorethylidenequinoline (EINHORN), 1886, A., 264.

Methyltrichlorobromazimidobenzene (ZINCKE and ARZBERGER), 1889, A.,

Methylchloroform. See triChlorethane.

Methylchrysoidine (NÖLTING and STRICKER), 1886, A., 544.

Methylapocinchenic acid (Constock

and KOENIGS), 1885, A., 1249. Methylapocinchenine and its hydrochloride (Comstock and Koenics), 1885, A., 1248.

Methylcinchonamine (HESSE), 1885,

1'-Methylcinchoninic acid (V. MILLER), 1891, A., 1097.

3'-Methylcinchoninic acid (v. MILLER), 1890, A., 1325.

Methylcinnamene. See Tolylacetylene. a-Methylcinnamic acid. See Phenylcrotonic acid.

Methylcinnamic acids. See Tolylacrylic acids.

Methylcinnamoyldextroecgonine (DEC-KERS and EINHORN), 1891, A., 475. Methylcinnolinecarboxylic acid (WID-

млх), 1884, А., 1022. Methylcitraconic acid (Fittic and FRANKEL, 1890, A., 585; (Bischoff), 1891, A., 1221.

Methylcocaine (LIEBERMANN and GIE-SEL), 1890, A., 647, 803; (EINHORN and MARQUARDT), 1890, A., 913; (GIESEL), 1890, A., 1011.

Methylcodeine and its derivatives (GRIMAUX), 1883, A., 359; (HESSE), 1884, A., 614.

Methylcolchicine (JOHANNY and ZEI-SEL), 1889, A., 282.

Methylconiine (Passon), 1891, A., 1118. Methylcopellidine. See Tetramethylpiperidine.

Methylcoumaraldehyde (methoxycinnamuldehyde), nitro- (v. MILLER and Kinkelin), 1889, A., 990.

Methyl-o-coumaric acid derivatives (SCHNELL), 1884, A., 1165; 1887, Λ_{-} , 140.

m-amido- (SCHNELL), 1884, A., 1165; 1887, A., 140.

3-nitro- (v. MILLER and KINKELIN), 1889, A., 989.

5-nitro- (SCHNELL), 1884, A., 1165; 1887, A., 140.

Methyl-m-coumaric acid (methorycinnamic acid) (TIEMANN and LUD-WIG), 1883, A., 189.

6-nitro- (Eichengrun and Einhorn), 1890, A., 1127; 1891, A., 1101,

Methyl-p-coumaric acid (Valentini), 1885, A., 264; aMagnanini ,1886, A., 467.

dibromide and its derivatives (Eu-EL'. 1887. A., 1110.

3-nitro- (EINHORN and GRADFIFLD), 1888, A., 478.

β-Methylcoumarilamide (H \NTZ\CH\, 1886, A., 1014.

β-Methylconmarilic acid (HANTZ-α H', 1886, A., 707.

a-Methylcoumarin, thio- (ALDRINGEN), 1890, A., 624.

β-Methylcoumarin, and its derivatives (V. Pichmann and Duishim, 1884, A., 67.

β-Methylcoumarone Η ΝΝΓΣ-(π', 1986. Α., 707.

α-Methylcoumaroxime Aldring Λ. 1890, Α., 624; 1892, Α., 330. acctate (Aldring N. 1890, Α.,

Methyl-o-coumarylic alcohol 'HARRIES', 1892, A., 169.

Bru HL), 1592, A., 1106.

Methylcrotonic acid. See Tiglic acid.

Methylcumazonic acid, and its derivatives (Widman), 1881, Λ., 303.

Methyl-ψ-cumidine (v. Hofmann),

1883, A., 324.

Methylcuminaldoxime (GOLD-CHVIDT).

1890, A., 1262.
o-Methylcyanacetophenone (HALLER),

1889, A., 574.

Methylevanethine (v. Meyer) 1883

Methyleyanethine (v. MEYER), 1883, A., 352.

Methylcyanobutine hydriodide (Tro-GER), 1888, A., 802.

Methylcyanocamphor (HALLER), 1891, A., 1499.

Methylcytisine (v. Buchka and Magalhals), 1891, A., 750. 8-Methyldaphnetin (v. Pechmann and

COHEN, 1885, A, 56.
Methyldehydrohexone (Perkin), 1887

Methyldehydrohexone (Perkin, 1887 T., 723.

Methyldehydrohexone-mono- and -dicarboxylic acids PERKIN), 1867, T., 715, 717, 744, 747.

Methyldehydropentone and methyldehydropentonecarboxylic acid (MARSHALL and PERKIN), 1890, P., 138; 1891, T., 873, 880.

Methyldeoxybenzoin (Meyer and Oel-Kers', 1888, A., 703.

Methyldeoxybenzoins, isomeric (STRASS-MANN), 1889, A., 883.

Methyldeoxybenzoincarboxylamide (Hellmann), 1890, A., 625; 1891, A., 201. m-Mathyldeoxybenzoin-o-carboxylic acid Hellwann, 1890, A., 625.

p-Methyldeoxybenzoin-o carboxylic acid RUHLWINN', 1892, A., 473.

noid RUHLWANN', 1892, A., 472. Methyldeoxystrychnine TAULL', 1892, A., 1014.

Methyl-αω-diacetylpentane (ΚΙΡΡΙΝΟ and PERKIN, 1859, T., 346; P., 79.

Methyldiazoamidobenzene d'azobenzcaemethylanzlide, (Friswell and Grien), 1886, T., 748; Nolling and Binder, 1888, A., 273.

Methyldibutyltetrahydrophenanthroline Schiff and VANNI, 1890, A., 138.

Methyldicarbocollidyliumdehydride, and the action of acids on Hanizach), 1884, A.: 1046.

3-Methyl-2':3- or -1-diethoxyquinoline, chloro-(Rughenman and Hoff-Mana, 1886, A., 160.

Methyldiethylamine (Passon), 1891, A., 1118.

Methyldiethylcarbinol (Reform arska), 1888, A., 214.

5-Methyl-2·4-diethyl-m-diazine, 6amido. See Cyanethine.

Methyldiethylmethane. See 94/-Hexane.

Methyldiethylphenylenediamine (WLINBERG), 1892, A., 1078.

Methyldiethylphosphine (COLLIE), 1888, T., 719.

Methyldiethylphosphonium platinochloride ('ZIMATIA'), 1893, A., 58.

Methyldiethylsulphine platinochloride (NASINI and SCALA, 1889, A., 115. Methyldiethylthiocarbamide (NOAH),

1890, A., 1211.
Methyldiethyluracil(Behrend; Hoff-

MANN), 1890, A., 31.

Methyldiguanide and its compounds (RIBENSCHUH), 1893, A., 974.

Methyldihydroanthracene, amido., and its derivatives (Roemer), 1883, A,

Methyldihydroindole, 1'-, 2-', and 3'-, and their derivatives (WENZING), 1887, A., 957.

2'-Methyldihydroindole, actions of (BAMBERGER), 1591, A., 1097. action of methylic iodide on Zatri

and FERRATINI), 1891, A. 311.

2'-Methyldihydronaphthindole (Schiepen), 1887, A., 154.

Methyldihydropentene methyl ketone (PERKIN, 1889, P., 142; 1890, T., 232; (MARSHAIL and PERKIN), 1889, P., 143; 1890, T., 242. pinacone of (MARSHALL and PERKIN),

189, P., 143; 1890, T., 248.

Methyldihydropentene methyl ketoxime (PERKIN), 1889, P., 141; 1890, T., 236.

Methyldihydropentenedicarboxylic acid (Prikkin), 1889, P., 142; 1890, T., 233.

action of bromine and of hydrobromic acid on (Perkin), 1889, P., 141; 1890, T. 235.

1-Methyldihydropyrroline(MAGNAGHI), 1885, A., 809.

2'-Methyldihydroquinazoline (GABRIEL and JANSEN), 1890, A., 1443.

3'-Methyldihydroquinazoline, 2'-thio-(Soperbaum and Widman), 1890, A., 1

Methyldiiodamine (RASCHIG), 1896, A.,

Methyl-2':4'-diketodihydroquinazolines, 1-' and 3'-(ADI), 1839, A., 610. 8-Methyl-ay-diketohydrindene (Wis-

LICENUS and KOTZLL), 1859, A., 1068. α. Methyldinicotinic acid. See 2-Methylpyridine-3 5-dicarboxylic acid.

Methyldiosphenol (SHIMOYAMA), 1883, A., 1205.

1'-Methyldioxindole (COLVLAN), 1588, P., 96; 1889, T., 8.

ν-Methyl-ψ-dioxythiazole (ARAPIDES), 1889, A., 414.

1:3-Methyldiphenyl (phenyltoluene) (Anam), 1888, A., 959; (Perriera), 1892, A., 851.

Methyldiphenylcarbinyl.. See Phenyltolylcarlinyl.

Methyldiphenylene ketone oxido (Phovina), 1890, A., 901.
See also Methylxanthone.

Methyldiphenylformamidine (Com-STOCK and WHEELER), 1892. A., 707. Methyldipropylamine (PASSON), 1891.

A., 1118.

Methyldipropylcarbinol (actylic alcohel) (Gonfaloff and Savizeff), 1886, A., 437.

Methyldi/sopropyldihydroquinoline (Dennstedr), 1889, A., 402.

a.Methyldipyridyl and α-methyldipyridyl-α-carboxylic acid (HDC-LR and STOEHR), 1991, A., 81; 1892, Δ., 75.

Methylecgonine (LIEBERMAN and GIESEL), 1890, A., 647; (EINHORN and MARQUARDI), 1890, A., 913.

Methylemetonium hydroxide (Kunz), 1887, A., 981.

Methylene, derivatives of (HENRY), 1886, A., 43.

iodo-, action of, on silver nitrate (Meyren), 1892, A., 575.

rioxime (Scholl), 1891, A., 663.

methyl ke- Methylene-azure (Bernthisen), 1886, 89, P., 141; A., 55.

4-Methylenebis-1-phenyl-3-methylpyrazolone (Pellizzari), 1890, A., 646.

Methylene-blue. See Colouring matters.

Methylenecarbamide (v. HEMMEL-,
MAYR), 1891, A., 1340.

Methylenecarbazole (PULVERMACHER and Lob), 1892, A., 1466.

Methylene-cinchonic and -cinchoxinic acids (CLAUS), 1892, A., 1489, 1490.

Methylenediacetamide (PULVER-MACHER), 1892, A., 579,

Methylenediamines, substituted (EHRENBERG), 1887, A., 1026.

Methylenedibenzamide (Pinner), 1891, A., 469; (Thiesing), 1892, A., 467; (Pulvermacher), 1892, A., 580.

Methylenedibenzylamine. See Dibenzylmethylenediamine.

Methylenedigallic acid (CARO), 1592, A., 856.

Methylene-3:4-dihydroxybenzylic glycol (TIEMANN), 1892, A., 17; (WAGNER), 1892, A., 310.

Methylenedimalonic acid. See Propanetetracarboxylic acid.

Methylenedi-β-naphthylic oxide (C1 1US and RUPPEL), 1890, A., 511.

Methylenediphenyldiamine (PRATTSI), 1885, A., 782.

γ-Methylenediphenylene (Hodgkinson and Matihews), 1883, T. 164.

γ-Methylenediphenylenesulphone. See Diplenylenemethanesulphone.

a-Methylenediphenylenesulphonic acid, and the fusion of its potassium salt with potash (Hodgkinson and Maithews), 1883, T., 166.

γ-Methylenediphenylenic sulphide ((frame and Schultes), 1891, A... 1059.

Methylenediphenylic oxide (RIGHTER), 1884, A., 324.

Methylenediphthalimide (NEUMANN), 1890, A., 890.

Methylenedipiperidine (Eschweiler), 1890. A., 955; (Krauf, Eschweiler and Grossmann), 1890, A., 1092.

Methylenedipyrogallol (CARO), 1892, A., 856.

Methylenediquinoil. Sec Methylenequinolylquinoline.

Methylene-diresorcinol and -diresorcylic acid (CARO), 1892, A., 856.

Methylenedisalicylic acid (CARO), 1892, A., 855.

condensation of, with 8-1e-or ylic acid, with gallic acid, and with phenol (CARO), 1892, A., 856. Methylenedisulphonic acid. Methanedisulphonic acid. -1 toluidines Methylenedi-oand (GRUNHAGEN), 1890, A., 888. THIE-

Methylenedi-a-toluoylamide SING), 1892, A., 467.

Methylenedi-o- and p-toluoylamides (THIESING), 1892, A., 467.

Methylene-ethylamine (Koloiofi), 1986, A., 189.

Methylene group, replacement of the hydrogen atoms in (WALL Mu), 1.91, A., 189.

Methylener/i-o-, -m- and -p-nitranilines (PULVERWACHER), 1892, A., 1450.

Methylene/initrodibenzamide (THIEsing), 1892, A., 467.

Methylenephthalethimidine (MER-TENS), 1987, A., 51.

Methylenephthalide (GABRIEL), 1885, A., 1228. and its bromide and oxide (GABRIEL',

1885, A., 164. bromo- GABRIEL, 1885, A., 165.

nitro- (ZINCKE and LAITEN, 1892, A., 1231.

Methylenephthalomethimidine (GAB-RIEL), 1585, A., 1228.

Methylenephthalphenimidine (Men-TENN), 1887, A., 52.

Methylenequinolylquinoline (methylenediquinoil) hydrochloride (RHOUSsopoulos), 1883, A., 1150.

Methylene-red and -violet (BERNTH-SEN), 1886, A., 54.

Methylenethiocarbamide (v. HEMMEL-MAYR), 1891, A., 1339.

Methylenedithiodiacetamide (PULVER-MACHER), 1892, A., 580.

Methylene-white. See Leucomethyleneblue under Colouring matters.

Methylenic dibromide (dibromomethune) (HENRY), 1884, A., 718.

bromiodide (bromiodonethum) (HENRY), 1886, A., 41.

dichloride (dichloromethous), preparation of (GREENE), 1885, A., 38. action of benzylamine on (KEMPFF),

1890, A., 887. action of, on methylbenzenes in

presence of aluminium chloride FRIEDEL and CRAFT-), 1887, A., 1102.

action of water and ammonia on (Andre), 1886, A., 861.

physiological action of, compared with that of chloroform (REG-NAULD and VILLEJEAN), 1885, A., 285, 926.

substitution derivatives (HOLAND), 1887, A., 905.

dichloride dichlors-See ' Methylenic nuthar`, illuitoand diouo-Holan , 1887, A., 905.

chloriodide (SAKURAI), 1885, T., 198; P., 20,

chlorobromide ch'orobranomethuae) (Hrnry), 1886. A., 43.

chlorofluoride (Collie), 1889, T., 112; P., 16. cyanide. See Malonodinitrile.

ethylenic disulphide, μ-imido-, salts of (Miolari, 1891, A., 894.

(CHABRIE). 1830, difluoride 1053.

antiseptic action of (CHABRII, 1891, A., 353.

diiodide (diiodomethone), formation of, from iodoform (CAZLNEUVE, 1534, A., 896.

refractive power of, at different temperatures (Perkin), 1891, P., 116; 1892, **T**., 296.

molecular refraction and dispersion of (GLADSTONE, 1591. 295.

action of aniline on (BISCHOFF NISTYOGEL, 1590, 1164.

action of ethylic malonate on (Tanatari, 1891, A., 175; 1892, A., 1304.

action of silver nitrite on (Rus-SANOFF), 1892, A., 1415.

action of sodium ethoxide on (Mulden), 1889. A., 363.

action of sodium phenylsulphinate on (MICHAEL and PALMER), 1885, A., 536.

oxysulphide (BARTOLI and PAPA-sogli), 1884, A., 170.

phenylimidophenylthiocarbamate (FOERSTEL), 1889, A., 917.

μ-imidopropylenic disulphide,

(MIOLATI), 1801, A., 805.

Methylenitan. See Carliohydrates.
Methylennyl.. See Methylnonyl.

Methylerythrohydroxyanthraquinone (BIRUKOFF), 1887, A., 961.

Methylethenyltolylenediamine and its methiodide (NIEMENIOW-KI), 1887,

A., 937, 938. Methylethylacetal (Rubencamp), 1895, A., 136.

trichloro- (MAGNANIMI), 1887. A.,

solubility Methylethylacetates. (SEDLITZKY), 1885, A., 250.

Methylethylacetic acid, zinc salt of (SCHMIDT), 1886, A., 867.

Methylethylacetoximic acid (Schramm), 1883, A., 573.

Methylethylacetylene (mutinene, conversion of, into propylacetylene (FAWORSKI), 1888, A., 1168.

β-Methyl-α-ethylacetylpropionic acid, distillation of (THORNE), 1885, A., 1200.

 α-Methyl-β-ethylacraldehyde (here noic aldehyde) (LIBBEN and ZEISEL), 1883, A., 570; (SOLONINA), 1888, A. 806.

action of ammonia on (HOPPE), 1889, A., 120.

action of sulphuric acid on (LUDW 16), 1892, A., 951.

action of sulphurous acid on (Lub-Wis-), 1889, A., 121.

oxidation of (LIEBEN and ZEISEI), 1883, A., 570.

derivatives of (LIEBEN and ZLISEL), 1883, A., 570.

Methylacrylic acid. See Hexenoic acid.

Methylethylamidoiso-oxazole. See Methylethyliso-oxazole.

Methylethylamine (SKRAUP and WIEG-MANN), 1889, A., 1018; (HINSBURG), 1892, A., 64.

Methylethylaniline and its derivatives (CLAUS and HOWITZ), 1884, A., 1005; (CLAUS and HIRZEL), 1887, A., 135.

o-Methylethylbenzene (cthyltolucae), preparation of (Claus and Mann), 1885, A. 888.

oxidation of (CLAUS and MANN), 1885, A., 888; (CLAUS and PIE-ZCZEK), 1887, A., 240.

bromo- (CLAUS and PIE-ZUZEK), 1887, A., 240.

mono- and di-nitro- (CLYUS and PIESZCZEK). 1887, A., 240.

p-Methylethylbenzene (Anschürz and Romie), 1885, A., 769.

on-diamido- (Erhera and Baldracco), 1892, A., 606.

o-Methylethylbenzene-β-sulphonic acid and chloride (CLAIS and PIE-ZCZLK), 1887, A., 240.

Methylethylbromaniline (CLAUS and HOWITZ), 1881, A., 1006.

Methylethylbromoxazolone. See Methylethyloxazolone.

Methylethylearbinearbinol (LIEBEN and ZEISEL), 1886, A., 781.

Methylethylearboxyglutaric acid (BISCHOFF), 1891, A., 829.

3-Methyl-2'-ethylcinchoninic acid (v. Miller), 1890, A., 1326.

1:3-Methylethyl-m-diazine and dichloronitro-(PINNER), 1889. A., 1007. Methylethyldicarboxyglutaric acids (BISCHOFF), 1891. A., 829. 1-Methylethyldihydronaphthaquinone (BPHAL and AUGER), 1890, A., 388.

Methylethyldihydropentene methyl ketone (MARSHALL and PERKIN), 1890, T., 251.

4-Methyl-3-ethyldihydropyridine (βdihydrocollidini) (OECH-NER DE CONINCK), 1884. A., 1047.

1':3'-Methylethyldihydroquinoline (FISCHER and STECHE), 1888, A., 299.

1-Methyl-2-ethylenetetrahydropyridine. See Tropidine.

Methylethylene-ψ-thiocarbamide (G 1brief ', 1889, A., 849.

Methylethylenetolylaminedimethyltolylammonium iodide (HUDNER, TOLIE and AIBENSTADT), 1884, A., 1318.

us-Methylethylethylene. Sec γ-Amyl-

Methylethylglutaric acids, p- and ut 80- (BISCHOLE), 1891, A., 829.

1:2-Methylethylglyoxaline orularthulpropplane, synthesis of (RADZIS-ZEWNKI), 1883, A., 729.

2 1-Methylethylglyoxaline (wealthylthyline) (RADZISZEWSKI), 1883, A., 729.

(ocalethuline), properties of (WAL-LACH), 1883, A., 910.

chiolo-, and its derivatives (WAL-LACH,, 1883, A., 49.

Methylethylglyoxime (SCHRAMM) 1883, A., 590.

diacetyl-derivative of (SCHRAMN), 1854, A., 52. peroxide (SCHOLL), 1891, A., 316.

Methylethylhexahydropyridine. See Methylethylpiperidine.

Methylethylhexamethylene, formation of (KIPPING and PERKIN), 1889, P., 143.

α-iodo- (Kilping and Plikkin), 1890, T., 2-3.

2'-Methylethylideneindole (FISCHIR), 1888, A., 281.

3':2'-Methylethylindazine and 3':1'-methylethylesoindazine (Fischer and Tarle), 1885, A., 541, 542.

2':1'-Methylethylindole (FISCHER and STECHE), 1887, A., 976.

2':3'-Methylethylindole (FISCHER), 1886, A., 805; 1887, A., 149.

p-Methyl-1'-ethylindole (ethyl-p-tolindole) and p-methyl-1'-ethyl-indole-2'-earboxylic acid (Heggel), 1886, A., 552.

Methylethylketol (v. Pechmann and Dahl), 1890, A., 1235.

Methylethylketole. See 2':1'-Methylethylindole.

Methylethylmaleic acid FITTIC and PARKER), 1892, A., S14.

Methylethylmaleic anhydride (BISCHOFF), 1891, A., 291; (MICHAEL and TISSOT), 1891, A., 1456.

Methylethylmalic acid : MICHALL and TISSOT), 1891, A., 1455.

Methylethylmalonic acid 'Oiro and Beckurr'). 1885, A., 754; (Oiro and Rossing), 1888, A., 45. thermochemistry of (Sighuana,

thermochemistry of (SIOHVANA, KLEBER and LANGBEIN, 1889, A., 1097.

Methylethylnitrouracil (LEHM NN), 1590, A., 32.

Methylethyliso-oxazole, amido-(Burns, 1891, A., 889; (Hanrioi, 1891, A., 1108; 1892, A., 79.

Methylethyloxazolone. bromo- (H 1N-1017), 1891, A., 1108: 1892, A., 79.

1:2-Methylethylpentamethylene (Marshall and Perkin), 1859, P., 143; 1890, T., 250.

Methylethyl-p-phenylenediamine (pamidoethyl-o-toluidine) (WEINBERG), 1892. A., 1078.

2-Methyl-4-ethylpiperidine (copelluline) (Schulez), 1888, A., 64.

2-Methyl-5-ethylpiperidine (allahyddcollidine her dhydride; copullidine), and its derivatives (Durkoff), 1884, A., 1054; 1885, A., 817.

2-Methyl-6-ethylpiperidine (Schulz),

1888, A., 64.
4-Methyl-3-ethylpiperidine (β-colludine huxahydrule) (OECHNER DE CONINCE), 1884, A., 1048.

physiological action of (BOCHEFON-TAINE and OECHSNER DE CONINCE), 1885, A., 681.

2:5-Methylethylpiperidylalkine. See 5-Hydroxyethyl-2-ethylpiperidine.

B3-Methylethylpropionic acid (heroic acid) (VAN ROMBURGH), 1887, A., 228; 1888, A., 447.

Methylethylpropylisobutylammonium chloride, optical isomerides of (Ln Bra, 1891, A., 1002.

Methylethylpropylearbinol (tert.heptylic alcohol) (Sokoloff), 1888, A., 1170.

Methylethylisopropyl-m-diazine, amido- (v. Meyer), 1889, A., 578.

α-Methylethylpropylene (hexylene)
(WI-LICENUS), 1883, A., 967.

Methylethylpropylic alcohol (hexylic alcohol) from essence of chamomile (VIN ROMBURGH), 1887, A., 228.

2-Methyl-4-ethylpyridine(cthylpicoline) (Schultz), 1555, A., 61.

2-Methyl-5-ethylpyridine (ald limbc dluline Durkoff', 1886, A., 257. constitution of Durkoff, 1886, A., 257; (Durkoff and Schluugk.

1887. A., 737: 1888. A., 499. reduction and oxidation-products of Durkopf . 1885, A., 817.

2-Methyl-G-ethylpyridine (ethylpscoline) (SCHUIIZ), 1×88, A., 64.

4-Methyl-3-ethylpyridine (B-collidine) (HANTZNH, 1883, A., 88; OECHS-NER DE CONIN, 1883, A., 739, physiological action of (MARIES and

physiological action of (MARCUS and OECHSNER DE CONINCE), 1883. A., 104.

hydrate of (OECHNER DE CONNER). 1883. A., 220.

6-Methyl-4-ethylpyridine (α-collidene) (WLIDLI and Pick, 1885, A., 557.

Methylethylpyridines (colliders), preparation of (MAI and AscHOFF, 1892, A., 725.

Methylethylpyridylalkine. See 2 Hydroxyethyl-5-ethylpyridine.

2-Methyl-1-ethylpyrrolidone-2-carbothioxylamide and -2-carboxylamide (Kuhling), 1890, A., 793.

2-Methyl-1-ethylpyrrolidone-2-carboxylic acid (Kithing), 1890, A., 793.

Methylethylquinol and its derivatives (Fig.A.), 1884, A., 1188; 1886, A., 454; (Nolting and Werner), 1891, A., 209.

3'-Methyl-2'-ethylquinoline and its salts (Doenner and v. Miller), 1884, A., 1376; (HARZ), 1886, A., 262; (ELIASBERG and FRIEDLANDER), 1892, A., 1107.

3'-Methyl-2'-ethylquinoline-1-carboxylic acid (v. Miller), 1890, A., 1326

3-Methyl-2'-ethylquinoline-3'-carboxylic acid (HARZ), 1886. A., 261.

ar-Methylethylsucoinic acid (BIN-CHOFF), 1891, A., 829; (HELL), 1891, A., 1018.

s-Methylethylsuccinic acid (Young), 1883, T., 180; (Bischoff and Waiden), 1889, A., 950; (Bischoff and Minrz), 1890, A., 743.

Methylethylsuccinic acids (Buschichin and Zelinsky), 1890, A., 741.

2'-Methyl-1'-ethyltetrahydroquinoline (Moller), 1888, A., 295.

α-Methyl-μ-ethylthiazole (Ηυβλύπει), 1891, A., 220.

μ-Methyl-α-ethylthiazole /H \N12\(\text{CH}\), 1890, A., 1235; (Rt BLEFF), 1891, A. 223. m-Methyl-p-ethyltoluene (CLAUS), 1892, A., 985.

Methylethyltriphenyl/ithiobiuret (BILLETER and STROHL), 1888, A., 365.

Methylethyluracil (BEHREND; HOFF-MANN), 1890, A., 31.

 β -Methyl- α -ethylvalerolactone

(Young), 1883, T., 172, 178; A., 456. Methyleugenol, glycol from (WAGNER), 1892, A., 310.

Methylisoeugenol, glycol from (WAG-NER), 1892, A., 311.

dibromide (CIAMICIAN and SILBER), 1890, A., 967. nitrosite of (Angell), 1892, A., 447.

Methylfenchylamine (WALLACH and GRIEPENKERL), 1892, A., 1239.

Methylflavolinium hydroxide. See 2'-Phenyl-1': 4'-dimethylquinolinium hydroxide.

Methylformanilide (PINNER), 1893, A., 1090; (Norton and Livermore), 1887, A., 1038; (BARBIER and VIGNON), 1888, A., 689; (PICTET), 1890, A., 758.

mnitro- (COMSTOCK and WHEELER),

1892, A., 706.

Methyl:soformanilide (Comstock), 1890, A., 1258; (Comprock and Kleeberg), 1890, A., 1414.

m-nitro- (Comstock and Wheeler), 1892, A., 706.

Methylformimide hydrochloride (PIN-NER), 1883, A., 1089.

Methyl/soformo-a naphthalide (Con-STOCK and WHEELER', 1892, A., 705. Methylformo-p-toluidide (BAMBERGER

and Wulz), 1891, A., 1202.

Methylisoformo-o- and -p-toluidides (COMSTOCK and CLAPP), 1892, A., 707, 708.

Methyl-fumaramic acid and -fumarimide (GIUSTINIANI), 1892, A., 821.

Methylfurfuraldehyde (HILL), 1889, A., 695; (MAQUENNE), 1890, A., 33.

Methylfurfurancarboxyacetic See Methronic acid.

Methylfurfurine (BIELER and TOLLENS), 1890, A., 1105.

a-Methylglutaric acid (butenedicarhoxylic acid) (KILLANI), 1883, A., 962.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097.

B-Methylglutaric acid (butanedicarboxylic ucid; ethylidenediacetic arid) (Komnenos), 1884, A., 422; (Auwers, Kobner and v. Meyen-1884, BURG), 1892, A., 41.

β-Methylglutaric acid (butuncdicarboxylic ucid; cthylidenediacetic acid), dibromo- (AUWERS and BERNHARDI), 1891, A., 1191.

a-Methylglyceric acid and its salts (MELIKOFF), 1885, A., 651.

β-Methylisoglyceric acid (Melikoff and Pethenko-Kritschenko), 1892, A., 296.

β-Methylglycidamide, trichloro- (LEVY, WITTE and CURCHOD), 1890, A.,

B-Methylglycidic acid and its salts (propylencoxycarboxylic acid) (Melikoff), 1884, A., 1301; 1885, A., 650.

additive product of methylamine and

(FIELINSKY), 1885, A., 752. **3-Methyl/soglycidic acid** (MELIKOFF and Petrenko-Kritschenko), 1892, A., 296.

γ-Methylglycidic acid. See Butylglycidic acid.

Methylglycocine. See Sarcosine.

Methylglyoxalbisphenylhydrazone (v. PECHMANN and WEHSARG), 1887, A., 1104; 1889, A., 47.

Methylglyoxal-αω-hydrazoxime (v. Pechmann and Wehsarg), 1889, Δ., 47.

1-Methylglyoxaline (oralmethyline) (WALLACH), 1883, A., 50; (WOHL and Manckwald), 1889, A., 867. formula of (JAPP), 1883, T., 198.

action of ethylic chloracetate on (RUNG and BEHREND), 1892, A., 1493.

mercaptan and methylic sulphide (WOHL and MARCKWALD), 1889, A., 866.

2-Methylglyoxaline (9/1902 relethyline; p-oxalmethyline) (Wallach), 1883, A., 50, 911; (RADZI-ZEWSKI), 1883, A., 308.

synthesis of (JAPP), 1883, T., 17; 198; (Radziszewski), 1883, A., 728.

terbromo- (Wallach), 1889, A., 911. 2-Methylglyoxaline-4:5-dicarboxylic acid (MAQUENNE), 1890, A., 1439.

Methylglyoxal-αω-methylphenylhydrazoxime (v. Pechmann and Wehsarg), 1889, A., 48.

Methylglyoxalosotetrazone (v. Pech-MANN), 1888, A., 1288.

Methylglyoxime (Scholl), 1891, A., 287.

action of nitric peroxide on (SCHOLL), 1891, A., 316.

diacetyl-derivative of (Schramm), 1884, A., 52.

Methyls///glyoximecarboxylic (Hantzsch), 1892, A., 1176.

acids. Methylglyoximecarboxylic dissociation constants of (HANTZSOH and Miolati, 1892, A., 1268.

Methylguanicil (CURATOLO), 1891, A., 539.

Methylguvacine (JAHNS), 1892, A.,

Methylheptonic acid and lactone (FISCHER), 1890, A., 599.

Methylheptose (FISCHER), 1890, A., 599.

Methylhesperidin (WIII), 1885, A., 906.

Methylhexadecylbenzenes (hexadecyltoluenes), o., m. and p. (Krafff and Gollies, 1889, A., 129.

amido-)>-Methylhexadecylbenzene, (KRAFFT and GUTILL), 1889, A., 130.

p-Methylhexadecylbenzenesulphonic acid, sodium salt of (KRAFIT and GOI FIG), 1589, A., 130.

p-Methylhexadecylphenetoil and methylhexadecylphenol (KRAFFI and Gorrie), 1889, A., 130.

a-Methylhexahydroanthracene (GRAEBE and JUILLARD), 1888, A.,

1-Methylhexahydronicotinic acid (JAHNS), 1892, A., 740.

Methylhexamethylene methyl ketone (FREER and PERKIN), 1888, T., 213.

Methylhexamethylene-mono- and -dicarboxylic acids (FRLER and PLR-KIN), 1888, T., 207.

o-Methylhexamethylenemethylcarbinol (Kipping and Perkin), 1889, P., 144.

Methylhexane. See Heptane.

Methylhexylcarbinyl cyanide (FRLUND and Schonfrid), 1892, A., 132.

Methylhexyldiphenolmethane (Dianin), 1889, A., 1187.

B-Methylhexylethylene (FREUND and Schonfeld), 1892, A , 133.

1:2-Methylhexylglyoxaline(andmethylananthyline) (Kircy), 1887, A., 911.

Methylhexylhydroxypyrotartaric acids a- and \$-, salts of (Fills and Feist), 1890, A., 593; (Fitting and Riechel-MANN), 1890, A., 593, 594.

Methylhexylparaconic acids, α - and β -(FIFTIG and RIECHELMANN), 1890, A., 593, 594.

a-Methylhomo-o-phthalimide and -ophthalonitrile (GABRIEL), 1887, A., 1112.

acid a-Methylhomopiperidic acid (ASCHAN), 1891, A., 1246.

a-Methylhomoterephthalic acid (ERRERA', 1891, A., 1021.

Methylhydantoin (lartylearbamide) (Franchimont and KIOBBIE), 1889. A., 1143.

nitro- (Franchimoni and Klobbie), 1888, A., 1180; 1889, A., 125, 1143.

γ-Methylhydantoin (GUARESCHI), 1892, A., 828.

Methyl-hydrastallylamide and -hydrast*iso*amylamide (Friend HEIM), 1891, A., 92, 93.

Methylhydrast-amide and -imide and its methiodide (FREUND and HLIM), 1891, A., 92.

Methylhydrastisoamylimide (FREUND and HEIM'. 1891, A., 93.

Methylhydrasteine (FREUND ROSENBERG . 1890, A., 533.

Methylhydrastine (FREUND and ROSEN-LERG), 1890, A., 532; (SCHMIDT), 1890, A., 1167.

alcoholate and hydroxide (Schmid), 1890, A., 1165.

methiodide (FREUND and ROSENвекс), 1890, А., 533; (Schwide), 1590, A., 1168.

Methylhydrasto-methyl- and -ethylamides (FREUND and HEIM), 1891, A., 93.

Methylhydratropaldehyde. See Tolylpropaldehyde.

Methylhydrazidobenzenesulphonic acid (Prulf), 1887, A., 934.

Methylhydrazine (v. Bruning), 1858, A., 936; 1890, A., 23.

action of, on dialdehydes and diketones (Kohlrausch), 1890, A., 24.

Methylhydrazomethylenecarboxylic acid, ammonium salt of (Cirrits and LANGI, 1892, A., 452.

γ-Methylhydrindene-β-carboxylic acid (Roser), 1887, A., 836; 1888, A., 1303.

o-Methylhydrindone and its phenylhydrazone (Young), 1892, A., 1221.

Methylhydrindones, m- and p- (V. MIL-LER and ROHDE), 1890, A., 1140.

B-Methylhydrindone and its phenylhydrazone (v. MILLER and ROHDE), 1890, A., 1139.

m-chloro- (v. MILLER and ROHDE), 1890, A., 1140.

Methylhydroacridine (BERNIH-EN and Bender), 1883, A., 1134.

Methylhydroberberine (GIACOSA and SOAVE), 1890, A., 920; (GAZE), 1890, A., 1012.

673 43 Methylhydrobergaptic acid (Pomer-ANZ), 1892. A., 72.

Methylhydrocarbostyril, 2-amido-(EDELLANU), 1888, T., 560; P., 55.

Methylhydrocinnamaldehydes, a- and p- (v. MILLER and ROHDE), 1890, A., 979.

a-Methylhydrocinnamic acid. See Phenylisobutyric acid.

p-Methylhydrocinnamic acid (Krober), 1890, A., 969; (v. Miller and Rohde), 1890, A., 1140.

Methylhydrocinnamic acids, o- and m-. See Tolylpropionic acids.

Methylhydrocotoin (CIAMICIAN and SILBER), 1891, A., 578. action of phosphoric chloride on

action of phosphoric chloride on (BARTOLOTII), 1892, A., 1314.

Methylhydro-m-coumaric acid (TIE-MANN and Ludwig), 1883, A., 189.

Methylhydro-p-coumaric acid, dinitro-(Stoehr), 1884, A., 1350.

Methylhydrohydrastinine and its derivatives (FREUND and DORMEYER), 1891, A., 1519.

bromo- (FREUND and DORMEYER), 1892, A., 223.

Methylhydroquinaldine. See Dimethyltetrahydroquinoline.

6-Methylhydroxylamine (DITFRICH), 1891, A., 317; (HOFFMANN and MEYER), 1892, A., 291; (KIRPAL), 1892, A., 1067.

Methylic alcohol, occurrence of, in the products of the dry distillation of colophony (Kelbe and Lwoff), 1883, A., 738.

from plants (MAQUENNE), 1886, A., 274.

purification of (REGNAULD and VIL-LEJEAN), 1884, A., 1279.

physical properties of (DITIMAR and FAWSITT), 1889, A., 578.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1890, A., 101.

specific heats of solutions of (Timo-FEEFF), 1891, A., 1406.

vapour pressures of (RICHARDSON), 1886, T., 762, 768, 771, 773; (SCHMIDT), 1892, A., 397.

decomposition of, by the silent discharge (MAQUENNE), 1884, A., 542. action of *Bacterium acti* on (BROWN), 1886, T., 177; P., 136.

action of metallic alkyl oxides on mixtures of ethereal salts and (Pundle), 1887, T., 629. combination of, with barium oxide

combination of, with barium oxide (DE FORGRAND), 1886, A., 781, 861.

Methylic alcohol, compound of, with copper sulphate (DE FORCRAND), 1886, A., 524.

compound of, with potash (GOTTIG), 1888, A, 933.

compounds of, with sodium hydroxide (Gorrig), 1888, A., 437.

estimation of acetone in (HINTZ), 1888, A., 759; (MESSINGER), 1889, A., 313; (VIGNON), 1890, A., 837.

estimation of, in presence of ethylic alcohol (DE PONOY), 1885, A., 298; (VAN DE VYVERE), 1885, A., 600; (HEHNER), 1887, A., 1142.

estimation of, in wood spirit (HABER-MANN), 1889, A., 84.

MANN), 1889, A., 84. See also Wood-naphtha and Wood-spirit.

Methylic salts of abnormal structure (Wegscheider), 1892, A., 1208. of normal fatty acids, boiling points and specific volumes of (Gartenmeister), 1886, A., 966.

acetamidoformate (KLOBBIE), 1891, A., 292.

acetate, action of acids on (OSTWALD), 1884, A., 581.

action of, on isoamylic and isobutylic alcohols (Purdie and Marshall), 1888, T., 394, 395; P., 25.

influence of normal salts on the hydrolysis of (TREY), 1887, A., 102.

acetoacetate, action of aldehyde ammonia on (HANTZSCH). 1883, A., 1082.

acetoneoxalate and acetophenoneoxalate, magnetic rotation of (Per-KIN), 1892, T., 822, 833, 853, 863; P., 100.

acetylcarbamate (FRANCHIMONT and KLOBBIE), 1889, A., 1144.

acetylenedicarboxylodiazoacetate (BUCHNER), 1889, A., 694.

acrylate, action of methylic alcohol on (PURDIE and MARSHALL), 1891, T., 474; P., 82.

acrylates, three, refractive indices of (Kahlbaum), 1885, A., 1173.

allylic sulphide (OBERMEYER), 1888, A., 124.

amidoacetate and its hydrochloride (CURTIUS and GOEBEL), 1888, A., 576.

o-amidobenzoate, action of ammonia on derivatives of (ZACHARIAS), 1891, A., 912.

m-amidocumate (ABENIUS), 1890, A., 269.

Methylic β-amidoethylcrotonate and amidomethylacetoacetate" (Con-RAD and EPSTEIN), 1888, A., 253.

amidoformate, action of nitrous acid on (Klobbie), 1891, A., 292.

α-amidopropionate hydrochloride (Currus and Lang), 1892, A., 453.

diamidopyromellitate (NEF), 1890, A., 987.

amidosulphobenzoate (Hentschel), 1885, A., 792.

amidoterephthalate (Ahrens), 1886, A., 802.

ammonium sulphate (KRAFFT and BOURGEOIS), 1892, A., 700.

amylic sulphide (OBERMEYER), 1883, A., 124.

anacardate (RUHEMANN and SKIN-NER), 1887, T., 665; P., 102.

anhydroberberilate (PERKIN), 1890, T., 1039; P., 120.

anisate, thermochemistry of (STOH-MANN, KLEBER and LANGBEIN), 1890, A., 101.

anisylimidoanisylthiocarbamate and anisyliithiocarbamate (FOERSTER), 1888, A., 944, 945.

anthracene-γ-carboxylate (BEHLA), 1887, A., 594.

apionylglyoxylate (GARELLI), 1892, A., 328.

azimethylenedicarboxylate (CURTIUS

and Land), 1892, A., 452. azinsuccinate (Currius and Koch), 1885, A., 886.

benzeneazocamphocarboxylate (HAL-LER), 1892, A. 1344.

benzeneazocyanacetate (HALLER), 1888, A., S24.

benzeneazodinitrophenylacetate (Meyen), 1888, A., 693.

benzenesulphonate (KRAFFT and Roos), 1892 A., 1220.

benzilate (KLINGER and STANDKE), 1889, A., 885.

benzoyleocaylhydroxyacetate (EIN-HORN), 1889, A., 420.

benzoylcyanacetate (BARTHE), 1888, A., 951.

benzylidenedibenzoylacetate (Buch-Ner and Curius), 1885, A., 1238. benzyl-p-nitrobenzoylacetate (Perkin and Bellenor), 1886, T., 446; P.,

193. m-bromacetamidocumate (ABENIUS), 1890, A., 270.

dibromacetylcarbopyrrolate (CIAMICIAN and SILBER), 1888, A., 62. dibromanisate (Balbiano), 1883, A.,

1125.

Methylic β-bromhydronuconate (v. BAEYER and RUPE), 1890, Λ., 876.

p-bromobenzenesulphonate (Krafff and Roos), 1892, A., 1220.

dibronomaleate (PUM), 1588, A., 1058.

bromophenoxynicotinate (v. Pech-MANN), 1885, A., 176.

bromoisopropylphenylicloxide, oxidation of (Peratoner), 1887, A., 472.

dibromopyrroline-2:5-dicarboxylate (CIAMICIAN and SILBER), 1888, A., 61.

bromosalicylate (Peratoner, 1887, A., 486.

bromo-y-terephthalate (FILEII), 1887, A., 52.

bromotetramethylenecarboxylate (Perkin and Sinclair), 1891, P., 191; 1892, T., 43.

bromundecylenate (Norrdlinger), 1890, A., 1237.

β-isobutoxyquartenylate Enke, 1890, A., 865.

isobutylpropiopropionate (PINGEL), 1888, A., 819.

butyrylcarbamate(Franchimont and Klobbie), 1889, A., 1114.

camphocarboxylates (MINGUIN), 1892, A., 1343; (HALLER), 1892, A., 1314.

camphorate (HALLER), 1892, A., 1346.

carbamate. See Methylurethane. carbanilate, derivatives of (HENT-SCHEL), 1887, A., 143.

carbonate, action of potassium ethoxide on (Lossen and Köhler), 1891, A., 1014.

carboxymethylacetoacetate(CLAISEN), 1892, A., 1070.

m-chloracetamidocumate (ABENIUS), 1890, A., 270.

chloranilate (KEHRMANN), 1590, A., 136.

ω-chlorethylpiperonylcarboxylate (PERKIN), 1890, T., 1032; P.,

chloride (chloromethane), inhalation of (REGNAULD and VILLEJEAN), 1885, A., 926.

action of, on a-dichlorobenzene in presence of aluminium chloride (FRIEDEL and CRAFIS), 1887, A., 1101.

hydrate of (DE FORCRAND and VILLARD), 1888, A., 897. chlorimidocarbonate (SANDMEYER),

1886, A., 611.

n-chlorobenzenesulphonate Methylic (KRIFFT and Roos), 1892, A., 1220.

chlorodihromopropylearbinylie chloride (v. GARZAROLLI-THURNLACKH), 1884, A., 1118.

dorocarbonate, preparation (KLEPL), 1883, A., 311. chlorocarbonate, of

chloroformate, preparation of (HENT-SCHEL), 1885, A., 883.

chlorofumarate (KAUDER), 1885, A.,

tetruchloro-a-hydroxyhydrindenecarboxylate (ZINCKE and ARNST), 1892, A., 858.

\$-chlorophthalate (GRAEDE and REE), 1886, T., 529; P., 212.

tetrachlorophthalate, crystalline form of (SOREI), 1886, A., 620.

B-chloroquartenylate (ENKE), 1890, A., 865.

p-dichloroterephthalate (LEVY and Andreocci), 1888, A., 1091; (Levy and Curchon), 1889, A., 1179.

chlorothioformate (RATHKE), 1888, A., 1169.

chloroxalate (ANSCHUTZ), 1890, A.,

cineolate (WALLACH), 1890, A., 1314. cinnamate, thermochemistry of (STOH-MANN, KLEBER and LANGBEIN), 1890, A., 101.

allocinnamate (LIEBERM INN), 1891, A., 833.

citraconate, magnetic rotatory power of (Perkin), 1888, T., 583, 592.

citrate, thermochemistry of (Sign-MANN, KLEBER and LANGBEIN), 1890, A , 101.

collidinedicarboxylate. See Methylic 2 4:6-trimethylpyridinedicarboxyl-

coumalanilidate (v. Pechmann and Welsh), 1885, A., 175. counalinate (v. Pechann), 1884,

A., 1124.

counalmethamate (v. Pechmann), 1885, T., 154.

cresolcarboxylate (WENDE), 1887, A.,

crotonate, action of methylic alcohol on (Purdie and Marshill), 1891, T., 476; P., 82.

cumylamidocrotonate (Cove in and Limpach), 1888, A., 504.

rlicyanacetate (Hallen), 1890, A., 1395.

a-cyanacetoacetate (HALLER and HELD), 1888, A., 579.

y-cyanacetoacetate (HALLER and Held), 1891, A., 171.

Methylic cyanide (curbin cyanide) (FREUND and SCHONFELD), 1892, A., 132.

polymeride of (HOLTZWART), 1889, A., 113, 683.

cyanomalonate (HALLER), 1889, A., 859.

cyanosuccinate (BARTHE), 1891, A.,

cyanotricarballylate (BARTHE). 1891, A., 43.

n- and iso-cyanurates (v. Hofmann), 1886, A., 929, 931.

dehydracetate (Perkin), 1885, A, 515; 1887, T., 496; P., 35. action of aniline on (HAITINGER;

Perkin), 1885, A., 761, 762. isodehydracetate (ANSCHUTZ,

DIX and KERP), 1891, A., 172. deladromucate (ZENONI), 1891, A.,

295. diacetoxydihydropyromellitate diaretoxypyromellitate (NEF), 1890,

A., 985. diacetyltartrate, crystalline form of (Sorer), 1886, A., 619.

diazo-compounds. See under Azo.

dibenzylic phosphate (Lossen and Kohler), 1891, A., 1015.

dicarboxyglutarate, thermochemistry of (STOHMANN and KLEBER), 1892, A., 1041.

diethylic phosphate (Lossen and Konlen), 1891, A. 1015.

dihydrogen trimesate (v. Pechmann), 1891, A., 1459.

dihydroterephthalate and its dibromide (v. BAEYER), 1888, A., 1072, 1073.

 Δ^1 'dihydroterephthalate dibromide and dihydrobromide (v. BAEYER and HERB), 1890, A., 1132.

△1 dihydroterephthalate tetrabromide (v. Baever and Herb), 1890, A., 1132.

Δ^{2 5 cistrans}-dihydroterephthalate and tetra-bromides (v. BAEYER and HERB), 1890, A., 1131.

dihydroxypyromellitate and dihydroxydihydropyromellitate 1890, A., 987.

p-diketohexamethylenetetracarboxylate (NEF), 1890, A., 987.

m:o-dimethoxycinnamate (Schnell), 1887, A., 140.

dimethoxypyromellitate (NEF), 1890, A., 985.

1:2 4-dimethoxyumbellate (TIEMANN and WILL), 1883, A., 200.

p-dimethylamidobenzoate (Bischoff), 1889, A., 512.

Methylic dimethylcarbamate (FRANCHI-MONT and KLOBBIE), 1889, A., 1144.

dimethylgentisate (SCHNELL), 1887, A., 140.

dimethyl-β-methylumbellate PECHMANN and COHEN), 1884, A.,

dimethylpropionylacetate (Bouve-AULT), 1891, A., 42.

di-β-naphthylcarbamate (Ris), 1888, A., 57.

dioxymethylenephenyl-glyoxylate and -oximidoacetate (GARELLI), 1892, A., 327.

diphenylacetate (RATTNER), 1888, A., 704.

diphthalate (GRAEDE and JUILLARD), 1888, A., 154.

β-ethoxy-α-methyltetracrylate (Koll), 1889, A., 488.

B-ethoxyquartenylate (ENKE), 1890, A., 865.

ethylacetoacetate, action of ammonia on (Peters), 1890, A., 1097.

ethylamidoformate, action of nitrous acid on (KLOBBIE), 1891, 292.

ethylenebisamidoformate nitro-derivative (FRANCHIMONT and Klobbie), 1889, A., 124.

alloethylic camphorate (BRÜHL), 1892,

ethylic carbopyrotritrate (Knorn and CAVALLO), 1889, A., 385.

ethylic succinate, hydrolysis of (Los-SEN and KÖHLER), 1891, A., 1013.

sulphide, preparation of (Klason), 1888, A., 356; (CARRARA), 1892, A., 1422.

ethylpropiopropionate (PINGEL), 1888, A., 819.

fluoride (Collie), 1889, T., 110; P., 16; (Moissan and Meslans), 1889, A., 364.

action of chlorine on (Collie), 1889, T., 111; P., 16.

hydrate of (VILLARD), 1890, A., 1386.

formate, decomposition of, by the silent discharge (MAQUENNE), 1884, A., 543.

formates, chlorinated (HENTSCHEL), 1885, A., 883; 1887, A., 1027, 1099; 1888, A., 248, 249.

fumaramate (Curtius and Koch), 1887, A., 34.

fumarate, thermochemistry of (Ston-MANN, KLEBER and LANGBEIN), 1890, A., 101.

Methylic fumarate, action of sodium methoxide and methylic alcohol on (PURDIE and MARSHALL), 1891, T., 468, 472; P., 82.

fumariediazoacetate (Buchner), 1888, A., 1274.

furfuracrylate (GIRSON and KAHN-WEILER), 1890, A., 959.

gallate (WILL), 1888, A., 1090. thermochemistry of (Stohmann, KLEBER and LANGBEIN), 1890,

A., 101. glycol. See as-Propylenic glycol. hexamethylenecarboxylate (Aschan), 1890, A., 737.

hexamethylene-m-dicarboxylate (Perkin), 1891, T., 806.

α-hydrazinepropionate (CURTIUS), 1891, A., 39.

hydrocarbostyril-2-carboxylate (WID-MAN), 1889, A., 1192.

hydrogen camphorates, o- and allo-(Walker), 1892, T., 1088, 1093; P., 156; (Bruhl), 1892, A., 1102; (HALLER), 1892, A., 1346.

> (Walker), crystallography of 1892, T., 1090, 1094; P.,

action of phenylcarbimide on (Haller), 1892, A., 1347.

carboxylanthranilate hydrogen (SCHMIDT), 1888, A., 371.

hydrogen hydroxyisophthalate (Hähle), 1891, A., 1368.

hydrogen maleate, action of sodium methoxide on (PURDIE), 1885, T., 869.

hydrogen oxalate (Anschütz and Schönfeld), 1886, A., 786.

hydrogen phthalate, preparation of (HALLER), 1892, A., 1204. dissociation constant of (WAL-KER), 1892, T., 717; P., 137.

hydrogen succinate, dissociation constant of (WALKER), 1892, T., 716; P., 137.

hydrogen sulphate, non-existence of supposed modification of (REBS), 1888, A., 1156.

hydrogen sulphide (KLASON), 1888, A., 356.

p-hydroxybenzoate, thermochemistry of (STOHMANN, KLEBER and LANG-BEIN), 1890, A., 101.

α-hydroxy-β-naphthoate (SCHMITT and Burkard), 1888. A., 59.

p-hydroxyphenylacetate (SALKOW-SKI), 1889, A., 1173. B-hydroxyphthalate (GRAEBE

Methylic a-hydroxypropionate, nitroderivative of (DE VARDA), 1892, A., 583.

hypochlorite (SANDMEYER), 1886, A., 60S.

imidocarbonate (SANDMEYER), 1886, A., 612.

imidodiformate (KLOBBIE), 1891, A., 293.

imidomethylphenylthiocarbamate and imidophenylthiocarbamate (BER-TRAM), 1890, A., 1291; 1892, A., 465, 466.

iodide, formation of, from iodoform (CAZENEUVE), 1884, A. 896.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

sodium arsenite action of, on 1883, 1078; (Meyer), A., (Klinger and Kreutz), 1889, A., 363.

action of, on stannous chloride (Meyer), 1883, A., 1078. β -, γ -, and δ -isatropates (Lieber-

MANN), 1888, A., 1211.

malamate (CURTIUS and KOCH), 1887, A., 34.

mellitate, thermochemistry of (STOH-MANN, KLEBER and LANGBEIN), 1890, A., 101.

mesaconate, magnetic rotatory power of (Perkin), 1888, T., 586, 593.

mesitylenecarboxylate (FEITH), 1892, A., 329, 715.

methoxybromosalicylate (Pera-TONER), 1887, A., 487.

B-methoxyquartenylate (Enke), 1890,

methoxysuccinate (PURDIE and MAR-SHALL), 1891, T., 468; P., 82.

methylamidoformate, action of nitrous acid on (Klobbie), 1891, A., 292.

p-methylanthranilate (PANAOTOVIC), 1886, A., 361.

methylaspartate (Könner and Menozzi), 1890, A., 870.

methyldibiomo-p-commarate (VALEN-TINI), 1887, A., 488.

methylcamphocarboxylate (MINguin), 1891, A., 1500; (Haller), 1892, A., 1344.

a-methyl-\$-chlorotetracrylate (Koll), 1889, A., 488.

methylcyanosuccinate (BARTHE), 1891, A., 1017.

methylethenyltricarboxylate. See Methylic propanetricarboxylate. methylimidomethylphenylthiocarbamate (Bertram), 1890, A., 1291;

1892, A., 466.

Methylic methylnaringenate (WILL), 1885, A., 907.

methylnitrocarbamate (FRANCHIMONT and KLOBBIE), 1889, A., 1144.

methyloxamate (FRANCHIMONT and KLOBBIE), 1889, A., 1145.

methylpropionylacetate(Bouveault), 1891, A., 41.

methylpropiopropionate (PINGEL). 1888, A., 819.

methyltetrahydropyridyl-\beta-benzoylhydroxypropionate. under Alkaloids. See Cocaine

B-naphthalenesulphinate and naphthylsulphoneformate (OTTO and Rossina), 1892, A., 623.

8-naphthalenesulphonates and (KRAFFT and Roos), 1892, A., 1220.

β-namethoate, thermochemistry of (STOHMANN, KLEBER and LANG-BEIN), 1890, A., 101.

α- and β-naphthylimidonaphthylthiocarbamates (EVERS), 1888, A., 600, 601.

a-naphthyl-mono- and di-thiocarbamates (EVERS), 1888, A., 602.

nicotinate, methiodide of (HANTZSCH), 1886, A., 369.

nitrate, magnetic rotatory power of (Perkin), 1889, T., 682.

action of ammonia gas on (Du-VILLIER and MALBOT), 1884, A.,

p-nitrobenzoylacetate (PERKIN and BELLENOT), 1886, T., 444; P.,

dinitrocinnamate, additive-compounds of (FRIEDLANDER and MAHLY), 1885, A., 1139.

3-nitrocumate (ABENIUS), 1890, A.,

nitromalonate (FRANCHIMONT and KLOBBIE), 1889, A., 1143.

2:3:4-trinitromethylnitramidophenate (VAN ROMBURGH), 1889, A., 1154. dinitrophenylacetate (MEYER), 1888, A., 693.

a-n-dinitrophenyl-\beta-hydroxypropionate (REBUFFAT), 1885, A., 1137.

nitropiperonylacrylate (PERKIN), 1891, T., 156; P., 27.

dinitropyromellitate (NEF), 1890, A.

nitropyrroline-a-carboxylates(ANDER-LINI), 1890, A., 66. nitrosocyanacetate (MULLER), 1891

A., 1450. nitroso-p-dimethylamidobenzoate (Bischoff), 1889, A., 512,

Methylic nitrosophenolcarboxylate | (WALKER), 1884, A., 1003. nitroisosuccinate (Franchimont and

KLOBBIE), 1889, A., 1143.

nitroterephthalate (AHRENS), 1886, A., 802.

dinitro-o-toluate (RACINE), 1887, A., 945.

opianates, n- and ψ - (Wegscheider), 1892, A., 1209.

oxalacetate phenylhydrazone (Виси-NER), 1890, A., 156.

oxalate (Anschütz), 1890, A., 236. thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1890, A., 101.

oxymenthylate (ARTH), 1886, A., 892. pentamethylbenzoate (JACOBSEN),

1889, A., 876.

pentamethylene-bisamidoformate and -bisnitramidoformate (Frânchi-MONT and KLOBBIE), 1889, A., 492. phenaceturate (HOTTER), 1888, A.,

phenylamidoacetate (Kossel), 1892,

phenylamidocrotonate (CONRAD and LIMPACH), 1888, A., 1109. \$\beta\text{phenylamidophenylacrylate}\$

KNORR), 1888, A., 1112.

phenylbenzoylacetate (RATTNER), 1888, A., 704.

phenylcarbamate, nitration of (VAN Romburgh), 1892, A., 711. sulphonic acid of (Nülting), 1889,

A., 144. phenylcarbazate (HELLER), 1891, A.,

phenylcinnamate, and its brominederivative (CABELLA), 1884, A.,

phenylenedicarboxy-m-p-dicarbamate (ZEHRA), 1891, A., 304.

and p-phenylenedipropionates (KIPPING), 1888, T., 33, 40.

phenylimidomethylphenylthiocarbamate (Bertram), 1890, A., 1291; 1892, A., 466.

phenyllutidonecarboxylate (PERKIN), 1887, T., 498; P., 35.

phenylmethyl-mono- and -di-thiocarbamates (Bertram), 1890, A., 1291; 1892, A., 466.

phenylmethyltriazolecarboxylate (BLADIN), 1892, A., 638.

phenyloxamate (Anschütz), 1890, A., 235.

phenylthiocarbamate (BERTRAM), 1890, A., 1291.

phloroglucinoltricarboxylate BAEYER), 1886, A., 223.

Methylic phosphate (HALL), 1887, T.,

phosphite (Jaehne), 1890, A., 859. n-and iso-phthalates, thermochemistry of (Scohmann, Kleber and Lang-BEIN), 1890, A., 101.

α-piperidinecarboxylate, derivatives of (Ladenburg, 1891, A., 735.

propanetricarboxylate (BARTHE), 1891, A., 1017.

propiopropionate (PINGEL), 1888, A., 819.

 β -propoxy- α -methyltetracrylate (Koll), 1889, A., 488.

β-propoxyquartenylate (Enke), 1890, A., 865.

iso-propylamidoformates and (Simon-Thomas), 1891, A., 167.

isopropylic sulphide (OBERMEYER), 1888, A., 124.

propylic xanthate (SCALA), 1887, A.,

n- and iso-propylnitramidoformates (SIMON-THOMAS), 1891, A., 167.

propylpropiopropionate 1888, A., 819.

propylpyrogallate (NIEDERIST; PASTROVICH), 1883, A., 1005.

a-pyridyllactate (EINHORN), 1892, A., 76.

pyrogallocarboxylate (WILL), 1888, A., 1090.

pyrotritrate (KNORR and CAVALLO), 1889, A., 384.

a-pyrrolinecarboxylate, molecular weight of (MAGNANINI), 1890, A., 906.

pyrrolineglyoxylate (CIAMICIAN and DENNSTEDT), 1885, A., 378.

quinonepyromellitate (NEF), 1890, A., 987.

racemate, formation of, from methylic d- and l-tartrates (ANSCHUTZ), 1885, A., 966.

salicylate, vapour-pressures of (RAM-SAY and YOUNG), 1885, T., 649, 655.

toxic action of (LABORDE and MAGNAN), 1888, A., 737.

phenylcarbamate (SNAPE), 1885, T., 775.

See also Oil of wintergreen.

-cyanurate and selenio-cyanate (STOLTE), 1886, A., 781.

silver phosphate (Lossen and Kön-LER), 1891, A., 1015.

succinate, thermochemistry of (Ston-MANN, KLEBER and LANGBEIN) 1890, A., 101.

o-sulphaminebenzoate (REMSEN and DOHME), 1889, A., 992.

Methylic sulphate, molecular refraction and dispersion of (GLADSTONE), 1891, T., 296.

sulphide (KLASON), 1888, A., 356. platinum compounds of BUSKE), 1889, A., 229. of

and *l*-tartrates, formation methylic racemate fromschutz), 1885, A., 966.

telluride, preparation of (DEMARÇAY), 1884, A., 663.

terephthalate, thermochemistry of (STOHMANN, KLEBER and LANG-BEIN), 1890, A., 101.

tetrahydrobenzoate (Aschan), 1891, A., 1054.

Δ1-tetrahydrophthalate (v. BAEYER), 1890, A., 1281.

tetrahydroquinolinecarboxylate (SCHOTTEN and SCHLUMANN), 1892,

A., 355. $\Delta^{2 \text{ custrans}}$ -tetrahydroterephthalate dibromides (v. BAEYER and HERB), 1890, A., 1133.

bromide (v. BAEYER), 1888, A., 1074.

tetrahydrothiophendicarboxylate (ERNST), 1887, A., 238.

tetramethylene-bisamidoand -bis-(DEKKERS), nitramido-formates 1891, A., 164.

a-thiobenzoate and thiobutyrate (Opermeyer), 1888, A., 124.

thiocyanate, action of chlorine on (JAMES), 1887, T., 268; P., 15. thiocyanurate (v. HOFMANN), 1885,

A., 1193. action of ammonia and amines on

(v. Hofmann), 1886, A., 38. thiophentricarboxylate (ME>>INGER),

1885, A., 1205. thiopropionate (OBERMEYER), 1888, A., 124.

tolueneazoryanacetates, 1:2- and 1:4-(HALLER), 1888, A., 824.

m-tolylacetate (SENKOWSKI), 1889, A., 255.

o- and p-tolylamidocrotonates (Con-RAD and LIMPICH), 1888, A., 503. trimesate (Piutti), 1887, A., 491,

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1890, A., 101.

trimethylesculetate (TIEMANN and WILL), 1883, A., 200; (TAKA-HARHI), 1889, A., 256.

2:4:6-trimethyldihydropyridine-3:5dicarboxylate (HANTZSCH), 1883, A., 1082.

Methylic trimethylene-bisamido- and -bisnitiamido-formates (FRANCHI-MONT and KLOBBIE), 1889, A., 492.

trimethylenetetracarboxylate [1:1:2:2] (STOHMANN and KLEBER), 1892, A., 1040.

trimethylenetetracarboxylate[1:1:2:3] (BUCHNER and WITTER), 1890, A.,

trimethylgallate(WILL), 1888, A., 1090. 2:4:6-trimethylpyridine-3:5-dicarb-

oxylate (methylic collidinedicarboxylute) and its salts (HANTZSCH), 1883, A., 1082.

trimethylpyrogallocarboxylate (Will), 1888, A., 1090.

tropate (Liebermann), 1891, A., 749. B-truxillate (Liebermann), 1889, A., 1194.

undecylenate (NOEEDLINGER), 1890, A., 1237.

vanadate (HALL), 1887, T., 751.

p-Methylimesatin. See p-Methylisatinimide.

Methylimidazole. See Methylglyoxaline. Methylimidomethylenic ethylenic elisulphide (MIOLATI), 1891, A., 894.

 ν -Methyl- μ -imidothiazolidine BRIEL), 1889, A., 849.

their Methylimidothiazolines and nitroso-derivatives (Näf), 1891, A., 1515, 1516.

Methylimidouracil (JAEGER), 1891, A., 1007.

Methylindazine (quinucule) (FISCHER and TAFEL), 1885, A., 541. compounds (FISCHER and KUZEL), 1883, A., 512.

Methylindene (methylindonaphthene) chloro- (v. MII LER and ROHDE), 1889, A., 991.

3'-Methylindene (Roser), 1888, A., 1303; (v. MILLER and ROHDE), 1890, A., 1138.

2'-Methylindene-3'-carboxylic acid and its derivatives (Roser), 1887, A., 836; 1888, A., 1303.

Methylindigo (4505.), 1884, A., 237.

Methylisoindileucine (Engler Hassenkamp), 1985, A., 1223.

3-Methylindole (tolindole) (RASCHEN), 1887, A., 956.

1'-Methylindole (Fischen), 1887, A., 148; (COLMAN), 1888, P., 95; 1889, T., 1.

synthesis of (FISCHER and HESS), 1884, A., 1181; (FISCHER), 1886, A., 805.

action of aldehydes, anhydrides and diazo-compounds on (Fischen), 1887, A , 265.

2'-Methylindole(methylkitole)(Fischer), | 3'-Methylindoxyl (scaturyl), occurrence 1887, A., 148; 1888, A., 283.

behaviour of (CIAMICIAN), 1887, A.,

action of aldehydes, anhydrides and diazo-compounds on (Fischer). 1887, A., 265.

action of methylic iodide on (ZATTI and FERRATINI), 1892, A., 614.

conversion of, into quinaldine / MAG-NANINI), 1888, A., 957.

azo- and amido-derivatives of (WAG-

NER), 1888, A., 284. dinitro-(ZATTI), 1890, A., 897.

3'-Methylindole (scatole) (FISCHER), 1887, A., 148.

in the vegetable kingdom (DUNSTAN), 1890, Ä., 191.

from strychnine (Sioehic), 1887, A.,

formation of (E. and H. SALKOWSKI), 1885, A. 567.

synthesis of (FISCHER and GERMAN), 1883, A., 1132; (FILETI), 1884, A., 458; (Fischer), 1886, A., 805.

action of aldehydes, anhydrides and diazo-compounds on (Fischer), 1887, A., 265.

transformation of, into indole (Fi-

LEII), 1884, A., 458. derivatives (WENZING), 1887, A., 957. pigment (MESTER), 1888, A., 174.

2' Methylindoleacetic acid (FISCHER), 1886, A., 806; 1887, A., 149.

3'-Methylindoleacetic acid (NENCKI), 1890, A., 78.

2'-Methylindoleazobenzene (WAGNER), 1888, A., 284.

3-Methylindole-2'-carboxylic acid (RASCHEN), 1887, A., 956.

1'-Methylindole-3'-carboxylic acid, synthesis of (FISCHER and HESS), 1884, A., 1181.

2'-Methylindole 3'-carboxylic (Clamician and Magnanini), 1999, A.. 483, 958.

3'-Methylindole-2'-carboxylic acid (\$scatolecurborylic acid), a product of the putrefaction of albumin (E. and H. Salkowski), 1885, A., 569. behaviour of, in the organism (SAL-KOWSKI), 1885, A., 575.

3'-Methylindole-2'-carboxylic acid (ascatolecarboxulic acid) (WISLICENUS and Arnoli), 1888, A., 361; (CIAMI-CIAN and MAGNANINI), 1888, A., 958.

Methylindonaphthene. See Methylindene.

p-Methylindophenine (MEYER), 1984. A., 48.

of, in human sweat (KA-r), 1887, A., 1133.

3'-Methylindoxylsulphuric acid (MES-TER), 1858, A., 174.

Methyl-α-iodoethylpentamethylene (MARSHALL and PERKIN), 1989. P., Ì43; 1890, T., 249.

Methyliodoform. Sce trilodethanc. p-Methylisatin and its oxime (MEYER),

1884, A., 48. mono and di-phenylhydrazines of (Panaotović), 1856. A., 362.

Methyl-ψ-isatin (Colvian), 1888, P.. 96; 1889, T., J.

synthesis of (Fischen and HE--), 1884, A., 1181.

chloro- (LA Coste and Bonewic), 1885, A., 792.

Methyl-ψ-isatinoxime and -ψ-isatinphenylhydrazone (Colman), 1888, P., 96; 1889, T., 6, 5.

derivatives p-Methyl- ψ -isatin, (DUISBERG), 1885, A., 544. phenylimide, o- and p-tolylimides of (MEYER), 1584, A., 18.

(p-methylp-Methyl- ψ -isatinimide 1884, imesatın) (MEYER),

p-Methylisatoic acid and its derivatives (PANAUTOVIC), 1885, A., 666; 1886, A., 361.

Methylisatoid and its bromo-derivative (v. BAEYER and OECONOMIDES), 1883, A., 201.

Methylitaconic acid (Firric FRANKEL), 1890, A., 586. formation of (Bi-choff), 1891, A.,

1221. Methylitamalic acid. See Hydroxymethylpyrotataric acid.

γ,-Methyljulolidine (Reisseri), 1892, A., 498.

See Tetramethyl-Methylketine. pyrazine.

Methyl-ketodehydroheptamethylene -ketodehydroheptamethylenecarboxylic acid (PERKIN and OBREM-SKY), 1886, A., 937.

3-Methyl-2'-ketodihydroquinazoline (Sodernaum and Widman), 1890, A., 178.

oxidation of (Sodfredum), 1990. A., 1254.

See 2'-Methylindole. Methylketole. Methylketomethyltetrahydroquinoxaland methylketotetrahydroine quinoxaline (GEORGISCU), 1892, A., 887.

Methyl://aketoximepropionic (Dolleys), 1892. A., 1202,

1':4' 2'-Methyllepidone (1':4'-dimethylquinolone) (KNORR and ANTRICK), 1885, A., 271; (Knorr), 1887, A.,

obtained from dves (Reissert), 1892, A., 499.

reduction of (KNORR and KLOTZ), 1897, A., 278.

bromo- (Knorr), 1887, A., 160.

α-Methyllevulindioxime (CIAMICIAN and Žanetti), 1890, A., 1155; 1891, A., 1503.

Methyllutidone. See 1 2:6-Trimethylpyridone.

(" incthyl-4-Methyl-ψ-lutidostyrene See 1:2:4-Trimethyllutidostyril"). pyridone.

β-Methylmalic acid (WISLICENUS), 1892, A., 589, 963.

Methylmalonic acid. See isoSuccinic

m-Methylmandelic acid and m-methylmandelonitrile (BORNEMANN), 1884, A., 1162.

Methylmercaptomethylthiazoline. See Methylsulphydromethylthiazoline.

Methylmethronic acid (DIETZEL), 1889,

 α -Methyl- μ -methylamidothiazole (Traumann), 1889, A., 415.

Methylmethylenetribromopyrogallol (Roser), 1890, A., 530.

Methylmethylene-gallicacid and -gallocarboxylic acid (Rosen), 1890, A., 530.

Methylmethylenetrihydroxyphthalic acid (Roser), 1890, A., 530.

Methylmorphimethine. See Codomethine under Alkaloids.

Methylmorphine. See Codeine under Alkaloids.

Methylmorpholine and methylmorpholinemethylammonium hydroxide (Knorr), 1889, A., 1218, 1219.

-β-naphthafurfuran Methyl-α- and (HANTZEGH and PERIFFER), 1886, A., 717.

and -B-naphthafurfuran-Methyl-αcarboxylic acids (HANTZSCH and PFRIFFER), 1886, A., 717.

a-Methylnaphthalene (Boessneck), 1883, A., 1135.

nitro- (SCHERLER), 1892, A., 494. Methylnaphthalenes, α - and β -, and their derivatives (SCHULZE), 1884, A., 1183, 1184; (WICHELHAUS),

1892, A., 492. action of chlorine and of nitric acid on (SCHERLER), 1892, A., 493. chloro-derivatives of (SCHERLER),

1892, A., 493.

Methylnaphthaloxazine (KUHLING), 1892, A., 70.

2'-Methyl-a-naphthaguinoline (a-naphthuquenaldene) and its derivatives (DOEBNER and V. MILLER), 1884, A., 1375.

2'-Methyl-β-naphthaquinoline (Seitz), 1889, A., 525.

tetrahydro-derivatives of (BAMBERGER and Muller), 1891, A., 1510.

octohydro-derivatives of (BAMBERGER and Strasser), 1891, A., 1513. chloro- (EPHRAIM), 1892, A., 1488.

4'-Methyl-\$-naphthaquinoline (REED), 1887, A., 682.

Methyl-β-naphthaquinoneoxime(Goldschmidt and Schmid), 1885, A., 1238.

Methylnaphthaquinoxaline, (WITT), 1886, T., 400.

2'-Methyl-α-naphthindole (SCHLIEPER), 1887, A., 964.

3'-Methyl-a-naphthindole (CLEVE). 1892, A., 1479.

2'-Methyl-\$-naphthindole(SCHLIEPER), 1887, A., 154.

3'-Methyl-8-naphthindole-2'-acetic acid (Steche), 1888, A., 285.

Methyl-α-naphthol, β-nitroso- (Gold-SCHMIDT and SCHMID), 1885, A., 1238.

β-Methyl-α-naphthols [2:1- and 2:4-] (Fittig), 1888, A., 252; (Fittig and LIEBM INN), 1890, A., 775.

Methyl-α- and -β-naphthols, trinitro-(STAEDEL), 1883, A., 863.

Methylnarceine, and its salts (CLAUS and RITZLFELD), 1885, A., 997.

Methylnitramine (FRANCHIMONT and KLOBBIE), 1889, A., 492, 1144.

Methylnitraniline. See Methylaniline. Methyl-o-nitro-p-diazobenzene chlornitroso-(n-nitro-ω-nitroso-pdiazotoluene chloride) (MEYER), 1886, A., 63.

Methyldinitrophenylacetateazo-. See. Azo-

Methylnitrosoacetonehydrazone PECHMANN and WEH-ARG), 1889, A.,

Methylnonylacetylene (KRAFFT and REUTER), 1892, A., 1164.

Methylnonylketonephenylhydrazone (GRIMALDI), 1890, A., 1394.

2'-Methyloctohydro-\beta-naphthaquinolines (ar- and ac-octohydro-B-naphthaquinaldines) and their compounds (BAMBERGER and STRASSER), 1891, A., 1513.

2:5-Methyloctylthiophen and its bromoderivative (v. Schweinitz), 1886, A., 536.

Methylenanthaldoxime (GOLDSCHMIDT and ZANOLI), 1892, A., 1436.

Methyl-orange. See Helianthin.

Methyloxalacetic acid (ARNOLD , 1989, A., 1179.

Methyloxalacetophenylimide (WIS-LICENUS and SATTLER), 1891, A., 903. Methyloxamic acid (HANTZSCH), 1885,

A., 398.

Methyloxanilide (Norton and Liver-MORE), 1887, A., 1038.

Methyliso-oxazoles, α -and γ -(CLAINEN), 1892, A., 1073.

Methyloxazoline picrate (GABRIEL), 1889, A., 1134.

Methyliso-oxazolone (HANTZSCH .1891, A., 740.

Methyloxindole, 3'-mono- and di-bromo-, and 3'-dichloro- (COLMAN), 1888, P., 96; 1889, T., 3, 4, 7.

p-Methyloxindole, nitroso- (MEYER), 1884, A. 48.

Methyloxyanthranol (LIEBERMANN), 1888, A., 715.

Methyloxymethylenetribromopyrogallol (SEMMLER), 1892, A., 311.

Methyloxypyridine. See Methylpyridone.

Methyloxyquinazoline. See Hydroxymethylquinazoline and Oxymethylquinazoline.

Methyloxyquinizine. See Phenylmethylpyrazolone.

isoMethylpæonol (TAHARA), 1892, A., 846.

Methylparaconic acid (Firtic and FRÄNKEL), 1890, A., 584.

dichloro- (FITTIG and MILLER), 1890, A., 587.

trichloro- (FITTIG), 1888, A., 252; (FITTIG and MILLER), 1890, A., 586.

Methylpentadecylacetylene (octodecinene) (Krafft and Reuter), 1892, A., 1163.

Methylpentamethylene methyl ketone (Colman and Perkin), 1888, T., 198.

Methylpentamethylene-mono- and -dicarboxylic acids (Colman and Pen-Kin), 1888, T., 193, 198.

Methylpentamethylenemethylcarbinol (MARSHALL and PERKIN), 1889, P., 143: 1890, T., 245.

Methylpentamethylenemethylcarbinyl acetate and iodide (MARSHALL and Perkin), 1889, P., 143; 1890, T., 249.

Methylpentamethylenic dibromide, and action of sodium on (FREER and PERKIN), 1888, T., 205, 214.

β-Methyl-pentathienone and -pentathiophen (KRECKELER), 1887, A., 239.

Methylphenanthridines, 3- and 5-(PRCIET and ERLIGH), 1892, A., 197.

See also Phenylindole.

Methylphenanthroline and its derivatives (SKRAUP and Fischer), 1885, A., 392; (Nouting and Truumann), 1891, A., 327; 1892, A., 729.

Methylphenanthrolines, isomeric (GER-DEISSEN), 1899, A., 520.

Methylphenazine and its salts (VAN ROMBURGH), 1886, A., 546.

Methylphenolsulphonic acid (HAIT-INGER), 1883, A., 990.

Methylphenomorpholine (Knoun), 1889, A., 1220.

Methyl-α-phenotetrazine (HEMPIL), 1890, A., 613.

Methyl-α-phenotriazine (Br-(HLER), 1890, A., 119.

p-bromo- (Bischer and Brodsky), 1890, A., 152.

Methylphenol. See C'resol.

Methylphenylamine, See Methylaniline.
Methylphenylpropiolic acid. See Tolylpropiolic acid.

Methylphenyl. See also Phenylmethyl. α-Methylphthalic acid [m.p. 152] (ΝΙΕΜΕΝΤΟWSKI), 1892, Α., 607. Methylphthalic acids [m.ps. 144° and

1247, (Young), 1892, A., 1221. Methylphthalic anhydride (Young),

1892, A., 1221.

Methylphthalide, di- and tetra-chloro(ZINCKE and COOKSEY), 1890, A.,

dichloronitro- (ZINCKE and LATTEN), 1892, A., 1231.

Methylphthalimide [m.p. 182°] and its derivatives (Graffe and Picter), 1884, A., 1019; 1889, A., 141.

[m.p. 183°] (Young), 1992, A., 1221. [m.p. 196°] (Niementowski), 1892, A., 607.

Methylphthalimidine (Graebe and Preter), 1889, A., 141; (Barbier), 1889, A., 253.

Methylphthalo ψ-cumidamide (Frön-Lich), 1884, A., 1319.

a-Methylphthalodiamide (NIEMENFOW-SKI), 1892, A., 607.

Methylpiaselenole (Hinsberg), 1889, A., 785.

chloro- (Hinsberg), 1890, A., 973. **Methylpizzothiole** (Hinsberg), 1890,

A., 161.

Methylpicrazide (v. Brůning), 1890,
A., 23.

Methyl-a-pipecoline (1:2-dimethylpiperidine) (LADENEURG), 1883, A., 1154; (MERLING), 1891, A., 1508,

See Hydroxy-Methylpipecolylalkine. ethylmethylpiperidine.

2-Methylpiperideine (LADENBURG), 1887, A., 740.

 Methylpiperidine (Ladenburg), 1883, A., 1151.

2-Methylpiperidine and its derivatives (LADENBURG), 1884, A., 1051; 1887, A., 64, 283; (LADENBURG and Rотн), 1885, A. 557.

synthesis of (LADENBURG), 1884, A.,

oxidation of (Bunzel), 1889, A., 904. a-methylpiperylthiocarbamate

(LADENBURG and ROTH), 1885, A., 557.

3-Methylpiperidine and its derivatives (LADENBURG), 1884, A., 760; 1887, A., 64; (HESEKIEL), 1885, A., 812; 1886, A., 257; (Stoehr), 1888, A., 63; 1892, A., 629.

bases (Lellmann and Büttner), 1890, A., 1003.

4-Methylpiperidine (LADENBURG), 1888, A., 499.

3-Methylpiperidone (Aschan), 1891, A., 1246.

Methylpiperyl-azone and -tetrazone derivatives (Knorr), 1884, A., 468.

Methylpropargylamine (Paal HERMANN), 1890, A., 230.

(KONDA-Methylisopropenylcarbinol KOFF), 1886, A., 137; 1888, A., 125.

Methylpropionylacetonitrile MEYER), 1889, Δ., 114; (BOUVEAULT), 1891, A., 51.

Methyl-n- and -iso-propylacetic acids. See Hexoic acids.

See Methyl Methylisopropylacetone. amyl ketone.

Methylpropylacetoximic acid. 800 Methylpropylglyoxime.

Methylpropylacetylene, conversion of, into butylacetylene 1888, A., 1169. (Fiworsky).

Methylpropylacrylic acid (REFORMAT-SKY), 1891, A., 169.

Methylpropylallylcarbinol, glycerol from (REFORMATSKY), 1890, A., 121. Methylpropylaniline and its derivatives

(CLAUS and HIRZEL), 1887. A., 134. Methylpropylbenzene. See Cymenc.

1-Methyl-3-propyl-2-benzoic acid (pacid) (KREYSLER), propyl-o-toluic 1885, A., 1055.

1-Methyl-3-propyl-4-benzoic acid (cymylaurboxylic arid) (CLAUS and CROPP), 1886, A., 463.

Methylpropylcarbinol (sec-amylic alcohol) (MARKOWNIKOFF), 1884, A., 1280. Methylpropylcarbinol (sec-amylic alcohol), formation of (MARSHALL and Perkin), 1891, T., 874.

trichloro-, and its derivatives (v. GARZAROLLI-THURNLACKII), 1884,

A., 1118.

o-Methyl-p-propylcoumarin (v. Pech-MANN and Welsh), 1884, A., 1346.

p-Methylpropyldihydroxydiphenylic sulphide (TASSINARI), 1887, A., 808.

 β -Methylpropylethylenelactic (REFORMATSKY), 1891, A., 169.

Methylisopropylethylenic glycol (Fos-SEK), 1884, A., 833; (SWOBODA and Fosser), 1891, A., 31.

Methylpropylethylenic oxide (ELTE-KOFF), 1883, A., 567.

s-Methylpropylglutaric acids (Bis-choff and Tightstedt), 1890, A., (Bis-

(orul-1:2-Methylpropylglyoxaline methylbutyline)(RIEGER),1889, A., 119.

1:2-Methylisopropylglyoxaline (oxalmethylisobutyline) (RIEGER), 1889, A., 120.

2:1-Methylpropylglyoxaline (oxulpropylethyline), synthesis of (RAD-ZISZEWSKI), 1883, A., 729.

Methylpropylglyoxime (SCHEAMM), 1884, A., 52.

α-Methylpropyl-β-hydroxybutyric acid, decomposition of, by heat (JONES), 1885, A., 376.

Methylisopropylmalonic acid Romeurgh), 1887, A., 232.

Methylpropylphenanthrene. See Retene. o-Methyl-//-propylphenylmethylketone (CLAUS and CROPP), 1886, A., 463.

Methylpropylpinacoline (SZYMANSKI), 1886, A., 784.

Methylpropylpyridine (3:5-dimethyl-2ethylpyridine) (WAAGE), 1881, A., 172; (DURKOPF and GÖTTSCH), 1890, A., 795, 1002.

Methylpropylquinol (FIALA), 1884, A.,

5 2-Methylpropylquinone and its oxime, 6-iodo- (Kehrmann), 1889, A., 993.

Methylpropylthiocarbamide (HECHT), 1890, A., 476.

Methylpropylthiocarbanilide (Brt.-LETER and STROHL), 1888, A., 364.

Methylprotocotoin (CIAMICIAN Silber), 1892, A., 63. action of phosphoric chloride on

(BARTOLOTTI), 1892, A., 1314. Methylpurin, derivatives of (FISCHER),

1884, A., 996. 3-Methylpyrazolone (Currius and JAY), 1889, A., 393.

2-Methylpyridine, See a-Picoline.

hioa

- 3-Methylpyridine. See β -Picoline.
- See p-Picoline. 4-Methylpyridine.
- 2-Methylpyridine 1-carboxylic acid (a-picoline-4-curboxylic acid) (Boi fin-GER), 1884, A., 758.
- 2-Methylpyridine-5-carboxylic acid (Durkopf), 1885, A., 817.
- 4-Methylpyridine-2 carboxylic (Bacher), 1889, A., 163.
- acid 4-Methylpyridine-3-carboxylic (homonicutinic acid) (Olchsner De CONINGK),1883, A.,739; 1885, A., 671.
- 3-Methylpyridinedicarboxylic COOH = 5:6 or 25] (Dunkorf and Schlaugk), 1888, A, 605; (Durkoff and Gotisch), 1890, A., 1002.
- 2-Methylpyridine-3:5-dicarboxylic acid (methyldinicotinic and) (Weber), 1887, A., 1117.
- 2-Methylpyridine-4.6 dicarboxylic acid (uvitono word) (Al ran, 1887, A., 379.
- formation of, from pyruvic acid (Bot-
- TINGER, 1881, A., 759
 1-Methyl-a-pyridone (crum thulphrod-ine) (v. Plehmann and Balizer), 1892, A., 209.
- 1-Methyl-γ-pyridone and its derivatives (HAITINGER and LIELEN), 1885, A., 966.
- 1-Methyl-4-pyridone-6-carboxylic acid, 2 3.5-trichloro- (ZINCKE and FUCHS), 1892, A., 450.
- Methylpyrocatechol (homopurocatechol) (BEHAL and DLSVIGNES), 1892, A., 1312.
 - and its nitro-derivatives (Cousin), 1892, A., 1413.
- Methylpyromucic acid (HILI), 1889, A., 695; (Hill and Hendrixson), 1890, A., 601.
- Methylpyrrodiazole (Andreocci), 1892, A., 636.
- 1-Methylpyrrolidine (CIAMICIAN and MAGNAGHI), 1885, A., 1243.
- 2-Methylpyrrolidine (TAFEI), 1997, A., 463; (TAFEL and NLUGLBAUER), 1889, Λ, 1015.
- 3-Methylpyrrolidine (TAFEL), 18-7, A., 463: (Oldach), 1887, A., 735.
- 2 Methylpyrrolidone (Tafell, 1887, A.. 463; 1889, A., 961.
- 2-Methylpyrrolidone-2-carbonitrile (Kuhling), 1889, A., 1212. 2-Methylpyrrolidone-2 carboxylamide
- (Kuhling), 1890, A., 793. 1-Methylpyrroline CHAMICIAN
 - DENNSIEDI), 1985, A., 378. action of nascent hydrogen on (CLA-MICIAN and MAGNAGHI), 1885, A., 809.

- Nothern 1889, A., 57. 11-Methylpy rroline, (DE
 - 2-Methylpyrroline (DENNSILUT Lehne, 1559, A., 1209.
 - action of acetic anhydride on (CIAMI-CIAN and SHEEK, 1886, A., 719.
 - action of methylic rodule on (CIAMI-CIAN and ANDERLINI, 1889, A., 728. action of phthalic anhydride on (DENNSTED) and ZIMMERMANN),
 - 1886, A., 1014. 3-Methylpyrroline (DINSTED) Lehne), 1889, A., 1209.
 - action of acetic anhydride on (CIAMI-CIAN and SILDER, 1856, A., 719; 1587, A., 843,
 - action of phthilic anhydride on (DINN-FLD) and ZIMMELMINN, 1556. A. 1944.
 - Methylpyrrolinebisazobenzene (HI K and HFPP), 1506 A., 1041.
 - 1-Methylpyrrolineketonedicarboxylic acid (ZANEIII), 1590, A., 1431.
 - Methylpyrryl methyl ketone [b.p. 201] (4 actifinithyl) (CIANICIAN and DENNSIEDI), 1885, A., 578.
 - Methylpyrryl methyl ketone[b p. 240] (CIAMICIAN and SILLLE), 1856, A., 719.
 - 3:4-dibiomo- (CIAMICIAN and SIL-BER), 1888. A., 62.
 - 2-Methylpyrryl styryl ketone (Drxx-SIEDT and LEHNE), 1859, A., 1209.
 - 1-Methylpyrrylalloxan (CIAMICIAN and Sieren, 1586, A., 897.
 - Methylpyrrylcarbinol (DENN-1LD) and ZIMMERMANN), 1556, A., 1012.
 - 1-Methylpyrrylglyoxylic acid (DE Varda), 1859. A., 57.
 - constitution of, and its tribromoderivative (DE VARDA), 1890, A., 3ኑ9, 390.
 - Methylquerostin (HLEZIG), 1988, A., 1309.
 - Dimetlivl-Methylquinaldine. Sce quinoline.
 - 4'-Methylquinaldone. See 4'-0xy-1'.2'dimethylquinoline.
 - 2'-Methylquinazoline (BINCUTEL). 1891, A., 745.
 - Methylquinidine (CIATH, 1992, A., 1250.
 - Methylquinine, preputation of (Lipp-Mann), 1892, A. 222.
 - Methylquinol. See Toluquinol.
 - (-v-lolugu inoline), 1-Methylquinoline derivatives of (HLEZPELD), 1854, A., 1198, 1199.
 - 4-amido- [m.p. 143] (Not rive and TRAUIMANN), 1891, A., 327; 1892, A., 723.

1-Methylquinoline (o-toluquinoline), 3-bromo-, and its derivatives (ALT), 1889, A., 1214.

4-chloro-, and some of its salts (GATTERMANN and KAISER), 1886,

A., 79. 2':3:'4'-trichloro- (RÜGHEIMER and HOFFMANN), 1886, A., 160.

iodo- (LA COSTE), 1885, A., 815. 2-nitro- (NOLTING and TRAUTMANN), 1891, A., 327.

3-nitro- (LELLMANN and ZIEMSSEN), 1891, A., 1257.

4-nitro- (Nolting and Trautmann), 1892, A., 728.

(m-tolvquinoline) 2-Methylquinoline (Magnanini), 1890, A., 1322.

3-Methylquinoline (p-toluquinoline), derivatives of (HERZFELD), 1884, A., 1199.

amido- [m.p. 132°] (FOURNEAUX), 1885, A., 400.

1-amido- [m.p. 62°] (Nolting and TRAUTMANN), 1891, A., 327; 1892, A., 728.

4-amido- [m.p. 145°] (Nolting and TRAUTMANN), 1891, A., 325; 1892,

A., 727. 2':3':4'-trichloro- (Rügheimer' and HOFFMANN), 1884, A., 1023.

preparation and derivatives (RUGHEIMER and HOFFMANN), 1886, A., 159.

4-chloro-1-amido-(Nolting and Trautmann), 1891, A., 327; 1892, A., 728.

1-nitro- (FOURNEAUX), 1885, A., 400; (Nolting and Trautmann), 1891, A., 327; 1892, A., 728.

4-nitro- (NOLTING and TRAUTMANN), 1891, A., 325, 327; 1892, A., 727. 1'-Methylquinoline, 4'-bromo-4-nitro-

(CLAUS and DECKER), 1889, A., 728. 2'-Methylquinoline (quinaldine) (Fis-

CHER and KUZEL), 1883, A., 588; (DOEBNER and V. MILLER), 1883. A., 602; (Wallach and Wusten), 1883, A., 1097; (Anon.), 1884, A., 756. formation of (Schulz), 1884, A., 1373.

synthesis of (v. Miller), 1891, A., 1101; 1892, A., 1245.

preparation of (FRIEDLANDER and Gohring), 1853, A., 1148; (Drew-SEN), 1883, A., 1149; (DOEBNER and v. MILLER), 1884, A., 183; (SCHULTZ), 1884, A., 337; (ANON.), 1884, A., 757; 1885, A., 106. conversion of 2'-methylindole into

(Magnanini), 1888, A., 957. condensation of, with aldehydes (v. MILLER), 1887, A., 975.

2'-Methylquinoline (quinaldine), condensation of m-nitrobenzaldehyde with (WARTANIAN), 1891, A., 329. condensation of, with p-nitrobenzaldehyde (Bulach), 1889, A., 527. action of sulphur on (v. MILLER),

1888, A., 966.

of, combination with formamide (CLEVE), 1887, A., 381.

bases (Doebner and v. Miller), 1884, A., 183, 1373.

bye-products of (DOEBNER and v. MILLER), 1886, A., 370.

derivatives of (ANON.), 1884, A., 756. alkylic iodides (Möller), 1888, A.,

homologues of (Doebner and v. Miller), 1884, A., 1375.

methiodide (Doebner and v. Mil-LER), 1884, A., 181.

oxide (methylquinolinium hydroxide) (Bernthsen and Hess), 1885, A., 559.

salts of (Doebner and v. Miller), 1883, A., 602.

2-amido-2'-Methylquinoline, DEISSEN), 1889, A., 520.

derivatives of (DOEBNER and V.

MILLER), 1884, A., 1373. 3'-amido- and 3':4'-dramido- and their hydrochlorides (CONRAD and LIM-PACH), 1888, A., 1111.

bromo- (Magnanini), 1887, A., 1113; 1890, A., 1322.

3'-chloro- (KNORR and ANTRICK), 1885, A., 274; (MAGNANINI), 1887, A., 1113; 1890, A., 1322. synthesis of (Busch and Koenigs), 1892, A., 505.

4'-chloro- (CONRAD and LIMPACH), 1887, A., 680; (CONRAD and Eck-

н чвот), 1889, А., 520. dichloro- (GNEHM), 1884, A., 1028.

trichloro- and 1'-chloro-3'-nitro- (Cox-RAD and LIMPACH), 1888, A., 1111. and 2-nitro-, and their salts

(DOEBNER and v. MILLER), 1884, Л., 1373. 3':1'-nitramido- (CONRAD and LIM-

РА(И), 1888, А., 1111.

thio- (Roos), 1888, A., 500; (CONRAD and Limpach), 1888, A., 1109.

3'-Methylquinoline, preparation of (v. Miller), 1891, A., 1095.

4'-Methylquinoline (/cpidinc; cincholcpidine) (Krakau), 1886, A., 162; (KNORR), 1887, A., 159.

synthesis of (Beyen), 1886, A., 630.

colouring matters from (HOGGEWERFF and VAN DORP), 1885, A., 673.

- 4'-Methylquinoline (lepidine; cincholepidine), derivatives (HEYMANN and KOENIGS), 1888, A., 852.
 - formation of, from quinenine and cinchenine (Koenigs), 1890, A., 1433.
- 4'-Methylquinoline, 2'-amido- (Klorz), 1888, A., 1113; (EPHRAIM), 1892, A., 1488.
 - 3-amido-(Busch and Koenigs), 1890, A., 1437.
 - bromo- (Magnanini), 1887, A., 1113; 1890, A., 1322.
 - 2'-chloro- (KNORR), 1887, A., 159. 3'-chloro- (MAGNANINI), 1887, A.,
 - 1113; 1890, A., 1322. 1-nitro- (Busch and Koenigs), 1890,
 - A., 1435. 2'-thio- (Roos), 1888, A., 500.
- 2-Methylquinoline quinoneoximes
 (NOLTING and TRAUTMANN, 1891,
- A., 326; 1892, A., 727, 728, 729. 2'-Methylisoquinoline (Kkauss), 1891.
- A., 86. 4'-Methylisoquinoline (LEBLANC), 1888.
- A., 1114. 1':3'-dichloro- (GABRIEL), 1887, A.,
- Methylquinolines (DOEENER and V. MILLER), 1585, A., 1079. substituted in the pyridine-ring
 - substituted in the pyridine-ring (RUGHEIMER and HOFFMANN), 1886, A., 159.
 - oxidation of (v. MILLER), 1891, A., 1095.
 - derivatives of (NoLTING and TRAUT-MANN), 1892, A., 726.4
- 2'-Methylquinoline-3-acrylic acid (v. MILLER and KINKELIN), 1886, A., 265.
- 2'-Methylquinolineacrylic acids (quinaldineacrylic acids) [m.ps. 246° and 184°] (Ескнаярт), 1889, A., 521.
- 2'-Methylquinoline-2-aldehyde (quinaldinuldehyde) (Eckhardf), 1889, A., 522.
- 2'-Methylquinoline-3-aldehyde (v. MILLER and KINKELIN\,1886, A., 265.
 1-Methylquinoline-4-carboxylic acid
- (LELLMANN and ALF), 1887, A., 502. 2'-Methylquinoline-1-, -2- and -3-carboxylic acids and their salts (DOLBNER
- and v. MILLER, 1884, A., 1200. 2'-Methylquinoline-3'-carboxylic acid and its ethylic salt (FRIEDLANDER
- and Gohring., 1883, A., 1149.
 2'-Methylquinoline-4'-carboxylic acid (anilwatemicacid) and its derivatives (Bottinger), 1884, A., 320; (Beyer), 1886, A., 630. constitution of (Kusel), 1886, A., 1027.

- 2'-Methylquinoline-1'-carboxylic acid (andurdonic arid), exidition of Bor-
- TINGER), 1891, A., 1092. 3'-Methylquinoline-2'-carboxylic acid (DOLENER and V. MILLE, 1881, A., 1376.
- 2'-Methylquinoline-3:4'-dicarboxylic acid (v. Miller, 1890, A., 1325.
- 1-Methylquinoline-3-sulphonic acid (HERZFLI I), 1854. A., 1198; (LELL-MANN and ZIFMSSEN), 1891, A., 1257.
- 1-Methylquinoline-1-sulphonic acid (Herzfeld), 1884, A., 1190.
- 3-Methylquinoline-I-sulphonic acid (FISCHER and WHITH ICK), 1884, A., 1052; (HLIZHELD), 1884, A., 1199.
- 2'-Methylquinoline-1 sulphonic acid (DOLDNER and V. MILLER, 1884, A., 1373.
- preparation of (NON., 1885, A., 945, 2 -Methylquinoline-2-sulphonic acid, constitution of (RICHALD), 1891, A., 329.
- 2'-Methylquinoline-2- or -4-sulphonic acid (DOEBNER and V. MILLLE), 1884, A., 1978.
- 2'-Methylquinoline-3-sulphonic acid (DOLENER and V. MILILLE), 1884, A., 1373.
- preparation of (ANON.), 1885, A., 945. 2'-Methylquinoline-3'-sulphonic acid, preparation of (ANON.), 1885, A., 945.
- 2'-Methylquinoline-4'-sulphonic acid (Herzfeld), 1884, A., 1199.
- 4'-Methylquinoline-1(?,-sulphonic acid (WEIDEL and HAZURA), 1885, A., 562. 4'-Methylquinoline-3-sulphonic acid (BUS, H and KOENGS), 1890, A., 1434.
- Methylquinolinesulphonic acids, 1- and 3- (LELLMANN and ZIEMSSEN), 1891, A., 1257.
- 1'-Methyl-2'-quinolone, bromo- and 4nitro- derivatives of (DLCKLE), 1892, A., 879.
- 2'-Methylquinolyl benzoate (('on RAD and Limpach), 1888, A., 1109.
 - ethylic sulphide and mercaptan (Roos), 1888, A., 501, 500.
 - phenyl ketone (GLIGY and KOENIGS), 1885, A., 1236.
- 4'-Methylquinolyl ethylic sulphide, mercaptan and disulphide (Roos), 1888, A., 501, 500.
- 2'-Methylquinolyl-3-ethylene-2'quinoline (BULVH), 1889, A., 528; (Warranian, 1891, A., 330.
- (WARFANIAN, 1891, A., 330.

 Methylquinone. See Toluquinone.

 p-Methylquinophthalone (JACOBSEN
- and Keimen, 1884, A., 335.

 1-Methylquinoxaline (toluquinoxaline)
 (Hinsples), 1894, A., 1053.

2-Methylquinoxaline, derivatives (NIEMENTOWSKI), 1889, A., 1065.

3-Methylquinoxaline-2':3'-dicarboxylic acid (HINSBERG), 1885, A., 910.

Methylresorcinol. See Orcinol.

Methylrosindone (Fischer and Herr), 1890, A., 909.

Methylrosindulone (KEHRMANN and MESSINGER), 1891, A., 1213.

"Methylsaccharin" (ANON.), 1890, A., 382; (RANDALL), 1891, A., 1228; (Weber), 1892, A., 1092.

o-Methylsalicenylamidoxime. See o-Methoxybenzenylamidoxime.

Methylsalicylalcamphor. See o-Methoxybenzylidenecamphor.

o-Methylsalicylaldehyde. See o-Methoxybenzaldeliyde.

Methylsaligenylcamphor (HALLER), 1891, A., 1499.

Methylscopoletilic acid and methylscopoletin (TAKAHASHI), 1889, A., 256.

Methylselenazole, amido- (HOFMANN) 1889, A., 726.

a-Methyl-selenazylamine and -selenazylamine-β-carboxylic acid (HoF-MANN), 1889, A., 726, 727.

Methylsemicarbazide (v. Bruning), 1890, A., 23.

See Styrylmethyl-Methylstilbazole. pyridine.

Methylstilbazoline (phenethylmethylpiper idine) (BACHER), 1889, A., 163. p-Methylstilbene (Anschutz), 1885, A.,

1065. chloro- (Sudborough), 1892. A., 1224. p-Methylstilbenedisulphone (O170 and

Dimkohler), 1885, A., 263. Methylstrychnic acid (TAFEL), 1892. A., 1012.

methiodide (TAFFL), 1891, A., 1263.

Methylisostrychnic acid methiodide (TYFEL), 1891, A., 1264.

Methylstrychnine (TAFEL), 1890, A., 1147; 1891, A., 1263. isoMethylstrychnine (TAFEL), 1891, A.,

1264.Methylstyrene. See Tolylacetylene.

Methylsuccinamic dimethylamide (Korner and Menozzi), 1890, A.,

Methylsuccinamide (pyrotarturamide) (HENRY), 1885, A., 886.

Methylsuccinic acid (hydroxytetric acid; pyroturturic acid) (Gorboff), 1888, A., 1179; (CLOEZ), 1890, A., 739; (BISCHOFF and V. KUHLBERG), 1890, A., 742; (WALDEN), 1891, A., 1188.

in suint (A. and P. Busine), 1889, A., 178.

Methylsuccinic acid(hydroxytetric acid: pyrotarturic acid), formation (Beilstein and Wiegand), 1884, A., 1123; (ERLENMEYER), 1885, A., 753.

thermochemistry of (Stohmann, Kle-BER and LANGBEIN), 1889, A., 1097; (Massol), 1892, A., 1140.

heat of combustion of (Luginin), 1889, A., 5.

specific heat of (HESS), 1889, A., 93. action of ammoniacal silver solution and sulphuric acid on (Beilsrein and WIEGAND), 1884, A., 1123.

action of aniline on (Bottinger), 1884, A., 1006.

condensation of, with benzaldehyde (FITTIG and LIEBMANN), 1890, A., 775.

condensation of, with wnanthaldehyde (Firtig and Riechelmann), 1890, A., 593.

condensation of, with salicylaldehyde (FITTIG and BROWN), 1890, A., 777.

condensation of, with valeraldehyde (FITTIG and FEIST), 1890, A., 591. dibromo-, and its salts (CLAUS), 1883, A., 44.

Methylsuccinic anhydride and chloride, magnetic rotatory power of (PER-KIN), 1888, T., 564, 589.

chloride (RJASANTZEFF), 1889, A., 1059.

reduction of (HJELF), 1884, A., 297. Methylsuccinimide (BREDT and BOED-DINGHATS), 1889, A., 1061.

Methylsuccinonitrile (HENRY), 1885, A., 616.

Methylsulphydromethylthiazoline (Hirsch), 1890, A., 860.

Methylsulphone-o-amidobenzamide (Franke), 1892, A., 335.

Methylsulphonic acid. See Methanesulphonic acid.

Methylsulphonylthiocarbamide, chloro- (M. GOWAN), 1887, T., 669. Methylsyringic acid (Körner), 1889, A., 159.

Methyltarconic acid (Roser), 1888, A., 1116; 1890, A., 532. bromo- (ROSER), 1888, A., 1116.

ψ-Methyltarconic acid (Rosen), 1890, A., 532.

β-Methyl-taurine and -taurocarbamic acid (GABRIEL), 1890, A. 128. Methyltetrahydrocinchonic anhydride

(Weidel and Hazura), 1885, A., 561. Methyltetrahydrofurfuran (FREER and Perkin), 1887, T., 836; A., 33; (Lipp), 1890, A., 20. 2'-Methyltetrahydro-β-naphthaquinoline (BAMBERGER and MÜLLER), 1891, A., 1511.

Methyltetrahydronicotinic acid

(Jahns), 1892, A., 740. "a-Methyltetrahydroperichinaldimidazole" (BAMBERGER and WULZ), 1891, A., 1256.

o-Methyltetrahydrophenyl methyl ketone (Kipping and Perkin), 1889, P., 144.

o-Methyltetrahydrophenylmethylcarbinol (KIPPING and PERKIN), 1889, P., 144.

 Methyl-△²-tetrahydropicoline (LIPP), 1892, A., 1243.

2-Methyl-A2-tetrahydropyridine(LIPP), 1887, A., 277; 1892, A., 1243.

Methyltetrahydropyridylacetylene (Eichengrun and Einhorn), 1891, A., 67.

Methyltetrahydropyridylethylene, bromo-(Eichengrun and Einhorn), 1891, A., 66.

 $\textbf{M} ethyltetra hydropyridyl-} \textbf{\beta}-hydroxy$ propionic acid. See Ecgonine.

1-Methyltetrahydroquinoline, and 3-amido- (BAMBERGER and WULZ), 1891, A., 1253, 1254.

3-bromo- (Alt), 1889, A., 1214.

2'- and 3-Methyltetrahydroquinoline and 1-amido- (BAMBERGER and WULZ), 1891, A., 1254, 1255, 1256.

(kairo-1'Methyltetrahydroquinoline line) and its derivatives (Hoff-MANN and KOENIGS), 1883, A., 1144; (FEER and KOENIGS), 1885, A., 1245.

physiological properties of (FILEHNE),

1884, A., 474.

2'Methyltetrahydroquinoline and its derivatives (DOEBNER and MILLER), 1884, A., 183; (MOLLER), 1888, A., 297.

condensation of, with p-nitrobenzaldehyde (v. MILLER and PLÖCHL), 1891, A., 1102.

4'-Methyltetrahydroquinoline (KNORR and KLOTZ), 1887, A., 278.

1-Methyltetrahydroquinoline-3-azobenzenesulphonic acid (BAMBERGER and Wulz), 1891, A., 1254.

3-Methyltetrahydroquinoline-1-azobenzenesulphonic acid (BAMBERGER and Wulz), 1891, A., 1255.

1'Methyltetrahydroquinoline 2-carboxylic acid(kairoline-2-carboxylic acid (FISCHER and KORNER), 1884, A., 1197.

1-Methyltetrahydroquinoline-3-sulphonic acid (LELLMANN and ZIEMS-SEN), 1891, A., 1257.

Methyltetrahydroquinolinesulphonic acids, 1- and 3- (Lellmann and Ziemssen), 1891, A., 1257.

B-Methyltetramethylenediamine (OLD-ACH), 1887, A., 735.

Methyltetramethylenic dibromide and action of sodium on (COLMAN and PERKIN), 1888, T., 190, 201.

Methylthalline, and its salts (SKRAUP), 1886, A., 80.

Methylthebain sulphate, physiological activity of (STOCKMAN and DOTT), 1891, A., 762.

Methylthialdine (MARCKWALD), 1886, A., 1005.

α-Methylthiazole (HANTZSCH and ARA-PIDES), 1888, A., 573; (POPP), 1889, A., 725.

μ-Methylthiazole (HANTZSCH), 1888, A., 574; 1889, A., 724.

mesvamido.. See Methylthiazole, Thiocyanopropimine.

a-Methylthiazole-β-carboxylic acid, bromo-, chloro- and iodo- (WOHMANN), 1891, A., 226.

 μ -Methylthiazole- β -carboxylic acid (RUBLEFF), 1891, A., 224.

acid μ-Methylthiazoledicarboxylic (Rubleff), 1891, A., 224.

oxide Methylthiazolehydroxamic (ZURCHER), 1889, A., 725.

meso-Methylthiazoline (GABRIEL), 1891, A., 817. n-Methylthiazoline, μ-imido-(NÄF),

1891, A., 1515. (NAF),

n-Methylthiazolinehydrazine 1891, A., 1516.

Methylthiazylacetic acid (STEUDE), 1891, A., 743.

Methylthiazylamine and a-methylthiazylaniline (TRAUMANN), 1889, A., 414, 415.

2:5-Methylthienyl methyl ketone (mcthylacetothicnone) and its derivatives (DEMUTH), 1886, A., 228, 871.

nitro- and hydroxylamine-derivatives (Dемитн), 1886, А., 228.

Methylthienylglyoxylic acids, aa- and αβ- (RUFI), 1887, A., 804.

and di-thiobiurets a-Methyl-mono-(HECHT), 1892, A., 703.

Methylthiocarbamide, polymeric (v. Hofmann), 1892, A., 798.

Methylthiocarbamide-allylic and -benzylic cyanides (HECHT), 1890, A., 1104.

Methylthiocarbamide-methylic -propylic cyanides (HECHT), 1890, Ā., Ī103.

Methylthiocarbimide, compound of, with aldehydeammonia (DIXON), 1892, T., 517.

44 689

a-Methylthiocoumarin (ALDRINGEN), 1892, A., 329.

Methylthioformaldine (WOHL), 1887, A., 27.

Methylthiohydantoin (Andreasch), 1886. A., 227; (Marckwald, Neumark and Stelzner), 1892, A., 151.

oxime of (Andreasch), 1886, A., 227.

Methylthiophen, thio thienyl methyl thin ther). See Methoxythiophen, thio.

 a-Methylthiophen tthiotolen) (MEYER), 1884, A., 586; 1885, A., 887; (MEYER and KREIN), 1884, A., 1132; (EGLI), 1885, A., 766; (KUEN and PAAL), 1886, A., 537. mercuric chloride (Volhard), 1892,

mercuric chloride (Volhard), 1892 A., 829.

dinomo- (MEYER), 1884, A., 586; (MEYER and KREIS), 1884, A., 1132.

tribromo- [m.p. 74°] (MEYER and KREIS), 1884, A., 1132.

oxidation of (CIAMICIAN and Angeli), 1892. A., 302.

8-Methylthiophen (Meyer and Kreis), 1884, A., 1131; (Egl.), 1885, A., 766.

method of obtaining (SCHULZE), 1885, A. 251.

synthesis of (Volhand and Erd-MANN), 1895, A., 763.

meicuric chloride (Volhard), 1892, A., 829.

dibrono- (Gerlach), 1892, A., 880. tribrono- [m.p. 34°] (Erdmann and Volhard), 1885, A., 763.

VULHARD, 1885, A., 763. oxidation of (CLAMICIAN and ANGELI), 1892, A., 302. γ -tr/bromo-, action of nitric acid on

(Gold-(Muhlert), 1886, A., 229. (Sethylthiophensynaldoxime)

Methylthiophensynaldoxime (Goldschmidt and Zanoli), 1892, A., 1435.

2-Methylthiophen-5-carboxylic acid (\$\text{\textit{B-thiotolenic}} ucid\) (Levi), 1886, A., 539.

and its silver salt (PAAL), 1885, A., 1206.

3-Methylthiophen-5-carboxylic acid (Zelinsky), 1887, A., 921.

1-Methylthiophen-5-carboxylic acid (7-thiotolenic acid) (Dewvih), 1886, A., 538; (Levi), 1886, A., 540; (Gerlach), 1892, A., 830.

β-Methylthiophensulphonic acid and its salts (MUHLERT), 1886, A., 787.

Methylthiophthalimidine (DAY and GABBIEL), 1890, A., 1250.

Methylthiosinamine. See thiocarbamide.

1-Methylthymol, 6-bromo- (M. 1890, A., 366.

Methyl-p-thymolearboxylic acia BEK), 1884, A., 56.

Methyl-p-thymotic aldehyde (Ko 1884, A., 56

Methyltolindole. See Dimethylindole. Methyl-\psi-o-tolisatin (Hegel), 1886,

A., 552.

Methyltolualloxazine (Kühling),1892,
A., 70.

Methyl-o-toluidine, preparation of, and of its acetyl-derivative (REINHARDT and STAEDEL), 1883, A., 578.

5-nitroso- (Kock), 1888, A., 469. Methyl-p-toluidine (Bamberger and Wulzl, 1891, A., 1202.

Wulzi, 1891, A., 1202. action of diazotised p-brom- and p-chlor-anilines on (Meldola and Streatfelld), 1889, T., 432,

derivatives of (GATTERMANN), 1885, A., 975.

Methyl-p-toluidine, o-amido-. See also Tolylenemethyldiamine.

trinitro- (Nonton and LIVERMORE), 1887, A., 1038.

Methyl-p-toluidine-o-azobenzenesulphonic acid (BAMBERGER and WULZ), 1891, A., 1203.

Methyltoluquinoline. See Dimethylquinoline.

Methyltoluquinoxaline. See Dimethylquinoxaline.

Methyltriacetonine, and its derivatives (FISCHER), 1884, A., 1290.

a-Methyltricarballylic acid (Auwers), 1891, A., 546.

Methyltricarballylic acids, α- and β-(Auwers, Kornen and V. N Burg), 1892, A., 41, 42. Methyltridecylacetylene (hexad

(KRAFFT and REUTER), 1'
1163.

Methyltriethylammonium of hydroxide, action of hy LIE and SCHRYVER), 779.

pent- and hept-iodides 1887, A., 910.

Methyltriethylphosphoniun action of heat on (Collie 719.

Methyltriphenylic bromide. phenylcarbinyl bromide.

Methyltriphenylmethanecar acid (diphenyltolylmethane acid) [m.p. 203°] (v. Hemili A., 266. Methyltriphenylmethylamine. See Triphenylcarbinylmethylamine.

Methyltriphenyl-, See also Diphenyltolyl-, Triphenylcarbinyl- and Triphenylmethyl-.

a-Methyltropidine and its derivatives (ROTH), 1884, A., 761; (MERLING), 1892, A., 358.

S-Methyltropidine (Merling), 1892, A., 359.

Methyltropine, decomposition of, by potash (Ladenburg), 1883, A., 672. Methylumbelliferone, derivatives

(ALDRINGEN), 1892, A., 330.

B-Methylumbelliferone and its derivatives (v. Pechmann and Duis-BERG), 1884, A., 66; (V. PECHMANN and Cohen), 1884, A., 1331.

dibromide, methyl ether (v. Pech-MANN and COHEN), 1881, A.,

nitro- and amido-derivatives of (v. (Pechmann and Cohfn), 1884, A., 1332.

B-Methylumbelliferonecarboxylic acid (MICHAEL), 1588, A., 956; (BURTON

and v. Pechmann), 1891, A., 672. Methylundecylacetylene (tetradecinene) (KRAFFT and REUTER). 1892, A., 1164.

Methyluracil (dioxymcthyl-m-diuzine), alkyl derivatives of (BEHREND; HOFFMANN), 1890, A., 31.

diiodide (Hoffmann), 1890, A., 32. diazo-derivatives of (BEHREND), 1888, A., 809.

amido- and bromo- (BEHREND), 1886, A., 338.

imido-, and its derivatives (JAEGER), 1891, A., 1007.

nitro- (BEHREND), 1887, A., 919; (LEHMANN), 1890, A., 32.

nitro-derivatives of (Kohler), 1887, A., 128.

thio- (List), 1887, A., 128.

Methyluracilacetic acid, thio- (LIST), 1887, A., 128.

Methyluramidobenzoic acid (GRIESS), 1885, A., 1226.

m-Methyl-o-uramidobenzoyl zarri), 1892, A., 343.

Methylurethane (methylic curbamate) (Franchimont and Klobbie), 1889, A., 492.

Methylnric acid, artificial (Horbaczewski), 1885, A., 1050.

Methyluric acids (FISCHER), 1884, A., 996, 1308.

Methyluvic acid (DIETZEL), 1889, A.,

a-Methylvalerolactone from isosaccharin (KILIANI), 1885, A., 744.

Methylvalerolactones, α - and β - (hexolartime) (GOTTSTEIN), 1883, A., 454. Methylvalerylacetylene, formation of

hexylacetylene from (Blhal), 1889, A., 950.

Methylisovaleryl-d-ecgonine (Deckers and EINHORN), 1891, A., 475.

Methyl-violet. See Colouring matters. Methylxanthine, synthesis of (GAU-TIER), 1885, A., 275.

Methylxanthone (WEBER), 1892, A., 1092.

See also Methyldiphenylene ketone oxide.

Methyl-o-xylidine (MLNTON), 1891, A., 1204.

6-nitroso- (Fischer and HLPP), 1890. A., 913; (MENION), 1891, A 1204.

p-nitroso-Methyl-p-xylidine and (PFLUG), 1890, A., 606, 607.

Methysticin (DAVIDOFF), 1588, A., 1207; (POMERANZ), 1889, A., 278; 1890, A., 257.

Methysticinic acid and methysticol (Pomeranz), 1890, A., 257.

Metinulin (Honic and Schubert), 1888, A., 247.

Mexican amalgamation process, reactions of (HUNTINGTON), 1883, A., 134.

Miargyrite, artificial production of (DOELTER), 1886, A., 209. crystalline form of (Lewis), 1885, A..

from Přibram (RUMPF), 1883, A.,

Mica, green, from Brazil (GORCEIX), 1884, A., 408.

from the Utal Mountains (DAMOUR), 1883, A., 1066.

Micas (Clarke), 1888, A., 117; 1890,

A., 460. from Branchville (RAMMELSBERG), 1886, A., 129.

iron-lithia, of Cape Ann, Massachusetts (Clarke), 1887, A., 348.

from Haddam, Connecticut (SCHLAEP-FER), 1891, A., 531. from Leon Co., Texas (LDIGHTON),

1887, A., 119.

Rheinwaldhorn, Grauthe bunden (Wülfing), 1886, A., 991. from Salm-Château, Belgium (KLE-MENT), 1891, A., 528.

of the pegmatite-granite of Schuttenhofen (SCHARIZER), 1888, A., 432. from Weiler, near Weissenberg, analysis of (Linck), 1886, A., 212.

from Zinnwald (SCHLAEPPER), 1891, A., 531.

Micas, artificial formation of (HAUTE-FEUILLE and PLAN DE SAINT-GILLES), 1887, A., 561; (DOELTER), 1888, A., 1045; 1889, A., 25.

composition of (SCHLAEPFER), 1891, A., 530,

nstitution of (Clarke Schneider), 1892, A., 125. constitution and

boric acid in (v. Sandberger), 1885, A., 643.

electrolytic behaviour of, at high temperatures (Schultze), 1889, A.,

action of solutions of alkalis, alkaline earths and certain salts on (C. and G. Friedel), 1890, A., 1080.

action of water on (JOHNSTONE), 1892, A., 573.

analyses of (Becker), 1890, A., 220. See also Biotite, Lepidolite, Lepidomelane, Muscovite and Phlogopite.

Mica-diorites of Christianherg, Bohemia, minerals from (STARKL), 1886.A., 32. near Trylerg in the Black Forest (WILLIAMS), 1883, A., 724.
Southern Thuringia and the

Frankenwald (POHLMANN), 1884, A., 1273.

Mica-syenite porphyry, near Tryberg in the Black Forest (WILLIAMS), 1883, A., 724.

Michel-levyite. See Barytes.

Microbes in the air at great heights Giacosa¹, 1884, A., 225.

in soil (Koch and Miquel), 1884, A., 486; (WOLLNY), 1885, A., 426: (WARINGTON, 1886, P., 267; 1887, T., 118.

silicic acid, as a culture medium for

(KUHNL), 1890, A., 1339. biological and chemical properties of

(V. POEHL), 1886, A., 731.

zymotic properties of (ARLOING), 1886, A., 170.

chemical changes in their relation to (Frankland), 1885, T., 159; P., 9. vitality of germs of (Duclaux), 1885,

nemoval of, from water (FRANKLAND), 1886, A., 573.

influence of calomel on the life of (Wassilieff), 1883, A., 743.

action of, on certain colouring matters (RAULIN), 1889, A., 67.

from the mouth and from faces, action of, on food stuffs (VIGNAL), 1887, A., 1059.

action of gases on the development of (Frankland), 1889, A., 738. action of, on milk (WARINGTON),

1888, T., 734

Microbes, specific, action of, on nitric acid (FRANKLAND), 1888, T., 373; P., 23.

action of oxygen on the activity of (Hoppe-Seyler), 1884, A., 1399.

behaviour of, in artificial mineral waters (SOHNKE), 1887, A., 393. chemical action of some (WARING-TON), 1888, T., 727; P., 69. reducing power of (DE BLASI and

TRAVALI), 1890, A., 1453; (LEONE), 1891, A., 102.

reduction of nitrates by (GAYON and DUPETIT), 1886, A., 823; (LEONE), 1890, A., 1453.

secretions of (ARNAUD and CHARRIN), 1891, A., 1132, 1394.

and proteolytic digestion (HARRIS and Tourn), 1889, A., 64.

in the air, quantitative estimation of (HESSE), 1885, A., 611.

denitric, in soils (GAYON), 1883, A., 679.

in straw (BRÉAL), 1892, A., 1259. of indigo fermentation (ALVAREZ), 1887, A., 1061.

nitric and nitrous (MUNRO), 1886, T., 679; (MILES), 1887, A., 1134; (WINOGRADSKY), 1890, A., 1180; 1891, A., 1545; (Warington), 1891, T., 495.

which produce zymases, observations concerning (BECHAMP), 1885, A., 580.

See also Bacillus, Bacterium, Fermentation, Ferments, Micrococcus, Saccharomyces.

See Felspar, Microclase. triclinic potash-soda.

Microcline (BEUTELL), 1885, A., 31. from Konigshain, Oberlausitz (Worrынлен), 1883, А., 446.

from spolumene (BRUSH and DANA), 1883, A., 439.

Micrococcus acidi paralactici (Nencki and SIEBER), 1890, A., 79.

Micrococcus cereus, a nitrifying agent (CELLI and MARINO-ZUCO), 1887, A., 858.

Micrococcus gelatinosus (WARINGTON). 1888, T., 731.

Microcosmic salt (sodium ammonium hydrogen phosphute), action of, on various oxides (Wallroth), 1883, A., 850.

Microlite (HINTZE), 1885, A., 732. from Forst, Tyrol (OEBBEKE), 1886,

Microphone, superiority of carbon over metals in (BIDWELL), 1883, A. 842, Micro-organism, See Microbes.

Microscopic objects, influence of the composition of the glass of slides and cover glasses on the durability of (Weber), 1892, A., 1276.

Microzymæ the cause of the decomposition of hydrogen peroxide by animal tissues (Bechamp), 1883, A., 103.

origin of vibrioles and, in air, water, soil, etc (BECHAMP), 1885, A., 417.

Milarite (RINNE), 1885, A., (TREADWELL), 1892, A., 1056. 1187;

See Agricultural Mildew in vines. Chemistry.

Milk, elephant's (Doremus), 1891, A., 98.

fossil (Storch), 1888, A., 1223. human, albuminoids of (BIEDERT), 1885, A., 922; 1887, A., 388. zymase of (BECHAMP), 1883, A., 926. composition and method of analysis

of (LEEDS), 1885, A., 282. is alcohol eliminated with (KLINGE-

MANN), 1892, A., 365.

analyses of (v. STRUVE), 1884, A., 1396; (Szilasi), 1892, A., 517. separation of casein from allumin in (Hoppe-Seyler), 1885, A., 845.

the porpoise, composition of (PURDIE), 1885, A., 1253.

of the bottle-nosed whale (FRANK-LAND and HAMBLY), 1890, A., 812. See also Agricultural Chemistry.

Milk of lime. See Calcium hydroxide. Milk-sugar and its derivatives. See Lactose under Carbohydrates.

Millerite, occurrence of, in St. Louis (LEONHARD), 1886, A., 125.

Millet, analysis of (VOELCKER), 1884, A., 630.

Millet oil and its decomposition products (Kassner), 1888, A., 673.

illettia atropurpurea, poisonous glucoside from (GRESHOFF), 1891, A., Mülettia 335.

Mimetite (mimetesite) containing lime from Puy-de-Dôme, analysis of (DAMOUR), 1886, A., 210. colourless, from the Richmond Mine,

Nevada (MASSIE), 1883, A., 163. preparation of (MICHEL), 1889, A., 21.

after pseudomorphous, anglesite (GENTH), 1888, A., 563.

Mimetites, bromo- (DITTE), 1883, A., 783.

Austria Mineral from Krems in (Drasche), 1888, A., 233. from Val Godemas (Lodin), 1885, A.,

allied to orthite, analysis of (SEAMON), 1883, A., 164.

Minerals, in Amelia Co.,

(FONTAINE), 1883, A., 959. from America (Clarkeand Chatard), 1885, A., 492.

from Berks Co., Pa. (BRUNNER and SMITH) 1884, A., 663. Bohemian (ERBEN), 1887, A., 644.

from Brazil (KENNGOTI), 1884, A., 564.

in Britain (HEDDLE), 1886, A., 432. from Carintha (BRUNLECHNER), 1888, A., 233.

from the mica-diorite of Christianberg, Bohemia (STARKL), 1886, A.,

from Colorado (Cross and Hille-BRAND), 1883, A., 164, 956, 1065; 1884, A., 21; (HILLEBRAND), 1884, A., 826; 1885, A., 878.

from Corsica (RUPPRECHT), 1891, A., 1440.

from the Douglashall salt mine (Ochsenius), 1889. A., 838. from the French Creek mines (EYER-

MAN), 1890, A., 113.

Fritz Island, Pennsylvania (SADLER), 1883, A., 441.

Hungarian (Loczka), 1892, A., 1054. Italian, chemical and microscopical researches on (Cossa), 1883, A., 446.

chemico-mineralogical studies on (FUNARO and BUSATTI), 1884, A., 270.

Japanese (WADA), 1885, A., 221. found in the granite hills of Königshain, in Oberlausitz (WOITSCHACH), 1883, A., 446.

from Leadhills (COLLIE), 1888, P., 121; 1889, T., 91.

from Lehigh Co. (SMITH), 1884, A.,

from the chrome iron ore deposit of Maryland (GILL), 1892, A., 1057. found near Massa in the Apuanian

Alps (D'ACHLARDI), 1883, A., 428. of the Miage Glacier, M. Blanc (Brun), 1883, A., 31.

the pegmatite vein at Moss (Brögger), 1886, A., 27.

North Carolina (HIDDEN), 1883, A., 163. 106**3.**

Norwegian, two (BROGGER), 1886, A.,

34. from Oberwiesenthal (SAUER), 1886,

from the metamorphic rocks of Ouro Preto, Brazil (Gorceix), 1885, A.,

of the Pacific coast (LINDGREN), 1889, A., 472.

Minerals from the environs of Pontgiband (GONNARD), 1885, A., 220. of Port Henry, New York (KEMP),

1891, A., 158.

from the eruptive rocks of the cretacrous formations of Silesia and Moravia (Rohrbach), 1886, A., 928. from Upper Silesia (Kosmann), 1883,

Λ., 955. from the Sjo Mine, Sweden (IGEL-

STROM), 1887, A., 902.

in the sodalite sycnite of South Greenland (LORENZEN), 1883, A.,

of the syenite-pegmatite veins of the South Norwegian augite and nephcline-syenites (Brogger), 1890, A., 1077.

from Switzerland (SELIGMANN), 1886, Л., 126.

Transylvanian, analyses of (Koch), 1885, A., 735.

from Tuscany (Busatti), 1887, A., 19. from the Tyrol (v. ZEPHAROVICH), 1884, A., 1098; (CATHREIN), 1889, A., 23; (v. Foullon), 1890, A., 339.

of Vester-Silfberg (WEIBULL), 1886,

from Vesuvius (Scacchi), 1887, A., 17. from Vulture and Melfi (RICCIARDI), 1837, A., 1087.

of the coultie iron ore of the Windgallen (SCHMIDT), 1886, A., 780. natural classification of (HUNF), 1892,

A., 415.

ill-determined (HEDDLE), 1886, A.,

isomorphous, which are not chemically analogous (RAMMELSEERG), 1884, A., 1096.

from a chromite deposit (ARZRUNI), 1985, A., 31.

of the cryolite-group (BRANDL), 1983, A., 29.

of the cryolite group recently found in Colorado (Cnoss and HILLE-BEAND), 1891, A., 21.

of the cryolite-group from Greenland (KRENNER), 1885, A., 27.

iron, manganese, and zine, origin of, in the older limestones of the secondary series (DIEULAFAIT), 1885, A., 644.

influence of fluorine in the synthesis of (MEUNIER), 1891, A., 21. the double refraction of determination

of (Michel-Levy), 1885, A., 621. phosphorescence of, under the influence of light and heat (BECQUEREL), 1891, A., 776.

Minerals, thermoelectric properties of (HANKEL), 1883, A., 540. specific gravity of (GISEVIUS), 1883,

A., 1031.

melting point of, determination of (JOLY), 1892, A., 414.

coefficient of cubic dilatation determination of (THOULET), 1885, A., 218.

solubility of (DOELTER), 1890, A., 1070. solubility of, in sea water (THOULET), 1889, A., 682.

absolute hardness of (PFAFF), 1886, A., 20.

action of fused magmas on (DOELTER and Hussak), 1884, A., 401.

subsequent alteration of, by the action of water (KLOOS), 1884, A., 1273. grinding mill for (Zulkowski), 1888,

A., 85.

analysis of (BAYLEY), 1886, T., 735; P., 228.

analysis, microscopic, of (BEHRENS), 1886, A., 917.

application of citric acid to the examination of (Bolton), 1883, A., 857.

detection of antimony in (JOHNSTONE), 1889, A., 444,

detection of minute quantities of iron in (Johnstone), 1889, A., 797.

detection of mercury in (Johnstone), 1889, A., 797.

estimation of graphite in (MACKIN-

TOSH), 1885, A., 689. estimation of water in (CHATARD), 1891, A., 766.

separation, mechanical, of (v. PEBAL), 1883, A., 158; (GOLD-CHMIDT), 1893, A., 159; (BUTTGENBAUR), 1883, A., 858; (GI-EVIUS), 1883, A., 1031.

solution suitable for the separation of (Rонквасн), 1884, А., 145.

Mineral acids. See Acids.

Mineral-analysis, microchemical (Streng), 1885, A., 294; (Behrens), 1891, A., 766.

Mineral-condensation, coefficient of, in chemistry (Hung), 1891, A., 258.

Mineral-fuel. See Coal and Fuel.

Mineralogical-chemical theories (GOLDьсимирг\, 1890, А., 219.

Mineralogical notes (v. ZEPH AROVICH), 1895, A., 641; (PRIMICS), 1885, A., 783; (RAFFELT), 1886, A., 31; (GENTH), 1887, A., 342; (FLINK), 1888, A., 232; (KUNZ), 1889, A., 24; (V. NORDEN-SKIOLD), 1889, A., 220; (PENFIELD and SPERRY), 1889, A., 356; (HILLE-Brand), 1891, A., 1435.

Mineralogical-studies, synthetical [(DOELIER and HUSSAK), 1894, A., 565.

Mineral oils. See Petroleum.

Mineral-spring and water. See Water. Mineral-veins (v. Sandberger), 1888, A., 237.

Mineral-wax (Dollfus and Meunier), 1888, A., 115.

See also Ozokerite.

Mineral-white, a, process for preparing (Cobley), 1884, A., 136.

Minette, presence of phosphorus in (ANON.), 1894, A., 412

Minium, native, in Idaho (BLAKE), 1884, A., 563.

from Leadville (HAWKINS), 1890, A., 570.

See also Triplumbic tetroxide under Lead.

Minjak-Lagam balsam, constituents of (Haussynn), 1884, A., 354.

Mirabilite (Glauber's salt) from Arizona (BLAKE), 1890, A., 572.

from the potash mines at Kalusz (Z MOZIECKI), 1892, A., 1286.

See also Sodium sulphate.

Mirror amalgam, composition of (HAR-RISON), 1887, A., 447.

Mirrors, magic (AVRION and PERRY), 1887, A., 327.

silvering of (HERZOG), 1885, A., 1020. Mispickel (arsenical pyrites) (v. Sand-

BERGER), 1890, A., 454. from Auerbach (MAGEL), 1884, A.,

1100. from Bolivia (ARZRUNI), 1886, A., 514.

from Huttenberg (McCAY), 1884, A., 1099. Hungarian (Loczka), 1886, A., 514.

radiated, from Orawitza (McCAY), 1884, A., 1099.

from Queropulca, in Peru (McCAY), 1884, A., 1100.

from Servia (SCHMIDT), 1889, A., 21; (Loczka), 1889, A., 215.

from Wunsiedel (OEBBEKE), 1890, A., 711.

constitution of (Loczka), 1889, A.,

relations between the crystalline form and chemical composition of (ARZRUNI and BAERWALD), 1881, A., 404.

Mixed volatility derivatives, (HENRY), 1886, A., 135.

Mixite from Utah (HILLEBRAND and Washington), 1888, A., 1044.

Mixture, thermal and volume changes attending (GUTHRIE), 1885, A., 339. Mixtures, crystallisation of (LEHMANN),

1888, A., 342.

Mixtures, melting points of (MIOLATI), 1892, A., 1139.

liquid and gaseous, volumes of (WANKLYN and Cooper), 1891, A., 1412; (Wanklyn, Johnstone and COOPER), 1892, A., 264; (WANKLYN), 1892, A., 935.

See also Gaseous mixtures.

Mochylic alcohol (DIVERS and KAWA-KITA), 1888, T., 274; P., 13.

"Mokuyiki" (Yoshida, 1883, T.,

Molasses, purification of (GUNDER-MANN), 1883, A., 835; (GANS), 1885, A.. 103.

refining of, by means of concentrated acetic acid (WTRND KE), 1884, A., 790.

lactic acid in (BEYTHIEN, PARCUS and Tolless), 1890, A., 583.

preparation of raffinose from To1-LENS), 1885, A., 368; (LINDEI), 1890, A., 732; (GUNNING), 1892, A., 422.

preparation of sugar from (v. Lipp-MANN), 1885, A., 102; (ANON.), 1885, A., 103; (DAIX and Possoz), 1885, A., 943; (STERNBERG; HEYER), 1886, A., 403.

production of sugar from, by Steffen's and Scheibler's processes (ANON.),

1884, A., 1236. recovery of sugar from, by means of lime (ANON.), 1884, A., 939.

separation of sugar from (Degener,), 1884, A., 1447

strontia process for the separation of sugar from (Scheibler), 1883, A., 252, 536; 1884, A., 133. analysis of (BABINGTON), 1892, A.,

testing for dextrin-syrup (Wolff), 1883, A., 624.

estimation of sugar in (HERLES), 1889, A., 191.

estimation of invert-sugar in (STRIEG-LER), 1891, A., 769.

heet, occurrence of leucine and tyrosine in (v. Lippmann), 1885, A., 245.

Molecular action, radius of (RUCKER), 1888, T., 226; P., 7.

simple modification of Raoult's method of determining (HOLLE-MAN), 1888, A., 552.

changes in metals as shown by their electrical conductivity (LE CHATE-LIER), 1891, A., 1308.

compounds, constitution of (Picker-ING), 1883, T., 182.

behaviour of, on solution (Bop-LÄNDER), 1892, A., 1154.

Molecular conductivity (OSTWALD), 1886, A., 294.

of acids in dilute solutions (ARR-HENIUS, 1887, A., 415; (BOUTY), 1887, A., 758; HARIWIG', 1891, A., 1308.

of fuming nitric acid (BOUTY), 1888, A., 545.

See Forces. forces.

heat. See Thermochemistry.

refraction and dispersion. See Photochemistry.

notation. See Photochemistry. theory of a substance formed from two different components (VAN DER WAALS), 1890, A., 556.

transformations (Bottcher), 1883. A., 1113.

and atomic union, can Raoult's method distinguish between ? (AN-SCHUTZ), 1890, A., 105. volumes. See Volumes, molecular.

weight. See Weight, molecular.

**Molecules, relation of diameters of (Schall), 1585, A., 1182.

determination of the size of (EXNER), 1885, A., 951.

combinations of, with atoms (TRAUBE), 1886, A., 661.

enveloping and secondary (LANG-LOIS), 1897. A., 419.

homogeneous, attraction of (SCHAIL), 1885, A., 111.

organic, stereochemical models of (EILOARI), 1892, A., 679.

of organic compounds, arrangement of the atoms in space in the MI-"HAEL), 1868, A., 1147.

of salts, determination of the size of, from the electrical conductivity of their solutions (JAGER), 1888, A., 217; (WAI DEN), 1888, A., 891,1008.

Molinia caerulea from Konigsberg, near Raibl, analysis of (HATIEN-SAUR), 1890, A., 658.

Molisch's reactions, applications of (College, 1871), 1891, A., 128.

Molluscs, glycogen in the connective tissues of (BIUNDSTONE), 1856, A., 569.

mic acid in 'MACMINN', 1886, A., 1056.

Molybdenite, artificial preparation of (DE SCHULIEN , 1891, A., 20.

twin crystals of (HIDDEN), 1857, A., 116.

analysis of (JANNAS H and WASO-WICZ), 1892, A., 657.

See also Molybdenum sulphide.

Molybdenum, proportion of, in scheelite (TRAUBE,, 1891. A., 406.

Molybdenum, action of nitric acid on (MONIEMARTINI), 1892, A., 1403.

solutions, electrolysis of (SMITH and Hoskinson), 1886, A., 102.

residues, treatment of (VENATOR), 1886, A., 124.

compounds, reduction of (v. DER PFORDTEN), 1883, A., 122; 1884, A., 559.

derivatives, reactions of (BAERWALD), 1856, A., 17.

fluoroxy-compounds of (MAURO), 1890, A., 702; (Piccini), 1892, A., 784.

oxygen compound of (Pechard), 1891, A., 988.

lower oxides of (MUTHMANN), 1887, A., 553.

trioxide (molybdic anhydrule), colour reactions of (LÉVY), 1887, A.,

fluorammonium derivatives (Mauro), 1889, A., 106.

Molybdic acid, colloidal, molecular weight of (Sabaneeff), 1890, A., 1215.

colloidal solutions of (PICTON and

LINDER), 1892, T., 155. action of hydrogen peroxide on (CAMMERER), 1892, A., 944. compounds of, with sorbitol and

perseitol (GERNEZ), 1892, A., 122.

a hydrate of (PARMENTIER), 1883, A., 158; (VIVIER), 1888, A., 557. nitro-, concentrated solution of, preparation of (GUYARD), 1884, A., 638.

Molybdates, action of hydrogen peroxide on (BAERWALD), 1884, A.,

acid, iotatory power of compounds of mannitol with (Gennez), 1891, A., 1443; 1892. A., 800.

complex (GIBBs), 1884, A., 161, 561, 713.

crystalline (Coloriant), 1889, A., 760.

thio- (KRUSS), 1884, A., 161, 1268. reduction of (KRUSS and SOLE-REDER), 1887, A., 111.

dithio- (Kruss), 1884, A., 161, 1267. perthio- and oxythio- (Knuss), 1884, A., 1268.

sesquioxide, action of nitric oxide on (SABATIER and SENDERENS), 1892, A., 1152.

Permolybdic acid (PECHARD), 1891, A., 988; 1892, A., 1283. heat of formation of (Pechard)

1892, A., 1383.

Permolybdates (PECHARD), 1892, A., 1160.

Hypophosphomolybdates (GIBBS). 1884, A., 560.

Molybdenum oxychlorides, electrolytic conductivity of (HAMPE), 1588. A., 888.

sulphur compounds of (Krt 85), 1884, Å., 160, 1267, 1268.

sulphide, reduction of (v. DER PFORD-TEN), 1884, A., 965.

See also Molybdenite.

Molybdenum, estimation and separation of:-

estimation of (v. DER PFORDTEN), 1884, A., 965, 1429; (SMIII and BRADBURY), 1892, A., 241; (PE-CHARD), 1892, A., 917.

estimation, electrolytic, of (BAER-WALD), 1886, A., 18.

estimation, volumetric, of (v. DER 1883, Prordten), 123;(SCHINDLER), 1888, A., 757.

separation, electrolytic, of gold from (SMITH and WALLACE), 1892, A., 920.

Molybdic anhydride. See Molybdenum trioxide.

Molybdiodic acid (BLOMSTRAND), 1890, A., 107.

Molybdovanadates (FRIEDHEIM), 1891, A., 884.

Moments of inertia, establishment of fundamental formulæ for the calculation of (HINRICHS), 1892, A., 948.

Monazite as a secondary constituent of rocks (DERBY), 1889, A., 573.

occurrence and composition of some American varieties of (Penfield),

1883, A., 162. from the Nil St. Vincent quarries (RENARD), 1883, A., 561.

from North Carolina (PENFIELD and Sperry), 1889, A., 356.

twin crystals of, from North Carolina (HIDDEN and DES CLOIZEAUX), 1887, A., 118.

from Quebec (GENTH), 1890, A., 457. from Sweden (BLOMSTRAND), 1891, A., 1168.

from Utal (BLOMSTRAND), 1890, A.,

analyses of (BLOMSTRAND), 1889, A.. 217.

Monazitic sands of Caravellas, Brazil (Gorceix), 1885, A., 489.

Monchiquite, a rock of the elevolitesyenite class (HUNTER and ROSENвияси), 1892, А., 1058.

Monetite and monite (SHEPARD), 1883, A., 1063.

Money, Manila, analysis of (Well H), 1859, A., 17.

Mono . See under name to which mono- is prefixed.

Monochromatic light. Sie Photochemistry.

Magnet Monticellite from Arkansas (GENTH, PENFILLD and PIRSON), 1891, A., 1330.

Moorlands. See Soil under Agricultural Chemistry.

Moradeine and moradin (ARMA and CANZONERI), 1890, A., 405, 401.

Mordants, chemistry of (LIECHII and SUIDA), 1884, A., 791.

and the periodic law (PRUD'HOMME). 1891, A., 523.

used for fixing artificial colouring matters (Koechlin), 1883, A., 256, 894; (REBER), 1885, A., 916; (WITT), 1885, A., 1024.

dves which can be fixed by (v. Kos-TANE(KI), 1888, A., 274.

substances which form coloured compounds with (v. Kostanecki), 1889, A., 868.

different ferric oxide, behaviour of, with silk (Lie Hii and Sum), 1885, A., 315.

See also Colouring matters.

Mordenite (Pirsson), 1891, A., 276.

Morin and its derivatives (BENEDIKE and Hazuri, 1881, A., 846, 1179;

1885, A., 553, 554. reparation of (1 (BENEDIKT preparation HAZURA), 1884, A., 1179.

oxidation and reduction of (BENEDIKT and HAZURA), 1884, A., 846, 1179.

Morindin (THORPE and GREENALL), 1886, P., 256; 1887, T., 52.

Morindon (THORPE and GREENALL), 1886, P., 256; 1887, T., 52; (THORPE and SMITH), 1888, T., 171; P., 2.

Morinsulphonic acid and its salts (BENEDIKT and HAZURA), 1885, A., 554.

Morphine or Morphia. See Alkaloids. ψ-Morphine. See Oxymorphine under Alkaloids.

Morphine-blue, Chastung and Barit-LOI), 1888, A., 165.

Morphineglycollic acid (GRIMAUX), 1883, A., 359.

Morphine-violet (('\ZLNEU\L),1891, \lambda., 1120; 1892, A., 361.

Morpholine (Knorn), 1889. A., 1218. Morphothebaine, and its derivatives (Howard), 1854, A., 1201.

Morphotropy (REIGERS), 1891, A., 146. Morrenia brachystephana, constituents of (ARATA and GLIZER), 1891, A., 1122. A., 1122.

Morrenole (ARATA and GFLZER), 1891, A., 1688.

Morrhuic acid (3-hydr wypyridul-2butyric acid) (GAUTIER and MOUR-GUES., 1889, A., 170.

Morrhuine (GAUITER and MOURGUES, 1888, A., 1315; 1889, A., 63.

Mortar, ancient, from a Roman wall in London (SPH LER), 1889, A., 16.

Mortars, hydraulic, chemical reactions in the setting of (LE ('HATELIER). 1885, A., 306.

Mortuary vault, antiseptic experiments in a (CAMELON), 1854, A., 878.

Mosandrite (Brogger), 1890, A., 1078. Mosandrium (Lecoq DE BOISBAUDRAN),

1886, A., 507.

Moss as cattle litter (FLEISCHER), 1884. A., 105,

Motors, living, and the theory of heat (LEZÉ), 1890, A., 807.

Moulds, occurrence of nuclein in (STUTzer), 1883, A., 1166.

abnormal secretion of nitrogenous substances by (GAYON and DU-BOURG), 1886, A., 733.

condition of potassium in (BERTHE-LOF and ANDRÉ), 1883, A., 190. sulphur and phosphorus in (BERTHE-LOF and ANDRÉ', 1858, A., 384.

Mountain ash berries, tannic acid in (VINCENT and DELACHANAL), 1887, A., 950.

Movements, molecular (Kruss), 1886. A., 14.

Mucic acid (RUHEMANN and BLACK-MAN', 1890, T., 370; P., 38; (RUHEMANN and ELLIOTT', 1890, T., 931; P., 139; (RUHEMANN), 1890. T., 937; P., 139; (Rune-MANN and Duffon), 1891, T., 750; P., 123.

preparation of, from milk-sugar and lactose (KENT and TOLLENS), 1884, A., 980.

constitution of (RUHEMANN and DUFTON), 1891, T., 753.
action of hydrogen phosphide on (HEERMANN), 1892, A., 873.

action of phosphorus pentachloride on (RUHEMANN and DUFTON), 1890, P., 151; 1891, T., 26.

reduction of (FISCHER and HERIZ), 1892, A., 824.

derivatives of (MAQUENNE), 1888, A., 676; (RUHEMANN and BLACKMAN), 1890, T., 370; P., 38. aldehyde seid from (FISCHER), 1890,

A., 599.

Morrenine (ARAFA and GELZER). 1891, Mucic acid, antimony derivatives of (KLEIN), 1884, A., 424.

lactone, reduction of (FISCHER and HERTZI, 1892, A., 825.

Allomucic acid and so-called paramucic acid (mucic acul, luct mc-acid or) (Fischer), 1891, A., 1193.

Mucic diphenylhydrazide (Bulow), 1887, A., 138.

Mucin of bile (PAIJKULL), 1888, A., 169. of the submaxillary gland (HAMMAR-STEN), 1888, A., 167.

in myxodema (HALLIBURTON), 1892, A., 1117.

obtained from tendons of the ox (LOEBISCH), 1886, A., 166. in urine (Cirron), 1887, A., 390.

y-Mucin (Hammarsten), 1883, A., 874. Mucin-albumose (HAMMARSTEN), 1891,

A., 1127. Mucin-group (HAMMARSTEN), 1885, A.,

Mucobromic acid, action of alkalis on (Hill), 1884, A., 731.

action of potassium nitrite on (HILL and SANGER), 1883, A., 47.

Mucchydroxy-bromic and -chloric seids (HILL and PALMER), 1888, A., 451, 452. Muccid (HAMMARSTEN), 1891, A., 1127.

Mucoid-substance in ascitic fluid (HAM-MARSTEN), 1891, A., 1127.

Muconamic acid, β-dichloro- (RUHE-MANN and ELLIOTT), 1890, T., 934.

Muconic acid (RUHEMANN and BLACK-MAN), 1890, T., 375; (v. BAEYER and RUPE), 1890, A., 877; (RUHE-MANN and DUFTON), 1891, T., 750; P., 123.

action of bromine on (RUHEMANN and DUFTON), 1891, T., 750.

a-dichloro-, reduction products of (v. BAEYER and RUPE, 1890, A., 875. B-dichloro- and its amide (RUHEMANN and Elliott), 1890, T., 932.

Muconic acid (RUHEMANN BLACKMAN), 1890, T., 373. isoMuconic

Mucous fermentation (KRAMER), 1890,

A., 76.

Mud from the Baku mud volcanoes (SJGGREN), 1890, A., 115.

from the mouth of the Eider, analysis of (Non.). 1883, A., 117.

analyses of (MAYER), 1891, A., 958. chalk, use of, in the production of crude soda (SCHRUBER-KESTNER), 1884, A., 644.

marine (FIRISCHER). 1884, A., 106. of the alluvia of the Zuider See (VAN BEMMELEN), 1890, A., 822. composition of (BUCHANAN), 1891, A., 995.

Mud, marine, manganese in (IRVINE and Gilson), 1891, A., 995. sulphur in, and its hearing on its

mode of formation (BUCHANAN), 1891, A., 994.

manuing with (ENCKHAUSEN), 1484, A., 867.

Mules, digestion in (SANSON), 1889, A.,

Multirotation. See Photochemistry. Murexide, spectrum of (HARILEY), 1897,

T., 199.

Murexoin (BRUNN), 1999, A., 452. Muriatic acid. See Hydrogen chloride under Chlorine.

Mursinskite (v. Kokscharoff, 1888, A., 116.

Muscarine (Diriinendiat', 1884, A., 1056.

Muscle, heat of combustion of Denrhe-LOT and ANDRL), 1890, A., 938.

heat developed by the activity of CHAUVEAU and KAUFMANN), 1887, A., 1059.

inorganic constituents of (Bunge), 1895, A., 573. nutrition of (Brinch), 1891, A., 1273.

glycogen in (HERLENHAUN), 1890, A., 1334.

source of the glycogen of the (Schwelz), 1889, A., 429.

with an artificial circulation, formation of glycogen in (Kt Lz), 1890, A., 1335. glycogen in, after section of its nerve and its tendon (KRAUSS), 1889, A.,

effect of muscular work on the glycogen of the (Manchi), 1889, A., 428.

influence of starvation on the glycogen of (Aldehoff), 1889, A., 427.

changes of the glycogen, sugar and lactic acid of the, while performing work (MONARI), 1890, A., 185.

formation of lactic acid in (WERTHER), 1891, A., 348.

presence of lactic acid in pale and red

(GLEISS), 1889, A., 177. amount of urea in (GRIHANT and QUINQUAUD), 1889, A., 914.

change of chemical composition of, by fatigue (Monani), 1888, A., 174.

action of caffeine and theine on voluntary (Brunton and Cash), 1887,

A., 985; 1888, A., 1217. action of calcium, bar barium, and potassium salts on (BRUNTON and Савн), 1883, А., 875.

unstriated, of various animals, action of potassium and sodium salts on (Flöel), 1885, A., 578.

Muscle, influence of ptomaine hydrochloride on (Grand- HI and Mosso), 1854. A., 618.

Nasse's experiments on the excitability of, in salt solutions (TAMMANN, 1892, A., 515.

Muscle-fibres, sarcolemma of, action of digestive fluids on (EWALD), 1889, A., 913.

Muscle-pigments (Lrvv), 1°59, A., 633; (Hoppl-Sevlir, 1859, A., 1231.

Muscle-plasma (HALLIBURTON, 1887, A., 951.

Muscovite from Alexander Co., N. Carolina (CLARKE, 1888, A., 117. from Bamle, Norway (Schi thiffe), 1891, A., 531.

from Forst, Tyrol (OELBLKE), 1886, A., 515.

from South Africa (COHEN), 1887, A., 561.

from Syra (v. Fourion and Gornчныгы), 1890, А., 314. See also Mica.

Muscular activity and the chemical effect of respiration, relation between (Harmon and Richel)

1887, A., 1058. formation of lactic acid during (MAR-CEUSE), 1887, A., 50%.

work, effect of increased, on the decomposition of albumin (Hinsun-FELD), 1891, A., 1524.

influence of, on proteid metabolism (ARGUTINSKY), 1891, A., 350; (KRUMMACHER), 1891, A., 479; (NOEL-PATON), 1891, A., 596; (MUNK), 1891, A., 847.

influence of, on the elimination of creatinine (MolfEssien), 1892, A., 364.

influence of, on the exhalation of carbonic anhydride (GRANDIS), 1890, A., 1334.

influence of, on the output of urea (Bleiburer), 1891, A., 350.

Mushrooms, sugars in (BOULQUELOT), 1889, A., 740; 1891, A., 103; (Frrry), 1891, A., 954.

cooked, composition of (WILLIAMS), 1892, T., 227.

edible, nutritive value of (MOLNER), 1886, A., 1053.

poisonous principle of (DUPLIIT), 1883, A., 611: 1841, A., 204.

See also Agricultural Chemistry and Fungi.

Musk, artificial (BAUR), 1890, A.,

1401; 1891, A., 1464. Mussel shells, manufal value of (MAYER), 1889, A., 1085.

Mussoenda coffee (Dunsian, 1890,) 1., 255.

Must, specific influence of acetic acid on the fermentation of, and the composition of the wine produced (Влын), 1885, А., 942.

influence of temperature on the fermentation of (MILLER), 1884, A., 647.

absence of mitric acid in (POLLAR), 1509, A., 541.

estimation of dry substance in (ULвиг нт), 1554, А., 1432.

Mustard, analysis of (LECH and EVERплы), 1554, А., 578.

See Allylthiocarbimide.

white, composition of, during growth (TRUSCHKE), 1886, A., 913. as fodder (But MMCL), 1884, A., 864.

ethereal oil of (SALKOWSKI), 1889, A., 1173.

Mutton dripping, examine (KINGZETT), 1885, A., 446. examination

Muco lerma accti, occurrence of cellulose in (Romegialli), 1886, A.,

best cultivating liquid for (ROME-GIALLI), 1886, A., 732. **Mydaleine** (BECKURIS), 1987, A., 386.

Myelin (GAD and HEYM INS), 1891, A., o 16.

Myeloid (DRESER), 1886, A., 375.

Myo-albumose and myoglobulin (Har-11601.10N), 1887, A., 984.

DRAGI NDOLFF Myoctonine and SPOHN), 1885, A., 403; DEMENmoles and Salonosowicsch), 1887,

Mychamatin MicMunn, 1886, A., 568; 1887, A., 983; 1889, A., 1024; 1890, A., 652; (COPIMAN), 1891, A., 473.

platycaepum, resin Muoporum (Manien). 1859, T., 665; P., 127.

Myosin (Kunne and Chillenden), 1859, A., 423; (CHILLENDEN and CUMMINS), 1889, A., 530.

basicity of (DANILLWSKY), 1551, A., 1314.

digestion of CHITTENDLY and GOOD-WINE, 1891, A., 950.

metallic compounds of CHILLENDEN and WHITEHOUSE), 1888, A., 75.

Myosinogen (HALLIEURIUM), 1887, A., H&4.

Myosinoses (Kuhne and Chillenben), 188**9, A.**, 423.

Myosin-peptone youin-peptone (Chiltenden Goodwin), 1891, A., 950. and

Myostroine (Danilewsky), 1884, A., 1358.

Myricyl alcohol from Carnauba wax (STURCKE), 1881, A., 1281.

Myristamide, action of brominated potash on (REIMER), 1885, A., 1197.

Myristic acid (SEMMLER), 1892, A.,

in ox gall (Lassar-Cohn), 1892, A., 1114, 1503.

descent of the series from, to lauric acid (Lutz), 1886, A., 685.

heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, А., 11.

heat of combustion and the specific and latent heats of (STOHMANN and RODATZ), 1885, A., 1176; (STOHMANN and WILSING), 1885, A., 1177.

action of bromine on (KRAFFT and_ REDDIES), 1892, A., 696. oxidation of (Noerdlinger), 1886,

A., 867.

amido- and bromo- (Hell and Twerdomedoff), 1889, A., 956.

Myristic aldehyde (KRAFFF and MAI), 1589, A., 1017; (KRAFFT), 1890, A., 1234.

isomeric (C₁₄H₂₈O) (PERKIN), 1883, T., 68, 71, 73, 76.

surinamensis, aleurone Myristica grains in the seed of (TSCHIRCH),

1887, A., 1061. fat of the fruit of (REIMER and Will), 1585, A., 1197.

Myristicin and its derivatives (SEMM-LER), 1590, A., 1150; 1892, A.,

ii bromo- (SEWMLER), 1890, A., 1150. Myristicinaldehyde (SEMMLER), 1892, A., 311.

Myristicol (BRUHL), 1888, A., 494.

Myristotridecylcarbamide (Lurz), 1886, A., 655.

Myristoxime (Spieuler), 1884, A., 1115.

Myristyl chloride (KRAFFT and BUR-GERI, 1884, A., 1125.

Myrobalans, tannin of (Zolffel), 1891, A., 918.

Myronic acid, occurrence of, and estimation of the corresponding mustard oil in the seeds of Crucifera and in oil-cakes (Dim'ks), 1883, A., 245.

potassium salt of (BIRKENWALD), 1891, A., 818.

Myrrh (Koehler), 1890. A., 1317. Myrrhis odorata, glycyrrhizin (Schroeder), 1886, A., 172.

Myrtle, essence of (BARTOLOTTI), 1891, A., 1384.

1117.

(BRIEGER), 1888, A., 1317.

Mytilus Edulis, blood of (GRIFFITHS), 1892, A., 648. poison of (Salkowski), 1886, A.,

Myxœdema (ANON.), 1889, A., 179. mucin in (HALLIBURTON), 1892, A.,

N.

Nacrite, pseudomorph of, after fluorspar (GEINITZ), 1883, A., 1069.

Nagyagite from Nagyag (Sirocz), 1986; A., 312; (HANKO), 1890, A., 711. Nandina domestica, active constituents

of (EIJKMAN), 1885, A., 565. Nandinine (EIJKMAN), 1885, A., 565.

Napelline (DUNSTAN and UMNEY), 1892, T., 391; P., 43.

Naphtha district, the Transcaspian (SJOGREN), 1890, A., 115.

a-Naphthabenzein (DOEBNER), 1890, A., 902.

Naphthabenzylic alcohol. See Naphthylcarbinol.

Naphthacinnamene. See Naphthylethylene.

 α -Naphthacinnamic See acid. a-Naphthylacrylic acid.

β-Naphthacoumaric acid and β-naphthacoumarin (KAUFFMANN), 1883, A., 1136.

B-Naphthacridine (REED), 1886, A., 1037; 1887, A., 652.

Naphthaglycollic acid. See Naphthylglycollic acid.

Naphtha-y-hydroxyquinaldine. See 4'-Hydroxy-2'-methylnaphthaquinol-

a-Naphthaldehyde (BAMBERGER and Lodger), 1888, A., 375.

condensation products of (BRANDIS), 1889, A., 1199.

B-Naphthaldehyde (Schulze), 1984, A., 1184; (BAMBERGER and BOEK-MANN), 1887, A., 675.

Naphthaldehydic acid (GRAERE and GFELLER), 1892, A., 864.

a-Naphthaldoxime (BRANDIS), 1889, A., 1200.

Naphthalene, source of (LIEBERMANN), 1883. A., 534.

purification of, by means of soap solutions (Link), 1886, A., 713.

Myrtle, oil of (JAHNA), 1889, A., Naphthalene, constitution of (ARM-616.

Myrtus Jambosa, crystalline substance (jumbosin) from (Gerrard), 1885, A., 396.

Mytlotoxine (GAUTIER), 1886, A., 634;

(Property 1892, A., 1891, A., 69.

Spectrum of (HARTLEY), 1885, T., 207

697.

heat of combustion of (BERTHELOT and RECOURA; BERTHELOT and LUGININ), 1887, A., 762; (STOH-MANN, KIEBER and LANGBEIN), 1889. A., 1042.

heat of formation of (STOHMANN, KLEBER and LANGLEIN), 1889, A., 1012.

molecular volume of (Groshans), 1889, A., 336.

as an insecticide (FI-CHER), 1885. A.,

action of heat on mixtures of, with ethylene (Ffrko), 1887, A., 572.

action of chloroform on, in presence of aluminium chloride (Honic and Berger), 1883, A., 68.

action of methylic chloride on (Discnoff), 1890, A., 1145.

reduction of (BAMBERGER and KIT-SCHELI). 1890, A., 1146.

solidification of different mixtures of stearic acid and (COURTONNE), 1883, A., 176.

behaviour of urine after the ingestion of (Edlersen), 1888, A., 1322.

derivatives, constitution of (BRUHL), 1887, A., 1005.

comparative influence exerted by the radicles Cl, OH, and NH₂ in, on the formation of sulphonic acids (Armstrong and WYNNE), 1890, P., 133.

conversion of, into substituted phthalides (GUARESCHI), 1886, A., 807.

hydrogenation of (BAMBERGER), 1890, A., 1299.

formation of sulphones on sulphonating (Helier), 1889, P... Î21.

disubstituted derivatives from the isomeric chlorophenylparaconic acids (ERIMANN and KIRCHHOFF), 1889, A., 150; (ARMSTRONG and WYNNF), 1887, P., 7.

aa-disubstituted derivatives, constitution of (Erdyann), 1889, A., 156.

α-haloid compounds, action aluminium chloride on (Roux), 1886, A., 806.

B-monohaloid derivatives of, sulphonic acids derived from (ARMSTRONG and WYNNE), 1887, P., 22.

Naphthalene, heteronucleul αβ- and ββ-di-derivatives of, constitution of (Λι.Μ.Ε.), 1889, P. 31, 48.

tti-derivatives of, constitution of (ARMSTLONG and WYNNE), 1890, P. 11, 15, 16 125, 126, 127, 128, 131; 1891, P. 27.

homonucleal tri-derivatives of (MEL-100LA and DESCH), 1892, T., 765; P., 111.

br mine derivatives of, constitution of MLLDOLA), 1883, T., 1; 1885, T., 197; 1886, P., 172; (ARM-SILONG AND ROSHLE), 1891, P., 187; (MELDOLA and DESCH), 1892, T., 766.

chlorides of, action of alkalis on (ARM-TRONG and WYNNE), 1890, P., 85.

iodine derivatives of (MELDOLA), 1885, T., 513.

picrate, molecular weight of (PATERNO and NASINI), 1890, A., 725.

a sulphoxide of (EK-1HAND), 1885, A., 170.

dithiocyanate (EBERT and KLEINER), 1891, A., 460.

Waphthalene, amide. See Naphthylamine.

diamido. See Naphthylenediamine. 1-bionio., optical properties of (Wallen), 1891, A., 776.

Vapour pressures of (RAMS IV and YOUNG), 1885, T., 630, 656, action of bromine on (ARMSIRONG

and ROSSITER', 1891, P., 184.

2-bromo- (CANZONERI). 1883, A., 67; (ROUX', 1886, A., 807. preparation of (ODDO), 1891, A., 553.

action of bromine on (ARMSTRONG and Rossiter', 1891, P., 184.

action of chlorosulphonic acid on (Armstrong and Wynne), 1887, P., 22.

dibrono- [m.p. 747], constitution of (MELDOLA), 1896, P., 173.

1:1'-dibiomo- (ARMSTRONG and Ros-SITER), 1891, P., 182.

1:2-d/brome-, constitution of (Mel-DOLA), 1883, T., 5, 6.

1:2 i)-dibiomo-, from β-naphthol (Canzoneri), 1883, A., 67.

1:2'-dibromo-, and its sulphochloride (Armstrong and Rossiter), 1891, P., 182.

1:3-d/bromo- (Guareschi), 1884, A., 842.

and its sulphochlorides (Abmstrong and Rossites), 1891, P., 182, 187, Naphthalene, 1:3'-dibromo- (CLAUS and PHILIPSON), 1891, A., 461.

and its sulphochloride (ARYSTRONG and ROSSITER), 1891, P. 182.

1:4-dibromo- (Guareschi), 1884, А., 842.

and its sulphochloride (ARMSTRONG and ROSSITER), 1891, P., 182, 187.

constitution of (Meldola), 1883, T., 1.

tetralnomide (Guareschi), 1884, A., 842.

1:4'-dibromo- (Medidol A), 1983, T., 1: (Guareschi', 1881, A., 942; (Stallard), 1886, T., 189; P., 139.

and its sulphochloride (Armstrova and Rossifer). 1891, P., 182.

2:3-dibiomo- (Armstrong and Rossiter), 1891, P., 182.

4:2'- or 3'-dibromo- [m.p. 74'] (Mel-101A), 1885, T., 513; P., 71.

non-existence of (ARMSTRONG and ROSSILE), 1891, P., 187.

1:2:3'-tribromo- (CLAIS and PHILIP-SON), 1891, A., 461.

1:2:4-tribromo- (Prager), 1985, A., 1239; (Meldola), 1886, P., 173. constitution of (Meldola), 1883, T., 4.

1:3:2' or 3'-tribromo-, derived from dibromonaphthylamines (MEL-DOLA), 1885, T., 513; P., 71.

1:2-, 1:3- and 1:4-bromiodo- (MEL-DOLA), 1855, T., 523; P., 73.

4:1:2-bromiodonitro- Миллова and Descu), 1892, Т., 767; Р., 141.

bromonitro- [m.p. 122'5°] (Guareschi), 1884, A., 842; (Meldola), 1885, T., 506; P., 72.

2:4- and 4:1-bromonitro- (Meldola), 1885, T., 506; P., 72.

4:2-bromonitro- (Meldolla), 1885, P., 506; P., 72; (Armstrong and Rossiter), 1891, P., 186.

dibromonitro- [m.р. 96°5—98°] (Guaresehi), 1884. А., 842. [m.р. 100°—105°] (Самхомені), 1883, А., 67.

1:4:2-dibromonitro- [m.p. 117] (MEL-DOLA and DESCH), 1892, T., 769; P., 141.

1':1:4'-biomod/initro-, and 4:1:1'biomod/initro- (MERZ and WEITH), 1863, A., 343.

bromotetrunitro- [m.p. 245° and 189°] (Menz and Weith), 1883, A., 344.

2-chloro-, action of chlorosulphonic acid on (Armstrong and Wynne), 1887, P., 22. Naphthalene, 2-chloro-, action of sulphuric acid on (ARNELL), 1586, A., 555.

[a-]dichloro-(Widman), 1883, A.. 208. non-existence of (Armstrong and Wynne), 1889, P., 106.

1:2-dichloro- (CLEVE), 1887, A., 961; (HELLSTROM), 1889, A., 149.

1:2'-dichloro- (CLAUS and VOLZ), 1886, A., 246.

1:3-dichloro- (CLEVE), 1887, A., 495. constitution of (ARMSTRONG and WYNNE), 1889, P., 106; (ERD-

MANN), 1889, A., 265. derivatives of (CLEVE), 1890, Λ.,

1:4-[B-]dichloro- (ARNELL), 1883, A., 596.

1:4'-[7-klichloro- (GUARESCHI), 1887, A., 837; (ERDMANN and KIRCH-HOFF), 1889, A., 150.

2:1'-, 3:1'- and 4:1'-dichloro-. constitution of (Armstrong and Wynne), 1889, P., 34, 49; (Erdmann and Kirchhoff), 1889, A., 150.

2:8-[i-ldichloro- (WIDMAN), 1883, A., 208; (ARMSTRONG and WYNNE), 1890, P., 83.

2:3'-[ε-]dichloro-, oxidation of (CLAUS and MUELLER), 1886, A., 247.

dichloro-derivatives, especially the αβ-compounds, constitution of (Armstrong and Wynne), 1888, P., 106.

the ten isomeric, and the sulphonic acids and trichloronaphthalenes derived therefrom (Armstrong and Wynne), 1890, P., 77.

1:3-homo- and the isomeric heteroas- (Armstrong and Wynne), 1889, P., 5.

trichloro-(Claus and Knyrim), 1886, A., 156; (Claus and Schmidt), 1887, A., 270.

1:2:3-trichlore- and its sulphonic acid (Armstrong and Wynne), 1890, P., 76.

1:2:4-trichloro- (CLEVE), 1888, A., 597.

and its sulphonic acid (ARMSTRONG and WYNNE), 1890, P., 77.

2:1':4'-trichloro- (CLAUS and PHILIP-SON), 1891, A., 463.

trichloro-derivatives (Armstrong and Wynne), 1889, P., 49; 1890, P., 12, 13, 16; 1891, P., 77.

tetrachloro- [m.p. 140°] (CLAUS and MIELCKE), 1886, A., 716.

mentachloro- [m.p. 168.5°] (CLAUS and WENZLICK), 1886, A., 713.

Naphthalene, pentochloro-, preparation and oxidation of (CLAYS and V. DER LIPPE), 1883, A., 921.

heptuchloro-[m.p. 194] (CLAUS and V. DER LIPPE), 1883, A., 921; (CLAUS and WENZLICK), 1886, A., 713.

β-chloro-α-bromo- (Guaneschi), 1889, A., 611.

chlorobromo [m.p. 119] and 1:4-chlorobromo (GUARESCHI and BIGINELLI), 1887, A., 1114.

2:1:3'-chlorodibromo- (CLAUS and PHILIPSON), 1891, A., 462.

1:4:2-chlorobromonitro (MELDULA and DESCH), 1592, T., 768; P., 141.

B-chloro-a-nitro- [1:2'] AMMSIRONG and WYNNE', 1889, P., 71. dichlorodinitro- [m.p.: 150' and 158']

(CLEVE), 1890, A., 626. cyano-. See Naphthonitrile.

1:2-dicyano- (CLEVE), 1892, A., 1477. 1- and 2-fluoro- (EKBOM and MAUZELIUS), 1889, A., 999.

1-iodo- (Northa), 1886, A., 362.

2-iodo-, action of chlorosulphonic acid on (Arms frong and Winne), 1887, P., 22; 1889, P., 120, 14 and 12 dialo. (Winney A) 1886

1:4- and 1:2-diodo- (Mildola), 1885, T., 521.

1:2-, 4:1- and 2:1-iodonitro- (MEL-DOLA), 1885, T., 519; P., 78.

1-nitro-, action of sulphuric acid on (PALMARR). 1889, A., 153. reduction of (WILLERRODT), 1892,

A., 595. tetrabromide (GUARESCHI), 1884, A., 842.

2-nitro-(LELLMANN and REMY), 1886, A., 471.

preparation of (LELLMANN), 1887, A., 590.

dinitro- [m.p. 161.5"] (GRAEDE and DREWS), 1884, A., 1036.

preparation of, from dinitro-S= naphthylamine (GRAEBE and DREWS), 1884, A., 1086.

trinitro-[m.p. 213-218] (STALDEL), 1883, A., 863.

1:2-dinitroso- (v. ILINSKI), 1886, A., 472.

1:4-dinitroso- (NIETZKI and GUITER-MANN), 1888, A., 471.

Naphthaleneazo-. See Azo-.

Naphthalene-a-carboxylic acid. See a-Naphthoic acid.

Naphthalene-1:1'-dicarboxylic acid (naphthalic ucid), constitution of (BAMBERGER and PHILIP), 1887, A., 495.

nitro- (QUINCKE), 1888, A., 844.

Naphthalene-1:2-dicarboxylic acid and its anhydride and dioximinide ('LEVI', 1892, A., 1477.

CLEVE', 1892, A., 1477.

Maphthalene-1:1'-dicarboxylic anhydride. nitro- (QUINCKE), 1888, A., 841.

Waphthalene-1:2'-disulphonic acid (ARMSTRONG and WYNE, 1890, P., 125.

Naphthalene-1:3-disulphonic acid (ARMSTRONG and WYNNE), 1990, P., 13.

action of potash on Armstrone and Wynner, 1890, P., 136.

Naphthalene-1:3'-disulphonic acid (ARMSTROMG and WYNNE), 1886, P., 231; 1888, P., 106.

Naphthalene-1:4'-disulphonic acid [γ-]
(ARMSTRONG and WYNNE', 1886, P., 201; 1888, P., 106.

formation of, by means of sulphuric anhydride ALMSTRONG and WYNNE), 1887, P., 42.

Weinberg, 1889, A., 160.

nitro- Aldan, 1883, A., 596.
Naphthalenedisulphonicacids, \$\beta\$-chloro(Austrona and Winne), 1890, P.,

Naphthalene-1:3 disulphonic chloride, 2-chloro- (For-11NG, 1889, A., 276.

Naphthalene-2:2'-disulphonic chloride, nitro- ALEN, 1883, A., 596. Naphthalene-3'3'-disulphonic chloride.

denitre- ALLN , 1883, A., 596. Naphthalene-1-oxime-2-imide (v.

Naphthalene-1-oxime-2-imide (v. IIIN-KI), 1856, A., 474.

Naphthalene-red. See Magdala-red under Colouring matters.

Naphthalene-ring, splitting of, by oxidation HENRIQUES, 1888, A., 842.
Naphthalene-series, isomeric change in the (APMSTROM, 1887 P. 148.

the 'Armstrong, 1887, P., 143; (Amphelif and Armstrong, 1887, P., 144; (Armstrong and Williamson), 1887, P., 145; (Armstrong and Winne, 1887, P., 145; 1889, P., 119; 1890, P., 86.

application of the aluminium chloride method to ROUN), 1888. A., 1305. reduction of the azo-dyes of the (WIII), 1889, A., 270.

reduction of the alkylated azo-dyes of the (WITT and SCHMIDT), 1892, A., 862.

Maphthalenesulphonamide, 1:3'-αnitro-, action of hydriodic acid on (Εκβομ), 1891, A., 573.

Maphthalenesulphonamide, 1:4'-nitro-, action of hydriodic acid on (Еквом), 1890, A., 994. Naphthalenesulphoneyanamides, αand β- (HEBENSTREIT), 1890, A., 501.

Naphthalenesulphonic acid, a-cyano-(a-naphthonitrilesulphonic acid) (DTTI), 1883, A., 1001; (ARMSTRONG and WILLIAMSON), 1887, P., 43.

Naphthalene-α-sulphonic acid, action of chlorosulphonic acid on (Armsrrong and Wynne), 1886, P., 230.

Naphthalene-\$\textit{B}\$-sulphonic acid, action of chlorosulphonic acid on (Armstrong and Wynne), 1886, P., 230.

nitiation of (ARMSTRONG and WYNNE, 1889, P., 17.

sulphonation of (ARMSTRONG), 1889, P., 10.

Naphthalene-1'-sulphonic acid, 2biomo- (Forsling), 1889, A., 894. 1-chloio- (Cleve), 1890, A., 635.

2-chloro- (Arnell), 1886, A., 555; (Armstrong and Wynne), 1887, P., 22; (Forsling), 1889, A., 54.

2-iodo- (ARMSTEONG and WYNNE), 1887, P., 23; 1889, P., 119. 1-nitro- (CLEVE), 1890, A., 634.

Naphthalene-2'-sulphonic acid, 1-and 2chloro- (Arms from and Wynne), 1989, P., 48; (Cleve). 1892, A., 1478.

2:1-chloronitro- (CLEVE), 1892, A., 1478.

2-iodo- (Armstrong and Wynne), 1887, P., 23; 1889. P., 119.

1-nitro-[a-] (PALMAER, 1889, A., 154, Naphthalene-3-sulphonic acid, 1-nitro-[7-] (CLEVE), 1886, A., 1037.

Naphthalene-3'-sulphonic acid, 2bromo- (Forsling), 1889, A., 894. 1-chloro- (Cleve), 1887, A., 374.

2-chloro- (ARNELL), 1886, A., 555; (ARMSTRONG and WYNNE), 1887, P., 22.

2-iodo- (ARMSTRONG and WYNNE), 1887, P., 23; 1889, P., 119; (HOULDING), 1889, P., 75.

1-nitro- [β-] (PALMAER), 1889, A., 154.

Naphthalene-4-sulphonic acid, 1bromo-, constitution of (ARNELL), 1883, A., 596.

1-chloro- (ARNELL), 1883, A., 595; (CLEVE), 1887, A., 374; (ARM-STRONG and WILLIAMSON), 1886, P., 233.

1:3'-dichloro- (Armstrong and Wynne), 1890, P., 83; (Cleve), 1892, A., 344. Naphthalene-4-sulphonic acid, 1-nitro- a-Naphthalidene-aniline and -9- and (CLEVE), 1890, A., 634.

Naphthalene-4'-sulphonic acid. 1bromo- (MAUZELIUS), 18-8, A., 376.

1-chloro- (CLEV"), 1887, A., 374.

2-chloro- (ALW-TRONG and WYNNE, 1889, P., 48; (CLEVE), 1892, A., 1478.

1-fluoro- (MAUZELIUS', 1989, A., 1001.

1-iodo- (MAUZELIUS). 1890, A., 168. 2-iodo- (ARMSTRONG and WYNNE', 1887, P., 23; 159, P., 119; (Houlding), 1889, P., 75.

1-nitro- (ARMSTRONG and WILLIAMson), 1886, P., 233; (CLEVE,

1890, A., 634.

Naphthalenesulphonic acids, a tion of bromine on 'ARMSTRONG and WYNNE', 18-6, P., 233.

1-bromo- (ARMSTRONG and WILLIAM-

son, 1596, P., 233.

2-bromo- (ARMSTRONG and WYNNE, 1887, P., 23; (SINDALL), 1889, P., 118; (Tok-ling), 1989, A., 594. dibromo-, preparation of ethereal salts of (ARMSTRONG and ROSSITER),

1391, P., 134.

chloro-, influence of position in determining the nature of the isomeric change in 'ARMSTRONG and WYNYE', 1890, P., 86

2-ch'oro- (ARMSTRONG and WYNNE),

1887, P., 22. dichloro- (APMSTRONG and WYNNE), 1890, P., 77.

trichloro- (ARMSTRONG and WYNNE), 1890, P., 76.

2-iodo- (ARMSTRONG and WYNNE), 1889, P., 119.

Naphthalene-a- and - 8-sulphonic chlorides (KRAFFT and Roos), 1892, A., 1220.

Naphthalenetetracarboxylic acid (BAMBERGER and PHILIP), 1886, A., 949.

Naphthalenetetracarboxylic dianhydride and diimide (BAMBERGER and PHILIP, 1887, A., 271, 272.

Naphthalenetrisulphonic acids (ARM-STRONG and WYNNE), 1897, P., 146; 1890, P., 125.

Naphthalduorescein and its derivatives (Tehrisse), 1555, A., 667.

tetrubromo- (naplitle c'ensin) (TER-RISE), 1855, A. 665.

Naphthalic acid (C₁₀H₇, OH)O₂). 2-Hydroxy-1:4-naphthaquinone. See

Naphthalic acid (C₁₀H₆(COOH)₂). So Naphthalene-1:1'-dicarboxylic acid. Sec -p-toluidines (Brandin, 1883. A., 1199.

Naphthaliden sulphonic acid. Ne a-Naphthylania -1 -- alphom and.

Naphthaloxazine 'Kt attisg, 1'91, A., 1342.

2-Naphthamide (BAMBERGER Рицир), 1857, А., 496.

nitro- (EK-1 RAND), 1856, A., 948. a-(?) Naphthanilide (Leuckart , 1890, A., 759.

Naphthanilide, bromp- 'MILLEL', 1885, A., 657.

Naphthanthracene and naphthanthraquinone Elbs), 1886, A., 1037.

Naphtha-oxyacetic acid. See Naphthylglycollic a id.

Haphtha-oxymethylquinizine. Sea Nap'ıtlıvlın thy pyrazolone.

amido-9-Naphthaphenanthrazine, (LOEWE , 1840, A. 1424.

Naphthaphenanthrazinesulphonic acid, so lium salt of Whir, 1889, 1., 271.

Naphthaphenazine 'WITT', 1887, A.,

car'no lole from (BIUNNER and WITE), 1548, A., 59.

amido- (Zacrtiine, 1890, A., 509. a-amido- (Fischer and Herr), 1890, A., 801; (Kehrmann), 1990, A., 1266.

cyano- (BRUNNER and WITT), 1888,

Naphthaphenazine-carboxylic and sulphonic acids (BRUNNER and WITT), 1898, A., 59.

Naphthaphenone oxides, α - and β -, and their derivatives (GRAEBE and FEER), 1397, A . 152.

Naphthaphenoquinoxazine (Mohlav), 1892, A., 897.

Naphthapiaselenole (HINSBERG), 1889, A., 798.

Naphthapiazothiole (HINSBERG), 1890, A , 972.

Naphthaquinaldine. See 2'-Methylnaphthaquineline.

1:2-Naphthagninhydrone and nitro-(GROVES', 1884, T., 300.

1:2-Naphthaquinol Thulronaphthaquinone), 3-amido-, and its hydrochloride (GROVES), 1884, T., 300.

3'-bromo- (CLAY'S and PHILIPSON), 1891, A., 462.

nitro- (GROVES), 1994, T., 299: (ZAERTLING), 1890. A., 509.

1:4-Naphthaquinol, dichloro- (CLAUS), 1886, A., 714. 1':2':3':4'-tetrachloro- CLAUS, 1886,

A., 714.

Naphthaquinols, to distinguish certain | a-Naphthaquinone, 2-chloro- (CLEVE), (Korn), 1885, A., 392.

a-Naphthaquinoline, preparation (BAMBERGER and STET FENHEIMER), 1891, A., 1258.

B-Naphthaquinoline, formation (LELLMANN and SCHMIDT), 1889, A., 289.

tetrahydro- and octohydro-derivatives of (BAMBERGER and MULLER), 1891, A., 1510.

Naphthaquinolines and their derivatives (SKRAUP and COBENZL). 1883, A., 1010; (Combes), 1888, A., 968.

reduction of (BAMBERGER and STET-TENHEIMER), 1891, A., 1258.

reduction products of (BAMBERGER), 1890, A., 1303.

octohydro-derivatives ρf BERGER), 1889, A., 518.

8-Naphthaquinoline-2'-carboxylic acid (SEITZ), 1889, A., 526.

Naphthaquinoline-2':4'-dicarboxylic acids, α - and β - (Doebner and PETERS), 1890, A., 1008.

a-Naphthaquinolinequinone, preparation of, from a-naphthaquinoline and its properties (SKRAUP and COBENZL), 1883, A., 1014.

 β -Naphthaquinolinesulphonic acid (GENTIL), 1885, A., 561. preparation of (GENTIL), 1885, A.,

945. oxidation of (IMMERHEISER), 1889,

A., 527. Naphthaquinone, amido- (MEERSON),

1888, A., 1200. trichloro- (CLAUS and SCHMIDT), 1887, A., 270.

γ-nitro- (QUINCKE), 1888, A., 844. α-Naphthaquinone (MELDOLA), 1853,

T., 433; (MILLER), 1885, A., 667.

of methyllydroxylamine action hydrochloride on (Goldschmidt and Schmid), 1835, A., 1238.

behaviour of quinone and, towards sulphuric acid (Liebermann), 1885, A., 802.

derivatives of (MILLER), 1885, A., 667.

a-Naphthaquinone, 1':4'-dibromo-(GUARESCHI), 1884, A., 842.

tetrabromo- [m.p. 265°] (Blumlein), 1885, A., 163.

2:3:1':4'-tetrabromo-[m.p. 224°7 (GUARESCHÍ), 1856, Á , Ŝ07. 3-bromamido- and its

2:3-bromamido-(ZINCKE and GERLAND), 1887, A., 838.

1888, A., 596; (ZINCKE), 1888, A.,

1':4'-dichloro- [m.p. 17:5'] (Guaresсні), 1886, А., 807.

2:3-dichloro-, dichloride (CLAUS), 1890, A., 786.

2:3'-dichloro- [m.p. 148°] (CLAUS and Mueller), 1886, A., 247.

3':4'-dichloro- [m.p. 181°] (Hell-STROM), 1889, A., 149.

tetrachloro-, and its derivatives (CLAUS and V. DER LIPPE), 1883, A., 921.

1':4'-chlorobromo- (GUARESCHI and BIGINELLI), 1887, A., 1114.

β-Naphthaquinone (Groves), 1884, T., 291; (ZINCKE), 1887, A., 53; 1888, A., 158, 489.

action of hydroxylamine hydrochloride on (GOLDSCHMIDT), 1884, A., 735.

action of hypochlorous acid on (BAM-BERGER and KITSCHELT), 1892, A., 494, 857.

action of methylhydroxylamine hydrochloride on (Goldschmidt and SCHMID), 1885, A., 1238.

conversion of, into indonaphthenederivatives (ZINCKE), 1887, A., 728.

chloride (ZINCKE and KEGEL), 1889, A., 267.

hydrazones (NoLTING and GRAND-MOUGIN), 1891, A., 1074.

iron derivatives of (v. ILINSKI and v. KNORBE), 1886, A., 101.

phenylhydrazone, constitution (Nolting and GRANDMOUGIN). 1891, A., 1076.

sulphonic acids of (WITT), 1892, A., 196.

B-Naphthaquinone, bromo-[m.p. 200°],

(BRUMME), 1888, A., 490. 3-bromo- (ZINCKE), 1887, A., 53.

3'-bromo- [m.p. 145'] (CLAUS and PHILIPSON), 1891, A., 462.

3:4-dibromo- (ZINCKE), 1887, A., 53,

tetrabromo [m.p. 164°] (FLESSA), 1884, A., 1186.

3-chloro- (ZINCKE), 1887, A., 53; (ZINCKE and KEGEL), 1889, A.,

3:4-dichloro- (ZINCKE), 1887, A., 53. 4:3-chloronitro- (ZINCKE and KEGEL), 1889, A., 266.

nitro-, derivatives of (Korn), 1884, A., 1186.

action of aniline and toluidine on (Brauns), 1884, A., 1038.

β-Naphthaquinone, 3-nitro-, action of chlorine on (ZIN(KE and LAT-TEN), 1892, A.. 1229; (ZINCKE and SCHARFENBERG), 1892, A., 1232. derivatives of (ZAERTHING), 1890, A., 509.

Naphthaquinone (Melbola Hughes), 1890, T., 681; P., 88. y-Naphthaquinone and

Naphthaquinoneanilide, chloro- (GuA-RESCHI), 1886, A., 808.

β-chloro- (CLATS and MUELLER), 1886, A., 247.

dichloro- (CLAUS and SCHMIDT), 1887, A., 270.

tetrachloro- (CLAU's and WENZLICK), 1886, A., 714.

8-Naphthaquinoneanilide, nitro-(BRAUNS). 1884, A., 1035; (KORN), 1884, A., 1186.

Naphthaquinonecarboxylic acid, dichloro- (EKSTRAND), 1889, A., 152.

Naphthaguinone lichlorodiimide (FRIEDLANDER and BOEKMANN), 1889, A., 614.

α-Naphthaquinonedianil (FISCHER and HEPPI, 1890, A., 911.

β-Naphthaquinonedianilide (MEL-DOLA), 1884, T., 157.

a-Naphthaquinonedimethylanilinimide (Mohlat), 1884, A., 595.

β-Naphthaquinone-di-α-naphthalide (MELDOLA), 1884, T., 160.

 β -Naphthaquinoneditoluidide (MEL-DOLA), 1884, T., 159; (BROMME), 1888, A., 491.

α-Naphthaquinone-ethylanilide BACH), 1883, A., 70.

 β -Naphthaquinonehydrazone-benzoic and -sulphanilic acids, action of diazobenzene chloride on (Nolting and Grandmougin), 1891, A., 1075.

Naphthaquinoneimide, amido-, and its bromine derivatives (KRONFELD), 1884, A., 1037.

Naphthaquinoneoxime (nitrosonaphthol), action of hydrogen sulphites on (SPIEGEL), 1885, A., 987.

1:2-Naphthaquinoneoxime and its derivatives (Goldschmidt), 1884, A., 735; (v. Ilinski), 1885, A., 169; A., 545; (HOFFMANN), 1885, (GOLDSCHMIDT and SCHMID), 1885, A., 775.

preparation of (HENRIQUES and v. ILINSKI), 1885, A., 801.

action of alcoholic potash on (v. ILINSKI), 1884, A., 1035.

action of amines and of bromine on (Bromme), 1884, A., 491, 490.

action of ammonia on (v. ILINSKI), 1884, A., 1035.

1:2-Naphthaquinoneoxime, action of hydroxylamine hydrochloride on (Goldschmidt, 1984, A., 735, 1137; Gold HMIDT and SCHMID',

1854, A., 1359. action of sulphurous anhydride on (SCHMIDT), 18(0, A., 1305.

2:1-Naphthaquinoneoxime SCHMIDT and SCHMID), 1855, A., 775.

preparation of (HENRIQUES and v. ILINSKI), 1885, A., 801.

action of alcoholic potash on (v. Ilinski), 1884, A., 1035.

action of amines and of bromine on (Bromme), 1888, A., 491, 490.

action of ammonia on (v. ILINSKI), 1884, A., 1035.

action of hydroxylamine hydrox hloride on (Goldschmidt), 1884, A., 1137; (GOLDSCHMIDT and SCHMID), 1884, A., 1359.

action of sulphurous anhydride on (SCHMIDT), 1890, A., 1305.

action of, on animals (GIBBS and Reichert), 1891, A., 1393.

compounds of nickel and cobalt with (v. Ilinski and v. Knorre), 1885, A., 840.

use of, in quantitative analysis (v.

KNORRE), 1887, A., 530. 3-chloro- (ZINCKE and SCHMUNK) 1890, A., 1146.

3:4-dichloro- (ZINCKE and SCHMUNK) 1890, A., 1147.

1:4-Naphthaquinoneoxime and its deriv atives (Goldschmidt and Schmid) 1884, A., 1327; (v. Ilinski), 1885 A., 169; (Hoffmann), 1885, A., 545.

preparation of (HENRIQUES and v. ILINSKI), 1885, A., 801. action of amines and of bromine on

(Bromme), 1888, A., 491, 490.

1:2-Naphthaquinonedioxime SCHMIDT and SCHMID, 1884, A., 1359; (KEHRMANN and MES-SINGER), 1890, A., 1403.

a-ethyl ether (v. ILINSKI), 1886, A.,

α- and β-methyl ethers (Koneff), 1886, A., 363.

phenylhydrazide of (Polonowsky), 1888, A., 366.

1:4-Naphthaguinoneclioxime (NIETZKI and Guitermann), 1885, A., 471. Naphthaquinonephenazine (LEICES-

TER), 1890, A., 1446. a-Naphthaquinonephenylhydrazide. See Benzeneazo-a-naphthol under Azu-.

 $oldsymbol{eta}$ -Naphthaquinonephenylhydrazide (ZINCKE), 1883, A., 1135; (ZINCKE and BINDEWALD), 1885, A., 391.

a-Naphthaquinone-3'-sulphonic acid, 2:3-dichloro- (CLAUS and VAN DER CLOET), 1888, A., 602.

β-Naphthaquinone-2'-, -3'-, and -4'sulphonic acids (WITT), 1892, A., 196.

a-Naphthaquinonetolazine (LEICES-TER), 1890, A., 1447.

a-Naphthaquinone-o-and-p-toluidides, 8-chloro- (CLAUS and MUELLER), 1886, A., 247.

β-Naphthaquinonetoluidide and action of nitrous acid on (ZINCKE and BRAUNS), 1883, A., 209.

ethers of (ZINCKE and BRAUNS), 1883, A., 209.

nitro- (BRAUNS), 1884, A., 1038.

β-Naphthaquinone-o- and -p-tolylhydrazides, and their derivatives (ZINCKE and RATHGEN), 1887, A., 55. 1:2-Naphthaquinoxaline (HINSBERG),

1890, A., 972.

Waphtharesorcinol, azo-colours from (v. Kostanecki), 1890, A., 260. dismido-, hydrochloride (Kehemann and WEICHARDT), 1889, A., 1198. chloronitroso- and mono- and dinitroso- (v. Kostanecki), 1889, A., 887.

Naphthase, Laurent's (WITT), 1887, A., 153.

Naphthastyril and its derivatives (EKSTRAND), 1886, A., 715; 1889,

amido- (EKSTRAND), 1887, A., 373. dibromo- and dichloro- (EKSTRAND), 1886, A., 715.

4'-chloro- (Ekstrand), 1889, A., 153. Naphthastyrilmethylquinoxaline (Ex-STRAND), 1889, A., 53.

Naphthastyrilquinone (EKSTRAND), 1889, A., 53.

Naphthasultones (ERDMANN), 1889, A., 157.

Naphthasulton sulphonic acids, $[\epsilon-]$ and [8-] (BERNTHSEN), 1890, A., 387; 18**9**1, A., 215.

as-Naphthazine (JAPP and BURTON), 1887, T., 99; (WITT), 1887, A., 153. preparation of (FISCHER and HEPP), 1890, A., 614.

8-BB-Naphthazine (MATTHES), 1890, A., 993.

(MARKOWNIKOFF Maphthenes OGLOBLIN), 1881, A., 1276. and their derivatives (MARKOWNI-

kopp), 1892, A., 1182, 1311.

and polymethylenes (MARKOWNI-KOFF), 1892, A., 1310.

8-Naphthenylamidethoxime (RIGHTER), 1890, A., 62.

αβ-Naphthenylamidinedimethoxybenzenyl-o-carboxylic acid (BISTRZYCKI and Cybulski), 1892, A., 1249.

" β -Naphthenylamidoxime, dicyano-" (Nordenskiold), 1890, A., 1121.

Naphthenylamidoximes, α - and β -, and their derivatives (EKSTRAND), 1887, A., 373; (RICHTER), 1887, A., 874; 1890, A., 62.

 β -Naphthenylamidoxime-ethylidene (Richter), 1890, A., 62.

Naphthenylazoxime-. See Azo-. Naphthenylcarbonylimidoximes, α- and

8- (RICHTER), 1890, A., 63, 62.

β-Naphthenylethylenediamine (Fors-SELL), 1892, A., 1248.

a-Naphtheurhodole (KEHRMANN), 1890, A., 1266.

modifications of (Kehrmann and Messinger), 1891, A., 1214.

Naphthidine (diamidodinaphthyl) and its derivatives (NIETZKI and GOLL), 1886, A., 245; (JULIUS), 1887, A., 56.

Naphthilbenzil. See Naphthylimidobenzil.

Naphthimidine (PINNER), 1892, A., 983. a-Naphthindole (SCHLIEFER), 1887, A., 964.

B-Naphthindole (SCHLIEPER), 1887, A., 153; (INCE), 1890, A., 57. derivatives of (STECHE), 1888, A., 284.

a-Naphthindolecarboxylic acid (SUHLIEPER), 1887, A., 963.

β-Naphthindolecarboxylic acid (SCHLIEPER), 1887, A., 154.

Naphthionamide. See Naphthylaminesulphonamide.

Naphthionic acid. See a-Naphthylamine-4-sulphonic acid.

Naphthisatins, α - and β - (HINSBERG), 1888, A., 373, 372.

Naphthoic acid, trichloro- (SCHERLER), 1892, A., 493.

a-Naphthoic acid (nuphthale ne-a-curboxylic acid, (GRAEFF), 1884, A., 81. derivatives of (Boessneck), 1883, A.,

807; (EKSTRAND), 1889, A., 152. 4'-amido-, derivatives of (EKSTHAND), 1889, A., 152.

4'-bromo- (Ekstrand), 1856, A., 715; 1889, A., 52.

4':1'-bromonitro- (EESTRAND), 1856,

A., 715. 1'-chloro- (Ekstrand), 1889, A., 52.

2-chloro- (RABE), 1889, A., 514. 4'-chloro- (EKSTRAND), 1831.A., 1361; 1886, A., 156; 1889, A., 52.

1':4'-dichloro- (EKSTRAND), 1889, A.,

a-Naphthoic acid (aaphthaleac-a-curboxylic acid), trichloro- [m.p. 163-164°] (EKSTRAND), 1889, A., 52. 1':1'-chloramido- (EESTRAND,, 1889,

A., 153.

1'-chloronitro- and 1':4'-dichloronitro-(Erstrand), 1556, A., 156; 1859, A., 53.

1':4'-diimido- (Ekstrand), 1889, A., 152.

nitro- [m.p. 255"] (GRAEFF), 1884, A., 81.

1'-nitro-, and its derivatives (Ex-STRAND). 1555, A., 548; 1886, A., 155; 1889, A., 52.

4'-nitro-and its derivatives (GRAEFF), 1884, A., 81; (EKSTRAND), 1885,

A., 548; 1886, A., 155. dinitro-[m.p. 215] [Ekstrand), 1886, A., 948.

1':4'-diuitro- (EKSTRAND), 1987, A., 373.

4:4'-d.nitro-, and its salts (EKSTRAND),

1884, A., 1360; 1889, A., 152. trinitro- [m.p. 283] (EKSTRAND), 1886, A., 715; 1889, A., 152. [m.ps. 236 and 293] (EKSTRAND),

1886, A., 948. nitramido- (EKSTRAND). 1886, A., 948.

β-Naphthoic acid (GRAEFF), 1884, A., δ1; (SCHULZE), 1884, A., 1185. amido- [m.p. 211°] (EKSTRAND), 1891,

A., 932.

diamido- [m.ps. 202° and 230°] (Ex-STRAND), 1891, A., 78, 79.

1:3'-dibromo-(CLAUS and PHILIPSON), 1891, A., 462.

chloro- [m.p. 263°] derivatives of (EKSTRAND), 1891, A., 932.

1-chloro- (Wolffenstein), 1888, A., 714.

1':4'-dichloro- (EKSTRAND), 1884, A.,

nitro-[m.ps. 226° and 248°] and their salts (Ekstrand), 1884, A., 1360. [m.p. 2797] and its derivatives (EKSTRAND), 1885, A., 904;

1891, A., 932. [m.ps. 288° and 293°] and their derivatives (GRAEFF), 1884, A., 81; (EKSTRAND), 1885, A., 904; 1891, A., 78, 79.

dinitro- [m.ps. 226° and 248] (EKstrand),1884,A.,1361; 1891,A.,78. nitramido- [m.p. 235°] (EKSTRAND),

1891, A., 79.

Naphthoic acids, a- and B- (GRAEFF). 1884, A., 81; (EKSTRAND), 1884, A., 1360; 1886, A., 715, 918; 1887, A., 373, 840; 1889, A., 52, 152; 1891, A., 77, 982. Naphthoic acids, a- and \$-, thermochemistry of (Stohmann, Kleber and LANGBERN, 1889, A., 1096. hydrogenation of v. Sowinski, 1891,

A., 1350.

amides of /LLONL, 1994, A., 1362.

trichloride. a-Naphthoic 8-chloro-(RADE), 1889, A., 514.

β-Naphthoic trichloride. a-chloro-(Wolff enstein), 1859, A., 714; 1859, A., 615.

a-Naphthoic cyanide and its derivatives (Boessne K), 1883, A., 595.

Naphthol as an antisptic medicine (BOUCHARD), 1555, A., 163.

passage of, into the unine (DL-Es-QUELLE, 1891, A., 95.

as a reagent for free chlorine and bromine HAGER', 1866, A., 97.

and sulphuric acid as a reagent for nitric and nitrous acids and free chlorine (HAGER), 1856, A., 99.

detection of, in the fluids and organs of the animal body LUSTGARTEN), 1883. A., 243.

homologues of preparation of (ANON.). 1883, A., 253.

oxime of. See Hydroxynaphthaquinoneimide.

amidothio- (EKBOM), 1890, A., 995. chlorotrinitro- [m.p. 156°] (CLEVE), 1890, A., 627.

dimido- (Keonfeld), 1884, A., 1037. nitroso. See Naphthaquinoneoxime.

a-Naphthol, synthesis of (FITTIG and ERDMANN), 1883, A., 595; 1885, A., 545.

properties of (MAXIMOantiseptic VITCH), 1888, A., 621, 978. action of bromine on (BLUMLEIN),

1885, A., 162.

action of dichlorether on (Wis-LICENUS and ZWANZIGER), 1888, A., 376.

action of chlorine on (ZINCKE), 1887, A., 960; (CLEVE), 1888, A., 596. keto-derivatives of (WITT), 1888, A.,

486.

picrates of (MARCHETTI), 1883, A., 344. trisulphide (Ontfrowicz), 1891, A.,

a-Naphthol, 2- and 4-amido- (GRAND-MOUGIN and MICHEL), 1892, A., 861.

4-amido-, sulphonicacid from (SEIDEL), 1892, A., 721.

diamido-, action of bromine on ZINCKE and Gerland), 1887, A., 838; 1888, A., 290.

2:4-diamido-, derivatives of (MEELson), 1885, A., 713.

a-Naphthol, o-azo-compounds of (Nölting and Grandmougin), 1891, A., 1074.

2:4-dibromo-, preparation of (Melbola and Hughes).1890,T.,395; P., 57.

action of, on amines (MELDOLA), 1883, A., 536; 1884, T., 156.

action of nitric acid on (MELDOLA and HUGHES), 1890, T., 396, 808.

3:4-dibromo-, constitution of (Melbola), 1884, T., 161.

pentubromo- (Blumlein), 1885, A., 163.

4:2-bromonitro-, and some of its salts (MELDOLA), 1885, T., 501; P., 71. 2-chloro- (CLEVE), 1888, A., 597.

2'-, 3'- and 4'-chloro- (ERDMANN and Kirchhoff), 1889, A., 150. 1'-2'-, 1'-4', 2'.8- and 2':3'- or 1':2'-

1'-2'-, 1'-4', 2'.3- and 2':3'- or 1':2'dichloro- (Schwechten), 1890, A., 620.

2:3-dichloro- (CLAUS and KNYRIM), 1886, A., 156.

2:4-dichloro- (CLEVE), 1888, A., 596; (ZINCKE), 1888, A., 709.

2':4'-dichloro- (ERDMANN), 1889, A., 265; (SCHWECHTEN). 1890, A., 620. 2:3:4-trichloro- (ZINCKE), 1888, A.,

4:2-iodonitro- (MELDULA), 1885, T., 524.

2-nitto- (LELLMANN), 1884, A., 752; (GRANDMOUGIN and MICHEL), 1892, A., 861. constitution of (WORNS), 1888, A

constitution of (Worms), 1888, A., 69.

2'-nitro- (GAESS), 1892, A., 1229. dinitro-. See Manchester yellow. 2:4-2':4'-tetrunitro-. and its salts

2:4-2:4-ethenitro-. and its salts (Merz and Weith), 1888, A., 344. Thio-, and its derivatives (Krafft and Schönherr), 1889, A., 715; (Krafft and Bourgeois), 1891, A., 76.

β-Naphthol, crystalline form of (Leiven), 1886, A., 543.

action of dichlorether on (WISLICENUS and ZWANZIGER), 1888, A., 377.

action of chlorine on (ZINCKE'), 1887, A., 960; 1889, A., 886; (CLEVE), 1888, A., 596; (ZINCKE and KEGEL), 1889, A., 265.

1889, A., 265. action of halogens on (ARMSTRONG and ROSSITER), 1889, P., 71.

oxidation of (EHRLICH), 1889, A., 1001.

oxidation of, to o-carboxycinnamic acid (EHRLICH and BENEDIKT), 1888, A., 1306.

β-Naphthol, antiseptic properties of (MAXIMOVITCH), 1888, A., 621, 978.

condensation-product of, with heuraldehyde (Trzciński), 1884, A., 1185.

benzoyl-derivative of (Koenigs and Carl), 1892, A., 447.

CARL), 1892, A., 447.
derivatives of, nitration of (ARMSTRONG and ROSSITER), 1891, P., 89.
picrate of (MARCHETTI), 1883, A., 344.
sulphides (ONUFROWICZ), 1889, A.,
404; 1891, A., 320.

β-Naphthol, 1-amido- (GRANDMOUGIN and MICHEL), 1892, A., 862.

identification of (MELDOLA and MORGAN), 1889, T., 120.

and its hydrochloride, preparation of, from nitroso-\$-naphthol (GROVES), 1884, T., 293. sulphate (GROVES), 1884, T., 297.

sulphate (GROVES), 1884, T., 297. 1'- and 4'-amido (FRIEDLÄNDER and SZYMANSKI), 1892, A., 1233.

diamido-, hydrochloride (LOEWE), 1890, A., 1424.

1'-amidothio- (CLEVE), 1889, A., 155. 1-bromo-(ARMSTRONG and ROSSITER),

1889, P., 71; 1891, P., 88. acetyl- and nitroso-derivatives of (CANZONERI), 1883, A., 68.

1:3'-dibromo- (ARMSTRONG and ROSSITER), 1889, P., 71; 1891, P., 88.

action of nitric acid and oxidising agents on (Armstrong and Rossiter), 1891, P., 34.

1:3:3'4ribromo- (ARMSTRONG and ROSSITER), 1891, P., 34, 87.

action of nitric acid and oxidising agents on (ARMSTRONG and ROSSITER), 1891, P., 34.

1:3:4:3'-tetrabromo-'ARMSTRONG and ROSSITER), 1891, P., 33. 88.

pentabromo-, and the action of bromine on (FLESSA), 1884, A., 1185. chloro-, action of nitric acid and oxidising agents on (ARMSTRONG and ROSSITER), 1891, P., 34.

1-chloro- (SCHALL), 1883, A., 1109; (CLEVE), 1888, A., 597; (ARM-STRONG and ROSSITER), 1889, P., 72.

1'-chloro- (CLAUS and Volz), 1886, A., 246.

1:3-dichloro- (ZINCKE and KEGEL), 1889, A., 266; (ARMSTRONG and WYNNE), 1890, P., 76.

1':3'-dichloro- (CLAUS and SCHMIDT), 1887, A., 270.

1:4-dichloro- (ZINCKE and KEGEL), 1889, A., 266; (ARMSTRONG and ROSSITER), 1891, P., 32. B-Naphthol, 1:3:4-trichloro- (ZINCKE and Kegel), 1889, A., 267.

1:4:4'-trichloro- (ARMSTRONG ROSSITER), 1891, P., 32.

1:3'-chlorobromo- (ARMSIROM, and Rossiter), 1889, P., 72; 1891, P.,

chloronitro- (GAESS), 1892, A., 1229. iodo- [m.p. 88°(')] (OSTERMAYER), 1885, A., 672.

1-iodo- (Meldula), 1885, T., 525. nitro-, action of amnionia on the ethers of (WITTKAMPF), 1884, A., 1036.

1'-nitro- (Friedlander and Szy-MANSKI), 1892, A., 1234; (GAESS), 1892, A., 1341.

2'-nitro- (GAESS), 1892, A., 1229. 3'-nitro- (GAESS), 1892, A., 1341.

4'-nitro- Friedlander and Szymanski), 1892, A., 1233.

dinitro-, and its derivatives GRAEBE and DREWS', 1884, A., 1035. constitution of (LOEWE), 1890, A.,

1424.

thio-, and its derivatives (KRAFFT and SCHONHERR), 1889, A., 715; (Krafft and Bourgeois, 1891, A., 76.

2:2'-dithio- (GRUSJEAN), 1890, A., 1306.

Naphthols, α - and β -, reagents for

(Yvon), 1890, A., 927. action of diazo-p-nitrobenzene on (Meldola), 1885, T., 661.

action of iodine on, in alkaline solution (Messinger and Vortmann), 1889, A., 1151.

action of nitrogen iodide on (LEPETIT), 1890, A., 1402.

behaviour of, in the system (LESNIK and NENCKI), 1886, A., 822.

derivatives obtained from, by the action of aromatic monamines (FRIEDLANDER), 1884, A., 79.

Naphtholaetone and biomo- (Ek-STRAND), 1886, A., 716.

chloro- and nitro- (EKSTRAND), 1889, A., 153.

Naphtholazo-. See under Azo-. a-Naphthol-blue. See Indophenol. Naphtholcamphorides, a-and \$-(LEGER),

1890, A., 1427.

Naphtholcarboxylic acid. See Hydroxynaphthoic acid.

a-Naphthol-2:4-(?)disulphonic acid (CLAUS and MILL(KE), 1886, A., acid 716.

a-Naphthol-3 1'-disulphonic acid [e-] (Bernthsen), 1890, A., 387. 2-amido- (Benniusen), 1891, A., 215. a-Naphthol-2:2'- and -2:4-disulphonic acids (Bender, 1899, A., 718.

B-Naphtholdisulphonic acid. action of tetrazodiphenyl on SCHULTZ), 1884, A., 1036.

β-Naphthol-1':3'-disulphonic acid [βor G .-] CLAUS and SCHMIDT), 1887, A., 269.

1-amido- 'WIII), 1889, A., 278.

β-Naphthol-3:3'-disulphonic acid [a- or R.-], constitution of (PFITZINGER and DUISBERG, 1889, A., 515.

1-amido- (WITT), 1589, A., 273. Naphthol-green, preparation of (GANS),

1885, A., 312. physiological action of (WEYL), 1888,

A., 1122.

α-Naphtholmaleinfluorescein (BURCK-HARDT), 1556, A., 51.

Naphtholphthalein anhydride (MEYER), 1591, A., 1029.

a-Naphtholsulphonamidosulphonic acid [€-] (BERNTHSEN), 1890, A., 387. a-Naphtholsulphonamidosulphonic acid

[δ-] (BERNTHSEN), 1091, A., 215.

a-Naphtholsulphonic acid, (SCHMIDT,, 1892, А., 476.

α-Naphthol-l'-sulphonic acid (ERD-MANN, 1889, A., 157. 4-amido- (REVERDIN and DE LA

HARPE), 1892, A., 996.

a-Naphthol-2-sulphonic acid (BENDER), 1889, A., 717; (CLEVE), 1892, A., 345.

4-amido- (SEIDEL), 1892, A., 721; (REVERDIN and DE LA HARPE), 1892, A , 996.

α-Naphthol-2-[1]sulphonic acid and its salts (CLAUS and KNYRIM), 1886, A., 156.

a-Naphthol-2'-sulphonic acid (Bender), 1889, A., 717.

a-Naphthol-4-sulphonic acid MANN), 1889, A., 157; (BENDER), 1889, A., 717; (WIIT and KAUF-MANN), 1892, A., 194.

2-amido- (REVERDIN and DE LA

HARPE), 1892, A., 996. 2-nitroso- (WITT and KAUFMANN), 1892, A., 195. metallic salts of (HOFFMANN), 1892, A., 346.

a-Naphthol-4'-sulphonic acid (ERD-MANN), 1889, A., 157.

2-amido- (Reverben and De La HARPE, 1892, A., 996.

B-Naphtholsulphonic acid ('I AUs and Vonz), 1886. A., 246.

amido- (Schwidt), 1892, A., 476. iodo- (Osifrmanel). 1885, A., 673.

8-Naphthol-1 -sulphonic acid [a-] (WITI), 1859, A., 275; (NILIZKI and Zi BLLEN), 1:59, A., 515.

preparation of (NON.), 1-54, A.,

constitution of (ALMSTIONG), 1:39, P., S; (ARMSTRONG and WYNNE), 1889, P., 53; (PFIIZINGER and Duisberg, 1889, A., 515.

calcium salt of, physiological action of STICKLER, 1892, A., 1116.

1-amid - (Wifi, 1839, A., 271; (Reversion and De La Harpl), 1592, A., 996.

diamido- (Nierzki and Zubelen), 1889, A., 515.

β-Naphthol-2'-sulphonic acid [δ-, or F.-] (BAYER and Duisberg), 1887, A., 733; (Weinberg), 1888, A., 160.

constitution of (ARMSTRONG and WYNNE), 1889, P., 53. 1-amido- (WITT), 1889, A., 272; (REVERDIN and DE LA HARPE), 1892, A., 996.

8-Naphthol-3'-sulphonic acid, constitution of [β -] (ARMSTRONG and WYNNE), 1889, P., 53.

action of bromine on (ARMSTRONG and STREATFEILD), 1856, P., 232. 1-amido- (WITT), 1889, A., 272; (REVERDIN and DE LA HARPE),

1892, A., 906. 1-bromo-, derivatives of ARMSTRUNG and Rossite'), 1859, P., 72.

I-chloro- and its delivatives (ARM-STRONG and ROSSITER, 1889, P., 72; 1891, P., 33.

1-nitroso-, metalic salts of Hoff-MANN), 1892, A. 346.

8-Naphthol-1'-sulphonic acid [**7**-] (CLAUS), 1889, A., 714. constitution of ARMSTRONG and

WYNNE), 1839, P., 53.

1-amido- (WITI), 1892, A., 272; (REVERDIN and DE LA HARPE), 1892, A., 996.

a-Maphthol-2.4-2'-trisulphonic acid (CLATS and MIELCKE', 1886, A., 716; (Bender), 1859, A., 718.

8-Maphthol-3:3'-1'-trisulphonic acid (LEVINSTRIN), 1883, A., 787; (LIM-PACH , 1883, A., 1136.

Naphthol-violet, action of aromatic bases on (Hirsch and Kalckhoff), 1891, A., 77.

See also Oxazine dyes.

Maphthel-yellow, S., constitution of (ABMSTRONG and WYNNE), 1:90, P., 16.

physiological action of (WEYL), 1888, A., 1122

a-Naphthonitrile (a cyan maphthalene) (Boessmeck , 155), A., 807.

behaviour of, with sulphonating agents (Arustrong, 1889, P., 122.

hydrolysis of (LEONL), 1881, A., 1362.

4'-chloro-(EKSIRAND), 1581, A., 1361.

4'-nitro- (GRAEFF), 1984, A., 80.

β-Naphthonitrile (β-cyanonaphthalenc), action of sodium on alcoholic (BAM-BERGER and BOURMANN', 1887, A., 840.

behaviour of, with sulphonating agents (Armstrong), 1889, P., 122.

hydrolysis of (Leone), 1884, A., 1362.

1:3'-dibromo- (CLAUS and PHILIPson), 1891, A., 462.

mono- and di-chloro-, and derivatives (EKSTRAND), 1891, A., 932. nitro- (GRAEFF), 1884, A., 80.

a-Naphthonitrilesulphonic soid

(a-cyanona) hthalenesul phonic (DUTT), 1883, A., 1001; (ARMSTRONG and WILLIAMSON), 1887, P., 43.

Naphthoxanthones (BENER), 1892, A., 1100.

Naphthoxindoles, α - and β - (Hins-BERG), 1888, A., 373, 372,

Naphthoylacetamide (PINNER), 1892, Ā., 983.

Naphthoylformic acid. See Naphthylglyoxylic acid.

Naphthoylhydroxamic acids, a- and 8-(EKSIRAND), 1887, A., 840.

Naphthoylnaphastyrils, α- and β- (EK-STRAND), 1889, A., 53.

a-Naphthoyl-a-naphthenylamidoxime (EKSIRAND', 1857, A., 373.

β-Naphththiamide (BAMBERGER and BULKMANN), 1887, A., 675.

Naphthyl benzyl ketone (PAPCKE), 1888, A., 702.

Naphthyl ethyl ether, See Ethoxynaphthalene.

amido-. See Ethoxynaphthylamine. a-Naphthyl glycidyl ether (LINDE-MANN), 1891, A., 1199.

Naphthyl mercaptans, α- and β-, amido-

'V. HOFMANN', 1887, A., 839. α-Naphthyl methyl ketone and its derivatives (PAMPEL and SCHMIDE), 1887, A., 252; (CLAUS and FEIST), 1887, A., 271.

8-Naphthyl methyl ketone (MULLER and v. PE(HMANN), 1500, A., 52; (SCHWLIIZER), 1891, A., 729.

Naphthyl methyl ketones 'Roux'), 1888, A., 1306; (GLAUS and TER-STREGEN), 1891, A., 214. Naphthyl methyl ketones, action of phosphoric chloride on (Lenox,, 1892, A., 495.

a-Naphthyl phenyl ketone and its derivatives (VINCENT and RHX), 1884, A., 609; (Elds), 1887, A., 943; (Rospendowski), 1886, A., 625; (Elbs and Steinike', 1886, A., 947; (Kiger), 1888, A., 1997. boiling point of Schwlitzln , 1891, A., 1210.

sodium derivative of BICKMANN and

PAUL), 1892, A., 170.

8-Naphthyl phenyl ketone (VINCENT and Roux), 1854, A , 60J; (Respen-DOWSKI), 1886, A. 625; (KEGFL). 1888, A., 1307.

a-Naphthylacetamide and a-naphthylacetonitrile Borssneck), 1853, A.,

808.

α-Naphthylacetic acid (Bol-SNECK), 1883, A., 8u9.

 β -Naphthylacetic acid (CLAUS and TEASTFEGENI, 1891, A., 215; (Schweitzer), 1591, A. 730.

Naphthylacetylenes, α - and β -, and their derivatives (LEROY), 1892, A.,

a Naphthylaerylic acid (a-naphthacinnamic acid) (Brandis), 1859, A., 1200.

8-Naphthylalkylamines, reduction of (BAMBERGER and MULLER), 1859, A., 888.

Naphthyl-eta-allylsemithiocarbazide (AVENARIUS), 1891, A., 550.

a Naphthylamidoacetic acid (naphthylglycocine (BISCHOFF and NAST-VOGEL), 1889, A., 1015; (Jolles), 1889, A., 1199; (FORTE), 1890, A.,

calcium salt of (MAUTHNER and SUIDA), 1891, A., 39.

8-Naphthylamidoacetic acid (Jolles), 1889, A., 1199.

Naphthylamidoacetic acids, derivatives of (Jolles), 1889, A., 1199; (Bis-CHOFF and HAUSDORFER), 1890, A., 1309; 1892, A., 1341.

a-Naphthylamidoacetic naphthylamide (Dischoff and Hausdorfer), 1892, A., 1341.

β-Naphthylamidoacetic naphthylamine (Jolles), 1889, A., 1199.

a-Naphthylamidoacetyl-a-naphthylamineacetic acid (BISCHOFF and HAUSDORFER), 1892, A., 1341.

Naphthylamidobenzoic acids, m-amidoand m-nitro-, p- α - and β - (Heiden-sleben), 1891, A., 307.

Naphthylamidobiazolones, α- and (FREUND), 1892, A., 510. 508.

Naphthylamidobutyric acids, α- and β-(Bischoff and Mintz', 1892, A. 1335.

Naphthylamidoisobutyric acids, derivatives of (Bischorf and Mintz, 1892, A., 1342.

a-Naphthylamidocyanuric chloride (FRILS), 1886, T., 314.

8-Naphthylamidocyanuric chloride (FRIES), 1886, T., 710.

Naphthylamidoethylphthalimides, and B- NEWMAN', 1-91, A., 120-.

Naphthylamidopropionic acids, a- and β- (BISCHOFF and HATSDORFFR). 1892, A., 1337.

Naphthylamidosuccinic acids, a- and B-(Hell and Pelitkoff), 1892, A.,

Naphthylamidosuccinic dinaphthylamide (HELL and Poliakoff', 1592, A., 860.

α-Naphthylamido-4-thiobiazolone (Hell and Politkoff), 1892, A.,

Naphthylamidothiobiazolones, a- and β- (FREUND), 1892, A., 511, 508.

Naphthylamine (anardonaphthalene), chloro'rinitro- [m.p. 252°] (CLEVE), 1890, A., 626.

α-Naphthylamine, manufacture (WITT), 1887, A., 1048.

refractive power of, at different temperatures (Perkin), 1392, T.,

action of picric chloride on (TURPIN), 1891, T., 716.

citraconate (Morawski and Glaser), 1888, A., 1096.

citrate (HECHT), 1887, A., 154. hydrochloride, action of fuming sulphuric acid on (MAUZELIUS), 1888, A., 375.

phenate (Dyson), 1883, T., 468. picrate (SMOLKA), 1886. A., 454. platinothiocyanate (GUARESCHI), 1892, A., 287.

3'-bromoa-Naphthylamine, 3'-bromo- (DOLA), 1885, T., 508; P., 72.

(GUARESCHI), 1884, 843; (MELDOLA), 1885, T., 508; P., 72.

4'(2)-bromo- (GUARESCHI), 1884, A., 843.

2:4-dibronio- (MELDOLA), 1885, T., 510; P., 72.

4:2-biomonitio- (Meldola), 1885, T. 500; P. 71; (AEMSTRONG and ROSSITER), 1891, P., 186; (MEIDOLA and DESCH), 1892, T., 765.
2-chloro- and 2:4-d chloro- (Cleve),

1887, A., 495,

a-Naphthylamine, 1':4'-dichloro-(Schweihten), 1890, A., 620.

2':4'-dichloro- (ERDMANN), 1889, A., 265; (SCHWECHIEN), 1890, A., 620.

2-nitro-, and its derivatives (Lett-MANN), 1884, A., 751; 'LEILWANN and REWY), 1886, A., 624.

2.4-dinitro- (Wifi), 1886, A., 917. preparation of (MELDOIA), 1887, A., 152.

2 4:1':4'- and 2:4:2':4'-t-t-unitro-(MERZ and WEITH), 1883, A., 344. 2-nitroso-(HARDEN), 1890, A., 630.

2-nitroso- (HARDEN), 1990, A., 630. 8-Naphthylamine, action of diazocompounds on (LAWSON), 1855, A., 802, 1238.

action of quinonedichlorimide on (NIETZKI and OTTO), 1888, A., 848.

nitiation of (FRIEDLANDER and SZYMANSKI), 1892, A., 1232.

products of the sulphonation of, at 100°-105° (GREEN), 1889, T., 35.

compounds from diazophenols and (SACHS), 1886, A., 235.

constitution of the compounds obtained from diazo-salts and (ZINCER), 1886, A., 244.

derivatives of (MASCHKE), 1887, A., 838.

the isomeric sulphonic acids of (GREEN), 1889, T., 33.

citraconates (Morawski and Glaser). 1888, A., 1096.

citrates (HECHT), 1587, A., 154.

platinothiocyanate (GUARESCHI), 1892, A., 287.

8-Maphthylamine, diamido-, hydrochlorides of (LUEWE), 1890, A., 1424.

1-brome (Meldola), 1885, T., 508; P., 72; (Lullmann and Schmidt), 1888, A., 289.

4-bromo- (MELDULA), 1885, T., 508; P., 72.

non-existence of (ALMSIRONG and ROSSITER), 1891, P., 187; (MEL-DOLA and DESCH), 1892, T., 766.

1:3'-dibromo- (Lawson), 1885, A., 1239; (Armstrong and Rossifell, 1891, P., 32; (Clays and Philipson), 1891, A., 461.

1:4-d/bromo- (MELDOLA), 1885, T., 497; P., 72; 1826, P., 173; (ALM-STRONG and ROSSITER), 1891, P., 186.

(CLAUS and PHILIPSON), 1891, A., 462

B-Naphthylamine, 4:1-bromiodo-(Mel-DOLA and Descei, 1892, T., 767; P. 141.

1-chloro- (CLEVE), 1887, A., 961.

1':4'-dechloro- (CLAUS and PHILIP-SON), 1891, A., 462.

1 4-chlorobiomo- (MELDOLA and DESCH), 1892, T., 768.

1:3'-chlorobromo- (Armstrong and Rossifer), 1891, P., 33. 1'- and 4'-nitro- (Friedlander and

 and 4'-nitro- (FRIEDLANDER and SZYMANSKI), 1892, A., 1234, 1233.
 dinitro- [m.p. 238°—242°] (GRAEBE and DREWS), 1884, A., 1036.

1' 4'-dinitro-(ONUFROWICZ), 1891, A., 321.

trinitro- [m.p. 240—266°] (STAEDEL), 1883, A., 863.

1883, Å., 863. nitroso- (v. Ilinski), 1884, A., 1035; (Harden), 1890, A., 630.

Naphthylamines, primary and secondary (BENZ), 1883, A., 594.

action of dibrom-a-naphthol on (MEL-DOLA), 1884, T., 160.

action of p-diazobenzenesulphonic acid on (GRIESS), 1883, A., 182.

action of diazo-p-nitrobenzene on (Meldola), 1883, T., 430.

action of, on ethylic bromosuccinate (Hell and Pollakoff), 1892, A., 860.

action of m-nitrodiazobenzene on (Meldola), 1884, T., 114, 116.

action of nascent nitrous acid on (DENINGER', 1890, A., 39.

compounds of, with metallic salts (Lachowicz and Bandrowski), 1888, A., 1281.

bromo-, identity of supposed isomerides (ARMSTRONG and Ros-SITEN), 1891, P., 188; (MELDOLA and DES: H; 1892, T., 766.

Naphthylaminealloxan (PELLIZZARI), 1888, A., 142, 681.

 α-Naphthylaminebenzylidenesulphonic acid. See α-Naphthyl-ω-imidotoluenesulphonic acid.

a-Naphthylaminebisdiazobenzene (Krohn), 1889, A., 152.

Naphthylaminebisazobenzenes, α- and β-(Nietzki and Diesterweg), 1888, A., 1082, 1083.

α-Naphthylamine-3:1'-disulphonic acid [ε-] (ARM-TRONG and WYNNE), 1890, P., 15; (BERNTHSEN), 1890, A., 386; (SCHULIZ), 1890, A., 388.

a-Naphthylamine-1 1'-disulphonic acid (Schollkopf and) (Bernihsen), 1890, A., 386.

constitution of (ARMSIRONG and WYNNE), 1890, P., 126.

a-Naphthylamine-4:2'-disulphonic acid (Duhl No. III.), constitution of (ARM-, STRONG and WYNNE), 1890, P., 16.

α-Naphthylamine-4:3'-disulphonic acid (Dull No. II.), constitution of (ARY-STRONG and WYNNE), 1890, P., 125.

β-Naphthylamine-1:3'-disulphonic acid (Forsling), 1889, A., 276.

constitution of (ARMSIEONG and WYNNE), 1390, P., 130. \$\beta\$-Naphthylamine-1':3'-disulphonic acid (Amido-G.-acid) (LANDSHOFF). 1885, A., 312.

constitution of (ARMSTRONG and Wynne), 1890, P., 12, 12°.

B-Naphthylamine-3.2'-disulphonic acid (Cassella's 5-acid), constitution of (Armstrong and Wynne), 1890, P.,

B-Naphthylamine-3:3'-disulphonic acid (Amido-R.-acid),constitution (ARMSTRONG and WYNNE), 1890, P.,

8-Naphthylamine-4:2'-disulphonic acid (Andresen's acid) (SCHULTZ), 1890, A., 388; (ARMSTRONG and WYNNE), 1891, A., 27.

a-Naphthylaminephthalein (Vanni), 1886, A., 68.

a-Naphthylamine-3'-sulphonamide (naphthionainide) (Ekbom), 1891, A., 573.

a-Naphthylamine-1-sulphonamide (CLEVE), 1890, A., 635.

a-Naphthylamine-4'-sulphonamide (Еквом), 1890, А., 994.

Naphthylaminesulphonic acid, iodo-(OSTERMAYER), 1885, A., 673.

a-Naphthylaminesulphonic acid (δ-Hirsch acid) (HIRSCH), 1888, A., 1200.

a-Naphthylamine-l'-sulphonic acid (ERDMANN), 1889, A., 156.

a-Naphthylamine-2-sulphonic acid (CLEVE), 1892, A., 345.

 α -Naphthylamine-2'-sulphonic acid [δ -] (CLEVE), 1889, A., 155.

2-chloro- (CLEVE), 1892, A., 1479. α -Naphthylamine-3-sulphonic acid $[\gamma$ -] (CLEVE), 1886, A., 1037; 1889, A.,

a-Naphthylamine-4-sulphonic acid , (naphthionic acid) (W171), 1886, A., 364; (ERDMANN), 1889, A.,

constitution of (WIPI), 1856, A., 889. nitration of (NIEIZKI and ZUBELEN), 1889, A., 513.

sodium salt of, action of benzaldehyde on (CARN and LANGE). 1867, A., 962.

a-Naphthylamine-4-sulphonic acid. 4'-nitro- (NIETZKI and ZUBELEN), 1589, A., 511.

a-Naphthylamine-4'-sulphonic (napletkaleder selplene (Wiff), 1886, A. . 551; (LANGE), 1588, A., 160; (Erdyann), 1889, A., 156.

conversion of, into il chloronaphthal-

ene (Erdmann), 1555, A., 290. 8-Naphthylamine-1'-sulphonic acid (Badische-well) (Tollsting), 1886, A., 890; 1887, A., 962.

preparation of (NON.), 1954, A., 238.

constitution of (ARMSIRONG and WYNNL), 1889, P., 50; (IMMER-HEISER), 1889, A., 514; (FORS-LING), 1889, A., 718.

β-Naphthylamine-2 -sulphonic [8-], and its delivatives Bayer) and Duisberg), 1887, A., 732; (Weinberg), 1898, A., 160.

identity of the δ - and F. acids (SCHULIZ), 1888. A., 290; (ERD-MANN), 1888, A., 491.

1-chloro- (ARMSILONG and WYNNE), 1889, P., 36, 49.

B-Naphthylamine-3'-sulphonic acid (Bronner's acid) (LANDSHOFF), 1885, A., 312; (Fousling), 1887, A., 375.

dye-stuffs from (Landshoff), 1883,

A., 1135. acids formed by displacing NH₂ in, by halogens (Houlding), 1889, P.,

action of fuming sulphuric acid on (Forsling), 1889, A., 275; (Arm-STRONG and WYNNE), 1890, P., 130.

1-chloro- (ARMSTRONG and WYNNE), 1889, P., 36, 45.

8-Naphthylamine-4'-sulphonic acid (FORSLING), 1887, A., 963.

1-chloro- (ARMSTRONG and WINNE) 1889, P., 36, 48.

β-Naphthylaminesulphonic acids, properties of the four (GREEN), 1889, T., 36.

from β-naphtholsulphonic acids

(GREEN), 1889, T., 37. constitution of (ABMSTRONG and WYNNE), 1889, P., 36, 48.

conversion of the 2:1'- and 2:4'-acids into mixtures of the 2:2'- and 2:3'acids (Weinberg), 1858, A., 290.

the isomeric heteronucleal, the disulphonic acids obtained by sulphonating (ALMSI RONG WYANE), 1590 P., 128.

β-Naphthylamine-3:1':3'-trisulphonic acid (LANDSHOFF), 1855, A., 312.

a-Naphthylaspartic acid (Hert and Poliakorf), 1892. A., 860.

β-Naphthylbenzoglycocyamine, and its hydrochloride (GEILSS), 1883, A., 669.

β-Naphthylbenzylamine (KOHLER), 1859, A., 50.

α-Naphthylbenzylcarbamide (Kuhn and Riesenfeld), 1892, A., 312.

B-Naphthylbenzylideneamine (CLAISEN), 1887, A., 491.

Naphthylbenzylthiocarbamides, α- and β- (Dixon), 1891, T., 558, 559.

cus-β-Naphthylcarbamide (KUHN and LANDAU), 1890, A., 634.

a-Naphthylcarbinol (a-naphthubenzylic alcohol) (BAMBERGER and LODTER), 1888, A., 375.

BORKMANN), 1887, A., 675.

Naphthylcarbinylamine. See Naphthylmethylamine.

Waphthylcyanamide (TIEMANN), 1889,
 A., 1165; (VOLTMER), 1891,
 A., 559.

a-Naphthyldiethylamine (FRIEDLAN-DER and WELMANS), 1889, A., 151.

β-Naphthyldiethylamine, hydrogenation of (BAMBURGER and WILLIAMSON), 1889, Λ., 1000.

a-Naphthyldiethylaminecarboxylic acid (FRIEDLANDER and WELMANS), 1859, A., 152.

a-Naphthyldimethylamine and its derivatives (FRIEDLANDER and WEL-MANS), 1589. A., 150.

a-Naphthyldimethylaminecarboxylic acid (FRIEDL INDER and WELMANS), 1859, A., 151.

Waphthyldimethylaminesulphonic acid (FRIEDLANDER and WELMANS), 1869, A., 151.

Maphthyldimethylpropionic acid(GUCCI and GRASSI-URISTALDI), 1892, A., 871.

Waphthyl-2:5-dimethylpyrrolines, 1:αand 1:β- (KNORE), 1887, A., 275.

1-6-Naphthyl-2:5-dimethylpyrroline-3:4-dicarboxylic acid (KNORR), 1885, A., 555.

1:a-Naphthyl-2:5-dimethylpyrroline-3:4-dicarboxylic acid (KNORR), 1887, A., 275.

Maphthyldiphenylamine (HERZ), 1890, A., 1410.

Waphthyldiphenylamine-blue, constitution of (Hauspörfer), 1890, A., 1308.

B-Naphthyldiphonylcarbamide (KYM', 1890, A., 683.

Naphthyl-2:5-diphenylpyrrolines, 1:αand 1:β- (PAAL and BRAIKOFF), 1890, A., 263, 264.

Naphthylene mercaptan (EBERT and KLEINER), 1891, A., 460.

"Naphthylenes" (MARKOWNIKOFF and OGLOBLIN), 1884, A., 1276.

Naphthylene-αβ-benzenyldiamine (Koll), 1891, A., 1289.

Naphthylenediallylthiocarbamide (Lellmann), 1886, A., 625.

1:1'-Naphthylenediamine (diamidonaphthalene)(HINSBERG),1889,A.,717.

1:2-Naphthylenediamine (Lawson), 1885, A., 1238. action of formic acid on (FISCHER

action of formic acid on (FISCHER and WRESZINSKI), 1892, A., 1496. hydrogenation of (BAMBERGER and SCRIEFFELIN), 1889, A., 892.

1:3-Naphthylenediamine (URBAN), 1887, A., 674.

1:4-Naphthylenediamine (GRIESS), 1883, A., 183; (WITT), 1887, A., 1048. hydrogenation of (BAMBERGER and SCHIEFFELIN), 1889, A., 892.

2:1'-Naphthylenediamine (FRIEDLAN-DER and SZYMANSKI), 1892, A., 1234.

2:2'-Naphthylenediamine, preparation of (BAMBERGER and SCHIEFFELIN), 1889, A., 893.

2:4'-Naphthylenediamine (FRIEDLÄN-DER and SZYMANSEI), 1892, A., 1233.
Naphthylenediamines, substituted (An-

NAHEIM), 1887, A., 839. 1:2-Naphthylenediamine-3:1'-disulphonic acid, derivatives of (BERNTH-

sen), 1891, A., 216. 1:2-Naphthylenediamine-2'-, -3'- and -4'-sulphonic acids (WITT), 1889, A.,

274.
αβ-Naphthylenedimethoxyphthalamidone (BISTRZYCKI and CYBULSKI),

1892. A., 1249. Naphthylenedinaphthylsulphoxide

(ERSTRAND), 1885, A., 170.

Naphthylenediphenyldithiocarbamide
(BAMBERGER and SCHIEFFELIN),
1889, A., 892.

1:2-Naphthylene-ethenylamidine and its salts (Prager), 1885, A., 1239; (Lelimann and Remy), 1886, A., 624.

4-brome- and bromonitre- (PRAGER), 1885, A., 1239.

88-Naphthylene-ethenyldiamine (FISCHER and HEPP), 1887. A., 729.

Naphthylene-ethyldiamine (Kock), 1888, A., 469.

Naphthylene-ethyldiamine hydrochloride (Kock), 1888, A., 469; (BAMBER-GER and GOLDSMIDT), 1891, A., 1239. 1:2-Naphthylene-methenylamidine and -methylmethenylamidine (FISCHER and WRESZINSKI), 1892, A., 1496.

β-Naphthylenetoluquinoxaline (H1\-LELG), 1855, A., 909.

amido- (Wrif), 1886, T., 400.

Naphthylenic dihydrosulphides and dithiocyanate (EBERT and KLEINER), 1891, A., 460; (BRAUN and EBERT), 1892, A., 1471.

a-Naphthylethenyldiphenyldiamine (Boes-Neck), 1883, A., 808.

a-Naphthylethylamine (BAMBERGER and GOLDSCHMIDT), 1591, A., 1238.

β-nitroso- (HARDIN), 1890, A., 631.

p-nitroso-/Kock . 1888, A., 469.

B-Naphthylethylamine 'Henkiques),

1885, A., 168. a-nitroso- (Fischer and Hepp), 1887, A., 1114; 1885, A., 461.

a-Naphthylethylene (naphthucianamene) (Brand) 1889, A., 1200. chloto-(Leroy), 1892, A., 495.

β-Naphthylethylene, chloro- (Leroy), 1992, A., 495.

α-Naphthylethylenediamine (New-MAN), 1891, A., 1208.

β-Naphthylethylhydrazine (HAUFF), 1890, A., 61.

β-Naphthylethylidenehydrazine (SCHLIEPER), 1887, A., 153.

Naphthylethylxanthic acids, sulphoa- and -B. potassium salts of (Letck-ARI), 1890, A., 606.

Waphthylformamides, α- and β (Tobias), 1883, A., 326.

Naphthylglycocine. See Naphthylamidoacetic acid.

8-Naphthylglycollamide Schweitzer), 1891, A., 729.

α-Naphthylglycollic acid (naphthaoxyacetic acid) (Boesskeck), 1883, A., 808; (Spica), 1887, A., 495; (Brandis), 1889, A., 1200; (Schweitzer), 1891, A., 730.

8-Naphthylglycollic acid (SPICA), 1887, A., 495; (CLAUS and TERSTEEGEN), 1891, A., 215; (SCHWEITZER), 1891, A., 729.

a-Naphthylglycollic nitrile (BRANDIS), 1859, A., 1200.

Naphthylglycuronic acids, α- and β-(LESNIK and NENCKI, 1856, A., 823.

1-α-Naphthylglyoxaline and μ-mercaptan and μ-methylsulphide (MARCKWALD), 1892, A., 1331.

a-Naphthylglycxylamide (Boes-Neck), 1883, A., 595 a-Naphthylglyoxylic acid (naphthoylformic neid (BOESSNECE; 1983, A., 595, 808; 'CLAUS and FEIST', 1987, A., 271.

8-Naphthylglyoxylic acid CLAUS and TERSTLEGEN. 1891, A., 211.

a-Naphthylhydrazine (Fischer), 1886, A., 554.

indoles from (SCHLIEPER), 1987, A., 963.

8-Naphthylhydrazine : Fischick), 1936, Å., 555; (Hauff', 1890, A., 61. naphthylthiocarbizinate (Hauff),

1890. A , 61. β-Naphthylhydrazinelevulinic acid

(Sfeche), 1883, Δ., 284. α-Naphthylhydrazinepyruvic acid

(SCHLIEPER), 1987, A., 963. \$B-Naphthylhydrazinepyruvic acid (SCHLIEPER), 1887, A., 183.

a-Naphthylhydrazone, thi nyl- (Michaelis and Ruhl', 1992, A., 1824.

8-Naphthylic benzenesulphonate (TRAUBE), 1991, A., 569.

benzoate and acttate, α-nitro-, reduction of (Bottcher), 1885, A., 659.

benzoate and acetate, a-nitro-, molecular transformations of (BOTT-CHER), 1893, A., 1113.

Naphthylic benzylic oxides, α- and β-(STAEDEL), 1883, A., 586.

carbamates, α- and β-(GATTERMANN), 1888, A., 575.

carbonates, a- and B- (LOWENBERG), 1886, A., 789.

B-Naphthylic cinnamate, decomposition of, by heat (ANSCHUTZ), 1885, T., 899; A., 1065.

Maphthylic cyanurates, α- and β-(Orτo), 1887, A., 1034.

ethylic carbonate (BENDER), 1867, A., 37.

o-oxalates, α- and β- (STAUB and SMITH), 1884, T., 303, 304.

phenylcarbamates, α and β- (SNAPE), 1885, T., 776; (LEUCKART and SCHMIDT), 1885, A., 1224.

sulphide, dinitro- (EKSIRAND), 1885, A., 171.

disulphides, sulpho-α-and -8-, potassium derivatives of (LEUCKART), 1890, A., 606.

o-tolylcarhamate (GATIERMANN and CANTZIER), 1892, A., 32.

Naphthylido. See Naphthylamido. Naphthylimidazole. See Naphthylglyoxaline.

a-Naphthylimidobenzil (naphthilbenzil) (Bandrowski), 1889, A., 147.

B-Naphthylimidobenzoin (Voigi), 1886. A., 885.

β-Naphthyl-β-imidobutyric acid. synthesis of (KNORE), 1884, A., 1198.

Naphthylimidodiacetic acids, α- and β-(BISCHOFF and HAUSDORFER), 1890, A., 1309.

 α-Naphthyl-ω-imidotoluenesulphonic acid (KAFKA), 1891, A., 720.

8-Naphthylmelamine (FRIES), 1886, T., 740.

a-Naphthylmethenyldiphenyldiamine (BOESSNECK), 1883. A., SOS.

B-Naphthylmethylamine (naphthylcarbinylumine) (BAMBERGER and BOEKMANN), 1887, A., 675.

Naphthylmethyl-biazolones and -ψthiobiazolones, α- and β- (FREUND), 1892, A., 509, 508.

a-Naphthylmethylic chloride (SCHER-LER), 1892, A., 494.

8-Naphthylmethylic chloride and bromide (Schulze), 1884, A., 1184.

1:8-Naphthyl-3-methylpyrazolone (naphtha-oxymethylquinizine) (KNORK), 1884, A., 1154. 1:a-Naphthyl-3-methyl-5-pyraxolone-

1:a-Haphthyl-3-methyl-5-pyraxoloneketo-4-a-naphthylhydrazone (SPRAGUE), 1891, T., 342.

8-Maphthylmethylsulphone (Otto and Rossing', 1892, A., 623.

a-Naphthylmethylthiohydantoin (MARCKWALD, NEUMARK and STELZ-NER), 1892, A., 150.

Naphthylnaphthylenebenzenylamidine (Ris. 1883. A., 58.

a-Naphthylosazoneglyoxalcarboxylic acid 'Nastvogel, 1889, A., 238. Naphthylphenyl-. See Phenyl-

Maphthylphenyl-. See Phenylnaphthyl-.

a-Naphthylphthalamic acid and anaphthylphthalimide (Piutri). 1886. A., 473, 472.

Maphthylpiperidines, α- and β- (Lell-Mann and Buttner), 1890, A., 1003.

 α-Naphthylpropionic acid and β-bronnoand αβ-dibromo- (BRANDIS), 1889, A., 1200.

β-Naphthylpropylene-ψ-semithiocarbazide (ÅVENARIUS), 1891, A., 550.

 α-Naphthylpropylene-ψ-thiocarbamide (PRAGER), 1890. A., 160.

Haphthylquinoline (ELIASBERG and FRIEDLANDER), 1892, A., 1107. Haphthylrosinduline and isonaphthyl-

Hapkthylrosinduline and isonaphthylrosinduline (FISCHER and HEPP), 1890, A., 910.

a-Maphthylmmicarbaside (PINNER), 1896, A., 687.

 8-Naphthylsemicarbazide (PINNER), 1888, A., 687; (HAUFF). 1890, A., 61.

a-Naphthylsemithiocarbazide (FREUND), 1892, A., 510.

β-Naphthylsemithiocarbazide (HAUFF) 1890, A., 61.

Naphthylsuceinamic acids, α- and β-(PELLIZZARI and MATTEUCCI), 1888, A., 1302, 1303.

Naphthylsuccinimides, α- and β- (Pellizzari and Matteucci), 1888, A., 1302, 1303.

β-Naphthylsulphonamic acid, ammonium salt of (TRAUBE), 1891, A., 569.

Naphthylthicearbamic acids, salts of (Losanitsch), 1892, A., 56.

a-Naphthylthiocarbamide (MARCK-WALD), 1892, A., 1331.

a-Naphthylthiocarbizine (FREUND), 1892, A., 510.

8-Naphthylthiocarbisine (HAUFF), 1890, A., 61.

Narceine and narcotine. See Alkaloids. Narceinic acid (CLAUS and MEIXNER), 1888, A., 612.

Naringenia (Will), 1885, A., 906.

Naringenia soid. See p-Coumaric acid.

Naringin and its derivatives (WILL), 1885, A., 906; 1887, A., 497. sugar from (WILL), 1887, A., 715.

Natrolite (Schtbert), 1883, A., 35; (Negri), 1891, A., 1438.

from Magnet Cove, Arkansas (GENTH and PENFIELD), 1892, A., 793.

from Monte Baldo (Luzzatto), 1890, A., 114; 1892, A., 690.

of Montecatini (MATTIROLO), 1891, A., 1438.

analysis of (Lindström), 1889, A. 219.

Natrophilite from Branchville (BRUSH and DANA), 1890, A., 1072.

Nectar (v. Planta), 1886. A., 575. Neodymium (Auer von Welsbach), 1885, A., 1113.

oxide. emission spectrum of (HAIT-INGER), 1892, A., 2.

Neossine (GREEN), 1886, A., 635. Neotesite (IGELSTROM), 1890, A

1076.
Nepaulite, so-called (MAILET), 1886,
A., 207.

Nephelinic tephrite of the Jamma Valley (MICHEL-LÉVY), 1886, A., 433.

Mephelite (nepheline) from the Cape Verde Islands, analysis of (DOELTER), 1883, A., 722 Nephelite 'acpholine' in the oligoclase of Denise (Des Cloizeaux and Jannettaz, 1883, A., 1067, preparation of C. and G. Filleri,

preparation of ('. and G. Fallori, 1890, A., 1000; (Met Niet), 1891, A., 22

Nephelite-basalt from the Cape Veule Islands, analysis of (DOELTER), 1883, A., 722.

near Tryberg in the Black Forest (WILLIAMS), 1883, A., 725.

from the Vogelsberg (SOMMERLAD), 1884, A., 275; 1855, A., 33.

Nephelite rocks in the United States (Wolff), 1855, A., 230.

from Ziegenhals, near Wohnfeld. analysis of Soumerland. 1881, A., 276.

Nephelite-syenite of the Kola Poninsula (RAMSAY, 1891, A, 531.

from the Transvaal (WUIFING) 1855, A., 925.

Nephrite (v. Beck' and v. MUSCHKE-TOFF), 1883, A., 1068; (CLARKE and MERLILL, 1890, A., 716.

from Alaska (Mryer), 1887, A., 222.

from Asia (MEYER), 1896, A., 210. from Jordansmuhl in Silesia (TRAUBE), 1885, A., 361, 1189; (KENNGOTT), 1885, A., 1119.

from Siberia (JANNETTAZ and MICHEL), 1883, A., 436.

from Tasmania (Bodewig), 1995, A., 733.

See also Jade and Jadeite.

Nephroma lusitanica, emodin from (BACHMANN), 1898, A., 722. Neriin (PIESZCZEE), 1890, A., 1316.

Neriin (PIESZCZEK), 1890, A., 1316. Nerium Oleander, constituents of the bark of (PIESZCZEK), 1890, A., 1316.

Nerve fibres and cells (peripheral), action of poisons on (LANGLEY and DICKINSON), 1891, A., 485.

Nerve substance, chemical composition of (Chevalier), 1886, A., 355.

Nerves, heat production in, during excitation (STEWART), 1892, A., 365. temperature in (ROLLESTON, 1890, A., 536.

influence of ptomaine hydrochloride on (Guareschi and Mosso), 1884, A., 618.

Nesquehonite (Genth and Penfield), 1890, A., 571.

Nesslerising (MILNE), 1888, A., 57. coloured tubes for (BRENEMAN), 1884, A., 1072.

Nessler test, influence of temperature on (HAZEN and CIARK), 1890, A., 1024.

Nets, methods used by fishermen for "barking" and in other ways preserving (STOREL, 1881, A., 800.

Neuridine BLIEGER), 154, A., 1202. See also Pentamethylenediamine.

Neurine Marino-Zuco, 1884, A., 342; (Schwidt), 1892, A., 219.

commercial (Brieger), 1984, A., 1202.

action of hydriodic and hydrobromic acids on (SCHMIDT), 1892, A., 808. physiological action of (BRIGGER; MIRINO-ZUCO), 1884, A., 1056; (CERVELLO), 1885, A., 925.

as a pyr xirl agent (OTT and COLL-MAR, 1888, A, 1325.

derivatives of (Bode, 1892, A., 806; (Schmide, 1892, A., 905.

di-tearylglycerolphosphate, and its derivatives (HTNDESHAGEN), 1884, A., 282.

See also Ptomaines.

Neurokeratin (Kuhne and Chitten Den), 1990, A., 807.

Neutralisation, thermal phenomena of (Pickering), 1887, T., 593; P., 77.

Neutrality, absolute, determination of (Duggan), 1886, A., 765.

Newberyite (MacIvor), 1887. A., 709. Newtonite (Brackett and Williams), 1892, A., 22.

Nickel (KRtss and Schmidt), 1889, A., 1114.

atomic weight of (BAUBIGNY), 1884, A., 256; (ZIMMERMANN), 1886, A., 596; (WINKLER), 1889, A., 759; (SCHUTZENBERGER), 1892, A., 1158. compound nature of (KRUSS and SCHMIDT), 1889, A., 349, 1114.

(metal) extraction of, from its ores (Mannes), 1885, A., 204.

metallurgy of (BLAKE), 1884, A., 129.

malleable, preparation of (ANON.), 1885, A., 308.

use of hydrogen sulphide to purify (BAUBIGNY), 1888, A., 423.

molecular changes in (LE CHATE-LIER), 1991, A., 1308.

ultra-violet spectrum of (LIVEING and DEWAR), 1889, A., 89.

refraction and dispersion of (Du Bois and Rubens), 1891, A., 373. anomalous rotatory dispersion in

(LOBACH), 1890, A., 673. passivity of (SAINT-EDME), 1588, A., 788.

magnetic properties of (Tomlinson), 1888, A., 592.

as a galvanic element (v. Neumann), 1887, A., 757. Nickel (metal,, specific heat of (NAC-CARI), 1888, A., 1236.

volatilisation of, in presence of carbonic oxide (GARNIER), 1891, A., 1429.

volatility of, in presence of hydrogen chlorida (SCHUTZENBERGER), 1891, A., 1429.

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 378.

occlusion of hydrogen by Neumann and Streiniz), 1892, A., 567.

action of carbonic oxide on (MOND, LANGER and QUINCKE), 1890, T., 749; P., 112.

action of nitric oxide on (SABATIER and SENDELENS), 1892, A., 1152; (MONTEMARTINI), 1892, A., 1278. action of nitrosyl chloride on (SUDBOROUGH), 1891, T., 660.

influence of, on steel (Osmond), 1890, A., 566.

Nickel alloys, molecular changes in (LE CHAIELIER), 1891, A., 1308.

with copper and zinc (German silver), volatilisation of z.nc from (HAYLAM), 1885, A., 707.

(HAGLAM), 1885, A., 707.
with copper and sinc (German silver),
analysis of (OETIEL), 1888, A., 323;
'All and Schulze, 1890, A., 418.
with non fenonickel), malleable,
preparation of (ANON.), 1885, A.,
161.

Nickel salts, effect of temperature on the magnetism of (PLESSNEE, 1890, A., 678.

action of alkal no polysulphides on DE KONINGK and LEDENT', 1892, A., 537.

action of salium cubonate and bromme of solutions of Gibson), 1890, A, 560.

physiological action of Guerens), 1885. A., 681; (Laloude and Ruger, 1888, A., 788...

relative absorption of cobalt salts and, by animal organs Chir-TENDEN and NORMS, 1889, A., 538.

ammoniacal derivatives of (ANDRÉ), 1888, A., 655.

Nickel antimonate (EPEL), 1990, A., 216.

A. 508.

pota-sium and sodium arschates (LEFEV RE), 1890, A., 563. chromodaite (Beng), 1890, A. 1378.

chromodaite (Beng), 1890, A., 1378, chloride, antiseptic action of (SCHULZ), 1884, A., 1440. Nickel fluoride (Poulenc), 1892, A., 1159.

potassium fluoride (POTLENC), 1892, A., 781.

fluoroxyhypovanadate (Piccini and Giorgis), 1892, A., 737.

periodate (KIMMINS), 1889, T., 151. hydroxide (DE SCHULTEN), 1889, A., 1115.

nitrate, basic (ROUSSEAU and TITE), 1892, A., 1157.

oxides (SCHRODER), 1890, A., 1213.

monoxide, behaviour of, on strong

heating (SCHUTZENBERGER), 1892, A., 1159.

sesquioxide (Carnot), 1889, A., 678. influence of, on the decomposition of potassium chlorate (FOWLER and Grant), 1890, T., 278.

hydrate of, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 79, 91.

alkali phosphates (OUVRARD), 1888, A., 1035.

hypophosphate and sodium hypophosphate (Drawe), 1889, A., 341. phosphide (Jannetraz), 1883, A., 651.

selenites (Boutzoureand), 1891, A.,

silicate, hydrated, from North America (Konig), 1890, A., 219.

orthosilicate (Bounggois), 1889, A., 832.

sulphate, action of hydrogen sulphide on solutions of Baubigny), 1883, A., 24.

anhydrous (LEPIERRE and La-(HATD), 1592, A., 1283 crystallisel Klofl' 1892, A.,

911. haste 'Athanases(r), 1-86, A, 982.

amm nium sulphrite (Lipilian and

IACHAUD). 1892, A., 1283. cobalt potassium sulplate Roy), 1887, P., 53.

sulphid . See Millerite.

subsulphide (GAUFIER and HALLO-PEAU), 1889, A., 831.

iion sulphide (HUNT), 1988, A., 1254; /MACKINIOSH,, 1889, A., 214. sodium sulphide (BRUNNER), 1990,

A., 215. thiosulphate (Fock and KLUSS) 1890.

Nickel organic compounds:-

A., 330.

Nickel carbide (v. Pebal), 1886, A., 854.

carbonyl (Mond, Langer and Quincke), 1890, T., 750.

Nickel carbonyl, properties of BERTHE- | Nickel, separation: --LOT), 1891, A., 1429.

physical properties of Mond and Nasini), 1891, A., 1322.

oxidation of (Bentheror, 1-92.

A., 279.

physiological action of (McKEN-DRICK and SNODGRAFT, 1891, A.,1130; (HANRIOI and RICHET). 1892, A., 365.

dextrosate (Chapman), 1591, T., 323. oxydiamine nitrite Soner and Robi-

NEAU), 1890, A., 216.

Nickel, detection, estimation separation:-

reactions (TERREIL', 1892, A., 1132. analysis of (LANGBEIN), 1886, A.,

1077; 1888, A., 531.

detection of (HAMELY), 1892, A., 1525. microchemical test for 'V. HAUS-HOFER), 1897, A., 300.

detection of adulteration in, by the magnet (WARREN, 1987, A., 531.

estimation of (CARNOT), 1886, A., 580, 650; 1889, A., 678; (BAYLEY), 1888, A., 388; (BRAND), 1890, A., 294; (LECRENIER). 1890, A., 297; (HOPE), 1890, A., 1470; (KRAUSS, 1891, A., 1139.

estimation of, on nickeled iron (Ковисн), 1886, А., 836.

estimation of, in ores, mattes, slags, etc. (Moore), 1887, A., 303, 1141. estimation, electrolytic, of (BRAND),

1890, A., 294. estimation, volumetric, of (MOORE),

1889, A., 747, 1033.

estimation, volumetric, of cobalt in presence of (McCulloch), 1887, A., 1141.

separation of, from aluminium, cobalt, iron, manganese and zinc (MOORE), 1888, A., 631.

separation, electrolytic, of, from cadmium (Smith and Wallace), 1892, A., 920.

separation of, from cadmium, copper, zinc, etc. (C'ARNOT), 1886, A., 580,

separation, electrolytic, of cadmium, of mercury, and of silver from (SMITH and FRANKEL), 1890, A., 664.

separation of, from cobalt (VORT-MANN), 1883, A., 621; (CLARK), 1884, A., 498; (v. ILINSKI and v. KNORRE), 1885, A., 840; (ROSEN-BLADT), 1886, A., 492; (GUCCI), 1886, A., 1077; (MACKINTOSH), 1887, A., 1141; (FISCHER), 1889, A., 653; (CARNOT), 1859, A., 747, 1116; (KRAUSS), 1891, A., 1139.

separation of, from col alt in the form of nitrites BATLUANS, 1859, A.,

separation of cobilt and, from iron (LEROY), 1891, A., 1139.

separation of, from iron (CAMPBELL), 1592, A., 103.

separation of, from manganese (JAN-NASCH and FRANZLK, 1892, A., 240.

separation of, from zinc (Moore), 1885, A., 193; (Osbornl), 1885, A. 595; (v. Bekg., 1847, A., 182; (BAYLEY, 1858, A., 388; (BAU-BIGNY), 1889, A., 652; (ALT and SCHULZE, 1890, A., 418.

separation, electrolytic, of gold from (SMITH and MUHR), 1891, A., 1396.

Nickel alkali-proof vessels (DITTMAR), 1884, A., 1071.

Nickel coins, assay of (ROBERTS-Austen), 1836, A., 101.

Nickel-grains in river sand near Biella, Piedmont (SELLA), 1891, A.,

Nickel ore, platiniferous, from Canada (CLARKE and CATLETT), 1889, A., 835.

from Gosenbach (HEUSLER), 1890, A., 711.

from Hungary (Sipocz), 1886, A., 313.

from Nevada, specimens of (New-BURY), 1885, A., 489.

from New Caledonia (READMAN), 1886, A., 320; (MOORE), 1891, A., 157.

from Oregon (Hood), 1885, A., 1190;

(CLARKE), 1888, A., 1045. Nickel-plated iron vessels, action of organic acids on (BIRNBAUM), 1884, A., 520.

Nickel-pyrites (McCay), 1854, A., 1098.

Nickel regulus, peculiar formation in (Moore), 1887, A., 1081.

Nicotenylamidoxime and its benzyl ether (Michaelis), 1892, A., 206, 208.

Nicotenylazo-. See Azo-.

Nicotenylphenyluramidoxime (MI-CHACLIS), 1892, A., 208.

Nicotiana longiflora, comparative effect of two metameric bodies on the growth of (REYNOLDS), 1883, A., **4**95.

icotiana Tabacum, alkaloids (Schutte), 1892, A., 232. Nicotiana Nicotine. See Alkaloids.

Nicotinic acid (puridin -3-curbosylic ucil) (Hoosewerfr and VAN DORP). 1853, A., 90; (OLCHSNER DE CONINCE), 1883, A., 739; (SKRAUP and COBENZL), 1853, A.. 1013; (v. PECHMANN and WELSH), 1885, T., 151.

tion of sodium ama (Weidel, 1891, A., 733. action of amalgam on

methylbetaine of (HANTZSCH) 1886, A., 369.

Nicotinic acid, 3-bromo- (CLAUS and COLLISCHONN), 1857, A., 159; (SRPEK, 1890, A., 177.

4-bromo- (CLAUS) 1892, A., 876. 6-chloro- (V. PECHMANN and WELSH),

1885, T., 151; A., 175. dichloro- (Severentel), 1887, A., 158.

isoNicotinic acid (pyridine-4-carboxylic acid; pyrocinchomeronic acid) (Weidel and Russo), 1883, A., 484; (HANTZSCH), 1884, A., 1194; (BEHRMANN and v. HOFMANN), 1885, A., 139.

from 7-isopropylpyridine (LADEN-BURG and SCHRADER), 1884, A., 1048.

action of sodium amalgam (WRIDEL), 1891, A., 734.

copper salt of (Borringer), 1884, A., 758.

2:6-dichloro-(Behrmann and v. Hof-MANN), 1885, A., 139. Nigella damascena, dama-cenine from

(SCHNEIDER), 1890, A., 1317.

Nile, fertilising properties of the water of the (MUNTZ), 1889, A., 646.

Niobate which has been improperly called euxenite from Mitchell Co., N. Carolina (SEAMON), 1883, A., 32.

Miobic acid from fergusonite (Kruss and Nilson), 1857, A., 706.

Niobic anhydride. See Niobium pentoxide.

Niobium potassium fluoride, reduction of, with sodium (Knuss and Nil-

son, 1887. A., 706. hydride and its molecular heat (Kriss and Nilson, 1957, A., 70G.

pentoxide 'nishic anhydrid , crystallised (Knop., 1887, A., 642; (MALLARD), 1888, A., 319.

molecular heat of (KRI ss and NIL-MON), 1887, A., 706.

action of carlon tetrachloride on (DEMARCAY), 1887, A., 329. colour reactions of (Lrvy), 1887,

combinations of potassium fluoride

with (Peressen), 1890, A., 15.

Niobium, detection and estimation of :-

microscopical test for (v. HAUS-HOFER), 1890, A., 56.

estimation of (OSBURNL), 1856, A.,

Nipecotinic acid (hexahydronicotinic acid) and its derivatives (LADEN-BURG), 1891, A., 735; 1892, A., 1485, 1486.

isoNipecotinic acid (hr.cahydroisonicotinic acid) (LADENBURG and KARAU; LADENBURG), 1892, A., 1486.

Nitracenaphthene (Quincke), 1887, A., 592; 1888, A., 813; (JANDRIER), 1887, A., 964.

diNitracenaphthene (Quincke), 1888, A., 843.

m-Nitracetaldehydephenylhydrazone (BISCHLER and BRODSKY), 1890, A., 150.

esoNitr-p-acetamidoisobutylbenzene (GELZER), 1888, A., 266.

diNitr-p-acetamidostyrene (GABRIEL and Herzberg), 1883, A., 1123; (Herzberg), 1885, A., 662.

Nitr-o-acetamido-p-toluic acid (NIE-MENTOWSKI), 1859, A., 1066.

p-Nitracetanilide, reduction of (MIX-TER), 1884, A., 665.

diNitracetanilides, 1:2:3-, 1:3:4- and 1.3:6- (WENDER), 1890, A., 885.

diNitracetanisidine (WENDER), 1890, A., 751.

Nitracetobenzylanilide. Nitrobenzvlacetanilide.

Nitracetocumidides, mono- and ENGEL), 1885, A., 1215.

Nitracetomethylanilides, m- and MELDOLA and SALMON), 1858, T., 777, 776.

γ-Nitr-a-acetonaphthalide, Liebermann's, bromination of (MELDULA), 1855, T., 502.

·liNitr-β-acetonaphthalide (Maschke), 1887, A., S39.

Nitr-a-acetonaphthalides, o- and (LELLMANN), 1584, A., 751, 752; (LELLMANN and REMY), 1886, A., 623.

bromination of (MELDOLA), 1885, T., 499.

action of bromine on a mixture of (Armsilong and Rossiren), 1891, P., 186.

Nitracetonylearbamide (FRANCHIMONE and Klobbir), 1889, A., 125.

Nitracetophenone. See Acetophenone. Nitracetophenonephenylhydrazone BISCHLER and BRODSKY), 1890, A., 151.

Nitracetotoluidide. See Acetotoluidide. | Nitramidocinnamide v. Miller and Nitraceto-p-xylidide (Norting, Wiff and FOREL), 1886, A., 58; (WITT), 1859, A., 601.

Nitracetoxypropylbenzoic acid (WID-MAN), 1884, A., 317.

Nitracetyl-\psi-cumidinesulphonic acid (Mayer), 1887, A., 659.

α-Nitr-β-acetylnaphthol, molecular transformation of (BUTTCHER), 1053, A., 1113.

o-Nitracetylphenol (Boti Her), 1883, A., 1113.

o-Nitr-p-aldehydocinnamic acid (Low), 1886, A., 461.

a-Nitralizarin (Brasch', 1891, A., 1077. diNitrallylbenzene (EDELEANU), 1887, A., 583.

diNitramarine and its salts (CLAUS and WITT), 1885, A., 1062.

diNitramidoacetylphenol (SCHIFF). 1886, A., 613.

Nitramidoanisoil (SCHEIDEL), 1886, A., 1046.

diNitrdiamidoanisoil (Nierzki Kurtenacker), 1892, A., 596.

Nitramidoazo-compounds, reduction of (MELDOLA', 1883, T., 432.

diNitr-m-Nitr-m- and -p-amidoazobenzene (nitrobenzeneaconitrantline) (ODDO), 1891, A., 554.

3:4-Nitramidobenzamide (GROHMANN), 1891, A., 305; (THIEME), 1891, A., 916. 5:2-Nitramidobenzamide (GROHMANN),

1892, A., 326. 1:3-diNitr-2:4:6-triamidobenzene (PALMER and JACKSON), 1890, A., 247.

s-triNitrtriamidobenzene (Jackson and Wing), 1888, A., 1276.

reduction of (PALMER), 1892, A., 1198. Nitramidobenzenesulphonic acid. See Anilinesulphonic acid, nitr-.

3:5-Nitramidobenzoic acid, action of potassium cyanate on (GRIESS), 1885, A., 54.

4:5-Mitramidobenzoic acid (THIEME), 1891, A., 916.

m-Nitr-p-amidobenzophenone (SCHOPFF), 1892, A., 336.

tetraNitraliamidobenzophenone (VAN Romburgh), 1889, A., 147.

m-Nitramidobenzylidene-m-nitrobenzenylamidoxime (STIEGLIFZ), 1890, A., 256.

esoNitramidoisobutylbenzene (GELZER), 1888, A., 266; 1889, A., 43.

Nitramidocarvacrol benzoate (MAZ-ZARA), 1891, A., 47.

Nitr-o-amidocinnamic acids, α- and β-(Friedlinder and Lazarus), 1885, A., 1139.

KINKELIN, 1889, A., 990.
Nitr/liamido-m-cresol (Nil1zki and RUPPERT), 1591, A., 309.

Nitramidodihydroxyquinone, potassium salt of (Nierzki and Benckiser), 1885, A., 779.

Nitr-p:p-diamidodiphenyl.See Nitrobenzidine.

m-diNitr-o-diamidodiphenyl (TAUBER), 1892, A., 481.

diNitramidodiphenylamine /NIETZKI and Ernsr), 1890, A., 1114.

Nitrdiamidoethenyl-a-naphthol hydro-

chloride (MEERSON), 1898, A., 713. 3:4-Nitramidomethoxybenzene (SCHEI-DEL), 1886, A., 1046.

3': 4'-Nitramido-2'-methylquinoline (CONRAD and LIMPACH), 1888, A.,

1111. Nitramido-a-naphthoic acid

STRAND), 1886, A., 948. Nitramido-\(\beta\)-naphthoic acid [m.p. 235°] (EKS1RAND), 1891, A., 79.

Nitr-p-amido ω -nitrostyrene LANDER and LAZARUS, 1885, A., 1139. triNitramidophenetoil (Kohlen), 1884,

A., 1161. Nitramidophenol. See Phenol.

Nitramidophenylisobutyric acid (EDE-LEANU), 1888, T., 560.

Nitramidophenylic carbonate (Lowen-BERG), 1886, A., 789.

Nitramidophenyl-u- and -\$-naphthylamines (HEIM), 1888, A., 488, 1096. 3:5-diNitr-4-amido-8-phenylpropionic

acid (Storen), 1884, A., 1350. diNitramidophenyl-p-toluidine

(ERNST), 1891, A., 300. p-Nitr-o-amidophenylurethane (Ha-GER), 1855, A., 150; (VAN ROM-BURGH), 1892, A., 712.

3:6:2:5-diNitrdiamidoquinone zki), 1887, A., 930.

o-Nitramidostilbene (BISCHOFF), 1888, A., 1094.

Nitramidotetrahydroxybenzene (NIETZ-KI), 1884, A., 58.

6:3-Nitramido-p-toluic acid (FILETI and CROSA), 1889, A., 495.

Nitramido-p-toluic acids, 2:6- and 3:6-(CLAUS and BEYSEN), 1892, A., 177.

Nitramidotoluquinol (KEHRMANN and Brasch), 1859, A., 970.

Nitramine of the quinoline group, attempted synthesis (SIMUNοf THOMAS), 1892, A., 725.

Nitramines (FRANCHIMONT and KLOB-BIE), 1889, A., 492.

from alkyl aromatic diamines (VAN ROMBURGH), 1888, A., 1079.

Nitramines, preparation of, from nitrophenols (BARR), 1888. A., 822.

1-Nitr-3'-amyl-2'-hexylquinoline (V MILLER), 1891, A., 1104.

Nitranilic acid (2:5-dinitro-3:6-dihydroxyquinone) (NIETZKI), 1883, A., 465; (LEVY and JEDLICKA), 1889, A., 390.

from chloranil (NEr), 1887, A., 926. formation of (Nierzwi and Preusser), 1887, A., 574.

preparation of (NIEIZKI), 1884, A., 58; (NIETZKI and BENCKISER), 1885, A., 779.

constitution of (HANTZSCH), 1886, A., 1021; (NIETZKI), 1887, A., 134. potassium salt of (NIETZKI and

BENCKISER), 1885, A., 779. salts of (NIETZKI), 1883, A., 465.

o-Nitranilidoacetic acid (PLOUHL), 1886, A., 351.

M-Nitranilidoacetic acid (PLOCHL and LOE), 1885, A., 899.

3:4-Nitranilidobenzanilide (Gron-MANN), 1891, A., 305.

5:2-Nitranilidobensanilide (Geom-MANN), 1892, A., 326.

m-Nitr-o- and -p-anilidobenzenesulphonic acids (Fischen), 1892, A., 332, 331.

m-Nitr-o-anilidobenzoicacid (SCHOPFF), 1891, A., 304.

m-Nitr-p-anilidobenzoicacid (Schopff), 1890, A., 374.

m-Mitr-o- and -p-anilidobenzonitriles (SCHOPFF), 1891, A., 305.

m-Nitr-o- and -p-anilidobenzophenones (Schoppe), 1892. A., 336.

Witranilidoisobutyric acid (EDELEANU), 1888, T., 560.

m-Nitranilido-p-hydroxybenzoic acid (Schopff', 1890, A., 375.

o-Nitranilido-α-naphthaquinone (LEI-CESTER), 1990, A., 1446.

Nitranilidonaphthaquinoneanilide

(ZINCKE and KEGEL), 1889, A., 266. o-Mitr-\$\textit{\textit{B}}\text{-anilidopropionic acid, and its derivatives (EINHORN), 1884, A., 304.

p-Nitr-\$\text{\$\text{\$\alpha\$}\text{\$\text{\$\alpha\$}\text{\$\alpha\$

triNitr-3-anilidotoluene, 2:4:6-(trinitrotolylandine) (BENILEY and WAR-REN), 1890, A., 486; (JACKSON and BENILEY), 1892, A., 1218.

Witramilidotoluquinone (LEICESTER), 1890, A., 1446.

2:4:de Mitranilidotolylamine (ERNSI), 1891, A., 300.

Mitraniline. See Aniline.

Mitranilinesulphonic acid. See Anilinesulphonic acid.

dinitranisidine (Wender), 1890, A., 752. p-Nitranisoil, reduction of (Gatter-MANN and RITSCHKE), 1890, A., 1120.

Nitranisoils, o- and p-, preparation of (Willgerodg and Ferko), 1886, A., 345.

e-diNitranisoil (Wender), 1890, A., 752. p-Nitranisylmethylnitrosamine (Besr), 1890, A., 608.

Nitranthracenes, mono-, and di- (Per-KIN), 1889, P., 13.

Nitranthranilic acid, bromine derivatives of (Dorsch), 1886, A., 359.

Nitranthraquinone (ROEMER), 1883, A., 71.

diNitranthraquinone (ROEMER), 1883, A., 737.

action of concentrated sulphuric acid on (Liebermann and Hagen), 1883, A., 72; (Liebermann),1883, A., 597; (Lifschutz), 1884, A., 1187.

a-Nitranthraquinonesulphonic acid and its derivatives (CLAUS), 1884, A., 1040.

action of strong sulphuric acid on, and the constitution of the latter (Lifschulz), 1884, A., 1189.

Nitranthrol (PERKIN and MACKENZIE), 1892, T., 869.

Nitranthrone, and the action of alcoholic potash on (PERKIN and MACKENZIE), 1892. T., 865, 868.

1892, T., 865, 868. Nitrantipyrin (KNORR), 1984, A., 1378;

(JANURIER), 1892, A., 730. diNitrapione (CIAMICIAN and SILBER), 1890, A., 1295.

Nitrates. See Nitric acid under Nitrogen.

Nitration (Meyer), 1889, A., 387.

with natric peroxide (ARMSTRONG and ROSSITER), 1891, P., 91.

Nitratopurpureorhodium chloride, dithionate and nitrate (Jorgensen), 1867, A., 114.

Nitratropine (EINHORN and FISCHER), 1892, A., 1014.

Nitrazo-. See Azo-.

Nitrazo-compounds, secondary (Mel-DOLA), 1883, T., 434.

reduction of, by alcoholic ammonium sulphide (WILLGERODI), 1890, A., 1116.

products of the reduction of (Janovsky), 1885, A., 789, 1131; (Janovsky and Erb), 1885, A., 894.

Nitre. See Potassium nitrate. Nitrethane. See Ethane.

Nitrethenyl-o-amidobenzamide (Denoff), 1890, A., 802; 1891, A., 84; (Thieme), 1891, A., 917. Nitrethoxybenzamide (THIEME), 1891, A., 916.

Nitrethoxybenzoic acid (THIEME), 1891, A., 916.

Nitrethoxybenzonitrile (LOBRY DE BRUYN), 1885, A., 657.

diNitrethoxydiphenyl (HIRSCH), 1889, A., 511.

diNitrethoxydiphenylamine(SCHOPFF), 1889, A., 773.

diNitrethoxyethylhydroquinoline (Kohn), 1886, T., 509.

1-Nitr-\$\mathcal{B}\$-ethoxynaphthalene, and action of ammonia on (Wiftkampf), 1884, A., 1036.

A., 1036. 1':4'-diNitr-8-ethoxynaphthalene (Onufrowicz), 1891. A., 321.

m-Nitrethoxyphenyl/bromonitroethane (FRIEDI ANDEI and LAZALUS), 1885, A., 1138.

Nitr-3-ethoxytoluene, 4:6-di- and 2:4:6tri- (SIAEDEL and KOLE', 1491, A., 187.

p-Nitrethylacetanilide (Nolting and Collin), 1884, A, 1013.

Nitrethylacetothienone (SCHLEICHER', 1886, A., 227.

m-Nitrethylaceto-p-toluidide (NIE-MENTOWSEI), 1887. A., 938.

o-Nitrethylaniline (HEMPEL), 1899, A., 600; 1890, A., 611.

dinitrethylaniline (HEMPEL), 1889, A., 600.

m-Nitrethylbenzaldoximes, stereoisomeric (Goldschmidt and Kjellin), 1891, A., 1478.

Nitrethylisobenzaldoximes, m- and p-(GOLDSCHMIDT and KJELLIN), 1891, A., 1478, 1477.

m-Nitrethylbenzenylamidine (Lossen), 1892, A., 52.

p-Nitrethylbenzenyloxime nitrite (WEISE), 1890, A., 46.

Nitr-p-ethylbenzoic acid and its salts (Aschenbrandt), 1883, A., 320.

(ASCHENBRANDT), 1883, A., 320.

m-Nitr-a-ethylcinnamaldehyde (V.

MILLER and ROHDE), 1889, A., 984,

diNitrethylenecarbamide (FRANCHI-MONT and KLOBBIE), 1888, A., 1180.

tetranitrethylenic bromide (dibromotetranitrethane) (LOSANITSCH), 1883, A., 564; (VILLIERS), 1884, A., 33.

Nitrethylenic glycol, magnetic rotatory power of (Perkin), 1889, T., 684, 726. dzNitrethylhydro-p-coumaric acid

(STOEHR), 1884, A., 1350.
Nitrethylic alcohol (Demuth and Meyen), 1889, A., 366; 1890, A., 857.

sodium salt of (Drwith and Meyfr), 1890, A., 858.

Nitrethylic chloride (DEMUTH and MEYFR, 1890, A., 858.

Witrethylidenephthalide (GABRIEL), 1886, A. 620.

triNitrethyl-α- and -β-naphthols (STAEDEL), 1883, Λ., 863.

p-Nitrethylphenylnitrosamine (Mel-DOLA and STREATFEILD', 1986, T., 631.

m-Nitrethyl-p-toluidine (NOLTING and STRICKER), 1986, A., 511; (NOLTING and ABP), 1888, A., 274.

Nitric acid. anhydride, oxide and peroxide. See under Nitrogen.

Nitric organism. See Microbes.

Nitrides, action of hydroxyhydrocarbon derivatives on (VIDAI', 1891, A., 1003.

Nitrification in presence of copper and other metals (KAPPEL), 1983, A., 286.

Nitrification as applied to agriculture. See under Agricultural Chemistry.

Nitrile bases, formation of, from organic acids and amines (BERN FHSEN), 1983, A., 1099.

Nitriles (MIIIER', 1839, A., 254.

aromatic (MEYER), 1989, A., 596; (ZINSSER), 1992, A., 311. formation of (MICHAEL and JEAN-

PRÊTRE), 1892, A., 1094.

dimolecular (v. MEYER), 1889, A., 577; (BURNS), 1892, A., 450.

ketonic, action of aromatic amines on (BOUVEAULT), 1891, A., 51.

action of hydroxylamine on (HAN-RIOT), 1892, A., 79.

trimolecular (v. MEYER), 1889, A., 577.

from aromatic amines (GASIOROWSKI and MERZ), 1884, A., 734.

from aromatic formamides (GASIO-ROWSKI), 1885, A., 772. from phosphates of the aromatic

from phosphates of the aromatic series (KREYSLER), 1885, A., 1055.

formation of, in exidations with nitric acid (Hell and Kiffosky), 1891, A., 812.

preparation of (KRtss), 1884, A, 1314.

synthesis of (Bouveault). 1891, A., 41.

synthesis of unsaturated (Fiquer), 1892, A., 1340.

refractive powers of (Costa), 1892, A., 757.

action of, on organic acids (COLEY and Dodge), 1891, A., 409. action of boron fluoride on (PATEIN),

1891, A., 1411.

Nitriles, action of hydroxylamine on (THEMANN 1994, A., 734, action of sodium and alcohol on

action of sodium and alcohol on aromatic (BAMBERGER and LOD-TER), 1887, A., 719.

action of sulphuric anhydride on (EITNER), 1892, A., 713.

reduction of (FREUND and IMMER-WAHR), 1890, A., 1407; (FREUND and REMSE), 1890, A., 1422.

conversion of primary amines into (v. Hofmann), 1884, A., 1288. conversion of, into imides (Pinnen),

1883, A., 730, 1089.

conversion of, into imido-ethers (PINNER), 1891, A., 59.

conversion of phenols into (MERZ), 1883, A., 802.

additive products of, with hydrogen iodide (Biltz), 1892, A., 1449. polymerisation of (v. Meyen), 1889,

A., 577; 1892, A., 576; (WACHE), 1889, A., 684; (SCHWARZE), 1890, A., 1159.

transformation of, in the organism (GIACOSA), 1984, A., 1061.

Mitriles, chloro-, volatility of (HENRY), 1885, A., 1044.

Metanitriles (SIAEDEL), 1983, A., 323; (WALLACH), 1883, A., 577.

Paranitriles (Mohlau), 1883, A., 342. Nitrilotriphenylmethane. See Phenylacridine.

Nitrites and hyponitrites. Ser Nitrous and Hyponitrous acids under Nitrogen. Nitrobarbituric acids (Ceresole), 1883.

Nitrobarbituric acid (CERLSOLE), 1883, A., 913.

Nitrobenzaldehyde. See Benzal lehyde. Nitrobenzaldoxime: See Benzaldoxime om-Nitrobenzamide, silver derivative of (Tafet and Engel, 1890, A., 973.

m-Nitro-m-benzamidobenzamide (SCHULZE), 1889. A., 779.

Nitrobenzene. See Benzene.

Nitrobenzeneazo. See Benzeneazo. Nitrobenzene-p-diazopiperidide (WAL-LACH), 1997, A., 131.

Nitrobenzenehomo-o-phthalopropylimide (LE BLANC), 1889, A., 256.

m-Nitrobenzenesulphinic acid (LIM-PRICHT), 1887, A., 723.

2:4-d.Mitrobenzenesulphonic acid (WILIGERODF and MOHE, 1995, A., 665; 1886, A., 1030.

triNitrobenzenesulphonic acid (WILL-GEROPT), 1885, A., 1232.

m-Mitrobenzenylamidine (TAFEL and ENOCE), 1890, A., 973.

m-Ritrobenzenylamidoxime and its derivatives (Schoppe), 1885, A., 896, 1217. 1. Nitrobenzenylamidoxime (WEISE). 1890, A., 44.

p-Nitrobenzenylamidoxime-ethylidene (WEISE), 1890, A., 46.

p-Nitrobenzenylazoximeacetylethenyl (Weise), 1890, A., 16.

m-Nitrobenzenylazoximebenzenyl and its derivatives (Schopff), 1885, A., 897, 1217.

p-Nitrobenzenylazoximebenzenyl (Weise), 1890, A., 45.

m-Nitrobenzenylazoxime-ethenyl (Schoff), 1885, A., 897.

p-Nitrobenzenylazoxime-ethenyl (Weise), 1890, A., 45.

m-Nitrobenzenylazoxime-m-nitrobenzenyl (Srieglitz), 1890, A., 256.

m-Nitrobenzenyldioxytetrazotic acid (Lossen and Neuberr), 1891, A., 1040.

p-Nitrobenzenylimidoximecarbonyl (WEISE), 1890, A., 45.

Nitrobenzidine, m-mono- and m-di-(TAUBER), 1890, A., 782.

di Nitrobenzidine (v. BANDROWSKI), 1888, A., 286.

m-diNitrobenzidine-m-sulphonic acid (Zehra), 1891. A., 313.

Nitrobenzil and its dioximes (HAUS-MANN), 1890, A., 624.

iso-d/Nitrobenzil, reduction of (Goluneff), 1885, A., 660.

m-Nitrobenzimidoethyl ether (TAFEL and ENOCH), 1890, A., 973.

p-Nitrobenzobenzylamide (HAFNER), 1889, A., 982; 1890, A., 486.

Nitrobenzobromamides, o-, m- and p-(Hoogewelff and VAN Donp), 1889, A., 982.

m-Nitrobenzoic acetic anhydride (GREENE), 1890, A., 53.

o-Nitrobenzoic acid, derivatives of (Bischoff and Rach), 1885, A., 263.

Nitrobenzoic acids, o-, m- and p-, conversion of the three nitranilines into (Sandmeyer), 1885, A., 981.

m-Nitrobenzoic anhydrimide'Schulze), 1889, A., 779.

p-Nitrobenzoic sulphinide (Noves), 1886, A., 804.

o-Nitrobenzonitrile (MEYER), 1886, A., 63.

m-Nitrobenzonitrile (GABRIEL), 1883, A., 916; (SCHOPFF), 1885, A., 896. Nitrobenzophenone. See Benzophenone.

p-Nitrobenzophenylhydrazide (HAUSS-KNECHT), 1889, A., 507.

p-Nitrobenzo-p-toluidide (GATTER-MANN and NEUBERG), 1892, A.. 889.

- p-Nitrobenzoylacetic acid and its desi- 'o-Nitrobenzylformanilide 'PAML and vatives Prikin and Bellenoti, 1884. A., 1023; 1585, A., 794; 1856, T., 440; P., 193.
- o-Nitrobenzoylacetone (FISCHER and KUZEL), 1884, A., 60; (GEVEKOHT), 1884, A., 445.
- p-Nitrobenzoylcarbinol (Engles and ZIELKE), 1889, A., 505
- α-Nitro-β-benzoylnaphthol, molecular transformation of (BUTICHEL), 1853, A., 1113.
- m-Nitrobenzoylpiperidine and its derivatives (Scholila), 1585, A., 1105. Nitrobenzoylresorcinol (ERLERA 1, 156,
- p-Nitrobenzovl-tetramethyleneand
- -trimethylene-carboxylic acids P1 K-KIN and BELLLNOF, 195, A. 795.
- Nitrobenzyl ether, o-, m- and p-(Erlera), 1889, A., 218.
- triNitrobenzyl methyl ketone Dirтиси), 1890, А., 1419.
- Nitrobenzylacetamide AMSEL and V. Hofmann, 1886, A., 698; (Hafner), 1889, A., 982; 1890, A., p-Nitrobenzylacetamide 486.
- o-Nitrobenzylacetanilide (PAAL and Krecke), 1890, A., 1413.
- p-Nitrobenzylacetanilide (MELDOLA and Salmon', 1888, T., 779.
- o-Nitrobenzylacetomethylamide (GA-BRIEL and JANSEN), 1892, A., 218.
- Nitrobenzylamine. See Benzylamine. o-Nitrobenzylaniline and its derivatives (LELLMANN and STICKEL), 1886, A., 793.
 - reduction of (PAAL and KRECKE), 1890, A., 1444.
- m-Nitrobenzylisobenzaldoxime (BEH-REND), 1892, A., 50.
- p-Nitrobenzylisobenzaldoxime, modifications of (BEHREND and KONIG), 1890, A , 1412.
- o-Nitrobenzylbenzamide (GABRIEL and JANSEN), 1890, A., 1442.
- o-Nitrobenzylcarbamide (GABRIEL and JANGEN), 1892, A., 218.
- p-Nitrobenzylcarbamide (HAFNER), 1889, A., 982; 1890, A., 18d.
- o-Nitrobenzylcyanocamphor (HALLER), 1891, A., 1499.
- Nitrobenzyldeoxybenzoins, o- and p-(Buddeberg', 1890, A., 1142.
- m-Nitrobenzyldimethylamine MANN', 1556, A , 57.
- o-Nitrobenzylethyl-//-amidophencl hydrochloride (LEILV INN and BOYE', 1890 A., 1116.
- o-Nitrobenzylformamide (GAPIHI and JANSEN 1, 1590, A., 114 ..

- Bus(H), 1890, A., 72.
- o-Nitrobenzylformo-o- and -1-toluidides (PAAL and Bt = 11), 1540, A . 74, 73.
- M Nitro-β-benzylhydroxylamine (BEH-LEND), 1502, A . 51.
- μ-Nitrobenzylic alcohol (HAFNER), 1890, A , 496.
 - preparation and condensation products of (Basker, 1584, A., 310.
- Nitrobenzylic chloride, uduction of (Peli izzaki), 185, A, 770.
- o-Nitrobenzylic (ALELII), chloride 1883, A., 1092; Krmr), 1884, A., 1004; (Nolfine, 1881, A., 1005; 1985, A., 52.
- m-Nitrobenzylic chloride 1993, A., 1092.
- p-Nitrobenzylic chloride KUMIF, 1374, A., IIIII
- Nitrobenzylic iodides. o- and p- Kumpf', 1954, A., 1504.
- p Nitrobenzylic nitrate (STAEDEL), 1×83, A., 864.
- p-Nitrobenzylic picrate (Krmrf), 1884, A., 1005.
- p-Nitrobenzylideneamidophenyltolylamine (REICHOLD) 1890. A., 610.
- o-Nitrobenzylideneazine (CURTIUS and JAY), 1889, A., 303,
- m-Nitrobenzylidenebenzidine (SCHIFF and VANNI), 1890, A., 1298.
- m-Nitrobenzylidenedimethyldisulphone (Bongartz , 1886, A., 938.
- See Nitrobenzylidenemalonic acid. Benzylidenemalonic acid.
- m-Nitrobenzylidene-2'-methylindole (Fischer), 1888, A., 284.
- 3-Nitrobenzylidene-2'-methylquinoline (WARTANIAN), 1891, A., 330
- 4-Nitrobenzylidene-2'-methylquinoline
- (Bulach), 1887, A, 976. m Nitrobenzylidene-4'-methylquinoline (HEYMANN and KOENIGS), 1828. A., 853.
- Nitro/sobenzylidenephthalimidine (Garriel), 1886, A., 630.
- m-Nitrobenzylidene /-xylidine (Privg', 1890, A., 606.
- /-Nitrobenzylidenic chloride, (ZIWUI RUANN nontring of and MULIER), 1885, A . 771.
- p-Nitrobenzyl-p-nitromobenzaldoxime (BEHBEND and Kovic), 1891, A., 1034.
- Nitrobenzyl-dinitro-u eresol and -dinitrophenol STALDLL'. 1583, A., SG4.
- Nitrobenzylphosphinic acid THAUER), 1889, A , 1168.
- o-Nitrobenzylphthalimide (GAPRIEL', 1947, A., 1037

m-Nitrobenzylphthalimide (GABRIEL and HENDESS), 1989, A., 111.

p-Nitrobenzylphthalimide (HAFNER), 1889, A., 952; (SALKOWSKI), 1889, A., 1174.

diNitro-m-benzyltoluene (SENFF), 1884, A., 427.

q-Nitrobenzyl-p-toluidine and its derivatives (LELLMANN and STICKEL), 1886, A., 793.

Nitrobenzyl-m-xylidine (JABLIN-GONNET), 1892, A., 1320.

penta Nitrobisa zoben zenephenylhydrazine (WILLGERODF and MUHE), 1992, A., 456.

Nitrobrucine (HANSSEN), 1986, A., 564.

diNitrobutane and its salts (CHANCEL), 1883, A., 915; 1885, A., 647.

Nitrobutane, tertiary (BEWAD), 1891, A., 653.

diNitroisobutylaniline (BARR), 1988, A., 823.

Nitro-tert.-butylbenzene (Seńkowski), 1890, A., 1296.

m-Nitroisobutylbenzene(Gelzer), 1889, A., 43.

Nitro-p-isobutylphenol (GELZER), 1889, A., 43.

triNitro-m-isobutyltoluene (BAUR), 1890, A., 1401; 1891, A., 1464.

triNitroisobutyl-m-xylene(BAUR), 1890, A., 1402.

Nitrocampholenic acid (Kachler and Spirzer), 1883, A., 1003. Nitrocamphor. See ('unphor.

Nitrocamphorates (CAZENEUVE), 1858, A., 963.

Nitrocarbamidobenzoie See Nitruramidolenzoic acid.

Nitrocarbazole (Mazzara), 1891, A.,

Nitrocarbonyl-o-amidophenol (v. Chel-

MICKI), 1891, A., 52. 1-Nitrocarbostyril (v. MILLER and

KINKELIN, 1589, A., 990. Nitrocarbostyril, α-, β- and γ- (FRIED-LANDER and LAZARLE, 1855, A.,

diNitrocarvaerol (MAZZARA), 1891, A.,

Nitrocasein, use of, in dyeing (Dollet s), 1884, A., 1449.

Nitrocellulose (Cross and Bevan). 1883, T., 23; (NETILEFOLD), 1887. A., 792.

Nitrochloroform. See Chloropierin.

Mitrosinnamaldehyde. See Cinnamaldehyde.

p-Mitrocinnamaldoxime (EINHORN and GEHRENBECK), 1890, A., 161.

o-Nitrocinnamhydrazoine (CORNELIUS and Homolka), 1886, A., 1026.

Nitrocinnamic acid. See Cinnamic acid. o-Nitrocinnamoylacetone (Fischer and

Kuzel), 1883, A., 587, 588.

 Nitrocinnamoylacraldehyde (EIN-HORN), 1884, A., 1346.

o-Nitroeinnamoylformic acid BAEYER and DREWSEN), 1883, A.,

triNitrocitrotrianil (SCHNEIDER), 1888, A., 465.

Nitrocobalt (SABATIER and DERENS), 1892, A., 1390.

Nitrococcusic acid. See triNitrohydroxy-m-toluic acid.

Nitrocorulignol (Pastrovich), 1883, A., 1006.

Nitrecopper (SABATIER andDERENS), 1892, A., 1390.

Nitrocoumaraldehydes (v. Miller and Kinkelin), 1887, A., 939.

(v. o-Nitrocoumarin MILLER Kinkelin), 1889, A., 989.

m-Nitrocoumarin (TAEGE), 1887, A., 939; 1891, A., 918.

o-Nitrocoumarinic acid (v. Miller and Kinkelin), 1889, A., 989,

See Cresol. Nitrocresols.

triNitrocresotic acid. See triNitrohydroxy-m-toluic acid.

Nitrocresorcinol. See Nitro-2:4dihydroxytoluene.

Nitrocumenes. See Cumene.

m-Nitro-ψ-cumenol (Auwers), 1886,

A., 144. 2:5-diNitro-4-cumenol (ATWERS), 1885, A., 381; 1886, A., 144.

Nitro-\psi-cumidinesulphonic (MAYER), 1887, A., 953.

o-Nitrocuminaldehyde (o-nitrocuminol) (EINHORN and HESS), 1884, A., 1352. Nitrocuminic acids. See Cuminic acid.

Nitro-ψ-cumo-quinol and -quinor NEF), 1887, Δ., 255; 1988, T., 438.

m-Nitro-a-cumylacraldehyde(v.Miller and ROLDE), 1889, A., 984.

Nitrocumylacrylic acid. See Cumylacrylic acid.

m-Nitro-ψ-cumylic nitrate (Auwers), 1885, A., 380.

m-Nitrocyananiline (SENF), 1887, A.,

o-d'Nitrocyano-s-diphenylethane (nitrocyandilenzyl) (BAMBERGER), 1887, A.,

Nitrocyano-m-xylene (AHRENS), 1892, A., 1437.

Nitrocymenes. See Cymene.

Nitrocymene-a-sulphonamide(ERRERA), 1890, A., 1287.

6-Nitro-p-cymene-2-sulphonic acid and | Nitrodiacetotolylene-o-diamides, mo roan isomeride (ERRERA), 1890, A., 1287, 1288; 1891, A., 1066.

2:6-diNitrocymidine, constitution of (MAZZARA), 1990, A., 753.

Nitro-m-isocymidine (Kelbe and WARTH), 1884, A., 47.

Nitrodehydropiperidylmethylurethane (Schotten), 1883, A., 814.

Nitrodehydropiperidylurethane and its bromhydroxyl-derivative (St HOFTEN), | 1883, A., 814.

p-Nitrodeoxybenzoin (Perrenko- 1 KRITSCHENKO), 1892, A., 1227.

p-Nitrodeoxybenzoinoxime (NEY), 1883. A., 1197.

Nitro-derivatives, method of preparing ARMSTRONG and ROSSITER, 1991, P., 91.

preparation of secondary and tertiary, from halogen derivatives of nitromethane and nitroethane BEWAD, 1859, A., 1128.

magnetic rotation of Perkin, 1889,

T., 687, 724.

connection between the magnetic rotation and the refraction and dispersion of light by 'GLADSTONE and Perkin), 1889, T., 750; P., 114.

first product of the reduction of, by stannous chloride (HOFFMANN and MEYER:, 1892, A., 291; (WILL-GERODT), 1892, A., 594; (KIRPAL', 1892, A., 1067.

additive-products of, with hydrocarbons (HEPP), 1883, A., 317.

explosive decomposition of (BERTHE-LOT), 1888, A., 216.

of the adipic hydrocarbons, Geuther's views on the constitution of (MEYER), 1888, A., 570.

of alcohol radicles, action of alkalion (Sokuluff), 1889, A., 365.

coloured, constitution of strong), 1692, P., 101.

fatty (Kolotoff), 1889, A., 1140; (MEYER), 1892, A., 575.

of the paraffiu series, action of alkalis on (DUNSTAN and DYMOND), 1891, T., 410; P., 77.

action of zinc ethyl on primary and secondary (BEWAD), 1889. 1127.

diNitro-derivatives. reaction for (JANOVSKY), 1891, A., 655.

Nitro-a-diacetonaphthalides, a- and p-(LELLMANN and REMY), 1586, A., 624.

2-Nitro-1:4-diaceto-a-naphthylenediamide (KLEEMANN), 1856, A., 472. and di- (BISTRZY KI and ULFFER-), 1892, A., 1197.

3-Nitrodiacetyl-p-amidophenol (Hahle), 1891, A., 430.

m-diNitrodiacetylbenzidine-m-sulphonic acid (Zehra), 1891, A., 313. Nitrodiacetylresorcinol (ERRERA), 1886

A., 51.

Nitrodiazo-. See Diazo- under Azo-. m-Nitrodibenzamide (Lossen), 1992, A., 52.

Nitrodibenzotolylenediamide (BIN-TEZYCKI and ULFFERS), 1892, A., 1197.

diNitrodibenzoyl-p-oxydiphenylamine (PHILIP and CALW), 1885, A., 156.

Nitrodibenzoylresorcinols, mono-, and tri- (Ernera), 1886, A., 50, 51.

Nitrodibenzoylstyrene itrodibenzoylstyrene (JAPP KLINGEMANN), 1890, T., 676. and

m-diNitrodibenzylbenzene BECKER), 1893, A., 203.

p-diNitrodibenzylbenzene (Basler), 1884, A., 310.

p-diNitrodibenzylcarbamide (HAF-NER), 1889, A., 982.

Nitrodibenzylhydroxylamine, oxidation of (BEHREND and Konic), 1892, A., 1456.

o-Nitrodibenzylic mono- and di-sulphides (JAHODA), 1890, A., 487, 488. diNitrodibenzylidenedithioxamide (EPHRAIM), 1891, A., S31.

m-Nitrodibenzylmethylamine (Borg-MANN), 1886, A., 56.

di-o-Nitrodibenzylmethylamine BRIEL and JANSEN), 1892, A., 218.

p-diNitrodibenzylthiocarbamide (HAF-NER), 1890, A., 487.

Nitrodicresol - (nitrodihydroxyditolyl) (LOEWENHERZ), 1892, A., 852.

diNitrodicresol (DENINGER), 1888, A.,

diNitrodiethenvltetramidoditolyl(BAN-KIEWICZ), 1888, A., 1184.

Nitro-1:4-diethoxybenzenes, mono-,di-, and tri- (NIETZKI), 1883, A., 466.

triNitro-1:4-diethoxybenzene, actions of (Nietzki and Kaufmann), 1892, A., 314.

m-Nitrodiethylaniline (GROLL), 1886, A., 347.

p-Nitrodiethylaniline (LIPPMANN and FLEISSNER), 1888, A., 868, 1100.

diNitrodiethylaniline (LIPPMANN and FLEISSNER), 1854, A., 179.

Nitrodiethylbenzamide (VAN BURGH , 1586, A., 546. diNitrodihydroxyanisoil (NIETZKI and Kurtenacker), 1892, A., 596.

tetraNitro-1:3(2)-dihydroxybenzene (HENRIQUES), 1883, A., 327, 329.

Nitro-p-dihydroxydiphenylt: ichlorethanes, di- and tetra- (ELBS and HOERWANN), 1889, A., 998.

3-Nitro-2:4-dihydroxypyridine-5-6(')-carboxylic acid (BISCHOFF), 1889, A., 519.

Nitro-2:5-dihydroxyquinone (NIETZKI and SCHMIDT), 1889, A., 968.

2:5-diNitro-3:6-dihydroxyquinone. See Nitrapilic acid.

diNitro-2:4-dihydroxytoluene (dinitrocresorcinol) (v. Kostanecki), 1888, A., 264.

4-Nitro-3 6-dihydroxytoluquinone (tolunitranilic arid) (KEHRMANN) 1888, A., 940; (KEHEMANN and Brasch), 1889, A., 969.

m-Nitro-p-dihydroxytriphenylmethane (DEVARDA and ZENONI),1891, A., 1346.

diNitro-p-dihydroxytriphenylmethane (Russanoff), 1891, A., 1285.

tetraNitrodimethyldiamidobenzophen-ROMBURGH), 1888, A., one (VAN 1079, 1197.

diNitrodimethylamidodiphenylamine (nitrodimethylphenylphenyl nediamine) (LELLMANN and MACK), 1890, A., 1410.

diNitrodimethylamidophenol and its derivatives (LIPPWANN and FLEISS-NER), 1886, A., 235.

Nitrodimethylamine, reduction (FRANCHIMONT), 1885, A., 963.

Witrodimethylaniline. See Dimethyl-

aniline.

Nitrodimethyl-o-anisidines, mono- and tri- (GRIMAUX and LEFT VRE), 1891, A , 1031.

tetraNitrodimethylazobenzene MER-TENS), 1886, A., 1022.

Nitrodimethylbenzamide (VAN BURGH), 1586, A., 546.

tetraNitrodimethylbenzidine (VAN ROMBURGH), 1557, A., 245.

Nitro-2:4-dimethylbenzoic acid (AH-RENS). 1892, A., 1437.

3-Nitro-2 4-dimethylbenzoic acid. (CLaus', 1890, A., 950.

3:5-diNitro-2:1-dimethylbenzoic acid (CLAUS), 1590, A., 951.

diNitrodimethylmalonamide (FRANCHI-MONT, 1886, A., 419.

tetraNitrodimethyldinitrodiamidobenzophenone (VAN ROWBURGH), 1888, A., 1079, 1196.

dilitrodimethyloxamide (FRANCHI-MONT), 1886, A., 445.

4-Nitrodimethyl-o-phenylenediamine (HEIM), 1888, A., 1097.

2:4:6-(?)triNitrodimethyl-m-phenylenediamine (VAN ROMBURGH), 1888, A., 1185.

4-Nitro-1:3-dimethylquinoline (Nolf-ING and TRAUTMANN), 1891, A., 328; 1892, A., 729.

Nitrodimethyl-a-resorcylic acid (nitrodimethoxybenzoic acid) (MEYER), 1888, A., 148.

diNitro-s-dimethylsulphonamide

(FRANCHIMONT and KLOBBIE), 1885, A., 969.

diNitro-β-dinaphtholdisulphonic acid (Julius), 1888, A., 161.

Nitrodinaphthyls, monoand di-(Julius), 1887, A., 56.

tetraNitro-ββ-dinaphthyl (Sraub and Sмітн), 1885, T., 105.

diNitrodi-β-naphthyl ketone (CLAUS and RUPPEL), 1890, A., 510.

Nitrodi- β -naphthylamines, ditetra- (Ris and Weber), 1884, A., 752; (Ris), 1888, A., 58.

hexaNitrodi-β-naphthylamine 1888, A., 58.

tetraNitrodi-a- and -β- naphthylcarbamides (Perkin), 1892, T., 467.

Nitrodi-\$-naphthylene oxides, monoand tetra- (Hodgkinson and Lim-Pach), 1891, T., 1100.

diNitro- $\alpha \beta$ -dinaphthylic sulphide (Exstrand), 1885, A., 171. p-Nitro-3:3'-diphenic sc

acid (nitrodiphenylcarboxylic acid) (STRASBURG-ER), 1884, A., 329.

3:3'-diNitro-p-diphenol (KUNZE), 1899, A., 262.

1:2-diNitrodiphenyl (TAUBER), 1891, A., 570.

1:3-diNitrodiphenyl (BRUNNER and Wirr). 1887, A., 673.

p-diNitrodiphenylacetylene (Eles and BAUER), 1887, A., 152.

Nitrodiphenylamine. See Diphenvlamine.

 d_{ℓ} Nitrodiphenylamine-o-carboxylic acid and its derivatives (JOURDAN). 1885, A., 959.

m-Nitrodiphenylamine-p-carboxylic acid (Schopff), 1890, A., 374.

Nitrodiphenylbenzylidenemaleimidine (Cohn), 1892, A., 487.

triNitrodiphenylbenzylphosphine oxide (DURKEN), 1888, A., 833.

m-Nitro-s-diphenylcarbamide (Leuck-ART\, 1890. A , 760.

p-Nitro-s-diphenylcarbamide (GOLD-SCHMIDT and MOLINARI), 1888, A., 1285; (LEUCKART), 1890, A., 760.

nt-diNitro-s-diphenylcarbamide banitsch), 1883. A., 593.

p-diNitrodiphenyldibutinyl ketone (EINHORN and GEHRENBECK), 1890, A., 162.

m-diNitrodiphenyldisulphine (EKEOM), 1891, A., 567.

p-diNitro-s-diphenylethane, preparation of (Roser), 1887, A., 836.

Nitro-as-diphenylethanes, mono- and di-(Anschutz and Romic), 1885, A., 768.

Nitrodiphenylformamidine m-monoand m-di- (Comstock and Wheelen), 1892, A., 706, 707.

Nitrodiphenylguanidine dicyanide (Hirsch), 1888, A., 947.

a-diNitro-s-diphenylhydrazine (Will-GEEODT and FERKO), 1888, A., 829; (WILLGERODT and HFRMANN), 1889, A., 1160; 1890, A., 1259.

triNitro-s-diphenylhydrazine (FIS-CHER), 1890, A., 40.

CHER), 1890, A., 40. conversion of, into nitrosodinitrazobenzene (FREUND), 1889, A., 977.

m-Nitrodiphenylizindihydroxytartaric acid (Bischlen and Brodsky), 1890, A., 151.

Nitrodiphenylmethane. See Diphenylmethane.

m-Nitro-s-diphenylmethylcarbamide (LELLMANN and BENZ), 1891, A., 1215.

Nitrodiphenylmethylcarbinol (Anschutz and Romig), 1885, A., 768.

Nitro-1.5-diphenyl-3-methylpyrazoles, o- and p. (Knorr and Jodicke),1885, A., 1247, 1248.

triNitro-1:3-diphenyl-5-methylpyrasole (Knorn and Laubmann), 1889, A., 409.

Nitro-1:5-diphenyl-3-methylpyrazole-4carboxylic acids, o- and p- (Knorr and Jodicke), 1885, A., 1247, 1248.

Witrodiphenyl-αβ-naphthatriazines, ο-, m- and p- (Meldola and Foester), 1891, T., 681.

o-Nitrodiphenylnitrosamine (FISCHER), 1892, A., 332.

Nitrodiphenyloxalylguanidine (Hirsch), 1888, A., 947.

Nitrodiphenylparabanic acid (HIRSCH), 1888, A., 947.

diNitrodiphenylparabanic acid (v. Stojentin). 1885, A., 1195.

diNitrodiphenylphosphinic acid (Dörken). 1888, A., 833.

diNitrodiphenylphosphonic acid (RAPP), 1884, A., 1337.

1889, T., 101.

p-diNitrodiphenylpiperazine (Schmidt and Wichmann), 1892, A., 210. diNitro-2·3-diphenylpyrazine (Mason). Nitrodiphenylquinols, di., tri- and tetra- (Nietzki and Schundelen), 1892, A., 310

Nitrodiphenylresorcinols, tetra-, pentuand hexa-(Nietzki and Schundelen), 1892, A., 310.

m-Nitrodiphenylsemithiocarbazide (BISCHLER and BRODSKY), 1890, A., 151.

cliNitrodiphenylsulphoxide (Colby and McLoughlin), 1887, A., 372.

Nitrodiphenyltetrazine (RUHEM NN), 1890, T., 51.

Nitro-s-diphenylthiocarbamides, monoand di-, action of iodine on (Losa-NITSCH), 1883, A., 582.

Nitrodiphenylthiocarbimides. m-monoand m-di- (Sceudenann), 1883, A., 801.

Nitrodiphthalyl (GRAEBE and GUYE),

1886, A., 882. Nitrodiphthalylethanes, mo 10- and di-(GABRIEL), 1886, A., 620.

diNitrodipiperonylideneacetone (HABER), 1991, A., 705.

diNitrodipropylaniline (VAN ROW-BURGH), 1889, A., 971.

diNitro-p-dipropylbenzene (KORNER), 1883, A., 321.

diNitrodiresorcinol (HAZURA), 1883, A., 1114.

p-Nitrodistyryl ketone (v. Baever and Becker), 1883, A., 1120.

di-o-Nitrodistyrylvinyl ketone (Diehl and Einhorn), 1885, A., 1222.

diNitro-o-ditolyl, preparation of (TAUBER and LOEWENHERZ), 1891, A., 1491.

diNitroditolyl ketone (Lange and Zufall), 1892, A., 1460.

diNitroditelylethylenediamine (GAT-TERMANN and HAGER), 1884, A., 1142.

Nitro-o- and-p-ditolyltetrazines(RUHE-MANN), 1890, T., 54, 51.

Nitro-p-ditolylthiocarbamides, o- and di- (STEUDEMANN), 1894, A., 308, 307. Nitroethane. See Ethane.

Nitrofluorene (Hodgkinson), 1885, P., 37.

p-Nitrofluorene (STRASPURGER), 1894, A., 754.

m-Nitroformanilide (Comstock and Wheeler), 1892, A., 706.

p-Nitroformanilide (OSEGRNE and MIXTER), 1887, A., 250.

Nitrofurfurylamine(Del mmann), 1892, A., 43.

Witrogen (GAUTIER', 1888, A., 1127. origin of combined terrestrial / MUNIZ and ALBIN), 1884, A., 104. Witrogen, accumulation of atmospheric, in cultivations of Bac Ilus radicicola (BEYERINCK), 1892, A., 1019.

in blood (JOLYET and SIGALAS), 1892, A., 1257.

in cow's milk (NILSON), 1890, A..652. in sputum (PANOFF), 1889, A., 1076. in uraninite (HILLEBRAND), 1891, A., 527.

atomic volume of (v. WROBLEWSKI). 1886, A., 661.

preparation of (BERTHELOT), 1890, A., 330.

obtaining a constant stream of (Ner-MANN), 1888, A., 784.

supposed allotropic modification of (Williams and Ramsay), 1886, P., 223; (Thomson and Threlfall), 1887, A., 329.

spectrum of (AMES), 1891, A., 1. spectrum of, at the negative pole (DESLANDRES), 1886, A., 957. band-spectrum of (DESLANDRES), 1886,

A. 189

correspondence between the magnetic rotation and the refraction and dispersion of light by compounds containing (GLADETONE and PERKIN), 1889, T., 750; P., 114.

refraction equivalent of (GLADSTONE), 1884, T., 257; (BRUHL), 1887, A., 193.

dispersion equivalent of (GLADSTONE), 1889, A., 389.

electrochemical researches on (Johnson), 1884, A., 383.

passage of electric discharge through (Thomson and Theelfall), 1887, A., 328.

density of (LEDUC), 1890, A., 1370; 1891, A., 1416.

compressibility of (AMAGAT), 1883, A., 150.

compressibility of, at very high pressures (AMAG 17), 1889, A., 8.

liquefaction of (v. Weoblewski and Olszewski), 1883, A., 781, 952.

boiling point of, under atmospheric pressure (v. Wroblewski), 1884, A., 817.

critical temperature and pressure of; relation between its boiling point and the pressure (OLSZEWSKI), 1884, A., 1257,

insulating properties of liquid (v. WROBLEWSKI), 1885, A., 1099.

density of liquefied (Olszewski), 1887, A., 694.

solidification of (v. Wroblewski), 1884, A., 553; (Olszewski), 1885, A., 475. Nitrogen, absorption of, in slow oxidation (Berthelot), 1889, A., 673.

absorption coefficient of, in alcohol (HENRICH), 1892, A., 1043.

solubility of, in water (WANKLYN and JOHNSTONE), 1892, A., 108; (WINK-LER), 1892, A., 271.

action of the silent discharge on oxygen and, in presence of chlorine (HAUTEFEUILLE and CHAPPUIS), 1884, A., 710.

action of, on certain metals (WARREN), 1887, A., 702.

action of persulphuric acid or (TRAUBE), 1889, A., 941.

direct combination of, with the alkaline earth metals (MAQUENNE), 1892, A., 566.

combustion of, at high pressures (HEMPEL), 1890, A., 1050.

combustions with copper oxide, quantity of nitric oxide produced in (Klingemann), 1890, A., 292.

nitrification of organic (LEONE and MAGNANIMI), 1892, A., 867.

direct union of hydrogen and (BAKER), 1884, A., 152.

formation of nitrous acid and ammonia from free (Lorw), 1890, A., 1051.

organic carbon in soils which absorb free (Berthelot), 1886, A., 736. question (IMMENDORFF), 1892, A.,

374. See also Agricultural Chemistry.

disengagement of, during putrefaction (Morgen), 1884, A., 1214, 1417; (EHLENBERG), 1887, A., 172, 746; (TACKE), 1889, A., 738; (REISET), 1889, A., 739.

calcium sulphite as a preventive of the loss of, in manure heaps (JENSCH), 1889, A., 184. exerction of, in the free state from

excretion of, in the free state from the animal body (GRUBER), 1884, A., 1391.

excretion of, from the skin (POWER), 1853, A., 227.

increased output of, in cerebral hyperthermia, fever and artificial overheating (RICHTER), 1891, A., 600.

heating (RICHTER), 1891, A., 600. excretion of, in kidney diseases (KORNBLUM), 1892, A., 743.

excretion of, in cases of lencæmia (Bohland and Schurz), 1891, A., 483.

excretion of, in the sweat (Argu-TINSKY), 1891, A., 350. excretion of, in urine (GUMLICH), 1892,

A., 1503.

Nitrogen, influence of hot baths on the excretion of, from the human system (FORMANEK), 1892. A., 1503.

(FORWANEK), 1892, A., 1503. influence of bodily labour on the elimination of (NORTH), 1885, A., 412; 1886, A., 569.

influence of water and sodium chloride, on the excretion of (Dubelik), 1892, A., 904.

total, estimation of the hourly excretion of, in urine (ETAED and RICHET), 1883, A., 751; (GLEY and RICHET), 1888, A., 179.

exhalation of, during the respiration of animals (REISEI), 1883, A.,

675.

Nitrogen compounds, new group of (ENGEL), 1884, A., 725.

in rain water (BERTHELOT and ANDRÉ), 1886, A., 737.

from the manufacture of sulphuric acid, utilisation of (WACHTEL), 1883, A., 130.

magnetic rotatory power of (PERKIN), 1889, T., 680; P., 83, 130.

molecular refraction of (LOEWENHERZ), 1891, A., 373.

asymmetry of nitrogen in (SCHRYVER), 1891, P., 39.

isomerism of (GATTERMANN), 1890, A., 1112.

stereochemistry of (Behrend), 1890, A., 575; (Willgerodt), 1890, A., 951; (Bischoff), 1890, A., 1330.

stereochemically isomeric (HANTZSCH and WEBNER), 1890, A., 970; (HANTZSCH), 1891, A., 34; (HANTZSCH and KRAFT), 1892, A., 388; (AUWERS and MEYER), 1892, A., 598.

attempts to prepare stereochemical isomerides of (HANTZSCH), 1891,

geometrically isomeric (Hantzsch and Werner), 1890, A., 348; (Will-Gerodt), 1890, A., 576, 1089.

stereoisomeric, dissociation constants of (HANTZSCH and MIGLATI), 1892, A., 1268.

sterevisomeric, nomenclature of (HANTZECII), 1892, A., 312; (WID-MAN), 1892, A., 875.

nomenclature of those containing two nitrogen atoms linked together (Currus), 1891, A, 1350.

test for, in sulphuric acid (WILSON), 1890, A., 922.

Nitrogen oxybromide. See Nitrosyl bromide.

chloride (GATTERMANN), 1888, A., 412. Nitrogen chloride, electrolytic preparation of (MARECK), 1885, A., 347. lecture experiments with (MEYER),

1888, A., 343.

oxychloride. See Nitrosyl chloride. chlorides, substituted (BENDER), 1887, A., 44.

chlorophosphide, interactions of (COLDRIDGE), 1888, T., 399; P., 25. fluoride (WARREN), 1887, A., 770.

hydride. See Azoimide.

iodide (GUYARD), 1884, A., 152, 818; (RASCHIG), 1886, A., 16.

action of, on organic compounds (LEPETIT), 1890, A., 1402. the action of sunlight on (GUYARD),

1884, A., 818.

copper iodide (GUYARD), 1884, A., 154. organic iodides of (RASCHIG), 1886, A., 44.

Nitrogen oxides (RAMSAY and CUNDALL), 1885, T., 187; P., 22.

present in vitriol chambers (LUNGE), 1888, P., 3.

combinations of, with metallic oxides (BE-SON), 1889, A., 834.

Nitrogen monoxide (nutrous oxide), preparation of (CAZENEUVE), 1885, A., 613; (CAMPARI), 1889, A., 569, absorption coefficient of, in water and in clocked (Hanneur), 1892, A.

in alcohol (HENRICH), 1892, A., 1044. density of (CALLETET and MATHIAS),

1886, A., 758. lecture experiment showing the

volume composition of (Kelber), 1886, A., 660. hydrate of (Villard), 1888, A., 1021.

nydrate of (VILLARD), 1888, A., 1021.
Nitrogen dioxide (nüric oxide), preparation of (KAEMMERER), 1886, A., 200; (THIELE), 1890, A., 9; (EMICH), 1892, A., 939.

produced in the combustion of nitrogenous organic compounds with copper oxide (KLINGEMANN), 1890, A., 292.

density of, at —100° (DACCOMO and MEYER), 1887, A., 887.

volume composition of, lecture experiment showing (Keiser), 1886, A., 160.

absorption coefficient of, in alcohol (HENRICH), 1892, A., 1044.

absorption of, by ferrous salts (GAY), 1885, A., 1109.

absorption of, by sulphuric acid (NETTLEFOLD), 1887, A., 526. solubility of in sulphuric acid

solubility of, in sulphuric acid (LUNGE), 1885, A., 954.

solubility of, in bromine (ROOZE-BOOM), 1886, A., 501. Nitrogen dioxide (nutric oride), liquefaction and solidification of (OLSZEW-SKI), 1865, A., 860.

action of bromine on (FROELICH), 1884, A., 1257.

action of the copper-zinc couple on (GLADSIONE and TRIBE), 1883, T., 346.

action of, on ferrous hydroxide and water (DUNSTAN and DYMOND), 1887, T., 648. action of, on iron (BAYLEY), 1888,

A., 388.

action of, on metals and on metallic oxides SABATIEL and SENDERENS), 1892, A., 1151, 1271.

action between oxygen and (EMICH), 1892, A., 940.

action between oxygen and, under varying conditions (LUNGE), 1855, T., 465; P., 61.

action of potash on (ENICH), 1892, A., 940.

action of, on stannous chloride (DIVERS and HAGA), 1885, T., 623; P., 94. behaviour of, at high temperatures

(EMICH), 1892, A., 940. decomposition of, in contact with water and potash (COUKE), 1859,

A., 15. action of the electric spark on mixtures of, with hydrogen, with methane, etc. (Cooke), 1889, A., 15. poisoning by (Belky), 1887, A., 392.

estimation of (Bohmer), 1883, A., 508. estimation of free oxygen by means

of (DE KONINCK), 1892. A., 97. Nitrogen peroxide (tetroxide) (nitric

provide) (Ramsay), 1890, T., 590; P., 7. molecular weight of (RAMSAY), 1888,

T., 621; P., 59. dissociation of (E. and L. NATANSON),

1885, A., 862; 1886, A., 657.

action of heat on (RICHARDSON), 1887, T., 397; P., 39. preparation of (SETLIE), 1888, A., 913;

(RAMSAY), 1890, T., 590; (CUNDALL), 1891, T., 1077.

physical properties of (RAMSAY), 1890, Ť., 591.

absorption spectrum of (Bell), 1885, A., 949.

specific heat of (Threlfall), 1887, A., 429.

variations in the electrical resistance of, with rise of temperature (v. Boguski), 1890, A., 203.

boiling point and specific gravity of (GECTHED), 1888, A., 785.

Nitrogen peroxide (tetroxide), constitution of liquid (DIVERS a: SHIMIDZU), 1885, T., 630; P., 93.

dissociation of liquid (CUNDALL), 1891, T., 1076; P., 129; (OST-WALD), 1892, T., 242; P., 13.

reactions of liquid (DIVERS and SHIMIDZU), 1885, T., 630; P., 93.

action of chlorine on (WILLIAMS), 1586, T., 226. action of, on metals and metallic

oxides (SABATIER and SENDERENS),

1892, A., 1390. combination of phosphorus penta-

fluoride with (TASSEL), 1890, A., 1052.

use of, as a nitiating agent (ARM-STRONG and ROSSITER), 1891, P.,

Nitrogen trioxide (nitrogen sesquioxide; nitrous anhydride) (RAMSAY), 1890, T., 590.

existence of, in the gaseous state (Lunge), 1885, T., 457; P., 61.

non-existence of, in the gaseous state (RAMSAY and CUNDALL), 1885, T., 672; P., 90.

liquid (GAINES), 1884, A., 15.

molecular weight of (RAMSAY), 1888, T., 621; P., 59; 1890, T., 595.

preparation of (RAMSAY), 1890, T., 591.

properties of (RAMSAY), 1890, T., 597.

boiling point and specific gravity of (Geuther), 1888, A., 785. solidification of (BIRHANS), 1889, A.,

1109. action of, on substances dissolved in carbon disulphide (FRIEDBURG and Mandel), 1890, A., 1401.

Nitrogen pentoxide (nitric anhydride) (MEYER), 1889, A., 341.

Nitrogen acids, formation of, in com-

bustion (ILOSVAY), 1890, A., 447. Nitric acid, presence and behaviour of, in plants (Senno), 1890, A.

origin and fate of, in plant

(FRANK), 1888, A., 979. amount of, in the rain water at Rothamsted (WARINGTON), 1889

T., 537; P., 102. absence of, in wine-must (POLLAK) 1889, A., 541.

not formed in the organism of higher plants (KREUSLER), 1887, A., 686.

or nitrous acid produced in dilute urine seeded with soil (WARING-TON), 1884, T., 646.

Nitric acid or nitrous acid produced in dilute urine with gypsum seeded with soil from various fields (Warington), 1887, T.,

formation of, by the evaporation of water in presence of water and soil and alkalis (BAUMANN), 1889, A., 183.

manufacture of (Volney), 1892, A., 941.

magnetic 10tatory power (PERKIN), 1889, T., 680, 724; P., 130.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891,

T., 593.

action of direct sunlight on a mixture of carbon disulphide and, contained in sealed tubes (Tiffereau), 1885. A., 1110.

electrical conductivity of solutions of (CROMPTON), 1888, T., 121; (Boury), 1888, A., 640.

electrical conductivity of concentrated (BOUTY), 1888, A., 640. molecular conductivity of fuming

(BOUTY), 1888, A., 545.

coefficient of diffusion of (STEFAN), 1889, A., 1047. colour of (MARCHLEWSKI), 1892,

A., 113.

lecture experiments with (Austen), 1889, A., 672.

conditions of action of (Cross and BEVAN), 1889, A., 1109.

effect of carbamide on the activity of (Cross and Bevan), 1889, A., 1109.

conditions of the reaction between copper and (Veley), 1890, A., 701. action of nascent hydrogen and nascent oxygen on (HALL), 1892,

A., 680. chemical changes between lead and (VELLY), 1892, A., 410.

action of, on metals (VELEY), 1891, A., 525; (Monfemartini), 1892, A., 1278, 1402.

action of phosphorus oxychloride on WILLIAMS), 1886, T., 224.

action of stannous chloride on (Divers and Haga), 1885, T., 623; P., 94.

action of some specific microorganisms on (FRANKLAND), 1888, T., 373; P., 23.

reducing action of coke on (LUNGE),

1885, A., 936.
nature of the reduction of, by metals (DIVERS), 1883, T., 455.

Nitric acid, reduction of, to ammonia by the galvanic current (BECKER), 1892, A., 403.

combustion of hydrogen in (Hong-KINSON and LOWNDES), 1888, A., 1244.

stains, recognition of, on textures (Fleck), 1885, A., 595.

tables revised (Lunge and REY), 1892, A., 13.

Nitric acid, detection, estimation and separation:-

detection of (BEHAL), 1886. A., 392. detection of small quantities of, in the air, water, soils, etc. (GRANDVAL and LAJOUX), 1885, A., 1093.

detection of, in presence of other acids capable of interfering with its reactions (Longr), 1884, A., 365.

detection of, in presence of nitrous acid (WARINGTON), 1885, A., 593; (PICCINI', 1886, A., 740. detection of, in a mixture of alkaline

salts (DE KONINCK), 1887, A., 297. detection of, in well waters (BINDER), 1888, A., 197.

detection of, in wine (BOEGMANN), 1888, A., 753; (ZECCHINI),1891, A., 961; (YITALI), 1891, A., 1551.

some tests for (BREAL), 1887, A., 1138; (WALDEN), 1888, A., 321; (LINDO), 1888, A., 1337.

cinchonamineas a test for (ARNAUD), 1891. A., 362.

diphenylamine and crystallised phenol as reagents for nitrites and (HAGER), 1886, A., 99.

ferrous ammonium sulphate as a reagent for (AUSTEN and CHAM-BERLAIN), 1884, A., 493; (Rosa), 1886, A., 99.

naphthol and sulphuric acid as reagents for (HAGER), 1886, A., 99. resorcinul as a test for (LINDO), 1889, A., 75.

p-toluidine sulphate as a test for (Longi), 1884, A., 365.

testing for iodine and iodic acid in (BECKURTS and ROUGEMONT), 1886, A., 834.

testing for, in vegetable tissues (ARNAUD and PADÉ), 1884, A., 1074.

estimation of (BÜHMER), 1883, A., 508; (LONGI), 1884, A., 366; (WILDT and SCHEIBE), 1884, A., 871; (Falières), 1884, A., 1074; 1886, (CURTMAN), 1886, A., 648; (Morse and Linn), 1887, A., 181; (Wilfarth), 1888, A., 1336.

Nitric acid, detection, estimation and separation:

estimation of nitrous acid and, separately or together (LUNGI), 1584, A., 366.

apparatus estimation of, for (Keatschmen). 1888, A., 193.

estimation of, by diphenylamine (MULLER), 1890, A., 415. estimation of, by means of diphenyl-

amine and potassium-stannous sulphate (MOULTON), 1885, A., 930.

estimation of, by electrolysis (Your-MANN), 1890, A., 1467.

estimation of, by Kjeldahl's method (Scovell), 1889, A., 308.

estimation of, by the phenolsulphonic acid method (BARTRAM), 1891, A., 1136.

estimation of, by reduction to ammonia (BOYER), 1890, A., 1025; (Ulsch), 1891, A., 617, 960.

estimation of, by the Schulze and Tiemann's method (SPIEGEL), 1890, A., 1025.

estimation of small quantities of, in the air, water, soils, etc. (GRANDVAL and LAJOUX), 1885, A., 1093.

estimation, iodometric, 530; (McGowan), 1891, T., (DR KONINCK and NIHOUL), 1891, A., 618.

estimation of, in presence of nitious acid (PICCINI), 1886, A., 740.

estimation of, in water (MAYR-HOFER), 1885, A., 691; (HARVEY), 1887, A., 184; (SPIEGEL), 1887, A., 691;1889, A., 438; (HOOKER), 1889, A., 312; (ORMANDY and COHEN), 1890, T., 811; P., 139; (RIDEAL), 1890, A., 831; (JOHNSON), 1890, A., 832; (HARROW), 1891, T., 320; P., 67; (ROSEN-IELL', 1891, A., 196; (HAZEN and CLARK), 1892, A., 243. estimation of, in 1ain water

WARINGTON), 1889, T., 544; P., 120.

estimation, gasometric, of (GLASER). 1892, A., 1375.

estimation, volumetric, of (Long), 1884, A., 366; 1885, A., 595.

separation of, from mercury and phosphoric and arsenic acids (Haāck), 1892, A., 530.

Nitric anhydride. See Nitrogen pentoxide. oxide. See Nitrogen dioxide.

peroxide. See Nitrogen peroxide.

Nitrates in the rain of tropical districts (MUNTZ and MARCANO), 1889, A., 923.

formation of deposits of, in tropical regions (MUNTZ and MARCANO), 1885, A., 1042; 1889, A., 680.

formation and destruction of nitrites and, in artificial solutions and in river and well waters (MUNRO), 1886, T., 632.

magnetic rotation of (PERKIN), 1890, P., 144.

ethereal, magnetic rotatory power of (Perkin), 1889, T., 724, 862.

correspondence between the magnetic rotation and the refraction and dispersion of light by (GLADSTONE and PERKIN), 1889, T., 756.

molecular refraction of (Loewen-HERZ), 1890, A., 1201.

melting points of (MAUMENÉ), 1884, A., 384.

action of the copper iron couple on, in acid solution (ULSCH), 1892, A., 1518.

behaviour of, in Kjeldahl's method for the estimation of nitrogen (WARINGTON), 1885, A., 1261.

fermentation of (GAYON and DUPE-TIT), 1883, A., 230. reduction of, by the cholera bacteria

(Petri), 1890, A., 76.

reduction of, by micro-organisms (SPRINGER), 1884, A., 350; (Springer), 1884, A., 350; (GAYON and DUPETIT), 1886, A., 823; (WARINGTON), 1888, T., 742; (DE BLASI and TRAVALI), 1890, A., 1453. reduction of, to nitrites (GAYON and

Duperit), 1883, A., 609.

catalytic formation of ammonia

from (LOEW), 1890, A., 689. basic (ANDRE), 1885, A., 634; (ROUSSIAU and Tire), 1892, A., 1157. See also Agricultural Chemistry.

Nitrous acid (DRECHSEL), 1887, A., 698.

in the atmosphere (ILOSVAY), 1890,

in potable water (ENKLAAR), 1889, A., 1234.

formation of, from free nitrogen (Loew), 1890, A., 1051.

formation of, in the evaporation of water (SCHEUBER-KESTNER), 1883, A., 850.

formation of, in the evaporation of water in presence of water and soil and alkalis (BAUMANN), 1889, A., 183.

Nitrous acid, formation of, in the saliva from formaldehyde and ammonia (Wurster), 1889, A., 1228.

velocity of decomposition of, in aqueous solution (MONTEMAR-TINI), 1891, A., 522

action of, on sulphurous acid (RASCHIG), 1887, A., 549, 635. action of, on urea, uric acid and

ammonium sulphate (EMMER-LING), 1886, A., 747.

reduction of, to hydroxylamine (DIVERS), 1883, T., 454.

ethereal salts of (BERTONI), 1886, A., 217; 1887, A., 458; 1890, A., 853.

Nitrous acid, detection and estimation:-

detection of (LUNGE), 1890, A., 415; (DENIGES), 1892, A., 1124. detection of, in saliva (Ilosvay), 1890, A., 278.

1890, A., 278. detection of, in a mixture of alkaline salts (DE KONINCK), 1887, A., 297.

detection of, and in presence of nitric acid (WARINGTON), 1885, A., 593.

tests for (MELDOLA), 1884, T., 108; (LINDO), 1888, A., 1337.

diphenylamine and crystallised phenol as reagents for nitrates and (HAGER), 1886, A., 99.

naphthol and sulphuric acid as a reagent for (HAGER), 1886, A.,

phenols and sulphuric acid as reagents for (LINDO), 1888, A., 1337. Griess' test for, in pre-ence of hydrogen peroxide (WURSTER), 1887, A., 298.

use of ammonium acetate in deby Griess' reaction teoting, (WURSTER), 1889, A., 1243.

in water, influence of temperature on Griess' reaction for (Bosio', 1892, A., 657.

modification of Griess' sulphanilic test for (LINDO), 1888, A., 1340.

estimation of (I)AV1).1853, A., 515; (VIVIER), 1888, A., 527; (DUN-STAN and DYMOND), 1890, A., 193; (GREEN and EVERSHED), 1892, A, 751; (LUNGE), 1892, A., 1029. estimation of nitric acid and,

separately or toge her (LONGI), 1884, A., 866.

estimation of, either alone or in presence of nitrates and chlorides (DAY), 1888, T., 422; P., 40.

Nitrous acid, estimation:-

estimation of, in water (ZAMBELLI), 1887, A., 533; (OEMANDY and COHEN), 1890, T., 811; P., 139; (ROSENFELD), 1891, A., 496.

estimation, gasometric, of (FRANK-LAND), 1888, T., 364; P., 23.

estimation, volumetric, of (GREEN and RIDEAL), 1884, A., 870; (GREEN and EVERSHED), 1887, A., 396.

estimation, volumetric, of combined (KINNICUTT and NEF), 1884, A.,

Nitrous anhydride. See Nitrogen trioxide.

Nitrous oxide. See Nitrogen monoxide.

Nitrites in plants (MODDERMAN),

1889, A., 295. absence of, in plants (Molisch), 1887, A., 989.

in human saliva (MUSGRAVE), 1883, A., 227.

formation of (KAPPEL), 1857, A., 106.

formation and oxidation of, in soils (WINOGRADSKY), 1891, A., 1545. formation of, in the nitrification of ammoniteal solutions (MUNRO),

1888, A., 82. limit of the formation of ethereal, by

double decomposition (BERTONI and Truffi), 1884, A., 1110. preparation of alkaline (LEROY), 1889, A., 825.

or duction of, in nitrification

(WARINGION), 1891, T., 486, magnetic rotation of ethereal (Perkin, 1889, T., 686, 727.

decomposition of hisic, by water (ROUSSEAU), 1892. A., 1272.

action of the copper-iron couple on, in acid solution (ULS: H , 1892, A., 1518.

action of metallic, on sulphites of metals other than potassium (Divers and Haga), 1587, T., 659; P., 100.

action of, on blood pressure (BECN-TON and BOKENHAM), 1889, A., 630.

action of paraffinic, on blood pressure (Casu and Dunstan), 1891, A., 1270.

reduction of, to hydroxylamine by hydrogen sulphide (DIVERS and HAGA), 1887. T., 49.

Hyponitrous acid, heat of formation of (BERTHELOT and OGIER), 1883, A , 423.

737

Hyponitrite solution, alkali, preparation of (DIVERS and HAUA), 1854. T., 55.

Hyponitrites BERTHELOT and OGIER', 1883, A., 422; DIVEL-and Haul, 1884, T., 75; MAQUENNE, 1889, A., 944.

formation of (DUNSTAN and DY-MOND), 1887, T., 646;

formation of, from nitric oxide (DIVERS and H 1GA), 1855, T., 361; P., 45.

constitution of (DIVERS and HACA),

1889, T., 772. heat of formation of (BERTHELOI and OGIER, 1883, A., 423; (BERTHELOT), 1889, A., 930.

conversion of oxyamidosulphonates into (DIVERS and HAGA), 1889, T., 760; P., 146.

Nitrogen selenide (VERNEUIL), 1883, A., 423.

heat of explosion of (BERTHELOT and Vieille), 1883, A., 707.

oxysulphate. See Nitrosyl sulphate. Nitrogen, detection and estimation :of, in ammonia and certain amines and amides, analytical studies on , (Longi), 1885, A., 1092.

detection of, in organic substances (Graebe).1894.A.,1072; (Donath),

1890, A., 663.

estimation of ARNOLD), 1583, A., 378; (GROUVEN), 1853, A., 1028; (KREUSLER, 1855, A., 430; (ARNOLD), 1885, A., 837; (HIFSCHWIDT), 1885, A., 1011; Houth ZEAU), 1889, A., 752; (CAZENEL VE and HUGOUNENQ), 1858, A., 991; (BERTHELOT and ANDRI), 1859, A., 307; (L'Hôre', 1889, A., 740; (LEFFMANN and BEAM), 1889. A., 796; (Drown and Marria, 1889, A., 1035; (BOYER), 1592, A., 237; (SMITH), 1892, A., 527; (VOORHEES), 1892, A., 751; (EDWARDS), 1592, A., 1125.

estimation of, by Boyer's method (ARNOLD and WEDEVEYER), 1892,

A., 1517.

estimation of, by Dumas' method, modification of (Johnson), 1885, A., 189.

estimation of, by Grouven's method (KREUSLER and LANDOLT), 1884, A., 1215.

estimation of nitric, as nitric oxide (SCHRIDING), 1891, A., 107. estimation of nitric, by aluminium (STUTERR), 1891, A., 617.

Nitrogen, estimation:-

estimation of nitric, by ferrous sulphate (BAILHACHE), 1889, A., 925. comparison of the methods of estimation of ODDY and COHEN), 1890, A., 1466.

apparatus for the estimation of, in ammonium salts (HENTSCHEL),

1890, A., 1341. apparatus, Dumas' (v. ILINSKI), 1884, A., 1072.

estimation, simultaneous, of hydrogen and (GEHRENBECK), 1859, A., 1031.

estimation of, absorption of ammonia by acid solutions in the (HAYNES), 1888, A., 752.

estimation of, by combustion (Johnson and Elloart), 1886, A., 488.

estimation of, by combustion with calcium hydroxide (Johnson), 1884, A., 1422.

estimation of, by the copper oxide method and the comparison of this and the Ruffle method (DABNEY and VAN HERFF), 1885, A., 593,

estimation of, by soda-lime (Arwater and Woods), 1888, A., 193; (Ar-WATER, 1888, A., 990, 1334; (QUANTIN), 1889, A., 306.

sources of loss in the estimation of, by soda-lime (ATWATER and BALL), 1885, A , 752; (FREYDL), 1890, A., 1194.

e-timation of, by Kjeldahl's method (KIELDAHL, 1884, A., (CZE ZEIKA; WILFARIH), 1884, A., 364; 1885, A., 685; Bosshard, 1885, A., A., 05°; (ARNOLD, 1835, A., 930; 1857, A., 78; (Preiffer and Lehmann, 1886, A., 179; (Yahdley, 1886, A., 232; (RINDELL and HANNIN), 1856, A., 645; (Almaby and Short), 1877, A., 622; (Ulsch), 1877, A., 862; (Ulsch), 1877, A., 877, A., 877, A., 877, A., 877, A., 877, A., 1557, A., 863; (DAFERT), 1888, A., 85; (LENZ, 1888, A., 193; (MELDULA and MORITZ), 1888, A., 625; (L'Hôle), 1889, A., 438; (Viollette), 1889, A., 546; (Liange), 1889, A., 547; (Aubin and Alla), 1889, A., 648, 925; (ZECCHINI and VIGNA), 1889, A., 649; (GUNNING), 1889, A., 796; (MARTINOTTI), 1889, A., 1088; (NIEBLING), 1890, A., 415; (LUNGE), 1890, A., 661; (FOER-STER), 1890, A., 1466; (ARGUTIN-SKY), 1891, A., 362; (EDWARDS), 1891, A., 862; (Srock), 1892, A., 1516.

Nitrogen, estimation:-

estimation of organic, by Ruffle'- and Guyard's (Tamm's, methods, Au-NOLD), 1883, A., 378.

estimation of, by the Schulze-Tiemann method (Country and Mollier), 1891, A., 107.

estimation of, by Soxhlet's apparatus (BARLOW), 1889. A., 537; (LEW-KOWITSCH), 1889, T., 259; P., 90. estimation of, in ammonium magnes-

ium phosphate (MAI-SEN Rossi, 1890, A., 291.

estimation of, in coal and coke (FOSTER .1883, T., 105; /SCHMIZ, 1886, A., 1071.

estimation of, in mixtures containing nitrogenous organic matter, ammoniacal salts, and nitrates (SHEP-

HERD, 1883, A., 685. estimation of, in nitro-, azo-, and diazo-compounds (GOLDBEL: .1884. A., 364.

estimation of, in nitrates (FRICKE, 1892, A., 527: (SUILWALD), 1892, A., 528; (ARNOLD and WEDE-MEYER), 1892, A., 1517.

estimation of, in nitrates by Kjeldahl's method (Jodlbauer), 1856, A., 834; (FOERSTER), 1839, A., 107, 547, 746; (Kebler), 1891, A., 1397.

estimation of, in nitrates, by Jodl-bauer's modification of Kjeldahl's method (DEVALDA), 1890, A., 292.

estimation of, in pickled railway sleepeis (GRITTNER), 1891, A., 620.

estimation of, in substances containing halogens, source of error in (ZSIGMONDY), 1889, A., 546.

estimation of, in wine, must and lees (Kulisch), 1886, A., 652.

estimation of in natural waters (Burg-HARDY), 1887, A., 619; (LALIEU). 1889, A., 551.

estimation of, organic, in natural waters by Kjeldahl's method (Leff-MANN and BEAM), 1959, A., 796; (Drown and Makrin), 1889, A.,

estimation of, in organic substances (WAGNLE), 1991, A., 109.

1885, A., 303.

estimation of, in the milk and unine of Herbivora (WLISKE), 1886, A.,

estimation of, in products of melabolism (PFEIFFER), 1886. A., 1053. Nitrogen, estimation:-

estimation of, in urine PETLI and LEHMANN, 18-4. A., 1440; CAM-LRDR), 1885. A., 303; 1888, A., 518; PPLLIGHT and BOHLAND, 1885, A., 605; Bohland, 1885, A., 609; (GARNIER', 1857, A., 863; (OECHANLL DE COMINCK), 1889, A., 649.

See also Agricultural Chemistry.

Nitrogen-atom, asymmetrical, possibility of existence of KRAFT, 1891, A., 51.

Nitrogen-free extract, constituents of Sione , 1892, A., 653.

Nitrogenous con-tituents of malt, wort, Leer and bread UILIK . 1583, A.,

contents of the digestive juices (E1-LENLIEGER and HOLMEISTER. 1587, A., 1129.

matter, artificial and natural digestion of (PFI IFFEL . 1883, A., 227.

nuclei, nomenclature of compounds containing Widman, 1959, A., 56.

substances, separation of, by means of phosphomolybdic acid (HIRSCH-LER), 1887, A., 310.

Nitroglutazines, mono- and di- (v PECHMANN), 1888, A., 67, 68.

Nitroglycerol, See Glyceryl transtrate. Nitroglycerol works, recovering the waste acids from (Poetsch, 1885, A., 619.

diNitroglycoluril (FRAM HIMONT and KLOBBIE), 1888, A., 1190.

Nitroglyoxaline (RUNG and BEHREND), 1892, A., 1493.

Nitro-group, displacement of the, by chlorine or bromine (Lobky DE BRUYN), 1592. A., 305.

displacement of, by an oxyalkyl-group LOBRY DE BRUYN, 1885, A.,

substitution of the amido-group by, in atomatic compounds (SAND-MEYER), 1887, A., 720.

first reduction products of (Horr-MINN and MEYEL, 1892, A., 201; (WILLGERODY), 1892, A., 594; (Kiepal), 1892, A., 1067.

by means of alkaline permanganate | diNitroguaiacol (HERZIG, 1883, A., 164.

estimation of, in faces (CAMERER), Nitroguanidine (Pellizzari), 1892. A., 579; (Franchimone, 1892, A., 951; (Thiele), 1892, A., 1295.

thermochemistry of (MATIGNON), 1892, A., 1142.

triNitrohemimellithene (JACOBSEN), 1387, A., 36.

Nitrohemipinic acid (LIEBERMANN), 1897, A., 46.

Nitrohemipinic anhydride (GRUNE), 1887, A., 49.

Nitroheptylbenzene (AUGER), 1887, A.,

Nitrohexane (Konowaloff), 1892, A., 575.

Nitrohydantoin (FRANCHIMONT and KLOBBIE), 1888, A., 1179.

action of water on (FRANCHIMONT and Klobbie), 1889, A., 125.

Nitrohydrobromic acid, action of, on organic compounds (BRUNNER and KRAEMER), 1884, A., 1815. Nitrohydrocarbons of the fatty series,

tertiary (BEWAD), 1891, A., 653.

Nitrohydrothiocinnamic acid (BONDzyński), 1887, A., 1109.

Nitrohydroxyanthraquinone ethylate (LIEBERMANN and HAGEN), 1883, A.,

m-diNitrohydroxyazobenzene(Klingen and PITSCHKE), 1886, A., 53.

m-Nitro-p-hydroxybenzaldehyde (Schopff), 1892, А., 336.

Nitro-m-hydroxybenzaldehydes, α -, β and y- (TIEMANN and LUDWIG), 1883, A., 189, 586.

Nitrohydroxybenzaldehydes and their methyl derivatives (TIEMANN), 1889. A., 1168.

2-Nitro-m-hydroxybenzoic acid

(THIEME), 1891, A., 917. Nitro-m- and -p-hydroxybenzoic acids (GRIESS), 1887, A., 485.

Nitrohydroxybenzylphthalimidine (GABRIEL), 1885, A., 1230.

diNitrohydroxydiphenylamine 190°] (NIETZEI and SCHUNDELEN), 1892, A., 310.

diNitro-o-hydroxydiphenylamine (Schopff), 1889, A., 772.

Nitrohydroxydiphenylbenzyl-maleide and -maleimidine (Conn), 1892, A., 485, 486.

diNitrohydroxyethoxydiphenylamine (Nietzki and Kaufmann), 1892, A.,

Nitro-w-hydroxyethylpiperonylcarboxylic anhydride (PERKIN), 1890, T., 1027.

Nitro-4'-hydroxy-2'-methylquinazoline (Dehoff), 1890, A., 802; 1891, A., 84; (Thieme), 1891, A., 917.

1-Nitro-3-hydroxy-4-methylquinoline (Nölting and Trautmann), 1891, A., 326.

4-Nitro-1-hydroxy-2-methylquincline (Nölling and Trautmann), 1891, A., 326; 1892, A., 727.

Nitrohydroxymethylquinolines 2:1:4and 3:4:1- (NOLTING and TRAUT-MANN), 1892, A., 727, 728, 729.

3:2-Nitrohydroxy-α-naphthaquinone derivatives (KEHRMANN and WEI-CHARDT), 1889, A., 1197.

Nitro-1-hydroxy-α-naphthoic acid (Ex-STRAND), 1889, A., 153.

Nitro-\$-hydroxyphenylacrylic o- and p- (LIPP), 1887, A., 142.

acid Nitro-8-hydroxyphenylpropionic (nitrophenyl-B-lactic acid). See Hydroxyphenylpropionic acid.

Nitro-\$-hydroxyphenylpropionyl methyl ketone, o- and p- (v. BAEYER and DREWSEN), 1883, A., 341; (v. BAEYER and BECKER), 1883, A., 1120.

Nitrohydroxyphenylpyrotartaric acids, m- and p- (nitrophenylitamalic acids), and barium salts of (SALOMONSON), 1888, A., 480.

diNitrohydroxyphthalic acid (BERN-THSEN and SEMPER), 1885, 548.

2-Nitro-4-hydroxy isopropylbenzoic acid (WIDMAN), 1886, Ā., 466.

 Nitro-4-hydroxyisopropylbenzoic acid and its derivatives (WIDMAN), 1883, A., 330; 1884, A., 316.

Nitrohydroxypropylphthalimide (NEU-MANN), 1890, A., 890.

Nitrohydroxyquinoline. See Hydroxyquinoline.

Nitro-1-hydroxyquinolinecarboxylic acid (SCHMITT and ENGELMANN), 1888, A., 66.

diNitrohydroxyquinone, preparation of (Nietzki). 1884, A., 58.

5-Nitro-o-hydroxytoluic acid (Honig), 1886, A., 242.

triNitrohydroxy-m-toluic acid (nitrococcusic ucid; trinitrocresotic acid). synthesis of (v. Kostanecki and NIEMENTOWSKI), 1885, A., 531.

p-Nitrohydroxyvinylphenylpropionic acid (EINHORN and GEHRENDECK), 1889, A., 397.

Nitrodiimido-quinol and -resorcinol (NIETZKI and SCHMIDT), 1889, A., 968, 969.

Nitroindagine (WITT, NULTING and GRANDMOUGIN), 1891, A., 312.

Nitroindoles, derivatives of (ZATTI), 1890, A., 897.

formation Nitro-keto-compounds, (ARMSTRONG and ROSSITER), 1891, P., 89.

Nitro- α_1 -keto- γ_1 -methyl- β_1 -ethyljuloline (KAYSER and REISSERT), 1892 A., 883.

Witroketones, preparation of (Lange and Zufall), 1892, A., 1459.

ψ-Nitroles, conversion of ketoximes into (Scholl), 1888, A., 413, constitution of (Meyer), 1888, A.,

702.

o-Nitroleucomalachite-green (v-nitrotetra methydium idotriphenyl methan) (Fischer and Schmidt), 1881, A., 1315.

Nitrolimettin (TILDEN), 1992, T., 350. Nitrolic acids (JANOVSKY, 1885, A., 1131.

Nitroltrimetaphosphoric acid (MENTE), 1889, A., 211.

o-Nitromalachite-green (FISCHEE and SCHMIDI), 1984. A., 1315.

Nitromandelic acid. See Mandelic acid.

o-Nitromeconineacetic acid (LIEBER-MANN and KLEEMANN, 1887, A., 48. Nitromesitylacetic acid and its salts

(WISPEK), 1883, A., 1096. diNitromesitylacetic acid (Diffrich and Meyer), 1891, A., 1224.

and MEYER), 1891, A., 1224.

Nitromesitylene, oxidation of (EMERSON, 1857, A., 132.

diNitromesitylene methylnitramide

(Klobbie), 1888, A., 467. diNitromesitylglyoxylic acid (Dir-

TRICH and MEYER), 1891, A., 1224.
Nitro-metals (SABATIER and SENDERENS), 1892, A., 1390.

Nitrometer (Blunt), 1887, A., 998. improved form of (Lunge), 1888, A., 526.

reduction of ferric nitrate in (BAY-LEY), 1886, A., 1072.

LEY), 1886, A., 1072. uses of (ALLEN), 1886, A., 278; (LUNGE), 1886, A., 391.

supposed error in the use of (LUNGE), 1886, A., 391.

use of, in the estimation of potassium permanganate, zinc-dust, and reduced iron powder (LUNGE), 1885, A., 1162.

modification of, for use as a ureometer and other purposes (LUNGE), 1885, A., 1267.

Nitromethane. See Methane.

Nitromethaneazobenzoic acid (GRIESS), 1885, A., 788.

Nitromethoxybenzaldehyde. See Methoxybenzaldehyde.

Nitro-m-methoxybenzoic acids, o- and m- (Rieche), 1889, A., 1169, 1170.
2-Nitro-6-methoxybenzonitrile (Lobry

2-Nitro-6-methoxybenzonitrile (LOBN DE BRUYN), 1885, A., 657.

Nitromethoxycinnamaldehyde (V. MIL-LEE and KINKELIN), 1889, A., 990. Nitromethoxycinnamic acid nitromethylcon norie nead. See Methoxycinnamic a id.

m-Nitromethoxy-ψ-cumene AUWEIA, 1836, A., 114.

2-Nitro-5-methoxy-8-hydroxyphenylpropionamide (Eichengrun and Ein-HORN), 1890, A., 1128.

2 Nitro-5-methoxy-\$hydroxyphenylpropionic acid FETHENGE, N and EINHORN), 1890, A. 1127; 1891, A., 1100.

2-Nitro-5-methoxyphenyl-\$\beta\$-bromopropionic acid (Eichengrun and Ein-

HORN), 1890. A., 1127.

m-Nitro-p-methoxyphenyldibromopropionic acid 'EINHORN and GRAB-FIELD', 18-S, A., 475.

m-Nitro-p-methoxyphenylethylene (EINHORN and GRABFIELD, 1888, A., 477.

2-Nitro-3-methoxy-2'-phenylquinoline and its derivatives (v. MILLER and KINKELIN), 1887, A., 978.

m-Nitro-p-methylaceto-p-toluidide (NIEMENTOWSKI), 1887, A., 937.

p-Nitromethylamidoazobenzene. See Benzeneazomethylaniline, nitro-.

Nitromethylamidobenzoic acids (THI-EME), 1891, A., 916, 917.

5-Nitro-2-methylamidobenzomethylamide (THIEME), 1891, A., 917.

2:4:6-triNitromethylamidomethylnitramidobenzene (VAN ROMBURGH), 1889, A., 1154.

Nitromethylaniline. See Methylaniline. triNitromethyl-o-anisidine (GRIMAUX and LEFEVRE), 1891, A., 1032.

Nitro-β-methylanthraquinone (Roe-MER and LINK), 1883, A., 1138.

Nitromethylisobenzaldoxime, m- and p-(GOLDSCHMIDT), 1890, A., 1262; (GOLDSCHMIDT and KIELLIN), 1891, A., 1477.

Nitromethylbenzamide (VAN Rom-BURGH), 1886, A., 546.

Nitromethylearbostyril (FEEE and KOENIGS), 1885, A., 1235.

Nitromethylcoumaraldehyde (v. Mil-LER and KINKELIN), 1889, A., 990.

Nitromethylcoumaric acid (nitromethoxycinnamic acid). See Methylcoumaric acid.

Nitromethylenephthalide (ZINCKE and LATTEN), 1892, A., 1231.

Nitro-o-methylethylbenzenes, monoand di- (CLAY: and PIESZCZEK),1887, A., 240.

m-Nitromethyl-formanilide and -isoformanilide (Comstock and WHEELER), 1892. A., 706. Nitromethylhydantoin (Franchimont and Klobbie), 1888, A., 1180; 1889, A., 1143.

action of water on (Franchimont and Klobbie), 1889, A., 125.

diNitromethylhydro-p-coumaric acid (Sfoehe), 1884, A., 1350. diNitro-2'-methylindole (Zatti), 1890,

1., 897.

Nitro-a-methylnaphthalene (Scher-Ler), 1892, A., 491.

triNitromethyl-α- and -β-naphthols (STAEDEL), 1883. A., 863.

Nitromethylpyrocatechol derivatives (Cou-in), 1892, A., 1113.

diNitromethylquinol (Wender), 1890, A., 752.

Nitromethylquinoline. See Methylquinoline.

4-Nitromethylquinolone (DECKER), 1892, A., 880.

riNitromethyl-p-toluidine (Norton and Livermore, 1887, A., 1038.

Nitro-8-methylumbelliferone (V. PECH-MANN and COHEN), 1884, A., 1332. Nitromethyluracil (BEHREND), 1887,

A., 919; (LEHMANN), 1890, A., 32.

Nitromolybdic acid solution, concentrated, preparation of (GUYARD), 1894, A., 635.

Nitronaphthalene. See Naphthalene. Nitronaphthalene-1:1'-dicarboxylic acid and anhydride (QUINCKE), 1888, A., 814.

Nitronaphthalene-2:2 -disulphonic acid and its chloride (ALEN), 1883, A., 596.

diNitronaphthalene-3:3 -disulphonic chloride (ALEN), 1883, A., 596.

1:3'-a-Nitronaphthalenesulphonamide, action of hydriodic acid on (EKBOM), 1891, A., 573.

1:4'-Nitronaphthalenesulphonamide, action of hydriodic acid on (EKBOM), 1890, A., 991.

Nitronaphthalenesulphonic acid. See Naphthalenesulphonic acid.

Nitro-a-naphthamide (EKSTR UND), 1886, A., 948.

Nitro-β-naphthaquinhydrone (GROVE-), 1884, T., 300.

Nitro-\$\text{\$\text{\$\text{\$A\$}}\$ naphthaquinol (Groves), 1884, T., 299; (Zaertling), 1890, A., 509.

Nitronaphthaquinone. See Naphthaquinone.

Nitro-S-naphthaquinoneanilide (Brauns), 1881, A., 1038; (Korn), 1884, A., 1186.

Nitro-β-naphthaquinone-o- and -p-toluidides (BRAUNS), 1884, A., 1038. Nitronaphthoic acid. See Naphthoic acid.

Nitronaphthol. See Naphthol.

Nitronaphtholactone (EKSTRAND), 1889, A., 153.

4'-Nitro-α-naphthonitrile and nitro-βnaphthonitrile (GRAEFF), 1884, A., 80.

Nitronaphthylamine. See Naphthylamine.

4'-Nitro-a-naphthylamine-4-sulphonic acid (NIEIZKI and ZUBELEN), 1889, A., 514.

α-Nitro-β-naphthylic benzoate and acetate, reduction of (BOTTCHER), 1855. A., 659.

benzoate and acetate, molecular transformation of (Bottcher,), 1883, A., 1113.

deNitronaphthylic sulphide (EK-STRAND), 1885, A., 171.

Nitronates (DIVERS), 1883, T., 455, 466.

Nitronitrosoanthrone (PERKIN), 1591, T., 639.

action of sodium sulphide on (PERKIN), 1891, T., 640.

Nitronitrosoazobenzene. See Azobenzene.

Nitronitrosobenzeneazo-. See Benzene-azo-.

p-Nitronitroso-8-benzylhydroxylamine (Behrend and Konig), 1891, A., 1035.

tetraNitronitrosobisazobenzene-pchlorophenylhydrazine (Willge-RODF), 1890, A., 1119; (Willgerodfand BOHM), 1891, A., 907.

 ο-Nitro-ω-nitroso-p-diazotoluene chloride. See Methyl-o-nitro-p-diazobenzene chloride, nitroso-.

di-p-Nitrodinitrosoditoluene (bis-pnitronitrosylbenzyl) (BEHREND and KONIG), 1891, A., 1035.

o-Nitronitrosoethylaniline (HEMPEL), 1889, A., 600; 1890, A., 612.

o-Nitronitrosomethylaniline (HEMPEL), 1890, A., 612.

Nitrodinitrosophenol (WILLGERODF), 1891, A., 688; 1892, A., 594.

Nitrodinitrosophenol-acenaphthene and -anthracene (WILLGERODT), 1891, A., 689.

2:4-Nitronitrosoresoreinol (DE LA HARPE and REVERDIN), 1888, A., 679; 1889, A., 41.

Nitronitroso-m-xylenecarboxylic acid (CLAUS), 1890, A., 980.

Nitronononaphthene (Konowaldeff), 1892, A., 443.

Nitro-octylbenzenes, o-, m- and p-(ARRENS), 1887, A., 133.

diNitro-octylbenzene (AHRIN-, 1857, A., 133.

Nitro-opianic acid, behaviour of, with phenylhydrazine (LIEBERMANN,, 1886, A., 550.

reduction of (KLELMANN), 1857, A., 584.

Nitro-oreosolon (Jassoy), 1890, A., 1154. 1-Nitro-oxalo-8-naphthalide, bis- (Pen-KIN), 1892, T., 466.

m-Nitro-oxalo-p-toluidide, bis- HINS-BERG), 1883, A., 323.

5-Nitro-oxalo-o-toluidide, bis- (Per-RIN), 1892, T., 463.

3:5-//Nitro-oxalo-o- and -/-toluidides, bis- (Mixiee and Kleeneng, 1889, A., 771; (Perkin), 1892, T., 461, 465.

triNitro-oxanilanilide (MIXIER and WALFHER), 1888, A., 142.

Nitro-oxanilic acid. See Oxamlic acid. Nitro-oxanilide. See Oxamlide.

Nitro-oxycamphor (KACHLER and SPITZER), 1983, A., 215.

4-Nitro-2 -oxy-3:1'-dimethylquinoline (Decken), 1892. A., 880.

m-Nitro-4'-oxy-2'-methylquinazoline (Dehoff), 1891, A., 84; (Thieme,, 1891, A., 917.

Nitro-oxyquinone carbonate (Lowen-BERG), 1886, A., 789.

Nitroparaffins, constitution of (KISSEL), 1885, A, 364.

Nitropentane (Bewad), 1889, A., 1127. Nitroperseitol (Muntz and Marcano,

1884, A., 1285. diNitro-p-phenacetide (Wender), 1890,

A., 751.

o-Nitrophenacetin (AUTENRIETH and HINSBERG), 1892, A., 160.

Nitrophenaceturic acid (HOFTER), 1888, A., 1299.

m-Nitrophenacylphthalimide (SCHMIDT), 1890, A., 372.

m-Nitrophenacyl-p-toluidine LELL-MANN and DONNER), 1890, A., 525.

Nitrophenanthraquinone (LACHOWICZ). 1884, A., 82.

2:4-diNitrophenazoxine (Tubpin), 1891, T., 724.

o-Nitro-p-phenetidine (AUTENRIETH and HINSBERG), 1892. A., 160.

2:6-diNitro-p-phenetidine (WENDER), 1893, A., 751. Nitrophenetoil. See Phenetoil.

Nitrophenol. See Phenol. 2:4:6-triNitrophenol. See Picric acid. dinitrophenolsulphonic acid, preparation of (Beyer and Kegli,, 1885, A., 269.

Nitrophenophenanthrazine (HEIM), 1565. A., 1097.

p-Nitrophenoxyacetophenone (Mohlau), 1883, A., 332.

p-Nitrophenyl mercaptan (WILL-GERODI), 1885, A., 519; 'LEUCKART), 1890, A., 604.

diNitrophenyl mercaptan 'Ausren and Suii H. 1886, A., 693. ethers of (Willellout, 1885, A.,

519.

"M-Nitrophenyl methyl ketoxime

Nitrophenylacetamide, m- and p-PURGOITI, 1891, A., 562. m-Nitrophenylacetic acid GABRIEL

m-Nitrophenylacetic acid GABRIEL and BOLGMANN, 1883, A. 1121.

o p-d/Nitrophenylacetic acid (HECK-MANN, 1854, A., 178.

Nitrophenylacetonitrile. See Phenylacetonitrile.

Nitrophenyl-\$\beta\$-alanine. See Nitr-\$-annludopropionie acid.

Nitrophenylamido. See also Nitramilido.

Nitrophenyl/i-p-amidophenylisobutylmethanes, m- and p- (BISCHLER), 1889. A., 133.

Nitrophenyl-β-amidepropionic acid. See Nitr-β-amidepropionic acid.

m-Nitrophenyldi-p-amidotolyl-methanes, α- and β- (BISCHLER), 1899, A., 133.

p-Nitrophenyl/li-p-amidotolylmethanes, a- and \$6- (Bischlen), 1888, A., 287.

Nitrophenyldiamido-m-xylylmethanes, m-and p- (Bischier), 1869, A., 134.

tetraNitrophenylazimidobenzene (Willgerodt), 1892, A., 1454.

(Nitrophenylazimidotolylamine (Ennst), 1891, A., 300.

o-Nitrophenylazoacetoacetic acid, and its derivatives (Bambergen', 1885, A., 157.

o-Nitrophenylazoacetophenone (BAMBERGER and CALMAN', 1886, A., 62.

di-o-Nitrophenylbenzidine (SCHOPFF), 1989, A., 773.

Nitrophenylbensyl oxides, c- and p-(KUMPF), 1884, A., 1005.

m-Nitrophenylbenzylcarbamide (Kthn and Rik-Enfeld), 1892, A., 312.

o-Nitrophenylbenzylhydrazine Pand Bodewich, 1892, A., 1455. o-Nitrophenylbenzylidenehydrazine

 Witrophenylbenzylidenehydrazine (BISCHLER), 1890, A., 148. m-Nitrophenylbenzylidenehydrazine BISCHIER IN BRODSKY, 1890, A.

p-Nitrophenyl-γδ-dibromethyl-βbromacrylic acid (Einhorn and Gehrenbeck), 1889, A., 396; 1890, A., 162.

p-Nitrophenylbromethyllactic aoid. lactone of (EINHORN and GEHREN-BE(K), 1889, A., 397.

p-Nitrophenyldibromobutinenecarboxylic acid (EINHORN and GEHRENвеск), 1889, А., 396.

o:p-diNitrophenyl-p-bromophenylhydrazine (WillGERODT and ELLON), 1891, A., 1362.

o-Nitrophenyl-\beta-bromopropionic acid and its derivatives (EINHORN), 1884, A., 65.

m-Nitrophenyl-S-bromopropionic acid (PRAUSNITZ), 1884, A , 1175

Nitrophenyl-\$\beta\$-bromoisosuccinic acids, o- and p- (STUART), 1886, T., 363,

Nitrophenyldibromoisosuccinic acids. m- and p- (STUART), 1886, T., 361.

Nitrophenylbutinene-∞-carboxylic acids (EINHORN and GEHRENBECK), 1889, A., 271, 396; 1890, A, 162.

p-Nitrophenylisobutyric acid (EDE-LEANU), 1888, T., 558.

o p-d/Nitrophenyl-m-chlorophenylhydrazine : Willgeropt and Muhe), 1892. A , 454.

o p-diNitrophenyl-p-chlorophenylhydrazine (Willgerodt), 1890, A., 1119; (WILLGERODT and BOHM), 1891, A., 906,

o-Nitrophenylcinnamic acid (OGLIA-LORO-TODARO and ROSINI), 1891, A.,

Nitrophenylcitraconazide (MICHAEL), 1886. A., 699.

o-p-diNitrophenylconiine (LELLMANN and Just), 1891, A., 1245.

m-Nitrophenylcrotonaldehyde (v. Mil-LER and KINKELIN), 1886, A., 560. base from (v. MILLER and KINKELIN), 1886, A., 701.

product of the reduction of (v. MILLER and Kinkelin), 1886, A., 799.

m-Nitrophenylorotonic acid (v. MILLER and Ronde). 1890, A., 1140.

p-Nitrophenyldehydrohexonecarb-

oxylic acid (PERKIN), 1887, T., 736. B-p-Nitrophenyldi-p-acetamidoditolylmethane (Bischler), 1889, A., 132.

78-Witrophenyldianethoilmethane VARDA), 1891, A., 1347. **Hitrophenyldi-o-cresolmethane (SI-

BONT), 1892, A., 621.

Nitrophenyldihydroxyphenylmethanedicarboxylic acids, o, m and p- (DE VARDA), 1892, A., 621

m-Nitrophenyl-diorcinolmethane -diphloroglucinolmethane (BERTONI), 1891, A., 1378.

Nitrophenyldipiperidyls, p-mono- and o-p-di- (LELLMANN and JUST), 1891, A.. 1245.

p-Nitrophenyldiquinolylmethane (Ein-HORN). 1886, A., 720.

m-Nitrophenyldiresorcinylmethane (DE Varda and Zevoni), 1891, A., 1346. diNitrophenyldithienyl (RENARD),

1890, A., 1421. m-Nitrophenylditolylmethane (TSCHA-CHER), 1887, A., 44; 1888, A., 373.

diNitro-m-phenylenediamine 250°] (BARR), 1888, A., 823.

diNitro-m-phenylenediamine [m.p. 300°] (NIEIZKI and HAGENBACH), 1887, A., 477.

triNitro-m-phenylenediamine (Nolting and Collin), 1884, A., 1004; (BARR), 1888, A., 823.

triNitro-m-phenylenedimethyldinitramine (VAN ROMBURGH), 1888, A., 1079, 1185.

Nitrophenylene-ethenylamidine (Неім), 1888, А., 1097. diNitrophenylenehydroxylamine

(Willgerodt), 1892, A., 594. Nitrophenylene-8-naphthylethenyldi-

amine (HEIM), 1888, A., 488. o-Nitrophenylethylic salicylate (salicylethylene nitrophenol ether) (WAGNER), 1384, A., 436.

Nitrophenylethylnitrosamine (MEL-DOLA and STREATFEILD), 1886, T., 631.

Nitrophenylethylurethane (STEUDE-MANN), 1883, A., 802.

a-p-Nitrophenylfurfuracrylonitrile (FREUND and IMMERWAHR), 1890, A., 1408.

Nitrophenylglycidic acid, o- and p-(LIPP), 1887, A., 142.

Nitrophenylglycollic acid. See Mandelic acid, nitro-.

Nitrophenylglyoxylic hydrazones, and m- (FEHRLIN), 1890, A., 1117.

See Phenyl-Nitrophenylhydrazine. hydrazine.

5-Nitrophenylhydrazine-o-sulphonic acid (LIMPRICHT), 1885, A., 1216.

o-Nitrophenylhydrazine-p-sulphonic acid (NIETZKI and LERCH), 1889, A., 144; (LERCH), 1889, A., 881.

4:6-diNitrophenyl-1:2-hydroxylamine (WILLGERODT), 1891, A., 688; 1892, A., 594.

o-Nitrophenylic benzoate, reduction of (BOTICHER), 1887. A., 658.

Nitrophenylic benzoates \FUMANN, 1886, A , 350, 939; 1887, A., 254. diNitrophenylic carbonate (Lowen-

BERG), 1886, A., 789.

tri-p-Nitrophenylic cyanurate (Or10), 1887, A., 1033.

o-Nitrophanylic diphenylcarbamate (LELLMANN and BONHOFFEL), 1887, A., 936.

Nitrophenylic diphenylcarbamates (LELLMANN and BENZ), 1891, A., 1215.

o-Nitrophenylic ethylic carbonate (Bender), 1887, A., 37.

Nitrophenylic orthoformate, tribasic (WEDDIGE), 1983, A., 340.

Nitrophenylic nitrobenzoates (NEU-MANN), 1886, A., 350, 939; 1887, A., 254.

Nitrophenylic oxides, o- and p-, of dinitrophenol and of picric acid (WILL-GERODT and HUETLIN), 1884, A., 1328.

Nitrophenylic phenylcarbamate (GUM-PERT), 1886, A., 542.

Nitrophenylic phenylmethylcarbamates (LELLMANN and BENZ), 1891, A., 1214. p-Nitrophenylic phosphate (RAPP),

1884, A., 1337.

d: Nitrophenylic sulphide (tetranitrodiphenylic sulphide) (AUSTEN and Sмітн), 1886, A., 693.

m-Nitrophenylic disulphide (LEUCK-ART). 1890. A., 604.

p-Nitrophenylic disulphide (WILL-GERODT), 1885, A., 519.

a-diNitrophenylic thiobenzoate (WILL-GERODT), 1885, A., 519.

diffitrophenylic thiocyanate (AUSTEN and Smith), 1886, A., 693.

Nitro-l'-phenylindazine-3'-carboxylic acid, action of stannous chloride on (Schulhofer), 1891, A., 1231.

Nitro-1'-phenyl-4-indazine-3'-carboxylic acid (MEYER), 1889, A., 517.

m-Nitrophenylizinedihydroxytartaric acid (Bischler and Brodsky), 1890, A., 151.

Nitrophenyl-a-lactic acid, nitrate of (ERLENMEYER and LIPP), 1883, A.,

Nitrophenyl- β -lactic acid. See β -Hydroxyphenylpropionic acid.

Nitro-8-phenyllactic methyl ketones. See Nitro-8-hydroxypropionyl methyl ketone.

o-Nitrophenylmethaneazobenzene (PAAL and Bodewig), 1892, A., 1456.

az-p-Nitrophenyl-ald-methylnaphthatriazine (MELDOLA and FORSTER). 1891, T., 697, 712.

2:3:4 6-tetra/Nitrophenylmethylnitramine, and its conversion into mephony en discine difference viv ROMECIGH, 1880, A. 1154.

p-Nitrophenylmethylnitrosamine Fig-CHER and Herr. 1557, A., 244; (MELDOLA and Salvion, 1558, T., 775

 μ -m-Nitrophenyl- β -methyloxazoline (ELFELDT , 1592, A , 214.

o:p-diNitrophenyl-a-methylpiperidine (LEILMANN and JUST , 1591, A., 1245.

Nitrophenyl- β -methylpiperidine, mono and a p-di- Littuin and Buttner), 1500, A., 1003.

4-Nitro-1-phenyl-3-methylpyrazolone /Knorr), 1884, A., 302, 1150, 1378; 1887, A., 602; (KNOLR and Druen), 1592, A . 731.

m-Nitro-2'-phenyl 3'-methylquinoline (v. Milier and Kinkelin, 1886, A., 561.

2:4-d_ℓNitrophenyl-β-naphthol (ERNST), 1891, A., 300.

2 4-diNitrophenyl-a-naphthylamine (HEIM), 1595, A., 455, 1096.

2:4-d:Nitrophenyl-β-naphthylamine (HEIM), 1858, A., 498; (ERNST), 1891, A., 300.

o:p-diNitrophenyl-α- and -β-naphthylhydrazines (WILLGERODT SCHULZ), 1891. A., 572.

Nitrophenylnitrobensenesulphazides, m- and p- (LIMPRICHT), 1887, A., 723.

p-Nitrophenyl-o:p-dinitrophenylcarbinyl cyanide (v. RICHTEL), 1888, A., 1186.

Nitrophenyl-o- and itrophenyl-o- and -p-nitrophenyl oxides, di- and tri- (Willerhoot and HUETLIN), 1884, A., 1328.

Nitrophenyl-ald-m- and -p-nitrophenylnaphthatriazines, ac-p- and m- (MeL-DOLA and FOLSTER), 1891, T., 693, 694.

p-Nitrophenylnitropropionic acid. derivatives of (Friedlander and Mahly), 1885, A., 1137.

m-Nitrophenyl-o-nitro-p-tolylthiocarb-amide (STEUDEMANN), 1884, A., 307.

Nitro-n-phenylosotriazolecarboxylic acid (BALTZER and V. PECHMANN), 1891, A., 1116.

 μ -m-Nitrophenyloxazeline (Elfeldi), 1892, A., 213.

Nitro-β-phenyloxyacrylic acids. Nitrophenylglycidic acids.

Nitrophenylparaconic acids (SALOMONsov), 1885, A., 1221; 1888, A., 480. μ -m-Nitrophenylpentoxazoline

FELDT', 1892, A., 214.

m-Mitrophenylphenacyl oxide :LELL MINN and DONNER), 1890, A., 523.

Nitrophenyl-uldphenylnaphthatriaz-Nitrodiphenylnaphtha-See triazine.

p-Nitrophenylpiperazine (SCHMIDT and) Wichmann), 1892, A., 210.

Nitrophenylpropylamines, di- and tri-(VAN ROMBURGH), 1886, A., 455.

See diNitrophenylpropylene. trallylhenzene.

triNitrophenylpropylnitramine (VAN ROMBURGH), 1856, A., 455.

m-Nitro-2'-phenylquinoline (v. Mil-LER and KINKELIN), 1885, A., 1144. (Nölting), (/iNitrophenylrosaniline 1883, A., 54.

diNitrophenylsalicylic acid (ARBENZ), 1890, A., 893.

m-Nitrophenylsantoninmethane (BER-TONI), 1892, A., 622.

m-Nitro-2'-phenyltetrahydroguinoline (v. Miller and Kinkelin), 1885, A., 1145.

o-Nitrophenyltetra-p-hydroxydiphenylmethane (Siboni), 1892, A., 621.

p-Nitrophenyltetra-m-hydroxydiphenylmethane (SIBONI), 1892, A.,

Nitrophenyltetra-p-hydroxydiphenylmethanes, m- and p- (BERTONI and ZENONI), 1892, A., 620.

Nitrophenyltetrazolecarboxylic acid (Bladin), 1892, A., 1009.

m-Nitrophenylthiocarbimide and derivatives (Steudemann), 1553, A., 801; 1884, A., 306.

Nitrophenylthicurethane (Losanтъсн), 1893, А., 582.

o-Nitrophenyl-p-toluidine (SCHÖPFF), 1890, A., 1113.

triNitrophenyltoluidine. See triNitranilidotoluene.

Nitrophenyl-p-tolylthiocarbamides, oand m- (STEUDEMANN), 1884, A., 307.

Nitrophenyltriazolecarboxylic acid (BLADIN), 1892, A., 735.

m-Nitrophenyltrimethylammonium hydroxide, bromide and m-nitrophenoxide (Staedel and Bauer), 1886, A., 941.

p-Nitrophenylurethane and its derivatives (Hager), 1885, A., 149.

o:p-diNitrophenylurethane (HAGER). 1885, A., 150; (VAN ROMBURGH), 1892, A., 712.

p-Nitrophenylvaleric acid (Lellmann and Schleich), 1887, A., 490.

triNitrophloroglucinol (BENEDIKT and HAZURA), 1885, A., 554.

diNitrophthalic acids, 5:3- and 6:3-(MERZ and WEITH), 1883, A., 344.

4-Nitroisophthalic acid (CLAUS and WYNDHAM: 1889, A., 142; (NOYES), 1889, A., 395.

diNitroisophthalic acid (CLAUS and WYNDHAM), 1889, A., 142.

Nitrophthalo-m-isocymidide and WARTH), 1884, A., 47.

Nitropiperidine (FRANCHIMONT KLOBBIE), 1889, A., 1145. o-Nitropiperonalphenylhydrazone

(HADER), 1891, A., 706.

6-Nitropiperonylacrylic acid and its salts (Perkin), 1891, T., 153.

2-Nitropiperonylnitrile (HABER), 1891, A., 706.

o-Nitropiperonyvinyl methyl ketone (HABER), 1891, A., 705.

Nitropropanes. See Propane.

diNitropropane-p-bisazoanisoil (KEPP-LER and MEYER), 1892, A., 1062.

diNitropropanebisazo-benzene -toluene (Keppler and Meyer), 1892, A., 1062.

Nitropropenylbenzoic acid, salts of (WIDMAN', 1884, A., 317.

o-Nitropropionanilide (SMITH,, 1885, A., 524.

m-Nitropropylbenzoic acid. See n-Cuminic acid, nitro-.

See Nitroisopropylcinnamic acid. Cumylacrylic acid, nitro-.

Nitropropylene (MEYER), 1892, 575; (Askenasy and Meyer), 1892, A., 1062.

Nitropropylene-p-azoanisoil, nitropropyleneazobenzene. nitropropylenem-azobenzoic acid, nitropropyleneazo-m-bromobenzene. nitropropyleneazo- ψ -cumene, nitropropylene-pazophenetoil, and nitropropylene-oand -p-azotoluenes (Askenasy and MEYER), 1892, A., 1063, 1064.

Nitropropyleneazobenzene (MEYER), 1892, A., 575.

//Nitropropylthiophen (RUFI), 1887, A., 804.

Nitroprussides (Norton), 1888, A., 932; (Ригр'номме), 1890, А., 1387.

formation of, without the use of nitric acid (JENSEN), 1885, A., 739.

preparation of (PRUD'HOMME), 1891, A., 410.

heat on (ETARD and action of Bémont), 1885, A., 234.

and ψ-nitropurpurin Nitropurpurin (Brasch), 1891, A., 1078.

3-Nitropyrocatechol, behaviour of, with mordants (v. Kostanecki), 1889, A.,

Nitropyromecazone (OsT), 1883, A., 791.

2:5-diNitropyromellitic acid, and its ethylic salt (NEF), 1886, A., 64; 1888, T., 439.

Nitropyromucic acid (PRIEB-), 1855, A., 971.

diNitropyrroline (CIAMICIAN SILBER), 1885, A., 993; 1886, A., 718. Nitropyrroline-α-carboxylic acids, α-

and \$- (ANDELLINI), 1890, A., 66. Nitropyrrolinephthalide (Anderlini),

1889, A., 58.

Nitropyrrylene dimethyl ketone (CIAMICIAN and SILBER), 156, A., 718.

o-Nitropyruvaldehydephenylhydrazone (BAMBERGER), 1855, A., 157.

p-Nitropyruvic acid phenylhydrazone (FISCHER and ACH , 1890, A., 11. 2:5-diNitroquinol (NIEIZKI, 1553, A...

465. constitution of (NIETZKI and PARIS-SER), 1857, A., 574.

triNitroquinol, derivatives of NIEIZKI and KAUFMANN), 1892. A., 314.

Nitroquinols, diethyl derivatives of (NIEIZKI), 1883, A., 460; NIEIZKI and KAUFMANN', 1592, A., 314.

Nitroquinoline. See Quinoline. Nitroquinoline-2'-carboxylic acid

(DOEBNER and V. MILLER), 1583, A., 602.

Nitroquinone, Etard's. probable non-existence of (HENDERSON and CAMP-

BELL . 1890, T., 255.
Nitroresorcinol. See Resorcinol. Nitroresorcinoldisulphonic acid (ULZER), 1889, A., 510.

Nitroresorcinolsulphonic acid and its derivatives (HAZUBA), 1883, A., 1114. tetmNitrorosolic acid (ACKERMANN), 1884, A., 1339.

Nitrosalicylaldehydes IV. MILLER', 1887, A., 938; (TAEGE', 1887, A., 939; (BRADLEY and DAINS', 1892, A., 1458.

3- and 5-Nitrosalicylic acids (SMITH and KNERR), 1886. A., 704.

Nitrosamines (FISCHER and HEPP), 1887, A., 729, 1114.

constitution of (ERLENMEYER), 1883, A., 1103. action of hydrogen chloride on

(FISCHER and HEPP', 1887, A., 244. Nitrosates and their derivatives WAL-LUH, 1888, A., 37.

Nitrosilicic acid, existence of (Rovs-SEAU and TITE), 1892, A., 651.

Nitrosites and their derivatives , WAI -LACH), 1858, A., 37.

isoNitroso-. oxime of.

Nitrosoacetone (V. PERMANN), 1867, $\Delta., 1104.$

sodium salt of, action of benzylic chloride on MEYER and CERESOLE), 1883, A., 572.

diNitrosoacetone (v. PLIMANN and Wensarg), 1-89, A., 31.

Nitrosoacetonephenylhydrazones,

mone and di- (v. Pr HVANN and Wehrang, 1889, A., 17, 34.

diNitrosoacetonephenylmcthylhydrazone (v. PECHMANN and WLH-ARG). 1859, A., 45.

Nitrosoallylacetone (OTIF PLCHWANN, 1889, A., 1139.

Nitrosoamidoethylpiperonylic anhydride (Perkin), 1890, T., 1918.

Nitroso-a-anilidopropionic acid (REI--ELT , 1892, A., 1456.

p-Nitrosoaniline (FI-HLL and HEPP), 1507, A., 1111; 1855. A., 400. action of phenylhydrazine on Fis-THER and WACKER), 1555, A., 1256. phenylmethylhydrazone of Fischer

and WACKEP, 1889. A., 702. p-Nitrosoanisidine BE-1, 1590, A.,

60b. Nitrosoanthrone (GIMLEI), 1587, A... 675.

action of nitric acid on (Pelkin), 1891, T., 641.

4-Nitrosoanthrone (Perkin), 1891, T., 645.

Nitrosoazo-compounds, constitution of (Willgerodf), 1892, A., 1321, 1453.

Nitrosoazobenzene. See Azobenzene. Nitrosobarbiturie acid (CERESOLE), 1883, A., 913.

p-diNitrosobenzene (NIETZKI and KEHRMANN), 1887, A., 575.

Nitrosobenzeneazo-. See Benzeneazo-. Nitrosobenzenesulphonic acid, paration and salts of (LIMPRICHI), ÎS92, A., 475.

JiNitrosobenzenylamidine (Lossen and MIERAU), 1553, A., 654.

diNitrosobenzenylamidine benzenylamidine Lossen and MIERAL), 1888. A., 684.

Nitrosobenzylacetone (CERE-OLE, 1983,

A., 41. Nitroso-o-benzylamidoacetophenone (V. BAEYER), 1884, A., 1021.

p-Nitrosobenzylaniline (FI-CHER and НЕРР), 1890, А., 614; (Воерымс-HAUS), 1891, A., 1205.

Nitroso-β-benzylhydroxylamine (BEHREND and KONIG), 1891. A., 1034.

See parent substance, p-Nitrosobenzylmethylaniline (BoED-DINGHAUS), 1891, A., 1206.

Nitroso-3-benzylpiperidone (AscHin), 1591, A., 467.

p-Nitrosobenzyl-o- and -m-toluidines BOE DINGHAUS, 1891, A, 1200

p-Nitrosoi@butylaniline (WACKEL), 15%, A., 465.

Mitrosocamphor (CIAISEN and MANASSE), 1889, A., 619.

oxidation by, in presence of light (CAZLNEUVE), 1889, A., 1203.

Nitroso-compounds, preparation of (Willgerodt), 1891, A., 688.

true, question of the existence of (MEVER), 1888, A., 702.

constitution of (MEYER and CERESOLE), 1883, A., 572.

action of sulphurous anhydride on (SCHWIDT), 1890, A., 1305; 1892, A., 475.

aromatic (GABRIEL), 1883, A., 919. cyanhydrins of (LIPPMANN and FLEISSNER), 1885, A., 1212.

Nitroso-o-cresol (NULTING and KOHN), 1884. A., 1003; (GOLDSCHMIDT and SCHMID), 1884, A., 1327.

Nitrosocresorcinol. See Nitroso-2:4dihydroxytoluene.

diNitroso-n-cumene (Kfhrwann and Messinger), 1891, A., 298.

Nitroso-ψ-cumylazoresorcinol (v. Kostanecki, 1889, A., 137.

Nitrosocyanacetic acid (Wolff and Gana), 1891, A., 807.

Nitrosocyanides (PAVEL), 1883, A., 297.

Nitrosocyanobutyric acid (WOLFF), 1891, A., 418.

Nitrosodialkylanilines, periodides of (DAFERT), 1883, A., 979.

Nitrosodibenzoylmethane (v. Pech-MANN), 1889, A., 712; (DE NEUF-VILLE and v. Pechmann), 1891, A., 318.

Nitrosodibenzylamine (WALDER), 1887, A., 247.

Nitrosodibenzylhydroxylamine (WALDER), 1857, A., 246.

Nitroso-1:3-diethoxybenzene (KR4US), 1892, A., 44.

Nitroso-p-diethoxydiphenylpiperazine (BISCHOFF and TRAPESONZJANZ), 1890, A., 1332.

Nitrosodiethyl ketone (CLAI-EN and MANASSE), 1889, A., 585.

Nitrosodiethylaniline cyanhydrin(Lipp-MANN and Fiel-SNER), 1885, A., 1213.

Nitrosodiethylene (GIBBS and REICHERT), 1891, A., 1393.

1:3-di Nitrosc-2:4-dihydroxytoluene (v. Kostanecki), 1888, A., 263.

Nitroso-p-dimethylamidobenzoic acid and its derivatives (BISCHOFF), 1889, A., 511.

Nitrosodimethylamidobenzophenone (BISCHOFF), 1889, A., 511.

Nitrosodimethyl-m-amidophenol (Mon-LAU), 1892, A., 887.

Nitrosodimethylaniline. See Dimethylaniline.

Nitroso-2:5-dimethylpyrrolidine

(TAFEL and NEUGEBAUER), 1890, A., 1001.

Nitrosodi-β-naphthylamine (RIS), 1888, A., 58.

Nitroso-a-dipentenenitrolaniline (WAL-LACH), 1892, A., 1348.

p-Nitrosodiphenylamine (FISCHER and HEPP', 1887, A., 244; (IKUTA), 1888, A., 467.

p-Nitrosodiphenylmethylamine (FISCHER and HEPP), 1890, A., 614.

p-Nitrosodiphenyl-m-phenylenediamine (Fischer and Hepr), 1890, A., 613.

Nitrosodipropylamine (dipropylaitrosamine) (VINCENT), 1886, A., 1005.

Nitrosodipropylaniline cyanhydrin (M NDL), 1886, A., 793.

Nitrosodipyromeconic acid (Ost), 1893, A., 793.

diNitrosoditoluene (BEHREND and Konig), 1890, A., 1122.

Nitrosodi-p-tolyldiamido-o-diazothiole (HECTOR), 1890. A., 527.

Nitrosoethoxyethylphenol (KRAUS), 1892, A., 45.

α-Nitroso-β-ethoxynaphthalene (v. IIINSKI), 1896, A., 474.

Nitrosoethyl-o-amidocinnamic acid (FISCHER and KLZEL, 1884, A., 440.

Nitrosoethylamido-\$\text{\$\beta\$-phenylpropionic} acid (Figcher and Kuzel), 1884, A., 1132.

1:4-Nitrosoethylaniline (FISCHER and HEPP), 1887, A., 244.

Nitrosoethylic alcohol, oxime of (ALEXLEFF), 1886, A., 999.

p-Nitrosoethyl-o-toluidine (FISCHER and HEPP), 1887, A., 244.

a-Nitrosoglutaric acid (WOLFF), 1891, \(\Delta\), 419.

p-Nitrosoguaiacol (BEST), 1890, A., 608.

Nitrosoguvacine (JAHNS), 1892, A., 740. isoNitrosohesperidene. See Carvoxime.

Nitrosohippurylhydrazine (CURTIUS), 1891, A., 57.

Nitrosohydrazonehippuric acid (CURTIUS), 1891, A., 57.

S'-Nitroso-4'-hydroxycarhostyril (v. BAEYER and HOMOLKA), 1884, A., 78, 1029.

p-Nitroso-m-hydroxydiphenylamine (Kohler), 1888, A., 587.

β₁-Nitroso-γ₁-hydroxy-α₁-ketojuloline (Kayser and Reissert), 1892, A., 884.

Nitroso-4-hydroxy-3-methylquinoline (Nolting and Trautmann), 1891, A., 326.

Nitroso-2'-hydroxy-4'-methyltetrahydroquinoline (Fischer and Witt-MACK), 1884, A., 1052.

Nitroso-m-hydroxy-p-tolylamine (HATSCHER and ZLGA), 1856, A., 455.

o-Nitroso-3-hydroxyquinoline (MATHEUS), 1858, A., 965.

μ-Nitrosoimidothiazoline (NAF), 1891, A., 1515.

Nitrosoindole (ZATTI and FERRATINI, 1890, A., 1293.

molecular weight of (ZATTI and FER-RATINI), 1892, A., 67.

Nitrosoindoxyl (V. BAEYER), 1883, A., 1131.

Nitrosoketones (TREADWELL and WESTENBERGER), 1883, A., 572; (CLAISEN), 1887, A., 463; (CLAISEN and MANASE), 1887, A., 944.

decomposition of (v. Pechmann), 1885, A., 248.

isoNitrosoketones. See Ketoximes. isoNitrosolimonene. See Carvoxime.

Nitrosolimonenenitrolaniline (WAL-

LACH), 1892, A., 1848.

Nitrosomalonic acid, constitution of (MEYER and MULLEB), 1883, A.,

Nitrosomethyl isobutenyl ketone (CLAINEN and MANASSE), 1889, A., 585.

Nitrosomethyl ethyl ketone (CERESOLE), 1883, A., 41.

Witrosomethyl propyl ketone (CLAISEN and MANASSE), 1889, A., 585.

o-Nitrosomethylamidobenzamide (FINGER), 1888, A., 948.

Nitroso-o-methylamidohenzene (MEYEL), 1856, A., 63.

Nitrosomethylamidophenylethane (HEUMANN and WILENIK), 1857, A., 1039.

1:4-Nitrosomethylaniline (FISCHER and HEPP), 1887, A., 244.
See also Phenylmethylnitrosamine.

p-Nitrosomethyl-o-anisidine (BEST), 1890, A., 607.

Nitrosomethylcarbamide (v. Bruning), 1889, A., 936.

(V.) n-Nitroso-u-methylimidothiazoline A., (NAF), 1891, A., 1516.

μ-Nitroso-α-methylimidothiazoline (Naf), 1591, A., 1516.

Nitrosomethyl-o-nitro-p-diazobenzene ehloride o-n tro-w-ntr.su-p-diazotolueno chloride) (MEYEE), 1856, A., 63.

Nitroso-p-methyloxindole (MEYEL', 1854, A., 48.

5-Nitrosomethyl-o-toluidine (Kock,, 1883, A., 469.

6-Nitrosomethyl-o-xylidine (Fischel, and Hepp., 1890, A., 913; (Menion, 1891, A., 1204.

p-Nitrosomethyl-p-xylidine (Price, 1890, A., 607.

1:2-diNitrosonaphthalene (V ILINSKI), 1846, A., 472.

1.4-diNitrosonaphthalene NIETZKI and GUITERMANN, 1888, A., 471.

Nitrosonaphtharesorcinols, muno- and di- (v. Kostanecki), 1559, A., 887.

Nitrosonaphthol. See Nal hthaquinoneoxime.

2-Nitroso-α-naphthol-4-sulphonic acid (WITT and KAUFMANN), 1892, A., 195.

Nitroso-β-naphthol-3'- and -4-sulphonic acids, 1- and 2-, metallic salts of (HOFFMANN), 1892, A., 346.

2-Nitroso-α-naphthylamine (HARDEN), 1890, A., 630.

1-Nitroso-β-naphthylamine (V. ILINski), 1884, A., 1035; (HARDEN), 1890, A., 630.

a-Nitroso-6-naphthylethylamine (Fischer and Herr), 1887, A., 1114; 1888, A., 461.

B-Nitroso-a-naphthylethylamine (HARDEN:, 1890, A., 631.

p-Nitroso α-naphthylethylamine (Κοςκ), 1888, A., 469.

Nitroso-orcinol (Kraemer), 1884, A., 1341.

diNitroso-orcinol (Golds HMIDT and Strauss), 1557, A., 508.

Nitroso-oxindole (Gabrifl), 1883, A., 920; (v. Baever, 1883, A., 1131.

Nitroso oxymethylquinoline. See Oxymethylquinoline.

Nitroso-1- and -3-oxyquinoline, 2- and 4-, tinctorial properties of (V. Kos-TANECKI, 1891, A., 579.

diNitrosopentamethylenetetramine (GRIES and HARROW), 1888, A.,

p-Nitrosophenol. See Quinoncovime, 1-Nitrosophenylbenzylnitrosamine (Boeddinghaus), 1891, A., 1206. Nitroso-\(\psi\)-phenylhydrazidomandelic acid (REINSERT and KAYSER), 1891, A., 439.

Nitrosophenylic benzoate /WALKEL), 1>1, A., 1003.

Nitroso-2'-phenylindole (Fischer and Schmidt), 1885, A., 698.

p-Nitrosophenylmethylnitrosamine (Fischip and Hipp, 1887, A., 244.

Nitroso-2'-phenyltetrahydroquinoline (Doffener and v. Miller), 1886, A., 722.

p-Nitrosophenyl-p-toluidine (REIGH-OLD), 1890, A., 609.

Nitrosophthalimidine (GRAELF', 1885, A., 166.

Mitrosopiperazine (LADINBULG), 1891, A., 1333.

triNitrosopropane (v. PECHMANN and WEHSARG), 1889. A., 34.

B-Nitrosopropionic acid (v. Pro H-MANN), 1891. A., 1458; (HAN1Z50 H), 1592, A., 1069.

Nitrosopropiophenone (V. PECHWANN and Millih), 1888, A., 1088; (CLAISEN and MANASSE, 1889, A., 585; (GUDENAN, 1889, A., 613.

p-Nitrosopropylaniline and nitrosamine of (W 10KEL. 1888, A., 466.

4-Nitrosoresorcinol, salts of (FEVII), 1883, A., 733; WAIKER. 1884, A., 1003.

d/Nitrosoresorcinol Goldschmidt and Stlates, 1887, A., 800.

Nitrosoresorcinoldisulphonic acid (LIZEL 1889, A. 510.

Nitrosois strychnic acid TAFII, 1892. A., 1012.

Nitrososulphoies Payll. 1883, A. 297. Nitrososulphonic acids, preparation of LIMPER III. 1892, A., 475

Nitrosoterpene Goldschmidt and Zurleil, 1885, A., 1210 p Nitroso α-tetrahydronaphthylethyl-

amine hydrochloride BAMPLIGER and HELWIG, 1889, A, 892.

Nitrosotetrahydroquinoline, p-monoand di- (ZIEGLER, 1888, A., 610. Nitrosotetramethyl/damidobenzophen-

Nitrosotetramethyl/camidobenzophenone, salts of (Bischoff, 1889, A., 511). Nitrosotetramethylphenylenediamine

Nitrosotetramethylphenylenediamine hydrochloride, and derivatives of (WIII. 1885, A., 782.

Nitrosothiomethylaniline and nitrosothionylmethylaniline (MICHAELIS and GODCHAUX), 1891, A., 74.

6-Nitrosothymol (Sutkowski), 1887, A., 41.

action of hydroxylamine on (Kehr-Mann and Messinger), 1890, A., 1403. 2:5-diNitrosotoluene (MEHNE), 1888, A.,463; (Nietzki and Guitermann), 1888, A., 471.

ω-Nitroso-o-toluidine (Meyer), 1886, A., 63.

Nitrosotoluidines (MEHNE), 1858, A., 463.

Nitrosotriacetonine (FISCHER), 1884, A., 1290.

Nitrosotriphenyltriamidobenzene (MINUNNI), 1891, A., 190.

Nitrosotriphenylmethylaniline (EIBe, 1884, A., 1031.

Nitrosotriphenylmethyl-p-toluidine (WITTICH), 1884, A., 1032.

Nitrosotri-p-tolyltriamidobenzene (MINUNNI), 1891, A. 190.

2:5-diNitroso-p-xylene PFLUG), 1990, A., 607.

diNitroso-m xylenecarboxylic acid (CLAUSI, 1890, A., 950.

5-Nitroso-p-xylenol. See p-Xyloquin-oneoxime.

diNitroso-m-xylylglyoxylic acid (Claus, 1890, A., 979.

Nitrostilbazole. See Nitro-a-styrylpyridine.

Nitrostilbene (Assem rz and Rovic), 1885, A., 768.

o-d/Nitrostilbene (BIS) HOFF), 1888, A., 1094. p diNitrostilbene bromide (ELES and

BAUER, 1887, A., 151. Nitrostrychnic acid (Loedisch and

Schoop, 1886, A., 514.

Nitrostrychnine (Loebisch and Schoop, 1886, A., 267.

d. Nitrostrychnine and its salts (HAN-LIOI), 1883. A., 669.

Nitrostyrene Ser Styrene.

o-Nitrostyryl methyl ketone (v. Barver and Drewsen, 1883 A., 341; Fischir and Kizer, 1883, A., 587.

p-Nitrostyryl methyl ketone V. BALLER and BLEKER, 1883, A., 1120.

o-Nitrostyrylacrylic acid (DIEHI and EINIOIN, 1855, A., 1222.

Mitro-a-styrylpyridine and its reduction products (SCHUFTAN), 1890, A., 1437.

o-Nitrostyrylvinyl methyl ketone (Diehl and Einhorn), 1895, A., 1222.

p-Nitrostyrylvinyl methyl ketone (Einholm and Gehrenbeck), 1890, A., 162.

p-Nitro-o sulphamidobenzoic acid (Noves and Wiley), 1889, A., 711. Nitrosulphates, decomposition and properties of DIVERS and HAGA. 1885, T., 203.

Pelouze's, conversion of into hypenitrites and sulphites. Divers and HAGA 1885, T., 203; P., 25.

HAGA, 1885, T., 203; P., 25, p-Nitro-o-sulphobenzoic acid KASHE, 1889, A., 711; (HALSEL, 1892.

A., 479. Nitrosulphotoluic acid Limple III. 1885, A., 1234.

Nitrosyl bromide (a trop a crebromide (From H. 1884, A., 1258

Nitrosyl chloride 'adreg ne will r h. absorption spectrum of Mw-NANNI, 1890, A. 97.

specific gravity of Grithle, 1555.

action of heat on Substitute and Millian, 1890, P., 167; 1891 T., 73, 270.

action of, on metals (S1 DIOL 7 GH 1891, T., 655.

Nitrosyl sulphate native new sulphate, preparation of RAMSAY and Clas-DALI, 1885, T., 197.

Nitrotartrazinesulphonic acid, sodium derivative of (Lem H., 1889, A., 881.

Nitroterebenthene (Pesci and Ber-IELLI, 1887, A., 272; Pisci, 1889, A., 157.

derivatives of, action of hydrogen on (TANNET, 1987, A., 675.

Nitroterephthalaldehyde, action of potassium cyanide on Howolks and Low, 1886, A., 701.

diNitrotetrahydro-quinoline and -quinolylcarbamide(Simon-Thomas), 1892, A., 726.

p-Nitrotetrahydroxytoluene (Kehr-MANN and Brasch), 1989, A., 970.

Nitrotetramethyl/lamidodiphenylmethane (VAN ROMLURGH, 1889, A, 146.

p-Nitrotetramethyl/iamidodiphenyltolylmethane (Nohrrage, 1891, A., 727.

Mitrotetramethylapionole (CIAMI-CIAN and SHEER, 1890. A., 1295.

tetra Nitrotetraphenylpyrroline Fi III.-I IN., 1889, A., 623.

tetraNitrotetraphenylsilicon (Pol 18), 1886, A., 616.

o-Nitrotetrethyl/iamidotriphenylmethane (Fischil, and Schmidt, 1884, A., 1316.

p-Nitrotetrethyldiamidotriphenylmethane (KAE-WULM, 1986, A.,

Nitrothienol (STADLER, 1885, A., 1205.

Nitrothienylglyoxylic acid Peter), 1885, A., 764.

Nitro/ithiobenzaldehydeacetic acids Box.o.A.rz., 1886 A., 937.

Nitrothiobenzotoluidide GMALLANN and NEUBELG, 1892, A., 839.

Nitrothiophen. See Thiophen.

Nitrothiophenearboxylic acid (ROMER), 1857, A. 362.

Nitrothiophensulphonic acid and its salts Stadent, 1855, A., 764.

2:6-17/Nitrothymol Mazarai, 1890, A., 602, 755.

2 6-4/Nitrothymyl acetate and benzoate MAZAIA, 1891. A., 47, 16.

3-Nitro-4-tolenylamidoxime Weise

1892, A., 852. diNitro o-tolidine Gilbert, 1888, A.,

484. Nitrotolualanine. See Nitrotolylamido-

propionic acid.
o-Nitro-m tolualdehyde Bokni Minn.

1554 A., 1165. White-m tolualdehyde (Bolne-NAN 1554, A., 1163.

3-Nitro-p toluanide Niementowski and Rozanski 1888, A., 1088; Weisl 1890, A., 47.

m-Nitro-p-toluamide (WEINE', 1890, A., 47.

Nitrotoluene. Ser Toluene.

a-triNitrotolueneaniline (HEPP, 1893, A., 317.

m-Nitrotoluene-p-azoacetoacetic acid and -p azoacetone (BAMBFLGER), 1885, A., 157, 158.

m-Nitrotoluene-p-azobenzoylacetic acid
(BAMBERGER, and CALMAN), 1886,
A., 62.

Nitrotoluenenaphthalene, di- and di-(Help), 1883, A., 318.

4-Nitrotoluene-2 sulphonic acid (HATSSEL, 1891, A., 73.

2-Nitrotoluene-3-sulphonic acid and its salts (Form, 1886, A., 153.

2-Nitrotoluene-5-sulphonic acid and its silts (Limphie H1, 1885, A., 1234; (Forh), 1886, A., 153.

Nitrotoluic scid. See Toluic acid.

Nitrotoluidine See Toluidine.

3-Nitro-o- and -p-toluidine-2- and -5-sulphonic acids (NILTZKI and POLLINI), 1890, A., 502.

2-Nitro p-toluidine-5-sulphonic acid and its derivatives (LIMPRICHI), 1885, A., 1233; FOTH), 1886, A., 152. 3-Nitro-p-toluonitrile (LEUCKAII),

1586, A., 351; (NIEMPNIOWSKI), 1898, A., 837; (WLISE: 1890, A., 47.

3:5-diNitro-p-toluonitrile (CLAUS and BEYSEN), 1892, A., 177.

diNitrotoluquinol (WENDER), 1890, A.,

4:6-diNitrotoluquinol (KEHRMANN and Brasch), 1889, A., 969.

Nitro-p-tolylacetic acids, mono-2- and 2:6-di- (CLAUS and WEHE), 1891, A., 1365.

diNitro-m-tolylacetic acid (SEN-KOWSKI), 1889, A., 255.

o-Nitro-p-tolylamidoacetic acid (PLOCHL), 1886, A., 351.

salts of (LEUCKART and HEBMANN), 1887, A., 383.

m-Nitro-p-(-o-)tolylamidobenzoic acid (Heidensleben), 1891, A., 306.

m-Nitro-p-(p-|tolylamidobenzoie acid (Schofff), 1890, A., 374; (Heidens-Leben), 1891, A., 306.

m-Nitro-p-tolylamidonaphthaquinone (Leices fer., 1890, A., 1447.

3-Nitro-p:a-tolylamidopropionic acid (Hinsberg), 1892, A., 1359.

m-Nitro-p-tolylamidotoluquinone (LEICESIER), 1890, A., 1446.

triNitrotolylaniline, See triNitranilidotoluene.

6-Nitrotolylisobutyric acid (Effront), 1885, A., 152.

p-Nitrotolyldimethyl/liamidodiphenylmethane (NoLIING), 1892, A, 189.

p-Nitrotolyldimethyldiamidophenylmethane Nolfing), 1891. A, 727.

p-Nitrotolyldimethyldiethyldiamidodiphenylmethane Nolffing), 1591, A., 728

Nitrotolylenebenzenylamidine (BIS-TRZYCKI and ULFFERS, 1892.A., 1197. d/Nitro-2:4 tolylenediamine (NIETZKI

a d Roseli, 1891, A., 192. triNitro-2:4-tolylenediamine, Palmen),

1889, A., 390.

Nitrotolylene-ethenylamidines, monoand di- (BANKIEWICZ), 1888, A., 1184; BISILZYCKI and ULFFERS,

1892 A., 1197. Nitrotolylene-oxyethenyldiamine (Bankiewicz, 1888, A., 1184.

o-Nitro-p-tolylethylthiourethane Sceudenann', 1884, A., 397.

2-Nitrotolylhydrazine-5-sulphonic acid (Liwper H1, 1885, A., 1216; (Foih), 1886, A., 153.

Nitrotolylic cyanate (GATTERMANN and CANFELER), 1892, A , 833.

Nitrotolylnitrotoluen-sulphazide (LIM-PRICHI), 1857, A., 723.

Nitrotolyloxamic acid and its derivatives (Hinsberg), 1883, A., 323; (Schiff and Vanni), 1892, A., 601. Nitrotolyloxamide (Schiff and Vanni), 1892, A., 601.

diNitro ρ-tolyloxyethylphthalimide (SCHREIBER), 1891, A., 552.

Nitro-m-tolylpropionic soid (Effront), 1885, A., 152.

m-diNitro-a:p-tolylpropionic acid (Er-RERA and BALDRACCO), 1892, A., 606.

 o-Nitro-p-tolyl-thiocarbamide and -thiocarbimide (STEUDEMANN), 1884, A., 307.

o-Nitro-p-tolylthiourethane (STEUDE-MANN), 1884, A., 307.

p-Nitrotolylurethane (Schiff and Vanni), 1892, A., 601.

Nitrotriacetyldiamido-α-naphthol (MEERSON), 1888, A., 713.

diNitrotrianilidobenzene (PALMER and JACKSON), 1890, A., 248.

triNitrotrianilidobenzene (JACKSON and WING), 1888, A., 1276.

Nitrotriazines, reduction of (MELDOLA and FORSTER), 1891, T., 701.

triNitrotribenzylphosphine (COLLIE), 1889, T., 225.

Nitrotriethyl-gallic acid and -pyrogallol (SCHIFFER), 1892, A., 716.

Nitrotrihydroxybenzophenones (Graede and Eichengrun), 1892, A., 1225.

diNitrotrihydroxyethylbenzene (NIETZKI and KAUFMANN), 1892, A., 315.

(Schweitzeil, 1889, A., 390.

Nitro-1:2:4-trimethylanthraquinones, a- and 8- (ELBs, 1890, A., 513.

diNitro-1:2:4-trimethylanthraquinone (ELBs., 1.90, A., 513.

Nitrotriphenylamines, mono- and d2-(Henz), 1890, A., 1403.

triNitrotriphenylamine (HEYDRICH), 1885, A., 1213.

tetraNitrotriphenylbenzene (MELLIN), 1890, A., 1423.

Nitrotriphenylcarbamides, m- and p-(Lellmann and Bonhoffen), 1887, A., 936.

m-Nitrotriphenylcarbinol (Tschather, 1888, A., 373.

p-Nitrotriphenylcarbinol (v. BAEYER and Lohn), 1890, A, 1141.

m-Nitrotriphenylguanidine (Losanitsch), 1843, A., 583.

8-Nitrotriphenylguanidine dicyanide (HIRSCH), 1888, A., 947.

triNitrotriphenylguanidine and its hydriodide (Losanitsch), 1883, A., 582, 583.

triNitrotriphenylic phosphate (RAPP), 1984, A., 1138.

m-Nitrotriphenylmethane T~(H 1-CHER. 1887. A., 44; 1588, A., 373. p-Nitrotriphenylmethane v. BIEYLL

and Lour), 1890, A . 1141.

Nitrotriphenylphosphine oxide MI-CHAPLIS and V. SODEN, 1884, A., 1180.

triNitrotri-p-tolylbenzene (CLATS. 1890, A., 770.

Nitrous and hyponitrous acids. See under Nitrogen.

Nitrous anhydride. See Nitrogen trioxide.

Nitrous ether. See Ethylic nitrite.

"Nitrous ether, spirit of," estimation of Dolly, 1855, A., 1013. estimation of ethylic nitrite in

(DYMOND , 1555, 1555, A., 542; A., 1013: (Thrish), 1890, A., 927.

Nitrous organism. See Microbes.

Nitrous oxide. See Nitrogen monoxide. β-Nitroisovaleric acid (BRED) , 1883, A., 176.

Nitroveratroil (Rossin, 1892, A.,

B-diNitroxanthone, action of reducing agents on (PERKIN), 1883, T., 190.

Nitro-m-xylalphthalide (HEILMANN), 1890, A., 625; 1891, A., 201.

(HEILdiNitro-m-xylalphthalide MANN), 1891, A., 201.

Nitro-m-xylalphthalimidine (HEIL-MANN). 1590, A., 625; 1891, A., 201. Nitroxylene. See Xylene.

Nitro-m-xylenediazopiperidine (AH-

RENE), 1892, A., 1437. Nitro-m-xylene-4-sulphonic acids, 2-, 5- and 6-mmo- and 2:6- and 5.6-di-(CLAUS and SCHMIDI), 1886, A., 708.

its Nitroxylenol and derivatives

(Pfaff), 1883, A., 802, 918.
5-Nitro-p-2-xylenol, ethylic salt of (Nolling, Wift and Forel), 1886, J.. 58.

3:5-diNitro-o-4-xylenol (Nolling and Pick), 1889, A., 129.

Nitro-m-1-xylenol-6-sulphonic acid, 2or 5- (LIMPRICHI), 1885, A., 1234; (Santig), 1886, A., 154.

2-Nitro-m-4-xylidine and its acetylderivative (GLEVINGE), 1885, A., 144.

Nitro-p-xylidine (NoLHNG, WIFT and FUREL', 1856, A., 55; (W111), 1889,

Nitroxylidinesulphonic acid [1:3:x:6:4] (LIMPRICHT), 1885, A., 1234.

Nitro-m-xylyl methyl ketones, 2- and 6- (CLAUS), 1890, A., 980.

2:6-diNitro-m-xylyl methyl ketone (CLAUS), 1890, A., 981.

2:6-d Nitro-m-xylyl nitrosomethyl ketone (LAUS, 1890. A., 981.

4-Nitroxylylacetic acid and its salts (Wisper , 1553, A., 1096.

2 6-dinitro-m-xylyl-6-Nitroand glyoxylic acids (CLAUS), 1890, A., 950.

Nitro-/-xylylphosphonic acid (WEL-

LLE, 1558, A., 536. Nitruracil Kohler, 1887, A., 128.

alkyl derivatives of (Behlend, 1590, A., 31; (LEHMANN, 1590, A., 32.

metallic derivatives of (BEHREND). 1587. A., 920.

Nitruracilcarbamide Behrend, 1887, Λ_{**} , 920.

Nitruracilearboxylic acid (KOHLER), 1587, A., 125.

potassium salt of (Behrend), 1887, A., 919.

Nitruramidobenzoic acid, 6:3-, 4:3-, 2:3-, action of potash on (GRIESS), 1583, A., 57.

5:3-Nitruramidobenzoic acid (GRIESS), 1×85, A., 54.

deNitrurushic acid (Yoshida), 1883. T., 480.

Nitryl (nitro.ryl) chloride, non-existence of (WILLIAMS), 1886, T., 222; P., 155; (Geuther), 1888, A., 785.

Nivenite (HIDDEN and MACKINTOSH), 1890. A., 458.

Nobili's rings, and allied electrochemical phenomena (ELSAS), 1887, A., 759. Nocerine, optical properties of (BEE-

TRANDI, 1883, A., 1060. chemical examination of (FISCHER),

1885, A., 957. Nodules, marine, occurrence of sulphur

in, and its bearing on their modes of formation (Buchanan), 1891, A.,

root, of the pea (Prazmowski), 1891, A., 607.

Nomenclature, international system of (Armstrong), 1892, P., 127.

of cycloids (ARMSTRONG), 1892, P.,

of stereoisomeric nitrogen compounds and of rings containing nitrogen (HANIZSCH), 1892, A., 312; (WID-MAN), 1892, A., 875.

of oxidisable bodies (TRAUDE), 1883, A., 709.

of rings containing 2 carbon and 3 nitrogen atoms (KEHRMANN and Messinger', 1892, A., 889.

Nonane (ennunc) from American petroleum and chloro- (LEMOINE), 1884, A., 1106.

3:5-diNitro-p-toluonitrile (CLAUS and |. BEYSEN), 1892, A., 177.

diNitrotoluquinol (WENDER), 1890, A.,

4:6-diNitrotoluguinol (KEHRMANN and Brasch), 1889, A., 969.

Nitro-p-tolylacetic acids, mono-2- and 2:6- $\bar{d}i$ - (CLAUS and WEHR), 1891, A., 1365.

diNitro-m-tolylacetic acid (Sexkowski), 1889, A., 255.

o-Nitro-p-tolylamidoacetic acid (Pluchl), 1886, A., 351.

salts of (LEUCKART and HERMANN), 1887, A., 383.

m-Nitro-p-(-o-)tolylamidobenzoic acid (Heidensleben), 1891, A., 306.

m-Nitro-p-(p-)tolylamidobenzoic acid (SCHOPFF), 1890, A., 374; (HEIDENS-LEBEN), 1891, A., 306.

m-Nitro-p-tolylamidonaphthaquinone (Leicester), 1890, A., 1447.

3-Nitro-p:a-tolylamidopropionic acid (HINSBERG), 1892, A., 1359.

m-Nitro-p-tolylamidotoluquinone (LEICESTER), 1890, A., 1446.

triNitrotolylaniline. See triNitranilido-

6-Nitrotolylisobutyric acid (Effront), 1885, A., 152.

p-Nitrotolyldimethyldiamidodiphenylmethane (Nolting), 1892, A., 189. p-Nitrotolyldimethyldiamidophenyl-

methane (Nolting), 1891, A., 727. p-Nitrotolyldimethyldiethyldiamidodiphenylmethane (Nolting), 1891, A.,

Nitrotolylenebenzenylamidine TRZYCKI and ULFFERS), 1892. A., 1197. diNitro-2:4-tolylenediamine (NIETZKI a d Rosel), 1891, A., 192.

triNitro-2:4-tolylenediamine (PALMER),

1889, A., 390. Nitrotolylene-ethenylamidines,

ทเดนดand di- (BANKIEWICZ), 1888, A., 1184; (BISTRZYCKI and ULFFERS), 1892, A., 1197.

Nitrotolylene-oxyethenyldiamine (Bankiewicz), 1888, A., 1184.

o-Nitro-p-tolylethylthiourethane (STEUDEWANN), 1884, A., 307.

2-Nitrotolylhydrazine-5-sulphonic acid (LIMPRICHT), 1885, A., 1216; (Готн), 1886, А., 153.

(GATTERMANN Nitrotolylic cyanate and CANTZLER), 1892, A., 833.

Nitrotolylnitrotoluenesulphazide (LIM-PRICHT), 1887, A., 723.

Nitrotolyloxamic acid and its derivatives (Hinsberg), 1883, A., 323; (Schiff and Vanni), 1892, A., 601.

Nitrotolyloxamide (SCHIFF and VANNI), 1892, A., 601.

diNitro-p-tolyloxyethylphthalimide (SCHREIBER), 1891, A., 552.

Nitro-m-tolylpropionic acid (Effront), 1885, A., 152.

m-diNitro-a:p-tolylpropionic acid (Er-RERA and BALDRACCO), 1892, A.,

 $o ext{-Nitro-}p ext{-tolyl-thiocarbamide}$ and-thiocarbimide (STEUDEMANN), 1884, A., 307.

o-Nitro-p-tolylthiourethane (STEUDE-MANN), 1884, A., 307.

(SCHIFF p-Nitrotolylurethane and Vanni), 1892, A., 601.

Nitrotriacetyldiamido-a-naphthol (Meerson), 1888, A., 713.

diNitrotrianilidobenzene (PALMER and Jackson), 1890, A., 248.

*tri*Nitrotrianilidobenzene (JACKSON and Wing), 1888, A., 1276.

Nitrotriazines, reduction of (MELDOLA and Forster), 1891, T., 701.

triNitrotribenzylphosphine oxide (Collie), 1889, T., 225.

Nitrotriethyl-gallic acid and -pyrogallol (Schiffer), 1892, A., 716.

Nitrotrihydroxybenzophenones (GRAEBE and EICHENGRUN), 1892, A., 1225.

diNitrotrihydroxyethylbenzene (NIETzki and Kaufmann), 1892, A., 315.

diNitro-1:2:4-trimethoxybenzene (Schweitzer), 1889, A., 390.

Nitro-1:2:4-trimethylanthraquinones. a- and B- (ELBS), 1890, A., 513.

diNitro-1:2:4-trimethylanthraquinone (Elbs), 1890, A., 513.

Nitrotriphenylamines, mono- and di-(HERZ), 1890, A., 1409.

traNitrotriphenylamine (HEYDRICH), 1885, A., 1213.

tetraNitrotriphenylbenzene (MELLIN), 1890, A., 1423.

Nitrotriphenylcarbamides, m- and p-(LELLMANN and BONHOFFER), 1887, A., 936.

m-Nitrotriphenylcarbinol (Tscna-CHER), 1888, A., 373.

p-Nitrotriphenylcarbinol (v. BAEYER and Lour, 1890, A., 1141.

m-Nitrotriphenylguanidine (Losan-ITSCH), 1883, A., 583.

β-Nitrotriphenylguanidine dicyanide (Hirsch), 1888, A., 947.

triNitrotriphenylguanidine and its hydriodide (Losanitsch), 1883, A., 582, 583.

triNitrotriphenylic phosphate (RAPP), 1884, A., 1138,

m-Nitrotriphenylmethane (TSCHA-CHER), 1887, A., 44; 1888, A., 373. p-Nitrotriphenylmethane (v. BAEYER

and Löhr), 1890, A., 1141.

Nitrotriphenylphosphine oxide (MI-CHAELIS and V. SODEN), 1884, A., 1180.

triNitrotri-p-tolylbenzene (CLAUS), 1890, A., 770.

Nitrous and hyponitrous acids. See under Nitrogen.

Nitrous anhydride. See Nitrogen trioxide.

Nitrous ether. See Ethylic nitrite. "Nitrous ether, spirit of," estimation of (Dott), 1885, A., 1013.

estimation of ethylic nitrite in (DYMOND), 1885, A., 1885, 842; A.. 1013; (THRESH), 1890, A., 927.

Nitrous organism. See Microbes.

Nitrous oxide. See Nitrogen monoxide. B-Nitroisovaleric acid (BREDT), 1883, A., 176.

diNitroveratroil (Rossin), 1892, A.,

β-diNitroxanthone, action of reducing agents on (PERKIN), 1883, T., 190.

Nitro-m-xylalphthalide (HEILMANN), 1890, A., 625; 1891, A., 201.

diNitro-m-xylalphthalide (Heil-MANN), 1891, A., 201.

Nitro-m-xylalphthalimidine (Heil-MANN), 1890, A., 625; 1891, A., 201. Nitroxylene. See Xylene.

Nitro-m-xylenediazopiperidine (AH-RENS), 1892, A., 1437.

Nitro-m-xylene-4-sulphonic acids, 2-, 5- and 6-mono- and 2:6- and 5.6-di-(CLAUS and SCHMIDT), 1886, A., 708. Nitroxylenol and its derivatives

(Pfaff), 1883, A., 802, 918.

5-Nitro-p-2-xylenol, ethylic salt (Nolting, Witt and Forel), 1886, A., 58.

3:5-diNitro-o-4-xylenol (Nolting and Pick), 1889, A., 129.

Nitro-m-4-xylenol-6-sulphonic acid, 2or 5- (LIMPRICHT), 1885, A., 1234; (Sartig), 1886, A., 154.

2-Nitro-m-4-xylidine and its acetylderivative (GREVINGK), 1885, A., 144.

Nitro-p-xylidine (Nolfing, With and Forel), 1886, A., 58; (Witt), 1889, A., 604.

Nitroxylidinesulphonic acid [1:3:x:6:4] (LIMPRICHT), 1885, A., 1234.

Nitro-m-xylyl methyl ketones, 2- and 6- (CLAUS), 1890, A., 980. 2:6-diNitro-m-xylyl methyl ketone

(CLAUS), 1890, A., 981.

2:6-diNitro-m-xylyl nitrosomethyl ketone (CLAUS), 1890, A., 981.

4-Nitroxylylacetic acid and its salts (Wispek), 1883, A., 1096.

6-Nitro- \mathbf{a} nd 2:6-dinitro-m-xylylglyoxylic acids (CLAUS), 1890, A.,

Nitro-p-xylylphosphonic acid (WEL-LER), 1888, A., 836.

Nitruracil (KOHLER), 1887, A., 128.

alkyl derivatives of (BEHREND), 1890, A., 31; (LEHMANN), 1890, A., 32.

metallic derivatives of (BEHREND), 1887, A., 920.

Nitruracilcarbamide (BEHREND), 1887, A., 920.

Nitruracilcarboxylic acid (KOHLER), 1887, A., 128.

potassium salt of (BEHREND), 1887, A., 919.

Nitruramidobenzoic acid, 6:3-, 4:3-, 2:3-, action of potash on (GRIESS), 1883, A., 57.

5:3-Nitruramidobenzoic acid (GRIESS), 1885, A., 54.

diNitrurushic acid (Yoshida), 1883, T., 480.

Nitryl (nitroxyl) chloride, non-existence of (Williams), 1886, T., 222; P., 155; (Geuther), 1888, A., 785.

Nivenite (HIDDEN and MACKINTOSH), 1890, A., 458.

Nobili's rings, and allied electrochemical phenomena (ELSAS), 1887, A., 759.

Nocerine, optical properties of (Ber-TRAND), 1883, A., 1060.

chemical examination of (FISCHER), 1885, A., 957.

Nodules, marine, occurrence of sulphur in, and its bearing on their modes of formation (Buchanan), 1891, A., 994.

root, of the pea (Prazmowski), 1891, A., 607.

Nomenclature, international system of (ARMSTRONG), 1892, P., 127.

of cycloids (Armstrong), 1892, P., 127.

of stereoisomeric nitrogen compounds and of rings containing nitrogen (HANIZSCH), 1892, A., 312; (Wid-MAN), 1892, A., 875.

of oxidisable bodies (TRAUBE), 1883, A., 709.

of rings containing 2 carbon and 3 nitrogen atoms (KEHRMANN and Messinger), 1892, A., 889.

Nonane (ennane) from American petroleum and chloro- (LEMOINE), 1884, A., 1106.

753

Nonanetetracarboxylic acid (diethylpentanetetracarboxylic acid) (Per-KIN and Prentice), 1891, T., 833. dissociation constant of (Walker),

1892, T., 704.

Nonarabinantetragalactangeddic acid (O'SULLIVAN), 1891, T., 1071.

n-Nondecoic acid (SCHWEIZER), 1885, A., 508.

Non-electrolytes, cryoscopy of dilute aqueous solutions of electrolytes and (PICKERING; TRAUBE), 1891, A., 971.

nature of chemical change in (ARM-STRONG), 1891, P., 118.

Nonenylamidoxime (FREUND and SCHONFELD), 1892, A., 132.

Non-metals, influence of temperature on the spectra of (VAN MONCKHOVEN), 1883, A., 140.

Nonodilactone (HJELT), 1883, A., 456. Nonoic acids from different sources (SCHMIDT), 1884, A., 295.

Nononaphthene and its derivatives (KONOWALOFF), 1888, A., 679; 1891. A., 184.

heat of combustion of (Ossipoff), 1889, A., 6, 460.

action of nitric acid on (KONOWALOFF), 1892, A., 443.

ketonic compound from (Konowa-LOFF), 1892, A., 443.

amido-, and nitro- (Konowaloff), 1892, A., 443.

isoNononaphthene, heat of combustion of (Ossipoff), 1889, A., 6, 460.

Nononaphthylene and nononaphthylic alcohol (Konowaloff), 1891, A., 185.

Nononitrile (FREUND and SCHONFELD), 1892, A., 132.

Nonylamine, and the action of nitrous acid on (FREUND and SCHONFELD), 1892, A., 132.

Nonylcarbamide and nonyldithiocarbamic acid (FREUND and SCHONFELD), 1892, A., 132.

Nonylene (methyloctylene; dimethylhexylethylene)[b. p. 141-°5-143°](FREUND and SCHONFELD), 1892, A., 133.

(propylhexamethylene) [b.p. 146°-148°] (BAMBERGER and LENGFELD), 1890, A., 1320.

(1.2-methylethylhexamethylene) [b.p. 150°-152°] (KIPPING and PERKIN), 1890, T., 25.

(1:2-dimethylheptamethylene) [b. p. 153°] (Kipping and Perkin), 1891, T., 227.

[b.p. 133°-136°] (LEMOINE), 1884, A., 1107. Nonylenic acid and its salts (Schnee-GANS), 1885, A., 649.

isoNonylenic acids (FIITIG and FEIST), 1890, A., 592.

Nonylic alcohol [b.p. 213°] (KRAFFT), 1886, A., 998.

(ethyldipropylcarbinol) [b.p. 179'5°] (TSCHEBOTAREFF and SAYIZEFF), 1886: A., 437.

(duncthylhexylcarbinol) [b.p. 183°] (FREUND and SCHONFELD), 1892, A., 133.

[b.p. 188°] (LEMOINE), 1884, A., 1107.
Nonylic chloride and diphenylic tricyanide (Krafft and Koenie), 1890, A., 1252.

iodide (Kraffr), 1886, A., 998.

Nordenskiöldite (Brogger), 1890, A., 1078.

m-Norhemipinic acid (Rossin), 1892, A., 180.

Norhydrotropidine (Ladenburg), 1887, A., 740.

Norite, granular and quartz, analyses of (Teller and John), 1883, A., 1069.

Normeconineacetic acid (LIEBERMANN and KLEEMANN), 1887, A., 47.

Normethyl-o-anhydramidohemipinic acid and normethylazo-opianic acid (Elbel), 1887, A., 49.

Normethylnitro-hemipinic acid and -hemipinimide (ELBEL), 1887, A., 50.

Normethylnitro-opianic atid and its phenylhydrazine (Elbel), 1887, A., 49, 50.

Normethylnitro-opianoximic acid (ELBFL), 1887, A., 50.

Normethylnitro-opianphenylhydrazide (Liebermann), 1887, A., 46; (Elbel), 1887, A., 50.

Nosite-(nosean-) bearing ejections from the Laacher Sec (Hubbard), 1890, A., 220.

Notochord, chemical composition of (Kossel), 1891, A., 1126.

Nucin. See 4'-Hydroxy-1-4-naphthaquinone.

Nucleic acid, supposed compound of guanine and (MALFATII), 1892, A., 1501.

Nuclein (KLINKENBERG and STUTZER), 1883, A., 814; (ZACHARIAS), 1884, A., 90; (LIEBERMANN), 1889, A., 1021; (MALFAITI), 1892, A., 224, 1501.

artificial preparation of (LIEBER-MANN), 1888, A., 510.

formation of uric acid from (Horbac-ZEWSKI), 1892, A., 646.

of grape stones (AMTHOR), 1885, A., 823.

Nuclein of moulds (STUTZER), 1883, A.,

of yeast (STUTZER), 1883, A., 1166; (LIEBERMANN), 1888, A., 510. metaphosphoric acid in (LIEBER-MANN), 1891, A., 477.

, microchemical detection of (Loew),

1885, A., 610.
Nucleins, artificially prepared (Pohl), 1889, A., 424.

Nucleo-proteids (MERCK), 1886, A., 1051. Nucleus, chemistry of the (Kossel), 1884, A., 97.

aromatic, constitution of (Swonn), 1890, A., 238.

Nupharine (GRÜNING), 1883, A., 370. Nut oil, acids from (HAZURA and Grüssner), 1888, A., 817.

Nutmeg oil (SEMMLER), 1890, A., 1150. Nutrition, influence of potassium bromide on (SCHULZE), 1884, A., 850. animal (SANBORN), 1887, A., 856. behaviour of amides in (ZUNTZ),

1884, A., 472.

of Herbivora; does cellulose economise the decomposition of proteid in? (Weiske, Schulze and Flechsig), 1886, A., 728.

Nux vomica, alkaloids of (SHENSTONE), 1883, T., 101; 1885, T., 139; P., 5. effect of alcohol of various strengths on (CONROY), 1884, A., 946.

tincture of (CONROY), 1884, A., 946. analysis of (DUNSTAN and SHORT), 1883, A., 689, 1175.

Nymphaea alba, constituents and properties of (NIEDERSTADT), 1884, A., 108. chemistry of (Grüning), 1883, A.,

369.

0.

Oak, scarlet, analyses of white and green leaves of the (CHURCH), 1886, T., 839. Oak-bark, two acids in (Musser), 1884, A., 1439.

"Oak-red" Oak-red" (ETTI), 1883, A., (BÖTTINGER), 1884, A., 321. 995:

Oak-tannic acid and oak-tannin. See Tannin.

Oats. See Agricultural Chemistry. Obituary notices, 1883, T., 251; 1884, T., 209, 615; 1885, T., 309; 1886, T., 342; 1887, T., 469; 1888, T., 508; 1889, T., 289; 1890, T., 441; 1891, T., 452; 1892, T., 486.

Obsidian, solubility of, in sea water (THOULET), 1889, A., 682. porphyritic (BEAM), 1884, A., 28.

Obsidian cliff, Yellowstone National Park (IDDINGS), 1891, A., 26.

Oceanic deposits, solid and gaseous constituents of (Tornor and Schmelck), 1884, A., 31.

Ochres (Hurst), 1889, A., 678. process for preparing (Cohn), 1884,

Ochrolite from Pajsberg (FLINK), 1891, A., 1168.

Ochrosia (Lactaria) acuminata, Ackeringae, O. coccinea, and (Bleckeria) calocarpa, alkaloids from (GRESHOFF), 1891, A., 337. Octahedrite. See Anatase.

Octane from American petroleum (LE-MOINE), 1884, A., 1106.

(dissobuty1) complete chlorination of (HARTMANN), 1891, A., 811.

Octanedicarboxylic acid (methylazclaic will) (FREER and PERKIN), 1888, T.,

Octenoic aldehyde (a-ethyl-\$-propylacraldehyde) (RAUPENSTRAUCH), 1887, A., 794.

Octenyl alcohol, glycerol from (Refor-MATSKY), 1890, A., 121.

Octinene (hccylacetylene; caprylidene; (Béhal), methylamylacetylene) 1887, A., 788; (Béh. Desgrez), 1892, A., 1064. (Béhàl

formation of. from methylamylacetylene (BÉHAL), 1889, A., 950. hydration of (BEHAL), 1889, A., 227. conversion of, into an isomeric hydrocarbon (BÉHAL), 1888, A., 929.

(diisocrotyl) and its derivatives (PRZYBYTEK), 1889, A., 362.

(diisobutenyl) (PRZYBYTEK), 1888, A., 123; (FAWORSKY), 1891, A., 1331.

[m.p. 122°] (Reformatsky), 1885, Ā., 232.

Octinoic acid. See Diallylacetic acid. Octoacetyltetramidotriphenylbenzene (MELLIN), 1890, A., 1423.

Octoacetylmelibiose (SCHEIBLER and MITTELMEIER), 1890, A., 1085.

Octoacetylquercetin (HERZIG), 1884, A., 847; (Liebermann), 1884, A., 1365.

tribrom-(LIEBERMANN), 1884, A., 1365.

Octodecinene (hexadecylacetylene) (KRAFFT and REUTER), 1892, A., 1164.

Octodecylbenzene and its derivatives

(KRAFFT), 1887, A., 253. Octodecylene [m.p. 18°] preparation of

(KRAFFT), 1884, A., 571. (anthemene) [m.p. 64°] from Roman chamomile (NAUDIN), 1885, A., 37.

Octodecylenic bromide (KRAFFT), 1884, A., 1108.

Octodecylic alcohol (KRAFFT), 1883, A., 1075; 1884, A., 1280.

Octodecylic iodide (Schweizer), 1885, A., 509.

Octodecylidene (Krafft), 1884, A., 1108. Octodecylphenol (Krafft), 1887, A., 253.

Octohydroacridine, and its derivatives (GRAEBE), 1884, A., 608.

Octohydroanthracene (Lucas), 1890, A., 637.

Octohydrodiphenylfurfuran (Penkin and Schloesser), 1890, T., 955.

Octohydrofluorene (GUYE), 1891, A., 314.

Octohydro-β-naphthaquinaldine. See 2'-Methyloctohydro-β-naphthaquinoline.

ar-Octohydro-α-naphthaquinoline, and p-amido- (BAMBERGER and STETTEN-HEIMER), 1891, A., 1260.

Octohydro-β-naphthaquinolines, αcand αr- (BAMBERGER and MULLER), 1891, A., 1511.

Octohydrostilbazole (styrylethyloctohydropyridine) (Plath), 1889, A., 164.

Octoic acid (n-caprylic acid) (CANZONERI), 1884, A., 461.

(disobutyric acid) (Brüggemann), 1888, A., 1176. thio- (Lovén), 1886, A., 333.

(dipropylacetic acid), preparation of, from ethylic malonate (Furth), 1888, A., 1053.

Octoic aldehyde, constitution of (BÉHAL), 1887, A., 788; 1892, A., 293.

oxime of (capraldoxime) (BEHAL), 1887, A., 795.

(ethylbutylucetaldchyde) (RAUPEN-STRAUCH), 1887, A., 794.

Octolactone (Young), 1883, A., 455; (GORBOFF and KESSLER), 1888, A., 814.

isoOctolactone (FITTIG and SCHNEE-GANN), 1890, A., 591.

Octonaphthenecarboxylic acid and its derivatives (Aschan), 1891, A., 1453.

Octonitrile (dibutyronitrile; imidobutyrylpropylic cyanide) (WACHE), 1889, A., 684.

γ-thio- (Gabriel), 1890, A., 1221. Octo-m-oxybenzoid (Schiff), 1883, A.,

Octopus vulgaris, blood of (GRIFFITHS), 1892, A., 648.

Octose (FISCHER), 1890, A., 598.

Octosulphates (Weben), 1885, A., 121. Octylacetoacetic acid, isomeride of (Perkin), 1883, T., 92.

Octylacetothienone (acctyloctylthiophen) (v. Schweinitz), 1886, A., 535.

Octylamine (HOOGEWERFF and VAN DORP), 1888, A., 1195. action of bromine in alkaline solution

action of bromine in alkaline solution on (v. Hofmann), 1884, A., 1114.

Octylbenzamide and its derivatives (BERAN), 1885, A., 523.

Octylbenzene [b.p. 263°] and its derivatives (v. Schweinitz), 1886, A., 540; (Ahrens), 1887, A., 133.

o-amido-, hydrochloride (AHRENS), 1887, A., 134.

p-amido-, and its derivatives (BERAN), 1885, A., 523.

brome-, chloro-, p-iodo-, o-, m- and pnitro- and dinitro- (Ahrens), 1887, A., 133.

isoOctylbenzene [b.p. 245—255°] (PAAL and HOFFMANN), 1890, A., 1100.

Octylbenzonitrile (BERAN), 1885, A., 523.

Octylbenzylic cyanide (Rossolymo), 1889, A., 862.

Octyldeoxybenzoin (Bischoff), 1889, A., 512.

Octyldiacetothienone (diacetyloctylthiophen) (v. Schweinitz), 1886, A., 535.

Octylene (n-caprylene), complete chlorination of (HARTMANN), 1891, A., 811.

(s-diisopropylethylene) (Fossek), 1884, A., 38.

(isobutylbutylenc)(FITTIG and FEIST), 1890, A., 592.

(diisobutylene), heat of combustion of (Malbot), 1890, A., 320.

oxidation of (Wagner), 1888, A., 606.

chloro-, dichloride (MALBOT and GENTIL), 1889, A., 843.

(1:2-mothylethylpentamethylene) (Marshall and Perkin), 1889, P., 143; 1890, T., 250.

iso-Octylenic acid (SCHINERGANS), 1885, A., 649; (FITTIG and SCHINERGANS), 1890, A., 591.

oxidation of (FITTIG), 1888, A., 595. y-broino- (FITTIG and SUHNEEGANS), 1890, A., 591.

Octylerythritol (PRZYBYTEK), 1888, A., 123, 244; 1889, A., 362.

Octylic alcohol (methyldipropylcarbinol)
(GOLTALOFF and SAYTZEFF), 1886,
A., 487.

(diethylpropylcarbinol) (Sokoloff) 1888, A., 1170.

Octylic salts of normal fatty acids, boiling points and specific volumes of (Gartenmeister), 1886, A., 966. secondary (BEHAL acetate, and Desgrez), 1892, A., 1162. allophanate (GATTERMANN), 1888, A., 574. carbamate (ARTH), 1886, A., 692. ono-, di- and tri-chloracetates (GEHRING), 1887, A., 653. mono-, chloride (KRAFFT and KOENIG), 1890, A., 1252. preparation of (MALBOT), 1890, A., 577. diphenylic tricyanide (Krafft and Koenig), 1890, A., 1252. iodide, refractive power of, at different temperatures (Perkin), 1892, T., 295. action of, on trimethylamine (H. and A. Malbot), 1892, A., 806. sec.-Octylic nitrite (BERTONI), 1887, Octylidene. See Octinene. Octylphenylamine. See Octylbenzene, amido-. ketone Octylthienyl methyl Schweinitz), 1886, A., 535. a-Octylthiophen (v. SCHWEINITZ), 1886, Ā., 535. bromo- and iodo- (v. Schweinitz), 1886, A., 535.

Octylthiophendicarboxylic acid SCHWEINITZ), 1886, A., 535. Octyltoluene, amido-, and its derivatives (BERAN), 1885, A., 523. Enanthal-aniline, -naphthylamine and -xylidine (LEEDS), 1883, A., 659. See Heptoic alde-Œnanthaldehyde.

hyde. **Enanthamidobenzoic** acid (PELLIZ-ZARI), 1886, A., 548.

Enanthic acid. See Heptoic acid. **Enanthodiacetonamine** (ANTRICK), 1885, A., 503.

Enanthoguanamines (HAAF), 1891, A., 416.

Enanthol. See Heptoic aldehyde. Enanthylamine. See Heptylamine. Œnanthylidene. See Heptinene. CEnanthylone (HAMONET), 1889, A., 235.

Enocarpol (ETARD), 1892, A., 874. Œnocyanin (MAUMENÉ), 1883,

Offretite, a mineral (GONNARD), 1891. A., 407.

Ohm, method of determining (JOUBERT), 1883, A., 4. Oidium lactis (HUEPPE), 1885 A., 417. Oils, refractive indices of (Long), 1889, A., 85.

specific gravities of (Long), 1889, A., 85; (CRAMPTON), 1889, A., 801.

free fatty acids in (NOERDLINGER). 1889, A., 799.

formation of basic salts in the saponification of (DECHAN and MABEN),

1886, A., 186. viscosity of (Mason), 1885, A., 196. action of, on polarised light (BISHOP), 1888, A., 388; (Peter), 1888, A.,

action of certain metals on (LIVACHE), 1883, A., 756.

actions of silver nitrate on (BRULLE),

1889, A., 1251. tion of sulp tion of sulphur chloride on (WARREN), 1888, A., 538, 633, 1348; (FAWSITT), 1889, A., 317.

influence of, on the digestibility of proteids (STUTZER), 1891, A., 752. oxidation of (LIVACHE), 1886, A., 687.

revision of constants employed in the analysis of fats and (Thomson and BALLANTYNE), 1892, A., 547. examination of (HUBL), 1884, A., 1435; (DIETERICH), 1886, A., 1083; (ARCHBUFT), 1887, A., 402; (SPICA), 1888, A., 95; (MUTER and DE KONINGH), 1890, A., 91; (WAR-REN), 1890, A., 1347; 1891, A., 248; 1891, A., 505, 506.

apparatus for the examination of (JEAN), 1890, A., 89, 671; 1891, A., 625; (Ellinger), 1891, A., 1305.

examination of, containing unsaponifiable fats (Morawski Demski), 1886, A., 103.

optical examination of (AMAGAT), 1890, A., 91.

elaidin test for (ARCHBUTT), 1887, A., 402.

examination of, by Hübl's method (Moore), 1885, A., 1014.

iodine absorption by (ARCHBUTT), 1887, A., 402.

Manmené's test for (ELLIS), 1887, A., 89; (ARCHBUTT), 1887, A., 402.

detection of adulteration in (CARTER), 1886, A., 103.

hydrocarbons detection of

(NITSCHE), 1886, A., 395. detection of iron in (EMDE), 1889 A., 448.

estimation of free acid in (ARCH-EUTT), 1885, A., 446.

Oils, estimation of sulphur in (ALLEN), 1888, A., 627.

Oils, animal, bases from (LADENBURG and ROTH), 1887, A., 157.

of ants, composition of (SCHALL), 1892, A., 948. cod-liver, iodine in (STANFORD),

1884, A., 504.

an acid from (GAUTIER and MOURgues), 1888, A., 1315; 1889, A., 170.

bases from (GAUTIER and MOURgues), 1888, A., 1315; 1889, A., 63.

examination of (SALKOWSKI), 1888, A., 201.

fish, new process for the extraction of (ANON.), 1883, A., 692.

distillation of, under pressure (Engler), 1889, A., 586.

iodine in (STANFORD), 1884, A., 505.

lard, specific gravity and refractive index of (Long), 1889, A., 86. dine number of, by Hubl's method (HAINES), 1892, A., 664. iodine

wool, analysis of (Honwitz), 1890, A., 305.

See also Oils, drying and fatty. See Coal-tar oils. Oils, coal-tar.

Oils, drying, chemistry of (LIVACHE), 1884, A., 532; 1891, A., 1454; (HAZURA), 1887, A., 359, 913; 1888, A., 816; 1889, A., 956; (HAZURA and FRIEDREICH), 1887, A., 798; (BAUER and HAZURA), 1888, A., 1269; (HAZURA and GRÜSSNER), 1888, A., 1270. See also Oils, fatty and vegetable.

Oils, essential and ethereal. See Oils, vegetable.

fatty or fixed, chemistry of (ALLEN), 1887, A., 88. three Chinese (DAVIES), 1885, A.,

1022.

three Japanese (Holmes), 1885, A., 1023.

specific gravity and coefficients of expansion of (ALLEN), 1887, A.,

viscosity of (ALLEN), 1887, A., 88. absorption and digestion of, by plants (SCHMIDT), 1892, A., 1118.

action of warm air on (WARREN), 1889, A., 1130.

distillation of, with glycerol (Arbos Y Tor.), 1883, A., 519.

saponification of (ALLEN), 1887, A.,

adulteration of (PETERS), 1889, A.,

fatty or fixed, methods Oils, examining (ALLEN), 1887, A., 88; (Moerk), 1890, A., 200.

bromine and iodine absorptions of (ALLEN), 1887, A., 88.

the elaidin reaction with (Welle-MAN), 1891, A., 870.

detection of, in mineral oils (Lux), 1886, A., 103.

detection of resin oil in (GRITTNER), 1892, A., 548.

estimation of the glycerol produced by the saponification of (ALLEN), 1886, A., 581; 1887, A., 89.

estimation of mineral oils in (GRITT-NER), 1891, A., 505.

See also Oils, animal and vegetable, and Waxes.

Oils, lubricating, from Baku naphtha, manufacture of (Rossmassler), 1885, A., 620.

behaviour of, with glacial acetic acid (VALENTA), 1884, Δ., 1078.

rapid determination of the composition of (Gripper), 1892, A., 665.

estimation of acidity in (HOLDE), 1891, A., 505.

Oils, mineral. See Petroleum.

Oils, non-drying (HAZURA and GRUSS-NER), 1889, A., 1058.

Oils, resin. See Resin.

Oils, vegetable (BEILSTEIN and WIE-GAND), 1883, A., 346; (WALLACH), 1885, A., 171, 550; 1886, A., 70; 1887, A., 595, 965; 1888, A., 1204; 1889, A., 1072; 1890, A., 1314; 1891, A., 217, 1240; (SOLTSIEN), 1887, A., 375; (WLEER), 1887, A., 596; (WALLACH and GILDE-MEISTER), 1888, A., 1205; (SCHIM-MEL), 1892, A., 1347. coloured (Hock), 1884, A., 82.

extraction of (NAUDIN), 1884, A.,

yield of, by plants (ANON.), 1888, A., 496.

specific refractive and dispersive energy of (GLADSTONE), 1886, T.,

609; P., 216. action of iodine pentahromide on (Forney), 1884, A., 370.

spontaneous oxidation of (PAPASOGLI). 1889, A., 615.

olefinic constituents of (SEMMLER), 1891, A., 539.

oxygen compounds of (SEMMLER). 1892, A., 868.

analysis of (CARLES), 1886, A., 394; 1888, A., 201; (Salkowski), (Benedikt and Grüssner), 1890; A., 423; (Brullé), 1891, A., 506.

Oils, vegetable, detection of adulterated Langbeck), 1885, A., 599.

colour reactions of (IHL), 1889, A., 802. iodine absorption as a test for (DAVIES; Williams), 1890, A., 199; (Snow), 1890, A., 199, 307; (CRIPPS), 1890, A., 200.

Maumené's test for (WILLIAMS), 1890,

A., 834.

detection of, in lard (Welmans), 1892, A., 1133.

estimation of fragrant (LEVALLOIS), 1885, A., 301.

estimation of alcohol in (HAGER), 1889, A., 445.

of Allium ursinum (SEMMLER), 1887, A., 1089.

of bitter almonds, detection of nitrobenzene in (List), 1889, A., 552.

of Andropogon Schoenunthus (SEMM-LER), 1890, A., 951.

of Angostura bark (Beckurts and NEHRING), 1892, A., 644.

of anise (UMNEY), 1889, A., 659. preparation of, in Annam (ANON.), 1885, A., 1275.

apricot (MABEN), 1886, A., 644. of Aristolochia reticulata (Peacock),

1892, A., 70.

of asafætida (SEMMLER), 1891, A., 322, 464.

of Asarum europaeum (Poleck), 1884, A., 1191; (Petersen), 1888, A., 680. of ash leaves (GINTL and REINITZER), 1883, A., 219.

bay (Oleum Myrciæ acris) (MITT-

MANN), 1889, A., 1072.

of bergamot (WALLACH), 1885, A.,
171; (SOLTSIEN), 1887, A., 375;
(CRISMER), 1892, A., 349; (SEMM-LER and TIEMANN), 1892, A., 868; (BERTRAM and WALBAUM), 1892, A., 1235.

adulteration of, with oil of turpentine (HEPPE), 1885, A., 1163. crystalline products from (CRISMER),

1892, A., 349. stearoptone of (POMERANZ), 1892,

A., 71. betel leaves (BERTRAM and GILDEMEISTER), 1889, A., 863; (EIJKMAN), 1890, A., 135.

composition of (SCHIMMEL), 1892, A., 833.

of birch (Pettigrew), 1884, A., 459; 1885, A., 528; (Trimble and SCHROETER), 1890, A., 256.

cabbage, from Brassica, sp. (DAVIES), 1885, A., 1022.

of cacao. See Cocoa butter. cajeput (WALLACH), 1885, A., 171. Qils, vegetable, of Calycanthus glaucus seeds (WILEY), 1890, A., 403.

of Camellia oleifera seeds (McCal-LTM), 1883, A., 1166.

of camphor (TRIMBLE and SCHROETER), 1890, A., 261.

natural (MacEwan), 1886, A., 72. atmospheric oxidation of (KING-ZETT), 1888, A., 605.

chemical examination of the constituents of (Yoshida), 1885, T., 779.

Japanese (OISHI), 1885, A., 270. caraway (FLUCKIGER), 1884, A., 1138. Norwegian (Nicolaysen), 1890, A., 902.

of cardamoms (WEBER), 1887, A.,

of cassia, formation of an asphalt-like substance from (HIRSCHSOHN), 1891, A., 732.

testing (HEPPE), 1885, A., (GILBERT; BENEDIKT and GRUSS-NER), 1890, A., 423; (HIRSCHsonn), 1891, A., 504.

estimation of cinnamaldehyde in (Schimmel), 1892, A., 924.

castor, specific gravity and refractive index of (Long), 1889, A., 86.

distinction of, from other fatty oils (Finkener), 1887, A., 402. oxidation of, with nitric acid (HELL

and Kitrosky), 1891, A., 812. pimelic acid amongst the oxidationproducts of (GANTTER and HELL),

1885, **∆.**, 44. insoluble residue from the distillation of (LEEDS), 1883, A., 655; (KRAFFT and BRUNNER), 1885, A., 373.

examination of (GILBERT), 1890, A., 429.

of cedar (CHAPOTEAUT), 1883, A.,

of cinnamon (WEBER), 1892, A., 1509. examination of (BENEDIKT and GRUSSNER; GILBERT), 1890, A., 423.

of citronella (Dodge), 1890, A., 231; 1891, A., 285.

of Citrus Limetta leaves (lime leaves) (WATTS), 1886, T., 316; P., 158.

of cloves, valuation of (Thoms), 1892, A., 250.

coriander (SEMMLER), 1891, A., 540. cotton-seed, properties of (LEONE and Longi), 1887, A., 536.

specific gravity and refractive index of (Long), 1889, A., 86. constituents of (Papasogli), 1892, A., 584.

Oils, vegetable, cotton-seed, acid from (Hazura and Grüssner), 1888, A., 817.

of (Muter analysis and DE Koningii), 1891, A., 130.

Bechi's test for (BIZIO), 1889, A.,

detection of (MILLIAU), 1888, A., 633.

detection of, in fats (LEONE), 1890, A., 930.

detection of, in lard (BISHOP and Inge), 1889, A., 194; (Allen; HEHNER), 1889, A., 319; (WILLIAMS; JONES), 1889, A., 320; (WILSON), 1889, A., 659; (PAT-TINSON), 1890, A., 428.

detection of, in olive oil (BECHI), 1885, A., 301; (Jean), 1888, A., 1136; (Milliau), 1888, A., 1349; (Hirschsohn; Biel), 1889, A., 658; (Leone), 1890, A., 930.

estimation of, in lard (BOCKAIRY), 1890, A., 307.

croton (KOBERT), 1887, A., 798. purgative and vesicating principle of (Senier), 1884, A., 909, 947.

of Curcas purgans seeds (Horn), 1888, A., 674.

of Cyperus esculentus (Hell and Twerdomedoff), 1889, A., 1029. of Daucus Carota (LANDSBERG), 1889, A., 277.

earth-nut (HAZURA and GRÜSSNER), 1889, A., 1058.

specific gravity and refractive index of (Long), 1889, A., 86.

arachidic, lignoceric and oleic acids

in (Schon), 1888, A., 578. oxidation of the unsaturated fatty acids of (HAZURA and GRUSSNER), 1889, A., 1058.

elemi (WALLACH), 1889, A., 1072. of Erechtites and of Erigeron canadensis (Beilstein and Wiegand), 1883, A., 346.

of Encalyptus (Wallach), 1885, A., 171.

spontaneous oxidation of (PAPAsogli), 1889, A., 616.

terpin hydrate from (MERCK), 1892, Ā., 1235.

of Eucalyptus amygdalina (Wallach GILDEMEISTER), 1888, A., 1205.

of Gaultheria (Pettigrew), 1885, A., 528; (TRIMBLE and SCHROETER), 1890, A., 256.

See also Methylic salicylate.

grape-seed, preparation and utilisation of (v. Joest), 1885, A., 710.

Oils, vegetable, hemp-seed, acids from (HAZURA), 1887, A., 799; (HAZURA and GRUSSNER), 1888, A., 817.

of hops obtained from commercial lupulin (Ossipoff), 1884, A., 459. Indian geranium (SEMMLER),

1890, A., 951; 1891, A., 30, 323; (Dodge), 1891, A., 285.

of ivy (MAQUENNE), 1886, A., 274. of juniper (NICOLAYSEN), 1890, A., 902.

Kesso, from Valeriana officinalis, var. angustifolia (BERTRAM and GILDE-MEISTER), 1891, A., 238.

kuromoji (Lindera Scricea) (KWAS-NICK), 1891, A., 464; 1892, A., 1480.

of Lallementia iberica (RICHTER), 1888, A., 83.

of laurel (BRUHL and MULLER), 1892, A., 722.

of laurel leaves and berries (WAL-LACH), 1889, A., 1072.

laurel-nut (HOOPER), 1889, A., 541. of lavender (SEMMLER and TIEMANN) 1892, A., 868; (BERTRAM and WALBAUM), 1892, A., 1235; (SCHIMMEL), 1892, A., 1347.

of lemons (WALLACH), 1885, A., 171; (BOUCHARDAT and LAFONT), 1885, A., 1141; (Soltsien), 1887, A., 375; (OLIVERI), 1891, A., 1496.

crystalline deposit from (TILDEN and BECK), 1890, T., 327; (CRISMER), 1892, A., 349.

reaction of, with manganous salts (CRISMER), 1892, A., 386.

adulteration of, with oil of turpentine (HEPPE), 1885, A., 1163; (OLIVERI), 1891, A., 1497.

lemon grass (Dodge), 1891, A., 286. of Licari kanuli (BARBIER), 1892, A., 1236.

of lime seed (MUELLER), 1892, A.,

of limes. See Oil of Citrus Limetta. linaloe (SEMMLER), 1891, A., 510. of Lindera sericea (Kwasnick), 1891,

A., 464; 1892, A., 1480. linseed, points of difference between linseed oil varnish and (Fin-

KENER), 1888, A., 327. adulteration of (AIGNAN), 1890, A., 1198.

macassar (Thummel and Kwasnick),

1891, A., 1133.
mace (WALLACH), 1889, A., 1072;
(SEMMLER), 1890, A., 1150.
of marjoram (BELISTEIN and WIE-

GAND), 1883, A., 346.

Oils, vegetable, of Massoy bark (Woy), 1890, A., 638. melisse, German (SEMMLER), 1891, A., 540.

PulegiumMentha (Beckmann; Pleissner), 1891, A., 936, menyanthole (LENDRICH), 1892, A.,

millet (KASSNER), 1888, A., 673. of minjak-lagam balsam (HAUSSNER),

1884, A., 354. of mustard. See Allylthiocarbimide. of white mustard (Salkowski), 1889, A., 1173.

of myrtle (JAHNS), 1889, A., 616. put, acids from (HAZURA and GRUSS-NER), 1888, A., 817.

of nutmeg (SEMMLER), 1890, A., 1150. olive (HAZURA and GRÜSSNER), 1889,

specific gravity and refractive index of (Long), 1889, A., 86.

properties of (LEONE and LONGI), 1887, A., 536.

characteristics of (LEVALLOIS), 1887, A., 535.

reactions of (DE NEGRI and FABRIS), 1891, A., 1559.

adulteration of (AUDOYNAUD), 1886, A., 182; (Brullé), 1888, A., 876; 1891, A., 506.

analysis of (CARPI), 1884, A., 931; (Brulle), 1891, A., 506.

basic lead acetate as a test for (Bradford), 1885, A., 603.

detection of cotton seed oil in (BECHI), 1885, A., 301; (LEONE and Longi), 1887, A., 536; (JEAN), 1888, A., 1136; (MIL-LIAU), 1888, A., 1349; (Hirsch-SOHN; BIEL), 1889, A., 658; (LEONE), 1890, A., 930.

detection of sesame oil in (LEONE and Longi), 1887, A., 536; (Milliau), 1888, A., 1349; (Tocher), 1891, A., 1400; (Gassend), 1892, A., 1133.

orange, constituents of (SEMMLER), 1891, A., 539.

of orange peel (WALLACH), 1885, A., 171; (HEPPE), 1885, A., 1163.

of sweet orange peel (Soltsien), 1887, A., 375.

peach (MABEN), 1886, A., 644. peanut. See Oil, earthnut.

of black pepper (EBERHARDT), 1887, A., 969.

of peppermint(Jandous), 1888, A., 962. Russian (Andres), 1890, A., 1428; (Andres and Andreeff), 1892, A., 723.

Oils, vegetable, of peppermint, Russian, spectroscopical properties (ANDRES), 1891, A., 2.

test for (Federer), 1887, A. 1001. adulterations in detection of (Snow), 1890, A., 199.

of petitgrain (SEMMLER and TIE-MANN), 1892, A., 868.

of Polei (Beckmann; Pleissner), 1891, A., 936.

of poppy, acids from (HAZURA and

GRUSSNER). 1888, A., 817. rape, examination of (KINGZETT), 1885, A., 446.

rape-seed, constituents of (REIMER and Will), 1887, A., 1030.

of roses (Markownikoff), 1891, A.,

German and Turkish (Poleck), 1891, A., 323; (ECKART), 1892, A., 203, 625.

testing (Fluckider), 1885, A., 934.

detection of Turkish geranium essence in (Panajotow), 1891, A., 1555.

of sabadilla seeds (OPITZ), 1891, A., 1284.

of saffron (KAYSER), 1885, A., 59. of sage (WALLACH), 1889, A., 1072. sassafras, the phenol contained in

(POMERANZ), 1890, A., 1111. sesame, specific gravity and refractive index of (Long), 1889, A., 86. properties of (LEONE and LONGI), 1887, A., 536.

testing (BISHOP), 1890, A., 90.

detection of, in cocoa butter (ZIP-PERER), 1888, A., 1136.

detection of, in olive oil (MILLIAU), 1888, A., 1349; (Tocher), 1891, A., 1400; (Gassend), 1892, A., 1133.

of spike (Voiry and Bouchardat), 1888, A., 605.

of sunflower (HAZURA), 1889, A., 956. atmospheric oxidation of (KING-ZETT), 1888, A., 605.

tea, of Camellia oleifera (DAVIES), 1885, A., 1022.

Turkey-red (BENEDIKT and ULZER), 1887, 1887, A., 914; (SCHEURER-KESTNER), 1891, A., 542, 665;

(Juillard), 1892, A., 819. Müller-Jacobs' investigations

(SCHMID), 1885, A., 313. composition of, and its mode of action (LIECHTI and SUIDA), 1884, A., 238; 1885, A., 315; (MULLER-JACOBS), 1884, A., 946; 1885, A., 313.

Oils, vegetable, Turkey-red, injurious action of copper in (SCHAAL), 1883, A., 256.

estimation of fatty matter in (WILLIAMS), 1891, A., 1560.

determination of the nature of the crude oil in (MULLER-JACOBS), 1885, A., 95.

turmeric, and its oxidation (Jackson and Menke), 1883, A., 482; 1885, A., 271.

of turpentine (ARMSTRONG), 1891, T., 311.

heat conductivity of (CHREE), 1888, A., 642.

American, action of heat on (TILDEN), 1884, T., 411.

oxidation of, in sunlight (ARM-STRONG), 1891, T., 311; (ARM-STRONG and POPE), 1891, T., 315. Spontaneous oxidation of (PAPA-

sogli), 1889, A., 615.

detection of resin oil in (BAUDIN), 1891, A., 870.

detection of, in essence of lemons (OLIVERI), 1891, A., 1497.

of vitriol. See Sulphuric acid. of walnut (MABEN), 1886, A., 644.

of wintergreen (PETTIGREW), 1885, A., 528; (TRIMBLE and SCHROE-TER), 1890, A., 256.

See also Methylic salicylate.

wood, from Cochin China (Soubel-RAN), 1885, A., 394.

from Elacococca cordata (DAVIES), 1885, A., 1022.

wormseed (Hell and Stuncke), 1884, A., 1363.

action of the halogen acids on (Hell and Ritter), 1884, A., 1363; 1885, A., 172.

See also Essences and Oils, drying and fatty.

Oil cake. See Agricultural Chemistry.
Oil seeds, preparation of soaps from
(SEEMANN), 1885, A., 1023.

Olea fragrans, glucoside from (EIJK-MAN), 1886, A., 1040.

Oleaceæ, Japanese, glucosides from (Eijkman), 1886, A., 1040.

Olefines, preparation of higher (KRAFFT), 1884, A., 571.

action of fatty acids on (BEHAL and DESGREZ), 1892, A., 1162.

oxidation of (Wagner), 1888, A., 665.

See also Hydrocarbons.

Oleic acid (M., C., and A. SAYTZEFF), 1887, A., 32.

in earth nut oil (Schön), 1888, A., 578.

Oleic acid, constitution of (BENEDIKT), 1890, A., 863.

boiling points of (KRAFFF and Noendlinger), 1889, A., 691.

stereoisomerism of elaidic acid and (SAYTZEFF), 1892, A., 812.

action of sulphuric acid on (SABA-NEEFF), 1886, A., 442; (GRITEL), 1888, A., 578.

addition of chlorine and halogen acids to (Piotrowski), 1890, A., 1396.

oxidation of (CAREITE), 1886, A., 611.

oxidation of, by an alkaline solution of potassium permanganate (SAYT-ZEFF), 1885, A., 1049; 1886, A., 140.

falsification of, by linoleic acid (GRANVAL and VALSER), 1889, A., 799.

conversion of, into fatty acids (BENE-DIKT), 1890, A., 863.

conversion of, into stearic acid (DE WILDE and REYCHLER), 1889, A., 1110.

uranium salt of (GIBBONS), 1883, A., 692.

sulph- (BENEDIKT and ULZER), 1887, A., 914.

isoOleic acid (M., C., and A. SAYTZEFF), 1888, A., 815.

Olein, analysis of (Konner), 1891, A., 1144.

commercial, examination of, for linoleic acid (HAZURA), 1890, A., 306.

"Oleine," estimation of fatty matter in (WILLIAMS), 1891, A., 1560.

Oleocutic acid (URBAIN), 1884, A., 859. Oleo-gum-resin secreted by Araucarias (HECKEL and SCHLAGDENHAUFFEN), 1889, A., 1236.

Oleomargarine, analysis of (Morse and Burron), 1888, A., 1317.

See also Margarine.

Oleomargarine-cheese, composition of (Vieth), 1883, A., 256.

Olèorefractometer (JEAN), 1890, A., 89, 671; 1891, A., 625; (ELLINGER), 1891, A., 1305.

Oleoresin from minjak-layum balsar (HAUSSVER), 1884, A., 354.

Oleum cince (Wallach and Brass 1885, A., 171.

Oleum infernule and Oleum ricin majoris. See Oil of Curcus purguns.

Olibene from frankincense (WALLACH),

1889, A., 1072.

Oligociase (Des Cloizeaux), 1886, A., 776; (Des Cloizeaux and Pisani) 1887, A., 20.

Oligoclase of Dénise, analysis of (DES CLOIZEAUX and JANNETTAZ), 1883, A., 1067.

from Gailbach (GOLLER), 1891, A., 1437.

transparent, remarkable variety of (Kunz), 1889, A., 24.
Olive oil. See Oil.

Olive tree, preparation of vanillin from the gum of the (Scheidel), 1886, A.,

Olivenite from Utah (HILLEBRAND) 1886, A., 516; (HILLEBRAND and WASHINGTON), 1888, A., 1043.

See also Copper arsenate.

Olivine from the Isle of Bourbon (LACROIX), 1886, A., 775. from Chili, analysis of (ZIEGEN-

SPECK), 1886, A., 214. of the melilite-basalt of Hochbohl

(STELZNER), 1884, A., 829. from Syria (Doss), 1888, A., 432. pseudomorphs of hornblende after (v.

KOLENKO), 1885, A., 1188. Omicholic acid and omicholin (THUDI-

CHUM), 1888, A., 1119. Onions, analysis of (GOESSMANN), 1887,

A., 1137. Spanish, cooked, composition (WILLIAMS), 1892, T., 227.

Ononine, reaction of (BROCINER), 1890, A., 310.

Ononis arvensis, composition of (NILson), 1892, A., 522.

Oölitic iron ore of Lorraine, microscopic structure of (BLEICHER), 1892, A., 791.

Opal (SCHUBERT), 1883, A., 36. from John Davis River, Oregon

(Kunz), 1890, A., 337.

from Nagasaki, Japan (Sjücken), 1886, A., 27.

Ophioxylin (BETTINK), 1888, A., 848. Ophites from the Pyrenees (KUHN), 1883, A., 448.

Opiancarbamide (BISTRZYCKI), 1888, A., 1210.

Opianic acid (BISTRZYCKI), 1888, A., 1209; (Goldschmiedt), 1892, A.,

action of acetone and of acetophenone on (Goldschmiedt), 1892, A., 179.

behaviour of, with phenylhydrazine (Liebermann), 1886, A., 550.

etherification of (LIEBERMANN and KLEEMANN), 1887, A., 584.

derivatives of (Wegscheider), 1883, A., 996; (Liebermann), 1887, A., 45; (LIEBERMANN and KLEEMANN), 1887, A., 47.

Opianic acid, brom- (WEGSCHEIDER), 1883, A., 997; (Tust), 1892, A., 1209. behaviour of, with phenyl-

hydrazine (Liebermann), 1886, A., 550.

reduction of (KLEEMANN), 1887, A., 584.

ψ-Opianic acid and its salts, chemistry of (Perkin), 1890, T., 1001.

Opianic anhydride (LIEBERMANN), 1887, A., 47.

Opianoxime (Perkin), 1890, T., 1070; (Allendorff), 1892, A., 180.

 ψ -Opianoxime and the action of heat on (PERKIN), 1890, T., 1069, 1070.

Opianoximic anhydride (LIEBERMANN), 1887, A., 46, 258.

heat developed in the isomeric change of (LIEBERMANN), 1892, A., 459.

brom- (Tust), 1892, A., 1210. Opianylacetic acid, barium salt of (LIEBERMANN and KLEEMANN), 1887,

A., 47. Opianylhydrazobenzene (BISTRZYCKI),

1888, A., 1209. brom- (Tust), 1892, A., 1210.

Opianylphenylhydrazide (LIEBER-

MANN), 1886, A., 550. amido- (Liebermann), 1887, A., 45. brom- (Tust), 1892, A., 1210.

Opianylphenylmethylhydrazone, brom- (Tust), 1892, A., 1210.

Opiaurin (LIEBERMANN and SEIDLER), 1887, A., 580.

Opionin (HESSE), 1885, A., 1074. Opionylic acid (HESSE), 1885, A., 1074. Opium, action of, on the intestine (SPITZER), 1891, A., 852.

testing (DIETRICH), 1887, A., 310. analysis (Stillwell), 1887, A., 403; (Adrian and Gallois), 1887, A., 622; (Dott), 1892, A., 926.

estimation of morphine in (v. Per-GER), 1884, A., 1217; (FLUCKIGER), 1885, A., 1165; 1890, A., 94; (VENTURINI), 1886, A., 1086; (SCHLICKUM), 1887, A., 622: (GOE-BEL), 1887, A., 869; (KREMEL; WILLIAMS), 1888, A., 635; (TESCHEMACHER and SMITH), 1888, A., 635, 1137; (LOUFF), 1890, A., 1349; 1891, A., 771; (DIETERICH), 1891, A., 511.

Opium-alkaloids (Plugge), 1887, A., 280; 1888, A., 379; (KAUDER), 1891, A., 227.

separation of the (Plugge), 1887, A., 851.

Opium-preparations, colorimetric estimation of morphine in (HINSDALE), 1890, A., 1349.

Optically active compounds, crystalline form of (BECKE), 1889, A., 1041. behaviour of, in mixtures of two

solvents (RIMBACH), 1892, A., 1137. Optically inactive compounds, decom-

position of (Jungfleisch), 1884, A., 1303; (BICHAT), 1886, A., 446, 612.

Orange, bitter, composition of the rind of (TANRET), 1886, A., 576.

Orange-juice, determination of free and precipitable acid in (GROSJEAN), 1883, T., 333.

Orange-oil, constituents of (SEMMLER), 1891, A., 539.

Orange-peel, oil of (WALLACH), 1885, A., 171; (HEPPE), 1885, A., 1163. sweet, oil of (Soltsien), 1887, A., 375.

Californian, Oranges, analyses (Colby and Dyer), 1892, A., 1511. "Orantia" (Schmitt), 1884, A., 236.

Orantin (SCHMITT), 1884, A., 910. Orcein (Zulkowski and Peters), 1890,

A., 1405.

Orchil. Sec Archil.

Orcinaurin (GRIMAUX), 1890, A., 1111. Orcinol (3:5-dihydroxytoluenc; methylresorcinol), process for preparing (WINTHER), 1883, A., 893.

action of acetaldehyde and of chloral hydrate on (MICHAEL and COMEY), 1884, A., 598.

action of chloral hydrate on (MICHAEL and Ryder), 1887, A., 724.

reaction of, with aniline (ZEGA and Висп), 1886, А., 873.

methylation of (KRAUS), 1891, A., 1347.

fusion of, with soda (BARTH and SCHREDER), 1883, A., 59.

compound of, with phonylhydrazine (SEYEWITZ), 1892, A., 49.

See 3:5-Diethoxydiethyl ether. toluene.

nitroso- (Kraemer), 1884, A., 1341. dinitroso-(Goldschmidt and STRAUSS), 1887, A., 808.

B-Orcinol (V. KOSTANEUKI), 1887, A., 39.

isoOrcinol. See 2:4-Dihydroxytoluene. Orcinol colouring matters (KRAEMER), 1884, A., 1341; (NIETZKI and MAECKLER), 1890, A., 762; (ZUL-KOWSKI and PETERS), 1890, A., 1405.

a-Orcinoldichroin. See Orcirufin. a-Orcinoldichroin, chloro- and bromo-(Brunner and Chuit), 1888, A., 1183. Orcinolphthaloylic acid (QUENDA), 1891,

A., 70. Orcirufamine (NIETZKI and MAECKLER), 1890, A., 764.

Orcirufin (Brunner and Chuit), 1888, A.,363; (Nietzki and Maeckler), 1890, A., 763.

ethyl ether (NIETZKI and MAECKLER), 1890, A., 763.

Orcylaldehyde (3:5-dihydroxytolualdehyde) (v. Pechmann and Welsh), 1884, A., 1346.

Oreoselon methyl ether (Jassoy), 1890, A., 1154.

nitr- (JASSOY), 1890, A., 1154. Ore deposit of Badenweiler (WOLLE-MANN), 1889, A., 27.

Ores from Amberg, examination of, and of the accompanying phosphates (Schober), 1883, A., 432.

which are good conductors of electricity (FISCHER), 1884, A., 786.

estimation of arsenic in (Lehmann and MAGER), 1886, A., 100, 920.

Ore-veins, investigations on (v. Sand-BERGER), 1887, A., 224.

Organic acids. Sec Acids.

Organic analysis. See Analysis. Organic bases. See Bases.

Organic compounds, mechanical determination of the arrangement of the carbon atoms in (HINRIGUS), 1891,

A., 1441. relation between the composition and the absorption spectra of (Krüss and OECONOMIDES), 1883, A., 1041; (HARTLEY), 1885, T., 685; P., 59; 1886, P., 245; 1887, T., 152; 1888, T., 641; P., 66; (KRUSS), 1888, T., 641; P., 68; (KRUSS), 1888, T., 641; P., 685; P., 1885, A., 949; 1888, A., 1141; (ALTHAUSSE and KRUSS), 1889, A., 1093.

relation between the constitution and specific rotatory power of (Sorokin), 1888, A., 768.

relation between chemical constitution and heat of combustion of (DIEFFENBACH), 1890, A., 1206;

(THOMSEN), 1891, A., 632. dispersive power of (BARBIER and ROUX), 1889, A., 805; 1890, A., 1853; 1891, A., 774; (NASINI), 1891, A., 138.

refractive power of (KANONNIKOFF), 1883, A., 1041; 1886, A., 335.

refraction-equivalents of STONE), 1884, T., 241.

molecular refraction and dispersion of (G. GLADSTONE), 1891, T., 290; P., 35; (J. H. and G. GLADSTONE), 1891, A., 774.

heat of combustion of (STOHMANN), 1891, A., 251.

electrical conductivity of (BARTOLI), 1885. A., 624; 1886, A., 191.

Organic compounds, magnetism of (WLEUGEL and HENRICHSEN), 1884, A., 1243; (HENRICHSEN), 1888, A., 769; 1892, A., 672.

determination of the melting point of

(LANDOLT), 1890, Δ., 1.

formulæ for calculating the molecular volume of (Lossen), 1890, A., 323. experiments on the diffusion of some inorganic and (Scheffer), 1883, A., 1047.

action of chlorine on, in presence of inorganic chlorides (PAGE), 1885,

A., 36.

in alkaline solution, action of lead peroxide on (GLÄSER and MORAW-SKI), 1890, A., 20.

action of nitric acid on (FRANCHIMONT and Klobbie), 1889, A., 1143.

influence of certain groups on the behaviour of nitric acid with (FRANCHIMONT), 1889, A., 1145.

action of sunlight on (KLINGER), 1889, A., 405; (KLINGER and STANDKE),

1891, A., 900. quantity of nitric oxide produced in the combustion of, with copper oxide (KLINGEMANN), 1890, A., 292. slow combustion of (SCHLESING),

1888, A., 979; 1889, A., 639. incineration of (Kronberg), 1888,

A., 993.

congelation of aqueous solutions of (RAOULT), 1883, A., 952.

isomeric, heat of combustion of (Ossipoff), 1890, A., 680.

relation of the heat of combustion of, to their densities (MULLER-ERZBACH), 1883, A., 1044.

antiseptic powers of (CARNELLEY and FREW), 1890, T., 636; P., 90. solubility of (CARNELLEY and THOMSON), 1888, T., 782; P., 80.

THOMSON), 1888, T., 782; P., 80. liquid, specific heats of (SCHIFF), 1888, A., 771.

1888, A., 771. specific heats of homologous series of (Schiff), 1887, A., 6.

nitrogenous, method for the synthesis of (GAUTIER), 1885, A., 275.

crystallographic examination of (ZINGEL), 1886, A., 62; (WICKEL), 1886, A., 234; (HEINTZE), 1886, A., 235.

detection of bromine, chlorine, iodine and sulphur in (MARSH), 1889, A., 796.

containing copper, analysis of (Walker), 1890, A., 296.

detection of (SMITH), 1888, A., 90. detection of nitrogen in (DONATH), 1890, A., 663.

Organic compounds, ferric chloride as a test for (INCE), 1887, A., 400.

estimation of (SMITH), 1888, A., 90. estimation of ash in (KOBRICH), 1888, A., 325.

method of estimating the halogens in volatile (PLIMPTON and GRAVES), 1853, T., 119.

estimation of nitrogen in (LANGE), 1889, A., 547; (BLAU), 1892, A., 1515; (STOCK), 1892, A., 1516.

estimation of phosphoric acid in (LANGE), 1889, A., 547.

estimation of sulphur in (Burton), 1890, A., 289.

estimation of sulphur and halogens in (Klason), 1886, A., 918.

See also Carbon compounds and Liquids.

Organic gases and vapours, chlorinated, properties of (BERTHELOT), 1883, A., 394.

Organic matter, combustible, in the air (MÜNTZ and AUBIN), 1885, A., 118. loss of nitrogen during the decom-

position of (SCHLESING), 1889, A., 638.

in soil, exhaustion of, by cropping without manures (Deherain), 1890, A., 407.

estimation of, in the atmosphere (CARNELLEY and MACKIE), 1887, A.,532; (ARCHAROW), 1892, A., 542.

estimation of, in water (MALLET), 1883, A., 1171; (LEEDS), 1884, A., 369; (KÜBRICH), 1887, A., 533; (KLEIN), 1887, A., 1000.

Organic radicles, negative nature of (MEYER), 1888, A., 147, 702; (MEYER and OELKERS), 1888, A., 703; (RATTNER; SCHNEIDEWIND), 1888, A., 704; (KNOEVENAGEL), 1888, A., 705.

Organism, formation and change of alcohol and aldehyde in the (ALBERTONI), 1888, A., 973.

amido-compounds in the (BAHLMANN), 1887, A., 512.

aromatic substances in the (SALKOW-SKI), 1885, A., 730.

assimilation of carbohydrates by the (HANRIOT; GAUTIER), 1892, A.,

assimilation of milk-sugar by the (Bounquelor and Troisier), 1889, A., 735.

calorimetric investigations on heat production in the (ROSENTHAL), 1890, A., 182.

heats of combustion of the chief nitrogenous compounds in the (Berthelot and André), 1890, A., 937. Organism, stability of carbonic oxide and oxalic acid in the (GAGLIO), 1888, A., 619.

change of sulphanilic acid into sulphanilocarbamic acid in the (VILLE), 1892, A., 903.

chemistry of the cell-nucleus in the (Kossel), 1885, A., 572; 1886, A., 566.

synthetic action of living cells in the (Brinck), 1889, A., 632.

fate of certain chlorine compounds in the (KAST), 1887, A., 612.

combustion in the (TRAUBE), 1889, A., 937.

decomposition and syntheses in the (SCHMIEDEBERG), 1883, A., 361.

synthetical processes in the (Pfluger), 1889, A., 174.

formation of fat from carbohydrates in the (Chaniewski), 1885, A., 280. fate of certain ferments in the (HOFF-MANN), 1889, A., 178.

fluorine in the (TAMMANN), 1888, A., 732.

formates in the (GREHANT and QUIN-QUAUD), 1887, A., 513.

inflammable gases in the (TACKE),

1884, A., 1395. exerction of iron from the (v. Zale-

SKI), 1888, A., 977. formation of lactic acid in the (Ber-

formation of lactic acid and glucose in the (ARAKI), 1891, A., 1125, 1392; 1892, A., 517, 1113.

fate of lactic acid in the (MARCEUSE), 1887, A., 508. fate of lecithin in the (HASEBROEK),

1888, A., 173. fate of morphine in the (TAUBER),

1891, A., 479. existence of manganese in the (MAU-MENE), 1885, A., 421.

nitrates in the (Gossels), 1887, A., 389.

elimination of nitrogen in the free state from the (GRUBER), 1881, A., 1391.

oxidation in the (Wursten), 1887, A., 610.

influence of light on oxidation in the (Loeb), 1889, A., 172.

oxidation of aromatic substances in the

(KLINGENBERG), 1891, A., 1529. substitute values of the chief organic alimentary principles in the (Rub-Nea), 1884, A., 189. formation of sugar in the, when

oxygen is deficient (DASTRE), 1892, A., 362.

Organism, thiocyanic acid in the (BRUYLANTS), 1888, A., 1324.

origin of urea in the (Coppola), 1890, A., 184.

mechanism of the production of urea in the (Popoff), 1892, A., 89.

formation of xanthocreatinine in the

(Monari), 1888, A., 174. influence of certain amides on the (Weiske and Schulze), 1885, A., 409.

action of azoimide on the (LOEW), 1892, A., 90.

influence of cold and warm baths on the temperature of the (PLETZER), 1884, A., 621.

influence of carbohydrates on the (Albertoni), 1889, A., 1023.

action of related compounds on the (GIBBS and HARE), 1890, A., 280, 813, 1018; (GIBBS and REICHERT), 1891, A., 1280, 1393.

effect of oil of mustard in foods on the (Ulbricht), 1890, A., 539.

action of oxalic acid and its derivatives on the (KROHL), 1892, A., 1019.

action of scatole in the (MESTER),

1888, A., 174. action and metamorphosis of some substances in the, in relation to diabetes (Albertoni), 1885, A., 683.

action of sugars in the (ALBERTONI), 1891, A., 1526.

action of yeast on the (NEUMAYER), 1891, A., 237.

behaviour of sulphur in the (SAL-KOWSKI), 1889, A., 432; (PRESCH), 1890, A., 812.

detection of iodoform, naphthol and chloroform in the fluids and organs of the (Lustgarten), 1883, A., 243.

foetal, iron in the (BUNGE), 1892, A., 1502.

vegetable, formation of nitrogenous organic bases by the decomposition of proteids in the (SCHULZE), 1891, A., 856.

Organisms, vegetable, poisonous effects of arsenic, zinc and lead on (Nobbe), 1884, A., 1407.

action of azoimide on (Loew), 1892, A., 90.

estimation of fatty substances in (MAXWELL), 1891, A., 511.

Organs, animal, fresh, supposed toxic action of aqueous solutions obtained from (DI MATTEI), 1884, A., 199.

formation of uric acid and xanthine bases in (Horbaczewski), 1891, A., 1340.

Organs, animal, with impeded circulation in hydrocyanic acid poisoning, and lactic a id and glucose in (ZILLESSEN), 1891, A., 1126.

of normal and rachitic children, inorganic constituents of (BRU-BAKER), 1891, A., 847.

vegetable, containing chlorophyll, influence of salt on the formation of starch in (LESAGE), 1891, A., 856.

Organosols (Schneider), 1892, A., 775. Orientation by conversion of p-dinitroderivatives into quinones (CLAUS, RAPS, HERFELDT and BERKEFELD), 1891, A., 1199.

influence of atoms or groups on (KEHRMANN), 1890, A., 484.

Orobus niger, composition of (NILSON), 1892, A., 522.

Orpiment from Bosnia (KRENNER), 1885, A., 730.

from the Yellowstone National Park (WEED and Pirsson), 1892, A., 283. analysis of (JANNASCH and WASO-WICZ), 1892, A., 657.

See also Arsenic sulphide.

Orsat apparatus, modified (KERSHAW), 1884, A., 695; (RUFFLE), 1890, A.,

Orthite from Virginia (KONIG), 1885,

Orthoclase (potash felspar) from Babitz, Bohemia (KATZER), 1888, A., 923. from Matour, Saône-et-Loire (La-croix), 1891, A., 408. from Mt. Blane (Brun), 1884, A., 408.

in geodes in basalt (v. ZEPHAROVICH),

1886, A., 518.

formation of (C. and G. FRIEDEL), 1890, A., 1080.

artificial production of (v. CHRUST-CHOFF), 1887, A., 559.

solubility of, in sea water (THOULET), 1889, A., 682.

alteration of, into albite (GENTH), 1884, A., 273.

analysis of (CLAASSEN), 1883, A., 1066.

ferric (HAUTEFEUILLE and PERREY), 1889, A., 357.

crystals, crystallographical examination of (PRIMICS), 1885, A., 733. acid. See Orthophosphoric

Phosphorus. Oryza glutinosa, Loureiro (KREUSLER

and DAFERT), 1886, A., 390. Osazones (v. Pechmann), 1888, A.,

1287. melting points and preparation of (BEYTHIEN and Tollens), 1890, A., 581.

Osazones of siccliaroses (Fischer), 1885, A., 53; 1838, A , 1267.

(scopoline; Oscine hydroxytropins) (EIJKMAN), 1885, A., 404; (HESSE), 1892, A , 1498.

Osmiamic acid (Joly), 1891, A., 1433. Osmium (Joly), 1891, A., 1433.

atomic weight of (SEUBERT), 1888, A., 921; 1891, A., 884, 885.

chlorides, electrolytic conductivity of (HAMPE), 1888, A., 891.

ammonium and potassium chlorides (Seubert), 1888, A., 921.

electrolytic separation of gold, of cadmium, of silver and of mercury from (SMITH and WALLACE), 1892, A., 920.

Osmose, osmosis and osmotic. under Diffusion.

Osotetrazones (v. Pechvann), 1888, A., 1287.

Osotriazole (BALTZER and V. PECH-MANN), 1891, A., 1117.

Osotriazoles, formation, properties and constitution of (v. Pechmann), 1891, A., 1110.

Osotriazolecarboxylic acid (BALTZER and v. Pechmann), 1891, A., 1117.

Osotriazones (v. Pechmann), 1888, A., 1238.

Ossein, heat of combustion of (BERTHE-LOT and ANDRE), 1890, A., 938.

Ostruthin (Jassov), 1890, A., 1154. Ottrelite from Lierneux, analysis of (RENARD), 1883, A., 959.

rocks of Ottré and Viel-Salm (VAN Verveke), 1885, A., 961.

Ouabain (ARNAUD), 1888, A., 848. toxic action of (GLEY), 1888, A., 1326.

Ouabaio, crystalline arrow poison from the wood of (ARNAUD), 1888, A., 848.

Oxalacetates, action of carbonyl chloride on (PERATONER and STRAZZERI), 1891, A., 1333.

Oxalacetic acid phenylhydrazone, amido- (TAFEL), 1887, A., 467.

Oxalacetophenylimide, sodium derivative of (Wislicenus and Satrler), 1891, A., 903.

Oxalamido-acids (Schiff), 1884, A., 906. Oxalamidobenzoic acid. See Carboxyphenyloxamic acid.

Oxaldiamidopropionic acid (SCHIFF), 1885, A., 760.

Oxalamidotrimethylphenylammonium, m- and p- (Griess), 1885, A., 1220. Oxalisoamylisoamyline. See isoButyl-

isoamylglyoxaline. Oxalisoamylbutyline. See Propylisoamylglyoxaline.

Oxalisoamylisobutyline. See iso-Propylisoamylglyoxaline.

Oxalamyline. See Butylglyoxaline.

Oxalate developer for gelatin plates (LORD), 1886, A., 106.

Oxalates, absence of, in young leaves (WEHMER), 1892, A., 651.

poisoning with (Bischoff), 1883, A., 1021.

ethereal, action of alcohols and metallic alkyl oxides on (Purdie), 1887, T., 629.

action of phosphoric chloride on (Anschütz and Schonfeld), 1886, A., 785.

action of potassium methoxide on (LOSSEN and KOHLER), 1891, A., 1014.

Oxalisobutylisoamyline. See Diisobutylglyoxaline.

Oxalbutylbutyline. See Propylbutylglyoxaline.

Oxalisobutylbutyline. See Propylisobutylglyoxaline.

Oxaleneanilidoximeamidoxime (TIE-MANN), 1889, A., 1142; (ZINKEISEN), 1890, A., 124.

Oxaleneanilidoximeazoxime-ethenyl (ZINKEISEN), 1890, A., 124.

Oxalenediamidines, disubstituted, constitution of (Vorlander), 1891, A., 697.

Oxalenediamidoxime (TIEMANN), 1889, A., 1142; (FISCHER), 1889, A., 1163; (ZINKEISEN), 1890, A., 122.

Oxalenediamidoxime diethyl ether, oxalenediazoximedibenzenyl, oxalenediazoximedipropenyldicarboxylic acid and oxalenediuramidoxime (ZINKEINEN), 1890, A., 123, 124.

Oxalenedihydrazoximediethylidene, oxalene-p-tolylamidineamidoxime, and oxalene-p-tolyleliamidodioxime (Vorlander), 1891, A., 698.

Oxalethylisoamyline. See Ethylisobutylglyoxaline.

Oxalethylbutyline. See Ethylisopropylglyoxaline.

Oxalethylenephenylhydrazide (Burchard), 1890, A., 250.

Oxalethylethyline and oxalethyline. See Methylethylglyoxaline.

Oxalethylenanthyline. See Ethylhexylglyoxaline.

Oxalethylpropyline. See p-Diethylglyoxaline.

Oxalic acid in potatoes and in malt (SIEWERT), 1883, A., 232.

from the residue of Spiritus ætheris nitrosi (Friokuinger), 1887, A., 360.

Oxalic acid, formation and physiological significance of, in fungi (Wehmer), 1892, A., 230.

formation of, in vegetation (BERTHE-LOT and ANDRÉ), 1886, A., 734.

clectrochemistry of (JAHN), 1890, A., 100.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097; (MASSOL), 1891, A., 968.

specific heat of (HESS), 1889, A., 93.

effect of heat on the decomposition of, by ferric chloride (LEMOINE), 1887, A., 324.

officet of light on the decomposition of, by ferric chloride (LEMOINE), 1884, A., 381.

decomposition of, by sun-light (Duclaux), 1887, A., 189.

dissociation of, hydrated (Lescour), 1887, A., 915.

coefficient of diffusion of (STEFAN), 1889, A., 1047.

solubility of (Miczyński), 1886, A., 935.

action of, on barium chlorides... (Colson), 1891, A., 377.

oxidation of, by potassium dichromate (BOTHAMLEY), 1887, P., 141; 1888, T., 159; (WERNER), 1887, P., 142; 1888, T., 405, 602; P., 33, 53.

use of dry, in the formation of condensation-products (ANSCHUIZ), 1884, A., 1019.

poisoning with (BISCHOFF), 1883, A., 1021.

stability of, in the animal organism (GAGLIO), 1888, A., 619.

use of, as a test for arsenites in alkaline salts (PATROUILLARD), 1883, A., 243.

detection of, in urine (SALKOWSKI), 1886, A., 395.

estimation of, in urine (NICKEL), 1887, A., 401.

Oxalic acid, aluminium salt of, tribasic (Mathieu-Plessy), 1884, A., 296.

ammonium salts of, solubility of (ENGEL), 1886, A., 443. right and left-handed crystals of

right and left-handed crystals of (Anschütz and Hintze), 1885, A., 1049.

ammonium copper salt of, action of light on (EDER), 1885, A., 1173. ammonium nickel salts of (KRAUT).

ammonium nickel salts of (KRAUT), 1888, A., 788.

beryllium potassium salt of, basic (Philipp), 1883, A., 1085.

Oxalic acid, calcium salt of, in the bark of trees (Kraus), 1892, A., 1370. formation of, in leaves (Schimper), 1888, A., 981; (Wehmer), 1890,

A., 191.

formation of, in plants (WARKER), 1888, A., 1126; (KOHL), 1890, A., 191; 1891, A., 857.

double chromium salts of, constitution of (HARTLEY), 1887, P., 4.

cobalt salts of, electrolysis of (Kehr-MANN and Pickersgill), 1891, A., 1189.

cobalt ammonium salt of (MARSHALL), 1891, T., 769.

copper salt of (Shubert and Rauter), 1892, A., 1431.

compound of, with pyridine (SEUBERT and RAUTER), 1892, A., 1431.

cuprammonium salt of (Seubert and RAUTER), 1892, A., 1431.

ferrous salt of, decomposition of (Birnie), 1885, A., 752.

magnesium salt of, in plants (Monte-VERDE), 1891, A., 857.

manganese salt of (Casthelaz), 1889, A., 957.

manganese potassium salt of (Kehr-

MANN), 1887, A., 800. mercury salt of, heat of formation of (BERTHELOT), 1884, A., 706.

(BERTHELOT), 1884, A., 706. potassium salt of (MASSOL), 1890, A., 740.

potassium antimony salt of (KAY), 1888, A., 675; (WAGNER), 1889, A., 489.

a substitute for tartar emetic (ANON.), 1885, A., 464.

potassium chromium salts of (Werner), 1887, T., 384; 1888, T., 405.

potassium cobalt salt of (KEHRMANN), 1887, A., 220; (KEHRMANN and PICKERSCILL), 1891, A., 1189.

Pickersgill, 1891, A., 1189. potassium copper salt of, action of light on (Eder), 1885, A., 1173.

potassium sodium cobaltic salt of (Kehrmann), 1887, A., 220. sodium copper salt of, action of light

on (EDER), 1885, A., 1173.

Oxalic acid series, specific volumes of some ethereal salts of the (WIENS), 1890, A., 102.

electrolysis of ethylic potassium salts of the (Brown), 1891, A., 1192. distillation of the potassium hydrogen

salts of the (WISBAR), 1891, Å., 1011.

Oxalic chloride (FAUCONNIER), 1892,
A., 588.

Oxalic ferment (KOHL), 1891, A., 857.

Oxalic nitrile, heats of combustion and formation of (BERTHELOT and PETIT), 1889, A., 812.

Oxalimide (Ost and Mente), 1887, A., 234.

Oxalines. See Glyoxalines.

Oxalmethylisoamyline. See Methylisobutylglyoxaline.

Oxalmethylbutyline. See Methylpropylglyoxaline.

Oxalmethylisobutyline. See Methylisopropylglyoxaline.

Oxalmethylethyline. See Dimethylglyoxaline.

Oxalmethyline. See Methylglyoxaline. Oxalmethylonanthyline. See Methylhexylglyoxaline.

Oxalmethylpropyline. See Methylethylglyoxaline.

Oxalodimethylhydrazide (V. Bruning), 1890, A., 23.

Oxalodiphenylhydrazide (Bolsing and TAFEL), 1892, A., 981.

Oxalodiphenyl/ithiobiuret (v. Sto-JENTIN), 1885, A., 1196.

Oxalo-B-naphthalide, bis-nitr-(PERKIN), 1892, T., 466.

Oxalo-β-naphthylhydrazide (FREUND), 1892, A., 509.

Oxalo-o-toluidide (MAUTHNER and SUIDA), 1886, A., 886; 1889, A., 139. dinitr- (Perkin), 1892, T., 463.

Oxalo-p-toluidide, nitr- (HINSBERG), 1883, A., 323.

Oxalo-o- and -p-toluidides, tetranitr-(MIXTER and KLEEBERG), 1889, A., 771; (PERKIN), 1892, T., 464, 465.

Oxalpropylisoamyline. See Propylisobutylglyoxaline.

Oxalpropylbutyline. See Dipropylglyoxaline. Oxalpropylisobutyline. See Propyliso-

propylglyoxaline.

Oxalpropylethyline. See Methylpropyl-

glyoxaline.

Oxalpropyline. See Ethylglyoxaline.

Oxalpropylemanthyline. See Propylhexylglyoxaline.

8-Oxalpropylpropyline. See Ethyl-

6-Oxalpropylpropyline. See Ethylpropylglyoxaline.

Oxelurhydrazide (Skinner and Ruhe-Mann), 1888, T., 556.

Oxaluric acid, thermochemistry of (MATIGNON), 1891, A., 1449.
Oxalylanthranilic acid (HOFFMANN and

Oxalylanthranilic acid (HOFFMANN and KOENIGS), 1883, A., 1144.

Oxalylearbamide. See Parabanic acid.
 Oxalyl-ψ-cumidic acid. See ψ-Cumyloxamic acid.

Oxalyldiacetone (CLAISEN and STYLOS), 1888, A., 676.

769

49

Oxalyldiacetophenone (Bromme and | CLAISEN), 1888, A., 692.

Oxalyldibenzamic acid (Schiff), 1886, A., 549.

amide of (Schiff), 1881, A., 906.

Oxalyllevulinic acid (Wishicenus), 1888, A., 1273. Oxalylmolybdic acid (Péchard), 1889,

A., 858.

Oxalyl-a-naphthyl mercaptan, o-amido-(LANG), 1892, A., 1079.

Oxalyl- α - and - β -naphthyl mercaptans, diamido- (v. Hofmann), 1887, A., 840. mercaptan, 0xalylphenyl o-amido-

(Lang), 1892, A., 1079. Oxalyl-o-toluidic acid. See Tolyloxamic acid.

See Xylyloxamic Oxalylxylidic acid. acid.

Oxamethane. See Ethylic oxamate.

Oxamethanetolyloxamide. See Ethylic oxamidotolyloxamate.

Oxamethanetolylurethane. See Ethylic urethanotolyloxamate.

Oxamic acid (Oelkers), 1889, A., 962, 1142.

Oxamide (HENRY), 1885, A., 886. decomposition of, by water and dilute

acids (BERTHELOT and ANDRÉ), 1887, A., 236.

dithio- (WOLLNY), 1884, A., 1109; (EPHRAIM), 1889, A., 1142; (For-MANEK), 1890, A., 29; (Forssell), 1891, A., 1003; (Wallach and Reinhardt), 1891, A., 1008.

Oxamidine hydrochloride (PINNER), 1883, A., 1088.

Oxanilamide, trinitr- (MIXTER and WALTHER), 1888, A., 142.

(phenyloxamic Oxanilic acid acid) Anschutz), 1889, А. Aschan), 1890, А., 1124. Α., (Anschütz), 707;

halogen derivatives of (DYER and MIXTER), 1887, A., 251.

p-nitr- (Perkin), 1892, T., 468.

o- and p-nitr-, and reduction of (Aschan), 1886, A., 147.

2:4-dinitr- and 2:4:6-trinitr- (PER-KIN), 1892, T., 468, 469.

Oxanilide (diphenyloxamide) and its homologues, preparation of (Per-Kin), 1892, T., 459.

action of nitric acid on (PERKIN), 1892, T., 458; P., 56.

halogen derivatives of (DYER and

MIXTER), 1887, A., 251. dibromodinitr-, and dibromotetra-(MIXTER and WILLCOX), 1888, A., 142.

dinitr- (MIXTER and WALTHER), 1888, A., 141.

Oxanilide (diphenylosumide), tetranitr-(MIXTER and WALTHER), 1888, A., 141; (Perkin), 1892, T., 460. hermitr- (Mixter and Walther), 1888, A., 141; (Perkin), 1892, T., 462.

Oxanilidodi-o-carboxylic acid (MAUTH-NER and SUIDA), 1889, A., 139.

Oxanilyl chloride (Aschan), 1890, A., 1124.

Oxazine-dyes (Möhlau), 1892, 887.

See also under Colouring matters.

Oxazine-series, syntheses in the (KNORR), 1889, A., 1218.

Oxazole (HANTZSCH), 1892, A., 313. Oxazoles and their derivatives (LEWY),

1888, A., 1101. synthesis of (HANTZSCH), 1888, A.,

574.

isoOxazole, amido- (HANRIOT), 1891, A., 1108.

isoOxazoles (CLAISEN), 1892, A., 506. formation of (DUNSTAN and DYMOND), 1891, T., 410.

Oxazolines (GABRIEL and HEYMANN), 1890, A., 1267; (ELFELDT), 1892, A., 213.

formation of (GABRIEL and NEU-MANN), 1892, A.. 1331.

Oxen, urine of (MITTELBACH), 1888, A., 1216. Oxethyl. See Oxyethyl.

Oxetone and oxetonecarboxylic acid (FITTIG and STROM), 1892, A., 813.

Ox-gall, presence of myristic acid in (LASSAR-COHN), 1892, A., 1114, 1503. Oxidation by means of the galvanic

current (SMITH), 1889, A., 926. by means of hydrogen peroxide (Wurster), 1888, A., 43.

by means of potassium permanganate (Remsen and Emenson), 1887, A.,

rate of, of carbon compounds by potassium permanganate (DREYFUS), 1888, A., 24.

primary and secondary, in the organism (NASSF), 1889 A., 172. in the animal body (SCHMIEDEBERG),

1883, A., 361; (Wurster), 1887, A., 610.

in animals, influence of light con (Loeb), 1889, A., 172.

in the blood (Hoppe-Seylen), 1890, A., 651.

physiological (NASSE), 1892, A., 1018. slow, absorption of nitrogen during (BERTHELOT), 1889, A., 673. and reduction (LEDEBUR), 1885, A.,

631; (OSTWALD), 1888, A., 1024.

Oxidation and reduction, simultaneous, by means of hydrocyanic acid (MICHAEL and PALMER), 1886, A.,

See also Agricultural Chemistry.

Oxides, metallic, change in volume during the formation of (Beke-TOFF), 1887, A., 1073.
polymerisation of (HENRY), 1886, A., 303; (CARNELLEY and WALKER), 1887, P., 110; 1888, T., 59.

more stable, behaviour of, at high temperatures (BAILEY and Hor-KINS), 1890, T., 269; P., 19. action of boron on (Moissan), 1892,

A., 1154.

action of nitric oxide on (SABATIER and SENDERENS), 1892, A., 1151, 1271.

action of nitric peroxide on (SABATIER and SENDERENS), 1892, A., 1390.

action of sulphur on (FILHOL and SENDERENS), 1883, A., 710; 1884, A., 959.

action of sulphur and water on (SENDERENS), 1887, A., 328; 1892, A., 770.

influence of, on the decomposition of potassium chlorate (Fowler and Grant), 1890, T., 272; P., 20.

production of metallic chlorides from (FAURE), 1888, A., 1250.

of the heavy metals and alkali halides, reaction between (BERSCH), 1891, A., 1413.

reduction of, with magnesium (WINK-LER), 1891, A., 1155.

Polyoxides, constitution of (Geuther), 1884, A., 1260.

Oxides, mineral, synthesis of (WEIN-SCHENK), 1890, A., 709.

Oxides, organic, action of anhydrides on (Franchimont), 1883, A., 452.

Oximes (GOLDSCHMIDT), 1890, A., 251, 1412; (Meyer), 1891, A., 1181; (CLAUS), 1892, A., 1080.

formation of (Hantzsch), 1891, A., 36. preparation of (Auwers), 1889, A., 689. molecular weights of (BECKMANN),

1888, A., 409, 646; (Auwers and Meyer), 1888, A., 646. relations between the constitution, configuration and chemical be-

haviour of (HANTZSCE), 1892, A., 1175.

isomerism of (Goldschmidt), 1890, A., 1261; (Hantzsch), 1890, A., 1263; 1891, A., 823; (HANTZSCH and WERNER), 1891, A., 34; (Minunni), 1892, A., 291.

0ximes and the so-called stereochemistry (CLAUS), 1892, A., 50. action of, on diazo-compounds (MAI),

1892, A., 163, 1079.

behaviour of, with mordants (v. KOSTANECKI), 1889, A., 868.

aldehydes and a-ketonic acids (HANTZSCH), 1891, A., 443.

asymmetrical, which do not form stereometric isomerides, configuration of (Hantzsch), 1891, A., 442.

stereochemical isomerism (HANTZSCH), 1890, A., 1263.

isomeric (Goldschmidt), 1890, A., 1261; (Hantzsch), 1892, A., 1083.

constitution of (MINUNNI), 1891, A., 1354.

of asymmetrical ketones (AUWERS and MEYER), 1890, A., 1263.

stereoisomeric, special configuration of (Hantzsuh), 1891, A., 439. Oximido. See Parent substance, oxime

Oximido-acids, dissociation constants of (HANTZSCH and MIOLATI), 1892,

A., 1268. Oximido-compounds (isonitroso-compounds) (MEYER), 1883, A., 569; (WESTENBERGER), 1884, A., 581; (Beckmann), 1886, A., 618; 1887, A., 826; 1888, A., 43, 55, 409; (BERGREEN), 1887, A., 466; (v. PECHMANN), 1887, A., 1103.

isomerism of (Beckmann), 1889, A., 607, 608; (AUWERS and MEYER), 1889, A., 609.

action of reducing agents on (CERE-SOLE and KOECKERT), 1884, A., 1120.

decomposition of (v. PECHMANN),

1888, A., 146. reaction hetween phenylhydrazine and (Just), 1886, A., 701.

Oximidonaphthol. See 2-Hydroxy-1:4-naphthaquinoncimide.

Oxindole and its derivatives (v. BAE-YER), 1883, A., 1130.

bromamido- (Jackson and BAN-CROFT), 1890, A., 982.

nitroso- (Gabriel), 1883, A., 920; (V. BAEYER), 1883, A., 1131.

Oxoctenol (MEYER and NÄGELI), 1883, A., 1076.

Oxole (Hantzsch), 1892, A., 313.

Oxyacanthine. See under Alkaloids. "Oxyacetoindigotin" (O'NEILL), 1892, A., 991.

m-Oxyacrylic acid. See Glycidic acid. Oxyadipic acid, chlor-, lactone of (RUHEMANN), 1890, T., 940.

Oxyalkyl-group, displacement of the NO₂ group by the (Lobry DE BRUYN), 1885, A., 657.

Oxyallylbenzoic acids (Scichilone), 1883, A., 335.

Oxyamidosulphonates, action of alkali on (DIVERS and HAGA), 1892, T.,

decomposition and oxidation of (DIVERS and HAGA), 1889, T.,765, 770.

and their conversion into hyponitrites (DIVERS and HAGA), 1889, T., 760.

Oxyamidosulphonic acid, preparation and hydrolysis of (DIVERS and HAGA), 1889, T., 764.

potassium salt of (Divers and HAGA), 1889, T., 762.

Oxyisoamylamine, and the action of phosphorus pentoxide on it (RADZIS-ZEWSKI and SCHRAMM), 1884, A., 1190.

Oxy-a-amyrin, and its acetate (Ves-TERBERG), 1892, A., 290. Oxyaurin (TRZOLYSKI), 1884, A., 591.

Oxyazo-compounds (Goldschmidt and Pollak), 1892, A., 974.

action of phosphoric chloride on

(PAGANINI), 1891, A., 556. Oxybenzene. 'See Phenol and Resorcinol. 3'-Oxy-4'-benzylisoquinoline, 1'-chlor-(EICHELBAUM), 1888, A., 1301.

Oxyberberine and its constitution (Perkin), 1890, T., 1003, 1085. acetate (Perkin), 1890, T., 1086. Oxybromocomenic acid, brom- (Men-

NEL), 1883, A., 657.

a-Oxybutyrocyamine hydrochloride (Duvillier), 1883, A., 1154.

Oxycamphor from β -dibromocamphor, action of nitric acid on (KACHLER and SPITZER), 1883, A., 215. so-called, of Kachler and Spitzer

(Goldschmidt), 1885, A., 270. nitr- (KACHLER and SPITZER), 1883, A., 215.

Oxycellulose (Choss and Bevan), 1883, T., 22; (Lindsey and Tollens), 1892, A., 827.

Oxychlorides, metallic, formation of crystallised (ROUSSEAU), 1890, A., 1058.

Oxydichlorodibromophenoquinone, dichlor- (Benedikt), 1883, A., 984. Oxychrysanthemine (MARINO-ZUCO), 1892, A., 85.

Oxycinchenine (Koenigs), 1890, A., 1433.

Oxycinnamaldehyde. See o-Coumaraldehyde.

Oxy-coal-gas blowpipe (LINNEMANN), 1886, A., 417.

Oxycobaltiac See Cobaltsalts. ammonium compounds.

Oxycoccus palustris, citric acid in (Kossovič), 1888, A., 314.

Oxyconessine (oxyurightine) (WARNECKE), 1888, A., 855.
Oxyconiceine, and its derivatives (v. HOFMANN), 1885, A., 563.

Oxyconiine (a-hydroxypropylpiperidine). See Conhydrine under Alkaloids.

Oxycoumarin (PLOCHL and WOLFRUM). 1885, A., 899.

Oxydehydracetic acid (FEIST), 1892, A., 585.

Oxydextrose (FISCHER), 1888, A., 1267.

Oxydiethylallylamine (Rebout), 1884,-A., 577.

Oxydiethylaniline (HOLZMANN), 1888, A., 1080.

Oxydiethylidenelactic acid (WILLGE-Schiff), 1890, RODT and 959.

Oxydigitogenic acid (KILIANI), 1891, À., 577.

2'-Oxydihydroquinoline. See Hydrocarbostyril.

Oxydimethylaniline (HOLZMANN), 1888, A., 1080.

2'-Oxy-2:3'-dimethyldihydroquinoxaline (HINSBERG), 1892, A., 1359.

Oxydimethylpurin, dichlor- (FISCHER). 1884, A., 997.

0xy-2:4-dimethylpyridine-3-carboxylic See Lutidostyrilcarboxylic acid. acid.

2'-0xy-1': 4'-dimethylquinoline. See Methyllepidone.

2'-Oxy-3:1'-dimethylquinoline, 4-nitr-(Decker), 1892, A., 880.

4'-Oxy-1': 2'-dimethylquinoline (4'methylquinaldone) (Conrad and LIMPACH), 1887, A., 680; (CONRAD and ECKHARDT), 1889, A., 519.

Oxy-\$-dimethyluric acid (Fischer), Ĩ884, **∆**., 1309.

Sec Oxydimorphine. Oxymorphine under Alkaloids.

Oxy-β-dinaphthylamine (imidodinaphthul oxide) (RIs), 1886, A., 1036.

Oxyethenyltolylenediamine (BANKIEwicz), 1889, A., 866.

nitr- (BANKIEWICZ), 1888, A., 1184. Oxygen in the air (VocLer), 1883, A., 284, 551; (Hempel), 1885, A., 1091; 1887, A., 885; (Kreusler), 1886, A., 199; 1887, A., 634. in the sun (TROWBRIDGE and HUT-

CHINS), 1887, A., 1065.

Oxygen, atomic weight of (HILDITCH), 1884, A., 659; (Keiser), 1887, A., 1078; 1891, A., 1154; (RAYLEIGH), 1888, A., 643; 1890, A., 330; (Mor-LEY),, 1888, A., 649; (COOKE and RICHARDS), 1888, A., 910; (GROS-HANS), 1889, A., 463; (NOYES), 1889, A., 672; 1890, A., 1370; 1891, A., 1154; (JOHNSON), 1889, A., 935; (LEDUC), 1892, A., 1388. atomic weights of hydrogen and,

relative values of the (COOKE and RICHARDS), 1888, A., 647.

atomic volume of (AMAGAT), 1885, A., 631; 1886, A., 662; (v. Wrob-LEWSKI), 1886, A., 661.

tetravalency of (HEYES), 1888, A., 551; (MELDOLA), 1889, A., 404. production of, by green cells (Pring-

SHEIM), 1888, A., 741.

production of, by the action of sunpluriulis light on Protocorcus (Phipson), 1884, A., 201.

preparation of (Göhring), 1889, A., 465.

preparation and storage of pure (SHENSTONE and CUNDALL), 1887, Ť., 611.

apparatus for preparing, quickly (TACKE), 1884, A., 1254. preparation of, in a Kipp's apparatus

(NEUMANN), 1887, A., 769. preparation of, from bleaching powder (BIDET), 1886, A., 418; (Vol-HARD), 1890, A., 8.

preparation of, from potassium chlorate (WAGNER), 1883, A., 281.

preparation of, from potassium ferri-cyanide and hydrogen peroxide (Kassner), 1890, A., 352.

utilisation of atmospheric (KASSVER), 1891, A., 392.

storage of, in zinc gasholders (Loewe), 1883, A., 619.

chemical structure of, and dissociation in the sun's atmosphere (GRUN-WALD), 1887, A., 1070.

dispersion equivalents of (GLAD-STONE), 1888, A., 389.

refraction equivalent of (GLADSTONE), 1884, T., 257; (BRUHL), 1887, A.,

absorption spectra of (EGOROFF), 1886, A., 169; (JANSSEN), 1886, A., 749; 1888, A., 765; (LIVEING and DEWAR), 1889, A., 1; 1890, A., 675.

heat of combination of carbon and (BOILLOT), 1884, A., 141. heat of combination of hydrogen and

(BOILLOT), 1885, A., 8.

Oxygen, forms of, obtained in the electrolysis of aqueous sulphuric acid (McLeod), 1886, T., 591; P.,

density of (AMAGAT), 1885, A., 631; (COOKE), 1890, A., 322; (LEDUC), 1890, A., 1370; 1891, A., 1416.

relative densities of hydrogen and (RAYLEIGH), 1888, A., 613.

deviations of, at low pressure from Boyle's law (Bohn), 1886, A., 591. volumetric relations of ozone and

(SHENSTONE and CUNDALL), 1887, Ť., 625; P., 76.

compressibility of, at very high pressures (AMAGAT), 1889, A., 8; 1891, A., 378.

absorption of (v. DER PFORDTEN), 1885, A., 836.

absorption of, by carbon (BAKER), 1887, T., 252.

occlusion of, in pure silver (BRAT-NER), 1889, T., 400.

liquefaction of (Olszewski), 1883, A., 781; (DEWAR), 1885, A., 331; (CAILLETEY), 1885, A., 859.

liquefaction of, apparatus for demonstrating the (DEWAR), 1885, A., 331.

liquid, colour of (Olszewski), 1891, A., 773.

absorption spectrum of (OLSZEWski), 1887, A., 625; 1891, A., 773.

insulating properties of (v. Wrob-LEWSKI), 1885, A., 1099.

ebullition of (v. WROBLEWSKI), 1884, A., 553.

boiling point of, under atmospheric pressure (v. Wroblewski), 1884, A., 817.

critical temperature and pressure of (v. Wroblewski), 1884, A., 148;

(SARRAU), 1884, A., 149. relation between the temperature and pressure of (Olszewski), 1885, A., 475.

coefficient of expansion of (OLSZEW-

ski), 1884. A., 816. density of (v. Wroblewski), 1884, A., 14, 388; (MENGES), 1884, A.,

553; (OLSZEWSKI), 1884, A., 816; 1887, A., 694. solubility of, in water (WINKLER), 1889, A., 936; 1892, A., 271; (BOHR and BOCK), 1892, A., 108.

solubility of, in water and in alcohol (Timoféeff), 1891, A., 15.

solubility of, in mixtures of alcohol and water (LUBARSCH), 1890, A., 103,

Oxygen, combustion in dried (BAKER), 1889, A., 465.

combustion of, in ammonia (Hode-kinson and Lowndes), 1888, A.,

combustion of, in hydrogen, a lecture experiment (v. Hofmann), 1883,

slow combustion of hydrogen and, admixed (Krause and Meyer), 1891, A., 1153; (Askenasy and MEYER), 1892, A., 938.

combustion of organic substances in, high pressure (STOHMANN, KLEBER, and LANGBEIN), 1889, A.,

influence of steam and other gases on the combustion of carbonic oxide and (BEKETOFF), 1892, A., 274.

influence of aqueous vapour on the explosion of carbonic oxide and

(DIXON), 1883, A., 12. activity of (TRAUBE), 1883, A., 282; (HOPPE-SEYLER), 1883, A., 1048. activity of, in presence of nascent

hydrogen (Hoppe-Sevlen), 1883. A., 848; 1886, A., 120.

active (BAUMANN), 1884, A., 14. formation of, in the atmosphere (Wurster), 1887, A., 211.

formation of, in paper (Wurster), 1887, A., 211.

reagents for the estimation of minimal quantities of (WURSTER), 1887, A., 295.

m-phenylenediamine as a test for (CAZENEUVE), 1891, A., 1289.

estimation of, by means of tetramethyl-p-phenylenediamine (Wurster), 1888, A., 627. See also Ozone.

action of light on moist (RICHARDson), 1889, P., 134.

action of light on the hydrides of the halogens in presence of (RICHARDson), 1887, T., 801.

action of, on hydrochloric acid under the influence of light (McLrop), 1886, T., 608.

action of the silent discharge on nitrogen and, in presence of chlorine (Hautefeuille and Chappuis), 1884, A., 710.

action of hydrogen on (DIXON), 1886, T., 107.

nascent hydrogen on action of (Hoppe-Sevler), 1883, A., 848; 1886, A., 120; (Traube), 1883, A., 900.

action of chlorine and hydrogen on (HARKER), 1892, A., 1147.

Oxygen, action of, on nitric oxide (Емісн), 1892, А., 940.

reciprocal displacement of the halogens and (Berthelot), 1890, A., 6.

ketonic, substitution of the azo-group for (Currius), 1889, A., 1157; (Currius and Lang), 1892, A., 451.

equilibrium between hydrogen, chlorine and (LE CHATELIER), 1890, A., 8.

rôle of, in plant life (PALLADIN), 1888, A., 1125. influence of compressed, on the growth

of plants (Jentys), 1888, A., 1125.

dependence of the assimilation of green cells on their respiration of (Pringsheim), 1888, A., 185. simultaneous evolution of carbonic

anhydride and, by Cactaceæ (Au-BERT), 1891, A., 856.

emission of, by plants in coloured light (PRINGSHEIM), 1886, A., 642.

elimination of, from plant cells (Engelmann), 1883, A., 105.

exhalation of, by fleshy-leaved plants in absence of carbonic anhydride (MAYER), 1887, A., 988.

action of, on the activity of the lower organisms (HOPPE-SEYLER), 1884, A., 1399.

relation of bacterial life to (LIBORIUS),

1887, A., 291. influence of, on fermentation (HOPPE-

SEYLER), 1883, A., 489. influence of, on alcoholic fermentation (Brown), 1892, T., 369; P., 33.

action of, on animals (RICHARDSON), 1887, A., 855.

"devitalised" (RICHARDSON), 1887, A., 855.

the specific quantities of, in blood (Bohr), 1891, A., 344.

in the blood of animals at great altitudes (VIAULT), 1891, A., 753.

tension of, in blood and in solutions of oxyhæmoglobin (HUFNER), 1888, A., 1211.

heat developed by the action of, on the blood (BERTHELOF), 1890, A.,

determination of the rate of consumption of, in the tissues by means of the spectroscope (DEN-

NIG), 1884, A., 1391. combination of hæmoglobin with (Bohr), 1892, A., 1369.

influence of, on the separation of carbonic anhydride in the lungs (Werigo), 1892, A., 1369.

Oxygen, detection and estimation: detection of, by Schutzenberger's reagent (Jodin), 1886, A., 648.

estimation of (SINIBALDI), 1888, A.,

gasometric estimation of (DE Ko-NINCK), 1891, A., 616.

Orsat's apparatus for the estimation of (Kershaw), 1884, A., 695; (RUFFLE), 1890, A., 411.

Schützenberger's process for estimation of free (Konig), 1892, A., 98.

estimation of aldehydic and ketonic (STRACHE), 1892, A., 546, 1530. estimation of free, by means of nitric

oxide (DE KONINCK), 1892, A., 97. estimation of, in air (HEMPEL), 1885, A., 592.

estimation of, in air by Priestley's method (WANKLYN), 1891, A., 362. estimation of, in the air of forests (EBERMAYER), 1886, A., 1066.

estimation of, in the blood (SIEG-FRIED), 1891, A., 845.

estimation of, in metals and alloys (Muller), 1885, A., 1167.

estimation of available, in peroxides (DE KONINCK and LECRENIER), 1891, A., 1136.

estimation of, absorbed in respiration (HANRIOT and RICHET), 1887, A., 507.

estimation of, in water (WILLIAMS and RAMSAY). 1886, T., 751; P., 223; (Dupré), 1886, A., 579; (Lalieu), 1888, A., 874; 1889, A., 551; (Blarez), 1888, A., 1344; (Roscoe and Lunt), 1889, T., 552; P., 124; (Winkler), 1889, A., 79; (Thresh), 1890, T., 185; P., 1; (Müller), 1890, A., 412; (Linossier), 1891, A., 616; (Adams), 1892, T., 310; P., 1; (Kisch), 1892, A., 98.

eudiometric investigation with mixtures of, and ammonia (NEUMANN),

1889, A., 1031.

Oxygen-carriers (MEYER), 1888, A., 216. Oxygen-compounds, reduction of, magnesium (Winkler), 1891, A.,

reduction of, by sodium (ROSEN-FELD), 1891, A., 150. correlation of, and hydrogen com-

pounds of the elements (FLAWITZ-KY), 1892, A., 1270.

molecular (TRAUBE), 1886, A., 661. "Oxygluconic acid" (Bourroux), 1886, A., 683.

Oxyglucose (FISCHER), 1888, A., 1267.

Oxyhæmoglobin. See under Hæmoglobin.

Oxyhexic acid. See Terebic acid.

Oxyhydrastinine (Freund), 1889, A.,

constitution of (FREUND), 1889, A., 1222.

synthesis of, from methylic ω-chlorethylpiperonylcarboxylate KIN), 1890, T., 997, 1034.

Oxyhydrocollidine (CANZONERI and Spica), 1885, A., 747.

Oxyhydrogen flame, spectrum of (LIVE-ING and DEWAR), 1888, A., 637.

Oxyhydrogen gas, ignition temperature of (FREYER and MEYER), 1892, A.,

absorption of, by soil (IMMENDORFF), 1892, A., 377.

action of light on (ASKENASY and MEYER), 1892, A., 939.

supposed re-combination of, in the dark (Ricciardi), 1884, A., 1092.

catalytic action of metals on (BER-LINER), 1889, A., 206.

lecture experiments on the combination of the (MEYER), 1892, A., 562.

Oxyindonaphthene. See Hydrindone. Oxyketones, formation of (JAMES), 1886, T., 54,

Oxylactose (FISCHER), 1888, A., 1267. Oxylepiden, acicular and tabular. See Dibenzoylstilbene and Tetraphenylcrotolactone.

Oxylepidenic acid. See Triphenylbenzoylpropionic acid.

Oxylepidine. See Oxy-4'-methylquinol-

Oxylupinine (BAUMERT), 1883, A., 100. Oxymenthylic acid (ARTH), 1886, A., 892.

Oxymercuric hydrogen and sodium imidosulphonates (DIVERS and HAGA), 1892, T., 977, 983.

Oxymethylene. See Formaldehyde. Oxymethylenemethoxybutenylbenzene

(SEMMLER), 1892, A., 311. Oxymethylethenyltolylenediamine (NIEMENTOWSKI), 1887, A., 937.

Oxymethylindole. See Methyloxindole. Oxymethylpyrrolidine. See 2-Methylpyrrolidone.

4'-Oxy-2'-methylquinazoline (WED-DIGE), 1887, A., 1044. chloro-derivatives of (DEHOFF), 1891,

A., 84.

m-nitro- (Dehoff), 1890, A., 802; 1891, A., 84; (Thieme), 1891, A., 917.

4'-0xy-3'-methylquinazoline (KNAPE), 1891, A., 909.

Oxymethylquinazoline. See also Hydr-) oxymethylquinazoline. Oxymethylquinizine. Sec l'henvl-

methylpyrazolone.

1-0xy-2-methylquinoline, 4-nitr- and 4-nitroso- (Nouring and TRAUTmann), 1891, A., 326; 1892, A., 727.

1-0xy-3-methylquinoline, 4-nitroso-(NOLTING and TRAUTMANN), 1891, A., 327; 1892, A., 728.

1-0xy-4-methylquinoline, 2-nitr- and 2-nitroso (Nouting and Traut-MANN), 1891, A., 327; 1892, A., 728,

4-0xy-1-methylquinoline, 3-nitr- and 3-nitroso- (Nouting and Traut-MANN), 1891, A., 328; 1892, A., 729.

4.0xy-3-methylquinoline, 1-nitr- and 1-nitroso- (Noi/ring and Traut-MANN), 1891, A., 327; 1892, A., 727.

3-nitroso- (Nülting and Traut-MANN), 1891, A., 327.

4'-0xy-2'-methylquinoline and 3-brom-(Knour and Antrick), 1885, A., 274

Oxy-4 -methylquinoline, tribrom-(Comstock and Koenigs), 1884, A., 1383.

(Nolt-Oxy-3-methylquinolineoxime ING and TRAUTMANN), 1891, A., 326. Oxymethyluracil, dichlor (Behrend), 1887, A., 129.

Oxymetric solution. Schutzenberger's, decomposition of, by light (Jodin), 1886, A., 648.

Oxymorphine (ψ-morphine; oxydimorphine) and its derivatives (HESSE), 1881, A., 616; 1887, A., 163; (Polstorff), 1886, A., 900.

reactions of (HESSE), 1886, A., 1047. Oxynaphthaquinonesulphonic See Hydroxynaphthaquinonesulphonic acid.

Oxynicotine (PINNER and WOLFFEN-STEIN), 1891, A., 173.

Oxytrinicotine (Erand), 1881, A., 464. Oxynitriles, volatility of (HINRY), 1886, A., 605.

Oxypentic acid. See Hydromucic acid. o-Oxyphenylacetic acid, lactone of (v. BAEYER and FRISCH), 1851 A., 1022.

Oxyphenyldinaphthazine (Fischen and HEPP), 1890, A., 910.

Oxyphenylmethylpyrazole. See Phenylmethylpyrazolone.

4'-0xy-2'-phenylquinazoline (Kornen), 1887, A., 1044.

Oxypiperidine. See Piperidone.

Oxyisopropyldiphenyleneketonecarboxylic acid, and its salts (Bam-BERGER and HOOKER), 1885, A., 906. Oxypropylenecarboxylic acid.

B-Methylglycidic acid.

Oxyprotosulphonic acid (Brucke's acid) (MALY), 1885, A., 824. Oxypyridine. See Hydroxypyridine.

Oxyquinaldine. See Oxy-2'-methylquinoline.

Oxyquinoline, nitroso-1- and -3-, tinctorial properties of (v. Kostanecki), 1891, A., 579.

See Carbostyril. 2'-Oxyquinoline.

1'-Oxyisoquinoline, 3'-chlor- (GABRIEL), 1887, A., 62.

Oxyquinone carbonate, nitr- (Löwen-BERG), 1886, A., 789.

Oxyquinoterpene. See Cinchol.

Oxysapogenin (BARTH and HERZIG), 1889, A., 1004.

Oxysparteine (AHRENS), 1891, A., 842. Oxysulphides, organic, action of chlorine on (Spring and Winssinger), 1883, A., 659; 1884, A., 1127.

Oxytetrazotic acids (Lossen), 1891, A., 1038.

Oxytetric acid. See Mesaconic acid. Oxythiacetone (SPRING), 1884, A., 580. Oxythiazoles, conversion of ketone thiocyanates into (ARAPIDES), 1889, A., 413.

reduction of, to thiazoles (ARAPIDES), 1889, A., 413.

Oxythiodiphenylimide (BERNTHSEN), 1885, A., 260. constitution of (BERNTHSEN), 1886,

A., 55. Oxythiomolybdates (Knuss), 1884, A., 1268.

Oxytiglic acid (MELIKOFF), 1886, A., 1009.

Oxytolylic acid. See Dibenzylglycollic acid.

Oxytriseleniocarbamide, and its derivatives (VERNEUIL), 1885, A., 376.

Oxytropine (LADENBURG and ROTH), 1881, A., 761.

Oxyurushic acid (Yöshida), 1883, T.,

Oxywrightine. See Oxyconessine. Ozokerite, Cancasian (Beilstein and Wifigand), 1883, A., 1073.

from Galicia (GRABOWSKI), 1885, A., 487.

from New Jersey (SMITH), 1885, A., 356.

process for bleaching (CHEMIN), 1885, A., 101.

complete chlorination of (HARTMANN), 1891, A., 812.

Ozokerite, valuation of (LACH), 1885. A., 1266. detection of, in bees-wax (HAGER),

1890, A., 421.

See also Mineral wax and Paraffin.

Ozone from pure oxygen (SHENSTONE and CUNDALL),1887,T.,610; P.,75. formation of (KAPPEL), 1883, A., 282; (THOMSON and THRELFALL), 1887,

A., 327.

formation of, during combustion (LOEW), 1890, A., 330; (ILONYAY), 1890, A., 447.

formation of, in flames (CUNDALL), 1890, P., 26; (ILOSVAY), 1891, A., 798.

formation of, in the electrolysis of aqueous sulphuric acid (McLEOD), 1886, T., 591.

connection of the formation of, with atmospheric electricity (Wurster),

1887, A., 211.

formation of, in presence of platinumblack (MULDER and VAN DER MEULEN), 1883, A., 284.

production of, by the electrical discharge (BICHAT and GUNTZ), 1888, A., 1234.

production of, by the slow oxidation of phosphorus (ENGEL), 1886, A.,

two properties of, explanation of (Debus), 1888, T., 324.

spectrum of, and the presence of, in the atmosphere (SCHONE), 1885; A., 713.

electrical conductivity due to the formation of (ELSTER and GEITEL), 1890, A., 676.

boiling point of (OLSZEWSKI), 1887, A., 634; 1889, A., 821.

volumetric relations of oxygen and (SHENSTONE and CUNDALL), 1887, T., 625; P., 76.

reactions of (WAGNER), 1884, A., 259. action of, on ether (DUNSTAN and DYMOND), 1890, T., 584.

action of, on guaiacum resin (Kowa-LEWSKY), 1889, A., 900.

rate of decomposition of (MULDER), 1886, A., 9.

influence of, on germination (Vogel), 1887, A., 516.

therapeutic and physiological effects of (Labbé and Oudin), 1891, A., 1531.

behaviour of, with blood (BINZ), 1883, A., 486; 1884, A., 95.

estimation, volumetric, of (BEHREND and Kast), 1890, A., 290.

See also Oxygen, active.

Ozothellia nodosa, gases contained in the bladders of (WILLE), 1890, A., 916.

Pachnolite (KLEIN), 1888, A., 427; (GROTH), 1884, A., 265; (DES CLOIZEAUX), 1884, A., 716.

from Colorado (CROS and HILLE-BRAND), 1884, A., 21.

chemical composition of (BRANDL), 1883, A., 29.

Pachyrhizus angulatus, poisonous principle from (GRESHOFF), 1891, A., 335.

Paeonol (NAGAI), 1892, A., 58.

Paconol-oxime and -phenylhydrazone

(TIEMANN), 1892, A., 59. Paint, waterproof, for st (ANON), 1883, A., 760. stones.

Paints, estimation of turpentine in (PHILLIPS), 1891, A., 1302.

Palæopicrite of Amelose and its alteration products (Brauns), 1888, A.,

from Stoppenberg in the Harz (Los-SEN), 1889, A., 573.

Palinurus vulgaris, blood of (GRIF-FITHS), 1892, A., 648.

Palladium, atomic weight of (Keiser), 1890, A., 17; (SEUBERT), 1891, A., 885; (BAILEY and LAMB), 1892, T., 745; P., 138.

electric properties of, when containing hydrogen (FROMME), 1883, A., 766.

absorption of oxygen by (NEUMANN), 1892, A., 943.

occlusion of hydrogen by (Schiff), 1885, A., 1035; (Thoma), 1889, A., 568; (Wilm), 1892, A., 563; (NEUMANN and STREINTZ), 1892, A., 567.

action of nitric oxide on (SABATIER and Senderens), 1892, A., 1152.

behaviour of, in chromic and nitric acids (Fromme), 1883, A., 699, 766.

direct oxidation of (WILM), 1892, A., 572.

lowering of the freezing point of bismuth, cadmium and lead by (HEYCOCK and NEVILLE), 1892, T., 894, 900, 906.

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890,

T., 380.

non-magnetisable alloys of, for watch works (Paillard), 1889, A., 573. Palladium chlorides, electrolytic conductivity of (HAMPE), 1888, A., 890.

Palladium ammonium chloride, action of hydrogen sulphide on (SMITH and Keller), 1891, A., 272.

monoxide (pulludious oxide) (WILM), 1892, A., 572.

potassium chloronitrite (Vhzes), 1892, A., 1284.

Palladium, estimation and separa-

estimation, electrolytic, of (SMITH and Keller), 1890, А., 831; (Sмітн), 1891, А., 1140.

separation of gold from (SMITH and Muhr), 1891, A., 1396.

separation of mercury, lead, copper, bismuth, and, from one another (Rosenbladt), 1887, A., 302.

Palladium-gold, native. See Porpezite. Palladium-hydrogen as reagent (SCHWARZENBACH andCHEWSKY), 1886, A., 1071.

co-operation of water in the slow oxidation of (TRAUBE), 1885, A.,

See also Hydrogen.

Pallasite from Campo de Pucará (Cohen), 1887, A., 904.

Pallasites, the prehistoric and Kiowa Co. (Huntington), 1892, A., 1059.

Palm cake. See Agricultural Chemistry. Palmellin (aspergillin) (LINOSSIER), 1891, A., 751, 1089; (PHIPSON), 1891, A., 845.

Palmitanilide (HELL and IORDANOFF), 1891, A., 821.

nitic acid (Chirtenden Smith), 1885, A., 508. Palmitic acid and

preparation of (KRAFFT), 1888, A., 1087.

action of bromine on (KRAFFT and Beddies), 1892, A., 696.

complete chlorination of (HART-MANN), 1891, A., 811.

oxidation of (CARETTE), 1886, A., 611; (GRÖGER), 1888, A., 250.

derivatives of (HELL and IOR-DANOFF), 1891, A., 820.

aluminium salt of, application of (LIEBER), 1883, A., 405.

anda-amido-, a-bromo-, cyano-(Hell and Iondanoff), 1891, A., 820.

Palmitic chloral (CLAUS and v. DRE-DEN), 1891, A., 535.

Palmitins (CHITTENDEN and SMITH), 1885, A., 508.

Palmitone (dipentadecyl ketone), preparation of (Kipping), 1890,

Palmitoneoxime (KIPPING), 1890, T., 986.

Palmitonitrile, conversion of, into hexadecylamine (KRAFFT and MOYE), 1889, A., 688.

Palmityl chloride (KRAFFF and BUR-GER), 1884, A., 1125.

Palm-nut meal (Holdefleiss), 1884, A., 631.

estimation of fat in (v. WILM), 1885, A., 290, 1164.

Palm-nut oil residue as fodder (Mirck-

ER), 1884, A., 355.
"Páná salt," preparation and analysis of (WARDEN), 1883, A., 822.

Panary fermentation, bacillus of (LAU-RENT), 1887, A., 70.

Panclastite (ANON.), 1884, A., 1452. Pancreas, effect of extirpation of, on the absorption of fat (MINKOWSKI), 1890, A., 1171.

Pancreatic extract, pentamethylenediamine in (WERIGO), 1892, A., 1368.

action of, on casein (EDKINS), 1891, A., 1272,

changes which proteid matters undergo by the action of (Отто), 1884, А., 1056.

gland of the ox, base in (Kossel), 1885, A., 566.

juice, influence of bile on the fatsplitting properties of (RACH-FORD), 1891, A., 948.

influence of, on the colour of the dejections (WALKER), 1890, A., 397.

See Priceite. Pandermite.

Pangium celule, free hydrocyanic acid in (Greshoff), 1891, A., 338.

Panicol, decomposition products of (Kassner), 1888, A., 1183.

Pansy, cultivated, salicylic acid in (GRIFFITHS and CONRAD), 1885, A., 75.

Papain (MARTIN), 1886, A., 74. action of, on vegetable

proteid (MARTIN), 1886, A., 642. digestion (MARTIN), 1886, A., 641.

apaver Rhoeus, morphine (HESSE), 1890, A., 646. Panaver

Papaveraceæ, alkaloids from (SCHMIDT), 1889, A., 62.

Papaveraldine (GOLDSCHMIEDT), 1886, A., 478.

Papaverine and its compounds. under Alkaloids.

Papaverinic acid and its derivatives (GOLDSCHMIEDT), 1885, A., 1080; STRACHE), (Goldschmiedt and 1889, A., 1016; 1890, A., 180.

phenylhydrazine (Goldschmiedt), 1886, A., 479.

Papaveroline (Goldschmiedt), 1886, Ä., 479; (Krauss), 1891, A., 85.

Papaw juice, proteids in (MARIIN), 1886, A., 642.

Paper, combustibility of, effect of various substances on the (MAYER), 1890, A., 1458.

formation of active oxygen in (Wurs-

TER), 1887, A., 211. cause of the acid reaction exhibited by some kinds of (HAERLIN), 1883, A., 260, 759; (FLEICHTINGER), 1883, A., 696; (HAERLEY), 1892, P., 19; (BEADLE), 1892, P., 34. action of nitric acid on (FRANCIS),

1885, T., 183.

incombustible (MEYER), 1884, A., 379; (HERRE), 1885, A., 315. wall-, estimation of arsenic in (SAN-GER), 1892, A., 382.

weatherproof, preparation of (HERRE),

1885, A., 315.

Papers, wood., percentage of water in (Lepsius), 1886, A., 112.

estimation of wood fibre in (WURS-TER), 1887, A., 620; (GODEFFROY and COULON), 1890. A., 670.

Paper-making, use of talc in (MACA-DAM), 1887, A., 452.

Paper-pulp, new method of manufacturing (ARCHBOLD), 1883, A., 759. Paposite (DARAPSKY), 1890, A., 456.

Parabanic (oxalylcarbamide), acid thermochemistry of (MATIGNON), 1891, A., 1449.

action of ammonia on (RUDINSKAÏA), 1886, A., 141.

Paraconic acid (BEER), 1883, A., 457. Paracyanogen. See under Cyanogen. Paraffin, solubility of, in various solvents (PAWLEWSKI), 1889, A.,

freezing points of solutions of (PAW-LEWSKI), 1890, A., 463.

liquid, as a reagent for the presence of water in alcohol, ether, and chloroform; and its use in the preparation of hydrobromic and hydriodic acids, and of the alkylic iodides (CRISMER), 1884, A., 1073.

solid, fused, and in solution, specific gravity of (Beiley), 1883, T., 388. detection of, in bees-wax (HAGER),

1890, A., 421.

estimation of (ZALOZIECKI), 1888, A., 759; (PAWLEWSKI and FILEMONOwicz), 1889, A., 83.

stearin, stearic acid and wax, analysis of a mixture of (JEAN), 1891, A., 1400.

See also Ozokerite.

Paraffinoid carboxylic acids, isomerism of (MICHAEL), 1986, A., 687.

Paraffin-oil. See Petroleum.

Paraffin-shale from Servia (GRIFFITHS), 1884, A., 879.

Paraffins (Lachowicz), 1884, A., 166; (Sorabji), 1885, T., 37.

preparation of (Kohnlein), 1883, A., 787.

fromom Pennsylvanian petroleum, physical properties of (Bartoli and STRACCIATI), 1885, A., 859; 1886, A., 215.

of the acetylene series (BLHAL), 1889,

A., 839.

of the methane series, nitration of (KONOWALOFF), 1892, A., 575. liquid, action of heat on (Norton

and Andrews), 1886, A., 604.

normal (Schorlemmer and Thorre),

1883, A., 651. calculation of the melting and boiling points of (HINRICHS), 1891, A., 1330; 1892, A., 797.

boiling point curves for (HINRICHS), 1892, A., 947.

higher normal (Knaffr), 1886, A., 998.

isolation of, from brown coal paraffin (KRAFFT), 1888, A., 1047.

derivatives of (Lachowicz), 1884, A., 166.

absorption of the ultra-violet rays by (Sorer and Rillier), 1890, A., 434.

substituted, proposed division of, into two distinct types (HENRY), 1884, A., 730.

bromo-derivatives of, formation of, from alcohols (NIEMILOWICZ), 1890, A., 465.

mononitro-derivatives of, action of benzaldehyde on (PRIEBS), 1884, A., 313.

nitro-, constitution of (KISSEL), 1885, A., 364.

See also Hydrocarbons and Olefines. Paraffin-series, synthesis in the, by means of aluminium chloride aluminium chloride (Combes), 1887, A., 656.

Perkin's reaction in the (Schnee-GANS), 1885, A., 649.

Paraffin-wax, stearin and stearic acid, analysis of a mixture of (JEAN), 1891, A., 1400.

Paragalactan (Schulze and Steiger), 1890, A., 285.

Paragalactan-like substances (SCHULZE, STEIGER and MAXWELL), 1890, A., 284.

Paragalactin (SCHULZE and STEIGER), 1887, A., 460.

Paraglycogen (Burschli), 1886, A., 87.

Paragonite from the Zillerthal, Tyrol (CATHREIN), 1889, A., 23.

Paragonite schist from the Ural (ARZRUNI), 1887, A., 351.

Paraguay tea (mate) (SELLIN), 1884, A., 354; (PECKOLT), 1884, A., 479. Parahæmoglobin. See under Hæmo-

Parahæmoglobin. See under Hæmoglobin.

Paralactic acid. See under Lactic acid.

Paralbumin. See under Albumin.
Paraldehyde. See under Acctaldehyde.
Paraldimine (imidoparaldehyde) and its amido-derivative (Curtus and Jay), 1890, A., 735.

Paraleucaniline. See under Leucanil-

Paramelaconite (König), 1892, A., 415.
Paramyosinogen (Halliburton), 1887,
A., 984.

Pararosaniline. See under Rosaniline. Parasites, regetable, action of ferrous sulphate on (GRIFFITHS), 1886, T., 119.

Parasitic diseases of plants, and their prevention (DANGER), 1883, A., 110.

Parenchyma, living, osmotic functions

of (WESTERMAIER), 1884, A., 1403.

Pargasite from Fiskernas, Gicenland
(USSING), 1890, A., 19.

chemical composition of (IGELSTROM), 1886, A., 29.

Parpevoline (JAECKLE), 1888, A., 1104; (DURKOFF and GOTT-CH), 1890, A., 796.

Parqueterie flooring, substitute for (JULHE), 1885, A., 707.

Parsnips, cooked, composition of (WILLIAMS), 1892, T., 227.

Parvoline. See Dimethylethylpyridine. Pasture. See Agricultural Chemistry.

Patchouli, stearopten from ossence of (MAISCH), 1885, A., 394.

Patella vulgata, nephridia and liver of (GRIFFITHS), 1888, A., 178.

"Patent block composition," Harris Hewitt's (Bellmer), 1884, A., 1098. Patina, formation of (Steiner), 1885,

A., 308. imitation of (Donath), 1884, A, 1444.

Peach-gum, carbohydrates in (STONE), 1890, A., 1022.

saccharine matter in (BAUER), 1888, A., 744.

Peach kernels, albuminoids in (RITT-HAUSEN), 1883, A., 360.

Peach oil (MABEN), 1886, A., 644.
Pea-nut. See Earth-nut under Agricultural Chemistry.

Pea-nut oil. See Earth-nut oil under Oils, vegetable.

Pearls, composition of (G. and H. S. HARLEY), 1889, A., 179.

Peas, fat from (JACOBSON), 1889, A., 296.

cooked, composition of (WILLIAMS), 1892, T., 227.

See also Agricultural Chemistry.

Peat, hydrocarbons and fatty acids from (Durin), 1883, A., 652.

experiments on the nitrogen of (REDER), 1885, A., 188.

See also Agricultural Chemistry.

Peaty waters, self-purification of (HARTLEY), 1884. A., 781.

Pectic acid, so-called artificial, from fit-wood (LINDSEY and TOLLENS), 1892, A., 827.

Pectic acids, metu- and para- (HERZ-FELD), 1892, A., 291.

Pectic compounds in plants (MANGIN), 1890, A., 80; (HERZFELD), 1892, A., 291.

Pectin, sugar from (BAUER), 1891, A., 413.

Pectolite from Alaska, analysis of (FISCHER), 1886, A., 210.

from Auchensterry quarry, Kilsyth (Young), 1887, A., 645.

from Disco Island (CHESTER), 1887, A., 783.

from Lehigh Co., Pa. (SMITH), 1885, A., 960.

artificial (DOELLER), 1886, A., 517. analysis of (CLARKE and CHAFARD), 1885, A., 491.

Pectose (URBAIN), 1881, A, 860. estimation of, in vegetables (STONE), 1892, A., 247.

Pedetic motion in relation to colloidal solutions (RAMSAY), 1892, P., 17.

Peganum Harmula seed (Fischen and Tauber), 1885, A., 821.

Pegmatite on the borders of Vizézy, near Monthrison (GONNARD), 1895, A., 131.

apatite in (GONNARD), 1883, A., 432. containing large crystals of chlorophyllite (GONNARD), 1885, A., 34.

ψ-Pelletierine (Ciamician and Silber), 1892, A., 1110.

"Peltier's heat effect," relation of, to the available energy of a galvanic element (Gocker), 1885, A., 856.

Penicillium glaucum, action of, on fumarates and maleates (But HNER) 1892, A., 820.

Penicillium glaucum, resolution of inactive lactic acid by (LINOSSIER), 1892, A., 297.

Penninite (pennine) from Zermatt (SCHLAEPFER), 1891, A., 531. See also Chlorite.

Pentabenzoyl-dextrose and -galactose (Skraup), 1889, A., 1130, 1152.

Pentabenzoylglucosamine (PUM), 1892, A., 134.

Pentabenzoyl-maltose and -mannitol (Skraup), 1889, A., 1153, 1152.

Pentacetylcellulose (Cross and Bevan), 1889, P., 133.

Pentacetyl-dextrose and -galactose (ERWIG and KOENIGS), 1889, A., 952, 1131.

Pentacetylhydroxyanthranol (LIEBER-MANN), 1888, A., 717.

Pentacetyllevulose (ERWIG and KOE-NIGS), 1890, A., 732.

Pentacetylxylitol (BERTRAND), 1892, A., 29.

Pentadecoic acid (LIEBERMANN and BERGAMI), 1887, A., 651.

Pentadecyl p-tolyl ketone (KRAFFT), 1888, A., 1087.

Pentadecylacridine (Volpi), 1892, A., 343.

Pentadecyldiphenylic tricyanide (KRAFFT and v. HANSEN), 1889, A., 697.

Pentaglucose. See Pentose under Carbohydrates.

Pentahydroxyanthraquinoline (GRAEBE and PHILIPS), 1891, A., 1240.

Pentahydroxyanthraquinone (NoAH), 1886, A., 556. See also Alizarineyanin R.

Pentahydroxyaurindicarboxylic acid

(CARO), 1892, A., 1469.

Pentahydroxyhexoic acid (KILIANI), 1887, A., 465. α-Pentahydroxypimelic acid and lactone

(KILIANI), 1886, A., 986.

8-Pentahydroxypimelic acid (FISCHER), 1892, A., 1169.

Pentallylcarbindimethylamine and pentallylcarbintrimethylammonium iodide (Merling), 1891, A., 1508.

Pentamethyltriamidotriphenylcarbinol (Wichelhaus), 1886, A., 362.

(WICHELHAUS), 1886, A., 362. Pentamethylaniline and its derivatives (V. HOFMANN), 1883, A., 324; 1885, A., 1128.

Pentamethylbenzamide (Jacobsen), 1889, A., 876.

Pentamethylbenzene, heats of combustion and formation of (STOH-MANN, KLEBER and LANGBEIN), 1889, A., 1042. Pentamethylbenzene, action of nitric acid on (GOTTSCHALK), 1888, A., 261. action of sulphuric acid on (JACOBSEN), 1886, A., 695; 1887, A., 660.

chloro- (Tohl), 1892, A., 968.

Pentamethylbenzenesulphonic acid and its derivatives (JACOBSEN), 1887, A.,

Pentamethylbenzenethiocarbamide (v. HOFMANN), 1885, A., 1129.

Pentamethylbenzoic acid (JACOBSEN), 1889, A., 876.

Pentamethyl-benzonitrile and -benzisonitrile (v. Hofmann), 1885, A., 1129.

Pentamethyldihydropyridine (ANDER-LINI), 1890, A., 67.

Pentamethyldihydropyrroline, action of methylic iodide on (Anderlini), 1890, A., 1481.

Pentamethyldihydroquinoline (ZATTI and FERRAFINI), 1892, A., 615.

Pentamethylene-derivatives (PERKIN), 1887, T., 240; P., 12; (COLMAN and PERKIN), 1887, P., 96; 1888, T., 185.

conversion of, into benzene, pyridine and thiophen derivatives (HANTZ-

sch), 1890, A., 129.

Pentamethylenediamine (cadaverine) and its derivatives (LADRNBURG), 1883, A., 910; 1886, A., 528; 1887, A., 125, 1057; (BOCKLISCH), 1887, A., 742; (GUSTAVSON and DEMJANOFF), 1889, A., 950; (WERIGO), 1892, A., 1368.

in cystinuria (v. Udránszky and Baumann), 1889, A., 1024.

preparation of (LADENBURG), 1886, A., 139.

magnetic rotatory power of (Perkin), 1889, T., 698, 732.

hydrogen diaminechromium thiocyanate (CHRISTENSEN), 1892, A., 1001.

platinothiocyanate (GUARESCHI), 1892, A., 287.

See also Gerontine, Neuridine, and Saprine.

Pentamethylene-1:2-dicarboxylic acid (Perkin), 1886, A., 225; 1887, T., 244.

thermochemistry of (STOHMANN and KLEBER), 1892, A., 1040.

dissociation constant of (WALKER), 1892, T., 706.

Pentamethylene-1:2-dicarboxylic anhydride (Perkin), 1887, T., 247.

Pentamethylenedinitramine (FRANCHI-MONT and KLOBBIE), 1889, A., 492. Pentamethylene-ring, breaking the (HANTZSCH), 1890, A., 1091. Pentamethylenetetracarboxylic acid (Perkin), 1886, A., 225.

Pentamethylenetetramine, dinitroso-(GRIESS and HARROW), 1888, A., 1268 Pentamethylenic bromide (GUSTAVSON and DEMJANOFF), 1889, A., 950.

Pentamethylenic glycol. See Pentylenic glycol.

Pentamethylenimine (LADENBURG), 1886, A., 139.

Pentamethylethyltrimethylenetrisulphone (CAMPS), 1892, A., 593.

Pentamethylhexahydropyridine (dimethylkopellidine) and its iodide (Dürkoff), 1885, A., 817.

Pentamethylparaleucaniline (FISCHER and KORNER), 1884, A., 607.

Pentamethylleucothionine and its dimethiodide (Bernthsen), 1886, A., 54.

Pentamethylphenol, and its methyl ether (v. Hofmann), 1885, A., 1129. Pentamethylphenyl methyl ketone

(Jacobsen), 1889, A., 875.

Pentamethylphenylglyoxylio
(Jacobsen), 1889, A., 875.

Pentamethylphloroglucinol (MARGU-LIES), 1889, A., 497; (SPITZER), 1890, A., 1110.

Pentamethylparurosaniline (FISCHER and GERMAN), 1883, A., 1097.

Pentamethyltetrahydroquinoline (ZATTI and FERRATINI), 1892, A., 615.

Pentaminechloroxalic acid, iridium salt of (PALMAER), 1891, A., 403.

Pentane, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

tri- and tetru-bromo- (Hell and Wildermann), 1891, A., 162, 534.

nitro-, action of zinc ethyl on (BEWAD), 1889, A., 1127.

Pentane flame, experiments on (SMITH-ELLS and INGLE), 1892, T., 210.

Pentanesulphonic acid (amylsulphonic acid), action of chlorine on (Spring and Winssinger), 1881, A., 1127.

Pentane-1:1:5:5-tetracarboxylic acid (Perkin), 1887, T., 212.

preparation and properties of (PERKIN and PRENTICE), 1891, T., 821.

action of sodium on (Perkin), 1886, A., 225.

homologues of, synthesis of (Perkin and Prentice), 1891, T., 818.

Pentanetricarboxylic acid (propylethanetricarboxylic acid) and its salts (WALTZ), 1883, A., 46.

Pentane-1:3:5-tricarboxylic acid (EMERY), 1891, A., 547.

Pentarabinantetragalactangeddic acid (O'SULLIVAN), 1891, T., 1070.

a-Pentaresorcinoldichroin ether, chloro-(BRUNNER and CHUIT), 1888, A., 1182.

Pentathionic acid and pentathionates. See under Sulphur.

Pentathiophen group (KRECKELER), 1887, A., 239.

Pentene. Sec Amylene.

Pentenoic acids. See Allylacetic acid, Augelic acid, Dimethylacrylic acid, Ethylidenepropionic acid, Propylideneacetic acid, Tetnamethylenecarboxylic acid and Tiglic acid.

Pentenyl alcohol (methylisopropylcarbinol) (KONDAKOFF), 1886, A., 137; 1888, A., 125. See also Ethylvinylcarbinol and

See also Ethylvinylcarbinol and Methylallylcarbinol.

Pentenylbenzene (DAFERT), 1883, A., 1094.

Pentenylglycerol. See Trihydroxypentane.

pentane.

Penterythritol (Tollens and Wigand),
1892, A., 127.

thermochemistry of (Stohmann and Langbein), 1892, A., 764.

Pentethylbenzene and its derivatives (JACOBSEN), 1889, A., 40. chloro- (ISTRATI), 1886, A., 231.

Pentethylbenzenesulphone (JACOBSEN), 1889, A., 40.

Pentethylbenzenesulphonic acid, salts of (Jacobsen), 1889, A., 40.

Pentethylphloroglucinol (Herzig and Zeisfl), 1888, A., 822.

bisecondary, oxidation of (Ulrich), 1892, A., 1188.

Pentic acid (cthylsuccinosuccinic acid) (Firrig), 1883, A., 1085; (Wedel), 1884, A., 835.

molecular weight of (Moscheles and Connelius), 1888, A., 489.

phenylhydrazide of (Moscheles and Cornelius), 1888, A., 1272.

Pentinene (dimethylallyland), properties and transformation of (ALBITZKY), 1888, A., 797.

action of hydrogen chloride on (Kondakoff), 1889, A., 1127.

conversion of, into isopropylacetylene (FAWORSKY), 1888, A., 1169. (isoprone) (Theren), 1883, A., 75;

1881, T., 415.

refraction and dispersion equivalents of (GLADSTONE), 1886, T., 619.

spontaneous conversion of, into caoutchoue (TILDEN), 1892, A., 1482.

Pentinene (methylethylucetylene), conversion of, into propylacetylene (FAWORSKY), 1888, A., 1168.

(isopropylacetylene), preparation of, fiom methyl isopropyl ketone (BEHAL), 1888, A., 930.

(piperylene), bromination of (MAG-NANINI), 1887, A., 457.

nitrogen chloride (LELLMANN and GELLER), 1888, A., 970.

Pentineneamine-phthalein, and its dibromide (PIUTTI), 1884, A., 452.

Pentinenephthalamic acid (PIUTII), 1884, A., 452.

Pentone, tetrathio- (FROMM and BAU-

MANN), 1889, A., 852. Pentonic acid (FISCHER and PILOTY), 1892, A., 437.

Pentosans of woody vegetable fibre (SCHULZE and TOLLENS), 1892, A., 1420.

Pentose (pentaglucose). See Carbohydrates.

Pentoxazolines (ELFELDT), 1892, A., 213.

Pentyl-. See Amyl-.

Pentylenic glycol (1:4-) (Freer and Perkin), 1887, T., 836; A., 33; (Lipp), 1890, A., 20.

(1:5-) (GUSTAVSON and DEMJANOFF), 1889, A., 950; (DEMJANOFF), 1892, A., 1292.

(2:3-) oxidation of (v. Pechmann),

1890, A., 1222. "Peonine," or "red aurin" (DALE and Schollemmer), 1883, T., 186. Peonol (WILL), 1886, A., 906.

synthesis of (Tahara), 1891, A., 1223.

Peperite of the Puy de la Piquette (GONNARD), 1888, A., 121.

Pepper, volatile alkaloid in (John-STONE), 1889, A., 298.

piperidine in (Johnstone), 1890, A.,

adulteration of (RABOURDIN), 1885, A., 303; (Landrin), 1885, A., 451.

analysis of (HEISCH), 1887, A., 312; (JOHNSTONE), 1890, A., 95. test for the addition of ground olive

stones to (GILLET), 1889, A., 88. Pepper oil, black (EBERHARDT), 1887, A., 969.

Pepper powder (LENZ), 1885, A., 701. Peppermint oil. See Oils, vegetable.

Pepsin. See Enzymes.

Pepsinogen (LANGLEY and EDKINS), 1886, A., 1051.

Peptone blood, gases of (LAHOUSSE), 1889, A., 531; (BLACHSTEIN), 1892, A., 363.

Peptone gelatin (TATARINOFF), 1884, A., 344; (CHITTENDEN and SOLLEY), 1891, A., 950.

Peptone, malt- (SZYMANSKI), 1885, A.,

Peptone salts from glutin (PAAL), 1892, A., 895; (Bortinger), 1892, A., 1016.

Peptones (v. POEHL), 1883, A., 926; (Kuhneand Chittenden), 1886, A., 819; (NEUMEISTER), 1888, A., 509;

(Sebelien), 1890, A., 182. distribution of, in the animal body (Hofmeister), 1883, A. 675. in the blood and organs of leucæmic

patients (v. Jaksch), 1892, A., 519.

in the blood and urine (Georges), 1887, A., 188.

during incubation hen's eggs (FISCHEL), 1886, A., 166.

in fibromata of the uterus (FISCHEL), 1886, A., 167.

from proteid matters by the action of pancreatic ferment (OTTO), 1884, A., 1057.

proportion of, in the gastric mucous membrane (HOFMEISTER), 1883, A.,

formation of (CLERMONT), 1888, A., 167.

formation of, and its conversion into albuminoid substances (v. POEHL), 1883, A., 603.

formation of, in gastric digestion (CHITTENDEN and HARTWELL), 1891, A., 953.

preparation of (Merck), 1886, A., 1051.

constitution of (Schutzenberger), 1892, A., 1500.

chemical nature of (PALM), 1888, A., 972.

molecular weights of (CIAMICIAN and ZANETTI), 1892, A., 1501.

capillarimetric distinction between albuminoids, gelatin and (Bod-LANDER and TRAUBE), 1886, A., 1087.

effect of, on the clotting of blood and lymph (Shore), 1891, A., 481.

formation of sugar from, in blood (LEPINE), 1892, A., 1502.

the source of sugar in the liver (SEEGEN), 1883, A., 818.

conversion of, by the liver (SEEGEN), 1886, A., 382

physiological action of (NEUMEISTER), 1888, A., 516.

as a pyrexial agent (OTT and COLL-MAR), 1888, A., 1325. fate of (SHORE), 1891, A., 479.

Peptones, behaviour of bile acids with (MALY and EMICH), 1883, A., 673. decomposition of, in the human body (GRAFFENBERGER), 1892, A., 904. reactions of (NEUMEISTER), 1890, A., 804.

commercial, examination of (Konig and Kisch), 1889, A., 803.

precipitation of (MARTIN), 1886, A., 636.

analysis of (DENAEYER), 1890, A., 1351; (HEATON and VASEY), 1892, A., 1535.

detection of (Posner), 1888, A., 1140. salicylsulphonic acid as a test for (MacWilliam), 1892, A., 552.

detection of, in urine (MARTIN), 1888, A., 764.

Tauret's reaction for, in urine (Brasse), 1888, A., 204.

examination of urine for (Méhu), 1885, A., 451.

estimation of, in stomach contents (RIVA-ROCCI), 1892, A., 1126.

estimation, volumetric, of, in urine (Roux), 1892, A., 1264.

separation of albumin from (WEISKE), 1886, A., 1087; (PALM), 1888, A., 972.

separation of, from albuminous substances (Kossel), 1885, A., 573.

Antipeptone (KUHNE and CHITTENDEN), 1884, A., 849; 1886, A., 820.

Hemipeptone (KUHNE and CHITTENDEN), 1884, A., 849.

Myosinpeptone (CHITTENDEN and GOODWIN), 1891, A., 950.

Propertone (HERTH), 1881, A., 1388; 1886, A., 567.

from proteid matters by the action of pancientic ferment (OTIO), 1884, A., 1057.

pyrogallol as a reagent for (AXEN-FELD), 1887, A., 1127.

detection of (Posner), 1888, A., 1140.

See also Albumose and Proteoses. ψ-Peptone (Neumeister), 1891, A., 235.

Ptomopeptone (v. POEHL), 1883, A., 926.

Peptonic fermentation (MARCANO), 1885, A., 181.

of meat (MARCANO), 1888, A., 1318. **Peptonisation** (CHANDELON), 1884, A., 1390; 1885, A., 1252.

Peptonised foods (Horton and Smith), 1891, A., 953.

Peptotoxin (SALKOWSKI), 1891, A., 1267.

erbremie acid. See under Bromine.

Perchloric acid. See under Chlorine.

Percolation, continuous, with boiling liquids, apparatus for (WILL), 1885, A., 631; (THRESH), 1885, A., 835.

Percylite (WEBSKY), 1888, A., 561.

from (Will W. SANDERSON), 1887, 1887, 1887, 1888, A., 561.

Percylite (Websky), 1888, A., 561. from Chili (v. Sandberger), 1887, A., 902.

Perezia fruticosa, pipitzahoic acid in the roots of (GREENISH), 1885, A., 396.

Perezinone and its salts (Mylius), 1885, A., 778.

Perezone (pipitahoic acid) and its derivatives (Greenteh), 1885, A., 396; (Anschutz), 1885, A., 776; (MYLIUS), 1885, A., 777, 805; (ANSCHUTZ and LEATHER), 1885, A., 777; 1886, T., 709, 712; P., 229.

action of hydroxylamine and phenylhydrazine on (ANSCHUTZ and LEATHER), 1886, T., 728, 724.

dibromide and amido- (ANSCHUTZ and LEATHER), 1886, T., 720, 731.

Perezonoxime (MYLIUS), 1885, A., 777; (ANSCHUTZ and LEATHER), 1886, T., 721.

Perfumes, extraction of (NAUDIN), 1884, A., 378.

Perhydroanthracene (Lucas), 1888, A., 1201; 1890, A., 637.

Perhydrofluorene (LIEBERMANN and SPIEGEL), 1889, A., 720.

Perhydrophenanthrene (LIEBERMANN and SPIEGEL), 1889, A., 720; (LUCAS), 1890, A., 637.

Perhydropicene (Liebermann and Spiegel), 1889, A., 720.

Pericardial fluid, chylous (HASEBROEK), 1888, A., 736.

Periclase from Nordmarken (SJOGREN), 1889, A., 216.

artificial (Orro and Kloos), 1891, A., 991.

See also Magnesium oxide.

Peridinia, pigments of the (SCHUTT), 1890, A., 1172.

Peridinia-chlorophyllin and peridinin (Schütt), 1890, A., 1173.

Peridot of Schelinger Matten (KNOP), 1887, A., 1086.

Peridotite from Arkansas (BRANNER and BRACKETT), 1890, A., 345.

of Elliot Co., Kentucky (DILLER), 1886, A., 993; 1889, A., 680.

from the Harz (Kocu), 1891, A., 24.

of Iron Mine Hill, Cumberland, Rhode Island (WADSWORTH),1889, A., 27.

in New York (WILLIAMS), 1886, A., 433; (SMYTH), 1892, A., 1057.

Periodic acid and periodates. See under Iodine.

Periodic law (CARNELLEY), 1885, A., 344; 1886, A., 503; (SPRING), 1887, A., 211; (MENDELLEFF), 1889, T., 634.

history of the (NEWLANDS), 1884, A.,

and the occurrence of the elements in nature (CARNELLEY), 1885, A.,

approximate algebraic expression of the (Carnelley), 1891, A., 13.

relation of certain properties of metals to the (ROBERTS-AUSTEN), 1889, A., 105; 1891, A., 1161. and mordants (PRUD'HOMME), 1891,

A., 523.

experimental researches on the (BRAU-

NER), 1889, T., 382; P., 94.

Periodic property of the elements (SUTHERLAND), 1891, A., 12.

Periodic relations of the elements (BASSETT), 1892, A., 562.

Periodides. See under Iodine.

Perkin's reaction (FITTIG), 1883, A., 1122; 1885, A., 663; (PERKIN), 1886, T., 317; (SALOMONSON), 1888, A., 476; (REBUFFAT), 1891, A., 69.

in the paraffin series (SCHNEEGANS), 1885, A., 649.

synthesis of a sulphur-derivative of cinnamic acid by (Loven), 1886, A.,

Permanganic acid and permanganates. See under Manganese.

Permeability of precipitated membranes (TAMMANN), 1892, A., 1383.

Permolybdic acid and permolybdates. See under Molybdenum.

Perofskite, so-called, from Magnet Cove, Arkansas (MAR), 1891, A, 529.

from Rympfischwang near Zermatt, analysis of (BRUN), 1884, A., 402. artificial production of (Bourgeois), 1884, A., 565.

Peronospora viticola. See Mildew in vines under Agricultural Chemistry.

Peroxides, constitution of (RICHARZ), 1888, A., 769; (TRAUBE), 1889, A., 939.

electromotive force of thin layers of hydrated (Schreber), 1889, A., 661. as oxidising agents (Pollacci), 1886, A., 507.

reactions of (BERTHELOT), 1883, A., 425.

estimation of the available oxygen in (DE KONINGK and LECRENIER), 1891, A., 1136.

Peroxides of the alkaline earths, estimation of (KASSNER), 1891, A., 245.

estimation, volumetric, of (DIEHL), 1883, A., 242.

Peroxyprotoic acid (MALY), 1888, A., 1120.

Per-ruthenic acid and per-ruthenates. See under Ruthenium.

Persbergite, analysis of (IGELSTROM), 1886, A., 31.

Perseitol (heptitol; perseite). See Carbohydrates.

Perspiration, chemistry of (CAPRANICA),

1894, A., 189. secretion of, by the skin after taking alcohol (BODLANDER), 1888, A., 977.

animals. See Agricultural Chemistry.

Perstannic anhydride. See under

Persulphuric acid and persulphates. See under Sulphur.

Perthiocyanic acids, n-(KLASON), 1889, A., 227. $\mathbf{a}\mathbf{n}\mathbf{d}$

Perthiccyanogen, preparation of, by electrolysis (GOPPELSROEDER), 1885, A., 107.

fixing of, in printing (SCHMID), 1884, A., 796.

See also "Canarin."

Perthiocyanoglycollic acid (KLASON), 1889, A., 229.

Perthiomolybdates. See under Molybdenum.

Pertitanic acid. See under Titanium. Pertungstic acid. See under Tungsten. Peru balsam. See Balsam, Peru.

Petalite from Maine (CLARKE), 1892, A. 1411.

from Uto, analysis of (Sonden), 1883, A., 440.

Petitgrain, oil of ("oil of petitgrain") (SEMMLER and TIEMANN), 1892, A.,

Petrographical purposes, application of a solution of barium-mercury iodide to (Rohrbach), 1883, A., 1060.

Petrographical research, evidence afforded by, of chemical change under great pressure (JUDD), 1890, T., 404; P., 35.

Petrography of South West Africa (Wulf), 1890, A., 221.

of the South West Brazilian frontier (MACHADO). 1888, A., 926.

Petroleum, Mineral- and Paraffinoils-American, distillation of (MENDE-

LEEFF), 1885, A., 708. 785 50 Petroleum, Mineral- and Paraffinoils-

American, hydrocarbons from, and their derivatives (Lemoini), 1881, A., 1106.

Baku, acids from (Aschan), 1891, A.,

acids poor in carbon from (ASCHAN), 1890, A., 737.

Burmese (Romanis), 1889, A., 949. Caucasian (Markownikoff and Ogloblin), 1884, A., 1276; (Markownikoff), 1891, A., 185.

aromatic hydrocarbons in (Doroshenko), 1886, А., 142; (Маккоwnікоff), 1886, А., 1015.

constitution of hydrocarbons C_nH_{2n} from (Markownikoff and Spady), 1887, A., 922.

Galician (LACHOWICZ), 1884, A., 166. bases in (BANDROWSKI), 1887, A., 979.

p-xylene in (PAWLEWSKI), 1885, A., 1126.

examination of (NAWRATIL), 1883, A., 533.

Italian (Porro), 1883, A., 1180. Japanese, distilled, hydrocarbon from

(Divers and Nakamura), 1885, T., 924.

Ohio, sulphur compounds in (Ma-BERY and SMITH), 1891, A., 1172. Pennsylvanian, complete chlorination of (HARTMANN), 1891, A., 811.

Russian (BIEL), 1884, A., 936. hydrocarbons of (LE BEL), 1887, A., 225.

formation of (Engles), 1888, A., 928.

constitution of (LE BEL), 1890, A., 223.

physical properties of (l'AGLIANI), 1884, A., 277.

connection between illuminating power, flashing point and boiling point (ENGLER), 1886, A., 102.

heat conductivity of (CHREE), 1888, A., 642.

fractional distillation of, in a current of steam (RASINSKI), 1884, A., 936. decomposition of, by heat (LISSENKO), 1888, A., 436.

absorption of gases by (GNIEWOSZ and WALFISZ), 1888, A., 342.

action of, on lead (Fox), 1888, A., 1249.

and the hydrocarbons of coal tar and shale tar, relations between (KRAEMER and BÖTTCHER), 1887, A., 648. Petroleum, Mineral- and Paraffinoils—

adulteration of, by means of solar oil (Heppe), 1885, A., 599.

process for solidifying (ROTH), 1885, A., 309.

lubricating, thickening material for (Marquardt), 1886, A., 651.

safety of (NEWBURY and CUTTER), 1889, A., 82.

alkaloid-like bases in (WELLER), 1887, A., 979.

pyridine-like bases in (ZALOZIECKI), 1892, A., 1357.

different, presence of ψ -cumene and mesitylene in (Engler), 1885, A., 1209.

products of the manufacture of gas from (ARMSTRONG and MILLER), 1885, P., 77.

natural, mineral matter in (LE BEL), 1889, A., 226.

constitution of the oxygen compounds in (ZALOZIECKI), 1891, A., 999.

raw, sulphur compounds in (MABERY and SMITH), 1890, A., 350. testing for, in fat oils, oleins, and

fuller's fat (FOCKE), 1886, A., 581. testing (STODDARD), 1883, A., 383, 517; 1884, A., 1431; (BELLETEIN), 1884, A., 369, 500; (GRAY), 1892,

A., 542. testing in tropical climates with Abel's apparatus (ABEL and RED-WOOD), 1884, A., 877.

detection of fat oils in (Lux), 1886, A., 103.

detection of resin oils in (VALENTA), 1885, A., 93; (STORCH), 1888, A., 536; (GRITTNER), 1892, A., 548. estimation of, in fat oils (GRITTNER),

stimation of, in lat ons (GR 1891, A., 505.

estimation of resin oils in (DEMSKI and Mon WSKI), 1886, A., 282.

estimation of, in turpentine (Burton), 1890, A., 669.

separation of, from saponifiable fats (GAMALOWSKI), 1887, A., 1001.

Petroleum-coke, analysis of (LIDOFF), 1883, A., 408.

Petroleum gas, action of sulphuric and hydrochloric acids on (Lonatsonewski-Petruniaka), 1889, A., 187

compressed, liquid hydrocarbons from (WILLIAMS), 1884, A., 879.

Petroleum lamps (BIEL), 1884, A., 936; (SCHMELCK), 1885, A., 452.

Petroleum-residues, sulphur compounds in (MABERY and SMITH), 1890, A., 350. Petroleum-residues, recovery of paraffin and heavy oils from (DURIN), 1885, A., 463.

Pettenkofer's reaction (Mylius), 1887, A., 1149.

Peucedanine (imperatorine), reactions of (Brociner), 1890, A., 310.

Peziza aurantia and P. convexula,

orange-red colouring matter of (Rosoll), 1884, A., 847.

Phacellite from Vesuvius (Scacchi),

1891, A., 22.

Phaeochlorophyll. See Phyllocyanin. *Phalaris arundinacea*, analyses of (Wilson), 1889, A., 1078.

Phalaris canariensis, composition of the seeds of (MAYER), 1889, A., 794. Phanerogams, assimilation of free nitrogen by (FRANK), 1892, A., 370. Pharmacolite (DUFET), 1888, A., 794.

from Styria (HATLE and TAUSS),

1891, A., 21.
from Volleg (HATLE and TAUSS),
1888, A., 429.

from the Vosges (JANNETTAZ), 1890, A., 342.

Pharmacosiderite from Sandberg, Hungary (Szabó de St. Miklós), 1886, A., 517.

Phaseolus vulgaris, nitrogen assimilation of (Nobbe, Schmid, Hiltner and HOTTER), 1891, A., 1538. constituents of the seed pods of

(Likiernik), 1891, A., 60c. galactan in the seeds of (MAXWELL),

1890. A., 917. See Inosite under Phaseomannite.

Carbohydrates. Phasol (LIKIERNIK), 1891, A., 606.

Phellandrene. See Terpenes. Phellandrium aquaticum (Pesci), 1884,

A., 331. Phellonic acid (GILSON), 1891, A., 465.

p-Phenacetide, dinitro- (WENDER), 1890, A., 751.

Phenacetin, detection of antifebrin in (SCHRODER), 1889, A., 660. detection of, in urine (SESTINI and

Campani), 1892, A., 665. o-nitro- (AUTENRIETH and HINS-

BERG), 1892, A., 160.

Phenacetolin as an indicator (THOMson), 1883, A., 682, 824; 1884, A., 691, 869.

Phenaceturamide (Hotter), 1888, A., 1299.

Phenaceturic acid, and its derivatives (GIACOSA), 1884, A., 1061; (Hot-TER), 1888, A., 1298.

in the urine of horses (Salkowski), 1885, A., 413.

Phenaceturic acid, synthesis of (Hot-TER), 1887, A., 368.

amido- and nitro- (Horrer), 1888, A., 1299.

 β -Phenacetyl- $\alpha\beta$ -diphenylacryl-amide and -ethylamide (COHN), 1892, A., 483.

Phenacite. See Phenakite.

Phenacyl compounds (STAEDEL), 1888, A., 1093.

Phenacylisoamyl-acetic and -malonic acids (PAAL and HOFFMANN), 1890, A., 1100.

Phenacylethylacetic acid (DITTRICH and PAAL), 1889, A., 257.

Phenacylethylanilide (Weller), 1883,

A., 582.

Phenacylethylmalonic acid (DITTRICH

and PAAL), 1889, A., 257. henacylic bromide. Se Phenacylic See Acetophenone, ω-brom-

Phenacylic (TAFEL sulphide and MAURITZ), 1891, A., 302.

Phenacylphthalamic acid (GOEDECKE-MEYER), 1888, A., 1294.

Phenacylphthalimide (GOEDECKE-MEYER), 1888, A., 1294.

m-nitro- (SCHMIDT), 1890, A., 372. Phenacyl-p-toluidine and m-nitro-(LELLMANN and DONNER), 1890, A., 524.

Phenakite (phenacite), artificial (MAL-LARD), 1888, A., 348; (HAUTE-FEUILLE and PERREY), 1888, A., 1044.

from Colorado (CROSS and HILLE-BRAND), 1883, A., 1065; (HID-DEN), 1885, A., 878; 1887, A, 118; (PENFIELD), 1887, A., 452; (PENFIELD and SPERRY), 1889, A., 356.

Maine (Kunz), from1889, 24.

Phenallyldihydroketo-m-diazine. See Ketoallyldihydroquinazoline. Phenamido.. See Phenylamido..

Phenanthrapiazine. See 2:3-Dimethylpyrazine.

Phenanthraquinol, a-diamido-, and its (KLEEMANN derivatives Wense), 1885, A., 1240.

hydrochloride, p-amido-, and p-diamido- (ANSCHUTZ and MEYER), 1885, A., 1068.

Phenanthraquinone (KLINGER), 1886, A., 889.

formula of (JAPP), 1883, T., 13.

Laubenheimer's colour reaction for (ODERNHEIMER), 1884, A., 1038. action of acetamide on (MASON), 1888, P., 96; 1889, T., 107.

Phenanthraquinone, action of aldehydes on, under the influence of sunlight (KLINGER), 1889, A., 405.

action of ammonium formate on (Leuckart), 1890, A., 784.

action of lead oxide on (WITTENBERG and MEYER), 1883, A., 804.

action of the chlorides of phosphorus on (LACHOWICZ), 1883, A., 666.

reduction of (Jappand Klingemann), 1890, P., 31.

condensation product of, with ethylic acetoacetate (JAPP and STREAT-FEILD), 1883, T., 27.

a mixture of, with acetone, action of potash on (JAPP and MILLER), 1885, T., 13, 17.

compounds of, with metallic salts (JAPP and TURNER), 1889, P., 160; 1890, T., 4.

derivatives of (Strasburger), 1884, A., 328.

dihydrocyanide (Japp and Miller), 1887, T., 32.

hydrocyanide, hydrolysis of (JAPP and MILLER), 1884, A., 329.

mercuric chloride and cyanide and zine chloride (JAPP and TURNER), 1890, T., 5, 6, 7.

Phenanthraquinone, 4-amido- (Ansonutz and Meyer), 1885, A., 1067.

2:2-diamido-(Anschütz and Meyer), 1885, A., 1067; (Kleemann and Wense), 1885, A., 1240. nitro-(Lachowicz), 1884, A., 82.

Phenanthraquinonediguanyl (WENSE),

Phenanthraquinonediguanyi (WENNE), 1886, A., 556. Phenanthraquinonedioxime (AUWERS

and MEYER), 1889, A., 1202. anhydride (Goldschmidt), 1884, A., 62; (Wegenhoff), 1889, A.,1067.

Phenanthraquinoneoxime, intranolecular change of (WEGERHOFF), 1888, A., 1200.

Phenanthraquinonephenylhydrazone (ZINCKE), 1883, A., 1135.

Phenanthrene, synthesis of (KRAEMER and SPILKER), 1890, A., 515.

heats of combustion and formation of (STOHMANN, KLEBER, and LANG-BEIN), 1889, A., 1042.

action of carbonyl chloride on (Behla), 1886, A., 248.

action of chloropicrin on, in presence of aluminium chloride (ELBS),1883, A., 1000.

compound of pieric acid and, solubility relations of (Behrend), 1892, A., 1385. Phenanthrenenaphthaquinoxaline (Lawson), 1885, A., 1239.

Phenanthridine (PICTET and ANKERS-MIT), 1890, A., 390; 1891, A., 837; 1892, A., 196.

methylhydroxide (PICTET and ANKERSMIT), 1891, A., 837; 1892, A., 197.

Phenanthroisobutylphenazine and its derivatives (GELZER), 1888, A., 267; 1889, A., 44.

Phenanthro-eurhodine (WITT), 1886, T., 400.

Phenanthroline and its derivatives (SKRAUP and VORTMANN), 1883, A., 86; (LA COSTE), 1883, A., 811; (SKRAUP and COBENZL), 1883, A., 1010.

preparation of (SKRAUP), 1885, A., 393.

bases, constitution of (SCHIFF), 1891, A., 1258.

ψ-Phenanthroline (Bornemann), 1886, A., 1045.

Phenanthrolinecarboxylic acids (Skraup and Fischer), 1885, A., 393; (Gerdeissen), 1889, A., 521.

Phenanthrolinic acid. See Dipyridyldicarboxylic acid.

Phenanthrone (Lachowicz), 1884, A., 82; (Japp and Klingemann), 1890, P., 31.

mono- and di-chloro- (LACHOWICZ), 1884, A., 81.

Phenanthropiazine (renylenepyrazine) (Mason), 1889, T., 98. dihydride (Mason), 1887, A., 493; 1889, T., 98.

isoPhenanthroxyleneacetoacetic acid (JAPP and KLINGEMANN), 1891, T., 11.

Phenanthrylpiperidine, tertiary (Lell-MANN and BUTTNER), 1890, A., 1003.

Phenazine (Ris), 1886, A., 1024.

pyrogenic formation of (Bernfusen), 1887, A., 219.

derivatives (Bernthsen and Schweitzer), 1887, A., 139; (Eicker), 1891, A., 470.

(EICKER), 1891, A., 470. amido- (Barbier and Vignon), 1888, A., 688; (Fischer and Hepp), 1889, A., 500.

1:4-diamido- (FISCHER and HEPP), 1889, A., 500.

2:2'-diamido- (NIETZKI and ERNST), 1890, A., 1114.

Phenazoxine (BERNTHSEN), 1887, A., 665.

2:4-dinitro- (TURPIN), 1891, A., 724.

Phenisobutyl-\$\text{\beta}-naphthylthiocarbamide, -phenethylthiocarbamide, -phenylthiocarbamide and -\$\text{\eta}\$-tolyl thiocarbamide (MAINZER), 1888, A., 1107.

p-Phencaprylamine. See Amido-octylbenzene.

Phenethenyldioxytetrazotic acid (W. and C. Lossen), 1891, A., 1041.

Phenethyl compounds (MAINZER), 1884, A., 1000.

Phenethylmethylpiperidine. See Methylstilbazoline.

a-Phenethylpiperidine (stilbazoline)
(BAURATH), 1888, A., 609.

m-amido- (Schuftan), 1890, A., 1438.

o-Phenetidine, mono- and di-bromo-, and its salts (STAEDEL), 1883, A., 663.

p-Phenetidine, oxidation products of (Kinzel), 1892, A., 158.

mono- and di-bromo-, and its salts (STAEDEL), 1883, A., 663.

o-nitro- (AUTENRIETH and HINS-BERG), 1892, A., 160.

2:6-dinitro- (WENDER), 1890, A., 751.

Phenetoil, preparation of (Kolbe), 1883, A., 1113.

heat equivalent of (STOHMANN, RODATZ and HERZBERG), 1887, A., 428.

synthesis of ketones from (GATTER-MANN, EHRHARDT and MAISCH), 1890, A., 963.

sulphonic acids derived from (Moody), 1892, P., 90.

Phenetoil, o-amido-, action of chloracetic acid on (VATER), 1884, A., 1144.

action of cyanogen chloride on (Berlinerblau), 1885, A., 147. m-amido-, and its derivatives (Wag-

NER), 1885, A., 1212. hydrobromide (STAEDEL), 1883, A., 578.

p-amido-, action of cyanogen chloride on (Berlinerslau), 1885, A., 147.

oxidation products of (KINZEL), 1892, A., 158.

tetramido-, hydrochloride (Köhler), 1884, A., 1161.

mono- and di-bromo-o- and -p-amido-, and their salts (STAEDEL), 1883, A., 663.

mono- and di-bromo-o- and -p-nitro-(STAEDEL), 1883, A., 663. bromo-m-nitro- (LINDNER), 1885,

A., 775.

Phenetoil, dibromonitro- (Jackson and Bentley), 1892, A., 1182.

tribromodinitro- (JACKSON and WAR-REN), 1891, A., 1026.

trichloro-, trichloriodo-, and trichloronitro- (LAMPERI), 1886, A., 616.

μ-iodo-m-nitro- (HAHLE), 1891, A., 431.

nitro-, experiments on the preparation of (Kolbe), 1884, A., 433.

p-nitro-, preparation of (WILL-GERODT and FERKO), 1886, A., 345.

reduction of (GATTERMANN and RITSCHKE), 1890, A., 1119.

dinitro- (Loweneerg), 1886, A., 789.

trinitramido- (KOHLER), 1884, A., 1161.

Phenetoilazo-. See under Azo-.

Phenetoilphthaloylic acid (ethorybenzoylbenzoic acid) (GRANDE), 1890, A., 1128.

Phenetoiltrimethylammonium iodide (cthoxyphenyltrimethylammonium 20dide) (SEIDEL), 1891, A., 53.

p-Phenetyl (cthoxyphenyl) pentadecyl ketone (KRAFFT), 1888, A., 1087.

2'-p-Phenetylindazine (ethoxyphenylindazine) (PAAL), 1891, A., 724.

Phenol of birch wood tar (PFRENGER), 1891, A., 432.

from blast furnace tar (SMITH, COUTTS, and BROTHERS), 1885, P., 104; 1886, T., 17.

in the stem, leaves, and cones of Pinus sylvestris (GRIFFITHA), 1884, A., 863.

in human sweat (KAST), 1887, A., 1132.

preparation of, from benzene (FRIEDEL and CRAFTS), 1889, A., 241.

electrolysis of, with alternating currents(DRECHSEL), 1884, A., 1136; 1888, A., 1276.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764; (DE FORCBAND), 1892, A., 1042.

heat of combustion of (BERTHELOT and LUGININ), 1887, A., 762.

thermal function of (DE FORCRAND), 1892, A., 1042.

depression of the melting point by (JUILLARD and CURCHOD), 1892, A., 556.

action of allylic iodide on, in presence of zinc or aluminium-foil (FRANKLAND and TURNER), 1883, T., 357.

action of bromine on (WEINREB and BONDI), 1885, A., 1266.

Phenol, action of diazo-p-nitrobenzene on (MELDOLA), 1885, T., 658.

action of dichlorether on (WISLICENUS and REINHARDT), 1888, A., 373.

action of the chlorides of propionyl and butyryl on (PERKIN), 1889, T.,

546; P., 106. action of chlorine on, in alkaline solution (Hantzsch), 1889, A., 853. action of epichlorhydrin on (LINDE-

MANN), 1891, A., 1198. action of iodine on, in alkaline solution (Messinger and Vortmann), 1889, A., 1150.

action of, on ketonic acids (Bor-

TINGER), 1884, A., 55.

action of methylchloroform on, in presence of alkalis (BIGINELLI), 1891, A., 296.

condensation of, with m-nitrobenzaldehyde (DE VARDA and ZENONI), 1891, A., 1346.

action of nitrogen iodide on (LEPETIT), 1890, A., 1402. action of nitrous anhydride

(FRIEDBURG and MANDEL), 1890, A., 1401.

action of phospham on (VIDAL), 1892, A., 1311.

action of phosphorous chloride on (Anschütz and Emery), 1887, A., 947; 1890, A., 34.

tion of quinonechlorimide (MOHLAU), 1884, A., 593. action

sulphur dichloride action of OB (Tassinari), 1887, A., 807.

titanium chloride action of on (Schumann), 1888, A., 679. of

and bromination chlorination (Gordon), 1891, P., 64.

oxidation of, by nitrohenzene (Sieg-FRIED), 1885, A., 1060.

perchlorination of (Hugounena), 1889, A., 1149.

sulphonation of (FULDA), 1891, A.,

as a reagent for nitrates, nitrites and chlorates (HAGER), 1886, A., 99; (Lindo), 1888, A., 1337.

cause of the red colour of (MYLIUS), 1887, A., 807.

red, colouring matter of (FABINI), 1891, A., 1198.

mixed vapours of carbon disulphide and, action of hot copper on (CARNELLEY and DUNN), 1888, P., 53; A., 1095.

compound of, with carbonic anhydride (KLEPL), 1883, A., 584.

compound of, with sulphurous anhydride (HÖLZER), 1883, A., 585.

Phenol derivatives (HENRY), 1883, A., 802; (BENEDIKT), 1883, A., 985.

homologues of, preparation of (ANON.), 1883, A., 253.

oxidation of (HEYMANN KOENIGS), 1886, A., 542; 1887, A., 241, 1035.

conversion of, into amines (LLOYD), 1887, A., 721; 1889, A., 700.

sodium derivative of, action of iodine and of nitric peroxide on (Schall). 1883, A., 1109.

action of sulphur on (HAITINGER), 1883, A., 938.

idiosyncrasy of certain animals with respect to (ZWAARDEMAKER), 1891, A., 762.

Phenol, o-amido-, action of acetone on (Engler and Bauer), 1889, A.,

action of chloracetic acid on (VATER),

1884, A., 1144. action of chloracetic chloride on (ASCHAN), 1887, A., 814.

action of chlorine on (ZINCKE and Kuster), 1888, A., 1277; 1889,

A., 599; 1890, A., 754, 1255. action of ethylic acetoacetate on (Hantzsch), 1883, A., 1111.

benzoate (BOTTCHER), 1883, A., 800.

p-amido-, derivatives of (KALCKHOFF), 1883, A., 1109.

action of acetone on (ENGLER and BAUER), 1889, A., 524.

action of chloracetic acid (VATER), 1884, A., 1144.

oxidation of (v. Bandrowski), 1889, A., 973.

and p-amido-, action of pierie chloride on (Turrin), 1891, T., 718.

action of quinones on (ZINCKE and HEBEBRAND), 1885, A., 257.

products of condensation (HAEGELE), 1892, A., 1451.

o-, m- and p-amido-, hydrochlorides of, reactions of (KALCKHOFF), 1883, A., 1111.

m:p-diamido- (Hähle), 1891, A., 431.

triamido-, and some of its derivatives (BAMBERGER), 1884, A., 309.

bromo-derivatives of (BENEDIKT), 1883, A., 984; (WERNER), 1885, A., 658.

bromo-, the so-called "fourth" (FITTICA), 1884, A., 55; 1887, A., 134; (HAND), 1886, A., 1017.

p-bromo- (Werner), 1884, A., 900. 3:5-dibromo- (BLAU), 1887, A., 242. Phenol, 2:4-dibromo-, and 2:4:6-tri-bromo- (Wenner), 1884, A., 900. 2:4:6-tribromo-, action of chlorine on

(BENEDIKT), 1883, A., 986. sulphuric acid action of

(GEORGESCU), 1890, A., S83. derivatives of (PURGOTTI), 1887, A., 573.

2-brom-4-amido-, and its derivatives (Hölz), 1885, A., 1211.

2:4-dibrom-4-amido- (Lellmann and GROTHMANN), 1885, A., 266.

3:5-dibrom-2-amido- (MOHLAU), 1584, A., 594; (Holz), 1885, A., 1211.

2:4:6-tribiom-3-amido- (Daccomo), 1885, A., 889.

4-brom-6-iodo-2-nitro-, calcium derivative of (LING), 1888, P., 122; 1889, T., 61.

bromo-o-nitro-, reduction of (SCHUTT), 1883, A., 1109.

bromo-m-nitro, and its potassium and sodium salts (PfAFF), 1883, A.,

reduction of (SCHLIEPER), 1892, A., 704.

p-bromo-o-nitro-, action of chlorine on (Ling), 1889, T., 586; P., 125. bromodinitro- (FITTICA), 1884, A.,

p-bromo-di-o-nitro-, isomeric change of (Gordon), 1891, P., 63.

4:6-dibromo-2-nitro-, calcium derivative of (Ling), 1888, P., 122; 1889, T., 61.

2:6-dibromo-4-nitro- (Lellmann and GROTHMANN), 1885, A., 266.

4:6:2- and 2:6:4-dibromonitro-, action of bromine on (LING), 1886, P., 268; 1887, T., 147.

m-dibromodinitro- (GARZINO), 1890, A., 1107.

2:4:6-*tri*bromo-3-nitro-(DACCOMO). 1885, A., 889.

chloro-derivatives of (BENEDIKT), 1883, A., 984.

o-chloro- (CHANDELON), 1883, A., 1108.

m-chloro- (VARNHOLT), 1887, A., 946.

2:4-dichloro- (Mosso), 1888, A., 456. 2:6-dichloro- (CHANDELON), 1883, A., 1108.

2:4:6-trichloro-, and its derivatives (Дассомо), 1885, А., 889.

tetrachloro- (Hugouneng), 1891, A., 297; (ZINCKE and WALBAUM), 1891, A., 710.

pentuchloro-, action of chlorine on (BENEDIKT and v. Schmidt), 1883, Δ., 1119.

Phenol, he mehloro-, dichloride (BENE-DIKI and v. Schmidr), 1883, A., 1119.

perchloro-, from perchlorobenzene (Weber and Wolff), 1885, A.,

2:6-dichlor-1-amido-(KOLLREPP), 1556, A., 1015.

2:4.6-trichlor-3-amido-(DACCOMO), 1885, A., 889.

2:3:5-trichlor-4-amido-(LAMPERT), 1886, A., 616.

o-chloro-\(\rho\)-bromo-, nitration of (LING), 1889, T., 584; P., 125.

5-chloro-2:4-dibromo-, and its conversion into quinones (GARZINO), 1890, A., 1105.

dichlorobromo- Garzino), 1888, A., 585; 1590, A., 1108.

di-o-chloro-p-bromo- (LING), 1892, T., 500.

trichlorobromo- (BENEDIKT), 1883, A., 986.

2-chloro-4-bromo-6-nitro-, action of bromine and of nitric acid on (LING), 1889, T., 584; P., 125. nitration of (LING), 1889, T., 590;

P., 125. derivatives of (LING), 1887, T., 791.

2-chloro-6-bromo-4-nitro-, metallic derivatives of (Ling), 1888, P., 122; 1889, T., 57, 58.

4-chloro-2-bromo-6-nitro-, action of nitric acid on (LING), 1889, T., 584; P., 125. nitration of (Ling), 1889, T., 589;

P., 125. derivatives of (Ling), 1887, T.,

788.

calcium derivative of (LING), 1888, P., 122; 1889, T., 60. 2:3:5-trichlor-4-iodo-

(LAMPERT), 1886, A., 617. bromination

2-chloro-4-nitro-, (Ling), 1888, P., 122; 1889, T., 56.

4-chloro-2-nitro-, action of bromine on (Ling), 1887, T., 787; 1889, T., 588; P., 125.

4-chloro-2:6-dinitro- (GORDON), 1891, P., 63.

4:6-dichloro-2-nitro- (LING), 1887, T., 782.

action of chlorine on (LING), 1889, T., 586; P., 125. calcium derivative of (LING), 1888,

P., 122; 1889, T., 61.

2:5-dichloro-4-nitro- (KEHRMANN), 1889, A., 244.

2:6-dichloro-4-nitro-(KOLLREPP), 1886, A., 1018; (Ling), 1887, T., 786.

Phenol, 2:4-dichloro-3:6-dinitro- (GARZINO), 1890, A., 1107.

2:4:6-trichloro-3-nitro- (DACCOMO), 1885, A., 889.

o-cyano. See Salicylonitrile.

p-cyano-. See p-Hydroxybenzonitrile.

p-fluoro- (WALLACH and HEUSLER), 1888, A., 362.

iodo-derivatives of (Messinger and Vortmann), 1889, A., 1150.

o-iodo-, solid (Nolting and Stricker; Schall), 1888, A., 262.

m- and p-iodo- (Nolting and Stricker), 1888, A., 262.

2:4-dőiodo- (SCHALL), 1883, A., 1109. 4-iodo-8-nitro- (HÄHLE), 1891, A., 431. o-nitro-, action of chlorine ou (LING), 1889, T., 586; P., 125.

n- and p-nitro-, preparation of (Noiting and Wild), 1885, A., 978.

action of phenylhydrazine of (BARR), 1887, A., 722.

o-, m-, and p-nitro-, sulphonation of (GORDON), 1891, P., 65.

p-nitro- (SCHALL), 1883, A., 1109. action of the nitrate of o-diazo-

action of the nitrate of o-diazobenzoic acid on (GRIESS), 1884, A., 1014. chlorinated derivatives of (KULL-

REPP), 1886, A., 1018. di-c-nitro-, action of bromine on

(Gordon), 1891, P., 63. 2:8-dinitro- (Wender), 1890, A., 751. 2:5-dinitro- (Henriques), 1883, A.,

327; (LOBRY DE BRUYN), 1891, A., 430.

di- and tri-nitro-, physiological action of (GIBBS and REIGHENT), 1891, A., 1281.

trinitro-, a (Zehenter), 1885, A., 1235.

2:4:6-trinitro. See Picric acid.

8:4:6- and 2:3:6-trinitro- (HEN-RIQUES), 1883, A., 327.

8-nitr-4-amido-, and its derivatives (Hähle), 1891, A., 430.

8-dinitramido- (Henriques), 1883, A., 328.

4:6-dinitr-2-amido (picramic acid) and its salts (LIPPMANN and FLEISSNER), 1886, A., 791; (SMOLKA), 1888, A., 52.

2:6-dinitr-4-amido- (isopicramic acid) and its salts (STEUDEMANN), 1884, A., 308.

nitrodinitroso. See Phenyl-1:2-hydroxylamine, 4:6-dinitro.
p-nitroso. See Quinoneoxime.
thio. See Phenyl mercaptan.

Phenol, detection and estimation:-

crude, examination of (STAVELEY), 1890, A., 425.

test for organic acids in (BACH-MEYER), 1883, A., 385.

detection of (Dragendorff and Jacobson), 1887, A., 867.

detection of, in creosote (MACEWAN), 1885, A., 1013.

estimation of (BECKURTS), 1886, A., 1081; (CARRÉ), 1891, A., 1557.

estimation of, in commercial carbolic acid (KLEINERT), 1884, A., 503; (TOTH), 1886, A., 744; (WIL-LIAMS), 1890, A., 300.

estimation of, as tribromophenol (Beckurts), 1886, A., 1081.

estimation, alkalimetric, of (BADER), 1892, A., 543.

estimation, volumetric, of (Chandelon), 1883, A., 124.

See also Carbolic acid.

Phenols, crude, from blast furnace tar (SMITH, COUTTS and BROTHERS), 1885, P., 104; 1886, T., 17.

boiling points of (PINETTE), 1888, A., 335.

of high boiling point contained in coal tar (NOLTING), 1884, A., 1003; (SCHULZE), 1885, A., 667.

(SCHULZE), 1885, A., 667. molecular lowering of the freezing point of benzene by (PATERNO), 1889, A., 101.

synthesis of, isomeric change in (Seńkowski), 1892, A., 44.

thermochemistry of (Stohmann and Langbein), 1892, A., 763.

heats of combustion and formation of (STOHMANN, RODALZ and HERZ-BERG), 1887, A., 98.

heats of solution, and of neutralisation of (Berthelor), 1886, A., 6.

of complex function, heats of solution and of neutralisation of (BERTHELOT and WERNER), 1885, A., 628; (BERTHELOT), 1886, A., 7.

polyhydric, heat of neutralisation of (Berthelot and Werner), 1885, A., 628.

cleetrical conductivity of (Berthe-LOT), 1890, A., 677.

specific volumes of (PINETTE), 1888, A., 335.

polyvalent, action of acetaldehyde on (CAUSSE), 1887, A., 809.

action of aldehydes on (MICHAEL), 1884, A., 597; 1887, A., 825; (MICHAEL and COMEY), 1884, A., 598; (MICHAEL and RYDER), 1886, A., 695; (CLAISEN), 1887, A., 270. Phenols, condensation of aromatic aldeligdes with (Trzcinski), 1884, A., 590.

action of alkali hydrosulphides on (Fuchs), 1889, A., 496; 1891, A., 46. condensation of, with isoamylene and cinnamene (Koenigs and Carl).

1892, A., 446.

action of benzaldehyde on (MICHAEL RYDER), 1887, A., 723; ANOFF), 1889, A., 1188; (Russanoff), 1891, A., 1234.

polyhydric, action of borax on (LAM-

BERT), 1889, A., 864.

polyhydric, action of chlorodinitrobenzene on (Nietzki and Schun-DELEN), 1892, A., 310.

action of chlorine on (ZINCKE). 1887, A., 960; 1888, A., 708; 1892, A., 1186; (ZINCKE and KEGEL), 1889, A., 265.

higher, action of cyanuric chloride and chlorocyanuric diamide on

(Otto), 1887, A., 1033. action of diazobenzene on (LILBER-MANN and V. KOSTANECKI), 1884, A., 1146.

action of formaldehyde on (KLEE-BERG), 1891, A., 1199.

action of hydrazine hydrate on (Currius and Thun), 1891, A., 1360. condensation of unsaturated hydrocarbons with (Koenics), 1891, A., 208, 571; (Koenigs and Carl), 1892, A., 446; (Koenigs and Mai), 1892, A., 1443.

action of hydrogen chloride on a mixture of, with aldehyde (CLAUS and TRAINER), 1887, A., 231.

action of hydrogen peroxide on (MARTINON), 1885, A., 658.

action of aromatic hydroxy-acids on (MICHAEL), 1884, A., 310.

action of methylchloroform and ethylchloroform on alkaline solutions of (Heiber), 1892, A., 308.

action of nitric acid on (STAEDEL), 1883, A., 861.

action of nascent nitrous acid on (DENINGER), 1890, A., 38.

action of phenylhydrazine on (SEYE-WITZ), 1892, A., 49.

action of phenylic cyanate on (SNAPE), 1885, T., 770; (LEUCKART and SCHMIDT), 1885, A., 1224.

action of phosphorus trisulphide on (GEUTHER), 1884, A., 54.

action of phthalicchloride on (MEYER), 1891, A., 1485.

action of thionyl chloride on (Tassi-NARI), 1891, A., 186.

Phenols, reaction between diazoamidocompounds and (HEUMANN and OECONOMIDES, 1887, A., 664.

desmotropy in (Herzic and Zeisll), 1988, A., 822; 1889, A., 247, 966; 1890, A., 243, 1404; 1891, A., 75. behaviour of, towards the alkali hydrosulphides (Fucus), 1889, A.,

496; 1891, A., 46. introduction of the carboxyl-group into (v. Kostanecki), 1886, A., 242. iodated (Messinger and Vortmann),

1889, A., 1150. iodation of, in ammoniacal solution (WILLGERODT and KORNBLUM), 1889, A., 697. iodation of, by nitrogen iodide (WILL-

GERUDT), 1888, A., 940.

substituted, reduction of (PFAFF), 1883, A., 802.

conversion of, into amines (BUCH), 1885, A., 147; (MERZ and MULLER), 1887, A., 576.

conversion of, into nitriles and carboxylic acids (Merz), 1883, A., 802; (Heim), 1883, A., 1111.

colouring matters of. See Colouring matters.

combination of camphor with (LEGER), 1890, A., 1427.

some compounds of, with amidobases (Dyson), 1883, T., 466.

compounds of benzotrichloride with (DOEBNER), 1883, A., 861; 1890, A., 901.

benzoyl compounds of (SKRAUP), 1889, A., 1152.

compounds of, with ethylic acetoacetate (v. Pechmann and Cohen), 1884, A., 1331; 1885, A., 56.

compounds of volatile fatty acids with (Nencki), 1890, A., 488.

carbonates of (WALLACH), 1885, A.,

ethers of, boiling points and specific volumes of (PINETTE), 1888, A., 335. ethereal derivatives of (STAEDEL),

1883, A., 585. substitution-products \mathbf{of} ethereal derivatives of (STAEDEL), 1883, A.,

662. preparation of methyl ethers from (VINCENT), 1884, A., 589.

phosphates of, and reactions of (KREYSLER), 1885, A., 1054, 1055. silicates of (MARTINI and WEBER), 1883, A., 983; (HERTKORN), 1885, A., 1056.

dihydric and trihydric, physiological action of (GIBBS and HARE), 1890,

A., 1019.

Phenols as reagents for carbohydrates (IIIL), 1885, A., 694.

as reagents for nitrates, nitrites and chlorates (LINDO), 1888, A., 1337.

commercial, analysis of (Casthelaz), 1885, A., 447.

detection of, in urine (BAUMANN), 1883, A., 885.

estimation of, in urine (BAUMANN), 1883, A., 885; (RUMPF), 1892, A., 544.

estimation, volumetric, of (MESsinger and Vortmann), 1890, A., 1473.

nitrodinitroso-Phenolacenaphthene, (WILLGERODT), 1891, A., 689.

Phenolanthracene, nitrodinitroso-(WILLGERODT), 1891, A., 689.

Phenolazo-. See under Azo-.

Phenolbishydrazobenzene (bisphenyl-(v. BAEYER hydrazophenol) Kochendoerfer), 1889, A., 1162.

(dimethylamidophenyl-Phenol-blue quinoneimide; quinonedimethyl-anilineimide) (Möhlau), 1886, A., quinonedimethyl-146; (Fogh), 1888, A., 592. preparation of (Möhlau), 1884, A.,

594.

trichloro- (Möhlau), 1884, A., 595. Phenol-mono- and -hemi-camphorides (Léger), 1890, A., 1427.

Phenolearbamide (ECKENROTH), 1886, A., 946.

Phenoldiammonium (Curtius and THUN), 1891, A., 1360.

Phenoldisulphonic acid (ALLAIN LEcanu), 1889, A., 1185.

Phenolic acids, instability of carboxyl

in (CAZENEUVE), 1892, A., 1332.

Phenolisatin (V. BAEYER and LAZA-RUS), 1886, A., 155.

Phenolphenylamine, derivatives of (v. Bandrowski), 1888, A., 943.

Phenolphthalein, addition of, to margarine (HOLM), 1891, A., 872.

as an indicator (Thomson), 1883, A., 682, 824, 827; 1884, A., 691, 869; (Long), 1885, A., 835; (Lkaer), 1885, A., 931.

as an indicator in the estimation of carbonic anhydride in mixtures of gases (Bloummann), 1884, A., 1072. behaviour of, with ammonia (Long),

1889, A., 746. behaviour of alkaline solutions of, in presence of alcohol (H. N. and C. N.

DRAPER), 1887, A., 618. anhydride. See Fluoran.

ethyl ether (GRANDE), 1892, A., 1096. Phenolphthalin ethyl ether (HERZIG), 1892, A., 1319.

Phenolquinoline. See Hydroxyphenylquinoline.

Phenol-series, isomeric changes in (Ling), 1886, P., 268; 1887, T., 147; 1889, T., 583; P., 125.

Phenolsulphonic acid, 2-chlor-4-amido-(Kollrepp), 1886, A., 1019.

Phenol-4-sulphonic acid, 2:6-diodo-(Kehrmann), 1888, A., 595, 841, 842; (Ostermayer), 1888, A., 596.

o-Phenolsulphonic acid (hydroxyphcnylsulphonic acid) (SERRANT), 1886, A., 707; (ALLAIN LECANU), 1889, A., 1183.

as an antiseptic (VIGIER), 1885, A., 612; (SERRANT), 1885, A., 1166. bromo- (Allain Lecanu), 1889, A.,

1184. o.p-dichloro-, action of sulphuric

acid on (GORDON), 1891, P., 64. See also Aseptol.

n-Phenolsulphonic acid (ALLAIN LE-CANU), 1886, A., 1031.

dinitro-, preparation of (BEYER and KEGEL), 1885, A., 269.

Phenolsulphonic acids from camphor (CAZENEUVE), 1890, A., 791.

amido-, and their relationship to Liebermann's colouring matters (Brunner and Kraemer), 1884, A., 1354.

action of bleaching powder on (HIRSCH), 1887, A., 834.

iodo- (Kehrmann), 1889, A., 993. Phenolsulphuric acid, preparation of, from urine (BRIEGER), 1884, A., 1353. Phenomalic acid. See Acetylacrylic

acid. Phenomorpholine (Knorn), 1889, A., 1220.

Phenonaphthacridone (Schöfff), 1892, Л., 1477.

Phenonaphtho-xanthone (v. Kosta-NECKI), 1892, A., 1099.

Phenophenanthrazine, nitro- and amido-(Heim), 1888, A., 1097.

Pheno-α-phenyl-p-azoxine (LELLMANN and Donner), 1890, A., 523.

Phenoquinoline-xanthone (v. Kosta-NECKI), 1892, A., 1099.

Pheno-quinoxazine and -quinoxazone (Mühlau), 1892, A., 887.
Phenosaffranine and its derivatives

(NIETZKI), 1883, A., 731; (ANON.), 1884, A., 538; (BARBIER and VIGNON), 1888, A., 688; (NIETZKI and OTTO), 1888, A., 831.

constitution of (Bernthsen), 1887, A., 140.

hydrochloride (WITT), 1887, A., 250. See also Saffranine.

- α-Phenotriazine (BISCHLER), 1890, A.,
 143; (HEMPEL), 1890, A., 613.
 p-bromo- (BISCHLER and BRODSKY),
 1890, A., 152.
- Phenotriazines, synthesis of (Busch), 1892, A., 734.
- Phenoxides, compounds of, with cuprous and mercurous chlorides (POUCHET), 1888, A., 586.
- Phenoxyacetal and its thio-derivative (AUTENRIETH), 1891, A., 511.
- Phenoxyacetone, thio- (acctonylphenylic sulphide) (Delisle), 1889, A., 489; (Autenrieth), 1891, A., 541.
- Phenoxyacetonediethylmercaptole, thio- (AUTENRIEFH), 1891, A., 568.
- Phenoxyacetonediphenylmeroaptole, thio- (AUTENRIETH), 1891, A., 568, 1067.
- Phenoxyacetophenone and its p-nitroderivative (Mohlau), 1883, A., 332.
- Phenoxyacetylacrylic acids. Secondaroxyacetic acids.
- Phenoxyacetyl-m- and -p-carboxylic acids (curboxyphenylglycollic acids) (Elkan), 1887, A., 258.
- e-Phenoxyamylamine (GABRIEL), 1892, A., 717.
- o-Phenoxybenzoic acid, thio- (ZIEG-LER), 1890, A., 1292; (GRAEBE and SCHULTESS), 1891, A., 1058.
- m-Phenoxybenzoic acid (GRIESS), 1888, A., 589.
- p-Phenoxybenzoic acid (KLEPL), 1884, A., 447.
- Phenoxy-bromacrylic and -bromomaleic acids (Hill and Stevens), 1885, A., 532.
- 8-Phenoxybutylamine (GABRIEL), 1892, A., 131.
- γ-Phenoxybutyramidesulphonic acid (LOHMANN), 1891, A., 1468.
- γ-Phenoxybutyric acid (LOHMANN), 1891, A., 1468.
- γ-Phenoxybutyronitrile (LOHMANN), 1891, A., 1468; (GABRIEL), 1892, A.,
- Phenoxychloro-α-naphthaquinonesulphonic acid (CLAUS and VAN DER CLOET), 1888, A., 603.
- Phenoxychlorophosphine, thio-(SACHS), 1892, A., 966.
- Phenoxycrotonic acid, a- and B-thio-(AUTENRIETH), 1890, A., 361.
- α-Phenoxyisocrotonic acid, and thio-(AUTENRIETH), 1890, A., 361.
- Phenoxyisocrotonic acid, 8-thio-(ESCALES and BAUMANN), 1886, A., 879.
- Phenoxycoumarin, synthesis of (OGLIA-LORO-TODARO), 1888, A., 277.

- Phenoxydilactylic acid, dithio-, and its salts (BAUMANN), 1885, A., 515.
- Phenoxydimethylmethane (diphenoxypropane), dithio- (BAUMANN), 1887, A., 126.
- Phenoxydiphenyl-benzylphosphonium chloride and -methylphosphonium iodide (MICHAELIS and LA COSTE), 1885, A., 1215.
- Phenoxydiphenylphosphine and some of its derivatives (MICHAELIS and LA COSTE), 1885, A., 1214.
- Phenoxydiphenylsulphonepropane, thio- (OTTO and Rossing), 1891, A., 568.
- Phenoxyethylamine (Schreiber), 1891, A., 552.
- A., 552. salts (Schmidt), 1890, A., 373.
- Phenoxyethylene (HENRY), 1883, A., 803.
 - trichloro- (phenyl trichlororinyl ether) (Michael), 1886, A., 614.
- Phenoxyethyleneoxybenzoic acids, and some of their derivatives (WAGNER), 1884, A., 435.
- Phenoxyethyl-phthalamic acid and -phthalimide (SCHMIDT), 1890, A., 373.
- Phenoxyglyoxal, tetrathio- (Stuffer), 1891, A., 186.
- Phenoxy-a-hydroxypropionic acid, thio-, action of certain reagents on (BAUMANN), 1885, A., 514.
- Phenoxymucobromic acid and its derivatives (HILL), 1884, A., 731; (HILL and STEVENS), 1885, A., 531.
- 1-Phenoxy-4-nicotinic acid, and the action of hydrochloric acid on (v. Pechmann and Welsh), 1885, T., 153; A., 175.
- Phenoxyphenylacetic acid, dithio-(Escales and Baumann), 1886, A., 879.
- Phenoxypropane, γ-bromo- (LOHMANN), 1891, A., 1467.
 - 1891, A., 1467. γ-chloro- (Gabriel), 1892, A., 717.
- Phenoxypropionic acid, α-dithio- (Bau-MANN), 1885, A., 514; (Escales and Baumann), 1886, A., 878.
- γ-Phenoxy-propylamine and -propylaniline (LOHMANN), 1891, A., 1467.
- 8-Phenoxypropylene (AUTENRIETH), 1890, A., 362.
- Phenoxypropylenediphenyldisulphone, thio- (Otto and Rossing), 1891, A., 568.
- γ-Phenoxypropylmalonic acid (GA-BRIEL), 1892, A., 717.
- γ-Phenoxy-propylphthalamic acid and -propylphthalimide (LOHMANN), 1891, Δ., 1467.

P-Phenoxytoluene, nitro-derivatives of (Frische), 1884, A., 1337.

γ-Phenoxyvaleric acid, dethio-(Escales and Baumann), 1886, A., 879.

δ-Phenoxy-valeric acid and -valeronitrile (GABRIEL), 1892, Λ., 717.

Phenuvic acid (SCHLOESSER), 1889, A., 595; (COLEFAX), 1890, P., 178; 1891, T., 190.

Phenyl \$\beta\acetyltolyl ketoxime (Hantzsch), 1891, A., 68.

Phenyl amidotolyl ketone, amido-(LIEBERMANN), 1883, A., 1097.

Phenyl sseamyl ketone (PERKIN and CALMAN), 1886, T., 166.

Phenyl benzyl ketone. See Deoxybenzoin.

Phenyl benzyl oxide (STAEDEL), 1883, A., 585.

4:2- and 2.4-bromonitro- (ROLL and HOLZ), 1885, A., 1209.

6:4:2- and 6:2:4-dibromonitro- (ROLL and Holz), 1885, A., 1209.

o-and p-nitro-(Kumpf),1884,A.,1005. Phenyl bromallyl oxide (HENRY), 1883, A., 803.

Phenyl bromopropyl ketone (PERKIN), 1885, T., 842.

Phenyl bromo- and chloro-propyl oxides. See Phenoxypropane, bromo- and chloro-.

Phenyl n- and iso-butyl ketones (Per-KIN and CALMAN), 1886, T., 161, 165.

Phenyl chlorethyl oxide (HENRY), 1883, A., 802.

Phenyl a-chlorhydrin ether (phenoxychloroisopropylic alcahol) (Lindemann), 1891, A., 1198.

Phenyl trichloropropenyl ketone (trichlorethylideneaectophenone) (Kor-NIGS), 1892, A., 695.

Phenyl trichlorovinyl ether. See tri-Chlorophenoxyethylene.

Phenyl ψ-cumyl ketone (ELBs), 1887, A., 942.

Phenyl p-cymyl ketone (ELBS), 1887, A., 942.

ieduction of (ULAUS and ELIS), 1885, A., 1065.

Phenyl ethoxynaphthyl ketone (benzoyka-ethoxynaphthetone) (Gattermann, Ehrhardt and Maisch), 1890, A., 964.

Phenyl ethers, action of phenylic cyanate on (Leuckart and Schmidt), 1885, A., 1224.

synthesis of ketones from, by Friedel and Craft's method (GATTERMANN, EHRHARDT and MAISOH), 1890, A., 962. Phenyl ethers, alkylene derivatives of (GAIFERMANN, EHRHARDT and MAISOH), 1889, A., 862.

Phenyl ethyl diketone (MULLER and v. PECHMANN), 1889, A., 1171.

Phenyl ethyl ether. See Ethoxybenzene.

Phenyl ethyl ketone. See Propiophenone.

Phenyl ethyl methylene diketone (propionylucctophenone) (BEYER and CLAISEN), 1887, A., 943.

Phenyl ethyl trimethylene ether (Lon-MANN), 1891, A., 1168.

Phenyl ethylene ethers, o-, m- and p-amido-, preparation, properties and salts of (WAGNER), 1884, A., 433.

Phenyl formylethyl and formylpropyl ketones (Claisen and Meyerowitz), 1890, A., 358.

Phenyl glycidyl ether (LINDEMANN), 1891, A., 1198.

Phenyl hexyl ketone (KRAFFT), 1887, A., 253; (AUGER), 1887, A., 816.

Phenyl hydroxypropyl ketone (benzoylpropylic alcohol) and its oxime (Per-KIN), 1885, T., 844; (MARSHALL and PERKIN), 1891, T., 886.

Phenyl diiodobenzyl ketone (henzoylphenyldiiodomethane) (Curtius and LANG), 1892, A., 451.

Phenyl mercaptan (thiophenol) (BIEDER-MANN), 1886, A., 787.

preparation of (STADLER), 1884, A., 1328.

sodium salt of, action of, on ethylic chloracetate (Otto and Rossing), 1891, A., 712.

sodium salt of, behaviour of, with isobutylenic bromide (Orro), 1890, A., 962.

o-amido-, and its derivatives (v. Hor-MANN), 1867, A., 823, 1039.

formation of anhydro-compounds of, from thionnilides (JACOBSON), 1886, A., 700.

o- and p-chloro- (DACCOMO), 1892, A., 308.

p-nitro- (WILLGERODT), 1885, A., 519; (LEUCKART), 1890, A., 604. dinitro- (AUSTEN and SMITH), 1886, A., 693.

ethers of (WILLGEROUT), 1885, A., 519.

Phenyl mercaptans, preparation of (Lustig), 1891, A., 1350.

Phenyl mesityl ketone and its derivatives (LOUISE), 1883, A., 577; (ELBS), 1887, A., 942.

Phenyl o-methoxytolyl ketone (Kor-Nics and Carl), 1892, A., 446. Phenyl methyl diketone (benzoylacelyl; phenyldiketopropane) (v. Pechmann and Müller), 1888, A., 1087; 1889, A., 1170; (MANASSE), 1889, A., 1088.

Phenyl methyl glycols, two isomeric (ZINCKE), 1884, A., 1003.

Phenyl methyl ketone. See Acetophenone.

Phenyl methyl ketoxime (JANNY), 1883, A., 580.

m-nitro- (GABRIEL), 1883, A., 582. Phenyl methyl oxide. See Anisoil.

Phenyl α-naphthyl ketoxime (Spieg-LER), 1884, A., 1182; (KEGEL), 1888, A., 1307.

Phenyl p-nitrobenzyl oxide (KUMPF), 1884, A., 1005.

Phenyl oxide, molecular refraction and dispersion of (GLADSTONE), T., 591.

Phenyl pentadecyl ketone (KRAFFT), 1887, A., 252.

Phenyl phenylethyl ketone. See Benzylacetophenone.

Phenyl propyl ether. See Propoxybenzene.

Phenyl propyl ketone (PERKIN), 1884, T., 181.

Phenyl pyridyl ketone (BERNTHSEN and METTEGANG), 1887, A., 737.

Phenyl pyrryl ketone. See ψ-Benzoylpyrroline.

Phenyl tetramethylene ketone and ketoxime (PERKIN and SINCLAIR), 1892, T., 59, 61.

Phenyl thienyl ketone and its α-oxime (COMEY), 1884, A., 1168.

Phenyl thienyl ketoximes (HANTZSCH), 1890, A., 1263; 1891, A., 446.

Phenyl thiotolyl ketone (phenyl methylr thicnyl ketone) (ERNST), 1887, A., 238. Phenyl tolyl diketone. See Methylbenzil.

Phenyl tolyl ethylene ether (SCHREI-BER), 1891, A., 553.

m-Phenyl tolyl ketone (methylbenzophenone) (SENFF), 1884, A., 427. reduction products of (SENFF), 1884, A., 427.

dinitro- (SENFF), 1884, A., 428.

p-Phenyl tolyl ketone, stereochemical isomerides of (HANTZSCH), 1891, A., 68.

stereochemically isomeric oximes of (HANTZSCH), 1890, A., 1273.

o-Phenyl tolyl ketoximes (SMITH), 1892, A., 490.

m-Phenyl tolyl ketoxime (Gold-SCHMIDT and STÜCKER), 1891, A., 1480.

p-Phenyl tolyl ketoxime (AUWERS), 1890, A., 503.

o-Phenyl xylyl ketone (ELBS), 1887, A., 941.

Phenyl p-xylyl ketones (ELBS and LARSEN), 1885, A., 261; (ELBS), 1887, A., 941; (STRASSMANN), 1889, A., 883.

a-Phenyl m-xylyl ketone (ELBS), 1887, A., 941.

α-Phenyl m-xylyl ketoximes (SMITH), 1892, A., 490.

Phenylacetaldehyde, condensation of, with ammonia and ethylic acetoacetate (JEANRENAUD), 1888, A.,

action of nitric acid on (Forrer), 1884, A., 1020.

derivatives of (Forrer), 1884, A., 1020.

Phenylacetaldehydephenylhydrazone (Fischer and Schmidt), 1888, A., 699.

Phenylacetaldoxime (Dollfus), 1892, A., 1174.

Phenylacetamide, action of bromine on (v. Hofmann), 1886, A., 45.

p-amido- (PURGOTTI), 1891, 562.

p-cyano- (Mellinghoff), 1890, A., 239.

m- and p-nitro- (Purgotti), 1891, A., 562.

Phenylacetamidine, and its derivatives (LUCKENBACH), 1884, A., 1134.

Phenylacetic acid (Anschütz and BERNS), 1887, A., 829. preparation of (STAEDEL), 1886, A.,

945; (ZINSSER), 1892, A., 344.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A.,

influence of, on proteid metabolism (SALKOWSKI and KOTOFF), 1888, A., 513.

mixtures of \(\beta\)-phenylpropionic acid and, melting point and separation of (Salkowski), 1885, A., 602; 1886, A., 351.

derivatives of (GABRIEL), 1883, A., 64; (R. MEYER), 1886, A., 63; (A. MEYER), 1888, A., 69 (HAUSSKNECHT), 1889, A., 506. 693:

ethereal salts of, action of sodium on (Hodgkinson), 1886, P., 188.

oxime of, and its salts (MULLER), 1883, A., 1129; 1884, A., 584; (HANTZSUH), 1890, A., 1274; 1891, A., 444.

Phenylacetic acid, amido- (GABRIEL and Borgmann), 1883, A., 1121,

Phenylacetic acid, amido-p-cyano-(Traube), 1883, A., 193.

bromo-, an apparent exception to the Le Bel-van't Hoff hypothesis (EASTERFIELD), 1891, T., 71.

action of, on ethylic acetoacetate (Weltner), 1884, A., 746; 1885, A., 793.

m-bromodinitro- (Jackson and Robinson), 1890, A., 378.

A., 64.

p-cyano- (Mellinghoff), 1890, A., 289.

m-nitro- (GABRIEL and BORGMANN), 1883, A., 1121.

o:p-dinitro- (Heckmann), 1884, A., 178.

Phenylacetic anhydride, amido (Kossel), 1892, A., 468.

Phenylacetimido-acetate (Lucken-BACH), 1884, A., 1134.

Phenylacetimidoethyl ether, and its hydrochloride (Luckenbach), 1884, A., 1134.

Phenylaceto. See also Phenylacetyl..
Phenylacetobromamide (Hoogewerff and VAN DORP), 1888, A., 1195.

Phenylaceto-m-chloranilide (Bisch-LER), 1892, A., 1465.

Phenylaceto-diethylamide and -diphenylamide (HAUSSKNECHT), 1889, A., 506.

Phenylacetodiphenylhydrazide (Bölsing and Tafel), 1892, A., 981.

Phenylacetonitrile (benzylic cyanide), heats of combustion and formation of (BERTHELOT and PETIT), 1889, A., 812.

displacement of the methylene hydrogen atoms in (Janesen), 1889, A., 596; (ROSSOLYMO), 1889, A., 801; (BUDDEDERG), 1890, A., 1142.

action of, on organic acids (Colley and Dodge), 1891, A., 409.

action of phthalic anhydride on (GABRIEL), 1885, A., 902.

transformation of, in the organism (GIACOSA), 1884, A., 1061.

substituted (NEURE), 1889, A., 597. and its substitution products, condensation of, with aldehyde and with amylic nitrite (Frost), 1889, A., 597.

metallic derivatives of (HAUSS-KNECHT), 1889, A., 507.

derivatives of (Luckenbach), 1884, A., 1184; (Meyer), 1888, A.,693. Phenylacetonitrile (benzylic cyanide), m-muido- (Friedländer), 1884, A., 737; (Salkowski), 1884, A., 1176. Phenylacetonitrile (bensylic cyanide), p-amido-, and its salts (FRIED-LANDER and MAHLY), 1883, A., 919; (FRIEDLANDER), 1884, A., 737. chloro- (MICHAEL and JEANFRÈTRE), 1892, A., 1088.

o-cyano- (GABRIEL and OTTO), 1887, A., 1035.

action of hydroxylamine on (Eichelbaum), 1890, A., 146. m-cyano- (Reinglass), 1891, A.,

1344.

p-cyano- (Mellinghoff), 1890, A., 239.

o-nitro- (Perkin), 1883, T., 111; (Salkowski), 1884, A., 1176; (Bamberger), 1887, A., 181.

m-nitro- (SALKOWSKI), 1884, A., 1176.

p-nitro-, diazo-derivatives of (Per-KIN), 1883, T., 111. condensation products of (REMSE),

1891, A., 208.

Phenylacetonitrilecarbamide (PINNER and LIFSCHUTZ), 1887, A., 1055.

Phenylacetonitrile-o-carboxylic acid, and its salts (Wislioenus), 1885, A., 532.

Phenylacetonylphenylic sulphide (DE-LISLE), 1889, A., 489.

Phenylacetophenylhydrazide (Bülow), 1887, A., 138; (Purgorri), 1891, A., 59.

Phenylaceto-o-toluidide (BISCHLER), 1892, A., 1465.

Phenylaceto-p-toluidide (PURGOTTI), 1891, A., 59; (BISCHLER), 1892, A., 1465.

Phenylacetotolylenediamide (BISTRYVKI and CYBULKKI), 1891, A., 694.
Phenylacetoxy. See Acctoxyphenyl-Phenylacetylacetone (FISCHER and BULOW), 1885, A., 1237.

Phenylacetylene (Holleman), 1888, A., 261.

reduction of (Aronstein and Holle-MAN), 1889, A., 878.

silver derivative of (LIEBERMANN and DAMEROW), 1892, A., 831.

Phenylacetylenebenzoylacetic acid (KAPF and PAAL), 1888, A., 839; 1889, A., 148.

Phenylacetylide, silver derivative of (LIEBERMANN and DAMEROW), 1892, A., 831.

Phenylacetyl-. See also Acetylphenyl-. Phenylacridine (BERNTHSEN), 1883, A., 580; 1884, A., 1356; (BERNTHSEN and BENDER), 1883, A., 1133.

from chrysaniline (Fischer and Körner), 1884, A., 749. PHE

Phenylacridine, derivatives of (BERNTHSEN), 1884, A., 1356; (CLAUS and NICOLAYSEN), 1886, A., 68.

ammonium bases of (BERNTHSEN), 1892, A., 1095.

hydrochloride (CLAUS and NICOLAY-SEN), 1886, A., 68.

methhydroxide (Bernthsen and Bender), 1883, A., 1133.

constitution of (BERNTHSEN), 1884, A., 1357.

amido. See Anilidoacridine. diamido. See Chrysaniline.

Phenylacrosazones, a- and B- (FISCHER and TAFEL), 1888, A., 39.

a-Phenylacrylic acid. See Atropic acid.

β-Phenylacrylic acid. See Cinnamic acid.

Phenyl-a-alanine. See a-Anilidopropionic acid and Phenyl-a-amidopropionic acid.

Phenyl- β -alanine. See β -Anilido-propionic acid.

Phenylalanine-p-sulphonic acid (ERLENMEYER and LIPP), 1883, A.,

Phenylallenyl. See Cinnamenyl.

Phenylallylacetonitrile (BUDDEBERG),

1890, A., 1142.

Phenylallylene (Körner), 1888, A., 368.

and its di- and tetra-bromide (Körner), 1889, A., 372.

Phenylallylhydrazine (Fischer and Knoevenagel), 1887, A., 933.

as-Phenylallylhydrazine (Michaelis and Claessen), 1889, A., 1161.

Phenylallylhydrazonephthalaldehydic acid (ALLENDORFF), 1891, A., 1871.

Phenylallylideneamidodimethylaniline (Nuth), 1885, A., 784.

Phenylallylsemithiocarbazide (DIXON), 1890, T., 262; P., 25.

Phenylallylsulphone (Otto), 1891, A., 1067.

Phenylallyltetrazone (MICHAELIS and CLAESSEN), 1889, A., 1161.

CLAESSEN), 1889, A., 1161.
Phenylamidine. See Phenylamidoimidoethenylamidophenyl mercaptan.
Phenylamidoacetic acid, derivatives of

(Kossel), 1892, A., 467. calcium salt of (MAUTHNER and SUIDA), 1889, A., 1068.

Phenylamidoacetomethylanilide (phenylglycinmethylanilide) (Bis-CHOFF), 1888, A., 726.

Phenyl-m-amidobenzylamine (Borg-MANN), 1886, A., 57. 1-Phenylamido-2:5-dimethylpyrroline-3:4-dicarboxylic acid (KNORR), 1885, A., 555.

Phenyldiamidoditolylmethane (ULL-MANN), 1885, A., 1236.

Phenylamidoimidoethenylamidophenyl mercaptan (phenylamidine) (v. HOFMANN), 1887, A., 1040.

Phenyl-S-amidolactic acid (ERLEN-MEYER), 1889, A., 988.

"Phenylamidomesoxalic chloride" (NEF), 1892, A., 1439.

Phenylamidomethenylamido- (carbanilamido-) -cresol, -cumenol, -a- and -βnaphthols, and -phenanthrol (JACOB-SON and SCHENCKE), 1890, A., 248.

Phenylamidomethenylamidonaphthol (JACOBSON), 1888, A., 487.

Phenylamidomethenylamidothiophenol (JACOBSON and FRANKENBACHER), 1891, A., 1049.

6-Phenylamido-5-methyl-2:4-diethylm-diazine (v. MEYER), 1889, A., 685.

4-Phenylamido-β-naphthol, dichloro-(ZINUKE and KEGEL), 1889, A., 268.

Phenylamidonaphthylcarbamide(Goldschmidt and Rosell), 1890, A., 616.

Phenyldi-p-amidophenylisobutylmethane, m- and p-nitro-(BISCHLER), 1889, A., 133.

Phenyl-m-amidophenylmethylcarbamide (m-amido-s-diphenylmethylcarbamide) (LELLMANN and BENZ), 1891, A., 1215.

Phenyl-a-amidopropionic acid, formation of, by the action of stannous chloride on albuminoids (Schulze and Barbieri), 1883, A., 1122.

formation of, by the decomposition of albumin (SCHULZE and BARBIERI), 1885, A., 581.

from the decomposition of proteids (SCHULZE and NÄGELI), 1887, A., 369.

See also a-Anilidopropionic acid.

β-Phenylamidopropionic acid. See β-Anilidopropionic acid.

Phenyl-a-amidopropionitrile (ERLEN-MEYER and LIPP), 1883, A., 992.

Phenylamidoquinaldine. See Anilido-2'-methylquinoline.

Phenyldi-p-amidotolylmethane, m amido- (BISCHLER), 1889, A. 133.

a- and \$\beta\$-m-nitro- (BISCHLER), 1889, A., 133.

α- and β-p-nitro- (BISCHLER), 1888, A., 287. Phenyldiamido-m-xylylmethane, 772and p-nitro- (BISCHLER), 1889, A., 134.

Phenylamido-. See also Anilido-.

Phenylamine. See Aniline.

Phenylamines, compounds of benzotrichloride with (DOEBNER), 1883,

substituted, action of silicon tetrachloride on (REYNOLDS), 1892, T.,

Phenylammeline [m.p. 125°] (SMOLKA and FRIEDREICH), 1890, A., 618. Phenylammeline [m.p. 245] (Otro),

1887, A., 1034.

1-Phenylammoniochelidonic (LIEBEN and HAITINGER), 1884, A.,

Phenylamylacetonitrile (phenylheptonitrile) (Rossolymo), 1889, 862.

 γ -Phenyl- α -isoamylbutenyllactone (PAAL and HOFFMANN), 1890, A.,

β-Phenyl-α-isoamylbutyrolactone (PAAL and HOFFMANN), 1890, A., 1101.

Phenylamylcarbamide (FREUND and Lenze), 1890, A., 1388.

Phenylamylene (phenylpentylene) and

its dibromide (SCHRAMM), 1883, A., 977.

See also Amenylbenzene.

Phenyl-a-isoamylhydrazine (PHILIPS), 1887, A., 1104.

Phenylamylthiocarbamide (FREUND and LENZE), 1890, A., 1388.

Phenylamyl. See also Amylphenyl. Phenylangelic acid, formation of (SLOCUM), 1885, A., 662. preparation of (EDELEANU), 1891, A., 1225.

Phenylangelicalactones (ERDMANN), 1890, A., 377; (FITTIG and STERN), 1892, A., 987.

a-Phenylanisacrylonitrile (FROST), 1889, A., 598.

Phenyl-o-anisylcarbamide (Gold-SCHMIDT and ERNST), 1890, A., 1411.

Phenylanisyldesaurin (NEY), 1888, A., 1198.

p-Phenylanisylethane (FREUND and REMSE), 1890, A., 1423.

 β -Phenyl- γ -p-anisylpropylamine (FREUND and REMSE), 1890, A., 1423.

o-Phenylanisylthiocarbamide (FOERSTER), 1888, A., 946.

Phenylanisyluramidoxime (Hoon-HEIM), 1890, A., 1265.

Phenylanthracene, preparation of (LINEBARGER), 1892, A., 722.

Phenylanthranilic acid (GRAEBE and LAGODZINSKI), 1892, A., 1086. nenvlarabinosazone (Scheibler),

Phenylarabinosazone 1884, A., 1287.

Phenylarsine sulphides (SCHULTE), 1883, A., 186.

Phenylasparaginphenylimide (phenylasparaginanil) (PIUTTI), 1885, A., 796; (Anschütz and Wirtz), 1887, A., 934.

Phenylaspartanil (Ossipoff), 1889, A., 124.

Phenylaspartic acid (anilidosuccinic acid) (Anschutz and Wirtz), 1887, A., 934; (Hell and Poliakoff), 1892, A., 819.

derivatives of (Kusserow), 1889, A., 1064.

Phenylauramine and its salts (Fehr-MANN), 1888, A., 157.

Phenylazo -. See under Azo -.

Phenylbenzenylamidine (Lossen), 1892, A., 51.

Phenylbenzenylimidoximecarbonyl (Muller), 1886, A., 875.

Phenylbenzenyl-a\beta-naphthylenediamine (Fischer), 1892, A., 1472. Phenylbenzhydryl-o-benzoic

(ELBS), 1890, A., 514. Phenylbenzidine, di-o-nitro- (Schopff),

1889, A., 773. Phenylbenzimidoethyl ether (Lossen),

1892, A., 52. Phenylbenzocreatine (TRAUBE), 1883,

A., 193. Phenylbenzoglycocyamidine (GRIESS),

1885, A., 1227. imido- (GRIESS), 1885, A., 1225.

Phenylbenzoglycocyamidinecarboxylic acid (GRIESS), 1885, A., 1227.

Phenylbenzoglycocyamine and amido-, and their hydrochlorides (GRIESS), 1883, A., 669.

Phenylbenzoic acid. See o-Diphenylcarboxylic acid.

Phenylbenzo-\(\beta\)-naphthacridine (CLAUS and RICHTER), 1884, A., 1359.

p-Phenylbenzophenone and its oxime and phenylhydrazone (Koller), 1892,

Phenylbenzoyl-. See Benzoylphenyl-. 1-Phenylbenzoyl-oximepyrazole -phenylhydrazonepyrazole BIANO), 1890, A., 798.

Phenylbenzylacetic acid [b.p. 330°] (MEYER), 1888, A., 693; (v. MILLER and ROHDE), 1892, A., 1211.

Phenylbenzylacetoxime-o-carboxylic acid (GABRIEL), 1885, A., 903.

Phenylbenzylamylcarbinyl cyanide (diphenyloctonitrile) (Rossolymo), 1889, A., 862.

Phenylbenzyl-o-benzoic acid (ELBs), 1890, A., 514.

Phenyl-p-benzylcarbamide (p-diphenylmethanecarbamide) (MANNS), 1889, A., 261.

Phenylbenzylcarbamide, m-nitro-(KÜHN and RIESENFELD), 1892, A., 312.

Phenylbenzylethylthiocarbamide (Dixon), 1891, T., 564.

Phenylbenzylethylthiocarbamides, isomeric (Dixon), 1892, T., 540.

Phenylbenzylformamidine (COMSTOCK and CLAPP), 1892. A., 708.

Phenylbenzylhydrazine phosphenite

(Michaelis and Oster), 1892, A., 1325.

o-amido-, and o-nitro- (PAAL and Bodewig), 1892, A., 1455.

Phenyl-α-benzylhydrazine (Philips), 1887, A., 1104; 1889, A., 1159.

Phenyl-p-benzylhydrazine (dyhlenylmethanehydruzine) (MANNS), 1889, A., 261.

Phenylbenzylhydrazine, thionyl-(MICHAELIS and RUHL), 1892, A., 1324.

Phenylbenzylhydroxycarbamide (TIE-MANN), 1889, A., 1165; (VOLTMER), 1890, A., 1127; 1891, A., 559.

Phenylbenzylhydroxythiocarbamide (Tiemann), 1889, A., 1165; (Voltmer), 1890, A., 1126; 1891, A., 558. m-Phenylbenzylic alcohol(Adam), 1888, A., 959.

Phenylbenzylideneallylhydrazine (MICHAELIS and CLAESSEN), 1889, A., 1161.

Phenylbenzylidenebenzenylamidine (Lellmann and Stickel), 1886, A., 793

Phenyl-o-benzylidenediamine (Soder-BAUM and Widman), 1890, A., 1258.

Phenylbenzylidene-ethylhydrazine (Philips), 1889, A., 1158.

Phenylbenzylidenehydrazine (REISSERT), 1884, A., 1152; (PHILIPS), 1887, A., 1105.

derivatives of (SCHROEDER), 1884, A., 1323.

o-nitro- (BISCHLER), 1890, A., 148. m-nitro- (BISCHLER and BRODSKY), 1890, A., 150.

thio- (RUHL), 1892, A., 1326.

"Phenylbenzylidenehydrazine, dicyano-" (BLADIN), 1889, A., 702.

2'-Phenylbenzylideneindole (FISCHER and SCHMIDT), 1888, A., 699.

Phenylbenzylidenemethylhydrazine (Elbers), 1885, A., 535.

1-Phenyl-4-benzylidene-3-methylpyrazolone (KNORR), 1887, A., 602.

1-Phenyl-4-benzylidene-3:5-pyrazolidone (Michaelis and Burmeister), 1892, A., 1005.

3':2'-Phenylbenzylindole (TRENKLER), 1889, A., 260.

Phenylbenzylmethylcarbamide (Kůhn and Riesenfeld), 1892, A., 312.

1-Phenyl-3-benzyl-5-methyl-pyrazole (Fischer and Bulow), 1885, A., 1237.

Phenylbenzylmethylthiocarbamides (DIXON), 1891, T., 562, 564; P., 85.

Phenylbenzylnitrosamine, preparation of (ANTRICK), 1885, A., 543. p-nitroso-(BOEDDINGHAUS), 1891, A., 1206.

Phenylbenzylisophosphine (MICHAELIS and GLEICHMANN), 1883, A., 185.

Phenylbenzylpropylcarbinyl cyanide (Rossotyno), 1889, A., 862.

(ROSSOLYMO), 1889, A., 862. Phenylbenzylsemithiocarbazide

(Dixon), 1892, T., 1021.

Phenylbenzylsulphone(Knoevenagel), 1888, A., 706; (Otto), 1890, A.,

380.
erochloro- (Otto), 1890, A., 379.
Phenylbenzylthiocarbamide (Dixon),

1889, T., 300. asymmetrical (WERNER), 1892, P.,

cyano- (FREUND and IMMERWAHR), 1890, A., 1408.

Phenylbetaineamide chloride (SILBER-STEIN), 1885, A., 160.

Phenylbiazolone, amido- (FREUND and KUH), 1890, A., 1441.

Phenylbismuthine dibromide (Michaelis), 1887, A., 368.

Phenylbismethyltetrahydroquinolylmethane, amido-. See Phenyldimethyloctohydrodiquinolylmethane, amido-.

Phenyl-γδ-dibromethyl-β-bromacrylic acid, p-nitro-(Einhorn and Gehren-BECK), 1889, A., 396; 1890, A., 162.

Phenylbromethyllactic acid, p-nitrolactone of (Einhorn and Genren-BECK), 1889, A., 397.

Phenyldibromobutinenecarboxylic acid, p-nitro- (EINHORN and GEHREN-BECK), 1889, A., 396.

Phenyltribromomethane (INCE), 1885, P., 131.

Phenyl-mono- and -di-bromomethylsulphones (OTTO), 1890, A., 381. Phenyldibromonitromethane (GABRIEL and KOPPE), 1886, A., 693.

801 51

Phenylisobromoparaconic acid (FITTIG and LEONI), 1890, A., 895.

Phenyl-p-bromophenylhydrazine, orpdinitro- (WILLGERODT and ELLON), 1891, A., 1362.

Phenyldibromopropenylethoxime chloride (Wolff), 1890, A., 42.

Phenyl-\$\beta\$-bromopropionic acid, and its derivatives (Basler), 1884, A., 603. 5-chloro-2-nitro- (Eighengrum and Einhorn), 1890, A., 1127.

o-nitro-, and its derivatives (EIN-HORN), 1881, A., 65.

m-nitro- (Prausnitz), 1884, A., 1175. **β-Phenyl**tribromopropionic acid (Kin-

NICUTT and PALMER), 1884, A., 603.

Phenyl-β- and -γ-bromopropylacetamides (Elfeldt), 1892, A., 214.

Phenyl-B-bromisosuccinic acid, o- and p-nitro- (STUART), 1886, T., 362.

Phenyldibromisosuccinic acid(STUART), 1886, T., 360.

m- and p-nitro- (STUARI), 1886, T., 361.

a-Phenylfri bromothiophen, p-bromo-(Kues and Paal), 1887, A., 239.

n-Phenylbromotrimethylene-ψ-thiocarbamide (DIXON), 1892, T., 550.

Phenylisobutaldehyde (v. MILLER and ROHDE), 1890, A., 979.

Phenylbutane. See Butylhenzene.

Phenylbutinene methyl ketone. See Styrylvinyl methyl ketone.

Phenylbutinenecarboxylic acids, nitro-(EINHORN and GEHRENBECK), 1889, A., 271; 1890, A., 163.

Phenylbutinenedicarboxylic acid (STUART), 1886, T., 366.

Phenylisobutylallyl-carbamide and thiocarbamide (PAAL and HEUPEL), 1892, A., 31.

Phenylbutylamine (butylamiline) (KAIIN), 1886, A., 263.

Phenylisobutylamine. See isoButylbenzene, amido-.

Phenylbutylene (isobatengillename) (Fittig and Jayne), 1883, A., 471; (Fittig and Liebmann), 1890, A., 777.

β-Phenylbutylene, molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

Phenyl-α-isobutylhydrazine (PHILLIPS), 1887, A., 1104.

Phenylisobutyl-hydrazine and -hydrazone, thionyl- (MICHAELIS and RUHL), 1892, A., 1824.

s-Phenylisobutylthiocarbamide (HEOUT), 1892, A., 702.

Phenylisobutylthiocarbimide (PAHL), 1884, A., 1010,

Phenylbutyric acid (JAYNE), 1883, A., 473.

α- and β-bromo- (JAYNE), 1883, A., 472; (FILLIC and MORRIS), 1890, A., 891.

αβ-dibronio-, decomposition of (Firrig, Obermuller and Schiffer), 1892, A., 987.

γ-chloro- (Fittig and Morris), 1890, A., 891.

α-iodo- (Firrig and Monnis), 1890, Λ., 891.

Phenylisobutyric acid (a-methylhydrocinnumic acid), derivatives of (EDELEANU), 1887, A., 583; 1888, T., 558; P., 55.

αβ-d/bromo- (A. Körner), 1888, A., 368.

derivatives of (A. KÖRNER), 1888, A., 368; (T. KORNER), 1889, A., 372.

m-chloro- (v. MILLER and ROHDE), 1890, A., 1140.

p-nitro- and nitramido- (EDELEANU), 1888, T., 558.

a-Phenylbutyric acid (phenylethylacetic acid) (NEURE), 1889, A., 597.

Phenylbutyric-o-carboxylic acids (Roser), 1886, A., 213.

Phenylbutyrolactone (JAYNE), 1883, A., 472.

action of halogen acids on (Firrica and Morris), 1890, A., 891.

action of halogen acids and of gaseous ammonia on (FITTIG), 1884, A., 741.

B-bromo- and isobromo- (FITTIG, OBERMULIER and SCHIFFER), 1892, A., 987.

Phenylisobutyroxypivalic acid and anhydride (OTT), 1885, A., 663.

Phonyleacodyl (tetraphenyldiarsine) (Michaells and Schulte), 1883, A., 187.

Phenylcarbamic acid, sulpho- (Nour-ING), 1889, A., 144.

Phenylcarbamide and its derivatives (Pinnow), 1892, A., 460.

action of halogenated amines on (GATTERMANN), 1886, A., 795.

bromo-derivatives of (Bertram), 1892, A., 467.

di-p-chloro- (Hewitt), 1891, T., 212. Phenylearbamides, thio-melting points of (Paschkowetzky), 1892, A., 324.

Phenylcarbamyl. See Carbanilido. Phenylcarbazacridine (BIZZARRI), 1891, A., 219.

Phenylcarbizinecarboxyl-amide and -anilide (FREUND and GOLDSMITH), 1888, A., 1187.

Phenylcarbizinecarboxylic acid, amido- | Phenylcrotonaldehyde, an-nitro-, pro-(FREUND and KUH), 1890, A., 1441.

Phenylcarbizine-thiamide and -thianilide (FREUND and GOLDSMITH), 1959, A., 1189.

Phenylcarbylamine. See Phenylic *iso*cyanide.

Phenyldichlorocarbindimethylcarbinol (WILLGERODT and GENIESER), 1888, A., 811.

Phenyl-m-chlorophenylhydrazine, opdinitro- (WILLGERODT and MIHE), 1892, A., 454.

Phenyl-p-chlorophenylhydrazine, o pdinitro- (WILLGERODT), 1890, A., 1119; (WILLGERODT and BOHM), 1891, A., 906.

Phenylchrysylthiocarbamide (ABEGG), 1891, A., 731.

a-Phenylcinchonic acid (2'-phenylquinolinr-4'-carbor ylic acid) (Doeb-

NER), 1887, A., 504. homologues of (DOEDNER and GIESEKE), 1888, A., 300.

Phenylcinnamenyl-uramidethoxime and -uramidoxime (Wolff), 1890, A., 42.

a-Phenylcinnamic acid, delivatives of

(CABELLA), 1884, A., 1348. mitro- (OGLIALORO-TODARO ROSINI), 1891, A., 214.

a-Phenylcinnamonitrile (NEURE), 1889, A., 597.

a-Phenyl-β-cinnamylideneacrylic acid (Rebuffat), 1885, A., 1137.

a-Phenyl-\$-cinnamylideneneacrylonitrile (FREUND and IMMERWAHR), 1890, A., 1408.

Phenylcitraconazide, nitro- (MICHAEL), 1886, A., 699.

1-Phenylcomenamic acid (MENNEL), 1885, A., 1203.

Phenylconiine, op-dinitro- (LELLMANN and Just), 1891, A., 1245.

Phenyl-p-coumaric acid, synthesis of (OGLIALORO-TODARO), 1884, A., 176.

derivatives of (CABELLA), 1888, A., 694.

Phenylcoumarin. crystallography of (Scicchi), 1895, A., 901.

Phenylcoumarinsulphonic acids, and their salts (Curatolo), 1885, A.,

Phenylcrotonaldehyde, m-amido-MILLER and KINKELIN), 1886, A.,

m-nitro- (v. MILLER and KINKELIN), 1886, A., 560.

base from (v. MILLER and KIN-KELIN), 1886, A., 701.

duct of the reduction of (v. MILLER and Kinkflin), 1886, A., 799.

Phenylerotonie acid (a-methylernnamic acut: phenylmethylucrylie acid) (STUART), 1883, T., 104, 407; (RAIKOW), 1888, A., 369.

preparation of (ERDMANN), 1885, A., 528.

formation of (SLOCUM), 1885, A., 662.

nitration of, in the side chain (End-MANN), 1891, A., 1483.

action of sulphuric acid on (Endmann), 1885, A., 528.

derivatives of (EDELEANT), 1887, A., 583; 1898, T., 558; P., 55.

B-bromo- (Korner), 1888, A., 368.

B-chloro- (PERKIN and CALMAN), 1886, T., 158; P., 139. m-chloro- (v. MILLER and ROHDE),

1890, A., 1139.

m-nitro- (v. MILLER and ROHDE), 1890, A., 1140.

acid Phenylisocrotonic (By-phenylcrotonic acid) and its derivatives (JAYNE), 1883, A., 472; (BUCHNER and DESSAUER), 1892, A., 850.

action of nitric acid on (Erdmann), 1884, A., 906.

oxidation of (FITTIG), 1888, A., 595; (FITTIG and OBERMULLER), 1892, A., 986.

p-chloro- (Schwechten), 1890, A., 620; (ERDMANN and SCHWECHTEN), 1891, A., 449.

2:4- and 2:5-dichloro- (Schwechten), 1890, A., 620; (ERDMANN and SCHWECHTEN), 1891, A., 450.

3:4-dichloro- (ERDMANN), 1889, A., 265; (SCHWECHTEN), 1890, A., 620; (ERDMANN and SCHWECHTEN), 1891, A., 451.

Phenylcrotonitrilecarbamide (PINNER and Lifschurz), 1887, A., 1055.

Phenylisocroton-a-lactone (BIEDER-MANN), 1892, A., 472.

Phenylcumazonic acid (WIDMAN), 1884, A., 304.

Phenylcumylthiccarbamide SCHMIDT and GESSNER), 1887, A.,

Phenylcyanamide and its derivatives (v. Hofmann), 1886, A., 233. preparation of (Berger), 1884, A.,

1157. action of acetamide on (Benger). 1885, A., 387.

Phenylcyanethine. See 6-Phenylamido-5-methyl-2:4-diethyl-m-diazine.

Phenylcyantetrazole (BLADIN), 1887, A., 139.

Phenylisocyanuric acid (RATHKE), 1888, A., 591; (SMOLKA and FRIED-REICH), 1890, A., 618.

Phenyl-p-cymylcarbinol (CLAUS and ELBS), 1885, A., 1065; (ELBS), 1887, A., 942.

bromo-, Phenylcysteine, action of acetic anhydride on (BAUMANN), 1885, A., 514.

Phenyldehydrohexone (PERKIN), 1887, Ť., 731.

action of hydrogen bromide on (PER-KIN), 1887, T., 732.

Phenyldehydrohexonecarboxylic acid (Perkin), 1887, T., 728; (Kipping and Perkin), 1890, T., 308.

action of hydrogen bromide and of water on (Perkin), 1887, T., 732. p-nitro- (PERKIN), 1887, T., 736.

Phenyldehydropentone (MARSHALL and PERKIN), 1891, T., 886.

Phonyldi-p-acetamidoditolylmethane. β-p-nitro- (BISCHLER), 1889, A., 132.

Phenyldiacetyl (Muller and v. Pech-MANN), 1889, A., 1171.

Phenyldiisoamylamine (LLOYD), 1887, A., 721; 1889, A., 700.

Phenyldiamylhydrazine (GRIMALDI), 1891, A., 302.

Phenyldianethoilmethane, m-nitro-(DE VARDA), 1891, A., 1347.

Phenyldibenzylcarbamide (HAM-MERICH), 1892, A., 1083.

5-Phenyl-2:4-dibenzyl-m-diazine, amido- (WACHE), 1889, A., 684.

as-Phenyldibenzylthiocarbamide (DIXON), 1891, T., 567.

Phenyldiisobutylamine (LLOYD), 1887, A., 721; 1889, A., 700.

Phenyldiisobutylcarbamide, -guanidine and -thiocarbamide (PAHL), 1884, A., 1010.

Phenyldi-o-cresolmethane (phenyldihydroxyditalylmethane), m-nitro- (St-BUNI), 1892, A., 621.

Phenyldiethyl ethylene oxide (HENRY), 1883, A., 803.

Phonyldiethylacetamidine hydrochloride (Luckenbach), 1884, A., 1135.

Phenyldiethylalkine. See Hydroxyethylethylaniline.

Phenyldiethylarsine (SCHULTE), 1883. A., 186.

action of benzylidenic chloride on (Holle), 1892, A., 984.

Phenyldiethylazonium iodide(Phillips), 1889, A., 1158.

Phenyldiethylcarbamide (GEBHARDT). 1885, A., 383.

Phenyldiethylenetriamine (GABRIEL). 1889, A., 1167.

Phenyldiethylethylidenetrisulphone (Lives), 1892, A., 613.

Phenyldiethylformamidine (Comstock and Wheeler), 1892, A., 707.

Phenyldiethylmethenyltrisulphone, and its chloro- and bromo-derivatives (LAVES), 1892, A., 613.

Phenyldiethylthiocarbamine tives (BILLETER), 1887, A., 823.

Phenyldifurylnaphthadihydroquinoxaline (FISCHER), 1892, A., 1475. Phenyldiguanide derivatives (SMOLKA

and FRIEDREICH), 1888, A., 830.

2'-Phenyl-1': 3'-dihydroindazine (PAAL), 1891, A., 724.

2'-Phenyldihydroindole (FISCHER and SCHMIDT), 1888, A., 699.

Phonyldihydro-\$-naphthatriazine (GOLDSCHMIDT and POLTZER), 1891, A., 840.

Phenyldihydro- β -phenotriazine (Busch), 1892, A., 734.

Phenyldihydroquinazoline (PAAL and Busch), 1890, A., 72.

Phenyldihydroquinolylmethane (EIN-HORN), 1886, A., 720.

Phenylisodihydroxybutyric acid (Fis-CHER and STEWART), 1892, A., 1448.

Phenylisodihydroxybutyric acid, salts of (FITTIC and OBERMULLER), 1892, A., 987.

Phenyldihydroxyphenylmethanedicarboxylic acids, o-, m- and p-nitro-(DE VARDA), 1892, A., 621.

 ω -Phenyl- $\alpha\beta$ and -αω-diketobutane (MULLER and V. PECHMANN), 1889, A., 1171.

Phenyldiketodimethylanilidopiperidinecarboxylic acid (REISSERT), 1888, A., 697.

Phenyldiketomethylanilido-mono- and di-bromopyrrolidines (Reisseri), 1890, A., 642.

Phenyldiketomethylanilidodichloropyrrolidine (Reissert), 1890, A., 643.

Phenyl-αδ-diketopiperazine(Bischoff), 1889, A., 1015.

a-Phenyl-aω-diketopropane. Phenyl methyl diketone.

Phenyldimethyl-. See also Xylyl-. Phenyldimethylacetamidine, s- and us-(Luckenbach), 1884, A., 1135.

Phenyldimethylarsine, action of benzylidenic chloride on (Holle), 1892, A., 984.

Phenyldimethylethylammonium iodide (CLAUS and HOWITZ), 1884, A., 1005.

tri-, penta-, and heptu-iodides (GEU-THER), 1887, A., 910.

2-Phenyl-4:5-dimethylglyoxaline (WADSWORTH), 1890, T., 9.

4-Phenyl-2:6-dimethylhexahydropyridine (phenyllupetidine) (BALLY), 1888, A., 65.

4-Phenyl-2:6-dimethylhexahydropyridinedicarboxylic acid (KIRCHNER), 1892, A., 1487.

Phenyldimethyloctohydrodiquinolylmethane, amido- (v. Miller and Plochl), 1891, A., 1102.

n-Phenyldimethylosotriazole (BALTZER and v. PECHMANN), 1891, A., 1115.

Phenyldimethylosotriazone (v. Pech-Mann), 1888, A., 1288.

1-Phenyl-3:5-dimethylpyrazole (Combes), 1889, A., 57.

4-bromo-'(Balbiano), 1890, A., 1165. 1-Phenyl-3:5-dimethylpyrazole-4-carboxylic acid (Knorr), 1887, A., 678.

1-Phenyl-3:5-dimethylpyrazole-1-sulphonic acid (CLAISEN and ROOSEN), 1891, A., 1107.

1-Phenyl-2:3-dimethylpyrazolidone (Knork and Duden), 1892, A., 731.

1-Phenyl-2:3-dimethylpyrazolone (untipyrin; dimethylocyguinizine) (KNORR), 1884, A., 1153, 1378; (KNORR and BULOW), 1884, A., 1382.

See also Antipyrin.

1-Phenyl-3:4-dimethylpyrazolone (Knore and Blank), 1884, A.,1380; (Knore), 1887, A., 601; (Pellizzari), 1889, A., 518.

1-Phenyl-2:3-dimethylisopyrazolone (LEDERER), 1892, A., 635.

1-Phenyl-2.3 dimethylpyrazolone-4tartronyl-imide and -carbamide (Pellizzahi), 1889, A., 517.

Phenyldimethylpyridazine (Knorn), 1885, A., 995.

Phenyldimethylpyridazinedicarboxylic acid. See 1-Phenylamido-2:5-dimethylpyrroline-3:4-dicarboxylic acid.

4-Phenyl-2:6-dimethylpyridine(phenyllutidine) (BALLY), 1888, A., 65. m-amido- (LEPETIT), 1887, A., 1053.

4-Phenyl-2:6-dimethylpyridine-3-carboxylic acid and its derivatives (HANTZSCH), 1885, A., 397.

4-Phenyl-2:6-dimethylpyridine-3:5-dicarboxylic acid (Kirchner), 1892, A., 1486.

m-amido- (Lepetit), 1887, A., 1053.

Phenyl-\$\beta\$-dimethylpyridinedicarboxylic acid (REED), 1887, A., 681.

4-Phenyl-1:6-dimethyl-2-pyridone (methylatedψ-carbostyril of phenylpicoline) (HANTZSCH), 1885, A., 398.

Phenyl-2:6-dimethylpyridone (phenyllutidone) (Perkin), 1887, T., 499; (CONRAD and GUTHZEIT), 1887, A., 501.

Phenyl-2:6-dimethylpyridone-monoand -di-carboxylic acids (CONRAD and GUTHZEIT), 1887, A., 500.

1-Phenyl-2:5-dimethylpyrroline (Knorn), 1887, A., 275.

1-Phenyl-2:5-dimethylpyrroline-3:4-dicarboxylic acid (Knorr), 1885, A., 555.

2'-Phenyl-1':4'-dimethylquinolinium hydroxide (methylfluvolinium hydroxide) (BERNTHNEN and HESS), 1885, A., 559.

Phenyldimethylquinoxaline (Muller and v. Pechmann), 1889, A., 1171.

Phenyldimethylsulphonediamide (Ben-REND), 1884, A., 285.

Phenyldimethyltetrahydronaphthalene (ERDMANN), 1885, A., 528.

Phenyldimethylthiocarbamide (Dixon), 1892, T., 539.

s-Phenyldimethylthiocarbamide (GEB-HARDT), 1885, A., 383.

Phenyldimethylthiohydantoin (Marck-Wald, Neumark and Stelzner), 1892, A., 150.

1-Phenyl-4-dimethyl-2-thiomethoxyglyoxaline (MARCKWALD, NEUMARK and STELZNEE), 1892, A., 153. Phenyldimethylurazole (PINNER), 1888,

A., 688.

Phenyldiorcinolmethane, m-nitro-

(BERTONI), 1891, A., 1378.

Phenyldiphloroglucinolmethane, mnitro- (BERTONI), 1891, A., 1378.

Phenyldipiperidyl, p-nitro-, and o:pdinitro- (Lellmann and Just),1891, A., 1245.

Phenyldipropyl-carbamide, -guanidine and -thiocarbamide (FRANCKSEN), 1884, A., 1008.

Phenyldiquinolylmethane, p-nitro-(EINHORN), 1886, A., 720.

Phenyldiresorcinolmethane, m-nitro-(DE VARDA and ZENONI), 1891, A., 1846.

Phenyldithienyl (RENARD), 1890, A., 1420.

tribromo- and dinitro- (RENARD), 1890, A., 1420.

Phenyldithienyldisulphonic acid (RE-NARD), 1890, A., 1421. Phenyldithymolmethane (Russanoff), 1889, A., 1188; 1891, A., 1235.

Phenyl-p-ditolylbiuret (Kuhn an Henschel), 1888, A., 471.

Phenyl-p-ditolylcarbamide (HAMMER-ICH), 1892, A., 1083.

s-Phenyldi-o-tolylguanidine (Hulin) 1886, A., 1036.

Phenylditolylmethane, m-nitro-(TSCHACHER), 1887, A., 44; 1888, A., 373.

Phenylditolylphosphine (Dörken), 1888, A., 833.

Phenyldi-p-tolyltriazole (BLADIN), 1890, A., 271.

Phenyldi-p-xylylmethane (ELBS), 1887, A., 941.

Phenyldixylyl-β-pinacoline (Elbs), 1887, A., 941.

Phenylduleitosazone (FISCHER and TAFEL), 1888, A., 358.

Phenylisodurylcarbinyl benzoate and acetate (Essner and Gossin), 1885, A., 253.

Phenylisodurylglycollic acid (Essner and Gossin), 1885, A., 253.

o-Phenylene hydrogen antimonite (CAUSSE), 1892, A., 1078.

Phenyleneamidinebenzenyl-o-carboxylic acid (BISTRZYCKI), 1890, A., 970.

Phenylene-p-amidobenzoylurethane (HAGER), 1885, A., 150.

Phenylene/liamidodiaceticacid (phenylcnediglycocine), hydrochloride of (ZIMMERMANN and KNYRIM), 1883, A., 797.

Phenylenebenzenyldiamine (Auwers and v. Meyenburg), 1891, A., 1378.

ethyl-derivative and nitrile of (Hown), 1884, A., 741.

Phenylene dibromacetylene ketone. See Ketoindene, dibromo-.

Phenylenecarbamide (umidocarbumidophenol) (KALCKHOFF), 1883, A., 1110.

amido- (JENTZSCH), 1889, A., 46. Phenylenetrichlorethylene ketone. See

Kotohydrindene, triehloro.

Phenylenetetruchlorethylene ketone.

See Ketohydrindene, tetrachloro-.

Phenylenetrichlorethyleneglycollic
acid (ZINCKE), 1888, A., 158.

Phenylenedichlorodibromethylene ketone. See Ketohydrindene, dichlorodibromo..

Phenylenechlorohydroxyacetylene ketone (Zinoke), 1887, A., 728.

Phenylene-p-diacetamidine (GLOOK), 1888, A., 1290.

o-Phenylenediacetic acid (v. BAEYER and Pare), 1884, A., 898.

Phenylenediacetic acids, m- and p-(Kipping), 1888, T., 42.

Phenylene-p-diactiemidoethyl ether ((4LOCK), 1888, A., 1290.

p-Phenylenediacryl methyl ketone (Löw), 1886, A., 461.

o-Phenylenediacrylic acid (PERKIN), 1886, A., 469; 1888, T., 14.

p-Phenylenediacrylic acid (Low), 1886, A., 461; (Kipping), 1888, T., 41.

o-Phenylenediallyldithiocarbamide (LELLMANN and WURTHNER), 1885, A., 977.

Phenylenediamine (diamidobenzene), azo- and diazo-derivatives of (Wal-LACH and SCHULZE), 1883, A., 583.

o-Phenylenediamine, preparation of (Lellmann), 1884, A., 49.

action of cyanogen on (BLADIN), 1885, A., 257, 785.

action of ferric chloride on (WIE-SINGER), 1884, A., 1322.

action of formaldchyde on (FISCHER and WRESZINSKI), 1892, A., 1496. oxidation of (FISCHER and HEPP),

1889, A., 499; 1890, A., 800. detection of, in *m:p-*tolylenediamine (Hinsberg), 1885, A., 934.

"o-Phenylenediamine, dicyano-" (BLADIN), 1885, A., 257, 785.

m-Phenylenediamine, preparation of, from resorcinol (SEYEWITZ), 1890, A., 245.

action of carbon disulphide on (Gucci), 1885, A., 156; 1886, A., 1023; 1888, A., 588.

condensation of, with cnanthaldehyde (v. Millen), 1891, A., 1103.

physiological action of (Dubois and Vignon), 1889, A., 66.

preservation of solutions of, and its use as a reagent (DENIGLA), 1892, A., 1124.

dinitro-[m.p. 250°] (BARR), 1888, A., 823.

[m.p. 300°] (NIEIZKI and HAGEN-BACH), 1887, A., 477.

trinitio- (Nouting and Collin), 1881, A., 1001; (Barr), 1888, A., 823.

p-Phenylenediamine, preparation o (LELLMANN), 1884, A., 49.

nitration of (LADENBURG), 1884, A., 738.

oxidation of (v. Bandrowski), 1889, A., 973.

physiological action of (Dubois and Vignon), 1889, A., 66.

salts, heat of formation of (Vignon), 1888, A., 1012.

p-Phenylenediamine, dichloro-, hydrochloride (MOHLAU), 1856, A., 941.

Phenylenediamines and their derivatives (Lellmann), 1883, A., 321.

thermochemistry of (VIGNON), 1889, A., 1099.

condensation of, with a etaldehyde (Schiff and Vanni), 1890, A., 139.

condensation of, with butaldehydes (Lassar-Cohn), 1890, A., 138.

action of p-diazobenzenesulphonic acids on (GRIESS), 1883, A., 183.

action of ethylic chloracetate on (ZIMMERMANN and KNYRIM), 1883, A., 797.

mono-additive products of phenylic cvanate and(LELLM 1/N

WURTHNER), 1885, A., 978. benzyl derivatives of (MELINILA and COSTE), 1889, T., 590; P., 116.

cyanic acid derivatives of (LELLmann), 1883, A., 798.

p-Phenylenediaminedibenzylidene-

sulphonic acid, sodium salt of (KAF-KA), 1891, A., 721. o-Phenylenediaminesulphonic (Nietzki and Lerch), 1889, A., 144.

o-Phenylenediamine-p-sulphonic acid (LERCH), 1889, A., 881.

2:5-Phenylenediaminethiosulphonic acid (Bernthsen), 1889, A., 777.

o-Phenylenediazosulphide (JACOBSON), 1889, A., 135.

Phenylenediazosulphidecarboxylic acid (PFITZINGER and GATTERMANN), 1889, A., 868.

Phenylenedibenzyldiaceticacid (MEYER and OELKERS), 1888, A., 704.

Phenylenedicarbamides, three isomeric (LELLMANN), 1883, A., 798.

Phenylenediethyldisulphone (Orro and Casanova), 1888, A., 255.

Phenylenediglycocine. See Phenylene-diamidodiacetic acid.

p-Phenylenedimethylaminediethylmethylphosphonium iodide (MI-CHAELIS and SCHENK), 1891, A., 436.

p-Phenylenedimethylaminediethylphosphine and its oxide and sulphide (MICHAELIS and SCHENK), 1891, A., 436.

p-Phenylenedimethylaminedimethylphosphine and its oxide and sulphide (Michaelis and Schenk), 1891, A., 435.

p-Phenylenedimethylaminediphenylmethylphosphonium iodide and pphenylenedimethylaminediphenylphosphine oxide and sulphide (MICHAELIS and SCHENK), 1891, A., 436.

Phenylenedimethylaminephenylmethylphosphine oxide and phenylenedimethylamine-triethyl- and -trimethyl-phosphonium iodides (MI-CHAELIS and SCHEAK), 1891, A., 435.

m-Phenylenedimethyldinitramine, trinitro- (VAN ROMBURGH), 1888, A., 1079, 1185.

o-Phenylenedipropionic acid (PERKIN), 1886, A., 469; 1888, T., 18.

Phenylenedipropionic acids, m- and p-(Kipping), 1888, T., 32, 39.

Phenylene-ethenylamidine, nitro- (nitrothenyl-o-phenylenediamine) (HEIM), 1588, A., 1097.

Phenylene-ethenylethylamidine enulethyl-v-phenylenediamene) (HEM-PEL), 1889, A., 600; 1890, A., 612.

Phenylene-ethyl-o-diamines (amidocthylanilene) (Henpel), 1889, A., 600; 1890, A., 612.

Phenylene-ethyl-m-diamine (Nolting and Stricker), 1886, A., 545.

Phenylene-ethyl-p-diamine (SCHWEIT-ZER), 1886, A., 347; (FISCHER and HEPP), 1887, A., 244.

o-Phenylene-ethylenediamine and its derivatives (Menz and Ris), 1887, A., 722; (Ris), 1888, A., 468.

Phenylene-ethylenedisulphone and Casanova), 1888, A., 256.

Phenylenehydroxylamine, dinitro- ` (WILLGERODT), 1892, A., 594.

Phenylenediimidobutyric acid, thesis of (Knurn), 1884, A., 1198.

o-Phenylenemethyldiamine (FISCHER), 1892, A., 1475.

m-Phenylenemethyldiamine (NoLTING and STRICKER), 1886, A., 544. p-Phenylenemethyldiamine (BERNTH-

sen and Goske), 1887, A., 667.

Phenylenemethylethenylamidine (Fis-CHER), 1892, A., 1475.

 β -Phenylenenaphthylenemethane oxide (PHOMINA), 1890, A., 901.

Phenylene-β-naphthylethenyldiamine, nitro- (HEIM), 1888, A., 488.

an-Phenyleneoxytrichlorethylene (MI-CHAEL), 1886, A., 614.

Phenylenepropenyldiamine, action of bromine on (SMITH), 1885, A., 524.

Phenylenepropyldiamine (WACKER), 1888, A., 466.

Phenylenepropylenediamine(RIS), 1888, A., 468.

Phenylenepyridineketonedicarboxylic acids, a- and B- (DOEDNER and Peters), 1890, A., 1008.

formation of, by the oxidation of naphthaquinoline derivatives (Doebner and Peters), 1890, A., 1007.

Phenylenequinaldine. See Phenyl-2'- | methylquinoline.

m-Phenylenesuccinamic acid (GRIESS), 1885, A., 1220.

Phenylenetetramethyl-. See Tetramethylphenylene-.

o-Phenylenethiocarbamide (LELLmann), 1883, A., 324; 1884, A., 49. Phenylenethiccarbamides (Lellmann),

1883, A., 185; (BILLETER and STEINER), 1887, A., 366.

Phenylenedithiocarbamides and their derivatives (Lellmann), 1883, A., 324; 1884, A., 49.

 $o ext{-}$ Phenylene- $p ext{-}$ tolylguanidine (Kel-

LER), 1891, A., 1470.

p-Phenyleneurethane (GATTERMANN and WRAMPELMEYER), 1886, A., 50. Phenylenic carbamates, o-, m-, and p-

(Gattermann), 1888, A., 575.

Phenylenic cyanates, ขา-(GATTERMANN and WRAMPELMEYER), 1886, A., 50.

Phenylenic oxide (VAUBEL), 1892, A.,

p-Phenylenic disniphide (LEUCKART), 1890, A., 605.

m-Phenylenic o-tolylcarbamate (GAT-TERMANN and CANTZLER), 1892, A.,

(Rüg-Phenylethenyldiamidoacetone HEIMER and MISCHEL), 1892, A., 952.

Phenylethenylamidoxime, andderivatives (Knudsen), 1885, A., 897, 1218.

p-cyano- (Rosenthal), 1890, A., 147. Phenylethenylamidoximebenzenesul-

phone (PINNOW), 1892, A., 461. Phenylethenylazidine hydr (Pinner), 1884, A., 1323. Phenylethenylazo. See Azo. hydrochloride

Phenylethenylphenyluramidoxime (KNUDSEN), 1885, A., 898.

ethyl ether (KNUDSEN), 1885, A., 1218.

Phenylethoxynaphthalene, diamido-(Weinberg), 1888, A., 286.

Phenylethylacetanilide, \$\beta\$-bromo- (EL-FELDT), 1892, A., 214.

Phenylethylacetic acid (Neure), 1889, A., 597.

Phenylethylallylthiocarbamide (GEB-HARDT), 1885, A., 383.

Phenylethylamidoacetic acid (HEU-MANN), 1891, A., 837.

Phenylethylamidobenzeneazophenylethylaniline (LIPPMANN and FLEISS-NER), 1884, A., 180.

α-Phenylethylamine (TAFEL), 1886, A., derivatives (TAFEL), 1889, A., 976.

ω-Phenylethylamine (ERLENMEYER and LIPP), 1883, A., 993.
preparation of (Hoogewerff and

van Dorp), 1887, A., 245.

oxalate (Hoogewerff DORP), 1888, A., 1196.

as-Phenylethylcarbamide (Gebhardt), 1884, A., 1321.

Phenylethylcarbinol (ERRERA), 1887, A., 35.

Phenylethylene. See Styrene.

Phenylethylene-carbamide and -thiocarbamide (NEWMAN), 1891, A., 1206.

Phenylethylenediamine (GABRIEL), 1889, A., 1166.

Phenylethyl-hydantoin and -ψ-hydantoin (Pinner), 1888, A., 1103.

Phenylethylhydrazine acetoacetate, action of hydrocyanic acid on (v. MILLER and PLOCHL), 1892, A., 1196.

o-amido- (HEMPEL), 1890, A., 612.

Phenylethylhydrazine-glyoxal -glyoxylic acid (ELBERS), 1885, A., 535.

Phenylethylhydrazone, thionyl-(MICHAELIS), 1889, A., 1163.

Phenylethylic alcohol, oximido-(MEYER and NAGELI), 1883, A., 1076.

Phenylethylic salicylate, o-nitro-(salicylethylene nitrophenol ether) (WAGNER), 1884, A., 436.

Phenylethylidene cyanhydrin (ERLEN-MEYER and LIPP), 1883, A., 992.

Phenylethylidenebenzenylamidoxime (ZIMMER), 1890, A., 253.

Phenylethylketone-o-carboxylic acid acid) benzoylethyl-o-carboxylic (Roser), 1886, A., 243.

Phenylethyllactic acid, behaviour of (SLUCUM), 1885, A., 662.

β-Phenyl-α-ethyllactic acid (Perkin and Stenhouse), 1891, P., 43.

Phenylethylmalonamide (FREUND and GOLDSMITH), 1888, A., 676.

Phenylethylnitrosamine, p-nitro-(Meldula and Streatfeild), 1886, Ť., 631.

5-Phenyl-1-ethyloxy-ψ-thiazole (Hu-BACHER), 1891, A., 222.

Phenylethylphenol. Hydroxy-See diphenylethane.

Phenylethylphenylthiocarbamide (MAINZER), 1883, A., 1106.

Phenylethylphthalamic acid and its salts (Piutti), 1884, A., 449.

Phenylethylpropionic acid, preparation and properties of (ANSCHUTZ and Berns), 1891, A., 914.

1:5-Phenylethylpyrazole (CLAISEN and STYLOS), 1888, A., 671,

Phenylethylsemithiocarbazide(DIXON), 1889, T., 302.

Phenylethylsulphone (Otto), 1885, A., 537.

a-Phenyl-µ-ethylthiazole (HUBACHER), 1891, A., 221.

Phenylethylthiobiuret (Tursini), 1884, A., 1141.

Phenylethýlthiocarbamide (NEUBERT), 1886, A., 873.

as-Phenylethylthiocarbamide (GEB-HARDT), 1884, A., 1321.

Phenylethylthiocarbamine chloride and oxide (BILLETER), 1887, A., 822. Phenylethylthiocarbimide (NEUBERT), 1886, A., 873.

Phenylethylthiohydantoin hydrochloride (NEUBERT), 1886, A., 873.

2-Phenyl-4-ethylthiophen (DITTRICH and PAAL), 1889, A., 258.

Phenylethyltriazolecarboxylic acid (BLADIN), 1892, A., 637.

Phenylethylurethane, nitro- (STETDE-MANN), 1883, A., 802.

Phenylfenchylamine (WALLACH), 1891, A., 1088.

Phenylformamidine, cyano- (Comstock and Wheeler), 1892, A., 707.

Phenylfurazan (Russanoff), 1892, A., 322.

a-Phenylfurfuracrylonitrile (FROST), 1889, A., 598.

p-amido-, and p-nitro- (FREUND and IMMERWAHR), 1890, A., 1408.

Phenylfurfuryl-carbamide and -thiocarbamide (Deutzmann), 1892, A., 43.

Phenylgalactosazone (SCHEIBLER), 1884, A., 1287; (FISCHER), 1885, A., 54.

Phenylglucosazone (FISCHER), 1885, A., 53; 1886, A., 933.

Phenylglucosazonecarboxylic acid (RODER), 1887. A., 150.

Phenylglutaric acid (MICHAEL), 1887, A., 672.

β-Phenylglyceric acid (aβ-dihydroxy-phenylpropionic acid) (LIPP), 1883, A., 994; (FITTIG and RUER), 1892, A., 986.

Phenylglycerol (dihydroxyphenoxypropane) (LINDEMANN), 1891, A., 1198. Phenylglycerosazone (FISCHER and

TAFEL), 1887, A., 651.

Phenylglycidic acid (8-phenylhydroxyacrylic acid) (PLÖCHL), 1884, A., 604; 1887, A., 254; (ERLEN-MEYER), 1887, A., 142, 1046; (WISLICENUS), 1887, A., 587. Phenylglycidic acid (β-phenylhydroxyacrylic acid), synthesis of (Erlen-MEYER), 1889, A., 990.

sodium salt of, behaviour of ammonia and organic bases with (Erlen-MEYER), 1889, A., 988.

o- and p-nitro- (LIPP), 1887, A., 142.

Phenylglycidic acids, optically active (ERLENMEYER), 1891, A., 1482.

o-Phenylglycincarboxylic acid. See Carboxyanilidoacetic acid.

Phenylglycinmethylanilide. See Phenylamidoacetomethylanilide.

Phenylglycinphenylamidoacetic acid. Sec Anilidoacetanilidoacetic acid.

Phenylglycocine. See Anilidoacetic acid.

"Phenylglycocinesulphonic acid" (ZEHENTER), 1885, A., 55, 1235.

Phenylglycollic acid. See Mandelic acid.

Phenylglyeuronic acid (Külz), 1885, A., 283; 1890, A., 1286.

Phenylglyoxal (v. Pechmann), 1888, A., 146; (Müller and v. Pechmann), 1890, A., 51.

hydrate (v. Pechmann), 1888, A., 146.

1-Phenylglyoxaline (Wohl and Marckwald), 1892, A., 624.

2-Phenylglyoxaline (MAQUENNE), 1891, A., 331.

2-Phénylglyoxalinedicarboxylic acid (MAQUENNE), 1890, A., 1440. Phenylglyoxalmethylphenylosazone

(Culmann), 1888, A., 1287.

 Phenylglyoxalylmercaptide (Wohl and Marchwald), 1892, A., 624.
 Phenylglyoxime (Schramm), 1884,

Phenylglyoxime (SCHRAMM), 1884, A., 52; (STRASSMANN), 1889, A., 610.

peroxide (Scholl), 1891, A., 316.

Phenylglyoximes (Russanoff), 1892,
A., 321.

Phenyl-amphi- and -sym-glyoximecarboxylic acids (Nussberger), 1892, A., 1177.

Phenylglyoxylic acid, formation of, from benzoic cyanide (v. Buchka), 1887, A., 487.

preparation of, from acetophenone (v. Buchka and Irish), 1887, A., 483. condensation products of (Homolka), 1885, A., 758.

derivatives of (HAUSSKNECHT), 1889, A., 506.

stereochemically isomeric oximes of (Müller), 1883, A., 1129; 1884, A., 584; (Hantzsch), 1890, A., 1274; 1891, A., 444. Phenylglyoxylic acid, phenylhydrazone and phenylcthyllydrazone of (ELDERS), 1885, A., 531.

Phenylglyoxylic acid, o-amido-. See Isatinic acid.

amidocyano- (Griess), 1885, A., 1226.

o-nitro-, hydrazone, isometic form of (Krause), 1891, A., 302.
methylphenylhydrazone (Fehr-LIN), 1890, A., 1118

LIN), 1890, A., 1118. o- and m-nitro-, hydrazone (Fehrein), 1890, A., 1117.

Phenylglyoxylic lactim, o-amido-. See Isatin.

Phenylglyoxylic-o-toluidide (NEF), 1892, A., 1442.

Phenyl-group, negative nature of the (MEYER), 1887, A., 572.

Phenylguanazole (Pellizzari), 1802, A., 356.

Phenylguanidine picrate (PRELINGER), 1892, A., 950.

i-Phenylgulosazone (FISCHER and CURTISS), 1892, A., 823.

p-bromo- (FISCHER and CURTISS), 1892, A., 823.

Phenylhalogenacrylic acids (ERLEN-MEYER), 1883, A., 196.

Phenylheptonitrile. See Phenylamylacetonitrile.

Phenylhexamethylene, derivatives of (KIPPING and PERKIN), 1889, P., 161; 1890, T., 304.

Phenylhexamethylene methyl ketone and ketoxime (Kipping and Penkin), 1890, T., 320.

Phenylhexamethylenecarboxylic acid (Kipping and Perkin), 1890, T., 816, 322.

Phenylhexamethylenedicarboxylic acid (KIPPING and PERKIN), 1890, T., 315.

s-Phenyl-ψ-hexylcarbamide (FREUND and HERRMANN), 1890, A., 174.

Phenylhexyldihydro-\$-naphthatriazine (Goldschmidt and Poltzer), 1891, A., 841.

Phenylisohexylene and its dibromide (SCHRAMM), 1883, A., 977.

s-Phenyl-\psi-hexylthiocarbamide (FREUND and HERRIMANN), 1890, A., 474.

Phenylhexyltriazolecarboxylic acid (Bladin), 1892, A., 597.

Phenylhippuric acid (Kossel), 1892, A., 468.

Phenylhomoitamalic acid. See Hydroxybenzylpyrotartaric acid.

Phenylhomoparaconic acid, and its salts (Penfield), 1883, A., 473.

Phenylisohomoparaconic acid (FITTIG), 1858, A., 252.

a-Phenylhydantoic acid (PINNER), 1888, A., 1103.

a-Phenylhydantoic amide (PINNER and SPILKER), 1889, A., 706.

a-Phenylhydantoin (Pinner), 1888, A., 1102.

γ-Phenylhydantoin (GUARESCHI), 1892, A., 828.

ψ-Phenylhydantoin (PINNER), 1888, A., 1102.

Phenylhydracrylic acid. See β-Hydroxyphenylpropionic acid.

Phenylhydrazides, formation of (Fis-CHER and PASSMORE), 1890, A., 152.

Phenylhydrazidoacetic acid (ELBERS), 1885, A., 535.

asymmetrical (Reisserrand Kayser), 1891, A., 1054.

Phenylhydrazidobenzylidenephenylhydrazone. See Benzeuyldiphenylazidine.

α-Phenylhydrazidobutyramide (v. Miller and Plochl), 1892, A., 1192.

a-Phenylhydrazidobutyric acid (JAPP and KLINGEMANN), 1888, T., 538.

as-Phenylhydrazidobutyric acid (Lederer), 1892, A., 635.

α-Phenylhydrazidoisobutyricanhydride (REISSERT), 1884, Α., 1153.

α-Phenylhydrazido-isobutyrimide and -isobutyronitrile (Reisserr), 1884, Λ., 1152.

Phenylhydrazido-o- and -p-cresetoils (Nolting and Werner), 1891, A., 212.

ψ-Phenylhydrazido-α-hydroxybutyric acid, and its derivatives (REISSERT and KAYSER), 1890, A., 155.

ψ-Phenylhydrazidomandelic acid (Reisser and Kaysen), 1890, A., 156. nitroso- (Reisser and Kaysen), 1891, A., 439.

2'-Phenylhydrazido-1'-methylquinoline (2'-phenylhydrazolepidine)(Ephraim), 1892, A., 1488.

Phenylhydrazidophenylacetic acid (ELBERS), 1885, A., 531; (REISSERT and KAYSER), 1891, A., 438.

Phenylhydrazidophenylbiazolone (Freund and Kun), 1890, A., 1441.

Phenylhydrazidophenyl-mono- and -dithiobiazolones (Freund and Kun), 1890, A., 1441.

a-Phenylhydrazidopropionic acid (Fis-CHER and JOURDAN), 1884, A., 53; (v. MILLER and PLICTHI), 1892, A., 1196; (REISSERT), 1892, A., 1466. salts of (REISSERT), 1884, A., 1152. a-Phenylhydrazidopropionitrile (REIS-SERT), 1884, A., 1152; (v. MILLER and Plöchl), 1892, A., 1195.

amide of (REISSERT), 1884, A., 1152.

2'-Phenylhydrazidoquinoline (EPHRAIM), 1891, A., 1509.

Phenylhydrazile acids, formation of, from the anhydrides of dibasic acids (Anschutz), 1888, A., 367.

Phenylhydrazine (Fischer), 1887, A., 138.

preparation of (MEYER and LECCO), 1884, A., 597; (Revuller), 1884, A., 1042.

commercial, substance contained in (v. Meyer), 1886, A., 349.

and acid amides (JUST), 1886, A., 700. action of substituted acetoacetates on (Knorr), 1884, A., 302; (Knorr and Blank), 1884, A., 1380; 1885, A., 555, 810.

action of, on amido-compounds of the benzene series (JUST), 1886, A., 699. action of arsenic chloride (MICHAELIS and OSFER), 1892, A.,

1326.

action of, on benzoylacetylcarboxylic

acid (Roser), 1885, A., 797. action of, on benzoylacetone and its nitro-derivative (FISCHER and Bulow), 1885, A., 1237. action of horon chloride on (MI-

CHARLIS and OSTER), 1892, A.,

action of carbamide on (PINNER), 1887, A., 1042; (EDELEANU), 1892, A., 1323.

action of carbonyl chloride and of carbonyl sulphide on (FISCHER), 1889, A., 1164; (HELLER), 1891, A., 1212.

action of, on tetrachloracetone (LEVY and Witte), 1889, A., 1160.

action of copper sulphate on hot acid solutions of (GATTERMANN and Hülzle), 1892, A., 842.

action of, on eyanhydrins (REISSERT), 1884, A., 1152.

action of cyanogen chloride on (PEL-LIZZARI and Tivoli), 1892, A., 1323. action of ethylic acetoacetate on

(Knork), 1884, A., 302.

action of ethylic acetylbenzalacetate on (Knorn and Blank), 1885, A., 810.

action of ethylic benzoylacetoacetate on (Knorr and Blank), 1885, A., 555.

tion of ethylic chlorocarbonate on (Fischer), 1889, A., (HELLER), 1891, A., 1212.

Phenylhydrazine, action of ethylic diacetylsuccinate on (Knour and Bulow), 1884, A., 1381; (Knorr), 1885, A., 995.

action of ethylic o- and p-nitrobenzoylacetate on (KNORR and JUDICKE),

1885, A., 1247.

action of ethylic succinosuccinate on (KNORR), 1884, A., 1154; (KNORR and Bülow), 1884, A., 1380.

action of, on imido-ethers (PINNER),

1884, A., 743, 1323.

action of o-nitrobenzylic chloride on (PAAL and BODEWIG), 1892, A., 1455.

action of nitroso-bases on (FISCHER and WACKER), 1858, A., 1286;

1889, A., 702. action of, on phloroglucinol and resorcinol (v. Barrhi and Kochen-DOERFER), 1889, A., 1162.

action of phosphorus trichloride on (MICHAELIS and OSTER), 1892, A., 1324.

action of, on phthalic anhydride (Hotre), 1885, A., 1221. action of silicon chloride on (MI-

CHAELIS and OSTER), 1892, A., 1326.

action of, on sulphinic acids (Escales),

1885, A., 798. nitration of (MICHAEL), 1886, A., 699. oxidation of, with Fehling's solution STRACHE and KITT), 1892, A., 1322.

effects of, on the organism (HOPPE-SEYLER), 1885, A., 574.

action of, on the skin (BEYTHIEN and Tollens), 1890, A., 582. compounds of glucoses and sucroses

with (FISCHER), 1885, A., 53. compounds of, with ketonic and alde-

hydic acids (FISCHER), 1884, A., 1151. derivatives of (MARCKWALDT), 1889,

A., 392; (WILLGERODT and MUHE), 1892, A., 453.

action of, on the blood (HEINZ), 1891, A., 602.

ho-alkyloxy-derivatives of (Altschul), 1892, A., 1080, 1198.

benzoyl-derivatives of (TAFEL), 1885, A., 1060.

halogen derivatives of (Neufeld). 1889, A., 251.

inorganic derivatives of (MICHAELIS), 1889, A., 1163; 1892, A., 1324; (Michaelis and Ruhl), 1890, A., 617.

metallic derivatives of (MARTINI), 1892, A., 1454.

Phenylhydrazine salts, reactions of (CROSS and BEVAN), 1884, A., 897. reagent for aldehydes and ketones (FISCHER), 1884, A., 1150. titration of (v. MEYER), 1887, A.,

Phenylhydrazine acetate (DE VRIES and Holleman), 1892, A., 981.

acetoacetate, phenylhydrazone of (v. PECHMANN and JENISCH), 1892, A., 162.

benzenesulphinate (Escales), 1885, A., 798

benzoylformate, phenylhydrazone of (CURTIUS and LANG), 1892, A., 453. carbonyl chloroplatinite (FOERSTER),

1892, A., 353.

cinnamaldehydrazonesulphonate (HEUSLER), 1891, A., 1052.

cinnamate and allocinnamate (LIEBER-MANN), 1891, A., 833.

cyanuric chloride (FRIES), 1886, T.,

hydrocinnamate (LIEBERMANN), 1891, A., 833.

hydrogen diaminechromium cyanate (Christensen), 1892, A., 1001.

isonitrile of (RUHEMANN and ELLIOTT), 1888, T., 850; P., 88.

dinitro- α -naphtholsulphonate (RICHARDSON), 1888, A., 1286.

parabanate (Skinner and Ruhe-MANN), 1888, T., 555.

phenylsemithiocarbazate (Heller), 1891, A., 1212.

phosphenite and phosphite (MI-CHAELIS and OSTER), 1892, A., 1325.

β-phthalylphenylhydrazinate and Holst), 1890, A., 1327.

potassium salt of (MICHAELIS and SCHMIDT), 1887, A., 366.

pyrocinehonylphenylhydrazinate OTTO and Holst), 1890, A., 1327.

sodium salt of (MICHAELIS), 1886, A., 1025; 1889, A., 1158. action of acid chlorides and an-

hydrides on (MICHAELIS and SCHMIDT), 1889, A., 1159. action of alkylic bromides and of

benzylic chloride on (Pullips), 1889, A., 1158.

p-tolylphosphenite (MICHAELIS and OSTER), 1892, A., 1325.

Phenylhydrazine, o-amido- (Bischler), 1889, A., 501.

m-amido-, and its hydrochloride (Griess), 1885, A., 789.

p-bromo-o-nitro-(BISCHLER and Brodsky), 1890, A., 151..

Phenylhydrazine, o-chloro- (HEWITT), 1891, T., 209; P., 3; (WILLGERODT), 1891, A., 1043.

o-chloro-, hydrochloride (HEWITT), 1891, T., 209.

m-chloro-, and its derivatives (WILL-GERODT and MUHE), 1892, A., 454.

p-chloro- (HEWITT), 1891, T., 211; P., 3.

action of chloroform and alcoholic potash on (HEWITT), 1891, T., **2**13.

cyano-, and its hydrochloride (SENF), 1887, A., 929.

dicyano-, action of ethylic acetoacetate on (BLADIN), 1892, A.,

condensation of, with fatty aldehydes (Bladin), 1892, A., 596.

derivatives of (BLADIN), 1885, A., 979; 1886, A., 146; 1887, A., 138; 1889, A., 702.

o-nitro- (BISCHLER), 1889, A., 501; 1890, A., 148.

m-nitro (BISCHLER and BRODSKY), 1890, A., 150.

p-thio- (Ruhl), 1891, A., 301; 1892, A., 1326.

thionyl- (MICHAELIS), 1889, A., 1163; 1891, A., 717; (MICHAELIS and Ruhl), 1890, A., 617.

thionylthio- (Ruhl), 1892, A., 1326. Phenylhydrazines (WILLGERODT and FERKO), 1888, A., 829.

asymmetrical secondary, preparation of (Philips), 1889, A., 1158.

chlorinated (HEWITT), 1891, T., 209. sulphonation of (Gallinek and v. RICHTER), 1886, A., 236.

nitro-, action of heat on, in presence of various liquids (WILLGEROIT), 1890, A., 40.

s-mitro-, of the aromatic series (WILL-GERODT), 1890, A., 40.

"Phenylhydrazine-alloxan" (SKINNER and Ruhemann), 1888, T., 557.

Phenylhydrazinedisulphonic acids, mand p- (hydrazinebenzenedisulphonic acids) (Limpricht), 1889, A., 397.

Phenylhydrazinehydroxyazonaphthalenesulphonic acid (RICHARDSON), 1888, A., 128**6**.

Phenylhydrazineketophenylmethylpyrazolone. See Phenylmethylpyrazoloneazobenzene under Azo.

Phenylhydrazinesulphonic acid, bromo- (LIMPRICHT), 1889, A., 398.

Phenylhydrazine-o-sulphonic 5-amido-, and 5-nitro- (LIMPRICHT), 1885, A., 1216.

Phenylhydrazine-m-sulphonic acid (LIMPRICHT), 1889, A., 397.

Phenylhydrazine-p-sulphonic acid (Limpricht), 1885, A., (Pfulf), 1887, A., 933. 1216; o-amido-, and o-nitro- (NIETZKI and

LERCH), 1889, A., 144; (LERCH),

1889, A., 881.

Phenylhydrazinesulphonic acids, oand p., and their salts (GALLINEK and v. RICHTER), 1886, A., 237.

Phenylhydrazones (Rudolph), 1889, A., 251; (FISCHER and ACH), 1890,

A., 40.

Phenylhydrindone (v. Miller and ROHDE), 1892, A., 1220; (LIEBER-MANN and HARTMANN), 1892, A., 1228.

Phenylhydroacridine and its derivatives (BERNTHSEN and BENDER), 1883, A., 1134, 1135.

Phenylhydrocarbazacridine (Bizzar-RI), 1891, A., 220.

Phenylhydrocarbostyril (OGLIALORO-Todaro and Rosini), 1891, A., 214. a-Phenylhydrocinnamic acid.

Phenylbenzylacetic acid.

and Habtmann), 1891, A., 1484.
Phenylhydrouracil (Hoogewerff and van Dorp), 1891, A., 197.
Phenylhydroxybenzoic

Phenylsalicylic acid.

Phenyl-1:2-hydroxylamine, 4:6-dinitro-(Willgerodt), 1891, A., 638; 1892,

A., 594. Phenylischydroxybutyrolactone (Fit-TIG and OBERMULLER), 1892, A., 987.

2'-Phenyl-4'-hydroxy-2-ketotetrahydroquinazoline (PINNER), 1890, A.,

See also Hydroxy-Phenylhydroxy-. phenyl.

Phenylic salts, action of sodium mercaptide on (Sciffert), 1885, A., 1057.

action of chlorine and acetate, bromine on (SEELIG), 1889, A.,

crystallised (Perkin), 1889, P.,

o-acetate (Heiber), 1892, A., 308. acetylsalicylate and its nitro-derivatives (KNEBEL), 1891, A., 915.

amidoethylic acetate (ELFELDT), 1892, A., 214.

anthranilate (SCHMIDT), 1888, A.,

benzenesulphonate (OTIO), 1886, A, 883; (Georgescu), 1891, A., 568. Phenylic benzenethiosulphonate CALES), 1885. A., 798.

henzoate, tribromo-, and its nitroderivative (DACCOMO), 1885, A., 890.

o-, m-, and ρ-chloro- (Mosso), 1888, А.,456; (Dассомо),1892, А.,308. chlorodibromo- (GARZINO), 1890,

A., 1108. o-, m-, and p-nitro- (NEUMANN),

1886, A., 350, 939; 1887, A., 254. o-nitro-, reduction of (BOTTCHER), 1885, A., 658.

nitroso- (WALKER), 1884, A., 1003. See Benzene, bromo-. bromide.

butyrate (Perkin), 1889, T., 547. carbamate (GITTERMANN), 1888, A.,

carbonate, reactions of (ECKENROTH and Ruckel), 1890, A., 750.

dibromo-, dinitro-, and nitramido-(Lowenberg), 1886, A., 789.

chloride. See Benzene, chloro-. trichlorophosphate (LAMPERI), 1886, A., 616.

cinnamate (ANSCHUTZ and WIRTZ), 1885, T., 901; (ANSCHUTZ), 1885,

A., 1064. action of heat on (Anschutz and Wirtz; Anschutz), 1885, A.,

1064. decomposition of, by heat (Anschutz), 1885, T., 898. citrate and the action of sodium

mercaptide on (SEIFERT), 1885, A.,

cyanate, preparation of (HENTSCHEL). 1884, A., 1002; (Kuhn and LIEBERT), 1890, A., 962.

synthesis by means of (LEUCKART),

1890, A., 759. action of benzene and its homologues on (LEUCKART), 1885, A.,

action of hydroxylamine on (Fis-CHER), 1889, A., 1164.

action of, on phenols and phenol ethers (LEUCKARI and SCHMIDT), 1885, A., 1224.

action of, on polyhydric alcohols (TESMER), 1885, A., 774; 1886, A., 49.

action of, on polyhydric and certain monohydric alcohols and phenols (SNAPE), 1885, T . 770.

conversion of, into phenylic cyanurate (v. Hofmann), 1885, A.,

compounds of polyhydric alcohols with (TESMER), 1885, A., 774; 1886, A., 49.

Phenylic cyanate, derivatives of (Gum-PERT), 1885, A., 656.

hydrochloride of (Hentechel), 1885, A., 888.

isocyanate (carbunil) (GUMPERT), 1986, A., 342.

action of, on amido-compounds (Kuhn), 1885, A., 260, 979.

action of, on formyl- and thioformylderivatives of aniline and its homologues (Senier), 1885, T., 770.

cyanide. See Benzonitrile.

isocyanide, preparation and properties of (NEF), 1892, A., 1438.

cyanurate, conversion of phenylic cyanate into (v. HOFMANN), 1885, A., 774.

tri-p-nitro- (OTTO), 1887, A., 1033. isocyanurate (v. Hofmann), 1886, A., 233.

diazobenzenesalicylate (LIMPRICHT), 1891, A., 1036.

Δ1:4-dihydroterephthalate (v. BAEY-ER and HERB), 1890, A., 1132.

diphenylcarbamate (LELLMANN and BONHOFFER), 1887, A., 936.

o-amido-, and o-nitro- (LELLMANN and Bonnöffer), 1887, A., 936. amido-, diphenylcarbamates, nitro-(Lellmann and Benz), 1891, A., 1215.

diphenylphosphinate (MICHAELIS and LA COSTE), 1885, A., 1214.

ethylic carbonate, o-nitro- (BENDER), 1887, A., 37.

ethylic 4-hydroxyisophthalate (Hämle), 1891, A., 1369.

ethylic o-oxelate (Claparede and Smith), 1883, T., 360; (Staub and Smith), 1884, T., 301.

ethylic disulphide (OTTO and Rossing), 1887, A., 243.

ethylphenyl-mono- and -di-thiocarbamates (BILLETER and STROHL), 1888, A., 365.

ethylxanthate and p-amido- (Leuck-ART), 1890, A., 603.

o-formate (TIEMANN), 1883, A., 340. tribasic nitro- (WEDDIGE), 1883, A., 340.

fumarate (ANSCHÜTZ and WIRTZ), 1885, T., 900.

decomposition of, by heat (Anschurz and Wirtz), 1885, A, 1064.

 $\Delta^{2 \text{ istrans}}$ -hexabydroterephthalate BAEYER and HERB), 1890, A.,

p-hydroxybenzoate (KLEPL), 1884, A., 448.

Phenylic hydroxyisophthalate (Hähle). 1891, A., 1369.

hydroxypyrotartrates (itumalates) (JAYNE), 1883, A., 473.

iodide. See Benzene, iodo-. laurate (Kriter and Burgen), 1884, A., 1125.

methylic sulphide (OBERMEYER), 1888, A., 124. o-amido- (v. Hofmann), 1887,

A., 823.

myristate (KRAFFT and BURGER), 1884, A., 1125.

a-naphthylic sulphide (ZIEGLER), 1890, A., 1292.

naphthylic sulphides (KRAFFT and Bourgeois), 1891, A., 77.

nitrobenzoates, trichloro- and trichloronitro- (DACCOMO), 1885, A., 890.

nitro- (NEUMANN), 1886, A., 350, 939; 1887, A., 254.

nitrosalicylates (KNEBEL), 1890, A., 1284; 1891, A., 915.

o-oxalate (STAUB and SMITH), 1884, T., 301.

palmitate (KRAFFT and BURGER), 1884, A., 1125.

phenylcarbamate (GUMPERT), 1885, A., 656; 1886, A., 342.

nitro- (GUMPERT), 1886, A., 342. phenyl-p-hydroxybenzoate (KLEPL), 1884, A., 447.

phenylmethylcarbamate, and nitroand amido- (LELLMANN and BENZ), 1891, A., 1214.

phenyl-8-naphthylcarbamate(PASCHкоwетику), 1892, А., 166.

phenylthiocarbamate (SNAPE), 1885, T., 778; (DIXON), 1890, T., 268. phosphate, p-nitro- (RAPP), 1884, A., 1337.

phthalate, chloro- (Mosso), 1888, A., 456.

propionate (Perkin), 1889, T., 546; (Nencki), 1890, A., 488.

salicylate, and the action of sodium mercaptide on (SEIFERT), 1885, A., 1057.

derivatives of (KNEBEL), 1891, A., 915.

nitro-derivatives of (KNEDEL), 1890, A., 1284; 1891, A., 915.

selenide (Charrim), 1889, A., 41, 1167. sodium sulphite (Schall), 1892, A., 970; (Schall and Uhl), 1892,

A., 1076.

action of iodoform on (SCHALL and Unt.), 1892, A., 1076. stearate (KRAFFT and BURGER), 1884,

A., 1126.

Phenylic succinate, decomposition of, by heat (Ansimuz and Willz, 1885, T., 899; (Ansimuz), 1885, A, 1065.

sulphide, chloro- (MICHAELIS and GODCHAUX), 1891, A., 715.

dinitro- (Austen and Smith), 1886, A., 693.

disulphide, o-amido- (v. HOFMANN), 1887, A., 823.

m-nitro- (Leuckart), 1890, A., 604.

p-nitro- (Willgerodi), 1885, A., 519.

tetrasulphide (Orto), 1887, A., 923. A¹-tetrahydroterephthalate (v. Barven and Herb), 1890, A., 1133.

Δ^{20,atrans}-tetrahydroterephthalate (Υ. BAEYER and HERB), 1890, A., 1134. o-thioacetate (L vve.), 1892, A., 612. thioallophanate (GATTERMANN), 1889, A., 575.

thiobenzenesulphonate, reduction of (OTTO and ROSSING), 1887, A., 954. thiobenzoate, a-dinitro- (Willgenort), 1885, A., 519.

thiocarbonate (BERGREEN), 1898, A., 445.

dithiocarbonate (Lowenberg), 1886, A., 789.

chloro- (DACCOMO), 1892, A., 306, 307.

thiocyanate (THURNAUER), 1890, A., 749.

diamido- (Austen), 1889, A., 700. dinitro- (Austen and Smith), 1886, A., 693.

thiodi-\$\beta\$-naphthylcarbamate (PASCH-KOWETZKY), 1892, A., 166.

thiodiphenylcarbamate (PASCH-KOWETZKY), 1892, A., 164.

trithioformate, oxidation of (LAVES), 1890, A., 988.

tolylcarbamates, o- and p- (ECKEN-ROTH and RUCKEL), 1890, A., 750. p-tolylic disulphide (OTTO and Ros-SING), 1887, A., 242.

xanthate, chloro- (DACCOMO), 1892, A., 308.

Phenylimidoacetone, oxime of (KNORR), 1884, A., 1368; (HOLLEMAN), 1892, A., 985.

Phenylimidoalloxan (Pellizzari), 1888, A., 682.

Phenylimidobenzil (BANDROWSKI), 1889, A., 147.

Phenylimidobenzoin (Voigr), 1886, A., 887.

action of hydrocyanic acid on (v. MILLER and PLOCHL), 1892, A., 1196.

Phenylimidobenzoin, bromo- (Voigt) 1856, A., 888.

Phenylimidobromacetic acid (KNORR and ANTRICK), 1885, A., 278.

Phenyl-β-imidobutyric acid, synthesis of (Knorr), 1884, A., 1198. action of nitrous acid on (Knorr),

1884, A., 1368.

Phenylimidocarbonyl chloride (NEF), 1892, A., 1439.

Phenylimidocyanamide (Pellizzari and Tivoli), 1892, A., 1323.

Phenylimidodiacetic acid (BISCHOFF and NASTVOGEL), 1889, A., 1013.

Phenylimidodiacetic anhydride (BISCHOFF and HAUSDORFER), 1892, A., 1384.

Phenylimidodiacetic anilide and dianilide (HAUSDORFER), 1889, A., 1014.

Phenylimidodiphenylguanidine (MARCKWALDT), 1889, A., 393.

Phenylimidoformic chloride hydrochloride (NDF), 1892, A., 1440.

Phenylimidoguanidine (PELLIZZARI), 1801, A., 1471.

action of ethylic acetoaretate on (PELLIZZARI), 1891, A., 1472.

Phenylimidomethylpropionylacetonitrile (Bouveault), 1891, A., 52. Phenylimidomucohydroxy-bromic and

-chloric acids (HILL and PALMER), 1888, A., 452.

Phenylimidophenyl (SEIFERT), 1890, A., 490.

Phenylimidopropionic acid (anilpyruvic acid) (Bottingen), 1883, A., 1128; 1891, A., 1054.

condensation of (Bottinger), 1892, A., 54.

bromo-derivative of (BOTTINGER), 1883, A., 1128.

Phenylimidopropionic chloride (NEF), 1892, A., 1410.

Phenylimidopropionitrile (benzoylmethylic cyanude, unido-) (Holiz-Wart), 1889, A., 683.

α-Phenylimidopropionitrile (ERLEN-MEYER and LIPP), 1883, A., 992.

Phenylimidopyrroylpyruvic acid and anhydride (Angell), 1890, A., 1243. μ-Phenylimidothiazoline (NAF), 1891, A., 1517.

2'-Phenylindazine (PAAL), 1891, A., 723.

p-chloro- (PAAL), 1891, A., 724. 1'-Phenylindazine-3'-carboxylic acid, nitro-, action of stannous chloride on (SCHULHOFER), 1891, A., 1231.

1'-Phenyl-ψ-indazine-3'-carboxylic acid, nitro- (MEYER), 1889, A., 517. 1'-Phenylindole (PFULF), 1887, A.,

2'-Phenylindole and its derivatives (ETARD), 1883, A., 179; (PICTET), 1886, A., 711; (FISCHER and SCHMINT), 1888, A., 698; (BISCH-LER), 1892, A., 1465.

amido-, and nitroso- (FISCHER and SCHMIDT), 1888, A., 698. chloro- (Bischler), 1892, A., 1466.

See also Methylphenanthridine.

3'-Phenylindole (FISOHER and Sch-MIDT), 1888, A., 958. reactions of (INCE), 1890, A., 57. Phenylindoles, formation of, by iso-meric change (INCE), 1889, P., 90.

1'-Phenylindole-3'-carboxylic synthesis of (FISCHER and HESS), 1884, A., 1181.

Phenylinduline (FISCHER and HEPP), 1891, A., 1046.

action of acetic acid on (FISCHER and

Hepp), 1892, A., 341. amido- (Fischer and Hepp), 1891, A., 1046.

action of sulphuric acid on (FIS-CHER and HEPP), 1892, A., 341. Phenyl- ψ -isatin (Prulf), 1887, A., 956. nenylitaconic acid (FITTIG and LEONI), 1890, A., 894; (FITTIG and Phenylitaconic RODERS), 1890, A., 895.

See Hydroxy-Phenylitamalic acid. phenylpyrotartaric acid.

Phenylium -. See Phenylammonium. Phenylizinedihydroxytartaric (ZIEGLER and LOCHER), 1887, A., 578.

m-nitro- (BISCHLER and BRODSKY), 1890, A., 151.

3'-Phenyl-2'-ketodihydroguinazoline (SODERBAUM and WIDMAN), 1890, л., 178.

3'-Phenyl-4'-ketodihydroguinazoline (PAAL and Busch), 1890, A., 72; (PAAL and KRECKE), 1892, A., 81.

3'-Phenyl-4'-ketodihydroquinazoline-2'-carboxylic acid (PAAL and KRECKE), 1892, A., 81. 3'-Phenyl-4' ketohydrazodihydroquin-

azoline (PAAL and BUSCH), 1890, A., 72.

Phenylketohydroxybutyric acid (Fischer and Stewart), 1892, A., 1448.

Phenylketohydroxydimethylanilidotetrahydropyridinecarboxylic lactone, real nature of (ANSCHUTZ), 1891, A., 741.

Phenylketopentene. See Phenylmethylfurfuran.

1-Phenylketopyrazolone 4-phenylhydrazone (KNORR), 1888, A., 724,

1-Phenylketopyrazolone-3-carboxylic acid 4-phenylhydrazone (KNORR), 1888, A., 724. 3'-Phenyl-2'-ketotetrahydroquinazol-

ine and its derivatives (Soderbaum and Widman), 1889, A., 973; (Nietzki), 1890, A., 178; (Paal and Bodewig), 1891, A., 944; (Busch), 1892, A., 1495.

Phenyl-α-lactic acid, β-amido- (ERLEN-

MEYER), 1889, A., 988. p-amido- (Erlenmeyer and Lipp), 1883, A., 994.

nitro-, nitrate of (ERLENMEYER and LIPP), 1883, A., 993.

Phenyl-β-lactic acid. See β-Hydroxyphenylpropionic acid.

Phenyl-β-lactic methyl ketone, β -Hydroxyphenylpropionyl methyl ketone.

Phenyllactimide (ERLENMEYER Lipp), 1883, A., 993.

Phenyl-a-lactonitrile (ERLENMEYER and Lipp), 1883, A., 992.

Phenyllactosazone (Fischer), 1885, A., 54; 1887, A., 567.

Phenyl-\$-lacturamic nenyl-8-lacturamic acid (Houge-WERFF and VAN DORP), 1891, A., 197.

Phenyllepidineamine. See 2'-Anilido-4'-methylquinoline. a-Phenyllevulinic acid (FITTIG and

STERN), 1892, A., 988. γ-Phenyllupetidine. See 4-Phenyl-2:6-

dimethylhexahydropyridine.

Phenyllutidine. See 4-Phenyl-2:6dimethylpyridine.

Phenyllutidone. See Phenyl-2:6dimethylpyridone.

Phenylmaleic acid and anhydride (ALEXANDER), 1890, A., 1136.

Phenylmalic acids, a- and \$- (a- and B-hydroxy-a-phenylsuccinic (ALEXANDER), 1890, A., 1135.

Phenylmalonamic acid. See Malonanilic acid.

Phenylmalonamide (FREUND), 1884, A., 728.

Phenylmaltosazone (FISCHER), 1885, A., 54; 1887, A., 567.

(FISCHER Phenylmannosazone HIRSCHBERGER), 1888, A., 934.

Phenylmelamine (Klason), 1886, A., 523.

Phenylmelamines and their derivatives: normal-, iso-, and asymmetric-compounds (v. Hof. Ann), 1886, A., 233.

Phenylmelilotic acid, synthesis (SARDO), 1884, A., 176.

Phenylmercaptan-benzoylformic and the action of hydrogen chloride on (BAUMANN), 1885, A., 750.

Phenylmercaptomethylmercaptan. amido- (JACOBSON and FRANKEN-BACHER), 1891, A., 1048.

Phenylmesitylenylcarbinol (phenyltrimethylphenylcarbinol) and its derivatives (LOUISE), 1886, A., 542.

Phenylmethaneazobenzene, υ-nitro-(PAAL and Bodewig), 1892, A., 1456.

Phenylmethenylazidine (Fischer), 1889, A., 1164.

Phenylmethenylhydroxyamidine (hydroxyphenylformamidine) (Comstock and CLAPP), 1892, A., 708.

Phenylmethoxytolylethanes (Koenius and Carl), 1892, A., 446.

Phenylmethylacridine (Bonna), 1887, A., 928.

ethoxide and hydroxide (DECKER), 1892, A., 881.

Phenylmethylacrylic acid. See Phenylcrotonic acid.

Phenylmethylallylpyrroline (LEDERER and PAAL), 1886, A., 75.

Phenylmethylallylpyrrolinecarboxylic acid, and its ethylic salt (LEDERER and PAAL), 1886, A., 75.

Phenylmethylamidobenzeneazotribromobenzene (SILBERSTEIN), 1883, A., 662.

Phenylmethylamidobenzeneazodiphenylmethylamine (LIPPMANN and FLEISSNER), 1884, A., 180.

Phenylmethylamidobenzenephosphinic acid and chloride (MICHAELIS and SCHENK), 1891, A., 437.

 α -Phenyl- μ -methylamidothiazole (TRAUMANN), 1889, A., 415.

Phenylmethylanthracene (v. HEMI-LIAN), 1884, A., 322.

Phenylmethylanthranol LIAN), 1884, A., 322; 1887, A., 266. Phenylmethylbiazoline (FREUND and

Kuн), 1890, А., 1442. Phenyl-a-methyl-\$-bromacrylic acid (KORNER), 1889, A., 372.

ccs-Phenylmethylcarbamide (GEB-HARDT), 1884, A., 1321. Phenylmethyldichlorobiazolone

(FREUND and KUH), 1890, A., 1441.

Phenylmethylchloroformamide. compounds from (LELLMANN and BENZ), 1891, A., 1214.

2'-Phenyl-1- and -3-methyl-4'-cinchonic acids (Doebner and Gieseke), 1888, A., 300.

Phenyl-aand -B-methylisocrotonic acids (phenylpentenoic acid) (FITTIG and LIEBMANN), 1890, A., 775.

Phenylmethylcyantriazole (BLADIN), 1887, A., 138.

2-Phenyl-6-methyl-m-diazine, amido. and diamido- (PINNER), 1887, A., 1054.

Phenylmethyldihydro-β-naphthatriazine, and methiodide of (Gold-SCHMIDT and POLIZER), 1891, A., 840, 841.

3'-Phenyl-2'-methyldihydroquinazoline (PAAL and KRECKE), 1890, A., 1443; 1892, A., S1.

Phenylmethyldihydroxyglutaric acid (dihydrosyphonyl methylylutaric acid) (Carlson), 1892, A., 1471.

Phenylmethyldiphenylazimethylene (CURTIUS and PFLUG), 1892, A., 457. Phenylmethylenehydrazine (Cuntius and PFLTG), 1892, A., 456.

Phenylmethylethylalkine. See Hydroxyethylmethylaniline.

Phenylmethylethylenediamine (New-MAN), 1891, A., 1208.

n-Phenylmethylethylosotriazole(Balt-ZER and V. PECHMANN), 1891, A., 1116.

1-Phenyl-4-methyl-3-ethylpyrazole (CLAISEN and MEYEROWITZ), 1890, A., 358.

5-amido- (Bouveault), 1891, A., 52. 1-Phenyl-4-methyl-5-ethylpyrazole platinochloride (BALBIANO), 1892,

A., 885. 1-Phenyl-3-methyl-4-ethylpyrazolone

(Knork and Blank), 1884, A., 1380. Phenylmethylethylthiocarbamide(GEB-HARDT), 1885, A., 383; (BILLETER), 1887, A., 823.

Phenylmethylfumaramic acid (PIUTTI), 1886, A., 792.

Phenylmethylfumaride (Piutti), 1886, A., 621.

Phenylmethylfurfuran and its derivatives (Paal), 1885, A. (Schloesser), 1889, A., 595.

Phenylmethylfurfurancarboxylic acid

(PAAL), 1885, A., 249. relationship of, to phenuvic acid (Colerax), 1891, T., 190.

Phenylmethylfurfurandicarboxylic acid (phenythronic acid) (Firric and Schloesser), 1888, A., (SCHLOESSER), 1889, A., 595.

Phenylmethylglucosazone (Fischer), 1589, A., 484.

Phenylmethylglycoluric acid. Phenylmethyluramidobenzoic acid. 2:5-Phenylmethylglyoxaline (LEWY),

1888, A., 1102. Phenylmethylhydantoic acid (KUHN),

1885, A., 261. Phenylmethylhydantoin (PINNER), 1888, A., 1103.

817 52 Phenylmethylhydrazine and its salts (Erlenmeyer), 1883, A., 1103; (Tafel), 1885, A., 1061; (Fischer), 1887, A., 138.

derivatives of (STAHEL), 1890, A., 1259.

o-amido- (HEMPEL), 1890, A., 613. thionyl- (MICHAELIS and RUHL), 1892, A., 1324.

Phenylmethylhydrazinephenylglyoxylic acid (ELBERS), 1885, A., 535. Phenylmethylhydrazinesulphonic acid

(Prulf), 1887, A., 934.

1:5-Phenylmethylhydroisopyrazolone (LEDERER), 1892, A., 635.

2'-Phenyl-3'-methylhydroquinoline, m-amido- (v. Miller and Kin-KELIN), 1886, A., 561.

Phenylmethylhydroxyanthranol (v. HEMILIAN), 1887, A., 267.

Phenylmethylimidobiazole and Kuh), 1890, A., 1442.

α-Phenylmethyl-μ-imidothiazoline (Traumann), 1889, A., 415.

2'-Phenyl-1-methylindole (BISCHLER), 1892, A., 1465.

2'-Phenyl-3-methylindole (BISCHLER), 1892. A., 1466.

1892, A., 1466. 2'-Phenyl-1'-methylindole (DEGEN), 1887, A., 149; (STAEDEL), 1888, A., 1093.

8'-Phenyl-1'-methylindole (INCE), 1890, A., 57.

3'-Phenyl-2'-methylindole (TRENKLER), 1889, A., 260.

3':2'-Phenylmethyl-4'-ketodihydroquinazoline (PAAL and KRECKE), 1892, A., 81.

1-Phenyl-3-methylketopyrazolone-4hydrazone (Knorr), 1888, A., 721. Phenylmethylketoxime-o-carboxylic

acid, anhydride of (GABRIEL), 1883, A., 1128.

β-Phenyl-α-methyllactic acid. See Hydroxy-β-phenyl-α-methylpropionic

Phenylmethylmethylenebisthioglycollic acid (Bongartz), 1888, A., 479.

1-Phenyl-3-methyl-4-methylenehydrazine (Currius and Prijus), 1892, A., 457.

1-Phenyl-3-methyl-4-methylenepyrazolone (Pellizzari), 1889, Å., 518. Phenyl-altd-methylnaphthatriazine,

as-p-nitro- (MELDOLA and Forster), 1891, T., 697. reduction of (MELDOLA and Forster), 1891, T., 712.

Phenylmethyl-\$\beta\$-naphthylamine, thio-(KYM), 1890, A., 1307.

Phenylmethylnitramine, 2:3:4:6-tetranitro-, and its conversion into mphenylenediamine derivatives (VAN ROMBURGH), 1889, A., 1154.

Phenylmethylnitrosamine, constitution of (ERLENMEYER), 1883, A., 1103. p-nitro- (FISCHER and HEPP), 1887,

A., 244; (Meldola and Salmon), 1888, T., 775.

p-nitroso-(Fischer and Ilepp), 1887, A., 244.

See also Methylaniline, nitroso-.

n-Phenylmethylosotriazole and its derivatives (Jonas and v. Pechmann), 1891, A., 1111.

22-Phenylmethylosotriazolecarboxylic acid (BALTZER and v. PECHMANN), 1891, A., 1115.

n-Phenylmethylosotriazolesulphonic acid (Jonas and v. Pechmann),1891, A., 1112.

Phenylmethylosotriazone (v. Pecul-MANN), 1888, A., 1289.

Phenylmethyloxazole (LEWY), 1888, A., 593, 1101.

Phenylmethyliso-oxazole (HANTZSCH), 1891, A., 741.

Phenylmethyloxanthranol (v. IIEMI-LIAN), 1884, A., 322.

μβ-Phenylmethyloxazoline (GABRIEL and HEYMANN), 1890, A., 1267.

m-nitro- (ELFELDT), 1892, A., 214.

Phenylmethylparaconic acids, α- and β-(FITTIG and LIERMANN), 1890, A., 775. Phenyl-α-methylpiperidine, o:p-dinitro-

(Lellmann and Just), 1891, A., 1245. Phenyl-β-methylpiperidine, p-nitro-, and o p-dinitro- (Lellmann and Buttner), 1890, A., 1003.

Phenylmethylpropionic acid. See Methylhydrocinnamic acid and Tolylpropionic acid.

Phenylmethylpropylalkine. See Hydroxypropylmethylaniline.

1-Phenyl-3-methyl-4-isopropylenepyrazolone (KNORR), 1887, A., 602.

Phenylmethylpropylene-ψ-thiocarbamide (Pragric), 1890, A., 159.

1-Phenyl-3-methylpyrazole (CLAISEN and STYLOS), 1888, A., 671; (ACH), 1890, A., 71; (CLAISEN and ROOSEN), 1891, A., 1106.

1-Phenyl-5-methylpyrazole (Knork and Laubmann), 1889, A., 410; (Chaisen and Roosen), 1891, A., 1106.

1-Phenyl-3-methylpyrazole-5-carboxylic acid (Ach), 1890, A., 71.

1-Phenyl-5-methylpyrazole-3-carboxylic acid (CLAISEN and STYLOS) 1888, A., 676; (CLAISEN and ROOSEN), 1891, A., 1107.

- 1-Phenyl-5-methylpyrazole-3:4-dicarboxylic acid (Knorr and Laubmann), 1888, A., 410.
- 1-Phenyl-3-methylpyrazolidone (Knorn and Duden), 1892, A., 731.
- 1-Phenyl-3-methylpyrazolone and its derivatives (Knorr), 1884, A., 1103; 1887, A., 601; (Mollenhoff), 1892, A., 1245.
 - action of sulphur dichloride on (Sprague), 1891, T., 334.
 - 4-mono- and di-bromo- (KNORR and DUDEN), 1892, A., 731.
 - 4-dibromo-p-bromo- (Knore and Duden), 1892, A., 731; (Mollen-HOFF), 1892, A., 1246.
 - 4-nitro- (KNORR), 1884, A., 302, 1153, 1378; 1887, A., 602; (KNORR and DUDEN), 1892, A., 731.
 - 4-oxime (Knorn), 1887, A., 602.
 - 4-thio- (4-thiobis-1-phenyl-8-mothylpyracolone) (v. Buuka and Sprague), 1890, A., 796; (Mic-Haelis), 1890, A., 1269; (Sprague), 1891, T., 332, 335.
- Phenylmethylisopyrazolones, 1:2- and 1:5- (LEDERER), 1892, A., 635.
- 1-Phenyl-3-methylpyrazolone-4-acetic acid (Knorm and Blank), 1884, A., 1380.
- Phenylmethylpyrazoloneazobenzene. See under Azo-.
- 1-Phenyl-3-methylpyrazolone-4-carbinol and -4-malonylcarbamide (Pel-Lizzari), 1889, A., 518.
- 1-Phenyl-3-methylpyrazolone-4-ketophenylhydrazone (v. Buchka and Sprague), 1890, A., 28.
- 1-Phenyl-3-methylpyrazolone-20-sulphonic acid (Mollennous), 1892, A., 1245.
- 1-Phenyl-3-methylpyrazolone-p-sulphonic chloride, 4-d/chloro- (Mollenhoff), 1892, A., 1246.
- Phenyl-α-methylpyridazone, and γ-chloro- (Λαπ), 1890, Λ., 71.
- 4-Phenyl-2-methylpyrrodiazolone (An-DREGGUI), 1890, A., 889.
- 1-Phenyl-2-methylpyrrolidone-2-carbonitrile and -carboxylic acid (Kull-LING), 1889, A., 1211, 1212.
- Phenylmethylpyrroline, synthesis of (PAAL), 1885, A., 516.
- 5-Phenyl-2-methylpyrroline-3-carboxylic acid (LEDERER and PAAL), 1886, A., 75.
- γ-Phenyl-β-methyl- and β-phenyl-γmethyl-ψ-quinazolones (KORNER), 1887, A., 1045.
- 2'-Phenyl-1-methylquinoline (DOEBNER and GIESEKE), 1888, A., 300.

- 2'-Phenyl-2-methylquinoline, p-amido-(Weidel and Bamberger), 1888, A., 966.
- 2'-Phenyl-3'-methylquinoline,4-amido-. See Flavaniline.
 - m-amido- and m-nitro- (v. MILLER and KINKELIN), 1886, A., 561.
- Phenyl-2'-methylquinoline, amido-(SCHIFF and VANNI), 1890, A., 1298.
- 4'-Phenyl-2'-methylquinoline (phenyl-quinaldine) and its derivatives (Geigy and Koenigs), 1885, A., 1236.
 - synthesis of (Beyer), 1886, A., 630. 2'-Phenylmethylquinoxaline, constitution of (Lellmann and Donner),
 - 1890, A., 525. μ-Phenyl-α-methyl-selenazole and
 - -selenazole-β-carboxylic acid (Hof-MANN), 1889, A., 727.
 - Phenylmethylsemithiocarbazides (DIXON), 1890, T., 261; P., 26; (V. RDIYNYK) 1890 A 23
 - Bruning), 1890, A., 23.

 Phenylmethylsuccinic acids (Zelinsky and Buchstab), 1891, A., 1005.
- Phenylmethylsulphonamic acid, ammonium salt of (TRAUBE), 1891, A., 569.
- Phenylmethylsulphone (OTIO), 1885, A., 536.
 - mono- and di-chloro- (OTTO), 1888,
 - A., 483; 1890, A., 380. iodo- (MICHAEL and PALMER), 1885, A., 536.
- Phenylmethyltaurine (unilidoisethionic acid) and its salts (Andreasch), 1883, A., 665.
 - preparation of (James), 1885, T., 372; P., 47.
- Phenyl-\$\beta\$-methyltaurocarbamicanhydride (Prager), 1890, A., 159.
- Phenylmethyltetrahydrofurfuran (phenylmethyltetramethylene oxide) (l'AAL), 1885, A., 250.
- properties of (Colerax), 1891, T., 194. Phenylmethyltetrahydroketoquinoxal-
- ine (Georgescu), 1892, A., 886.
- 1-Phenyl-2-methyltetrahydropyridine (Lipp), 1892, A., 1244.
- 3-Phenyl-1-methyltetrahydroquinoline, derivatives of (LA Coste and Sorger), 1886, A., 81.
- 3'-Phenyl-2'-methyltetrahydroquinazoline (l'AAL and KRECKE), 1892, A., 81. α-Phenyl-μ-methylthiazole (HANTZ-
- ScH), 1888, A., 574; 1889, A., 724. μ-Phenyl-α-methylthiazole (Hubach-ER), 1891, A., 221.
- μ-Phénylmethylthiazoline and its derivatives (GABRIEL and HEYMANN), 1891, A., 701.

Phenylmethylthiocarbamides (GEB-HARDT), 1884, A., 1321; 1885, A.,

chloride Phenylmethylthiocarbamine and oxide (BILLETER), 1887, A., 823. Phenylmethylthiohydantoin (MAROK-

WALD, NEUMARK and STELZNER), 1892, A., 150.

4:2-Phenylmethylthiophen and its derivatives (PAAL and Puschel), 1887, A., 1101.

5:2-Phenylmethylthiophen, synthesis of (PAAL), 1885, A., 516.

Phenylmethyl-p-toluamide (Lellmann and Benz), 1891, A., 1215.

Phenylmethyltriazenylamidoxime derivatives (Bladin), 1889, A., 977.

Phenylmethyltriazenylazoxime-benzenyl and -ethenyl (BLADIN), 1889, A., 978.

Phenylmethyltriazole (BLADIN), 1887, A., 139.

Phenylmethyltriazolecarboxylic and its derivatives (BLADIN), 1887, A., 138; 1890, A., 1165; 1891, A., 472.

n-Phenylmethyluramidobenzoic (p-phenylmethylglycoluric acid) (GUA-RESCHI), 1892, A., 828.

Phenylmethylurethane (GEBHARDT), 1885, A., 384.

Phenylmethylxylylamide (LELLMANN and Benz), 1891, A., 1215.

Phenylmethyl-. See also Methylphenyl-. 1-Phenylmorpholine (Knorm), 1889, A., 1219.

α-Phenyl-α- and -β-naphthacinchonic acids (Doebner and Kuntze), 1889, Λ., 411.

B-Phenylnaphthalene (SMITH), 1889, P., 70.

Phenyl-\$-naphthacridine (Ris), 1884, A., 1357; (CLAUS and RICHTER), 1884, A., 1358.

Phenylnaphthaphenanthrazonium hydroxide and its salts (WITT), 1887, A., 730.

2'-Phenyl-α- and -β-naphthaquinolines (Doebner and Kuntze), 1889, A., 411, 412.

Phenylnaphthaquinone from the hydrocarbon C₁₆II₁₂ (ZINCKE and BREUER), 1885, A., 269.

Phenyl-β-naphthindoles, 2'- and 3'-(INCE), 1890, A., 57.

Phenyl-β-naphthol, diamido-, and 2:4dinitro- (ERNST), 1891, A., 300.

Phenylnaphthostilborosindene (WITT and SCHMIDT), 1892, A., 1247.

Phenylnaphthyl- acetic acid and -acetonitrile (MICHAEL and JEANPRETRE), 1892, A., 1094.

Phenyl-a-naphthylamine (FRIED-LÄNDER), 1881, A., 80.

2:1-dinitro- (HEIM), 1888, A., 488, 1096.

(?)-4:2-nitramido- (HEIM), 1888, A., 1096.

thio- (KYM), 1890, A., 1307.

Phenyl-\beta-naphthylamine (FRIED-LÄNDER), 1884, A., 80.

action of exalic acid on (Meldola).

1883, A., 807. amido. See Phenylnaphthylenedi-

amine.

diamido- (Ernst), 1891, A., 301. azo-derivatives of (Zincke and Law-SON), 1887, A., 730; (ZINCKE), 1890, A., 990.

2:4-dinitro- (HEIM), 1888, A., 488; (ERNST), 1891, A., 300.

nitramido- (HEIM), 1888, A., 488. thio-(Kym), 1890, A., 1307.

Phenylnaphthylamine-blue (HAUS-DÖRFER), 1890, A., 1308.

Phenyl-α-naphthylbiazolone (FREUND),

1892, A., 509. Phenyl-\beta-naphthylcarbamide 220°] (GOLDSCHMIDT and MOLINARI), 1888, A., 1284.

as-Phenyl-\$-naphthylcarbamide [m.p. 189° and chloride (KYM), 1890, A., 633.

Phenyl-α-naphthylcarbazole (Kym), 1890, A., 1307.

Phenylnaphthylcarbazole. boiling point of (Schweitzer), 1891, A., 1240.

a-Phenylnaphthylcarbinol (BECK-MANN), 1889, A., 781.

Phenyl-o-naphthylenediamine (ZINCKE and LAWSON), 1887, A., 730; (HARDEN), 1890, A., 631.

action of benzaldehyde and of salicylaldehyde on (Fiscuer), 1892, A., 1472.

action of nitrous acid on (ZINCKE and Campbell, 1890, A., 788. condensation of, with benzoin (Fis-

сиев), 1891, А., 748. Phenylnaphthylene-ethyldiamine action of benzaldehyde on (Fischen),

1892, A., 1472. Phenylnaphthylethylazammonium iodide (Zincke and Campbell), 1890,

Δ., 787. Phenyl-a-naphthylethylthiocarbamide

(MAINZER), 1883, A., 1106. Phenyl-a-naphthylformamidine (COMstock and Wileklen), 1892, Λ.,706.

Phenyl- α -naphthylglycollicacid(BECK-MANN), 1889, A., 781; (BRUKMANN and PAUL), 1892, A., 170.

Phenyl- α - and - β -naphthylhydrazines, (WILLGERODT o·p-dinitro-Schulz), 1891, A., 572.

5-Phenyl-αand $-\beta$ -1-naphthyl-2methylpyrroline-3-carboxylic acids (LEDERER and Plat), 1886, A.,

Phenyl-\$\beta\$-naphthylmethylthiocarbamide (Gebhardt), 1884, A., 1321. lpha l d-Phenyl-lpha z-eta-naphthylnaphtha-

triazine (MELDOLA and FORSTER), 1891, T., 698.

Phenylnaphthylpinacoline (ELBS), 1887,

Phenyl-α- and -β-naphthylsemithiocarbazides (DIXON), 1892, T., 1019; (Freund), 1892, A., 508.

Phenyl-α-naphthyl-ψ-thiobiazolone (FREUND), 1892, A., 510.

Phenylnaphthylthiocarbamides (MAIN-ZER), 1883, A., 1107; (FREUND and WOLF), 1892, A., 984.

Phenylnitrethylene. See Styrene,

Phenylnitrobenzenesulphazide, m- and p-nitro- (Limpricut), 1887, A., 723. Phenyl-m-nitrobenzenylamidine (Los-

HEN), 1892, A., 52.

Phenyl-o-, -m- and -p-nitrobenzenylnaphthylenediamines (Fischer), 1892, A., 1473.

Phenyl-m-nitrobenzimido-ether (Lossen), 1892, A., 52.

Phenyl-m-nitrobenzylamine (Boru-MANN), 1886, A., 57.

Phenyleli-o-nitrodibenzylhydrazine (Paal and Bodewig), 1892, 1456.

Phenylnitromethane. Sec Toluene, nitro-.

Phonyltetranitronaphthylamine (MERZ and Weith), 1883, A., 344.

Phenyl-p- and -o-nitrophenyl oxides, di- and tri-nitro- (tri- and tetranitrodiphenyl oxides) (WILLEROUT and HUEFLIN), 1884, A., 1328.

Phenyl-" p-dinitrophenylcarbin cyanide, p-nitro- (Trinitrodiphenylacetonitrile) (v. Richten), 1888, A.,

1186.

Phenyl-m-nitrophenylmethylcarb-

amide (m-nitro-s-diphenylmethylearbamide) (Lellmann and Benz), 1891, A., 1215.

az-Phenyl-ald-m- and -p-nitrophenylnaphthatriazines and p- and m-nitro-(Meldola and Forster), 1891, T.,

Phenylnitropropionic acid, p-nitro-, derivatives of (FRIEDLANDER and Mäuly), 1885, A., 1137.

Phenyldinitropropionic acid (GABRIEL), 1885, A., 1229.

Phenylnitropropylene and its derivatives (Priens), 1881, A., 313; 1885, A., 161.

Phenylnitrosoimidothiazoline (SCHATZ-MANN), 1891, A., 745; (NAF), 1891, Л., 1517.

Phenylnitrososulphone (Rossing), 1890, A., 781.

Phenyldinitrotoluidine (γ-dinitrotoly)phenylamine) (HEPP), 1883, A., 317.

Phenyl-m-nitro-m-tolylcarbamide (LEUCKART), 1890, A., 760.

Phenyl-o-nitro-p-tolylthiocarbamide, m-nitro- (Steudemann), 1884, A.,

Phenylnonyl-carbamide and thiocarbamide (FREUND and Schonfille), 1892, A., 132, 133.

See Octylbenzene. Phenyloctane.

Phenyloctonitrile (heaylbenzylic cyanide) (Rossolymo), 1889, A., 862.

Phenylosazoneglyoxalcarboxylic (N 15r 10GEL), 1889, A., 237.

m-Phenylosotriazaldehyde (Jonas and v. Pechmann), 1891, A., 1113.

n-Phenylosotriazole and its homologues (Jonas and v. Pechmann), 1891, A., 1113.

cyano- (Jonas and v. Pechmann), 1891, A., 1114.

n-Phenylosotriazolecarboxylic and its derivatives, (Jonas and v. PECHMANN), 1891, A., 1112.

amido-, and nitro- (BALTZER and v. PECHMANN), 1891, A., 1116.

(BALTZER and v. PECHMANN), 1891, A., 1116.

n-Phenylosotriazolethiamide (JONAS and v. Pechmann), 1891, A., 1114.

Phenylosotriazonecarboxylic acid (v. Pechmann), 1888, A., 1289.

n-Phenylosotriazylamine and n-phenylosotriazyl alcohol (Jonas and v. Рксимани), 1891, А., 1114.

See Oxanilie Phenyloxamic acid. acid.

μ-Phonyloxazoline (GABRIEL and HEY-MANN), 1890, A., 1267.

preparation of (GABRIEL and NEU-MANN), 1892, A., 1332.

m-nitro- (Elfeldt), 1892, A., 213. Phenylisooxazole (CLAISEN and STOCK),

1891, A., 451.

Phenylisooxazolone (PERKIN and STEN-HOUSE), 1891, T., 1005; (CLAISEN and ZEDEL), 1891, A., 468; (HAN-TZSCH), 1891, A., 740; (NUSS-BERGER), 1892, A., 1177.

Phenylisooxazolone, oxime of (Claisen and Zedel), 1891, A., 468.

Phenyloximidoacetic acids, α- and β-(MULLER), 1883, Λ., 1129; 1884, Α., 584; (ΠΑΝΙΖΕΘΙ), 1890, Λ., 1274; 1891, Λ., 444.

Phenyloximidoacetonitrile (Russanoff), 1892, A., 322.

a-Phenyloxyacrylic acid. See Coumaric acid.

β-Phenyloxyacrylic acid. See Phenylglycidic acid.

Phenylparabanic acid (v. Stojentin), 1885, A., 1196.

Phenylparaconic acid and its salts (JAYNE), 1883, A., 472; (FITTIG and RODER'4), 1890, A., 621.

constitution of (ERDMANN), 1884, A., 906.

nitiation of (Endmann), 1886, A., 67. bromo- and isobromo- (Fittig and Leoni), 1890, A., 895.

chloro- (o-, m- and p-), disubstituted naphthalenes from (Erdmann and Kirchhoff), 1889, A., 150.

2:4-, 2:5- and 3:4-dichloro-, and their derivatives (ERDMANN), 1889, A., 265; (SCHWECHTEN), 1890, A., 619; (ERDMANN and SCHWECHTEN), 1891, A., 450.

nitro- (SALOMONSON), 1885, A., 1224; 1888, A., 480.

Phenylparamide (mcllitic acid, phenylimide of) (Hotte), 1885, A., 1220. Phenylpentane. See Amylbenzeno.

ω-Phenylpentamethylene glycol and bromide (ΚΙΡΡΙΝΟ and ΡΕΝΚΙΝ), 1890, T., 311, 313.

Phenylpentamethylpyrazolone (1- ψ cumyl-2:3-dimethylpyrazolone) (HALLER), 1885, A., 818.

Phenylpentenoic acid. See Hydrostyrylacrylic acid and Phenylmethylisocrotonic acid.

μ-Phenylpentoxazoline (Garriel and Elffilit), 1892, A., 212. m-nitro- (Elffilit), 1892, A., 214.

Phenylpentylene. See Phonylamylene. Phenylisopentylene. See isoAmylbenzene.

Phenylphenacyl oxide, m-nitro- (Lell-MANN and DONNER), 1890, A., 523.

2'-Phenylphen-p-azoxine (LELLMANN and DONNER), 1890, A., 524.

Phenylphenotriazole, meso- (Kehrmann and Messinger), 1892, A., 889.
Phenyl-o-phenylenediamine (umido-

Phenyl-o-phenylenediamine (amidodiphenylamine) (Sonöpff), 1890, A., 1113.

Phenyl-p-phenylenediamine (IKUTA), 1888, A., 167; (HENCKE), 1890, A., 609.

Phenyl-o-phenyleneguanidine (Keti-LER), 1891, A., 1469.

"Phenyl-p-phenylglycoluric acid" (Guareschi), 1892, A., 828.

Phenylphenylhydrazine, 3-bromo-6nitro-(Willemorr), 1888, A., 949. allo-m-chloro-o-nitro-, preparation of (Willemont and Ellon), 1891, A., 1361.

Phenyl-ald-phenylnaphthatriazine. See Diphenyl-a\beta-naphthatriazine.

Phenylphenylsemithiocarbazides, oand p-chloro- (Hewitt), 1891, T., 210, 212.

Phenylphosphoric acid. See Phenylic phosphate.

Phenylphosphorous acid (NOACK), 1883, A., 736.

Phenylphosphoryl chloride (NOACK), 1883, A., 735.

Phenylphosphoryl di-, tetra- and thiochlorides (Anschütz and Emery), 1890, A., 34, 35.

5-Phenylisophthalic acid (DOEBNER), 1890, A., 1284; 1891, A., 1065.

o-Phenylphthalidecarboxylic acid, isomeride of (Julland), 1888, A., 955.
Phenylphthalimide, preparation of

Phenylphthalimide, preparation (HALLER), 1892, A., 1204.

Phenylpiperazine, p-nitro- (SCHMIDT and WICHMANN), 1892, A., 210.

1-Phenyl-3:6-o-piperazone (MICHAELIS and HERMENS), 1892, A., 1494.

1-Phenylpiperidine and its derivatives (Lellmann), 1887, A., 604; (Lellmann and Geller), 1888, A., 1107. o-amido- (Lellmann and Just), 1891, A., 1245.

p-amido-, formation of dyes from (Lellmann and Geller), 1888, A., 1108.

p-bromo- (LELLMANN and JUST), 1891, A., 1244.

nitro-derivatives of (Lellmann), 1887, A., 604.

γ-Phenylpiperidine (Bally), 1888, A., 65.

Phenylpiperidylcarbamide (Gen-HARDT), 1885, A., 384; (WALLACH and LEHMANN), 1887, A., 385.

Phenylpiperidyllactic acid (ERLEN-MEYER), 1889, A., 988.

Phenylpiperidylthiocarbamide (SKIN-NER and RUHEMANN), 1888, T., 558.

a-Phenylpropaldehyde (v. Miller and Rohde), 1891, A., 898.

β-Phenylpropaldehyde (hydrocinnamaldehyde) (v. MILLER and ROHDE), 1890, A., 979.

Phenylpropargyl oxide (HENRY), 1883, A., 803. Phenylpropenylamidine (MICHALL and WING), 1885, A., 963.

Phenylpropiolic acid (PERKIN and BEL-LENOT), 1886, T., 441. preparation of (PERKIN), 1884, T.,

171.

direct addition of hydrogen to (Aronstein and Holleman), 1889, A., 878.

formation of allocinnamic acid from (LIEBERMANN and SCHOLZ), 1892, A., 848.

dichloride (NISSEN), 1892, A., 1464. o-amido-, and its derivatives (v. BAEYER and BLOEM), 1883, A., 196.

a-Phenylpropionamide (JANSSEN), 1889, A., 596.

8-Phénylpropionamide (v. HOFMANN), 1886, A., 45; (HUGHES), 1891, P., 71

Phenylpropionic acid, formation of a hydrocarbon, C₁₉II₁₂, from (Kir-Ping), 1892, P., 107.

a-Phenylpropionic acid (hydratropic acid) (OLIVERI), 1890, A., 375. preparation of (JANSSEN), 1889, A.,

596.

derivatives of (Trinius), 1885, A., 529.

β-Phenylpropionic acid (hydrocinnamic acid) and its derivatives (GABRIEL), 1883, A., 195; (GABRIEL and HERZBERG), 1883, A., 1123; (HERZBERG), 1885, A., 661.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A.,

melting point and separation of mixtures of phenylacetic acid and (Salkowski), 1885, A., 602.

(SALKOWSKI), 1985, A., 602. 3:4-diamido- (Gabriel), 1883, A., 195.

m-bromo- (Gabriel), 1883, A., 195. 3:4-bromamido- (Gabriel), 1883, A., 195.

o-, m- and p-chloro- (Henzberg), 1885, A., 661.

p-chloro- (МІЕКІСП), 1892, А., 1222. ав-d/chloro- (Еплемечев), 1883, А., 196.

chlorobromo- (Erlenmeyen), 1883, A., 196.

o-, m- and p-iodo- (Henzberg), 1885, A., 661.

3:5-dinitr-4-amido- (Sfoehr), 1884, A., 1350.

a-Phenylpropionic anhydride, o-amido-. See Atroxindole.

8-Phenylpropionic anhydride, a-amido-. See Hydrocarbostyril. 8-Phenylpropionic (cinnamic) chloride (Hughes), 1891, P., 71.

α-Phenylpropionitrile (MEYER), 1889, A., 596.

Phenylpropionylcarbamide (KÜHN), 1885, A., 260.

Phenyipropylacetamide, β- and γ-bromo- (Elfeldt), 1892, A., 214.

Phenylpropylacetic acid (Rossolymo), 1889, A., 861.

Phenylisopropylacetylglycollic acid.
See Acetylcumylglycollic acid.

Phenylpropylamine and its derivatives (TAFEL), 1886, A., 940; 1889, A., 976; (GARELLI), 1892, A., 845. di- and tri-nitro- (VAN ROMBURGH), 1886, A., 455.

Phenylisopropylamine (EDELEANU), 1887, A., 583.

Phenylisopropylbenzenylnaphthylenediamine (FINCHER), 1892, A., 1473.

Phenylpropylcarbinol (Marshall and Perkin), 1891, T., 886.

Phenylpropylene. See Allylbenzene. 1-Phenyl-4-isopropylene-3:5-pyrazolidone (MIGH VELIS and BURMEISTER), 1892, A., 1005.

Phenylpropylene-ψ-semithiocarbazide (AVENARIUS), 1891, A., 550.

Phenylpropylene-ψ-thiocarbamide (Prager), 1890, A., 159.

Phenylisopropylethylene glycol (Fossek), 1884, A., 833.

Phenylisopropylhydrazine (PHILIPS), 1887, A., 1104.

Phenylpropylic alcohol (ERRERA), 1887, A., 35.

Phenylisopropylic alcohol(bensylmethyl-carbinol) (Errera), 1887, A., 35.

Phenylisopropylketone-o-carboxylis acid (benzoylisopropyl-o-carboxylis acid) (ROSER), 1885, A., 268.

Phenylpropylnitramine, trinitro- (VAN ROMBURGH), 1886, A., 455.

Phenylpropylthiocarbamine chloride (BILLETER and STROILL), 1888, A., 364.

Phenyl-propyl- and -/sopropyl-triazolecarboxylic acids (BLADIN), 1892, A., 638

Phenylpropyl. See also Propylphenyl. Phenylmetapyrazole (Pinner and Lifschütz), 1887, A., 1055.

1-Phenylpyrazole (Balbiano), 1887, A., 1054; 1889, A., 1215; (Knorr and Laubmann), 1889, A., 410. derivatives of (Balbiano), 1890, A., 1164.

4-bromo- and di- and tri-bromo-(BAL-BIANO), 1890, A., 797.

2-Phenyl-\$\beta\$-pyrazole. See 2-Phenyl-glyoxaline.

- 1-Phenylpyrazole-4-carboxylic acid (Knorn and Laubmann), 1889, A., 410.
- 1-Phenylpyrazole-5-carboxylic acid (CLAISEN and ROOSEN), 1891, A., 1107.
- 1-Phenylpyrazole 3:5-dicarboxylic acid (Balbiano), 1890, A., 1164; (Claisen and Roosen), 1891, A., 1107.
 - 4-bromo- (Balbiano), 1890, A., 1165.
- 1-Phenylpyrazole-3:1:5-tricarboxylic acid (Knonn and Laubmann), 1889, A., 410.
- 1-Phenylpyrazolidine (MICHAELIS and LAMPE), 1892, A., 355.
- 1-Phenyl-3:5-pyrazolidone (MICHAELIS and BURMEISTER), 1892, A., 1001. 4-oxime of (MICHAELIS and BUR-
 - MEISTER), 1892, A., 1005.
- 1-Phenyl-3:5-pyrazolidone-4-azobenzene (MICHAELIS and BURMEISTER), 1892, A., 1005.
- 1-Phenylpyrazoline (FISCHER and KNOEVENAGEL), 1887, A., 932; (BALBIANO), 1889, A., 1215.
- Phenylmetapyrazolone (a-phenylhydantoin) (PINNER), 1888, A., 1102.
- Phenylpyrazolone (quinizine) derivatives, constitution of (KNORR), 1884, A., 1377; 1887, A., 601.
- 1-Phenylpyrazolone (RUHEMANN and MORRELL), 1892, T., 799.
- 1-Phenylisopyrazolone and 4-bromo-(Fischer and Knoevenagell), 1887, A., 983.
- 1-Phenylpyrazolone-3-carboxylic acid (Buchner), 1890, A., 156.
- 1-Phenylpyrazolone-4-carboxylic acid (RUHEMANN and MORRELL), 1892, T., 797, 799.
- 1-Phenylpyrazolone-3-carboxylic acid, 4-amido- (Takel), 1887, A., 468.
- 2-Phenylpyridine (SKRAUP and Co-BENZL), 1883, A., 1015.
- 3-Phenylpyridine, and its diketone (SKRAUP and COBENZE), 1883, A., 1013.
- 4-Phenylpyridine, and its salts (HANTZ-SCH), 1884, A., 1194.
- 2-Phenylpyridine ketone, and its salts (Skraup and Codenzil), 1883, A., 1015.
- 3-Phenylpyridinecarboxylic acid and its salts (SKRAUP and COBENZE), 1883, A., 1012.
- Phenylpyridinedicarboxylic acids, 2and 3-, and their salts (Skraup and Cobenze), 1883, A., 1014, 1011.
- 2-Phenylpyridinedicarboxylic acid, dibromo, and its salts (Skraup and Cobenzi), 1883, A., 1014.

- 2-Phenylpyridinephenyleneketonecarboxylic acid (DOBENER and KUNTZE), 1889, A., 412.
- 3-Phenylpyridinesulphodicarboxylic acid (IMMERHEISER), 1889, A., 527.
- 4-Phenylpyridinetetracarboxylic acid, and its salts (HANTZSOH), 1884, A., 1193.
- 1-Phenyl-4-pyridone, αββ-trichloro-(ZINGKE), 1890, A., 965; (ZINGKE and Fucus), 1892, A., 448.
- 1-Phenyl-1-pyridonecarboxylic acid, αββ-to-ichloro- (ΖΙΝΟΚΕ), 1890, Α., 965; (ΖΙΝΟΚΕ and FUOHS), 1892, Α., 448.
- Phenylpyrrodiazolecarboxylic acid, 1:3-, synthosis of (Andreocot), 1892, A., 636.
- 1-Phenylpyrrolineazobenzene (Fisomer, and Herr), 1886, A., 1042.
- 1-Phenylpyrroline-2:5-dibenzoic acid (BAUMANN), 1887, A., 735.
- Phenylpyruvic acid (Ploohl), 1884, A., 604; 1887, A., 254; (Erlenmeyer), 1887, A., 142, 1046; (Wislicenus), 1887, A., 587.
 - synthesis of (Erlenmeyer), 1889, A., 990.
- Phenylquinaldine. See Phenyl-2'-methylquinoline.
- Phenylquinaldinic acid. See 4'-Phenylquinoline-2'-carboxylic acid.
- 2'-Phenylquinazoline (Gabriel and Jansen), 1890, A., 1442.
- α-Phenylquininic acid (DOERNER),1889, A., 411.
- Phenylquinoline, amido- [m.p. 136°5] (Jellinek), 1886, A., 1015.
- 1-Phenylquinoline and its derivatives (LA Coste and Sorger), 1886, A., 80.
- 3-Phenylquinoline and its derivatives (LA Coste and Sorden), 1886, A., 81.
 - amido-(Wrider and v. Grorotevics), 1888, A., 967.
- 2'-Phenylquinoline, preparation of (FRIEDLÄNDER and GÖHRING), 1883, A., 1148; (DORENER and v. MILLER), 1883, A., 1149.
 - derivatives of (DOEDNER and v. MILLER), 1886, A., 721; (MUR-MANN), 1892, A., 1003.
 - 2-amido- (v. Miller and Kinkelin), 1885, A., 1141.
- 3'-Phenylquinoline, preparation of (FRIEULÄNDER and GOTHING), 1883, A., 1148.
- 4'-Phenylquinoline and its derivatives (GRIMAUN), 1883, A., 668; (KOENIGS and NEF), 1886, A., 1015; 1887, A., 599.

- 3'-Phenylisoquinoline and 4'-amido-, and 1':4':-chloronitro- (GABRIEL), 1886, A., 265, 630.
- Phenylquinolineamine, and its salts (FRIEDLÄNDER and WEINBERG), 1885, A., 990.
- 2'-Phenylquinoline-4'-carboxylic acid (α-nhenylcinchonicacid)(1) (ΕΒΝΕΒ), 1887, A., 504.
 - homologues of (Doedner and Gieseke), 1888, A., 300.
- SEKE), 1888, A., 300.

 4'-Phenylquinoline-2'-carboxylic acid (phenylquinuldinic acid) (KOENIGS and NEF), 1886, A., 1045.
- 3-Phenylquinoline-mono- and -di-carboxylicacids (CLAUS and NUOLAYSEN), 1886, A., 68.
- 2'-Phenylquinolinesulphonic acids (MURMANN), 1892, A., 1003.
- 3-Phenylquinoline-p- and -β-sulphonic acids and their salts (LA Coste and Songer), 1886, A., 82.
- Phenylquinonediimide (HENCKE), 1890, A., 609.
- Phenylrosaniline, dinitro- (Noliting), 1883, A., 54.
- Phenylrosinduline (rosinduline) (FISCHER and HEPP), 1888, A., 1291; 1890, A., 909.
 - amido- (FISCHER and HEPP), 1890, A., 765.
- Phenylrosindulinesulphonic acid (FISCHER and HEPP), 1891, A., 1045.
- Phenylsalicenyluramidoxime (Spita-KER), 1890, A., 144.
- Phenylsalicylic acid (GRAEBE), 1888, A., 477; (ARBENZ), 1890, A., 892.
 - tribromo-, and dinitro- (ARBENZ), 1890, A., 803.
- Phenylsantoninmethane, m-nitro- (BER-TONI), 1892, A., 622.
- a-Phenylselenazylamine (HOFFMANN), 1889, A., 726. Phenylseleniocarbamide (Stolate), 1886,
- A., 781.

 Phenylseleniocarbimide (Stoler, 1887,
- A., 43.
- Phenylsemicarbazide (EDELEANU), 1892, A., 1323. o-chloro- (Hewitt), 1891, T., 210.
- Phenylsemithiocarbazide (Skinner and Ruhemann), 1888, A., 271.
- RUHEMANN), 1888, A., 271. Phenylsorbinosazone (FISCHER), 1887,
- A., 567.

 Phenylsuccenylamidine (Comstock and Wheeler), 1892, A., 702.
- Phenylsuccinamic acid, p-bromo-(Hoogewerer and van Dour), 1891, A., 196.

- Phenylsuccinamide, constitution of (Hoogrwerff and Van Dorp), 1891, A., 197.
 - action of potassium hypobromite on (Hoogewerff and VAN Dorr), 1891, A., 196.
 - p-bromo-, and bromamido- (HOGGE-WERFF and VAN DORF), 1891, A. 196.
- Phenylsuccinazone (CIAMICIAN and ZANETTI), 1890, A., 1120.
- Phenylsuccinimide (MOINE), 1887, A., 489.
 - preparation of (HALLER), 1892, A., 1201.
- Phenylsulpharsenic acid, disodium salt of (SCHULTE), 1883, A., 187.
- Phenylsulphineacetic acid, non-existence of (Otto and Engelmardt), 1887, A., 263.
- "Phenylsulphocyamine," α-amido-(VILLE), 1887, A., 833.
- Phenylsulphonamic acid (TRAUDE), 1890, A., 1137.
 - 7/hromo-, barium salt of (TRAUBE), 1891, A., 569.
 - Phenylsulphone. See Diphenylsulphone.
- Phenylsulphoneacetates, properties of (MICHAEL and PALMER), 1885, A., 986.
- Phenylsulphoneacetonamine (R. and W. Otto), 1888, A., 282.
- Phenylsulphoneacetone (OTTO), 1886, A., 801; (OTTO and ROSSING), 1890, A., 780.
- Phenylsulphoneacetonephenylmercaptole (R. and W. Otto), 1888, A., 282; (Otto and Rössing), 1891, A., 568.
- Phenylsulphoneacetoxime (R. and W. Otto), 1888, A., 282.
- Phenylsulphone-o-amido- and -o-nitroanilides and -m-amido- and -m-nitrop-toluidides (LELLMANN), 1884, A., 51.
- Phenylsulphone-8-amidovaleric acid (SCHOTTEN and SCHLOMANN), 1892, A., 354.
- Phenylsulphone-mono-and-di-bromacetones (R. and W. Orro), 1888, A., 282.
- Phenylsulphoned/bromamide (Hooge-WERFF and VAN DORP), 1888, A., 1194.
- α-Phenylsulphone-α-bromopropionic acid (Οττο), 1890, A., 381.
- α-Phenylsulphone butyric acid (R. and W. Otto), 1888, A., 577.
- β-Phenylsulphone-crotonic and -isocrotonic acids (AUTENRIETH), 1891, A., 203.
- Phenylsulphone-ethylic alcohol, and its derivatives (OTTO and DAM-KÖHLER), 1885, A., 262.

Phenylsulphone-ethylic sulphate and chloride (Отто and DAMKOHLER), 1885, A., 262, 263.

Phenylsulphonehydroxypropionic acid, p-chloro- (KONIG), 1892, A., 1091.

Phenylsulphonephenylbenzenylamidine (WALLACH), 1883, A., 48.

Phenylsulphonephenylhydrazine CALES), 1885, A., 798.

a-Phenylsulphonepropionic acid (Oττο), 1890, A., 381.

preparation of the ethylic salts of (Отто), 1885, А., 537.

β-Phenylsulphonepropionic acid (OTTO), 1888, A., 360.

Phenylsulphonepropionic acid, p-chloroa-amido- (Konig), 1892, A., 1091.

Phenylsulphonetetrahydroquinoline (Schotten and Schlömann), 1892, A., 355.

Phenyltaurine and its salts (An-DREASCH), 1883, A., 664. preparation of (JAMES), 1885, T., 369. anilide, and its hydrochloride (LEY-

MANN), 1885, A., 786. Phenyltaurocyamine, f (JAMES), 1885, T., 373. formation

Phenyltetrahydro-α- and -β-naphtha-benzyl-carbamides and -thiocarbamides (BAMBERGER and HELWIG), 1889, A., 1198.

2'-Phenyltetrahydro-a-naphthaquinoline (Doebner and Kuntze), 1889, A., 412.

Phenyl-a-tetrahydronaphthyl-carbamide and -thiocarbamide (BAMBER-GER and ALTHAUSSE), 1888, A., 960. 1-Phenyl-Δ2-tetrahydropicoline (LIPP),

1892, A., 1214. 3'-Phenyltetrahydroquinazoline (PAAL and Buscu), 1890, A., 73.

2'-thio- (SÜDERBAUM and WIDMAN), 1889, A., 973; (Busciii), 1892, A.,

2'-Phenyltetrahydroquinoline and its nitroso-derivative (Doenner and v. Miller), 1886, A., 722. m-amido- and m-nitro- (v. Miller and Kinkelin), 1885, A., 1145.

Phenyltetra-m-hydroxydiphenylmethane, p-nitro- (SIBONI), 1892, A.,

Phenyltetra-m-hydroxydiphenylmethane, o-nitro- (SIBONI), 1892, A., 621.

Phenyltetra-p-hydroxydiphenylmethanes, m- and p-nitro- (BERTONI and ZENONI), 1892, A., 620.

Phenyltetramethylenic dibromide and glycol (Marshall and Perkin), 1891, T., 890.

Phenyltetramethylpyrazolone cumylmethyloxyquinizine) and oxime (HALLER), 1885, A., 818.

Phenyltetrazenylamidoxime (BLADIN), 1889, A., 979.

Phenyltetrazolecarboxylic acid, amidoand nitro- (BLADIN), 1892, A., 1009.

Phenyltetrazolecarboxylthiamide (BLADIN), 1892, A., 638.

Phenyltetric acid (Moscuettes and CORNELIUS), 1888, A., 1272.

Phenyltetrose (FISCHER and STEWART), 1892, A., 1447.

m-Phenylthiamidobenzoic acid (ASCHAN), 1884, A., 907.

a-Phenylthiazole (ARAPIDES), 1889, A., 411; (POPP), 1889, A., 725.

μ-Phenylthiazole (HUBACHER), 1891, A., 221.

Phenylthiazoline (Hantzech and TRAUMANN), 1888, A., 573; (GABRIEL and HEYMANN), 1890, A., 521.

(TRAUMANN), Phenylthiazylamine 1889, A., 415.

Phenylthienylmethane (Peten), 1884, A., 1001.

a-Phenyldithiobiuret (HECHT), 1892, А., 704; (Fromm), 1892, А., 814.

Phenylelithiocarbamic thioanhydride (LOSANITSCII), 1892, A., 55.

Phenylthiocarbamide (BERTRAM), 1890,

A., 1291; 1892, A., 465. action of benzylic chloride and of allylic bromide on (WERNER), 1890,

T., 295, 301. action of chlorosulphonic acid on

(PAWLEWSKI), 1889, A., 1165. action of hydrogen peroxide on (Hector), 1889, A., 872. action of silicon tetrabromide on

(REYNOLDS), 1888, T., 856. compounds of, with metallic salts

(KATHKE), 1884, A., 1018.

Phenylthiocarbamide allylic, benzylic, ethylic, methylic and propylic cyanides (Пистг), 1890, A., 1104.

Phenylthiocarbamine isobutylcyamide (Hacur), 1892, A., 703.

Phenylthiocarbimide, preparation of (Werner), 1891, T., 398. and chloral-ammonia (Dixon), 1892,

T., 529.

action of acetic acid on (CAIN and Cohen), 1891, T., 327; P., 70; (Werner), 1891, T., 544; P.,

action of aldehyde- and of valeraldehyde-ammonia on (Dixon), 1888, T., 416, 417.

action of, on amido-acids (Aschan), 1883, A., 1107.

Phenylthiocarbimide, action of benzaldehyde and of benzoic acid on (COHEN), 1891, T., 67.

action of dimethylaniline on (DINON), 1892, T., 538.

action of propionic acid on (WERNER), 1891, T., 550.

action of thialdine on (DIXON), 1889, T., 627.

action of water on (CAIN and COHEN), 1891, T., 328.

oxide (HELMERS), 1887, A., 581.

m-nitro-, and its derivatives (STEUDE-MANN), 1883, A., 801; 1884, A., 306.

Phenylthiocarbimide-aldehyde-

ammonia, and action of silver nitrate on (Dixon), 1892, T., 518, 521.

α-Phenyldithiodimethylketuret (Fromm), 1892, Λ., 844.

Phenylthio-hydantoic acid and hydantoin (Aschin), 1881, A., 907. Phenylthiophen and its derivatives

(RENARD), 1890, A., 134. α-Phenylthiophen, synthesis of (Kues and Paal), 1887, A., 238. Phenylthiophen-di- and -tetra-

Phenylthiophen-di- and -tetrasulphonic acids (RENARD), 1890, A., 134.

Phenylthiosalicylic acid. See o Phenoxybenzoic acid.

o-Phenylthio-uramidocinnamic acid (Rothschild), 1890, A., 1123; 1891, A., 198.

Phenylthiouramido-p-tolylurethane (thiocurbanilutalylaneurethune) (Soniff and Vanni), 1890, A., 1125; 1892, A., 600.

Phenylthiourethane (SCHIFF and VANNI), 1892, A., 600. oxidation of (JACOBSON), 1886, A.,

876.

nitro- (Losanitsch), 1883, A., 582. Phenyltoluene. See Methyldiphenyl-. Phenyl-m-toluidine, trinitro-. See tri-Nitranilidotoluene.

Phenyl-p-toluidine and its derivatives (Burn), 1885, A., 147; (Bonna), 1887, A., 927; (Reichold), 1890, A., 609.

o-amido- (Heidensleben), 1891, A., 307.

 p-amido- (REICHOLD), 1890, A., 610.
 diamido- and dinitramido- (Ernsr), 1891, A., 300.

o-nitro- (Schopff), 1890, A., 1113. p-nitroso- (Reichold), 1890, A., 609.

p-Phenyltolylacetonitrile (NEURE), 1889, A., 597; (MICHAEL and JEAN-PRETRE), 1892, A., 1094.

Phenyltolylbenzylacetonitrile(Neure), 1889, A., 597.

Phenyl-p-tolylbenzylbiuret (Kuhn and Henschen), 1888, A., 471.

Phenyl-p-tolylbenzylcarbamide (IIAM-MERICII), 1892, A., 1083.

Phenyl-m-tolylcarbamide (v. Buchka and Schachtebeck), 1889, A., 702.

Phenyl-o-, -m-, and -p-tolylcarbinylamines (Goldschmidt and Stocker),

1890, A., 1480, 1479.

Phenyl-m-tolylearbinylearbamide
(homoben-hydrylearbamide) (Gold-

SCHMIDT and STOCKER), 1891, A., 1480.

Phenyl-p-tolylcarbinyl-phenylcarbamide and -thiocarbamide (GOLD-

amide and thiocarbamide (GOLD-SCHMIDT and STOCKER), 1891, A., 1480.

Phenyl-o-tolyldiketodihydropyrazine (ABENIUS), 1890, A., 270.

Phenyl-o-tolyldiketopyrazine, dichloro-(ABENIUS), 1890, A., 526.

Phenyl-o- and -p-tolyl-αγ-diketopiperazines (Bischoff and Hausdorffer), 1890, A., 1285, 1286.

Phenyl-p-tolylethylene. See p-Methyl-stilbene.

Phenyl-p-tolylethylthiocarbamide (Gebhardt), 1884, A., 1321.

Phenyl-m-tolylmethane and dinitro-(SENFF), 1884, A., 427.

Phenyltolylmethanes, diamido- (ULL-MANN), 1888, A., 288.

5-Phenyi-1:0- and -p-tolyl-2-methylpyrrolines and their 3-carboxylic acids (LEDERER and PAAL), 1886, A., 75.

Phenyl-o-tolylmethylthiocarbamide, action of aniline on (Gebuarder), 1885, A., 383.

Phenyl-y-tolylmethylthiocarbamide (GEBIAEDT), 1884, A., 1321; 1885, A., 383.

Phenyltolylpropane (KRAEMER and SPILKER), 1891, A., 207.

αβ-Phenyl.o-, -m- and -p-tolylpropanes (Kraemer, Spilker and Eber-Hardt), 1891, A., 207.

Phenyl-o-tolyisemithiocarbazides [m.p. 163° and 146°] (DIXON), 1890, T., 258, 259.

Phenyl-p-tolylsemithiocarbazides [m.p. 173° and 172°] (DIXON), 1892, T., 1013.

Phenyl-71-tolylsulphone (Otto), 1885, A., 536.

Phenyl-p-tolylthiocarbamide, o- and m-nitro- (STEUDEMANN), 1884, A. 307.

Phenyltriazolecarboxylic acid (BLADIN), 1890, A., 1166.

(Purdie and of constitution MARSHALL), 1891, A., 172.

amido- and nitro- (BLADIN), 1892, A., 735.

Phenyltriazoledicarboxylic acid and its salts (BLADIN), 1890, A., 1165; 1891, A., 472.

22-Phenyltrihydrothiazole (Foerster), 1888, A., 946.

Phenyltrimethylammonium chloride and hydroxide, action of heat on (Collie and Schryver), 1890, T., 777.

iodide. action of potassium (THOMPSON and CUNDALL), 1888, Ť., 763.

tri- and pent-iodides (DAFERT), 1883, A., 979.

m-nitro-, hydroxide, bromide and m-nitrophenoxide (STAEDEL and Bauer), 1886, A., 941.

Γal-Phenyltrimethylene-2:3-dicarboxylic acid (Buchnen), 1888, A., 1275; (Buchner and Dessauer), 1892, A., 849.

Tal-Phenyltrimethylene-2:2:3-tricarboxylic acid (Buchner and Des-SAUER), 1892, A., 849.

Phenyltrimethylenimine (BALBIANO), 1889, A., 252.

Phenyltrimethylmethane. See tert .-Butylbenzene.

o- and p-amido- (Spńkowski), 1890, A., 1296; 1892, A., 44.

Phenyltrimethylphenylacetonitrile (MICHAEL and JEANPRETRE), 1892, A., 1094.

Phenyltrimethylphenylcarbinol (phenylmesitylenylcarbinol) (Louise), 1886, A., 542.

Phenyltrimethylpyrazole derivatives (Haller), 1885, A., 818.

1-Phonyl-3:5:5-trimethylpyrazoline (Fischer and Knoevenagel), 1887, A., 933.

1-Phenyl-3:4:4-trimethylpyrazolone (Knorr), 1887, A., 601.

Phenyltrimethylrosinduline (FISCHER and HEPP), 1890, A., 909.

Phenyltri-\(\beta\)-naphthylcarbamide (Paschkowetzky), 1892, A., 167.

Phenyltripropylguanidine (FRANCE-SEN), 1884, A., 1008.

8-Phenylumbelliferone (v. PECHMANN and Duisberg), 1884, A., 67. of (LIEBERMANN reduction HARTMANN), 1892, A., 1228.

Phenyluracil, imido- (JAEGER), 1891, A., 1007.

Phenyluramidobenzoic acid (Künn), 1885, A., 260.

Phenyl-\(\beta\)-uramidopropionic acid

(Hoogewerer and van Dorp),

1891, A., 197. p-bromo-, 2:4-dibromo- and 2:1:6tribromo- (HOGGEWERFF and VAN Donr), 1891, A., 198.

Phenyluranilidoacetic acid (Kosset), 1892, A., 468.

1887, A., Phenylurazole (PINNER), 1013; (SKINNER and RUHEMANN), 1888, T., 554.

preparation of (Probst), 1892, A., 966.

p-chloro- (HEWITT), 1891, T., 212.

Phenylurethane, p-amido-, and p-nitro-, and their derivatives (IIAGER), 1885, A., 149.

and o:p-dinitrop-nitr-o-amido-Ā., 150; (VAN (HAGER), 1885, Комвикан), 1892, А., 712.

Phenylvaleric : acid, derivatives of (Ansururz and Berns), 1891, A., 913.

o-amido-, derivatives of (DIEHL and EINHORN), 1887, A., 485.

csodi-and tetra-brom-o-amido- (DIEHL and Einhorn), 1887, A., 486.

(benzylethylucetic acid), p-nitro- (Lell-MANN and Schleich), 1887, A.,

(phenylethylpropionicacid)(Anschutz and Berns), 1891, A., 914.

(pheny/propy/acetic acid) (Rossolymo), 1889, A., 861.

Phenyl-y-valeric acid, bromo- (FITTIG and Stern), 1892, A., 988.

dibromo-, decomposition of (FITIG and STERN), 1892, A., 987.

Phenylisovaleric acid, bromo- (Firrig and Liebmann), 1890, A., 776.

Phenylvalerolactone and bromo- (Fir-TIG and STERN), 1892, A., 987, 988.

Phenylvalerolactonecarboxylic and its salts (WELTNER), 1885, A., 793.

Phonylisovalerolactone (Firric and IMEBMANN), 1890, A., 776.

Phenylxanthogenamide, formation of (Bamberger), 1883, A., 185.

Phenylxylenyl-uramidoxime and -thiouramidoxime (OPPENHEIMER), 1890, A., 50.

Phonyl-m-xylylacetoxime-o-carboxylic anhydride, oxime of (HEILMANN), 1890, A., 625.

Phonyl-m-xylylcarbamide (Brömme), 1888, A., 1296. Phenylxylylcarbinols, o-, m- and p-

(Elbs), 1887, A., 941.

αβ-Phenylxylylpropane (KRAEMER, | SPILKER and EBERHARDT), 1891, A.,

 β -Phenyl- β -m-xylylpropionic acid (LIEBERMANN and HARTMANN), 1892, A., 819.

Phenythronic acid. See Phenylmethylfurfurandicarboxylic acid.

Phillipsite from Brazil (Gorceix), 1886, A., 319.

from Somoskö (Kaleusinszky), 1890, A., 718.

group (RAMMELSBERG), 1886, A., 318.

Philothion (DE REY-PAILHADE), 1888, A., 1101; 1890, A., 905.

Phlebin (HOPPE-SEYLER), 1889, A., 787.

Phlein (EKSTRAND and JOHANSON), 1888, A., 439; (EKSTRAND and MAUZELIUS), 1890, A., 227. Sec also Irisin.

Phleum prutense, analyses of (WILSON), 1886, A., 909.

changes occurring in, during growth

(LADD), 1888, A., 1220. Phlobaphen (ETTI), 1883, A., (BÖTTINGER), 1881, A., 321. formation of (Tsourreu), 1891, A.,

1287.

Phlogopite, rutile in (v. Sandbergen), 1883, A., 34. Sec also Mica.

Phloionic acid (Gibson), 1891, A., 465. Phloretic acid. See p-Hydroxy-aphenylpropionic acid.

Phloretin (RENNIE), 1886, T., 860. **Phloridzin** (phlorizin) and dextrose from

(RENNIE), 1887, T., 634; P., 86. isoPhloridzin, so-called (Schiff), 1885,

A., 1142. Phloridzin-diabetes (Moritz

PRAUSNITZ), 1890, A., 1336; (KULZ and WRIGHT), 1890, A., 1337.

Phloroglucinol (SKRAUP), 1890, A., 136.

presence and function of, in plants (Waage), 1891, A., 605; 1892, A., 1120.

synthesis of (v. Baeven), 1886, A., 223.

melting point of (v. BAEYER), 1886, Λ., 1020.

action of aniline and of p-toluidine on (MINUNNI), 1888, A., 1081; 1891, A., 190.

action of bromine on (ZINCKE and KEGEL), 1890, A., 1108.

action of chlorine on (ZINCKE and KEGEL), 1889, A., 967; 1890, A., 488.

Phloroglucinol, action of methylic iodide and potash on (MARGULIES),

1889, A., 197. action of phenylhydrazine on (v. BARYER and KOUMENDOERFER), 1889, A., 1162.

chlorination of (Webster), 1885, T., 423; P., 51.

relationship between ethylic succinosuccinate and (v. BAEYER), 1891, Λ., 1485.

physiological action of (GIBS and

HARE), 1890, A., 1019. derivatives of (WILL and ALBRECHT), 1884, A., 1335; (HERZIG), 1886, Λ., 232.

their relation to daphnetin and resculctin (WILLand ALBRECHT), 1884, A., 1335.

benzenesulphonate (Georgescu), 1891, A., 569.

p-commarate (WILL), 1887, A., 497. diethyl ether. See 1:3:5-Diethoxyhydroxybenzene.

furfuran-derivatives from (LANG), 1887, A., 262.

methyl-derivatives of (Spitzer), 1890, A., 1110.

tribenzoate (Skraup), 1890, A., 136. trioxime of (v. Baeyer), 1886, A., 350.

as an antiseptic (Andern), 1885, A., 454.

supposed reaction for (CAZENEUVE and Hugouneno), 1888, A., 994.

detection of diresorcinol in synthetically prepared (HERZIG and ZEISEL), 1891, A. 125.

Phloroglucinol, tribromo- (BENEDIKT and HAZURA), 1885, A., 554; (Henzrg), 1886, A., 232.

action of potassium iodide (BENEDIKT and v. SCHMIDT), 1883, A., 1119.

acetate (Zincke and Kegen), 1890, A., 1109.

herabromo-, dibromide (HAZURA and BENEDIKT), 1886, A., 52.

trichloro- (Webster), 1885, T. 423; (Hazura and Benedikt), 1886, A., 52; (ZINCKE and KEGEL), 1889, Δ., 967.

trinitro- (BENEDIKT and HAZURA), 1885, A., 554.

Phloroglucinolearboxylic acid (2:4:6-trihydroxybenzoic acid) (Will and Albrecht), 1884, A., 1835.

Phloroglucinoltannic acid (SCHIFF), 1888, A., 840; 1889, A., 1063.

Phloroglucinolvanillein (ETTI), 1883, A., 62.

Phlorol (2-cthy/phonol) (OLIVERI), 1884, A., 174; (SUIDA), 1890, A., 134; (ALEXANDER), 1892, A., 1318.

Phlorolearboxylic acid (cthylphenolearboxylic acid) (OLIVERI), 1884, A., 174. Phlorone. See p-Xyloquinone.

Phloroquinone (DE ČLERMONT and CHAUTARD), 1886, A., 696.

Phlorose, identity of, with dextrose (Fischer), 1888, A., 590.

Phlorotannin-red (Schiff), 1889, A., 1063.

Phœnicochroite, synthesis of (LUEDE-KING), 1892, A., 792.

Pholidolite (Nordenskiold), 1892, A., 1408.

Phoma Gentianæ, a parasitic fungus (Kuhn), 1883, A., 1025.

Phonolites from Colorado (Cross), 1890, A., 1075.

of Elfdalen (TÜRNEBOHM), 1884, A., 276.

of Hegau, chemical composition of (Foire), 1884, A., 568.

analysis of (DOELTER), 1883, A., 721. Phonolite-pumice from S. Antão, analysis of (DOELTER), 1883, A., 723.

sis of (Doelter), 1883, A., 723.

Phorone (Claus), 1890, A., 769.

Phoroneoxime (Nägeli), 1883, A., 728.

Phoronepyrroline (DENNSTEDT), 1890, A., 1000.

isoPhorone (LAYCOCK), 1890, A., 1235.
Phosgene. See Carbonyl chloride under Carbon.

Phosgenite. See Cromfordite.

Phospham, action of methylic or ethylic alcohol on (Vidal), 1891, A., 1003.

Phosphamide (Besson), 1892, A., 1152. fluoro- (Poulenc), 1891, A., 1418.

Phosphates. See Phospholic acid under

Phosphorus.

Phosphenyl-benzylphenylhydrazone, -phenylhydrazone and -p-tolylhydrazone (MICHAELIS and OSTER), 1892, A., 1325.

Phosphine. See Hydrogen phosphide.
Phosphines, action of zinc-ethyl on (GAL), 1883, A., 653; 1881, A., 985.
tertiary, action of carbon disulphide

on (CZIMATIS), 1883, A., 58. action of benzylidenic chloride on (HOLLE), 1892, A., 984.

mixed, preparation of (COLLIE), 1888, T., 714; P., 78.

mixed aromatic (CZIMATIS), 1883, A., 57.

isoPhosphines, aromatic (MICHAELIS and GLEICHMANN), 1883, A., 185.

Phosphino-benzene, -ψ-cumene and -ptoluene (MICHAELIS and ROTHE), 1892, A., 1084. Phosphoarsenosotungstates (GIBBS), 1886, A., 427.

Phosphodichloro-muconic acid and -muconyl chloride (RUHEMANN and DUFTON), 1891, T., 27, 31.

Phosphododecamolybdic acid (HUNDES-

HAGEN), 1889, A., 760.

Phosphododecatungstic acid (KEHR-MANN and FREINKEL), 1891, A., 1159.

Phosphohypophosphotungstates (Gibbs), 1886, A., 427.

Phosphoiodides (Moissan), 1892, A.,

Phosphomolybdic acid, solubility of, in other and water (PARMENTIER), 1887, A., 547.

Phosphomolybdates, constitution of (Kehrmann), 1887, A., 777.

Hypophospho-molybdates and -tungstates (GIBBS), 1884, A., 560.

Phosphonium bromide, dissociation of (Newtii), 1892, A., 401. chloride, critical point of (Skinner),

chloride, critical point of (SKINNE 1887, A., 882. sulphate (Besson), 1890, A., 9.

Phosphopalladious compounds (FINE), 1892, A., 1285.

Phosphoplatinous chloride (Pomey), 1887, A., 458.

Phosphorescence (LOMMEL), 1887, A., 410.

theory of (RADZISZEWSKI), 1883, A., 763.

and absorption of uranium compounds, relation between (BECQUE-REL), 1886, A., 189.

Phosphoretted hydrogen. See Hydrogen phosphide.

Phosphoric acid. See under Phosphorus. dianilide (JACKSON and MENKE), 1885, A., 255.

orthoPhosphoric acid mono- and dianilides (MICHAELIS and V. SODEN), 1885, A., 1134.

Phosphoric anhydride or pentoxide. See Phosphoric oxide under Phosphorus.

Phosphorite of Beauval, origin of (NAN-TIER), 1889, A., 837. of Capo di Leuca (GIGLIOLI), 1888, A.,

of Capo di Leuca (GIGLIOLI), 1888, A. 1259.

from the Rata Island, composition of (ANON.), 1884, A., 360. from Redonda, treatment of (Wil-

from Redonda, treatment of (WILLLIAMS), 1885, A., 1018.

Phosphorites in the south-west of France, origin of (DIEULAFAIT), 1885, A., 30. from the Government of Smolensk (WERNADSKI), 1890, A., 1071.

in limestone districts (DIEULAFAIT), 1884, A., 1272.

Phosphorites, iodine in (v. Sandber-GER), 1887, A., 222. of

Phosphoroscope, modification (CROOKES), 1887, A., 1066.

Phosphoroso-molybdates and -tungstates (GIBBS), 1884, A., 561; 1886, A., 427.

Phosphorosophospho-molybdates -tungstates (GIBBS), 1886, A., 427. Phosphorous acid. See under Phos-

phorus.

Phosphorous anhydride. See Phosphorous oxide under Phosphorus.

Phosphorsellinic acid, and its derivatives (SCHIFF), 1885, A., 795.

Phosphor-tin, estimation of phosphorus

in (HEMPEL), 1890, A., 83. Phosphorus in the blast furnace (Hil-

GENSTOCK), 1885, A., 616. origin and distribution of, in coal and

cannel coal (CARNOT), 1884, A., 1270. in pig-iron, influence of charcoal on

the amount of (ANON.), 1883, A., 403. in the cres of the Ludington Mine, Michigan (Browne), 1889, A., 763.

dissemination of, in masses of metal (WARREN), 1889, A., 13.

atomic weight of (VAN DER PLAATS), 1885, A., 348.

molecular weight of, in solution (PATERNO and NASINI), 1888, A., 1027; (BECKMANN), 1890, A., 447; (HERTZ), 1891, A., 260. valency of (MICHAELIS and LA COSTE),

1885, A., 1182.

allotropic modification of (Vernon),

1891, P., 3. allotropic modifications of arsenic and, analogy between (ENGEL), 1883, A.,

allotropic states of (Petersen), 1892, A., 405.

amorphous, properties of (Pedler,), 1890, T., 599; P., 66.

black (THENARD), 1883, A., 150.

white (REMSEN and KEISER), 1884, A., 154.

dispersion equivalent of (GLADSTONE), 1888, A., 389. vapour density of (BILTZ and MEYER),

1889, A., 673.

vapour density of, at a white heat Mensching and Meyer), 1887, A., 888.

specific volume of (THORPE and TUTTON), 1890, T., 562. dilatation of, and its change of volume

at the melting point (LEDUU), 1892, A., 7. odour of (THORPE and TUTTON),1890,

T., 573.

Phosphorus, action of light on (PED-LER), 1890, T., 599; 1., 66.

action of light on hydrogen bromide and iodide in presence of red moist (Richardson), 1887, T., 806.

action of amorphous, on solutions of silver and copper nitrates (SEN-

DERENS), 1887, A., 332. action of sulphur on amorphous (ISAMBERT), 1885, A., 483.

action of sulphuric anhydride on

(ADIE), 1891, T., 231. combustion of, in dried (BAKER), 1889, A., 465.

oxidation of (BAUMANN), 1881, A., 14, 1092; (LEEDS), 1881, A., 15, 660; (REMSEN and KRISER), 1881, A., 149, 711.

oxidation of, at a low temperature (Cowrer and Lewes), 1881, T., 10.

behaviour of, with iron and slags BRACKELSBERG), 1886, A., 426.

influence of, on iron (Schneider), 1888, A., 421.

analysis of a slag from the manufacture of, in electrical furnaces (CHORLEY), 1892, A., 1401.

poisoning in man and in the dog (Blendermann), 1883, A., 878. formation and migration of fat in (LEO), 1885, A., 1002.

acute, gastric juice in (CAHN), 1886, A., 1053.

the urine in a case of (STARLING and Horkins), 1892, A., 650.

Phosphorus bromides, combination of ammonia with (Besson), 1891, A.,

iridium bromides (Geisenheimer), 1890, A., 1383.

chlorides, conversion of tricalcium phosphate into (RIBAN), 1883, A., 287.

heat of formation of (Thomsen), 1883, A., 514.

combination of ammonia with (BESSON), 1891, A., 398.

trichloride, preparation of, from phosphorus oxychloride (RIBAN), 1883, A., 288. and oxychloride, method of dis-

tinguishing (Denicles), 1890, A.,

action of, on organic acids and water (BOTHALL 1891, A., 170. (Bothamley and Thompson),

action of bromine on (STERN), 1886, T., 815; P., 229. gold chloride (LINDET), 1884, A.,

968; 1887, A., 227.

Phosphorus iridium chlorides (GEISEN- | неімек), 1890, А., 1068.

chlorobromides (STERN), 1886, T., 815. oxychloride. See Phosphoryl chlor-

fluorides, action of red hot platinum on (Moissan), 1886, A., 592.

trifluoride (Moissan), 1885, A., 15; 1891, A., 261.

preparation of (Moissan), 1885, A., 482.

thermochemistry of (BERTHELOT),

1885, A., 328. action of fluorine on (Moissan), 1892, A., 12.

action of the induction spark on (Moissan), 1885, A., 215.

combination of bromine (Moissan), 1885, A., 955. with

trifluorodichloride (l'oulenc), 1891, Δ., 1417.

pentafluoride (Moissan), 1886, A., 303; 1887, A., 212.

action of, on heated spongy platinum (Moissan), 1891, A., 1433. combination of, with nitrogen per-

oxide (Tassel), 1890, A., 1052. oxyfluoride. See Phosphoryl fluoride. bromonitride (BESSON), 1892, A., 1272. chloronitride (v. HOFMANN), 1885,

A., 15; (Besson), 1892, A., 1152, 1272.

Phosphorus oxides, compounds of, with sulphuric anhydride (Adie), 1891, T., 230; P., 19.

suboxide (THORPE and Phosphorus TUTTON), 1886, T., 834.

Phosphorous oxide (phosphorous unhydride), physical proporties and chemical reactions of (THORPE and TUTTON), 1890, T., 545; P., 61; 1891, T., 1019; P., 156. crystalline (CARELL), 1885, A., 121.

action of sunlight on (IRVING), 1884, A., 156.

alleged decomposition of, by smlight (Cowper and Lewes), 1881, T., 10. action of sulphuric anhydride on (Арты), 1891, Т., 230.

Phosphorus tetroxide (THORDE and TUTTON), 1886, T., 833; P., 235.

Phosphoric oxide (P4O10) (phosphorus pentoxide; phosphoric anhydride) in felspar (Lindstnöm), 1887, А., 347.

three modifications of (HAUTE-FEUILLE and PERREY), 1884, A., 1258.

action of hydrogen chloride on (BAILEY and FOWLER), 1888, T., 756.

Phosphoric oxide (P₁O₁₀), action of phosphoryl chloride on (HUNTLY), 1890, P., 178; 1891, T., 202.

combination of, with sulphuric anhydride (Weber), 1887, A., 328.

Phosphorus sulphoxide (THORPE and Turron), 1891, T., 1028.

Hypophosphorous acid, oxidation of, by spongy palladium (ENGEL), 1890, A., 690.

ostimation of (AMAT), 1891, A., 243. Hypophosphites, elimination of, by the urine (EYMONNET), 1884, A.,

1058. the molybdate test for (MILLARD), 1889, A., 548.

estimation of (Moerk), 1890, A., 293.

Phosphorous acid (AMAT), 1889, A., 825.

constitution of (Wedensky), 1889,

A., 103. estimation of (REITMAIR), 1891,

A., 243. diamide of (THORPE and TUTTON), 1891, T., 1027.

dihydrazide of (MICHAELIS and OSTER), 1892, A., 1325.

ethereal salts of (JAEHNE), 1890, A., 858.

fluoro- (Berthelot), 1885, A., 328. Pyrophosphites (AMAT), 1888, A., 914.

Hypophosphoric acid and its salts (Joly), 1886, A., 200; (SÄNGER), 1886, A., 419; (SALZER), 1886, A., 420; (DRAWE), 1889, A., 341. thermochemistry of (Jory), 1886,

A., 408. decomposition of (Jony), 1886, A., 593, 662.

estimation of (AMAT), 1891, A., 243.

hydrates of (Johy), 1886, A., 303. Hypophosphates (DRAWE), 1889, A., 311; (RAMMELSBERG), 1892, A., 403.

Phosphorus acids, titration of (ENGEL), Ï886, A., 189.

Phosphoric acids, electrolysis (Janeček), 1888, A., 911.

thio-, and their salts (KUBIER-SCHKY), 1885, A., 632.

Phosphates, thio-, reactions of (Kuвименему), 1885, А., 633.

Phosphoric acid in urine (CARLES), 1892, A., 1115.

preparation of (ZIEGELER), 1886, A., 201.

pure, preparation of (NICOLAS), 1891, A., 398.

Phosphoric acid, preparation of, by the oxidation of phosphorus with air in presence of moisture (Wenzell), 1883, A., 1050.

manufacture of (RUNYON), 1884, A., 260.

electrical conductivity of solutions of (CROMPTON), 1888, T., 122. crystallisation of (Huskisson),

1885, A., 347; (Joly), 1885, A.,

basicity of (BERTHELOT), 1892, A.,

reversion of, by heat (PHILLIPS), 1885, A., 615.

saturation of, by bases (Joly), 1885, A., 348. biological function of (MAIRET),

1884, A., 1392.

elimination of, in the urine in insanity and epilepsy (LAILLER), 1885, A., 73.

a derivative of boric acid and (MEYER), 1890, A., 108.

combination of, with silica (HAUTE-FEUILLE and MARGOTTET), 1883, A., 782.

combinations of, with titanic, zirconic and stannic acids (HAUTE-FEUILLE and MARGOTTET), 1886, A., 670.

glacial, sodium phosphate in (BET-TENDORFF), 1888, A., 321.

Phosphoric acid, detection, estimation and separation :-

of mineral origin, detection of 1889, A., 1032; (Stoklasa), 1890, A., 83.

analysis of (Dugast), 1884, A., 1075; (Lasne), 1890, A., 293; (JONES), 1892, A., 99; (VOGEL), 1892, A., 912.

estimation of (v. DER PRORDTEN), 1883, A., 121; (GLADDING), 1883, A., 240; (MAYER and v. Schmid), 1883, A., 241; (BROOCKMANN; KRAISCHMER and SZTANKOVÁN-ZKY), 1883, A., 380; (OLLEGII), 1883, A., 508; (DE GASPARIN), 1883, A., 619; (ANON.), 1883, A., 620; (Täuben), 1883, A., 750; (GRETE), 1883, A., 1031; (OGSTON), 1884, A., 871; (GLASER), 1885, A., 837; (MOHR), 871; 1886, A., 834; 1887, A., 864; (BENTE), 1887, A., 397; 1888, A., 753; (MALOT), 1887, A., 1063; (ISBERT and STUTZER), 1888, A., 191; (STUTZER), 1889, A., 186; (Linossier), 1889, A. 308; (BURNEY), 1892, A., 1125. Phosphoric acid, estimation and separation:-

estimations, calculation (MIELCKE), 1889, A., 439.

method for the valuation of (THOMson), 1883, A., 827.

estimation, volumetric, of (CALD-WELL), 1884, A., 110; (Bon-GARTZ), 1885, A., 438; (WHITE), 1888, A., 751; (SCHINDLER), 1888, A., 753; (GRETE), 1888,

A., 1841; (SPICA), 1892, A., 912. estimation of, as tricalcium phosphate (Tzschucke), 1889, A.,

439.

estimation of, by the citrate method (REITMAIR), 1890, A., 416; 1891, A., 243.

estimation of, by the molybdate inethod (LINDO), 1884, A., 493; (THILO), 1887, A., 526; (HUNDER-HAGEN), 1889, A., 762; (FOER-STER), 1892, A., 1519.

estimation of: oxalic acid method as compared with the molybdic method (Lindo), 1884, A., 929.

estimation of, with silver nitrate (CLARK), 1889, A., 307.

estimation of, in the presence of ammonium citrate (SEYFERT), 1889, A., 548.

estimation of, in commercial products (Joulie), 1885, A., 931.

estimation of, in organic substances (LANGE), 1889, A., 547.

estimation of, in rock analysis (CHATARD), 1891, A., 768.

estimation of, in presence of silica (Preis), 1890, A., 825.

estimation of, in slags (Kosmann), 1886, A., 489; (ARTH), 1890, A., 292; (EDWARDS), 1892, A., 382. estimation of, in urine (Guil-

LAUME-GENTIL), 1892, A., 619.

estimation of, in sweet w (Fersenius), 1889, A., 547. estimation of, in contaminated waters (Phipson), 1888, A., 533.

estimation of iron and aluminium in the presence of (Kretzkeh-Mar), 1886, A., 393; (Dyer; E. W. T. Jones), 1886, A., 491; (THOMSON), 1887, A., 302; (R. LONES), 1891, A., 114, (Sween) Jones), 1891, A., 114; (STUTZER), 1891, A., 245; (V. GRUBER), 1891, A., 501, 963; (SHEPHERD), 1891, A., 1138; (MEYER), 1892,

A., 536; (Knug), 1892, A., 755. separation of, from mercury and from nitric acid, sodium and chlorine (HAACK), 1892, A., 530. Phosphoric acid, separation:—
separation of, from tungstic acid

(Kehrmann), 1887, A., 866. separation of vanadic acid from (Holverscheit), 1890, A.,

1343.

See also Agricultural Chemistry. Diphosphoric acid, mono- and diimido- (MENTE), 1889, A., 210.

Diphosphormonamic acid (diphosphaminic acid), diimido- (MENTE), 1889, A., 210.

Phosphates, distribution of, in Bohemia (STOKLASA), 1885, A., 877.

arsenutes and vanadates, analogous (HALL), 1886, P., 259; 1887, T., 94.

in urine in different diseases (VANNI and Pons), 1888, A., 621.

preparation of (HAUTEFEUILLE and MARGOTTET), 1883, A., 782; (GRANDEAU), 1885, A., 872.

manufacture of, from basic slags, according to Scheibler's method (HASENCLEVER), 1885, A., 615. methods for obtaining (ANON.),

1885, A., 454.

raw, treating (DIETRICH), 1886, A., 108.

magnetic rotation of (PERKIN), 1890, P., 144.

thermochemistry of (BERTHELOT), 1887, A., 94.

decomposition of, by potassium sulphate at high temperatures (GRANDEAU), 1883, A. 151.

acid, of the alkaline carths, decomposition of, in presence of water (Jour), 1884, A., 556.

alkali, neutral (Filmot and Sen-DERENS), 1883, A., 151.

method for the valuation of (Thomson), 1883, A., 827.

alkaline (BERTHELOT), 1887, A., 877.

action of, on the alkaline earths (OUVRARD), 1888, A., 1033.

action of sulphur on (FILHOL and SENDERENS), 1883, A., 783.

behaviour of, to various indicators (Tobias), 1883, A., 380.

aromatic, and reactions of (KREYS-LER), 1885, A., 1054, 1055.

colloidal and crystallised, thermochemistry of (Berthelor), 1887, A., 94.

crystallised (HAUTEFEUILLE and MARGOTTET), 1883, A., 711.

Phosphates of dyad, triad, and tetrad metals, double (WALLEGII), 1883, A. 850.

dimetallic (JOLY), 1887, A., 211; (GOUNARD), 1888, A., 429, thermochemistry of (JOLY), 1887,

A., 202. trimetallic, heat of formation of (JoLY), 1887, A., 877.

of polyvalent metals (Johnson), 1889, A., 756.

metallic, electrolysis of, in acid solution (SMITH), 1891, A., 1140.

estimation of calcium in (VOGEL), 1892, A., 534.

natural, estimation of fluorine in (LASNE), 1889, A., 74; (CARNOT), 1892, A., 1055.

See also Agricultural Chemistry.

Orthophosphoric acid (Joly), 1886,

A., 418. neutralisation of (Blarez), 1886, A., 1057.

Metaphosphoric acid, molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 593.

rate of transformation of (SARATIER), 1888, A., 404; 1889, A., 671.

Metaphosphates (TAMMANN), 1892, A., 1050.

crystallised (HAUTEFEUILLE and MARGOTTET), 1883, A., 711. isomerism of (TAMMANN), 1891,

A., 7. molecular weight of (JAMMANN), 1891,

TRILLOT), 1889, A., 671.
Nitroltrimetaphosphates (Menie),

1889, A., 211.
Pyrophosphates (v. Knorre and Op-

PELT), 1888, A., 413. double, use of, in electrolytic estimations and separations (Brand), 1890, A., 294.

metallic, action of ammonium sulphide on (Buchner), 1884, A., 218.

Phosphorus sulphides (ISAMBERT), 1883, A., 901, 1019; (DERVIN), 1881, A., 1259; (REBS), 1888, A., 1155; (MAI), 1892, A., 14.

trisulphide (Isambeut), 1886, A., 768.

sulphur salts derived from (LEMOINE), 1884, A., 555.

pentasulphide (ISAMBERT), 1886, A.,
787

Phosphorus compounds, organic (Heer-Mann), 1892, A., 875.

Phosphorus, detection and estimation:— Mitscherlich's test for (Polstonff and Mensching), 1886, A., 919; (Mankiewicz), 1887, A., 526

(Mankiewicz), 1887, A., 526. estimation of carbon in (Remsen

and Keiser), 1885, A., 482. estimation of, in iron (TAMM), 1884, A., 875; (TROILIUS), 1885, A., 597; (KALMANN; WOOD), 1886, 1886, A., 280; (MACKINTOSH), 1886, A., 488; (v. Reis), 1886, A., 835; 1889, A., 648; (Huss), 1886, A., 1073; (DEANE), 1887, A., 183; (Vor-WERK), 1887, A., 299; (MEINEKE), 1887, A., 396; 1888, A., 1130; (Schneider), 1887, A., 527; (Wedding), 1887, Λ., 865; 1889, Л., (SHIMER), 76: (JENnings), 1889, A., 189; (Drown), 1889, A., 1245; (BORMANN), 1890, A., 416; (JONES), 1891, A., 363; (METZ), 1891, A., 961; (MALOT) 1892, A., 528; (EMMERTON), 1892, A., 529; (HAMILTON), 1892, A., 911; (REINHARDT), 1892, A., 912.

(MESSINGER), 1889, A., 81. estimation of, in phosphor-tin

estimation of, in phosphor-tin (HEMPEL), 1890, A., 83.

estimation of, in urine (CHAPPELLE), 1890, A., 825.

estimation, colorimetric, of (Osmond), 1887, A., 999.

Phosphorus-trianhydropyruvic acid and its derivatives (Messingen and Engels), 1889, A., 36.

Phosphoryi chloride (phosphorus oxychloride), preparation of (Dervin), 1884, A., 155.

preparation of, from phosphates (Ochtaloro-Todaro), 1884, A., 392.

heat of formation of (Thomsen), 1884, A., 250.

action of nitric acid on (WILLIAMS), 1886, T., 224.

action of, on phosphoric anhydride (Huntly), 1891, T., 202.

reaction of, with sulphites and nitrites (Divers), 1885, T., 205.

Phosphoryl fluoride (phosphorus oxyfluoride) (Moissan), 1885, A., 15; 1886, A., 767; 1891, A., 264, preparation of (Thorpe and Hambly), 1889, T., 759; P., 132.

thio. See Thiophosphoryl fluoride. Phosphorylphenylhydrazide, and thio (MICHAELIS and OSTER), 1892, A., 1325.

Phosphoryltolylhydrazide (MICHAELIS and OSTER), 1892, A., 1325.

Phosphosiderite (Bruhns and Busz), 1890, A., 1073.

Phosphotrimetatungstic acid (PÉ-CHARD), 1890, A., 704.

Phospho-tungstates, ortho-, meta-, and pyro- (GIBBS), 1886, A., 511.

Phosphotungstie acid (DRECHSEL), 1887, A., 703; (KEHRMANN), 1888, A., 788; (BRANDHORST and KRAUT), 1889, A., 469; (PECHARD), 1889, A., 1121.

Phosphotungstic acids (KEHRMANN), 1887, A., 777; (KEHRMANN and FREINKEL), 1892, A., 1160.

Phosphovanadates (GIBBS), 1886, A., 205; (FRIEDHEIM and SZAMATOLSKI), 1890, A., 1067.

Phosphovanadicovanadates (GIBBS), 1886, A., 205.

Phosphovanadio-molybdates, -tungstates and -vanadicotung states (GIBBs), 1884, A., 713.

Photoanethoil(DEV.RDA),1891,A.,1847. Photobacterium phosphorescens (Wijs-MAN), 1890, A., 998.

PHOTOCHEMISTRY-

Light, absorption of, relation between molecular structure and the (v. Кьовикогг), 1885, А., 1173.

absorption of, evidence afforded by, of the decomposition of molecular groups in solutions (WALTER), 1889, A., 554.

absorption of, in the infra-red of the solar spectrum (LANGLEY), 1883, A., 137; (ABNEY and FESTING), 1883, A., 837.

absorption of, by the atmosphere (LANGLEY), 1885, A., 319. absorption of, by aqueous vapour

(Abney and Ferring), 1884, A., 241.

absorption of, by coloured salts (MAGNANINI), 1892, A., 757.

absorption of, and photographic sensitiveness, connection between (Eden), 1886, A., 405, 958.

soparation of rays of, of high and low refrangibility (VAN ASSCHE), 1884, A., 241.

spectroscopic study of compounds rendered phosphorescent by the action of, or by the electric discharge (Bequenel), 1885, A., 1098.

spectrographic investigations of different standards of; their use in measuring photographic sensitiveness (EDER), 1885, A., 1026. cleetrochemical energy of (GRI-

VEAUX), 1884, A., 382.

Light, constant of electromagnetic rotation of, in carbon disulphide (RAYLEIGH), 1885, A., 325.

electromagnetic rotation of the plane of polarisation of, by iron, nickel and cobalt (KUNDT), 1885, A. 5.

transformation of, into electricity in quartz (HANKEL), 1883, A., 412; 1885, A., 1187.

oscillations of the plane of, and polarisation of, by electric discharges (BICHAT and BLOND-LOT), 1883, A., 4.

Radiation, comparative, of fused platinum and fused silver (VIOLLE), 1887, A., 1010. from silver at the solidifying point

from silver at the solidifying point (VIOLLE), 1883, A., 771. solar, comparative action of heat

and (Duclaux), 1887, A., 411.

Photometry (Anon.), 1885, A., 1260.

application of the pupil of the eye to (Gorham), 1885, A., 320. application of Algæ to (Phirson),

1884, A., 201. application of oxalic acid to

[Duclaux), 1887, A., 202. measurement of light intensity by the expansion of chlorine (RICHARDSON), 1892, A., 253.

Colour-photometry (ABNEY), 1891, P., 150.

Diffusion photometer (CROVA), 1885, A., 320.

Electrochemical actinometer (Gouy and RIGOLLOT), 1888, A., 883.

Optical units (International Con-FERENCE), 1885, A., 2.

Light, chemical action of (Lemoine), 1884, A., 381; 1891, A., 965; (Amato),1884, A., 1237; (Eder.), 1885, A., 1178; (Duglaux.), 1887, A., 93.

1887, A., 93.
reflection of actinic rays (DECHARDONNET), 1883, A., 138.

concentration of the sun's rays for chemical reactions (BRUHL), 1890, A., 1033.

action of, on chloric acid (PEDLER), 1890, T., 624; P., 65.

decomposition of chlorine-water in (POPPER),1885,A., 331; 1886,A., 301; (v. PEBAL), 1886, A., 302.

rate of decomposition of chlorine water by (GORE), 1890, A., 849.

influence of hydrochloric acid on the decomposition of chlorine water by (RICHARDSON), 1891, T., 589. PHOTOCHEMISTRY-

Light, action of chlorine on water in (PEDLER), 1890, T., 613; P., 65. action of, on a mixture of chlorine and hydrogen (AMATO), 1884, A., 1287; (PRINGSHEIM), 1888, A., 205.

action of, on an explosive mixture of chlorine and hydrogen; a lecture experiment (MEYER), 1884, A., 552.

liberation of chlorine from hydrogen chloride by the action of, in presence of oxygen (McLeon), 1886, T., 608; (RICHARDSON), 1887, T., 802; (BERTHELOT), 1890, A., 6.

influence of water in promoting the interaction between oxygen and hydrochloric acid in presence of (Armstrong), 1887, T., 806.

action of, on hypochlorous acid (POPPER), 1885, A., 681; (PED-LER), 1890, T., 622; P., 65.

action of, on hydrogen bromide and iodide in presence of red moist phosphorus (RICHARDSON), 1887, T., 806.

action of, on nitrogen iodide (GUYARD), 1884, A., 818.

use of nitrogen iodide to determine the chemical and mechanical equivalent of (GUYARD), 1884, A., 153.

action of, on a mixture of nitric acid and carbon disulphide (Tiffereau), 1885, A., 1110.

action of, on moist oxygen (RICH-ARDSON), 1889, P., 131.

action of, on oxyhydrogen gas (Askenasy and Meyer), 1892, A., 939.

action of, on phosphorus (PEDLER), 1890, T., 599; P., 66.

action of, on phosphorous oxide (Cowpen and Lewns), 1884, T., 10; (Invino), 1884, A., 156; (Thorpe and Turron), 1890, T., 552; 1891, T., 1019; P., 156.

action of, on mercurous iodide (EDER), 1885, A., 1178; (YVON), 1886, A., 17.

action of, on potassium ferricyanide (Eden), 1885, A., 1173.

action of, on potassium iodide solutions (Berthelot), 1890, A., 7.

action of, on ruthenium peroxide (John), 1892, A., 282.

action of, on silver salts in presence of reducing agents (LEA), 1888, A., 1.

Light, action of, on the haloid salts of silver (GRIVEAUX), 1889, A., 199. action of, on silver bromide (Tom-

MASI), 1883, A., 3.

action of, on silver chloride (NEW-BURY), 1885, A., 956; (HITCH-COCK), 1890, A., 213; 1891, A., 1155; (RICHARDSON), 1891, T., 586; P., 81; (GUNTZ), 1891, A., 1420; (Baker), 1892, T., 728; P., 120; (Béchamp), 1892, A., 775.

action of, on iodised silver plates in sulphuric acid (Borgmann),

1883, A., 625.

action of, on some organic com-pounds (KLINGER), 1886, A., 888; 1889, A., 405; (KLINGER and STANDKE), 1891, A., 900.

alteration of compounds of the benzene series when exposed to air and (Bidet), 1890, A., 1401.

influence of, on the action of halogens on aromatic compounds (Schramm), 1885. A., 518, 767, 888; 1886, A., 451; 1887, A., 807; 1889, A., 240; 1891, A., 898; (SCHRAMM and ZAKRZEWski), 1888, A., 9.

influence of temperature and, on chlorination (GAUTIER), 1887,

A., 922.

influence of, on the decomposition of organic acids (DE VRIES). 1885, A., 964.

action of, on acetic fermentation (GIUNTI), 1890, A., 1181.

decomposition of glutaric and succinic acids by, in presence of an uranium salt (WISBAR), 1891, A., 1013.

action of, on anethoil (DE VARDA), 1891, A., 1347.

action of, on cane- and invert-sugar GLADSTONE and TRIBE), 1883, T., 341, 343.

action of, on ethyl other (RICHARD-SON), 1889, P., 134; 1890, P., 146; 1891, T., 51; (DUNSTAN and DYMOND), 1890, T., 574, 988; P., 69.

action of, on iodoform (DACCOMO), 1886, A., 1000.

action of, on alcoholic solutions of nitrobenzene (Ciamician and Silber), 1887, A., 240.

action of, on 3-nitro-n-cuminic acid (ALEXÉEFF), 1885, A., 794. oxidation of nitrosocamphor in

presence of (CAZENEUVE), 1889, A., 1203.

Photochemistry-

Light, oxidation of turpentine oil and terebenthene in (ARMSTRONG), 1891, T., 311; (ARMSTRONG and POPE), 1891, T., 315. action of, on water and oil colours

used in dyeing and printing (DECAUX), 1884, A., 700.

decolouration and recolouration of litmus solutions by (Bellamy),

1889, A., 199. influence of, on oxidation in animals (Loeb), 1889, A., 172.

production of oxygen by the action of, on Protococcus pluvialis (Phipson), 1884, A., 201.

Photographic methods and cesses:

Photography otography in natural colouis (Vogel), 1886, A., 749.

Orthochromatic photography(Louse), 1885, A., 612; (EDER), 1885, A., 936; (BOTHANLEY), 1887, A., 874.

oxalate developer for (LORD), 1886, A., 106.

photographs, transferring, on porcelain or wood (PAVLOFFSKI), 1885, A., 612.

photographic films, expedient for rendering them sensitive to green, yellow, and red rays (Vogel), 1884, A., 1081.

method, new (GREEN, Cross and BEVAN), 1891, A., 138.

paper, a new (CROS and VERGE-RAUD), 1883, A., 752.

copying-paper, new (SHAWCROSS), 1886, A., 106.

plate, measurement of the relative density of the deposit (ABNEY and EDWARDS), 1890, A., 933

plates, borax in developers for (MERCIER), 1891, A., 139.

sensitisers (Bothamley), 1887, A.,

sensitisers for rays of low refrangibility (HIGGS), 1891, A., 1145. silver bromide-gelatin-emulsion

(OBERNETTER), 1883, A., 395. bromide, sensitising action of dyes on, relation between the absorption spectrum and (VOGEL), 1886, A., 585.

chloride and bromide, sensitising action of dyes on (EDER), 1886, A., 497.

chloride, photochromatic properties of (STAATS), 1887, A., 1071; 1888, A., 1001.

Photographic methods, continued: silver, haloid salts sensitised by dyes, photoelectric currents produced from (Mosen), 1888, A., 9. spectroscopic studies of dyes used

spectroscopic studies of dyes used as sensitisers (Messenschmitte), 1885, A., 1097.

application of the radiometer to the measurement of photographic action (OLIVIER), 1885, A., 319.

action (OLIVIER), 1885, A., 319. photo-salts, identity of, with the substance forming the invisible photographic image (LEA), 1888, A., 7.

formation of (LEA), 1888, A., 1.

Polarisation :---

Rotatory power, explanation of (Fook), 1891, A., 513.

laws of, and stereochemistry (Couson), 1892, A., 758; (GUYE), 1892, A., 759.

variation of (OUDEMANS), 1886, A., 406.

change of, under the influence of various solvents (Bremer,), 1885, A., 622; 1888, A., 1141.

A., 622; 1888, A., 1141. of singly-linked carbon atoms, limitation of free (Bischoff), 1890, A., 723.

of carbon compounds, sign and variations of, and their chemical constitution (Guyr), 1890, A., 722.

of carbon compounds, relation between the constitution and (SOROKIN), 1888, A., 768.

and refractive power of chemical compounds, relation between (KANONNIKOFF), 1891, A., 138.

of optically active substances in very dilute solution (Phibram), 1887, A., 755. of optically active substances in

of optically active substances in mixtures of two solvents (RIM-BACH), 1892, A., 1137.

and refractive power of certain carbohydrates, relation between (KANONNIKORE) 1889 A 326

(KANONNIKOFF), 1889, A., 326. and refractive power of certain alkaloids, camphor, menthol, tartar emetic, quinic acid, and of terpene, relation between (KANONNIKOFF), 1889, A., 453.

NONNIKOFF), 1889, A., 453. of alkaloids, laws of variation of, under the influence of acids (OUDEMANS), 1883, A., 81.

of aconitine (DUNSTAN and INCE), 1891, T., 281.

of anhydroecgonine and ecgonine hydrochlorides (EINHORN), 1889, A., 1018.

PHOTOCHEMISTRY-

Rotatory power of appeinchonine and hydrochloroappeinchonine under the influence of acids (Oude-Mans), 1883, A., 359.

of cocaine and cocaine hydrochloride (Antriok), 1887, A., 506.

of cupreine and its salts (OUDE-MANS), 1889, A., 1019.

of nicotine salts (Schweber), 1883, A., 354.

of papaverine (Goldschmiedt), 1888, A., 611.

supposed, of picoline (LANDOLT), 1886, A., 368.

of piperidine bases (LADENBURG), 1887, A., 164, 282.

absence of, in amine salts (LE BEL), 1890, A., 228.

of benzene derivatives (Lewkowitson), 1888, T., 781; P., 87.

of borneols and woborneols, influence of solvents on (HALLER), 1889, A., 1206; 1891, A., 575.

of camphor, when dissolved in various oils (Chabot), 1890, A., 1427.

of d-camphoric acid and its salts (HARTMANN), 1888, A., 378. of terpene-derivatives (WALLACH;

WALLACH and CONRADY), 1889, A., 1071.

of turpentine (DUNWODY), 1891, A., 217.

of turpentine, change of, on keeping (MARSH and GARDNER), 1891, T., 726.

ofsolutions of cellulose in Schweizer's solution (Levallois), 1884, A., 577, 833, 1288; 1885, A., 500; (Bechamp), 1885, A., 369.

of pyroxylin (Bichamp), 1885, A., 287.

of cane-sugar (Tollers), 1884, A., 1285.

of cane-sugar in dilute solution (NASINI and VILLAVECCHIA), 1892, A., 801.

of cane-sugar, influence of temperature on (Andrews), 1890, A., 579.

of cane-sugar, action of inorganic salts on (FARNSTEINER), 1891, A., 283.

of dextrose (Tollens), 1885, A., 40. of grape-sugar, influence of inactive substances on (Wender), 1891, A., 1178.

of invert-sugar (GUBBE), 1885, A., 1194.

Rotatory power of invert-sugar and of dextrose obtained from cane sugar by means of invertase (O'Sullivan), 1892, T., 408; P., 56.

of lactose (Deniges and Bonnans), 1888, A., 933.

of levulose (JUNGFLEISCH and GRIMBERT), 1889, A., 479.

of levulose and invert-sugar (Tol-LENS), 1891, A., 1178.

of compounds of mannitol with acid molybdates (Gennez), 1891, A., 1443.

of matezite and matezodambose (Combes; Girand),1890, A., 471. of compounds of perseitol with

of compounds of perseitol with acid molybdates (Gennez), 1892, A., 800.

of rhamnose and of the saccharins (SCHNELLE and TOLLENS), 1892, A., 1420.

of xylose (SCHULZE and TOLLENS), 1892, A., 1420.

of galactonic, gluconic and rhamnonic acids (Weld, Lindsey, Schnelle and Tollens), 1891, A., 43.

of galactonic, gluconic and rhamnonic acids and their lactones (SCHNELLE and TOLLENS), 1892, A., 1431.

of glutamic acid (SCHEIBLER), 1884, A., 1308.

of compounds of malic acid with normal lithium and magnesium molybdates (GERNEZ), 1890, A., 744.

of photosantonic acid (NASINI), 1884, A., 464.

of tartaric acid and its salts (KANONNIKOFF), 1892, A., 1308.

of tarteric acid solutions (Thom-SEN), 1886, A., 12; (GERNEZ), 1887, A., 540; 1888, A., 97; (PKIBRAM), 1887, A., 755; 1888, A., 1229; 1889, A., 378; (Long), 1889, A., 380; 1890, A., 313; 1891, A., 249.

of diacetyltartaric-derivatives (LE Bell; Colson), 1892, A., 669.

of leucine (Lewkowitson), 1884, A., 1115.

of oils (Bishor), 1888, A., 388; (Peter), 1888, A., 766.

of quartz (Soret and Sarasin), 1888, A., 140.

of silk (Vignon), 1892, A., 254, 645. Multi-rotation of sugars (Parcus and Tollens), 1890, A., 1084.

PHOTOCHEMISTRY-

Multi-rotation of sugars, influence of ammonia on the (SCHULZE and TOLLENS), 1892, A., 1419.

of arabinose (BAUER), 1889, A., 1182.
of some glucoses and sucroses, with
regard to their constitutional
formulæ and the extent of affinity
(URECH), 1886, A., 220.

of glucose and milk-sugar (URECH), 1884, A., 1112.

of milk sugar, rate of transition of the, into its normal rotation (URECH), 1883, A., 174; 1884, A., 36.

of rhamnose and of the saccharins (SCHNELLE and TOLLENS), 1892, A., 1420.

Polarimetric estimations (LANDOLT), 1888, A., 386.

sources of error in (HOLZER), 1883, A., 3; (SCHMIDT and HANSOH), 1885, A., 321.

1885, A., 321.
influence of lead precipitate on
(SACHS and DE BARBIERI), 1885,
A., 694.

of dextrose, influence of inactive substances on the (Přibram), 1888, A., 1133.

of dextrose in urine (WORM-MULLER), 1885, A., 702. of lactose in milk (WILEY), 1885,

of lactose in milk (WILEY), 1885, A., 601; (SCHMOEGER), 1885, A., 693; (VIETH), 1889, A., 315.

of sugar in sweet wines (Born-TRAGER), 1890, A., 426.

of a mixture of potassium and sodium chlorides (SCHUTT), 1888, A., 1341.

of quinine sulphate (HOOPER), 1886, A., 1086.

rotation, left-handed, determining, with the Scheibler-Ventzke-Soleil polariscope (Eyster), 1884, A., 691.

Magnetic rotation of compounds in relation to their chemical constitution (Perkin), 1884, T., 421; (OSTWALD), 1891, T., 198; P., 1.

of acctyltrimethylene (FREER and PERKIN), 1887, T., 832.

of saturated and unsaturated dibasic acids and their derivatives (Perkin), 1887, P., 98; 1888, T., 561.

of the ethereal salts of tartaric and racemic acids (PERKIN), 1887, T., 362; P., 29.

of allylacetic acid, diallylacetic acid, ethyl diallylmalonate and of undecylenic acid (PERKIN), 1886, T., 205; P., 153.

Magnetic rotation of compounds supposed to contain acetyl, or to be of Letonic origin (PERKIN), 1892, T., 800; P., 100.

of hydrated ethylic alcohol (PER-

KIN), 1886, T., 780.

of chloral, chloral hydrate and hydrated aldehydes (Perkin), 1887, T., 808; P., 82.

methyl isobutenyl ketone (mesityl oxide) (Perkin), 1887, P., 98; 1888, T., 586, 591.

of water with some of the acids of the fatty series, with alcohol and with sulphuric acid (PERKIN), 1886, T., 777; P., 229.

of hydrochloric, hydrobromic and hydriodic acids (Perkin), 1889, T., 702, 739; P., 130.

of saline solutions (Perkin), 1890, P., 141; (OSTWALD), 1892, P., 12.

of solutions of ammonium and sodium salts of some fatty acids (Perkin), 1891, T., 981; P., 125.

of nitrogen compounds (PERKIN), 1889, T., 680; P., 83, 130. of phosphorous oxide (THORPE and

TUTTON), 1890, T., 567; P., 61. and the refraction and dispersion of light by carbon compounds containing nitrogen and by some acids, correspondence between (GLADSTONE and PERKIN), 1889,

T., 750; P., 114. constant of, of light in carbon disulphide (RAYLEIGH), 1885, A., 325.

Reflectometer, total (Brüng), 1891, A., 513.

Refraction, influence of the change of volume by admixture of two liquids on (Buonkremer,), 1891, A., 2.

of liquids between wide limits of temperature (KETTELER), 1888, A., 541; 1889, A., 197.

of liquids, change of, by electric forces (QUINCKE), 1883, A., 948.

of chemical compounds (Kanon-NIKOFF), 1885, A., 949.

carbon compounds (GLAD-STONE), 1884, T., 241; (KANON-NIKOFF), 1886, A., 335.

of carbon compounds in solution (Kanonnikoff), 1883, A., 1041. of carbon compounds at different temperatures (PERKIN), 1891, P., 115; 1892, T., 287.

PHOTOCHEMISTRY-

Refraction and molecular volume, new theory of (KETTELER), 1889, A., 326; (NASINI), 1892, A., 253.

relation between chemical constitution and (NASINI and BERN-HEIMER), 1885, A., 1097.

and chemical constitution of gases and vapours (Bröhl), 1891, A., 629.

of liquid carbon compounds, dependence of, on their chemical constitution (Schröder), 1883, A., 538.

density, molecular weight, and diathermanous power of substances, relation between (AYMONNET), 1892, A., 1.

and molecular heat of combustion of benzene compared with those of dipropargyl (BRUHL), 1892, A., 1436.

in reference to the double bond (NASINI), 1885, A., 210.

of compounds, influence of simple and so-called multiple union of atoms on (BRÜHL), 1887, A., 1005.

the hydrocarbon $C_{12} H_{20}$ (Albitzky), 1885, A., 211.

the hydrocarbons, supposed influence of multiple bonds of union on (THOMSEN), 1887, A.,

198; (BRÜHL), 1887, A., 200. and compressibility of liquids, relations between (QUINCKE), 1892, A., 669.

dispersion of carbon compounds (G. GLADSTONE), 1891, T., 290; P., 35; (J. H. and G.

GLADSTONE), 1891, A., 774. of carbon compounds of high dispersive power (BRUHL), 1887, A., 191; (Nasini), 1887, A., 626.

and dispersion of light and magnetic rotation by carbon compounds containing nitrogen and by some acids, correspondence between (GLADSTONE and PERKIN), 1889, T., 750; P., 114.

and dispersive power of aromatic compounds with saturated lateral chains, relation between (Costa),

1890, A., 1201.

and dispersive power of compounds supposed to contain acetyl or to be of ketonic origin (PERKIN), 1892, T., 800.

and dispersion of alums (GLAD-STONE), 1886, A., 293.

Refraction and dispersive power of essential oils (GLADSTONE), 1886, T., 609; P., 216.

and dispersion of sodium chlorate

(Dussaup), 1892, A., 1. and dispersion of silicon tetra-bromide and tetrachloride and titanium tetrachloride (GLAD-STONE), 1891, T., 299.

and dispersion equivalents of ter-penes (GLADSTONE), 1886, T., 612. and rotatory power of chemical compounds, relation between

(Kanonnikoff), 1891, A., 138. and rotatory power of certain carbohydrates, relation between

(Kanonnikoff), 1889, A., 326. and specific rotatory power of alkaloids, certain camphor. menthol, tartaric emetic, quinic acid, terpene and of Russian turpentine, relation between (KANONNIKOFF), 1889, A., 453.

allylbenzene- and propenylbenzene-derivatives (EIJKMAN), 1890, A., 748.

of allylthiocarbimide (Long), 1889, A., 86.

of alums (SORET), 1885, A., 109, 1097.

of boracite, determination of the (MALLARD), 1886, A., 209.

bromine, chlorine, iodine, hydrogen, oxygen and nitrogen (GLADSTONE), 1884, T., 256; (BRUHL), 1887, A., 198.

of camphene (WALLACH), 1889, A., 1069.

as a means of determining the constitution of the terpenc-group (WALLACH), 1888, A., 145. of carbon (GLADSTONE), 1884, T.,

251; (BRUHL), 1887, A., 193.

of carbon dioxide (CHAPPUIS and RIVIÈRE), 1886, A., 837.

carbon disulphide derivatives (NASINI and SUALA), 1887, A., 753.

of cyanogen (CHAPPUIS and RIvière), 1886, A., 837; 1887, A.,

of isocyanides and nitriles (COSTA), 1892, A., 757.

bromo-derivatives some ethane and ethylene (WEEG-MANN), 1888, A., 999.

of ethyl ether (OUDEMANS), 1886, A., 437.

of fluorine (GLADSTONE), 1886, A.,

PHOTOCHEMISTRY-

Refraction of fluorspar (SARASIN), 1886, A., 22.

of the isomerides fumaric and maleic acids, of citraconic, itaconic and mesaconic acids, and of thiophen (Knors), 1888, A., 938; 1889, A., 198.

of gases (DALE), 1890, A., 201. of liquefied gases (BLEEKRODE), 1885, A., 467; (DECHANT), 1885, A., 621.

of the halogen salts of lithium, sodium and potassium (WEGNER), 1890, A., 549.

of levulose and invert sugar (OsT), 1891, A., 1000.

of metals (KUNDT), 1888, A., 997; (Du Bois and Rubens), 1891, A., 373.

of three methylic acrylates (KAHL-BAUM), 1885, A., 1173.

nickel carbonyl (Mond and Nasini), 1891, A., 1322.

of nitrogen compounds (LOEWENнекz), 1890, А., 1201; 1891, А., 373; (Влон), 1892, А., 983.

of certain oils (Long), 1889, A., 86. of phosphorous oxide (Thorpe and

TUTTON), 1890, T., 564. of pyrone (BRUHL), 1891, A., 1195. of certain salts crystallising in the regular system (BRAUNS), 1883, A., 1041.

of salts in solution (WALTER), 1890, A., 202, 673; (Doumer), 1890, A., 433, 1033; (Bary), 1892, A., 929.

of normal salt solutions (BENDER), 1890, A., 549.

of solids in their solutions, determination of (SCHUTT), 1890, A., 1033; 1892, A., 929.

of various substances in solution (GLADSTONE), 1891, T., 589; P., 103.

of sulphines (Nasini and Costa), 1891, A., 1305; 1892, A., 34.

of sulphur (Nasini), 1883, A., 264 ; 1884, A., 149; (GLADSTONE), 1884, T., 257.

of sulphur dichloride (COSTA), 1891, A., 149.

of turbid media (HASCHEK), 1889, A., 197

of water (BRÜHL), 1891, A., 629. of water and quartz, variation of the, with the temperature (Du-FET), 1883, A., 762.

of water, influence of pressure on the (ZEHNDER), 1888, A., 765.

Refraction of water cooled below 0' (PULFRICH), 1888, A., 881.

of ice (MEYER), 1887, A., 753.

Atomic Refraction of the elements (KANONNIKOFF), 1885, A., 1; (LE BLANC), 1890, A., 313.

calculation of, for sodium light (CONRADY), 1889, A., 661.

Double refraction, electric liquid condenser for examining the phenomenon of (QUINCKE), 1883, A., 947.

of liquids (Fleischt von Marxow), 1885, A., 318.

of insulating liquids (QUINCKE), 1883, A., 946.

of minerals, determination of (MICHEL-LEVY), 1885, A., 621.

Molècular refraction (Wiedemann), 1883, A., 762; (Suthermann), 1889, A., 454; (Landolt), 1890, A., 1.

Refractive index, measurement of, at high temperatures (BRUHL), 1891, A., 518.

estimation of glycerol in aqueous solution by means of its (Stron-Mer), 1884, A., 877.

estimation of oils and fats by means of their (JEAN), 1890, A., 89, 671; 1891, A., 625; (AMAGAT and JEAN), 1890, A., 91; (ELLINGER), 1891, A., 1305, 1401.

estimation of the strength of solution by means of their (Ellinger), 1891, A., 1305.

estimation of albumin in urine by means of its (ELLINGER), 1891, A., 1103.

of liquids, instrument for comparing (Sonden), 1891, A., 959.

Dispersion, phenomena of (GLAD-STONE), 1884, T., 258.

formula, experimental examination of the older and more recent (BRUHL), 1887, A., 195.

anomalous, produced by glowing vapours (WINKELMANN), 1888, A., 207.

relation between chemical constitution and (BRUHL), 1891, A., 774.

influence of, on molecular refractive power (BRUILL), 1887, A., 191.

of certain elements (GLADSTONE), 1888, A., 389.

of the diamond (SCHRAUF), 1885, A., 14.

of phosphorous oxide (THORPE and TUTTON), 1890, T., 566; P., 61. PHOTOCHEMISTRY-

Dispersion of sulphur (Schrauf), 1886, A., 406.

of certain metals (Dv Bois and Rubens), 1891, A., 373.

of rock salt (KETTELER), 1887, A., 751.

of sodium chromate (WYRUBOFF), 1885, A., 211.

of aqueous solutions (BARBIER and ROUX), 1890, A., 673.

of carbon compounds (BARBIER and ROUX), 1889, A., 805; 1890, A., 1353; 1891, A., 774; (GIADSTONE), 1891, T., 290; P., 35; (NASINI), 1891, A., 138.

(NASTNI), 1891, A., 138. of acids of the acetic series (BAR-BIER and ROUX), 1890, A., 1353.

of alcohols of the acetic series (BARBER and ROUX), 1890, A., 1034.

of allylbenzene- and propenyl-, benzene derivatives (Elikman), 1890, A., 748.

anomalous, of turpentine (v. Wyss),

1888, A., 542. crossed, of several rhombic substances (WYRUBOFF), 1884, A., 381.

molecular, of various substances in solution (GLADSTONE), 1891, T., 589; P., 103.

and molecular refractive energy of aromatic derivatives with saturated lateral chains, relation hetween (Costa), 1890, A., 1201.

magnetic rotation and refraction, correspondence between, in carbon compounds containing nitrogen (GLADSTONE and PERKIN), 1889, T., 750; P., 111.

Dispersion, rotatory, of certain alkaloids, camphor, cholesterin, certain sugars and of essence of terebenthene (GRIMBERT), 1888, A., 329.

of tartiates (Kummeill), 1891, A., 1115.

anomalous, of iron, colult and nickel (Lobacu), 1890, A., 673.

new method of determining (v. Wyss), 1888, A., 542.

Spectroscopy, radiant matter (Crookes), 1884, A., 241; 1887, A., 1066.

Spectrum, production of white light by mixing the colours of the (STROUMBO), 1887, A., 1.

Spectra, comparing (Love), 1888, A., 542.

Spectra and molecular aggregation, connection between (STENGER), 1888, A., 543.

comparative effect of different parts of the, on silver salts (ABNEY) 1886, A., 749; (ABNEY and EDWARDS), 1890, A., 933.

relation between the lines of various (Ames), 1891, A., 1; (Hartley),

1891, A., 773.

reversal of metallic lines in overexposed photographs of (HART-LEY), 1883, A., 263.

method of investigating faint bands in (Deslandres), 1891, A., 773. spontaneously reversible lines in (Cornu), 1885, A., 853.

of solar and terrestrial origin, distinction between lines of (Cornu),

1887, A., 313.

fluorescence with well defined (LECOQ DE BOISBAUDRAN), 1887, A., 1008; 1888, A., 97; 1890, A., 435.

of compounds rendered phosphorescent by the action of light or by the electric discharge (BEC-QUEREL), 1885, A., 1098.

of coloured salts and electrolytic dissociation (MAGNANINI), 1892, A., 757.

infra-red, obscrvations of, by means of phosphorescence (BEUQUEREL), 1883, A., 761.

infra-red (Becquerell), 1884, A.,1. infra-red, of metallic vapours (BECQUEREL), 1884, A., 1237.

ultra-red rays, incandescence by (LOMMEL), 1886, A., 5.

ultra-violet rays, absorption of, by various substances (LIVEING and DEWAR), 1883, A., 837.

activity of chlorophyll under the (Bonnier and Mangin), 1886, A., 387.

disappearance of some lines of (Liveing and Dewar), 1883, A., 2.

obtained with coils of low tension (Demarcay), 1887, A., 537.

of thin metallic films (Dudley), 1892, A., 1037.

of coated terminals (BROOKS), 1891, A., 249.

of the aurora borealis (Koch), 1890, A., 313.

of meteorites (LOCKYER), 1888, A.,

of the elements (RYDBERG), 1890, A., 674.

PHOTOCHEMISTRY-

Spectra, ultra-violet, of elements (LIVEING and DEWAR), 1883, A., 262.

of elements of the second periodic group (KAYSER and RUNGE), 1891, A., 965. of gases at low temperatures (SUN-

DELL), 1887, A., 1066; (Kocn), 1890, A., 313.

of non-metals, influence of temperature on (VAN MONCKHOVEN), 1883, A., 140.

of ammonia (MAGNANINI), 1890, A., 97.

of ammonia with a reversed induced current (LECOQ DE BOISBAU-DRAN), 1885, A., 1025.

the ammonia-oxygen (Eder), 1891, A., 1305.

of boron (HARTLEY), 1883, T., 397; 1884, A., 242.

of carbon (LIVEING and DEWAR), 1883, A., 1, 261.

of carbon, mathematical analysis of (GRUNWALD), 1888, A., 389, 882,

of fluorine (Moissan), 1890, A., 329.

of hydrogen (VAN MONCKHOVEN), 1883, A., 139; (LAGARDE), 1883, A., 537; (LIVEING and DEWAR), 1883, A., 838; (Hasselberg), 1885, A., 317; (Balmer), 1885, A., 1025; (Ames), 1891, A., 1; (Grünwald), 1892, A., 1381.

of iodine solutions (RIGULLOT), 1891, A., 374.

of nitric peroxide (BELL), 1885,

A., 949. of nitrogen (Deslandres), 1886, A., 189, 957; (AMES), 1891, A., 1. of nitrosyl chloride (MAGNANINI),

1890, A., 97.

of oxygen (EGOROFF), 1886, A., 189; (JANSSEN), 1886, A., 749; 1888, A., 765; (LIVEING and DEWAR), 1889, A., 1; 1890, A., 675.

of liquid oxygen (OLSZEWSKI), 1887, A., 625; 1891, A., 773.

of ozone (SCHÖNE), 1885, A., 713. of atmospheric air (Econoff), 1883, A., 137; 1886, A., 189; (JANSSEN), 1886, A., 1; (OLSZEWski), 1887, A., 625.

of silicon (HARTLEY), 1883, T., 397;

1884, A., 242. of silicon fluoride and hydride (Wesendonck), 1884, A., 649. of tellurium (HARTLEY), 1883, T.

399.

Spectra of thiophosphoryl fluoride (Thorre and Robarn), 1889, T., 322.

of water (LIVEING and DEWAR). 1883, A., 140; (Sorer and SAR)sin), 1884, A., 701.

of water vapour (Janssen), 1883,

A., 261.

ultra-violet, of water vapour, relation between the telluric bands, A, B, a, in the solar spectrum, and (DESLANDRES), 1885, A., 713.

of the oxyhydrogen flame (LIVEING

and DEWAR), 1888, A., 637. of metals (LECOQ DE BOISBAU-DRAN), 1885, A., 949; (TROW-BRIDGE and SABINE), 1889, A., 1.

of metals, variations of, due to mixed vapours (LIVEING and

DEWAR), 1883, A., 2.

emitted by metallic elements under varying conditions (HARTLEY), 1884, A., 187; (WIEDEMANN), 1884, A., 801.

of the metals produced by explosions (LIVEING and DEWAR), 1885, A., 817, 465.

of aluminium (HARTLEY), 1883, T., 396.

phosphorescent alumina (Crookes), 1887, A., 1006, 1069; 1889, T., 281.

of beryllium (HARTLEY), 1883, T.,

of cadmium (HARTLEY), 1883, T., 395; (Grunwald), 1889, A., 455; (AMES), 1891, A., 1; (KAYSER and RUNGE), 1891, A., 965. ultra-violet, of cadmium (Bell),

1886, A., 957.

of caesium (KAYSER and RUNGE), 1891, A., 137.

the cerium-group (Senorr-LANDER), 1892, A., 686.

chromic acid and alkaline chromates (Sabatier), 1886, A., 838; (VOGEL), 1888, A., 1129. ultra-violet, of cobalt (LIVEING and

DEWAR), 1889, A., 89. of cobalt compounds (Russell and

Orsman), 1889, P., 14. dissolved cobaltous chloride

(Russell), 1885, P., 67. of copper (HARTLEY), 1883, T., 396. of rare earths (KRUSS and NILSON), 1887, A., 890; 1888, A., 208; (BAILEY), 1888, A., 1, 208; (KIESEWETTER and KRUSS), 1888, A., 1038; (CROOKES), 1889, T., 255.

PHOTOCHEMISTRY-

Spectra of the rare earths present in gadolinite and samarskite (UROOKES), 1887, A., 334.

of didymium (DEMARQAY), 1886, A., 837; 1887, A., 1008; (BEG-QUELLE, 1887, A., 537, 873; (Schottlander), 1892, A., 686.

of the didymium group (BEG-QUEREL), 1887. 259; (Crookes), 1889. (Schottlander), 1892, A., 686.

of didymium salts, variations in (BECQUEREL), 1887, A., the

of neodymium and praseodymium oxides and of luminous solids containing neodymium (HAITINGER), 1892, A., 2.

of prascodymium (LEGOQ DE BOIS-BAUDRAN), 1888, A., 97.

of erbium (THALEN), 1883, A., 954. of the erbium group (CROOKES), 1889, T., 265.

of erbia (CROOKES), 1886, A., 749. of epidote (BECQUEREL), 1889, A., 553.

of ferric chloride (RUSSELL and ORS-MAN), 1889, P., 14.

of gallium (Lecou DE Boisbau-DRAN), 1888, A., 97; 1892, A., 930.

of gadolinium chloride (Lecoq DE Boisbaudran), 1891, A., 2.

of germanium (LECOQ DE BOISBAU-DRAN), 1886, A., 768; (KOBB), 1887, A., 313. of gold (Kruss), 1887, A., 555;

(ĎEMARCAY), 1888, A., 765.

of lanthana (Chookes), 1887, A., 1070.

of lithium (KAYSER and RUNGE), 1891, A., 137.

of lithium, order of reversibility of the lines of (Living DEWAR), 1883, A., 839.

of magnesium (Harliny), 1883, T., 392; (LIVEING and DEWAR), 1883, A., 2; 1889, A., 89; (AMES), 1891, A., 1.

magnesium, mathematical analysis of (Grunwald), 1888, A., 389, 882.

ultra-violet, of nickel (Liveing and DEWAR), 1889, A., 89.

of potassium, wave length of the two red lines in (DESLANDRES), 1888, A., 637; (KAYSER and Runge), 1891, A., 137.

of rubidium (KAYSER and RUNGE), 1891, A., 137.

Spectra of samarium (CLEVE), 1883, T., 366; (LECOQ DE BOISBAUDRAN), 1885, A., 621; 1892, A., 780; (CROOKES), 1885, A., 1025; (DEMARÇAY), 1886, A., 837; 1887, A., 1008.

of scandium (THALÉN), 1883, A., 954. of silver (HARTLEY), 1883, T., 396. of sodium (KAYSER and RUNGE),

1891, A., 137.

of the terbia earths (LECOQ DE BOISBAUDRAN), 1886, A., 293. of thulium (THALÉN), 1883, A.,

954.

of ytterbium (Thalén), 1883, A., 954.

of yttrium (CROOKES), 1885, A., 1025; (Lecoq de Boisbaudran), 1886, A., 838.

of yttria (LECOQ DE BOISBAUDRAN), 1889, A., 456; 1890, A., 566.

of phosphorescent yttria (CROOKES), 1886, A., 853; 1887, A., 1066, 1070.

of yttnium and samarium, mutual extinction of (CROOKES), 1885, A., 1025.

of the yttrium group (CROOKES), 1889, T., 269.

of Za and ZB (LECOQ DE BOIS-BAUDRAN), 1885, A., 666.

of Z\$ (Lecoo DE Boisbaudran), 1886, A., 958.

of zinc (HARTLEY), 1883, T., 394; (AMES), 1891, A., 1.

of zircons (Linnemann), 1885, A., 1173.

of carbon compounds (LIVEING and DEWAR), 1883, A., 261; (WESEN-DONCK), 1883, A., 761.

ultra-violet, of carbon compounds (Deslandres), 1888, A., 637.

relation between the molecular structure of carbon compounds and their (Kiruss and Occonomides), 1883, A., 1041; (Haltler), 1885, T., 685; P., 59; 1886, P., 245; 1887, T., 152; 1888, T., 641; P., 66; (Kiruss), 1885, A., 949; 1888, A., 1141; (Althausse and Krüss), 1889, A., 1098.

of hydrocarbons (DESLANDRES), 1891, A., 773.

of hydrocarbon flame, origin of (Liveing and Dewar), 1883, A.,

ultra-violet of the paraffin derivatives (Sourt and RILLIET), 1890, A., 434.

PHOTOCHEMISTRY-

Spectra, ultra-violet, of albuminoids (SORET), 1884, A., 242.

of albuminoids from grain (HART-LEY), 1886, P., 247; 1887, T., 58.

of albumin, casein, diastase, gelatin, invertase, maize-starch, serin, cane-sugar, and of glucose (HART-LEY), 1887, T., 59.

of alkaloids (HARTLEY), 1885, A., 1174.

of benzene, naphthalene, toluidines, xylenes, dipyridine, picoline, piperidine, pyridine, quinoline, and of tetrahydroquinoline and its hydrochloride (HARTLEY), 1885, T., 694.

of blue pigments (PITCHER), 1889, A., 325.

of colouring matters (GIRARD and PABST), 1885, A., 1098.

relation hetween the composition and, of organic dyes (VOGEL),

1888, A., 97. of acid brown, amidoazo-α- and -β-naphthalenes, aurin, azohenzene, benzeneazo-β-naphtholsulphonic acid, Biebrich scarlet, Bismarck brown, chrysoidine, crocein-scarlet, cumencazo-Bnaphtholdisulphonic acid, dimethylamidobenzeneazobenzene-"fast red." sulphonic acid, helianthin (methyl-orange), Hofmann's violet, iodine green, murexide, rosaniline, sulphoxyleneazo-\(\beta\)-naphtholdisulphonic acid, triphenylmethane and of tropolins (HARTLEY), 1887, T., 167.

of cresols, m- and p-hydroxybenzoic acids, pyrocatechol, quinol and resorcinol (HARTLEY), 1888, T., 643.

of methyl derivatives of hydroxyanthraquinone (Liebermann and v. Kostanecki), 1887, A., 1. of alkoxyanthraquinones (Lieber-

MANN), 1888, A., 1203.
of ζ-invertan (O'Sullivan and Tomrson), 1890, T., 912.

of peppermint oil (Andres), 1891,

A., 2. influence of certain rays of, on the growth of plants (GRIFFITHS), 1884, T., 74.

of bilberries and wine (VogeL),

1888, A., 1137.

of chlorophyll (STENGER), 1887, A., 693; (HARTLEY), 1890, P., 161; 1891, T., 106.

Spectra of bile (WERTHEIMER and MEYER), 1889, A., 636.

of blood (SORET), 1881, A., 381; (LINOSSIER), 1888, A., 1139. sensitiveness

homatin, sensitiveness (Janeček), 1892, A., 1369. of acid methemoglobin (BERTIN-

SANS), 1888, A., 858.

ther mograms Absorption-spectra (ABNEY and FESTING), 1885, A., 1175.

Homologous spectra (HARTLEY), 1883, T., 390.

Incandescence spectra (Cuookes), 1889, P., 267.

Invisible lunar and solar spectra (LANGLEY), 1889, A., 325.

Phosphorescence spectra (CROOKES), 1887, A., 1006, 1069; 1889, T., 267.

tion of different earths on (CROOKES), 1889, T., 275. action of

interference of (CROOKES), 1889, T., 276.

Reversion spectra (CROOKES), 1889, T., 279.

Solar spectrum (Langley), 1883. A., 137.

atmospheric absorption in the infrared of the (ABNEY and FESTING), 1883, A., 837.

distribution of heat in the ultrared region of the (DESAINS), 1883, A., 143.

relation between the ultra-violet spectrum of water-vapour and the telluric bands, A, B, a in the (DESLANDRES), 1885, A., 713.

behaviour of the haloid salts of silver in the (EDER), 1885, A., 703, 936.

effect of dyes on the behaviour of silver bromide towards the (EDER), 1886, A., 405.

influence of certain rays of the, on root absorption and the growth of plants (A. B. and F. E. GRIFгипs), 1888, A., 623.

chlorophyll and the distribution of energy in the (TIMIRIAZEFF), 1883, A., 697.

Spectroscope, absorption (DE THI-ERRY), 1886, A., 113.

universal (KRUSS), 1887, A., 179. for furnaces and for the Bessemer process (ZENGER), 1886, A., 190.

Spectrum analysis (SUNDELL), 1887, A., 1066.

influence of temperature (Krüss), 1885, A., 209.

Photochemistry-

Spectrum analysis, application of the method of high interference to (EBERT), 1888, A., 766.

application of, to chemical physiology (Lambling), 1889, A., 73.

application of photography to (IIA KTLEY), 1883, A., 263; 1885, A., 466; (EDER), 1887, A., 93. lecture experiments on (CLEMIN-

snaw), 1885, A., 1035. quantitative (KRUSS), 1885, A.,

835. estimation of colouring matters by

means of (Patterson), 1890, A., 1476.

quantitative estimation of lithium by means of (BELL), 1885, A., 1012; (HOFMANN), 1886, A.,

observations of columns of liquids in (Vogel), 1888, A., 1129. estimation of iron and thiocyanates

by means of (KRUSS MORAHT), 1889, A., 1247.

estimation of hæmoglobin in blood by means of (BRANLEY), 1883. A., 394.

estimation of indican in urine by means of (MACMUNN), 1884, A., 198.

estimation of the rate of consumption of oxygen in tissues by means of (DENNIG), 1884, A., 1391.

of vapours evolved on heating metals, at atmospheric pressure (Parry), 1881, A., 801; 1885, Λ., 318.

methods of (DEMARCAY), 1885, A., 465.

coal-gas volatiliser for use in (VOCEL), 1888, A., 1129.

method of studying reversal of spectral lines (LIVEING and DEWAR), 1883, A., 262.

Photography. See Photochemistry.

Photosantonic acid (UANNIZZARO), 1886, А., 73.

specific rotatory power of (NASINI), 1881, A., 464.

isoPhotosantonic acid (CANNIZZARO and

FABRIS), 1887, A., 57.

Photosantonins, two isomeric (VILLAvecchia), 1886, A., 73.

Phthalacene (GABRIEL), 1884, A., 1176. derivatives (Gabriel), 1884, A., 1189.

Phthalacenic acid (GABRIEL), 1884, A., 1190.

Phthalaconecarboxylic acid and its derivatives (Gabriel), 1884, A., 1176.

Phthalaldehyde (Möncemeyer), 1887, A., 482.

isoPhthalaldehyde (MEYER), 1887, A.,

o-Phthalaldehydic acid (aldehydobermour acid) and its derivatives (RACINE), 1886, A., 549; 1887, A., 951; 1888, A., 693; (ALLENDORFF), 1891, A., 1369.

action of ortho-diamines on (BISTRZYCKI), 1890, A., 969; 1891, A., 746.

action of potassium cyanide on (GRAEBE and LANDRISET), 1891, A., 1225.

phenylmethylhydrazone of (Allen-DORFF), 1891, A., 1371.

Phthalaldoxime and asophthalaldoxime (MUNCHMEVER), 1887, A., 482.
Phthalamic acid (Aschan), 1886, A., 705; (Auger), 1888, A., 953.

705; (Auger), 1888, A., 953.

Phthalamide, compounds of, with phenols (Ostersetzer), 1891, A.,

phenols (OSTERSETZER), 1891, A., 65. amido- (Pellizzari), 1886, A., 1025.

4-sulpho- (REE), 1886, T., 521. 3- and 4-sulpho- (REMSEN and Com-

stock), 1884, A., 320. isoPhthalamide, thio- (Luckenbach),

1884, A., 1157. isoPhthalamidine, and its salts (Luckenbach), 1884, A., 1158.

nitrite (Lossen), 1892, A., 53.

Phthalamidoacetic acid, derivatives of

(REESE), 1888, A., 148. Phthalamidobenzanilide (Piurti), 1883,

A., 999.

Phthalamidobenzoic acid (Pellizzahi),

1885, A., 534. action of aniline and p-toluidine on (Piutri), 1883, A., 999.

Phthalamidodiphenylamine (Henoke), 1890, A., 609.

Phthalamidohexoic acid (Reese), 1888, A., 149.

Phthalamidones (BISTRZYCKI and CYBULSKI), 1892, A., 1248.

Phthalamidoquinoline(KYRITZ), 1890,
 A., 1324.

Phthalanilphenylic phenylcarbamate (LEUCKART), 1890, A., 761.

Phthaleins (MEYER), 1891, A., 1029. constitution of (Armstrong), 1888, P., 30.

compounds analogous to (REMSEN), 1885, A., 539.

isoPhthalenediamidoxime (Goldberg), 1890, A., 147.

Phthalethimidylacetic acid (MERTENS), 1887, A., 51. Phthalethylidene (ROSER), 1886, A., 243. Phthalic acids, constitution of (Noltwork), 1886, A., 67.

reduction of (v. BAEYER), 1887, A., 370.

conversion of the three amidohenzoic acids into (Sandmeyer), 1885, A., 981.

biominated (Blumlein), 1885, A., 162.

tetrabrono- (FRIEDEL and CRAFTS), 1886, A., 230.

Phthalic acid, thermochemistry of (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1096.

specific heat of (HESS), 1889, A., 93.

action of aminouium and potassium thiocyanates on (Aschan), 1886, A., 704.

action of, on amido-acids (DRECHSEL), 1853, A., 1126; (REESE), 1888, A., 369.

reduction products of (v. Barven), 1890, A., 1275; 1892, A., 1211.

amidolænzoic acid derivatives of (Pellizzari), 1885, A., 533.

phenylhydrazine (Horre), 1887, A., 669.

sodium salt of, action of phosphorus trisulphide on (VOLHARD and ERD-MANN), 1885, A., 763.

Phthalic acid, amido-, salts of (LANDS-BERG), 1883, A., 476.

3-bromo-(Guareschi), 1884, A., 843; 1886, A., 353; 1888, A., 1300; (Meldola), 1885, T., 511; (Stallard), 1886, T., 187; P., 138.

4-broino-(Carnelley and Thomson), 1885, T., 591; P., 88; (Nourrisson), 1887, A., 668.

1:4-dibromo- (Guareschi), 1881, A., 812.

tribromo-, and its salts (FLESSA), 1884, A., 1186.

3-chloro- (Guareschi), 1886, A., 353; 1887, A., 837.

4-chloro- (Claus and Kautz), 1885, A., 972; (Gharbe and Rie), 1886, T., 526; P., 211.

constitution of (REE), 1886, A., 353.

4:5-dichloro- (CLAUS and KAUTZ), 1885, A., 972; (CLAUS and GRONEWEG), 1891, A., 921.

(\$-acid) (CLAUS and SCHMIDT), 1887, A., 270.

o-S-acid (LE ROYER), 1887, A., 831. trichloro- (CLAUS and KAUTZ), 1885, A., 972.

tetrachloro-, and its derivatives (GRAEBE), 1887, A., 832.

Phthalic acid, tetruchloro-, from tetruchlorohenzoic acid (Tust), 1888, A., 836.

preparation of (ANON.), 1885, A., 1274.

4-chloro-5-bromo-(Chaus and Grone-wez), 1891, A., 921.

5:3- and 6:3-dinitro- (MERZ and WEITH), 1883, A., 344.

3-sulpho- (REMMEN and COMSTOCK), 1884, A., 320; (STOKES), 1885, A., 540; (RÉE), 1886, T., 512; (MOULTON), 1891, A., 1064.

salts of (REMSEN and COMSTOCK), 1884, A., 320; (STOKES), 1885, A., 540.

4-sulpho- (REMSEN and COMSTOUR), 1884, A., 320; (GRAEBE), 1885, A., 902; (RÉE), 1886, T., 510; P., 211.

from phthalic acid (Rέε), 1885, Δ., 1062.

salts of (REMSEN and COMSTOCK), 1884, A., 320.

isoPhthalic acid (m-phthalic acid), preparation of (Kipping), 1888, T., 45. thermochemistry of (Stohmann, Kleber and Langbein), 1889, A.,

4-amido- (Loewenherz), 1892, Δ., 1464.

diamido- (CLAUS and WYNDHAM), 1889, A., 143.

4-bromo- (SCHOPFF), 1892, A., 337. dibromo- (CLAUS and WYNDHAM), 1889, A., 143.

4-chloro- (CLAUS), 1892, A., 1201.

4:6-dichloro-, and 2:4:6-/richloro-(CLAUS and BURSTERT), 1890, A., 1106.

iodo-, and its salts (KLINGEL), 1886, A., 61; (HAMMERICH), 1890, A., 1107.

4-nitro- (CLAUS and WYNDHAM), 1889, A., 142; (NOYE-), 1889, A., 395.

dinitro- (CLAUS and WYNDHAM), 1889, A., 142.

2:4-disulpho- (Wischin), 1891, A., 73.

p-Phthalic acid. See Terephthalic acid.

Phthalates, heats of formation of (Colson), 1885, A., 1104.

Phthalic alcohol, oxidation of (HJELT), 1886, A., 455.

action of sulphuric acid on (HJELT), 1886, A., 791.

Phthalic anhydride, thermochemistry of (Stohmann, Kleuer and Lang-Brin), 1889, A., 1096. Phthalic anhydride, action of, on amido-acids (Reese), 1888, A., 148.

action of, on benzylic cyanide (GA-BRIEL), 1885, A., 902.

action of phonylhydrazine on (Hötfe), 1885, A., 1221.

action of phosphoric chloride on (Chaus and Hoon), 1886, A., 705. action of, on secondary monamines

(Piutti), 1884, A., 448. reduction of, by zinc and glacial acetic acid (Wislicenus), 1885,

A., 57. condensation products from (GA-BRIEL), 1884, A., 1176.

Phthalic anhydride, bromo- (Guar-ESCHI), 1884, A., [843; 1888, A., 1300.

3:6-dibromo- [m.p. 207.5°] (GUAR-ESCHI), 1884, A., 842.

dibromo- [m.p. 208°] (BLÜMLEIN), 1885, A., 163.

tribromo- (Flessa), 1884, A., 1186. tetrabromo- (Blümlein), 1885, A., 164; (Friedel and Crafts), 1886, A., 230.

4-chloro- (GRAEBE and RÉE), 1886, T., 528.

4:5-dichloro- (CLAUS and GRONE-WEG), 1891, A., 921.

tetrachloro-, preparation of (ANON.) 1885, A., 1274.

crystalline form of (SORET), 1886, A., 620.

4-chloro-5-bromo-(CLAUS and GRONE-WEG), 1891, A., 921.

1-sulpho- (line), 1886, T., 515.

thio-(GRAEBE and ZSCHOKKE), 1884, A., 1025; (RAÝMAN), 1887, A., 951;

Phthalic chloride (('LAUS and HOCH), 1886, A., 705; (AUGER), 1888, A., 953.

constitution of (Noisting and DE Brent), 1884, A., 1024; (Mever), 1884, A., 1187.

action of, on ethylic sodiomalonate (Wishicenus), 1888, A., 149.

action of, on phenols (MMYKR), 1891, A., 1485.

nction of zine othyl and zine methyl on (RJASANTZEFF), 1889, A., 1059. 4-chloro- (GRAMBE and RME), 1886, T., 527.

Phthalic mono- and di-chlorides, 4-sulpho- (RME), 1886, T., 520.

Phthalic glycol (Colson), 1884, A., 1000.

Phthalic-sulphinide (STOKES), 1885, A., 539.

Phthalic-sulphinide, derivatives of (Moulton), 1891, A., 1063. salts (Remsen and Combrock), 1884,

A., 320.

Phthalide (Hjelt), 1886, A., 469. action of phenylhydrazine on (Meyer and Munchmeyer), 1886, A., 883; (Wishioenus), 1887, A., 489.

action of potassium cyanide on (Wis-LICENUS), 1885, A., 532.

reduction of (Graebe), 1885, A., 165. derivatives of (HONIG), 1886, A., 242. Phthalide, amido-[m.p. 167°] (RACINE),

1887, A., 951. 5-amido- [m.p. 178°] (Honig), 1886,

A., 242.

bromo- (RACINE), 1886, A., 549. dibromo- (GUARESCHI), 1884, A.,

dichloro- (LE ROYER), 1887, A., 832. 3:6-dichloro- (Guareschi), 1886, A., 808.

chlorobromo- (GUARESCHI and BIGI-NELLI), 1887, A., 1114.

thio- (GRAEBE), 1889, A., 140.

Phthalidecarboxylic acid (SCHERKS), 1885, A., 533; (JUILLARD), 1888, A., 707.

Phthalidohydrazobenzene (ALLEN-DORFF), 1891, A., 1370.

Phthalidomethylene (GABRIEL), 1885, A., 165.

Phthalido-\$\beta\text{-propionic acid, and its salts (Roser), 1885, A., 267.

Phthalimide (LANDSBERG), 1883, A., 475; (BAMBERGER and MULLER), 1888, A., 950; (AUGER), 1888, A., 953.

action of hypobromites on (Hoogewerff and VAN Dorr), 1891, A., 1217.

reduction of (Graebe), 1885, A., 165. isomeride of (Hoogewerff and Van Dorp), 1891, A., 1218. derivatives of (Landsberg), 1883, A.,

derivatives of (Landsburg), 1883.A., 475; (Gofdeckemeyer), 1888, A., 1291.

Phthalimide, 4-chloro- (GRAEBE and REE), 1886, T., 529.

4 5-dichloro- (LE ROYER), 1887, A., 832.

4-sulpho-ammonium derivative of (RÉE), 1886, T., 519.

Phthalimides, substituted, and their conversion into the corresponding amines (NEUMANN), 1890, A., 890.

Phthalimidine (GRADBE), 1885, A., 166, 979; 1889, A., 140; (BARBIER), 1889, A., 253.

derivatives of (GRAEBE), 1889, A., 140.

Phthalimidine, nitroso-(GRAEBE), 1885, A., 166.

thio-, derivatives of (DAY and GABRIEL), 1890, A., 1250.

ψ-Phthalimidine (GABRIEL), 1887, A., 1038.

Phthalimidines, substituted (GRAEBE and Picter), 1889, A., 141.

Phthalimidobenzenesulphonic acid, sodium salt of (Pellizzari and Matteucci), 1888, A., 1302.

isoPhthalimido-ether, -dimethyl ether and -dithiodiethyl ether and their hydrochlorides (Luckenbach), 1884, A., 1157.

Phthalimido-isethionic acid and -naphthalenesulphonic acid, potassium salts of (Pellizzari and Matteucci), 1888, A., 1302.

Phthalimidopropiophenone (SCHMIDT), 1890, A., 372.

 β-Phthalimidopropyl mercaptan (SEITZ), 1891, A., 1473.
 Phthalimidoxime (MULLER). 1886, A., 803.

Phthalimidylacetic acid (Roser), 1885, A., 159; (Gabriel), 1885, A., 1228. Phthalimidylbenzyl. See Benzylidene-

phthalimidine.

Phthalimidylpropiolactone and β -phthalimidylpropionic acid (Roser), 1886, A., 243.

Phthalobenzophenylhydrazides, a- and B- (HOTTE), 1887, A., 670.

Phthalo-ψ-cumidamide and -ψ-cumidide (Frohlich), 1884, A., 1318.

Phthalo-m-isocymidide, and its nitrocompound (Kelbe and Warth), 1884, A., 47.

Phthalodiamide (Wislicenus), 1888, A., 150.

action of hypochlorites and hypobromites on (HOGGEWERFF and VAN DORP), 1891, A., 1216.

Phthalodiethylbenzidine (SCHIFF and

Phthalodiethylbenzidine (Schiff and Vanni), 1890, A., 1297. Phthalodiphenylamineaspartides (Pr-

Phthalodiphenylamineaspartides (Prurr), 1885, A., 797; 1886, A., 621.

Phthalodiphenylasparagines, two isomeric (Piutri), 1885, A., 797.

Phthalodiphenyldihydrazide and aphthalodiphenylhydrazide (HOTTE), 1887, A., 670

Phthalodiphenyline (REULAND), 1890, A., 167.

Phthalodisarcosine (REESE), 1888, A., 369.

Phthalomethimidylacetic acid (GA-BRIEL), 1885, A., 1228. Phthalo-8-naphthylimide (MASCHKE),

1887, A., 839.

849

isoPhthalonitrile, preparation of (GoLD-BERG), 1890, A., 147.

derivatives of (Luckenbach), 1884, л., 1157.

α-Phthalonitrosophenylhydrazide (Horre), 1887, A., 670.

isoPhthalophenonedioxime (Müncn-MEYER), 1886, A., 877.

Phthalophenyl-benzohydrazinic acid and -hydrazidamide (Hötte), 1887, A., 670.

(Hötte), a-Phthalophenylhydrazide 1886, A., 353; 1887, A., 670; (PELLIZZARI), 1886, A., 1025; 1888, A., 54.

mono- and di-nitro- and nitrosoderivatives of (Hörre), 1887, A.,

8-Phthalophenylhydrazide (PELLIZ-ZARI), 1886, A., 1025; 1888, A., 54; (Hotte), 1887, A., 670.

Phthalophenylmethylasparagine | UTTI), 1886, A., 621.

Phthalotaurine (GABRIEL), 1891, A.,

Phthalotoluidides, o-, m- and p- (Frön-LICH), 1885, A., 155.

Phthaluric acid and its salts (DRECH-SEL), 1883, A., 1126.

Phthalyl derivatives (Roser), 1885, A., 165, 267, 797; 1886, A., 243.

Phthalylacetic acid, and its salts (Drechsel), 1883, (Roser), 1885, A., 165. A.,

constitution of (GABRIEL), 1883, A., 1127; 1885, A., 164.

action of amines on (GARRIEL), 1885, A., 1228; 1887, A., 51.

Phthalylaspartic acid and its derivatives (Piutti), 1885, A., 796; 1886, A., 621.

Phthalylchloracetic acid (ZINCKE and Cooksky), 1890, A., 785.

Phthalyl-\u03c4-cumidic acid and its salts

(FRÖHLICH), 1884, A., 1319. Phthalyloyanethine (v. MEYER), 1889, A., 685.

Phthalyldiecgonine (EINHORN KLEIN), 1889, A., 283.

o-Phthalyldi-d-ecgonine (DECKERS and EINHORN), 1891, A., 476.

Phthalylglycocine. See Phthalamidoacetic acid.

Phthalylisopropylidene (Rosen), 1885, A., 268.

Phthalyltropeine (Ladenburg), 1883, A., 672.

Phthisical patients, sugar from the lungs and saliva of (Poucuer), 1883, A., 929.

Phycite. See Erythritol.

Phycoerythrin, isomeric modifications of (SCHUIT), 1889, A., 623.

Phycophæin (Schuff), 1888, A., 496. Phykopyrrin (Schurt), 1890, A., 1173.

hyllite from Rimogens, in the Ardennes (GEINITZ), 1883, A., 447. Phyllite

Phyllites of the Tyrolean Alps (Picir-LER), 1884, A., 274.

Phyllocyanic acid (Tsouthon), 1887, A., 1117; (WOLLHEIM), 1888, A., 723.

Phyllocyanin (Sachsse), 1885, A., 670; (Schunck), 1885, A., 1241; (Wollпеім), 1888, А., 723.

Phyllorubin (Wollheim), 1888, A., 723. Phyllotaonin (Schunck), 1889, A., 279. Phylloxanthin (Schunck), 1885, A.,

1241. Phylloxera. See Agricultural Chemistry. Phymatorusin (MÖRNER), 1887, A., 168.

Physiological action, relation between chemical constitution and (BRUN-TON and CASH), 1884, A., 348; 1887, A., 985; 1891, A., 1279; (GIBBS and HARE), 1890, A., 280.

relation between chemical constitution of aromatic compounds and (Oddo), 1892, A., 366.

relation between chemical constitution of certain sulphones and (BAUmann and Kasr), 1889, A., 1232.

parallelism between optical properties of inorganic substances and (BLAKE). 1890, A., 813.

of acetaldehyde (GAUBE), 1890, A.,

of paracetaldehyde (CERVELLO), 1884, A., 199; (BOCKAL), 1887, A., 391.

of acetanilide (LEPINE), 1888, A., 184; (JAFFE and HILBERT), 1888, A., 735; (MÖRNER), 1889, A., 289; (CHITTENDEN and STEWART), 1889, A., 533.

of acetic acid (MALLEVRE), 1891, A., 344.

of acciophenone (DUJARDIN-BRAU-METZ and BARDET), 1886, A., 169; (MAIRET and Combemale), 1886, A., 385; (Karmenski), 1889, A., 1076.

of acctotoluidides (JAFFE and Iltiвент), 1888, А., 735.

of acctoximes and ketones (PASCIIKIS and OBERMAYER), 1892, A., 1506.

of acids and alkalis (LEHMANN), 1885, A., 279.

of fatty acids (MUNK), 1884, A., 852; 1891, A., 345.

of atmospheric air deficient in oxygen (WALLAGE), 1883, A., 819; (KEMP-NER), 1884, A., 344.

Physiological action of expired atmospheric air (Brown-Sequand and D'ARSONVAL), 1889, A., 629.

rarefied atmospheric (Fraenkel and Gerrert), 1884, A., 470.

of air charged with petroleum vapour (Poincaré), 1884, A., 1057.

of some digestion products of albumin (POLLITZER), 1886, A., 377. of albumose (OTT and COLLMAR),

1888, A., 1325.

of albumose from jequirity seeds (MARTIN), 1890, A., 398.

of albumoses and peptones (NEU-MEISTER), 1888, A., 516.

of alcohols (GIBBS and REICHERT), 1891, A., 1393.

of tertiary alcohols (THIERFELDER and v. MERING), 1885, A., 1002;

(SCHAPIROFF), 1887, A., 857. of alcohols and artificial bouquets (LABORDE and MAGNAN), 1888, A., 737.

of aldehyde-ammonia (GIBBS and REICHERT), 1891, A., 1393.

of aldehydes (COHN), 1892, A., 1504. of alkaline earths (BRUNTON and Cash), 1884, A., 348; (RICHET), 1886, A., 385; (CURCI), 1888, A., 621.

of alkalis (Brunton and Cash), 1884, A., 348; (CURCI), 1888, A., 621; (Dufourt), 1891, A., 758.

of alkalis and acids (LEHMANN), 1885, A., 279.

of the alkaloid sulphates (CHITTEN-DEN and CUMMINS), 1888, A., 77.

of alloxantin (Kowalkwsky), 1887, A., 508.

of amides (ZUNTZ), 1884, A., 472; (Weiske and Schulze), 1885, A., 409; (Gires and Reichert), 1891, A., 1282.

of amidobenzoic acid (GIBBS and HARE), 1890, A., 280.

of certain amido-compounds (BAHLmann), 1887, A., 512.

of ammonia (RÖHMANN), 1887, A.,

68; (Belky), 1887, A., 392.
of ammonium bases (Glause and Luchsinger), 1885, A., 415.

of n-amylic nitrite (Brunton and Bokenham), 1889, A., 433.

of anilides (GIBBS and REICHERT), 1891, A., 1282.

of aniline (MULLER), 1887, A., 514; (FALKENBERG), 1891, A., 853. of aniline-p-sulphonic acid (VILLE),

1892, A., 903.

Physiological action of antharobin and chrysarobin (LIEBERMANN), 1888, 518; (WEYL), 1889, A., 539.

of antipyrin (CHIPTENDEN and CUM-MINS), 1888, A., 77; (NEBELTHAU), 1891, A., 1527.

of arbutin and of Folia www wrsi (LEWIN), 1884, A., 915.

certain aromatic aubstances (KLINGENBERG), 1891, A., 1529.

of arsenic and antimony (CHITTEN-

DEN and BLAKE), 1889, A., 537. of arsenious oxide (CHITTENDEN and CUMMINS), 1888, A., 77.

of Arum italicum (SPICA and BIS-CARO), 1886, A., 94.

of asparagine (WEISKE and SCHULZE), 1885, A., 409; (Munk; v. Voit), 1885, A., 412; (Weiske), 1888, A., 80; (Könic), 1891, A., 1525; (Graffenberger), 1892, A., 904.

of atropine (HAMMERBACHER), 1884, A., 1396; (LANGLEY), 1888, A., 1216; 1890, A., 397.

of isoatropylcocaine (HESSE), 1889, A., 732

of azoimide (Loew), 1892, A., 90.

of balsams (STOCKMAN), 1891, A.,

of base C₇H₁₀N₂ (WURTZ), 1888, A., 622.

of hot baths (Formanek), 1892, A., 1503.

of hot and cold baths (PLETZER), 1884, A., 621.

of benzaldehyde (Conn), 1890, A.,

of benzene and its derivatives (Brun-TON and Cash), 1891, A., 1279.

of benzoic anhydride (SALKOWSKI), 1888, A., 864.

of boric acid (Forster), 1883, A., 1178; 1884, A., 782; (Johnson), 1886, A., 572.

of borneol (STUCKMAN), 1888, A., 1216.

of bromostrychnine (Brunton), 1885, T., 143; P., 5.

of brucine (Brunton), 1885, T., 143; P., 5; (Mays), 1888, A., 312.

of butylchloral hydrate (Косн), 1887, A., 391.

of cacodylic acid (MARSHALL and GREEN), 1886, A., 730.

of caffeine (MALY and ANDREASCH), 1883, A., 1018; (BRUNTON and Cash), 1887, A., 985; 1888, A., 1217; (COPPOLA), 1888, A., 312; (CHITTENDEN and STEWART), 1889, A., 534.

Physiological action of calcium salts (IRVINE and WOODHEAD), 1889, A., 653; (Pekelharing), 1892, A., 87; (Griesbach), 1892, A., 1112.

calcium &-naphthol-a-sulphonate (STACKLER), 1892, A., 1116.

of calcium sulphate (GREEN), 1888, A., 306; (IRVINE and WOODHEAD), 1889, A., 429.

of calomel (Wassilieff), 1883, A.,

of camphors and of their compounds with chloral (Schmitt), 1892, A.,

of carbohydrates (Albertoni), 1889, A., 1023.

of carbolic acid (BISCHOFF), 1883, A., 1021; (ZWAARDEMAKER), 1891, A., 762.

of carbon tetrachloride (REGNAULD and Villejean), 1885, A., 926.

of carbon disulphide (CKIANDI-BEY), 1885, A., 97; (Westberg), 1892, A., 1520.

of trichloracetic acid (HERMANN), 1885, A., 575.

of chloral (KAST), 1887, A., 613. of chloral hydrate (KOCH), 1887, A., 391; (NEBELTHAU), 1891, A., 1527.

of chlorates (MARCHAND), 1888, A., 977; (CAHN), 1888, A., 978; (FALKENBERG), 1891, A., 853.

trichlorethylic alcohol (KÜLZ),

1885, A., 283. of mono- and s-dichlorethylic sulphides (MEYER), 1887, A., 857.

of chlorides (GIRARD), 1889, A., 1227. of chlorine compounds (Kast), 1887,

A., 612. of trichlorobutylic alcohol (Kuiz),

1885, A., 283. of chloroform (Zellen), 1881, A.,

1062; (Kast), 1887, A., 612. of impure chloroform (Du Bois Rey-

MOND), 1892, A., 745. chloromethano (REGNAULD and Villejean), 1885, A., 926.

of dichloromethane when compared with that of chloroform (REGNAULD and Villetean),1885, A., 285, 926.

of choline, neurine and allied compounds (SCHMIDT), 1892, A., 905.

of chrysarobin and antharobin (LIK-BERMANN), 1888, A., 518; (WEYL), 1889, A., 539.

of cinchonamine (SEE and BOCHEFON-TAINE), 1885, A., 571, 682.

of three coal-tar yellows (CAZENEUVE and LEPINE), 1886, A., 273.

cobalt salts (CHITTENDEN and Norris), 1889, A., 538.

Physiological action of cocaine (GRAS-SET), 1885, A., 285, 415; (GRASSET and JEANNEL), 1885, A., 571; (RICHARD), 1885, A., 1002; (SIGHI-ЕПЛЛ), 1888, А., 312; (Моsso), 1888, А., 864; 1891, А., 486.

coffee (Fort), 1883, A., 745; (Courr), 1884, A., 1392.

of colchicine (MAIRET and COMBE-MALE), 1887, A., 515, 614.

of 8-collidine (MARCUS and OECHSNER

DE CONINCK), 1883, A., 104. of \$\beta\$-collidine hexahydride (Boung-FONTAINE and OECHSNER DE CO-NINCK), 1885, A., 681.

of convolvulin (Dragendorff), 1887, A., 291.

of copper (Ellenberger and Hof-MEISTER), 1884, A., 474.

of copper compounds (DU MOULIN), 1886, A., 483.

of copper sulphate (CHITTENDEN and CUMMINS), 1888, A., 77.

of corn-cockle (Agrostemma githago; Githago segetum) (Lehmann and Mori), 1890, A., 1458; (Kornauth and ARCHE), 1892, A., 1018.

of the three cresols (GIBBS and HARE),

1890, A., 813.

of croton oil (SENIER), 1884, A., 947. of curare (DEMANT), 1886, A., 1054; (Nikolsky and Dogiel), 1891, A., 487.

cyanuric acid (GIBBS REIGHERT), 1891, A., 1393. (GIBBS

of cystein (Goldmann), 1885, A., $92\bar{2}.$

of dihydroxynaphthalene (Liepine), 1888, A., 184.

of drugs (Stumpf), 1883, A., 818. of artificial dyes (WEYL), 1888, A., 1122.

of ethylenic chloride (Dubots and Roux), 1888, A., 517.

of ethylic alcohol (Kumperr), 1884, A., 370; (ALBERTONI), 1888, A., 973; (BODLANDER), 1888, A., 977; (Keller), 1889, A., 288; (Chir-TENDEN and SMITH), 1891, A., 1272; (KLINGEMANN), 1892, A., 365.

of ethylic carbamato (v. Jaksen), 1886, A., 572; (MAIRET and Com-BEMALE), 1886, A., 640. ethylic lactate (PELLACANI and

Bertoni), 1888, A., 309.

of cuxanthone (v. Kostanecki), 1887, A., 272.

of fibrin (Graffenberger), 1892, A.,

of fish (ATWATER), 1887, A., 1130.

- Physiological action of fluorobenzoic acids (Coppola), 1884, A., 446.
 - of Folia www ursi and of arbutin (LEWIN), 1884, A., 915.
 - of acidified food (WEISKE), 1887, A., 855.
 - of formates (GRÉHANT and QUIN-
 - QUAUD), 1887, A., 513. of edible fungi (DUPETIT), 1883, A., 611; 1884, A., 204; (MORNER), 1886, A., 1053.
 - of furfuraldehyde sodium hydrogen sulphite (GIBBS and REICHERT), 1891, A., 1393.
 - of gallic and tannic acids (MORNER), 1892, A., 904.
 - of the products of incomplete combustion of illuminating gas (GRE-HANT), 1888, A., 517.
 - of gaseous poisons (Belky), 1887, A., 392.
 - of gelatin (CHITTENDEN and SOLLEY), 1891, A., 949; (GRAFFENBERGER), 1892, A., 904.
 - of glycerol (ARNSCHINK), 1887, A., 509; (RANSOM), 1887, A., 985; (v. Torring), 1889, A., 736; (Munk), 1891, A., 345.
 - of glycerolphosphoric acid (EYMON-NET), 1884, A., 1058.
 - glyceryl trinitrate (nitroglycerol) (HAY), 1885, A., 681.
 - of guaiacol (MARFORI), 1891, A., 99. of heat (SENATOR), 1884, A., 1393; GRANDIS), 1890, A., 1334.
 - of hydrazine (Loew), 1891, A., 239. of hydrazines (GIBBS and REIGHERT), 1891, A., 1280.
 - of hydrochloric acid (WHITE), 1892, A., 1117.
 - of hydrogen peroxide (BECHAMP), 1883, A., 103, 227.
 - of hydrogen sulphide (BROUARDEL and Love), 1885, A., 1151; (BEL-KY), 1887, A., 392; (MULLER), 1888, A., 178.
 - of hydroxylamine (Lorw), 1885, A., 830; (Brunton and Bokennam) 1889, 630; A., (Grbbs REICHERT), 1891, A., 1393.
 - of derivatives of hydroxyquinolines (Fischer), 1883, A., 1147.
 - of o-hydroxyquinolinecarboxylic acid and its derivatives (Królikowski and NENCKI), 1888, A., 864.
 - of hydroxytrimethylethylammonium hydroxide (CERVELLO), 1885, A., 925; 1888, A., 309.
 - of hyoscine hydrochloride (GLEV and Rondeau), 1888, A., 182; (Paw-LOFF), 1890, A., 1019.

- Physiological action of iodine, dissolved in potassium iodide (CROFT), 1883, A., 104.
 - of iodoform (Zeller), 1884, A., 1062; (GRUNDLER), 1885, A., 413.
 - of iron (Bunge), 1885, A., 574; (SKVORTZOW), 1888. A., 1325; (Souin), 1891, A., 478.
 - of iron compounds (LANDWEHR), 1888, A., 176.
 - of jalapin (Dragendorff), 1887, A., 291.
 - of the active principle of jequirity (Abrus precatorius) (MARTIN), 1887, A., 990; 1889, A., 1026; (MARTIN and 1890, A., 398;
 - Wolfenden), 1890, A., 398. of kairin and kairoline (FILEHNE), 1884, A., 474; (RICHTER), 1891, A., 602; (NEBELTHAU), 1891, A., 1527.
 - of ketones and acetoximes (Paschkis and OBERMAYER), 1892, A., 1506.
 - of lactose (Voit), 1892, A., 903.
 - of legithin (HASEBROEK), 1888, A.,
 - of leech extract (HAYURAFT), 1885, A.,571; (Dickinson), 1891, A., 481. of light (LOEB), 1889, A., 172.
 - of lupetidine and allied substances in relation to their chemical constitution (Gurber), 1891, A., 854.
 - of manganese (MAUMENÉ), 1885, A.,
 - of meat (Honigsberg), 1883, A., 815; (Jessen), 1884, A., 470; (AT-WATER), 1887, A., 1130; (SCHULZE), 1890, A., 278; (STUTZER), 1892, A., 1367.
 - of meat-extract (RUBNER), 1885, A., 409.
 - of Liebig's extract of meat (Leh-MANN), 1886, A., 89.
 - of meat-peptones (ZUNTZ), 1886, A., 378.
 - of mercury salicylate (Bohm), 1891, A., 351.
 - of methylal (MAIRET and COMBE-MALE), 1887, A., 391, 684.
 - of micro-organisms from the mouth and of faces (VIGNAL), 1887, A., 1059.
 - of morphine (ELIASSOR), 1885, A., 577; (TAUBER), 1891, A., 479; (GUINARD), 1891, A., 486; (SPIT-ZER), 1891, A., 852.
 - of morphine and its derivatives (STOURMAN and DOTT), 1890, A.,
 - of naphthol (DESESQUELLE), 1891, A., 98.

Physiological action of a-naphthol (LESNIK and NENCKI), 1886, A., 822; (MAXIMOVITCH), 1888, A., 621, 978.

of β-naphthol (LESNIK and NENCKI), 1886, A., 822; (Bouchard), 1888, A., 183; (Maximovirch), 1888, A., 621, 978.

of narcotine, thebaine and their derivatives (STOCKMAN and DOTT),

1891, A., 762.

of neurine (BRIEGER; MARINO-ZUCO), 1884, A., 1056; (OTT and COLL-MAR), 1888, A., 1325.

of commercial neurine (CERVELLO),

1885, A., 925.

of neurine, choline and allied compounds (SCHMIDT), 1892, A., 905.

of nickel salts (Gurkens), 1885, A., 681; (LABORDE and RICHE), 1888, A., 738; (CHITTENDEN and Nor-RIS), 1889, A., 538.

of nickel carbonyl (McKendrick and Snodgrass), 1891, A., 1180; (Hanriot and Richet; LangLois), 1892, A., 365.

of nicotine (RABOT), 1885, A., 416; (LANGLEY), 1890, A., 397; (LANGLEY and DIOKINSON), 1890, A., 1178; (COLAS), 1891, A., 96. of nitranilines (GIBBS and HARE),

1890, A., 280. of nitriles (GIACOSA), 1884, A., 1061. of nitrites (BRUNTON and BOKENHAM), 1889, A., 630.

of o-, m- and p-nitrobenzaldehydes (SIEBER and SMIRNOW), 1887, A.,

of dinitrobenzene (Huber), 1892, A.,

nitrobenzenes (BRUNTON and Cash), 1891, A., 1260; (GIBBS and REIGHERT), 1891, A., 1281.

nitrobenzoic acid (Gibbs and HARE), 1890, A., 280. of dinitro-p-crosol (Weyl), 1888, A.,

520, 1122.

of nitromethane (GIBBS and REGUI-

ERT), 1891, A., 1393. of nitrophenols (GIBBS and HARK), 1890, A., 280; (GIBBE REICHERT), 1891, A., 1281. (GIBBS

of nitrosodiethylene (GIBBS and REICHERT), 1891, A., 1393.

of nitroso-\(\beta\)-naphthol (Gibbs and REICHERT), 1891, A., 1898.

of nitrothiophen (MEYER), 1885, A.,

of opium (SPITZER), 1891, A., 852. of ouabain (GLEY), 1888, A., 1326. of oxalic acid (GAGLIO), 1888, A., 619. Physiological action of oxamic acid (GIBBS and REICHERI), 1891, A., 1393.

of oxygen (RICHARDSON), 1887, A., 855; (Wurster), 1888, A., 863; (Вективьот), 1890, А., 274; 1890, A., (HUNIER), 1891, A., 1267; (WERIgo), 1892, A., 1309.

of ozone (BINZ), 1883, A., 486; 1884, A., 95; (LABBE and OUDIN), 1891.

A., 1531.

of paraffinic nitrates (Cash and DÜNSTAN), 1891, A., 1270.

paraxanthine (SALOMON), 1889, A., 293.

of pentoses (EBSTEIN), 1892, A., 1506. of peptone (OTT and COLLMAR), 1888, A., 1325; (Shore), 1891, A., 481; (Graffenberger), 1892, A., 901. of peptones and albumoses (NEU-

MEISTER), 1888, A., 516.
of phenol (Bisunoff), 1888, A., 1021;
(ZWAARDEMAKER), 1891, A., 762.
of dihydric and trihydric phenols

(GIBBS and HARE), 1890, A., 1019. of phenylacotic acid (Salkowski and Kotoff), 1888, A., 513.

of p- and m-phenylenediamine (Du-BOIS and VIGNON), 1889, A., 66. of phenylhydrazine (HOPPE-SEYLER),

1885, A., 574; (Beythien and Tollens), 1890, A., 582.

phenylhydrazine derivatives (HEINZ), 1891, A., 602.

of phosphorus (Blendermann), 1883, A., 878; (Leo), 1885, A., 1002; (Cain), 1886, A., 1053; (Starling and HOPKINS), 1892, A., 650.

of phosphorous oxide (Thomph and

Turron), 1890, T., 573.
pilocarpine (Hammers Cher), 1884, A., 1396; (CORNEVIN), 1892, A., 365,

of pituri (LANGLEY and DICKINSON), 1890, A., 1178.

of poisons and drugs (HAYEM), 1881, A., 761.

of potassium bromide (Sunuze), 1881, A., 850.

of potassium chlorate (v. MEHING), 1885, A., 1002.

of potassium ferrocyanide (Compa-MALE and DUBIQUET), 1891, A., 99. potassium nitrite (ILLNOUQUE), 1885, A., 682.

of potato spirit (Brockhaus), 1883, A., 362.

of ptomaine (BRIEGER), 1887, A., 284. of ptomaine hydrochloride (GUARESoni and Mosso), 1884, A., 618.

of ptomaines (v.Anker), 1885, A. 682.

- Physiological action \mathbf{of} pyridine, quinoline, etc. (Heinz), 1891, A.,
 - of hydrogenised pyridine derivatives (Hoffmann and Koenigs), 1883, A., 1145.
 - pyrocatechol and of pyrogallol (GIBBS and HARE). 1890, A., 1019. quinine (NEBELTHAU), 1891, A.,
 - 1527; (BINZ), 1891, A., 1531. of quinol (GIBBS and HARE), 1890,
 - A., 1019.
 - of quinoline, pyridine, etc. (HEINZ), 1891, A., 602.
 - of quinone and its derivatives (SCHULZ), 1892, A., 1115.
 - of resorcinol (GIBBS and HARE), 1890, A., 1019.
 - of rosaniline sulphate (CAZENEUVE and Lépine), 1886, A., 272.
 - of safranine (CAZENEUVE and LEPINE), 1886, A., 272; (WEYL), 1888, A., 1122.
 - of saline solutions and various drugs
 - (Heinz), 1891, A., 601. of salts (Pfeiffer), 1885, A., 827; (LEWITH), 1889, A., 424; (LOEWY),
 - 1889, A., 533. of salts of the alkalis and alkaline earths (RINGER and SAINSBURY),
 - 1890, A., 1176.
 of salts of lithium, potassium and rubidium (RICHET), 1886, A., 88, 385; (BLAKE), 1886, A., 385.
 of ethereal salts (BAAS), 1890, A., 1013.
 - of inorganic salts (RINGER), 1890, A., 393.
 - of metallic salts (BLAKE), 1883, A., 745; (Brunton and Cash), 1883, A., 875; (Flüel), 1885, A., 578.
 - of neutral salts (JAWORSKI), 1884, A., 193.
 - of santonin and its derivatives (Cor-POLA), 1888, A., 310.
 - of saponins (Kobert), 1891, A., 1531. of selenious acid (CHABRIE and LAPIUQUE), 1890, A., 542.
 - of sesame seed (LANGLEBERT), 1884, A., 852.
 - of sodium biborate (borax) (VIGIER), 1884, A., 1061; (DE CYON), 1884, A., 1440; (Johnson), 1886, A., 572.
 - of sodium chloride (STUTZER), 1891, A., 752; (Dubelik), 1892, A., 904. of sodium nitroprusside (GIBBS and
 - REICHERT), 1891, A., 1393. of sodium phosphate (HAIG), 1890, A., 397.
 - of sodium phthalate (JUVALTA), 1889, A., 289.

- Physiological action of sodium benzenesulphinate (HECKEL), 1888, A., 182.
 - of aqueous solutions obtained from fiesh animal organs (DI MAITEI), 1884, A., 199.
 - of sparteine sulphate (SEE), 1886, A., 273.
 - of strontium salts (LABORDE), 1891, A., 99; 1892, A., 227.
 - of strophanthin (GLEY), 1888, A., 1326.
 - of strychnine (Plugge), 1884, A., 188; (Demant), 1886, A., 1054; (MAYS), 1888, A., 312; (LOVETT), 1888, A., 1217; (SCHLICK), 1891, А., 48б.
 - of some substances in relation to diabetes (ALBERTONI), 1885, A.,
 - of sugars (Albertoni), 1891, A., 1526.
 - of sulphonal (GORDON), 1890, 542; (HAHN), 1891, A., (SMITH), 1892, A., 1507.
 - of sulphones (LAVES), 1892, A., 153. of sulphur (Salkowski), 1889, A., 432; (Presch), 1890, A., 812.
 - of tannic and gallic acids (MORNER), 1892, A., 904.
 - of tartar emetic (CHITTENDEN and CUMMINS), 1888, A., 77.
 - tetrahydronaphthylamine- $_{
 m the}$ compounds (BAMBERGER and FI-LEHNE), 1889, A., 737.
 - of tetrahydro-p-quinanisoil (ANON.), 1885, A., 1023.
 - of tetrahydro-p-quinanisoil sulphate (CHITTENDEN and STEWART), 1889, A., 534.
 - of thallium salts (BLAKE), 1890, A., 1452.
 - thebaine, narcotine and their derivatives (STOCKMAN and DOTT), 1891, A., 762.
 - of certain therapeutic agents (CHIT-TENDEN and STEWART), 1889, A., 533.
 - of thymol (MAIRET, PILATTE and COMBEMALE), 1885, A., 1085.
 - of tin (White), 1886, A., 1058.
 - of various tissues (Henrount and RICHET), 1892, A., 228.
 - of toluidines (GIBES and HARE), 1890, A., 1018.
 - of tolylenediamine (ENGEL' and KIE-NER), 1888, A., 81; (GIBBS and REICHERT), 1891, A., 1281.
 - of trimethylamine (COMBEMALE and Brunelle), 1892, A., 366.
 - of trimethylvinylammonium hydroxide (CERVELLO), 1885, A., 925; 1888, A., 309.

Physiological action of tyrosine (BLEN-DERMANN), 1883, A., 879; (Cohn), 1890, A., 187.

of ulexine (Bradford), 1888, A.,

of uranium salts (CHITTENDEN and Hutchinson), 1888, Λ., CHITTENDEN and LAMBERT),1889, A., 537.

of uranyl nitrate (CHITTENDEN and CUMMINS), 1888, A., 77.

of urea (GRÉHANT and QUINQUAUD), 1884, A., 1398.

of valerian extract (BUTTE), 1891, A., 754.

of water (Henneberg), 1889, A., 287; (Schöndorff), 1891, A., 348; (Dubelir), 1892, A., 904.

of wheaten gluten (CONSTANTINIDI), 1887, A., 511.

of xylene (GLEDITSCH and MOELLER), 1889, A., 708.

of yeast (NEUMAYER), 1891, A., 237. of zinc sulphate (Lepetit), 1886, A., 641.

See also Poisons, Poisoning and Toxicological investigations.

Physiological function, relation between atomic weight and (SESTINI), 1885, A., 1150.

of maltose and sucrose (BOURQUELOT), 1884, A., 345.

Physiological oxidation (NASSE), 1892, A., 1018.

Physiological significance of gum (FRANK), 1885, A., 684.

Physiology, chemical, applications of spectrophotometry to (LAMBLING), 1889, A., 73.

"Phytalbumose, insoluble" (MARTIN), 1886, A., 1065.

Phytochemical studies (BRUNNER and CHUARD), 1886, A., 576.

Phytocollite (LEWIS), 1883, A., 427. Phytophagous larvæ and their pupe,

essential nature of the colouring of (Poulton), 1885, A., 1253.

Phytosterin (phytosterol) (PASCHKIS),

1885, A., 291; (KERSTEIN), 1890, A., 74; (SCHMIDT and KERSTEIN), 1890, A., 649; (GÉRARI), 1892, A., 1294.

Paraphytosterin (Likiernik), 1891, A., 606.

See also Cholesterin.

Piaselenole (HINSBERG), 1890, A., 160. constitution of (HINSBERG), 1891, A., 394.

amido- (HINSBERG), 1890, A., 161. Piaselenoles (HINSBERG), 1889, A., 785; 1890, A., 972.

Piazine. See Pyrazine.

Piazothiole (HINSBERG), 1890, A., 161. Piazothioles (HINSBERG), 1890, A., 972.

Picamar, Reichenbach's, and its derivatives and potassium salt (Pastrovicu; Niederist), 1883, A., 1004.

Picea vulgaris, resin from (BAMBER-GER), 1892, A., 205.

Picene (LESPIEAU), 1892, A., 623. boiling point of (SCHWEITZER), 1891, A., 1240.

icosihydride, and perhydride (Lieber-MANN and SPIEGEL), 1889, A.,

Pickeringite from Tarapaca (SCHULZE),

1891, A., 1436.

Picoline (methylpyridine), commercial (LADENBURG and ROTH), 1885, A., 557.

spectrum of (HARTLEY), 1885, T., 719.

dibromo- (LADENBURG), 1883, A., 672.

a-Picoline (2-methylpyridine) (HANTZscu), 1883, A., 85; (Lange), 1886, A., 256; (LADENBURG), 1887, A., 59; (STOEHR), 1891, A., 81.

preparation of a- and B-pyridyllactic acids from (EINHORN), 1892, A., 75.

action of chloral on (EINHORN and LIEBRECHT), 1887, A., 845.

behaviour of, with metallic salts (OECHSNER DE CONINCK), 1885, A., 671.

derivatives of (LANGE), 1886, A., 256.

mono-, pentu- and heru-chloro- (Ost), 1883, A., 793.

4:6-dichloro- (COLLIE and MYERS), 1892, T., 725.

ehloriodo- (Osr), 1883, A., 793.

β-Picoline (3-methylpyridine) (HESE-KILL), 1886, A., 256; (LADENBURG), 1887, A., 59; 1890, A., 1432; 1891, A., 325; (STOWHR), 1888, A., 63; 1891, A., 219; (BACHÉRI), 1888, A., 498; (Son-WARZ), 1891, A., 1092.

synthesis of (LADENBURG and SIE-

вык), 1890, А., 1394. properties of (Sтоенк), 1891, А., 579. supposed optical rotatory power of (Landolt), 1886, A., 368.

p-Picoline (4-methylpyridine) (Behrmann and v. Hormann), 1885, A., 139; (LANGE), 1886, A., 256; (LADENBURG), 1887, A., 59; 1888, A., 498.

derivatives of (LANGE), 1886, A.,

Picoline hydrogen diaminechromium thiocyanate (Christensen), 1892, A., 1001.

B-Picolinebetaine, and its salts (KRU-

GER), 1891, A., 942.

2-Picoline-4-carboxylic acid (2-methylpyridine-4-carboxylic acid) (Bor-TINGER), 1884, A., 758.

4-Picolinetetracarboxylic acid and its salts (HANTZSCH), 1883, A., 85.

2-Picoline-3:5:6-tricarboxylic acid (Weber), 1887, A., 1117.

4-Picoline-2:5:6-fricarboxylic acid and its salts (BESTHOEN and FISCHER), 1883, A., 600; (MICHAEL), 1885, A., 62; (FISCHER and TAUBER), 1885, A., 400.

4-Picoline-3:5:6-tricarboxylic acid (WEBER), 1887, A., 1119; (v. MIL-

LER), 1891, A., 1096.

Picolinic acid (2-pyridinecarboxylic acid) (Ost), 1883, A., 794; (SKRAUP and COBENZL), 1883, A., 1015; (v. HOFMANN), 1884, A., 1201.

distillation of salts of (BLAU), 1889,

A., 1212.

action of sodium amalgam on (Wei-DEL), 1891, A., 734.

chloro- [m.p. 180°] (SEYFFERTH), 1887, A., 157.

[m.p. 168°] and dichloro-, and their salts (Ost), 1883, A., 794.

Picolylalkine. See Hydroxyethylpytidine.

Picolylethylalkine. See Hydroxybutylpyridine.

Picolylfurylalkine. See Furfurylhydroxyethylpyridine.

α-Picolylmethylalkine. See β-Hydroxypropylpyridine.

Picraconitine (Dunstan and Ince), 1891, T., 272; (Ehhenberg and Purfürst), 1892, A., 1254.

Picruena excelsu, constituents (MASSUTE), 1890, A., 791.

Picramic acid (4:6-dintir-2-amidophenol) and its salts (Lippmann and Fleiss-Ner), 1886, A., 791; (Smolka), 1888, A., 52.

visoPioramic acid (2:6-dinitr-4-amidophenol) and its derivatives (STEUDE-MANN), 1884, A., 308.

Picramide (2:4:6-trinitraniline), derivatives of (HEPP), 1883, A., 316.

Picramidophenols, o- and p- (Turpin), 1891, T., 719.

Picranalcime. See Analcite.

Picrasmic acid and picrasmin (MASSUTE), 1890, A., 792.

Picrates, heat of formation of (TSCHELZOFF), 1885, A., 1103; 1886, A., 841.

Picrates, heats of hydration and solution of (Tschelzoff), 1885, A., 1103.

Pieric acid (2:4:6-trinitrophenol), bromination of (MacKernow), 1892, A., 156.

and other nitro-derivatives, explosive decomposition of (Berthelot), 1888, A., 216.

colour reactions of (FLECK), 1887, A., 624.

as a test for albumin and sugar in urine (Johnson), 1883, A., 1176.

detection and estimation of (Chris-Tel), 1881, A., 221.

Picric chloride, action of, on amines in presence of alkali (Turpin), 1891, T., 714.

action of, on ethylic sodacetoacetate (DITTRICH), 1890, A., 1418.

Picrocarmin, preparation of (GEDOLST), 1887, A., 1117.

Picrocrocin, from saffron (KAYSER), 1885, A., 60.

Picro-epidote (DAMOUR and DES CLOIZEAUX), 1885, A., 32.

Picrolite from Lower Silesia, analysis of (Traube), 1856, A., 212.

Picromerite (schoute) (LUEDERE), 1887, A., 1085.

working up the mother-liquors from, in the production of kamite (Vorstee and Gruneberg), 1885, A., 306.

Picropharmacolite from Missouri (GENTH), 1891, A., 275.

Picropodophyllic acid and picropodophyllin (Kursfen), 1891, A., 1134.

Picrotin, action of hydricalic acid and phosphorus on (OGLIALORO-TODARO and FORTE), 1892, A., 319.

Picrotoxic acid (OGLIALORO-TODARO and FORTE), 1892, A., 349.

Picrotoxin (Schmidt), 1884, A., 845; (Barth and Kritschy), 1884, A., 846; (Van der Marck), 1888, A., 848.

detection of, in beer (PALM), 1888, A., 877.

forensic chemical detection of, in animal liquids and tissues (Chlo-Pinkky), 1885, A., 449.

separation of (PALM), 1886, A., 284.

Picrotoxininbenzoic anhydride (SCHMIDT), 1884, A., 845.

Picrylazo-. See Azo-.

Picryl-p-bromophenylhydrazine (WILL-GERODT and ELLON), 1891, A., 1361.

Picryl-o-chlorophenylhydrazine (WILL-GERODT), 1891, A., 1043.

Picryl-m-chlorophenylhydrazine (WILLGERODI), 1890, A., 1119; (WILLGERODI and MUHE), 1892, A., 454.

Picryl-p-chlorophenylhydrazine (Willi-GERODT), 1890, A., 1118; (Will-GERODT and BOHM), 1891, A., 905.

Picrylheptadecylamine (Turpin), 1891, T., 715.

Picrylhydrazine (WILLGERODT and FERKO), 1888, A., 829.

Picrylhydroxylamine (MICHAEL and Browne), 1887, A., 663.

Picryl-α-naphthylhydrazine (W1LL-GERODT), 1890, A., 40.

Picrylnaphthylhydrazines (Will-GERODT and SCHULZ), 1891, A., 571. Picrylphthalimide (SCHMIDT), 1890, A.,

Picryl-o- and -p-tolylhydrazines (WILL-CERODT), 1890, A., 40.

Piedmontite (manyanese-cpidote) (Kotô), 1889, A., 25.

from Sweden (FLINK), 1889, A., 221. Piezoelectricity of quartz (HANKEL), 1883, A., 412, 950.

Pig. See Agricultural Chemistry.

Pigeons. See Agricultural Chemistry. Pig-iron. See Iron.

Pigment, black, of the choroid (HIRSCH-FELD), 1889, A., 788.

cutaneous, as an antecedent of hamoglobin (Delépine), 1891, A., 480. yellow, in butterflies (Hopkins), 1889, P., 117.

Pigments of the Aplysia (Saint-Loup), 1891, A., 96.

bile-. See Bile.

blood. See Blood.

blue, of the Crustaceae (Heim), 1892, A., 898.

absorption spectra of (Pirumer), 1889, A., 325.

cadmium, of commerce (Buchnes), 1888, A., 221.

of melanotic sercomata (MORNER), 1887, A., 168; 1888, A., 518.

muscle- (LEVY), 1889, A., 638; (HOPPE-SRYLER), 1889, A., 1231. pathological (NEUMANN), 1888, A.,

864. of the Peridinia (Schutt), 1890, Δ., 1172.

urinary. See Urine.

Pile. See Electrochemistry.

Piliganine (ADRIAN), 1886, A., 816; (ABATA and CANZONERI), 1892, A., 894.

Pilocarpidine and its salts (HARNACK), 1886, A., 85; (HARDY and CAL-MELS), 1886, A., 725. Pilocarpidine, synthesis of (HARDY and CALMPLS), 1887, A., 1058.

Pilocarpine (HARDY and CALMELS), 1886, A., 1018.

synthesis of (HARDY and CALMELS), 1887, A., 1057.

decomposition of (HARDY and CAL-MELS), 1886, A., 900.

action of broinine on (Chastaing), 1884, A., 468.

action of chlorine and iodine on (Chastaino), 1885, A., 1081.

influence of, on lactation (HAMMER-BACHER), 1884, A., 1396; (Cor-NEVIN), 1892, A., 365.

salts (HARDY and CALMELS), 1886, A., 725.

alkyl-derivatives of (Chastaing), 1885, A., 1250.

ethiodide and ethobromide (CHASTAING), 1885, A., 1250.

ferrocyanide (BECKURTS), 1890, A., 1318.

hydrogen diaminechronium thiocyanate (Christensen), 1892, A., 1001.

iodo-, ethiodide of (CHASTAING), 1885, A., 1250.

Pimaric acid and sylvic acid and the hydrocarbons therefrom (LIEBER-MANN), 1884, A., 1364; (HALLER), 1885, A., 1241.

Pimaric acids, d- and l-, and their derivatives (Vesterbeng), 1886, A., 365, 1038; 1888, A., 294.

Pimelic acids (BISCHOFF and JAUNS-NICKER), 1891, A., 289.

Pimelic acid (isopropylvacinic acid) [m.p. 103°] and its derivatives (WALTZ), 1883, A., 46; (ROSER), 1881, A., 423; (SUILERCHER), 1892, A., 428.

from camphoric acid (HJELT), 1884, A., 296.

n-Pimelic acid [m.p. 105°] (PERKIN), 1887, T., 212.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097; (STOHMANN and KLEBER), 1892, A., 1041.

boiling points of (KRAFFT and NOMEDLINGER), 1889, A., 691.

preparation of (Penkin and Prentich), 1891, T., 825.

dissociation constant of (WALKER), 1892, T., 700.

homologues of, synthesis of (Perkin and Prentice), 1891, T., 818.

Pimelic acid [m.p. 102'-9-103"9] from hydrochelidonic acid (HAITINGER and LIEBEN), 1885, A., 48.

isoPimelic acid (BAUER), 1883, A., 998; (Hell), 1891, A., 1017.

B-Pimelic acid [m.p. 106°] amongst the oxidation products of castor oil (GANTTER and HELL), 1885, A., 44. γ-Pimelic acid [m.p. 87] from menthol (ARTH), 1888, A., 1273.

Pimelic acid, imide of (Roser), 1884, A., 423.

Pimelimide, imido-(MARCKWALD), 1888, A., 678.

Pinacoline (methyl tert.-butyl ketone), oxidation of (GLÜCKSMANN), 1890,

Pinacone (ELTEKOFF), 1883, A., 568. thio- (Spring and van Marsenille), 1892, A., 1317.

Pinakiolite from Sweden (FLINK), 1891, A., 404.

Pines, presence of mannitol in the cambium sap of (KACHLER), 1886, A., 1062.

Pine tree honey-dew and honey (WILEY), 1891, A., 412.

Pine wood resin, a delicate reaction for (Morawski), 1889, A., 660.

Pineapple, mannitol in (LINDET), 1884, A., 629.

juice, ferments in (CHITTENDEN, Joslin and MEARA), 1892, A., 650. Pinene. See Terpenes.

Pinite from Auvergne (BRUN), 1884, A., 403.

from Madison Co., N. Carolina, analysis of (Reese), 1885, A., 130. B-Pinite (materite) (MAQUENNE), 1890, A., 244; (COMBES; GIRARD), 1890,

A., 471. rotatory power of (COMBES; GIRARD), 1890, A., 471.

Pinna squamosa, blood of (GRIFFITHS), 1892, A., 649, 1016.

Pinnaglobin, a globulin (GRIFFITHS), 1892, A., 1016.

Pinnoite, a new borate from Stassfurt (Staute), 1884, A., 1271; 1885, A., ì117.

Pinol. See Terpenes.

Pinus Abies, terpene from (Kuriloff), 1890, A., 789.

terpenes from the resin of (Kuriloff), 1892, A., 625.

Pinus Cembra, dextrorotatory terpene from (Flawitzky), 1890, A., 789.

Pinus khasyana, turpentine oil from (ARMSTRONG), 1891, T., 311.

Pinus Laricio, resin from (BAM-BERGER), 1892, A., 204.

Pinus sylvestris, phenol in the stem, leaves, and cones of (GRIFFITHS), 1884, A., 863.

Pinus sylvestris, pollen of (v. Planta), 1886, A., 91; (Schulze and v. Planta), 1886, A., 736; (Kres-Ling), 1892, A., 232.

ash of the pollen of (FAMINTZIN and Przybytek), 1886, A., 172.

Russian white resin from (SCHKATE-LOFF), 1889, A., 406.

Pinylamine and pinylcarbamide (WAL-LACH and LORENTZ), 1892, A., 996.

α-Pipecoleine (2-methylpiperideine), (LADENBURG), 1887, A., 740.

a-Pipecoline (2-methylpriperidine) and its derivatives (LADENBURG), 1884, A., 1054; 1887, A., 64; (LADEN-DURG and ROTH), 1885, A., 557.

synthesis of (LADENBURG), 1884, A., 1054.

specific rotation of (LADENBURG), 1887, A., 283. oxidation of (Bunzel), 1889, A., 904.

a-methylpiperylthiocarbamate (LADENBURG and ROTH), 1885, A., 557.

β-Pipecoline (3-methylpiperidine) and its derivatives (LADENBURG), 1884, A., 760; 1887, A., 64; (HESEKIEL), 1885, A., 812; (STOEHR), 1888, A., 63; 1892, A., 629.

action of methylic iodide on (HESE-KIEL), 1886, A., 257.

bases (LELLMANN and BUTTNER), 1890, A., 1003.

γ-Pipecoline (4-methylpiperidine) (LADENBURG), 1888, A., 499.

Pipecolinic acid (piperidinc-2-carboxylic acid), preparation of (LADENBURG), 1891, A., 735.

Pipecolylalkine. See 2-Hydroxyethylpiperidine.

Pipecolylethylalkine. See Hydroxybutylpiperidine.

a-Pipecolylfurylalkine (furfurylly)droxyethylpiperidine) (Klein), 1890, A., 1437.

 α -Pipecolylmethylalkine. See β -Hydroxypropylpiperidine.

Piper Betle, oil of (BERTRAM and GILDEMEISTER), 1889, A., 863.

" Piperazidin." See Diethylenediamine.

(pyrazine hexahydride) Piperazine (MAJERT and SCHMIDT; V. Hof-MANN), 1891, A., 169, MANN), (LADENBURG), 1891, 1891, 415; 1891, A., 416; Α., 735; (SCHMIDT and WICHMANN), 1892, A., 210.

non-identity of spermine (MAJERT and SCHMIDT; v. POEHL), 1891, A., 538.

Piperazine (pyruzine hexuhydride) group, stereochemical studies in (Вілонову), 1890, А., 1331.

dichloro- (SCH WIDT and WICHMANN), 1892, A., 211.

dinitroso- (LADENBURG), 1891, A., 1333.

Diethylenediamine and Sec also Ethyleneimine.

"Piperethylalkine bromide." Sec Vinylpiperidine, bromo-, hydrobromide of.

Piperhydronic acid. See Piperonylvalenic acid.

Piperic acid, synthesis of (GABRIEL), 1890, A., 1129.

oxidation of (DOEBNER), 1890, A., 1274.

Piperideine (tetrahydropyridine) (Lell-MANN and Schwaderer), 1889, A., 901; (Wolffenstein), 1892, A., 1484.

series (LADENBURG), 1887, A., 740. derivatives, synthesis of, and conversion of, into piperidine deriv-

atives (Lipp), 1892, A., 1243. isoPiperideine (HEUSLER), 1891, A.,

Piperidine (hexahydropyridine) (ANON.), 1884, A., 945; (LADENBURG), 1886, A., 139; (DENNSTEDT), 1890, A., 1429.

from pentamethylenediamine (LADEN-Buño), 1886, A., 269.

in pepper (Johnstone), 1890, A., 95. synthesis of (Ladenburg), 1884, A., 760, 1054; (LADENBURG and ROTH), 1884, A., 1202; (GABRIEL), 1892, A., 717.

introduction of bivalent radicles into (RUGHEIMER), 1891, A., 1216. equilibrium between, and other basic

substances (Bekrhelor), 1890, A.,

spectrum of (HARTLEY), 1885, T.,

magnetic rotatory power of (PERKIN), 1889, T., 699, 733, 736.

thermochemistry of (Colson), 1890, A., 101, 1368; (Berthelor), 1890, A., 1363.

action of alcohol on (DENNSTEDT),

1890, A., 1429. action of bromine on, in alkaline solution (v. Hofmann), 1883, A.,

action of chlorine on (BALLY), 1888. A., 964.

action of phosphoric chloride on (WALLACII and LEHMANN), 1887,

Piperidine (hexahydropyridine), action of picric chloride on (Turpin), 1891, T., 716.

action of, on calcium (Colson), 1891, A., 377.

oxidation of (Scholten), 1883, A., 813; 1885, A., 176; (TAFEL), 1892, Λ., 1104.

oxidation of, by hydrogen peroxide (Wolffenstein), 1892, A., 1484.

condensation of furfuraldehyde and (DE CHALMOT), 1892, A., 1452.

conversion of, into δ -amidovaleric acid and into oxypiperidine (Schotten), 1888, A., 1104.

conversion of, into pyridine (v. Hormann), 1883, A., 813; (Lell-MAN and GELLER), 1888, A., 970.

Piperidine, derivatives of (LELLMANN and Just), 1891, A., 1244. synthesis of (Merring), 1887, A.,

164; (PAAL and STRASSER), 1888, A., 62.

oxidation of (Schotten and Schlö-MANN), 1892, A., 354.

benzyl derivatives of (LELLMANN and

PERRUN, 1891, A., 88. chloriodide (Piutet and Krafft), 1892, A., 1357.

homologues, synthesis of (LADEN-BURG), 1884, A., 1054.

hydrochloride, magnetic rotatory power of (Perkin), 1889, T., 716. action of methylic alcohol on (LADENBURG), 1883, A., 1154.

hydroferrocyanide, crystalline form of (Hiortdahl), 1886, A., 522.

isomeride of (LADENBURG), 1883, A., 910.

silver salts (VARET), 1892, A., 1483. (v. HOPMANN thiocyanate GABRIEL), 1892, A., 1110.

y-truxillopiperidate(Henstein), 1889, A., 1213.

nitro- (Franchimont and Klobbie), 1889, A., 1145.

Piperidine-bases (LADENBURG), 1887, A.,64; (LELLMANN and BUTTNER), 1890, A., 1002.

from acetone and aldehyde-ammonia

(Durkopf), 1888, A., 1313.
conversion of pyridine bases into (Ladenburg), 1884, A., 760.
synthesis of (Ladenburg), 1884, A., 1195; 1885, A., 992; 1890, A., 67; 1891, A., 1092.

specific rotation of (LADENBURG), 1887, A., 164, 282. behaviour of, towards aromatic halogen

compounds (LELLMANN and JUST), 1891, A., 1245.

Piperidine-bases of the β-series (STOEHR), 1892, A., 628. phenylated (BALLY), 1888, A., 65.

Piperidine-dyes (Lacriowicz), 1888, A., 1314.

Piperidine dibromisatin (Schotten), 1891, A., 1491.

Piperidinecarboxylic acid (MARINO-ZUCO), 1892, A., 85.

Piperidinecarboxylic acids (LADEN-BURG), 1891, A., 735; 1892, A., 1485,

1486; (Ladenburg and Karau), 1892, A., 1486.

Piperidinic acid (γ-amidobutyric acid) and its salts (Schotten), 1883, A., 813; (Gabriel), 1890, A., 360.

Piperidone (SCHOTTEN), 1888, A., 1105.
Piperidylacetoguanamine (BAMBERGER and SERBERGER), 1892, A., 736.

Piperidylbenzylcarbamide (Kuhn and Riesenfeld), 1892, A., 312.

Piperidylbenzylidenehydrazine (KNORR), 1884, A., 468.

Piperidylbenzylthiocarbamide(Dixon), 1891, T., 568.

Piperidylcarbamide (FRANCHIMONT and KLOBBIE), 1889, A., 1145.

Piperidyldiguanidine (Bamberger), 1891, A., 735; (Bamberger and Seeberger), 1891, A., 839; 1892, A., 735.

copper salt of (BAMBERGER and SEEBERGER), 1891, A. 839.

Piperidylethylurethane, action of bromine on (Schotten), 1883, A., 814.

Piperidylformoguanamine (BAM-BERGER and SEEBERGER), 1892, A., 735.

Piperidylfurfurylethyl alcohol (KLEIN), 1890, A., 1437.

Piperidylhydrazine, and its derivatives (Knorr), 1881, A., 467.

Piperidylmethylurethane and its nitrodehydro-derivative (SCHOTTEN), 1883, A., 814.

Piperidyloxamic acid (WALLACH and LEHMANN), 1887, A., 385.

Piperidylrhodamine (LELLMANN and BUTTNER), 1890, A., 1003.

Piperidyl-semicarbazide, semithiocarbazide and -thiocarbazide (Knonn), 1884, A., 468.

Piperidylthiocarbamides (GEBHARDT), 1885, A., 384.

Piperidyl-1-thiocarbanilide (LELL-MANN and Just), 1891, A., 1245.

Piperidyl-thiosinamine and -ψ-thiosinamine (AVENARIUS), 1891, A., 549. Piperno of the Collina del Vomero (FREDA), 1889, A., 222.

Piperohydrolactone and piperoketonic acid (Weinstein), 1885, A., 664.

Piperon (CHODAT and CHUIT), 1890, A., 80.

Piperonal, derivatives of (HABER), 1891, A., 704.

bromo-, derivatives of (OELKER), 1891, A., 1474.

Piperonalaldoxime (MARCUS), 1892, A., 318.

bromo- (OELKER), 1891, A., 1475. Piperonaloxime, 6-amido- (HABER),

1891, A., 706.
Piperonalphenylhydrazone (Rudolph),

1889, A., 252. o-nitro- (HABER), 1891, A., 706.

Piperonenylamidoxime (MARCUS), 1892, A., 318.

Piperonenylazoxime-ethenyl (MARCUS), 1892, A., 318.

Piperonyl, some derivatives of (PERKIN), 1891, T., 150; P., 27.

Piperonylvinyl methyl ketone. Sec Piperonylvinyl methyl ketone.

Piperonylacrylic acid (Perkin), 1891, T., 152.

action of nitric acid on (PERKIN), 1891, T., 153.

6-nitro-, 6-amido-, tetra bromo- and α- and β-tra bromo- (Perkin), 1891, T., 153, 158, 160, 163; P., 27.

Piperonylethylene, tribromo-(PERKIN), 1891, T., 161: P., 27.

Piperonylideneamidodimethylaniline (Nurn), 1885, A., 784.

Piperonylketonic acid (CIAMICIAN and SILBER), 1890, A., 966.

hydrazone of (GARELLI), 1891, A., 711.

Piperonyllactyl methyl ketone. See 8-Hydroxypiperonylethyl methyl ketone.

Piperonylnitrile (Garelli), 1891, A., 711; (Marcus), 1892, A., 318. 2-nitro- (Haber). 1891, A., 706. Piperonyloin (Perkin), 1891, T., 164.

Piperonyloin (PERKIN), 1891, T., 164. Piperonylpropionic acid, bromo-(WEIN-STEIN), 1885, A., 665.

Piperonylvinyl methyl ketone (niperonylacryl methyl ketone) (HABER), 1891, A., 705.

bromo- (OELKER), 1891, A., 1475. o-nitro- (HABER), 1891, A., 705.

isoPiperonylvinyl methyl ketone (HABER), 1891, A., 705.

Piperonylvaleric acid (piperhydronic acid) (Buni), 1883, A., 485.
dibromo-, and its derivatives (Wein-

STEIN), 1885, A., 664.

Piperpropylalkine. See Hydroxypropylpiperidine.

Piperylene. See Pentinene.

Pipette for weighing funning liquids (LUNGE and REY), 1892, A., 13. improved, for gas absorptions (GILL), 1892, A., 1124, 1374.

Pipitzahoic acid. See Perezone.

Piscidin, the active principle of Jamaica dogwood (HART), 1884, A., 382.

Pistomesite | (Weiss), 1886, A., 775.

Pisum arvense, composition of (NIIson), 1892, A., 522.

cultivation of (MARCKER), 1884, A., 769.

Pisum sativum, composition of the seeds of (Schulze, Steiger and Maxwell), 1891, A., 1542.

constituents of the seed pods of (Likiernik), 1891, A., 606.

nitrogen assimilation by (NOBBE, SCHMID, HILTNER and HOTTER), 1891, A., 1533.

See also Agricultural Chemistry. "Pitch," brewer's, examination of (v. Milkowski), 1891, A., 512.

Pitch, coal-tar, nitrogen in (SMITH), 1884, T., 146.

Pitchblende. See Uraninite.

Pitchstone-porphyrite (TEALL), 1884, A., 413.

Pith parenchyma (URBAIN), 1884, A., 861.

Pithecolobium biyeminum and Saman, alkaloids from (Greshoff), 1891, A., 336.

Pitticite from Utah (GENTH), 1891, A.,

Pituri, physiological action of (LANGLEY and Dickinson), 1890, A., 1178.

Piuri. See Purree.

Plagioclase from California (v. Chrust-

SCHOFF), 1887, A., 20. from Chili, analysis of (ZIEGENвреск), 1886, А., 214.

from Parthalla Cove, Cornwall (Con-LINS), 1887, A., 1022.

from the Tynemouth dyke (Thall), 1887, A., 784.

artificial formation of (Koziorowski), 1890, A., 718.

and scapolite minerals, chemical resemblance between (TSCHERMAK), 1884, A., 567.

Plant. See Agricultural Chemistry. Plantago Psyllium, sugar obtained from (BAUER), 1889, A., 233.

Plasma and serum (WRIGHT), 1892, A.,

Plasmolysis (DE VRIES), 1884, A., 1065.

Plaster, method of hardening (JULHE), 1885, A., 707.

Plaster of Paris. See Calcium sulphate. "Plastering," influence of, on the composition of wine (MAGNIER DE LA SOURCE), 1884, A., 646.
Plastin (ZACHARIAS), 1884, A., 90.

Platinates of the alkalis and alkaline earths (Rousseau), 1889, A., 1125.

Platinethylsulphine salts STRAND), 1889, A., 230.

Platinibenzylsulphine andplatinibutylsulphine chlorides (LÜNDAHL), 1889, A., 368.

Platiniisobutylsulphine salts DAHL), 1889, A., 369.

Platinic bromide and chloride. Platinum tetrabromide and tetrachloride.

Platinidihydroxylamine salts (ALEX-ANDER), 1888, A., 426.

Platiniferous nickel ore from Canada (CLARKE and CATLETT), 1889, A., 835.

Platinimethylsulphine salts (ENE-BUSKE), 1889, A., 280.

Platini-isopropylsulphine iodide and platinipropylsulphine salts (RUDE-Lius), 1889, A., 368.

Platiniselenostannates (SCHNEIDER), 1892, A., 282.

Platinithiocyanates (GUARESCHI), 1892, A., 286.

of the alkaloids and amines (Guareschi), 1892, A., 287.

Platinous See Platinum chloride. *di*chloride.

Platinum, atomic weight of (HALBER-STADE), 1885, A., 355; (DITTMAR and McARTHUR), 1888, A., 425; (Seubert), 1888, A., 1043; 1891, A., 885.

native, 'from ('anada (Hoffmann), 1889, A., 109.

new substance in (WILM), 1883, A., 954.

discovery of, in the sun (Hurchins and Holden), 1887, A., 1065.

thallium in (WARREN), 1887, A., 702.

production of, in Russia (Anon.), 1885, A., 942.

preparation and assaying of pure (MYLIUS and FORRSTER), 1892, A., 789,

fused, comparative radiation of fused silver and (VIOLLE), 1887, A., 1010.

electric properties of, when containing hydrogen (Fromme), 1883, A. 768,

Platinum, electric resistance of (LE CHATELIER), 1891, A., 5.

glowing, disintegration of (KAYSER), 1888, A., 1014.

occlusion of hydrogen by (NEUMANN and STREINTZ), 1892, A., 567.

absorption of gases by (BERTHELOT), 1884, A., 702.

absorption of oxygen by (Neumann), 1892, A., 943.

action of chlorine and carbonic oxide on (Pullinger), 1891, T., 598.

action of incandescent, on gases and vapours (Hodgkinson Lowndes), 1889, A., 20, 208.

action of nitrosyl chloride on (SUDвопочен), 1891, Т., 663.

action of silicon on (WARREN), 1889, A., 1125.

behaviour of, in chromic and nitric acids (Fromme), 1883, A., 698.

reducing action of hydrogen presence of (Cooke), 1888, A., 1245.

obtaining very sensitive, spongy

(WARREN), 1891, A., 1821. lowering of the freezing points of bismuth, cadmium and lead by (HEYCOCK and NEVILLE), 1892, T., 896, 901, 909.

Platinum-black, preparation of very active (LoEw), 1890, A., 453.

absorption of mercury vapour by (IHMORI), 1886, A., 766.

Platinum alloys, certain generic, electrical relations of (BARUS), 1889, A., 201. with gold, liquation of (MATTHEY),

1890, A., 947.

with iron and copper (MAUMENE),

1887, A., 778.

with tin (DEBRAY), 1887, A., 779. compounds, ammoniacal Platinum (Cossa), 1887, A., 642.

with arsenic (TIVOLI), 1885, A., 728.

volatile (Pullinger), 1891, T., 598; P., 111.

bromonitro-compounds of (Vizzes), 1891, A., 807; 1892, A., 280.

carbides formed at comparatively low temperatures (GRIFFITHS), 1885, A., 487.

iodonitro-compounds of (Vřzes), 1892, A., 280.

nitrogen compounds of (VEZES), 1892, A., 1283.

salts, double, constitution of (Jor-GENSEN), 1886, A., 857.

basic salts of (PROST), 1886, A., 987.

Platinum dibromide, action of carbonic oxide on (Pullinger), 1891, T., 603.

tetrabromide (plutinic bromide) and its compounds, heat of formation of (Pigeon), 1892, A., 3.

dichloride (platinous chloride) (SHEN-STONE and BECK), 1892, T., 445; P., 70.

use of, as a source of chlorine (SHENSTONE and BECK), 1892, T., 445; P., 70.

tctrachloride (platinic chloride) (Engel), 1889, A., 20; (Pigeon), 1889, A., 834.

anhydrous (Pullinger), 1892, T., 422; P., 54.

testing the purity of (Holleman), 1892, A., 1526.

and its compounds, thermochemistry of (Pigeon), 1891, A. 966.

heat of formation of (Pigeon), 1890, A., 439.

electrolytic conductivity (HAMPE), 1888, A., 891.

decomposition of, in solution (FOUSSEREAU), 1886, A., 975. mpounds of, with hydrogen

compounds chloride (Pigeon), 1891, A., 1325.

tetrafluoride (Moissan), 1890, A.,

phosphorus fluoride (Moissan), 1891, A., 1433.

hydroxides (Prost), 1886, A., 987.

Platinic hydroxide, action of, on tungstates (Rosenheim), 1891, A., 1323.

Platinum hydroxyarsenide (TIVOLI), 1885, A., 728.

phosphides (CLARKE and Joslin), 1884, A., 400.

potassium See Potassium salts. platinum salts.

silicide (Memminger), 1886, 124; (MILES), 1887, A., 450.

sodium salts. See Sodium platinum salts.

tin compounds (SCHÜTZENBERGER), 1884, A., 823.

thiocarbide (Schützenberger), 1891, A., 19.

thiocyanate (Guareschi), 1892, A.,

Platinum, estimation and separation:native, analysis of (WILM), 1886, A.,

estimation, electrolytic, of (CLASSEN), 1885, A., 191; (SMITH), 1891, A., 1140.

Platinum, separation:-

separation of, from antimony, arsenic and tin (Freshnius), 1886, A., 651.

separation of gold and, from antimony, arsenic and tin (DE KONINCK and LEGRENIER), 1888, A., 1344.

separation, electrolytic, of, from cadmium, gold, silver, and from mercury (SMITH and MUHR), 1891, A., 1396.

separation of, from the rare metals (Pirngruber), 1888, A., 656.

separation, electrolytic, of, from silver (Smith and Munn), 1891, A., 1296.

Platinum-metals, atomic weights of (SRUBERT), 1891, A., 885. chemistry of (WILM), 1883, A., 1057.

chemistry of (WILM), 1883, A., 1057. alloy, explosive, with zinc (SAINTE-CLAIRE DEVILLE and DEBRAY), 1883, A., 19.

alloys, products of the action of acids on (Debray), 1887, A., 900.

detection and estimation of the in presence of other metals (Joly and Leidis), 1891, A., 1554.

separation of, from gold (BETTEL), 1887, A., 1084.

Platinum nugget, a remarkable (Col-LIER), 1883, A., 426.

Platinum ore, magnetic property of (WILM), 1883, A., 859.

Platinum thermometer. See Thermometer under Thermochemistry.

Platinum residues, a black powder obtained from (WILM), 1883, A., 1057.

Platinum vessels, permeability of, to gases from flames (Morse and Burtos), 1888, A., 652.

action of lithium carbonate on (DITI-MAR), 1884, A., 1071.

Platinum-water pyrometer (HOADLEY), 1883, A., 769.

Platoso-ammonium carbonate, -diammonium carbonate and -diammonium nitrate (Direction), 1888, A., 28.

Platoso-benzylsulphine, butylsulphine and -isobutylsulphine salts (London), 1889, A., 368.

Platoso-diethylenediamine chloride and -ethylenediamine-amine chloride (JURGENSEN), 1889, A., 352.

(JORGENSEN), 1889, A., 352.

Platosodihydroxylamine hydroxide and salts (ALEXANDER), 1888, A., 426.

Platosodipyridine bromide and chloride (FOERSTER), 1892, A., 352.

Platoso-ethylmethylsulphine chloride, -ethylpropylsulphine chloride and -ethylsulphine salts (BLOMSTRAND), 1889, A., 280.

Platosoethylpropylsulphine iodide (RUDELLUS), 1889, A., 368.

Platosomethyl disulphine and -sulphine salts (Eneruska) 1889, A., 229.

Platoso-oxalic acid (Soderbaum), 1886, A., 532.

Platoso-propylisopropylsulphineiodide, -propylsulphine salts and -isopropylsulphine salts (Rudelius), 1889, A., 367.

Platosopyridine dibromide and chloride (Fornster), 1892, A., 352.

Platososemiamine chloride (Cossa), 1890, A., 1218.

Platososemidiethylenediamine chloride (Jorgensen), 1889, A., 351.

Platososemipyridine chloride (FOER-STER), 1892, A., 352.

Plattnerite (KINCH), 1887, A., 451. from Idaho (WHERLER), 1890, A., 339.

Pleochroic crystals, explanation of the colour phenomena of (Voigt), 1885, A., 621.

Pleonectite from Sweden (IGELSTROM), 1890, A., 112.

Plessite from the Welland meteoric iron (DAVISON), 1892, A., 24.

Pleurasite (IGELSTROM), 1890, A., 1076. Pleurisy, nature of the effusion in (HALLIBURTON), 1890, A., 1173.

Plumbo-aragonite from Leadhills (COLLIE), 1889, T., 95.

Plumbocalcite from Leadhills (COLLIE), 1889, T., 95.

from Wanlock Head (LACROIX), 1887, A., 557.

Plumboferrite from Sweden (IGEL-STROM), 1891, A., 1435.

Plumbonacrite. See Hydrocenussite. Plum-gum, galactose from (BAUER), 1888, A., 1329.

Plums, sugar from the pectin of (BAUER), 1891, A., 413.

Plutonic rocks See Rocks.

Plynthite, from Skye (Habban), 1886, A., 130.

Pneumococcus of Friedlander, fermentations induced by (Frankland, Stan Lev and Frew), 1891, T., 253; P., 30.

Pneumonia, ptomaine of (GRIFFITHS), 1892, A, 1258.

Pou pratensis, composition of (Wilson), 1889, A., 1078.

Podophyllic acid, podophylloquercetin and podophyllotoxin (Kursten), 1891, A., 1133.

Programmer febrifugus, constituents of the bark of (Arara and Canzoneri), 1890, A., 404. Poisons, distribution of, in the human organism in cases of poisoning (Bisспобр., 1883, А., 1020.

gaseous, action of (Belky), 1887, A.,

influence of temperature on the action of (Hess and Luchsinger), 1885, A., 578.

action of, on nerve fibres and peripheral nerve cells (Langley and Dickinson), 1891, A., 485.

vegetable, influence of, on the germination of seeds (Cornevin), 1892, A., 228.

organic and inorganic, detection and estimation of, in corpses (SEYDA), 1891, A., 117.

Poisons of batrachians (GAUTIER and ETARD), 1884, A., 764. cobra (Wolfenden), 1886, A., 1057;

(WARDEN), 1887, A., 170; (KANтилск), 1892, Л., 1118.

of Mytilus Edulis (SALKOWSKI), 1886, A., 568.

crystalline arrow, from the wood of ouabaio (ARNAUD), 1888, A.,

proteid (MARTIN), 1889, A., 1026. quinine as a protoplasmic (BINZ),

1891, A., 1531.

rattlesnake, antidote for (Choff),

1883, A., 104. preventive inoculation with (SE-WALL), 1888, A., 1326.

septic, origin of (ZWEIFEL), 1883, A., 937.

hæmoglobin crystals in (Bond), 1888, A., 181.

snake (Wolfenden), 1886, A., 1057. of the tetrodon (EIJKMAN), 1886, A.,

of "Timbo" (Pfaff), 1891, A., 938. volatile, in urushi (Yōshtda), 1883, T., 475.

of Indian viper (Wolfenden), 1886, A., 1058.

Poisoning cases, destruction of organic matter in (MARINO-ZUCO), 1889, A., 653.

colchicine-like decomposition-product in suspected (BAUMERT), 1888, A.,

detection of coniine in (ANDREWS), 1891, A., 871.

methods of detecting lead, silver and mercury in the body in (LEHMANN), 1883, A., 687.

detection of mercuric cyanide in (VITALI), 1890, A., 198. detection of morphine in (SCHEIBE),

1883, A., 1036; 1884, A., 373.

Poisoning cases, detection of strychnine and other alkaloids in (CHANDE-LON), 1885, A., 605.

localisation of arsenic in (GUARESCHI), 1884, A., 199.

estimation of arsenic in (Beckurts), 1885, A., 439.

estimation of arsenic and copper in (Gucci), 1888, A., 630.

Poisoning by antimony, distribution of antimony in the organs and tissues in (CHITTENDEN and BLAKE), 1888, A., 81.

with a barium salt, localisation of barium in the organism after (Linossier), 1888, A., 183.

by canned goods (Johnson), 1885, A., 1016.

by carbonic oxide (Belky), 1887, A., 392; (GREHANT), 1888, A., 622. partial, elimination of carbonic oxide after (GRÉHANT), 1886, A.,

new test for the blood in (KATA-YAMA), 1889, A., 88, 650; (RUB-NER), 1891, A., 496; (BERTIN-SANS and MOITESSIER), 1891, A., 1522.

by caustic alkalis, detection of (VI-TALI), 1888, A., 1224.

by hydrocyanic acid (Bischoff), 1883, A., 1022; (Belky), 1887, A., 392; (Grehant), 1889, A., 1232.

applied to the surface of the eye (GREHANT), 1891, A., 99.

dextrose and lactic acid in (ZILLES-SEN), 1891, A., 1126.

antidote for (KROHL), 1892, A., 1019. lead (LEHMANN), 1883, 1163; (ELLENBERGER and Hor-MEISTER), 1885, A., 74.

distribution of lead in the brain in cases of (BLYTH), 1887, P., 71.

by mercuric chloride (FALKENBERG), 1891, A., 853.

by sausages (EHRENBERG), 1887, A., 392.

tolylenediamine, formation and elimination of a ferruginous pigment in (ENGEL and KIENER), 1888, A., 81.

See also Physiological action and Toxicological investigations.

Polarisation. See Electrochemistry and Photochemistry.

Polei, oil of (BECKMANN; PLEISSNER), 1891, A., 936.

Pollen of Coryllus Avelluna (Schulze and v. Planta), 1886, A., 736. hazel, chemical composition of (v. PLANTA), 1885, A., 182.

865

Pollen of *Pinus sylvestris* (v. Planta), 1886, A., 91; (Schulze and v. Planta), 1886, A., 736; (Kres-Ling), 1892, A., 232.

ash of (FAMINTZIN and PRZYBYTEK), 1886, A., 172.

Pollucite from Hebron, Maine (Wells), 1891, A., 993.

Polyacetylene-compounds (v. BAEVER), 1885, A., 759, 1198.

Polyarsenite. See Sarcinite.

Polyazo-compounds (WILLGEROUF), 1890, A., 1118.

Polycarboxylic fatty acids, synthesis of (Auwers), 1891, A., 546.

Polychrome varnish for white metal (Puschen), 1883, A., 896.

Polycoumarins (HANTZSCH and ZUR-CHER), 1887, A., 830.

Polycrase from California (HIDDEN and MACKINTOSH), 1890, A., 854.

of North and South Carolina (HIDDEN and MACKINTOSH), 1891, A., 1329.

Polydymite (Laspeyres), 1892, A., 124. Polygalic acid (Funarco), 1890, A., 262.

Polygonic acid (RADEMAKER), 1886, A., 949.

Polyhydrite from St. Christoph mine, in Saxony (STARKL), 1883, A., 444.

Polyiodides (GEUTHER), 1887, A., 910. erystallographic examination of (LUE-DECKE), 1887, A., 910.

Polyketones, passivity of certain, to hydroxylamine and phenylhydrazine (HERZIG and ZEINEL), 1889, A., 254.

Polylithionite from Greenland (Lorenzen), 1886, A., 677.

ZEN), 1880, A., 077.

Polymeric compounds, determination of the molecular weights of, by Raoult's method (Meldol vand Streatfelld), 1889, A., 1105.

Polymerism in mineral chemistry (Hun1), 1891, A., 258.

and isomerism, use of Raoult's method, to distinguish beween (Anschurz), 1889, A., 754.

Polymethylenes and naphthenes (MAR-KOWNIKOFF), 1892, A., 1310.

Polymnestum (PRINGLE), 1887, A., 107. Polyoxides, constitution of (GRUTHER),

1884, A., 1260. Polyporus officinalis, constituents of (Jahns), 1884, A., 353.

Polypus of the nose, analyses of (PATEIN), 1891, A., 852.

Polysulphides, constitution of (Bott-GER; GEUTHER), 1884, A., 1260.

Polythionates (SPRING), 1892, P., 91, formulæ of (DEBUS), 1888, T., 351.

Polythionates, action of sulphunous acid on (Dienes), 1888, T., 331; P., 18. general reactions of (Debus), 1888, T., 298.

Polythymoquinone, and its derivatives (Inenemann and v. Ilinski), 1886, A., 239.

Pomegranate, medicinal properties of the root bark of (KAMNITZER), 1885, A., 850.

Poplar wood, yellow colouring matter from (ANON.), 1886, A., 558.

Poppy cake, estimation of fat in (BAESSLER), 1890, A., 306.

Poppy oil, acids from (HAZURA and GROSSNER), 1888, A., 817.

Porcelain (WAGENER), 1883, A., 397. Chinese, rocks used in the manufacture of (Voor), 1890, A., 461.

constitution of (Wernadski), 1890, A., 1074.

moulding of (LAUPH), 1885, A., 307.

Porcelain enamels (WAGENER), 1883,
A., 397; (LAUPH and DUTAILLY),
1889, A., 214.

Porous bodies, density of (VLRURY), 1885, A., 334.

Porpezite (nutive pulludium-gold) from Taguaril, Brazil (SEAMON), 1883, A., 160.

Porphyrite, micaccous, of Morvan (MICHEL-LEVY), 1883, A., 447.
Tuedian, from Stiehill, analysis of (Teall), 1884, A., 413.

Porphyrite-hosses in New Jersey (Kemp), 1890, A., 345.

Porphyrites, Cheviot (TEALL), 1881, A., 413.

of Gabian (DE ROUVILLE and DELAGE), 1889, A., 110.

Porphyritic obsidian, analysis of (Bram), 1884, A., 28.

Porphyry from Horka, Prussia (Scrgen), 1887, A., 223. from the Lugano district (HARADA),

1883, A., 17.
tuff near Tryberg in the Black Forest

(Williams), 1883, A., 725.

Porpoise, composition of the milk of the (Purdif), 1885, A., 1253.

Portland cement, effect of magnesia in (Lechartier), 1886, A., 770.

testing of (ANON.), 1883, A., 753. adulteration (MICHAELIS), 1883, A., 530; (R. and W. Fresenius), 1885, A., 616.

detection of adulteration in (FRESE-NIUS), 1884, A., 876.

Potable-waters. See under Water. Potash. See Potassium hydroxide. Potash alum. See Potassium alum. Potash apparatus. See Analysis, organic.

Potash felspar. See Orthoclase.

Potash liquors, Stassfurt, working up of (FISCHER), 1887, A., 1079.

Potash-soda-felspar, triclinic (unorthocluse; microcluse) (WIIK), 1884, A., 970.

Potash-soda-felspars of Silesia (BEU-TELL), 1885, A., 31.

Potassammonium (Joannis), 1890, A., 210, 560; (Roozeboom), 1890, А., 450; (Moutier), 1890, A., 679.

heat of formation of (JUANNIS), 1890, A., 319.

reaction of, on metals (JOANNIS), 1892, A., 275.

Potassiovanadyl fluorides (PRTERSEN), 1889, A., 1123.

Potassium, production of (CASTNER), 1887, A., 107.

condition of, in soils, plants and moulds (BERTHELOT and ANDRE), 1888, A., 190.

rôle of, in plants (Lupke), 1890, A.,

molecular weight of (RAMSAY), 1889, T., 530, 533.

spectrum of (KAYSER and RUNGE), 1891, A., 137.

wave length of the two red lines in the spectrum of (DESLANDRES), 1888, A., 637.

phosphorescence of (CROOKES), 1887, A., 1068.

boiling point of (PERMAN), 1889, T.,

326; P., 78. lowering of the freezing point of, by the addition of other metals (HEYcock and Neville), 1889, T., 676.

influence of, on the freezing point of sodium (HEYCOCK and NEVILLE), 1889, T., 674.

action of carbonic oxide on (NIETZKI and Benckiser), 1885, A., 1127.

action of chlorine on (Cowpen), 1883, T., 155.

Potassium alloy with lead (JOANNIS), 1892, A., 773.

with mercury (Joannis), 1892, A., 275.

with sodium (JOANNIS), 1888, A., 1238.

Potassium salts, magnetic rotation of (Perkin), 1890, P., 142.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 595.

containing sulphur, heats of formation of (Berthelot), 1883, A., 706.

Potassium salts, organic, electrolysis of solutions of (Lassar-Cohn), 1889, A., 1056.

action of ammonia on solutions of (Giraud), 1885, A., 1038.

physiological action of (RICHET), 1886, A., 88; (BLAKE), 1886, A., 385.

Potassium alum (potash ulum) from felspar (PEMBERTON), 1883, A., 424.

combination of, with water (MAU-MENÉ), 1886, A., 981.

Potassium anhydrosulphite (BERTHE-LOT), 1883, A., 705.

antimonate (v. Knorre and Ols-CHEWSKY), 1888, A., 231.

electrolysis of, with carbon electrodes (BARTOLI and PAPASOGLI), 1883, A., 590; 1889, A., 559.

arsenate, action of, on sesquioxides (Leftvre), 1890, A., 1377.

behaviour of, with indicators (Тномѕох), 1884, А., 869.

aluminium, chromium, and iron arsenates (Lefèvre), 1890, A., 1378.

cadmium, cobalt, magnesium, manganese, nickel and zinc arsenates (Lephvre), 1890, A., 562.

arsenite, behaviour of, with indicators (Thomson), 1884, A., 870. beryllate (Krüss and Moraut), 1890,

A., 698.

bismuthate (ANDRE), 1892, A., 414. bromate, testing of (VULPIUS), 1884, A., 218.

bromide, chlorine in (WEIGLE), 1885, A., 723.

action of sulphuric acid on (ADDY-MAN), 1891, P., 168; 1892, T.,

influence of, on nutrition (Sch-ULZE), 1884, A., 850.

as indicator in chlorimetry (DENI-GES), 1891, A., 615.

and chloride, solubility of mixed (ETARD), 1890, A., 443.

and iodide, solubility of mixed (ETARD), 1890, A., 443.

and iodide, compounds of arsenious anhydride with (Schiff and SESTINI), 1885, A., 723.

gold bromide (uurobromate) (Schott-LÄNDER), 1883, A., 854; 1887, A., 1079.

preparation of pure (THORPE and LAURIE), 1887, T., 868.

lead bromide (HERTY), 1892, A., 780.

magnesium bromide (LERCH), 1884, A., 262; (Feit), 1889, A., 827.

Potassium antimony chlorobromide (ATKINSON), 1883, T., 289. crystallography of (SOLLY), 1883,

T., 293.

carbonate (Fluckicer), 1883, A., 902. 1eduction of, by magnesium (Wink-LER), 1890, A., 332.

pure, action of silver nitrate on (Воные), 1885, A., 1111. testing (Воные), 1888, A., 1224.

copper carbonate solution, estimation of sugars with (Ost), 1890, A., 1031; 1891, A., 125, 1298; (Schmorger), 1892, A., 387.

hydrogen carbonate, conversion of potassium chloride into (MUL-LER), 1885, A., 1038.

sensitive test for, in presence of carbonate (Bohlie), 1885, A., 1111.

estimation of, in presence of normal carbonate (Thomson), 1884, A., 869.

silver carbonate (DE SCHULTEN), 1888, A., 110.

sodium carbonate (HUGOUNENQ and MORKL), 1888, A., 786.

sesquicarbonate (RAMMELSBERG), 1883, A., 646.

chlorate (Beckuris), 1886, A., 664. preparation of (Musprait and Eschellmann), 1885, A., 17.

electrolysis of (Tommasi), 1886, A., 408.

crystals, crystalline reflection in (STOKES), 1885, A., 1175.

solubility of, influence of potassium salts on the (Blarez), 1891, A., 1319.

and thallium chlorate, solubility of mixed crystals of (ROOZEBOOM), 1892, A., 266.

and iodine, interaction of (THORPE and PERRY), 1892, T., 925, P., 161.

iodine and water, interaction of (BASSETT), 1890, T., 760; P.,

decomposition of, by heat (TEED), 1885, P., 105; 1886, P., 141; 1887, T., 285; P., 23; (MAU-MENÉ), 1886, A., 594; (FRANK-LAND and DINGWALL), 1887, T., 274; P., 14; (MILLS), 1887, A., 767.

decomposition of, by heat in presence of manganese peroxide (McLEOD), 1889, T., 184; P.,26.

decomposition of, in contact with metallic oxides (Hodgkinson and Lowndes), 1889, A., 343. Potassium chlorate, influence of different oxides on the decomposition of (FOWLLE and GRANT), 1890, T., 272; P., 20.

physiological action of (v. Mer-186), 1885, A., 1002.

poisoning with (Bischoff), 1883, A., 1021.

arsenic in (Garnier), 1886, A., 99. estimation of, in organic mixtures (Schacht; Schwarz), 1886, A., 179.

perchlorate, action of heat on (MILLS), 1887, A., 767.

decomposition of, by heat (Frank-LAND and DINGWALL), 1887, T., 274; P., 14.

chloride, doubly refracting crystals of (BEN SAUDE), 1886, A., 206.

electrical conductivity of solutions of (Boury), 1886, A., 653.

expansion, compressibility and specific heat of solutions of (Drecken), 1888, A., 1010.

compressibility of aqueous solutions of (Rontgen and Schneider), 1888, A., 1019.

action of carbonic anhydride on, in presence of various amines (MUL-LER), 1885, A., 1038.

action of crude methylamine carbonate on, influence of pressure and temperature on the (MULLER), 1887, A., 771.

as a plant poison (Munro), 1886, A., 389.

use of, in agriculture (Zolla), 1885, A., 588.

enude, estimation of small quantities of sodium chloride in (Rottone and Precur), 1885, A., 1263.

and bromide, solubility of mixed (ETARD), 1890, A., 113.

and iodide, solubility of mixed (ETARD), 1890, A., 413.

and copper dichloride, saturated solutions of compounds of (MEYERHOFER), 1890, A., 584. and sodium chloride, solubility of

and sodium chloride, solubility of mixed (ETAND), 1890, A., 103, 412.

and sodium chlorides, polaristrobometric analysis of a mixture of (Schurt), 1888, A., 1341.

See also Sylvite. aluminium chloride (NEUMANN), 1888, A, 655.

bismuth chloride (BRIGHAM), 1892, A., 788.

chromium chloride (GODEFROY), 1884, A., 660.

Potassium copper chloride, reversible transformation of (MEYER-HOFFER), 1889, A., 819.

and its solutions, vapour pressure of (VRIENS), 1891, A., 783.

gold chloride, anhydrous (LAINER), 1890, A., 1217.

iridium chloride (Jory), 1890, A., 1068.

manganese chloride 1892, A., 781. (SAUNDERS).

osmium chloride (SEUBERT), 1888, A., 922.

rhodium chloride (LEIDIÉ), 1890, A., 1382; (SEUBERT and KOBBÉ), 1890. A., 1383.

thallium chloride (RAMMELSBERG), 1883, A., 424. chromates (Jäger and Krüss), 1889,

A., 1119.

chromate, absorption spectra (Sabatier), 1886, A., 839.

artificial formation of twin crystals of. by increase of temperature (BAUMHAUER), 1886, A., 17.
dichromate (LUPTON), 1888, P., 82.
manufacture of (WACHTEL), 1885,

influence of, on the decomposition of potassium chlorate (Fowler

and GRANT), 1890, T., 280. reduction of, by oxalic (BOTHAMLEY), 1887, P., 141; 1888, T., 159; (Werner), 1887, P., 142; 1888, T., 405, 602; P., 33, 53.

as an antiseptic (LAUJORROIS), 1885, A., 704.

lead chromates (LACHATD and LEPIERRE), 1890, A., 1065.

manganese chromate (Hensgen), 1886, A., 426.

thallium chromate (LACHAUD and LEPIERRE), 1892, A., 568.

chlorochromate, decomposition of, by heat (Oudemans), 1886, A., 854.

fluochromate, effect of heat (GORE), 1885, A., 1114; (OUDE-MANS), 1886, A., 855.

ferrate, preparation of, as a lecture experiment (MERMET), 1887, A., 769.

ferrite, crystallised hydrated (Rous-SEAU and BERNHEIM), 1888, A., 1252.

formati m fluorides, heat of (Guntz), 1884, A., 5.

fluoride, compounds of, with fluorides of heavy metals (WAGNER), 1886, A., 670.

Potassium fluoride, hydrofluorides of (Moissan), 1888, A., 553.

aluminium fluoride (DUBOIN), 1892, A., 1162.

chromium and iron fluorides (CHRISTENSEN), 1887, A., 448.

cobalt and nickel fluorides (POULENC). 1892, A., 781.

germaniofluoride (KRUSS and NILSON), 1887, A., 704; (WINKLER), 1887, A., 1083.

hydrogen fluoride, preparation of (THORPE and HAMBLY), 1889, Ť., 166.

in solution (GUNTZ), 1884, A., 704.

manganese fluorides (CHRISTENSEN), 1887, A., 336.

niobium fluoride, reduction of, with sodium (Krüss and Nilson), 1887, A., 706.

titanium fluoride (Piccini), 1886, A.,

fluoroxyhypomolybdates 1890, A., 703.

fluoroxy-hypovanadate and -vanadate (Piccini and Giorgis), 1892, A., 78**6.**

fluroxyuranate (SMITHELLS), 1883, T., 130.

halogen salts, molecular refraction of

(WEGNER), 1890, A., 549. action of air, silica and kaolin on (GORGEU), 1886, A., 664. hydroxide (caustic potash), preparation

of (Löwig), 1884, A., 15. heat of formation of (MULLER),

1889, A., 811.

electrical conductivity of solutions of (CROMPTON), 1888, T., 123. electrolysis of solutions of (Berson

and Destrem), 1888, A., 1007. vapour pressures of solutions of

(ERRERA), 1889, A., 205. coefficient of diffusion of (STEFAN), 1889, A., 1047.

absorptive power of sea sludge for (Müller), 1889, A., 1241.

duction of, by magnesium (WINKLER), 1890, A., 332. reduction

alcoholate of (ENGEL), 1886, A., 979; (MAUMENE), 1886, A., 979; 980.

hydrates of (MAUMENE), 1886, A., 421; (Göttig), 1887, A., 636.

apparatus for fusion with (LIEBER-MANN), 1888, A., 1155.

arsenic in (MARSHALL and Potts), 1889, A., 342.

vanadium in (SMITH), 1890, A., 706.

Potassium hydroxide (caustic potash), examination of (HAGER), 1884, A., 928.

estimation, volumetric, of (Mar-CHAND), 1884, A., 695.

estimation of, in manures (Lindo), 1888, A., 89.

estimation of, soluble, in soils (QUANTIN), 1885, A., 1262. estimation of alkaline chlorides in

crude (FOCKE), 1887, A., 1138. separation, quantitative, of, from ferric oxide, alumina, lime, and magnesia in silicates (Knop),

1884, A., 110. and

imidosul phonates (DIVERS HAGA), 1892, T., 952.

barium and mercury imidosulphonates (Divers and Haga), 1892, T., 967.

iodate as original standard for iodometry, acidimetry and alkalimetry (GROGER), 1891, A., 614. periodates (KIMMINS), 1887, T., 357;

P., 22; 1889, T., 151; P., 3.

chromiodate (BERG), 1887, A., 776; (BLOMSTRAND), 1890, A., 107.

molybdoiodate, sulphatoiodate and tungstoiodate (BLOMSTRAND), 1890, A., 107.

iodide, vapour density of (Mensching and MEYER), 1887, A., 550.

solubility of (ETARD), 1890, A.,

reaction between ferric chloride and (Carnegie), 1889, A., 1113.

action of sulphuric acid on (Jackson), 1883, T., 339.

solutions, decomposition of, by oxygen and light (BERTHELOT),

1890, A., 7.
removal of iodate from (Morse and Burron), 1888, A., 1216.

and bromide, solubility of mixed (ETARD), 1890, A., 443.

and bromide, compounds arsenious anhydride with (Schiff and SESTINI), 1885, A., 723.

and starch solution, permanent (REINHARDT), 1886, A., 486.

commercial, assay of (Lenz), 1884, A., 366.

titration of (CARLES; FALIERES), 1885, A., 1011.

estimation of iodates in (GIGIA), 1892, A., 657. bismuth iodides (Astre), 1890, A.,

708, 1067.

lead iodide (HERTY), 1892, A., 779. heat of formation of (BERTHE-IAT), 1888, A., 275.

Potassium lead iodide, equilibrium of, with its aqueous solution (Schreinemakens), 1892, A., 560. magnesium iodide (LERCH), 1881, A., 262.

hypoiodite (VAN DEVENTER and VAN'T HOFF), 1888, A., 911.

manganate, preparation of (Johnes), 1888, A., 556.

decomposition of, by ammonium salts (RETGERS), 1891, A., 1159. use of, in analysis (Jolles), 1889,

A., 798. permanganate, decomposition of, by

heat (Rousseau), 1887, A., 552. action of some acids on (SALZER), 1888, A., 996.

action of hydrogen arsenide on (Tivori), 1890, A., 1210.

action of, on a manganous salt (Anon.), 1885, A., 1265.

influence of, on the decomposition of potassium chlorate (FOWLER and GRANT), 1890, T., 280.

action of, on sodium thiosulphate (Gläser), 1885, A., 957; 1887, A., 336; (Honig), 1885, A., 1111.

action of sulphuric acid (Franke), 1887, A., 893.

action of, on certain sulphurcompounds (NASINI), 1884, A., 151.

solution, stability of (GRUTZNER), 1892, A., 1524.

standardising solutions of (KRUSS), 1885, A., 1013; (JAHODA), 1890, A., 196.

solutions, titrations with (LENZ), 1885, A., 598.

estimation of, by means of hydrogen peroxide (Lunge), 1885, 1162; 1890, A., 1468.

manganites (Rousseau), 1887, A., 892.

hydrated (Rousseau), 1892, A., 569. manganite (Jolles), 1888, A., 229. heptamanganite (Rousskau), 1887, A., 552.

permolybdate (Promare), 1891, A., 988.

Potassium nitrate (nitro; saltpetre) (BECKURTS), 1886, A., 664.

deposits (SACC), 1884, A., 1271; 1885, A., 359.

and sodium nitrate, conductivity of a fused mixture of (Boury and l'oincaré), 1888, A., 1231.

influence of, on the decomposition of potassium chlorate (FOWLER and GRANT), 1890, T., 282.

Potassium nitrate (nitre; saltpetre), action of chlorosulphonic acid on (Williams), 1886, T., 225. action of sulphuryl dichloride on (Williams), 1886, T., 226.

effect of, on the growth of potatoes (Deneraln), 1884, A., 361.

absorption of, by plants (BERTHE-LOT and ANDRE), 1888, A., 740. manuring with (FLEIGHER), 1888, A., 1223.

compared with ammonium sulphate as a manure (Mürcker), 1886,

11., 904.

nitrogen estimation in, by potassium xanthate (GRETE), 1883, A., 1031. earth from Turkestan, investigation of (LJUBAVIN), 1885, A., 128.

silver nitrate (DITTE), 1886, A., 122. sodium hydrogen imidosulphonate nitrate (DIVERS and HAGA), 1892, T., 964.

nitrite, preparation of (WARREN), 1891, A., 1321.

action of, on blood (Hénocque), 1885, A., 682.

lead copper nitrite (VAN LESSEN), 1891, A., 1157.

rhodium nitrite (LEIDIE), 1890, A., 1382; 1891, A., 808.

ruthenium nitrites (JOLY and VEZES),

1890, A., 17.

hyponitrite solution, preparation of (Divers and Haga), 1884, T., 85. platino- and platoso-bromo-, -chloro- and -iodo-nitrites (Vkzes), 1891, A., 808; 1892, A., 281, 1284.

palladiochloronitrite (VEZES), 1892, A., 1284.

nitrosoplatinochloride (VEZES), 1890, A., 709.

nitrosoplatinoiodide (VEZFS), 1892, A., 281.

osmiamate, preparation of (Joly), 1891, A., 1433.

oxide (BEKETOFF), 1888, A., 1241.

peroxide (Bolton), 1886, A., 768. phosphate, method for the valuation of (Thomson), 1883, A., 827.

barium phosphate (DE ŚCHULTEN), 1883, A., 711; (OUVRARD), 1888, A., 1033.

cadmium, calcium, cobalt, magnesium, manganese, nickel, strontium and zinc phosphates (Ouvrard), 1888, A., 1033, 1035.

thorium and zirconium phosphates (Troost and Ouvrann), 1886, A., 853.

manganese pyrophosphate (Schlerning), 1892, A., 1052. Potassium phosphite (AMAT), 1888, A., 915.

plumbate (Carnegie), 1890, A., 109. polysulphides, constitution of (Spring and Demarteau), 1889, A., 1110. polythionates, behaviour of, in aqueous

solution (DEBUS), 1888, T., 319. behaviour of, with acids (DEBUS), 1888, T., 316.

pyrosulphite, and hydrates of (Ben-THELOT), 1883, A., 705.

pyroxyhexathiovanadate (Kruss and Ohnmais), 1890, A., 1381.

rutheniate and per-rutheniate (DE-BRAY and JOLY), 1888, A., 920. selenate, solubility of (ETARD), 1888,

selenate, solubility of (ETARD), 1888,
A., 645.

selenides (FABRE), 1886, A., 505, 589. aluminium silicates (Gorgev), 1886, A., 667; 1890, A., 13.

silicofluoride (PREIS), 1890, A., 694. silicozirconate (OUVRARD), 1891, A., 1431.

stannichloride, hydrate of (Monel), 1891, A., 1160.

stanuite, action of nitric oxide on (DIVERS and HAGA), 1885, T., 362. stanuochlorides (RICHARDSON), 1892, A., 785.

platinoselenostaunate (SCHNEIDER), 1892, A., 281.

sulphur compounds, conductivity of, in solution (Bock), 1887, A., 758.

sulphate, artificial formation of twin crystals of, by increase of temperature (BAUMHAUER), 1886, A., 17. preparation of (MULLER), 1885, A.,

heat of solution of (PICKERING), 1885, T., 98; 1886, T., 306.

supposed isomorphism of sodium sulphate and (Retgers), 1891, A., 147.

influence of potassium halides on the solubility of (Blarez), 1891, A., 974.

reduction of, by hydrogen and by carbon (BERTHELOT), 1890, A., 1053.

absorption of, by plants (BERTHELOT and ANDRE), 1888, A., 740.

estimation, volumetric, of (Duber-NARD), 1885, A., 1262.

See also Glascrite. chromosulphate (Recourt), 1892, A.,

copper cobalt and copper magnesium sulphates (Roy), 1887, P., 53.

copper sulphate, modifications and heat of solution of (Pickering), 1886, T., 1. Potassium copper sulphate, ambydrous, heat of solution of (Pickering), 1886, T., 300.

hexahydrated, heat of solution of (Pickering), 1886, T., 301.

anhydrous, specific heats of three modifications of (PICKERING), 1886, T., 14.

hydrogen sulphate, dimorphism of (Wyruboff), 1886, A., 665. hydrate of (Senderens), 1890, A., 450.

iridium sulphate (LECOQ DE BOIS-BAUDRAN), 1883, A., 905.

magnesium sulphate, preparation of (ANON.), 1885, A., 98.

modifications and heat of solution of (Pickering), 1886, T., 7. anhydrous, heat of solution of (Pickering), 1886, T., 297.

hexahydiated, heat of solution of (Pickering), 1886, T., 298. instability of (DITTMAR), 1888,

instability of (DITTMAR), 1888, A., 554.

mercuric sulphates (FOCK and KLÜSS), 1891, A., 879.

nickel cobalt sulphate (Roy), 1887, P., 53.

persulphate (MARSHALL), 1891, T., 772; A., 982.

sulphide, action of cupric sulphide and of mercuric sulphide on (DITTE), 1884, A., 963, 964.

aluminium sulphide (GRATAMA), 1885, A., 350.

antimony sulphide (DITTE), 1886, A., 429.

copper and mercury sulphides (DITTE), 1884, A., 963, 964.

iron sulphide, action of cuprous chloride on (Schneiden), 1889, A., 354.

thallium sulphide, action of hydrogen on (SCHNEIDER), 1891, A., 16. sulphites (HARTOG), 1889, A., 1106.

sulphites (HARTOG), 1889, A., 1106. annionium sulphite (HARTOG), 1889, A., 1106.

manganese sulphite (GORGEU), 1883, A., 718.

sodium sulphite (SCHWICKER), 1889, A., 942; (HARTOG), 1889, A., 1106. hydrogen tartrate. See Argol and Tartaric acid.

hexatellurite (Klein), 1886, A., 767. thiocarbonate, analysis of (Guyot-Dannecy), 1883, A., 241.

DANNECY), 1883, A., 241. trithionate, decomposition of an aqueous solution of (Debus), 1888, T., 313.

tetrathionate (Fock and Knuss), 1890, A. 1210.

Potassium tetrathionate, decomposition of an aqueous solution of (DEBUS), 1888, T., 311.

pentathionate (DEBUS), 1888, T., 291; (Fock and Kluss), 1890, A., 1210. decomposition of an aqueous solution of (DEBUS), 1888, F., 311.

herathionate (Debus), 1888, T., 303. thioplatinosate (Schneider), 1892, A., 944.

platinum thiostannate, reduction of (SCHNEIDER), 1892, A., 914.

thiosulphates (BERTHELOT), 1883, A., 707.

thiosulphate, reaction of, with sulphurous acid (Debus), 1888, T., 313. ammonium and magnesium thiosulphates (Fock and Kluss), 1890, A., 564.

cadmium thiosulphates (Fock and Klüss), 1890, A., 1057.

calcium and strontium thiosulphates (Fock and Kauss), 1892, A., 12.

copper and silver thiosulphates (Сонки), 1887, Т., 38.

sodium thiosulphate (Schwicker), 1889, A., 943.

thiotungstates (Corleis), 1886, A., 510. tungstates (Feii), 1888, A., 344. phosphotungstates (Kehrmann and Freinkei), 1892, A., 1160.

tungstovanadates (ROTHENBACH), 1891, A., 18.

vanadates (Dirth), 1887, A., 639.

Potassium organic compounds:—
Potassium alcoholate. See Ethoxide,
potassium.

carbonylthiocyanoplatinite (Myllus and Foerster), 1891, A., 1165.

cyanate, action of ethylic chlorocarbonate on (Wurrz and Hen-NINGER), 1885, A., 968.

seleniocyanate, action of chlorine on (VERNEUIL), 1886, A., 1002. action of iodine on (VERNEUIL).

action of iodine on (VERNEUIL), 1881, A., 1109.

cyanide, decomposition of (WILKES), 1885, A., 495; (MANNING), 1888, A., 930.

oxidation of, with potassium permanganate (Volhvrn), 1891, A., 160.

action of acids on (V. DER PFORDIEN), 1885, A., 1120.

chromo- and chromi-cyanides (Christensen), 1885, A., 737; (Moissan), 1885, A., 738.

iron cyanogen compound (MAHLA), 1889, A., 359.

ferricyanide, preparation of (Kass-New), 1890, A., 352. Potassium ferrieyanide, action of light on (EDER), 1885, A., 1173.

action of bromine on (REYNOLDS), 1888, T., 767; P., 87.

reactions of (PRUD'HOMME), 1891, A., 410.

reduction of, by potassium eyanide (BLOXAM), 1884, A., 35.

preparation of oxygen by aid of (KASSNER), 1890, A., 352.

use of, in gasometry (QUINCKE), 1892, A., 526.

estimation of (QUINCKE), 1892, A.,

estimation, volumetric, of (Kass-NER), 1890, A., 834.

volumetric analyses by means of (Luckow), 1892, A., 1129, 1527.

ferrocyanide, production of (Zul-kowski), 1884, A., 501. physiological action of (Combe-

MALE and DUBIQUET), 1891, A., non-poisonous nature of (CARLES),

1890, A., 281.

estimation of (Zulkowski), 1884, A., 501.

volumetric analyses by means of (Luckow), 1892, A., 1129, 1527. ferrous ferricyanide (Prussian blue, soluble) (GUIGNET), 1889, 475.

manganese cyanides (CHRISTENSEN), 1885, A., 737.

platinocyanides (WILM), 1886, A., 604, 605; 1888, A., 931; 1889, A.,

thiocyanate, nitrification of, by soil (Munro), 1886, T., 637.

thiocyanates (Krüss and MORAHT), 1889, A., 1129.

platinothiocyanate (GUARESCHI), 1892, A., 286.

Potassium, detection, estimation and separation:-

detection of (PAULY), 1887, A., 1138.

detection, spectroscopic, of (Gooch and HART), 1892, A., 913. estimation of (KRETZSCHMAR), 1886,

A., 450; (Gooch and Harr), 1892, A., 913.

estimation, volumetric, of (WHITE), 1888, A., 1130.

estimation of, by reduction of the platinochloride (Woussen), 1888, A., 89.

estimation of, in ashes and minerals (Kretzschmar), 1887, A., 864. estimation of, in presence of lithium

(KRAUT), 1888, A., 195.

Potassium, estimation and separation: estimation of, in silicates (Chatard), 1885, A., 296.

estimation of, in silicates by Lawrence Smith's method (HOLLAND), 1887, A., 181.

estimation of, in soils (RAULIN), 1890, A., 669; (VAN BEMMELEN), 1890, A., 833.

estimation of, in urine as hydrogen potassium tartrate (Robin), 1890, A., 187.

estimation of, in water (Muck), 1890, A., 299.

separation of, from lithium, magnesium and calcium (Goocn), 1887, A., 528. See also Agricultural Chemistry.

Potassium-nepheline, artificial formation of (Duboin), 1892, A., 1286.

Potato. See Agricultural Chemistry. Potatoes, cooked, composition of (WILLIAMS), 1892, T., 227.

Potato spirit, frothy fermentation in

the manufacture of (Märcker), 1885, A., 1168.

poisonous action of (Brockhaus), 1883, A., 362.

Potato starch, preparation of (ANON.), 1884, A., 134. acidity of (SAARE), 1891, A., 358.

estimation of (SALOMON), 1883, A., 124. three processes for obtaining the albuminoid matter from (KETTE), 1884, A., 948.

Potato starch sugar. See Carbohydrates. Potential. See Electrochemistry.

Potilizin's law of mutual displacement of chlorine and bromine (THORPE and Rodger), 1888, P., 20.

" Poudrette." See Agricultural ('hemistry.

"Pouzzo-Portland" (LANDRIN), 1883, A., 830.

Powders, development of heat in, when moistened (Meissner), 1887, A., 9.

Powellite (Melville), 1891, A., 886. Pozzuolanas from Tevere (VERRI and

TROTTARELLI), 1888, A., 120. production of (DEMARCHI and FODERA), 1883, A., 529. analysis of, and estimation of their

values (LANDRIN), comparative 1883, A., 628.

Predacite from Christiania (JANNASCH), 1887, A., 563.

Praseodymium (AUER V. WELSBACH), 1885, A. 1113.

emission spectrum of (HAITINGER), 1892, A., 2.

fluorescence spectra of (Lecoq DE Boisbaudran), 1888, A., 97.

Precipitates, apparatus for washing (FORBES), 1892, A., 1513.

washing and drying, without exposure to the carbonic and of the atmosphere (Johns), 1886, A., 1070.

change of, from the amorphous to the erystalline form (WATSON), 1891, A., 875.

metallic, crystalline (WARREN), 1890, A., 851.

Precipitation (WATSON), 1890, Λ., 817; 1891, Λ., 875.

theory of fractional (Hoop), 1887, A., 325.

Prehnidine and its derivatives (Tonl), 1888, A., 581.

Prehnite (SCHUBERT), 1883, A., 35, from Cornwall, Lebanon Co., Pa.

(Gentu), 1884, A., 266. from Monte Catini (Becui), 1883, A., 442.

from Silesia (BEUTELL), 1887, A., 223. from Tuscany, etc. (Corst; BECHI), 1883, A., 441.

Prehnitene (1:2:3:4-durene; 1:2:3:4-tetrunethylbenzene), and its derivatives (JACOBSEN), 1886, A., 694; (Kelbe and Pathe), 1886, A., 805; (TOHL), 1888, A., 584.

synthesis of (JACOBSEN), 1889, A., 39. bromo-, action of sulphuric acid on (TOUL), 1892, A., 968.

mono- and di-chloro- (Tour.), 1892, A., 967.

Prehnitenedicarboxylic acid (JACOB-SEN), 1889, A., 874.

Prehnitenesulphonic acid (JACOBSEN), 1886, A., 694.

Prehnitic acid (1:2·3:4-henzenetetracarboxylic acid) (JACOBSEN), 1885, A., 166; (TÖHL), 1888, A., 585.

Prehnitol (1:2:3.4-tetramethylphenol) (Limpach), 1888, A., 464; (Tohl.), 1888, A., 585.

Prehnitylenediamine (Tout.), 1888, A., 585.

Prehnitylene-ethenylamidine hydrochloride (Tohll), 1888, A., 585.

Prehnitylic acid (JACOBSEN), 1886, A., 695.

Press-cake, new process for preparing, from maize, etc. (Burlow), 1883, A., 695.

Pressure, chemical decomposition produced by (Spring and VAN'T HOFF), 1888, A., 341.

effect of, on chemical action (Judo), 1890, T., 408.

influence of, on the condition of carbon in iron (HEMPEL), 1888, A., 557.

Pressure, effect of, on the decomposition of dissolved chlorides (Fous-SEREAU), 1887, A., 697.

influence of, on dissociation (PAW-LEWSKI), 1891, A., 381.

influence of, on the electrical conductivity of liquids (Banus), 1891, A., 250.

influence of, on the resistance of electrolytes (Fink), 1886, A., 586.

influence of, on the expansion of water by heat (Puscur), 1892, A., 1382.

influence of, on the reaction between sodium sulphate and barium carbonate (Spring), 1887, A., 332.

influence of, on the temperature of volatilisation of solids (RAMSAY and Young), 1884, A., 252.

and boiling point, relations between (SCHUMANN), 1885, A., 1176; (KAHLBAUM), 1886, A., 590.

volume and temperature, relation of, in the case of liquids (BARUS), 1890, A., 321.

constant, apparatus for maintaining, when distilling under reduced pressure (Perkin), 1888, T., 689; P., 74.

critical. See Critical pressure.

produced during the combustion of gaseous mixtures (Malland and Le Charmler), 1883 A., 512. estimation of (Vieille), 1883, A., 542.

osmotic. See Osmotic pressure under Diffusion.

unequal, equilibrium of chemical systems under (Spring), 1892, A., 1148.

estimation of, n closed tubes (Revenuer), 188, A., 1014.

Pressure-curves of fluids at their critical points (v. Wroblewski), 1886, A., 961.

Pressure variations of certain high temperature boiling points (BARUS), 1891, A., 9.

Pressure-tubes (WARREN), 1888, A., 646. Priceite (pandermite) (WHITEIELD), 1888, A., 347.

colemanite, and pandermite, identity of (Kenngorr), 1885, A., 1117.

Primuline, history of (GATTERMANN and JACOBSON), 1889, A., 868. constitution of (GREEN), 1889, T.,

constitution of (GREEN), 1889, T., 227; P., 16; (PRITZINGER and GATTERMANN), 1889, A., 867.

nature of (GATTERM INN), 1889, A., 602.

photographic printing of (Green, Cross and Bevan), 1891, A., 139. Primuline base and its constitution (GREEN), 1889, T., 233.

action of potash on (PFITZINGER and GAFTERMANN), 1889, A., 868.

Primuline-group, dyes of the (TRAUT-MANN), 1891, A., 195.

Printing, use of antimony oxalate in (JAQUET), 1885, A., 1276.

new blue for (ULLRICH), 1886, A., 187.

fixing perthiocyanogen in (SCHMID), 1884, A., 796.

Printing ink, process for preparing (ANON.), 1883, A., 896.

Prismatine (SAUER), 1888, A., 34.

Prisms, use of carbon disulphide in (DRAPER), 1885, A., 853.

Procelorite. See Ripidolite.

Propaldehyde, polymeric modifications of (Spring and Tart; Ornborff), 1890, A., 955.

action of ammonia on (WAAGE),1883, A., 39; 1884, A., 172.

action of, on alcohols (Newbury and Barnum), 1891, A., 281.

condensation of, with audline (v. MILLER and PLÖCHL), 1892, A., 1191.

action of glycol on (LOCHERT), 1888, A., 671.

condensation of, with succinic acid (FITTIG and DELISLE), 1890, A., 587.

action of zine and ethylic chloracetate on (Reformatsky), 1892, A., 1300.

action of aniline on a mixture of acetaldehyde and (ROHDE), 1887, A., 974.

action of aniline on a mixture of methylal and (v. MILLER and KINKELIN), 1887, A., 975.

and propaldehyde-ammonia, pyridine derivatives from (DURKOFF and GÖTTSCII), 1890, A., 794, 1002.

Propaldehyde. S-bromo- (LEDERER), 1891, A, 37.

2:2-dibromo- (ETARD), 1892, A., 809. 2:2:3-tribromo- (NIEMILOWICZ), 1890, A., 861.

2:2-dichloro- (SPRING and TART), 1890, A., 955.

Metapropaldehyde (ORNDORFF), 1890, A., 955.

Parapropaldehydes (ORNDORFF), 1890, A., 955; (REFORMATSKY), 1892, A., 1300.

Propaldehydeaniline (v. MILLER and PLÖCHL), 1892, A., 1191.

Propane, preparation of (FRANKLAND), 1885, T., 238.

Propane, illuminating power of (FRANK-LAND), 1885, T., 235; P., 31.

and oxygen, explosion of, under diminished pressure (MEYER and SEUBERT), 1884, T., 584, 592.

derivatives (Winssinger), 1888, A., 243.

hydrate (VILLARD), 1890, A., 1386. Propane, bromo. See Propylic bromide.

dibromo. See Propylenic bromide.
1:2:3-tribromo. See Tribromhydrin.
1:2:2:3-tetrabromo. (isoallylene tetra-bromide) (Gustavson and Dem-Janoff), 1889, A., 30.

tribromonitro- (Askenasy and Meyer), 1892, A., 1064.

tetrubromo-1:3-dinitro-(Kepplen and Meyer) 1892 A 1062

MEYER), 1892, A., 1062. tri- and tetru-chloro- (Spring and

WINSSINGER), 1883, A., 659. 1:2:3-trichloro- See Trichlorhydrin. s-hezuchloro- (Levy and Curchop),

1889, A., 1136. 1-nitro-, magnetic rotatory power of

(Perkin), 1889, T., 688, 727. action of alcoholic potash on (Soko-LOFF), 1889, A., 365.

action of alkalis on (Dunstan and Dymond), 1891, T., 431.

action of zinc ethyl on (BEWAD), 1889, A., 1127.

isonitro-, action of alkalis on (Soko-LOFF), 1889, A., 365.

action of methylic fielde and chloroform on (KISSEI), 1892, A., 1290.

action of zinc ethyl on (BEWAD), 1889, A., 1127.

1:3-dinitro-, and its sodium derivative (Kepplen and Meyen), 1892, A., 1061, 1415.

2:2-dinitro- (Brept), 1883, A., 176. trinitroso- (v. Pechmann and Wehsarg), 1889, A., 34.

Propanebisazo-. Sce Azo-.

1:2-Propanedisulphonic acid and its salts (MONARI), 1885, A., 970.

1:3-Propanedisulphonic acid (trimethylencdisulphonic acid) and its salts (Monari), 1885, A., 970.

Propanesulphonic acid (prophlsulphonic acid) (Winssinger), 1888, A., 213. action of chlorine on (Spring and Winssinger), 1883, A., 659.

γ-amido- (LAUER), 1890, A., 1090. chloro- (Spring and Winssinger), 1883, A., 659.

β-Propanesulphonic acid, potassium salt of (STUFFER), 1891, A., 180.
Propanetetracarboxylic acid (EMERY),

1891, A., 424.

Propanetetracarboxylic acid (isoallyl-enctitracarboxylic acid) and its salts (Bischoff), 1883, A., 46. (dicarboxyllaturic acid; methylenedimalonic acid) (Perkin), 1886, A., 691; (Kerber), 1888, A., 1057.

Propanetricarboxylic acid (propenylitricarboxylic acid) and its ethercal salts (Bischoff), 1883, A., 15. (carboxyglutaric acid) (EMERY), 1891, A., 547.

See also Tricarballylic acid.

Propargylamine and its derivatives (PAL and HERMANN), 1890, A., 229; (PAAL and HEUPEL), 1892, A., 30.

"Propargylenetetracarboxylic acid" and its ethylic salt, synthesis of (Schacherl), 1885, A., 1125.

Propargylic acid. See Propiolic acid. Propargylic iodide, and triodide (HENRY), 1884, A., 979.

(Henry), 1884, A., 979.
"Propargylphenol" (Henry), 1883,
A., 803.

Propargyl-phenylcarbamide and dithiocarbamic acid (PAAL and HEUPEL), 1892, A., 30.

Propenylamidine (propionamidine) hydrochloride (PINNER), 1883, A, 1090; 1884, A., 723.

nitrate (FRANCHIMONT), 1892, A., 951.

nitrite (Lossen), 1892, A., 53 platinochloride (Pinner), 1881, A., 723.

Propenylamidoxime (NORDMANN), 1885, A., 240.

Propenylbenzone. See Allylbenzene. p-Propenylbenzoic acid and its salts (Widman), 1883, A., 330.

2-amido- (WIDMAN), 1886, A., 466. 3-amido-, and its derivatives (WID-

MAN), 1881, A., 317. action of nitrous acid on (Win-MAN), 1884, A., 1022.

2:5-dibromo- (FILETI and BONIS-CONTRO), 1892, A., 605.

m-nitro-, salts of (WIDMAN), 1881, A., 317.

isoPropenylcarbinol. See \$-Allylcarbinol.

Propenyldimethylapionol (BARTO-LOTTI), 1892, A., 1315.

Propenyldiphenyldicarbamide (Pin-NER), 1891, A., 60.

Propenylglycollic acid (LOBRY DE BRUYN), 1885, A., 242.

Propenylquinoline, αω-trichloro- (ΕΙΝ-HORN and LEHNKERING), 1888, A., 1208. p-Propenylsalicylic acid (hydroxypropenylbenior acid) (Heymann and Koenigs), 1887, A., 241.

Propertone. See under Peptone.

Propimine, thiocyano- (mesoumidomethylthiacole) (HANTZSCH and WEBER), 1888, A, 257; (TRAU-MANN), 1889, A., 414.

and its derivatives (Tunentiae and Norton), 1883, A., 568.
"Propimine thiocyanate," and its

"Propimine thiocyanate," and its derivatives (Tellemniae and Nor-TON), 1884, A., 664. thiocyano- (Tellemniae and Hellon),

1883, A., 654.
ropinediphthalyl. See Diphthalyl-

Propinediphthalyl. propane.

Propiolic acid (prepargulic acid) (v. Bandrowski), 1883, A., 314. polymerisation of (v. Baryrn), 1886,

A., 1009.

diodide (Homolka and Stolz),1885,

A., 1198; (BRUCK), 1892, A., 431. bromo-, action of aromatic amines on (MABERY and KRAUSE), 1890, A., 371.

iodo- and its salts (HOMOLKA and STOLZ), 1885, A., 1198; (V. BAEYEII), 1885, A., 1199; (STOLZ), 1886, A., 530.

Propiolic acids, substituted (MABERY and SMITH), 1890, A., 27.

o-Propiolophenoxyacetic acid (Rossino), 1886, A., 66.

Propionamide (Meyer), 1889, A., 381. preparation of (Schulze), 1883, A., 1088.

thermochemistry of (BERTHELOT and FOGH), 1890, A., 1360.

3-iodo- (ΠΕΝΙΚΥ), 1885, A., 372. α-d/iodo- (CURTIUS and LANG), 1892, A., 452.

thio- (Hubachen), 1891, A., 220.

Propion-o-amidobenzoic acid (Pieter

and Dupare), 1888, A., 370. Propionanilide, o-nitro- (Smith), 1885, A., 521.

Propionates, acid (MIXTER), 1887, A., 231.

metallie (RENARD), 1887, A., 651; (GAZE), 1892, A., 140.

Propione. See Diethyl ketone.

Propionic acid and its derivatives (LOBRY DE BRUYN), 1885, A., 963; (RENARD), 1886, A., 1007.

hydrated, magnetic rotation of (Per-KIN), 1886, T., 780.

thermochemistry of (Massol), 1891, A., 1313.

electrochemistry of (JAHA), 1890, A., 100.

Propionic acid, electrolysis of (Bunge), 1890, A., 1236.

vapour pressures of (RICHARDSON), 1886, T., 766, 774, 776.

ammonium salt of, magnetic rotatory power of solutions of (Perkin), 1891, T., 985.

barium and calcium salts of, solubility of (v. Krasnicki), 1888, A., 359. potassium salt of, thermochemistry of

(Massol), 1891, A., 1313. electrolysis of (Bunge), 1890, A., 1236.

sodium salt of, thermochemistry of (Massol), 1891, A., 1313.

magnetic rotatory power of solutions of (Perkin), 1891, T., 987. zine salt of, formation of, by the action of carbonic anhydride on zinc ethyl (SCHMITT), 1891, A., 288.

the halogen-derivatives of, action of heat and water on (Beckurts and Otto), 1885, A., 506.

haloid substitution derivatives of (Henry), 1885, A., 372.

Propionic acid, amido. See Alanine. a-bromo- (Volhard), 1888, A., 129. electrolysis of (Cohn), 1889, A., 1056.

β-bromo- (LEDERER), 1891, A., 37.
αβ-dibromo-, action of, on ethylic malonate (CONRAD and GUTHZEIT), 1884, A., 991.

*tri*bromo- (Niemilowicz), 1890, A., 861.

tetrabromo-, and its salts (MABERY and ROBINSON), 1884, A., 664.

ββ-dichloro-, and its derivatives (FROMME and OTTO), 1887, A., 912. tetruchloro- (ΜΑΒΕΚΥ and SMITH), 1890, A., 27.

chlorofribromo-, decomposition of, by alkaline hydroxides (MABERY), 1884, A., 663.

dichlorobronio- (MABERY and SMITH), 1890, A., 27.

αβ-dichloro-ββ-dibromo- (MABERY and Nicholson), 1885, A., 507. trichlorobromo- (Mabery), 1887, A.,

570. tetrachloro-\$-bromo- (Mabery), 1885,

A., 508.

β-iodo-, preparation of (MEVER), 1887, A., 232; 1888, A., 360. action of, on ethylic thiocarbamate (LANGLET), 1892, A., 440.

β-nitroso- (v. Pechmann), 1891, A.,
 1458; (Hantzsch), 1892, A., 1069.
 β-sulpho- (Ciamician and Magnaghi), 1886, A., 226; (Rosenthil), 1886, A., 866.

Propionic acids, substituted (MABERY and ROBINSON), 1881, A., 663; (MABERY), 1887, A., 570. constitution of (HILL), 1883, A.,

constitution of (HILL), 1883, A. 310.

tetrasubstituted, and their salts (HILL and MABERY), 1883, A., 309.

Propionic anhydride, α-dichloro- (Οττο and Holst), 1890, A., 1327.

Propionitrile (cthylic cyanide), magnetic rotatory power of (Perkin), 1889, 'f., 701.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 296.

heats of combustion and formation of (BERTHELOT and PETIT), 1889, A., 812.

action of, on chlorides of fatty acids (Orro and Trioger), 1890, A., 726. synthesis of ketonic acids by the

synthesis of ketonic acids by the action of acid chlorides on (Otto and Troger), 1889, A., 957.

action of, on organic acids (Colby and Dodge), 1891, A., 409.

action of sodium on (v. MEYER), 1892, A., 576.

hydrogenation of (PISANELLO), 1887, A., 457.

products of the polymerisation of (HANRIOT and BOUVEAULT), 1889, A., 841.

transformation of, in the organism (GLACOSA), 1884, A., 1061.

dimolecular (Burns), 1891, A., 888. homologues of, action of sodium on (v. Meyer), 1888, A., 800.

hydrochloride, constitution of (MICHAELIS and WING), 1885, A., 963.

polymeride of (v. MEYER), 1889, A., 114.

a-dichloro- (Otto and Voict), 1887, A., 1024.

molecular weight of (OTTO), 1890, A., 726.

Propiono-diphenyl- and -di-o- and -ptolyl-hydrazides (GATTERMANN, JOHNSON and HÖLZLE), 1892, A., 818.

Propionoguanimine (HAAF), 1891, A., 416.

Propionophenylcarbizin (FREUND and GOLDSMITH), 1888, A., 1187.

Propionophenylhydrazide (FREUND and GOLDSMITH), 1888, A., 1187; (OTTO and HOLST), 1890, A., 1328.

Propiono-o-toluidide (PICTET and DUPARC), 1888, A., 370.

Propiono-o- and -p-tolylhydrazides (GATTERMANN, JOHNSON and HOLZLE), 1892, A., 843. Propionylacetophenone (phenyl ethyl mothyleno diketone) (BEYER and CLAISEN), 1887, A., 943.

Propionylacetylphenylhydrazone (JAPP and Klingemann), 1888, T., 510.

a-Propionylacrylic acid (HANTZSCH and Wohlbruck), 1887, A., 717. 2. Propionylanisoil (GATTERMANN,

EHRHARDT and MAISCH), 1890, A., 963. Propionylbenzoic acid, o-pentachloro-(ZINCKE and COOKSEY), 1890, A., 785.

Propionylbenzoyl (MULLER and V. PECHMANN), 1889, A., 1171.

Propionyl-dibromonitrophenol and -chlorodibromophenol (GARZINO), 1890, A., 1107.

Propionylcodeine, and its derivatives (Hesse), 1881, A., 614.

Propionyl-m-diethoxybenzene (GIT-TERMANN, EHRHARDT and MAISCH), 1890, A., 964.

a-Propionylethylic cyanide. See Methylpropionylacetonitrile.

1:3:4-Propionylhomoferulic acid (TIE-MANN and KRAAZ), 1883, A., 200. Propionylhydroxamic acid (MIOLATI),

1892, A., 699.

Propionylmesitylene, action of hydroxylamine hydrochloride on (FEITH and Davies), 1892, A., 314.

Propionyl-α-naphthol and -α-naphtholazobenzene (Goldzweig and Kaisen), 1891, A., 447.

Propionylnaphtholphenylhydrazone (Goldzweig and Kaiser), 1891, A.,

Propionyl-a-naphthyl methyl (GATTERMANN, EHRHARDT and Maiscii), 1890, A., 964.

Propionyl/initrophenol (Coldinated and Karser), 1891, A., 417.

Propionylopianic acid (IMERERMANN and KLEEMANN), 1887, A., 47.

(GATTERMANN, v-Propionylphenetoil EHRHARDT and MAISCH), 1890, A., 964.

2)-Propionylphenol (hydroxyy)henyl cthyl Ketone) (PERKIN), 1889, T., 547; (GOLDZWEIG and KAISER), 1891, A., 447.

derivatives (Guareschi and Dacсомо), 1885, А., 891.

phenylhydrazone of (Goznzweig and KAISER), 1891, A., 447.

Propionylpropaldehyde (CLAISEN and MEYEROWITZ), 1890, A., 357.

a-Propionylpropionamide (Orro TROGER), 1889, A., 957.

B-Propionylpropionic acid (homolerulinic acid) and its dioximes (ZANETTI), 1892, A., 351; (FITTIG and HILLERT), 1892, A., 961.

Propionylpropionitrile (v. MRYER), 1889, A., 111; (Bouvrault), 1891, A., 51.

1-Propionylpyrroline (DENNSTEDT and

ZIMMERMANN), 1857, A., 844.
Propionylquinol and its hydrazone (GOLDZWEIG and KAISER), 1891, A., 417.

Propionylresorcinol and its hydrazone (Goldzweig and Kaiser), 1891, A., 417.

Propionylsodacetaldehyde (CLAISEN and STYLOS), 1888, A., 671.

Propiophenone (phenyl cthyl ketone) and its derivatives (PAMPEL and Schmidt), 1887, A., 252.

amido-, hydrochloride (SCHMIDT), 1890, A., 372.

nitroso- (v. Pechmann and Müller), 1888, A., 1088; (CLAISEN and MANASSE), 1889, A., 585; (GUDE-MAN), 1889, A., 618.

Propiophenone-o-carboxylamide (GAB-RIEL), 1886, A., 620.

Propiophenone-o-carboxylic acid, pentuchloro- (Zincke and Cooksey), 1890, A., 785.

Propiothienone and its derivatives (Kreckeler), 1886, A., 539.

Propoxybenzamide (FILETI and AB-BONA), 1892, A., 595.

Propoxybenzene (phenyl propyl ether), heat equivalent of (STOHMANN, RODATZ and HERZBERG), 1887, A., 428.

γ-bromo- (Lohmann), 1891, A., 1467. y-chloro- (GABRIEL), 1892, A., 717.

p-Propoxybenzoic acid (REMSEN and GRAHAM), 1889, A., 975.

Propoxybenzonitrile (FILETI and AB-BONA), 1892, A., 595.

Propoxybromosalicylic acid TONER), 1887, A., 487.

4-Propoxy-β-naphthaquinone, 3-chloro-(ZINCKE), 1888, A., 710.

Propoxypropylanthracene (HALLGAR-TEN), 1859, A., 895.

Propyl, change of, into isopropyl in the cumenes (WIDMAN), 1891, A., 45. compounds, specific volumes (Zander), 1883, A., 13.

Propyl hexyl ketone (WAGNER), 1892, A., 35.

Propyl- and isopropyl-acetanilide (Pic-TET), 1890, A., 758.

isoPropylacetic acid. See isoValeric acid. isoPropylacetone, oxime of (Westen-BERGER), 1884, A., 581.

isoPropylacetonylphosphinic acid, and its salts (MICHAELIS), 1884, A., 901; 1885, A., 747.

Propylacetothienone. See Propylthienyl methyl ketone.

isoPropylacetylene. See Pentinene.

Propyl- and isopropyl-acetylenecarboxylic acids (FAWORSKY), 1888, A., 1169.

Propylacridine (Volpi), 1892, A., 343.

Propylaldoxime (Petraczek), 1883, A., 569.

Propylallylamine and its platinochloride (LIEBERMANN and PAAL), 1883, A., 909.

Propylallylthioearbamide (HECHT), 1890, A., 476; (AVENARIUS), 1891, A., 549.

Propylamidoacetic acid (CHANCEL), 1892, A., 804.

Propylamine (VINCENT), 1886, A., 1004. preparation of (MALBUT), 1887, A., 652.

magnetic rotatory power of (Perkin), 1889, T., 692, 730.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 296.

derivatives of (GABRIEL and WEINER), 1888, A., 1292; (GABRIEL and LAUER), 1890, A., 472; (LAUER), 1890, A., 1089; (CHANCEL), 1892, A., 804.

β-bromo-, derivatives of (HIRSCH), 1890, A., 859.

γ-bromo-, derivatives of (GABRIEL and WEINER), 1888, A., 1293.

hydrobromide (LAUER), 1890, A., 1090.

2:3-dibromo-, hydrobromide (PAAL and HERMANN), 1890, A., 228. tribromo- (PAAL), 1889, A., 117.

hydrobromide (PAAL and HER-MANN), 1890, A., 229.

MANN), 1890, A., 229. thio-derivatives of (Coblentz), 1891, A., 1216.

Propylamines and their derivatives (Chancel), 1892, A., 804.

iso Propylamine, ab-dithiocyano-, and its derivatives (TCHERNIAC and NORTON), 1884, A., 664.

isoPropylamines (H. and A. MALBOT), 1891, A., 166.

Propylaminenitrobenzamide, γ-bromo-(ELFELDT), 1892, A., 214.

Propylammonium propyldithiocarbamate (HECHT), 1890, A., 476.

Propylisoamylamine, dibrono-, and its hydrobromide (PAAL), 1889, A., 118. Propylisoamylglyoxalines, n- and iso-(oxalisoamyl-n- and -iso-butyllines)

(RIEGER), 1889, A., 119. p-isoPropyl-o-isoamyltoluene (CLAUS), 1892, A., 985.

Propylaniline (DOEBNER and v. MIL-LER), 1884, A., 1376; (PICTET), 1890, A., 758.

p-nitroso- (WACKER), 1888, A., 466. 280Propylaniline (PICTET and CRE-PIEUX), 1888, A., 689; (PICTET), 1890, A., 758.

Propylanilinenitrosamine, p-nitroso-(WACKER), 1888, A., 466.

Propylazaurolic acid (MEYER and CONSTAM), 1883, A., 41.

Propylbenzamide (Fileti), 1887, A., 43.

β-bromo- (Hirsch), 1890, A., 860.
 γ-bromo- (Garriel and Elfeldt), 1892, A., 212.

β-chloro- (GABRIEL and HEYMANN), 1890, A., 1268.

γ-chloro- (GABRIEL and ELFELDT), 1892, A., 213.

Propylbenzene. See n-Cumene.

isoPropylbenzene. See Cumene.

Propylbenzoic acid. See n-Cuminic acid.

isoPropylbenzoic acid. See isoCuminic acid.

Propylbenzonitrile. See Propyldiphenylic cyanide.

p-Propylbenzophenone and its oximes (SMITH), 1892, A., 488.

p-isoPropylbenzophenone and its oximes (SMITH), 1892, A., 489.

Propylbenzoylethylic cyanide (propylbenzoylpropionitrile), imido- (Burns), 1891, A., 889.

isoPropylbenzoylformic acid (isopropylphenylglyorylic acid) (FILETI and AMORETTI), 1891, A., 1060.

Propylbenzylamine (ZAUNSCHIRM), 1888, A., 1077.

isoPropylbenzylamine. See Cuminylamine.

Propylisobutanetricarboxylic acid (Bischoff and Tigerstedt), 1890, A., 1103.

Propylbutylamine, dibromo- (PAAL), 1889, A., 117.

Propylisubutylamine (PAAL and HEU-PEL), 1892, A., 32. dibromo- (PAAL), 1889, A., 117.

isoPropylisobutylethylene glycol (Fossek), 1884, A., 833; (Swoboda and Fossek), 1891, A., 31.

Propyl-n- and -iso-butylglyoxalines (oral-n- and -iso-butylbutylines) (RIE-GER), 1889, A., 119.

Propylisobutylglyoxaline (oxalpropylisotanyline) (Radziszewski), 1884, A., 986.

a-isoPropyl-β-isobutylhydraerylic acid (Wonlbrück), 1887, A., 1100.

Propylisobutylquinol (FIALA), 1886, A., 451.

3'-Propyl-2'-butylquinoline, and its salts (Doerner and v. Miller), 1884, A, 1376.

3'-isoPropyl-2'-isobutylquinoline (SPADY), 1886, A., 263.

reactions occurring in the synthesis of (v. MILLER), 1891, A., 1102.

p-isoPropyl-n- and -iso-o-butyltoluenes (CLAUS), 1892, A., 985.

Propylcarbamide (CHANCEL), 1892, A., 1421.

2;3-dibromo-, and its derivatives (Andreaseth), 1884, A., 732; (Paal and Heupel), 1892, A., 30; (Paal), 1892, A., 578.

a-Propyl-\$-chlorocinnamic acid (Pin-Kin and Calman), 1886, T., 163.

a-isoPropyleinchonic acid (DOEBNER), 1887, A., 504.

isoPropylcinnamaldehyde. See a Cumylacraldehyde.

isoPropylcinnamic acid. See Cumylaciylic acid.

Propylcinnamoylamides, β- and γbromo- (Elfeldt), 1892, A., 215. α-isoPropylcoumarin. derivatives of

 α-isoPropylcoumarin, derivatives o (Aldringen), 1892, A., 330.
 thio- (Aldringen), 1890, A., 624.

a-isoPropyl-coumaroxime and -coumarphenylhydrazide (Aldringen), 1890, A., 624.

isoPropyl-m-cresol and its derivatives (MAZZARA), 1883, A., 463.

Propylcyanocamphor (HALLER), 1891, A., 1499.

Propyl- and isopropyl-deoxybenzoin (BISCHOFF), 1889, A., 512.

Propyldiallylcarbinol. See Decinylic alcohol.

3'-isoPropyldihydroindole(TRENKLER), 1889, A., 260.

Propyldiphenylic tricyanide (KRAFFF and v. Hansen) 1889 A 697

and v. Hansen), 1889, A., 697.

Propylene, formation of, from glycerol
(Grane) 1886 A 138

(Claus), 1886, A., 136. liquefaction of (Moltschanowski), 1889, A., 1126.

and oxygen, explosion of, under diminished pressure (MEYER and SEUBERT), 1884, T., 585, 595.

Propylene, 1-amido- (III IRSCH), 1890, A., 860.

3-amido. See Allylamine.

1-brome. See Allylic bromide.

3-bromo- and iso-3-bromo- (WISLI-CENUS, TEISLER and LANGSEIN), 1889, A., 236.

1:3-dibromo- (Lespieau), 1892, A., 420.

Propylene, bromonitro- (ASKENASY and MEYER), 1892, A., 1064.

a-chloro- and 180-a-chloro- (WISLI-CENUS), 1887, A., 656; (WISLI-CENUS, TRISLER and LANGBEIN), 1889, A., 236.

α- and β-dichloro-, action of triethylamine on (REBOUL), 1883, A., 307.

1:2:3-ti tiodo- (HENRY), 1884, A., 979. pentachloro- (LEVY and CURCHOD), 1889, A., 1136.

nitro- (MEYER), 1892, A., 575; (As-KENASY and MEYER), 1892, A., 1062.

sodium derivative of (Askenasy and Meyer), 1892, A., 1062.

Propylene chlorhydrin, constitution and oxidation of (Morley and Green), 1885, T., 132; P., 3.

action of zinc ethyl on the benzoate of (MORLEY and GREEN), 1885, T., 134.

Propylene ethylphenylketate, preparation and oxidation of (Morley and Green), 1885, T., 135.

action of hydriodic and sulphuric acids on (Monley and Green), 1885, T., 137.

1:2-Propylene glycol (trimethyl glycol), formation of, from acetylcarbinol (Perkin), 1891, T., 796.

preparation of (Morley and Green), 1885, T., 132.

action of aldehyde on (DE GRAMONT), 1884, A., 35.

diacetin of (BEHAL and DESGREZ), 1892, A., 1163.

1:3-Propylene glycol (trimethylene glycol) (Nieders), 1883, A., 150. acetals of (Lochert), 1888, A., 935.

Propylene mercaptan (HAGELBERG), 1890, A., 950.

Propylene oxide, heat of combustion of (BRUHL), 1891, A., 633.

oxidation of, by silver oxide (LINNE-MANN), 1885, A , 1011.

chloro-. See Epichlorhydrin.
Propyleneacetal (DE GRAMONT), 1884,

Λ., 35. Propyleneallyl-ψ-thiocarbamide

(Hirsch), 1890, A., 861. Propyleneazo. See Azo.

4-isoPropylenebis-1- and 3-phenylmethylpyrazolone (Knonn), 1887, A., 602.

Propylenecarbamide (GABRIEL), 1890,

bromo-, and its derivatives (ANDRE-ASOR), 1884, A., 735; (PAAL), 1892, A., 578.

Propylene- ψ -carbamide (Hillson), 1890, A., 859.

Propylenediamine, derivatives (STRACHE), 1888, A., 1172.

Propylenedi soamylamine acetate and benzoate (Louise), 1889, A., 118.

Propylenedicarboxylic acid. See Glutaric acid.

Giumite acid.

Propylenediphenyldisulphone (SPUF-FER), 1890, A., 988; 1891, A., 181. Propylenedisulphonic acid. See 1.2-

Propanedisulphonic acid.

Propylene-ethenyldiamine (cthraylpropylenediamine) (v. HOFMANN), 1888, A., 1051.

Propyleneglycolcarboxylic acid. Sec αβ-Dihydroxybutyric acid.

Propylene-oxamic acid and -oxamide (STRACHE), 1888, A., 1173.

Propyleneoxycarboxylic acid. See β-Methylglycidic acid.

Propylene- ψ -selenocarbamide hydrobromide (Firing and Dubois), 1890, A., 880.

Propylenesuccinimide (STRACHE), 1888, A., 1173.

Propylenethiccarbamide methicdide (GABRIEL), 1890, A., 128.

Propylene- ψ -thiocarbamide (GARRIEL), 1890, A., 127; (Hersch), 1890, A., 859. Propylenic bromide, conversion of

trimethylenic bromide into (Gustavson), 1888, A., 240.

action of ammonia on (GALEWSKY), 1890, A., 952.

action of, on the sodium derivatives of ethylic acetoacetate and ethylic benzoylacetate (Perkin and STENIOUSE), 1891, P., 190; 1892, T., 67.

diethylic and diphonylic disulphides (Stuffen), 1891, A., 181.

iodide from allylic iodide and hydrogen iodide (MALBOT), 1888, A., 1262.

dinitrate (Bertoni), 1887, A., 458. selenocyanate and thiocyanate (Hagelberg), 1890, A., 950.

Propylethenyltricarboxylic acid. See n-l'entanetricarboxylic acid.

Propylethyl. See Ethylpropyl.

isoPropylethylene. See a iwAmylene. Propylethylic cyanide, oxime of. See Methylethylusooxazole, amido.

Methylethylesoxazole, amido-.
a-imido- (imidohexonitrile) (v.
MEYER), 1889, A., 114.

isoPropylformamide (Spica), 1887, A.,

Propylformanilide (Pictur and Cre-PIEUX), 1888, A., 689; (Pictur), 1890, A., 758. Propylisoformanilide (Comstock and CLAPP), 1892. A., 708.

isoPropylformanilide (PICTET and CRÉPIEUX), 1888, A., 689; (PICTET), 1890, A., 758.

Propylformimide hydrochloride (PIN-NER), 1883, A, 1089.

isoPropylformonaphthylamide (SPICA), 1887, A., 1028.

Propylglyoxaline (glyoxalbutyline) (Riegen), 1889, A., 119.

p-Propylglyoxaline (WALLACH), 1883, A., 911.

isoPropylglyoxaline(ulyoxalisobutyline)
(RADZISZEWSKI), 1883, A., 1086;
(RIEGER), 1889, A., 120.

Propyl-group in cymene, nature of the (Widman), 1891, A., 686.

intramolecular changes in the (WID-MAN), 1886, A., 464; 1889, A., 1185; 1892, A., 43.

conversion of, into the isopropyl group (Gusravson), 1883, A., 565.

Propylhexamethylene (BAMBERGER and LENGFELD), 1890, A., 1320.

Propythexylglyoxaline (oxalpropylananthyline) (KARCY), 1887, A., 911.

α-Propylhomopiperidinic scid(Aschan), 1891, A., 467.

Propylhydrocarbostyril (WIDMAN), 1887, A., 132.

p-Propylhydrocinnamic acid (propylphenylpropionic acid) (WIDMAN), 1887, A., 133.

Propylic alcohol, vapour pressures of (RICHARDSON), 1886, T., 763, 771, 773; (SCHMIDT), 1892, A., 397.

vapour pressures of a mixture of water and (RAMSAY and Young), 1888, P., 101.

action of *Bacterium aceti* on (Brown), 1886, T., 177.

action of bromine on (ETARD), 1892, A., 809.

compound of calcium chloride with (Gorrig), 1890, A., 465.

isoPropylic alcohol, action of bromine on (ETARD), 1892, A., 809.

compound from benzil and (JAPP and RASCHEN), 1886, T., 832; P., 203. hydrate of (RUHEMANN and CAR-

NEGIE), 1888, T., 427. sodium derivative of (DE FORCRAND), 1892. A., 691.

1892, A., 691. thermochemistry of (DE FORGRAND),

1892. A., 674. amido. See Hydroxypropylamine.

Propylic salts of normal tatty acids, boiling points and specific volumes of (Garenmeister), 1886, A., 966.

881 56

Propylic acctate, dibromo- (Aschan), 1890, A., 1084.

anisylimidoanisylthiocarbamato (Formstern), 1888, A., 915.

benzenesulphonate (KRAFFT and Roos), 1892, A., 1220.

benzoate, \(\beta\)-amido-, hydrobromide (GABRIEL and HEYMANN), 1890, A., 1268.

γ-amido- (GABRIEL and ELFELDF), 1892, A., 213.

bromide, transformation of, into isopropylic bromide under the influence of heat (Aronstein), 1883, A., 172.

β-isobutoxyquartenylate (ENKE), 1890, A., 866.

tr/chloracetate (CLERMONT), 1883, A., 729.

chlorides, chlorination of (MEYER and MULLER), 1892, A., 1414.

trichlorolactate (Anschutz and Hasiam), 1890, A., 27.

β-chloroquartenylate (Enke), 1890, A., 865.

chloroxalate (Anschutz), 1890, A., 236.

cocaylhenzoylhydroxyacetate (EIN-HORN), 1889, A., 420.

cyanide (butyronitrile), dimolecular (WACHE), 1889, A., 684.

dioxythiocarbonate (SCALA), 1887, A., 800.

β-ethoxyquartenylate (ENKE), 1890, A., 865.

fluoride (MESLANS), 1889, A., 575. formate, magnetism of (HENRICHSEN), 1892, A., 672.

glycol. See Propylene glycol.

hydrogen oxalate (Anschutz and Schonfeld), 1886, A., 785.

hydrogen sulphate, γ-amido-BRIEL and LAUER), 1890, A., 473. iodoacetate (HENRY), 1885, A., 372. β-methoxyquartenylate (ENKE), 1890,

A., 865.
 α- and β-naphthylimidonaphthylthiocarbamates (Evens), 1888, A.,

nitrate, magnetic rotatory power of (Perkin), 1889, T, 683.

nitrite, preparation of, by double decomposition (Bertoni and Truffi), 1884, A., 1110.

oxalate (Anschutz), 1890, A., 236. oxysulphide (Winssinger), 1888, A., 243.

action of chlorine on (Sphing and Winssinger), 1883, A., 659. phenylacetylurate (Hoffen), 1888,

A., 1299.

Propylic phenyloxamate (Anschurz), 1890, A., 235.

phosphite (J.Enne), 1890, A., 859. B-propoxyquartenylate (Enkl.), 1890,

A., 866. succinate, magnetic rotatory power

of (Реккін), 1888, Т., 562, 587. o-sulphaminebenzoate (Remsin and Dонме), 1889, А., 992.

sulphide in Ohio petroleum (MA-

BERY and SMIII), 1891, A., 1172.
action of chlorine on (Sprine and

IMCRENIER), 1888, A., 661.
platinum compounds of (Rude-

plaunum compounds of (KUDE-LIUS), 1889, A., 367.

disulphide (Spring and Legros), 1883, A., 48.

vanadate (ΠΑΙΔ), 1887, Τ., 753. iso**Propylic** acetate, dibromo- (ΔSCHAN), 1890, A., 1084.

benzoate, chloro-, preparation of (Morley and Green), 1885, T., 185.

bromide, transformation of propylic bromide into, under the influence of heat (Aronsiein), 1883, A., 172.

chloride, action of aqueous ammonia on (H. and A. Malbor), 1891, A., 413.

chlorocarbonate (SPICA), 1887, A., 1028.

cyanide (isobutyronitril), action of sodium on (v. MEYER), 1888, A., 801.

fluoride (Mfslans), 1889, A., 575. hydrogen oxalite (Anschurz and Schonfeld), 1886, A., 786.

iodide, action of aqueous ammonia on (II. and A. Marbor), 1891, A., 413.

phenylearbamate (Gumpuni), 1885, A., 656; 1886, A., 312.

phenyloxamate (Ansunuiz), 1890, A., 236.

sodium thiosulphate (Purcorn), 1892, A., 1118.

sulphide, platinum compounds of (Rudelius), 1889, A., 367.

disulphide (Spring and Legros), 1883, A., 48.

Propylidene diethyl and dimethyl ethers (Newbury and Barnum), 1891, A., 284.

Propylidene ethylene disulphide and disulphone (FASBENDER), 1888, A.,

Propylideneacetic acid (pentenoic acud) (Komnenos), 1884, A., 423; (Orv), 1891, A., 1453. Propylideneacetic acid (pentenoic acid) from malonic acid and from o-amidophenol (ZINCKE and KUSTER), 1891, A., 821.

preparation and derivatives of (ZINCKE and Kuster), 1889, A., 599.

isoPropylideneacetone. See Methyl isobutenyl ketone.

isoPropylidene-p-amidophenol (HAEGELE), 1892, A., 1451.

Propylideneaniline (v. Miller and Plochl), 1892, A., 1191.

Propylidenediacetic acid (Komnenos), 1884, A., 423.

Propylidenediethyldisulphone (BAU-MANN and KASF), 1889, A., 1232; (FROMM), 1890, A., 56.

isoPropylidenediethyldisulphone. See Diethylsulphonedimethylmethane and Sulphonal.

Propylidenedimethyldisulphone (BAU-MANN and KAST), 1889, A, 1232.

isoPropylidenediphenol (DIANIN), 1889, A., 1187.

Propylidenepropaldehyde (LIEBEN and ZEISEL), 1883, A., 570.

isoPropylindene, amido- (v. MILLER and ROHDE), 1889, A., 981.

3'-isoPropylindole (TRENKLER), 1889, A., 259.

Propylitaconic acid (FITTIG and SCHMIDT), 1890, A., 589.

Propylitamalic acid, salts of (FITTIG and SCHMIDT), 1890, A., 588.

isoPropylitamalic acid, salts of (FIFFIG and ZANNER), 1890, A., 590.

Propyllupetidine (2:6-dimethyl-4-propylhoxahydropyridine) (JAEOKLE), 1888, A., 1104.

Propyllutidine (2:6-dimethyl-4-propyl-pyridine) (JAECKLE), 1888, A., 1104. Propyllutidinedicarboxylic acid (2:6-

dimethyl-4-propylpyridimedicarborylic acid) (JAECKLE), 1888, A., 1104.

isoPropylmalic acid (Schleicher), 1892, A., 428.

Propylmalonic acids, n- and iso-, thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097.

Propylmercaptomethylthiazoline. See Propylsulphydromethylthiazoline.

Propylmercaptophthalimide. See Sulphydropropylphthalimide. Propylmethyl. See Methylpropyl.

β-Propylnaphthalene (Roux), 1884 A., 1357; 1888, A., 1305.

Propyl- α - and - β -naphthylamines (Min1z), 1892, A., 1338.

Propyl- and isopropyl-nitramines and their derivatives (SIMON-THOMAS), 1891, A., 167. Propyl-m-nitrobenzamide, \$\beta\$-bromo (Elfeldt), 1892, A., 213.

p-isoPropyl-o-nitrophenyl-\(\beta\)-bromopropionic acid (EINHORN and HESS), 1884, A., 1352.

isoPropylnitrophenyllactamide (EINHORN and HESS), 1884, A., 1353.

isoPropylnitrophenyllactic acid, βlactone of (Einhorn and Hess),1884, A., 1351.

p-isoPropyl-o-nitrophenyllactic acid and its salts (EINHORN and HESS), 1884, A., 1353.

p-isoPropyl-o-nitrostyrene (EINHORN and HESS), 1884, A., 1353.

Propylnitrous acid, potassium salt of (Chancel), 1883, A., 915.

Propyloxamic acid (CHANCEL), 1892, A., 801.

Propyloxanthranol (HALLGARTEN), 1889, A., 895.

Propylparaconic acid (FITTIG), 1888, A., 251; (FITTIG and SCHMIDT), 1890, A., 588.

isoPropylparaconic acid (FITTIG and ZANNER), 1890, A., 589.

Propylpentenethiocarbamide, symmetrical (IIECHF), 1892, A., 702.

Propylphenol. See Cumenol.

Propylphenylamine (p-amido-8-phenyl-propane) and its derivatives (Franck-SEN), 1884, A., 1007.

isoPropylphenylanilidoacetic acid.
See Anilidocumylacetic acid.

p-Propylphenylcarbamide (FRANCK-SEN), 1884, A., 1008.

p-Propylphenyldimethylamine (CLAUS and HOWITZ), 1884, A., 1006.

isoPropylphenylformamide (DE VARDA), 1887, A., 1028.

Propylphenylic cyanide (FRANCKSEN), 1884, A., 1009.

p-Propylphenylthiocarbamides [m.ps. 159 and 63°] (Francksen), 1884, A., 1008; (Hecht), 1890, A., 477.

p-Propylphenylthiocarbimide (Francksen), 1884, A., 1008.

Propylphenyl-. See also Phenylpropyl-. isoPropylphenyl-. See also Cumyl-. isoPropylphosphinecarboxylic acid (MICHAELIS), 1885, A., 748.

Propylphosphoric acid (WINSSINGER), 1888. A., 243.

isoPropylisophthalic acid (DOEBNER), 1890, A., 1283; 1891, A., 1064.

isoPropylphthalide (Roser), 1885, A., 268.

Propylphthalimide (GABRIEL), 1892, A., 157. β-bromo- (SEITZ), 1891, A., 1472. Propylphthalimide, γ-bromo- (GABRIEL and WEINER), 1888, A., 1292.

γ-cyano- (GABRIEL), 1890, A., 360. β-thiocyano- (SEIIZ), 1891, A., 1473.

γ-thocyano- (GABRIEL and LAUER), 1890, Δ., 472; (LAUER), 1890, Δ., 1090.

isoPropylphthalimide (GABRIEL), 1892, A., 158.

"Propylphycite" (FAUCONNIER), 1889, A., 31.

d-isoPropylpiperideine (LADENBURG), 1887, A., 740.

 α-Propylpiperidine (α-propylhexahydropyridine) (LADENBURG), 1887, A., 161.

a-isoPropylpiperidine (LADENBURG), 1884, A., 1386; 1887, A., 65.

γ-isoPropylpiperidine (LADENBURG), 1887, A., 65.

d-a-Propylpiperidine. See Conline under Alkaloids.

Propylpiperidines (LADENBURG), 1884, A., 1196.

B-Propylpiperidone (Aschan), 1891, A., 468, 1246.

Propylpropargylamine (PAAL and HERMANN), 1890, A., 230.

8-isoPropylpropiethienone (THIELE) 1892, A., 443.

Propylisopropylbenzenes, synthesis of

(HEISE), 1891, A., 686.

p-Propylisopropylbenzene and its

derivatives (Fileti), 1891, A., 1023. p-Propylisopropylbenzenesulphonic

ścids, a- and β- (HEISE), 1891, A., 686; (FILETI), 1891, A., 1024.

Propylisopropylglyoxaline (oxalpropyl-

usobutyline) (RIEGER), 1889, A., 120.

Propylisopropylnitramine (SIMON-

Thomas), 1891, A., 168.

o-Propyl-p-isopropyltoluene (CLAUS), 1892, A., 985.

Propylpyridines (LADENBURG), 1884, A., 759, 1196.

a-n-Fropylpyridine (conyrine) (v. Hor-MANN), 1884, A., 1200; (LELL-MANN and MULLER), 1890, A., 802.

oxidation of (TAFEL), 1892, A., 1104. platinochloride (LADENBURG), 1887, A., 161; (LEIVEH), 1887, A., 383.

isoPropylpyridines (Ladenburg and Suhrader), 1884, A., 1048.

a-tsoPropylpyridine and its derivatives (LADENBURG), 1885, A., 992; 1887, A., 60.

γ-isoPropylpyridine (Ladenburg), 1887, A., 60.

Propylpyridylalkine. See Hydroxybutylpyridine. 1-Propylpyrroline (ZANETTI), 1890, A., 66, 908.

isoPropylpyrroline (DENNSTEDT and ZIMMERMANN), 1887, A., 598.

base formed by the action of hydrochloric acid on (DENNSTEDT and ZIMMERMANN), 1888, A., 849.

2-isoPropylquinoline (cumoquinoline), and its derivatives (Widman), 1836, A., 465.

2'-chloro- (WIDMAN), 1886, A., 465. 2'-isoPropylquinoline (DUEBNER), 1887, A, 504.

3'-isoPropylquinoline (SPADY), 1886, A., 264.

3'-isoPropylquinoline-2'-carboxylie acid (SPADY), 1886, A., 263.

Propyl-γ-selenidophthalamic acid (Cobleniz), 1891, A, 1216.

Propylsuccinic acid (hydroxyhexic acid) (WALTZ), 1883, A., 46; (GORBOFF), 1888, A., 1179.

isoPropylsuccinic acid. See Pimelic acid. Propyl-succinimide and -isosuccinimide (COMNICK and WHEELER), 1892, A., 701.

Propylsulphonic acid. See Propanesulphonic acid.

Propylsulphydromethylthiazoline (Hirsch), 1890, A., 860.

Propylsulphuric acid, γ amido-(LAUER), 1890, A., 1090.

isoPropyltartaric acid (hydroxylsohexic ucul) (Gorboff), 1888, A., 1179.

isoPropylthienyl ethyl ketone (8-isopropulpropiothienone) (THIELE), 1892, A., 113.

Propylthienyl methyl ketone (propylacetothu none) (RUFI), 1887, A., 804.

**soPropylthienyl methyl ketone (THIELE), 1892, A., 442.

Propylthienylglyoxylic acid (RUFI), 1887, A., 804.

α-Propyldethiobiuret (Hechr), 1892, A., 704.

Propylthiocarbamide (HECHI), 1890, A, 476.

biomo- (LAUER), 1890, A., 1090.

Propylthiocarbamide-benzyl, -ethyl, -methyl and -propyl cyanides (HECHI), 1890, A, 1104.

Propylthiocarbanilide (BILLETER and STROHL), 1888, A., 366.

Propylthiocarbimide (Hecht), 1890, A., 476.

isoPropylthiocoumarin (ALDRINGEN), 1892, A., 330.

Propylthiophen, derivatives of (Rufi), 1887, A, 804.

bromo-, iodo-, and dinitio- (Rufi), 1887, A., 804.

isoPropylthiophen [b. p. 154°] (SCHLEICHER), 1886, A., 534.

β-isoPropylthiophen [b. p. 158°]

β-isoPropylthiophen [b. p. (Thiele), 1892, A., 442.

mercuric chloride (Volhard), 1892, A., 829.

Propylthiophenic acid (propylthiophencarboxylic acid) (Rufi), 1887, A., 804.

Propyl-\(\psi\)-thiosinamine (Hechr), 1890, A., 476; (AVENARIUS), 1891, A., 549. Propyltalyenes 2- avel 1991, See

Propyltoluenes, n- and iso-. See Cymenes.

p-Propyl-o-toluic acid. See 1-Methyl-3-propyl-2-benzoic acid.

Propyl-p-toluidines, n- and isn- (Horr and Morley), 1890, P., 145; 1891, T., 33.

Propyltricarballylic acids, n- and iso-(AUWERS), 1891, A., 546; (AUWERS, KÖBNER and V. MEYENBURG), 1892, A., 42.

Propyltrimethyl-. See Trimethyl-propyl-.

Propylkanthic acid (SCALA), 1887, A., 800.

Propyl-o-xylene and its tribromo-derivative (UHLHORN), 1890, A., 1249. Propyl-m- and -p-xylenes (UHLHORN), 1890, A., 1249.

isoPropyl-m-xylene (UHLHORN), 1890, A., 1249.

Propyl-o-, -m-, and -p-xylenesulphanilides (Uhlhorn), 1890, A., 1249.

isoPropylxylenesulphanilide (UHL HORN), 1890, A., 1249.

Propyl-o-, -m- and -p-xylenesulphonic acids, and their amides (UHLHORN), 1890, A., 1249.

isoPropyl-m-xylenesulphonic acid and its amide (UHLHORN), 1890, A., 1249.
Prosopite (UROSS and HILLEBRAND),

Prosopite (Cross and Hillebrand), 1884, A., 22; (Groth), 1884, A., 266.

chemical composition of (BRANDL), 1883, A., 30.

Protagon. See Lecithin.

Proteic acid (SCHUTZENBERGER), 1886, A., 270.

Proteid, from human blood serum (Chabrié), 1892, A., 224.

Proteid absorption (Neumeister), 1891, A., 233.

Proteid ammonia, dynamical theory of

(WARDER), 1890, A., 87. Proteid digestion (STUTZER), 1886, A.,

377. Proteid-hydrolyst (Armstrong), 1890, T., 531.

Proteid metabolism. See Metabolism. Proteid poisons (MARTIN), 1889, A., 1026.

Proteid requirement of healthy men (STUDEMUND), 1891, A., 1272.

Proteid substances in urine (MULLER), 1886, A., 87.

gelatinous state of (MICHAILOFF), 1889, A., 171.

application of dialysis to the study of the gelatinous state of (Solowieff), 1888, A., 856.

Proteids (albuminolds) (DANILEWSKY), 1884, A., 1388; (GRIMAUX), 1885, A., 1146; (SCHUTZENBERGER), 1886, A., 270.

of the blood, production of (TORUP), 1889, A., 532.

relation of dextrose to the (SCHENCK), 1891, A., 350.

of lower Vertebrata (HALLIBURTON), 1886, A., 1050.

of cerebrospinal fluid (HALLIBURTON), 1887, A., 614.

of liver and kidney cells (HALLI-BURTON), 1890, A., 1014.

of human milk and cows' milk (BIEDERT), 1885, A., 922; 1887, A., 388; (DOGIEL), 1885, A., 1149. of muscle plasma (HALLIBURTON),

1887, A., 984. of serum (HALLIBURTON), 1885, A., 571.

action of salts on the (LEWITH).
1889, A., 424.

of the vitreous humour of the human eye (GIACOSA), 1884, A., 198.

in urine (Noel-Paton), 1890, A., 1174.

in normal urine (WINTERNITZ), 1891, A., 1130.

of white of egg (Corn and Berard), 1889, A., 1075.

synthesis of (SCHUTZENBERGER), 1891, A., 588.

synthetical studies on (Schutzen-Berger), 1888, A., 971. composition of (Chichkoff), 1885,

A., 405. constitution of (GAUTIER), 1885, A.,

1082. absorption spectra of, in the ultra

violet (Sonet), 1884, A., 242. heat of combustion of (Berthelot

and Andre), 1890, A., 938. calonific values of (Stohmann and Langbein), 1892, A., 4.

gelatin and peptones, capillarimetric distinction between (Bodlander and Traube), 1886, A., 1087.

relation of, to digestive ferments (STUTZER), 1887, A., 1129.

action of alcohols and aldehydes on (BRUNTON and MARTIN), 1891, A., 947. Proteids (albuminoids), action of hydrochloric acid on (Horbaczewski), 1886, A., 85.

amido-acids resulting from the action of hydrochloric acid, and of barium hydroxide solutions on (Schulze), 1885, A., 916.

action of salts on (Hofmeister), 1889, A., 425.

action of hot water on (GABRIEL), 1890, A., 535.

decomposition of, by fermentation, and formation of non-hydroxylated aromatic acids (Salkow-ki), 1885, A., 998.

decomposition products of (SIEG-FRIED), 1891, A., 590.

changes which they undergo by the action of pancreatic ferment (OTFO), 1884, A., 1056.

bacterial fermentation of (GAUTIER and ETARD), 1884, A., 89, 188.

putrefaction of, influence of carbohydrates and other substances on (Hirschler), 1886, A., 729.

(HIRSCHLER), 1886, A., 729. a product of the putrefaction of (GABRIEL and ASCHAN), 1891, A., 948.

heat congulation of (HAYCRAFT and DUGGAN), 1890, A., 272; (CORIN and ANSIAUX), 1891, A., 1521.

action of salts on the coagulation of, by heat (RINGER and SAINSBURY), 1891. A., 954.

1891, A., 954. animal and vegetable, relative nutritive value of (RUTGERS), 1888, A., 515.

influence of, on the digestion of foods free from nitrogen (ROSENHEIM), 1891, A., 344.

pathology of (Martin), 1891, A., 761. the sulphur of (Kruger), 1889, A.,

compounds of silver with (LOEW), 1884, A., 343.

ethereal derivatives of (SCHROTTER), 1889, A., 1224.

test for (MacWilliam), 1891, A.,

new reaction for (MICHAILOFF), 1885, A., 198; (REICHL), 1889, A., 1092; 1890, A., 1350.

colour reactions of (SALKOWSKI),1888, A., 508; (WINTERNITZ), 1892, A., 1036.

cyanogen reaction of (GNEZDA), 1890, A., 1032.

microchemical test for (KRASSER), 1887, A., 407.

detection of, in urine (MARTIN),1888, A. 763. Proteids (ulbuminoids), solution and precipitation of, by salts (LIMBOURG), 1889, A., 787.

estimation of (DEVOTO), 1891, A., 1304.

estimation of, in the liquid from cysts, etc. (GARNIER),1887,A.,872. estimation of, in urine (Ort), 1885,

A., 451; (BOYMOND),1890, A., 273. estimation of sulphur in (HAMMAR-

estimation of sulphur in (HAMMAR-STEN), 1885, A., 914, 931; (Kochs), 1887, A., 396.

estimation, densimetric, of (HUPPERT and ZAHOŘ), 1888, A., 1226.

See also Albumin, Albumoses, Casein, Fibrinogen, Globulins, Hæmocyanin, Myosin, Peptones, Serum, Syntonin and Agricultural Chemistry.

Protein, estimation of the digestibility of (JORDAN, BARTLETT and MER-

RILL), 1889, A., 913.

compounds, vegetable, solubility of, in water containing hydrochloric acid (RITTHAUSEN), 1884, A., 1890.

Protein-chrome and -chromogen (STADELMANN), 1890, A., 804.

Proteolytic action, influence of bile, bile salts, and bile acids on (Chitten-Den and Cummins), 1885, A., 999.

Proteolytic ferments and other ferments in oats (ELLENBERGER and HOF-MEISTER), 1888, A., 867.

Proteoses, conversion of, into peptones (CHIFFENDEN and HARTWELL), 1891, A., 953.

See also Albumose and Propertone. Protoalbumose (Kuhne and Chitten-Den), 1884, A., 1389; (Neumeister), 1887, A., 285.

Protocaseose (CHITTENDEN and PAIN-TER), 1888, A., 76.

Protocatechnic acid (3:4-dihydrorybenzoic acid), heat of solution of (Berthelor), 1885, A., 1177.

action of sulphuric acid on (NOLTING and BOURCARY), 1883, A., 65.

Protocatechutannic acid, and its derivatives (Schiff), 1883, A., 335.

Protochlorophyllin (TIMIRIAZEFF), 1886, A., 626.

Protococcus pluviulis, constant production of oxygen by the action of sunlight on (Phirson), 1884, A., 201.

Protocotoin and its derivatives (Clami-CIAN and SILBER), 1892, A., 62, 873. action of potash and methylic alcohol on (CIAMICIAN and SILBER), 1892, A., 873.

Protoelastose (CHITTENDEN and HART), 1889, A., 423.

Protoglobulose (KUHNE and CHITTEN-DEN), 1886, A., 819.

Protoglutose (KLUG), 1891, A., 232.

Protolithionite (v. Sandberger), 1838, A., 237.

Protomyosinose (KÜHNE and CHITTEN-DEN), 1889, A., 423; (CHITTENDEN and Goodwin), 1891, A., 950.

Protonontronite (KNOP), 1891, A., 650. Protophyllin in etiolated plants (TI-MIRIAZEFF), 1889, A., 1236.

Protopine (macleyine) (EIJKMAN), 1885, A., 404; (SELLE), 1891, A., 229; (Konic), 1891, A., 844.

Protoplasm, aldehydic nature of (GRIF-FITHS), 1884, A., 202.

living vegetable (Bokorny), 1890, A., 283.

living, chemical character of (LOEW), 1883, A., 819.

morphological and chemical composition of (Schwartz), 1888, A., 983.

albumin from (DEMME), 1892, A., 86. different degrees of resistance in (Loew), 1885, A., 827.

living, reduction of silver salts by (BOKORNY), 1887, A., 987.

from recently killed animals, fermentation by (FOKKER), 1887, A., 984. reciprocal action between hæmoglobin and (Schwartz), 1889, A., 629.

toxic action of quinine on (BINZ), 1891, A., 1531.

Protopterus annectens. the cyst of (WALTER), 1889, A., 793.

Proto-veratridine and -veratrine (SALZ-BERGER), 1891, A., 230.

Protovitellose (Neumeister), 1887, A., 286; (CHIFTENDEN and HARTWELL), 1891, A., 343.

Protozoa, cellulose in (HALLIBURTON), 1886, A., 640.

glycogen in (Butschli), 1886, A., 87. Proustite (real silver ore) and pyrargyrite (MIERS), 1891, A., 273.

containing antimony (MIERS and PRIOR), 1888, A., 657.

decomposition of, by air containing bromine (JANNASCH), 1889, A., 1243.

Prout's hypothesis of the atomic weights (GERBER), 1884, A., 550; (MEYER and SEUBERT), 1885, T.,

in reference to the atomic weights of carbon and oxygen (GROSHANS), 1889, A., 463.

Prune (Nierzki and Otro), 1888, A., 949.

Protogelatose (CHITTENDEN and Sol-LEY), 1891, A., 950. Prussian blue (ferric ferrocyunide) (REYNOLDS), 1887, T., 644; P., 86. soluble (potussium ferrous ferricyanide) (Guignet), 1889, A., 475.

See Hydrocyanic acid Prussic acid. under Cyanogen.

Prussides, nitro. See Nitroprussides. Pseudobiotite (KNOP), 1887, A., 646.

Pseudobreccia (DANA), 1885, A., 360. Pseudobrookite (SCHMIDT), 1883, A., 435; (LATTERMANN), 1889, A., 680. from Havredal,

Norway (CEDER-STRÖM), 1890, A., 219.

from Vesuvius: (Krenner), 1890, A., 712.

Pseudochrosia glomerutu, alkaloid from (Greshoff), 1891, A., 336.

Pseudomorphs (Doll), 1885, A., 221; 1886, A., 21.

in the lead mines of the Puy de Dôme (Gonnard), 1888, A., 348.

after antimonite (v. Foullon), 1886, A., 22.

after rutile (v. LASAULX), 1885, A., 28. of turquoise after orthoclase (TIETZE), 1886, A., 25.

Pseudophite from South Africa (COHEN), 1887, A., 561.

Psilomelane (LANGHAUS), 1889, A., 216; (Gorger), 1890, A., 570.

electric resistance of (MEYER), 1883, A., 701.

lithium in (v. Sandberger), 1887, A., 222.

See also Manganese dioxide, hydrated. Psittacinite from the Argentine Republic (Doring), 1885, A., 641.

Psoromic acid, extracted from Psoroma erassum (Spica), 1883, A., 80.

Psoromic anhydride (Spica), 1883, A., 81.

Pteris aquilina, analysis of, and of its ash (PETERMANN), 1884, A., 207.

Pterocarpin from sandal wood (CAZE-NEUVE and HUGOUNENQ), 1887, A., 971; 1889, A., 160.

Pterolite from Lövő (LAUROIX), 1887, A., 350.

Ptilolite (Cross and Eakins), 1886, A., 990.

Ptomaines (leucomatines; putrefaction alkuloids) (GAUTIER and ETARD), 100, 224; (COPPOLA), 1883, A., 1883, A., 522, 624; 1885, A., 278, 913; (BRIEGER), 1883, A., 924, 1159; 1884, A., 1056, 1202; (E. and H. Salkowski), 1883, A., 925, 1159; (Guareschi and Mosso), 1883, A., 1156; 1884, A., 618; (v. POEHL), 1883, A., 1157; (MARINO-ZUCO), 1884, A., 342,

343, 1056; (SOLDAINI), 1884, A., 342; (HUNEM NNN), 1884, A., 469; (POUCHET), 1884, A., 617; (GAUTHER), 1885, A., 676; 1886, A., 634; 1888, A., 303; (BECKURTN), 1887, A., 385; (GRIM), 1887, A., 387; (OECHENER DE CONINCE), 1888, A., 730, 1118; 1889, A., 733; 1890, A., 1170; 1891, A., 845; (GUARLSCHI), 1888, A., 731; (DELÈZINIER), 1899, A., 1074; (GRIFFITHN), 1892, A., 1367.

Ptomaines from poisonous cheese (VAUGHAN), 1886, A., 373.

in cystinuria (v. Udránszky and Baumann), 1889, A., 1024; 1891, A., 350.

from the cuttle fish (OECHSNER DE CONINCK), 1889, A., 421.

from fish (BOCKLISCH), 1885, A., 566, 1146.

of glanders (GRIFFITHS), 1892, A., 1258.

from human corpses (BRIEGER), 1885, A., 278.

of infectious diseases (GRIFFITHS), 1892, A., 1258.

in boiled meat (MAIS, BUCHMANN and WASMUND), 1885, A., 676.

in milk (Firth), 1887, A., 389. producing tetanus (Brilger), 1887, A., 284.

from pure cultivations of Vibrio proteus (BOCKLISCH), 1887, A., 742. genesis of, in relation to Panum's sepsin (WYBORN), 1889, A., 421.

formation of in cholera (Villiters), 1885, A., 404; (v. Polhl), 1886, A., 731; (OLIVERI), 1886, A., 1049.

formed in the decomposition of conglutin (Siegereten), 1891, A., 590. formed in the cultivation of the bacillus of swine fever (v. Sch-

WEINITZ), 1891, A., 476. influence of oxygen on the formation of (HUNTER), 1891, A., 1267.

relation of, to infectious fevers (LUFF), 1889, A., 1026.

physiological action of (v. Anner), 1885, A., 682.

See also Alkaloids and Betaines.

Ptomopeptone (v. Poehl.), 1883, A., 926. Pulegonamine and its derivatives (Beckmann; Pleissner), 1891, A., 986.

Pulegone (BECKMANN; PLEISSNER), 1891, A., 936.

action of hydrogen bromide on (Beck-MANN; PLEISSNER), 1891, A., 987. .Pulsgoneoxime (Bekkmann; Pleiss-MER), 1891, A., 936. Puleone and its oxime (BARBIER), 1892, A., 627.

Pulvic acid, constitutional formula of (SPIEGEL), 1884, A., 841. products of the reduction and of

products of the reduction and of the ovidation of (SPIEGEL), 1884. A., 841.

Pumice, solubility of, in sea water (Thoulet), 1889, A., 682.

Pump, Sprengel, automatic (WELLS), 1891, A., 875.

automatic replacement of mercury in (VERNEUIL), 1892, A., 8. modification of (GUGLIELMO), 1891,

A., 524.

Pumpkin sprouts, nitiogenous constituents of (Schulze), 1886, A., 173. Pupin (Griffilms), 1892, A., 1501.

Purple of Cassius (gold-purple) (DE-BRAY), 1885, A., 875.

preparation of (MULLER), 1885, A., 352.

Purpura lapillus, colouring matter of (LETELLIER), 1889, A., 1207; 1890, A., 1452.

Purpureo. See under word to which purpureo is prefixed.

Purpurin (1:2:4-trihydroxyunthraquinone), commercial (WURTZ), 1883, A., 598.

synthesis of (NOAH), 1886, A., 475. oxidation of (DRALLE), 1884, A., 1040. amido-, and nitro- (BRASUH), 1891, A., 1078.

ψ-nitio- (Brasch), 1891, A., 1078. ψ-Purpurin (purpurinearboxylic acid) (Wurtz), 1883, A., 598.

Purpurogallin (pyrogalloquinone) (ROTONDI), 1884, A., 175; (DE CLERMONT and CHAUTARD), 1886, A., 696; (NILTZKI and STEINMANN), 1887, A., 733; (HOOKER), 1888, A., 292.

Purree (Indian yellow; piuri) (SPIE-GEL), 1883, A., 219; (ANON.), 1855, A., 620; (KULZ), 1887, A., 498; (GRAEBE), 1890, A., 504.

Purreic acid. See Euxanthic acid.

Pus, blenorrhagic, toxalbumin secreted
by the microbe of (Hugounena

and ERAUD), 1891, A., 1521. Vitali's test for (v. BRUCKE), 1889, A., 1040.

Putrefaction, influence of high pressures on (CERTES), 1884, A., 1399.

liberation of fiee nitrogen during (Ehrenberg), 1887, A., 172, 746; (Kellner and Yoshii; Ehrenberg), 1888, A., 185; (Tacke), 1889, A., 738; (Reiset), 1889, A., 739.

Putrefaction, loss of nitrogen by organic matter during (MORGEN), 1884, A., 1214, 1417.

the alkaloids produced by. Ptomaines.

aromatic products of, in human sweat (Kast), 1887, A., 1132.

chemical products of, in their relation to disinfection (BURDON SANDERson), 1886, A., 112.

Putrescible substances, dialysis of (v. STRUVE), 1883, A., 1177.

Putrescine. Tetramethylene-See diamine.

Pycnophyllite from Aspang (STARKL), 1886, A., 33.

Pygeum parviflorum and P. latifolium, amygdalin in (Greshoff), 1891, A., 338.

Pyocyanin (KUNZ), 1888, A., 1123; (Babes), 1890, A., 189.

Pyoxanthose (Kunz), 1888, A., 1123.

Pyranilpyroic acid (REISSERF and TIEMANN), 1886, A., 551; (REIS-SERT), 1888, A., 695; 1889, A., 142, 1174; (ANSCHUTZ), 1888, A., 1092; 1889, A., 142. constitution of (REISSERT), 1888, A.,

Pyranilpyroinlactone (Reisserr and 1886, Α., 551; TIEMANN), (Anschutz), 1888, A., (REISSERT), 1890, A., 1102.

constitution of (Reissert), 1888, A., 695, 954.

and citraconanil, identity of (An-SCHUTZ), 1890, A., 774; 1891, A.,

See also Citraconic acid, phenylimide of.

Pyrargyrite (red silver ore) and proustite (MIERS), 1891, A., 273. from Kajénel, Transylvania (TRAUBE),

1890, A., 1070.

decomposition of, by air containing bromine (JANNASCH), 1889, A., 1243.

Pyrazine (p-dia:ine; pia:ine) deriva-tives (Mason), 1888, P., 107; 1889, T., 97; (Abenius), 1890, A., 268, 525.

hexahydride. See Piperazine.

Pyrazines, hydrogenated, the aromatic series (BISCHOFF), 1889, A., 1010.

(KNORR and LAUBMANN), Pyrazole 1889, A., 409.

synthesis of (Balbiano), 1890, A.,

bases, compounds of alloxan with (Pellizzari), 1889, Α., 1890, A., 645.

Pyrazole derivatives (KNORR), 1887, A., 678; (BALBIANO), 1887, A., 1054; (CLAISEN and ROOSEN), 1891, A., 1106; (Knorn and DUDEN), 1892, A., 731.

formation of, from the dichlorand tribromhydrin hydrins (ALVISI), 1892, A., 884.

monosubstituted derivatives of, and hydrogenated compounds derived therefrom (BALBIANO), 1889, A., 1215.

and . p-Pyrazolebenzoic acids, o-(Balbiano), 1890, A., 799.

acid β -Pyrazole-4:5-dicarboxylic (MAQUENNE), 1890, A., 1439.

β-Pyrazoledicarboxylic acids (MA-QUENNE), 1891, A., 330.

metaPyrazoles (PINNER and schutz), 1887, A., 1055.

Pyrazolines (KNORR and LAUBMANN), 1888, A., 725.

See also Hydantoins.

Pyrazolone derivatives from ethylic benzoylacetate (KNORR and KLOTZ), 1887, A., 1121.

synthesis of (LEDERER), 1892, A.,

constitution of (NEF), 1892, A., 145. Pyrazolones (Knorn), 1887, A., 601. nomenclature of (LEDERER), 1892,

A., 1004. (PINNER and LIFm-Pyrazolones SCHCTZ), 1887, A., 1055; (GRIMAUX), 1889, A., 56.

Pyrene (BAMBERGER and PHILIP). 1886, A., 718, 948; 1887, A., 271. constitution of (BAMBERGER and PHILIP), 1887, A., 496. formula of (ARMSTRONG), 1890, P.,

action of chlorine on (GOLDSCHMIEDT and WEGSCHEIDER), 1883, A., 1001.

ketone (BAMBERGER and PHILIP). 1886, A., 948; 1887, A., 272.

(GOLDSCHMIEDT derivatives WEGSCHEIDER), 1883, A., 1001. diamido- (JAHODA), 1888, A., 161.

cyano-, and dicyano- (Goldschmiedt and WEGSCHEIDER), 1883, A., 1003.

Pyrenecarboxylic acid and its salts (Goldschmiedt and Wegscheider), 1883, A., 1004.

Pyrenedisulphonic acid and its salts: (GOLDSCHMIEDT and WEGSCHEIDER), 1883, A., 1001.

Pyrenepicric acid, chloro- and cyano-(Goldschmiedt and Wegscheider). 1883, A., 1001, 1004.

Pyrenequinol and its discetyl-derivative (GOLDSCHMIEDT), 1883, A., 870.

Pyrenequinone, and its derivatives (GOLDSCHMIEDT), 1883, A., 869.
Pyrenic acid and its anhydride and

Pyrenic acid and its anhydride and imide (BAMBERGER and PHILIP), 1886, A., 718.

constitution of (BAMBERGER and PHILIP), 1886, A., 949.

Pyrenin (Schwartz), 1888, A., 984. Pyrenoline (Jahoda), 1888, A., 164. Pyrethrosin (Thoms), 1892, A., 349.

Pyridanthrilic acid (Weidel and Strachel, 1886, A., 950; (Weidel and Wilhelm), 1887, A., 979.

Pyridine (HANTZSCH), 1883, A., 85; (WEIDEL and RUSSO), 1883, A., 483; (OECHSNER DE CONINCK), 1883, A., 739.

formation of, from amidoazonaphthalene (v. Buchka and Sprague), 1889, A., 728.

Hantzsch's synthesis of (BEYER), 1891, A., 1090.

preparation of, from piperidine (v.

HOFMANN), 1883, A., 813. conversion of anhydroecgonine into (EINHORN), 1889, A., 909.

constitution of (HANTZSCH), 1884, A., 1193; (RUHEMANN), 1887, T., 409; (LUDENBURG), 1890, A., 1432; (V. PECHMANN and BALTZER), 1892, A., 210.

spectrum of (HARTLEY), 1885. T., 711.

magnetic rotatory power of (PERKIN), 1889, T., 700, 734.

thermochemistry of (COLSON), 1890, A., 101, 1369; (BERTHELOT), 1890, A., 1363.

equilibrium between other bases and (Berthelot), 1890, A., 1364.

action of acetic chloride on (DENN-STEDT and ZIMMERMANN), 1886, A., 368.

action of chlorine on (KEISER), 1887, A., 277; (BALLY), 1888, A., 964.

A., 277; (BALLY), 1888, A., 964. action of chloromethylic alcohol on (v. HEMMELMAYR), 1892, A., 504.

action of phthalic anhydride on (JACOBSEN and REIMER), 1884, A., 335.

behaviour of, with metallic salts (OECHSNER DE CONINCK), 1885, A., 671.

relation between benzene and (Bottinger,), 1884, A., 758.

physiological action of (HEINZ), 1891, A., 602.

fate of, in the organism (OECHSNER DE CONINCK), 1888, A., 514.

Pyridine alkaloids (OECHSNER DE CONINCK), 1886, A., 476.

Pyridine bases (OECHSNER DE CON-INCK), 1883, A., 738.

from acetone and aldehyde-ammonia (DURKOPF), 1888, A., 1313.

from cinchonine, hydrates of (OECHNER DE CONINCK), 1883, A., 220.

from coal-tar (Goldschmidt and Constam), 1884, A., 611; (Mohler), 1888, A., 727.

preparation of (DURKOPF), 1887, A., 499.

synthesis of (LADENBURG), 1884, A., 1195.

action of alcoholic iodides on (OECHSNER DE CONNYK), 1884, A., 612; (LADENBURG), 1884, A., 759.

action of, on sulphites (DENIGES), 1892, A., 1103.

Anderson's reaction for (OECHSNER DE CONINCK), 1884, A., 612.

hydrated, oxidation of (Schotten), 1891, A., 722.

phenylated (Bally), 1888, A., 65. of the β-series (Storher), 1891, A., 579; 1892, A., 628.

betaines of (KRUGER), 1890, A., 1431; 1891, A., 941, 1388.

carboxylic acids from synthetically prepared (MICHAEL), 1885, A., 60.

compounds of, with acids of the acetic series (GARDNER), 1890. A., 1156.

halogen derivatives of, preparation of, from pyridinecarboxylic acids (Pfelffer), 1887, A., 844.

platinochlorides of, action of boiling water on (Olichener de Coninck), 1884, A., 612.

reaction for (v. Hofmann), 1884, A., 1438.

detection of (WEPPEN and LUDERS), 1888. A., 1136.

titration of (Schulze), 1888, A., 539.

estimation of, in gas-liquor (KINZEL), 1890, A., 1349.

process for preparing dye-stuffs from (JACOBSEN), 1884, A., 798.

Pyridine compounds (ANON.), 1884, A., 944.

with copper oxalate (SEUBERT and RAUTER), 1892, A., 1431.

with mercury salts (Groos), 1890, A., 643.

with metallic salts (LANG), 1888, A., 850; (VARER), 1891, A., 732, 838. Pyridine derivatives (BOTTINGER), 1884, A., 758; (FISCHER and RENOUF), 1884, A., 1048; (KOENIGS and GEIGY), 1884, A., 1195, 1368; (WEIDEL and BLAT), 1886, A., 76. and their relations to quinoline, isoquinoline and the alkaloids (EDIN-

GER), 1890, A., 794.

from anilidopyrotartaric acid (Reis-SERT), 1890, A., 642.

brucine. constitution (OECHSNER DE CONINCK), 1885, A., 273.

from coumalinic acid, constitution of (v. Pechmann), 1885, A., 55%.

formation of, from malic acid (v. PECHMANN and WELSH), 1885, T., 145; P., 5.

from m-nitrobenzaldehyde (Lepetit), 1887, A., 1053.

from propaldehyde and propaldehydeammonia (Durkopf and Gottsch), 1890, A., 794, 1002.

conversion of pentamethylene derivatives into (HANTZNUH, 1890, A., 129.

conversion of pyrroline into (CIAMI-CIAN), 1887, A., 678.

formation of (v. Pechmann and WELSH), 1885, A., 174.

synthesis of (v. Pechmann), 1885, A., 175; (Stokes and v. Pech-MANN), 1887, A., 155; (PAAL and STRASSER), 1888, A., 62.

synthesis of, from ethylic acetoacetate, aldehydes and ammonia 1883, (Hantzsch), Α.,

(MICHAEL), 1885, A., 1244. synthesis of, from derivatives of a-pyrone (GUTHZEIT and DRESSEL), 1891, A., 939.

preparation of, from citric acid (RUHEMANN), 1887, T., 403; P.,

preparation of, from the lactone of triacetic acid (COLLIE and MYERS), 1892, T., 721: P., 131.

synthetical (JAECKLE), 1888, A., 1103. synthetical, constitution of (HANTZSCH), 1885, A., 1078.

hydrogenised, physiological action of (HOFFMANN and KOENIGS), 1883, A., 1145.

condensation of (Bottinger), 1884, A., 758.

hydroxylation of (Messinger), 1886, A., 368.

decomposition-products of (Hantzsch), 1835, A., 397.

Pyridine, benzyl derivatives of (Lell-MAYN and PEKRUN), 1891, A., 88.

carbonylbromoplatinite **Pyridine** (FOERSTER), 1892, A., 352.

carbonylbromoplatinite hydrobromide (MYLIUS and FOERSTER), 1891, A., 1164.

carbonvlchloroplatinite (Foerster), 1892, A., 352.

chlorhydrin (KRUGER), 1891, A., 1388. chloriodide (PICTET and KRAFFT), 1892, A., 1356.

ethiodide (OECHSNER 'DE CONINCK), 1885, A., 272; 1886, A., 897.

ferrocyanide (Mohler), 1888. A., 727. hydrate (Mohlen), 1888, A., 727.

hydrides, synthesis of (Oechsner De CONINCK), 1884, A., 1047.

thiohydrogen diaminechronium cyanate (Christensen), 1892, A., 1001.

periodides (DAFERT), 1883, A., 980. B-ketone derivatives of (ENGLER), 1891, A., 1505.

methiodide (OECHSNER DE CONINCK), 1886, A., 897.

decomposition of, by the action of alkalis (OECHNER DE CONINCK), 1885, A., 272.

methochlorides of (Ostermayer), 1885, A., 813.

methochloride iodotrichloride (BALLY), 1888, A., 964.

methyl derivatives of, condensation products of (JACOBSEN and REIMER), 1884, A., 335.

platinothiocyanate(GUARESCHI), 1892, A., 287.

propiodide, action of heat on (LADEN-Burg), 1884, A., 1195.

silicon chloride (HARDEN), 1887, T., 47.

Pyridine, 3-bromo- (v. Hofmann), 1883, A., 813; (Chamician and SILBER), 1885, A., 811.

dibromo- [8-] (Fischer and Riemerschmid), 1883, A., 923; (Koenics and GEIGY), 1884, A., (Blau), 1889, A., 1212.

2-chloro- (v. Pechmann and Balt-ZER), 1892, A., 209.

3-chloro- (HAITINGER and LIEBEN), 1885, A., 966.

derivatives of (HANTZSCH), 1890, A., 130.

dichloro-(Koenics and Geigy), 1884, A., 1195, 1369.

rhodium salts of (Jorgensen), 1883, A., 1060.

trichloro- [m.p. 50°] (Koenics and GEIGY), 1884, A., 1195. [m.p. 65] (SEYFFERTH), 1887, A.,

158.

Pyridine, dichloramido- (Stokes and v. Pechmann), 1887, A., 157.

2:5:6-trichlor-4-amido- (STOKES and v. PECHMANN), 1887, A., 156.

2:3 5:8-tetrachlor-4-amidoand v. Peumann), 1887, A., 157. 4-iodo- (HAITINGER and LIEBEN), 1885, A., 968.

Pyridinebetaine (KRÜGER), 1890, A., 1431.

preparation of (Delisle), 1892, A., 1433.

salts (KRUGER), 1891, A., 941, 1388. Pyridinecarboxylic acid (BERNHEIM-ER), 1884, A., 337.

2-Pyridinecarboxylic acid. See Picolinic acid.

acid.

3-Pyridinecarboxylic acid. See Nicotinic acid.

4-Pyridinecarboxylic - acid. See isn-Nicotinic acid.

Pyridinecarboxylic acids from berberine (MAYER), 1892, A., 1357.

distillation of salts of (BLAT), 1888, A., 728.

non-nitrogenous acids derived from (WEIDEL), 1891, A., 733.

Pyridinecholine and its derivatives

(COPPOLA), 1886, A., 78.

Pyridine-2:3-dicarboxylic acid. See

Pyridine-2:3-dicarboxylic acid. See Quinolinic acid.

Pyridine-2:4-dicarboxylic acid and its salts (lutidinic ucid) (WAAGE), 1884, A., 173; (Bottinger), 1884, A., 758; 1886, A., 368; (WEIDEL and PICK), 1885, A., 557; (VOIGT), 1885, A., 813; (LADENBURG and ROTH), 1885, A., 816; (VOGES), 1886, A., 257; (LIPPMANN and FLEISNER), 1887, A., 63; (HEUSER and STOEHR), 1892, A., 75.

Pyridine-2:5-dicarboxylic acid. See isoCinchomeronic acid.

Pyridine-2:6-dicarboxylic acid (dipicolinic acid) (Roth and Lange), 1886, A., 559.

Pyridine-3:4-dicarboxylic acid. See Cinchomeronic acid.

Pyridine-3:5-dicarboxylic acid (dinicotinic acid) (HANTZSCH and WEISS), 1886, A., 478.

2:6-dichloro- (GUTHZEIT and DRES-SEL), 1891, A., 940.

Pyridinedicarboxylic acids (HANTZSCH), 1886, A., 477.

Pyridinedisulphonic acid and its salts (Koenigs and Geigy), 1884, A., 1195.

formation of, from piperidine (Koenics and Geigy), 1884, A., 945.

Pyridine-group, introduction of hydrocarbon radicles into (Schiff and Pullii), 1883, A., 1151.

Pyridine-like bases in petroleum (ZALOZIECKI), 1892, A., 1357.

Pyridine-muscarine and -neurine and their derivatives (COPPOLA), 1886, A., 78.

Pyridinepentacarboxylic acid, and its salts (HANTZSCH), 1883, A., 85.

Pyridinephenacyl bromide (BAMBER-GER), 1888, A., 301.

Pyridinepolycarboxylic acids (Weber), 1887, A., 1117.

Pyridinenephenyleneketonesulphonic acid (IMMERHEISER), 1889, Å., 527.

Pyridine-series, syntheses in (LADEN-BURG), 1883, A., 1151.

isomerismin (OECHSNERDE CONINCK), 1883, A., 740.

method for determining positions in (LADENBURG), 1886, A., 158.

synthesis of alcohol acids of the (Einhorn), 1890, A., 520.

carboxylic acids of the, colour reactions for determining the constitution of (Skraup), 1886, A., 898.

Pyridinesulphonic acid and its salts (FISCHER and RIEMERSCHMID), 1883, A., 923; (WAGNER), 1886, A., 708.

Pyridine-2:4:5:6-tetracarboxylic acid (MICHAEL), 1885, A., 63; (FISCHER and TAUBER), 1885, A., 400.

Pyridine-2:3:5:6-tetracarboxylic acid (described inicotinic acid) (HANTZSCH and WEISS), 1886, A., 477.

Pyridine-2:3:5-tricarboxylie acid (carboxylinicolinic acid) (RIEDEL), 1883, A., 1152; (Webbel), 1887, A., 1118; (Durkopf and Schlaugk), 1888, A., 608.
Pyridine-2:3:6-tricarboxylie acid (α-

Pyridine-2:3:6-triearboxylie acid (αaurboxylisotinchomeronicacid)(WEIS4), 1886, A., 720; (v. Miller), 1891, A., 1097.

Pyridine-2:4:5-tricarboxylic acid (berberonic acid) (WERER), 1887, A., 1118; (MAYER), 1892, A., 1357.

Pyridine-2:4.6-tricarboxylie acid (acarbolutidinic acid; trimesitinic acid) and its salts (Bortinger), 1884, A., 758; 1885, A., 1144; (Voigr), 1885, A., 812.

3 5-dibromo- (Pfeiffer), 1887, A., 844.

Pyridine-3:4:5-tricarboxylic acid (\$\beta\$-carboxycinchomeric acid) (WEBER), 1887, A., 1118.

Pyridophthalone (pyrophthalone) and its derivatives (JACOBSEN and REIMER), 1884, A., 335.

Pyridone. See Hydroxypyridine

Pyridyl ketones (Engler), 1891, A., 1503.

a-Pyridyl ethyl ketone and its derivatives (ENGLER and BAUER), 1891, A., 1504.

of, into ψ-conhydrine conversion (Engler and Bauer), 1891, A., 1504.

pinacone of (ENGLER and BAUER), 1891, A., 1504.

B-Pyridyl ethyl ketone and its derivatives (Engler), 1891, A., 1505.

a-Pyridyl methyl ketone and its derivatives (ENGLER and ROSUMOFF), 1891, A., 1503.

β-Pyridyl methyl ketone (Engler and Kiby), 1889, A., 623.

a-Pyridyl propyl ketone and its derivatives (ENGLER and MAJMON), 1891, A., 1505.

B-Pyridyl propyl ketone and its derivatives (ENGLER), 1891, A., 1506.

Pyridylacrylic acid (EINHORN), 1890, A., 520; 1892, A., 77.

Pyridylalkylammonium salts, reduction of (KRUGER), 1891, A., 1388.

Pyridyldibromopropionic acid (EIN-HORN), 1892, A., 77.

Pyridylbromopropionic acid hydrobromide (EINHORN). 1892, A., 77.

Pyridyl-w-trichloro-a-hydroxypropane (EINHORN), 1892, A., 75.

(EIN-Pyridyl-w-trichloropropylene HORN), 1890, A., 520; 1892, A., 76. yridylethylene (2-vinylpyridine) (LADENBURG), 1887, A., 737; 1890, A., 67; (EINHORN), 1892, A., 77. Pyridylethylene

Pyridylglyceric acid (EINHORN), 1890, A, 521.

Pyridyl-α- and -β-lactic acids (EIN-HORN), 1890, A., 520; 1892, A., 76. β-Pyridyl-α-lactic acid (HARDY and

CALMELS), 1886, A., 900.

Pyridyl-quinoline and -quinolinecarbexylic acid (FISCHER and VAN LOO), 1887, A., 64.

B-Pyridyltartronic acid (HARDY and CALMELS), 1886, A., 901.

Pyrimidine. See m-Diazine.

Pyrites (iron pyrites) (McCAY), 1884, A., 1098.

artificial (DOELTER), 1886, A., 207; (GLATZEL), 1890, A., 338. concretions from New South Wales

(LIVERSIDGE), 1886, A., 774. from Pennsylvania (GENTH), 1891,

A., 154. Spanish, and Massachusetts, composition of (ANON.), 1834. A., 230.

Pyrites (iron pyrites) containing nickel and cobalt (NEUBERT and KOLLвеск), 1891, А., 1435.

pseudomorphs of, after magnetic pyrites (GENTH), 1888, A, 564. decomposition of, in a stream of

oxygen (JANNASCH), 1889, 1244.

method of analysing (JANNASCH), 1889, A., 1243, 1244. assay of, for sulphur available for

sulphuric acıd manufacture (WELCH), 1887, A., 180.

estimation of arsenic in (CLARK), 1858, A., 194; (FRESENIUS), 1888, A., 322.

estimation of sulphur in (LUNGE), 1884, A., 492; 1886, A., 280; 1888, A., 85; 1890, A., 413; 1891, A., 496; (BODEWIG, 1884, A., 492; (CLARK), 1886, A., 279; (WELCH), 1887, A., 180; (WEST-MORELAND), 1888, A., 85.

burnt, estimation of small quantities of silver in (THILO), 1887, A., 79.

estimation of sulphur in (WATSON). 1889, A., 306; (LUNGE), 1890, A , 193.

utilisation of, in the preparation of iron salts (A. and P. Busine), 1892, A., 1281.

zinciferous, utilization of (CREUTZ), 1884, A., 788; (ANUN.), 1885, A., 98.

explosive, so-called, cause of the decrepitations in samples (BLOUNT), 1885, T., 593; P., 90.

See also Ferric sulphide under Iron. magnetic. See Pyrrhotite.

Pyrites burners, composition of the gas from (Scheurer-Kestner), 1885, A., 199, 706; (LUNGE), 1891, A., 496. Pyrobenzyl-phosphinic and -thiophos-

phinic acids (Blake), 1890, A., 767.
Pyrocatechol (catrchol; 1:2-dihydroxy-benzene) in raw beet sugar (v. Lippmann), 1888, A., 262.

in the urme of hydrophobic rabbits

(MOSCATELLI), 1892, A., 1115. mode of formation of (MEUNIER), 1885, A., 1059.

preparation of (PERKIN), 1890, T., 587; P., 90.

absorption spectra of (HARTLEY), 1888, T., 650.

thermochemistry of (Scohmann and LANGBEIN), 1892, A., 764.

action of alkylenediamines on (MERZ and Ris). 1887, A., 722; (Ri4), 1885, A., 468.

Pyrocatechol (autechol; 1:2-dihydroxybenzene), action of chlorine on (Zincke and Kusfen), 1888, A., 1277; 1889, A., 599; 1890, A., 754, 1255.

behaviour of, with Fehling's solution (Wohl), 1888, A., 994.

fusion of, with soda (BARTH and SCHREDER), 1883, A., 60.

physiological action of (GIBBS and HARE), 1890, A., 1019.

diethyl ether (1:2-cliethoxyben:cne) (HERZIG and ZEISEL), 1889, A., 967.

phenylcarhamate (SNAPE), 1885, T., 772.

sodium derivatives of (DE FORCRAND), 1892, A., 1184.

Pyrocatechol, tetruchloro- (ZINCKE), 1887, A., 808; (ZINCKE and KUSTER), 1888, A., 1278.

3-nitro-, behaviour of, with modants (v. Kostanecki), 1889, A., 868. thio-. See Hydroxyphenyl mer-

captan.

Pyrocatechol-mono- and di-carboxylic

acids (Schmitt and Hahle), 1891, A., 1366.

Pyrocatecholphthalein (v. BAEYER and KOCHENDOERFER), 1889, A., 1153.

Pyrocatechoquinone (DE CLERMONT and CHAUTARD), 1886, A., 696.

Pyrochlore in a rock from Colorado (LACROIX), 1889, A., 1054.

Pyrochroite, artificial (DE SCHULTEN), 1888, A., 345.

Pyrocinchonic acid. See s-Dimethylmaleic acid.

Pyrocitric acids, heats of combustion of (Luginin), 1888, A., 893.

Pyroclasite, stalactites of (SHEPARD), 1883, A., 1063.

Pyrocoll and its derivatives CIAMICIAN and SILBER', 1884, A., 176, 292. synthesis of (CIAMICIAN and SILBER), 1884, A., 585, 725.

and its derivatives, molecular weights of (MAGNANINI), 1890, A., 67.

tetrabromo- (CIAMICIAN and SILBER), 1884, A., 292.

perchloro-, action of phosphorus pentachloride on (CIAMICIAN and SILBER), 1884, A., 176.

octochloride or perchloride of (CIAMICIAN and SILBER), 1884, A., 292.

Pyrocomane (Ost), 1885, A., 49; (HAITINGER and LIEBEN), 1885, A., 965.

Pyrocomenamic acid (Os1), 1883, A., 792.

Pyrocresole, so-called (Schwarz),1883, A., 204; 1884, A., 79.

a-Pyrocresole (NCHWARZ), 1883, A., 204. derivatives and new colouring matters from (BOIT), 1889, T., 51.

β- and γ-Pyrocresoles (Schwarz), 1883, A., 201.

Pyrocresoles, bromo-derivatives of (Schwarz), 1883, A., 207. oxides, and their nitro-derivatives (Schwarz), 1883, A., 206.

Pyrocresolesulphonic compounds (SCHWARZ), 1883, A., 208.

Pyrogallaurin (CARO), 1892, A., 1470.

Pyrogallaurin (CARO), 1892, A., 1470.

Pyrogallol (1:2:3-trihydroxyben:cne), conversion of gallic acid into (CAZENEUVE), 1892, A., 1814.

constitution of (DE FORCRAND), 1892, A., 1446.

luminescence of (LENARD and WOLF), 1888, A., 1000.

electrolysis of (ROIONDI), 1884, A., 175.

heat of combustion of (BERTHELOT and LUGININ), 1887, A., 762.

LANGBEIN), 1892, A., 764.

action of aldehyde on (CAUSSE), 1891, A., 48.

action of chlorine and bromine on (HANTZSCH and SCHNITER), 1887, A., 925.

action of, on copper and iron salts (CAZENEUVE and LINOSSIER),1885, A., 1059.

physiological action of (GIBBs and HARE), 1890, A., 1019.

reaction for (NASSE), 1884, A., 1078. detection of (KLIEBHAN), 1888, A., 198.

derivatives of (WILL and ALBRECHT), 1881, A., 1335; (Schiffer), 1892, A., 715.

relation of, to daphnetin and resculetin (WILL and ALBRECHT), 1884, A., 1335.

benzenesulphonate of (Georgescu), 1891, A., 569.

phenylcarbamate (SNAPE), 1885, T., 774.

sodium derivatives of (DE FORCRAND), 1892. A., 1313.

Pyrogallol, ti thomo- (Webster), 1884, T., 207.

trichloro- (WLESTER), 1884, T., 205; (HANTZSCH), 1887, A., 925.

Pyrogallolbenzein (DOEBNER and FOER-STER), 1890, A., 899.

Pyrogallolcarbothionylic acid (LIPP-MANN), 1890, A., 163,

Pyrogallolcarboxylic acid. See Gallic

Pyrogalloquinone (purpurogullin) (Ro-TONDI), 1884, A., 175; (DE CLERMONT and Chautand), 1886, A., 696; 733; (Hooker), 1888, A., 292.

Pyrogallovanillein (ETTI), 1883, A, 61. Pyrogenic reactions (FERKO), 1887, A., 572.

Pyroglutamic acid (ANDERLINI), 1890, A., 642.

Pyrographitic oxides (BERTHELOT and Perit), 1890, A., 448.

Pyrolein (Arbos Y Tor), 1883, A., 519. Pyroligneous acid of the German Pharmacopeia (Vulpius), 1894, A., 371.

valerolactone in (Grodzki), 1884, A., 1118.

removal of furfuraldehyde from (GUY-ARD), 1884, A., 1304.

See also Acetic acid.

Pyrolusite, from Augusta Co., Virginia (JARMAN), 1889, A., 470. of Bolet, Sweden (Nordstrom), 1883,

A., 31.

artificial formation of (Gongeu), 1888, A., 792.

See also Manganese dioxide.

Pyromecazone, and its nitro-derivative (Ost), 1883, A., 791.

Pyromecazonic acid and its derivatives (OsT), 1883, A., 791.

Pyromecenic acid, chloro (HILSEBEIN), 1885, A., 1203.

Pyromeconic acid, action of hydroxylamine on (ODERNHEIMER), 1884, A., 1802.

Pyromellic acid (BARTOLI and PAPAsogli), 1883, A., 593

Pyromellitic acid, thermochemistry of (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1096.

2:5-dinitro- and its ethylic salt (NEF), 1886, A., 64; 1888, T., 439.

Pyrometer. See Thermochemistry.

Pyrometric use of the principle of viscosity (Banus), 1888, A., 1014.

Pyromorphite from Leadhills (COLLIE), 1859, T., 93. from Zahringen in Baden, analysis of

(BAERWALD), 1883, A., 1063. preparation of (MICHAEL), 1889, A.,

See also Lead phosphate.

Pyromorphites and mimetites, relation between the chemical composition and optical characters in the group of (Janneliaz and Michel), 1883, A., 433.

Pyromucamide, trichloro- (HILL and Jackson), 1890, A., 601.

δ-sulpho- (HILL and PALMER), 1889, A., 37.

thio-'(Douglas), 1892, A., 831.

(NIETZKI and STEINMANN), 1887, A., Pyromucic acid (furfuran-a-carboxylic acid) (OLIVERI and PERATONER) 1890, A., 1242; (ZENONI), 1891, A., 295.

preparation of (Schiff), 1891, A., 676.

preparation of, from furfuraldehyde (Volhard), 1891, A., 896.

supposed isomerides of (OLIVERI and Perafoner), 1890, A., 1242.

substitution-derivatives of (HILL and SANGER), 1884, A., 1305.

Pyromucic acid, mono- and di-bromo-(HILL and SANGER), 1884, A., 1305; 1886, A., 446; (CANZONERI and OLIVERI), 1885, A., 244, 1125; (HILL), 1885, A., 1125.

δ-bromo-β-sulpho- (HILL and PAL-MER), 1889, A., 386.

β- and δ-chloro- (HILL and JACKSON), 1890, A., 482, 600.

βγ-dichloro-, and its derivatives (DE-NARO), 1887, A., 34; (HILL and JACKSON), 1887, A., 470; 1890, A., 600.

βδ-dichloro- (HILL and JACKSON), 1890, A., 482, 600.

trichloro- (HILL and JACKSON), 1890, A., 601.

dichlorobromo-, dichloronitro- and dichlorosulpho- (HILL and JACKson), 1890, A., 601. nitro- (Priebs), 1885, A., 971.

B-sulpho- (HILL and PALMER), 1885, A., 1204; 1889, A., 386.

δ-sulpho-, and its derivatives (HILL and PALMER', 1885, A., 1204; 1889, A., 37.

β-Pyromucic and isopyromucic acids, identity of, with ordinary pyromucic acid (OLIVERI and PERATONER), 1890, A., 1242.

Pyromucic acids, substituted (HILL), 1883, A., 912; (HILL and PALMER), 1889, A., 37, 386.

Pyromucic aldehyde. See Furfuraldehyde.

Pyromykuric acid and carbamide of (JAFFÉ and COHN), 1887, A., 1032.

Pyrone and its constitution (BRUHL), 1891, A., 1195.

synthesis of (Peratoner and Straz-ZERI), 1891, A., 1333.

a-Pyrone, derivatives of, synthesis of pyridine derivatives from (GUTHZEIT and DRESSEL), 1891. A., 939.

Pyropapaverinic acid (Goldschmiedt), 1885, A., 1081; (Goldschmiedt and Strache), 1890, A., 180.

Pyropentylene (ETARD and LAMBERT), 1891. A., 1085.

Pyrophanite from Har-tigen mine, Sweden (HAMBERG), 1892, A., 1412. Pyrophosphamic acid. See Diphos-

phoric acid, imido-, under Phosphorus.

Pyro-phosphates and -phosphites. See under Phosphorus.

Pyrophosphotriamic acid. See Diphosphormonamic acid, deimido-, under Phosphorus.

Pyrophthalone (pyridophthalone) and its derivatives (JACOBSEN and REIMER), 1884, A., 335.

Pyrophyllite in anthracite (GENTH), 1884, A., 273.

of Ouro Pieto, Biazil (Gorceix), 1885, A., 31.

Pyroracemic acid. Sec Pyruvic acid. Pyrostilpnite from St. Andreasberg (LUEDECKE), 1884, A., 403.

Pyrosulphuricacid. See under Sulphur.
Pyrotartaric acid. See Methylsuccinic
acid.

n-Pyrotartaric acid. See Glutaric acid. isoPyrotartaric acid. See Dimethyl malonic acid.

Pyrotartaric acids, brominated (Bischoff), 1890, A., 1097.

Pyrotartrylfluorescein (HJELF), 1884, A., 1019.

ψ-Pyroterebic acid. See Hexenoic acid.
Pyrodithiomolybdates (Kruss), 1884,
A., 1268.

Pyrotritaric acid (pyrotritartaric acid; wie acid; dimethylfurfuruncarboxylic acid) (PAAL), 1885, A., 249. preparation of (FITTIG and PARKER), 1892, A., 814.

constitution of (PAAL), 1887. A., 657. action of bromine ou (Borringer), 1884, A., 993.

barium salt of (FEIST), 1889, A., 593. barium and calcium salts of, water of crystallisation of (BOITINGER), 1888, A., 1274.

ketone obtained from (PAAL), 1885, A., 249.

bromo- and chloro-derivatives of (DIETRICH and PAAL), 1887, A., 658.

Pyroxene. See Augite.

Pyroxenite from S. Vicente, analysis of (Doelter), 1883, A., 722.

Pyroxenites of Morbihan (BARROIS), 1889, A., 109.

Pyroxylin, rotatory power of (BE-CHAMP), 1885, A., 237. Pyroxylin. See also Guncotton and Cellulose under Carbohydrates.

Pyrrhoarsenite (Hogbom), 1889, A., 217; (IGLLSTROM), 1888, A., 565; 1889, A., 218.

Pyrrhotite (magnetic pyrites), synthesis of (Doelfer), 1888, A., 430.

analyses of (Bodewic), 1883, A., 1061.

See also Ferroso ferric sulphide under Iron.

Pyrrodiazole and pyrrodiazolecarboxylic acid (Andreocci), 1892, A., 636.

See also Triazole.

Pyrrole (pyrrhol). See Pyrroline.

Pyrrolidine (tetrahydropyrroline) (UIAMICIAN and MAGNAGHI), 1885, A., 1243; (LADENBURG), 1887, A., 499; (PETERSEN), 1888, A., 498. synthesis of (GABRIEL), 1892, A., 131.

a-Pyrrolidone (GABRIEL), 1890, A.,

360. derivatives of (Kuhling), 1889, A., 1211.

preparation and properties of (Kuhling), 1890, A., 793.

Pyrroline (pyrrole; pyrrhol), extraction of, from animal oil (CIAMICIAN and DENNSTED1), 1887, A., 59.

from coal-gas (WILLIAMS), 1885, A., 369.

conversion of furfuran into (CANZONERI and OLIVERI), 1887, A., 470.

synthesis of, from succinimide (CIAMICIAN and SILBER), 1887, A., 273.

constitution of (CIAMICIAN), 1886, A., 626; 1887, A., 273; (BAM-BERGER), 1891, A., 1090.

action of paracetaldehyde on (DENN-STEDT and ZIMMERMANN), 1886, A., 1043.

action of acetone on (DENNSTEDT and ZIMMERMANN), 1887, A., 598, 1052; (DENNSTEDT), 1890, A., 999.

condensation of, with acetone (v. BAEYER), 1886, A., 1043.

action of alkaline hypochlorites and hypoblomites on (CIAMICIAN and SILBER), 1884, A., 1367.

action of alloxan on (CIAMICIAN and MAGNAGHI), 1886, A., 367; (CIAMICIAN and SILBER), 1886, A., 897.

action of halogens on, in presence of caustic alkalis (CIAMICIAN and SILBER), 1885, A., 1077. Pyrroline (pyrrole; pyrrhol), action of hydroxylamine on (CIAMICIAN and DENNSTEDT), 1885, A., 246; (CIAMICIAN and ZANETTI), 1889, A., 1208.

Pyrroline derivatives, synthesis of (KNORR), 1884, A., 1368; (PAAL), 1885, A., 516, 1205; (LEDERER and PAAL). 1886, A., 75; (PAAL and SCHNEIDER), 1887, A., 273.

action of methylic alcohol on (DENN-STEDT), 1891. A., 1501.

action of nascent hydrogen on (CIAMICIAN and DENNSTEDT). 1883, A., 82, 1142.

action of organic anhydrides on (CIAMICIAN and DENNSTEDT), 1884, A., 289, 1044; 1885, A., 378.

boiling, action of potash on (CIAMI-CIAN and DENNSTEDT), 1886, A., 367.

action of propionic anhydride on (DENNSTEDT and ZIMMERMANN), 1887, A., 844.

and carbazole, similar reactions of (HOOKER), 1889, A., 260.

and its derivatives, behaviour of, as regards Raoult's law (MAGNA-

NINI), 1889, A., 901. conversion of, into its homologues (DENNSTEDT), 1890, A., 1428.

conversion of, into pyridine (DENN-STEDT and ZIMNERMANN), 1886, A., 367; (CIAMICIAN), 1886, A., 810.

conversion of, into pyridine derivatives (CIAMICIAN), 1887, A., 678.

conversion of, into tetramethylenediamine (CIAMICIAN and ZANETTI), 1889, A., 1208; (CIAMICIAN),

1890, A., 1242. furfuryl and thiophen groupings, reciprocal transformation (CANZONERI and OLIVERI), 1885, A., 1144.

bases derived from (CIAMICIAN and MAGNAGHI), 1885, A., 1242. bases formed by the action of hydro-

chloric acid on (DENNSTED r and ZIMMERMANN), 1888, A., 849.

bases, synthesis of (DENNSTEDT and ZIMMERMANN), 1887, A., 598.

colouring matters (CIAMICIAN and SILBER), 1884, A., 740; (MEYER and STADLER), 1884, A., 1045.

Pyrroline derivatives (PAAL BRAIKOFF), 1890, A., 263. from anilidopyrotartaric acid (Reis-

SERT), 1890, A., 642. method of formation of (HANTZSCH),

1890, A., 1155.

formation of, from acetophenoneacetone (ERLENMEYER), 1885, A., 753.

(CIAMICIAN and constitution of SILBER), 1888, A., 61.

molecular weight of (MAGNANINI), 1890, A., 906.

action of hydroxylamine on (CIAMI-CIAN and ZANETTI), 1890, A., 264, 1155; 1891, A., 1502.

action of methylic iodide on (CIAMI-CIAN and ANDERLINI), 1889, A.,

conversion of, into indole derivatives (Dennstedt), 1889, A., 400.

conversion of, into pyridine derivatives (CIAMICIAN and SILBER), 1887, A., 378.

potassium-derivative of (CIAMICIAN and DENNSTEDT), 1886, 367.

action of carbonyl chloride on (CIAMICIAN and MAGNAGHI), 1885, A., 809.

action of cyanogen chloride on (CIAMICIAN and DENNSTEDT),

1883, A., 599. action of ethylic and propylic iodides on (ZANETTI), 1890, A., 907.

tertiary (DE VARDA), 1890, A., 389; (ZANETTI), 1890, A., 1430.

Pyrroline, homologues of, direct synthesis of (CIAMICIAN and ZANETTI), 1889, A., 727. determination of the constitution

of (ZANETTI), 1892, A., 74.

Pyrroline, tetrachloro-, and its synthesis (CIAMICIAN and SILBER), 1884, A., 292, 293.

tetriodo- (iodole) (CIAMICIAN and DENNSTEDT), 1883, A., 350; (CIAMICIAN), 1887, A., 597.

molecular weight of (MAGNANINI), 1890, A., 906.

dinitro- (CIAMICIAN and SILBER), 1885, A., 993; 1886, A., 718. Pyrrolineazo-. See Azo-.

Pyrrolinecarbamide (tetrolcarbamide) (CIAMICIAN and DENNSTEDT), 1883, A.,350; (Ciamician and Magnaghi), 1885, A., 809.

Pyrroline-a-carboxylic acid (a-carbopyrrolic acid) and its derivatives (CIAMICIAN and SILBER), 1884, A., 1044; 1885, A., 246.

method for the formation of, from pyrroline (CIAMICIAN and SILBER), 1884, A , 1193.

Pyrroline-a-carboxylic acid (a-carbopyrrolic acid), molecular weight of (Magnanini), 1890, A., 906. hydration of (Ciamician (CIAMICIAN dehydration

SILBER), 1884, A., 585.

a- and \$-nitro- (ANDERLINI), 1890, A., 66.

Pyrrolinedicarboxylic acid (CIAMICIAN and SILBER), 1886, A., 719.

Pyrroline-group (MEYER), 1884, A.,

Pyrrolinehydrophthalide (DENNSTEDT and ZIMMERMANN), 1888, A., 849.

Pyrrolinehydroxylamine, preparation of (CIAMICIAN and DENNSTEDT), 1985, A., 246; (CIAMICIAN and Zanetti), 1889, A., 1208.

Pyrrolineketonedicarboxylic (carbopyrrylglyoxylic acid) (CIAMI-CIAN and SILBER), 1886, A., 719, 938.

Pyrrolinephthalide (CIAMICIAN and DENNSTEDT), 1885, A., 379. dibromo- and nitro- (ANDERLINI),

1889, A., 58. determination

Pyrroline-series, position in the (CIAMICIAN and SILBER), 1887, A., 597.

compounds of the (CIAMICIAN and DENNSTEDT), 1883, A., 350.

decomposition-products of the (Hantzsch), 1884, A., 1045.

Pyrrolineurethane (tetrolurethane) (CI 1-MICIAN and DENNSTEDT), 1883, A., 350.

Pyrrolylene. See Butinene.

Pyrrone (dipyrrul ketone) (CIAMICIAN and MAGNAGHI), 1885, A., 809.

Pyrroylpyrroline (CIAMICIAN MAGNAGHI), 1885, A., 1143.

Pyrroylpyruvic anhydride (ANGELI), 1890, A., 1156.

action of o-phenylenediamine (ANGELI), 1890, A., 1243.

methyl ketone (ψ-ucety1-Pyrryl pyrroline) (CIAMICIAN and DENN-STEDT), 1884, A., 289, 1044: 1885,

action of bromine on (CIAMICIAN and DENNSTEDT), 1884, A., 291.

action of ethylic oxalate on (ANGELI), 1890, A., 1156, 1243.

action of nitric acid on (CIAMICIAN and SILBER), 1885, A., 810, 992.

Pyrryl methyl pinacone (DENNSTEDT and ZIMMERMANN), 1886, A., 1042.

Pyrryl phenyl ketone. See Phenyl pyrryl ketone.

Pyrrylalloxan (CIAMICIAN and MAG-BAGHI), 1886, A., 367; (CIAMICIAN and SILBER), 1886, A., 897.

Pyrrylene dimethyl diketone (di-ψacetylpyrroline) (CIAMICIAN 1885, A., 378; DENNSTEDT), (CIAMICIAN and SILBER), 1885, A., 808, 993; 1886, A., 74. nitro-(Ciamician and Silber), 1885,

A., 993; 1886, A., 718.

Pyrrylmethylketonesulphonic (CIAMICIAN and SILBER), 1885, A.,

Pyruvacetic acid, mono- and di-thio-(Bongartz), 1886, A., 938.

Pyruvaldehydephenylhydrazone

(henzeneazoucetone; pyrus pyruvalde-MUNZER), 1884, A., 1342.

introduction of monad radicles into (JAPP and KLINGEMANN), 1888, T., 525.

action of phenylhydrazine on (JAPP and KLINGEMANN), 1888, T., 531. o-nitro- (Bamberger), 1885, A., 157.

Pyruvic acid (pyroracemic acid), magnetic notation of (Perkin), 1892, T., 807, 836.

condensation of, with ethylic acetoacetate (DIETZEL), 1889, A. 593.

condensation of, with sodium succinate (Firric and Parker), 1889, A., 1146; 1890, A., 1102; 1892, A., 814. chlorination of (SEISSL), 1889, A., 489.

pyrogenic decomposition of (HANпют), 1886, А., 224. compound of, with hippuric acid

(HOFFMANN), 1887, A., 44. condensation-products of (BOTTINGER),

1885, A., 758. derivatives of (BAUMANN), 1885, A.,

513; (GERSON), 1887, A., 260. hydrazines of (FISCHER and JOURDAN),

1884, A., 52. indogenide of (v. Barver), 1884, A., 76.

formation of uvitonic acid from (Bottinger), 1884, A., 759.

phenylhydrazone of (FISCHER and Jourdan), 1884, A., 52; (Fis-CHER), 1884, A., 1151.

action of heat on (JAPP and KLINGE-MANN), 1888, T., 541.

ethyl derivative of (FISCHER and JOURDAN), 1884, A., 52.

phenylmethylhydrazone of (Fischer and Jourdan), 1884, A., 53.

quinolylhydrazone of (Durton), 1892, T., 786.

Pyruvic acid, dibromo-, action of hydroxylamine on (Soderbaum), 1892, A., 815.

compounds of, with hydrazines (Nastvogel), 1889, A., 237.

Pyruvic acid, chloro-, phenylhydrazone of (PERATONER and STRAZZERI), 1891, A., 1333.

o-chloro-, phenylhydrazone (HEWITI), 1891, T., 210.

dichloro-, and dichlorobromo-(HANTZSCH), 1890, A., 132.

p-nitro-, phenylhydrazone (Fischer and Ach), 1890, A., 41.

thio-, phenylhydrazone (RUHL), 1892, A., 1326.

Pyruvic anilide and its hydrazone and imidochloride (NEF), 1892, A., 1440. toluidide (NEF), 1892, A., 1441.

Pyruvin (ERHART), 1885, A., 1201; (DE CLERMONT and CHAUTARD), 1888, A., 45.

Pyruvinureide, dibromo- (FISCHER), 1887, A., 918.

Pyruvyl henzoate, and the action of benzoic anhydride on (VAN ROM-BURGH), 1883, A., 63.

Pyruvylglyoxylicacid (diacetylglyorylic acid), trichloro- (HANIZSCH), 1888,

A., 1192. tetrachloro- (HANTZSCH), 1890, A.,

Pyvuramide, dibromo- (FISCHER), 1887, A., 918.

Pyvurin, tribromo- (FISCHER), 1887, A., 918.

Qualitative and quantitative analysis. See Analysis.

Quartz (KUNZ), 1892, A., 1055.

from Arizona (Kunz), 1888, A., 346. from Burke, N. Carolina (VOM RATH), 1886, A., 27.

fibrous, from the Cape (RENARD and

KLEMENT), 1886, A., 603. blue, from Nelson Co., Virginia

(ROBERTSON), 1885, A., 129. artificial production of (v. Chrustschoff), 1887, A., 559.

synthesis of (BRUHNS), 1890, A., 112. velocity of light in (EXNER), 1886, A., 653.

circular polarisation of (SURET and SARASIN), 1883, A., 140.

variation of the indices of refraction of water and, with the temperature (DUFET), 1883, A., 762.

pyroelectricity of (HANKEL), 1883, A., 412, 950; 1885, A., 1187; (FRIEDEL and CURIE), 1883, A., 897.

expansion of (LE CHATELIER), 1890, A., 1372.

alteration of, into talc (WEINSCHENK), 1888, A., 1259.

Quartz, crystals with basal plane (HID-DEN and DES CLOIZEAUX), 1887, A., 119.

Babel, association of, with fluorspar (GONNARD), 1888, A., 561.

spodumene pseudomorphs after (Kunz), 1889, A., 24.

pseudomorphous, stibnite after (GENTH), 1891, A., 155.

estimation of, in siliceous rocks and soils (HAZARD), 1884, A., 872.

Quartz conglomerate from Witwaters-1and, Transvaal (Holland), 1888, A., 568.

Quartz-felsites from the Cheviot district (TEALL), 1886, A., 520.

Quartz-mica-diorite, analysis (Teller and John), 1883, A., 1069. Quartz-porphyry near Tryberg in the Black Forest (Williams), 1883, A.,

Quartz-rock (Schubert), 1883, A., 36. Quartz-trachyte covered with a deposit from the Echinus Geyser, pebble of (BEAM), 1884, A., 28.

Quartzine (MICHEL-LEVY and MUNIER-CHALMAS), 1890, A., 712.

Quartzite (Holland), 1887, A., 451. Dumont's (RENARD), 1883, A., 958. sand and kaolin from (DANA), 1885, A., 360.

Quassia amara, constituents of (MAS-SUTE), 1890, A., 791.

Quassic acid (OLIVERI and DENARO), 1884, A., 1193; (OLIVERI), 1888, A., 1312.

dioxime of (OLIVERI), 1888, A., 1312. Quasside (OLIVERI and DENARO), 1884. A., 1192; 1885, A., 907.

Quassin (OLIVERI and DENARO), 1884, A., 1192; 1885, A., 907; (MASSUTE), 1890, A., 792.

constitution of (OLIVERI and DENARO). 1884, A., 1192; (OLIVERI), 1888, A., 1311; 1889, A., 278.

preparation of (ADRIAN Moreaux), 1884, A., 908.

derivatives of (OLIVERI and DENARO), 1885, A., 907.

Quebrachisulphuric acid (TANRET), 1890, A., 226.

Quebrachite (TANRET), 1890, A., 226. Quebracho, sugar from (TANREY), 1890. A., 226.

wood, red, and its analysis (Corncler). 1885, A., 948.

Quercetin and its derivatives (HERZIG). 1884, A., 846; 1886, A., 251; 1888, A., 1309; 1890, A., 64; 1891, A., 1386; (LIEBERMANN), 1884, A., 1365; 1886, A., 366.

zrg), 1888, A., 1309.

Quercetyl phenylcarbamate (TESMER), 1886, A., 50.

Quercin, a new carbohydrate from acorns (VINCENTAND DELACHANAL), 1887, A., 909.

crystalline form of (FRIEDEL), 1887, A., 1026.

Quercitannic acid (ETTI), 1883, A., 995. See also Tannic acid.

Quereitol (Kiliani and Scheibler), 1889, A., 581.

constitution of (KANONNIKOFF), 1886, A., 335.

heats of combustion and formation of (BERTHELOT and RECOURA), 1887, A., 1011.

thermochemistry of (Stohmann and

LANGBEIN), 1892, A., 764. Quercitrin, in Virginia creeper (Cissus qinquefolia) (Phipson), 1885, A., 1255.

and rutin, supposed identity (SCHUNCK), 1888, T., 262; P., 12. Quercus rubra, analyses of white and

green leaves of (Church), 1886, T., 839; P., 236.

Quercyl pentaphenylcarbamate (TES-MER), 1886, A., 49.

Querlactone (Botfinger), 1891. A., 1062.

Quicksilver. See Mercury.

Quillajic acid (Kobert), 1889, A.,

Quina moradu, constituents of the bank of (ARATA and CANZONERI), 1890, A., 404.

Quinaldine. See 2'-Methylquinoline. Quinaldinic acid. See Quinoline-2'carboxylic acid.

Quinalizarin. See 1 2:1':4'-Tetrahydroxyanthraquinone.

Quinamyline (GRIMATX and ARNAUD), 1892, A., 1253.

Quinanisoil. See Methoxyquinoline. Quinazole. See Methylindazine.

Quinazoline, derivatives of, synthesis of (PAAL and BUSCH), 1890, A., 71.

βδ-dichloro- (ABT), 1889, A., 610. Quinazolines (WEDDIGE; KÖRNER), 1887, A., 1044; (GABRIEL and JAN-SEN), 1890, A., 1442; 1892, A., 217; (PAAL and BODEWIG), 1891, A., 943. thio-, new synthesis of (Busch), 1892, A., 1495.

Quince-juice, a sugar from (Biver), 1892, A., 128.

Quince mucus (GANS and TOLLENS), 1889, A., 541.

Quinenine (chinine). See Alkaloids.

Quercetin, molecular weight of (HER- | apoQuinenine (Comstock and Koenigs), 1885, A, 911.

> Quinethyline and its derivatives GRIMAUX and ARNAUD), 1891, A., 1518.

> Quinic acid, constitution of (EIJKMAN), 1891, A., 921.

specific rotatory and refractive powers of (KANONNIKOFF), 1889, A., 453. heats of combustion and formation of

(BERTHELOT and RECOURA), 1887, A., 1011.

heat of solution of (BERTHELOT), 1885, A., 1178.

decomposition of, by dilute hydrochloric acid (Chonočnský), 1888, A., 1298.

acetyl-derivatives of (ERWIG and

Quinicine, exidation of (SKRAUP and WURSTL), 1889, A., 1074.

Quinidine (conquinine). See Alkaloids. isoQuinidine (isoconquinine) (HESSE), 1888, A., 380.

isoQuinidinesulphonic acid quininesulphonic acid (HESSE), 1892, A., 514.

1-Quinindole-a-carboxylic acid (DUFFON), 1891, T., 758.

4-Quinindole-α-carboxylic acid (Dufton), 1892, T., 787.

Quinine. See Alkaloids.

isoQuinine (HESSE), 1888, A., (LIPPMANN and FLEISSNER), 1892, A., 82.

isoapoQuinine (LIPPMANN and FLEISS-NER), 1892, A., 82.

Quinine- and isoquinine-sulphonic acids (Hesse), 1892, A., 514.

Quininic acid (3-methoxyquinoline-4'carbocylic acid) (Skraup), 1884, A.,

Quinisatic acid (o-amidobencoylylyoxylic urid) and its salts (v. BAEYER and

HOMOLKA), 1884, A., 79. uinisatin (v. BAEVER BAEYER Quinisatin and Ho-MOLKA), 1884, A., 78, 1029.

ψ-Quinisatin (FRIEDLANDER and MUL-LER), 1887, A., 978.

See 3'-Nitroso-4'-Quinisatoxime. hydroxycarbostyril.

Quinitol (v. BAEYER), 1892, A., 833. Quinizarin (1:4-dihydroxyanthraquinone) (LIEBERMANN), 1888, A., 716. diethyl ether. See 1:4-Diethoxy-

anthraquinone. ethyl ether. Sec Hydroxyethoxy-

authraquinone. Quinizine. See Phenylpyrazolone.

Quinoidine, oxidation of (STRACHE), 1890, A , 179.

Quinol (benzoquinol: 1:4-dihydroxybenzene; hydroquinone)(BAESSLER), 1887, A., 364.

formation of (CIAMICIAN), 1886, A., 695.

preparation of (Nietzki), 1883, A., 465; 1886, A., 790; (SEYDA), 1883, A., 1115.

absorption spectra of (HARTLEY), 1888, T., 654.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A., 764.

heat of combustion of (BERTHELOT and Luginin), 1887, A., 762.

action of aniline on (CALM), 1884, A.,

action of phosphorus pratachloride on (Scheid), 1884, A., 429.

action of o-toluidine on (PHILIP), 1886, A., 941.

fusion of, with soda (BARTH and Schreder), 1883, A., 60; 1885, A., 520.

physiological action of (GIBBS and Hare), 1890, A., 1019.

benzenesulphonate of (GEORGESCU), 1891, A., 569.

compounds of, with amines (HEBE-BRAND), 1883, A., 60.

compound of, with phenylhydrazine (SEYEWITZ), 1892, A., 49.

derivatives (BAESSLER), 1887, A., 364.

derivatives of the benzene series (DE CLERMONT and CHAUTARD), 1886, A., 696.

mixed ethers of (FIALA), 1884, A., 1138.

phenylcarbamate (SNAPE), 1885, T.,

sodium compounds of (DEFORCRAND), 1892, A., 1184, 118**5**.

Quinol, amido-, dimethyl ether (BAES-SLER), 1884, A., 1329; 1887, A.,

2:3-diamido-, hydrochloride, and its derivatives (NIETZKI and PREUS-SER), 1886, A., 1024.

2:5-diamido- (NIETZKI and SCHMIDT),

1889, A., 968. diethyl ether of. See Diethoxyphenylenediamine.

triamido-, sulphate (NIETZKI and SCHMIDT), 1889, A., 968. como-, dimethyl ether (Nölting

and WERNER), 1891, A., 209.

2:6-dibromo- (LING), 1892,

chloro- (Scheid), 1884, A., 429. 2:5-dichloro- (KEHRMANN and TIE>-LER), 1890, A., 242.

Quinol, 2:3:5-trichloro-, and tetrachloro-, compounds of, with aniline (NIEMEYER), 1885. A., 1065.

tet rachloro- (Sutkowski), 1887, A.,

2:3:6-chlordiamido-, hydrochloride of (KEHRMANN and TIESLER), 1890, A., 243.

2:6-chlorobromo- (LING), 1892, T., 562.

chlorot; ibromo-(LING), 1887, T., 784; (LING and BAKER), 1892, T., 592.

2.5- and 2 6-dichlorobromo- (LING), 1892, T., 565, 578.

2:5-duchloro-3:6-dibromo-, and its diacetyl derivative (LEVY), 1885, A., 1210; (Linc), 1892, T., 578.

enystalline form of (LEIVEH), 1886, A., 543.

trichlorobromo- (LING and BAKER), 1892, T., 593.

chlordainide (Kehrmann and Ties-Ler), 1890, A., 242.

2.6 diodo- (METZELER), 1888, A., 1278.

2:5 Amitro- (Nietzki), 1883, A., 465. constitution of (NIETZKI and PREUS-SER), 1887, A., 574.

trinitro-, derivatives of (NIETZKI and KAUFMANN), 1892, A., 314.

3:25-nitrdümido- (NIETZKI and SCHMIDT), 1889, A., 968.

thio-, and ethylxanthate of (Leuck-ART), 1890, A., 603.

Quinol- μ -azodiphenylsulphonic seid, sodium salt of (CARNELLEY and SCHLESELMANN), 1886, T., 382.

Quinoldiammonium (Curtius and THUN), 1891, A., 1360.

Quinoldicarboxylic acid. See 3:6-Dihydroxyterephthalic acid.

Quinoldisulphonic acid and its salts (SEYDA), 1883, A., 1115.

dibromo- (GRAEBE and WELTNER), 1891, A., 1029.

Quincleic acid (pyridine-2:3-dicarborylw will). See Quinolinic acid.

Quin depidine, synthesis of (BEYER), 1885, A., 1246.

Quin olformic acid and anhydride (MY-LIUS), 1886, A., 706. Quinelglycuronic acid (Kulz), 1890,

A., 1286. Quin olhydrocyanic acid (MYLIUS), 1886,

A., 706. Quinclic acid (HOFFMANN and KOE-NIGS), 1883, A., 1145.

Quincline (leucoline) (OECHSNER DE CONINCK), 1883, A., 739; (ANON.), 1884, A., 756; (ABT), 1889, A., 1214.

Quinoline (leucoline) from cinchonine (OECHSNER DE CONINCK), 1883, A.,

ring formation (MARCKWALD), 1890, A., 1004.

synthesis of (BORNEMANN), 1886, A.,

constitution of (KNORR and ANTRICK),

1885, A., 273. spectrum of (HARTLEY), 1885, T., 722. vapour-pressures of (Young), 1889,

T., 483; P., 104. action of chloroform and iodoform on (RHOUSSOPOULOS), 1883, A., 600.

action of, on copper sulphate (Borsвасн), 1890, А., 796.

action of ethylic chloracetate on (Rhoussopoulos), 1883, A., 96.

action of ethylic chlorocarbonate on (v. MEYER), 1885, A., 140.

action of haloid ethereal salts on (CLAUS and STEGELITZ), 1884, A.,

action of halogens on the halogenalkyl-derivatives of (CLAUS), 1885, A., 908.

action of hypochlorous acid on (EIN-HORN and LAUCH), 1888, A., 501.

and substituted quinolines, products of the action of hypochlorous acid on (ERLENMEYER and ROSENHEK), 1886, A., 559.

action of iodine chloride and of phosgene gas on (Ostermayer), 1885, Ă., 672.

action of phthalic anhydride on (TRAUB), 1883, A., 667; (JACOBSEN and REIMER), 1883, A., 812, 922. reactions of (WEIDEL), 1887, A., 847. oxidation of (v. MILLER), 1891, A.,

reduction of (BAMBERGER), 1890, A.,

reduction products of (BAMBERGER and Lengfeld), 1890, A., 1318. nitration of (DUFTON), 1892, T., 782.

sulphonation of (v. Georgievics), 1888, A., 296; (Fulda), 1891, A., 391.

coal-tar, method of recognising (TRAUB and Scharges), 1885,

and from the cinchona alkaloids and its oxidation by potassium permanganate (Hoogewerer and VAN DORP), 1883, A., 89.

dyes obtained by the action of phthalic anhydride on (JACOBSEN and REIMER), 1883, A., 922. physiological action of (HEINZ), 1891.

A., 602.

Quinoline-bases, formation of (Lell-MANN and Lippert), 1891, A., 1509. derived colouring matters from

(SPALIEHOLZ), 1883, A., 1150; 1885, A., 400; (OECHSNER DE CONINCK), 1886, A., 82.

process for preparing dye-stuffs from (Jacobsen), 1884, A., 798, 944. methochlorides of (OSTERMAYER),

1885, A., 813.

Quinoline-derivatives (SKRAUP), 1883, A., 92; (RHOUSSOPOULUS), 1883, A., 96; (Orchener de Coninck), 1883, A., 738; (ANON.), 1884, A., 756, 944; (FISCHER and RENOUF), 1884, A., 1048; (V. MILLER and KINKELIN), 1886, A., 560; (RUGHEIMER and SCHRAMM), 1887, A., 738; (WEIDEL and BAMBERGER), 1888, A., 966.

formation of, from meta-substituted amines (MEYER), 1886, A., 161.

meta-substituted from amines. constitution of (GATTERMANN and KAISER), 1886, A., 79.

from \$-diketones (BEYER), 1887, A., 849.

from ethylic o-nitrobenzoylmalonate (Bischoff), 1889, A., 519.

from isatinic acid (PFITZINGER), 1886, A., 370; 1889, A., 412.

formation of, by the action of phosphoric chloride on the malonates of primary aromatic bases (Rug-HEIMER), 1886, A., 161.

synthesis of (RUGHEIMER), 1884, A., 1050; (KNORR), 1884, A., 1198; 1887, A., 847.

synthesis of, by means of alkylic acetoacetates (CONRAD and LIM-PACH), 1887, A., 679; 1892, A.,

constitution of (SKRAUP and BRUN-NER), 1886, A., 810; (FREYDL), 1888, A., 296.

appearance of colour in (ARMSTRONG), 1892, T., 789 ; P., 143.

action of hypochlorous acid on (EIN-HORN and LAUCH), 1886, A., 370; 1889, A., 501.

oxidation of (v. MILLER), 1891, A., 1094; (v. Ġeorgievics), 1891, A., 1389.

regularities in the oxidation of (v. MILLER), 1890, A., 1324.

reduction of (BAMBERGER), 1889, A.,

methiodides of (DECKER), 1891, A., 1247.

Quinoline, additive-products of (CLAUS and Tosse), 1883, A., 1008.

Quinoline, alkyl haloids, action of Quinoline, propiodide and its dibromide, alkalis on (Decker), 1891, A., 736; 1892, A., 879.

alkyl hydroxides (Decker), 1892, A., 880.

alkylammonium hydroxides, oxidation of (DECKER), 1891, A., 736.

ammonium bases derived from (BERN-THSEN), 1884, A., 1357; 1885, A., 814; (BERNTHSEN and HESS), 1885, A., 558.

amylic bromide (CLAUS and TOSSE), 1883, A., 1009.

arsenious bromide (LANDAU), 1889, A., 211.

benzylic chloride, and its oxidation (CLAUS and GLYCKHERR), 1883, A.,

carbonylchloroplatinite hydrochloride (MYLIUS and FOERSTER), 1891, A., 1163.

cerium nitrate (WILLIAMS), 1889, A.,

chloriodide (DITTMAR), 1886, A., 158; (PICTET and KRAFFI), 1892, A., 1357.

ethiodide, oxidation of (Decker), 1892, A., 730.

ethobromide (CLAUS and Tosse), 1883, A., 1008.

action of nascent hydrogen on (CLAUS and STEGELITZ), 1884, A., 1051.

ethochloride (CLAUS and TOSSE), 1883, A., 1009.

ethonitrate (CLAUS and Tosse), 1883, A., 1009.

homologue of (BEYER), 1885, A., 672. transformation of homologues of indole into (MAGNANINI), 1887, A., 1113.

diaminechromium thiohydrogen cyanate (Christensen), 1892, A.,

iodides (LA Coste), 1885, A., 814. second periodide of (DAFERT), 1883, A., 980.

methylated derivatives of, condensation-products of (Jacobsen and

REIMÉR), 1884, A., 335. ethyl hydroxide, oxidation (DECKER), 1892, A., 729. methyl

methylpicrate (OSTERMAYER), 1885, A., 672.

propiobromide and its dibromide, diiodide, dichloride, and tetriodide (CLAUS and COLLISCHONN), 1887, A., 60.

propiochloride and its dibromide, dichloride and diiodide (CLAUS and Collischonn), 1887, A., 61.

dichloride, diiodide, tetrabromide, tetruchloride and tetriodide (CLAUS and Collischonn), 1887, A., 61.

double salts of (Borsbach), 1890, A., 643.

silicon chloride (HARDEN), 1887, T., 47.

substitution derivatives of (FRIED-LÄNDER and WEINBERG), 1883, A.,

substitution derivatives of preparation of (Friedlander and Göhring), 1883, A., 1148.

substitution derivatives of, synthesis of (Buddeberg), 1890, A., 1142.

substitution derivatives of, reduction of (BAMBERGER), 1890, A., 1302. existence of two series of 4-sub-

stituted derivatives of (Lellmann), 1887, A., 973.

Quinoline, 2-amido- (FREYDL), 1888, A., 296.

4-amido- (Dufton), 1892, T., 785. 2'-amido-, preparation of (EPHRAIM), 1891, A., 1509.

3'-amido- (RIEMERSCHMIED), 1883, A., 1148.

4'-amido- (Hoogewerff and van DORP), 1892, A., 725.

and β-diamido- (CLAUS and KRAMER), 1885, A., 908.

bromo-, action of hypochlorous acid on (Welter), 1891, A., 1248.

1-bromo-, and its derivatives (CLAUS and Tornier), 1888, A., 163.

2-bromo-, and its derivatives (CLAUS and TORNIER), 1888, A., 164; (CLAUS and VIS), 1889, A., 280; 1890, A., 173.

3-bromo-, and its derivatives (CLAUS and Tornier), 1888, A., 163.

4-bromo-, and its derivatives (CLAUS and TORNIER), 1888, A., 16 (CLAUS and VIS), 1890, A., 173.

2'-bromo- (CLAUS and POLLITZ), 1890, A., 521.

4'-bromo-, and its derivatives (CLAUS and COLLISCHONN), 1887, A., 158; (CLAUS and TORNIER), 1888, A., 163; (CLAUS and DECKER), 1889, A., 728; (Decker), 1892, Å., 630; (Claus), 1892, A., 875. La Coste's, constitution of (Claus

and Welter), 1890, A., 173. dibromo- [m.ps. 166° and 125°—126°] (CLAUS and TORNIER), 1888, A., 163. 1:2-dibromo-, and its derivatives (CLAUS and VIS), 1890, A., 173.

1:3-dibromo-, and its derivatives (CLAUS and GEISLER), 1890, A., 172.

Quinoline, 1:4-dibromo-, and its derivatives (METZGER), 1884, A., 757; (CLAUS and GEISLER), 1890, A., 172.

2:3- and 2:4-dibromo-, and their derivatives (CLAU's and GEISLER), 1890, A., 172.

3:4-dibromo-, and its derivatives (CLAUS and GEISLER), 1890, A., 173. 1:4'-dibromo-, and its derivatives (CLAUS and WELTER), 1890, A.,

1320.

2:2'-, 3:2 - and 4:2'-dibromo- (WEL-TER), 1891, A., 1248.

2:4'-dibromo- (CLAUS and WELTER), 1890, A., 174.

3:4'-dibromo-, and its derivatives (CLAUS and WELTER), 1890, A., 173.

4:4'-dibromo-, and its derivatives (CLAUS and DECKER), 1889, A., 729; (CLAUS and WELTER), 1890, A., 173.

tribromo- [m.p. 169°] (CLAUS and WELTER), 1890, A., 173. [m.ps. 170° and 198°] (CLAUS and

KUTTNER), 1887, A., 278.

[m.p. 205°] (CLAUS), 1888, A., 729. [m.p. 247°] (CLAUS and POLLITZ), 1890, A., 522. 1:3:4'- and 3:4:4'-tribromo- (CLAUS)

and HEERMANN), 1891, A., 82.

1:4:4'-tribromo-(CLAUS and WELTER), 1890, A., 1321; (CLAUS and HEER-MANN), 1891, A., 83.

(CLAUS 1:3:4:4'-tetrabromo-3:4:4'-tetrabromo (CLAUS and WELTER), 1890, A., 1321; (CLAUS and HEERMANN), 1891, A., 88.

2:2'-bromamido- [m.p. 62°] (CLAUS and VIS), 1889, A., 281.

4-bromamido [m.p. 164°] (La Coste), 1883, A., 90; (Claus and Zuschlag), 1890, A., 267. 3:4-bromamido-

2-bromonitro- [m.ps. 244°, 146° and 111°] (CLAUS and POLLITZ), 1890, A., 521.

2:2'- and 2:3'-bromonitro- (CLAUS and VI4), 1889, A., 281.

3:4-bromonitro- (LA CUSTE), 1883, A., 90; (CLAUS and ZUSCHLAG), 1890, A., 267.

3':4-bromonitro-, methylhydroxide of (DECKER), 1892, A., 881.

1:4'-dibromonitro- and 1:4:4'-tribromonitro- [m.ps. 215° and 195°] (CLAUS and WELFER), 1890, A., 1320.

1-chloro-, action of acetamide on (MUHLERT), 1887, A., 848.

2-chloro- and its derivatives (LA Coste and Bonewig), 1884, A., 1196; (LA COSTE), 1886, A., 159.

Quinoline, 2-chloro-, methylic chloride, methylformyl-o-chloramidobenzoic acid and methyl-ψ-chlorisatin from (LA COSTE and BODEWIG), 1885, A., 792.

1:4-dichloro- (OSTERMAYER), 1885, A., 672.

:3'-dichloro- (v. Ва Вьоем), 1883, А., 197. 2':3'-dichloro-BAEYER

trichloro-[m.p. 68°] (CLAUS and Pos-SELT), 1890, A., 523.

[m.p. 108°], synthesis of (RUGHEI-

MER), 1884, A., 1050.

1-cyano- (Fischer), 1883, A., 92; (LELLMANN and REUSCH), 1889, A., 905.

2-cyano- (Fischer), 1883, A., 92. 3-cyano- (FISCHER and WITTMACK),

1884, A., 1051. dieyano- (La Coste and Valeur), 1887, A., 379.

2'-iodo- and its derivatives (FRIED-LÄNDER and WEINBERG), 1885, A., 989.

1-nitro- (LA COSTE), 1883, A., 811; (CLAUS and KRAMER), 1885, A., 908.

2-nitro- (CLATS and KRIMER), 1885, A., 908; (CLAUS and STIEBEL), 1888, A., 295.

3-nitro- (LA COSTE), 1883, A., 811. α- and β-dinitro- (CLAUS and KRA-MER), 1885, A., 908.

a-thio-(Roos), 1888, A., 500.

and its derivatives isoQuinoline (Hoogewerff and VAN Dorp), 1886, A., 78; 1887, A., 505; (GABRIEL). 1886, A., 265; 1887, A., 61; (LE BLANC), 1888, A., 1114; (GOLDSCHMIEDT), 1889, A., 165.

preparation of, from naphthalene (Bamberger and KITSCHELT), 1892, A., 882.

synthesis of (GABRIEL), 1886, A., 812.

pyrogenic synthesis of (Picter and Popovici), 1892, A., 730.

oxidation of (HOUGEWERFF and VAN DORP), 1886, A., 478.

sulphonation of (CLAUS, HOWITZ, MASSAN and RAPS), 1892, A.,

substitution products of (EDINGER and Bossung), 1891, A., 580.

salts of (HOOGEWERFF and VAN Donp), 1886, A., 78.

benzylic chloride (Goldschmiedt), 1889, A., 165.

homologues of (GABRIEL), 1887, A., 739, 1112.

isoQuinoline methiodide (GABRIEL), | Quinoline-2':4'-dicarboxylic acid A., 62; (CLAUS and EDINGER), 1889, A., 415.

oxidation of (Decker), 1892, A., 730.

isoQuinoline, bromo-, derivatives of (Edinger and Bossung), 1891, A.,

dibromo- (EDINGER and Bossung), 1891, A., 581.

(EDINGER and Bosbromamidosung), 1891, A., 581.

bromonitro-, and its derivatives (Edinger and Bossung), 1891, A., 580.

mono- and di-chloro- (GABRIEL), 1886, A., 812; 1887, A., 61.

Quinolinebenzocarboxylic acids, oxidation of (v. Georgievics), 1891, A., 1389.

Quinolinebenzylbetaine (CLAUS and Muchall), 1885, A., 561.

(Rhoussopoulos), Quinoline-betaine 1883, A., 96.

See Cyanine. Quinoline-blue.

Quinoline-2-carboxylic acid and its salts (FISCHER and VAN Loo), 1884, A., 1372; (SKRAUP and BRUNNER), 1886, A., 811; 1887, A., 160.

synthesis of (Tortelli), 1887, A., 503.

some derivatives of (FISCHER and Körner), 1884, A., 1197.

Quinoline-3-carboxylic acid (FISCHER and WITTMACK), 1884, A., 1052.

Quinoline-4-carboxylic acid, 1-bromo-(Lellmann and Alt), 1887, A., 502. Quinoline-2'-carboxylic acid (quin-

aldinic acid) and its salts (DOEBNER and v. MILLER), 1884, A., 185; (WEIDEL and STRACHE), 1886, A.,

preparation and oxidation of (v. Mil-LER), 1891, A., 1096.

nitro- (DOEBNER and V. MILLER), 1883, A., 602.

Quinoline-3'-carboxylic acid and its salts (RIEDEL), 1883, A., 1152; (DOEBNER and v. MILLER), 1885, A., 1079.

2'-chloro- (FRIEDLÄNDER and GÖHR-ING), 1884, A., 1020.

Quinoline-4'-carboxylic acid. See Cinchonic acid.

ψ-Quinoline-4-carboxylonitrile (Lell-MANN and REUSCH), 1888, A., 499. Quinoline-a-dicarboxylic acid

Coste and Valeur), 1887, A., 379. Quinoline-1:4-dicarboxylic acid

(SKRAUP and BRUNNER), 1886, A., 811.

(DOEBNER and PETERS), 1890, A., 176.

"Quinoline-dioximeanhydride" "-dioximes" (v. Kostanecki and REICHER), 1891, A., 580.

Quinoline-a-disulphonic acid and its derivatives (LA Coste and VALEUR), 1886, A., 628; 1887, A., 379, 973.

Quinoline-β-disulphonic acid (LA Coste and VALEUR), 1886, A., 629; 1888, A., 297.

Quinolinedisulphonic acids, preparation of (ANON.), 1885, A., 945.

Quinoline-group, attempted synthesis of a nitramine of the (SIMON-THOMAS), 1892, A., 725.

Quinolinephenacylic bromide (BAMBER-GER), 1888, A., 301.

isoQuinolinephenacylic bromide (Gold-SCHMIEDT), 1889. A., 165.

Quinolinequinol (FISCHER and RENOUF), 1884, A., 1371.

Quinolinequinones and their derivatives (FISCHER and RENOUF), 1884, A., 1370; (MATHEUS), 1888, A., 965.

Quinoline-red and isoquinoline-red (v. Hofmann), 1887, A.. 380.

Quinoline-series, syntheses in the (JUNT), 1886, A., 161, 811, 812. syntheses in the, by means of acetylacetone (COMBES), 1888, A., 504.

molecular migrations in the (ZIEG-

LER), 1888, A., 609. transition from the coumaric series to the (v. MILLER and KINKELIN),

1889. A., 990. quaternary ammonium bases of the (CLAUS), 1892, A., 1358. carboxylic acids of the, colour re-

actions for determining the constitution of (SKRAUP), 1886, A., 898.

the of (Berend ketones Тномаз), 1892, А., 1488.

B-lactone of the (EINHORN and LEHNKERING), 1888, A., 1208.

methochlorides of the (OSTERMAYER), 1885, A., 672.

Quinoline-3-sulphobenzylbetaine (CLAUS and STEGELITZ), 1886, A.,

Quinoline-1-sulphonamide and -sulphonbromamide (HOOGEWERFF and VAN DORP), 1889, A., 981.

Quinoline-4-sulphonamide, 1-chloro-(CLAUS and Posselt), 1890, A., 522.

Quinolinesulphonic acid, 2'-bromo-(CLAUS and POLLITZ), 1890, A., 521.

Quinoline-1-sulphonic acid, oxidation of (Fischer and Revour), 1884, A., 1049; (Zurcher), 1888, A., 378.

derivatives of (CLAUS and STEGELITZ), 1886, A., 628.

3-bromo- (CLAUS and ZUSCHLAG), 1890, A., 267.

4-bromo- (CLAUS and WURTZ), 1890, A., 267.

Quinoline-2-sulphonic acid, 4'-bromo-(CLAUS and SCHMEISSER), 1890, A., 266.

Quinoline-3-sulphonic acid and its derivatives (HAPP), 1884, A., 757; (FISCHER and WITTMACK), 1884, A., 1051; (CLAUS and MUCHALL), 1885, A., 561; (CLAUS and STERLITZ), 1886, A., 628.

homologues of (FISCHER and WITT-MACK), 1884, A., 1051.

4-bromo- (CLAUS and WURTZ), 1890, A., 267.

Quinoline-4-sulphonic acid (LELLMANN and LANGE), 1887, A., 737.

1-bromo- (LELLMANN and LANGE), 1888, A., 296.

4'-bromo- (CLAUS and SCHMEISSER), 1890, A., 266.

1-chloro- (CLAUS and POSSELT), 1890, A., 523.

Quinolinesulphonic acids (CLAUS and KUTTNER), 1887, A., 278; (FISCHER), 1887, A., 601; (V. GEORGIE-VICS), 1888, A., 501; (CLAUS), 1888, A., 728.

bromo-, and their salts (L & Coste), 1883, A., 96; (Claus), 1890, A.,

265. Quinoline-4-sulphonic bromide, bromo-(CLAUS and POSSELT), 1890, A., 522.

Quinoline-1-sulphonic chloride, 1chloro- (CLATS and POSSELT), 1890, A., 522.

Quinolinic acid (quinoleic acid; pyridine-2:3-dicarboxylic acid) and its salts (Hoogewerff and VAN Dorp), 11883, A., 89; (Nolting and Collin), 1884, A., 1048.

5-bromo- (Claus and Collischonn), 1887, A., 159; (Srpek), 1890, A., 177.

Quinolinic anhydride (BERNTHSEN and METTEGANG), 1887, A., 737.

Quinolsulphonic acid and its salts (SEYDA), 1883, A., 1115.

Quinoltetracarboxylic acid (dihydroxypyromellitic acid) (NEF), 1888, T., 453.

pyrazolone derivative of (Ner), 1890, A., 984. Quinoltetracarboxylic anhydride (NEF), 1890, A., 984.

2'-Quinolyl disulphide, mercaptan and ethylic sulphide (Roos), 1888, A., 500.

2'-Quinolylacetaldehyde (EINHORN), 1886, A., 264, 721; (v. MILLER and SPADY), 1886, A., 265, 370; (CAR-LIER and EINHORN), 1891, A., 83.

2'-Quinolyl-acetic acid and -acetylene (CARLIER and EINHORN), 1891, A., 84

2'-Quinolylacrylic acid (v. Miller and Spady), 1886, A., 264; (Einhorn and Lehnkering), 1888, A., 1208.

2'-Quinolyl-β-bromopropionic acid (EINHORN and LEHNKERING), 1888, A., 1208.

2'-Quinolyl-dibromethylene, -dibromopropionic acid and -dihydroxypropionic acid (CARLIER and EIN-HORN), 1891, A., 84.

2:2'-Quinolyldiacrylic acid (Eck-

HARDT), 1889, A., 528. 2'-Quinolyldiphenyloarbamide (Goldschmidt and Meissler), 1890, A., 501.

2'-Quinolylethylene (EINHORN and LEHNKEHRING), 1888, A., 1209.

Quinolyl-ethylene-quinoline (CH=2and 3-) (Bulach), 1889, A., 528. 1-Quinolylhydrazine (Dufton), 1891,

T., 756.
4-Quinolylhydrazine (Dufton), 1892,

T., 784. Quinolylhydrazines (Börtiger), 1892,

A., 212.

2'-Quinolylhydroxypropionic acid (Einhorn), 1886, A., 721.

2'-Quinolyl-8-hydroxypropionic acid, lactone of (EINHORN and LEHN-KERING), 1888, A., 1208.

Quinolyl-lactamide and -\(\beta\)-lactic acid (Einhorn and Lehnkering), 1888, A., 1209.

Quinolyl-p-methenylamidoxime and its derivatives (BIEDERMANN), 1890, A., 175.

Quinolyl-p-methenylbenzenylazoximep-carboxylic acid (BIEDERMANN), 1890, A., 176.

Quinolyl-p-methenyl-carbonylamidoxime, -ethenylazoxime and -uramidoxime (BIEDERMANN), 1890, A., 176.

1:3-Quinolylmethylpyrazolone (Duf-TON), 1892, T., 788.

Quinolylphenyldimethylthiocarbamide (MARCKWALD), 1890, A., 1005.

2'-Quinolylpropionic acid (CARLIER and EINHORN), 1891, A., 84.

1-Quinolylsemicarbazide (Duffon), 1891, T., 758. (DUFTON),

4-Quinolylsemicarbazide 1892, T., 786.

o-Quinone, derivatives of (ZINCKE),

1887, A., 808. tetrabromo- and tetrachloro- (ZINCKE),

1887, A., 808.

Quinone (C₁₈H₁₆O₂) obtained in the destructive distillation of teak (Ro-MANIS), 1887, T., 870.

(benzoquinone) (MELDOLA), 1883, Ť., 433.

preparation of (NIETZKI), 1886, A.,

constitution of (NEF), 1890, 1270; 1891, А., 1348; (Кенк-MANN), 1891, A., 432.

heat of combustion of (Berthelor and RECOURA; BERTHELOT and Luginin), 1887, A., 762.

action of acetic chloride on (HESSE), 1884, A., 430.

action of ethylic acetoacetate on (v. Pechmann), 1889, A., 42; (IKUTA), 1892, A., 608.

action of hydroxylamine hydrochloride on (Goldschmidt), 1884, A., 735.

action of various substances (SCHEID), 1884, A., 429.

behaviour of, towards sulphuric acid (LIEBERMANN), 1885, A., 802.

physiological action of (SCHULZ), 1892, A., 1115.

compounds of, with nitra: (HEBEBRAND), 1888, A., 60. with nitranilines

compounds of, with phenols (NIETzki), 1883, A., 465.

derivatives (NIETZKI), 1884, A., 58. constitution of (HANTZSCH), 1887, A., 719.

influence of the presence of halogens and alkyl-groups on the replacement of oxygen by the isonitroso-group in (KEHRMANN), 1889, A., 243.

physiological action of (Schulz), 1892, A., 1115.

carboxyl-derivatives of (Nef), 1888, T., 428; P., 38.

di- and tetra-bromides (NEF), 1890, A., 1272.

di- and tetra-chlorides and dichloridedibromide (NEF), 1891, A., 1348.

halogen derivatives of (Ling). 1887, T., 782; 1890, P., 32; 1892, T., 558; P., 105; (Ling and Baker), 1892, T., 589; P., 106.

Quinone, bromo-derivatives of (LEVY), 1883, A., 1117.

Quinone, 2:6-dibromo- (HEINICHEN), 1890, A., 165; (Ling), 1892, T.,

tetrubromo- (bromunil) (LING), 1887, T., 148; (GRAEBE and WELTNER), 1891, A., 1028.

2.6 3-dibromonitro- (GUARESCHI and Daccomo), 1885, A., 891.

chloro- (Kollrepp), 1886, A., 1018. chloro-derivatives of (LEVY), 1883, A., 1117.

2:5-dichloro- (LEVY), 1883, A., 1117; (LING), 1892, T., 558. oxime of (Kehrmann), 1889, A.,

244.

2:6-dichloro- (LING), 1892, T., 559. bromination of (Ling), 1892, T., 576, 580.

derivatives of (KEHRMANN and Tiesler), 1890, A., 241.

trichloro- (Andresen), 1884, A., 431. tetrachloro- (chloranil) (Andresen), 1884, A., 431; (ISTRATI), 1890, A., 882; (GRAEBE), 1891, A., 1027.

action of phosphorus chlorides on (GRAEBE), 1891, A., 1028.

action of sodium thiosulphate on (Purgotti), 1890, A., 1419.

2:6- and 2:5-chlorobiomo- (NEF), 1891, A., 1348; (Ling), 1892, T.,

chlorotribromo- (LING), 1887, 783; (Ling and Baker), 1892, T., 590.

2:5:3and 2.6:3-dichlorobromo-(LING), 1892, T., 563, 566.

2:5-dichlorodibromo- (LRVY), 1883, A., 1117; 1885, A., (Ling), 1892, T., 572. crystalline form of (Leiveh), 1886,

A., 543. 2:6-dichlorodibromo- (LING), 1892,

T., 578. trichlorobromo (LING and BAKER),

1892, T., 592. 2:6:3-chlorobromonitro- (GARZINO),

1890, A., 1108.

2:6:3-dichloronitro- (GUARESCHI and DACCOMO), 1885, A., 891.

2:5-diodo- (METZELER), 1888, A., 2.6-diodo- (Seifert), 1884, A., 431; (Kehrmann), 1888, A., 841.

nitro-derivatives of (NIETZKI), 1883, A., 465.

Etard's nitro-, probable non-existence of (HENDERSON and CAMPBELL), 1890, T., 255.

3:6:2:5-dinitrdiamido-(NIETZKI), 1887, A., 930.

Quinones (NIETZKI), 1883, A., 465.

formation of, from p-methylamines (Nülting and Baumann), 1885, A., 892.

preparation of (Nolting and Bau-Mann), 1885, A., 390; (Schniter), 1887, A., 1036.

constitution of (SCHEID), 1884, A., 429.

action of, on amidophenols (ZINCKE and HEBEBRAND), 1885, A., 257.

action of amines on (ZINCKE and BRAUNS), 1883, A., 209; (ZINCKE), 1883, A., 1117; 1885. A., 787.

action of yellow ammonium sulphide on (Willebrody), 1887, A., 1045. action of bleaching powder and of hypochlorous acid on (Zincke), 1892, A., 720, 859, 970.

action of, on o-diamines, o-nitraniline and nitro-p-toluidine (LEICESTER), 1890 A 1415

1890, A., 1445.
orientation by conversion of p-dinitro-derivatives into (CLAUS, RAPS, HERFELDT and BERKLIFELD), 1891, A., 1199.

secondary and tertiary (NIETZKI and KEHRMANN), 1887, A., 473.

halogen-derivatives of, action of alkali nitrites on (KEHRMANN), 1888, A., 940.

halogen-derivatives of, action of alkalis and ammonia on (Kehr-Mann), 1889, A., 707; 1890, A., 136; 1891, A., 903.

phenylhydrazine-derivatives (ZINCKE), 1883, A., 1135.

Quinones, amido- (KEHRMANN), 1890, A., 756, 1265.

chlorinated, aniline- and nitranilinederivatives of (NIEMEYER), 1885, A., 1065.

iodo- (KEHRMANN), 1889, A., 993, 1184.

Quinonecarboxylic acids (NEF), 1887, A., 255; (STIEGLITZ), 1891, A., 455. Quinonechlorimide (Fogu), 1888, A.,

593. 2:6-dibromo-, preparation of (MÜHLAU), 1884, A., 594.

2-chloro- (Kollrepp), 1886, A., 1019. trichloro- (Andresen), 1884, A., 431. diodo- (Seifert), 1884, A., 431.

Quinonedichlorimide, dichloro- (MOH-LAU), 1886, A., 941.

Quinonedianilides, mono- and di-chloro-(ANDRESEN), 1884, A., 431.

Quinonedihydrodicarboxylic acid. See 3:6-Dihydroxyterephthalic acid.

Quinonedimethylanilide, diodo- (Sei-FERT), 1884, A., 431. Quinonedimethylanilineimide. See Dimethylamidophenylquinoneimide (phenol-blue).

Quinonedurylic acid (NEF), 1888, T., 434; P., 39.

Quinonehæmatin (Schulz), 1892, A., 1115.

Quinonehomofluorindine (Leicester) 1890, A., 1445.

Quinonehydrodicarboxylic acid. See 3 6-Dihydroxyterephthalic acid.

Quinoneimide, amido-(MELDOLA), 1884, T., 131.

trichloro-, hydrochloride (Andresen), 1884, A., 431.

Quinoneimides (KEHRMANN), 1890, A., 756, 1265.

formation of, from amidoazo-compounds (FISCHER and HEPP), 1892, A., 1476.

Quinonemethylphenazine (LEICESFER), 1890, A., 1446.

Quinone-o-dinitranilide (LEICESTER), 1890. A., 1445.

Quinone denitranilides (HEBEBRAND), 1883, A., 61.

Quinone-mono-and-di-o-nitrotoluidides (Leicester), 1890, A., 1446.

Quinoneoxime (p-nitrosophenol) (Gold-suhidi), 1884, A., 735.

action of hydroxylamine on (KEHR-MANN and MESSINGER), 1890, A., 1403.

ethereal salts of (WALKER), 1884, A., 1003.

acetate, benzoate, benzoxide, ethoxide and methoxide (BRIDGE), 1892, A., 1456.

hypochlorite (Mohlau), 1886, A., 453.

sodium salt of, preparation of (WALKER), 1884, A., 1003.

2:6-dibromo- (FISCHER and HEPP), 1888, A., 456.

Quinone/lioxime (NIEIZKI and KEHR-MANN), 1887, A., 575; (NIEIZKI and GUIIERMANN), 1888, A., 471.

Quinoneoximes (Surkowski), 1887, A.,
41.

action of chlorine on (ZINCKE and SCHMUNK), 1890, A., 1146.

derivatives of (KEHRMANN), 1889, A., 244.

Quinonephenolimide (MOHLAU), 1886, A., 147.

dibromo- (MOHLAU), 1884, A., 594.
Quinonephenylimide, action of aniline on (v. Bandrowski), 1888, A., 1081.

Quinone-phenotolazine and -tolazine (Leicester), 1890, A., 1446.

Quinonetetracarboxylic acid (NEF), 1886, A., 550.

Quinophthalone (TRAUB), 1883, A., 668; (JACOBSEN and REIMER), 1884, A., 335.

Quino-propyline and -isopropyline (GRI-MAUX and ARNAUD), 1892, A., 1253. Quinoterpene (LIEBERMANN), 1884, A.,

1191. Quinovic acid, and its derivatives (LIEBERMANN), 1884, A., 1191.

Quinovin group (LIEBERMANN), 1884, A., 1191.

Quinovite (Liebermann), 1884, A., 1191.

Quinoxaline from tetramidotoluene sulphate (Nietzki and Rosel), 1891, A., 192.

p-amido-, and its salts (HINSBERG), 1886, A., 722.

Quinoxalines (HINSBERG). 1884, A., 1052; 1885, A., 909; 1886, A., 82, 561, 722; (PLOCHL), 1886, A., 722. preparation of (SCHEIDEL), 1886, A., 1046.

from tolylenediamine and bromacetophenone, constitution of (Lell-MANN and DONNER), 1890, A., 524.

Quinoxaline series, nomenclature of (HINSBERG), 1887, A., 382.

(HINSBERG), 1887, A., 382. new class of fluorescent dyes of the (FISCHER), 1891, A., 747; (FISCHER and Busch), 1891, A., 1109, 1514. Quinoxazines and quinoxazones (MÖHLAU), 1892, A., 887.

R.

Rabbits, aged, composition of the bones of (GRAFFENBERGER), 1891, A., 1275.

hydrophobic, catechol in the urine of (MOSCATELLI), 1892, A., 1115.

Rabel water, estimation of ethylic hydrogen sulphate in (GAUTRAND), 1886, A., 1079.

Racemic acid (paratarturic acid) (Per-RIN), 1887, T., 362; P., 29.

from fumaric acid (Anschutz), 1885, A., 243.

formation of, by the oxidation of unsaturated acids (DOEBNER), 1890, A., 1274.

cryoscopic studies on (RAOULT), 1888, A., 361.

specific gravity of solutions of (MARCH-LEWSKI). 1892, A., 964.

action of phosphorus pentachloride on (Perkin), 1888, T., 695.

sodium ammonium salt of (Joubert; | Wyrucoff), 1886, A., 533.

Racemic acid (p-tartaric acid), sodium potassium salts of (WYRUBOFF), 1886, A., 445, 533.

Racemates, resolution of (RICHAT), 1886, A., 446.

Racemo-inosite (MAQUENNE and TAN-RET), 1890, A., 471.

Badiation. See Photochemistry and Thermochemistry.

Badicle, metallic, containing platinum and tin (Schützenberger), 1884, A., 822.

Radicles, negative, influence of, on the functions of certain groups (HAL-LER), 1988, A., 937; (FRANCHI-MONT), 1888, A., 1052.

nitrogenous, method for introducing, into ethylic malonate and acetoacetate (Just), 1885, A., 513.

organic, negative nature of (MEYER), 1888, A., 147, 702; (MEYER and OELKERS), 1888, A., 703; (RATT-NER; SCHNEIDEWIND), 1888, A., 704; (KNOEVENAGEL), 1888, A., 705.

substituted alcohol, directly united with carbon or with nitrogen, characteristic difference between (Ma-TIGNON), 1892, A., 106.

Radish, quantity of starch in the tubercles of the (LESAGE), 1892, A., 92. cooked, composition of (WILLIAMS), 1892, T., 227.

Raffinose. See Carbohydrates.

Raffinosazone (BEYTHIEN and TOLLENS), 1890, A., 581.

Rails, rusting of (SPRING), 1889, A., 214.

testing of (KUPELWIESER), 1884, A., 520.

Rain-water. See Agricultural Chemistry; also Water.

Ralstonite (GROTH), 1884, A., 265; (l'enfield and Harper), 1887, A., 345.

chemical composition of (Brandl), 1883, A., 29.

Ramie plant, composition of (JAFFA), 1892, A., 1511.

Raoult's law of freezing. See Cryoscopy, Freezing, and Weights, molecular.

Rape-cake, adulteration of (KLIEN), 1885, A., 425.

Rape-oil, examination of (KINGZETT), 1885, A., 446.

Rape seed oil, constituents of (REIMER and WILL), 1887, A., 1030.

Rapic acid (REIMER and WILL), 1887, A. 1030.

Rare earths. See Earths.

Raspberries, wine and brandy from (ROMMIER), 1887, A., 292.

Raspberry juice (PABSI), 1886, A., 387.

Rate of chemical change. See Affinity,
Chemical.

Rattlesnake poison, antidote for (CROFT), 1883, A., 104. preventive inoculation with (SEWALL), 1888, A., 1326.

Rauwolfia, alkaloids from (GRE-HOFF),

_ 1891, A., 336.

Rays of high and low refrangibility, separation of (VAN ASSCHE), 1884, A., 241.

Bays, actinic, reflection of (DE CHARDONNET), 1883, A., 138.

solar, influence of, on the temperature of trees (IHNE), 1884, A., 917. telluric (Janssen), 1883, A., 261.

"Reaction aptitudes" of the halogens in mixed haloid ethers (HENRY), 1883, A., 787.

Reaction at high temperatures and pressures (HEMPEL), 1891, A., 258. velocity of. See Affinity.

Reactions dependent on position (LIEBERMANN and v. KOSTANECKI), 1885, A., 1209.

microchemical (TSCHIRCH), 1883, A., 376; (STRENG), 1886, A., 487; 1889, A., 78; (v. Haushofer), 1887, A., 301.

Reagents, concentration of (BLOCH-MANN), 1890, A., 412.

Realgar from Bosnia (KRENNER), 1885, A., 730.

from the Yellowstone National Park (Weed and Pirsson), 1892, A., 283. chemical nature of (Geuther), 1887, A., 888.

analysis of (JANNASCH and WASO-wicz), 1892, A., 657.

See also Arsenic sulphide.

Recalescence (Osmond), 1887, A., 14. Rectorite (Brackett and Williams), 1892, A., 22.

Red clover. See Clover under Agricultural Chemistry.

Red lead. See Triplumbic tetroxide under Lead, and Minium.

Red liquors, examination of (KALMANN and Spuller), 1887, A., 1063.

Red-nickel (Strocz), 1886, A., 313. Red-silver ore. See Pyrargyrite and

Proustite.
"Red spots" in light rose dye (LAUBER),
1885, A., 108.

Beddingite from Branchville (BRUSH and DANA), 1890, A., 1072.

"Redonda" phosphate, treatment of (WILLIAMS), 1885, A., 1018.

Reducine and p-reducine (Thudichum), 1888, A., 1120.

Reduction processes (ELBS), 1891, A., 431.

under the influence of microscopic organisms in the soil (MUNTZ), 1885, A., 1151.

and oxidation (LEDEBUR), 1885, A., 631; (OSTWALD), 1888, A., 1024.

and oxidation, simultaneous, by means of hydrocyanicacid (MICH VEL and PALMER), 1886, A., 155.

Reductions with zinc and ammonia (MIXTER), 1884, A., 301, 665.

Reflectometer, total (BRUHL), 1891, A., 513.

Refraction and refractive index, etc. See Photochemistry.

Refractometer, difference (ELLINGER), 1891, A., 1305.

Refuse, nitrogenous, manurial value of (PETERMANN), 1884, A., 211.

Regianin. See 4'-Hydroxy-1:4-naphtha-quinone.

Reichenbach's oxidising principle (PASTROVICH), 1883, A., 1005.

Reichert's distillation process (ALLEN), 1887, A., 1145.

Relative density. See Density and Specific gravity.

Remijia Purdicana, alkaloids from the bark of (HESSE), 1885, A., 64.

Remission, specific, so-called (RAMSAY and YOUNG), 1886, A., 5.

Kahlbaum's so-called, as an expression of the dependence of the boiling point on atmospheric pressure (NAUMANN), 1885, A., 717.

Rennet in human urine (Helwes), 1889, A., 536.

See also Agricultural Chemistry.

Rennin (rennet ferment), action of (Lea and Dickinson), 1890, A., 1175.

Resacetic acid (Isbert), 1886, A., 1010.
Resacetophenone. See 2:4-Dihydroxyacetophenone.

Resazurin (resucoin; diazoresorcinol, uzoresorcinol) (Brunner and Krae-Mer), 1884, A., 1333; (Brunner), 1885, A., 776; (Ehrlich), 1888, A., 145; (Nietzki, Diefze and Maeckler), 1890, A., 156.

formula of (NIETZKI), 1892, A., 164.

reduction of (Weselsky and Bene-DIKT), 1885, A., 526.

RESINS, natural (BAMBERGER), 1892, A., 204.

in plants, function of (DE VRIES), 1883, A., 365.

RESINS, distillation of, in a vacuum (Bischoff and Nastvogel), 1890, A., 1154.

products of the action of sulphur on (Morris), 1889, P., 102.

Amber from Southern Mexico (Kunz), 1890, A., 337.

of Cedar Lake, Canada (HARRING-TON), 1892, A., 573.

Colocynthein, detection of (JOHANNson), 1885, A., 606.

Colophony, destructive distillation of (RENARD), 1883, A., 599; 1884, A., 83, 843.

methylic alcohol in the products of the dry distillation of (Kelbe and Lwoff), 1883, A., 738.

Convolvulin, physiological action of (Dragendorff), 1887, A., 291.

Dammara (GRAF), 1889, A., 621. from Doona zeylanica (VALENTA), 1891, A., 1385.

Dragon's blood resin (DOBBIE and HENDERSON), 1884, A., 462; 1885, A., 808.

from Eucalyptus Globulus (Voiry), 1888, A., 961.

of Ficus rubiginosa and F. macrophylla (RENNIE and GOYDER), 1892, T., 916; P., 146.

Fossil resin from the coal measures (MACADAM), 1889, A., 353.

analysis of (Boussingault), 1883, A., 941.

Frankincense, olibene from (WAL-LACH), 1889, A., 1072. Guaiacum resin (HAGER), 1887, A.,

action of ozone on (Kowalewsky),

1889, A., 900. Hop resin (HAYDUCK), 1888, A.,

187. Jalapin (Poleck and Samelson), 1885, A., 669.

physiological action of (DRAGEN-

DORFF), 1887, A., 291. Morrenole resin (ARATA and GELZER),

1891, A., 1089. Myoporum plutycarpum (MAIDEN), 1889, T., 665; P., 127. from myrrh (KOEHLER), 1890, A.,

1317. Pine-wood resin, a delicate reaction

for (Morawski), 1889, A., 660. of Finus Abics, terpenes from (KURILOFF), 1892, A., 625.

from Piaus Laricio and Picca rulgaris (Bamberger), 1892, A.,

Russian white, from Pinus sylvestris (SCHKATELOFF), 1889, A., 406.

RESINS-

Shellac (BENEDIKT and EHRLICH). 1888, A., 846; (BENEDIKT and ULZER), 1888, A., 1308.

refining of (ANDÉS), 1884, A., 380. Storax, American (Fluckiger; v.

MILLER), 1883, A., 407. Teak resin (ROMANIS), 1987, T., 868.

Thapsia resin (CANZONERI), 1884, A., 460.

Resins. detection, estimation separation:-

analysis of (Bamberger), 1890, A., 1032.

detection of, in bees-wax (ROIFGER), 1892, A., 923.

examination of (WILLIAMS), 1889, A., 322.

estimation, quantitative, of fats and (GLADDING), 1885, A., 603.

estimation of, in mixtures with fatty acids (TWITCHELL), 1892, A., 389; (Wilson), 1892, A., 546.

estimation of, in soap (Heiner), 1885, A., 933; (Wright and Thompson), 1886, P., 175; (Gritt-NER and SZILASI), 1886, A., 747; (WILLIAMS), 1891, A., 131.

separation of (v. SCHMIDT and ERBAN), 1887, A., 406; (KLIEBHAN), 1888, A., 761.

See also Balsams.

Resin oil (RENARD), 1884, A., 843. fatty acids occurring in (LWOFF), 1887, A., 653.

hydrocarbons in (RENARD), 1888, A., 846.

retene from (KELBE), 1888, A., 605. detection of, in fatty and mineral oils (GRITTNER), 1892, A., 548. detection of, in oil of turpentine (BAUDIN), 1891, A., 870. detection of, in terebenthene (ZUNE),

1892, A., 923.

testing for, in fat oils, oleins, and fullers' fats (FOUKE), 1886, A., 581. test for, in mineral lubricating oil

(STORCH). 1888, A., 536. test for, in mineral and vegetable oils

(Holde), 1889, A., 86. Resin spirit, two butyltoluenes occurring in (KELBE and BAUR), 1884, A., 300.

presence of cymene and an aromatic hydrocarbon (C₉ H₁₂) in (Kelbe), 1886, A., 939.

Resistance. See Electrical resistance under Electrochemistry.

Resocyanin, constitution of (MICHAEL), 1884, A., 736.

Resorcein (Zulkowski and Peters), 1890, A., 1407.

β-Resorcenylamidoxime (2:4-dihydroxybenzenylamidoxime) (MARCUS), 1892, A., 317.

Resorcinol (1:3-dihydroxybensene), manufacture of (Muhlh usen), 1887, A., 574.

absorption spectra of (HARTLEY), 1888, T., 652.

thermochemistry of (STOHMANN and LANGBEIN), 1892, A. 764.

action of acetaldehyde on (MICHAEL and COMEY), 1884, A., 598. action of aniline on (CALM), 1884, A.,

591. action of benzaldehyde on (MICHAEL),

action of benzaldehyde on (MICHAEL), 1884, A., 597.

action of chloral on (CAUSSE), 1886, A., 1020; 1891, A., 48.

action of chloral hydrate on (MICHAEL and COMEY), 1884, A., 598.

action of chlorine on (ZINCKE and RABINOWITSCH), 1891, A., 689.

action of diazobenzene hydrochloride on (LIEBERMANN and V. KOSTA-NECKI), 1884, A., 1146.

action of diazo-p-nitrobenzene on (MELDOLA), 1885, T., 660.

action of, on egg albumin (ANDEER), 1890, A., 804.

action of ethylic sodiomalonate on (MICHAEL), 1888, A., 956.

action of iodine on, in alkaline solution (MESSINGER and VORTMANN), 1889, A., 1151.

condensation of m-nitrobenzaldehyde with (DE VARDA and ZENONI), 1891, A., 1846.

action of phenylhydrazine on (v. BAEYER and KOCHENDOERFER), 1889, A., 1162.

action of o-toluidine on (PHILIP),

1886, A., 941. behaviour of ethylic oxalate with

(MICHAEL), 1887, A., 949. physiological action of (GIBBS and HARE), 1890, A., 1019.

detection of (BODDE), 1889, A., 1090; (BORNTRAGER), 1891, A., 370.

Resorcinol derivatives (BENEDIKT), 1883, A., 984; (ERREHA), 1886, A., 50; (WILL and PUKALL), 1887, A., 660; (PUKALL), 1887, A., 661.

brownish red dye from (SEYEWITZ), 1890, A., 370.

aluminium chloride (CLAUS and MERCKLIN), 1886, A., 143.

mono- and di-camphorides (LYGER), 1890, A., 1427. Resorcinol, furfuran-derivatives from (Hantzhou), 1887, A., 262. homologue of (Pfaff), 1883, A., 918.

homologue of (Pfaff), 1883, A., 918. homologues of, preparation of (ANON.), 1883, A., 253.

oxide (HAZURA and JULIUS), 1884, A., 1139.

phenylcarbamate (SNAPE), 1885, T., 771.

sodium compounds of (DE FORCRAND), 1892, A., 1184, 1185.

Resorcinol, amido- (Fevre), 1883, A., 733.

4:6-diamido-, hydrochloride (TYPKE), 1883, A., 917.

bromo-derivatives of (BENEDIKT), 1883, A., 934.

mono- and di-bromo- (ZEHENTER), 1887, A., 924.

bromodinitro- [m.p. 192°5 and 193°], (Fevre), 1883, A., 733; (Typke), 1883, A., 917.

dibromonitroso-(Fevre), 1883, A., 733.
chloro-derivatives of (Benedikt), 1883, A., 984.

tri-, penta- and hepta-chloro- (ZINCKE and RABINOWITSCH), 1891, A., 689. tetrachloro- (ZINCKE and FUCHS), 1892, A., 1462.

heptachloro-, compounds derived from the so-called (ZINCKE), 1892, A., 1186

2:4:6-chlordiamido-, stannochloride of (KEHRMANN), 1890, A., 241.

2:4:6-chlorodinitro- (Kehrmann), 1890, A., 241.

dümido- (TYPKE), 1883, A., 918. iodo-derivatives of (MESSINGER and VORTMINN), 1889, A., 1150.

4-dinitro-, oxide of (HAZURA and JULIUS), 1884, A., 1139.

2:1-dmitro- (Fivre), 1883, A., 733;
 (Lippmann and Fleissner), 1886,
 A., 235, 791.

4.6-dinitro- (Bevedikr), 1883, A., 803; (Typke), 1883, A., 917; (Schiaparelli and Abelli), 1884, A., 174.

derivatives of (KEHRMANN), 1890, A., 241.

2:4:6-trinitro- (stypmic acid), constitution of (HENRIQUES), 1883, A., 329: (V. KONTANECKI and FEINSTEIN), 1889, A., 130.

derivatives of (Nolling and Collin), 1884, A., 1004.

2:4:6-nitrodimido- (NIETZKI and SCHMIDT), 1889, A., 969.

2:4-nitronitroso- (DE LA HARPE and REVERDIN), 1888, A., 679; 1889, A., 41. Resorcinol, 4-nitroso-, and its salts (Fevre), 1883, A., 733. ethereal salts of (Walker), 1884,

A., 1003.

dinitroso- (Goldschmidt and Strauss), 1887, A., 808.

thio- (LANGE), 1888, A., 375.

Resorcinols, pentahalogen-, comparison of the behaviour of the four known, when heated (BENEDIKT), 1883, A., 985.

Resorcinol colouring matters. See Colouring matters.

Resorcinol-blue. See Colonring matters

Resorcinol-blue. See Colouring matters. Resorcinolcarbodithionic acid (LIPP-MANN and FLEISSNER), 1888, A., 1092.

Resorcinolcarbothionylic acid (LIPP-

MANN), 1890, A., 163.

Resorcinoldisulphonic acids, amido-, nitro-, and nitroso- (ULZER), 1889, A., 510.

Resorcinolglycuronic acid (Külz), 1890, A., 1286.

Resorcinolphthalimidesulphonic acid (OSTERSETZER), 1891, A., 65.

Resorcinolsulphonic acid, amido-(BRUNNER and KRAEMER), 1884, A., 1354.

nitro-, and its derivatives (HAZURA), 1883, A., 1114.

Resorcyl o-acetate (Heiber), 1892, A., 309.

allophanate (TRAUBE), 1889, A., 394, 965.

benzenesulphonate (GEORGESCU), 1891, A., 569.

mixed ethers of (SPITZ),1885, A., 381. diethyl ether. See 1:3-Diethoxybenzene.

dimethyl ether (1:3-dimethorybenzene) 4-amido-, and its derivatives (ВЕСННОІД), 1889. A., 1155.

dimethyl ether, 2:4-dinitro-(JACKSON and WARREN), 1891, A., 1025.

Resorcylaldehydenhenylhydrazone (RUDOLPH), 1889, A., 252.

β-Resorcyl-mono- and -di-aldoximes (2·4-dihydroxybonzaldoxime) (MARCUS), 1892, A., 317.

Resorcyldialdehydephenylhydrazone (RUDOLPH), 1889, A., 252.

a-Resorcylic acid (3:5-dihydroxybenzoic acid), action of chlorine on (ZINCKE and Fuchs), 1892, A., 1461.

B-Resorvylic acid (2:4-dihydroxybrnzoic acid), thermochemistry of (Ston-mann, Kleber and Langbern), 1889, A., 1096.

β-Resorcylonitrile (MARCUS), 1892, A., 317.

Resorufamine (NIETZKI and MAECK-LER), 1890, A., 764.

Resorufin (diacorcsorufin) (FEVRE), 1883, A., 733; (BEUNNER and KRAEMER), 1884, A., 1333; (EHR-LICH), 1888, A., 145; (NIETZKI, DIETZE and MAECKLER), 1890, A., 156.

Respiration, chemical effect of, and muscular activity, relation between (HANRIOT and RICHET), 1887, A., 1058.

air vitiated by (HALDANE and SMITH), 1892, A., 1502.

effects of alkalis and acids on (Leh-MANN), 1885, A., 279.

influence of, on elimination (PENZOLDT and FLEISCHER), 1884, A., 91

influence of sleep on (DE SAINT-MARTIN), 1888, A., 305.

estimation of the carbonic anhydride expired and oxygen absorbed in (HANRIOT and RICHET), 1887, A., 507.

in compressed air (Suchowsky), 1885, A., 677.

in a superoxygenated atmosphere (DE SAINT-MARTIN), 1884, A., 911.

experiments on the horse (ZUNTZ, LEHMANN and HAGEMANN), 1889, A., 911; (SMITH), 1890, A., 392; (ZUNTZ and LEHMANN), 1890, A., 1170.

human (MARCET), 1890, A., 914. air being re-breathed (MARCET), 1891, A., 1270.

of entozoic worms (Bunge), 1890, A., 274.

See also Agricultural Chemistry and Metabolism, gaseous.

Respiration apparatus (HALDANE), 1892, A., 1257.

Respiratory changes, effect of acetic acid on (MALLEVRE), 1891, A., 344.

influence of diet on (HANRIOT and RICHET), 1888, A., 615.

influence of variations in the percentage composition of air on the intensity of (FREDERICQ), 1885, A., 407.

exchange in animals (CHAPMAN and BRUBAKER), 1891, A., 592. of gases (MAROET), 1891, A., 1270.

of gases (MARCET), 1891, A., 1270. value of hæmocyanin (Curnor), 1892, A., 1370.

Betene (retistene, methylpropylphenanthrene) and its derivatives (Bam-BERGER), 1884, A., 1040; 1885, A., 549; (Bamberger and Hooker), 1885, A., 905.

913 58

Retene (retistene, methylpropylphenanthrene), from 1esin oil (KELBE), 1888, A., 605.

constitution of (BAMBERGER and HOOKER), 1885, A., 1070.

boiling point of (SCHWEITZER), 1891, A., 1240.

ketone (Bamberger), 1884, A., 1040. distillation of, with zinc-dust (Bamberger and Hooker), 1885, A., 905.

dodecahydride (dehydrofichtelite) (Lie-BERMANN and Spiegel), 1889, A., 720; (Bamberger and Strasser), 1890, A., 385.

Retenediphenic acid (BAMBERGER), 1885, A., 550.

Retenefluorene (BAMBERGER and HOOKER), 1885, A., 905.

alcohol (BAMBERGER), 1884, A., 1040.

Reteneglycollic acid (BAMBERGER), 1884, A., 1040.

Retene-quinhydrone and -quinol (BAM-BERGER), 1885, A., 549.

Retenequinone (BAMBERGER), 1884, A., 1040; (BAMBERGER and HOOKER), 1885, A., 905.

oxidation of (BAMBERGER and HOOKER), 1885, A., 1070.

bromine derivatives of (BAMBERGER and HOOKER), 1885, A., 905.

Betene-quinoxaline and -quinoxime (BAMBERGER), 1885, A., 549.

Retinal rods, chemistry of (DRESER), 1886, A., 375.

Retinellite (HARRINGTON), 1892, A., 573.

Retinole (rosolene) (SERRANT), 1886, A., 185.

Retort, safety, for preparing gases (v. Klobukoff), 1888, A., 1244.

Retort-furnaces with gaseous fuel (FISCHER), 1884, A., 509.

Rezbanyite (cosulite) (FRENZEL), 1884, A., 266; (KÜNIG), 1886, A., 515. from Colorado (HILLEBRAND), 1884, A., 826.

Rhabdite, in the Cranbourne meteorite (FLIGHT), 1884, A., 417.

Rhabdophane (scovillite) (HARTLEY), 1884, T., 167; (BRUSH and PENFIELD), 1884, A., 26, 827.

Ehamnetin (Herzig), 1886, A., 252; 1888, A., 1309; (Liebermann), 1886, A., 366.

glucoside of (HERZIG), 1890, A., 64. **Ehamnitol** (FISCHER and PILOTY), 1891, A., 31.

Rhamnoctonic acid and lactone (FISCHER and PILOTY), 1891, A., 32.

Rhamnoctose, rhamnoheptose and rhamnohexitol (Fischer and Piloty), 1891, A. 32.

Rhamnodiazine (Rayman and Cho-Dounsky), 1889, A., 485; (Rayman and Pohl), 1890, A., 355.

Rhamnoheptonic acid and hydrazide (FISCHER and PILOTY), 1891, A., 32.

Rhamnohexonic acid (FISCHER and TAFEL), 1888, A., 806; (FISCHER and PILOTY), 1891, A., 31.

reduction of (FISCHER), 1889, A., 1149.

phenylhydrazide (FISCHER and PASS-MORE), 1890, A., 154.

Rhamnohexose (FISCHER and PILOTY), 1891, A., 31.

from frangulin (Thorpe and Miller), 1892, T., 7.

Ehamnolactone, polarisation phenomena of (SCHNELLE and TOLLENS), 1892, A., 1431.

A., 1481.

Rhamnonic acid, rotatory power of (Weld, Lindsey, Schnelle and

Tollens), 1891, A., 44. polarisation phenomena of (Schnelle and Tollens), 1892, A., 1431.

Rhamnose. See isoDulcitol under Carbohydiates.

Rhamnosecarboxylic acid. See Rhamnohexonic acid.

Rhamnosediphenylhydrazone(STAHEL), 1890, A., 1260.

Rhamnoseoxime (JACOBI), 1891, A., 664.

Rhamnosone (FISCHER), 1889, A., 484.

Rhamnus Frangula, constituents of
the hark of (SCHWABE), 1889, A.,
68.

frangulin from (THORFE and ROBIN-SON), 1890, T., 38.

Rhamnus Purshiana, constituents of the bank of (Schwabe), 1889, A., 68.

cascarin from (LEPRINCE), 1892, A., 1483.

Rhinanthin (PHIPSON), 1888, A., 1810. Rhinoliths (BERLIOZ), 1891, A., 1279. Rhizoma podophylli, constituents of (KURSTEN), 1891, A., 1133.

Rhizopods, digestion in (GREENWOOD), 1886, A., 1053; 1888, A., 79.

Rhodanic acid (NENCKI and BOURQUIN), 1885, A., 40; (GINSBURG and BONDZYŃSKI), 1886, A., 325; (ANDREASCH), 1889, A., 960.

synthesis of (FREYDL), 1889, A., 961. constitution of (MIOLATI), 1891, A., 943.

derivatives of (Nencki and Bour-Quin), 1885, A., 40. Rhodanic acid, homologue of (Ber-! LINERBLAU), 1886, A., 326.

Rhodinaldehyde and rhodinolic acid (ECKART), 1892, A., 203.

Rhodinol (ΕCKART), 1892, A., 203, 625.
 Rhodium, atomic weight of (JORGENSEN), 1883, A., 1060; (SEUBERT and KOBBÉ), 1891, Δ., 646; (SEUBERT), 1891, A., 885.

colour reaction of (DEMARGAY), 1886, A., 125.

alloy of, with tin (DEBRAY), 1887, A., 779.

compounds (Debray), 1884, A., 400; (Vincent), 1885, A., 1116; 1886, A., 310.

Rhodammonium compounds (Jörgensen), 1883, A., 1058; 1887, A., 114; 1890, A., 1218; 1891, A., 1825; 1892, A., 783.

Rhodium salts (WIIM), 1884, A., 660; 1885, A., 355; (LEIDIÉ), 1888, A., 1256.

some reactions of (Lecoq DE Bols-BAUDRAN), 1883, A., 715.

double salts of (SEUBERT and KOBBÉ), 1890, A., 1383.

Rhodium sesquichloride (Leidié), 1888, A., 790.

electrolytic conductivity of (HAMPE), 1888, A., 890.

potassium chloride (LEIDIÉ), 1890, A., 1382; (SEUBERT and KOBBÉ),

1890, A., 1383. sodium chloride, decomposition of, in solution (Forssereau), 1886, A.,

975. nitrites (LEIDIÉ), 1890, A., 1382. ammonium, barium, potassium and sodium nitrites (LEIDIÉ), 1890, A.,

1382; 1891, A., 808. sulphate (Leidie), 1888, A., 1257.

sesquisulphide (Leidlé), 1888, A., 919. sodium sulphite (Seubert and Kobbé), 1890, A., 1383.

Luteorhodium salts (JÜRGENSEN), 1891, A., 1325, 1327.

Nitratopurpureorhodium salts (Jürgensen), 1887, A., 114.

Purpureorhodium compounds, chloro-, bromo-, and iodo- (JURGENSEN), 1883, A., 1058.

Roseorhodium salts (Jörgensen), 1887, A., 113; 1891, A., 1327.

Xanthorhodium salts (JORGENSEN), 1887, A., 114.

Bhodium, estimation, electrolytic, of (Joly and Leidie), 1891, A., 141.

Rhodium-black, action of, on hydrogen peroxide (HOPPE-SEYLER), 1883, A., 849.

Rhodizite (DAMOUR), 1883, A., 956.

Rhodizonic acid (dihydroxydiquinoyl) and its salts (NICTZKI and BENCKINER), 1885, A., 781.

KINER), 1885, A., 781. constitution of (Nierzki), 1891, A., 189.

formula of (NIETZKI and KEHRMANN), 1888, A., 263.

hexahydroxybenzene derivatives and their relation to (NIETZKI and BENCKISER), 1885, A., 779.

Rhodochrosite from Colorado (Kunz), 1888, A., 346.

from Fianklin Furnace, New Jersey (Browning), 1891, A., 527. See also Manganese carbonate.

Rhodogen, from sugar-beet, and its oxidation-product (REINKE), 1883, A., 881.

Bhodonite, artificial production of (Gor-GEU), 1884, A., 164; (BOURGEOIS), 1884, A., 565; 1886, A., 214.

fowlerite variety of, from New Jersey (Pirsson), 1891, A., 530.

from Langban and Pajsberg (FLINK), 1886, A., 778.

from Viù (FINO), 1884, A., 164. products of the alteration of (CHESTER), 1888, A., 795.

See also Manganese silicate.

Rhodope, trachyte region of (Pelz and Hussak), 1884. A., 414.

Rhodopsin (Dreser), 1886, A., 375. Rhodosochromium salts. See Chrom-

ammonium salts.

Rhodotilite. See Inesite.

Rhubarb, English (Elborne), 1885, A.,

Rhus vernicifera, and the milky secretion of (Yoshida), 1883, T., 473.

Rhyncodia (Cercocoma) macrantha, alkaloid from (GRESHOFF), 1891, A., 337

Rhyolites from Sweden (Holst), 1891, A., 1437.

minerals in hollow spherulites of (IDDINGS and PENFIELD), 1892, A., 23.

Ribonic acid (tetruhydroxyvaleric acid) (FISCHER and PILOTY), 1892, A., 438.

Ribose and its derivatives (FISCHER and PILOTY), 1892, A., 439.

Rice, system on which, may be used in brewing (MARKL), 1884, A., 235.See also Agricultural Chemistry.

Rice-starch (Sostegni), 1886, A., 221; 1888, A., 126.

1888, A., 126. estimation of (SALOMON), 1883, A., 124.

Richellite (Cesaro and Despret), 1884, A., 1102; (Cesaro), 1886, A., 127.

Ricin (STILLWARK), 1890, A., 535. Ricinelaidic acid (KRATFT), 1888, A., 1271.

oxidation of (MANGOLD), 1892, A., 1304.

Ricinic acid (Krafft), 1888, A., 1271. "Ricinisolic acid" and "ricinolic acid." See Trihydroxystearic acid.

Ricinoleic acid (KRAFFT), 1888, A., 1270.

oxidation of (DIEFF and RDFORMAT-SKY), 1887, A., 716; (DIEFF), 1889, A., 1147; (MANGOLD), 1892, A., 1304.

polymerides of (Scheurer-Kesiner), 1891, A., 1454.

Ricotta from sheep's milk (SARTORI), 1891, A., 952.

Riebeckite (SAUER), 1889, A., 109. from Michigan (LANE, KELLER, and SHARPLESS), 1892, A., 793.

Ring formation with elimination of hydrogen bromide or nitrous acid (LELLMANN and SCHMIDT), 1888, A.,

Rings closed, nomenclature of (ARM-STRONG), 1892, P., 127.

hydrogenation of (STOHMANN and KLEBER), 1891, A., 376, 1146; 1892, A., 1040.

containing five atoms, constitution of (BAMBERGER), 1891, A., 1090.

six membered, theory of (BAMBERGER), 1890, A., 1299.

Rinkite from Kangerluardsak, Greenland (LORENZEN), 1836, A., 676.

Ripidolite (prochlorite) from Columbia (Clarke and Chatard), 1885, A., 492; (MERRILL), 1886, A., 520.

from Mt. Blanc, analysis of (BRUN), 1884, A., 403. See also Chlorite.

River-waters. See Water.

Robinia Pseudacacia, assimilation of nitrogen from the air by (FRINK), 1891, A., 764.

nitrogen assimilation of (Nobbe, SCHMID, HILTNER and HOTIER), 1891, A., 1533.

Rock crystal, thermo- and actinoelectricity of (HANKEL), 1883, A., 412, 950; 1885, A., 1187; (FRIEDEL and Curie), 1883, A., 897.

electrolytic conductivity of (WARBURG and Tegermeier), 1889, A., 91.

Rock salt from Torda and from Vizakna (Loczka), 1892, A., 1654.

radiation of, at various temperatures (BAUR), 1883, A., 702.

dispersion in (Ketteler), 1887, A.,

salt, Rock electric properties of (BRAUN), 1888, A., 9.

compressibility of (BRAUN), 1887, A., 436; 1888, A., 214, 404; (RUNTGEN and Schneider), 1888, A., 22, 1019.

blue (WITTIEN and PRECHI), 1883, A., 1051; (Ochsenius), 1886, A., 515.

Roumanian (ISTRATI), 1890, A., 217. See also Sodium chloride.

Rocks from Colorado, containing sodium amphibole, astrophyllite, pyrochlore and zircon (LACROIX), 1889, A., 1054.

from the Congo (KLEMENT), 1888, A.,

from Coisica (RUPPREUHT), 1891, A., 1440.

Italian (Cossa), 1883, A., 446.

Japanese (Korô), 1887, A., 564. of the Jiwaara, in Finland (RAMSAY and BERGHELL), 1892, A., 1058.

from the shore at Nice (MONTE-MARTINI), 1889, A., 223.

Norwegian (JANNASCH), 1887, A., 562. of Noyang (Howiit), 1884, A., 972. of Pigeon Point, Minnesota (BAYLEY), 1889, A., 473.

from the Volcano Yate (ZIEGENSPECK), 1884, A , 973.

from Vulture and Melfi, composition of (RICCIARDI), 1887, A., 1087.

of the Vulsinian volcances (RICCIARDI), 1889, A., 224.

of the Yellowstone Park (BEAM), 1884, A., 28.

artificial formation of (Fouque and MICHEL-LEVY), 1883, A., 4 (KAZIOBOWSKI), 1890, A., 718.

formation of, and the compression of the moist powder of solid substances (SPRING), 1888, A., 1243.

decay of, geologically considered (Hunr), 1881, A., 567.

disintegration of (MUNTZ), 1890, A.,

function of the nittic ferment in the disintegration of (MUNTZ), 1887, A., 1135.

used in the manufacture of Chinese porcelain (Vogr), 1890, A., 461.

acid, reproduction of (LE CHATELIER), 1892, A., 23.

acidic, volcanic, and solfataras, relation between (DE LAPPARENT), 1889, A., 474.

calcareous from Tevere (VERRI and TROTTARELLI), 1888, A., 120.

soft calcareous, hardening of, by means of fluosilicates of insoluble bases (Kessler), 1883, A., 940.

Rocks, massive crystalline, metamorphism of (DANA), 1883, A., 562.

metamorphic and plutonic, at Omeo (Howitt), 1889, A., 222.

supposed Pre-Cambrian, of St. David's (GEIKIE), 1884, A., 411.

Silurian, of Christiana (BROGGER), 1883, A., 723.

spherulitic, from Co. Down (Hyland), 1891, A., 1169.

trachytic, from the island of San Pietro (EIGEL), 1887, A., 904.

volcanic (DOELTER), 1883, A., 723. of Assab (RICCIARDI), 1886, A., 993.

om the lake of Bracciano (STRUVER), 1887, A., 21. from

from the Cabo de Gata (OSANN), 1891, A., 26.

 \mathbf{Verde} Cape the (Doelter), 1883, A., 720.

of Elba, the more recent (NESSIG), 1884, A., 567.

of Jablonica (JOHN), 1891, A., 652. from Krzeszowice, Cracow (ZUBER),

1887, A., 563. basic, of Mâconnais and Beaujolais (Michel-Levy), 1884, A., 414.

of Monte Somma (MIERISCH), 1888, A., 434.

Persian (Drische), 1887, A., 223. of the Rhone (LENK), 1890, A., 115. near Tryberg in the Black Forest (WILLIAMS), 1883, A., 723. composition of (RICCIARDI), 1887,

A., 1023.

analysis of, separation of titanium, chromium, aluminium, iron, barium and phosphoric acid in (CHATARD), 1891, A., 768.

Rodents, hæmoglobin and methæmoglobin crystals of (HALLIBURTON), 1886, A., 637.

Rodna, bluish-grey mineral crusts from (MEDGYESY), 1886, A., 515.

Römerite (BLAAS), 1884, A., 269; (MACKINTOSH), 1890, A., 454.

Roessler's method for the separation of gold, silver, lead, and copper from sulphides by air-blast (ANON.), 1883, A., 400.

Roots. See Agricultural Chemistry. Rosa canina, vanillin from (SCHNEE-

GANS), 1890, A., 1270. Rosa centifolia, flowers of, analyses of

(NIEDERSTADT), 1884, A., 97.

Rosaginin (Pieszczek), 1890, A., 1316. Rosamines (HEUMANN and REY), 1890, A., 157.

Rosaniline (triamidodiphenyltolylcarbinol), formation of (GOLDBERG), 1892, A., 340.

formation of, by the nitrobenzene process (LANGE), 1885, A., 1130.

manufacture of, by the arsenic acid process (Muhlhauser), 1888, A., 472.

and its congeners, constitution of (ARMSTRONG), 1888, P., 30.

spectrum of (HARTLEY), 1887, T., 169.

decomposition of, by water (LIEBER-MANN), 1883, A., 1097.

colouring matters (MELDOLA), 1883, A., 807.

blue colouring matters from (Nölting and Collin), 1884, A., 1048.

yellow colouring matter, preparation of (MACHENHAUER), 1885, A., 310.

derivatives (NÖLTING), 1883, A., 54. salts, constitution of (v. RICHTER), 1888, A., 1185.

salts and sulphonated rosaniline, detection of (LIEBMANN and STUDER), 1887, A., 405.

aurinate (DALE and SCHORLEMMER), 1883, T., 186; (Dyson), 1883, T., 472.

hydrochloride, detection of, in wine by means of stearin (Wolff), 1883, A., 384.

phenate (Dale and Schorlemmer), 1883, T., 186; (Dyson), 1883, T., 470.

sulphate, physiological action of (CAZENEUVE and LEPINE), 1886, A., 272.

Pararosaniline (triamidotriphenulcarbinol), synthesis of (ZIMMER-MANN and MULLER), 1885, A.,

condensation of, with aldehyde (v. MILLER and PLOCHL), 1891, A., 1071.

di-o-chloro- (HEUMANN and HEIDL-BERG), 1886, A., 942.

Rosanilines, possible number of homologous and isomeric (Rosenstieal and GERBER), 1884, A., 739.

p-Rosatoluidine (KLINGER and Pirs-CHKE), 1885, A., 151; (BARSILOWsky), 1888, A., 140.

Rose oil. See Oil.

Rosemary, camphor and borneol of (HALLER), 1889, A., 1002.

Rosenbuschite (Brogger), 1890, A., 1079.

See under word to which roseo Roseo-. is prefixed.

Roseo-salts, basic (Jörgensen), 1883, A., 557.

relation between luteo-salts and (Jon-GENSEN), 1884, A., 1093.

Rose-trees, experiments with ferrous sulphate on (GRIFFITHY), 1886, T., 122.

Rosewood. essence of (Morin), 1888, A., 1308.

Roshydrazine (ZIEGLER), 1887, A., 822.

Rosin. See Resin.

Rosindole (FINCHER and WAGNER), 1887, A., 588.

Bosindone ("rosindulone") (FISCHER and Hepp), 1890, A., 909; (KEHR-MANN and MESSINGER), 1891, A., 746.

bromo- (FISCHER and HEPP), 1891, . A., 1045.

Rosindonic acid (FISCHER and HEPP), 1891, A., 1045.

Rosinduline. See Phenylrosinduline.
Rosindulines (FISCHER and HEPP),

1890, A., 908; 1891, A., 1044. Rosolene (retinole) (SERRANT),1886,A.,

Rosolic acid (aurin), formation of (STAUB and SMITH), 1884, T., 302. synthesis of (ELBS), 1883, A. 1000. spectrum of (HARTLEY), 1887. T., 167.

as an indicator (THOMSON), 1983, A., 827; 1884, A., 691, 869.

a bye-product of the manufacture of (CLAPARIDE and SMITH), 1883, T., 358; (STAUB and SMITH), 1884, T., 301.

salts and ethers of (ACKERMANN). 1884, A., 1339.

acetyl-derivatives of (Herzic,), 1892. A., 1319.

tetranitro-, and its salts (Acker-Mann), 1884, A., 1339.

Rotation, magnetic. See Photochemistry.

Rotation experiments. See Agricultural Chemistry.

Rottlerin (A. G. and W. H. Perkin), 1887, A., 272; (JAWEIN), 1887, A., 498.

Rubazonic acid (KNORR), 1887, A.,

Rubbadin, and the action of nitric acid and of sulphuric acid on (SCHALL and UHL), 1892, A., 1076.

Rubeanic acid. See diThioxamide. Rubellane (HOLLRUNG), 1884, A.,1105; 1886, A., 213.

Ruberine in Agaricus ruber (Phirson), 1883, A., 100. Ruberythric acid (LIEBERMANN and BERGAMI), 1887, A., 1051.

Rubidium, spectrum of (KAYSER and RUNGE), 1891, A., 137.

heat of combustion of (Beketoff), 1890, A., 679.

combining energy of (Beketoff), 1890, A., 108.

carbonate, reduction of, by magnesium (WINKLER), 1890, A., 332.

antimony chlorides (SAUNDERS), 1892, A., 788.

bismuth chlorides (BRIGHAM), 1892, A, 789.

manganesechloride (SAUNDERS), 1892, A., 781.

silver nitrate (DITTE), 1886, A., 122.

cobalt nitrite (ROSENBLADT), 1887, A, 13.

sulphate, solubility of (ETARD),1888, A., 645.

barium dithionate (BODL'NDER), 1891, A., 802.

salts, physiological action of (RICHET), 1886, A., 88; (BLAKE), 1886, A., 385.

Rubidium-carnallite (FEIT and KU-BIERS(HKY), 1892, A., 1395.

Rubies from Burma (KUNZ), 1892, A., 1055.

artificial (FREMY), 1887, A., 556; (MEUNIER). 1887, A., 707; (FREMY and VERNEUIL), 1888, A., 561; 1891, A., 156.

inclusions in (PRINZ), 1883, A., 1062.

Rubrite (DARAPSKY), 1890, A., 456. Ruficoccin (Furih), 1884, A., 84.

Rufigalanthranol (LIEBERMANN), 1888, A., 493.

Rufigallol (1.2:3 2':3':4'-hexahydroayanthraquinone) (Webster and Hunt), 1889, A., 405.

ethyl ether (Liebermann and Jel-LINEK), 1888, A., 717.

dichloro- (Webster and Hunt), 1889, A., 405.

Rufiapine (tetrahydro cyanthraquinone) (Nolting), 1883, A., 65.

Rum, formic acid in (List), 1884, A., 378.

analyses of (Fresenius), 1890, A., 1195.

Ruminants. See Agricultural Chemistry.

Rumpfite, from Upper Styria (FIRTSCH), 1892, A., 417.

Rupert's drops (TAYLOR), 1883, A., 422.

Russian petroleum. See Petroleum.

Ruthenium, atomic weight of (Joly), 'Sabadilla seeds, fat and ethereal oil of 1889, A., 352, 835; (SEUBERT), 1891, A., 885.

alloy of. with tin (DEBRAY), 1887,

ammoniacal derivatives of (Joly), 1889, A., 948.

chloride (JoLY), 1892, A., 688.

ammoniacal derivatives of (Joly), 1889, A., 948.

chlorides, conductivity of (HAMPE), 1888, A., 890.

hydroxychloride (Joly), 1892, A.,

nitrosochloride (JOLY), 1889,

352, 678. ammoniacal derivatives of (Joly), 1391, A., 401.

potassium nitrites (Joly and Vizzes),

1890, A., 17. oxides (Debray and Joly), 1888, A.,

426. saline compounds of the lower with the higher (JOLY), 1892, A.,

peroxide (Debray and Joly), 1888, A., 559.

action of light on (JOLY), 1892, A., 282.

Ruthenates (DEBRAY and JOLY), 1888, A., 920.

Per-ruthenic acid in histology (RANVIER), 1887, A., 1060.

Per-ruthenates (DEBRAY and JOLY), 1888, A., 920. action of heat on (John), 1892, A., 282.

Rutile from the itacolumite of Edge Hill, Pa. (GENTH), 1884, A., 270. in the Greifenstein granite (v. Mik-LUCHO-MACLAY), 1885, A., 1185. from Imfeld, measurements of crystals

of (RINNE), 1885, A., 1186. from N. Carolina (HIDDEN), 1885,

A., 878.

from Sobeslau, Bohemia (KATZER), 1888, A., 922.

in phlogopite (v. Sandberger), 1883, A., 34.

as a product of the decomposition of titanite (MANN), 1883, A., 33.

of, into ilmenite conversion LASAULX), 1884, A., 1104; 1885, A., 28.

Rutin and quercitrin. supposed identity of (Schunck), 1888, T., 262; P., 12. Rye. See Agricultural Chemistry.

Sabadilla seeds, alkaloids of (MERCK), 1891, A., 844.

(OPI FZ), 1891, A., 1284.

Sabadine and sabadinine (MERCK), 1891, A., 844.

Sabella, ash of the blood of (GRIFFITHS) 1892, A., 1256.

Saccharic acid, and some of its salts (Killiani). 1883, A., 565; (Sohst and Tollens), 1888, A., 820.

formation of, as a test for raffinose and other carbohydrates (GANS, STONE and TOLLENS), 1888, A.,

constitution of (KILIANI), 1883, A.,

optical isomerides of (FISCHER). 1890, A., 1399.

action of dilute mineral acids on (SCHROTTER), 1888, A., 1060.

reduction of (FISCHER and PILOTY), 1891, A., 667.

derivatives of (MAQUENNE), 1888. A., 676.

antimony derivatives of (KLEIN), 1884, A., 424.

calcium salt of, tribasic, power of certain salts to decompose (Dege-NER), 1886, A., 185.

calcium salt of, influence of chlorides of the alkalis and alkaline earths on the precipitation of, from warm solutions (Degener), 1883, A., 692.

strontium salt of, table of the solubility of, in water at different temperatures (Scheibler), 1884, A., Ì34.

isoSaccharic acid and its derivatives and salts (TIEMANN), 1884, A., 725; (TIEMANN and HAARMANN), 1886, A., 689.

constitution of (KILIANI), 1886, A., 48.

metaSaccharic acid. See 1-Mannosaccharic acid.

Saccharic acids, d- and l-, configuration of (Fischer), 1891, A., 1176, 1445. i- and /- (Fischer), 1890, A., 1392.

Saccharic lactone, acid from (FISCHER), 1890, A., 599.

Saccharification in vegetable tissues (BONDONNEAU and FORET), 1888, A., 41.

Saccharimeters (STROHMER), 1884, A., 1219; (ALLARY), 1884, A., 1236; (TRANNIN), 1885, A., 694.

Saccharin. See Carbohydrates.

"Saccharin" (sulphobenzoic ucid, imide of; benzoic sulphinide) (MAUMENÉ), 1887, A., 830. digestion of (STUTZER), 1886, A., 379. "Saccharin" (sulphobenzoic acid, imide of; benzoic sulphinide), influence of, on digestion (SIIFI), 1889, A., 1022.

effect of, on the digestion of albuminoids (STUTZER), 1890, A., 1450.

physiological action of (ADUCCO and Mosso), 1888, A., 310.

analysis of (REMSEN and BURTON), 1890, A., 94.

detection of (BURNSTEIN), 1888, A., 760; 1889, A., 449; (SCHMITT), 1888, A., 996; (LINDO), 1888, A., 1350; 1889, A., 86; (HOOKER), 1889, A., 448.

detection of, in beer (ALLEN), 1889, A., 322.

See also Benzoic sulphinide.

Saccharine liquors, purification of (NAUDIN), 1884, A., 645; (ANON.), 1884, A., 791.

Saccharinic acid phenylhydrazide (FISCHER and PASSMORE), 1890, A., 154.

metaSaccharinic acid, salts of (KILIANI), 1884, A., 284.

isoSaccharinic amilide (SOROKIN), 1888, A., 819.

Saccharogen (THIERFELDER), 1884, A., 914.

Saccharomyces, secondary forms of (Brown and Morris),1885,T.,566. See also Ferments, Fermentation and Yeast.

Saccharomyces apiculatus (AMTHOR), 1888, A., 1218.

Saccharomyces ellipsoideus and its use in preparing wine from barley (JACQUEMIN), 1888, A., 738. preparation of (ROMMIER), 1890, A., 1179.

Saccharomyces exiguus (GAYON and

Dubourg), 1890, A., 951. Saccharomyces Hansenii (Kohl), 1891, A., 857.

Saccharone and saccharonic acid and their salts (KILIANI), 1883, A., 962.

Saccharose. See Sucrose under Carbohydrates.

Saccharovanillic acid (TIEMANN), 1885, A., 980.

Saccharylic phenylcarbamates (Tes-MER), 1886, A., 49.

Sacculmic acid and sacculmin (FRUH), 1884, A., 923.

Sacculmic compounds (Cross and Bevan), 1883, T., 21.

Saffiorite (eiernkobaltkies, spathropyrite) (V. Sandberger,) 1884, A., 405. from Schneeberg and Bieber (McCay),

trom Schneeberg and Bieber (McCAY) 1864, A., 1998; 1886, A., 209. Saffranine, constitution of (Bernthsen), 1887, A., 139, 480; (NIETZKI), 1887, A., 249, 250; (WITT), 1887, A., 250.

benzylated (MELDOLA and COSIE), 1889, T., 595.

physiological action of (CAZENEUVE and LÉPINE), 1886, A., 272; (WEYL), 1888, A., 1122.

Saffranines (NIETZKI), 1883, A., 731; 1887, A., 249; (ANDRESEN), 1886, A. 1026; (Wyrry) 1883, A. 1186

A., 1026; (WITT), 1888, A., 1186. formation of (BARBIER and VIGNON), 1888, A., 141.

and eurhodines (WITT), 1888, A., 491.

eurhodines and indulines, relations between (KEHRMANN and MES-SINGER), 1891, A., 1213.

and related dyes (NIETZKI and OTTO), 1888, A., 831.

substituted (BARBIER and VIGNON), 1888, A., 54.

See also Phenosaffranine.

Saffranol and its derivatives (NIETZKI and OTIO), 1888, A., 831.

Saffron, substances contained in (KAY-SER), 1885, A., 59.

adulterations of (MAISCH), 1886, A., 584.

substitutes (WEYL), 1888, A., 184. Saffron-bitter (KAYSER), 1885, A., 60. Saffron-sugar. See Crocose under Carbohydrates.

Safrole (shikimole) (SCHIFF), 1884, A., 1338; (FLUCKIGER), 1887, A., 990; (BRUHL), 1888, A., 495; (CIAMICIAN and SILEER), 1890, A., 965.

constitution of (SCHIFF), 1884, A., 1338; (POLECK), 1884, A., 1339; 1886, A., 697; (EIJEMAN), 1886, A., 95.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

oxidation of (Poleck), 1890, A., 136.

oxidation products of (TIEMANN), 1892, A., 46; (WAGNER), 1892, A., 310.

bromine derivatives of (Wox), 1890, A., 638.

isoSafrole, constitution and reactions of (CIAMICIAN and SILBER), 1890, A., 966.

the oxymethylene-group in (CIAMICIAN and SILBER), 1892, A., 972.

action of potash and methylic alcohol on (CIAMICIAN and SILBER), 1892, A., 972.

action of nitrous acid on (ANGELI), 1892, A., 1198.

isoSafrole, oxidation of (WAGNER), 1892, A., 310; (GARELLI), 1892, A., 328.

nitrosite (ANGELI), 1892, A., 447.

isoSafroledioxime peroxide (Angeli), 1892, A., 1198.

Sage, oil of (WALLACH), 1889, A., 1072.

Sagvandite (ROSENBUSCH), 1884, A., 564.

Sails, methods used by fishermen for "barking" and in other ways preserving (STORER), 1884, A., 800.

Sainfoin, experiments with, at Grignon, 1883 (Deherain), 1884, A., 1070.

Salep mucus (GANS and TOLLENS). 1889, A., 541.

Salicenylamidoxime, and its derivatives (MILLER), 1889, A., 255; (SPILKER), 1890, A., 142.

Salicenylazoxime-benzenyland-ethenyl (SPILKER), 1890, A., 143.

Salicenylazoximepropenyl-w-carboxylic acid (MILLER), 1889, A., 255; 1890, A., 146.

Salicenyl-ethylamidoxime and -uramidoxime (SPILKER), 1890, A., 144.

Salicin, synthesis of (MICHAEL), 1883, A., 76; 1884, A., 439.

solubility of (DOTT), 1886, A., 366. Saliconitrile. See Salicylonitrile.

"Salicyl orcinol ether" (phenylenehydroxytolyleneketone oxide) and its derivatives (MICHAEL), 1884, A., 312.

Salicylaldehyde (o-hydroxybenzdidehyde), heat of solution of (BERTHE-LOT), 1885, A., 1177.

reaction of, with albumin (REICHL), 1890, A., 1350.

condensation of, with aniline (RENOUF), 1883, A., 982.

action of ammonia and, on benzil (JAPP and HOUKER), 1884, T., 673. action of ammonia and, on diacetyl (WADSWORTH), 1890, T., 10.

condensation of, with hippuric acid (PLOCHL and WOLFRUM), 1885, A.,

action of, on malonic acid (STUART), 1886, T., 365.

action of methylamine and ethylamine on (DENNSTEDT and ZIMMERMANN), 1888, A., 836.

1888, A., 836. action of phosphorus pentachloride on (STUART), 1888, T., 402; P., 24.

condensation of, with pyrotataric acid (FITFIG and BROWN), 1890, A., 777.

action of, on sodium succinate in presence of acetic anhydride (Dyson), 1887, T., 61. Salicylaldehyde (o-hydroxybenzaldehyde), action of zinc chloride on (Bourquin), 1884, A., 1164.

ethylation of (Low), 1892. A., 57. reduction of, by zinc dust and acetic acid (HARRIES), 1892, A., 168.

derivatives of (Voswingkel), 1883, A., 189.

derivatives of, condensation products of the (Rossing), 1885, A., 388.

cyanhydrin (Voswinckel), 1883, A.,

diphenylhydrazone (STAHEL), 1890, A., 1260.

toxic action of (LABORDE and MAGNAN), 1888, A., 737.

Salicylaldehyde, dibromo-, phenylhydrazone (Russing), 1885, A., 389.

bromo-, chloro-, and nitro-derivatives of, action of acetic chloride on (Bradley and Dains), 1892, A., 1458.

α- and β-nitro- (v. Miller), 1887, A., 938; (TAEGE), 1887, A., 939.

Salicylaldehyde-m- and -p-azobenzenesulphonic acids (Tummelly), 1889, A., 779.

Salicylaldoxime (LACH), 1883, A., 1104; (MILLER), 1889, A., 255. . isomeric modification of (BECKMANN) 1891, A., 193.

Salicylamide, reduction of (HUTCHIN-SON), 1890, T., 957.

dibromo- (SPILKER), 1890, A., 141. Salicylamide-p-azobenzenesulphonic

acid (Tummeley), 1889, A., 780.
Salicylamidobenzoic acid (Pellizzari),
1886, A., 548.

Salicyldiamidodiphenyl (salicylbeneidine) (SCHIFF and VANNI), 1890, A., 1298.

Salicylamine (o-hydroxybenzylamine) (GOLDSCHMIDT and ERNST), 1890, A., 1411; (TIEMANN), 1891, A., 50.

A., 1411; (HEMANN), 1891, A., 50. Salicylcamphor (LEGER), 1890, A., 1428.

Salicyl/lichlorhydrin (FRITSCH), 1891, A., 708.

"Salicyldinreide" (salicyldienedicarbamide), action of ethylic acetoacetate on (BIGINELLI), 1892, A., 56.

Salicylethylene nitrophenol ether. See o-Nitrophenylethylic salicylate.

"Salicylglycidic acid" (o-hydroxyphenylglycidic acid) (PLUCHL and WOLFRUM), 1885, A., 899.

Salicylglycollic acid. See o-Hydroxy-mandelic acid.

"Salicylhomophthalopropylimide" (LE BLANC), 1889, A., 256.

"Salicyl-m-hydrazobenzoic acid" (salicylidene-m-hydruzobenzoic acid) (T1E-MANN), 1891, A., 50.

Salicylhydroxamic acid (JEANRENAUD),

1889, A., 870.

Salicylic acid (o-hydroxybenzoic acid) in certain genera of the Liliaceæ (GRIFFITHS), 1889, P., 122.

in the cultivated pansy (GRIFFITHS and Conrad), 1885, A., 75.

preparation of (ANON.), 1885, A., 162;

(SCHMITT), 1885, A., 709. impurities in artificial (EWELL and PRESCOTT), 1889, A., 447; (DUNSTAN and BLOCH), 1891, A., 454. impurities in commercial (FISCHER),

Ī890, A., 88.

synthesis of (SCHMITT), 1885, A.,

conversion of phenyl ethers of carbonic acid into (HENTSCHEL), 1883, A.,

proof of the identity of artificial and natural (HARTLEY), 1888, T., 664; P., 65.

absorption spectra of (HARTLEY),

1888, T., 656. heat of combustion of (BERTHELOT and RECOURA), 1887, A., 762.

action of heat on (Graed and Eichengrun), 1892, A., 1208.

action of diazo-p-nitrobenzene on (Meldola), 1885, T., 666. influence of, on alcoholic fermentation

(Heinzelmann), 1884, A., 764.

action of, on ferments (GRIFFITHS), 1886, A., 386. condensation of nitrobenzaldehydes

with (DE VARDA), 1892, A., 621. action of nitrogen iodide on (LEPETII),

1890, A., 1402. action of phosphorus trichloride on (ANSCHUIZ and EMERY), 1887, A.,

946; 1890, A., 53.

action of phosphoric chloride on A., Anschütz), 1885, 1061; (Chasanowitsch), 1887, A., 725; (Anschutz and Moore), 1887, A., 947.

action of, on starch (ANON.), 1884, A., 233.

nitration of, with nitrous acid (DE-NINGER), 1891, A., 307.

use of, for preserving standard solutions (Bornträgen), 1889, A., 73. antiseptic action of (ROBINET and

PELLET), 1883, A., 128. derivatives of (LELLMANN and GROIH-

MANN), 1885, A., 265. azo-compounds of (GEBEK), 1889, A., 780.

Salicylic acid (o-hydroxybenzoic acid), azo-dyes from (v. Kostanecki and ZIBELL), 1891, A., 1038.

nitrogen derivatives of (SPILKER), 1890, A., 141.

compound of, with phenylhydrazone (SEYEWITZ), 1892, A., 49.

sulphonic derivatives of (PISANELLO), 1889, A., 1062.

ethereal salts of, boiling points of the (Folsing), 1884, A., 897.

salts of (MILONE), 1885, A., 1139. bismuth salt of (WOLFF), 1884, A., 905; (CAUSSE), 1891, A., 1366; 1892, A., 122.

mercury salt of, absorption of (BÖHM), 1891, A., 351.

mercury salts of (Lajoux and Grand-VAL), 1889, A., 1062.

neutral potassium salt of, action of phosphorus oxychloride on (RICH-

TER), 1884, A., 325. sodium salt of, action of phenylie phosphate on (RICHTER), 1884, A.,

disodium salt of, action of acetochlorhydrose on (MICHAEL), 1883, A., 76.

Salicylic acid, 5-amido-, action aniline on (LIMPRICHT and V. RECHENBERG), 1890, A., 158.

action of benzoic chloride on (DAB-NEY), 1884, A., 308.

5-bromo-, and its derivatives (PERA-TONER), 1887, A.. 486.

3:5-dibromo-, constitution of (PERA-TONER), 1887, A., 487.

, 4-, and 5-chloro- (VARNHOLT), 1887, A., 945.

5-chloro- (SMITH and KNERR), 1886, A., 704.

3 5-dichloro- (SMITH and KNERR), 1886, A., 704; (HECHT), 1890, A., 1418; (ZINCKE and WALBAUM), 1891, A., 711.

chloriodo- (SMITH and KNERR), 1886, A., 704.

3- and 5-nitro- (SMITH and KNERR), 1886, A., 704.

sulpho- (Hedrick), 1888, A., 280; (PISANELLO), 1889, A., 1063.

disulpho- (PISANELLO), 1889, A., 1062. Salicylic acid, detection, estimation and separation :-

detection of (CURFMAN), 1887, A., 185.

detection of, in beer (Röse), 1886, A., 924; (Elion; Snijders), 1889, A., 195; (Hoorn), 1889, A., 446.

detection of, in dietetic substances (ANON.), 1884, A., 372.

Salicylic acid, detection, estimation and separation:—

detection of, in wine (Rose), 1886, A., 924; (Medicus), 1890, A., 1475.

estimation of (Weigert), 1889, A., 446.

estimation of. in beer (BARRAL), 1884, A., 778; (ELION; SNIJDERS), 1889, A., 195.

estimation of, in milk and butter (REMONT), 1883, A., 522.

estimation of, in wine (REMONY, 1883, A., 245; (BARRAL), 1884, A., 778.

separation of from benzoic acid (SCHAAP), 1892, A. 1532.

Salicylic alcohol. See Saligenin.

Salicylic anhydrides, products of the distillation of (Golds HMIEDT), 1883, A., 664.

Salicylic compounds, melting points of (Perkin), 1889, T., 549; P., 105.

Salicylic phenylcarbamate, methylderivative of (SNAPE). 1885, T., 775.

Salicylidenebenzenylamidoxime (ZIM-MER), 1890, A., 254.

Salicylidene-m-phenylenediamine and -m-tolylenediamine (Schiff and Vanni), 1890, A., 139.

VANNI), 1890, A., 139. "Salicyllactic acid" (o-hydroxyphenyllactic ucid) (Plochl and Wolfrum), 1885, A., 899.

Salicylonitrile (AHRENS; MEYER), 1888, A., 266; (TIEMANN), 1888, A., 276; (HERZIG 'and ZEINEL), 1889, A., 255.

preparation of (SPILKER), 1890, A., 141; (MILLER), 1890, A., 146. polymeride of (MILLER), 1890, A.,

146.
"Salicyloxyacetic acid" (o-carboxyphenylqlycollic acid) and its salts
(Rossing), 1885, A., 388; 1886, A.,

Salicylphenol (2:4'-dihudrosybenzophenone) and its derivatives (MICHAEL), 1884, A., 311.

Salicylphosphorous chloride (Anschutz and Emery), 1887, A., 946; 1890, A., 53.

Salicylpiperidine (SCHOFTEN), 1888, A., 1106.

Salicylresorcinol. See Trihydroxybenzophenone.

Salicylthiamide and dibnomo- (SPIL-KER), 1890, A., 141.

Salicyltropeine (LADENBURG), 1883, A., 671.

Saligenin (saligenol; o-hydroxybensylic alcohol; salicylic alcohol), synthesis of (Greenl, 1885, A., 53.

heat of solution of (Berthelot), 1885, A., 1177.

Saligeninoxyacetic acid (BIGINELLI), 1891, A., 309.

Saline hydrates, formation of, at high temperatures (ROUSSEAU), 1892, A., 119.

dissociation of (LESCEUR), 1889, A., 815.

powders, origin of (MARGUERITE-DELACHARLONNY), 1889, A., 945. solutions. See Solutions.

sublimates at Vesuvius (FREDA), 1890, A., 571.

Saliva, alkalinity of (CHITTENDEN and ELY), 1883, A., 488.

influence of temperature on (BIER-NACKI), 1891, A., 1272.

action of, on starch (BOURQUELOT), 1887, A., 354.

diastatic action of (CHITTENDEN and ELY), 1883, A., 488; (CHITTENDEN and SMITH), 1986, A., 638; (SCHLESINGEE), 1891, A., 1522.

ferments in (GOLDSCHMIDT), 1886, A., 726; (Krawkoff), 1888, A., 862.

parotid, gases of (Kulz), 1887, A., 287.

hydrogen peroxide in (Wursten), 1887, A., 298.

nitrites in (MUSGRAVE), 1883, A., 227.

formation of nitrous and nitric acids in, from formaldehyde and ammonia (WURSTER), 1889, A., 1228.

detection of nitrous acid in (ILOSVAY), 1890 A., 278.

secretion of (Langley and Flercher), 1889, A., 534.

Salivary secretion, influence of atropine and nicotine on (LANGLEY), 1888, A., 1216; 1890, A., 397.

Salol. See Phenylic salicylate.

Salsify, cooked, composition of (WIL-LIAMS), 1892, T., 227.

Salt, a, displacement of, from its solution by another salt (lecture experiment) (RUDORFF), 1885, A., 869.

common. See Sodium chloride.
Glauber's. See Mirabilite and Sodium sulphate.

Salt-cake. See Sodium sulphate. Saltpetre. See Potassium nitrate. Chili. See Sodium nitrate.

Salts, formation of (Armstrong), 1891, P., 118.

Salts, containing chromium and urea, series of (SELL), 1883, A., 178; 1889, A., 695.

containing water of crystallisation, dissociation and constitution of (Muller-Erzbach), 1884, A., 952; 1886, A., 10; 1887, A., 207; 1890, A., 206.

water of crystallisation of (SALZER), 1884, A., 806; 1892, A., 581.

crystallisation of, during the electrolysis of their solutions (PAGLIANI), 1888, A., 892.

magnetic rotation of dissolved (Ost-

WALD), 1892, P., 12. temperature of decomposition of, apparatus for the determination of (BAILEY), 1886, P., 205.

heat of solution of, in different liquids (Pickering), 1888, T., 871, 875.

heat of solution of, in water (Scholz), 1892, A., 676.

influence of temperature on the heat of solution of (TILDEN), 1886, A., 499; (Pickering), 1887, T., 290; P., 66.

heat of formation of, in alcoholic solution (VAN DEVENTER and Reicher), 1890, A., 553; 1892, A., 262.

relation between the heat of formation of, and the initial rate of their formation (Potilizin), 1886, A.,

heat of hydration of (PICKERING), 1884, A., 803; 1886, T., 417; P., 257; 1887, T., 75.

thermal relationships between water and (ILLINGWORTH and HOWARD), 1885, A., 339.

constancy of the heat produced by the reaction of certain, on each other (Pickering), 1888, A., 333.

electrolysis of (RENARD), 1886, A., 115, 407.

conduction of electricity by the vapours of heated (ARRHENIUS), 1891, A., 515.

electrical conductivity of (Kohl-RAUSCH), 1886, A., 114; (Ost-RAUSCH), 1886, A., WALD), 1888, A., 331; (JAGER),

1888, A., 397. electrical conductivity of, in the Bunsen flame (ARRHENIUS), 1891, A., 5.

conductivity of RÉ), 1889, A., electrical fused (Poincaré), 457; (GRAETZ), 1890, A., 1037.

electrical conductivity of solid (GRAETZ), 1890, A., 1037.

Salts, electrical conductivity of mixtures of (BOUTY), 1886, A., 839.

determination of the electrolytic dissociation of, by means of solubility experiments (NOYES), 1891, A., 142; 1892, A., 1143.

coloured, electrolytic dissociation of, and absorption of light by (MAGnanini), 1892, A., 757.

electrical resistance of, in the Bunsen flame (ARRHENIUS), 1891, A., 5.

electrical transport of dissolved

(CHASSY), 1889, A., 665. voltaic energy of, dissolved (GORE), 1890, A., 317.

molecules of, determination of the size of, from the electrical conductivity of their aqueous solutions (JAGER), 1888, A., 217; (WALDEN), 1888, A., 891, 1008.

osmose of (ENKLAAR), 1883, A., 420. melting points of (MAUMENE), 1884, A., 3.

capillary constants of, at their melting points (TRAUBE), 1892,

cryohydrates of mixtures of (MAZzotro), 1891, A., 388.

dissociation of, in very dilute solutions (WIEDEMANN), 1888, A., 1021; (PLANCK), 1888, A., 1144; (MENDELÉEFF), 1890, A., 325.

chemical neutrality of, and the use of different indicators in acidimetry (Berthelor), 1885, A., 472.

delique-cence and efflorescence of, in relation to the maximum vapour tensions of their saturated solutions (Lesceur), 1887, A., 208.

variation of density with the concentration of weak aqueous solutions of (McGREGOR), 1891, A.,

specific gravity of aqueous solutions of certain (McGREGOR), 1887, A.,

specific gravity of soluble (Retgers), 1889, A., 812, 1101.

solubility of (ETARD), 1884, A., 887; (LE CHATELIER), 1889, A., 671.

solubility of mixtures of (Rudorff), 1885, A., 865; (ETARD), 1890, A., 442, 443.

mixed, solubility of, in water (Bop-LANDER), 1891, A., 795.

mutual solubility of, (NICOL), 1892, A., 8; (TREVOR), 1892, A., 264.

solubility of, in water at various temperatures (RAUPENSTRAUCH), 1885, A., 1181,

temperatures (TILDEN and SHEN-STONE), 1884, A., 254.

sudden changes in the solubility of, caused by the formation of two layers in the liquid (ROOZEBOOM), 1890, A., 4.

reciprocal influence on the solubility

of (NERNST), 1890, A., 3.

relation between the solubility of salts and their melting points (ETARD), 1889, A., 460. solubility curves of (ETARD), 1884, A., 807.

solubility curves of pairs of (ROOZEвоом), 1892, А., 1384.

conditions of equilibrium between solid and liquid compounds of water with (Roozeboom), 1889. A., 752.

general law of diminution of volume of, by solution in water (HERITSCH), 1889, A., 461.

change of volume on dissolving, in water (SCHMIDF), 1890, A., 844.

decompositions of, by fused substances (DITTE), 1883, A., 11.

decomposition of, by water (LE CHATELIER), 1884, A., 807; 1885, A., 630.

stability of, alone and in presence of water (BERTHELOT), 1890, A., 1361. dehydrating action of (TOMMASI), 1884, A., 1251.

substitution of, in mixed solutions (ETARD), 1890, A., 443.

absorption of, by plants (BERTHELOT

and ANDRÉ), 1888, A., 739. nitrifying effect comparative

(Pichard), 1884, A., 924, 1417. influence of, on certain digestive pro-

cesses (Pfeiffer), 1885, A., 827. action of, on heat coagulation (RINGER

and SAINSBURY), 1891, A., 954. precipitation of colloid substances by

(NASSE), 1889, A., 99. estimation of water and carbonic acid in (CHATARD), 1890, A., 417.

Salts, alkali, freezing points of solutions of (RAOULT), 1884, A., 701.

alkali, influence of alkaline bases and of the hydroxides on the solubility

of (ENGEL), 1891, A., 1318. of the alkalis and alkaline earths, influence of, on clotting (RINGER and SAINSBURY), 1890, A., 1176.

of ammonium, the amines, the alkali metals and the alkaline earths, physiological action of (BRUNTON and CASH), 1884, A., 348. basic, constitution of (PICKERING),

1888, A., 111.

Salts, solubility of, in water at high | Salts, basic, investigation of (HABER MANN), 1885, A., 351.

double, formed by fusion (Benthelor and ILOSVAY), 1883, A., 11; 1884, A., 704.

heat of formation of (PICKERING), 1886, T., 287.

electrical conductivity of (KLEIN), 1886, A., 407: (KISTIAKOWSKI), 1891*,* A., 6.

action of water on (RAOULT), 1885, A., 122.

solubility of (Meyerhoffer), 1892, A., 1145.

solutions of (TREVOR), 1891, A.,

basic (Klinger), 1883, A., 904.

double and acid, existence of, in aqueous solutions (THOMSEN), 1886, A., 925.

double and simple, refractive power of (Dormer), 1890, A., 433.

double and complex (KISTIAKOWSKI), 1891, A, 6.

Epsom. See Magnesium sulphate.

ethereal. See Ethereal salts

hydrated, constitution of (WIEDE-MANN), 1553, A., 780.

melting points, and their relation to the solubility of (TILDEN), 1884, T., 266.

electrolysis of (GLADSTONE and TRIBE), 1884, A., 654.

dissociation of (FROWEIN), 1888, A., 337.

rate of dissociation as a measure of the vapour tension of (SCHULZE),

1888, A, 104. tension of aqueous vapour of (Muller-Erzbach), 1885, A., 213; (TAMMANN), 1885, A., 862.

crystalline, constant vapour pressure of (Andreae), 1891, A., 781. double (ROOZEBOOM), 1888, A.,

1164. inorganic, residual affinity of (Lachowicz), 1890, A., 444.

inorganic. influence of, on the development of frogs' spawn (RINGER), 1890, A., 393.

metallic, electromotive force (SPEYERS), 1890, A., 843; 1892, A., 255.

action of sodium thiosulphate on (Jochum), 1886, A., 17.

action of sulphur on (VORTMANN and PADBERG), 1890, A., 9.

organic liquids as solvents (ETARD), 1892, A., 558. relative toxic power of (BLAKE),

1883, A., 745.

Salts of divalent metals, freezing points of solutions of (Riotly), 1884, A., 808.

mineral, estimation of, in wine (SCHNEIDER), 1891, A., 371.

neutral, influence of, on chemical reactions (Spohn), 1888, A., 1025. relative absorption of, in the human stomach (Jaworski), 1884, A., 193.

bases of, mutual displacement of, in homogeneous systems (MENS-CHUTKIN), 1883, A., 550, 708.

photo-. See Photo-salts under Photochemistry.

See also Solution.

Salt-works of Giraud in France (LUNGE), 1884, A., 513.

Samarium (BRAUNER), 1883, T., 286; (CLEVE), 1883, T., 362.

atomic weight of (CLEVE), 1883, T.,

365; (BETTENDORFF), 1891, A., 985. spectrum of (CLEVE), 1883, T., 366; (LECOQ DE BOISBAUDRAN), 1885, A., 621; 1892, A., 780; (DEMAR-CAY), 1886, A., 837; 1887, A., 1008.

and yttrium, mutual extinction of the spectra of (CROOKES), 1885, A., 1025

separation of (CLEVE), 1883, T., 363. compounds of (CLEVE), 1883, T., 362; 1885, A., 636.

oxide (BETTENDORFF), 1891, A., 985. oxides, new fluorescences of (LECOQ DE BOISBAUDRAN), 1890, A., 435.

Samarskite from Berthier Co., Quebec (Donald), 1884, A., 894.

from Colorado (HILLEBRAND), 1892, A., 416.

elements in (CROOKES), 1887, A., 334. analysis of (SMITH), 1884, A., 111.

Sand, siliceous, of Mo (Giorgis), 1892, A., 23. Monte Soratte Sandal wood, essence of (CHAPOTEAUT),

1883, A., 76.

essence of, adulteration of (MENNARD), 1892, A., 1379.

red, homopterocarpin and pterocarpin from (CAZENEUVE and HUGOU-NENQ), 1889, A., 160.

Sandmeyer's reaction (LELLMANN and REMY), 1886, A., 625; (AHRENS). 1888, A., 266.

improvement in (Tobias), 1890, A., Ĩ149.

use of sodium hypophosphite in (Angeli), 1892, A., 305.

Sandstone, barium sulphate as a cementing material in (Clowes), 1886, A., 35.

Sandstone, weathering of (STOKLASA), 1886, A., 35.

Lockport (Weld), 1888, A., 925. Sanguinaria canadensis, alkaloids of

the roots of (Konic), 1891, A., 843. Sanguinarine (HENSCHEF), 1887, A., 854; (Konig), 1891, A., 844,

detection of (v. Kugelgen), 1885, A., 608.

Sanidinite from San Miguel (Osann), 1888, A., 566.

Sanidophyres, so-called, fromSiebengebirge (v. LASAULX), 1886, A., 603.

Sanitation of large towns and value of the refuse matter from them (MUL-LER), 1884, A., 642.

See also Sewage.

Santinic and isosantinic acids (Gucci and Grassi-Cristaldi), 1892, A., 871.

Santonic acid, oxidation of, and its oxime (Francesconi), 1892, 1352.

Santonin, manufacture of (Busch), 1887, A., 677.

manufacture of, in Turkestan (ČECH), 1885. A., 108.

constitution of (CANNIZZARO), 1886, A., 73.

distillation of, with zinc-powder (CANNIZZARO and CARNELUTTI), 1883, A., 80.

action of phenylhydrazine on (GRASSI-CRISTALDI), 1888, A., 295.

action of phosphorus pentachloride on (Pawlêwskî), 1886, A., 157.

oxidation of (Wagnen), 1887, A.,

derivatives of (VILLAVECCHIA), 1886, A., 73; (Gucci and Grassi-Cris-TALDI), 1892, A., 869.

derivatives, physiological action of (COPPOLA), 1888, A., 310.

detection of (KNAPP), 1888, A., 1137; (MANSEAU), 1892, A., 666. timation of (Fluckiell

estimation (Fluckiger EHLINGER), 1886, A., 495; (MAN-SEAU), 1892, A., 666.

Santoninamine (Gucci and Grassi-URISTALDI), 1892, A., 869.

Santoninoxime and its derivatives (Gucci), 1890, A., 902.

Santoninphenylhydrazone (GRASSI-CRISTALDI), 1888, A., 295; 1890, A., 904.

Santonous acid and its derivatives (CANNIZZARO and CARNELUTTI), 1883, A., 77.

products of the decomposition of (CANNIZZARO), 1884, A., 327.

280Santonous acid and its derivatives (CANNIZZARO and CARNELUTTI), 1883, A., 77.

Sap. See Agricultural Chemistry.

Sapogenol (HESSE), 1891, A., 938. Saponetin (SCHIAPARELLI), 1884, A.,

334. Saponification, method for (Kossel and

OBERMULLER), 1890, A., 1474. velocity of (Reicher), 1885, A.,

1034; 1886, A., 416; 1887, A., 767.

by sodium ethoxide (Kossel and Krüger), 1891, A., 1143; (Ober-Müller), 1892, A., 139.

Saponin. See Glucosides.

Saponite. See Steatite.

Sapotin and sapotiretin (MICHAUD), 1892, A., 724. Sapotoxin from Agrostemma Githago

Sapotoxin from Agrostemma Githago (Kruskal; Kobert), 1892, A., 350.

Sapphire, inclusions in (PRINZ), 1883, A., 1062.

 Sapphirine from Greenland (LORENZEN), 1886, A., 519; (SCHLUTTIG), 1887, A., 784; (USSING), 1890, A.,
 19.

See also Siderite.

Saprine (BECKURTS), 1887, A., 386. See also Pentamethylenediamine.

Sarcine. See Hypoxanthine.

Sarcinite (polyarsenite), a new mineral (IGELSTRÖM; SJÜGREN), 1887, A., 346.

crystals of (FLINK and HAMBERG), 1890, A., 715.

Sarcolactic acid. See Paralactic acid under Lactic acid.

Sarcolemma of muscle fibres, action of digestive fluids on (EWALD), 1889, A., 913.

Sarcoma, melanotic, urine and blood in a case of (HOPPE-SEYLER), 1891, A., 484.

pigments of (MORNER), 1887, A., 168; 1888, A., 518.

Sarcosine (methylamidoucetic acid; methylglycocine) (MYLIUS), 1884, A., 994.

formation of urea from (Salkowski), 1884, A., 1394.

anhydride, and its salts (TRAUBE), 1883, A., 192; (MYLIUS), 1884, A., 994.

Sarcosine-mesouric acid and bromo-(Mylius), 1884, A., 1128.

Sarcosine-uric acid (MYLIUS), 1884, A., 1128.

Sassafras oil, the phenol contained in (Pomeranz), 1890, A., 1111.

Sativic acid (tetrahydroxystearic acid)
(BAUER and HAZURA), 1886, A.,
868; (HAZURA), 1888, A., 817;
(REFORMAISKY), 1890, A., 363.
constitution of (HAZURA), 1887, A.,

Saussurite (CATHREIN), 1883, A., 1066. from California, analysis of (CLARKE

and Chatard), 1885, A., 491. Sawarri fat (Lewkowitsch), 1889, P.,

69. Sawdust as litter (SAGNIER), 1885, A.,

429. "Scab," in potatoes (Heiden), 1884, A., 1419.

Scale, crystalline, formed in the manufacture of sodium hydrogen carbonate (LEIGHTON), 1887, A., 108.

Scandium, phosphorescence of (Crookes), 1887, A., 1068.

spectra of (Thalen), 1883, A., 954. Scapolite (wernerite) from Chili (Jan-

NETTAZ), 1891, A., 1438. from Pennsylvania (GENTH), 1891, A., 155.

artificial (DUELTER), 1888, A., 1045. conversion of a felspar into (JUDD),

1891, A., 277. after garnet, alteration-pseudomorphs of (CATHREIN), 1886, A., 129.

and plagioclase minerals, chemical resemblance between (TSCHERMAK), 1884, A., 567. analysis of (SIPÜCZ), 1883, A., 440.

analysis of (Sipooz), 1888, A., 440. Scapolite-group (Tschermak), 1884, A., 566; 1887, A., 560; (Rammels-Berg), 1886, A., 318.

chemical nature of the members of the (RAMMELSBERG), 1886, A., 30. proportion of chlorine in the (TSCHER-MAK), 1885, A., 1187.

Scarlet runners, cooked composition of (WILLIAMS), 1892, T., 227.

Scatole. See 3'-Methylindole.

Scheelite from the Krimlerthal (v. Zepharovich), 1887, A., 902.

from New South Wales (LIVERSIDGE), 1886, A., 774.

proportion of molybdenum in (Traube), 1891, A., 406.

analysis of (Setlik), 1890, A., 420. commercial, analysis of (Rusag), 1889, A., 311.

See also Calcium tungstate.

Schefferite from Langban and Pajsberg (FLINK), 1886, A., 778.

Schiff's bases (v. MILLER and PLÖCHL), 1892, A., 1189.

Schists, carbonaceous, proportion of carbon and hydrogen in (Spring), 1888, A., 925. Schists, crystalline, of Kaisersberg in Styria (v. Foullos), 1884, A., 412.

Schizomycetic fermentation (MARP-MANN), 1883, A., 363; (Firz), 1884, A., 1062.

Schlackenkobalt, analysis of (McCAY), 1886, A., 209. Schönite. See Picromerite.

Schoolrooms, carbonic anhydride in the air of (Fossek), 1887, A., 888.

Schorlomite, a variety of melanite (Konio), 1888, A., 434.

Schreibersite, in the Cranbourne meteorite (FLIGHT), 1884, A., 417.

Schreiner's base. See Spermin.

Schuchardtite (SFARKL), 1885, A.,

Schützenberger's oxymetric solution, photochemical reaction of (Jodin), 1886, A., 648.

Schweizer's solution (GRIMAUX), 1884, 957; (BAUBIGNY), 1887, A. 773.

Sclerocrystallin (HALLBERG), 1883, A.,

Scolecite from Striegau (TRAUBE), 1887, A., 903.

Scopolamine (SCHMIDT), 1892, A., 1255; (Ladenburg), 1892, A., 1498.

Scopoleine (EIJKMAN), 1885, A., 404. Scopoletin (EIJKMAN), 1885, A., 404;

(Таканазні), 1889, А., 255. Scopolia atropoides, constituents of

(SIEBERT), 1890, A., 658. root constituents of (SCHMIDT), 1891, A., 228.

Scopolia carniolica, chemical constituents of (Dunstan and Chaston). 1890, A., 402.

Hlardnackiana Scopolia (Hludnikiuna), alkaloids of (Schmidt), 1888, A., 856.

Scopolia junonicu, alkaloids (SCHMIDT and HENSCHKE), 1888,

poisonous constituents of (EIJKMAN), 1885, A., 404.

Scopolia-root, constituents (Henschke), 1888, A., 82.

Scopoline (occine) (EIJKMAN), 1885, A.,

404; (Hesse), 1892, A., 1498. Scorodite from Utah (CHESTER), 1887, A., 783.

deposited from the arsenical waters of the Yellowstone Park (HAGUE), 1888, A., 122.

Scovillite. See Rhabdophane.

ł

Scutellarin (TAKAHASHI), 1890, A., 64.

See kale, cooked, composition of (WIL-LIAMS), 1892, T., 227.

Sea-mud. See Mud, marine.

Seas, silica and siliceous remains of organisms in (MURRAY and IRVINE), 1891, A., 995.

See Water. Sea-water.

Seaweed, dye from (NETTLEFOLD), 1888, A., 1313.

Sebacamide (PHOOKAN and KRAFFT), 1892, A., 1180.

Sebaceodinitranilide (GEHRING), 1887, A., 935.

Sebacic acid (ipomic acid), boiling points of (KRAFFT and NOERDLINGER), 1889, A., 691.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A.,

heat of combustion of (Luginin), 1889, A., 5.

oxidation of (Carette), 1886, A.,

derivatives of (PHOOKAN and KRAFFT). 1892, A., 1180.

dibromo-, and its derivatives (CLAUS and STEINKAULER), 1888, A., 133; (AUWERS and BERNHARDI), 1891, A., 1191.

Sebacyldibenzamic acid (PELLIZZARI), 1885, A., 534.

Secondary batteries. See Accumulators under Electrochemistry.

Seeds. See Agricultural Chemistry. Selenazole, derivatives of (HANTZSCH), 1888, A., 574; (Hofmann), 1889, A., 726.

Selenazylamine (Hofmann), 1889, A., 727.

Selenious anhydride. See Selenium dioxide.

Selenium (Kalischer), 1888, A., 99; (HINSBERG), 1891, A., 393.

in meteoric iron (WARREN), 1888, A., 435.

minerals, from Cacheuta (BERTRAND), 1884, A., 406.

from Honduras (DANA and WELLS). 1891, A., 153.

allotropic states of (PETERSEN), 1892, A., 405.

sulphur and tellurium, isomorphism of (MUTHMANN), 1891, A., 1417.

extraction of, from a waste product (KIENLEN), 1883, A., 16.

preparation of, on a large scale (Burn-TRÄGER), 1883, A., 852.

electromotive force produced by the action of light on (KALISCHER), 1887, A., 693; 1888, A., 99; 1889, A, 3; 1890, A., 97; (V. ULJANIN), 1888, A., 888; 1889, A., 202; (RIGHI), 1889, A., 555. Selenium, influence of light on the heat conductivity of (Bellati and Lussana), 1888, A., 98.

heat of transformation of vitreous into metallic (FABRE), 1886, A., 840. boiling point of (Troost), 1883, A., 17.

action of the vapour of, on red-hot charcoal (GORE), 1885, A., 120.

action of, on aqueous silver nitrate (SENDERENS), 1887, A., 331.

alums (FABRE), 1887, A., 1014. Selenium chlorides, electrolytic conductivity of (HAMPE), 1888, A.,

thermochemical investigations on the (THOMSEN), 1883, A. 543.

vapour densities of (Chabrié), 1890, A., 558.

dissociation of (RAMSAY), 1891, A., 11.

monochloride, action of heat on (EVANS and RAMSAY), 1884, T., 62. tetrachloride, action of heat on, and

vapour density of, at various temperatures (EVANS and RAM-SAY), 1884, T., 65. compound of auric chloride with

(LINDET), 1886, A., 310.

chlorotribromide bromotrichloride, and dichlorodibromide (EVANS and RAMSAY), 1884, T., 68.

selenochloride (DIVERS and SHIMOSÉ), 1884, T., 195, 198.

relation between sulphur trioxide and (Divers and Shimosé), 1884, T., 197.

Hydrogen selenide. See Hydrogen selenide.

Selenides from the Andes (HEUSLER and KLINGER), 1886, A., 22.

of the alkaline earths (FAVRE), 1886, A., 840.

Selenium dioxide (selenious anhydride), solubility of (ETARD), 1888, A.,

compounds of ammonia with (CAM-ERON and MACALLAN), 1889, A., 103.

Selenious acid, crystals of (HINS-BERG), 1891, A., 393.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 593.

sulphurous acid action of (SCHULZE), 1886, A., 302. reactions of, with hydrogen sul-

phide (Divers and Shimidzu), 1885, T., 441; P., 52.

saturation of, by bases (BLAREZ), 1887, A., 106.

Selenious acid, physiological action of (Chabrie and Lapicque), 1890, A., 542.

Selenites (Boutzoureanu), 1888, A., 220; 1891, A., 262.

relation of, to sulphites (DIVERS and SHIMIDZU), 1886, T., 584.

Selenic acid, preparation, properties and reactions of (CAMERON and MACALLAN), 1890, A., 688.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 593.

Selenates, crystallised, formation of, in the dry way (MICHEL), 1888, A., 650.

Selenium sulphoxide (DIVERS and SHIMOSÉ), 1883, T., 329; 1884, T., 194, 201; (DIVERS and SHIMIDZU), 1886, T., 583.

compound of (WEBER), 1887, A., 212.

sulphoxychloride (DIVERS and SHImosn), 1884, T., 196.

sulphide, nature of (DIVERS and Shimidzu), 1885, Т., 446; (Ватике), 1885, А., 954.

Selenosulphuric acid, detection of nitrogen compounds in (Lunge), 1887, A., 998.

Selenothiostannic acid, salts (DITTE), 1883, A., 156.

Selenium selenocyanate (VERNEUIL), 1886, A., 1002.

Selenious cyanide (HINSBERG), 1891, A., 393.

Selenium, detection, estimation, and separation:-

microchemical test for (v. HAUS-HOFER), 1887, A., 301.

estimation of (WARREN), 1888, A., 435; (Bourzoureanu), 1891, A., 262.

simple method for the quantitative separation of tellurium from (DIVERS and Shimosé), 1885, T., 439; P., 53.

diselenobisethylamine hydrochloride (COBLENTZ), 1891, A., 1216.

diSelenobispropylamine (Coblentz), 1891, A., 1216.

Selenocyanacetic (HOFMANN), acid 1889, A., 726.

Selenocyan-acetone and -acetophenone (Hofmann), 1889, A., 726.

 β -Selenocyanethylphthalimide (Cob-LENTZ), 1891, A., 1216.

Selenocyanogen derivatives (HOFMANN), 1889, A., 726; (HAGELBERG), 1890, A., 949.

γ-Selenocyanpropylphthalimide (Con-LENTZ), 1891, A., 1216.

929 59 Seleno-diethylaniline and -dimethylaniline (Godenaux), 1891, A., 696. Selenohydantoin (HOFMANN), 1889, A.,

727.

Selenophenol (('u увана), 1889, А, 1167. Seleno phthalide and -phthalimidine (Drory), 1891, A., 1460.

Selenoxylen (Paal), 1885, A., 1207. "Selentellurium" (DAN \ and WELLS), 1891, A., 153.

Sellaite (SELLA), 1888, A., 657.

Seminose (FISCHER and HIRSCHBERGER), 1889, A., 687; (REISS), 1889, A., 687; 1891, A., 356.

Semithiocarbazides and the relations between their solubilities and melting points (Dixon), 1890, T., 257, 261; P., 25.

disubstituted (Drxon), 1892, T., 1012; P., 153.

Semseyite (SiPocz), 1886, A., 313. Senarmontite crystals, pseudomorphic (HINTZE), 1883, A., 430.

See also Antimonous oxide.

Senegin. See Saponin under Glucosides. Seneginin (FUNARO), 1890, A., 262.

Senna leaves, active principle of (STOCKMAN), 1885, A., 991.

Sensitisers, photographic. See Photochemistry.

rators (cream), comparison (FJORD), 1884, A., 1447. Separators

Danish, experiments with (Schmoeger), 1886, A., 290. Sepia officinalis, blood of (GRIFFITHS),

1892, A., 618.

Sepiaic acid (Nencki and Sieber), 1888, A., 976.

Sepine (NIEMENTOWSKI), 1886, A., 933. Sepsin, Panum's, ptomaines and their genesis in relation to (Wyborn), 1889, A., 121.

Septadecyl. See Heptadecyl.

Sericite from the quartz-phyllite of Wiltau, analysis of (Sennorer), 1885, A., 736.

rocks in one deposits (v. Gronneck), 1883, A., 168; 1888, A., 795.

Sericoin (WEYL), 1888, A., 857.

Serin, absorption spectrum of (HART-LEY), 1887, T., 59.

Serpentine (SCHUBERT), 1883, A., 36. from the Alps (Hussak), 1883, A., 562.

of Borzanasca (Montemartini), 1892, A., 1058.

from Canada (HARRINGTON), 1891, A., 647.

of Colle di Cassimoreno and Monte Ragolo (Montemartini), 1889, A., 111.

Serpentine from Finland (TSCHAJT. SCHINSKY), 1890, A., 715.

from Franklin, New Jersey (Konic),

1887, A., 616; 1888, A., 565. from Montville, New Jersey (Mer-RILL), 1890, A., 716.

of the Onondaga salt-group at Syracuse (WILLIAMS), 1888, A., 120.

electrical conductivity of (WIECHERT), 1886, A., 113.

See also Magnesium silicate.

Serpentine-chlorite group, minerals of (WARTHA), 1887, A., 783.

Serpentines from Porthalla Cove, Cornwall (Collins), 1887, A., 1022.

Serum and plasma (WRIGHT), 1892, A., 1113,

colouring matter of (HALLIBURTON), 1886, A., 1050.

proteids of (HALLIBURTON), 1885, A.,

proteids of, action of salts on the (Lewith), 1889, A., 424. toxicity of (Charrin), 1892, A., 228. albumin. See Albumin.

blood-, new constituent of (Wool-DRIDGE), 1887, A., 983.

blood-, new proteid from (CHABRIE), 1892, A., 224.

fibrinogen (WOOLDRIDGE), 1887, A., 983.

lutein (HALLIBURTON), 1886, A., 1050.

milk-, analyses of (SOLDNER), 1889, A., 635.

Sesame cake, albuminoids in (RITT-HAUSEN), 1883, A., 360. Sesame oil. See Oil.

Sesame seed, properties of, and behaviour of, in the animal system (LANGLE-

BERF), 1884, A., 852. "Seshime-urushi" (Yöshida), 1883, T., 473.

Sesqui-magnesia alum (DARAPSKY), 1887, A., 558.

Sesquiterpene. See Terpene. Sevres blue, manufacture of (LAUTH),

1884, A., 641.

Sewage, filtration of, through peat (Muller), 1885, A., 1268. methods used for the disposal of

(MULLER), 1884, A., 642. use of carbolic acid in the disinfection

of (Kellner), 1884, A., 697. utilisation of (Engler), 1884, A., 1418.

estimation of ammonia in (HAZEN), 1890, A., 1024.

estimation of nitrogen in (Nichols and Allen), 1886, A., 1072. estimation of, in water. See Water.

Sewers, air of (CARNELLEY and HALDANE), 1888, A., 532.

Sewer gases (FISCHER), 1883, A., 886. Shaking, apparatus for (TAFEL), 1889, A., 934.

"Shale spirit," composition of (MILLER and BAKER), 1887, P., 97.

"Shale-tar," relation between petroleum and the hydrocarbons of (KRAEMER and BÖTTCHER), 1887, A., 648.

Sheep. See Agricultural Chemistry.
Shellac (Benedikt and Ehrlingth), 1888,
A., 846; (Benedikt and Ulzer),
1888, A., 1808.
refining of (Andes), 1884, A., 380.

refining of (ANDES), 1884, A., 380.

Shells, organic basis of (Engel), 1891,
A., 236.

solubility of, in sea water (THOULET), 1889, A., 682.

Sherry, sulphuric acid in (BORGMANN), 1883, A., 829.

pure, analyses of (BORGMANN and FRESENIUS), 1889, A., 476.

Shikimene, shikimin and shikimipicrin (EIJKMAN), 1886, A., 95.

Shikimie acid (EIJKMAN), 1886, A., 95; 1887, A., 497; 1891, A., 919. dibromide (EIJKMAN), 1891, A., 920. Shikimolaetone. bromo- (EIJKMAN),

1891, A., 920.

Shikimole. See Safrole.

Shot, analysis of (HARDAWAY), 1887, A., 446.

Siderite, analysis of a variety of (CLAAS-SEN), 1883, A., 559.

from Carinthia (BRUNLECHNER), 1888, A., 233.

See also Sapphirine.

Siderolithic horizon, origin and formation of masses of calcium phosphate in sedimentary rocks and their relation to the iron ores and clays of (DIEULA-FAIT), 1884, A., 1272; 1885, A., 127.

Sideronatrite from Chili (GENTH and PENFIELD), 1891, A., 274.

Siegburgite (KLINGER and PITSCHKE), 1885, A., 220.

Siemens' mercury unit, reproduction of (STRECKER), 1885, A., 1027, 1099.

Siemens' pyrometer, modification of (Spohn), 1886, A., 112.

Siemens-Martin process (Jungek), 1885, A., 98.

Siennas (Hurst), 1889, A., 678. Sigterite, a new felspar from Sigterö (RAMMELSBERG), 1891, A., 22;

(TENNE), 1891, A., 1438. Silage. See Agricultural Chemistry. Silent discharge. See under Electrochemistry. Silfbergite (Weibula), 1884, A., 409; 1886, A., 34.

Silica. See Silicon dioxide.

Siliceous earth from Morris Co., New Jersey (McKelvey), 1885, A., 361.

Silicobromoform (Besson), 1891, A., 642. preparation of (Gattermann), 1889, A., 342.

Silicocarbonate, crystalline, from soda liquors (RAMMELSBERG), 1887, A., 12.

Silicochloroform, preparation of (GAT-TERMANN), 1889, A., 342.

Silico-di-8-naphthyldiamide, diphenyl-diamide, -2-ditolyldiamide and dixylyldiamide, dichloro-(HARDEN), 1886, P., 251; 1887, T., 40.

Silicoformic acid, preparation of (GAT-TERMANN), 1889, A., 343.

Silicon (Schufzenberger and Colson) 1883, A., 15; (Warren), 1891, A., 799.

atomic weight of (Thorpe and Young), 1887, T., 576; P., 60. preparation of (Warren), 1888, A.,

preparation of (WARREN), 1888, A., 415; 1889, A., 212; (RAWSON) 1889, A., 211; (GATTERMANN), 1889, A., 342; (HARRIS), 1890, A., 108.

preparation of, by electrolysis (HAMPE), 1889, A., 103.

spectrum of (HARTLEY), 1883, T., 397; 1884, A., 242.

electro-deposition of (Gone), 1885, A., 110.

electrolysis of fused compounds of (Miner), 1891, A., 1321.

influence of, on the condition of carbon in cast-iron (GAUTIER), 1887, A., 220.

apparent volatilisation of, at 440° (HAUTEFEUILLE and PERREY), 1885, A., 872.

action of, on gold, silver, platinum and mercury (WARREN), 1889, A., 1125.

influence of, on the properties of iron and steel (Turnen), 1885, T., 577, 902; P., 85, 100; 1886, T., 130; P., 133, 266; 1887, T., 129, 141; 1888, T., 844; (JORDAN and TURNER), 1886, T., 215; (OSMOND), 1890, A., 567; 1892, A., 19.

action of magnesium on (WINKLER), 1890, A., 1873; 1891, A., 801.

graphitoidal, reducing action of (WARREN), 1892, A., 115.

alloy of, with titanium and aluminium (LEVY), 1888, A., 423.

Silicon tetrabromide, preparation of (GATTERMANN), 1889, A., 342.

Silicon tetrubromide, molecular refraction and dispersion of (GLAD-STONE), 1891, T., 299.

action of, on thiocarbamide (REY-NOLDS), 1887, T., 202.

compounds of, with ammonia and hydrogen phosphide (Besson), 1890, A., 559. bromiodides (Besson), 1891, A., 1419.

bromochlorides (Besson), 1891, A., 981.

carbide (Schützenberger), 1892, A., 1050.

tetrachloride, preparation of (GATTER-MANN), 1889, A., 342; (WAR-REN), 1890, A., 108.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 299.

action of hydrogen bromide on (Besson), 1891, A., 981. action of hydrogen iodide

(Besson), 1891, A., 800. action of, on substituted phenyl-

amines (Reynolds), 1892, T., 453; P., 73.

reactions of (RAUTER), 1892, A., 1273.

combination of ammonia and hydrogen phosphide with (BESSON), 1890, A., 559.

sesquichloride, combination of ammonia and hydrogen phosphide

with (Besson), 1890, A., 690. thiochloride (Besson), 1892, A., 404. phosphoric chloride (STOKES), 1891, A., 815.

pyrophosphoryl chloride (STOKES), 18**91,** A., 1171.

chloriodides (Besson), 1891, A., 801,

chlorobromide (REYNOLDS), 1887, T., 590; P., 72.

spectra of (Wesentetrafluoride, spectra of DONCK), 1884, A., 649.

heat of formation of (GUNTZ), 1884, A., 1246.

of solidification of temperature

(Olszewski), 1884, A., 817. combination of hydrogen phosphide with (Besson), 1890, A., 448.

compounds of, with organic bases (Jackson and Comey), 1887, A., 243; (Comey and Smith), 1888, A., 1283.

hydride, preparation of, as a lecture experiment (MERMET), 1887, A., 769.

spectra of (Wesendonck), 1884, A., 649.

tetriodide, preparation of (GATTER-MANN), 1889, A., 342.

Silicon iodochlorides (Besson), 1891, A., 800.

nitride (HARRIS), 1890, A., 108. dioxide (silica), amorphous (Linno),

1884, A., 1258. colloidal (VAN BEMMELEN), 1888, A., 1158.

crystallised (MICHEL-LEVY MUNIER-CHALMAS), 1890, A., 712. crystallised, artificial production of (v. Chrustschoff), 1887, A., 559.

fibrous, from serpentines(Terreil), 1885, A., 490.

hydraulic, and its functions in hydraulic cements (LANDRIN), 1883, A., 754; (LR CHATELIER), 1883, A., 755.

vitreous (LINDO), 1884, A., 1258. preparation of soluble (GRIMAUX), 1884, A., 958.

the siliceous remains organisms in seas (MURRAY and

IRVINE), 1874, A., 995. expansion of (LE CHATELIER), 1890, A., 1371.

tificial pseudomorphism (Gongeu), 1884, A., 895. artificial

action of, on haloid salts of the alkalis (Gorger), 1886, A., 664. action of hydrofuoric acid on (MACKINTOSH), 1886, A., 979.

action of different varieties of, on lime-water (LANDRIN), 1883, A., 712.

action of magnesium on (WINKLER), 1890, A., 1374; 1891, A., 801.

action of, on potassium chlorate (Fowler and Grant), 1890, T., 276.

behaviour of, in fused microcosmic salt (Hirschwald), 1890, A., 825. combination of phosphoric acid with (HAUTEFEUILLE and MAR-

GOTTET), 1883, A., 782. ee also Lussatite, Quartz, and See also Tridymite.

Silicic acid, molecular weight of (Sabanéree), 1890, A., 1216.

as a culture medium for organisms (Kühne), 1890, A., 1338.

heat of coagulation of (WIEDEMANN and Luedeking), 1885, A., 1031. dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 66, 80.

by decomposition of, leaves (DENARO), 1887, A., 70. colloidal solutions of (Picton and

LINDER), 1892, T., 154.

crystalline (HAGER), 1888, A., 915. nitro-, existence of (Rousseau and TITE), 1892, A., 684.

Silicic acids in minerals (BECKER), 1890, A., 342.

Silicate, a crystallised hydrated, production of artificial Schulten), 1883, A., 33.

containing copper and silver (JACQUEMIN), 1891, A., 275. fibrous, from Nelson Co., Virginia (PATTERSON), 1886, A., 131.

Silicates, amorphous, from Budapest (Косн), 1891, А., 1438. isomorphous (RAMMELSBERG), 1886,

A., 30.

undetermined, from the Kaiserstuhl (Knor), 1891, A., 650.

formation of (LEMBERG), 1885, A., 1187; 1890, A., 113; (GORGEU), 1890, A., 13.

artificial production of (Boungeois), 1884, A., 564. formulæ of (Goldschmidt), 1890,

A., 219.

natural, chemical structure 1888, (CLARKE), 659; Α.,

(Schneider), 1889, A., 23. natural, constitution of (Clarke and Schneider), 1891, A., 529.

action of ammonium chloride at its dissociation temperature on (SCHNEIDER and CLARKE), 1892, A., 772.

action of hydrofluoric acid on (Mackintosh), 1886, A., 979.

behaviour of, in fused microcosmic salt (Hirschwald), 1890, A., 825.

behaviour of, when fused with phosphates (v. Haushofer), 1890, A., 84.

method for decomposing (JAN-NASCH), 1891, A., 619.

decomposition of, for analysis (Johnstone), 1889, A., 440.

in soil, decomposition of, by lime and gypsum (DE MARNEFFE), 1891, A., 1135.

ethereal, action of phosphorus oxychloride on (STOKES), 1891, A.,

alteration of (LEMBERG), 1885, A., 1187.

analysis of (Knor), 1883, A., 379; (Hutchings), 1887, A., 181; (Burghardt), 1890, A., 1027; (CLARKE), 1892, A., 945.

analysis of, containing tin and titanium (HILGER and HAAS), 1890, A., 666.

estimation of alkalis in (CHATARD), 1885, A., 296; (Holland), 1887, A., 181.

Silicates, estimation of ferrous oxide in insoluble (CHESTER and CAIRNS), 1888, A., 196.

estimation of titanium in natural (Holland), 1889, A., 443.

estimation of water in (JANNASCH), 1889, A., 546.

separation, quantitative, of potash and soda from alumina, ferric oxide, lime and magnesia in (Knop), 1884, A., 110.

Hydrofluosilicic acid. See under Fluorine.

Silicon phosphate (HAUTEFETILLE and MARGOTTET), 1885, A., 120; 1887, A., 329.

selenide (Sabatier), 1891, A., 1419. calcium stannate (Bourgeois), 1887, A., 333.

sulphides (Sabatier), 1883, A., 15. calcium zirconate (OUVRARD), 1891, A., 1432.

Silicon, estimation :-

estimation of (CRAIG), 1890, A., 194. estimation of, in aluminium (HUNT, CLAPP, and HANDY), 1892, A., 1130.

estimation of, in fluorides (HAMPE), 1892, A., 1127; (REGELSBERGER),

1892, A., 1128. estimation of, in iron and steel (Anon.), 1883, A., 883; (Turner),

1884, T., 260; 1887, A., 1140; 1888, A., 195; (Blum), 1886, A., 835; (STRICK), 1887, A., 527; (MORGAN), 1887, A., 1140; 1888, A., 195; (LECLERE), 1891, A., 1397.

estimation of, in ores (Austen and Wilber), 1884, A., 493.

estimation of, in organic compounds (Polis), 1886, A., 649.

estimation of, in silicates (GILBERT), 1890, A., 1026.

estimation of, in soils (VAN BEM-

MELEN), 1890, A., 833. on-bronze, Weiller's Silicon-bronze, (Muller), 1885, A., 308.

-tetraphenyl and Silico-tetrabenzyl, and their derivatives tetratolyl (Polis), 1885, A., 973; 1886, A., 618.

Silicotetra-a-and-\beta-naphthylamides and -o- and -p-tolylamides (REYNOLDS), 1889, T., 178.

Silicotetraphenylamide (REYNOLDS), 1889, T., 475; A., 504.

Silk (WEYL), 1888, A., 857. rotatory power of (VIGNON), 1892, A., 254, 645.

properties thermochemical (Vienon), 1890, A., 553.

silk, specific gravity of (Vignon),1892, A., 1036.

chemical process which takes place in dyeing, with basic coal-tar dyes (KNECHT), 1888, A., 832.

absorption of different acids by, from different mixtures of acids and of weak reagents by (MILLS and TAKAMINE), 1883, T., 142, 149.

action of boiling dilute sulphuric acid

on (WEYL), 1888, A., 857. behaviour of different ferric oxide mordants with (LIECHTI and SUIDA), 1885, A., 315.

process for finishing, with amber (THÜMMEL), 1884, A., 799.

nitrated (Vignon and Sisley), 1892, A., 1111.

yellow, the colouring matter of, and its relation to carrotene (Dubois), 1891, A., 98.

estimation of, in tissues (REMONT), 1885, A., 96.

Silk-tissue, detection of vegetable fibre in (Fubino), 1892, A., 667.

Silkworms. See Agricultural Chemistry. Sillimanite, production of (WERNADski), 1890, A., 1074.

synthesis of (MEUNIER), 1891, A., 22. Silver, atomic weight of (MEYER and SEUBERT), 1885, T., 434; (SHAW), 1887, A., 444; (RICHARDS), 1888, A., 916; (STAS), 1890, A., 561; (SEUBERT), 1891, A., 885.

molecular weight of (RAMSAY), 1889, T., 532.

(metal) a remarkable nugget of (Kunz), 1888, A., 346.

native, from the French Congo (JANNETTAZ), 1891, A., 647.

in volcanic dust (Mallet), 1887, A., 454; 1891, A., 277.

containing bismuth (GOWLAND and Koga), 1887, T., 410; P., 45. Chaldean (BERTHELOT), 1887, A.,

allotropic or colloidal (LEA), 1890, A., 210, 334; 1891, A., 803; 1892, A., 15, 116; (PRANGER), 266; (SCHNEIDER), 1891, A., 1892, A., 117, 941; (PETERSEN), 1892, A., 405.

pure, preparation of (SCHNEIDER), 1892, A., 775.

extraction of, from ores by means of sodium thiosulphate (ANON.), 1884, A., 1084.

purification by electrolysis of, (Anon.), 1885, A., 941. pure, properties of (BRAUNER), 1889,

T., 399.

Silver (metal), ductility of, effects produced by small quantities of bismuth on (Scully), 1888, A., 108.

spectrum of (HARTLEY), 1883, T., 396.

fused, and fused platinum, comparative radiation of (VIOLLE), 1887, A., 1010.

specific heat of (NACCARI), 1888, A., 1236.

electrical resistance of (LE CHATE-LIER), 1891, A., 5.

electrochemical equivalent of (F. and W. Kohlrausch), 1884, A., 1089; (RAYLEIGHAND SIDGWICK),

1885, A., 469. electrolysis of (Gray), 1887, A., 315. permeability of, to oxygen (TROOST),

1884, A., 961.

absorption of oxygen by (Neu-MANN), 1892, A., 943. (of Stas) occlusion of oxygen in (Brauner), 1889, T., 400.

lowering of the freezing-points of bismuth, cadmium, and lead by (HEYCOCK and NEVILLE), 1892, T., 895, 900, 907; P., 145.

influence of, on the freezing-point of gold (Roberts-Austen), 1891, A., 1161.

effect of, on the freezing-point of sodium (HEYCOCK and NEVILLE), 1889, T., 674.

effect of, on the freezing-point of tin (HEYCOCK and NEVILLE), 1890, T., 377.

action of bromine on (GAUTIER and CHARPY), 1892, A., 118.

action of chlorine on (COWPER), 1883, T., 154; (GAUTIER and CHARPY), 1892, A., 118.

action of hydrogen sulphide on (Cabell), 1885, A., 124.

action of nitric acid on (DIVERS), 1883, T., 456; 1885, T., 230; (MONTEMARTINI), 1892, A., 1403. action of nitric peroxide on (DIVERS

and Shimidzu), 1885, T., 632. action of nitrosyl chloride on (Subвокочан), 1891, Т., 659.

action of potassium permanganate on (FRIEDHRIM), 1887, A., 1079; 1888, A., 415.

action of silicon on (WARREN), 1889, A., 1125.

oxidation of (v. DER PFORDTEN), 1888, A., 221; (LE CHATELIER), 1888, A., 651.

toughening, in the melting crucible (Воотн), 1884, А., 1445.

Silver (metal), amalgamation process, use of bromine in (ARNOLD), 1883, A., 399.

Mexican amalgamation process, reactions in (Huntington), 1883, A., 134.

deposition of, on glass, etc. (JAMES), 1885, A., 616.

phosphorised, properties of (WAR-REN), 1887, A., 1079.

slags, estimation of bismuth in (HAMPE), 1892, A., 919.

solutions, red, formation of, by reduction (v. DER PFORDTEN), 1885, A., 955.

Silver alloy with cadmium, analysis of (HEYCOCK and NEVILLE), 1892, T., 913.

with lead and zinc (WRIGHT and THOMPSON), 1891, A., 267.

with mercury, from Oberlahnstein (v. Dechen), 1885, A., 219.

with mercury, from the Sala mines (Nordstrom), 1883, A., 426.

with zinc and with zinc and bismuth (WRIGHT and THOMPSON), 1891, A., 1158.

Silver, lowest compounds of (MUTH-MANN), 1887, A., 636; (DRECHSEL), 1887, A., 699; (V. DER PFORDTEN), 1887, A., 699; 1888, A., 221; (GUNTZ), 1891, A., 983.

compounds, with sulphur, arsenic and phosphorus (Poleck and Thummel), 1884, A., 156.

Silver salts, molecular refraction and dispersion of, in solution (GLAD-STONE), 1891, T., 596.

comparative effect of different parts of the spectrum on (ABNEY), 1886, A., 749; (ABNEY and EDWARDS), 1890, A., 933.

electromotive dilution constants of (MIESLER), 1887, A., 1072.

coefficients of solubility of (Longi), 1883, A., 1172.

action of light and reducing agents on (LEA), 1888, A., 1.

action of dyes and other substances in increasing the sensibility of (EDER), 1885, A., 703.

(EDER), 1885, A., 703. action of sodium thiosulphate on (FOGH), 1890, A., 694.

(FOGH), 1890, A., 694. combinations of, with colouring matters (LeA), 1885, A., 350, 611. compounds of thiocarbamide with (REYNOLDS), 1892, T., 249; P., 14.

of organic acids, dry distillation of (Kachler), 1892, A., 38; (Koenigs), 1892, A., 293; (Lieben), 1892, A., 811.

Silver salts, haloid, behaviour of, in the solar spectrum (EDER), 1885, A., 703, 936.

effect of the spectrum on (ABNEY and EDWARDS), 1890, A., 933.

decomposition of, by light (GRI-VEAUX), 1889, A., 199.

electrical conductivity of (Kohl-Rausch), 1883, A., 769.

precipitation of (SCHNEIDER), 1885, A., 1010.

Argentammonium compounds (REYCHLER), 1884, A., 1261; 1885, A., 18.

organic (REYCHLER), 1884, A., 721. antimonate (BEILSTEIN and v.

BLÄSE), 1889, A., 1124. bromide, crystallised (TERREIL), 1885, A., 18.

chloride, crystallised (Tehreil), 1884, A., 890; 1885, A., 18.

iodide (Loxgi), 1883, A., 1052. crystallised (Terreil), 1884, A., 890.

nitrate (REYCHLER), 1883, A., 902; 1884, A., 261; (DITTE), 1886, A., 122; (DRAPER), 1887, A., 331.

phosphate (Widman), 1885, A., 18.
Silver antimonate (Beilstein and v.
Blase), 1889, A., 1124; (EBEL),

1890, A., 216. arsenates (JOLY), 1887, A., 215.

bromide, modifications of (Vugel), 1883, A., 936; 1885, A., 846; (DE PITTEURS), 1885, A., 349, 611.

modification of colour sensitiveness of (Lohse), 1885, A., 612.

of (LOHSE), 1885, A., 612. action of light on (Tomması), 1883, A., 3.

relation between the absorption spectrum and sensitising action of dyes on (VOGEL), 1886, A., 585.

sensitising action of dyes on (EDER), 1886, A., 497.

action of iodine on (Julius), 1884, A., 393, 556.

combination of, with colouring matters (LEA), 1885, A., 350, 611.

photobromide (LEÁ), 1888, Á., 5. carbonate (Johnson), 1886, A., 980. action of magnesium on (Winklett), 1890, A., 333.

potassium carbonate (DE SCHULTEN), 1888, A., 110.

chlorate, electrolysis of (Gone), 1885,

A., 110. and the chlorates of the alkali metals, isomorphism of (Rergers), 1890, A., 1208. SIL] perchlorate,clectrolysis Silver (Gore), 1885, A., 110. subchloride (Guniz), 1891, A., 983, attempt to prepare (NEWBURY), 1885, A., 956; 1886, A., 770. chloride, modifications of (Vogel), 1883, A., 936. properties photochromatic (STAATS), 1887, A., 1071; 1888, A., 1001. darkened, not an oxychloride(LEA),

1890, A., 335.

darken /l, examination of, oxygen (RICHARDSON), 1891, T., 543.

electrolysis of, dissolved in sodium thiosulphate (ASLANOGLOU), 1890, A., 1204.

vapour density of (BILTZ and MEYER), 1889, A., 674.

action of light on (AMATO), 1884, A., 1238; (Newbury), 1885, A., 956; (Нітенсоск), 1890, А., 213; 1891, A., 1155; (RIGHARDSON), 1891, T., 536; P., 81; (GUNFZ), 1891, A., 1420; (BAKER), 1892, T., 728; P., 120; (BECHAMP), 1892, A., 775.

action of bromine and iodine on (Julius), 1884, A., 393, 556.

action of carbonic oxide (BLOXAM), 1886, A., 17.

sensitising action of dyes on (EDER), 1886, A., 497.

displacement of chlorine by bromine in (HUMPIDGE), 1884, A., 1245. filtering of (Osborne), 1888, A., 1351.

solution of, in aqueous ammonia (BODLANDER), 1892, A., 1154.

combination of, with colouring matter (LEA), 1885, A., 350, 611. with metallic combination υſ, chlorides (LEA), 1888, A., 109.

cyanide, thiocyanate, ferricyanide and ferrocyanide, analysis of a mixture of (Teissien), 1889, A.,

photochloride (LEA), 1888, A., 2. chromate, solubility of, in ammonium nitrate (CARPENTER), 1887, A., 216. chromates (Jäger and Kruss), 1889, A., 1121.

chromiodate (BERG), 1890, A., 1378. subfluoride (GUNTZ), 1890, A., 1055; 1891, A., 983*.*

fluoride (Moissan), 1891, A., 1421. electrolysis of (Gore), 1885, A.,

hydroxide (Bruce), 1885, A., 124.

Silver hydroxide, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 64, 79.

imidosulphonates (DIVERS and HAGA) 1892, T., 974.

periodates (KIMMINS), 1887, T., 358; 1889, T., 152.

iodide from New Mexico (GENTH and VOM RATH), 1886, A., 26.

dimorphism of (MALLARD and LE CHATELIER), 1884, A., 16, 1260.

fused and solid, transfer of ions in (Lehmann), 1890, A., 317.

and its alloys with cuprous and lead iodides, specific heat and heat of transformation of (BEL-LATI and ROMANESE), 1883, A., 274.

as a blowpipe reagent (CASAMAJOR), 1885, A., 1157.

action of bromine on (JULIUS), 1884, A., 393, 556.

combination of, with colouring matter (LEA), 1885, A, 350, 611.

photoiodide (LEA), 1888, A., 6. of *per*manganate, decomposition (Gorgeu), 1892, A., 942.

permolybdate (PECHAED), 1892, A., 1160.

nitiate, constancy of the heat produced by the reaction of, with solutions of metallic chlorides (RICHARDS), 1888. A., 400. isomorphism of, with the alkali

nitrates (Rethers), 1890, A., 328. action of certain metallic compounds

on (Pilliz), 1883, A., 288. action of metals on solutions of (SENDERENS), 1887, A., 550.

action of non-metals on solutions of (Senderens), 1887, A., 331. reaction of, with hydrogen arsenide

(Marchiewski), 1891, A., 1151. reaction of, with mercuric cyanide, in presence of ammonia (BLOXAM),

1884, A., 168. reaction of, with sodium thioarsenate (PREIS and RAYMAN), 1887, A., 889.

ammonia, and compound (Revuller), 1883, A., 902; 1884, A., 261, 721; (Draper), 1887, A., 331.

compound of, with alkali nitrates (DITTE), 1886, A., 122. testing of (ANON.), 1883, A., 381.

nitride (RASCHIG), 1886, A., 850; (CURTIUS), 1892, A., 112.

action of nitric acid on (DIVERS) 1885, T., 230.

Silver nitrite, action of nitric peroxide, and of heat on (DIVERS and SHIMIDZU), 1885, T., 634.

and ammonia (Reychler), 1884, A., 157.

hyponitrite, composition of (Divers and HAGA), 1884, T., 78.

heat of formation of (BERTHELOT and OGIER), 1883, A., 423.

suboxide (PILLITZ), 1883, A., 288; (BAILEY and FOWLER), 1887, T., 416; P., 54; (V. DER PFORDTEN), 1887, A., 700; 1888, A., 221, 1029; (BAILEY), 1887, A., 771; (FRIED-HEIM), 1887, A., 1079; 1888, A., 415. oxide, action of, on magnesium (Winkler), 1890, A., 333.

action of, on potassium chlorate (Fowler and Grant), 1890, T., 279.

and lead oxide, compounds of (Aston), 1891, T., 1093; P., 133. phosphates (JOLY), 1887, A., 214, 215. hypophosphate (Philipp), 1883, A., 1052.

ruthenate (DEBRAY and JOLY), 1888, A., 921.

silicate (HAWKINS), 1890, A., 849. nitrosilicate (Rousseau and Tite), 1892, A., 684.

subsulphide (argentous sulphide) (v. DER PFORDTEN), 1887, A., 700.

hydrosulphide (LINDER and PICTON), 1892, Ť., 132.

sulphite (Sodeau), 1892, A., 684. potassium thiosulphate (Cohen), 1887, T.**,** 39.

sodium thiosulphate (SCHWICKER), 1889, A., 943.

barium phosphotungstate (KEHR-MANN and FREINKEL), 1892, A., 1160.

Silver organic compounds:— Silver acetylide (PLIMPTON), 1892, P., 109; (Keiser), 1892, A., 1416.

cyanide, action of cupric salts on (VARET), 1890, A., 464.

action of nitric acid and of sodium carbonate on (BLOXAM), 1885, A., 133.

action of, on sulphur chloride

(SCHNEIDER), 1885, A., 1193. reactions with, and detection of (BLOXAM), 1884, A., 118.

ferricyanide and ferrocyanide, reactions with (Bloxam), 1884, A.,

nitrocyanide (BLOXAM), 1884, A., 168; 1885, A., 133.

organosol of (SCHNEIDER), 1892, A., 775.

detection, estimation and Silver, separation:---

containing bismuth, assay of (SCULLY), 1888, A., 108*.*

method of detecting, in the body, in cases of poisoning (Lehmann), 1883, A., 687.

detection of, in presence of lead (JOHNSTONE), 1890, A., 826.

detection, electrolytic, of (KOHN), 1892, A., 541.

microchemical test for (v. HAUS-HOFER), 1887, A., 300.

estimation of (Föhr), 1885, A., 84. estimation of, in base metals (WHITE-HEAD), 1892, A., 1525.

estimation of, in lead flux (HEPPE), 1891, A., 1292.

estimation of, in burnt pyrites (THILO), 1887, A., 79.

estimation of, in alloys of silver and copper (Rossler), 1888, A., 755.

estimation of copper and, in the same solution (QUESSAUD), 1885, A.,

estimation of gold and, when contained in potassium cyanide solutions (OpiFicius), 1889, A., 189.

estimation of, by means of hydroxylamine hydrochloride (LAINER), 1892, A., 662.

estimation, electrolytic, of (BRAND), 1890, A., 294; (SMITH), 1890, A., 1029.

estimation, volumetric, of (CARNOT), 1889, A., 1246.

separation of, from alloys (SOLTHIEN), 1883, A., 243.

separation of, from lead (BENEDIKT and GANS), 1892, A., 1522.

separation of, from sulphides by air blast (ANON.), 1883, A., 400.

separation of, from zinc and lead in galena and blende (AUBIN), 1892, A., 1378.

paration, electrolytic, of, from cobalt, copper, nickel and zinc separation, (SMITH and FRANKEL), 1890, A., 664.

electrolytic, of, from separation, arsenic, molybdenum and tungsten (SMITH and FRANKEL), 1890, A., 1029.

separation, electrolytic, of, from osmium (SMITH and WALLACE), electrolytic, of, from 1892, A., 920.

separation, electrolytic, of, from platinum (SMITH and MUHR), 1891, A., 1296.

artificial Silver-bismuth-glance, (SCHNEIDER), 1890, A., 710.

Silver bromide-gelatin-emulsion (OBERNETFER), 1883, A., 395.

Silver coins, German standard, presence of gold in (ANON.), 1883, A., 629. Silvering of glass and mirrors (Herzog),

1885, A., 1020.

Silver-lead thiobismuthite (FOSTER), 1886, A., 515.

Silver ore (Warren), 1892, A., 1404. red. See Pyrargyrite and Proustite. Sinapanpropionic acid (Langlet), 1892,

A., 441.
Sinapic acid, and its salts (Remsen and

COALE), 1884, A., 1387. Sinapine (REMSEN and COALE), 1884,

A., 1387.

Sinapis alba, composition of, during various stages of growth (Horn-

BERGER), 1885, A., 1087.
"Sinidor" (basic magnesium acetate)
(ANON.), 1883, A., 396.

Siphon for hot liquids or for those evolving gases or vapours (Essner), 1892, A., 270.

Sipylite, crystalline form of (MALLET), 1883, A., 435.

Sismondine, crystalline form and optical characters of (Des Cloizeaux), 1885, A., 1118.

Skatole. See 3'-Methylindole.

Skeletins (Krukenberg), 1886, A., 481. Skim milk. See Milk under Agricultural Chemistry.

Skimmetin and Skimmin (EIJKMAN), 1885, A., 553.

Skimmia japonica, active constituents of (Eijkman), 1885, A., 553.

Skin, exerction of nitrogen from (Power), 1883, A., 227.

secretion of perspiration by, after taking alcohol (Bodlander), 1888, A., 977.

Skrivanoff's cell (ANON.), 1883, A., 840; (MONNIER), 1884, A., 881.

Slag, basic (Thomas-slag), process for the recovery of (ANON.), 1884, A., 1226. working-up (SCHUCHTERMANN), 1885, A., 940.

crystalline appearance of (ANON.), 1884, A., 1085.

crystals in (STEAD and RIDSDALE), 1887, T., 601; P., 65.

basicity of the silicate in (HILGEN-STOCK), 1888, A., 223.

influence of the ferrous oxide in, on the growth of plants (MUNRO), 1887, A., 178.

behaviour of, with water charged with carbonic anhydride (v. BEIS), 1886, A., 663; 1888, A., 222. Slag, hasic (Thomas-slag), detection of foreign raw phosphates in (Blum), 1891, A., 109.

estimation of phosphoric acid in (KLEIN), 1886, A., 740; (BRUN-NEMANN), 1887, A., 527; (KEN-NEPOHL), 1888, A., 321; (VOGEL), 1888, A., 991; (V. REIS), 1889, A., 439.

See also Agricultural Chemistry. crystalline (FOUQUÉ), 1888, A., 794. furnace, gehlenite in (DILLER), 1889, A., 681.

Thomas. See Slag, basic.

Slags, formation and use of (ANON.), 1884, A., 1226.

composition of (Vogr), 1891, A., 651.

bismuth and lithium in (WARREN), 1888, A., 1256.

crystallised, presence of tetragonal minerals in (Vogr), 1888, A., 1259.

decomposition and analysis of (ILES), 1885, A., 192.

estimation of, in wrought iron (BAR-ROWS and TURNER), 1892, T., 551; P., 122.

estimation of alumina in (Kosmann), 1886, A., 489.

siliceous, estimation of antimony and tin in (WARREN), 1888, A., 632.

silver, estimation of bismuth in (HAMPE), 1892, A., 919.

estimation of metallic iron in (Kos-MANN), 1886, A., 489; (NEUMANN), 1887, A., 1140.

estimation of phosphoric acid in (KOSMANN), 1886, A., 489; (ARTH), 1890, A., 292; (EDWARDS), 1892, A., 382.

soluble, estimation of sulphur in (CAMPBELL), 1887, A., 526.

Sleep, influence of, on the activity of respiratory combustion (DE SAINT-MARTIN), 1888, A., 305.

Sleepers, railway, solution for the preservation of (WRIGHT), 1884, A., 1233.

railway, pickled, estimation of zinc and nitrogen in (GRITTNER), 1891, A., 620.

Sludge, sea, and its absorptive power for lime and potash (Muller), 1889, A., 1241.

Smaltite (smaltine; cobalt wrsenide), action of acids on (VOLLHARDT), 1888, A., 1257.

in Colorado (ILES), 1883, A., 559. from Schnoeberg (McCAY), 1884, A., 1100. Smell, sensitiveness of the sense of (Fischer and Penzoldt), 1887, A., 983.

Smilax glycyphylla, sweet principle of (Rennie), 1886, T., 857; P., 239.

Smithsonite from Pelsocz Ardó (Loczka), 1885, A., 730.

Smoke, acid, influence of, on vegetation (v. Schroeder), 1885, A., 76.

Snake poison (Wolfenden), 1886, A., 1057.

Snakes, organic basis of shells of eggs of (Engel), 1891, A., 236.

Snow, fallen, influence of, on the temperature of the air (BILLWILLER), 1883, A., 500.

Soap lyes, estimation of glycerol in (HEHNER), 1890, A., 425.

solution, standard (GARNIER), 1884, A., 1072; (TEED), 1890, A., 421; (NEUGEBAUER), 1891, A., 116. solution, standard, preparation of

solution, standard, preparation of (NELSON), 1890, A., 198. solution, use of (ELLIS), 1886, A., 1076.

varnishes (Andres), 1884, A., 648.

Soaps, preparation of, from oil seeds (SEEMANN), 1885, A., 1023.

as constituents of blood plasma and chyle (HOPPE-SEYLER), 1885, A., 573. basic salts in (DECHAN and MAREN), 1886, A., 186.

adulterated (ANON.), 1883, A., 893. use of, in dyeing (LAUBER and STEIN-HEIL), 1883, A., 894.

analysis (Leeds), 1884, A., 223; (Valenta), 1885, A., 696; (Ga-Walowski), 1885, A., 844; (Pi-NETTE), 1892, A., 550.

estimation of fatty acids in (Schulze), 1887, A., 307; (Baur), 1887, A., 401; (Samelson), 1889, A., 194; (Saure), 1890, A., 1475.

estimation of combined alkali in (WILSON), 1892, A., 384.

estimation of free alkali in (WILSON), 1889, A., 448, 1037.

estimation of cane sugar in (WILSON), 1891, A., 1558.

estimation of resin in (HEINER), 1885, A., 933; (WRIGHT and THOMPSON), 1886, P., 175; (GRITTNER and SZILASI), 1886, A., 747; (WILLIAMS), 1891, A., 131.

separation of, from the lyes by centrifugal means (ANON.), 1885, A., 310. carbolic, assay of (ALLEN), 1887, A., 185.

curd, preparation of (EICHBAUM), 1885, A., 944.

toilet, cheap cocoa-nut, preparation of (EICHBAUM), 1885, A., 944.

Sobrerol and Sobrerone. See under Terpenes.

Soda. See Sodium hydroxide.

"Soda caustique," Řenz's (Bellmer), 1884, A., 1088.

Soda-ammonia process, removal of the ammonium salts in the sodium hydrogen carbonate obtained by (ANON.), 1885, A., 1269.

recovery of hydrochloric acid as a byeproduct in (Mond), 1885, A., 199.

Soda-ash, estimation of the relative amounts of hydroxide and carbonate in (HART), 1888, A., 99.

estimation of sodium hydroxide in (WILLIAMS), 1888, A., 89.

Soda industry (Lunge), 1883, A., 524; (Scheurer-Kertner), 1883, A., 887; 1884, A., 643, 1442; (Anon.), 1885, A., 455, 1269.

Soda-lime, preparation of (DREYFUS), 1884, A., 639.

true rôle of, in the estimation of nitrogen (QUANTIN), 1889, A., 306. Soda liquor, causticised, estimation of caustic in (Urwand), 1886, A., 1074.

Soda liquors, a crystalline silicocarbonate from (RAMMELSBERG), 1887, A., 12.

Soda-lyes, crude, vanadium, fluorine, and phosphorus in (SCHEURER-KESTNER), 1883, A., 887.

crude, examination of (KALMANN and SPULLER), 1887, A., 1063.

Soda-potash-felspar, triclinic (anorthocluse; microclase) (WIIK), 1884, A., 970.

Soda-potash-felspars of Silesia (Beu-Tell.), 1885, A., 31.

Soda solutions, concentrated, specific heat of (BLUMCKE), 1885, A., 1101.

Soda waste, decomposition of, by means of carbonic anhydride (Kemp), 1885, A., 1017.

recovery of sulphur from (GROUVEN), 1885, A., 614.

Sodalite, Canadian (HARRINGTON), 1888,

A., 431. from Litchfield, Maine (CLARKE), 1886, A., 677.

formation of (C. and G. FRIEDEL), 1890, A., 1080.

Sodalite syenite of South Greenland, minerals in (LORENZEN), 1883, A., 960.

Sodamide (Juannis), 1891, A., 642. "Sodionitrally1" (Askenasy and Meyer), 1892, A., 1062.

Sodium, molecular weight of (RAMSAY), 1889, T., 527, 530, 533.

(metal) production of, by electrolysis (FISCHER), 1885, A., 942.

Sodium (metal), spectrum of (KAYSER and Runge), 1891, A., 137.

boiling point of (Perman), 1889, T., 326; P., 78.

preservation and properties of (Rosenfeld), 1891, A., 982. lowering of the freezing point of,

by the addition of other metals (HEYCOCK and NEVILLE), 1889, T., 666; P., 127.

lowering of the freezing point of hismuth, of cadmium and of lead by (HEYCOCK and NEVILLE), 1892, T., 892. effect of, on the freezing point of

tin (Heycock and Neville),

1890, T., 380. action of bromine and iodine on (MERZ and HOLZMANN), 1889, A., 755.

action of chlorine on (Cowper),

1883, T., 155. action of chromic fluoride on (EVANS), 1892, A., 19.

action of, on the ethylic salts of the higher fatty acids (Wohl-BRUCK), 1887, A., 1099.

loss of, in caustification, and in the Le Blanc process (SCHEURER-KESTNER), 1883, A., 888.

as a plant food (AITERBERG), 1892, A., 1508.

Sodium alloys with bismuth, antimony and lead (Joannis), 1892, A., 773. with gold, properties of (HEYCOUK and NEVILLE), 1889, T., 670. with mercury (JOANNIS), 1892, A.,

with potassium (Joannis), 1888, A.,

with tin (BAILEY), 1892, A., 572. Sodium alum (Augi), 1890, A., 1059. monosymmetrical (Sorer), 1886, A.,

Sodammonium (JOANNIS), 1890, A., 210, 560; (ROOZEBOOM), 1890, A.,

450; (MOUTIER), 1890, A., 679. heat of formation of (JOANNIS), 1890, Л., 319.

action of, on metals (JOANNIS), 1892, Λ., 275, 773.

tungstates, two (GIBBS), 1886, A., 206. disodammonium chloride (JOANNIS),

1891, A., 642. Sodium salts, magnetic rotation of (PERKIN), 1890, P., 142.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 596.

action of aqueous soda on (THOM-SEN), 1887, A., 440.

Sodium salts, reaction of (HAGER), 1885, A., 441.

haloid salts of, molecular refraction

of the (WEGNER), 1890, A., 549. haloid salts of, action of air, silica and kaolin on (Gorgev), 1886, A., 664.

ygen compounds, reduction of (Rosenfeld), 1891, A., 150. oxygen

Sodium aluminate (LYTE), 1885, A., 638; (BAYER), 1889, A., 213; 1891, A., 864; (LUNGE), 1891, A., 365.

arsenates (Joly and Dufer), 1886, A., 769; (HALL), 1887, T., 95, 97; (PREIS), 1890, A., 1053.

arsenate, action of, on sesquioxides (LEFEVRE), 1890, A., 1377.

reduction of, with oxalic acid (NAYLOR and BRAITHWAITE), 1883, A., 513.

hydrates of (Lescour), 1887, A., 698.

and arsenite, behaviour of, with indicators (Thomson), 1884, A., 869, 870.

aluminium, chromium and iron arsenates (Lefevre), 1890, A., 1378.

cadmium, cobalt, magnesium, manganese, nickel and zinc arsenates (LEFTYNE), 1890, A., 563. copper arsenates (Hirsch), 1891, A.,

644.

strontium arsenates (Joly), 1887, A.,

biborate (borux) from California and Nevada (AYRES), 1884, A., 260; (ANON.), 1885, A., 957.

action of polyhydric alcohols on (Dunst in), 1884, A., 278. action of, in photographic developers

(Mercier), 1891, A., 139. physiological action of (Vigier),

1884, A., 1061; (Johnson), 1886, A., 572. as an internal disinfectant (DE

C'YON), 1881, A., 1440.

bromate, use of, in volumetric analysis

(Kratschmer), 1886, A., 280. biomide, action of sulphuric acid on (ADDYMAN), 1891, P., 1892, T., 91, 101, 102.

compound of arsenious acid with

(Rudorff), 1889, A., 103. stamibromide (Leteur), 1892, A., 121. carbonate, artificial, history of the preparation of, from common salt

(DUMAS), 1884, A., 16. crystalline, direct preparation of, from sodium chloride (HEMPEL),

1890, A., 10.

[SOD

um carbonate, preparation (CASTNER), 1887, A., 107. alleged reaction for prepa Sodium of l

preparing (SMITH and HART), 1887, A., 330.

anhydrous, heat of solution of (Pickering), 1887, T., 73. vapour pressure of solutions of

(Andreae), 1891, A., 782.

dissociation of (KISSLING), 1891, A., 364.

decomposition of, by fusion (PICKER-

ING), 1887, T., 72. and sodium hydrogen carbonate, solubility of, in solutions of sodium chloride (REICH), 1892, A., 116.

limits of the conversion of, into sodium hydroxide by lime (LUNGE and Schmid), 1886, A., 203.

action of chlorine on solutions of (Dunstan and Ransom), 1883, A., 647.

reduction of, by magnesium (WINK-

LER), 1890, A., 332. test for, in milk (BACHMEYER),

1883, A., 385. and hydroxide, volumetric estimation of, in caustic soda (GOEBEL), 1890, A., 293.

See also Trona.

calcium carbonate from the crude soda solution of Leblanc's process (Scheurer-Kestner), 1884, A., 1442.

calcium carbonate from the soda manufacture (REIDEMEISTER), 1887, A., 12.

hydrogen carbonate, preparation of (GASKELL and HURTER), 1884, A., 712.

particular case of the formation of (DE Mondésir), 1887, A., 699.

obtained by the ammonia soda process, removal of the ammonium salts in (ANON.), 1885, A., 1269.

scale formed in the manufacture (LEIGHTON), 1887, A., 108.

action of polyhydric alcohols on mixtures of boric acid and (Jehn), 1887, A., 790; 1888, A., 1172.

detection of thiosulphate in (Brenstein; Salzer), 1887, A., 79; (MUSSET), 1891, A., 498.

detection and estimation of, in milk (PADÉ), 1889, A., 1244.

Sodium hydrogen carbonate, estimation of, in presence of normal carbonate (THOMSON), 1884, A., 869.

potassium carbonate (Hugounenq and Morel), 1888, A., 786. chlorate, preparation of (Muspratt and Eschellmann), 1885, A., 17. refraction and dispersion of (Dus-

SAUD), 1892, A., 1.
pyroelectricity of (FRIEDEL and CURIE), 1884, A., 3.

perchlorate, properties of (POTILIZIN), 1890, A., 333.

chloride (common salt) in plants (LESAGE), 1892, A., 651.

in rain-water (Belluci), 1889, A., 299.

molecular refraction of, in water (SCHUTT), 1890, A., 1033.

doubly refracting crystals of (BEN SAUDE), 1886, A., 206.

electrolysis of (NAUDIN and BIDET), 1884, A., 511.

electrolysis of, and its industrial applications (ROTONDI), 1884, A., 248.

dilute, cryoscopy solutions, (Pickering), 1892, A., 1045.

solid, compressibility of (BRAUN), 1887, A., 436; 1888, A., 214, 404; (RONTGEN and SCHNEIDER), 1888, A., 22, 1019.

measurement of the vapour pressures of solutions of (Ewan and Or-MANDY), 1892, T., 773.

and potassium chloride, simultaneous solubility of (ETARD), 1890, A., 103, 442.

blue or violet flame produced by, in a coal fire (LEONARD), 1889, 336; (Ѕмітн), 1890, А., A., 1202.

combination of, with ammonia (JOANNIS), 1891, A., 643.

effect of, on digestion (STUTZER), 1891, A., 752.

influence of, on nitrogenous excretion (Dubelin), 1892, A., 904.

as a manure (HECQUET D'ORVAL; PAGNOUL), 1884, A (ANON.), 1884, A., 926. A., 866;

and potassium chloride, polaristrobometric analysis of a mixture of (Schutt), 1888, A., 1341.

estimation of, in presence of potassium chloride (Rottger and PRECHT), 1885, 1263; (LAUBE), 1886, A., 920.

estimation of, in wine (GONDOIN), 1891, A., 1398.

See also Rock-salt.

Sodium rhodium chloride, decomposition of, in solution (Foussereau), 1886, A., 975.

di- and tri-chromates, and copper and magnesium chromates (STIN-LEY), 1887, A., 110.

chromate, dispersion of (WYRUBOFF), 1885, A., 211.

lead chromates (LACHAUD and LE-PIERRE), 1890, A., 1065.

chromiodate (BERG), 1887, A., 777. ferrite, hydrated, dehydrating action of glycerol on (ROUSSEAU), 1892, A., 119.

fluoride, antiseptic properties of (Hr-WELKE), 1891, A., 237.

commercial, analysis of (HINTZ and Weber), 1891, A., 498.

compounds of, with fluorides of heavy metals (WAGNER) 1886, A., 670.

fluorides, heat of formation of (GUNTZ), 1884, A., 546.

manganese fluoride (CHRISTENSEN), 1887, A., 448.

vanadium fluoride (BAKER), 1885, T., 358; (PETERSEN), 1889, A., 1123. fluoroxyvanadate (Piccini and Gior-GIS), 1892, A., 786.

hydroxide (caustic soda) from Vesuvius (Scacchi), 1891, A., 23.

limits of the conversion of sodium carbonate into, by lime (Lunge and SCHMID), 1886, A., 203.

preparation of (Lowic,), 1884, A.,

heat of formation of (MULLER), 1889, A., 811.

solutions of, electrical conductivity of (Crompton), 1888, T., 123. coefficient of diffusion of (STEFIN),

1889, A., 1047. absorption of, by wool, silk and cotton (MILLS and TAKAMINE), 1883, T., 145, 147, 148.

arsenic in (MARSHALL and Ports), 1889, A., 341.

manufacture, occasional products of (RAMMELSBERG), 1887, A., 331.

compound of, with isobutylical cohol (Görrig), 1890, A., 1222.

compounds of methylic alcohol with (GÖTTIG), 1888, A., 437. hydrates of (MAUMENÉ), 1886, A.,

422; (GÜTTIG), 1887, A., 550.

or potash and carbon, use of, in analysis (Burghardt), 1890, A., 1027.

titration of, in presence of aluminium, vanadium and tungsten ("E. B."), 1886, A., 650.

Sodium hydroxide (caustic sodu), estimation of small proportions of, in presence of large quantities of carbonates (Thomson), 1884, A.,

> total and available, in black ash. estimation of (LUNGE), 1891, A.,

> estimation of available soda in (WATSON), 1891, A., 498.

estimation, volumetric, of sodium carbonate and hydroxide in commercial (Goedel), 1890, A., 293.

separation of, from ferric oxide, alumina, lime, and magnesia in silicates (KNOP), 1884, A., 110.

imidosulphonates (DIVERS and HAGA), 1892, T., 954.

triiodate (Blomstrand), 1890, A., 107. periodates (Kimmins), 1887, T., 357. iodide, compounds of arsenious acid with (Rudorff), 1889, A., 103.

manganites (Rousseau), 1886, A., 982; 1891, A., 645.

permolybdate (Pichard), 1892, A., 1160.

nitrate (Chili saltpetre) in gun cotton (NETILEFOLD), 1887. A., 715. formation of beds of (Muntz), 1886,

A., 210. conductivity of a fused mixture of potassium nitrate and (Bouty

and Poincaré), 1888, A., 1231. fused, solubility of certain salts in

(GUTHRIE), 1885, T., 94. reaction of, with terrous hydroxide and water (DUNSIL) and DY-MOND), 1887, T., 655.

phosphoric acid in (Ochsenius), 1887, A., 558.

rubidium, caesium, lithium and boric acid in (DIEULAFAIT), 1884, A., 968.

testing, for iodine and iodic acid (BECKURIS and ROUGEMONI), 1886, A., 834.

estimation of nitrogen in (Foerscer), 1891, A., 107.

See also Agricultural Chemistry. silver nitrate (DITIE), 1886, A., 122. nitride (Currius), 1892, A., 112.

nitrite, preparation of (Wirken),

1891, A., 1321. commercial (MACEWAN), 1881, A., 514.

reaction of, with ferrous hydroxide and water (Dunsian and Dy-MOND), 1887, T., 651.

analysis of (LUNGE), 1892, A., 1029. rhodium nitrite (LEDDE), 1890, A., 1382; 1891, A., 809.

Sodium hyponitrite solution, preparation of (DIVERS and HAGA), 1884, T., 85.

reactions of, with ferrous hydroxide and water, and with sodium amalgam and water (DUNSTAN and DYMOND), 1887, T., 654.

action of heat on nitroprusside, action of (ETARD), 1885, A., 234.

action of, on animals (GIBBS and REICHERT), 1891, A., 1393.

reactions of (Brunner), 1890, A., 198.

as a reagent for sugars (LASCH), 1885, Ā., 600.

zinc oxides (Comer and Jackson), 1889, A., 674.

peroxide (Bolton), 1886, A., 768. oxythioarsenates (PREIS), 1888, A.,

914. o-oxy-mono- and -tri-thiovanadates (KRUSS and OHNMAIS), 1890, A., 1381.

phosphate (Joly and Dufet), 1886, A., 769; (HALL), 1887, T., 97.

dissociation of (MULLER-ERZBACH), 1887, A., 436.

magnesium in (SCHLAGDENHAUF-

FEN), 1890, A., 664. influence of, on the excretion of uric acid (HAIG), 1890, A., 397. method for the valuation of (THOM-

son), 1883, A., 827. phosphate hydrogen ammonium (microcosmic salt), action of, on various oxides (WALLROTH), 1883,

A., 850. barium phosphate (DE SCHULTEN), 1883, Ā., 711.

calcium, cobalt, magnesium, manganese, nickel and zinc phosphates (Ouvrard), 1888, A., 1034.

copperphosphates (STEINSCHNEIDER), 1891, A., 1423.

fluorophosphate from soda liquors (BAKER), 1885, T., 360.

strontium phosphates (Joly), 1887, A., 637; (OUVRARD), 1888, A., 1034. thorium and zirconium phosphates

(Troost and Ouvrard), 1887, A., 1017.

yttrium phosphates (Duboin), 1889, A., 18.

hypophosphates, crystalline form of (Dufet), 1886, A., 768.

hypophosphates nickel (DRAWE), 1889, A., 341.

manganese metaphosphate (Schjern-ING), 1892, A., 1053.

pyrophosphates, crystalline form of (Dufet), 1886, A., 768.

Sodium pyrophosphate, estimation and separation of metals by means of (VORTMANN), 1888, A., 755.

manganese pyrophosphate (CHRISTEN-SEN), 1884, A., 399.

roscorhodium pyrophosphate. See Rhodium.

phosphite (AMAT), 1888, A., 1889, A., 569; 1890, A., 438.

hypophosphite, use of, in Sandmeyer's reaction (ANGELI), 1892, A., 305.

pyrophosphite (AMAT), 1890, A., 438. conversion of, into sodium hydrogen phosphite (AMAT), 1891, A., 641,

platinate (Rousseau), 1889, A., 1125. platinoselenostannate (SCHNEIDER), 1892, A., 282.

per-ruthenate (Debray and Joly), 1888, A., 921.

selenides (FABRE), 1886, A., 505, 589. aluminium silicate (Gorgeu), 1886, A., 667; 1890, A., 13.

beryllium silicates (HAUTEFEUILLE and PERREY), 1890, A., 562.

stanuate, analysis of (Austen), 1884, A., 498.

sulphate (Glauber's salt; salt-cake) (BLAKE), 1890, A., 572.

in the atmosphere (PARMENTIER), 1889, A., 826; (MARGUERITE-DELACHARLONNY), 1889, A., 945.

formation of, in bricks (CHRISTEL), 1884, A., 127.

modifications of (PICKERING), 1884, T., 686.

thermochemical investigation (PICKERING), 1884, T., 686.

heat of formation of (DE FORCRAND), 1884, A., 4.

anhydrous and decahydrated, heat of solution of (PICKERING), 1886, T., 302.

solubility of (PAUCHON), 1884, A., 556; (Etard), 1892, A., 398.

action of carbon on, in presence of silica (Scheurer-Kestner), 1892, A., 565.

decomposition of ammonium sulphate by means of (BLATTNER), 1886, A., 107.

and potassium sulphate, supposed isomorphism of (Retgers), 1891, A., 147.

solution, boiling point of (SAKURAI), 1892, P., 94.

solutions, coefficient of expansion of (Nicol), 1883, A.,

analysis of (ISBERT and VENATOR), 1890, A., 194.

See also Mirabilite and Thenardite.

Sodium sulphide, manufacture of (WEL-DON), 1883, A., 627.

preparation of (DAMOISEAU), 1885, A., 349.

hydrated (Gottie), 1886, A., 980. conductivity of solutions of (Book), 1887, A., 758.

influence of heat on the combination of water with (Gottig), 1887, A., 331.

commercial, technical analysis of (Sětlík), 1890, A., 84.

disulphide, compound of alcohol with (DEMONT), 1891, A., 1170.

pentusulphide, action of lead hydroxide and silver oxide on an aqueous solution of (GEUTHER), 1885, A.,

polysulphides (Bortger), 1884, A., 1260.

chromium, cobalt, iron, manganese and nickel sulphides (BRUNNER), 1890, A., 215.

hydrogen sulphide, action of iodine on (Spring and Boungrois), 1892, A., 681.

yttrium sulphide (Duboin), 1888, A., 1250.

manufacture hydrosulphide, of (CLATS), 1885, A., 937.

sulphites (HARTOG), 1889, A., 1106. sulphite, neutral, thermochemical researches on (BERTHELOT), 1883, A., 705.

normal and acid, heat of solution of (DE FORCRAND), 1884, A., 803. comparative oxidation of solutions of sulphurous acid and (Reese),

1885, A., 217. manganese sulphite (Gorgeu), 1883, A., 718.

mercury ercury sulphite (DIVERS and SHIMIDZU), 1886, T., 538; P., 140. platosammonium sulphite (HABER-LAND and HANEKOP), 1888, A.,

sulphite (Schwicker), notassium 1889, A., 942; (Hartog), 1889, A., 1106.

rhodium sulphite (Seubert Ковви), 1890, А., 1383.

hyposulphite. See Sodium thiosulphate.

thioarsenate, decomposition of, by silver nitrate (PREIS and RAY-MAN), 1887, A., 444, 889.

zinc thioarsenate (PREIS), 1890, A.,

thiosulphate (sodium hyposulphite), preparation of (MANZONI), 1885, A., 723.

Sodium thiosulphate (sodium hyposulphite), dimorphism of (PAR-MENTIER and AMAT), 1884, A., 819.

> dissociation of crystallised (MÜLLER-Erzbach), 1888, A., 213.

> action of lead hydroxide and silver oxide on an aqueous solution of (GEUTHER), 1885, A., 217.

> action of, metallic onsalts (Jochum), 1886, A., 17; (Vort-MANN), 1889, A., 1107; (Vort-MANN and PADBERG), 1890, A.,

action of potassium permanganate on (GLASER), 1885, A., 957; 1887, A., 336; (HÖNIG), 1885, A., 1111.

action of, on silver salts (FоGн), 1890, A., 694. action of sulphurous acid on

(Villiers), 1889, A., 568.

behaviour of, with acids (VAUBEL), 1889, A., 943; 1890, A., 10; (VORTMANN), 1889, A., 1107. behaviour of, with bases (VAUBEL),

1890, A., 10.

as a substitute for hydrogen sulphide (VORTMANN), 1886, A., 1071.

change proceeding in an acidified solution of, where the products of change are retained in the system (COLEFAX), 1892, T., 176.

cadmium thiosulphates (DE SCHUL-TEN), 1890, A., 12; (FOCK and KLUSS), 1890, A., 1057.

cobalt, iron, manganese, thallium and zinc thiosulphates (VORTMANN and

PADBERG), 1890, A., 12. lead thiosulphate (Vortmann and PADBERG, 1890, A., 12; (FOGH), 1890, A., 700.

potassium and silver thiosulphates (Schwicker), 1889, A., 943.

dithiopersulphate (VILLIERS), 1888 A., 912.

trithionate (VILLIERS), 1888, A.,

tungstates (v. Knorre), 1883, A. 651; (FEIT), 1888, A., 344.

pertungstate (Pierhand), 1891, A.,

paratungstate, decomposition of, in aqueous solution (v. Knorre), 1885 A., 1184.

tungstovanadates (ROTHENBACH). 1891, A., 18.

vanadates (BAKER), 1885, T., 353; P., 47; (HALL), 1887, T., 96; (DITTE), 1887, A., 640.

Sodium organic compounds:-

Sodium ferrocyanide, water of crystallisation of (v. Pebal), 1886, A., 860. carbonylferrocyanide (Muller), 1890, A., 117.

fulminates (Scholvien), 1885, A., 39; (Ehrenberg), 1885, A., 1191.

iron tetracyanide (ETARD and BÉMONT), 1885, A., 234.

Sodium, detection, estimation and separation:—

microchemical test for (STRENG), 1884, A., 366.

estimation of (Kretzschmar), 1886, A., 490.

estimation of, in presence of lithium (KRAUT), 1888, A., 195.

estimation of, in silicates (CHATARD), 1885, A., 296; (HOLLAND), 1887, A., 181.

estimation of, in water (Muck), 1890, A., 299.

estimation of lithium and, in mixtures of their carbonates (HOLDERMANN), 1887, A., 864.

estimation, volumetric, of (WHITE), 1888, A., 1130.

separation of, from lithium, magnesium and calcium (Gooch), 1887, A., 528. separation of, from mercury and phos-

phoric and arsenic acids (HAACK), 1892, A., 530.

Sodium amphibole in a rock from Colorado (Lacroix), 1889, A., 1054. Sodium felspar from Krageroe, Norway

(BISCHOF), 1887, A., 453. Soil. See Agricultural Chemistry.

Soja bean and Soja hispida. See Agricultural Chemistry.

Solanaceæ, alkaloids of (Schütte), 1892, A., 231.

Solaneine and solanidine (FIRBAS), 1890, A., 75.

Solanidine in potato-shoots (Jonissen and Grosjean), 1890, A., 1182; 1891, A., 473.

Solanine (FIRBAN), 1890, A., 75.

amount of, in diseased potatoes (KASSNER), 1887, A., 860.

reaction of (BROGINER), 1890, A., 310; (FERREIRA DA SILVA), 1891, A., 1562.

Solanum grandiflorum, alkaloid from (FREIRE), 1888, A., 166.

Solumn lycopersicum, composition of the fruit of (Briosi and Grail), 1891, A., 955; (Passerini), 1891, A., 956. Solumn marum. alkaloids of

Solanum nigrum, alkaloids (Schütte), 1892, A., 232.

Solanum tuberosum, alkaloids o (Schutte), 1892, A., 232.

Solanum tuberosum, bases contained in the young shoots of (FIRBAN), 1890, A., 75.

Solar heat, measurement of (FRÖHLICH), 1885, A., 326.

Solar radiation and heat, comparative action of (Duclaux), 1887, A., 411.

Solar spectrum. See Spectrum under Photochemistry.

Solar temperature, approximate estimation of (Abnev and Festing), 1884, A., 241.

Soldering mixture, harmless (ANON.), 1885, A., 852.

Solfataras and acidic eruptive rocks, relation between (DE LAPPARENT), 1889, A., 474.

Solidification (REYER), 1885, A., 1180. extension of the law of (RAUULT), 1886, A., 763.

of bodies in a state of superfusion, velocity of (GERNEZ), 1883, A., 546.

Solidifying points, determination of (Loviton), 1886, A., 417.
Solids, molecular weight of liquids and

Solids, molecular weight of liquids and (evidence deducible from the study of salts) (PICKERING), 1886, A., 198.

determination of the specific gravity of, by means of the specific gravity bottle (Pagliani), 1884, A., 213.

chemical action between (HALLOCK), 1889, A., 817. cohesion of (BARTOLI), 1885, A., 866.

cohesion of (BARTOLI), 1885, A., 866. compression of the moist powder of, and the formation of rocks (SPRING), 1888, A., 1248.

so-called critical pressure of (v. RICHTER), 1886, A., 656.

perfect elasticity of (Spring), 1884, A., 256.

solubility of, in water at various temperatures (Andreae), 1884, A., 1090.

influence of pressure on the temperature of volatilisation of (RAMSAY and YOUNG), 1884, A., 252.

determination of the molecular heat of, for their solutions in water and other liquids (WIEDEMANN), 1883, A., 701.

electrical conductivity of, at high pressure (Graetz), 1887, A., 5.

unipolar conductivity of (BRAUN), 1883, A., 769.

homogeneous, spontaneous change of form of, induced by internal energy (Lehmann), 1885, A., 1033.

condensation of water vapour by (IHMORI), 1888, A., 24.

60

Solids, dissolved, and a substance immersed in the solution, attraction between (THOULET), 1885, A., 476,

in dilute solutions and water, attraction between (DE VRIES), 1884, A.,

and liquids and gases, relation between (SPRING), 1884, A., 256.

Solubility. See Solution.

Solution (Alexéeff), 1886, A., 847; (RAMSAY), 1891, A., 793; (WANK-LYN and COOPER), 1891, A., 1412; (WANKLYN, JOHNSTONE and Cooper), 1892, A., 264; (WANK-LYA), 1892, A., 935.

and pseudosolution (NICOL), 1885, A., 115; (PICTON and LINDER), 1892, A., 148.

and suspension, connection between (PICTON and LINDER), 1891, P.,

177; 1892, T., 151, 165.

nature of (Goodwin), 1883, A., 550; 1885, A., 865; (Nicol), 1884, A., 253; 1886, A., 300; (Pickering), 1887, T., 593; P., 77; 1889, P., 86, 106; A., 941, 1101; 1890, T., 64, 331, 845; 1891, P., 105, 109; (Seischenoff), 1889, A., 1044; (WANKLYN and JOHNSTONE), 1892, A., 108.

nature of, as elucidated by the heat evolved on the dilution of calcium chloride solutions (Pickering),

1888, P., 35.

physical nature of, theory of residual chemical affinity as an explanation of the (Pickering), 1892, A., 559.

theory of (MENDELLEFF), 1887, T., 779; (DURHAM), 1888, A., 21; (Pickering), 1888, A., 21, 22; (Duhem), 1888, A., 1016; (Ost-WALD), 1888, A., 1020; (NERNST), 1890, A., 3; (PAGLIANI), 1890, A., 845; (British Association Re-PORT), 1891, A., 786; (WALKER), 1892, A., 264; (VAN'T HOFF), 1892, A., 1015.

isohydric, theory of (ARRHENIUS),

1888, A., 1144.

isohydric and nonisohydric, of acids, velocity of reaction in mixtures of (Moore), 1892, A., 936.

law of thermodynamical coincidence and its application to the theory of (NATANSON), 1892, A., 557.

association versus dissociation in (Pickering), 1891, 972; (LUPTON), 1891, A., 973.

dissociation hypothesis of (PICKER-ING), 1891, P., 105; A., 972;

(Traude), 1891, A., 255, 638, 874; (Arrhenius), 1891, A., (SACK), 1891, A., 966; (KUM-1891, Α., MELL), 1145; BLANC), 1891, A., 1405. SOLUTION, strong, and the dissociation

hypothesis (Pickering), 1892, A.,

108.

electrolytic theory of (LE BLANC), 1891, A., 1405.

objection raised to the hypothesis of electrolytic dissociation in (ARR-HENIUS), 1891, A., 1148.

dissociation of salts in (WIEDEMANN), 1888, A., 1021; (PLANCK), 1888, A., 1144; (MENDELÉEFF), 1890, A., 325.

the question of free ions in (MEN-DELÉEFF), 1890, A., 325.

dilute, kinetic molecular theory of (LORENTZ), 1891, A., 637.

deduction from the gaseous theory of (Masson), 1891, A., 791; (PICKER-ING), 1891, A., 793.

kinetics of substances in (Lolb and NERNSI), 1889, A., 327.

dilute, applications of gaseous laws to (Arrhenius), 1892, A., 935.

exceptions to the gaseous laws in (Noyes), 1890, A., 442.

molecular constitution of (PLANCK), 1888, A., 895; (GORE), 1890, A., 207. saline, molecular volumes of (NICOL),

1884, A., 658; 1885, A., 334. evidence afforded by fluorescence and absorption of the decomposition of molecular groups in solution (Walier), 1889, A., 554.

electrical conductivity of (Crompion), 1888, T., 116; (Pickering), 1889,

freshly prepared, change of electrical conductivity in (Perfer,), 1890, A., 204.

dilute, electrical conductivity (Boury), 1884, A., 1211.

saline, electrical conductivity of (Boury), 1886, A., 753; (JAGER), 1888, A., 397, 398; (Chrust-schoff), 1889, A., 808, 809; (Chrustschoff and Pashkoff), 1889, A., 809; 1891, A., 141.

influence of water of crystallisation on the electrical conductivity of (Trotsch), 1891, A., 141.

conductivity electrical of, mixtures [of alcohol and water

(STEPHAN), 1883, A., 769. alteration of the conductivity of, by addition of a non-electrolyte (HOLLAND), 1892, A., 1382.

SOLUTION, behaviour of substances in, Solution, law of the freezing points of under the influence of the electric current (Picton and Linder), 1892, T., 160.

voltaic energy of aqueous (Gore), 1890, A., 941.

voltaic energy of saline (GORE), 1890, A., 317.

stoichiometry of (Jägen), 1892, A., 1382

thermal effect of (ALEXEEFF), 1884, A., 1244.

thermal effect of mixing (Konowa-LOFF), 1884, A., 1244.

dilute, thermal potential of (RIECKE), 1891, A., 786.

saline, thermal properties of (Moser), 1886, A., 925.

application of thermodynamics to (PLANUK), 1892, A., 395. heat capacities of (PICKERING), 1889, P., 86.

saline, thermal expansion of (NICOL), 1887, А., 760; (Дескев), 1888, A., 1010; (TSCHERRAI), 1889, A., 201, 330, 1101; 1890, A., 318; (BREMER), 1889, A., 329. specific heats of (TIMOFÉEFF), 1891,

A., 1406.

saline, specific heat of (ARONS), 1885, A., 1101; (MATHIAS), 1889, A., 4. molecular heat of (GERLACH), 1888,

A., 894. heat of dilution of (MENDELEEFF), 1886, A., 414.

saline, heat of dilution of (ARONS), 1885, A., 1101.

relation between heat of solution and coefficient of (LE CHATELIER), 1885, A., 340, 473; 1887, A., 548; (CHANCEL and PARMENTIER), 1887, A., 632; (VAN DEVENTER and VAN DE STADT), 1892, A., 559.

homogeneous, equilibrium in, when unequally heated (VAN BERCHEM), 1890, A., 444.

eryoscopy of (RAOULT), 1885, A., 858; 1888, A., 1242; 1892, A., 935; (Arrhenius), 1888, A., 1242; 1891, A., 1148; (PICKERING), 1891, A., 971; 1892, A., 678, 1045; (TRAUBE), 1892, A., 8.

cryoscopy of; abnormal depression of the freezing point (VAN BIJLERT), 1891, A., 1411. lowering of the freezing point of

(PICKERING), 1890, A., 846. mechanical, physical, and chemical lowering of the freezing points of (Pickering), 1889, P., 150.

(RAOULT), 1883, A., 278; 1884, A., 952; (Pickering), 1889, P., 149; 1890, P., 9.

alcoholic, dilute, cryoscopy (Pickering), 1892, A., 1045.

alkaline, cryoscopy of (RAOULT), 1884, A., 254.

saline, cryoscopy of (RAOULT), 1884, A., 1248.

cryoscopy of douple salts (RÜDORFF), 1890, A., 1044.

saline, boiling points of (NICOL), 1885, A., 331; (GERLACH), 1887, A., 1012.

temperature of steam arising from (Sakurai), 1892, T., 495; P., 92. vapour pressure of (TAMMANN), 1889, A., 668;

(EMDEN), 1890, A., 323; (CHARPY), 1890, A., 1364; (RAOULT), 1891, A., 386; (EWAN and ORMANDY), 1892, T., 769; P.,

in acetic acid, vapour pressures of RAOULT and RECOURA), 1890, A., 554.

alcoholic, vapour pressures (RAOULT), 1889, A., 7.

ethereal, vapour pressures (RAOULT), 1887, A., 207; 1888, A.,

ethereal, influence of concentration on the vapour pressure of (RAOULT), 1887, A., 631.

saline, vapour pressures of (EMDEN), 1887, A., 764. vapour pressures of, at 0°

(DIETERICI), 1891, A., 783. vapour pressure of water from

(TAMMANN), 1885, A., (NICOL), 1887, A., 321. 862:

chemical equilibrium in (THOMSEN), 1886, A., 12, 925; 1887, A., 440; (Planck), 1888, A., 780.

saline, cohesion of, and of their admixtures (Rother), 1884, A., 1251.

of salts under pressure (BRAUN), 1887, A., 436.

relation between the compressibilities of, and of their component parts (Braun), 1888, A., 214.

saline, compressibility of (Rönreen and Schneider), 1888, A., 22; ((filbault), 1892, A., 766. contraction of (Charpy), 1889, A.,

1102.

considered as a process of diffusion (STEFAN), 1891, A., 384. aqueous, diffusion of (SCHEFFER), 1883, A., 1047; 1888, A., 1144;

(ARRHENIUS), 1892, A., 1265.

SOLUTION, saline, diffusion of (WIEDE-BURG), 1891, A., 383.

diffusion of double salts in (RÜDORFF), 1888, A., 342, 899; 1889, A., 98. measurement of the osmotic pressure

of (TAMMANN), 1892, A., 556.

osmotic pressure of salts in (ADIE), 1891, T., 344; P., 25.

and gases, osmotic pressure in the analogy between (VAN'T HOFF), 1888, A., 778.

aqueous, of organic substances, capillary constants of (TRAUBE), 1891, A., 1408.

saline, constants of capillarity of (CHERVET), 1885, A., 1105.

rise of, in capillary tubes (Gold-STEIN), 1890, A., 684.

saline, rise of, in capillary tubes (GOLDSTEIN), 1889, A., 205.

passage of substances in, through mineral filters and capillary tubes (Chabrié), 1892, A., 1267.

dilute aqueous, viscosity of (Arr-HENIUS), 1888, A., 336.

saline, aqueous, viscosity of (LAUEN-STEIN), 1892, A., 1044.

variation of density with the concentration of (McGREGOR), 1887, A., 209; 1891, A., 254.

specific gravity of (PICKERING), 1889, P., 86; (Gerlach), 1889, A., 814, 1044; (CHARPY), 1892, A., 765.

saline, specific gravity of (BENDER), 1884, A., 144, 251; (Gerlach), 1888, A., 894; (BREMER), 1889 A., 329.

specific gravity of mixtures of potassium and sodium chloride solution (CHARPY), 1892, A., 1146.

Gases, kinetic theory of, and osmotic pressure (Boltzmann), 1891, A., 389, 638.

heat of solution of (PAGLIANI), 1890, A., 846; (Pickering), 1892, A., 1042.

absorption coefficients of, solutions of (HENRICH), 1892, A., 1043.

solutions of, compressibility of (ISAM-BERT), 1888, A., 20.

absorption of, by liquids (WINKLER), 1892, A., 556.

absorption of, by liquids under high pressure (v. Whoblewski), 1883, A., 418.

absorption of, by mixtures of alcohol and water (Lubarsch), 1890, A.,

absorption of, by petroleum (GNIE-WOSZ and WALFISZ), 1888, A., 342.

Solution: -

Gases, absorptive power of water for (Pettersson and Sondén), 1889, Λ., 935.

alteration in the volume and density of liquids produced by the absorption of (Angström), 1888, A., 401.

Solution partly miscible (PFEIFFER), 1892, A., 1046.

ethereal, separation of, from aqueous liquids (Gawalowski), 1889, A., 1086.

saline (Bender), 1888, A., 22. "corresponding" (BENDER), 1885, A., 12.

and attached water (GUTHRIE), 1885, A., 337.

dilute, existence of acid or basic salts of monobasic acids in (BERTHELOT), 1892, A., 110.

of a gas and of a salt in an indifferent salt solution, analogies between (Setschenoff), 1892, A., 397.

saline, in mixtures of water and organic liquids, formation of layers in (TRAUBE and NEUBERG), 1888, A., 783; (LINEBARGER), 1892, A., 1146.

absorption of aqueous vapour by (Beyerinck), 1892, A., 936.

change of colour of (ISAACHSEN), 1891, A., 1319.

state of salts in (ETARD), 1892, A., 397.

volumes of salts in (Gerlach), 1889, A., 1044.

saline, volume alteration attending the mixture of (NICOL), 1883, T.,

change of volume of salts on (WANкыхи, Johnstone and Coopen), 1892, A., 261; (Skubich), 1892, A., 766.

of double salts (Trevor), 1891, A.,

aqueous, of double salts (Thomsen), 1886, A., 925; (Kistiakowski), 1891, A., 6.

behaviour of molecular compounds on (Bodländer), 1892, A., 1154.

of carbonates in acids, rate of (Spring), 1890, A., 843.

of metals in acids, method of investigating (Velley), 1889, T., 361; P., 65.

Solvents, distribution of a substance between two (NERNST), 1891, A., 1148. Solubility, relation between heat of fusion and (CARNELLEY and THOM-son), 1888, T., 782; P., 80; (WALKER), 1890, A., 686.

Solubility of gases (WUKOLOFF), 1889, A., 670.

of gases in water (WINKLER), 1891, A., 384; 1892, A., 271; (Вонк and Воск), 1892, A., 107.

of double compounds (BEHREND), 1892, A., 1047, 1385.

of mixed crystals (Roozевоом), 1892, A., 265; (Nernst), 1892, A., 560. of saline mixtures (RÜDORFF), 1885,

A., 865; (ETARD), 1890, A., 103, 442, 443.

of salts (ETARD), 1884, A., 887; (LE

CHATELIER), 1889, A., 671. of salts, and their melting points, relations between (ETARD), 1889,

A., 460. mutual, of salts in water (NICOL), 1892, A., 8; (Trevor), 1892, A.,

264.

double salts (MEYERHOFFER), 1892, A., 1145.

augmented, of salts (LE BLANC and Noves), 1891, A., 388. of solid substances (Braun), 1887,

A., 436.

of mixed salts in water (Bodlander), 1891, A., 795.

of some substances in mixtures of water and alcohol (BODLÄNDER), 1891, A., 794.

of mixtures of electrolytically dissociated substances (Noves), 1891, A., 142; 1892, A., 1143.

influence of one salt on the, of another (NERNST), 1890, A., 3.

of salts, sudden changes in the, caused by the formation of two layers in the liquid (ROOZEBOOM), 1890, A., 4.

of alkali salts, influence of the hydroxides on (ENGEL), 1891, A., 1318.

of chlorides, effect of hydrochloric acid on (ENGEL), 1887, A., 445.

of mixtures of sodium and potassium nitrates (CARNELLEY and THOM-son), 1888, T., 783; P., 80.

of sulphates, decrease in the (ETARD), 1888, A., 548.

of sulphates, effect of sulphuric acid on (ENGEL), 1887, A., 546.

of isomeric organic compounds (CAR-NELLEY and THOMSON), 1888, T., 783; P., 80.

of minerals in sea water (THOULET), 1889, A., 682.

Solubility-coefficients, determination of

(DOYER), 1891, A., 387. lubility-curves of pairs of salts (ROOZEBOOM), 1892, A., 1384. Solubility-curves

Solutions, saturated (PARMENTIER), 1892, A., 1047.

Solutions, supersaturated (PICKERING), 1883, A., 645; (POTILIZIN), 1890, A.,333; (LECOQ DE BOISBAUDRAN), 1892, A., 398.

saline, saturation of (NICOL), 1885,

A., 340; 1886, A., 763. supersaturation of (Nicol), 1886, A., 300; 1887, T., 389; P., 40.

electrical conductivity of supersaturated (HEIM), 1886, A., 654. specific heat, heat of solution and specific gravity of supersaturated (BINDEL), 1890, A., 1042.

specific gravity of saturated, at various temperatures (ANDREAE),

1885, A., 334.

solid (VAN'T HOFF), 1890, A., 1044. of one metal in another (TIMMANN), 1889, A., 932; (SILOW), 1889, A.,

colloidal, nature of (BARUS and SCHNEIDER), 1891, A., 1412; (LINEBARGER), 1892, A., 766.

pedetic motion in relation to (RAM-SAY), 1892, P., 17.

physical properties of (LUEDEKING), 1889, A., 98.

freezing of (LJUBAVIN), 1890, A., 685.

See also Liquids, Salts and Solids. Solutions, metallic, reduction of, by means of gases, &c. (Gore), 1884, A., 393; 1885, A., 1112.

Sophora tomentosa, alkaloid from (GRESногг), 1891, А., 335.

Sorbic acid, heat of combustion of (Ossipoff), 1889, A., 460.

Sorbinose, sorbitol and sorbose. Carbohydrates.

Sorbus Aucuparia, tannic acid in the berries of (VINCENT and CHANAL), 1887, A., 950.

Sorghum, fermentation of (BORDAS), 1887, A., 519.

composition of (TROSCHKE), 1885, A., 1155; (Capus), 1885, A., 1273.

organic acids in (WILEY and MAX-WELL), 1890, A., 819.

seed, composition of (WILEY), 1891, A., 240.

See also Agricultural Chemistry and Carbohydrates.

Sound, velocity of, in vapours as a means of determining the vapour density (JAEGER), 1889, A., 460.

Soxhlet extractor, improved (Lewkowitsch), 1889, T., 359; P., 90.

Sozolic acid (SERRANT), 1885, A., 1016, 1166; 1886, A., 707.

dead. Liebreich's (GARTEN-Space, MEISTER), 1888, A. 783.

Space formulæ (MEYER), 1890, A., 719. Spangolite (PENFIELD), 1890, A., 1073. Spark-spectrum. See Spectrum under Photochemistry.

See Alkaloids. Sparteine

See Safflorite. Spathiopyrite.

Specific conductivity. See Conductivity under Electrochemistry.

Specific gravity apparatus (BAILHACHE and Commelin), 1890, A., 206. determinations (Penkin), 1884, T.

of liquids and their atomic weights, relation between (Moulin), 1891, А., 1315.

relation of, to chemical affinity, atomic volume and atomic weight (DONATH and MAYRHOFER), 1883, A., 1048.

boiling point and molecular weight of a liquid, relation between (RICHARDSON), 1891, A., 780.

and specific magnetic rotation, relation between (PERKIN), 1884, T., 544.

relation of electromotive force to (GORE), 1892, A., 257.

capillarity, and cohesion, relation between (SCHALL), 1885, A., 1180. relation between constants of capillarity of members of homologous series and their (SCHALL), 1885. A., 1180.

and viscosity of liquids, relation between (WARBURG and SACHS), 1885, A., 9.

percentage of sulphurous anhydride in aqueous solutions of various (GILES and SHEARER), 1886, A., 199.

of acids of the acetic series (LUEDE-

KING), 1886, A., 439. of alkyl salts of the acetic acids at boiling points (Elsasser), 1883, A., 967.

of liquefied air and its constituents (v. Wroblewski), 1886, A., 661. of alloys of lead and tin (KLEIN-

sruck), 1889, A., 1051.

of allylthiocarbinide (Long), 1889, A., 89.

of solutions of pure and commercial aluminium sulphate (Revss), 1885, A., 458.

of alums (Soret), 1885, A., 109.

of ammonia solutions (SMITH), 1883, A., 849; (LUNGE and WIERNIK), 1890, A., 107.

of solutions of ammonium carbonate (SMITH), 1883, A., 849. of benzene and its halogen deriva-

tives (Young), 1889, T 488, 504; P. 103.

Specific gravity, anomalous, of liquid bismuth (LUEDEKING), 1888, A., 790.

of blood (JONES), 1887, A., 608; 1891, A., 1527; (HAYCRAFT), 1891. A., 1123.

of blood, method of raising the (HUNTER), 1890, A., 393.

of blood in disease (COPEMAN), 1891, A., 761.

of blood of Europeans living in the (Eijkman; tropics GLOGNER), 1892, A., 363.

of isobutyric anhydride (Tonnies and STAUB), 1884, A., 1129.

of calcium chloride solutions (PICKER-ING), 1891, P., 105.

of calcium hydroxide (lime-water) (Wanklyn), 1887, A., 700.

of calcium hydroxide (milk of lime) (Lunge), 1884, A., 712.

of calcium sulphate (McCaleb), 1889, A., 467.

of solutions of carbonic anhydride (BLUMCKE), 1885, A., 215.

of mixtures of carbonic anhydride and ethylic alcohol (BLUMCKE), 1887, A., 435.

of cereal grains (DRECHSLER), 1883, A., 111.

of cerium sulphate solutions (BRAU-NER), 1888, T., 357; P., 25.

of chloroform at different temperatures (CHANCEL and PARMENTIER), 1885, A., 631.
of commercial copper (WATSON),

1884, A., 218.

of several organic compounds at temperatures near their meltingpoints (Schiff), 1881, A., 1089.

of elements in various allotropic modifications (MULLER-ERZBACH), 1883, A., 779.

of ethyl ether (Oudemans), 1886, A., 437.

of some fats (On improv), 1889, A.,

of fibres (DE CHARDONNEY), 1892, A., 1036.

of aqueous solutions of glycerol (Gerlach), 1885, A., 499; (Niool), 1888, A., 437.

hydrochloric acid, tables of (Lunge and Marchiewski), 1892, A., 11.

of liquids, alteration in the volume and, produced by the absorption of gases (Angstrom), 1888, A., 401.

of liquids, determination of (Pagli-ANI), 1884, A., 213; (TAYLOR) 1888, A., 547.

Specific gravity of liquids, determination of, at higher temperatures (Schiff), 1885, A., 950.

of manganese (GLATZEL), 1890, A., | 110.

of aqueous and alcoholic solutions of mercuric chloride (Schröder), 1886, A., 412.

of metals in the liquid state (ROBERTS-AUSTEN and WRIGHTSON), 1884, A., 708.

of cows'-milk (VIETH), 1889, A., 915. of fat and solids of milk, relation between (VIETH), 1888, A., 634.

of minerals (GISEVIUS), 1883, A., 1031; (JOLY), 1888, A., 103.

of isomorphous mixtures (RETGERS), 1889, A., 931.

of nitric peroxide, nitrogen trioxide, and nitrosyl chloride (GEUTHER), 1888, A., 785.

of oils (Long), 1889, A., 85; (CRAMP-TON), 1889, A., 801.

of fixed oils (ALLEN), 1887, A., 88. of paraffin, solid, fused, and in solution (Bellby), 1883, T., 388.

of porous bodies (FLEURY), 1885, A., 334; (JOLY), 1888, A., 103.

of racemic and tartaric acid solutions (MARCHLEWSKI), 1892, A., 964.

of soluble salts, determination of (ANDREAE), 1885, A., 332; (RET-GERS), 1889, A., 812, 1101.

of silk (Vranon), 1892, A., 1036.

of solids, determination of (DOBBIE and HUTCHESON), 1885, A., 332; (KLEINSTUCK), 1891, A., 11.

of solids and liquids, determination of, by means of the specific gravity bottle (PAGLIANI), 1884, A., 213. | of solutions (BENDER), 1884, A., 251;

(McGregor), 1887, A., 209; 1891, A., 254; (Gerlach), 1888, A., 894; 1889, A., 814,1044; (Pickering), 1889, P., 86; (Bremer), 1889, A., 329; (Charpy), 1892, A., 765, 1146.

of normal salt solutions (BENDER), 1884, A., 144.

of saturated solutions of solid substances at various temperatures (Andreae), 1885, A., 334.

of supersaturated salt solutions (BINDEL), 1890, A., 1042.

of sugar solutions (WANKLYN), 1892, A., 935.

of soluble substances, determination of (Zehnder), 1887, A., 9.

of substances in the solid state and in aqueous solution (Groshans), 1885, A., 333.

Specific gravity of viscid substances, determination of (Scheibler), 1891 A., 520; (Bruhl), 1891, A., 520, 1147.

of sulphuric acid of various degrees of concentration (Kohlrausch), 1883, A., 413; (Lunge and Naef), 1883, A., 851; (Lunge), 1884, A., 1256; 1885, A., 216; (Mendelberf), 1885, A., 121; 1886, A., 413; 1888, A., 343; (Pickering), 1889, P., 86; 1890, T., 69, 139; 1892, A., 271, 272; (Lunge and Isler), 1891, A., 150; (Rucker), 1892, A., 271.

of crystalline strychnine (BLUNT), 1886, A., 1047.

of frothy syrups, estimation of (Genieser), 1891, A., 142.

of turpentine (DUNWODY), 1891, A., 217.

of waxes (ALLEN), 1887, A., 186; (KLEINSTUCK), 1892, A., 428.

of wheat (PAGNOTL), 1888, A., 1128. of zinc iodide (Clarke and Kebler), 1884, A., 394.

See also Density and Vapour-density.

Specific heat. See Thermochemistry.

Specific inductive capacity. See

Electrochemistry.

Specific rotation. See Photochemistry.

Specific volume. See Volume, specific.

Spectrum and Spectroscope. See under Photochemistry.

Specular iron ores of Cuba, genesis of (KIMBALL), 1885, A., 356.

Speiskobalt, examination of (McCAY), 1886, A., 209.

Spergula arrensis (spaces), spurrey seed, and spurrey silage, composition of (MUNRO), 1886, A., 173.

Spermin (LADENBURG and ABEL), 1888, A., 441; (V. HOFMANN), 1891, A., 169; (MAJERT and SCHMIDT), 1891, A., 415, 538; (V. POEHL), 1891, A., 538; (JURGENS), 1891, A., 759.

supposed reaction of (DUCLAUX), 1892, A., 1300.

Sperrylite (Wells and Penfield), 1889, A., 471.

Spessartite (spessartine; manganesegarnet) (ROBINSON), 1889, A., 473. from Virginia (CLARKE), 1892, A., 1411.

artificial production of (GORGEU), 1884, A., 410.

Sphacelic acid (Kobert), 1885, A., 821.

Spherolite tachylite from the Ussuri District (Wenukoff) 1890, A., 461,

Sphalerite. See Blende and Zinc blende. Sphene (titanite) (Busz), 1888, A., 33. from Lehigh Co., Pa. (SMITH), 1885, A., 960.

from Magnet Cove, Arkansas (GENTH, Penfield and Pirsson), 1891, A.,

artificial production of (Bourgeois), 1884, A., 565.

American, cleavage of (WILLIAMS), 1886, A., 317.

rutile, as a product of the decomposition of (MANN), 1883, A., 33. Spheroidal state (Luvini), 1884, A.,

957; (Gossart), 1887, A., 768. quantitative evaporation of liquids in

the (Bohlig), 1886, A., 647. Spice, champion (Lehmann), 1884, A.,

473; (HARZ), 1884, A., 865. Spices, examination of (BORGMANN), 1884, A., 642.

Spiders, guanine in the excrement of (Weinland), 1889, A., 430.

Spiegeleisen, the carbon of (RATHKE), 1891, A., 646.

estimation of manganese in (KAL-MANN and SMOLKA), 1885, A.,

Spike, oil of, and Spikol (VOIRY and BOUCHARDAT), 1888, A., 605.

cooked, composition of Spinach, (WILLIAMS), 1892, T., 227.

Spinel, fluorescence of (Lecoq DE Bois-BAUDRAN), 1887, A., 1005. inclusions in (PRINZ), 1883, A., 1062. rose, artificial production of (MEU-NIER), 1887, A., 707.

"Spirit of nitrous ether," estimation of (Dотт), 1885, А., 1013.

estimation of ethylic nitrite in (DYMOND), 1885, A., 842; (ALLEN), 1885 A., 1013; (Thresh), 1890, A., 927.

Spirit factories, simultaneous use of potatoes and grain in (ANON.), 1883, A., 630.

Spirits, influence of extractive matter on the real alcoholic strength of (Blarez), 1891, A., 865.

analysis of (TRAUBE), 1889, A., 654; (Fresenius), 1890, A., 1194; (Mohler), 1891, A., 503; (Bell), 1892, A., 387.

examination of, for secondary constituents (ALLEN and CHATTAWAY), 1892, A., 244.

estimation of fusel oil in (Rose), 1885, A., 600; (Traube), 1886, A., 743; 1888, A., 91, 198; 1889, A., 654; 1892, A., 543; (UFFELMANN), 1886, A., 1079; (ERMAN), 1889, A., 190;

(STUTZER and REITMAIR), 1891, A., 622; (SCALA), 1891, A., 1556; (ALLEN and CHATTAWAY), 1892, A., 244.

See also Brandy, Ethylic alcohol and Potato spirit.

Spirographidine andspirographin KRUKENBERG), 1886, A., 482.

Spirogyra, albumin in (Loew), 1884, A., 343.

Spleen, function of the (HORBACZEWSKI), 1890, A., 184.

iron in the (Krüger, Meyer and Pernoù), 1891, A., 848.

of young animals, quantity of iron in the (LAPICQUE), 1890, A., 185.

hæmoglobin in blood passing to and from the (v. MIDDENDORFF), 1889, A., 1023.

Splenic fever, preventive inoculation of (ROLOFF), 1884, A., 914; (CHAU-VEAU), 1885, A., 1084.

See also Bacillus, splenic fever.

Splenic vein, is free hæmoglobin present in the blood plasma of the? (Schäfer), 1890, A., 1016.

Spodiosite, place of, in the mineral system (Sjognen), 1887, A., 346.
Spodumene and the product of its alter-

ation (Brush and Dana), 1883, A., 438.

from Brazil (Jannasch), 1888, A., 795. from Dakota (BLAKE), 1884, A., 23. from North Carolina (HIDDEN and DES CLOIZEAUX), 1887, A., 118.

B-Spodumene (BRUSH and DANA), 1883, A., 439.

Sponge, sea water, presence of chlorophyll in (MacMunn), 1887, A., 613. Sponges, chromatology of (MACMUNN), 1888, A., 619.

Spongin (KRUKENBERG), 1886, A., 481. constitution of (ZALOCOSTAS), 1888, A., 1318.

Spring water. See under Water. "Sprudelsalz," preparation of (HAR-

NACK), 1883, A., 396.

Spurrey (spergula arvensis), spurrey seed, and spurrey silage, composition of (Munno), 1886, A., 173.

Sputum, nitrogen in (PANOFF), 1889, A., 1076.

Stachyose (v. PLANTA and SCHULZE), 1890, A., 1089; 1891, A., 1416.

Stachys tuberifera, nitrogenous con stituents of the tubercles of (v. PLANTA), 1890, A., 1183.

Stalactite, a, formation of, by vapour (Brown), 1885, A., 1034.

Stalagmometer (TRAUBE), 1888, A., 91, 198; 1892, A., 543.

Stannous and Stannic. See Tin.

Star-anise, composition of the fruit and seeds of (Oswald), 1891, A., 957. products of the distillation of the leaves and fruits of the (EIJKMAN),

1886, A., 95; 1887, A., 497. oil of (UMNEY), 1889, A., 659.

tree, cultivation of, and the preparation of the oil in Annam (ANON.), 1885, A., 1275.

Starch. See Carbohydrates.

Starch factories, waste water from (SCHUTZE), 1886, A., 1066.

Starch refuse as fodder (SAARE), 1885, A., 1155.

Starch sugar. See Dextrose under Carbohydrates.

Starch syrup, composition of (SIEBEN), 1885, A., 693.

Star-fish, manurial value of (MAYER), 1889, A., 1085.

Starvation, influence of, on the glycogen of the liver and muscle (ALDEHOFF), 1889, A., 427.

See also Hunger.

assfurt liquors, working up of (Fischer), 1887, A., 1079. occurrence of hydrogen sulphide and Stassfurt

sulphur in (Pfeiffer), 1890, A., 336.

Stassfurt salts as absorbents in stables (Märcker), 1884, A., 491.

Stassfurt salt mines, minerals from (LUEDECKE), 1887, A., 1085.

Stature, influence of, on the interchange of matter and energy (RUBNER), 1884, A., 1393.

Staurolite (shuurotiile) (Colorianu), 1886, A., 319.

chemical constitution of (FRIEDL), 1886, A., 32.

crystallographical examination (Primics), 1885, A., 733.

Steam, specific heat of, at high temperature (BERTHELOT and VIEILLE), 1885, A., 7. superheated, experimental determin-

ation of the ratio of the specific heats of (Conen), 1890, A., $\bar{2}05$.

arising from boiling salt solutions, temperature of (SAKURAI), 1892, T., 495; P., 92. dissociation of (V. HOFMANN), 1891,

A., 143.

action of carbonic oxide on (MA-QUENNE), 1883, A., 860; (NAU-MANN and PISTOR), 1886, A., 120.

action of induction sparks on carbonic oxide and (DIXON), 1886, T., 103.

use of, in chemical laboratories (WALTER), 1885, A., 482.

earic acid (heralecylacetic acid) (Kraffer), 1884, A., 1280. conversion of elecacid into (DE WILDE Stearic

and REYCHLER), 1889, A., 1140.

action of bromine on (KRAFFT and BEDDIES), 1892, A., 695. oxidation of (CARETTE), 1886, A.. 611.

and naphthalene, solidification of different mixtures of (COURTONNE), 1883, A., 176.

derivatives of (HELL and SADOMSKY), 1891, A., 1335.

Stearic acid, amido-[m.p. 63°] (GAUTIER

and ETARD), 1884, A., 89. a-amido- [m.p. 221°] (HELL and SADOMSKY), 1891, A., 1336.

α-bromo- (Piotrowski), 1890, 1396; (Hell and Sadomsky),1891, A., 1336.

mono- and di-chloro- (Piotrowski),

1890, A , 1396. α-cyano- (Hell and Sadomsky),1891, A., 1451.

oxime of (CLAUS and PFEIFFER), 1891, A., 541.

Stearin, preparation of (Hundeshagen), 1884, Ā., 280.

stearic acid, paraffin, wax and, analysis of a mixture of (JEAN), 1891, A.,

a-Stearinsulphuric acid (sulphohydroxystearic acid) (BENEDIKT and ULZER), 1887, A., 914; (GEITEL), 1888, A., 578. Stearocutic acid (URBAIN), 1884, A., 859.

Stearolic acid, oxidation of (HAZURA and GRUSSNER), 1889, A., 375. diodo- (LIEBERMANN and SACHSE), 1892, A., 470.

Stearolic phenylhydrazide (HOLT), 1892, A., 1428.

Stearone, preparation of (Kipping), 1890, T., 537.

Stearoneoxime (Spiegler), 1884, A., 1115; (Kipping), 1890, T., 539.

Stearopten, from Burosma crenata (SPICA), 1885, A., 1142. from essence of patchouli (MAISCH),

1885, A., 394.

Stearyl chloride (KRAFFT and BÜRGER), 1884, A., 1126; (SCHWEIZER), 1885, A., 509.

Stearyl-diglycerol and -glycerolphosphoric acid (HUNDESHAGEN), 1884, A., 282.

Steatite (saponite), variety of (DOBBIE), 1885, A., 229.

Steenstrupite, analysis of (Lorenzen), 1883, A., 960.

Stephanite, crystal of, from Wheal Newton (Lewis), 1884, A., 405.

Stercobilin. See Hydrobilirubin. Sterculia acuminata (Kola nuts)

(NATTON), 1885, A., 712.

of asym-Stereochemical isomerism metrical monoximes (HANTZSCH), 1890, A., 1263. models of organic molecules (EILO-

ART), 1892, A., 679.

studies (Losummint), 1890, A., 602. results and aims of (MEYER), 1890, A., 719.

in the piperazine group (BISCHOFF), 1890, A., 1331.

Stereochemistry and the laws of rotatory power (Colson), 1892, A., 758; (GUYE), 1892, A., 759.

and the oximes (Chlus), 1892, A., 50.

Sterilisation of liquids and the use of plaster filters for (GAUTIER), 1885, A., 287; (CAZENEUVE), 1885, A., 288.

of organic liquids, use of liquefied carbonic anhydride for (D'ARSON-VAL), 1891, A., 854.

Stibiatil (IGELSTROM), 1890, A., 1076. Stibnite (antimonite) from Czerwenitza

(v. Foullon), 1886, A., 22. from Felsobánya and from Magurka

(LOCZKA), 1892, A., 1054. from Japan (DANA), 1884, A., 22;

(KRENNER), 1885, A., 221 from Valdagno (Luzz trro), 1887, A., 1084.

pseudomorph of (HINTZE), 1883, A., 430.

See also Antimony trisulphide. a-Stilbazole. See a-Styrylpyridine.

Stilbazoline. Sec a-Phenethylpiperidine. Stilbene (s-diphenylethylene; toluylene) formation of (v. MILLER and ROHDE), 1890, A., 978.

formation of, from the polymeric thiobenzaldehyde (BAUMANN and KLETT), 1892, A., 184.

attempted formation of a geometrical isomeride of (Arons rein and Holle-MAN), 1889, A., 51. heat of combustion of (Ossipoff),

1889, A., 6, 460.

reaction of (ERRERA), 1887, A., 53. substitution products of (Kopp), 1892, A., 718.

derivatives of (REDZKO), 1890, A., 783.

See Hydrobenzoin. alcohol.

Stilbene, diamido-derivatives of (Gross-MANN), 1889, A., 1191.

diamido-, sulphido (Anschütz and Schulz), 1889, A., 602. See also Dehydrothiotoluidine.

Stilbene, o-diamido-, azo-dyes from (Bischoff), 1888, A., 1094.

p-dramido- (BENDER and SCHULTZ), 1887, A., 268.

2-dichloro-4-dinitro- (WITT), 1892, A., 444.

dieyano- (CHALANEY and KNOEVE-NAGEL), 1892, A., 618.

nitro- (nitrodiphonylethylene) (Anschutz and Romic), 1885, A., 768. o-dinitro- (BISCHOFF), 1888, A., 1094.

p-dinitro-, bromide (ELBS and BAUER), 1887, A., 151.

o-nitramido- (Bischoff), 1888, A., 1091.

substituted, formation of Stilbenes, substituted, formation of (Elbs; Elbs and Bauer), 1887, A., 151.

isoStilbene, derivatives of (REDZKO),

1890, A., 783. Stilbene-aa'-dicarboxylic acid. Diphenylmaleic acid.

Stilbenedi-o-carboxylic acid (HASSELваси), 1888, А., 486.

Stilbene-group, isomerism in the (Wis-LICENUS and BLANK), 1889, A., 261; (WALDEN and KERNBAUM), 1890, A.,

1299; (Subborough), 1892, А., 1224. Stilbenesulphonic acid, diamido-(BENDER and SCHULTZ), 1887, A.,

Stilbite (desmine) (HEDDLE), 1883, A., 411; (Cross and HILLEBRAND), 1883, A., 957.

from Berks Co., Pa. (SMITH), 1885, A., 960.

from the French Creek mines (EVER-MIN), 1890, A., 113.

from the Viesch Glacier (BRUN), 1884, A., 402.

and heulandite groups, relations between minerals of the (RINNE), 1892, A., 417.

Stomach, amount of acid in the, on an amylaceous diet (ROSENHEIM), 1889, Ä., 617, 972.

formation of hydrochloric acid in the (Frenichs), 1886, A., 639.

normal, digestion of flesh in the (CAHN and v. MERING), 1888, A., 859.

relative absorption of neutral salts in the (Jaworski), 1884, A., 193.

action of acids on the functional activity of the (Jaworski), 1888, A., 616.

behaviour of carbonic anhydride, oxygen and ozone in the (J two rski), 1885, A., 280.

function of animal gum in the (LANDWEHR), 1888, A., 176.

Stomach, reaction of the living mucuslining of the (EDINGER), 1883, A.,

alteration of cane-sugar in the (v. LEUBE), 1884, A., 91.

dehydration of glucose in the (CHIT-TENDEN), 1888, A., 79. conversion of starch in the (ZECH-

NISSEN), 1889, A., 631.

decomposition of bromides and indides by the (Külz), 1887, A., 508;

(Drechsel), 1989, A., 426. horse's, sugar contents of the (Ellen-BERGER and HOFMEISTER), 1889, A., 176.

horse's, absorption in the (Gold-

SCHMIDT). 1887, A., 743. estimation of hydrochloric acid in

the (GUNZBURG), 1888, A., 617; (SJOQUIST), 1889, A., 302; (GRAF-1892, A., FENBERGER), (LANGERMANN), 1892, A., 1125.

estimation of peptones in the (RIVA-Rocci), 1892, A., 1136.

Stone, artificial, preparation of (ANON.), 1884, A., 379.

Stone-fruit, ratio of flesh to stone in

(Wilhelm), 1884, A., 477. Stones, waterproof paint for (ANON.),

1883, A., 760. building, decay of (WALLACE), 1883, A., 1036.

Stoneware (WAGENER), 1883, A., 397.

Stone-work, process for preserving and colouring (Keim and Thenn), 1884, A., 880.

Stony concretions in animals (Schu-BERG), 1884, A., 348.

Storage batteries. See Accumulators under Electrochemistry.

Storax, American (FLÜCKIGER; MILLER), 1883, A., 407.

Stramonium seed, preparation daturine from (HARTZ), 1885, A., 820. Stratiotes uloides, constituents and properties of, and its use as a manure (NIEDERSTADT), 1884, A., 108.

Straw. See Agricultural Chemistry. Strawberries. See Agricultural Chemistry.

Straw-gum (HÉBERT), 1890, A., 1460. Strengite, artificial production of (DE SCHULTEN), 1885, A., 1043.

Striking distance and potential difference, relation between, in various gases (PASCHEN), 1889, A., 806.

Stromeyerite from California (MELVILLE and LINDGREN), 1892, A., 1407. from Mexico (Könia), 1887, A., 643; 1888, A., 560.

Strontia. See Strontium oxide,

Strontia-sugar. See Carbohydrates. Strontianite from Altahlen (VRBA), 1889, A., 837.

from the Kaiserstuhl (Beckenkamp), 1888, A., 659.

from Leadhills (COLLIE), 1889, T., 95. in Westphalia (VENATOR), 1883, A.,

artificial production of (Bourgeois), 1883, A., 31.

See also Strontium carbonate.

compounds, recovery of Strontium (Muck), 1884, A., 394.

salts, pure, preparation of (BARTHE and FALIERES), 1892, A., 1277. removal of barium from (ADRIAN

and Bougarel), 1892, A., 776. physiological action of (LABORDE), 1891, A., 99; 1892, A., 227.

Strontium arsenates (LEFÉVRE), 1889, A., 826.

sodium arsenates (Joly), 1887, A., 637.

carbonate, preparation of (Mebus and DECASTRO), 1885, A., 1269. action of potassium sulphate on

(Kouklin), 1892, A., 1276. See also Strontianite.

chlorate and the velocity of its decomposition by heat (Potilizin), 1890, A., 696.

chloride, preparation of (WACKEN-

RODER), 1885, A., 19. vapour pressure of solutions of (Andreae), 1891, A., 782. solubility of (Etard), 1892, A.,

398.

application of, in purifying syrups (KOTTMANN), 1883, A., 252.

oxychlorides and mercury (André), 1887, A., 446, 447. uromate, solubility of, in dilute

chromate, alcohol (FRESENIUS and RUPPERT), 1892, A., 914.

hydrates (NIEWERTH), 1884, A., 712; CLAUS), 1884, A., 1224; 1885, A., 937; (MAUMENE), 1886, A., 421; (HEYER), 1887, A., 108, 217; (SCHEIBLER; FINKENER), 1887, A., 217; (MULLER-ERZBACH), 1887, A., 765.

hydride (WINKLER), 1891, A., 1156. hyponitrite (MAQUENNE), 1889, A., 945.

manganite (Rousseau), 1886, A., 425. formation and dissociation of (Rous-SEAU), 1886, A., 507.

nitrate, solubility of, (HILL), 1889, A., 345. in alcohol

nitride (MAQUENNE), 1892, A., 566, 776.

Strontium oxide (strontut), crystalline (Brugelmann), 1890, A., 850. of (CROOKES), phosphorescence

1887, A., 1068.

action of magnesium oxide on (Winkler), 1890, A., 452.

phosphates (BARTHE), 1892, A., 1156. potassium phosphates (OUVRARD), 1888, A., 1034.

sodium phosphates (Jony), 1887, A., 637; (OUVRARD), 1888, A., 1034. plumbate (KASSNER), 1890, A., 561. selenate (MICHEL), 1888, A., 650. silicofluoride. solubility of (FRE-

SENIUS), 1890, A., 925.

sulphate, solubility of, in acids (Ostwald), 1884, A., 813. process for working up (ANON.),

1884, A., 1225. See also Celestite.

sulphide, phosphorescent, preparation of (Becquerel), 1889, A., 198.

oxysulphide (Geuther), 1884, A., 1263.

thiosulphate (Fock and Kluss), 1890, A., 330.

cadmium thiosulphates (Fock and Kluss), 1890, A., 1058.

potassium thiosulphate (Fock and Klüss), 1892, A., 13.

titanate (Bourgeois), 1886, A., 985 tungstate (v. Knorke), 1885, A., 486. tungstovanadates (ROTHENBACH), 1891, A., 18.

vanadates (MANASSE), 1887, A., 339. zirconate (OUVRARD), 1891, A., 1432. Strontium organic compound:-

acetylhyponitrite (MAQUENNE), 1889, A., 945.

Strontium, detection, estimation and

separation:microchemical test for (v. HAUS-HOFER), 1887, A., 301.

detection of (Ranson), 1883, A., 509.

detection of, in presence of barium (Luedeking), 1891, A., 364.

estimation, volumetric, of (VIIALI), 1892, A., 1521.

separation of, from barium (FRESEN-IUS), 1890, A., 826, 924; 1891, A.,

separation of, from barium and calcium (Russmann), 1888, A., 629; 1891, 111; (KUPFFERSCHLAGER), 1889, A., 77; (FILETI), 1892, A., 660.

separation of, from calcium (SI-DERSKY), 1883, A., 509; 1884, A., 497; (BOGOMOLETZ), 1884, A., 1077; (BROWNING), 1892, A., 915. Strontium, separation of, from calcium as chromates (Fresevius and Rup-PERT), 1892, A., 914.

Strophanthidin (FRASER), 1887, A., 1116; 1888, A., 607.

Strophanthin. See Glucosides.

Strophanthus (GERRARD), 1887, A., 970; (ELBORNE; MERCK), 1887, A., 1116.

crystalline compound from glabrous (ARNAUD), 1889, A., 407.

seeds, constituents of (ELBORNE). 1887, A., 991.

Strophanthus hispidus (FRASER), 1890. A., 262.

Structural formulæ of alkylene oxide. acetaldehyde and its polymerides, trimethylene and benzene (Brund), 1891, A., 633.

several, possibility of, for the same chemical compound (LAAR), 1885,

A., 722.

Struvite (MAcIvor), 1887, A., 709. Strychnic acid (strychnol) (Plugge), 1884, A., 188; (LOEBISCH and SCHOOP), 1886, A., 814; (TAFEL), 1891, A., 1262.

nitro- (Loebisch and Schoor), 1886, A., 814.

isoStrychnic acid (dihydrostrychnine), and its methiodide (Loebisch and SCHOOP), 1886, A., 815; (TAFEL), 1891, A., 1262.

nitioso- (TAFEL), 1892, A., 1012.

Strychnine. See Alkaloids.

Strychninedisulphonic acid (Stoehr), 1886, A., 269.

Strychninesulphonic acids (STOTHR), 1886, A., 269; 1888. A., 73; (Granексні), 1897, А., 853.

Strychnos Nur vomica, glucoside from (DUNSTAN and SHORT), 1885, A., 395.

indigenous to Ceylon, chemistry and botany of (DUNSTIN and SHORE), 1885, A., 583.

Strychnos toxiferu, cutarine from (VII.-LIERS), 1885, A., 997.

Stüvenite (DARAPSKY), 1887, A., 55%. Stylophorum diphyllum, alkaloids of the root of (SELLE), 1890, A., 649.

Styphnic acid (2:4 6-trinitroresorcinol), constitution of (HENRIQUES), 1883, A., 329; (v. Kostanecki and FRINSTEIN), 1889, A., 130. derivatives of (Nolting and Collin),

1884, A., 1004.

Stypticite. See Fibroferrite.

Styrene (cinnamene; phenylethylene; styrol; styrolene) in coal tar (KRAE-MER and SPILKER), 1891, A., 206,

Styrene (cinnumenc; phenylethylene; styrol; styrolene), molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

condensation of, with methylbenzene derivatives (Kraemer and Spil-

KER), 1891, A., 206.

condensation of, ndensation of, with phenols (Koenigs), 1891, A., 208; (Koenigs) NIGS and CARL), 1892, 446.

derivatives of (BERNTHSEN and BEN-

DER), 1883, A., 70.

derivatives of aromatic hydrocarbons and their conversion into anthraand methylanthracenes cenes (KRAEMER, SPILKER and EBERнаког), 1891, А., 207.

Styrene, p-amido- (BERNTHSEN and Bender), 1883, A., 70.

p-bromo-, dibromide andglycol

(SCHRAMM), 1891, A., 898. dibromo-, action of bromine vapour (KINNICUTT and PALMER), 1884, A., 603.

ω-chlor-o-amido- and ω-chloro-o-nitro-(Lipr), 1884, A., 1030.

triodo- (LIEBERMANN and SACHSE), 1892, A., 470.

ω-nitro-, and its derivatives (PRIEBS), 1884, A., 313; 1885, A., 160; (ERDMANN), 1884, A., 906.

preparation of (ERDMANN), 1891, A., 1483.

o-nitro-, action of sulphuric acid on, and its dibromide (EINHORN), 1884, A., 66.

m-nitro- and its dibromide (Praus-NITZ), 1884, A., 1175.

p-nitro- and its dibromide (BASLER), 1884, A., 604.

4:ω-dinitro-(FRIEDLANDER andMinly), 1885, A., 1138.

nitro-p-amido-ω-nitro-(Friedländer and Lazarus), 1885, A., 1139.

Styrogallol (o-dihydroxyanthracoumurin) (Jacobsen and Julius), 1888, A., 56; (v. Kostanecki), 1888, A., 292.

Styrolene. See Styrene.

Styrolene alcohol. See Diliydroxy-

ethylbenzene.

Styryl methyl ketone (benzylidencucetone) (Claisen and Ponder), 1884, A., 1166.

phenylhydrazone (Knorn), 1887, A., 678.

m-amido- (v. MILLER and ROHDE), 1890, A., 1138.

5 chloro-2-nitro- (EICHENGRUN and Einhorn), 1891, A., 1099.

Styryl methyl ketone (benzylideneacetone), o-nitro- (v. Baeyer and Drewsen), 1883, A., 341; (Fischer and Kuzel), 1883, A., 587.

p-nitro- (v. BAEYER and BECKER), 1883, A., 1120.

Styryl methyl ketoxime (JACOBY), 1886, A., 800.

action of dehydrating agents on (ZE-LINSKY), 1887, A., 666.

Styryl nitrosomethyl ketone (CLAISEN and MANASSE), 1889, A., 585.

Styrylacrylic acid (cinnumenylacrylic acid), oxidation of (Doebner), 1890, A., 1274.

o-amido- and o-nitro- (DIEHL and EINHORN), 1885, A., 1222.

Styrylangelic acid, preparation (EDELEANU), 1891, A., 1225.

Styrylbenzaldazine (Curtius andTHUN), 1891, A., 1357.

a-Styrylcinchonic acid (Doebner and Perers), 1890, A., 176.

Styryldimethylglyoxaline worth), 1890, T., 11. (WADS-

4-Styryl-2.6-dimethylpyridine-3:5-dicarboxylic acid (Epstein), 1886, A.,

Styryldiphenyleneoxazole (WADSworth), 1890, T., 12.

2-Styryl-5-ethyloctohydropyridine (ethyloctohydrostilbazole) (PLATH), 1889, A., 164.

Styrylglyoxylic acid, nitro-. Nitrocinnamoylformic acid.

Styrylhydantoin (styrylmetapyrazolone), preparation of, and its dibromide (Pinner and Lifschutz), 1887, A., 1055; (PINNER and SPILKER), 1889, A., 704.

Styryl-\psi-hydantoin and its dibromide (PINNER and SPILKER), 1889, A., 704.

Styrylhydantoinamide (PINNER and SPILKER), 1889, A., 705.

 μ -Styryl- β -methyloxazoline (ELFELDT), 1892, A., 215.

Styrylmethylpyridine(methylstilbu:olc), and its reduction products (BACHÉR), 1889, A., 162.

a-Styryl-a- and -β-naphthacinchonic acids (Doebner and Perens), 1890, A., 1007.

α-Styryl-α- and -β-naphthaquinolines (DOEBNER and Perens), 1890, A., 1008. μ-Styryl-oxazoline and -pentoxazoline

(ELFELDT), 1892, A., 215. acid, oxidation of Styrylpropionic (FITTIG), 1888, A., 595.

o-amido (DIEHL and EINHORN), 1887, A., 485.

See also Hydrostyrylacrylic acid.

Styrylmetapyrazole (PINNER and LIFS-(нитг), 1887, А., 1055.

Styrylmetapyrazolone. See Styryl-

hydantoin.

a-Styrylpyridine (a-stilba:olc), and its reduction products (BAURATH), 1888, A., 65, 608.

m-amido-, and m-nitro-, and its reproducts (SCHUFTAN), duction 1890, A., 1437.

Styryltetrahydroketo-naphthaquinoxaline and -quinoxaline (GEORG-

ESCU), 1892, A., 886.

Styrylvinyl methyl ketone (phenyl-butinene methyl ketone) and its derivatives (DIEHL and EINHORN), 1885, A., 1221.

o-nitro- (DIEHL and EINHORN), 1885, A., 1222.

p-nitro-(EINHORN and GEHRENвеск), 1890, А., 162.

See also Cinnamenyl- and Styryl-. Cinnamyl-.

Subercolic acid and its salts (HELL and REMPEL), 1885, A., 756.

acid, thermochemistry Suberic (LUGININ), 1889, A., 5; (STOH-MANN, KLEBER and LANGBEIN), 1889, A., 1097; (STOHMANN and KLEBER), 1892, A., 1041. boiling points of (KRAFFT and

Noendlinger), 1889, A., 691.

derivatives of (HELL and REMPEL), 1885, A., 755; (HEMPEL), 1885, A., 756.

chloro-, action of potassium cyanide and potassium hydroxide (BAUER), 1883, A., 970.

Suberin (URBAIN), 1884, A., 860; (GILSON), 1891, A., 465.

Suberinic acid (GILSON), 1891, A., 465. Suberonyl alcohol and suberonylene (Markownikoff), 1890, A., 728.

Suberoxime (NAGELI), 1883, A., 728. (Richter), Sublimation apparatus 1884, A., 361; (BRUIL), 1889, A.,

Submersion figures (Tomeinson), 1887, A., 209.

Substances, apparatus for drying, under diminished pressure (Sidersky), 1890, A., 1185.

viscid, determination of the specific gravity of (Scheibler), 1891, A., 520; (Bruhl), 1891, A., 520, 520; 1147.

Substitution, explanation of the laws which govern, in benzenoid compounds (Armstrong), 1887, T., 258, 583; P., 8, 44, 62; (Morley), 1887, T., 579.

Substitution, dependence of, on the atomic or molecular weights of certain atoms or groups (Kehr-MANN), 1890, A., 484.

in the aromatic series (Lobry DE Bruyn), 1891, A., 428.

in the fatty series (MEYER and MÜL-LER), 1892, A., 577, 1414.

Substitution-derivatives, formation of (GORDON), 1891, P., 62.

(CIAMICIAN Succinaldoxime and ZANEITI), 1889, A., 1208.

Succinamic acid (SERDA and WIEDE-MANN), 1891, A., 175. nitrile of (Drouin), 1889, A., 686.

isoSuccinamic acid, α-amido- (Korner and Menozzi), 1888, A., 133.

s-Succinamide (HENRY), 1885, A., 886. imido- (HELL and POLIAKOFF), 1892, A., 820.

us-diiodo- (Currius and Lang), 1892, A., 453.

isoSuccinamide (Franchimont KLOBBIE), 1889, A., 1143.1

a-amido- (Korner and Menozzi), 1888, A., 133.

Succinamidine hydrochloride (PINNER), 1883, A., 731.

Succinamidobenzoic acid (PELLIZZARI), 1885, A., 534.

Succinamidotrimethylphenylammonium (GRIESS), 1885, A., 1220.

Succinaril, dibromo- (Anschutz and Wirtz), 1887, A., 931.

Succinazone (CLAMICIAN and ZANETI), 1889, A., 1208; 1891, A., 1502. Succinenylazoxybenzene (SEMBRIIZKI),

1888, A., 935. Succinenyldiamidoxime and its derivatives and ethyl ether (SEMBRITZKI),

1888, A., 935; 1890, A., 125. formation of (GARNY), 1892, A., 137.

Succinenyldiazoximedibenzenyl (SEM-BRIIZKI), 1890, A., 125. .

Succinenyl-diuramidoxime and -imidodioxime (Sumbritzki), 1888, A., 935; 1890, A., 125.

Succinenylimidoxime (TIEM VNN), 1892, A., 135; (GARNY), 1892, A., 136.

Succinethylenephenylhydrazide (Bur-CHARD), 1890, A., 250.

Succinic acid (SCHMIDT), 1886, A., 869; (Guinochet), 1890, A., 238; (DEMUTH and MEYER), 1890, A.,

thermochemistry of (Luginin), 1889. A., 5; (STOHMANN, KLEBER and Langbein), 1889, A., 1097; (Massol), 1891, A., 968; (Stohmann and Kleber), 1892, A., 1041.

Succinic acid, heat of solution of Succinic acid, sodium salt of, heat of (TANATAR), 1890, A., 320. formation of (TANATAR), 1890, A.,

specific heat of (HESS), 1889, A.,

93.

boiling points of (Krafft and Noerdlinger), 1889, A., 690.

solubility of (Miczynski), 1886, A.,

pyrogenic decomposition of (HAN-

RIOT), 1886, A., 224. decomposition of, by sun-light in presence of an uranium salt (Wis-

BAR), 1891, A., 1013.

and acetaldehyde, condensation of (FITTIG and FRANKEL), 1890, A., 584.

and anisaldehyde, condensation of (FITTIG and POLITIS), 1890, A., 770.

and butaldehyde, condensation of (FITTIG and SCHMIDT), 1890, A.,

and isobutaldehyde, condensation of (FITTIG and ZANNER), 1890, A., 589.

and chloral, condensation of (FITTIG and Miller), 1890, A., 586.

action of ethylenediamine on (MASON), 1889, T., 10.

and ethylic acetoacetate, condensation of (v. Eynern), 1889, A., 592.

and ethylic benzoylacetate, condensation of (Schloesser), 1889, A., 594.

and propaldehyde, condensation of (FITTIG and DELISLE), 1890, A., 587.

and valeraldehyde, condensation of (FITTIG and SCHNEEGANS), 1890, A., 590.

bromination of (Auwens and Im-Häusen), 1891, A., 1191.

separation of malic acid from (MICKO), 1892, A., 1531.

ferment and its action on cane-sugar (TEIXEIRA-MENDES), 1885, 1152.

derivatives, explanation of isomerism in (BISCHOFF), 1891, A., 892.

derivatives, action of hydroxylamine on (GARNY), 1892, A., 136.

alkyl derivatives of, synthesis of (Brown and Walker), 1891, A., 1193.

potassium salt of, heat of formation of (TANATAR), 1890, A., 320.

potassium salt of, normal and acid, water of crystallisation of (SALZER), 1884, A., 584.

potassium hydrogen salt of, dry distillation of (WISBAR), 1891, A., 1012. 320.

substitution derivatives of сногг), 1891, А., 891.

Succinic acid, amido-. See Aspartic acid. diamido- (CLAUS), 1883, A., 43.

bromo- (Volhard), 1888, A., 129; (Anschütz and Bennert), 1890, A., 363; (Auwers and Imhäuser), 1891, A., 1191.

mono- and di-bromo-, electrolysis of (Lassar-Cohn), 1889, A., 1056.

s-dibromo (Claus), 1883, A., 43; (Guinochet), 1889, A., 588; (Demuth and Meyer), 1890, A., 595.

preparation of (GORODETZKY and Hell), 1888, A., 820.

action of aniline on (Reissert), 1886, A., 791.

action of sodium ethylate on the sodium salt of (MULDER and Hamburger), 1883, A., 312.

isadibromo- (DEMUTH and MEYER), 1888, A., 360.

bromamido- (CLAUS), 1883, A., 43. chloro- (Anschütz and Benneri),

1890, À., 363. monoximido-(Chamer), 1891, A., 823; (Piutti), 1891, A., 1191.

a-oximido and its salts (EBERT), 1885, A., 1123.

β-oximido- (CRAMER), 1891, A., 824. 88-dioximido- and its salts (MUL-LER), 1884, A., 584.

andββ-dioximido- (Söder-BAUM), 1891, A., 825.

isoSuccinic acid (methy/malonic acid), preparation of (LASSAR-COHN), 1859, A., 1056.

thermochemistry of (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097; (Massol), 1892, A., 1140.

heat of solution of (TANATAR), 1890, A., 320.

specific heat of (HESS), 1889, A., 93. action of nitric acid on (FRANCHI-MONT), 1887, A., 466.

condensation-products formed benzaldehyde with (STUART), 1883, T., 403.

derivatives of (Körner and Menozzı), 1888, A., 132.

isoSuccinic acid, a-amido- (Körner and MENOZZI), 1887, A., 801.

mono- and di-bromo-, electrolysis of (LASSAR-COHN), 1889, A., 1057.

bromo-, action of alcoholic potash on (TANATAR), 1890, A., 1238; 1892, A., 1305.

Succinic acids, substituted (BISCHOFF and WALDEN), 1889, A., 959; (BISCHOFF), 1890, A., 237, 742. electrical conductivity of (BISCHOFF and WALDEN), 1890, A., 1038. anhydride-formation and intramolecular change of (Auwers and Meyer), 1890, A., 479; (BISCHOFF), 1890, A., 741; 1891, A., 892; (BISCHOFF and MINTZ), 1590, A., 744.

dibromo-, action of phosphorus sulphides on (Ossiporf), 1889, A., 237.

Succinates and isosuccinates, solubilities of (Miczyński), 1886, A., 935.

Succinic aldehyde diphenyldihydrazone (succinuzone) (CIAMIOIAN and ZANET-11), 1889, A., 1208; 1891, A., 1502.

Succinic anhydride, \$\mathcal{S}\)-oximido-(Cramer), 1891, A., 825. thio-(Zanetri), 1889, A., 960.

isoSuccinic-ureide (FRANCHIMONT and KLOBBIE), 1888, A., 1181.

Succinimide and its derivatives (LANDS-BERG), 1883, A., 476.

thermochemistry of (Berthelot and Fogh), 1890, A., 1360.

action of ammonia on (RUBZOFF), 1886, A., 141.

action of hypobromites on (Hooge-WERFF and VAN DORP), 1891, A., 1216.

bromo- (Kusserow), 1889, A., 1064. isoSuccinimide, alkyl derivatives of (Comsrouk and Wheeler), 1892, A., 701.

Succinimidine hydrochloride (PINNER), 1883, A., 731, 1088.

Succinimidine nitrite (Lossen), 1892, A., 53.

Succinimidobenzenesulphonic acid, sodium salt of (Pellizzari and Maiteucci), 1888, A., 1302.

Succinobenzimide (PINNER), 1890, A.,

Succinobenzyl. See Benzylsuccin.
Succinodibenzamic acid (PELLIZZARI)

Succinodibenzamie acid (Pellizzari), 1885, A., 533.

Succincdiphenylhydrazide (ZANETTI), 1889, A., 960.

Succinonitrile (ethylenic cyanide) (Henry), 1885, A., 646. preparation of (Fauconnier), 1889,

A., 227. heats of combustion and formation of (BERTHELOT and PETIT), 1889, A., 812.

action of aniline hydrochloride on (BLOCHMANN), 1887, A., 931.

Succinonitrile (cthylenic eyanute), action of, on hydrochloric acid and alcohol (l'inner), 1883, A., 730.

Succinophenone (Augen), 1888, A., 952. Succinophenyldicarbizine (Freund and Goldsmith), 1888, A., 1187.

α-Succinophenylhydrazide [m.p. 156°] (H011E), 1886, Δ., 351; 1887, Δ., 671. β-Succinophenylhydrazide [m.p. 199°] (ΜΙCHAELIS and HERMENS), 1892, Δ., 1494.

Succinophenylhydrazide [m.p. 208°] (FREUND and GOLDSMITH), 1888, A., 1187.

Succinyl compounds, action of phosphorus pentachloride on (KAUDER), 1885, A., 651.

Succinyl chloride (Auger), 1888, A., 953.

constitution of (EMERY), 1890, A., 286. magnetic rotatory power of (Perkin), 1888, T., 563, 590.

action of phosphorus pentuchloride on (KAUDER), 1884, A., 40.

action of zinc ethyl on (RJASAN1ZEFF), 1889, A., 1059.

Succinylsuccinic acid (v. BAEYER and Noyes), 1889, A., 1147.

constitution of (GEUTHER), 1888, A., 579.

Succirubra bark, natural and renewed, analysis of (Hodgkin), 1884, A., 919. Succus entericus, human (Tubby and Manning), 1892, A., 1368.

Sucrose (saccharose) and its derivatives. See Carbohydrates.

Suet and other fats, recognition of suint in (MEYER), 1883, A., 750.

Sugar-cane, researches on (KNOP), 1884, A., 1212.

artificial manuring of (RIFFARD), 1883, A., 506.

percentage of ash in (Knor), 1883, A., 110.

fermentation of the juice of (MAR-(ANO), 1889, A., 915.

analysis of the juice of (URAMPTON), 1887, A., 751.

healthy and diseased, analyses of (Siurzer), 1892, A., 1372.

Sugars. See Carbolydrates.

Suint, composition of (Buisine), 1886, A., 902; (Maumene), 1886, A., 1055.

volatile acids of (Buisine), 1888, A., 673.

amines in (Buisine), 1887, A., 792. glycollic acid and pyrotartaric acid in (A. and F. Buisine), 1889, A., 178. malic acid in (A. and P. Buisine), 1888, A., 976.

Suint, recognition of, in suet and other fats (MEYER), 1883, A., 750.

"Sulfuraires," reduction of sulphates by (Plauchud), 1883, A., 610.

Sulphacetic acid and its derivatives (FRANCHIMONT), 1888, A., 1175. alkyl salts of (MAUZELIUS), 1888,

A., 821.

chloro- (Andreasch), 1886, A., 786. o-Sulphamido-benzanilide and -o- and -p-benzotoluidides (REMSEN and **Донме)**, 1889, A., 992.

Sulphamidobenzeneazo-compounds.

See Azo-.

o-Sulphamidobenzoic acid (Noyes). 1886, A., 804; (FAHLBERG and LIST), 1887, A., 835. p-nitro- (Noves and Wiley), 1889,

A., 711.

m-Sulphamidobenzoic acid (EITNER), 1892, A., 714.

o-Sulphamidocarboxylic acids, formation of (FAHLBERG and LIST), 1888, A., 367.

Sulphamidocuminic acid and its salts (Remsen and DAY), 1884, A., 456.

Sulphamidoisodurylic acids (JACOB-SEN), 1883, A., 53.

Sulphamidohemimellithylic acids, aand \$- (JACOBSEN), 1887, A., 36.

3-Sulphamido-p-propylbenzoic acid and its salts (REMSEN and KEISER), acid 1884, A., 457.

Sulphamidoterephthalic acid (Noyes and WALKER), 1887, A., 728.

3-Sulphamido-p-toluic acid (WEBER), 1892, A., 1092.

Sulphamidotrimellitic acid, salts of (JACOBSEN and MEYER), 1883, A.,

Sulphamido-xylidic and -xylylic acids (JACOBSEN and MEYER), 1883, A., 589.

Sulphanilazocumenol, potassium salt of (LIEBERMANN and V. KOSTA-NECKI), 1884, A., 1147.

Sulphanilic acid. See Aniline-p-sulph nic acid.

Sulp anilide (TRAUBE), 1891, A., 569. Sulpanilidoacetic acid (Plüchl and Loë), 1885, A., 899.

Sulphatammon (triammonium imidosulphonate) (DIVERS and HAGA), 1892, T., 949.

"Sulphate" furnace (LARKIN), 1885, A., 1268.

Sulphates. See under Sulphur.

Sulphatopurpureocobalt salts. See Cobaltammonium.

Sulphazides (LIMPRICHT), 1887, A., $7\bar{2}3.$

Sulphides. See under Sulphur.

Sulphime dithiocarbamidosulphinites. amido- (TIEMANN), 1891, A., 557.

Sulphimidobenzene, o-, m- and p-(CLEVE), 1887, A., 834.

Sulphimido-compounds (CLEVE), 1888, A., 698.

Sulphimidonaphthalene, α -, β -, γ - and

δ- (CLEVE), 1887, A., 834.
Sulphines (KLINGER and MASSEN) 1888, A., 357; 1889, A., 1135; (NASINI and SCALA), 1889, A., 115; 1890, A., 1234; (PATEIN), 1889, A., 234; 1890, A., 880. aromatic (MICHAELIS and GODCHAUX), 1891, A., 714.

molecular refraction and dissociation of solutions of (NASINI and COSTA), 1892, A., 34.

cyanogen compounds of (PATEIN), 1888, A., 664; 1890, A., 880.

Sulphinic acids, constitution of (OTTO

and Rössing), 1885, A., 1231. tautomerism of (Otto and Rössing), 1892, A., 623. action of phenylhydrazine one (Es-

CALES), 1885, A., 798.

Sulphinates, aromatic ethereal, behaviour of, towards hydrogen sulphide (Orro and Rössing), 1887, A., 1047.

Sulphinic anhydrides, aromatic, synthesis of (Otto and Milch), 1888, A., 281.

Sulphinic derivatives and their analogies to compounds of organic amines (Nasini and Costa), 1892, A., 34.

Sulphinic ethers, aromatic, oxidation of, to sulphonates (OTTO and Röss-ING), 1886, A., 710.

Sulphite-cellulose, dextrose from (Lindsey and Tollens), 1892, A., 801.

Sulphites. See under Sulphur.

Sulphobenzamidinic acid. Sec Sulphaminebenzoic acid.

and -diazo-com-Sulphobenzene-azopounds. See Azo-

Sulphobenzide. See Diphenylsulphone. o-Sulphobenzoic acid and its derivatives (FAHLBERG and BARGE), 1889, A., 709; (Remsen), 1889, A., 881; (REMSEN and DOHME), 1889, A.,

of (Brackett preparation HAYES), 1888, A., 279.

p-amido- (HEDRICK), 1888, A., 280. p-nitro- (KASTLE), 1889, A., 711; (HAUSSER), 1892, A., 479.

m-Sulphobenzoic acid, p-amido- and obromo- (FISCHER), 1892, A., 332.

61

o-Sulphobenzoic anhydride (FAHLBERG and BARGE), 1889, A., 709; (REM-EN and DOHME). 1889, A., 992.

Sulphobenzoic dichloride (REMSEN and DOHME), 1889, A., 992.

Sulphobenzylidenethiocarbimidoacetic acid (Andreasch), 1889, A., 960.

a-Sulphobutyric acid, preparation of the salts of (BEILSTEIN and WIEGAND), 1885, A., 740.

β-Sulphobutyric acid (HAUBNER), 1892, A., 424.

a-Sulphoisobutyric acid (ANDREASCH), 1888, A., 48.

Sulphocamphoric acid, products from (Danski), 1888, A., 293.

Sulphocarbometer (Gelis and Thom-MERET-Gilis), 1883, A., 386.

Sulphocinehonic acid (v. Georgievics), 1888, A.,501; (Busch and Koenics), 1890, A., 1435.

Sulphocinnamic acid (KAFKA), 1891, A., 722.

Sulpho-colouring matters. See Thiazine colouring matters.

m-Sulphocuminic acid (WIDMAN), 1889, A., 1185.

Sulpho-derivatives, action of chlorine on (Spring and Winssinger), 1883, A., 659; 1884, A., 1127.

Sulpho-2:3-dimethylbenzoic acid (JACOBSEN), 1887, A., 36.

uz-p-Sulphodiphenyl-αβ-naphthatriazine (Meldola and Forster), 1891, T., 687.

Sulphofumaric acid (HILL and PAL-MER), 1889, A., 386.

Sulphohalite (HIDDEN and MACKIN-TOSH), 1889, A., 217.

Sulpho-n-hexoic acid (Ludwig), 1889, A., 121.

Sulpho-p-hydroxybenzoic acid (Hed-RICK), 1888, A., 280.

Sulphohydroxystearic acid. See α-Stearinsulphuic acid.

Sulphonal (diethylsulphomedimethylmethune; isopropylidenediethylsulphone), influence of, on proteid metabolism (HAHN), 1891, A., 1523.

physiological action of (Gordon), 1890, A., 542; (Smith), 1892, A., 1507.

See also Diethylsulphonedimethylmethane.

Sulphonamide, imido- (Divers and HAGA), 1892, T., 952.

Sulpho-α- and -β-naphthylethylxanthic acids, potassium salts of (Leuck art), 1890, A., 606. Sulpho-α- and -β-naphthylic disulphides, potassium derivatives of (Leuckarr), 1890, A., 606.

Sulphonates, constitution of the double compounds of, with alkyl sulphates (Geurner), 1883, A., 973.

alkaline, action of, on salts of dihalogenated fatty acids (OTTO and ENGELHARDT), 1886, A., 883.

aromatic, direct conversion of, into the corresponding amido-compounds (Jackson and Wing), 1887, A., 727.

Sulphonation with potassium hydrogen sulphate (Bischoff, Sievecki and Brodsky). 1890, A., 1149.

Sulphonecarboxylic acids, analogy of ketonic acids to, and their reactions (Rossing), 1890, A., 781.

Sulphonecyanamides (HEBENSTREIF), 1890, A., 501.

Sulphonediacetic acid (dimethylsulphonedicurboxylic acid) and its derivatives (Lovin), 1885, A., 241.

action of nitrous acid on (LOVEN), 1886, A., 222.

a-Sulphone-diisobutyric and dipropionic acids (LOVEN), 1885, A., 241.

Sulphonediisovaleric acid (LOVEN), 1886, A, 333.

Sulphonefluorescein (REMSEN and HAYES), 1888, A., 153; (REMSEN and Linn; Fahlberg and Barge), 1889, A., 710.

Sulphoneketones (R. Otro), 1886, A., 801; (R. and W. Otro), 1888, A., 282.

Sulphonephthaleins (Remsen), 1885, A., 539; (Remsen and Linn), 1889, A., 710.

Sulphones, formation of (Orto), 1888, A., 482.

formation of, from alkylsulphonated acids of the series $C_nH_{2n}O_p$ (O1 ro), 1885, A., 536.

formation of, on sulphonating naphthalene derivatives (Heller), 1859, P., 121.

preparation of (OTTO and ROSSING), 1890. A., 780.

1890, A., 780. synthesis of aromatic (OTTO), 1885, A., 535.

hydrolysis of (STUFFER), 1890, A, 987; 1891, A., 180; (OTIO), 1891, A., 1229.

stability of, towards alkalis (AUTEN-RIETH), 1891, A., 1068.

relation between the physiological action and chemical constitution of (BAUMANN and KAST), 1889, A., 1232; (LAVES), 1892, A., 153.

Sulphonic acid, amido- (KRAFFT and BOURGEOIS), 1892, A., 700.

chloro- (sulphuryl hydroxychloride) (DIVERS and SHIMOSÉ), 1884, T., 195.

new mode of formation of (BILLITZ and HEUMANN), 1883, A., 710. conversion of pyrosulphuric chloride

into (OGIER), 1883, A., 642. thermal constants of (OGIER), 1883, A., 642.

vapour-density and action of heat on (HEUMANN and KOCHLIN),

1883, A., 781. action of potassium nitrate on (WILLIAMS), 1886, T., 225.

conversion of, into sulphur chloride (PRINZ), 1884, A., 1255.

fluoro- (THORPE and KIRMAN), 1892, T., 921; P., 160.

imido- (DIVERS and HAGA), 1892, T., 943.

Sulphonic acid-group, displacement of the amido-group by the (LANDS-BERG), 1890, A., 1137.

displacement of, by chlorine (Kelbe), 1883, A., 806.

catalytic reduction of (Loew), 1891, A., 237.

Sulphonic acids (MONARI), 1885, A., 970; (SPIEGEL), 1885, A., 987; (LIMPRICHT), 1885, A., 1232. hydrolysis of (Armstrong and

hydrolysis of (Armstrong and Miller), 1884, T., 148; (Miller), 1886, P., 234; (Kelbe), 1886, A., 355.

decomposition of (FRIEDEL and CRAFTS), 1885, A., 268.

decomposition of, in presence of phosphoric acid (FRIEDEL and CRAFTS), 1889, A., 1200.

aromatic, method for the isolation of (GATTERM ANN), 1891, A., 1226.

aromatic, direct conversion of, into amido-compounds (JACKSON and WING), 1886, A., 623.

alkyl salts of (KRAFFT and Roos), 1892, A., 1219.

anhydrides of (Armstrong), 1892, P., 41.

ethereal salts of, preparation of (Armstrong and Rossiter), 1891, P., 184.
Sulphonic acids, amido- (Pellizzari

and MATTEUGUI), 1888, A., 1302; (KRAFFT and BOURGEOIS), 1892, A., 700.

action of aldehydes on (CAHN and LANGE), 1887, A., 962.

aromatic, acetyl-derivatives of (NIETZKI and BENCKI-ER),1884, A., 1024.

Sulphonic acids, imido- (KRAFFT and BOURGEOIS), 1892, A., 700.

nitroso-, preparation of (LIMPRICHT), 1892, A., 475.

Sulphonic chlorides, action of alcohols on (Armstrong and Rossiter), 1891, P., 184.

behaviour of, towards thiophenols and thio-alcohols in presence of alkalis (Otto), 1891, A., 720.

Sulphonic derivatives, action of heat on a mixture of sulphuric acid and (ISTRATI), 1890, A., 51.

Sulphonic fodides, aromatic, and action of zinc ethyl on (Otto and Trüger), 1891, A., 718, 719.

Sulpho-oleic acid (BENEDIKT and ULZER), 1887, A., 914.

Sulphophenylcarbamic acid (Noltring), 1889, A., 144.

4-Sulphophthalamide (REE), 1886, T., 521.

Sulphophthalamides, 3- and 4- (Remsen and Comstock), 1884, A., 320.

3-Sulphophthalic acid and its salts (Remsen and Comston K), 1884. A., 320; (Stoken), 1885, A., 540; (Rée), 1886, T., 512; (Moulton), 1891, A., 1064.

4-Sulphophthalic acid (REMSEN and COMSTOCK),1884,A.,320;(GRAEBE), 1885, A., 902; (REE),1886, T., 510; P., 211.

from phthalic acid (REE), 1885, A., 1062.

salts of (REMSEN and COMSTOCK), 1884, A., 320.

2:4-diSulphoisophthalic acid(WISCHIN), 1891, A., 73.

4-Sulphophthalic anhydride and monoand di-chlorides (REE), 1886, T., 515, 520.

4-Sulphophthalimide, ammonium salt of (RÉE), 1886, T., 519.

\$\mathcal{B}\$-Sulphopropionic acid (Andreasch), 1886, A., 226; (Rosenthal), 1886, A., 866.

8-Sulphopyromucamide (HILL and PALMER), 1889, A., 37.

Sulphopyromucic acid, dichloro- (HILL and JACKSON), 1890, A., 601.

β-Sulphopyromucic acid (HILL and PALMER), 1885, A., 1204; 1889, A., 386.

δ-bromo- (HILL and PALMER), 1889, A., 386.

δ-Sulphopyromucic acid and its derivatives (Hill and Palmer), 1885, A., 1204; 1889, A., 37.

Sulphosalicylic acids, mono- and di-(PISANELLO), 1889, A., 1062. Sulphotoluic acid, nitro- (LIMPRICHE), 1885, A., 1234.

3-Sulpho-p-toluic acid and its derivatives (RANDALL), 1891, A., 1228.

 $3 extsf{-Sulpho-}p extsf{-toluic}$ anhydride (RANDALL), 1891, A., 1229.

Sulphotoluide (di-p-toly/sulphone), decomposition of (OTTO), 1886, A., 1031.

Sulpho-o- and -p-tolylazo-m- and -pcresols (sulphotolueneacocresols) and their salts (NoLTING and KOHN), 1884, A., 901.

Sulphotolylic disulphide (Orto and TRUGER), 1891, A., 924.

Sulphotrimellitic acid, salts of (JACOBsen and Meyer), 1883, A., 590.

Sulphotriphenylacetic acid (ELBS and Tolle), 1886, A., 352.

Sulphoisovaleric acid (DE VARDA), 1889, A., 35.

Sulphoxyleneazo-\beta-naphtholdisulphonic acid, spectrum of (HARTLEY), 1887, T., 188.

Sulphur, remarkable bed of (PREUSS-NER), 1889, A., 215.

from Japan (DIVERS and SHIMIDZU), 1884, A., 391.

from New South Wales (MACIVOR), 1888, A., 560.

from the island of Saba (LUNGE),

1886, A., 430. the Stassfurt salt (Pfeiffer), 1890, A., 336.

from the Yellowstone National Park (WEED and Pirsson), 1892, A., **283.**

from Zielenzig (ARZRUNI), 1885, A.,

in coal (BAILEY), 1890, A., 414. from the fumaroles of Montecito in the Island of Ischia (OGLIALORO-Todaro), 1884, A., 1098.

in marine muds and nodules, and its bearing on their mode of formation (Buchanan), 1891, A., 994.

in masses of metal (WARREN), 1889, A., 13.

in plants, soils and moulds (BER-THELOT and ANDRÉ), 1888, A., 384. in vegetable soils (BERTHELOT and ANDRE), 1892, A., 656.

selenium and tellurium, isomorphism of (MUTHMANN), 1891, A., 1417.

allotropic modifications of (GERNEZ), 1884, A., 389, 553, 889; 1885, A., 952, 1037, 1109; (MAQUENNE), 1884, A., 1254; 1885, A., 1037; (REICHER; RUYS), 1885, A., 346; (SABATIER), 1885, A., 952, 1037; (VAN'T HOFF), 1885, A., 1037; (DEBUS), 1888, T., 282; P., 18; (ENGEL), 1891, A., 976; (FRIEDEL), 1891, A., 977; (Petersen), 1892, A., 405.

Sulphur rhombic, from hydrogen sulphide (Ahrens), 1890, A., 1371.

crystals in square tables, genesis of (Brame), 1885, A., 1182; 1886, A., 16.

crystallised, planes in (DANA), 1887, A., 343.

native, conditions for the formation of (Ilosvir), 1885, A, 729.

Magnus's "black" (KNAPP), 1887, A.,110; 1888, A., 1163; 1891, A., 877. insoluble (Schwitz-Dumont), 1892, A., 1389.

insoluble, formation of, from sulphur

vapour (GAL), 1892, A., 1150. recovery of, by Mond's (SCHAEPPI), 1883, A., 129.

recovery of, by Schaffner and Helbig's

process (CHANCE), 1884, A., 228. recovery of, from alkali waste (GROU-VEN), 1885, A., 614; (ANON.)

1885, A., 1017. recovery of, from hydrogen sulphide (CLAUS), 1885, A., 304.

recovery of, from hydrogen sulphide by means of nitrohydrochloric acid in presence of air (LUNGE), 1885, A., 454.

available for sulphuric acid manufacture, assay of iron pyrites for (Welch), 1887, A., 180.

atomic refraction of (NASINI), 1883, A., 264; 1884, A., 149.

refraction-equivalent of (GLADSTONE), 1884, T., 258.

dispersion equivalents of (Sunrary), 1886, Α., 106; (GLADSTONE), 1888, A., 389.

phosphorescence of (Jacobsen), 1883, A., 710.

electrical conductivity of (Duter), 1888, A., 640.

molecular weight of (BILTZ), 1888,

A., 1027; 1889, A., 340.
molecular weight of, in solution
(PATERNO and NASINI), 1888, A., 1027; (Beckmann), 1890, A., 447;

(HERTZ), 1891, A., 260. vapour density of (KRAUSE and MEYER), 1890, A., 1365; (RIECKE),

1891, A., 381.

vapour density of, at a white heat BILTZ and MEYER), 1889, A., 674. valency of (KLINGER and MASSEN), 1888, A., 357; 1889, A., 1135; (NASINI and SCALA), 1889, A., 115; 1890, A., 1234.

Sulphur, expansion coefficient of (Schrauf), 1886, A., 408.

volatility of (BERTHELOT), 1885, A.,

igniting point of (HILL), 1890, A., 849.

combustion of, in oxygen (Baker), 1889, A., 465; (Noyes), 1892, A.,

combustion of, in oxygen at high pressure (HEMPEL), 1890, A., 1050.

heat of combustion of substances containing (BERTHELOT and MATIG-

NON), 1890, A., 1861. affinity of the heavy metals for (SCHURMANN), 1889, A., 468.

a property of (LEPIERRE), 1891, A., 1417.

sulphur oxides, carbon, and carbon oxides, reactions between (Berthe-LOT), 1883, A., 551.

action of, on the alkaline earths and on the alkalis (SENDERENS), 1892, A., 770.

action of, on ammonia and metallic bases in presence of water (SEN-DERENS), 1857, A., 327.

vapour, action of, on copper (WAR-REN), 1888, A., 555.

action of, on metallic solutions (Vortmann and Padberg), 1890, A., 9; (SENDERENS), 1892, A., 770.

action of, on oxides (FILHOL and SENDERENS), 1883, A., 710; 1884, A., 959.

action of sulphurous acid on (Debus), 1888, T., 347.

action of sulphurous acid on flowers of (ColeFax), 1891, P., 180; 1892, T., 199.

action of, on water at 100° (Cross and Higgin), 1883, A., 900; (Sen-DERENS), 1892, A., 770.

influence of, on Eggertz' carbon colour test (Hogg), 1889, A., 76.

influence of, on the working of steel (Wasum), 1883, A., 404.

spontaneous oxidation of (Pollacci), 1885, A., 347.

oxidation of, in the air (BASAROFF), 1883, A., 551.

oxidation of, in carbon compounds (BERTHELOT, ANDRE and MATIG-NON), 1890, A., 1462.

solubility of, in alcohol (BLOXAM), 1886, A., 593.

experiments to combine sulphur with (Prinz), 1884, A., 1255.

behaviour of, in the organism (SAL-Kowski), 1889, A., 432; (Presch), 1890, A., 812.

Sulphur, "neutral" and metabolism (RUDENKO), 1891, A., 1523.

attraction of animal tissues for (DE REY-PAILHADE), 1889, A., 633. state of combination of, in proteids

(KRUGER), 1889, A., 528. function of, in plants (BERTHELOT

and Andre), 1891, A., 606.

fate of, in germination (TAMMANN), 1885, A., 1004.

Sulphur-compounds, certain, action of potassium permanganate on (Honic and Zatzek), 1884, A., 151.

with phosphorus (MAI), 1892, A., 14.

volatile organic, analysis of (MEYER and STADLER), 1884, A., 1215.

Sulphur salts derived from phosphorus trisulphide (LEMOINE), 1884, A., 555.

amides of (MENTE), 1889, A., 210. bromides and chlorides (Spring and LECRENIER), 1886, A., 977.

Thionyl bromide (MICHAELIS), 1891, A., 716.

Sulphur chlorides, thermochemical investigation on the (Thomsen), 1883, A., 543.

chloride, constitution of (PRINZ), 1884, A., 1255.

action of, on oils (WARREN), 1888, A., 538, 633, 1348. action of silver cyanide on

(SCHNEIDER), 1885, A., 1193.

action of, on sulphurous acid (DE-BUS), 1888, T., 345.

dichloride, molecular weight and refractive energy of (Costa), 1891, A., 149.

estimation, volumetric, of (LE ROY), 1891, A., 617.

tetrachloride, compound of chloride with (LINDET), 1886, A., 310.

Thionyl chloride (SCHORLEMMER),

1885, P., 52. action of, on organic compounds (HEUMANN and Köchlin), 1883, A., 1051.

Sulphuryl chloride, function of the chlorine in (Armstrong), 1891, P., 60.

heat of formation of (Thomsen), 1884, A., 250.

action of heat on (HEUMANN and KÖCHLIN), 1883, A., 781.

action of potassium nitrate on (WILLIAMS), 1886, T., 226.

Hydrogen sulphide and persulphide. See Hydrogen.

Sulphide solutions, physical constitution of (PICTON), 1891, P., 176; 1892, T., 137.

Sulphides, metallic (GAUTIER and HALLOPEAU), 1889, A., 677.

crystalline, from the Mechernich lead works (Brand), 1890, A., 338.

formation of natural mineral (PLAU-CHUD), 1883, A., 610; (CHUARD), 1891, A., 1434.

formation of, by pressure (SPRING), 1883, A., 904; 1884, A., 959.

artificial production of (DOELTER), 1886 Å., 207.

aromatic, preparation of (ZIEGLER), 1890, A., 1292.

double, of the alkali metals and the heavy metals, synthesis

(Brunner), 1890, A., 215. ineral, synthesis of (mineral, (WEINschenk), 1890, A., 709.

metallic, obtained in the wet way composition of (Antony Lucchesi), 1890, A., 1216.

metallic, colloidal state of (WINSsinger), 1888, A., 911.

metallic, dissociation of (Hunt), 1888, A., 1254.

alkaline, mineralising action of (HAUTEFEUILLE and PERREY), 1888, A., 562.

metallic, action of alkylic iodides on (Klinger and Maassen), 1889, A., 1136.

metallic, action of copper chlorides on (RASCHIG), 1884, A., 962.

metallic, action of ferric chloride on (Cammerer), 1892, A., 18, 278. decomposition of, by air containing bromine (Jannasch), 1889, A.,

1243. oxidation of, by the electrical current (SMITH), 1890, A., 1342. use of sulphuric acid to oxidise, for

the estimation of their metals (Divers and Shimidzu), 1885, A., 836.

mineral, natural, solutions of (Bec-KER), 1887, A., 555

metallic, solubility of, in thio-acids (Storch), 1883, A., 1169.

and sulphoxides, organic, reaction of, with potassium sulphide (Orro and Rössing), 1887, A., **226.**

conversion of, into sulphates (Som-MER), 1884, A., 1092.

nitroso- (PAVEL), 1883, A., 297. Polysulphides, constitution of (Borr-GER; GEUTHER), 1884, A., 1260.

Sulphur iodides (Spring and Le-(RENIER), 1886, A., 978.

Sulphur dioxide (sulphurous anhydride) in the air of Lille (LADUREAU), 1884, A., 710.

in the air of towns (WITZ), 1885, A., 953.

origin of, in the gases of volcanoes

(RICCIARDI), 1887, A., 643. preparation of, with use of a Kipp's apparatus (NEUMANN), 1887, A., 769.

constitution of (DIVERS), 1885, T., 216. latent heat of vaporisation of (MATным), 1888, А., 773.

and carbonic anhydride,specific weight and vapour pressure of mixtures of (Blumcke), 1888, A., 775; (Picter), 1888, A., 1015.

and carbonic anhydride, isotherms of a mixture of (Blumcke), 1889, A.,

density of, at a white heat (LANGER and Meyer), 1885, A., 950.

percentage of, in aqueous solutions of various specific gravities (GILES and SHEARER), 1886, A., 199.

carbonic anhydride, and carbon disulphide reactions with (EILOART), 1886, A., 16.

action of, on periodic acid (SELMONS), 1888, A., 338.

decomposition of, by alkali sulphites (DIVERS), 1885, T., 209, 219. influence of, on the solution of zinc

in dilute sulphuric acid (PULLIN-GER), 1890, T., 821. decomposition of, by carbon at high

(Scheurer-Kesttemperatures NER), 1892, A., 681.

and sulphites, exidation of solutions of (BACHMAN), 1888, A., 649. percentage of sulphuric acid in plants

damaged by (MACH), 1888, A., 715. in sugar refining (Barrul), 1885, A., 709.

compounds of (GEUTHER), 1881, A., 1256.

compound of, with phenylhydrazine (Michaelis), 1890, A., 617.

dissociation of the hydrate of (ROOZEвоом), 1886, А., 117.

Sulphur trioxide (sulphuric anhydride; sulphuric oxide) (Divers), 1885, T., 218; (Divers and Shimidzu), 1886, T., 584.

preparation of (Nobel and Fehrenвасн), 1885, А., 1018.

lecture apparatus for the preparation of (Hodgkinson and Lowndes), 1888, A., 647.

Sulphur trioxide (sulphuric anhydride; sulphuric oxide), preparation of, from nitrosyl sulphate (v. Gruber), 1885, A., 199.

isolation of (Weber), 1887, A., 212. action of, on antimonious oxide (Adie), 1890, T., 541.

action of phosphorus on (ADIE), 1891, T., 231; P., 19.

action of, on selenium selenochloride (DIVERS and SHIMOSÉ), 1884, T., 197.

compounds of arsenious oxide with (Weber), 1887, A., 212; (Added), 1889, T., 157; P., 4.

compound of, with boric acid (D'ARCY), 1889, T., 155; P., 4.

combination of, with phosphoric and iodic anhydrides (Weber), 1887, A., 328.

compounds of with selenious anhydride (Weber), 1887, A., 212.

Sulphur heptoxide (Traube), 1891, A., 978; 1892, A., 401; (Carnegie), 1892, A., 111.

Sulphur acids :---

Sulphurous acid, constitution of (MICHAELIS), 1892, A., 1324.

rate of chemical change between iodic acid and (LANDOLT), 1886, A., 658.

action of copper on (CAUSSE), 1886, A., 423.

action of nitrous acid on (RASCHIG), 1887, A., 549, 635.

action of, on selenious acid (SCHULZE), 1886, A., 302.

action of, on sodium thiosulphate (VILLIERS), 1889, A., 568.

action of, on flowers of sulphur (ColeFax), 1891, P., 180; 1892, T., 199.

comparative oxidation of solutions of sodium sulphite and (Reese), 1885, A., 217.

reduction of, by hydrogen phosphide (CAVAZZI), 1886, A., 978.

poisonous nature of (OGATA), 1885, A., 577.

injury to vegetation by (Just), 1888, A., 318.

contained in furnace gases, absorption and utilisation of (ANON.), 1883, A., 248.

complex salts of (BARTH), 1892, A., 564.

Sulphites (HARTOG), 1887, A., 886; 1889, A., 1106; (SCHWICKER), 1889, A., 942.

alkali, thermochemical researches on (BERTHELOT), 1883, A., 704.

Sulphites, metallic (Rohrig), 1888, A., 649.

constitution of (DIVERS), 1885, T., 205; P., 26; (DIVERS and SHIMIDZU), 1886, T., 533; P., 139.

their place in a series of sulphuryl compounds (DIVERS), 1885, T., 217.

interrelations of, with sulphonates and sulphinites (DIVERS), 1885, T., 211.

instability of (Divers), 1885, T., 212.

action of heat on (DIVERS), 1885, T., 208.

action of, on chlorates (Prud'номме), 1885, А., 207.

action of iodine on a mixture of thiosulphates and (COLEFAX), 1892, T., 1083; P., 155.

and nitrites of metals other than potassium, reaction between (DIVERS and HAGA), 1887, T., 659; P., 100.

action of phosphorus pentuchloride and of sulphur dioxide on (DIVERS), 1885, T., 206, 209, 219.

action of phosphorus oxychloride on (DIVERS), 1885, T., 207; P., 26; (DIVERS and SHIMIDZU), 1886, T., 588.

conversion of certain other salts into, by sodium, and of sulphites into other salts by chlorine or iodine (DIVERS), 1885, T., 210.

Pyrosalphites (metasulphites) (Berthelot), 1883, A., 705; (Meysztowicz), 1888, A., 344.

Sulphurous acid, detection and estimation:—

delicate test for (WITZ), 1885, A., 954.

microscopic detection of (DENIGES), 1892, A., 237.

detection of, in presence of thiosulphates and sulphates (VIL-LIERS), 1887, A., 749. detection of, in wine (LIEBER-

detection of, in wine (LIEBER-MANN), 1883, A., 384. titration of (LUNGE), 1884, A., 776.

titration of (LUNGE), 1884, A., 776. estimation of (Classen and Bauer),
- 1883, A., 934; (Reese), 1885, A., 296; (Blarez), 1886, A.,

918; (Volhard), 1888, A., 192. estimation of, in admixture with hydrogen sulphide (Lunge), 1891, A., 498.

estimation of in beer (HERZ), 1886, A., 102.

Sulphurous acid, estimation:estimation of, in fuming sulphuric acid (Sětlík), 1890, Å., 414.

estimation of, in presence of thio-sulphuric acid (KALMANN), 1887, A., 618.

estimation of, in wine (WARTHA), 1883, A., 621.

Sulphuric acid in chalybeate waters (Willm). 1891, A., 1440.

natural and plastered wines (VITALI), 1891, A., 1551.

mode of combination of, in plastered wines (MAGNIER DE LA SOURCE), 1891, A., 768.

theory of the formation of (LUNGE), 1888, P., 3.

formation of, in the animal body (GOLDMANN), 1885, A., 922. formation of, in burning coal-gas

(Přiwoznik), 1892, A., 1151, 1389; (Lieben), 1892, A., 1374. formation of, in the preparation of dithionic acid (SPRING and BOURGEOIS), 1886, A., 978.

quantitative production of, lecture experiment (v. Hof-MANN), 1883, A., 281. anufacture of (Borntrager;

manufacture PEMBERTON), 1884, A., 126.

manufacture of, in America (NON.), 1884, A., 230.

manufacture of, from pyrites in America (Lunge), 1884, A., 1082.

loss of nitre in the manufacture of (Eschellmann), 1884, A., 1222. influence of the Glover tower in the manufacture of (SCHEURER-

KESTNER), 1885, A., 706. utilisation of the nitrogen-com-

pounds from the manufacture of (Wachtel), 1883, A., 180. lead chamber deposit from Japanese

(Divers and Shimost), 1884, A., 392.

theory of the lead chamber process (Lunge), 1884, A., 698; 1888, P., 3; 1889, A., 103; (RASCHIG), 1889, A., 103.

chambers, working of (PEMBERTON), 1883, A., 887

chambers, use of Korting's apparatus for forcing the gases through (Scheurer-Kestner), 1885, A., 1166.

chambers, the currents of the gases in (Abraham), 1883, A., 129. chambers, action in (NAEF), 1886, A., 400.

chamber exit gases, testing (LUNGE), 1891, A., 497.

Sulphuric acid chambers, estimation of the total acidity in the flue gases from (Younger), 1888, A., 193.

purification of (MENZIES), 1885, A., 304; (ANON.), 1885, A., 1269; (Kupfferschlager), 1886, A., 302.

purification of, for Kjeldahl's process (Lunge), 1891, A., 617.

dilute, composition of (PICKERING), 1892, A., 271.

specific conductivity of (Kohl-RAUSCH), 1883, A., 413.

electrical conductivity of solutions of (CROMPTON), 1888, T., 118; (Pickering), 1889, P., 88; 1890, T., 86, 158; (BOUTY), 1889, A., 556.

electrolysis of solutions of, of different degrees of concentration (GLADSTONE and TRIBE), 1883, T.,345; 1884, A., 654; (RICHARZ), 1885, A., 624; (McLeod), 1886, T., 591; P., 215; (Boury), 1889, . A., 556.

electrolysis of dilute, formation of hydrogen peroxide at the anode during the (RICHARZ), 1888, A.,

thermochemistry of (MASSOL), 1891, A., 968.

heat of neutralisation of (PICKER-ING), 1889, T., 323; P., 79.

solutions, heat capacity of (PICKER-ING), 1889, P., 87, 88; 1890, T., 88, 160.

heat conductivity of (CHREE), 1888, A., 641.

heat of dilution of (Mendelferf), 1886, A., 413.

heat of solution of (PICKERING),

1889, P., 86; 1890, T., 94, 165. solutions, expansion by heat of (Pickening), 1889, P., 88; 1890, Ť., 114, 177.

solutions, properties of (Picker-Ing), 1891, P., 105; A., 973. solutions of, cryoscopy of (Picker-Ing), 1889, P., 106, 150; 1890, T., 331; 1892, A., 678.

solutions, specific gravity of (KOHL-Dillions, specific gravity of (Kohl-RAUSCH), 1883, A., 413; (LUNGE and NAEF), 1883, A., 851; (LUNGE), 1884, A., 1256; 1885, A., 216; (MENDELLEEFF), 1885, A., 121; 1886, A., 413; 1888, A., 343; (PICKERING), 1889, P., 86; 1890, T., 69, 139; 1892, A., 271, 272; (LUNGE and ISLER), 1891, A., 150; (RUUKER), 1892, A.. 271. A., 271.

Sulphuric acid and water, contraction on mixing (Pickering), 1892, A., 271.

volume-weight of (SCHERTEL), 1883, A., 288.

volatility of, at ordinary temperatures (COLEFAX), 1891, A., 977.

coefficient of diffusion of (STEFAN), 1889, A. 1047.

affinity of certain divalent metals for (Fink), 1887, A., 885.

quantity of moisture remaining in gases after drying by (Morlley), 1886, A., 278.

action of, on antimonious oxide (ADIE), 1890, T., 541.

action of, on metals (VELEY), 1888, A., 104; (DITTE), 1891, A., 260.

action of, on zinc (MUIR and ADIE), 1887, P., 106; 1888, T., 47; (PULLINGER), 1890, T., 815; P., 136.

action of, on zinc containing lead (SPRING and VAN AUBEL), 1887, A., 1076.

influence of, on the action of invertase on cane-sugar (O'SUL-LIVAN and TOMPSON), 1890, T., 855.

as an iodine carrier (NEUMANN), 1887, A., 573.

absorption of, by wool, silk and cotton (MILLS and TAKAMINE), 1883, T., 144.

total, in urine, relation between, and that existing as ethereal sulphates in rest and work (SHER), 1889, A., 430.

as a manure (Märcker), 1888, A., 681; (Farský), 1881, A., 775; 1885, A., 83; 1886, A., 954; (Fresenius; Stocks), 1881, A., 926.

amides and imides of (TRAUBE), 1892, A., 1389.

hydrates of (Pickering), 1889, P., 88, 106, 128, 151; A., 941; 1890, T., 128, 339.

compounds of vanadic anhydride with (MUNZING), 1890, A., 336.

Sulphates from California (MELVILLE and LINDGREN), 1892, A., 1407.

formation of, in germination (Schulze), 1885, A., 1153.

constitution and dimorphism of (GEUTHER), 1883, A., 973.

magnetic rotation of (Perkin), 1890, P., 143.

efflorescence of metallic (BAUBIGNY and PECHARD), 1892, A., 1271.

Sulphates and chlorides, relation between the heats of formation of, in aqueous solution (FAY), 1888, A., 401.

determination of atomic weights by means of normal (BAILEY), 1887, T., 676; P., 100.

solubility of (Erard), 1888, A.,

solubility of, effect of sulphuric acid on the (Exgel), 1887, A.,

solubility of, decrease in the (ETARD), 1888, A., 548.

reduction of, by algo (ETARD and OLIVIER),1883, A., 229; (ETARD), 1883, A., 680.

alkaline, reduction of, by hydrogen and by carbon (Berrhelot), 1890, A., 1053.

reduction of, by "sulfuraires" (PLAUCHUD), 1883, A., 610.

reaction between ferric oxide and certain, at high temperatures (SCHEURER-KESINER), 1885, A., 125.

anhydrous, crystallised (KLOBB), 1892, A., 941.

basic (Habermann), 1884, A., 151. conjugated (Roy), 1887, P., 53.

double, hydrous, natural (BLAAS), 1884, A., 1103.

double, modifications of: specific heat determinations (PICKERING), 1885, P., 101, 112; 1886, T., 1, 12.

multiple (ASTON and PICKERING), 1885, P., 129; 1886, T., 123. octo- (Weber), 1885, A., 121.

nitro- (Divers and HAGA), 1885, T., 203; P., 25.

Sulphuric acid, detection and estimation:—

detection of (Pickering), 1883, A., 240.

detection of nitrogen compounds in seleniferous (LUNGE), 1887, A., 998.

detection of nitrous compounds in (Wilson), 1890, A., 922.

detection of nitric oxide in (LUNGE), 1885, A., 954; 1886, A., 391; (BAYLEY), 1886, A., 833.

detection of, in aluminium sulphate (MILLER), 1883, A., 1168; (EGGER), 1889, A., 648.

detection of, in wines (MAGNIER DE LA SOURCE), 1891, A., 768. titration of (SOLTSIEN), 1891, A.,

115.

Sulphuric acid, detection and estimation:-

and iodates, precipitation of mixtures of, by barium salts (Chrusr-

scnoff), 1887, A., 884.

estimation of (MARSH), 1889, A., 1032; (v. MEYER), 1890, A., 1342; (BAUMANN), 1892, A., 104, 538; (LUNGE), 1892, A., 538; (CAZENEUVE and NICOLLE), 1892, A., 659.

estimation, volumetric, of (Knor-LER), 1886, A., 180; (WILSING), 1887, A., 181; (QUANTIN), 1887, A., 181; 1889, A., 1087; (GAWA-LOWSKI), 1888, A., 751; 1890, A., 825; (NORTH), 1889, P., 5; (LINOSSIER), 1889, A., 75; 1889, A., 1889, A., (SIDERSKY), 306; (ANDREWS), 1890, A., 414; (Bouriez), 1892, 1377; Α., (FARNSTEINER), 1892, A., 1515. estimation of, in presence of chlorides alkaline (Schulze), 1883, A., 240.

estimation of, in alum cake and sulphate of alumina (WILLIAMS),

1888, P., 84; A., 88.

estimation of, in presence of iron (JANNASCH and RICHARDS), 1889, A., 926; (JANNASCH; LUNGE), 1889, A., 1244.

estimation of, in presence of organic matter (Pomeroy), 1884, A., 109.

estimation of, in soils (FRICKE), **1890, ▲., 833.**

estimation of, in water (FRICKE),

1887, A., 862. estimation of, in rain water (WARINGTON), 1889, T., 545.

estimation, volumetric, of, in urine (FREUND), 1892, A., 1377.

estimation of ethercal hydrogen sulphates and, in urine (SALKOWski), 1886, A., 739.

Pyrosulphuric acid, specific conductivity of (Kohlrauson), 1883, A., 413.

action of, on certain metals (DIVERS and SHIMIDZU), 1885, T., 636.

Pyrosulphates (Schulze), 1885, A., 216.

Pyrosulphuric chloride (Konowa-LOFF), 1883, A., 553, 782, 900; (HEUMANN and Kochlin), 1883, A., 1051.

mode of formation of (HEUMANN and Kochlin), 1883, A., 710. heat of formation of (KONOWALOFF),

1884, A., 250.

osulphuric chloride, vapour density of (OGIER), 1883, A., Pyrosulphuric vapour 423, 646; (HEUMANN and Koch-LIN), 1883, A., 710.

conversion of, into sulphuric monochloride (OGIER), 1883, A., 642.

Hyposulphurous acid, influence of, on the solution of zinc in dilute sulphuric acid (Pullinger), 1890, T., 822.

Persulphuric acid and its salts (Berthelot), 1892, A., 931.

electrical behaviour of platinum in (Richarz), 1889, A., 1041.

galvanic polarisation in the formation of (RICHARZ), 1889, A., 1041.

behaviour of, towards nitrogen (TRAUBE), 1889, A., 941.

formation of hydrogen peroxide from (TRAUBE), 1889, A., 940. dithio- (VILLIERS), 1888, A., 650.

Persulphates (MARSHALL), 1891, T., 771; P., 124; (BERTHELOT), 1892, A., 12.

Thiosulphuric acid, time of existence of, in aqueous solution (LAN-DOLT), 1884, A., 554; (WINKEL-MANN), 1885, A., 722.

action of potassium permanganate on (Honig and Zatzek), 1886, A., 504.

decomposition of (COLEFAX), 1892, T., 176.

Thiosulphates (Schwicker), 1889, A., 942; (Fock and Kluss), 1890, A., 210, 330, 564, 1057; *1891, A., 879; 1892, A., 12; (PURGOTFI), 1892, A., 1418.

formation of (DONATH and MULL-

NER), 1888, A., 649.

action of acids on (BERTHELOT), 1889, A., 824; (VAUBEL), 1889, A., 943; (VORTMANN), 1889, A., 1107.

and sulphites, action of iodine on mixtures of (Colerax), 1892, T., 1083; P., 155.

action of, on metallic salts (Vort-MANN), 1889, A., 1107.

decomposition of, by acids (Fous-SEREAU), 1887, A., 883.

solutions, preservation of (SALZER), 1892, A., 1514.

alkali (Berthelot), 1883, 707.

alkaline, and acetic acid (MATHIEU-Plessy), 1885, A., 1038.

double (Jochum), 1886, A., 17; (Cohen), 1886, P., 251; 1887, Ť., 38.

Thiosulphuric acid, detection and estimation:-

detection of, in a mixture of alkaline salts (DE KONINCK), 1887, A., 297; (Flückiger), 1887, A., 689.

detection of, in sodium hydrogen sulphocarbonate (Musser), 1891, A., 498.

detection of, in urine (PRESCH), 1890, A., 812.

detection of, in water (NEUHÖFFER), 1886, A., 99.

estimation of (Brugelmann), 1884, A., 492.

Thionic acids, thermochemistry of (Berthelot), 1889, A., 667. action of alkalis on (BERTHELOT),

1889, A., 823.

Dithionic acid, basicity of (TREY), 1885, A., 870.

formation of, from sodium sulphite (Holst and Otto), 1891, A., 978.

formation of sulphuric acid in the preparation of (Spring and Bour-GEOIS), 1886, A., 978.

Dithionates (KLÜSS), 1888, A., 784, 1156.

Trithionates, formation of, by the action of iodine on mixtures of sulphites and thiosulphates (Spring), 1892, P., 91.

action of alkalis on (BERTHELOT),

1889, A., 823. action of hydrogen sulphide on (Debus), 1888, T., 329.

Tetrathionates, preparation of, from Wackenroder's solution .,'552. TIUS and HENKEL), 1888, A. alkaline, preparation of (v. Klobu-

KOFF), 1885, A., 1110. action of alkalis on (BERTHELOT), 1889, A., 823.

action of hydrogen sulphide and of sulphurous acid on (Denus), 1888, T., 328, 333.

Pentathionic acid (SMITH), 1883, T., 355.

method for preparing (SALZER), 1886, A., 850.

influence of time on the formation of (DEBUS), 1888, T., 333.

tathionates, preparation (SHAW), 1883, T., 351. Pentathionates, of

characteristic reactions of (Debus), 1888, T., 297. action of alkalis on (BERTHELOT),

1889, A., 823.

action of hydrogen sulphide and of sulphurous acid on (DEBUS), 1888, T., 328, 331.

Polythionates (Spring), 1892, P.,

formulæ of (DEBUS). 1888, T., 351. action of sulphurous acid on (Debus), 1888, T., 331; P., 18. general reactions of (Debus), 1888, T., 298.

Thionic acids. See also Wackenroder's solution.

Sulphur, detection and estimation:detection of, in alkaline sulphides

(PRUNIER), 1890, A., 291. detection of, not combined with hydrogen in illuminating gas (ILos-VAY), 1891, A., 862.

detection of, in organic compounds (MARSH), 1889, A., 796.

estimation of (CLASSEN and BAVER), 1883, A., 934; (TREADWELL), 1891, A., 1137; 1892, A., 1375; (CRAIG), 1892, A., 382.

estimation of, influence of copper on the (Brugman), 1887, A., 296.

estimation, simultaneous, of carbon and (PRUNIER), 1890, A., 290.

estimation, volumetric, of (v. Klobu-KOFF), 1885, A., 1159; (FRIED-HEIM), 1886, A., 739; 1887, A., 396, 749; (WEIL), 1886, A., 918; 1887, A., 618, 998; (C. and J. J. Beringer), 1889, A., 437; (VI-TALI), 1892, A., 1515.

estimation of, by Sauer's method and some modifications of it (MIXTER),

1883, A., 239.

estimation of, in coal (Drown), 1883, A., 383; (ATKINSON), 1887, A., 296; (BAILEY), 1890, A., 414; (NEILSON), 1891, A., 1137.

estimation of, in coal-gas (KNUB-LAUCH), 1883, A., 382; (FAIRLEY), 1887, A., 297.

estimation of, in coke (ATKINSON), 1887, A., 296; (Blum), 1888, A., 1333.

estimation of, in copper (Phillips), 1891, A., 362; (LOBRY DE BRUYN), 1892, A., 753.

estimation of, in galena (JANNASCH

and Aschoff), 1892, A., 658. estimation of, in iron and steel (CRAIG), 1883, A., 121, 512, 883; (ROCHOLL), 1883, A., 512, 883; (PETER), 1885, A., 1161; (WIBORGH), 1886, A., 743; (MÖLLER), 1887, A., 296; (MORGAN), 1887, A., 296; (MORGAN), 1887, A., 296; (MORGAN), 1887, A., 298, 1887, A., 288, 1888, A., 288, A A., 1140; 1888, A., 1334; (PLATZ). 1887, A., 1141; (ARNOLD and HARDY), 1888, A., 1333; (v. Reis), 1889, A., 648; (BLUM), 1890, A., 921; 1892, A., 1376; (COHEN

Sulphur, estimation:-

ARCHBUIT), 1890, A., 1463; (REIN-HARDI), 1890, A., 1464; (v. Reis and Wiggerr), 1891, A., 1519; (Wilson), 1892, A., 382.

estimation of, in oils (ALLEN), 1888,

A., 627.

estimation of, in organic compounds (Keiser), 1884, A., 500; (Klason), 1886, A., 918; (MESSINGER), 1889, A., 81; (Burton), 1890, A., 289; (ANGELI), 1892, A., 382.

estimation of, in proteids (HAN-MARSTEN), 1885, A., 914, 931;

(Косия), 1887, А., 396.

estimation of, in pyrites (Bodewig), 1884, A., 492; (Lunge), 1884, A., 492; 1886, A., 280; 1888, A., 85; 1890, A., 413; 1891, A., 496; (CLARK), 1886, A., 279; (WELCH), 1887, A., 180; (WESTMORELAND), 1888, A., 85.

estimation of, in burnt pyrites (WATson), 1889, A., 306; (Lunge), 1890, A., 193.

estimation of, in soluble slags (CAMP-BELL), 1887, A., 526.

estimation of, in vegetable soil (BER-THELOT and ANDRE), 1892, A.,

estimation of, in inorganic sulphides (Lunge), 1889, A., 1241; (JAN-NASCH), 1889, A., 1241; 1890, A., 1187; (BLUM), 1891, A., 107; (JANNASCH and WASOWICZ), 1892, A., 657.

Sulphuranes (DEMUTH and MEYER), 1887, A., 906; (BRAUN), 1888, A., 243.

Sulphuretted hydrogen. See Hydrogen sulphide.

Sulphuric acid. See under Sulphur. anhydride or oxide. See Sulphur trioxide.

Sulphur-island, a, in New Zealand (MacIvor), 1888, A., 427.

Sulphurous acid. See under Sulphur. anhydride. See Sulphur dioxide. disinfecting powders, analysis of (MUTER), 1891, A., 124. See Water. waters.

Sulphurylamide, imido- (MENTE), 1889, A., 211.

Sulphuvinuric acid (HANTZSCH and

TRAUMANN), 1888, A., 573. Sulphydrates. See Hydrosulphides.

Sulphydroethylphthalimide (mercaptoethylphthalimide) (GABRIEL), 1889, A., 870.

preparation of (GABRIEL), 1891, A., 815.

Sulphydroethylphthalimide (mercaptoethylphthalimide), action of various reagents on (GABRIEL), 1892, A., 130.

Sulphydromethenylamidothionaphthol and its methyl other (Jacobson and FRANKENBACHER), 1891, A., 1049.

 $\mu\beta$ -Sulphydromethylthiazoline ($\mu\beta$ -mercaptomethylthiazoline) (IIInsan), 1890,

A., 860.

 μ -Sulphydropenthiazoline (μ -mercuptopenthiacoline) (GABRIEL and LAUER), 1890, A., 473; (LAUER), 1890, A., 1090.

Sulphydropropylphthalimide 46-48°] (GABRIEL and LAUER), 1890, A., 472.

[m.p. 88°] (Seirz), 1891, A., 1473. μ-Sulphydrothiazoline (μ-mc) captothiazoline) and its methyl ether (G 1-

BRIEL), 1889, A., 849.

Sumac, Caucasian wild, tannic acid in

(LIDOFF), 1889, A., 541. determination of tannin in (MA-CAGNO), 1887, A., 624.

Sun, carbon and platinum in the (Trow-BRIDGE and HUTCHINS; HUICHINS and Holden), 1887, A., 1065.

want of proof of the presence of oxygen in the (TROWDRIDGE and

HUTCHINS), 1887, A., 1065. dissociation of oxygen and hydrogen in the atmosphere of the (GRUN-WALD), 1887, A., 1070.

Sunflower oil (HAZURA), 1889, A.,

atmospheric oxidation of (KINGZETT), 1888, A., 605.

Sunflower-seed cake as fodder for milch cows (SCHRODT and V. PETER), 1884, A., 483.

Sunlight. See Photochemistry.

Sunshine recorder (McLEOD), 1885, A.,

Superillumination (FRANKLAND), 1884, T., 236.

Superphosphates. See Agricultural Chemistry.

Supersaturation. See Solutions, supersaturated.

Suprarenal capsules, chemical examination of (MARINO-Zuco), 1889, A.,

Surface, free, of liquids (LIEBREICH), 1891, A., 1150.

increase of chemical energy at (BECHноль), 1890, А., 328.

Suspension, connection between solution and (Picton and Linder), 1891, P., 177; 1892, T., 151, 165. Sussexite from New Jersey (PENFIELD

and Spenny), 1889, A., 356.

Sweat of the horse (SMITH), 1891, A., 349.

human, aromatic products of putrefaction in (KANT), 1887, A., 1132. excretion of nitrogen in the (ARGU-TINNKY), 1891, A., 350.

TINSKY), 1891, A., 350. Swedes, digestibility of (LEHMANN and Vogel), 1891, A., 595.

Swimming bladder of fishes, gases in (TRAUBE-MENGARINI), 1890, A., 183. Sychnodymite, a new cobalt ore (LASPEYRES), 1891, A., 1167.

Syenite, Biellese, presence of yttrium in the sphene of (Cossa), 1884, A., 158.

near Glatz in Lower Silesia (TRAUBE), 1890, A., 1076.

Dresden, analysis of (GRIFFILIIS), 1883, A., 859.

Syenite-pegmatite veins of the South Norwegian augite and nephelite syenites, minerals from the (Brogger), 1890, A., 1077.

Sylvaneacetic acid (Polonowsky), 1888, A. 1068.

Sylvanecarboxyacetic acid. See Mcthronic acid.

Sylvanite (Sipocz), 1886, A., 312; (Hankó), 1890, A., 711.

Sylvestrene and its compounds. See Terpenes.

Sylvic acid and pinaric acid and the hydrocarbons therefrom (LIEBER-MANN), 1884, A., 1364; (HALLER), 1885, A., 1241.

Sylvite (sylvine), thallium in (SCHRAMM), 1883, A., 954. compressibility of (RÖNTGEN and SCHNEIDER), 1888, A., 1019. See also Potassium chloride.

Symmetry, plane and axial, the criteria of (Armstrong), 1888, P., 93.

Symphonia fusciculata (Clusiacea), oleaginous seeds of (REGNAULD and VILLEJEAN), 1885, A., 290.

Symphoricurpos racemosus, calcium oxalate in the leaves of (Wehmer), 1890, A., 191.

the sugar of (HERRMANN and Tol-LENS), 1886, A., 92.

Symphytum asperrimum, as a fodder plant (Weiske), 1888, A., 613; (Marcker), 1886, A., 646.

Synadelphite (Sjogren), 1885, A., 960. Syntagmatite (Scharizer), 1885, A.,

Syntonin (Danilewsky), 1884, A., 1388.

Syringenin, syringic acid, syringin (dimethoxyconiferin) and syringinaldehyde (Körner), 1889, A., 159. Syrup of tolu, alteration of (MALEN-FANT), 1883, A., 407.

Syssiderite of Atacama, analysis of the rocky portion of (Meunier), 1884, A., 414.

of Lodran, geological history of (MEUNIER), 1884, A., 417.
Szaboite. See Hypersthene.

T.

Tubernaemontana sphaerocarpa, alkaloid from (GRESHOFF), 1891, A., 337.

Tachyhydrite, synthesis of (DE SCHULTEN), 1891, A., 405.

Tachylite of the Western Isles of Scotland (Judd and Cole), 1884, A., 570.

Tachylite-sphaerolite from the Ussuri district (Wenukoff), 1890, A., 461.

Tenite (MEUNIER), 1889, A., 766; (WEINSCHENK), 1891, A., 27.

from the Welland meteoric iron (DAVISON), 1892, A., 21.

Taiguic acid. See Lapachol.

Tale from South Africa (COHEN), 1887, A., 561.

constitution of (CLARKE and SCHNEIDER), 1890, A., 948.

alteration of quartz into (Weinschenk), 1888, A., 1259. alteration of, into anthophyllite

(Genth), 1884, A., 272. pseudomorphous, after magnetite

(GENTH), 1884. A., 273. used in paper making (MACADAM), 1887, A., 452.

nickeliferous (BACHMAN), 1888, A., 661.

See also Magnesium silicate.

Tallow, bleaching (ANON.), 1885, A., 710.

oxidation of the fatty acids of, by potassium permanganate in alkaline solution (Gröger), 1885, A., 883.

saponification of (WARREN), 1891, A., 1144.

analysis of (TAFFE), 1890, A., 305; (MUTER and DE KONINGH), 1891, A., 130.

vegetable, or tengkawang fa (BAKKER), 1885, A., 710.

vegetable, treating (LACH), 1885, A., 1275.

See also Fat.

Talomucic acid, talonic acid and talose (FISCHER), 1892, A., 299.

Tamarugite, from Tarapaca (SCHULZE), 1891, A., 1436.

Tanghinin (Arnaud), 1890, A., 171. from Tanghinia renenifera (Arnaud), 1889, A., 900.

(TRIMBLE),

Bark tannins, and some derivatives of (Bottinger), 1884, A., 1025.

Caffetannic acid in Virginia creeper

Cocatannic acid (WARDEN), 1888, A.,

Fraxitannic acid and its derivatives

(GINTL and REINITZER), 1883, A.,

1885, A., 1255.

1892, A., 716.

Chestnut-wood tannin

1090; 1889, A., 297.

(Cissus quinquefolia) (Phirson),

TANNIC ACIDS and TANNINS (MUSSET), 1884, A., 1439; (COUNCLER), 1885, A., 946; (Norzli), 1886, A., 496; (ETTI), 1890, A., 161, 257; (BOTTINGER), 1891, A., 70. origin of (NICKEL), 1891, A., 1395. rôle of, in leaves (KRAUS), 1889, A., as a reserve material in evergreen leaves (SCHULZE), 1889, A., 540. from various plants (FRIDOLIN), 1885, A., 808. function of, in plants (Kutscher), 1884, A., 628; (GARDINER), 1884, A., 1209; (Westermaier), 1888, A., 187; (Busgen), 1890, A., 819. synthesis of (Hunt), 1885, A., 1228. decolorised, manufacture of (VILLON), 1891, A., 70. molecular weight of (SABANÉEFF), 1891, A., 146. isomerides of (SCHIFF), 1888, A., 840. action of air on solutions of (GUYARD), 1884, A., 1438. blue colouration of, with iodine (KRAUS), 1887, A., 173. action of phenylhydrazine on (Bör-TINGER), 1890, A., 896; 1891, A., 70. action of sodium in alcoholic solution on (BOTTINGER), 1890, A., 1275. behaviour of, with Fehling's solution (Sonnenschein), 1885, A., 1163. behaviour of, towards various reagents (ETTI), 1884, A., 1355. behaviour of, in plants (Busgen), 1891, A., 104. acetylisation of (Böttinger), 1884, A., 1178. oxidation of (Bottinger), 1890, A., conversion of, into benzoic acid (GUIGNET), 1891, A., 1481. method of fixing colouring matters on cotton (WITT), 1885, A., 1024. dyes obtainable from (Wirr), 1886, A., 403. physiology of (KEAUS), 1889, A., 917; (REINITZER), 1890, A., 186. physiological action of (Morner), 1892, A., 905. compounds of gelatin with (Bor-TINGER), 1888, A., 614. derivatives of (Böttinger), 1892, A., zinc salt of (VILLON), 1891, A., 70. Algarovilla, tannin of (HURST), 1887, A., 498; (ZÜLFFEL), 1891, A., 918. Aspiclium felix mas, tannin of (DACCOMO), 1888, A., 521.

Animal tannin (VILLON), 1888, A.,

77.

216. "Fustin," tannin of (SCHMID), 1886, A., 894. Gallotannic acid, estimation of, in barks (HINSDALE), 1892, A., 390. Gambier or Terra japonica, analysis of (PROUTER), 1892, A., 928. Hemlock tannin and some of its derivatives (Bortinger), 1884, A., 1025.Hop tannin, behaviour of, towards the albuminoids in malt (MORITZ and LEE), 1884, A., 527. Mountain ash berry tannin (VINCENT and Delachanal, 1887, A., 950. Myrobalans, tannin of (Zolffel), 1891, A., 918. Oak-tannic acid and oak-tannin and quercitannic acid (ETTI), 1883, A., 994, 995; 1890, A., 164; (BOTTINGER), 1884, A., 321; 1887, A., 584; 1891, A, 70, 1061; (Musser), 1884, A., 1439. behaviour of, towards various reagents (ETFI), 1884, A., 1355. oxidation of (Bottinger), 1890, A., 1130. reaction of (BUTTINGER), 1890, A., Sumae, tannin of (Macagno), 1887, A., 624; (Lidoff), 1889, A., 541, Tannin, detection and estimation:iodised, as a reagent (SCHWEISSINGER), 1885, A., 691. detection of (SAUL), 1887, A., 406; (RAWSON), 1889, A., 447. microchemical detection of (Moll), 1887, A., 311. detection of, in plants (WAAGE), 1891, A., 770. detection of, in urine (KATHREIN), 1891, A., 964. estimation of (GAWALOWSKI), 1883, A., 391; (PERRET), 1884, A., 696; (SIMAND), 1884, A., 931; (GUYARD), 1884, A., 1438; (CARLES), 1885, A., 302; (Ulbricht; Becker), 1885, A., 934; (Hunt), 1886, A., 285; (Simand and Welse), 1886, A., 1084; (Dieudonné), 1887, A., 187;

("E. B."), 1887, A., 311; (VILLON), 1887, A., 872; (PROCTER), 1888, A., 96; 1890, A., 1477; (GANTTER). 1888, A., 540; 1890, A., 480; (Collin and Benoist), 1888, A., 1138; (GUENEZ), 1890, A., 931; (MOULLADE), 1890, A., 1348 1348 (WHITELEY and WOOD), 1892, A., 667; (Fleury), 1892, A., 1135.

Tannin, estimation:-

estimation of, in barks (HINSDALE), 1890, A., 1348; 1892, A., 390.

estimation of, in hops (Kokosinski),

1891, A., 870.

estimation of, in concentrated solutions, by the Vienna gravimetric method (Косн), 1888, A., 1138.

estimation of, in sumac (MACAGNO), 1887, A., 624; (Lidoff), 1889, A.,

estimation of, in tea (WHITE), 1889, A., 1092; (Maltschewsky), 1891, A. 132; (Dvorкoviтсн),1891, А.,1302. estimation of, in Indian and Ceylon teas (Hooper), 1890, A., 820.

estimation of, in wines (Roos, Cusson and GIRAUD), 1890, A., 431; (VIGNA), 1891, A., 1399; (VOGEL), 431; 1891, A., 1557. See also Colouring matters.

Tannin-red (HOPPE-SEYLER), 1889, A.,

Tanning-liquor, estimation of the acids in (Kohnstein and Simand), 1885, А., 935; (Косн), 1887, А., 871, 1144; 1889, A., 195.

Tanning materials, lime in (PETRO-

WITSCH), 1890, A., 312.

Tantalite from the Black Hills, South Dakota (Headden), 1891, A., 886. locality (Schaeffer), 1885, A., 359.

Tantalum pentoxide (tuntulic anhydride), crystallised (MALLARD), 1888, A., 349.

colour reactions of (LEVY), 1887, A., 304.

microchemical test for (v. Haus-HOFER), 1890, A., 90.

Tapalpite from Mexico (GENTH), 1888, A., 564.

Tapeworms, mercury in (OELKERS), 1890, A., 396.

Taps, safety (Shenstone), 1887, P., 108; 1890, T., 958; P., 140.

methiodide Tarconine and methochloride (ROSER), 1888, A., 1115. iodo- (Roser), 1888, A., 1116.

Tariric acid (ARNAUD), 1892, A., 582. Tar-oils boiling between 170° and 200° hydrocarbons from (JACOBSEN), 1887, A., 35.

Tarondjabin (Turkestan manna) (MARKOWNIKOFF), 1885, A., 943.

Tartar. See Tartaric acid, potassium hydrogen salt of.

See Tartaric acid, Tartar emetic. potassium antimony salt of.

d-Tartaric acid (dihydroxysuccinic acid) (GROSJEAN), 1883, T., 331; (PERKIN), 1887, T., 362.

from erythrol, attempt to obtain, by electrolytic oxidation (BIZZARRI and CAMPANI), 1884, A., 297.

in wine (CLAUS), 1883, A., 935. manufacture of (FRIEDBURG). 1883,

A., 1178. synthesis of (GENVRESSE), 1892, A.,

822.

constitution of aqueous solutions of (AIGNAN), 1891, A., 1018.

rotatory power of solutions of (THOM-SEN), 1886, A., 12; (PŘÍBRAM), 1887, A., 755; 1888, A., 1229; 1889, A., 379; (Long), 1889, A., 380; 1890, A., 313; 1891, A., 249; (KANONNIKOFF), 1892, A., 1308.

rotatory power of varying mixtures of, with citric, acetic, and sulphuric acids (Thomsen), 1886, A., 13.

rotatory power of substances formed in solutions of (GERNEZ), 1887, A., 540; 1888, A., 97.

optical properties of (Bell), 1886. A., 1.

thermochemistry of (JAHN), 1891, A., 969.

influence of heat on solutions of (GROSJEAN), 1883, T., 334; (WE-DARD), 1889, A., 36.

specific gravity of solutions of (MARCH-

LEWSKI), 1892, A., 964. influence of sulphuric acid on the crystallisation of (GROSJEAN), 1883, T., 336.

decomposition of, in presence of glycerol (Iowanowitsch), 1885, A., 1125.

dry distillation of, with excess of lime (FREYDL), 1883, A., 658.

action of normal alkaline tungstates on solutions of (Gernez), 1888, A.,

action of phosphorus pentachloride on (KAUDER), 1885, A., 651; (PER-KIN), 1888, T., 695.

rate of oxidation of (KRUTWIG), 1889,

A., 239. reduction of (Balló), 1889, A., 693.

combination of normal magnesium and lithium molybdates with (GER-NEZ), 1889, A., 859.

d-Tartaric acid (dihydroxysuccinic wid), combinations of, with potash or soda in solution (AIGNAN), 1891, A., 1019.

compound of, with ammonium molybdate (GERNEZ), 1888, A., 98.

d-Tartaric acid, salts of, specific rotatory power of (KANONNIKOFF), 1892, A., 1308.

rotatory dispersion of (KUMMELL), 1891, A., 1145.

thermochemistry of (BERTHELOI), 1891, A., 967.

dissociation in dilute solutions of (SONVENTHAL), 1892, A., 588, 1144.

ammonium hydrogen salts of, crystalline form of (SUACCHI), 1886, A.,

antimony salts of (CLARKE and EVANS), 1884, A., 298; (GUNIZ), 1887, A., 657.

barium telluryl salt of (KLEIN), 1886, A., 767.

calcium salt of, preparation of (GLA-DYSZ), 1887, A., 571.

crystallography of (Anschulz), 1885, A., 243.

valuation of (WEIGERI), 1884, A., 1434.

potassium salt of, preparation of (GLADYSZ), 1887, A., 571. solubility of (BORNTR GFR), 1886,

A., 1082.

potassium antimony salt of (turtar emetic), rotatory and refractive powers of, relation between (Kanonnikoff), 1889, A., 453. circular polarisation of (LONG),

1890, A., 318. heat of formation of (Guntz), 1887, A., 544.

action of acids and bases on solutions of (Gunra), 1886, A., 856.

solutions, standard, preserving (MILLER), 1887, A., 403.

potassio-antimonic oxalate a substitute for (ANON.), 1881, A., 796; 1885, A., 464.

estimation of antimony in (Dun-STAN and BOOLE), 1889, A., 445.

boron salt of, circular polarisation of (LONG), 1890, A., 314.

potassium hydrogen salt of (tartar; cream of tartar) (BLAREZ), 1891, A., 676.

in wine (Petrowitsch), 1886, A., 652. See also Argol. crystalline form of (SCACCHI),

1886, A., 612.

d-Tartaric acid, potassium hydrogen salt of (tartar; cream of turtar), solubility of (Bonn-IRAGER), 1886, A., 1082.

solubility of, in dilute at (Osiwald), 1884, A., 812.

influence of inorganic potassium salts on the solubility of (BLAREZ), 1891, A., 974.

use of, for titrating standard acids and alkalis (BORNTRAGER), 1892, A., 525.

analysis of (PHILIPS), 1891, A., 372.

rapid estimation of (PICHARD), 1883, A., 755.

estimation of tartaric acid in (Borntrager), 1886, A., 1082; 1888, A., 536.

estimation of, in wines (HAAS), 1888, A., 1347; (GANS), 1890, A., 427; (SCHNEIDER), 1891, A., 371; (ACKERMANN), 1892, A., 1531.

silver hydrogen salt of (Perkin), 1887, Ť., 370.

stiontium salt of, behaviour of, with plastered wines (Spica), 1892, A., 93. tellurium salts of (KLEIN), 1886, A., 336, 767.

thallium and thallium ammonium, antimony, antimony, hydrogen, lithium, potassium and sodium salts of. circular polarisation of (LONG), 1890 A., 313.

√/-Tartaric acid, detection, estimation and separation :-

sensitive reaction of (Monlen), 1891, A., 867.

analysis of materials containing (v.

LORENZ), 1888, A., 327. detection of, in citric acid (Puscu), 1885, A., 445; (Salzen), 1888, A., 996; (CRISMER), 1892, A., 546.

estimation of (Fereaut), 1881, A., 371; (Pichard), 1884, A., 372; (Gantier), 1888, A., 535; (Heidenhain), 1889, A., 657; (Toth), 1891, A., 128; (Wolfmann; Telebra), 1891, A., 129.

estimation of, when mixed with citric

acid (WARD), 1889, A., 447. estimation of, in vinegar (Jolles), 1890, A., 428.

estimation of, in wines (CLAUS), 1883, A., 935; (HAAS), 1888, A., 1347; (GANS), 1890, A., 427; (SCHNEIDER), 1891, A., 371; (Vig-

NA), 1891, A., 1399. estimation of, in wine-lees (OLIVERI),

1885, A., 843.

//-Tartaric acid. estimation and separation:-

estimation of, in wine-lees and tartar (BORNTRAGER), 1886, A., 1082; 1888, A., 536.

separation of, from malic acid (Micko), 1892, A., 1531.

i-Tartaric acid (mesotartaric acid), formation of, by the exidation of phenol (DOEBNER), 1891, A., 1020. salts of (Przybytek), 1884, A., 1124.

l-Tartaric acid, thermochemistry of (Jahn), 1891, A., 969.

metaTartaric acid in factory liquors (Grosjean), 1883, T., 336.

paraTartaric acid. See Racemic acid. Tartaric acids, isomeric. melting points of (Bischoff and Walder), 1889, A., 959.

four isomeric, calcium salts of (Anschurz), 1885, A., 243.

Tartaric diphenylhydrazide (Bulow), 1887, A., 138.

action of carbonyl chloride on (FREUND), 1892, A., 511.

di-o- and -p-toluidides (BISCHOFF and NASTVOGEL), 1890, A., 1112.

glucoside, synthesis of (GUYARD), 1884, A., 1304.

Tartarotartaric acid (MULDER), 1892, A., 965.

Tartramidobenzoic acids, tartranbenzamic acid, tartranilbenzamic acid, and tartrandibenzamic acid (Schiff), 1886, A., 621.

Tartranilide, preparation and acetyl derivatives of (Polikier), 1892, A.,

Tartrazine dyes (Ziegler and Locher), 1887, A., 578.

Tartrazinesulphonic acid, nitro-, sodium salt of (Lerch), 1889, A., 881.

Tartromalic acid (ORDONNEAU), 1892, A., 589.

Tartronamide (FREUND), 1884, A., 1124; (PINNER), 1886, A., 48.

Tartronic acid (hydroxymalonic acid) (PINNER), 1886, A., 48.

from glycerol, attempt to obtain, by electrolytic oxidation (BIZZARRI and CAMPANI), 1884, A., 297.

preparation of (PINNER), 1885, A., 759.

thermochemistry of (Massol), 1892, A., 675.

heat of neutralisation of (GAL and Wenner), 1887, A., 96.

derivatives of (FREUND), 1884, A., 1123.

alkali salts of (MASSOL), 1892, A., 675.

Tartryl-benzamic, -dibenzamamidic and -dibenzamic acids (SCHIFF), 1886, A.,

Taste, a plant which destroys the sense of, for sweets and bitters (BERTHOLD), 1889, A., 182.

Taurammelide (RATHKE), 1888, A., 583. Taurammeline, inner anhydride (RATHKE), 1888, A., 583.

Taurine (amidocthunesulphonic acid), heats of combustion and formation of (Berthelor), 1890, A., 1361.

derivatives of (JAMES), 1885, T., 367; P., 46; 1886, T., 486; P., 212.

Taurines, mono-, di- and tri-substituted, general method for the preparation of (JAMES), 1885, T., 367.

Taurocholic acid; behaviour of, with albumin and peptones (MALY and Емісн), 1883, А., 673.

Taurodiammeline (RATHKE), 1888, A., 583.

Tautomeric compounds (NEF), 1889, A., 509; 1890, A., 983.

experiments to determine the constitution of (Goldschmidt and Meissler), 1890, A., 499.

Taxine, the alkaloid of the yew tree, and its ethiodide (HILGER and Brande), 1890, A., 650.

Tea, preparation of (Kozai), 1892. A., Ĩ37Ī.

Chinese (Dvorkovitch), 1891, A., 1302.

Japanese (TAKAYAMA), 1885, A., 582. Paraguay (maté) (SELLIN), 1884, A., 354; (PECKOLT), 1884, A., 479.

alkaloid from (PAUL and COWNLEY), 1889, A., 416.

analysis of (Kellner,), 1887, A., 73; (Domergue and Nicolas), 1892, A., 926.

estimation of the quantity of ash in

(NIKITINSKI), 1885, A., 845. estimation of caffeine in (PAUL and COWNLEY), 1888, A., 539; 1891, A., 358; (SPENCER), 1891, A., 134, 964; (Viri), 1891, A., 372; (Dvorкоугтен), 1891. А., 1302.

estimation of tannin in (WHITE), 1889, A., 1092; (MALTSCHEWSKY), 1891, А., 132; (Dvorkovitch), 1891, А., 1302.

Indian and Ceylon, estimation of tannin in (HOOPER), 1890, A., 820.

Tea-oil from Camellia oleifera (DAVIES), 1885, A., 1022.

Teak, mineral substances in (HOOPER), 1892, A., 230.

destructive distillation of (ROMANIS), 1887, T., 868; P., 114.

Tectone (ROMANIS), 1887, T., 871. Tectoquinone and its derivatives (Romanis), 1888, P., 116.

Teeth, influence of various salts on the composition of (Weiske), 1892, A., 647.

Tellurium in copper (Egleston), 1883, A., 531.

from Faczebaya (v. Foullon), 1885, A., 1116; (Loczka), 1892, A., 1054. atomic weight of (Brauner), 1889, T., 382; P., 94.

valency of (MICHAELIS), 1887, A.,

compound nature of (BRAUNER), 1889, T., 407, 411.

spectrum of (HARTLEY), 1883, T., 399.

specific heat of (FABRE), 1888, A., 332; 1889, A. 203.

heat relations of the allotropic modification of (BERTHELOT and FABRE). 1887, A., 761.

reactions of (Demanday), 1884, A.,

action of nitric acid on (KLEIN and Morel), 1885, A., 16.

action of, on solutions of silver and copper nitrates (Senderens), 1887, A., 332.

evidence of a new element in (GRUN-WALD), 1890, A., 434.

sulphur and selenium, isomorphism of (MUPHMANN), 1891, A., 1417.

compounds, reaction of (DIVERS and Shimosé), 1883, T., 329.

Tellurium tetrubromide, preparation of (Brauner), 1889, T., 396.

chlorides, thermochemical investigation on (Thomsen), 1883, A., 513.

electrolytic conductivity of (HAMPE), 1888, A., 889. dichloride (MICHAELIS), 1887, A., 1078.

tetrachlouide, vapour density of (MICHAELIS), 1887, A., 770.

Tellurous hydrate (Klein and Morel), 1885, A., 16. Tellurium hydride. See

See Hydrogen telluride.

Tellurides, crystallised, heat of formation of (FABRE), 1887, A., 1010.
Tellurium iodides, electrolytic con-

ductivity of (HAMPE), 1888, A., 889.

nitrate, basic (KLEIN), 1884, 1256; (KLEIN and MOREL), 1885, A., 16, 17, 870.

monexide (Divers and Shimose), 1883, T., 319.

Tellurium dioxide (tellurous anhydride) (KLEIN and MOREL), 1885, A., 16, 870.

dimorphism of (KLEIN), 1886, A., 767.

compounds of (KLEIN), 1884, A., 1256; (KLEIN and MOREL), 1885, A., 870.

sulphoxide (DIVERS and SHIMOSE), 1883, T., 1883, T., 323; (DIVERS and Shimidzu), 1886, T., 583.

Telluryl citrates and tau trates (KLEIN), 1886, A., 336.

Tellurium, detection, estimation and separation:-

microchemical test for (v. HAUSпотек), 1887, А., 301.

detection and estimation of (DONATH), 1891, A., 242.

estimation, volumetric, of (BRAUNER), 1890, P., 168; 1891, T., 58, 238; P., 31.

separation of (DONATH), 1891, A., 242.

separation, quantitative, of, from selenium (DIVERS and SHIMOSL),

1885, T., 439; P., 53.
Tellurium minerals from Hondunas (DANA and Wells), 1891, Δ., 153.

Tellurium silver bismuth from Jalisco, Mexico (DE LANDERO), 1887, A., 1084.

Tellurous anhydride. See Telluium dioxide.

Temper, influence of, on the electrical resistance of glass (Foussereau), 1883, A., 701.

Temperature. See under Thermochemistry.

Tengkawang fat or vegetable tallow (BAKKER), 1885, A., 710.

Tephrites (DOELTER), 1883, A., 721. Tephroite (SJOGREN), 1881, A., 972. artificial production of (Gorger), 1884, A., 161.

Teraconic acid, synthesis of (Schlei-cher), 1892, A., 427. constitution of (Frost), 1885, A., 393.

Terbia, equivalent of (LLCOQ DE BOIS-BAUDRAN), 1886, A., 421, 507; 1891, Δ., 17.

Terbia earths, spectrum of the (LECOQ DE BOISBAUDRAN), 1886, A., 293;

(Bettendorff), 1892, A., 1400. &-Terebangelene (Naudin), 1883, A.,

Terebene. See Pineue under Terpenes. Terebenthene and its derivatives. See under Terpenes.

Terebenthic acid (TANRET), 1888, A., 720.

Terebic acid and its derivatives (Rosen), 1884, A., 459; (Frost), 1885, A.,

constitution of (Frost), 1885, A., 393.

crystalline form of (Leiveh), 1886, Δ., 543.

heat of combustion of (Ossiroff), 1889, A., 460.

action of alcoholic ammonia and of aniline on (Conselli), 1891, A., 1384.

Terebilic acid, crystalline form of (LEIVEH), 1886, A., 543.

action of heat on (FROST), 1885, A., 394.

derivatives of (Roser), 1884, A., 459. chloro-, and some of its salts (ROSER), 1881, A., 460.

Terecamphene. See Camphene under Terpenes.

Terephthalaldehyde (Low), 1886, A., 461. preparation of (Honig), 1889, A.,

505. action of ammonia on (OPPENHEIMER),

1886, A., 547. action of potassium cyanide on

(OPPENHEIMER), 1886, A., 876. condensation of, with hydrocarbons

(OPPENHEIMER), 1886, A., 946. nitro-, action of potassium cyanide on

(Homolka and Low), 1886, A., 701.

Terephthalaldehydic acid, and its derivatives (Low), 1885, A., 799.

Terephthalaldoxime, and its ethyl and acetyl derivatives (WESTENBERGER), 1884, A., 581.

Terephthalamic acid (SANDMEYER), 1885, A., 981.

Terephthalamide, 2:5-dichloro-. (LEVY and Curchod), 1889, A., 1179. thio- (LUCKENBACH), 1884, A., 1158.

Terephthalamidine, and its salts (Luckenbach), 1884, A., 1158.

Terephthalic acid (p-phthalic acid), from isobutylbenzoic acid (PAHL), 1881, A., 1010.

preparation of (v. BAEYER), 1888, A., 1072; (HELL and ROCKENвасн), 1889, A., 601; (v. Ваечен and HERB), 1890, A., 1130.

of (STOHMANN, thermochemistry KLEBER and LANGBEIN), 1889, A., 1096; (Stohmann and Kleber), 1891, A., 376.

reduction products of (v. BAEYER), 1888, A., 1069; 1889, A., 1176; (v. BAEYER and HERB), 1890, A.,

1130.

Terephthalic acid (p-phthalic acid), derivatives of (AHRENS), 1886, A., 801.

hydrogenised derivatives of, heats of combustion and formation of (STOH-MANN and Kleber), 1891, A., 376.

Terephthalic acid, bromo- (FILETI), 1887, A., 52.

2:5-dibromo-, and its salts (Schultz),

1885, A., 1054. 2:3:5- and 3:6 2-dibromonitro- (Fi-LETI and Crosa), 1891, A., 1056.

chloro- (FILETI and CROSA), 1889, Λ., 496.

2:5-dichloro- (LEVY and ANDRECCUI), 1888, A., 841, 1091.

chlorobromo- and chlorobromonitro-(WILLGERODT and WOLFIEN), 1889, A., 966.

erephthalic chloride, 2:5-dichloro-(LEVY and CURCHOD), 1889, A., 1179. 2:5-dichloro-Terephthalic Terephthalic sulphinide (Noves and Walker), 1887, A., 728.

Terephthalonitrile, derivatives of (LUCKENBACH), 1884, A., 1157.

Terephthalophenone (NOLTING Конп), 1885, А., 389; 1886, А., 349.

dioxime (MÜNCHMEYER), 1886, A., 877.

Terephthalyl ethyl ketone (MUNCH-MEYER), 1886, A., 877.

Terfâs (kûmes), relation between truffles and (CHATIN), 1892, A., 654.

Terferia Bouderi, T. claveryi and T. hafazi, analysis of (Chatin), 1892, Δ., 654.

Terminalia Chebula, chebulinic acid from (FRIDOLIN), 1885, A., 396.

TERPENES and THEIR DERIVATIVES (Wallach), 1885, A., 550; 1886, A.,70; 1887, A., 595; 1888, A., 60, 1098; 1890, A., 1311; 1891, A., 217, 1078, 1240; (BRÜHL), 1888, A., 377, 494; 1892, A., 200, 347, 624, 1100; (ARMSTRONG), 1891, T., 311; (MARSH and GARDNER), 1891, T., 648, 725; (DUNWODY), 1891, A., 217; (BRUHL, BILTZ, CANTZLER and REUTER), 1892, A., 623; (BRUHL and MULLER), 1892, A., 772.

and ethereal oils (WALLACH), 1887, A., 965; 1888, A., 1204; 1889, A., 1072; 1891, A., 217; (WAL-LACH and GILDEMEISTER), 1888,

A., 1204. "olefinic" (SEMMLER), 1891, A., 655. in the oil from compressed gas (ETARD and Lamberr), 1891, A, 1085.

TERPENES and THEIR DERIVATIVES: from oil of myrtle (JAUNS), 1889, A., 616; (BARTOLOTTI), 1891, A., 1348.

from oxyisoamylamine, synthesis of (RADZISZEWSKI and SCHRAMM), 1884, A., 1190.

from *Pinus Abies* (Kuriloff), 1890, A., 789; 1892, A., 625.

from Pinus Cembra (Flawitzky), 1890, A., 789.

from Russian turpentine, degree of saturation of (STSCHUKAREFF), 1892, A., 1350.

constitution of (KANONNIKOFF), 1886, A., 336; (TILDEN), 1888, T., 879; P., 89.

formulæ of (Wallach), 1887, Δ., 968.

isomerism in (Wallach), 1889, A., 1069.

physical properties of (BRÜHL), 1888, A., 377.

molecular refraction as a means of determining the constitution of (Wallach), 1888, A., 845.

specific rotatory and refractive powers of, relation between (KANONNI-KOFF), 1889, A., 453.

refraction and dispersion equivalents of (GLADSTONE), 1886, T., 612.

decomposition of, by heat (TILDEN), 1884, T., 410.

Presence of ethylene linkages in (MARKOWNIKOFF), 1891, A., 464; (WAGNER), 1891, A., 1084.

additive products of (MAISSEN), 1883, A., 1140.

and their compounds with hydroacids (WALLACH), 1887, A., 965.

derivatives of, rotatory power of (WALLACH; WALLACH and CONRADY), 1889, A., 1071.

physical properties of (BRUHL), 1888, A., 377.

Australene (d-pinene) (BARBIER and IIILT), 1889, A., 616; (MARSH and GARDNER), 1891, T., 727.

isoAustralene (BARBIER and HILT), 1889, A., 616.

Camphene (borneocumphene, terecumphene) (WALLACH), 1886, A., 70; 1891, A., 1082; 1892, A., 868, 1481; (BRUHL), 1888, A., 377; 1892, A., 625, 1240; (BRUHL, BILTZ, CANTZLER and REUTER), 1892, A., 624.

hevogyrate, action of glacial acetic acid on (LAFONT), 1887, A., 969.

active (Bouchardat and La-FONT), 1887, A., 596. TERPENES and THEIR DERIVATIVES:— Camphene (borneocamphene, torecamphene), preparation of (MARSH

and GARDNER), 1891. T., 648.

constitution of (MARSH and STOCK-DALE), 1890, T., 964; (COLLIE), 1892, A., 865; (WALLACH), 1892, A., 868.

molecular refraction of (WAL-LACH), 1889, A., 1069.

action of heat on (TILDEN), 1884, T., 417.

action of phosphoric chloride on (MARSH and GARDNER), 1891, T., 652.

oxidation of (MARSH and GARD-NER), 1891, T., 649.

Camphene-series, thermochemistry of the (Berthelot and Matignon), 1891, A., 1313.

"Camphenes, olefinic" (SEMMLER), 1891, A., 540.

Carvene. See d-Limonene.

Cedrene, molecular refraction and dispersion of (GLADSTONE), 1886, T., 618; 1891, T., 295.

Cinene. See Dipentene. Citrene. See d-Limonene.

Colophene, action of heat on (TIL-DEN), 1884, T., 417.

dihydride (Vesterberg), 1886, A., 1039.

Dihydrocamphene derivatives (TAN-RET), 1887, A., 676.

Dipentene (eacutchene, cineme, i-limoname) (TILDEN), 1884, T., 413; (HELL and STURCKE), 1884, A., 1363; (WALLACH and BEASS), 1885, A., 172; (BOUCHARDAT and LAFONT), 1886, A., 890; (BRUIL), 1888, A., 377; (WAL-LACH), 1889, A., 1072; 1891, A., 1083.

refraction and dispersion equivalents of (GLADSTONE), 1886, T.,

tetrubromide (WALLACH), 1886, A., 71.

dihydrohromide (WALLACH and BRASS), 1885, A., 172; (WAL-LACH), 1891, A., 1242.

dihydrochloride (Hell and Ritter), 1884, A., 1363; (OLIVERI), 1891, A., 1496; (Wallach and Hesse), 1892, A., 1350.

dihydriodide (WALLACH and BRASS), 1885, A., 172.

nitrosate (WALLACH), 1888, A., 1098.

TERPENES and THEIR DERIVATIVES :--Dipentene (caoutchene, cinene, i-limonene), nitrosochloride (WALLACH), 1888, A., 1099; 1889, A., 1070. Dipentenenitrolaniline (WALLACH),

1889, A., 1071; 1892, A., 1348. nitroso- (WALLACH), 1892, A., 1348.

Dipentenenitrolbenzylamine (WAL-LACH), 1889, A., 1070; (WAL-LACH and CONRADY), 1889, A., 1072.

hydrochloride (WALLACH), 1892, A., 1349.

Dipentenenitrolpiperidine (WAL-LACH), 1888, A., 1099; 1889, A., 1070; (WALLACH and CONRADY), 1889, A., 1072.

Diterpene, a, from urine (LE NOBEL), 1885, A., 668.

Fenchene (WALLACH), 1891, A., 1082, 1088.

Hesperidene. See d-Limonene. Laurene (BRUHL), 1888, A., 377. Licarene (Morin), 1888, A., 1308.

d-Limonene (carrene, citrene, hesperidene) (Goldschmidt), 1884, A., 1138; (Brunl), 1888, A., 377; (WALLACH), 1888, A., 1204; 1891, A., 1083.

obtained from camphor oil (Yōsнгда), 1885, Т., 787.

constitution of (REYCHLER), 1892, A., 1350.

refraction and dispersion equivalents of (GLADSTONE), 1886, T.,

thermochemistry of (Berthelot and MATIGNON), 1891, A., 1315. action of heat on (TILDEN), 1884, T., 417.

action of acetic acid on (LAFONT), 1888, A., 718.

derivatives, rotatory power (WALLACH and CONRADY), 1889, A., 1072.

tetrabromide (WALLACH), 1885, A., 550; 1891, A., 1241; (OLI-VERI), 1891, A., 1496.

hydrochloride (WALLACH), 1888, A., 1098.

nitrosobromide (WALLACH), 1888, A., 1098.

nitrosochlorides (WALLACH), 1888, A., 1098; 1889, A., 1069; 1892, A., 1349; (WALLACH and Con-RADY), 1889, A., 1072.

Limonenenitrolaniline (WALLACH), 1889, A., 1071; 1892, A., 1348. nitroso- (WALLACH), 1892, A.,

1348.

TERPENES and THEIR DERIVATIVES:onenenitrolbenzylamine (WAL-LACH), 1889, A., 1070; (WAL-Limonenenitrolbenzylamine LACH and CONRADY), 1889, A., 1072.

hydrochloride (WALLACH), 1892, A., 1349.

Limonenenitrolpiperidine (WAL-LACH), 1889, A., 1070; (WALLACH and Connady), 1889, A., 1072.

Limonenenitrol-p-toluidine hydrochloride (WALLACH), 1888, A., 1099.

Limonene-series, isomerism in the (Wallach), 1892, A., 1348.

7-Limonene and its derivatives, rotatory power of (WALLACH and CONRADY), 1889, A., 1072.

Massoyene (WOY), 1890, A., 638; 1891, A., 464; (WALLACH), 1890, A., 1316; 1891, A., 935.

Monthery (Ruiter), 1998, A., 277.

Menthene (Brühl), 1888, A., 377; (Berkenheim), 1892, A., 866; (Sieker and Kremers), 1892, A., 1479.

preparation of (Brühl, Biltz, CANTZLER and REUTER), 1892, A., 623.

transformation of terpilene into (Bouchardar and Lafont), 1889, A., 276.

constitution of (BRÜHL, BILTZ, CANTZLER and REUTER), 1892, A., 624; (BRUHL), 1892, A., 625.

(Sieker nitrosochloride

KREMERS), 1892, A., 1479. Phellandrene (Pesci), 1884, A., 331; 1886, A., 1038; (WALLACH), 1887, A., 967; 1891, A., 1084. physical isomerides of (WALLACH and GILDEMEISTER), 1888, A.,

1205. Phellandrenediamine (PESCI), 1886, A., 1038.

Pinene (Brühl), 1888, A., 377; (Wallach), 1890, A., 1315; 1891, A., 1081.

from oil of Asarum curopaeum (PETERSEN), 1888, A., 680.

constitution of (MARSH and STOCK-DALE), 1890, T., 964; (WAGNER), 1891, A., 1242; (COLLIE), 1892, A., 865; (WALLACH), 1892, A., 997.

action of chromium oxychloride on (HENDERSON and SMITH), 1888, P., 116; 1889, T., 45.

oxidation products of, aldehydic nature of (SCHIFF), 1883, A., 1141.

TERPENES and THEIR DERIVATIVES:-Pinene, dibromide (WALLACH), 1891, A., 1241.

> nitroso-chloride and -bromide (WALLACH), 1888, A., 1098.

> nitroso- (nitrosoterpene) (Gorn-SCHMIDT and ZURRER), 1885, A., 1210.

See also Australene, Terebenthene. Pinenenitrol-allylamine, -amylamine and -propylamine (WALLACH and FRUSTUCK), 1892, A., 998.

Pinenenitrolbenzylamine

LACH), 1889, A., 1071.

Pinenenitrolpiperidine (WALLACH), 1888, A., 1098.

Pinene-phthalamic acid and -phthalimide (PESCI), 1891, A., 1086. Sesquiterpene (BRUHL), 1988, A.,

and its derivatives, rotatory power of (WALLICH and CONRADY),

1889, A., 1072. hydrate (BEILSTEIN and WIE-

GAND), 1883, A., 346. Sesquiterpenes (WALLACH), 1887,

Λ., 596. Shikimene (EIJKWAN), 1886, A.,

Sylvestrene (WALLACH), 1887, A., 967; (BRÜHL), 1888, A., 377.

and its derivatives, rotatory power of (WALLACH and CONRADY), 1889, A., 1072

nitrosochloride (WALLACH), 1888, A., 1099.

Sylvestrenenitrolbenzylamine (WALысп), 1889, А., 1071.

(l-pinene) Terebenthene (BRUHL. BILTZ, CANTZLER and REUTER), 1892, A., 624; (Bruhl), 1890. A., 625.

from camphor oil and its derivatives (Yöshida), 1885, T., 782.

from frankincense (Wallach), 1889, A., 1072.

thermochemistry of (BERIHFLO1 and MATIGNON), 1891, A., 1315. action of acetic acid and heat on (Bouch and and LAFONT), 1886, A., 475; 1889, A., 895.

action of aluminium chloride and of bromine on (VARET), 1891, A., 1084.

French, action of formic acid on (LAFONT), 1888, A., 495.

action of picric acid on (LEXTREIT), 1886, A., 71.

action of sulphuric acid on (BOUCHARDAT and LAFONT), 1888, A., 294.

TERPENES and THEIR DERIVATIVES:-Terebenthene (l-pinene), oxidation of, in sunlight (ARMSTRONG), 1891, T., 311; (Armstrong and Pope), 1891, T., 315.

monohydric alcohols from (Borcu-ARD LT and LAFONT), 1886, A., 475. conversion of, into an inactive terpilene (Bouchardar and La-FONT), 1886, A., 364.

derivatives of (PESCI), 1889, A., 158. hydrochlorides, liquid (BARBIER), 1883, A., 809.

hydrochlorides (MARSII GARDNER), 1891, T., 728.

Terebenthene, amido- (PESCI and BEITELLI), 1887, A., 272. action of phthalic anhydride on

(Pesci), 1891, A., 1086. nitrogen derivatives of (TANKET),

1887, A., 595, 675. nitro- (Pesci and Bettelli), 1887, A., 272; (Pesci), 1889, A., 157. detection of resin oil in (Zune),

1892, A., 923. d-Terebenthene (PESCI), 1889, A., 157; (Armstrong), 1891, T., 313.

l-Terebenthene (Annstrong), 1891, T., 313. Terecamphene. See Camphene.

isoTerpene from the resin of Pinus Abics (Kuriloff), 1892, A., 625. constitution of (KANONNIKOFF), 1886, A., 336. d-isoTerpene (FLAWITZKY), 1887, A.,

Terpilene from French essence of terebenthene (BOUCHARDAT and LAFONT), 1889, A., 897.

heat of combustion of (LUGININ),

1889, A., 328. action of heat on (TILDEN), 1884, T., 417.

transformation of, into menthene (Boucherber and LAFONE), 1889, A., 276.

dihydrochloride, molecular refraction and dispersion of in solution (GLADSTONE), 1891, T., 591.

Terpinene (WEBER), 1887, A., 596; (Wallach), 1887. A., 967; 1891, A., 1084.

benzoylisonitrosite (Wallen), 1888, A., 1099.

nitrosite (WALLACH), 1887, A., 967; 1888, A., 60.

Terpinenenitrol-amine, -isoamylamine, -diethylamine, -dimethylamine, ethylamine, -methylamine and -piperidine (WALLACH), 1880, A., 60.

TERPENES and THEIR DERIVATIVES:-Terpinolene (WALLACH), 1886, A., 71; 1887, A., 966.

β-Terebangelene (N VUDIN), 1883, A., 810.

Tetrahydropinene (WALLACH and BERKENHEIM), 1892, A., 998.

Winterene (ARATA and CANZONERI), 1890, A., 405.

TERPEVE OXIDISED COMPOUNDS:-Absinthol (BRUHL), 1888, A., 494.

Borneol. See Borneol.

Camphene glycol (WAGNER), 1890, A., 1313.

See Camphor. Camphor.

Carveol (LEUCKART), 1887, 376.

Carvol (carvole) (BEYER), 1884, A., 331; (BRUHL), 1888, A., 495. constitution of (CLAUS

FAHRION), 1889, A., 880.

derivatives of (GOLDSCHMIDT), 1884, A., 1138; (GOLDSCHMIDT and KISSER), 1887, A., 475, 923; (WALLACH), 1892, A., 499.

oxime of. See Carvoxime.

Carvolphenylhydrazine (Goldschмірт), 1884, A., 1138.

Carvyl phenylamidoformate (LEUCK-ART), 1887, A., 376.

Carvylamine (GOLDSCHMIDT), 1887, A., 249; (LEUCKART and BACH), 1887, A., 377.

Cineol (cajeputol; cucalyptol) and its derivatives (WALLACH), 1885, A., 171; 1891, A., 1083; (WAL-LACH and BRASS), 1885, A., 171; (JAHNS), 1885, A., 394; (BRUIL), 1888, A., 494; (BOUCHARDAY and VOIRY), 1888, A, 719; (VOIRY), 1888, A., 962.

constitution of (WALLACH), 1890,

A., 1315. Dihydrocarveol (WALLACH), 1892, A.,

499. Fenchone (WALLACH and HART-MANN), 1891, A., 218; (WALLACH),

1891, A., 1082, 1086.

(Wallach Fenchoneoximes and HARTMANN), 1891, A., 218; (WAL-LACH), 1891, A., 1087; 1892, A.,

Fenchonitrile and its derivatives (Waliach), 1892, A., 1236.

Geraniol, oxidation of (SEMMLER), 1891, A., 30.

Linalool (licareol) (SEMMLER), 1891, A., 540; (SEMMLER and TIEMANN), 1892, A., 868; (Barbien), 1892, A., 1236; (SCHIMMEL), 1892, A., 1347.

TERPENE OXIDISED COMPOUNDS:-

Menthol (BRÜHL), 1888, A., 494; (BERKENHEIM), 1892, A., 866.

constitution of (BECKMANN), 1889, 723; (BRUHL, BILTZ, CANTZLER and REUTER), 1892, A., 624.

molecular refraction and dispersion of, in solution (GLADSTONE), 1891, T., 591,

specific rotatory and refractive of, relation powers between KANONNIKOFF), 1889, A., 453.

action of carbon disulphide on (BAMBERGER and LODTER), 1890, A., 517.

conversion of into cymene (BRUHL), 1892, A., 200.

oxidation of, by potassium permanganate (ARTH), 1884, A., 755.

derivatives of (ARTH), 1884, A., 167; 1886, A., 892; (BERKENнеім), 1892, А., 866.

metallic derivatives of (BRUHL and BILTZ), 1891, A., 656.

Menthone and its derivatives (BER-KENHEIM), 1892, A., 867.

d- and I- (BECKMANN), 1889, A., 721.

Myristicol (BRUHL), 1888, A., 494. Pulegone and its oxime (BECKMANN; PLEISSNER), 1891, A., 936.
Puleone and its oxime (BARBIER),

1892, A., 627.

Sobrerol (pinol hydrate) (Armstrona), 1890, P., 100; 1891, T., 313; (ARMSTRONG and Pore), 1891, T., 315; (WALLACH), 1891, A., 218.

Sobrerone (pinal) and its derivatives (ARMSTRONG), 1890, P., 100; 1891, P., 314; (WALLACH and Otto), 1890, A., 169.

and its derivatives, oxidation of (Wallich), 1891, A., 218.

tribromide (WALLACH), 1891, A., 218.

glycol (pinol ylycol) and its deriva-tives (WALLACH), 1891, A., 217; (WALLACH and FRUSтиск), 1892, А., 998.

diacetate (WALLACH), 1891, A., 217.

ethyl ether (WALLACH and OTTO), 1890, A., 170.

(WALLACH and nitrosochloride OTTO), 1890, A., 170.

Sobreronenitrol-amine, -aniline, -benzylamine, -β-naphthylamine and piperidine (WALLACH and OTTO), 1890, A., 170. TERPENE OXIDISED COMPOUNDS:—
Terpin (BRÜHI), 1888, A., 491;
(WALLACH), 1891, A., 1084.
heat of combustion of (LUGININ),
1889, A., 328.

formate (LAFONT), 1888, A., 495. hydrate (WALLACH), 1886, A., 70; (VULPIUS), 1889, A., 1202.

from eucalyptus oil (Merck), 1892, A., 1235.

molecular refraction and dispersion of, in solution (GLAD-STONE), 1891, T., 591.

heat of combustion of (LUGININ), 1889, A., 328.

action of hydriodic acid on (BERKENHEIM), 1892, A., 867. reduction of (STSCHÜKLREFF), 1892, A., 1851.

Terpineol (terpinol, i-terpilenol, terpol) (TANRET), 1885, A., 990; (WALLACH), 1886, A., 70; (WEBER), 1887, A., 596; (BOUCHARDAT and VOIRY), 1887, A., 677; (VOIRY), 1888, A., 962. synthesis of an inactive (BOUCHARDAT and LAFONT), 1886, A., 890.

ethyl ether (BOUCHARDAT and VOIRY), 1887, A., 677; 1888, A., 719, 961.

Terpineols, action of acids and anhydrides on (LAFONT), 1888, A., 845.

Terpenes. See also Oils, vegetable.
Terra cotta lumber, preparation of

(ANON.), 1883, A., 896.

Tetanine (Brieger), 1888, A., 1317.

Tetano-cannabine (HAY), 1883, A.,

1156.
Tetanus produced by a ptomaine (BRIEGER), 1887, A., 284.

Tetrabenzoyi-2:4:6-triamidophenol (Hingheng and v. Udr (Nazky), 1890, A., 371.

Tetrabenzoylisoduleitol (RAÝM IN), 1887, A., 907.

Tetrabenzoyl-erythritol and -levulose (SKRAUP), 1889, A., 1152.

Tetrabenzoylmethane, preparation of (Perkin), 1885, T., 253.

Tetrabenzoylquinone (MAQUENNE), 1887, A., 908.

Tetrabenzylacetonedicarboxylic acid (Dunschmann and v. Prchmann), 1891, A., 674.

Tetrabenzyl-carbamide and -oxamide (HAMMERICH), 1892, A., 1083.

Tetrabenzyl-m- and -p-phenylenediamines (Meldola and Coste), 1889, T., 600, 602. Tetrabenzylphosphonium compounds (LEDERMANN), 1898, A., 475. iodide (LETTS and BLAKE), 1890, A.,

Tetrabenzylsilicon, crystalline form of (Polis), 1886, A., 619.

Tetrabenzyltrimethylenetrisulphone (CAMPS), 1892, A., 592.

Tetrassobutylic oxalate (Anschütz), 1890, A., 236.

Tetraisobutylmethylenediamine (EHRENBERG), 1887, A., 1027.

Tetracetyl/liamidoapione (CIAMICIAN and SILBER), 1890, A., 1295.

Tetracetylamidodihydroxyphenylquinol and -quinone (BAMBERGER), 1884, A., 309.

Tetracetyl-a-diamidophenanthraquinol (Kleemann and Wense), 1885, A., 1240.

Tetracetyldiamidothymol and its acetate (MAZZARA), 1891, A., 188.

Tetracetyl-di- and -tri-bromobrazileins (Schall and Dralle), 1890, A., 997.

Tetracetylenedicarboxylic acid (v. BAEYER), 1885, A., 1199.

Tetracetylethyldiresorcinol (Herzig and Zeisel), 1891, A., 75.

Tetracetyleuxanthic acid (Herzig), 1892, A., 1354.

Tetracetylhydrindigotin
MANN), 1892, A., 480.

Tetracetylhydroxyanthranol (LIEBER-MANN), 1888, A., 717.

Tetracetylmucic acid (MAQUENNE), 1888, A., 676.

Tetracetylpenterythritol (Tollens and Wigand), 1892, A., 128.

Tetracetylphenolglucoside (MICHAEL), 1884, A., 439.

Tetracetylquinic acid (ERWIG and KOENIGS), 1889, A., 991.

Tetracetylquinol, 2 chlor-3:6-diamido-(Kehemann and Tiesler), 1890, A., 243.

Tetracetylrosaniline (Renour), 1883, A., 981.

Tetracetylisosaccharic acid (TIEMANN and HAARMANN), 1886, A., 690.

Tetracetylsativic acid (HAZURA), 1887, A., 799.

Tetracresotide (Burgioni and Schiff), 1888, A., 838.

Tetradecahydroanthracene (Lugua), 1888, A., 1201; 1890, A., 637.

Tetradecaldoxime and tetradecylamine (Krafft), 1890, A., 1234.

Tetradecane (diheptyl) (SORABIL), 1885, T., 40; (KRAFFT), 1886, A., 998. Tetradecenoic acid (hexylpentylmeylie acid; C₁₄II₂₆O₂) (Perkin), 1883, T., 48, 62, 66.

Tetradecenoic aldehyde $(C_{14}H_{26}O)$ (Perkin), 1883, T., 49.

Tetradecenylic alcohol (heptylpentyl-ethylic alcohol; C₁₄, H₂₃O) (PERKIN), 1883, T., 54.

Tetradecinene (methylundecylaretylene) (KRAFFT and REUTER), 1892, A., 1164.

Tetradecoic acid (heptylpentylacetic acid; C₁₁H₂₈O₂) (PERKIN), 1883, T., 75, 79.
Tetradecylacetylene (KRAFFT and

REUTER), 1892, A., 1163.

Tetradecylene, preparation of (KRAFFT), 1884, A., 571.

Tetradecylenic bromide (KRAFFT), 1884, A., 1108.

Tetradecylic alcohol, preparation of (KRAFFT), 1883, A., 1075.

Tetradecylidene (KRAFFT), 1884, A., 1108.

Tetradecyl-malonamic and -malonic acids (HELL and IORDANOFF), 1891, A., 821.

Tetradymite from Alizona (GENTH), 1891, A., 154.

1891, A., 154. from Zsupkó and from Rézbánya (LoczkA), 1892, A., 1054. See also Bornite.

See also Dornite.

Tetraethyl.. See Tetrethyl..
Tetragalactangeddic acid (O'Sul-LIV.NN), 1891, T., 1069.

Tetral drite (fahlore) (GONNARD), 1885, A., 220.

of Přibram (Babánek), 1886, A., 514. from the Alaska vein, Colorado (Leiveii), 1886, A., 21.

and zinc-blende, parallel growth of (BECKE), 1886, A., 207.

Tetrahydrazoresorufin (BRUNNER and KRAEMER), 1884, A., 1334.

Tetrahydroacenaphthene (BAMBERGER and Lodter), 1888, A., 292; (LIEBER-MANN and SPIEGEL), 1889, A., 720.

Tetrahydro-γ-anthracenecarboxylic acid (Βυκητείν), 1884, A., 330. Tetrahydrobenzoic acid and its de-

rivatives (Asuman), 1891, A., 1053. Tetrahydrobenzoic acids, Δ^1 - and Δ^2 - and their derivatives (Asuman) 1801

and their derivatives (AscHan), 1891, A., 1481.

Tetrahydrocarbazolecarboxylic acid (v. Breyer and Tutein), 1889, A., 1181.

Tetrahydrocinchonic acid, hydrochloride of (Weidel and Hazura), 1885, A., 561.

Tetrahydrodibenzylidene-2:6-lutidine (SCHUSTER), 1892, A., 1361.

Tetrahydrodicollidine, and its de rivatives (Hantzsch), 1883, A., 84.

Tetrahydrodicoumaric acid and its salts (Dyson), 1887, T., 68.

Tetrahydrodicoumarin (Dyson), 1887 T., 70.

Tetrahydrodiphenyl (BAMBERGER and LODTER), 1888, A., 293.

Tetrahydrodiphenylic dibromide and its bromo-derivative (BAMBERGER and LODTER), 1888, A., 604.

Tetrahydrodiquinoline (FRIEDLANDER and WEINBERG), 1885, A., 990.

Tetrahydroharmine (FISCHER), 1889, A., 730.

Tetrahydro-a-naphthabenzylamine (BAMBERGER and LODTER), 1887, A., 719.

Tetrahydro-\(\beta\)-naphthabenzylamine (BAMBERGER and BOEKMANN), 1887, A., 840.

Tetrahydronaphthalene (GRAEBE and GUYE), 1884, A., 608.

derivatives (PERKIN), 1887, P., 92; 1888, T., 1; (KIPPING), 1887, P., 93.

Tetrahydro-α-naphthalene (Bamberger and Bordy), 1889, A., 717; (Bamberger and Kitschelt), 1890, A., 1146.

Tetrahydro-α-naphthalene, ur-amidoazo-(BAMBERGER and LENGFELD), 1890, A., 1305.

Tetrahydronaphthaleneazo-α-naphthylamine, and -resorcinol (BAMBERGER and BORDT), 1889, A., 715.

Tetrahydronaphthaleneazo-8-naphthylamine, 1:4'-amido- (BAMBERGER and BAMMANN), 1889, A., 783.

ββ-Tetrahydronaphthalenedicarboxylio acid (Perkin), 1888, T., 11, 20. synthesis of (v. Baeyer and Perkin),

1884, A., 907.

\$\beta \text{-Tetrahydronaphthalenedicarboxylic} anhydride (Perkin), 1888, T. 12.

Tetrahydronaphthalenesulphonic acid, hydrolysis of (FRIEDEL and CRAFIS), 1889, A., 1201.

Tetrahydronaphthalenesulphonic acids (GRAEBE and GUYE), 1884, A., 608.

Tetrahydronaphthalenetetracarboxylic acid (PERKIN; KIPPING), 1887, P., 93.

CO'-Tetrahydro-α-naphthamide (BAM-BERGER and BORDF), 1889, A., 716.

«ν-Tetrahydro-α-naphthaquinol (BAM-BERGER and LENGFELD), 1890, A., 1905.

Tetrahydro-α-naphthaquinoline and its p-amido-derivative (BAMBERGER and STETTENHEIMER), 1891, A., 1258.

- Tetrahydro-β-naphthaquinoline (BAM-BERGER and MULLER), 1891, A., 1510.
- ar-Tetrahydro-a-naphthaquinone (B M-BERGER and LENGFELD), 1890, A., 1805.
- Tetrahydro-naphthathionine and -naphthindamine (Bunder,), 1890, A., 1800.
- Tetrahydro-α-naphthoic acid (BAM-BERGER and BORNT), 1889, A., 716; (V. BAEYER, SCHODER and BESEM-FELDER), 1892, A., 192.

«c-Tetrahydro-α-naphthoic acids (V. Sowinski), 1891, A., 1380.

- Tetrahydro-B-naphthoic acid (v. Sowinski), 1891, A., 1381; (v. Baeyer, Schoder and Besemfelder), 1892, A., 191.
- ar-Tetrahydro-α-naphthol (BAMBERGER and ALTH \UNNE), 1888, A., 960; (BAMBERGER and BORDI),1890, A., 508.
 - amido- (BAMBERGER and BAMMANN), 1889, A., 783.
- ac-Tetrahydro-S-naphthol (BAMBERGER and LODTER), 1890, A, 506.
- ar-Tetrahydro-8-naphthol (BAMBERGER and KITSCHELT), 1890, A., 627, 633,
- Tetrahydro-α-naphthonitrile and -αnaphthothiamide (BAMBERGER and BORDT), 1889, A., 716.
- Tetrahydro-α-naphthylamine (Bam-BERGER), 1888, A., 159; (Bamberger and Althausse), 1888, A., 959; (Bamberger and Bordt), 1889, A., 715; (Bumberger and Bammann), 1889, A., 782, 784.
- Tetrahydro-\$\textit{\beta}\text{-naphthylamine} and its derivatives (Bamberger), 1888, A., 159; (Bamberger and Müller), 1888, A., 599, 712.
- ar- and ar- (BAMBERGER and KIT-SCHEII), 1890, A., 631.
- Tetrahydronaphthylamine compounds, relations between the physiological properties and constitution of (BAMBERGER and FILEHNE), 1889, A., 787.
- Tetrahydro-\$\textit{\beta}-naphthylaminephenyl-carbamide (B\MBERGER and MUL-LER), 1888, A., 600.
- Tetrahydronaphthylanisoil (Koenics and Mai), 1892, A., 1415.
- ac-Tetrahydro-\$-naphthylbenzylideneamine (BAMBERGER and KITSCHELT), 1890, A., 632.
- Tetrahydro-β-naphthylcarbinylamine tetrahydro-β-naphthylcarbinyl/ithiocarbamate (Bamberger and Helwis), 1889, A., 1198.

- β-Tetrahydronaphthyldiethylamines, isomeric (BAMBERGER and WILLIAM-SON), 1889, A., 1000.
- Tetrahydronaphthylene chlorhydrin and oxide (BAMBERGER and LODTER), 1891, A., 1072.
- «r-Tetrahydro-1:4-naphthylene/ichloro/limide (BAMBERGER), 1890, A., 1300.
- Tetrahydro-1:2-naphthylenediamines, ac-and ar- (Bamberger and Schleffelin), 1889, A., 893.
- W-Tetrahydro-1:1-naphthylenediamine (BAMBERGER and SCHIEFFELIN), 1889, A., 893.
- ac-Tetrahydro-1:4'-naphthylenediamine (BAMBERGER and ABRARALL; BAMBERGER and BAMMANN), 1889, A., 782.
 - decomposition of, into its optically active components (BAMBERGER), 1890, A., 511.
 - tetrahydroamidonaphthylthiocarbamate (BAMBERGER and BAM-MANN), 1889, A., 783.
- a-Tetrahydronaphthylethylamine (BAMBERGER and HELWIG), 1889, A., 891.
 - hydrochloride, p-nitroso- (BAMBER-GER and HELWIG), 1889, A., 892.
- β-Tetrahydronaphthylethylamines, acand ar- (BAMBERGER and MULLER), 1889, A., 888, 890.
- Tetrahydronaphthylhydrazine, amido-(BAMBERGER and BAMMANN), 1889, A., 784.
- Tetrahydro-a-naphthylhydrazine hydrochloride (Bamberger and Bordt), 1889, A., 717.
- uc-Tetrahydro-β-naphthylic acctate, benzoate, sodium carbonate, chloride and phenylcarbamate (Въмвения and Lodter), 1890, A., 507.
- Tetrahydronaphthylphenol (Korvics), 1891, A., 571; (Koenics and Mai), 1892, A., 1115.
- Tetrahydronaphthylthiocarbamide, diamido- (BAMBERGER and BAMMANN), 1889, A., 783.
- αc-Tetrahydro-β-naphthylxanthic acid, sodium salt of (BAMBERGER and LOD-TER), 1890, A., 508.
- Tetrahydro-p-oxazine (KNORR), 1889, A., 1218.
- Tetrahydropapaverine and its derivatives (Goldschmiedt), 1887, A., 163.
- Tetrahydrophthalic acids, Δ^1 -, Δ^2 -, Δ^3 -, and Δ^4 -cisirans (v. BAEYER), 1890, A., 1279; 1892, A., 1216.

Tetrahydrophthalic anhydrides, A1-, Δ2-, and Δ4-cistrans (V. BAEYER), 1890, A., 1280.

Tetrahydropicoline, Δ2- (LIPP), 1887, A., 277; 1892, A., 1243.

Tetrahydropicolinic acid, chloro- (Ost), 1883, A., 794.

Tetrahydropinene (WALLACH and BER-KENHEIM), 1892, A., 998.

Tetrahydropyrazine (GARZINO), 1892, Λ., 633.

Tetrahydropyridine. See Piperideine. Tetrahydropyridylacrylic acid. Anhydroecgonine.

Tetrahydropyrroline. See Pyrrolidine. Tetrahydroquinaldine. See 2'-Methyltetrahydroquinoline.

Tetrahydro-p-quinanisoil. See Methoxytetrahydroquinoline.

Tetrahydroquinazoline, thio- (Busch), 1892, A., 1496.

Tetrahydroquininic acid (SRPEK), 1890, A., 177.

Tetrahydroquinoline (Hoffmann and Kornigs), 1883, A., 1143.

from crude quinoline (OECHSNER DE CONINCK), 1883, A., 739. spectrum of (HARTLEY), 1885, T.,

731.

action of bromine on (HOFFMANN and KOENIGS), 1883, A., 1145.

oxidation of (HOFFMANN and KOE-NIGS), 1883, A., 1144; (LELLMANN and Reusch), 1889, A., 905; (Tafel), 1892, A., 1104.

conversion of, into isatin (Schotten), 1891, A., 722.

colouring matters from (Lellmann and BoyE), 1890, A., 1005.

derivatives (HOFFMANN and KOE-NIGS), 1883, A., 1143.

derivatives, oxidation of (Schotten and Schlömann), 1892, A., 355. henzyl derivatives of (LELLMANN and

PEKRUN), 1891, A., 88. (BAMBERGER and homologues of

WrLz), 1891, A., 1253. hydrochloride, spectrum of (HART-LEY), 1885, T., 735.

methochloride (OSTERMAYER), 1885, A., 672.

Tetrahydroquinoline, p-amido- (ZIEG-LER), 1888, A., 609.

dinitro- (Simon-Thomas), 1892, A., 726.

p-mono- and di-nitroso- (Ziegler), 1888, A., 610.

Tetrahydroquinoline-2-carboxylic acid (Fischer and Körner), 1884, A., 1197; (LELLMANN and ALT), 1887, A., 503.

Tetrahydroquinolinedimethylanilinethiosulphonic indamine (LELLMANN and Boye), 1890, A., 1006.

Tetrahydroquinoline-4-sulphonic acid (LEILMANN and LANGE), 1888, A.,

Tetrahydroquinolylcarbamide, and its dinitro-derivative (SIMON-THOM AS), 1892, A., 725.

Tetrahydroretene (Bamberger LODTER), 1888, A., 292.

Tetrahydroterephthalic acid, Δ^1 (v. BAEYER), 1887, A., 370. constitution of (v. BAEYER), 1888,

A., 1070.

heats of combustion and formation of

(STOHMANN and KLEBER), 1891, A., 376. oxidation of (v. BAEYER and HERB),

1890, A., 1134. hydrobromide (v. Baever), 1888,

A., 1074.

Tetrahydroterephthalic acid hvdriodide, $\Delta^{2-\text{cistrains}}$ (V. BAEYER and HERB), 1890, A., 1134.

Tetrahydroterephthalic acids BAEYER), 1889, A., 1176, 1178.

Tetrahydro-α-thiophencarboxylic acid and its salts (ERNST), 1887, A., 471.

thermochemistry of (STOHMANN and KLEBER), 1891, A., 376.

Tetrahydrothiophen-2:5-dicarboxylic acid (ERNST), 1887, A., 237.

Tetrahydroxyisoamylidenephosphonium iodide (DE GIRARD), 1884, A., 1119.

Tetrahydroxyanthraquinoline (GRAEBE and PHILIPS), 1891, A., 1240.

Tetrahydroxyanthraquinone, boiling point of (SCHWEITZER), 1891, A., 1240.

(ruflopine) (Nölting), 1883, A., 65. 1:2:1':4'-Tetrahydroxyanthraquinone

(quinalizarin; alizarin-bordeaux) and its derivatives (Liebermann and Wense), 1887, A., 593; (SCHMIDT; GATTERMANN), 1891, A., 935.

formation of, from alizarin (GRAEBE), 1891, A., 463.

1:3:2':4'-Tetrahydroxyanthraquinone (unthruchrysone) (Noah), 1886, A.,

Tetrahydroxyanthraquinones (a- and β -oxyanthragallols) (Noah), A., 56.

Tetrahydroxyaurindicarboxylic acid CARO), 1892, A., 1469. See 1:2:3:4-Tetrahydroxybenzene. Apionol.

1 2 3:5-Tetrahydroxybenzene diethyl ether. See Diethoxydihydroxybenzene.

1:2:4:5-Tetrahydroxybenzene (LOEWY), 1886, A., 1028; (NIETZKI and SCHMIDT), 1888, A., 1182; (BONI-GER), 1889, A., 878.

amido-, hydrochloride (NIETZKI and SCHMIDT), 1889, A., 969.

(Nietzki and Enckiser), 1885, A., 780.

nitramido- (NIETZKI), 1884, A., 58.

Tetrahydroxybenzophenone and its derivatives (Graebe and Eighengerun), 1892, A., 1225.

Tetrahydroxybutanetricarboxylic acid (Dull), 1891, A., 547.

Tetrahydroxydiphenyl. See Diquinol and Diresorcinol.

Tetrahydroxydiphenylmethane (BARTH and Schreden), 1883, A., 59. (methylenediresorcinol) (CARO), 1892, A. 856.

Tetrahydroxydiphthalyl (Goldschmiedt and Egger), 1891, A., 1372.

Tetrahydroxyditolyl (Brunner), 1889, A., 997; (Deninger), 1890, A., 39.

Tetrahydroxyethylidenephosphonium compounds (MESSINGER and ENGELS), 1888, A., 442.

iodide (DE GIRARD), 1884, A., 1119. Tetrahydroxyoctolactone (BULITSCH), 1888, A., 450.

Tetrahydroxypropylidenephosphonium compounds (MESSINGER and ENGELS), 1888, A., 442.

Tetrahydroxyquinone, formula of (NIETZKI and KEHRMANN), 1888, A., 263.

action of o-phenylenediamine on (Kehrmann), 1890, A., 1265. salts of (Nietzki and Benckisen),

1885, A., 780.

Tetrahydroxyquinoneanilide (NIETZKI and SCHMIDT), 1888, A., 944.

Tetrahydroxystearic acid. See Sativic acid.

Tetrahydroxyterephthalic acid (LOEWY), 1886, A., 1028.

Tetrahydroxytoluene, p-nitro- (KEHR-MANN and BRASCH), 1889, A., 970.

Tetrahydroxyvaleric acid (arabonic acid) (BAUER), 1885, A., 500; 1886, A., 869; (KILIANI), 1887, A., 230.

phenylhydrazide of (FISCHER), 1890, A., 1398.

(ribonic acid) (FISCHER and PILOTY), 1892, A., 438,

Tetraketohexamethylene, tribromo-(IANDOIA), 1892, A., 836. tetrabromo-(NEF), 1890, A., 1272.

trichloro-, hydrate (Lindolf), 1892, A., 835.

titruchloro- (NEF), 1890, A., 1271; (LANDOLT), 1892, A., 836. dichlorodibromo- (NEF), 1890, A.,

1271.

Tetraketopiperazines, attempts to prepare (Bischoff and Nastvogel), 1890, A., 1164.

Tetralkylammonium iodides, formation of (H. and A. Malbol), 1892, A., 133.

action of potassium on (THOMPSON and CUNDALL), 1888, T., 761; P.,

Tetramethoxydiamidodiphenyl and its derivatives (BAESSLER), 1884, A., 1330; 1887, A., 364.

Tetramethoxybenzene (WILL), 1888, A., 458.

Tetramethoxybenzhydroltricarboxylic acid (tetramethoxydicarboxydiphenylglycollic acid) (Goldschmirdt and Egger), 1891, A., 1372.

Tetramethoxydihydrodiphthalyl(Goldschmiedt and Eggen), 1891, A., 1878

Tetramethoxy-diphthalyl and diphthalyldicarboxylic acid (GOLD-SCHMIEDT and EGGER), 1891, A., 1371.

Tetramethoxyditolyl (Brunner), 1889, A., 997.

Tetramethoxyindigodicarboxylic acid (LIEBERMANN), 1886, A., 468.

Tetramethoxyquinhydrone, tetrachloro-(KEHRMANN), 1891, A., 905.

(Kehrmann), 1891, A., 905. Tetramethylaldine. See Tetramethylpyrazine.

Tetramethylallylalkine. See Hydroxytetramethylpropylenediamine.

Tetramethylisoallylene (VAUBEL), 1891, A., 997.

Tetramethyl/iamidoarsenobenzene (MICHAELIS and RABINERSON), 1892, A., 1321.

Tetramethyldiamidoazobenzene (dimethylumidobenzeneazodimethyluniiine) (NOLTING and KOHN), 1885, A., 386; (BARBIER and VIGNON), 1888, A., 54.

Tetramethyl/iamidobenzhydrol (tetramethyl/diamidodiphenylearbinol), condensation of, with xylidine, mesidine, y-cumidine, isoduridine and prehnidine (NOLTING), 1892, A., 188.

derivatives of (NATHANSON and MUL-LER), 1889, A., 1189. Tetramethyl/liamidobenzophenone (ZIEGLER), 1887, A., 674.

action of nitrous acid on (BISCHOFF), 1888, A., 1197; 1889, A., 511. derivatives and reactions of (NATHAN-

son and Muller, 1889, A., 1188. nitramine derived from (VAN ROM-BURGH), 1888, A., 1196.

nitroso-, salts of (Bischoff), 1889, A., 511.

Tetramethyltriamidobenzophenone (NATHANSON and MULLER), 1889, A., 1189.

Tetramethyl/liamidochlorethoxyquinone (Kehrmann), 1891, A., 904.

Tetramethyl/iamido/lichloronitrotriphenylmethane (Kock), 1887, Å., 837.
Tetramethyl/iamidodinaphthylphenylmethane (phenyltetramethyldiamidodinaphthylmethane) (FRIELL NIMER

dinaphthylmethane) (FRIEDLÄNDER and WELMANS), 1889, A., 151.

Tetramethyldiamidodiphenyl (tetramethyldenexidine) (MICHLER and PATTINSON), 1884, A., 747; (GIRAUD), 1890, A., 138; (LAUTH), 1891, A., 457.

derivatives (MICHLER and PATTIN-SON), 1884, A., 747.

m-diamido- (LAUTH), 1892, A., 1222. (tetrumethyldiphenyline) (REU-LAND), 1890, A., 167.

Tetramethyl/liamidodiphenylamine, oxidation of (BERNTHSEN), 1884, A., 597.

Tetramethyldiamidodiphenylcarbinol. See Tetramethyldiamidodiphenylethane.

Tetramethyl/iamidodiphenylethane (HEUMANN and WIERNIK), 1887, A., 674; (TRÜGER), 1888, A., 287.

Tetramethyldiamidodiphenylheptane (KRAFFT), 1887, A., 253.

Tetramethyl/liamidodiphenylmethane (Wiernik), 1889, A., 130; (VAN ROMBURGH), 1889, A., 146.

nitro (VAN ROMBURGH), 1889, A., 146. Tetramethyl/lamidodiphenylmethoxymethylquinolylmethane (NoLTING), 1892, A., 190.

Tetramethyltriamidodiphenylmethoxytolylmethane (Nolting), 1892, A.,

Tetramethyldiamidodiphenylphenylamidonaphthylcarbinol (Victoria blue) (NATHANSON and MULLER), 1889, A., 1190.

Tetramethyldiamidodiphenylphenylmethylamidonaphthylcarbinol and its derivatives (NATHANSON and MULLER), 1889, A., 1191.

Tetramethyl/lamidodiphenylquinolylmethane (Nölting), 1892, A., 190. Tetramethyl/iamidodiphenylthienylmethane (Levi). 1887, Δ., 481.

Tetramethyldiamidodiphenyltolylmethane, p-nitro- (NOLTING), 1891, A., 727.

Tetramethyltriamidodiphenyltolylmethanes and their derivatives (NoL-TING), 1892, A., 187.

Tetramethyleliamidoditolylnitrophenylmethane (Kock), 1887, A., 837.

Tetramethyl/liamidophenylmethane, action of sulphur on (WALLACH), 1891, A., 189.

Tetramethyl/iamidoquinone, preparation of (Kehrmann), 1890, A. 757.

Tetramethyl/liamidothiobenzophenone and its derivatives (BAITHER), 1887, A., 816; 1888, A., 289.

Tetramethyldiamidotoluene (tetramethyltolylenediamine) (NIEMENTOW-SKI), 1887, A., 938.

Tetramethyldiamidotriphenylethane (Doesnen and Perschow), 1888, A., 288.

Tetramethyldiamidotriphenylmethane. See Leucomalachite-green.

Tetramethyltriamidotriphenylmethane, derivatives of (NATHANSON and MULLER), 1889, A., 1189.

Tetramethylammonium salts, action of heat on (LAWSON and COLLIE), 1888, T., 624; P., 61.

bromide, chloride and sulphate, action of bromine, chlorine and iodine on (DOBBIN and MASSON), 1886, T., 847; P., 239.

dibromiodide and dichloriodide (Don-BIN and MASSON), 1886, T., 848, 850.

cyanide and its salts (THOMPSON), 1884, A., 286; (CLAUS and MERCK), 1884, A., 338.

hydroxide, heat of formation of (MUL-LER), 1889, A., 811.

iodide, action of bromine and chlorine on (Dobbin and Masson), 1886, T., 848.

action of potassium on (THOMPSON and CUNDALL), 1888, T., 761; P., 79.

heptiodide and noniodide (GEUTHER), 1887, A., 910.

nitrate, formation of (DUVILLIER and MALBUT), 1885, A., 370.

Tetramethylanthracene (FRIEDEL and CRAFTS), 1887. A., 1102.

CRAFTS), 1887, A., 1102.
Tetramethylapionol (CIAMICIAN and SILBER), 1890, A., 36.

dinitro- (CIAMICIAN and SILBER), 1890, A., 1295.

Tetramethylazyline (Nouring and Bau-Mana), 1885, A., 385; (Nouring and Koen), 1885, A., 386.

hydrochloride (Nolling), 1885, A., 895.

Tetramethylbenzamide (HARRIS), 1890, A., 158.

Tetramethylbenzamidobenzophenone, action of nitrous acid on (Herzberg and Polonowsky), 1892, A., 185.

Tetramethylbenzene (v. HOFMANN), 1884, A., 1320.

amido- (dusulsur) [b.p. 255°] (v. HOFMANN), 1884, A., 1320.

1:2:3 4-Tetramethylbenzene. See Pichnitene.

5-amido- (prehnidane) [h.p. 260°] (Limpach), 1888, A., 164.

1:2:3:5-Tetramethylbenzene. See iso Durene.

4 amido- (isoduridine) (NOLLING and BAUMANN), 1885, A., 384, 893. 1 2:4·5-Tetramethylbenzene. See Dui-

ene.
Tetramethylbenzenecarboxylic acid.
See Tetramethylbenzoic acid.

Tetramethylbenzenethio-carbamide and -carbimide (v. HOFMANN), 1884, A., 1820.

Tetramethylbenzidine. See Tetramethyldiamidodiphenyl.

1:2:3:4-Tetramethylbenzoic acid (Gorischalk), 1888, A., 261.

1 2.4:5-Tetramethylbenzoic acid (durcnecarboxylic acid) (JACOBSEN), 1889, A., 877.

Tetramethylbenzoic acids, 1:2:3 4- and 1 2:3 5- (CLAU- and FOECKING),1888, A., 276.

Tetramethylbenzophenone (benzoylisodurene) (Essner and Gossin), 1885, A., 253.

Tetramethylbenzoylbenzoic acid (oduroylbenzoic acid) (FRIEDEL and CRAFTS), 1889, A., 242.

Tetramethylbrazilein (Schalb and Dralle), 1888, A., 295; 1889, A., 55.

derivatives of (SCHALL and DRALLE), 1889, A., 55.

Tetramethylbutallylcarbinammonium iodide. See Trimethylhexenylammonium iodide.

Tetramethyldiethyl-p-phenylenediammonium diodide (LIPPMANN and FLEISSNER), 1884, A., 178.

Tetramethyldihydroanthracene and its derivatives (Anschutz and Romig), 1885, A., 768.

Tetramethyldihydropyridine (CIAMI-CIAN and ANDERLINI), 1889, A., 58.

Tetramethyldihydropyridine, action of methylic iodide on (Anderdini), 1890, A., 67.

Tetramethyldimethylenedisulphone (AUTENRIETH), 1887, A., 463.

Tetramethyldiphenyline (tti amethyldiumidodiphenyl) (REULAND), 1890, A., 167.

Tetramethyldipicolyl methiodide (LA-DENBURG), 1889, A., 161.

Tetramethyldiquinolyline. See Tetramethylquinolylquinoline.

Tetramethyldiquinoxaline (NIBIZKI and MULLIER), 1889, A., 601.

Tetramethylenaldehyde (COLMAN and PLRKIN), 1887, T., 238.

Tetramethylene ethyl ketone (Pun-KIN and SINCLAIR), 1892, T., 51.

sodium hydrogen sulphite compound of (PERKIN and SINCLAIR), 1892, T., 53.

Tetramethylene ethyl ketoxime (PLRKIN and SINCLAIR), 1892, T., 51.

Tetramethylene glycol (DEKKERS), 1891, A., 164.

Tetramethylene methyl ketone (C'OL-MAN and PERKIN), 1887, T., 238; P., 12; (PERKIN and SINCLAIR), 1892, T., 47.

Tetramethylene methyl ketoxime (PERKIN and SINCLAIR), 1892, T., 49.

Tetramethylene derivatives (COLMAN and PERKIN), 1887, T., 228; P., 12; (PERKIN and SINCLAIR), 1891, P., 191; 1892, T., 36.

headhromo- (Sabankeff), 1889, A., 1128.

Tetramethylene-carbanilide and -carboxylamide (FREUND and GUDLMAN), 1888, A., 1271.

Tetramethylenecarboxylic acid (protenuc acid) and its salts (Pirkkin), 1883, A., 1084; 1887, T., 8.

preparation of (Perkin and Sinclair), 1892, T., 40.

thermochemistry of (Stohmann and Kleber), 1892, A., 1040.

dissociation constant of (WALKER), 1892, T., 705.

calcium salt of, distillation of, with lime (COLMAN and PERKIN), 1887, T., 229.

α-biomo- (Perkin and Sinclair), 1892, T., 41.

Tetramethylenecarboxylic anhydride and nitrile (FREUND and GUDE-MAN), 1888, A., 1271.

chloride, preparation of (PERKIN and SINCLAIR), 1892, T., 41.

Tetramethylenediamine (putrescine) and its derivatives (Ladenburg), 1886, A., 528; (v. Udránszky and Bau-MANN), 1889, A., 33, 1024. in cystinuria (v. Udránszky and

BAUMANN), 1889, A., 1024.

preparation of (LELLMANN and WÜR-THNER), 1885, A., 978. conversion of pyrroline into (CIAMI-

CIAN and ZANETTI), 1889, A., 1208; (Ciamician), 1890, A., 1242.

Tetramethylene-1:1-dicarboxylic acid and its salts (Perkin), 1883, A., 1084; 1887, T., 4.

dissociation constant of (WALKER), 1892, T., 705.

Tetramethylene-1:2-dicarboxylic acid and anhydride (PERKIN), 1886, A., 934; 1887, T., 22.

Tetramethylenedicarboxylic (MARKOWNIKOFF), 1892, A., 1806. thermochemistry of (Stohmann and Kleber), 1892, A., 1041.

Tetramethylenedinitramine (Dek-KERS), 1891, A., 164.

Tetramethylene-ethylcarbinol and -ethylcarbinyl acetate (Perkin and SINCLAIR), 1892, T., 54, 56.

Tetramethylenemethylamine (FREUND and Gudeman), 1888, A., 1271.

Tetramethylenemethyl-carbamide and -thiocarbamide (FREUND and GUDE-MAN), 1888, A., 1271.

Tetramethylenemethylcarbinol (PERkin and Sinclair), 1892, T., 50.

Tetramethylenephenylcarbinol and its polymeride (Perkin and Sin-CLAIR), 1892, T., 62, 65.

Tetramethylenepropylic bromide and iodide (Perkin and Sinclair), 1892, T., 57.

Tetramethylene-1:1:2:2-tetracarboxylic acid (PERKIN), 1886, A., 934; 1887, T., 17, 21.

Tetramethylenic dibromide (Gustavson and Demjanoff), 1889, A., 950.

Tetra-Sec Tetramethylenylamine. methylenemethylamine.

Tetramethylethylene (hcxylene), action of chlorine on (Chupotsky), 1885, A., 645; (Chupotsky and Mari-UTZA), 1890, A., 727.

Tetramethylethylene oxide (hexy/cuc oxide) (ELTEKOFF), 1883, A., 567.

α-Tetramethylethylenedipyrroline (tetramethyldipyrrylethylene) (PAAL and Schneider), 1887, A., 273.

Tetramethylglutaramidine plat chloride (PINNER), 1891, A., 62. platino-

Tetramethylglycolurile (FRANCHI MONT and KLOBBIE), 1889, A., 126. (FRANCHI- Tetramethylindamine sulphide, and thiosulphate (Bernthsen), 1889, A., 777.

2':3':3:4-Tetramethylindole STEDT), 1889, A., 1209.

Tetramethylmalonamide (dimethylmalondimethyldiamide) (FRANCHIMONT), 1886, A., 449.

1:2:3:4-Tetramethylmandelic (CLAUS and FUILLISCH), 1889, A., 50.

Tetramethylmandelic acids, 1:2:3:5and 1:2:5:6- (CLAUS and FOECKING), 1888, A., 275.

1:2:3:4-Tetramethylphenol. See Prehnitol.

1:2:4:5-Tetramethylphenol. See Dure-

1:2:3:4-Tetramethylphenyl-5-acetic acid (CLAUS and Forlisch), 1889,

Tetramethylphenylenediamine (prchnitylenediamine) (Tohl), 1888, A., 585.

nitroso-, hydrochloride, and its . derivatives (WIIT), 1885, A., 782.

Tetramethyl-o-phenylenediamine (phenylenetetramethyldiamine) (Fischer), 1892, A., 1474.

Tetramethyl-m-phenylenediamine (VAN ROMBURGH), 1888, A., 1185.

Tetramethyl-p-phenylenediaminethiosulphonic acid (BERNTHSEN), 1889, A., 777.

Tetramethylphenylenesaffranine (ANON.), 1884, A., 539.

1:2:3:4-Tetramethylphenylglyoxylic acid (CLAUS and FÖHLISCH), 1889, A., 50.

Tetramethylphenylglyoxylic acids. 1:2:3:5-, and 1:2:4:5- (CLAUS and FOECKING), 1888, A., 275.

Tetramethylphenyllutidonecarboxylic acid (Conrad and Limpach), 1888, A., 851.

Tetramethylphloroglucinol, action of hydrochloric acid on (SPITZER), 1890, A., 1407.

bi-secondary (MARGULIES), 1889, A., 497.

Tetramethylphosphonium salts, action of heat on (COLLIE), 1888, T., 636;

Tetramethylpiperidine (mcthylcopellidinc) and its derivatives (DÜRKOPF), 1885, A., 817.

iodo- (Fischer), 1884, A., 1290. Tetramethylpyrazine (methylkctine; (OECONOMIDES), tetramethyluldine) 1887, A., 29; (Wolff), 1887, A., 465; (Braun and Meyer), 1888, A., 1093; (BRAUN), 1889, A., 613.

Tetramethylpyrroyl-pyrroline and -pyrrolinecarboxylic acid (MAGNA-NINI), 1889, A., 409.

1:3:1:2'-Tetramethylquinoline [b.p. 297-300'] (DOEDNER and V. MIL-LER), 1881, A., 1375.

Tetramethylquinoline [b.p. 284°] and its salts (Lew and RIEHM), 1886, A., 721.

Tetramethylquinolylquinoline and its derivatives (Schentoral), 1887, A., 1120.

Tetramethylrosamine (Haumann and Rey), 1890, A., 157.

Tetramethylstrychnine dihydroxide (TAFEL), 1890, A., 1448.

Tetramethylsuccinic acid (hexanedicarboxylic acid) (Auwers and Meyer), 1889, A., 1145; 1890, A., 182, 479; (Auwers and Gardner), 1891, A., 290.

Tetramethylsuccinic anhydride (Auwers and Meyer), 1890, A., 479.

Tetramethyl-succinimide and -succinphenylimide (Auwers and Gard-Ner), 1891, A., 290.

Tetramethylsulphonamide (BEHREND), 1884, A., 285.

action of nitric acid on (FRANCHI-MONT), 1885, A., 970.

MONT), 1885, A., 970.
Tetramethyltetrahydropyridine. See
Triacetonine.

Tetramethylthioaniline and its salts (Tursini), 1884, A., 1141.
See also Thiodimethylaniline.

Tetramethylthiophen (ZELINSKY),1888,

A., 939.
Tetramethyltricarballylic acid (Bischoff and V. Kuhlberg,), 1890, A., 747.

Tetramethyluric acid (FISCHER), 1881, A., 1310.

Tetramine-chromic and -cobalt salts. See Chromanmonium under Chromium and Cobaltamine under Cobalt.

Tetrammoncuprammonium bromide. See Cuprammonium under Copper.

β-Tetranaphthyloarbamide (Kym),
 1890, A., 994; (Kuhn and Landau),
 1590, A., 1311.

dithio- (Paschkowetzky), 1892, A., 166.

B-Tetranaphthyldiamine, thio- (KYM), 1889, A., 51.

Tetrane. See Furfuran.

Tetranilidonaphthalene (tetraphenyltetramidonaphthalene) (FISCHER and HEPP), 1890, A., 911.

Tetra-p-oxybenzoid (SCHIFF), 1883, A., 335.

Tetraphenol. See Furfuran.

Tetraphenyl ethylenic havacyanide (Krayff and Koenig), 1890, A., 1253.

Tetraphenylaldine. See Tetraphenylpyrazine.

Tetraphenyltetramidomethylenephenylenediamine (Moore), 1890, A., 246.

Tetraphenylazine. See Tetraphenylpyrazine.

Tetraphenylcarbamide, thio- (PASCH-KOWETZKY), 1892, A., 165.

dithio- (Fraenkel), 1885, A., 1130; (Paschkowerzky), 1892, Δ.,165.

Tetraphenylcrotolactone (lubular oxylcpiden) (JAPP and KLINGE-MANN), 1889, P., 137.

action of alcoholic ammonia on (KLINGEMANN and LAYCOCK), 1891, T., 144.

action of methylamine on (KLINGE-MANN and LAYCOCK), 1891, T., 147.

Tetraphenyldiarsine (MICHAELIS and SCHULTE), 1883, A., 187.

Tetraphenyldihydropyridazine (tetruphenyldihydro-oiazine) (SMIIH), 1890, T., 647.

Tetraphenyldiphosphine (Donken), 1888, A., 833.

Tetraphenyldiquinoxaline (NIE1ZKI and MULLER), 1889, A., 605.

Tetraphenylenefurfuran (JAPP and KLINGEMANN), 1890, P., 32.

Tetraphenylenepyrazine (tetruphenylenecaine) (Japa and Burron), 1887, T., 101.

Tetraphenylethane (ANSCHUIZ), 1884, A., 326; (ANSCHUIZ and KLEIN), 1884, A., 1031.

synthesis of (Anschutz and Entz-BACHER), 1883, A., 1132.

Tetraphenylethylene, synthesis of (Zirgilen), 1888, A., 596. preparation of (de Boissieu), 1888, A., 959.

Tetraphenylethylene. lithiosemithiocarbazide (Burgmard), 1890, A., 251.

Tetraphenyl-1-ethylpyrroline (Fenn-LIN), 1889, A., 620.

Tetraphenylfurfuran (lepiden), constitution of (Magnanini and Angeli), 1889, A., 729.

Zinin's, constitution of (JAPP and KLINGEMANN), 1889, P., 136; 1890, T., 662.

Tetraphenylglycocine (JAPP and CLEMINSHAW), 1887, T., 553; P., 34.
Tetraphenylic silicate (MARTINI and Weber), 1883, A., 983.

Tetraphenyl-1-methylpyrroline (FEHR-LIN), 1889, A., 623.

Tetraphenyl-1-methylpyrrolone (KLINGEMANN and LAYCOCK), 1890, P., 149; 1891, T., 149.

Tetraphenylpyrazine (ditolanea:otile; tetraphenylaldine) (JAPP and WILSON), 1886, T., 829; (JAPP and BURTON), 1887, T., 101; (BRAUN and MEYER), 1888, A., 700.

conversion of, into diphenanthryleneazotide (JAPP and BURTON), 1886, T., 848; P., 236.

Tetraphenylpyrrolidone (KLINGEMANN and LAYCOCK), 1891, T., 146.

c-Tetraphenylpyrroline (GARRET), 1889, A., 162.

tetranitro- (Fehrlin), 1889, A., 623. 1:2:3:5-Tetraphenylpyrroline (Smiih), 1890, T., 646.

3:3:4:5-Tetraphenylpyrrolone and its reduction (KLINGEMANN and LAY-COOK), 1891, T., 144.

Tetraphenylsilicon and its tetrunitroderivative (Polis), 1886, A., 618. Tetraphenylsuccinic acid (Bickel),

Tetraphenylsuccinic acid (BICKEL)
1889, A., 999.

Tetraphenylsuccinonitrile (AUWERS and MEYER), 1889, A., 883.

Tetraphenyltetracarbazone (Cul-MANN), 1890. A., 1268.

Tetraphenylthiophen (theolepiden; thionessal) (Zieglen), 1890, A., 1246; (BAUMANN and Klett), 1892, A., 185.

substitution products (KOPP), 1892, A., 718.

"Tetraphenylthiodithiosemicarbazide" (Ruhl), 1892, A., 1326.

Tetraphenyluvinone (PERKIN and SCHLOESSER), 1890, T., 956. Tetrapropylglutarimidine derivatives

(PINNER), 1891, A., 62.
Tetrapropylmethylenediamine (EHREN-

Tetrapropylmethylenediamine (EHREN-BERG), 1887, A., 1027. Tetrapropylsuccinimidine salts (Pin-

NER), 1891, A., 37. Tetraprotocatechutannic acid (Schiff),

Tetraprotocatechutannic acid (Schiff), 1883, A., 335.

Tetrarpyridinerhodium hydrochloride, dichloro-(Jongensen), 1889, A., 352. Tetrarabinantrigalactangeddie acid (O'SULLIVAN), 1891. T., 1035.

α-Tetraresorcinoldichroin ether, bromo-(BRUNNER and CHUIT), 1888, A., 1182.

Tetrathionates. See under Sulphur.
Tetra-p-tolylamidodimethylene-ophenylenediamine (Moore), 1890,
A., 217.

p-Tetratolylcarbamide (HAMMERICH), 1892. A., 1083.

Tetratolylethane, Schwartz's (ELBS and WILTIGH), 1885, A., 518.

p-Tetratolylic silicate (MARIINI and WEBER), 1883, A., 983.

p-Tetratolyloxamide (HAMMERICH), 1892, A., 1084.

Tetra-m- and -p-tolylsilicon (Polis), 1886, A., 619.

Tetratomic elements, combination of (Colson), 1883, A., 15.

Tetravinylpyridine (KARAU), 1892, A., 1483.

Tetrazodiphenol (Kunze), 1889, A., 262. Tetrazodiphenyl (Tauber), 1891, A., 570.

Tetrazodiphenyldisulphonic acid (Limper Hr), 1891, A., 930.

Tetrazole (BLYDIN), 1892, A., 1009. Tetrazoleazo-dimethylaniline and -β-

naphthylamine (THIELE), 1892, A., 1299.

Tetrazole-series, amidoximes and azoximes of (Bladdin), 1889, A., 977. Tetrazostilbene, dves from (Bender and Schultz), 1887, A., 268.

Tetrazotic acid, amido-(THILLE), 1892, A., 1299.

Tetrazotic acids (Lossen), 1891, A., 1038.

Tetrethoxybenzene (NIETZKI and RECHBERG), 1890, A., 968.

Tetrethoxyquinhydrone, tetruchloro-(KEHRMANN), 1891, A., 905.

Tetrethylacetone (diamyl ketone) (ULRICH), 1892, A., 1188.

Tetrethylacetonedicarboxylic acid (Dunschmann and v. Pechmann), 1891, A., 674.

Tetrethylallylalkine. See Hydroxytetrethylpropylenediamine.

Tetrethyl/lamidoarsenobenzene (Michaelis and Rabinerson), 1892, A., 1321.

Tetrethyl//amidodiphenylphthalic acid (Schiff and Vanni), 1890, A., 1298.

Tetrethyldiamidodiphenylpropane (Doebner and Petschow), 1888, A., 287.

Tetrethyltriamidodiphenyltolylmethane (Nolting), 1892, A., 189.

Tetrethyldiamidophenylditolylmethane, nitro- and amido-derivatives of (Nolting), 1891, A., 728.

Tetrethyld amidotriphenylmethane, colour base from, and amido- and o-nitro-derivatives of (FI-CHER and SCHMIDT), 1884, A., 1316.
p-nitro- (KAESWURM), 1886, A., 553.

993 63

Tetrethylammonium bromide, compound of, with thiocarbamide (REY-NOIDS), 1891, T., 387.

chloride, magnetic rotatory power of (Perkin), 1889, T., 715.

iodide, compound of, with thiocarb-(RELNOLDS), amide 1891, T., 387.

1884, m-vanadate (BAILEY), Т., 693.

1:2:3:4-Tetrethylbenzene (JACOBSEN), 1889, A., 41.

1:2:4:5-Tetrethylbenzene and its derivatives (GALLE), 1883, A., 1091; (JACOBSEN), 1889, A., 40.

Tetrethylbenzenes, chlorinated (Ista 1-TI), 1886, A., 231, 343.

Tetrethylbenzenesulphonic acids, salts of (Galle), 1883, A., 1091; (JACOB-SEN), 1889, A., 40.

Tetrethyldiresorcinol (PUKALL), 1887, A., 661.

Tetrethyleuxanthic acid (Herzig), 18**92, A.,** 1354.

Tetrethylglutaramidine platinochloride (Pinner), 1891, A., 62.

Tetrethylindamine thiosulphonate (Bernthsen), 1889, A., 778. (Kaes-Tetrethylpuraleucaniline

WURM), 1886, A., 553.

Tetrethylmethylenediamine (EHREN-BERG), 1887, A., 1027.

Tetrethyl-p-phenylenediamine (phenylenetetrethyldiamine) and its derivatives (LIPPMANN and FLEISSNER), 1883, A., 869, 1100.

Tetrethylphloroglucinol (Henzig and Zeisel), 1889, A., 247.

Tetrethylphloroglucinols, bromo-(HER-ZIG and ZEISEL), 1890, A., 243.

Tetrethylphosphonium salts (LETTS and Collie), 1886, P., 164; (Masson and Kirkland), 1889, T., 126, 135; P., 19, 20.

action of chlorine and bromine on (Masson and Kirklind), 1889,

T., 126; P., 19. iodide, action of bromine on (Dob-BIN and Masson), 1886, T., 854.

Tetrethylrosamine (HEUMANN and REY), 1890, A., 157.

Tetrethylsaffranine (NIETZKI), 1883,

A., 732; (ANON.), 1884, A., 539. Tetrethyl-succinamidine and -succinimidine hydrochlorides (PINNER), 1891, A., 37.

isoTetrethyldithioxamide (Wallach and REINHARDT), 1891, A., 1008.

Tetrethyltrimethylenetrisulphone (CAMPS), 1892, A., 592.

Tetric acid (acrylacetic acid) (PAWLOFF), 1883, A., 730; 1884, A., 41; (Fit-11G), 1883, A., 1085; (MOSCHELES and Cornelius), 1888, A., 1272; (FREER), 1891, A., 1182; (WAL-DEN), 1891, A., 1187.

heat of solution, and of neutralisation of (Berthelot), 1886, A., 8.

homologues of (PAWLOFF), 1884, A., 41; (Moscheles and Cornelius), 1888, A., 1272; (Wal-DEN), 1891, A., 1187.

bromo-(Moscheles and Cornelius), 1888, A., 1272.
Tetrinamide (Moscheles and Con-

NELIUS), 1888, A., 1272.

Tetroden, poison of the (EIJKMAN), 1883, Á., 1049.

Tetrolcarbamide. See Pyrrolinecarbamide.

Tetrole. See Fuifuran.

Tetrole-nuclei, constitution of (CLAMI-CIAN), 1891, A., 1195; (CIAMICIAN and ANGELI), 1892, A., 302.

Tetrolic acid (FITTIG and CLUTTERвиск), 1892, А., 961.

reduction of (Aronstein and Holle-MAN), 1889, A., 878.

Tetrolurethane. See Pyrrolineurethane. Tetronal (duthylsulphonedicthylmeth. ane) (BAUMANN and Kast), 1889, A., 1233; (FROMM), 1890, A., 56.
Tetronerythrin (MACMUNN), 1884, A.,

Tetroxydimethylanthraquinone. See Dimethylanthrachrysone.

Tetroxyditolyl, anhydride of (NIETZKI), 1883, A., 467.

o-Tetrylenedicarboxylic acetylanhyacetylchloranhydride dride and (MARKOWNIKOFF), 1892, A., 1307.

Tetrylenedicarboxylic acids (MARKOWміковт), 1892, A., 1306.

Teuerin, action of nitric acid on (Oclialoro-Todaro), 1884, Λ.,

reaction (Mylius). Thalleioquinine 1887, Ā., 311.

Thallic oxide. See Thallium sesmioxide.

Thallin." See 3-Methoxytetrahydroquinoline.

Thallium in platinum (WARREN), 1887, A., 702.

in crude zinc (Kosmann), 1886, A.,

position of, in the chemical system and its presence in sylvin (Schramm), 1883, A., 951.

molecular weight of (RAMSAY), 1889, T., 531, 533.

Thallium, vapour density of (Biltz and MEYER), 1889, A., 674.

action of nitrosyl chloride on (Sun-

BOROUGH), 1891, T., 657. lowering of the freezing point of cadmium bγ (HEYCOCK NEVILLE), 1892, T., 903.

influence of, on the freezing point of sodium (Heycock and Neville), 1889, T., 671.

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 379.

alloy of, with lead, analysis of (HEYcock and Neville), 1892, T., 914.

Thallium salts, physiological action of (BLAKE), 1890, A., 1452.

antimonate (Beilstein and v. Bläse), 1889, A., 1124.

chlorate and potassium chlorate, solubility of mixed crystals of (ROOZEBOOM), 1892, A., 266.

sesquichloride, double salts of, with other metallic chlorides (NEU-MANN), 1888, A., 655.

potassium chloride (RAMMELSBERG), 1883, A., 424.

chlorochromate (LEPIERRE and LA-CHAUD), 1891, A., 1422; 1892, A., 568.

chromate (Lachaud and Lepierre), 1892, A., 567.

reactions of (LEPIERRE and LA-CHAUD), 1891, A., 1422.

potassium chromate (LACHAUD and LEPIERRE), 1892, A., 568.

hydroxide, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 76, 88.

iodide, solubility of (Long), 1891, A., 1295.

cobalt nitrite (ROSENBLADT), 1887, A., 13.

oxides, action of magnesium (WINKLER), 1890, A., 694.

dioxide (Piccini), 1888, A., 110. sesquioxide (thallic oxide) (LACHAUD

and LEPIERRE), 1892, A., 568. crystalline hydrated (CARNEGIE),

1890, A., 109. phosphates (RAMMELSBERG), 1883,

A., 424. hypophosphate(RAMMELSBERG), 1892,

A., 403.

hydrogen pyrophosphate MELSBERG), 1884, A., 397. dihydrogen

sodium thiosulphate (VORTMANN and PADBERG), 1890, A., 12.

potassium sulphide, action of hydrogen on (Schneider), 1891, A., 16.

Thallium dithionates, double (KLUSS), 1888, A., 1157.

Thallium, detection and estimation:detection of, in presence of lead (Wennen), 1886, A., 490. estimation of (Neumann), 1888, A.,

529; (FEIT), 1889, A., 927; (Long), 1891, A., 1295; (BAUBIGNY), 1892, A., 238.

estimation, electrolytic, of (Brand), 1890, A., 295.

estimation, volumetric, of (CARNOT), 1889, A., 1246.

Thapsia resin (UANZONERI), 1884, A., 460.

Thapsic acid, and its salts (CANZONERI), 1884, A., 461.

Thaumasite from Kiolland (WIDMAN). 1592, A., 1407.

Thebaine and its derivatives (HOWARD). 1884, A., 1201; (Howard and Rosen), 1886, A., 813; (PLUGGE), 1887, A., 280.

physiological activity of (STOCKMAN and Dott), 1891, A., 762.

Theine. See Caffeine under Alkaloids. Thenardite (Mucce), 1884, A., 969;

(DARAPSKY), 1890, A., 456. from Aguas Blancas (BAERWALD), 1883, A., 434.

in Russia (MARKOWNIKOFF), 1888,

preparation of the artificial variety of (Mügge), 1884, A., 969.

See also Sodium sulphate.

and its derivatives Theobromine (FISCHER), 1883, A., 356; (SCHMIDT and PRESSLER), 1883, A., 872; (MALY and ANDREASCH), 1883, A.,

action of alkalis on (MALY and AN-DREASCH), 1883, A., 1017.

THERMOCHEMISTRY:-

basis of (MEYER), 1883, A., 773. new law in (BECKER), 1886, A., 498. principles of (PICKERING), 1888, P.,

99; 1889, T., 14. relation of, to constitution of carbon compounds (Armstrong), 1887, A.,

420; (PICKERING; BRÜHL), 1887 A., 423; (Stohmann), 1887, A., 425. Thermochemical constants (PICKER-ING), 1888, P., 52.

non-reversible respecting actions electrolytic (Boltz-MANN), 1887, A., 1072.

Thermodynamics and chemistry (LE CHATELIER), 1887, A., 431.

second law of, and its application to chemical phenomena (LE CHATELIER), 1892, A., 3.

Heat and volume changes attending mixture (Gurnnic), 1885, A.,

absorption of, by water-vapour (RONGEN), 1885, A., 5.

displacement of chlorine by bromine, and reactions accompanied by the absorption of (POTILIZIN),

1884, A., 955. developed by action of acids and alkalis upon silk (Vignon), 1890, A., 553.

developed by action of acids and alkalis upon wool and cotton (Vignon), 1890, A., 939.

developed by the action of oxygen on the blood (BERTHELOT), 1890,

A., 274.

production of, in animals (Rosen-THAL), 1890, A., 182.

powders developed when moistened (MEISSNER), 1887, A.,

evolved in the absorption of gases by solids and liquids (CHAP-Puis), 1883, A., 702.

evolved on diluting solutions of calcium chloride (PICKERING), 1888, P., 35.

evolved in the electrolysis of copper sulphate (JAHN), 1883, A., 1043. constancy in the, produced by the

reaction of certain salts on each other (Pickering), 1888, A., 333. Calorimetric study of the effect of

tempering and hammering on cast steel (Osmond), 1885, A., 856.

Diathermous power, molecular weight, density and refractive index of a substance, relation between (AYMONNET), 1892, A., 1. Diathermancy of asseulin (WESEN-

DONCK), 1885, A., 213.

Isothermals, theoretical and empirical, of mixtures, connection between (Blumcke), 1891, A., 375; 1892, A., 259.

Isothermal curves for carbonic anhydride (AMAGAT), 1892, A., 3.

Isothermic lines of bismuth placed in a magnetic field, rotation of (Righi), 1888, A., 102.

Isotherms of a mixture of sulphurous and carbonic anhydrides (Blum-CKE), 1889, A., 750.

Radiation, comparative, of fused platinum fused and(VIOLLE), 1887, A., 1010. from silver at the solidifying point (VIOLLE), 1883, A., 771.

THERMOCHEMISTRY :--

Temperature, radiation, and energy, relation between (ARNEY and FESTING), 1881, A., 249.

relation between solubility and (VAN DEVENTER and VAN DE ŠTADT), 1892, A., 559.

relation between pressure and, of saturated vapours (JAROLIMEK), 1883, A., 417, 951.

volume and pressure, relation of, in the case of liquids (BARUS), 1890, A., 321.

volume and pressure, relations of, in the case of saturated vapours (Unwin), 1886, A., 764.

physical and chemical phenomena at very low (PICTET), 1892, A., 1138.

influence of, on spectroscopic observations and measurements (KRUSS), 1885, A., 209.

effect of, on refraction and dispersion (GLADSTONE), 1891, T., **2**90.

influence of, on the refractive power of certain organic compounds (PERKIN), 1892, T., 287; P., 115.

relation of, to the conductive capacity of gases MANN), 1887, A., 5. (WINKEL-

influence of, on the electromotive force and resistance of batteries (Preece), 1883, A., 840; 1884, A., 243.

influence of, on the magnetism of salts of metals of the iron group (Plessner), 1890, A., 678.

influence of, on the direction of chemical reactions (Potilizin),

1889, A., 335. influence of, on the rate of certain reactions (Menschutkin), 1884, А., 1295.

influence of, on the rate of action of certain acids on marble (SPRING), 1887, A., 882. influence of, on the decomposition

of oxalic acid by ferric chloride (LEMOINE), 1887, A., 321.

influence of, on heat of chemical combination (Pickering), 1886, T., 260; P., 161.

thermodynamical expression of the influence of, on the rate of chemical change (URECH), 1888, A., 338.

of saturated vapours of various liquids under the same pressure (Color), 1892, A., 1143.

Temperature of the body, influence of meat extract on (RUBNER), 1885, A., 409.

in nerves (ROLLESTON), 1890, A., 536.

influence of, on the exhalation of carbonic anhydride (GRANDIS), 1890, A., 1334.

relation of expansion of substances in gaseous, vaporous, and liquid to absolute (SCHALL), state 1885, A., 1179.

(PAWLEWSKI), Critical constants 1884, A., 252.

in chemical decompositions (VAN'T Hoff), 1885, A., 1181.

relation between boiling points and (BARTOLI), 1885, A., 859.

molecular constitution of compounds at their critical temperature and pressure (GUYE), 1890, A., 443.

determination of molecular weight at the critical point (GUYE), 1891, A., 1411.

determination of critical pressures and temperatures (CAILLETET and COLARDEAU), 1891, A.,

of bodies, relation between their thermal expansion as liquids and critical · temperatures (THORPE and RÜCKER), 1884, T., 135;

1887, A., 429. gases (ANSDELL), 1883, 277; (JAMIN), 1883, A., 898.

of vapours (VINCENT and CHAP-PUIS), 1885, A., 861, 1104; 1886, A., 963.

of liquids (DEWAR), 1885, A., 331; (HEILBORN), 1891, A., 380, 969.

of mixed liquids (SCHMIDT), 1892,

pressure curves of fluids at their critical points (v. Wroblewski),

1886, A., 964. of liquids, Mendeléeff's formula for the expansion of liquids, and Thorpe and Rucker's formula for determining, from their coefficient of expansion (BARTOLI and STRACCIATI), 1885, A., 859.

so-called, of solids (v. RICHTER),

1886, A., 656. of alkyl salts (PAWLEWSKI), 1883, A., 276.

of ethyl ether (RAMSAY and YOUNG), 1887, A., 320.

of ethylic alcohol (RAMSAY and Young), 1885, A., 1178.

THERMOCHEMISTRY:

Temperatures, high, determination of (ANON.), 1883, A., 274.

high, optical measurement of (LE CHATELIER; BECQUEREL), 1892, A., 761.

low, production of (CAILLETET), 1884, A., 383, 656, 1248; (OLSZEWSKI), 1885, A., 1101.

low, use of boiling oxygen, nitrogen, carbonic oxide and atmospheric air for producing (v. WROB-LEWSKI), 1885, A., 715; (OLS-ZEWSKI), 1885, A., 1101.

Thermometers, air (CAILLETET), 1888, A., 772.

for lecture purposes (Young), 1888, Л., 410.

or hydrogen, for low temperatures (COLEMAN), 1886, A., 116.

Thermometer, gas (Beilby), 1886, A.,

Thermometer, hydrogen, limit to the use of (v. Wroblewski), 1885, A., 861.

Thermometer, mercurial, relation between the ordinary, and the weight thermometer (BARBIER), 1885, A., 111.

determination of fixed points on (HEYCOCK and NEVILLE), 1890, Ť., 656.

graduation of (CRAFTS), 1883, A.,

comparison of, with the hydrogen thermometer (CRAFTS), 1883, A.,

use of, with particular reference to the determination of melting and boiling points (CRAFTS), 1884, A., 656.

influence of the composition of glass on the depression phenomena of (WEBER), 1888, A., 641.

of Jena glass, rise of the zero point of (ALLIHN), 1889, A., 1041; 1891, A., 8.

short range, estimation of the value of a degree of (CALDERON), 1889, A., 203

Thermometric readings, correction of (RIMBACH), 1890, A., 205.

Thermometers, platinum (HEYCOCK and NEVILLE) 1890, T., 657.

(CALLENDAR standardising GRIFFITHS), 1891, A., 1146.

determination of boiling and points freezing by means of (GRIFFITHS), 1891, 251.

Pyrometer (Carnelley), 1884, T., 237; (Keiser), 1887, A., 1073; (MENSCHING and MEYER), 1888, A., 331.

Boulier's (LAUTH), 1884, A., 543. platinum-water (HOADLEY), 1883, A., 769.

Siemens', modification of (SPOHR), 1886, A., 112.

Pyrometric use of the principle of viscosity (BARUS), 1888, A., 1014. Thermo-regulator (RICHMOND), 1884, A., 656; (MEYER), 1884, A., 883; (RAMSAY and Young), 1885, T., 610; (v. Baumhauer), 1885, A.,

471; (Fock), 1885, A., 950; (Anon.), 1885, A., 1157; (Kreusler), 1886, A., 301; (KAHLBAUM), 1887, A., 206; (RUCHEIMER), 1887, A., 698.

Thermal expansion, method of determining, for equal quantities of heat (Dragoumis), 1891, A., 142.

of bodies as liquids, relation between critical temperatures and (Thorre and Rucker), 1884, T., 135; 1887, A., 429.

of liquids (Konowaloff), 1888, A., 1019; (GRIMALDI), 1888, A., 1143.

of liquid bismuth (VICENTINI), 1891, A., 518; (CATTANEO), 1892, A., 259.

phosphorous oxide (P_4O_6) (Thorre and Turron), 1890, T.,

of sulphuric acid solutions (Picker-ING), 1990, T., 114, 177.

of saline solutions (NICOL), 1887, A., 760; (DRECKER), 1888, A., 1010: (TSCHERNAI), 1889, A., 204, 330, 1101; 1890, А., 318; (Впемен), 1889, А., 329.

of water (Pickering), 1891, A., 8; (Scheel), 1892, A., 7; (Marek), 1892, A., 106; (Puscul), 1892, A., 1382.

of acetic acid (RAMSAY and YOUNG), 1886, T., 790; P., 225.

ethyl ether (Ramsay Young), 1887, A., 320. and

Heat conductivity of liquids (CHREE), 1888, A., 641.

of bismuth (RIGHI), 1887, A., 1009; 1888, A., 102; (v. ETTINGSHAU-SEN), 1888, A., 400.

of boric acid (Bock), 1887, A., 758.

of mercury vapour (Benger), 1888, 1237; (Schleiermacher), 1889, A., 559,

THERMOCHEMISTRY:-

Heat conductivity of sclenium, action of light on (BELLATI and Lussana), 1888, A., 98.

of tourmaline (STENGER), 1885, A., 5. of mixtures of ethylic alcohol and water (HENNEBERG), 1889, A., 459.

of soils (WAGNER), 1884, A., 923. Heats, specific, law of variation of (MALLARD and LE CHATELIER), 1883, A., 845.

at high temperatures (Pronchon), 1887, A., 201; (SUTHERLAND), 1889, A., 4.

temperatures of combustion, dissociation and pressure of explosive gascous mixtures, some relations between (Berthelot), 1883, A., 771.

relation between specific gravity and, of isomerides (Colson), 1886, A., 961.

determination of atomic weight from (Janeček), 1887, A., 419.

method of determining (THOULET and LAGARDE), 1885, A., 6.

apparatus for the determination of, by cooling (VIOLLE), 1883, A., 6. molecular, of gases (LE CHAFELIER), 1888, A., 213, 772.

of gases at high temperatures (VIEILLE), 1883, A., 771, 898; (BERTHELOT), 1884, A., 804; (BERTHELOT and VIEILLE), 1885, A., 7.

of gases at constant volume (JOLY), 1889, A., 459.

of gaseous acetic acid (BERTHELOT and Ogier), 1883, A., 6; (Thren-FALL), 1887, A., 429.

of carbonic anhydride at high temperature (BERTHELOT and VIEILLE), 1885, A., 7.

of gaseous compounds of chlorine, bromine, and iodine with one another and with hydrogen (Strecker), 1883, A., 417.

of nitrogen tetroxide (THRELFALL), 1887, A., 129.

of steam at high temperature (BERTHELOF and VIEILLE), 1885,

experimental determination of the ratio of, in superheated steam (Cohen), 1890, A., 205.

of liquids (LANGLOIS), 1887, A., 419. of liquids, calculation of (III) RICHS),

1892, A., 2.

of liquids at temperatures above the boiling point (GRIMALDI), 1892, A., 761.

Heats, specific, of water (NEESEN), 1883, A., 541.

of superfused water (CARDANI and Tomasini), 1888, A., 102.

of sea water of different densities (THOULET and CHEVALLIER), 1889, A., 666.

of small quantities of substances (THOULET and LAGARDE), 1883, A., 6.

of solutions of hydrobromic acid and of the solid hydrate HBr.2H₂O (ROOZEBOOM), 1887, A., 628.

of saline solutions (ARONS), 1885, A., 1101; (GERLACH), 1888, A., 894; (MATHIAS), 1889, A., 4.

of supersaturated saline solutions (BINDEL), 1890, A., 1042.

of aqueous and alcoholic solutions of metallic chlorides, influence of concentration on (BLUMUKE), 1885, A., 8.

of calcium and potassium chloride solutions (Drecker), 1888, A., 1010.

concentrated soda solutions (Blümcke), 1885, A., 1101,

of sulphuric acid solutions (PICRER-ING), 1889, P., 86; 1890, T., 88, 160.

of liquid carbon compounds (Schiff), 1887, A., 6; 1888, A., 14, 771.

of acids of the acetic series (LUEDE-KING), 1886, A., 439.

of solutions of ethylic alcohol (Blümcke), 1885, A., 1031; (Тіморент), 1891, А., 1406.

molecular, of solid compounds (Kopp), 1888, A., 893.

molecular, of solids, determination of, from their solution in water and other liquids (WIEDEMANN),

1883, A., 704. of alloys of lead and tin (SPRING), 1886, A., 961.

of aluminium (NACCARI), 1888, A., 1236; (RICHARDS), 1892, A., 673; (Pionchon), 1892, A., 1281.

of antimony and its compounds (v. PEBAL and JAHN), 1886, A., 655; (NACCARI), 1888, A., 1236.

of beryllium (Humpidge), 1885, A., 1184; 1886, A., 506.

of bismuth (CLASSEN), 1890, A., 707.

atomic, of chromium (Jáger and Kruss), 1889, A., 1121.

of the diamond (CARBONELLI), 1892, Δ., 761.

THERMOCHEMISTRY :-

Heats, specific, of iodine chlorides (STORTENBEKER), 1892, A., 1387.

of mellite (BARTOLI and STRAC-CIATI), 1884, A., 1214.

of mercury (Heilborn), 1891, A., 632.

of mercury, variation of, with temperature (MILTHALER), 1889, A., 750.

of metals (Naccari), 1888, A.,

1236.

molecular, of niobium pratoxide and niobic hydride (Kruss and Nilson), 1887, A., 706.

of three modifications of anhydrous potassium copper sulphate (Pick-TRING), 1885, T., 102; 1886, T.,

of silver iodide, and its alloys with cuprous and lead iodides (Bel-LATI and ROMANESE), 1883, A.,

of sulphuric monochloride (Ogien), 1883, A., 642.

of tellurium (FABRE), 1888, A., 332; 1889, A., 203.

of thorium (NILSON), 1883, A., 553, 619.

of uranium (BLUMCKE), 1885, A., 8, 625.

of solid carbon compounds (HESS), 1889, A., 92,

of solid carbon compounds and their chemical composition, relation between (Kopp), 1886, A., 587.

of lauric and myristic acids (Ston-MANN and Wilsing), 1885, A., 1177.

Latent heat, relation of E.M.F. to (Gore), 1892, A., 257.

Latent heat of fusion (EHRHARDT), 1885, A., 625.

relation between solubility and (CARNELLEY and THOMSON), 1888, T., 782; P., 80; (WALKER), 1890, A., 686.

determination of from the reduction of the freezing point (EIJKMAN), 1889, A., 666.

of iodine chlorides (STORTENBEKER), 1892, A., 1387.

of nitric peroxide (RAMSAY), 1890. T., 593.

of aluminium (Pionelion), 1892, A., 1281.

of lamic and myristic acids (Srou-MINN and WILSING), 1885, A., 1177.

Heat of solidification of hypophosphoric acid (JOLY), 1886, A., 408.

Thermochemistry:—Heat of formation = f.; of transformation = t.; of decomposition = d.; of dissociation = dis.; of combination = cb.; of combustion = ee; of neutralisation = n.; of substitution = sb.; of hydration = h.

Latent heat of vaporisation (GER-LACII), 1889, A., 813.

relation of specific inductive capacity to (OBACH), 1892, A., 258.

determination of, by means of the steam calorimeter (WIRTZ), 1890, A., 1040.

of liquefied gases, measurement of (Chappure), 1887, A., 627; 1888, A., 733; (Mathias), 1888, A., 773.

of liquids (SCHALL), 1884, A., 551; 1885, A., 113.

of hydrofluoric acid (GUNFZ), 1884, A., 511.

of sulphuric monochloride (OGIER), 1883, A., 642.

of homologous carbon compounds (Schiff), 1887, A., 9.

of acetic acid (RAMSAY and Young), 1886, T., 790; P., 225.

of ethylether (RAMSAY and Young), 1887, A., 320.

of ethylene oxide (BERTHELOT), 1883, A., 275.

of ethylic alcohol (RAMSAY and YOUNG), 1885, A., 1178.

of a solution (JAGER), 1892, A., 1382.

Heat of formation (BERTHELOF), 1885, A., 868; (COLLEY), 1890, A., 681.

(thermodynamic equivalents) (DE LANDERO and PRIETO), 1887, A., 99.

and the law of thermal substitution constants (Tommasi), 1883, A., 143; 1884, A., 883; 1885, A., 8; (Berthelor), 1884, A., 702.

Heat of transformation in double decomposition (VAN'T HOFF and REIGHER), 1889, A., 930.

Heat of chemical combination, influence of temperature on (Pickentko), 1886, T., 260; P., 161.

Heat of combustion (General), 1889, A., 814.

Heat of neutralisation (PICKERING), 1887, T., 593; P., 77; 1888, P., 52; (ARRHENIUS), 1891, A., 1406.

Thermochemical data for acetaldehyde and its polymerides (c.) (Bruhl), 1891, A., 633.

for acetaldehydo into paracetaldehydo (f.) (FRANCHIMONI), 1883, A., 454.

for metacetaldehyde (c.) (Luginin), 1889, A., 668,

Thermochemical data for acctic acid (r.) (JAHN), 1890, A., 99; (r. and f.) (BERTHELOT and MATIGNON), 1892, A., 1139.

for acetic acid, mercury salt of (f.) (BERTHELOT), 1881, A., 706.

for acetocarbamide (c. and f.) (MATIGNON), 1891, A., 1448.

for acids of the aromatic series (n.) (Berthelot), 1886, A., 8; (r. and f.) (Stohmann, Kleber and Langbein), 1889, A, 1096. for acids of the aromatic series,

for acids of the aromatic series, influence of the nitrosyl amidogen groups on the (n.) (Alexifier and Weiner), 1890, A., 439.

for acids of the fatty series (c.) (STOHMANN), 1885, A., 857; 1886, A., 296; (STOHMANN and RODATZ), 1885, A., 1177; 1886, A., 296; (LUGININ), 1886, A., 757; (STOHMANN and LANGBEIN), 1891, A., 11.

for acids of the oxalic series (c. and f.) (Stohmann, Kleber and Langbein), 1889, A., 1097; (Ossipoff), 1890, A., 680.

for acids of the oxalic and lactic series (c.) (LUGININ), 1889, A.,

for homologous and isomeric acids (n.) (GAL and WERNER), 1887, A., 95.

for solid dibasic acids, relations of, to those of the gaseous hydrocarbons (r) (STOHMANN), 1891, A., 252.

for dibasic organic acids (n.) (Massot), 1891, A., 968; 1892, A., 395; (c. and /.) (Stohmann and Kleber), 1892, A., 1011.

for albuminoids (c.) (STOHMANN), 1885, A., 857.

for alcohols of the fatty series (c.) (SIOHMANN), 1886, A., 295.

for the polybasic alcohols (c. and f.) (STOHMANN and LANGBEIN), 1892, A., 763.

for the alkaline earths (h.) (THOM-SEN), 1884, A., 250.

for alkalis (h.) (Thomsen), 1884, A., 250; (n.) (Muller), 1889, A., 811.

for alkyl oxides (/.) (DE FOR-CRAND), 1884, A., 112, 516; 1885, A., 1102; 1887, A., 204, 318, 319. Thermouhemistry:—Heat of formation=f.; of transformation=t.; of decomposition=d.; of dissociation=dis.; of combination=cb.; of combustion=c.; of neutralisation=n.; of substitution=sb.; of hydration=h.

Thermochemical data for alkylene oxides (c.) (Bruhl), 1891, A., 633.

for allantoin, alloxan and alloxantin (c. and f.) (MATIGNON), 1891, A., 1448.

for the compounds of aluminium bromide with hydrocarbons (f.) (Gustavson), 1885, A., 472.

for aluminium fluoride (n.) (Petersen), 1890, A., 680.

for aluminium oxide and hydroxide (f.) (BAILLE and FERY), 1890, A., 110.

for amides (c. and f.) (BERTHELOT and FOGH), 1890, A., 1359.

for aromatic amines (n.) (VIGNON), 1888, A., 1013.

for fatty amines (c.) (MULLER), 1886. A., 409; (n.) (MULLER), 1889, A., 811.

for some salts of the fatty amines in dilute solutions (f.) (MULLER), 1885, A., 716.

for aumonia with silicon tetrafluoride (cb.) (TRUCHOI), 1885, A., 626.

for ammonium sulphite and disulphite (f.) (DE FORGRAND), 1885, A., 471.

for aniline (f.) (Petit) 1888, A., 773.

for aniline salts (f. and n.) (BER-THELOT), 1890, A., 1361.

for aniline dichromate (f.) (GIRARD and L'Hôte), 1889, A., 562.

for antimony halogon compounds and oxides (f.) (Thomsen), 1883, A., 544; (GUNTZ), 1881, A., 707, 884, 1246; 1885, A., 1101.

for antimony hydride (f.) (Berthelot and Petit), 1889, A.,

for allotropic forms of arsenic (cb.)
(BENTHELOT and ENGEL), 1890,
A., 679.

for arsenic halogen compounds (f.) (THOMSEN), 1883, A., 544; (GUNTZ), 1885, A., 1101.

for asparagin (c.) (STOHMANN), 1885, A., 857.

for aspartic acid (c. and f.) (BERTHELOT and ANDRÉ), 1890, A., 936; (BERTHELOT), 1891, A., 967.

for atropic acid (c.) (Ossipoff), 1889, A., 460.

Thermochemical data for azoimide (n. and f.) (Berthelot and MATIGNON), 1892, A., 261; (f.) (BAOH), 1892, A., 933.

for bases where dissociation cannot take place (n.) (VAN DEVENTER and REICHER), 1890, A., 553.

for organic bases in relation to Berthollet's laws (n.) (BERTHE-LOT), 1890, A., 1363; (COLSON), 1890, A., 1367, 1368; 1891, A., 377.

for benzene (c. and f.) (STOHMANN, RODATZ and HERZBERG), 1886, A., 409; (THOMSEN), 1886, A., 842; (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1042; (c.) (STOHMANN), 1886, A., 812; (BRUHL), 1891, A., 633.

for benzene and its molecular refraction compared with those of dipropargyl (*.) (BRUHL), 1892, A., 1436.

for benzene to the acetic series (t.)
(BERTHELOT and RECOURA),
1887, A., 1011.

for the solid isomeride of benzene (c.) (LUGININ), 1888, A., 893.

for lenzoic acid (c.) (STOHMANN), 1885, A., 857; (BERTHELOT and RECOURA; BERTHELOT and LUGININ), 1887, A., 762; (c. and f.) (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1096.

for henzoyl compounds (c.) (STOH-MANN, RODATZ and HERZBERG), 1887, A., 878; 1888, A., 333.

for benzylamine (f.) (Perir), 1888, A., 1239.

for beryllium fluoride (n.) (Petersea), 1890, A., 680.

for bismuth halogen compounds and oxides (f.) (THOMSEN), 1883, A., 544.

for borneols (c.) (LUGININ), 1889, A., 328.

for bromides by substitution (f.) (BERTHELOT and WERNER), 1884, A., 883.

for bromine (sb.) (BERTHELOT and WERNER), 1884, A., 883; 1885, A., 627.

for bromine and iodine with magnesium (cb.) (Bekeroff), 1892, A., 762.

for cadmium oxide (n.) (THOM-SEN), 1884, A., 263. Thermochemistry:—Heat of formation = f; of transformation = l; of decomposition = d; of dissociation = d; of combination = c; of combination = c; of neutralisation = n; of substitution = n; of hydration = n.

Thermochemical data for the camphene series (c. and f.) (Berther LOT and MATIGNON), 1891, A., 1813.

for camphoric acids (n.) (BERTHE-LOT), 1885, A., 1178; (GAL and WERNER), 1887, A., 205; (c.) (LUGININ), 1889, A., 6; (c. and f.) (STOHMANN and KLEBER), 1892, A., 1041.

for camphois (c.) (Luginin), 1889,

A., 328.

for eyano- and nitro-camphors (f. c. and n.) (BERTHELOT and PERIT), 1889, A., 1098. for carbamide (c.) (STOHMANN),

for carbamide (c.) (STOHMANN), 1885, A., 857; (c. and f.) (BERTHELOT and PETIT), 1890, A., 206.

for the carbohydrates (c.) (STOH-MANN), 1885, A., 857; (c. and f.) (BERTHELOT and VIEILLE), 1886, A., 757; (STOHMANN and LANGBEIN), 1892, A., 763.

LANGBEIN), 1892, A., 763.
for carbon (c.) (BERTHELOT and
PETIT), 1889, A., 811.

for carbon with oxygen (cb. (BOILLOT), 1884, A., 111.

for earbon compounds (7.) (Thomsen), 1883, Å., 543; (Bruhl), 1887, A., 423; (c.) (Mullier-Erzbach), 1883, Å., 1044; (Berthelot and Vielle), 1885, Å., 326; (Luginin), 1885, Å., 327; (Diakonoff), 1886, Å., 115; (Thomsen), 1887, Å., 761; (Stohmann), 1887, Å., 7878, 1011; 1888, Å., 1013; 1891, Å., 251; (Ossitoff), 1889, Å,

for carbon compounds and their relation to their constitution (c.) (DIEFFENBACH), 1890, A., 1206; (THOMSEN), 1891, A., 632.

for carbon tetrachloride and monoxide (f.) (THOMSEN), 1883, A., 544.

for carbon disulphide (c. and f.) (THOMSEN), 1884, A., 219; (BERTHELOT and MATIGNON), 1890, A., 1361.

for carbonic ethers (c.) (LUGININ), 1884, A., 547.

for carbonyl chloride (7.) (THOM-SEN), 1884, A., 250.

for carbonyl sulphide (c. and f.) (Thomsen), 1884, Λ ., 249.

Thermochemical data for alkaline carbonates in very dilute solution (f.) (MULLER), 1889, A., 810.

for charcoal (c.) (BERTHELOT and VIEILLE), 1885, A., 326.

for chlorides and sulphates in aqueous solution, relation between (f.) (FAV), 1888, A., 401.

for hydrated metallic chlorides (f.) (SABATIER), 1889, A., 1043. for perchloric acid and its salts

for perchloric acid and its salts (d.f. and n.) (Berthelot), 1883, A., 8.

for organic chlorine compounds (c. and f.) (BERTHELOT and MARIGNON), 1891, A., 1311.

for chromic acid and its salts (f.) (Berthelot), 1883, A., 642.

for chromous into chromic chloride (t.) (RECOURA), 1885, A., 1102.

for the cimamic acids (c.) (OS41-POFF), 1889, A., 460; (STOII-MANN, KLEBER and LANGBEIN), 1889, A., 1096; (IJEBERMANN), 1892, A., 469.

for citraconic acid (a.) (GAL and WERNER), 1887, A., 205; (c.) (LUGININ), 1888, A., 893.

for citric acid (c.) (STOHMANN), 1885, A., 1857; (n.) (GAL and WERNER), 1887, A., 205; (MAS-SOL), 1892, A., 763.

for coal (c.) (SCHEURER-KEYTNER), 1881, A., 122; 1885, A., 818, 1020; 1888, A., 771; 1891, A., 520; (SCHWACKHOFER), 1885, A., 691; (ALEXÉRFF), 1886, A., 757.

for products of the distillation of coal (c.) (MAHLER), 1892, A., 395.

for coal-gas (c.) (WITZ), 1885, A., 172; (MAHLER), 1892, A., 396. for colloids (h.) (Wiedemann and Luediking), 1885, A., 1031.

for some soluble compounds and the law of thermal substitution constants (f.) (Tommasi), 1885, A., 8.

for isocuminic acid (r.) (BERTHELOT and LUGININ), 1887, A., 762.

for diazo-derivatives (/.) (Vignon), 1888, A., 771.

for isodibutylene (..) (MALBOT), 1890, A., 320.

for electrolytes (dis.) (ARRHENIUS), 1889, A., 1011; 1892, A., 931. THERMOCHEMISTRY:—Heat of formation=f.; of transformation=t.; of decomposition=d.; of dissociation=dis.; of combination=cb.; of combustion=cc.; of neutralisation=n.; of substitution=sb.; of hydration=h.

Thermochemical data for erythritol (c.) (STOHMANN), 1885, A., 857; (LUGININ), 1889, A., 668.

for erythroxides (f.) (DE FORC-RAND), 1890, A., 935; 1891, A., 1312.

for ethane (f.) (THOMSEN), 1883, A., 545.

for ethereal salts of some fatty acids (c.) (Luginin), 1885, A., 327; 1886, A., 192, 757.

for ethyl ether (c.) (STOHMANN), 1887, A., 425.

for ethylene oxide (r. and f.) (BERTHELOT), 1883, A., 275.

for ethylene oxide with hydrogen chloride (cb.) (Berthelot), 1883, A., 174.

for ethylenic perchloride (f.) (THOMSEN), 1883, A., 544.

for ethylic alcohol (r. and f.) (BERTHELOT and MATIGNON), 1892, A., 1139.

for ethylic acetocyanacetate, benzoyleyanacetate, and cyanomalonate (n.) (HALLER and GUNTZ), 1888, A. 894.

for explosive mixtures, some relations between specific heats, dissociation, pressure and (c.) (Berthelor), 1883, A., 771.

for fats (c.) (STOHMANN), 1885, A., 857; (f.) (STOHMANN and LANG-BEIN), 1891, A., 11.

for ferrous sulphide (f.) (MULLEN-HOFF), 1885, A., 950.

for fluorides (f.) (GUNTZ), 1884, A., 5, 545, 546; (TOMMAN; BERTHELOT), 1884, A., 515; (n.) (PETERSEN), 1890, A., 1.

for fluorine compounds (f. and dis.) (Gunz), 1884, A., 1215.

for fluorine with hydrogen (cb.) (BERTHELOT and MOISSAN), 1889, A., 1096.

for formylcarbamide (c. and f.) (MATIGNON), 1891, A., 1448.

for food constituents and their derivatives (c.) (STOHMANN), 1885, A., 857; (STOHMANN and LANGBEIN), 1892, A., 4.

for formic acid (c.) (JAHN), 1890, A., 99; (c. and f.) (BENTHE-LOT and MATIGNON), 1892, A., 1139

for fumaric acid (n.) (GAL and Werner), 1887, A., 205; (c.) (Luginin), 1888, A., 893; (c.

and f.) (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097; (STOHMANN), 1892, A., 1041.

Thermochemical data for certain gases (cb.) (RAABE), 1883, A., 274.

for glucose (c.) (BERTHELOT and RECOURA), 1887, A., 761.

for glutaric acid (n.) (MASSOL), 1892, A., 1141.

for glyceric acid (n) (GAL and WERNER), 1887, A., 205.

for glycerol (r.) (STOHMANN), 1885, A., 857.

for potassium glyceroxide (1.) (DE FORGRAND), 1887, A., 320.

for glycocine (c.) (STOHMANN), 1885, A., 857.

for mono- and di-sodium glycol (f.) (DE FORCRAND), 1888, A., 1238; 1892, A., 421, 576.

for glycollic acid and its salts (f.) (de Forchand), 1883, A., 644, 708, 771, 775; (Tommasi), 1883, A., 708, 775.

for glycollide (h.) (DE FORCRAND), 1884. A., 547.

1884, A., 547.

for glyoxal ammonium hydrogen sulphite (f.) (DE FORTRAND), 1885, A., 627.

for glyoxal barium and potassium

hydrogen sulphites (f.) (DE FORCRAND), 1884, A., 989.

for glyoxylic acid and its salts (n. and f.) (DE FORCRAND), 1886, A., 297.

for graphitic and pyrographitic oxides (c.) (Berthelot and Petit), 1890, A., 448. for guanidine and nitroguanidine

for guanidine and nitroguanidine (c.) (MATIGNON), 1892, A., 1142.

for haloid salts (dis., f., n. and t.) (BERTHELOT), 1884, A., 656. for hemipinimide (r. and t.)

for hemiphimide (c. and t.) (Liebermann), 1892, A., 459. for hexadecylic alcohol and

for hexadecylic alcohol and palmitate (c.) (STOHMANN), 1885, A., 857.

for hippuric acid (c.) (STOHMANN), 1885, A., 857.

for humic acid from sugar (c. and n.) (BERTHELOT and ANDRÉ), 1891, A., 1456.

for hydrazine (n.) (BERTHELOT and MATIONON), 1892, A., 261; (BACH), 1892, A., 933; (f.) (THOMSEN), 1892, A., 1143.

THERMOCHEMISTRY:—Heat of formation = f.; of transformation = t.; of decomposition = d.; of dissociation = dis.; of combination = cb.; of combustion = c.; of neutralisation = n.; of substitution = sb.; of hydration = h.

Thermochemical data for aromatic hydrocarbons (c.) (STOHMANN, RODATZ and HERZEERG), 1887, A., 427; (c. and f.) (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1042.

for solid hydrocarbons (c. and f.) (BERTHELOT and VIEILLE), 1886, A., 756.

for hydrogen compounds (f.) (Tommasi), 1885, A., 716.

for hydrogen with fluorine (cb.) (Berthelor and Moissan),1889, A., 1096.

for hydrogen with oxygen (cb.) (BOILLOT), 1885, A., 8.

for hydrogen chloride with ethylene oxide (cb.) (Berthelot), 1883, A., 174.

for hydroxybenzenes (c.) (STOH-MANN, RODATZ and HERZBERG), 1886, A., 655.

for hydroxybenzoic acids (f., n. and f.) (BERHELOT and WERNER), 1885, A., 1103; (c. and f.) (STUIMANN, KLEBER and LANGBEIN), 1889, A., 1096.

of hydroxyl for hydrogen (sb.) (STOHMANN), 1886, A., 656.

for hydroxylamine and its salts (f.) (BERTHELOT and ANDRÉ), 1890, A., 934.

for hyponitrites (f.) (BERTHELOT and OGIER), 1883, A., 423; (BERTHELOT), 1889, A., 930.

for inosite (r. and f.) (BERTHELOT and RECOURA), 1887, A., 1011; (BERTHELOT and MALIGNON), 1890, A., 1360; (STOHMANN and LANGBEIN), 1892, A., 761.

for isomeric inosites (t.) (BERTHELOT), 1890, A., 1011.

for iodine and bromine with magnesium (cb.) (Beketoff), 1892, A., 762.

for iodine chlorides (f.) (THOMSEN), 1883, A., 543; (f.) (STORTEN-BEKER), 1892, A., 1387.

for itaconic acid (n.) (GAL and WERNER), 1887, A., 205; (c.) (LUGININ), 1888, A., 893.

for ketones (c) (Luginin), 1884, A., 547.

for lauric acid (c.) (STOHMANN and RODATZ), 1885, A., 1176.

for double salts of lead and potassium iodides (f.) (BERTHELOT), 1883, A., 275. Thermochemical data for lead oxychlorides and oxybromides (f.) (André), 1884, A., 384.

for lithium bromide (f.) (Bodisco), 1889, A., 1098.

for lithium iodide (f.) (Bodisco), 1889, A., 329.

for lithium oxide (f.) (BEKETOFF), 1884, A., 1247.

for magnesium compounds (f. (Berthelot), 1887, A., 96.

for magnesium with bromine and iodine (cb.) (Beketoff), 1892, A., 762.

for malates (f. and n.) (MASSOL), 1892, A., 260.

for maleic acid (n.) (GAL and WERNER), 1887, A., 205; (r.) (LUGININ), 1888, A., 893; (r. and f.) (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1097; (STOHMANN and KLEBER), 1892, A., 1041.

for maleic anhydride (h.) (Ossi-POFF), 1890, A., 680.

for malic acid (n.) (GAL and WERNER), 1887, A., 96, 205; (f. and n.) (MASSOL), 1892, A., 260.

for malonic acid (n.) (GAL and WERNER), 1887, A., 96; (MAS-SOL), 1888, A., 1240; 1889, A., 857.

for malonates (f.) (MASSOL), 1889, A., 958; 1890, A., 1396, 1397.

for sodium mannitol (f.) (DE FORCRAND), 1892, A., 800.

for meconic acid (n.) (BERTHELOT), 1886, A., S. (GAL and WERNER), 1887, A., 206.

for mellitic acid (n.) (BERTHELOT), 1886, A., S; (GAL and WERNER), 1867, A., 206; (e.) (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1096.

for mercury compounds (/.) (THOM-SEN), 1888, A., 1011; (NERNST), 1888, A., 1012.

for mercury oxybromides and oxychlorides (f.) (ANDRE), 1881, A., 707, 884.

for mesaconic acid (n.) (GAL and WERNER), 1887, A., 205; (c.) (LUGININ), 1888, A., 893.

for methane (/.) (THOMSEN), 1883, A., 514.

for methylaniline (f.) (Petri), 1888, A., 1239.

THERMOUHEMISTRY:—Heat of formation=f.; of transformation=t.; of decomposition=d.; of dissociation=dis.; of combination=cb.; of combustion=c.; of neutralisation=n.; of substitution=sb.; of hydration=h.

Thermochemical data for di-, tri-, tetra-, penta- and hexa-methylene rings (r. and f.) (Stohmann and KLEBER), 1892, A., 1041.

for methylic alcohol and solid methyl salts (c. and f.) (STOH-MANN, KLEBER and LANGBEIN), 1890, A., 101.

for methylic alcohol with sodium (cb.) (DE FORCRAND), 1885, A., 1031.

for methylmalonic acid (n.) (MASsol.), 1892, A., 1140.

for methylsuccinic acid (c.) (Lugi-NIN), 1889, A., 5; (c. and f.) (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1097; (n.) (MASSOL), 1892, A., 1140.

rock-forming minerals (DIEULAFAIT), 1886, A., 35. for permolybdicacid (f.) (PÉCHARD),

1892, A., 1383.

for myristic acid (c.) (SIOHMANN and RODATZ), 1885, A., 1176.

for naphthalene (c. and f.) (Ben-THELOT and RECOURA; BERTHE-LOT and LUGININ), 1887, A., 762; (STOHMANN, KLEBER and LANGBEIN), 1889, A., 1042.

for nicotine (n.) (Colson), 1890, A., 101.

for nitriles (c. and f.) (BERTHE-LOT and PETIT), 1889, A., 812.

nitrobenzenes (c. and f.) (PETIT), 1888, A., 1013; (BER-THELOT and MATIGNON), 1892,

for nitrogen selenide (d.) (Berthe-LOT and VIEILLE), 1883, A., 707.

for nitrogenous compounds derived from albuminoids (c. and f.) (Berthelot and André), 1890, A., 936; (c.) (BERTHELOT and André), 1890, A., 937.

for the nitro-group (sb.) (MATIG-NON), 1892, A., 1141.

for the nononaphthenes (c.) (Ossi-POFF), 1889, A., 6, 460.

for olefines (c.) (Groshans), 1886, Λ., 498.

for the oxime of opianic anhydride (c. and t.) (LIEBERMANN), 1892, A., 459.

for oxalic acid (c.) (STOHMANN), 1885, A., 857; (Jahn), 1890, A., 100; (n.) (GAL and WERNER), 1887, A., 96.

Thermochemical data for oxalic acid, mercury salt of (f.) (BERTHELOT), 1884, A., 706.

oxaluric acid (c. and f.)for (MATIGNON), 1891, A., 1449.

for oxygen with carbon (Boillot), 1884, A., 141.

for oxygen with hydrogen (cb.) (BOILLOT), 1885, A., 8.

for parabanic acid (c. and f.) (MATIGNON), 1891, A., 1449.

for paraffins (c.) (STOHMANN), 1885, A., 857; (c. and f.) (Groshans), 1886, A., 498.

for phenol (c.) (STOHMANN), 1885, A., 857; (BERIHELO LUGININ), 1887, A., 762. (BERIHELOF and

for phenols (n) (BERTHELOT and WERNER), 1885, A., 628; (BER-THELOT), 1886, A., 6, 7; (c. and f.) (STOHMANN, RODATZ and 1887, Herrberg), A., and LANGBEIN), (STOHMANN 1892, A., 763.

for phenyl ethers (c. and f.)(STOHMANN, RODATZ and HERZ-BERG), 1887, A., 428.

for phenylenediamine salts (f.)(Vignon), 1888, A., 1012; (n.)

(VIGNON), 1889, A., 1099, for phosphates (f.) (BERTHELOT), 1887, A., 94; (Joly), 1887, A., 202, 877.

for hypophosphoric acid (n.) (JOLY), 1886, A., 408.

phosphorus chlorides (THOMSEN), 1883, A., 544; 1884, A., 250.

for phthalic acid (c.) (STOHMANN), 1885, A., 857.

for phthalates (f.) (Colson), 1885, Λ., 1104.

for pierates (f., n. and h.) (TSCHELzoff), 1885, A., 1103; 1886, A., 841; (f.) (TOMMASI), 1886, A., 408.

for n-pimelic acid (c. and f.) (STOHMANN, KLEBER and LANG-BEIN), 1889, A., 1097; (STOH-MANN and KLEBER), 1892, A., 1041.

for piperidine (n.) (Colson), 1890, A., 101.

for platinic bromide and its derivatives (f.) (Pigeon), 1892, A., 3.

for platinic chloride (f.) (PIGEON), 1890, A., 439.

THERMOCHEMISTRY:—Heat of formation = f: of transformation = t: of decomposition = d: of dissociation = d: of combination = c: of routralisation = n: of substitution = s: of hydration = h.

Thermochemical data for polassammoulum (f.) (JOANNIS), 1890, A., 319.

for potassium salts containing sulphur (f.) (Berthelor), 1883, A, 706.

for potassium oxide (f.) (BEKETOFF), 1884, A., 1247.

for propionic acid (c.) (JAHN), 1890, A., 100; (n.) (MASGOL), 1891, A., 1313.

for alkali propionates (n.) (MASSOL), 1891, A., 1313.

for pyridine (n.) (Colson), 1890, A., 101.

for pyrocatechol (c.) (STOHMANN), 1885, A., 857.

for disodium pyrocatechol (n.) (DE FORCRAND), 1892, A., 1185.

for the pyrocitric acids (c.) (Lugi-NIN), 1888, A., 893.

for pyrogallol (c.) (STOHMANN), 1885, A., 857; (BERTHELOT and LUGININ), 1887, A., 762.

for pyrogallols (f. and n.) (DE For-CRAND), 1892, A., 1313, 1446. for quercitol and quinic acid (c. and

for quercitol and quinic acid (c. and f.) (Berthelot and Recourt), 1887, A., 1011.

1887, A., 1011.
for quinol (c.) (BERTHELOT and LUGININ), 1887, A., 762.
for sodium quinol (u.) (DE FOR-

for sodium quinol (a.) (DE FOR-CRAND), 1892, A., 1185.

for quinone (c.) (BERTHELOT and RECOURA; BERTHFLOT and LUGININ), 1887, A., 762.

for resorcinol (c.) (STOHMANN), 1885, A., 857.

for sodium resorcinol (n.) (DD For-CRAND), 1892, A., 1185.

for rubidium (c.) (BEKETOFF), 1890, A., 679.

for salicylic acid (r.) (STOHMANN), 1885, A., 857; (BERTHELOT and RECOURT), 1887, A., 762.

RECOURA), 1887, A., 762.

for salts (A.) (PICKERING), 1884,
A., 803; 1886, T., 117; P., 257;
1887, T., 75; (f.) (PICKERING),
1886, T., 287; P., 164; (POILLIZIN), 1886, A., 116; (VAN
DEVENTER and REIGHER), 1892,
A., 262.

for selenides (f.) (FABRE), 1886, A., 961, 962.

for vitreous into metallic selenium (t.) (FABRE), 1886, A., 840.

for selenium chloride (f.) (Thomsen), 1883, A., 543.

Thermochemical data for alkaline silicofluorides (f.) (Тиченот), 1884, A., 881.

for silicon tetrusuoride with ammonia (cb.) (Truchor), 1885, A., 626.

for silver chloride (f.) (RIUHARDS), 1888, A., 400.

for silver iodide and its compounds with cuprous and lead iodides (t.) BELLATI and ROMANESE), 1883, A., 274.

for sodammonium (f.) (JOANNIS), 1890, A., 319.

for sodium with methylic alcohol (cb.) (DE FORGRAND), 1885, A., 1031.

for sodium oxide (f.) (BEKETOFF), 1884, A., 1247.

for sorbic acid (c) (OsqIPOFF), 1889, A., 460.

for stannic acid and metastannic acid (n.) (Vignon), 1889, A., 833

for stilbene (c.) (Ossiporf), 1889, A., 460.

for succinic acid (n.) (GAL and WERNER), 1867, A., 96.

for isosuccinic acid (c. and f.) (Stohmann, Kleber and Lang-Bein), 1889, A., 1097; (n.) (Massol), 1892, A., 1140.

for alkaline succinates and isosuccinates (f.) (TANATAR), 1890, A., 320.

for sugars (c. and f.) (BERTHELOT and MATIGNON), 1890, A., 1860; (FOGH), 1892, A., 933.

for sulphates (f. and f.) (Pickening), 1884, T., 686; 1886, T., 1; (f.) (DE FORCRAND), 1881, A., 1; (HILDIGWORFH and HOWARD), 1885, A., 339.

for sulphates and chlorides in aqueous solution, relation between (/.) (FAY) 1888, A., 101.

for alkaline sulphites (f. and n.) (BERTHELOT), 1888, A., 701. for pyrosulphites (f.) (BERTHELOT)

for pyrosulphites (f.) (BERTHELOT), 1883, A., 705.

for sulphur compounds (c. and f.) (BERTHEROT and MATIGNON), 1890, A., 1361.

for sulphur chloride (f.) (THOMSEN),

1883, A., 543. for sulphur oxychloride (f.) (Thomsen), 1884, A., 250. THERMOCHEMISTRY:—Heat of formation = f.; of transformation = t.; of decom-position = d.; of dissociation = dis.; of combination = cb.; of combustion =c.; of neutralisation=n.; of substitution=sb.; of hydration=h.

Thermochemical data for sulphuric acid (n.) (Pickering), 1889, T., 323; P., 79.

for persulphuric acid and its salts f. and n.) (Benthelor), 1892, A., 931.

for pyrosulphuric chloride (f.) (Konowaloff), 1884, A., 250.

for sulphurous acid (n.) (Bertheьот), 1883, А., 704. for tartar emetic (f.) (GUNTZ), 1887,

A., 541.

for d- and l-tartaric acids (c.) (STOHMANN), 1885, A., 857; (n.) (CAL and WERNER), 1887, A.,

96; (JAHN), 1891, A., 969. for tartronic acid (n.) (GAL and WERNER), 1887, A., 96. for crystallised telluride (f.)

(FABRE), 1887, A., 1010.

for the allotropic modification of tellurium (t.) (BERTHELOT and FABRE), 1887, A., 761.

for tellurium chloride (f.) (THOM-

SEN), 1883, A., 543. for terebic acid (c.) (Ossipoff),

1889, A., 460. for terephthalic acids and their salts (c. and f.) (STOHMANN and KLEBER), 1891, A., 376, 1147.

for terpilene, terpin hydrate and terpin (c.) (Luginin), 1889, A., 328.

for tetric acid (n.) (BERTHELOT), 1886, A., 8.

for toluidines (f.) (Petit), 1888,

Λ., 1239. for tri/sobutylene (c.) (MALBOT),

1890, A., 320. for tricarballylic acid (c.) (Luci-

NIN), 1889, A., 668. for potassium tricarballylates (f.) (MASSOL), 1892, A., 762.

for trimethylene (c.) (BRUHL), 1891, A., 633.

for trimyristin (c.) (STOHMANN),

1885, A., 857. for uric acid (c.) (STOHMANN), 1885, Λ ., 857; (f.) (Matienon), 1890, Λ., 1040.

for alkaline urates (f.) (MATIGNON),

1890, A., 1040. for cooked vegetables (c.) (WIL-LIAMS), 1892, T., 240.

for water-generator gas and carbonic amhydride-generator gas (NAUMANN), 1892, A., 673.

Thermochemical data for the water molecule (dis.) (WIEDEMANN), 1883, A., 547.

for wood (c.) (Gottlieb), 1884, A., 477.

for zinc carbonate (f.) (DIEULA-FAIT), 1886, A., 132.

for zinc ethyl (f.) (GUNTZ), 1888, A., 15.

Heat of solution, theory of (DIETE-

RICI), 1892, A., 676, 765. law of (OSTWALD), 1888,

variation of solubility with variations in (LE CHATELIER), 1887, A., 548; (CHANCEL and PAR-MENTIER), 1887, A., 632.

of the alkaline earths and the alkalis (Thomsen), 1884, A.,

of alkylamines (Colson), 1891, A.,

of aluminium bromide in toluene

(Gustavson), 1885, A., 472. of allantoin, alloxan and alloxantin (Matignon), 1891, A., 1448.

of amides (BERTHELOT and FOGH), 1890, A., 1360.

of aniline salts (BERTHELOT), 1890, A., 1361.

of aspartic acid (BERTHELOT), 1891. A., 967.

of acids of the benzene series (Berthelot), 1886, A., 8.

of certain compounds of the benzene series (Berthelot), 1885, A., 1177.

bromine in different liquids (Pickering), 1888, T., 865; P., 92.

of dibromomalonic acid and its salts (Masson), 1892, A., 1140. of calcium chloride (Pickering),

1888, P., 35; 1889, P., 86; 1891, P., 105.

cyanoand nitro-camphors (BERTHELOT and PETIT), 1889, A., 1098.

of carbon compounds in various alcohols (Timoféeff), 1891, A., 1313.

of the perchlorates (BERTHELOT), 1883, A., 8.

of chlorides in different liquids (Pickering), 1888, T., 865; P.,

of hydrated metallic chlorides (SABATTER), 1889, A., 1043.

Heat of solution of chromates (SABA-TIER), 1886, A., 962.

colloids (Wiedemann and Luedeking), 1885, A., 1031.

of ethoxides (DE FORCRAND), 1881, A., 4, 142.

of ethylene oxide (BERTHELOT), 1883, A., 275.

of fluorine compounds (Guntz), 1884, A., 1245.

of hydrofluoric acid (GUNTZ), 1884, A., 544.

of fumaric acid (GAL and WERNER), 1887, A., 205.

of a gas (PAGLIANI), 1890, A, 846. of gases in liquids (Pickering), 18**9**2, A., 1042.

of glutaric acid (MASSOL), 1892, A., 1141.

of glyceroxides (DE FORCRAND), 1887, A., 8; 1888, A., 642.

of mono- and di-sodium glycol (DE FORGRAND), 1888, A., 1238; 1892, A., 421.

of glycollic acid and its salts (DE Forumand), 1883, A., 644, 774; (Tommand), 1883, A., 775.

of glyoxylic acid and its salts (DE FORGRAND), 1886, A., 297.

of guanidine and nitroguanidine (Matignon), 1892, A., 1142.

hydrazine (BERTHELOT and MATIGNON), 1892, A., 261; (Bach), 1892, A., 933. of hydroxybenzoic acids (Berthe-

LOT and WERNER), 1885, A., 1103. iodine in different liquids

(Pickering), 1888, T., 873, 877; P., 92.

of cast iron containing silicon and aluminium (Osmono), 1892, A.,

of itaconic acid (GAL and WERNER), 1887, A., 205.

of lithium bromide (Bobisco), 1889, A., 1098.

of lithium iodide (Bodisco), 1889, A., 329.

of maleic acid (GAL and WERNER), 1887, A., 205.

of malic acid and its salts (GAL and WERNER), 1887, A., 96; (MASSOL), 1892, A., 260.

of malonic acid (GAL and WERNER), 1887, A., 96.

of malonates (Massor), 1888, A., 1239; 1889, A., 958.

of malonic chloride (BERTHELOT), 1891, A., 967.

THERMOCHEMISTRY:--

Heat of solution of sodium mannitol

(DE FORCRAND), 1892, A., 800. of mesaconic acid (GAL and Wer-NER), 1887, A., 205.

of sodium methoxide (DE FOR-URAND), 1885, A. 1032.

of nicotine (Colson), 1890, A., 101.

of nitrates in different liquids (Pickering), 1888, T., 865; P., 92.

parabanic acid (MATIGNON), 1891, A., 1449.

of phenol (DE FORCRAND), 1892, A., 1042.

of phenols (BERTHELOT and WER-NER), 1885, A., 628; (BERTHEьот), 1886, А., 6, 7.

of phenylenediamines (VIGNON), 1889, A., 1099.

of phosphorus trifinoride (BERTHE-LOT), 1885, A., 328.

of hypophosphoric acid (JOLY), 1886, A., 408.

of picrates (TSCHELZOFF), 1885, A., 1103; 1886, A., 841.

of piperidine (Colson), 1890, A., 101.

of platinic chloride and its compounds (Pigeon), 1891, A., 966. of propionic acid and alkali propionates (Massol), 1891, A.,

of sodium isopropoxide (DE FOR-CRAND), 1892, A., 674.

of pyridine (Colson), 1890, A., 101. of mono- and desodium pyro-catechol (DE FORCRAND), 1892,

A., 1181, 1185. of sodium resorcinol and quinol (DE FORCRAND), 1892, A., 1185.

of hydrated and anhydrous salts (Pickering), 1886, T., 260; P., 161.

of salts, influence of temperature on (Tilden), 1886, A., 499; P., 66; (Pickering), 1887, T., 290; P., 20.

of salts in water (Scholz), 1892, A., 676.

of salts in different liquids (Pickering), 1888, T., 871, 875.

of supersaturated saline solutions (BINDEL), 1890, A., 1012.

of selenides (FABRE), 1886, A., 961.

of alkaline silicofluorides (TRU-CHOT), 1884, A., 884.

of anhydrous sodium carbonate (Pickering), 1887, T., 73.

Heat of solution of sodium phosphites and pyrophosphites (AMAT), 1890, A., 438.

of salts of succinic and isosuccinic acids (Tanatar), 1890, A., 320.

of sugars (BERTHELOT and MATIGNON), 1890, A., 1360.

of sulphates (Pickening), 1884, T., 686; 1885, T., 98, 100; 1886, T., 291, 306.

of modifications of double sulphates (Pickering), 1884, T., 686; 1885, P., 101; 1886, T., 1.

of sulphites (Berthelot), 1883, A., 704; (DE FORGRAND), 1884, A., 803.

of sulphur in different liquids (PICKERING), 1888, T., 874, 877; P., 92.

of sulphuric acid solutions (Pickering), 1889, P., 86; 1890, T., 94, 165.

of persulphuric acid and its salts (BERTHELOT), 1892, A., 931.

of sulphuric chloride (OGIER), 1883, A., 642.

of sulphurous acid (BERTHELOT), 1883, A., 704.

of alkaline thionates (BERTHELOT), 1889, A., 667.

of tartrates (BERTHELOT), 1891, A.,

of tartronic acid (GAL and WERNER), 1887, A., 96; (MASSOL), 1892, A., 675.

of tetric acid (BERTHELOT), 1886, A., 8.

of urea (RUBNER), 1885, A., 328.

Heat of dilution of solutions of hydrobromic acid and of the solid hydrate HBr.2H₂O (ROOZEBOOM), 1887, A., 628.

of hydrofluorie acid (GUNTZ), 1884, A., 544.

of solutions (Mendelleff), 1886, A., 411.

of saline solutions (Arons), 1885, A., 1101.

of sulphuric acid solutions (MEN-DELEEFF), 1886, A., 413.

Thermodynamics. See Thermochemistry. Thermoelectric. See Electrochemistry. Thermometer. See Thermochemistry. Thermonatrite, from Vesuvius (SCACCHI), 1891, A., 23.

Thetinearboxylic acids (Delisle), 1892, A., 1133.

Thialdine, action of a-tolylthiocarbinide and of phenylthiocarbinide on (Dixon), 1889, T., 626, 627.

Thialdine thiocyanate, decomposition products of (MARCKWALD), 1886, A., 861.

Thiamides, action of aldehydes on (Ephraim), 1891, A., 831.

action of alkylene bromides on (GABRIEL and HEVMANN), 1891, A., 701.

action of ethylenediamine on (FORSSELL), 1891, A., 1003; 1892, A, 1247.

of aromatic acids, reduction of (BAM-BERGER and LODTER), 1888, A., 376.

Thiazine colouring matters, production of, by electrolysis (EWER and PICK), 1886, A., 187.

Thiazole (Hantzsch and Popp), 1888, A., 1269; (Popp), 1889, A., 721; (Hantzsch), 1892, A., 313.

compounds (HANTZSCH and WEBER), 1888, A., 256; (SPICA and CAR-RARA), 1892, A., 215.

derivatives from bromopyruvic acids and from ethylic bromacetoacetate (STEUDE), 1891, A., 742.

Thiazole, µ-amido-. See Thiazoline. µ-bromo- and µ-chloro- (Schatz Mann), 1891, A., 745.

Thiazole-α-carboxylic acid, μ-amido-(STEUDE), 1891, Λ., 743.

Thiazoledicarboxylic acid, μ-amido-(Rubleff), 1891, A., 221.

Thiazoles (HUBACHER), 1891, A., 220. from amidothiazoles (Popp), 1889, A., 724.

from thiamides (HANIZECH), 1889, A., 723.

synthesis of (Hantzsch), 1888, A., 571.

reduction of oxythiazoles to (ARAPIDES), 1889, A., 413.

Thiazoles, amido-, and their isomerides (TRAUMANN), 1889, A., 411.

from thiocarbamide and halogenated ketonesandaldehydes (HANTZSCH and TRAUMANN), 1888, A., 573.

nitroso-derivatives of the (NAr), 1891, A., 1515.

Thiazole-series, di zo-compounds of the (WOHMANN), 1891, A., 225.

Thiazoletriazole (NAF), 1891, A., 1516. "Thiazole-yellow" (TRAUTMANN), 1891, A., 195.

Thiazoline (µ-amidathiazate) (HANTZSCH and TRAUMANN), 1888, A., 573.

μ-nitrosoimido- (NAF), 1891, A., 1515.

Thiazylacetic acid, μ-amido- (Strude),
1891, A., 743.

Thiazylaniline (HANTZSCH and TRAU-MANN), 1883, A., 573; (TRAUMANN), 1889, A., 415.

64

1009

Thienol, nitro- (STADLER), 1885, A., 1205.

β-Thienone (dithicnyl ketone) and its hydrazide (GATTERMANN), 1886, A., 228.

Thienyl (MEYER), 1884, A., 586.

B-Thienyl alcohol and chloride (BIEDER-MANN), 1886, A., 536.

Thienyl hexyl ketone and ketoxime (SCHLEIGHER), 1886, A., 539.

Thienyl mercaptan and its derivatives (BIEDERMANN), 1886, A., 788; (MEYER and NEURE), 1887, A., 805.

Thienyl methyl ketone. See Acetothienone.

Thienyl methyl thioether. See Thiomethoxythiophen.

Thienyl phenyl ketone. See Phenyl thienyl ketone.

Thienyl isopropyl ketone. See iso-Butyrothienone.

Thienyl styryl ketone (BRUNSWIG), 1887, A., 237.

Thienyl disulphide (MEYER and NEURE), 1887, A., 805.

Thienyl o-tolyl ketone (ERNST), 1887, A., 238.

Thienylacetic acid (ERNST), 1887, A., 238.

oxime of (Peter), 1885, A., 765. amido- (Bradley), 1886, A., 1014.

Thienylacrylic acid (BIEDERMANN), 1886, A., 871.

Thienyl-2:5-dimethylglyoxylic acid (Rufi), 1887, A., 805.

Thienyldiphenylmethane (LEVI), 1886, A., 787.

Thienylethylamine (Goldschmidt and Schulthess), 1887, A., 718.

Thienylglycollic acid (ERNST), 1887, A., 288. a-Thienylglyoxylic acid (Peter), 1885,

A., 764; (Bradder), 1886, A., 1011. derivatives of (Buadder), 1886, A., 1014.

nitro- (Peter), 1885, A., 761.

B-oxime of (PETER), 1885, A., 767; (BRADLEY), 1886, A., 1011; (HANTZSCH), 1891, A., 441.

Thienylisoexazolic acid (SALVATORI), 1892, A., 301.

5:1-Thienylphenyl-pyrazole and -pyrazolic seid (Salvatori), 1892, A., 303.

Thinolite of Lake Lahontan, crystallographic study of (DANA), 1886, A., 515.

Thioacetaldehyde (MARKWALD), 1886, A., 864.

oxidation of (Guareschi), 1884, A., 294.

triThioacetaldehyde (MARCKWALD), 1886, A., 865; 1885, A., 127; (BAU-MANN and FROMM), 1890, A., 25; 1891, A., 1008, 1010; (BAUMANN), 1890, A., 477.

triThioacetaldehydesulphone (BAU-MANN and FROMM), 1890, A., 26.

Thioacetals (mercaptuls) (BAUMANN), 1885, A., 748.

Thioacetanilide (JACOBSON), 1886, A., 700.

Thioacetic acid, action of, on ethylic thiocyanate (Chanlaroff), 1883, A., 39.

compounds of aldehydes, ketones, and ketonic acids with (Bongartz), 1886, A., 937.

Thioacetic anhydride (DAVIES), 1892, A., 300, 581.

Thioaceto-ψ-cumidide (JACOBSON and NEY), 1889, A., 771.

Thio-\beta-acetonaphthalide (JACOBSON), 1888, A., 1307.

Thioacetone (BAUMANN and FROMM), 1890, A., 26.

diThioacetonediacetic acid (isopropylidenebisthioglycollic acid)(BONGARTZ), 1886, A., 938.

triThioacetone-di- and -tri-sulphones (triisopropylidenetrisulphone) (BAU-MANN and FROMM), 1890, A., 26.

diThioacetophenonediacetic acid (phenylethylidenebisthioglycollic acid) (Bongartz), 1886, A., 938.

Thioaceto-m-xylidide (Gudem (N), 1888, A., 1282; (Jacobson and Ney), 1889, A., 771.

Thioacetylquinol (Leuck ver), 1890, A., 604.

Thioaldehydes (BAUMANN and FROMM), 1890, A., 25; 1891, A., 1008; (BAUMANN), 1890, A., 177; (BAUMANN and CAMPS), 1890, A., 478, aromatic (BAUMANN) and FROMM), 1891, A., 1050.

Thioallylbenzene (thiophenulpropylene; phenyl allyl sulphide) (Escales and Baumann), 1886, A., 879.

a-Thicallylbenzene (phonyl a allyl sulphide) (Authorithm), 1890, A., 362.

Thioammoline and its salts (Klason), 1886, A., 523; (RATHKE), 1887, A., 650.

formula of (RATHER), 1886, A., 217.

Thioanhydro-compounds, formation of (JACOISON and FRANKENBACHER), 1891, A., 1048.

Thioanisidine (v. Hofmann), 1887, A., 823.

Thioanisylthiocarbamides, mono- and di- (v. HOFMANN), 1887, A., 823.

Thioanisylthiocarbimide (v. HOFMANN), 1887, A., 823.

Thioantimonites from Colorado (Eakins), 1889, A., 218.

Thioarsenates (PREIS), 1890, A., 1053. from Längban (LINDGREN), 1883, A., 434.

Thioarsenic acid, separation of, from thiooxyarsenic acid (McCAY), 1892, A., 1519.

Thiobenzaldehydes, a-, β-, and γ-(BAUMANN and FROMM), 1890, A., 25; 1891, A., 1050; (BARBAGLIA and MARQUARDT), 1891, A., 1049.

diThiobenzaldehydediacetic acid (benzylidenebisthioglycollic acid) (Box-GARTZ), 1886, A., 478, 937.

Thiobenzaldine (BAUMANN and Fromm), 1891, A, 1050.

Thiobenzamide, action of iodine on (v. Hofmann and Gabriel), 1892, A., 1109.

a-Thiobenzoic acid, arsenic and mercury salts of (Rayman), 1887, A., 950.

Thiobenzophenone (BERGREEN), 1888, A., 445.

diThiobenzophenonediacetic acid (diphenylmethylenebisthioglycollic acid) (Bongartz), 1886, A., 479, 938. (STIEGLITZ), Thiobenzo-o-toluidide 1890, A., 256.

Thiobenzo-p-toluidide (MULLER), 1890, A., 43.

Thiobenzo-xylidide (HUDEMAN), 1888, A., 1282.

4-Thiobis-1-phenyl-3-methylpyrazolone (v. Buchka and Sprague), 1890, A., 796; (Michaelis), 1890, A., 1269; (SPRAGUE), 1891, T., 832,

Thiobiuret (HECUT), 1892, A., 703. Thio isobutaldehyde (BARBAGLIA), 1889. A., 120.

Thiocarbamates, reactions of (MARCHESINI), 1892, A., 1818.

diThiocarbamates, aromatic (Losan-resch), 1892, A., 55.

Thiocarbamic chloride (KLASON), 1887, A., 1025.

tetraThiocarbamidammonium bromide, chloride, and iodide (Iteynolds), 1891, A., 384.

Thiocarbamidazobenzene (Benju), 1884, A., 1149; 1885, A., 660.

Thiocarbamide, constitution of (REY-NOLDS), 1891, T., 391; P., 78; (STOROH), 1891, A., 548.

non-nitrifiability of (MUNRO), 1886, T., 639.

action of alcoholic potash on (HAL-LER), 1886, A., 691.

Thiocarbamide, action of allylic bromide, and of benzylic chloride on (WERNER), 1890, T., 284, 299; P., **33.**

action of excess of bromine on (McGowan), 1887, T., 378.

action of dibromobarbituric acid on (Trzciński), 1883, A., 913.

action of evanides on (McGowan), 1887, T., 380.

action of ethylenic bromide on (BER-TRAM), 1892, A., 466.

action of ethylic acetoacetate on (List), 1886, A., 443.

action of mercury fulminate (Scholvien), 1886, A., 137.

action of silicon tetrabiomide on (REYNOLDS) 1887, T., 202.

conversion of, into carbamide (MALY), 1890, A., 1399.

bases obtained by the action of halogen compounds on, oxidation of (And reason), 1883, A., 664.

additive compounds of (REYNOLDS), 1891, T., 383; P., 78. compounds of, with

with ammonium haloid salts (REYNOLDS), 1891, T.,

compounds of, with metallic salts (RATHKE), 1884, A., 1017. sulphinic compounds of (McGowan),

1887, T., 666; P., 101. benzyl derivatives of (Dixon), 1891,

T., 551; P., 84.

dihaloid derivatives of (McGowan), 1886, T., 190; P., 143; 1887, T., 378; P., 36.

methylene derivatives of (v. Hem-MELMAYR), 1891, A., 1339. methyl- and ethyl-ammonium salts

of (REYNOLDS), 1891, T., 391.

See also Thiourea.

Thiocarbamides (Salkowski), 1891, A., 1471; (Hecur), 1892, A., 702. chemistry of (Wenner), 1890, T., 283; P., 33.

tautomerism of (Foerster), 1888, A., 944.

action of chloracetone and bromacetophenone on (Spica and Carrara), 1892, A., 216.

action of dibasic acids on (MOINE),

1887, A., 489. action of ammonia and amines on (СЕВНА КОТ), 1885, А., 387.

of benzyloxylamine action and ethoxylamine on (Voltmer), 1891, A., 558.

action of hydroxylamine on (TIE-MANN), 1889, A., 1165; (VOLT-MLE), 1890, A., 1126; 1891, A., 558.

Thiocarbamides, desulphurisation of, by mercuric eyanide (Herelmann), 1886, A., 349.

aliphatic, action of oxidising agents on (HECTOR), 1892, A., 292.

aromatic, preparation of (WERNER), 1891, T., 396; P., 79.

action of thiocarbonyl chloride on (FREUND and WOLF), 1892, A., 983

mixed, products of the decomposition of, by acids (MAINZER), 1883, A., 1106.

derivatives of (HECTOR), 1890, A., 526.

substituted, and ammonium bromide (REYNOLDS), 1891, T., 386. action of acetic anhydride on

(WENER), 1891, T., 396; P., 79. ψ-Thiocarbandes, aromatic (ΓΕΛΩΕΙΚ),

1890, A., 159.

Thiocarbamido-cresol and -cumenol (JACOBSON and SCHENCKE), 1890,

A., 248.
Thiocarbamido-a- and -\$-naphthols

(JACOBSON), 1888, A., 487; (JACOBSON and SCHENCKE), 1890, A., 248.

Thiocarbamidonaphthyl mercaptan

and disulphide (Jacobson), 1888, A., 1307.

Thiocarbamidophenanthrol (JACOBSON and SCHENCKE), 1890, A., 249.

Thiocarbamidophenol (K.ALCKHOFF), 1883, A., 1109; (V. CHELMICKI), 1887, A., 477; 1891, A., 52.

derivatives of (KALCKHOFF), 1883, A., 1109; (SEIDEL), 1891, A., 53.

Thiocarbamido-thionaphthol and -thiophenol (JACOBSON and FRANKEN-BACHER), 1891, A., 1048.

Thiocarbamido. See also Thiouramido.

Thiocarbanilide. See s-Diphenylthiocarbanide.

Thiocarbanilidothioxanilide, and sits derivatives (v. Stolenten), 1885, A., 1195.

Thiocarbanilotolyleneurethane. See Phenylthiouramido-p-tolylurethane.

Thiocarbanilotolyloxamethane. See Ethylic phenylthiouramidotolyloxamate.

Thiocarbimides (Dixon), 1889, T., 618; P., 127.

molecular refractive energies of (NASINI and SCALA), 1887, A., 754.

action of, on amido acids (Aschan), 1884, A., 907.

action of, on hydroxylamine (v. DER KALL), 1891, A., 1222.

Thiocarbinaides, additive products of aromatic clamates and (Lemmann and Wurthner), 1885, A., 977.

aromatic, additive products of (Her-Mens), 1887, A., 581.

compounds of, with aldehyde-ammonias (I)(xon), 1892, T., 509; P., 73.

Thiocarbimidosocticacid (Andreasch), 1889, A., 960; (Klason), 1891, A., 179.

Thiocarbimidoethylphthalimide (Cob-LENTZ), 1891, A., 1216.

Thiocarbizin, derivatives of (FREUND and GOLDSMITH), 1888, A., 1187.

Thiocarbonates, proparation of, for the destruction of phylloxera (Ses-TINI), 1883, A., 405. estimation of carbon disulphide in

estimation of carbon disulphide in (MUNTZ), 1883, A., 935; (FALI-ERES), 1884, A., 1077.

diThiocarbonic scids (DACCOMO), 1892, A., 306.

Thiocarbonyl chloride (thiophosyene) (Beiter isen), 1888, A., 444.

polymetic (Elithe), 1888, A., 1169.

action of chlorme on (JAMES), 1887, T., 272

reactions with (BERGREEN), 1887, A., 937.

tetrachloride (perthoromethyl mercepten), action of, on alcohol (JAMES), 1887, T., 274.

action of chlorine on (J MES), 1887, T., 273.

reactions of, with aromatic amines (RATHEE), 1886, A., 158.

Thiocarbony Idiamiloresorcinol (JACOB-SON and SCHENCKE), 1890, A., 249.

Thioearbonyliso benzidine (REULAND), 1800, A., 167.

Thiocarbony 1-8-dinaphthylthiocarbamide and dip tolylthiocarbamide (Figure and Wolff), 1892, A., 981.

Thiogarbonylethyl and -methylamidophenols (Science), 1891, A.,

Thiocarbonyl-m-phenylenediamine (Gueer), 1888, A., 588.

thiocarbonate (Gurer), 1885, A.,156; 1886, A., 1021; 1888, A., 588.

Thiocarbonylthicen banilide (FREUND and WOLF), 1892, A., 983.

(litriocarbonyltriplenylenediamine (Gueer), 1885, A., 156; 1886, A.,

Thiocoumarin (TIPMIANN), 1886, A.,

and its analogues (Albertagen), 1892, A., 329.

Thiocoumarins and their behaviour towards hydroxylamine and phenylhydrazine (ALDRINGEN), 1890, A., 624. "di Thiocresolsulphonic acid" (ditolyl-

disulphidedisulphonic acid) (KLASON), 1887, A., 492.

Thiocroconic acid (NIETZKI and BENC-KISER), 1386, A., 450.

isoThiocyanacetic acid (ARAPIDES), 1889, A., 414.

Thiocyanacetone (ARAPIDES), 1889, A., 414; (TCHERNIAC), 1892, A., 1425, 1426.

preparation and properties of (TCHER-NIAC and HELLON), 1883, A., 654. ω-Thiocyanacetophenone (ARAPIDES),

1889, A., 413. isoThiocyanethylsulphine (MIOLATI),

1891, A., 893.

Thiocyanic acid (KLASON), 1887, A., 789. action of acids on (KLASON), 1887, A.,

colouration of organic substances by (Parenti), 1890, A., 726.

in the animal organism (BRUYLANTS), 1888, A., 1324.

compounds of, with ethers and alcohols (Klason), 1887, A., 789.

Thiocyanates, formation of, from amido-compounds (GATTERMANN and HAUSSKNECHT), 1890, A., 749.

manufacture of (TCHERNIAC), 1883, A., 639.

molecular refractive energies of (Nasini and Scala), 1887, A., 754.

metallic, electrolysis of (FRANKEL), 1891, A., 1170.

action of dibromobarbituric acid on (Trzciński), 1883, A., 913.

organic, action of chlorine (JAMES), 1887, T., 268; P., 15. effects of, on vegetation and fermentation (MEUSEL), 1887, A.,

alkaline, detection and estimation of chlorine in (MANN), 1890, A.,

663.isoThiocyanates (DIXON), 1889, T., 300; P., 45.

Thiocyanic acid, reaction of (COLA-SANTI), 1890, A., 424; 1891, A., 128. estimation of (Zulkowski), 1884, A.,

501; (KLASON), 1887, A., 1144; (KRUSS and MORAHT), 1889, A., 1247; (ALT), 1890, A., 424.

hydrocyanic acid and hydrochloric acid, method of estimating when simultaneously present (Borchers), 1883, A., 1173.

diThiocyanic acids (KLASON), 1889, A.

Thiocyanobarbituric acid, salts of (Trz-CIŃSKI), 1883, A., 914.

γ-Thiocyanobutyronitrile (GABRIEL), 1890, A., 1221.

Thiocyanocarbamides (HECHT), 1892, A., 702.

Thiocyano-derivatives (HAGELBERG), 1890, A., 949.

Thio dicyano diamidine(BAMBERGER), 1883, A., 1090.

ψ-Thiocyanogen, properties of (HECTOR), 1892, A., 292.

Thiocyanopropimine (mesoumidomethylthuszole) (HANTZSCH and WEBER), 1888, A., 257; (TRAUMANN), 1889,

A., 414. and its derivatives (TCHERNIAC and Norton), 1883, A., 568.

thiocyanate! (TCHERNIAC and HEL-LON), 1883, A., 654.

αβ-cliThiocyanoisopropylamine and its derivatives (TCHERNIAC and NORTON), 1881, A., 664.

β-Thiocyanopropylphthalimide (SEITZ), 1891, A., 1473.

γ-Thiocyanopropylphthalimide BRIEL and LAUER), 1890, A., 472; (LAUER), 1890, A., 1090.

Thiocyanotriphenylmethane (ELBS). 1884, A., 1030.

diThiocyanuric acid (Klason), 1886, A., 325.

triThiocyanuric acid and its salts (v. HOFMANN), 1885, A., 1193; (KLASON), 1886, A., 324.

cliThiodiacetylbenzaldehyde (cliacetyldithiobenzorthaldehyde) (BONGARTZ), 1886, A., 938.

Thiodiacetylquinol (diacetylthioquinol) (LEUCKART), 1890, A., 604.

Thiodialuric acid (Tnzchiski), 1883, A., 914.

γ-diThiodibutyramide (GABRIEL), 1890, A., 1221.

a-Thiodibutyric acid (Lovén), 1886, A.,

Thiodibutyric acids, \(\gamma - mono- \) and \(\gamma - di- \) (GABRIEL), 1890, A., 1221.

Thiodiisobutyric acid (thio-octoic acid) (Lovén), 1886, A., 333.

γ-Thiodibutyronitrile (GABRIEL), 1890, A., 1221.

diThiodicinnamic acid (Bondzyński), 1887, A., 1109.

Thiodiethylaniline (HOLZMANN), 1888, A., 1080; (MICHAELIS and GOD-CHAUX), 1890, A., 611.

(HOLZMANN), diThiodiethylaniline 1887, A., 723.

Thiodiglycol compounds (MEYER), 1887, A., 228.

Thiodiglycollic acid (LOVEN), 1885, A., 241.

Thiodilactylic acids, α- and β-monoand di- (Loven), 1884, A., 1298.

diThiodi-ω-methoxytoluene (Βολ-GARIZ), 1888, A., 479.

Thiodimethylaniline (HOLZMANN). 1887, A., 723; (MICHAELIS and GODCHAUX), 1890, A., 610.

See also Tetramethylthioaniline.

difficientlylaniline (Merz and Weith), 1886, A., 792.

Thiodimethylpyridone (thiolutidone) (GUTHZEIT and EPSTEIN), 1887, A., 920.

Thiodi-\(\beta\)-naphthylamine (Ris), 1886, A., 1036; (KYM), 1889, A., 51.

diThiodinaphthylamines, two isomeric (Kym), 1889, A., 51.

Thiodi &-naphthylearbamic chloride (Paschkowetzky), 1892, A., 165.

as-Thiodi-S-naphthylcarbamide (Paschkowetzky), 1892, A., 165.

as-Thiodi-B-naphthyldiphenylcarbamide (Paschkowetzky), 1892, A., 165.

Thio-\$-dinaphthylmethylamine (KYM), 1890, A., 1306.

Thio-β-dinaphthylphenylcarbamide (PASCHKOWEIZKY), 1892, A., 166.

dithiodiphenoxydilactylic acid and its salts (BAUMANN), 1885, A., 515.

cliThiodiphenoxydimethylmethane (dithindiphenoxymopane) (BAUMANN), 1887, A., 126.

cliThiodiphenoxyphenylacetic acid (Escales and Baumann), 1886, A., 879.

a-difficient and Baumann, 1885, A., 511; (Escales and Baumann), 1886, A., 578.

diThiodiphenoxy-y-valeric acid
(Escales and Baumann), 1886, A.,
879.

Thiodiphenylamine (BERNTHERN), 1881, A., 595, 1156; 1885, A., 259; (HOLZMANN), 1888, A., 1080.

synthesis of (Bennyusen), 1887, A., 245.

derivatives of (Bernthsen), 1884, A., 595, 1156; 1885, A., 259; (Fraenkel), 1885, A., 1130.

diThiodiphenylamine (HOLZMANN), 1888, A., 1080.

Thiodiphenylcarbamic acid, derivatives of (Fraenkel), 1885, A., 1130.

Thiodiphenylcarbamic chloride (Pasch-Kowetzky), 1892, A., 164. us-Thiodiphenylcarbamide (PASCHKO-WEIZKY), 1892, A., 164.

Thiodiphenylmethylamine (Holz-MANN), 1888, A., 1080.

Thiodiisovaleric acid (LOVEN), 1886, A., 333.

Thioeosin (GRAEBE and ZSCHOKKE), 1884, A., 1025.

Thioethoxyacetal (AUTENRIETH), 1891, A., 541.

Thioethoxyacetone (AUTENRIETH), 1891, A, 541.

Thioethoxyacetone-diphenylmercaptole and -ethylmercaptole (AUTENRIETH), 1891, A., 567.

Thiothylamine and its derivatives (GABRIEL), 1891, A., 816; 1892, A., 130.

diThioethylamine (Coblentz and GA-BRIEL), 1891, A., 817.

Thio-a-ethylcoumarin (ALDRINGEN), 1890, A., 624.

Thioethylquinol (LEUCKART), 1890, A., 604

Thioflavin (Trautmann), 1891, A., 195. Thiofluorescein (Graede and Zschokke), 1884, A, 1025.

Thioformaldehyde, polymeric (WOHL), 1887, A., 27; (BAUMANN and FROMM), 1891, A., 1011.

derivatives of (WOHL), 1887, A., 27. triThioformaldehyde, reactions of (Pulvermachen), 1892, A., 579.

Thioformanilide and its homologues, action of heat in closed tubes on (Senier), 1885, T., 768.

triThio-o-formates (LAVES), 1892, A., 611, 850.

Thioformic acid (DEMONT), 1892, A., 421. Thioformocumidide (SENIER), 1885, T., 768.

Thioformo-o-and-p-toluidides (SENIER), 1885, T., 763, 765.

Thioformoxylidide (Gudeman), 1888, A., 1282.

Thioformyl compounds derived from andline and homologous bases (Senier), 1885, T., 762.

Thiofurfuraldehyde, Cahour's polymeride of (BAUMANN and FROMM), 1892, A., 301.

Thioglycollic acid, compounds of aldehydes, ketones, and ketonic acids with (Bongarrz), 1886, A., 937; 1888, A., 478.

Thiohexenoic acids (AUTENRIETH), 1890, A., 361.

Thiohydantoic acid (thiocarhamidoucetic acid) (KLASON), 1891, A., 180. action of phenylhydrazine on (PROBST), 1892, A., 966. Thiohydantoin (Andreasch), 1886, A., 226; 1888, A., 47; (Klason), 1891, A., 179.

Thiohydracrylic acid (Lovén),1884, A., 1299.

diThio-o-hydroxybenzaldehydeacetic acid (Bongartz), 1886, A., 937.

Thichydroxydiphenylamine (BERNTH-SEN), 1885, A., 260; 1886, A., 55.

Thiohydroxyphenylic disulphide (Leu-CKART), 1890, A., 604.

Thiolactic acid, and its salts (Lovén), 1884, A., 1298.

preparation of (Bottinger), 1885, A., 752.

phenyl-derivatives of (BAUMANN), 1885, A., 511.

Thiole (HANTZSCH), 1892, A., 312.

triThio-o- and -p-methoxybenzaldehydes (BAUMANN and FROMM), 1891, A., 1050.

Thiomethoxythiophen (methothiothiophen) (Meyer and Neure), 1887, A., 805.

Thiomethylaniline (MICHAELIS and GODCHAUX), 1891, A., 75.

diThiomethylbenzylidene. See diThiodi-ω-methoxytoluene.

Thio-α-methylcoumarin (ALDRINGEN), 1890, A., 624.

Thio-2'-methylquinoline (sulphydro-2'-methylquinoline) (Roos), 1888, A., 500; (Conrad and Limpach), 1888, A., 1109.

2'-Thio-4'-methylquinoline (2'-sulphydro-4'-methylquinoline) (Roos), 1888, A., 500.

Thiomethyl-uracil and -uracilacetic acid (List), 1887, A., 128.

Thiomolybdates. See under Molybdenum.

Thionaphthen (MEYER), 1886, A., 713. Thio-a- and -B-naphthols and their derivatives (KRAFFT and SCHÖNHERR), 1889, A., 715; (KRAFFT and BOURGEOIS), 1891, A., 76.

2:2'-diThio-β-naphthol (GROSJEAN),

1890, A., 1306.
Thionessal (tetruphenylthiophen; thiolepiden) (Ziegler), 1890, A., 1246;
(BAUMANN and KLETT), 1892, A.,
185.

substitution products of (Kopp), 1892, A., 718.

Thionic acid. See under Sulphur.

isoThionine (BERNTHSEN), 1886, A.,

Thionol and thionoline (BERNTHSEN), 1886, A., 55.

Thionyl bromide and chloride. See under Sulphur.

Thionyl derivatives of aromatic hydrazones (MICHAELIS and RUHL), 1892, A., 1324.

thiocyanate (McMuriny), 1888, P., 115; 1889, T., 48.

Thionylamines (MICHAELIS and HERZ), 1891, A., 310; (MICHAELIS), 1891, A., 715.

Thionylaniline (MICHAELIS and HERZ), 1891, A., 310; (MICHAELIS), 1891, A., 715.

Thionylanilines and their halogen and nitro-derivatives (MICHAELIS), 1891, A., 717.

Thionylbenzidine (MICHAELIS), 1891, A., 717.

Thionylbismethylaniline, and nitroso-(MICHAELIS and GODCHAUX), 1891, A., 74.

diThionyldiphenylethylenedihydrazine (MICHAELIS and RUHL),1892, A., 1324. Thionylethylamine (MICHAELIS), 1891, A., 718.

Thionyl-a-naphthylhydrazone (MICHAE-LIS and RUHL), 1892, A., 1324.

Thionylphenylbenzylhydrazine (MICHAELIS and RUHL), 1892, A., 1324.

Thionylphenylisobutyl-hydrazine and hydrazone (Michaelis and Ruhl), 1892, A., 1824.

Thionylphenylethylhydrazone (MICH-AELIS), 1889, A., 1163.

Thionylphenylhydrazine (MICHAELIS), 1889, A., 1163; 1891, A., 717; (MICHAELIS and RUHL), 1890, A., 617.

Thionylphenylmethylhydrazine (MICHAELIS and RUHL), 1892, A., 1324.

Thionylthio-aniline and -phenylhydrazine (Ruhl.), 1892, A., 1326. Thionyl-o-toluidine (Michaelis), 1891,

A., 717.
Thionyl-p-toluidine (MICHAELIS and

Henz), 1891, A., 310.
Thionyl-p-tolylhydrazone (Michaelis

Thionyl-p-tolylhydrazone (MICHAELIS and RUHL), 1890, A., 617; 1892, A., 1321.

Thio-octoic acid (thiodiisobutyric acid) (Loven), 1886, A., 333.

γ-Thio-octonitrile (GABRIEL), 1890, A., 1221.

tetrutThiopentone (FROMM and BAU-MANN), 1889, A., 852.

diThiopersulphuric acid (VILLIERS), 1888, A., 650.

Thiophen (MEYER), 1885, A., 887. in aniline (LECCO), 1887, A., 171. in coal-tar henzene (MEYER), 1883, A., 1091.

from erythrite, and from mucic acid (PAAL and TAFEL), 1885, A., 763, 764.

Thiophen, formation of (MEYER and SANDMEYER), 1881, A., (Przybytek), 1886, A., 419. 1881,

formation of, from acetophenoneacetone (Erlenmeylr), 1855, A.,

preparation of (MLYER), 1885, A., 141; (Schulze), 1885, A., 763; (FRIEDBURG), 1890, A., 1100. synthesis of (MEYER), 1885, A., 515; (Paal), 1885, A., 516; (Volhard

and Erdmann), 1885, A., 763.

constitution of (THOMSEN), 1885, A. 1126; (GATTERMANN, KAISER and MEYER), 1886, A., 227; (Knops), 1889, A., 198.

constants of (PAWLEWSKI), 1888, A., 1068.

physical properties of (SCHIFF), 1885, A., 971; (GRIMALDI), 1886, A., 613; (CIAMICIAN), 1889, A., 387.

molecular refraction of (KNOPA), 1888, A., 938; 1889, A., 198.

heats of combustion and formation of (Brrthelot and Matignon), 1890, A., 1361.

effect of, on the colour of the derivatives of benzene and its homologues (Bidet), 1889, A., 595.

behaviour of, with phenylhydrazine (MINUNNI), 1891, A., 1312.

nitration of (MEYER and STADLER), 1885, A., 141.

pyrroline, and furfuryl groupings, reciprocal transformation of (CINzonem and Olivem), 1885, A., 1144.

bye-products of the manufacture of (MEYER and N III RE), 1887, A., 805. condensation-products of (MEYER), 1884, A., 556.

condensation products of, with aldehydes, methylal, and benzylie

alcohol (PETER), 1881, A., 1000. derivatives of (MEYER and KREIS), 1884, A., 15; (STADLER), 1885, A., 1201.

conversion of pentamethylene derivatives into (HANTZECH), 1890, A., 129

constitution of (MEYER), 1885, A., 763.

nitration of (KREIS), 1884, A., 1314. acetyl- and carboxy-derivatives of (DEMUTII), 1886, A., 538.

halogen derivatives of, action of acetic chloride on (GATTERMANN and ROMER), 1886, A., 537. homologues of (MEYER), 1884, A.,

586; (MEYER and KREIS), 1884, A., 1131; (Schulze), 1885, A., 763. Thiophen, homologues of, effect of, on The colour of the derivatives of benzene and its homologues (BIDMI), 1889, A., 595.

meremic chloride (Volhard), 1892, A., 828.

nitrile (MEYER and KREIS). 1881, A., 46; (Douglas), 1892, A., 831.

reaction with nitrous-sulphuric acid (Liebermann), 1888, Λ ., 325.

Thiophen, amido-, hydrochloride, and its derivatives (STADLER), 1885, A., 1204.

bromo-(SCHLEICHER), 1886, A., 227.

dibromo-, direct preparation of, from coal-tar benzene (MEYER and STAD-LER), 1885, A., 971.

tribromo-, and its sulphonic acid and anhydride (Rosenberg), 1885, A., 1051.

tetrabromo-, oxidation of (CIAMICIAN and Angeli), 1891, A., 427, 893; 1892, A., 302.

dibromodinitio- (KREIS), 1884, A., 1314.

tribromonitio- (Rosenberg), 1886, A., 228.

chloro-derivatives of (Weitz), 1884, A., 1130.

trichloro-, and its derivatives (Rosen-BERG), 1886, A., 534.

tetrachloro-, tetrachloride GERODI), 1886, A., 339. *tetru*chlor**i**de

trichloronitro- (Rosenberg), 1886, A., 531.

dieyano- (JARKEL), 1886, A., 339. a-iodo- (MEYER and KREIS), 1881, A., 1131.

diodo-, action of ethylic chlorocarbonate and sodium amalgam on (Names N.), 1885, A., 1207.

iodonitro- (K R1 18), 1881, A., 1314. nitro- (MEYER and STYDLER), 1885,

۸., 111. reduction of, to amidothiophen (Stydler), 1885, A., 972.

poisonous properties of (MEYER), 1885, A., 1051.

dinitro- (Stadler), 1885, A., 761. double compounds of (Rosenberg), 1885, A., 1051.

β-Thiophenaldehyde (Peter), 1885, Λ., 765; (Biedermann), 1886, A., 536,

Thiophenaldoximes (BIEDERMANN), 1886, A., 871; (Goldschmidt and ZANOLI), 1892, A., 1435.

and Thiophenanilide (LEUCKART SCHMIDT), 1885, A., 1224.

Thiophencarboxylic acid (thiophenic ucid), bromo-, and iodo- (Gatter-Mann and Romer), 1886, A., 537. nitro- (Romer), 1887, A., 362.

a-Thiophenearboxylic acid and its derivatives (NAHNSEN), 1885, A., 51; (PETER), 1885, A., 765; (MEYER),

1885, A., 1051; 1886, A., 534. from mucic acid (PAAL and TAFEL), 1885, A., 764.

heats of combustion and formation of (STOHMANN and KLEDER), 1891, A., 376.

bromination of (Bonz), 1885, A., 1206; (MEYER), 1885, A., 1207.

reduction of (Ernst), 1887, A., 471. \$\mathcal{\beta}\$-Thiophenearboxylic acid and its derivatives (Meyer), 1885, A., 1051; (Muhlert), 1886, A., 229; (Damski), 1887, A., 237.

αβ-Thiophenearboxylie acid (MEYER and KREER), 1884, A., 46; (PETER), 1885, A., 765; (MEYER), 1885, A., 1051; 1886, A., 534. relation of, to the normal thiophen-

relation of, to the normal thiophencarboxylic acids (Meyen), 1887, A., 129.

derivatives of (Peter), 1885, A., 765. Thiophenchlorophosphine and its derivatives (Sachs), 1892, A., 966.

Thiophen-2.3-dicarboxylicacid(Grünr-WALD), 1888, A., 49; (GERLAON), 1892, A., 830.

bromo- (GERLACH), 1892, A., 831.

Thiophen-2-4-dicarboxylic acid (ZE-

LINSKY), 1887, A., 921.

Thiophen-2:5-dicarboxylie acid (MESSINGER), 1885, A., 767; (EUNST), 1887, A., 237. synthesis of (BONZ), 1885, A., 1207.

synthesis of (Bonz), 1885, A., 1207. methylandethylsalts of (Messinger), 1885, A., 767, 1052.

Thiophendiethylmethylphosphonium iodide (Sacus), 1892, A., 966.

Thiophendiethylphosphine (SACHS), 1892, A., 966.

Thiophendisulphonic acid and its salts (JAEKEL), 1886, A., 339, 613.

Thiophen-green (PETER), 1885, A., 765; (LEVI), 1887, A., 481. derivatives of (LEVI), 1887, A., 481.

Thiophen-group (MEYER and KREIS), 1884, A., 45; (MEYER), 1884, A., 586; 1885, A., 1051; 1886, A., 534; (WEITZ), 1884, A., 1130; (NIMSEN), 1885, A., 50; (MEYER and STADLER), 1885, A., 250; (ZELINSKY), 1887, A., 921.

Thiophenic acids. See Thiophencarboxylic acids.

Thiophenol. See Phenyl mercaptan.

Thiophenoxyacetal (AUTENRIETH), 1891, A., 540.

Thiophenoxyacetone (ucetonylphenylic sulphide) (Delisle), 1889, A., 489; (Autenrieth), 1891, A., 541.

Thiophenoxyacetonediethylmercaptole (AUTENRIETH), 1891, A., 568.

Thiophenoxyacetonediphenylmercaptole (AUTENRIETH), 1891, A., 568, 1067.

Thio-o-phenoxybenzoic acid (ZIEGLER), 1890, A., 1292; (GRAEBE and SCHULTESS), 1891, A., 1058.

Thiophenoxychlorophosphine (SACHS), 1892, A., 966.

α-Thiophenoxy isocrotonic acid (Auten-RIETH), 1890, A., 362.

β-Thiophenoxy isocrotonic acid (Escales and Baumann), 1886, A., 879.

Thiophenoxydiphenylsulphonepropane (Otto and Rossing), 1891, A., 568.

tetraThiophenoxyglyoxal. See tetra-Thiotetraphenoxyethane.

Thiophenoxy-a-hydroxypropionic acid, action of certain reagents on (BAU-MANN), 1885, A., 514.

Thiophen-phosphinic and -phosphinous acids (SACHS), 1892, A., 966.

Thiophen-series, synthetical investigations in (ERNST), 1887, A., 238. isomerism in (MEYER), 1884, A., 1131.

Thiophensulphonic acid, nitro-, and its salts (STADLER), 1885, A., 764.

Thiophensulphonic acids (MEYER and KREIN), 1884, A., 45; (LANGER), 1884, A., 1133; 1885, A., 765, 887.

derivatives of (WEITZ), 1884, A., 1130; (LANGER), 1884, A., 1133; 1885, A., 765, 887.

Thiophensulphonic anhydride, trichloro- (Roseneerg), 1886, A., 534. α-Thiophenuric acid (JAFFÉ and LEVY), 1889, A., 239.

Thiophenylbenzylidenehydrazine (Runt), 1892, A., 1326.

Thiophenylcarbamides, melting points of (Paschkowetzky), 1892, A., 324.

p-Thiophenylhydrazine (Ruhl.), 1891, A., 301; 1892, A., 1326.

Thiophenylmethyl-\$-naphthylamine (KYM), 1890, A., 1307.

Thiophenyl-a- and \(\beta\)-naphthylamines (KYM), 1890, A., 1307.

Thiophenyl. See also Thiophenoxy. Thiophosphates, reactions of (Kubierschky), 1885, A., 633.

Thiophosphoric acids, and their salts (Kubierschky), 1885, A., 632.

Thiophosphoryl fluoride, physical properties and chemistry of (Thorpe and Rodger), 1888, T., 766; P., 87; 1889, T., 306; P., 77.

Thiophosphorylphenylhydrazine (Michigan and Osier), 1892, A., 1326.

Thioisophthalamide (LUCKENBACH), 1884, A., 1157.

Thiophthalic anhydride (GRADBE and ZSCHOKKE), 1884, A., 1025; (RAÝMAN), 1887, A., 951.

Thiophthalide (GRAEBE), 1889, A., 140.

Thiophthalimidine, derivatives of (DAY and GABRIEL), 1890, A., 1250.

Thiophthen (BIEDERMANN and JACOBSON), 1886, A., 1032.

Thiophylline (Kossel), 1888, A., 1114. Thiopinacone (Spring and Van Marsenille), 1892, A., 1817.

Thiopropionamide (HUBACHER), 1891, A., 220.

Thio-a-isopropylocumarin (ALDRIN-GEN), 1890, A., 624.

Thiopyrocatechol. See Hydroxyphenyl mercaptan.

Thiopyromucamide (Douglas), 1892, A., 831.

Thiopyruvacetic acid, mono- and di-(Bongartz), 1886, A., 938.

Thiopyruvic acid, phenylhydrazone of (Ruhl), 1892, A., 1326.

Thioquinazolones, new synthesis of (Busch), 1892, A., 1495.

This-quinol and -quinolethylxanthate (LEUCKART), 1890, A., 603.

a-Thioquinoline (sulphydroquinoline) (Roos), 1888, A., 500.

Thieresorcinol (LANGE), 1888, A., 375.
Thiereslits, inorganic, reduction of
(KRUSS and SOLEREDER), 1887, A.,
111.

Thiosinamine. See Allylthiocarbamide. Thiostannic acid (Storett), 1889, A., 1053.

salts of (DITIE), 1883, A., 156.

Thiosuccinic anhydride (ZANETTI), 1889, A., 960.

Thiosulphonic acids, aliphatic (OT10 and Rossing), 1891, A., 926.

aromatic (Otto and Trooper), 1891, A., 719; (Otto and Rossing), 1891, A., 926; 1892, A., 478. action of reagents on (Otto and

TROGER), 1891, A., 719. thioanhydrides of (OTTO and TROGER), 1891, A., 924.

Thiosulphonates, action of phosphoric chloride on (Orro and Rossing), 1891, A., 927.

Thiosulphonates, aromatic (Orro and HEYDECKE), 1892, A., 990.

aromatic, containing divident alkyl radicles and the products of their reduction with hydrogen sulphide (Orro and Rossine), 1887, A., 953, 954.

ethereal, products of the hydrolysis of (Orro and Rossing), 1886, A., 711.

Thiosulphuric acid. See under Sulphur. Thiotenol and its acetyl-derivative (Kues and Paal), 1886, A., 536.

Thioterephthalamide (Luckenbach), 1884, A., 1158.

Thiotetrahydroquinazoline (thiodihydroquinazolone) (Buscu), 1892, A., 1196.

eliThiotetra-\(\textit{\beta}\)-naphthylcarbamide (PASCHKOWETZKY), 1892, \(\Delta\), 166. Thio-\(\textit{\Beta}\)-tetranaphthyldiamine (KYM), 1889, \(\Delta\), 51.

tetraThiotetraphenoxyethane (STUF-FER), 1891, A., 186.

Thiotetraphenylcarbamide (PASCHKO-WETZKY), 1892, A, 165.

diThiotetraphenylcarbamide (Fraen-Kel.), 1885, A., 1130; (Paschko-Wetzky), 1892, A., 165.

(Trunlar), 1887, A., 473

Thiotolen. See Methylthiophen.

Thio-p-toluidine and its derivatives (TRUHLAR), 1887, A., 172.

Thio-p-tolylthiocarbamide (TRUBLAR), 1887, A., 473.

triThiotriacetone and its prefoxide (Fromm and Baumann), 1889, A., 852.

triThio-o-triisobutoxytribenzaldehyde (triisobutoxytrithiotrillenzeddehyde) (BAUMANN and FROMM), 1891, A., 1051.

a-triThiotricinnamaldehyde (BAUMANN and Fromm), 1891, A., 1051.

triThiotrifurfuraldehydes, α and β-(BAUMANN and FROMM), 1892, Λ., 301.

Thiotriphenylcarbamide (PASCH KOWET-ZKY), 1892, A., 164.

Thiotriphenylsulphonepropane (lkiophenoxypropylenediphenylelisulphone; diphenylthiophenorypropylenedisulphone) (Orro and Rössine), 1891, A., 568.

triThiotrivaleraldehyde (B.ARBAGLIA), 1885, A., 136; 1887, A., 462.

Thioumbelliferone 4-methyl ether (AL-DRINGEN), 1890, A., 624. Thio-m-uramidobenzoicaeid (TRAUBE), 1883, A., 198. Thio-o-uramidocinnamic acid (ROTHS-CHILD), 1890, A., 1123; 1891, A.,

Thio-)-uramidocinnamic acid (ROTHScuinn), 1891, A., 199.

Thiouramido. See also Thiocarbamido-.

Thiouramidoximes, condensation products from (KOOH), 1891, A., 560. Thiourea (Werner), 1892, P., 96.

properties of (CARRARA), 1892, A., 1309.

action of nitrous acid on (DIXON), 1892, T., 525.

compound of, with aldehyde-ammonias (Dixon), 1892, T., 509, 513; P., 73.

compound of, with ammonium thio-cyanate (CARRARA), 1892, A., 1309.

silver compounds of (REYNOLDS), 1892, T., 249; P., 14; (KUINA-Kow), 1892, A., 441. See also Thiocarbamide.

substituted, Thioureas,

isomenism amongst the (Dixon), 1892, T., 536; P., 111.

Thio-\psi-uric acid (Trzciński), 1883, A., 914.

Thiouvinuric acid (STEUDE), 1891, A.,

Thiovanadates (Krüss and Ohnmais), 1890, A., 1381; 1891, A., 989.

cliThioxamide (WOLLNY), 1881, A., 1109; (EPHRAIM), 1889, A., 1142; (FORMANEK), 1890, A., 29; (WAL-LACH and REINHARDT), 1891, A., 1008.

action of ethylenediamine on (Forssell), 1891, A., 1003.

Thioxanthone (GRAEBE and SCHULTESS). 1891, A., 1058.

preparation of (ZIEGLER), 1890, A., 1292.

See Dimethylthiophen. Thioxen. Thomas-Gilchrist process (STEAD), 1883, A., 832.

Thomas slag. See Slag, basic.
Thomsenolite (KLEIN), 1883, A., 427; (Groth), 1884, А., 265; Сьоільаих), 1884, А., 716.

chemical composition of (BRANDL), 1883, A., 29.

Thomsonite, lamellar (LACROIX), 1887,

from Colorado (Cnoss and HILLE-BRAND), 1883, A., 164, 957.

Thoria. See Thorium dioxide.

Thoria minerals from Llano Co., Texas (HIDDEN and MACKINTOSH), 1890, A., 157.

Thorite of Arendal (NILSON), 1883, A., 299; 1884, A., 406.

Thorium, atomic weight of (NILSON), 1883, A., 649; (Knu-s and Nilson),

1887, A., 701. valency of (Nilson), 1883, A., 152, 553, 649; (Kruss and Nilson), 1887, A., 704.

metallic, preparation of (NILSON), 1883, A., 152. crystals of (NILSON), 1883, A., 553;

(Brögger), 1886, A., 427.

phosphorescence of (CROOKES).

1887, A., 1068. specific heat of (NILSON), 1883, A., 553, 649.

isomorphism of uranium and (RAM-MELSBERG), 1890, A., 15.

Thorium chloride, vapour density of (Troost), 1885, A., 1113; (Kruss and NILSON), 1887, A., 704.

hydride (WINKLER), 1891, A., 802. oxides, action of hydrogen peroxide on (Lecoq de Boisbaudran), 1885, A., 635.

dioxide (thoria), action of magnesium on (Winkler), 1891, A., 802. separation of, from the other oxides

(SMITH), 1884, A., 111. metaphosphate (Thoost), 1885, A.,

1113; (Johnson), 1889, A., 757. potassium phosphate (Troost and OUVRARD), 1886, A., 853.

sodium phosphates (Troosr and Ouv-RARD), 1887, A., 1017.

silicates (TROOST and OUVRARD), 1887, A., 1016.

sulphate (DEMARÇAY), 1883, A., 1053;

(RAMMELSBERG), 1890, A., 15. and its hydrates, solution-equilibrium of (ROOZEBOOM), 1890, A.,

and uranium sulphate, isomorphous (HILLEBRAND and MELVILLE), 1892, A., 571.

dithionate (Klüss), 1888, A., 1156. Thorogummite (HIDDEN and MACKINтоян), 1890, А., 458.

Thrombogenic enzymes and thrombogens (Armstrong), 1890, T., 531.

Thrombosis and blood tablets (Lowit), 1889, A., 427.

Thulium, spectral researches on (THA-LEN), 1883, A., 954.

phosphorescence of erbium (CROOKES), 1887, A., 1068.

Thymo-p-acrylic acid, and its methylderivative and salts (KOBEK), 1884, A., 57.

Thymodialdehyde (Kobek), 1884, A., 57.

Thymol (CLAUS and KRAUSE), 1891, A., 899; (KEHRMANN), 1892, A., 1078. reflactive power of, at different tem-

peratures (Perkin), 1892, T., 305. hygroscopic behaviour of (Clau-

TRIAU), 1891, A., 1497.

action of iodine on, in alkaline solution (MESSINGER and VORTMANN), 1889, A., 1151.

oxidation of (HEYMANN and KOENIGS),

1887, A., 241.

isomeride of (SPICA), 1883, A., 459. chloro- and bromo-cymene from (FILETI and CROSA), 1887, A., 37.

the propyl-group in (WIDMAN), 1886,

A., 470.

action of, on higher organisms (MAI-RET, PILATIE and COMBEMALE),

1885, A., 1085.

derivatives of (RICHTER), 1883, A., 1112; (КОВЕК), 1884, A., 56; (МАZZARA and VIGHI), 1890, A., 888.

derivatives, constitution of (MAZZARA), 1891, A., 46, 188.

othyl ether (3-cthoxy-1-mcthyl-4-propylbenzene),2-bromo- and -2:5-bromamido- (MAZZARA and VIGHI), 1890, A., 883.

methyl ether, 6-bromo- (MAZZARA),

1890, A., 366.

azo-derivatives of (MAZZARA and Possetto), 1885, A., 893; 1886, A., 515.

test for (VAN ITALLIE), 1889, A., 657; (BORNTRAGER), 1891, A., 370.

Thymol, 2-bromo- (CLAUS and KRAUSE), 1891, A., 899, 900.

6-bromo-, derivatives of (MAZZARA), 1890, A., 366.

6-bromo-2-amido-(MAZZARA and Dis-(ALZO), 1886, A., 1019; (MAZZARA), 1890, A., 602.

2-bromo-6-nitro- (MAZZARA and DIS-CALZO), 1886, A., 1019; (MAZZARA), 1890, A., 602.

6-bromo-2-nitro-, constitution of (MAZZARA), 1890, A., 366, 753.

6-iodo- (WILLGERODT), 1888, A., 910; (WILLGERODT and KORNBLUM), 1889, A., 697.

diodo- (Messinger and Vortmann), 1889, A., 1151.

iodamido- (Kehrmann), 1889, A., 993. 2:6-dinitro- (Mazzara), 1890, A., 602, 753.

6-nitioso- (thymoquinoncoxime) (Surkowski), 1887, A., 41.

action of hydroxylamine on (Kehr-MANN and Messinger), 1890, A., 1403. Thymolchloral (MAZZARA), 1884, A., 187. Thymolcinnamic acid (NIGOTERA), 1890, A., 892.

Thymoldichroin (BRUNNER and CHUIT), 1888, A., 363.

Thymolglycuronic acid (Kulz), 1890, A., 1286; (Blum), 1892, A., 1116.

Thymol-phosphoric acids and -phosphoryl chlorides (DICALZO), 1886, A., 52.

2(8)-Thymolsulphonic acid, and 6bromo- and their salts (CLAUS and KRAUSE), 1891, A., 899.

Thymol-6-sulphonic acid, 2-bromo-(CLATS and KRAUSE), 1891, A., 899. 2-iodo-(KEHRMANN), 1889, A., 993.

Thymoquinol, oxidation of (HEYMANN and KOENIGS), 1887, A., 1035.

6- or 3-bromo- (MAZZARA and DIS-(ALZO), 1886, A., 1020; (SCHNITER), 1887, A., 720.

3-chloro-, and 6:3-chlorobromo-(SCHNITER), 1887, A., 720.

Thymoquinone, boiling point of (LIEBERMANN and v. ILINSKI), 1886, A., 239.

derivatives, constitution of (MAZ-ZARA), 1891, A., 47, 297.

diamido- (Anschutz and Letther), 1886, T., 725.

3-bromo- (Kehrmann), 1890, A., 367. 6- or 3-bromo- (Schntier), 1887, A., 720; (Kehrmann), 1890, A., 367; (Mazzara), 1890, A., 753; (Chaus and Krause), 1891, A., 899.

6- and 3-chloro- and 6:3- and 3:6chlorobiomo- (Schnitch), 1887,

A., 720.

6-iodo- (KEHRMANN), 1889, A, 1185. Thymoquinoneoxime. See 6-Nitrosothymol.

Thymoquinone/loxime (KEHRMANN and MESSINGER), 1891, A., 297.

P Thymotic acid, alcohol and aldehyde (Kobek), 1881, A., 56.

Thymns, lactic acid of the (Moscarelli), 1888, A., 860.

Thymyl acetate and benzoate, 2:6-dinitro- (MAZZARA), 1891, A., 46.

cinnamate, decomposition of, by heat (Anschutz), 1885, T., 899; A., 1065.

ethylic carbonate (RICHTER), 1883, A., 1112; (BENDER), 1887, A., 38. phenylcarbamate (LEUCKAET), 1890, A., 760.

Thyroid, lactic acid of the (Moscarelli), 1888, A., 860.

gland of men and oxen, chemical constituents of (Bubnow), 1884, A., 1060.

Tiemannite (PENFIELD), 1886, A., 314. Tiglamide, chloro- (OTTO and Holst), 1890, A., 958.

Tiglic acid (methylerotonic acid; pentenoic acid) (Melikoff), 1887, A.,

constitution of (BEILSTEIN and WIE-GAND), 1885, A., 42; (KONDAKOFF), 1889, A., 374; 1892, A., 1301;

(PÜCKERT), 1889, A., 587. derivatives of (MELIKOFF), 1887, A., 29; (MELIKOFF and PETRENKO-

Kritschenko), 1890, A., 862. dibromide (Pückert), 1889, A., 587. Tiglic acid, chloro- (OTTO and BEC-KURTS), 1885, A., 755; (ISBERT), 1886, A., 1010; (Orro and Holst), 1890, A., 958. action of potash on (FRIEDRICH),

1883, A., 969.

Tiglic aldehyde (αβ-dimethylaerolein) (Lieben and Zeisel), 1886, A., 783. action of sulphurous anhydride on (HAYMANN), 1889, A., 487.

Tiglyl alcohol (LIEBEN and ZEISEL), 1886, A., 784; (HAYMANN), 1889, A.,

Tiles, Oriental enamel on (Boeck), 1889, A., 1112.

Tilias, oil from the seeds of (MUELLER), 1892, A., 92.

Timbers, solution for the preservation of (WRIGHT), 1884, A., 1233.

"Timbo," poisonous constituents of (PFAFF), 1891, A., 938.

Timboin and timbole (PFAFF), 1891, A.,

Tin, atomic weight of (VAN DER PLAATS), 1885, A., 348; (BONGARTZ and CLASSEN), 1889, A., 19.

molecular weight of (RAMSAY), 1889, T., 531, 533.

(metal), crystallised, allotropic modifications of (v. Foulion), 1886, Δ., 124.

precipitated (Vignon), 1889, A., 107.

production of, from old tin plate by electrolysis (ANON.), 1885, A.,

influence of various metals on the freezing point of (HEYCOCK and

NEVILLE), 1890, T., 376. lowering of the freezing point of, by the addition of other metals (Heycock and Neville), 1889, Ť., 667.

lowering of the freezing points of bismuth, cadmium and lead by (Hrycock and Neville), 1892, T., 896, 901, 908.

Tin (metal), action of chlorine on (COWPER), 1883, T., 154.

action of nitric acid on (MONTE-

MARTINI), 1892, A., 1402. action of nitrosyl chloride on (Sudborouch), 1891, T., 661.

action of certain vegetable acids on (HALL), 1883, A., 1038. action of, on the animal organism

(White), 1886, A., 1058.

oxidation of (Vignon), 1889, A.,

alloys, entectic (Heycock and Neville), 1890, T., 386. Tin

with bismuth, thermal and electrical behaviour of some, in a magnetic field (v. Ettingshausen Nernst), 1888, A., 546.

with bismuth and zinc (WRIGHT and THOMPSON), 1891, A., 1158.

with cadmium (LAURIE), 1889, T., 679.

triple, with cadmium and gold, freezing point of (HEYCOCK and NEVILLE), 1891, T., 936.

with copper (BALL), 1887, P., 136; 1888, T., 167.

constitution of (LAURIE), 1887, P 117; 1888, T., 101.

with copper and lead (TRENCH), 1890, A., 335.

with iridium (DEBRAY), 1887, A., 779. with lead (LAURIE), 1889, T., 677.

composition of (Kleinstuck), 1889, A., 1051.

melting points of (WELD), 1891, A.,

specific heat of (Spring), 1886, A.,

specific gravity of (KLEINSTÜCK), 1889, A., 1051.

estimation of lead in (Schwartz), 1888, A., 992; (WINKLER), 1889, Λ., 309.

with lead and zine (WRIGHT and Thompson), 1890, A., 336; 1891, A., 267.

crystalline, with platinum metals (Debray), 1887, A., 779.

with sodium (BAILEY), 1892, A., 572. with zine (LAURIL), 1889, T., 679.

compounds of, with platinum (SCHUTZENBERGER), 1881, A., 823.

salts (Benas), 1885, A., 728. action of sodium thiosulphate on (VORTMANN), 1889, A., 1109.

halogen salts, double (RICHARDSON), 1892, A., 785.

(stannous bromide) dibromide. (RAYMAN and PREIS), 1884, A., 1265.

Tin dibromide (stannous bromide), preparation and properties of (BENAS), 1885, A., 728.

tetra bromide and its hydrate (RAYMAN and PREIS), 1883, A., 424; 1884, A., 1265.

double salts (stannibromides)

(LETEUR), 1892, A., 121. oxybromide (PREIS and RAYMAN), 1883, A., 425.

dichloride (stannous chloride), solu-tions, molecular refraction and dispersion of (GLADSFONE), 1891, T., 596.

boiling point and molecular formula of (BILTZ and MEYER), 1888, A., 3 45.

influence of hydrochloric acid on the solubility of (ENGEL), 1888, A., 918.

action of sulphur on (VORTMANN and Padberg), 1890, A., 9.

behaviour of, towards nitric oxide, and towards nitric acid (DIVERS and HAGA), 1885, T., 623.

estimation, volumetric, of (JULLES), 1889, A., 189.

solutions, estimation of free hydrochloric acid in (MINOR), 1891, A., 241.

tetrachloride (stannic chloride), electrical and chemical properties of (Coldridge), 1890, A., 1065.

vapour pressures and molecular volumes of (Young), 1891, T., 911. freezing point of (Besson), 1890, A., 331.

action of water on (Vignon), 1889, A., 1121.

compounds of, with hydrogen chloride (Engel), 1886, A., 954.

potassium chloride (Monna), 1891, A., 1160; (Richardson), 1892, A.,

monoxide (stannous oxide) and some of its compounds (Dirre), 1883, A., 291.

dioxide (stannie anhydride; stannie oxide) (Spring), 1889, A., 1051.

preparation of, from sodium stannate (Austen), 1883, A., 425. variations in the acid function of

(Vignon), 1859, A., 833.

action of magnesium on (Winkler), 1891, A., 802.

influence of, on potassium chlorate (FOWLER and GRANT), 1890, T.,

compounds of, with sulphuric acid and selenic acid (DIITE), 1887, A., 336.

Tin dioxide (stannic anhydride; stannic oxide), colour reactions of (LEVY), 1887, A., 304.

separation of, from tungstic acid (DONATH and MULLNER), 1888, A., 531.

See also Cassiterite.

oxide (perstannie a. (Spring), 1889, A., 1051. trioxide anhydride)

Stannic acid, colloidal (VAN BEMME-LEA), 1888, A., 1160.

heat of neutralisation of (VIGNON), 1889, A., 833.

dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 68, 83. combination of phosphoric acid with (HAUTEFEUILLE and MARGOT-TET), 1886, A., 670. lakes formed by (Vignon), 1891,

A., 807.

a-ortho- (Neumann), 1892, A., 412. Stannates, crystallised (DIT FE), 1883, A., 716.

Stannites, alkali, inaction of, with nitrites and nitrates (DIVERS and

HAGA), 1885, T., 363.
Stannic acid, bromo- (Preis and RAYMAN), 1883, A., 425; (Seuberf and Schurmann), 1887, A., 554.

chloio- (Engel), 1886, A., 984; (Seubert), 1887, A., 554.

thio- (Stoneh), 1889, A., 1053. thio-, salts of (Drite), 1883, A.,

156. Metastannic acid, heat of neutralis-

ation of (Vignon), 1889, A., 833. behaviour of, to bismuth and iron oxides (Lepéz and Storen), 1889, A., 1052.

colloidal (VAN BEMMELEN), 1888, A., 1160.

phosphates, double (Ouvrand), Tin 1890, A., 1379.

Stanno-phosphoniolybdates and phosphotungstates (GIBBS), 1886, A., 511.

Tin monoselenide, action of hydrochloric acid on (Diffe), 1884, A., 19.

sulphide (stannous sulphide), action of ammonium sulphide on (BAU-

BIGNY), 1883, A., 22. action of hydrochloric acid on (Diffe), 1881, A., 18.

disulphide (stannic sulphide) (Storen),

1889, A., 1053. compounds of, with tin disclenide (Ditte), 1883, A., 156.

detection of, in presence of antimonious sulphide (GRIFFITH), 1887, A., 183. Tin monotelluride (stunnous telluride), action of hydrochloric acid on (DITTE), 1884, A., 19.

Stannous dithionate (KLUSS), 1888, A., 1156.

Tin organic compounds, two (FISCHER), 1885, A., 377.

tetrethide (LETTS and COLLIE), 1886, P., 166.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 296.

tetraphenyl (l'olis), 1890, A., 166. Tin, detection, estimation and separation :-

reaction of, with nitric and sulphuric acids (BASSETT), 1886, A., 599.

microchemical leactions of (STRENG), 1889, A., 78.

delicate test for (RIDEAL), 1885, A., 1013.

test for, with brucine (DRYER), 1854, A., 498.

detection of, in corpses (SEYDA), 1891, A., 121.

detection of, in minerals (JOHNSIONE), 1890, A., 830.

detection of antimony, arsenic and (Pieszczek), 1892, A., 918. precipitation of, from acid solutions

by metallic iron (SCHULTZE), 1890, A., 853.

estimation of (CRISMER), 1884, A., 1078; (Classen), 1885, A., 191; (BENAS), 1885, A., 889; (LESSER), 1888, A., 754; (LOVITON), 1888, A., 992; (BRAND), 1890, A., 294; (HILGER and HAAS), 1890, A., 666; (Luckow), 1892, A., 1129. estimation of, in alloys (Wachsmuth),

1887, A., 304; (WARREN), 1888, A., 632; (FRENCH), 1892, A., 1030. estimation of, in corpses (SEYDA),

1891, A., 121. estimation of, in "hardhead" (Free-senius and Hiniz), 1886, A., 180. estimation of, in siliceous slags

(WARREN), 1858, A., 632. estimation of, in sugar (Phipson), 1889, A., 1036.

estimation of lead in (Yvon), 1889, A., 549; (Perron), 1890, A.,

separation of, from antimony (('ARNOT), 1886, A., 1077; (WARREN), 1888, A., 632; 1891, A., 366; (Loviton), 1888, A., 992; (CLASSEN and SCHELLE), 1889, A., 77.

separation of, from antimony and atsenic (Berglund), 1884, A., 777; 1885, A., 839; (Classen and Lee-WIG), 1885, A.; 932; (CALNOI),

Tin, separation:---

1886, A., 1078; (Lesser), 1888, Δ., 754; (CLARK), 1892, T., 424; P., 68.

separation of antimony, arsenic and, from gold and platinum (DE KONINCK and LECRENIER), 1888, A., 1344.

separation of, from bismuth, cadmium and lead (JANNASCH and ETZ), 1892, A., 754.

separation of, from titanium (HILGER and HAAS), 1890, A., 666; (HAAS), 1890, A., 1029

Tin capels, Cornish (Collins), 1886, A., 988.

Tin mineral in process of formation (MEUNIER), 1890, A., 1082.

Tin ores from Asia (Fischer), 1883, A.,

deposits of Mt. Bischoff (v. Gron-DE(K), 1888, A., 434.

analysis of (Burghardt), 1890, A., 1027; (Wells), 1892, A., 540.

dry assay of (Hoffmann), 1891, A., 246, 502.

Tinplate, estimation of lead in (CARLES). 1884, A., 1078.

Tin scrap, to work up (Anon.), 1886, A., 109.

Tin stone. See Cassiterite.

Tinder ore from the Harz (LUEDECKE), 1883, A., 1061.

Tintometer (LOVIBOND), 1890, A., 1461. Tintura for wines (JAY), 1885, A.,

Tirmania africana, analysis of (CHA-TIN), 1892, A., 654.

Tissue, living, active oxygen in (WUR-STER), 1888, A., 863.

pulmonary, action of, in the expiration of carbonic anhydride (GARNIER), 1886, A., 1052.

ielifoim (Young), 1892, A., 1113. vegetable. See Vegetable tissue under Agricultural Chemistry.

Tissues, determination of the rate of consumption of oxygen in, by means of the spectroscope (DENNIG), 1884, A., 1391.

deposits of iron and glycogen in (Delépine), 1891, A., 1274. toxic action of various (Hericourt

and Richer, 1892, A., 228.

estimation of the wool, silk, and cotton in (REMONT), 1885, A., 96.

Tissue-fibrinogens (WRIGHT), 1891, A., 1524; 1892, A., 646.

Ti: sue-waste in the fowl during starvation (Kuckern), 1883, A., 603. Titanic iron. See Ilmenite.

Titanic iron sand from Biazil, analysis of (Mackintosh), 1885, A., 878.

Titanic oxide. See Titanium dioxide. Titaniferous garnet from North Carolina (GENTH), 1891. A., 155.

Titanite. See Sphene.

Titanium (v. der Pfordten), 1887, A., 14; (Koenig and v. der Pfordten), 1889, A., 1122.

atomic weight of (THORPE), 1884, A., 395; 1885, T., 108; P., 1.

physical constants of (NILSON and PETTERSSON), 1887, A., 778.

alloy of, with silicon and aluminium (LETY), 1888, A., 423.

compounds (KUENIG and V. DER PFORDTEN), 1889, A., 947.

Titanium tetrabromide, pure, preparation of (THORPE), 1885, T., 126. carbide in pig iron (SHIMER), 1897, A., 703.

chloride (WAGNER), 1888, A., 557. di- and tri-chlorides (V. DER PFORD-TEN), 1887, A., 338.

trichloride, reduction of (Koenic and v. der Prordten), 1889, A., 1123.

tetrachloride (v. DER PFORDIEN), 1887, A., 337.

pure, preparation of (THORPE', 1885, T., 119.

molecular refraction and dispersion of (GLADSIONE), 1891, T., 299.

action of, on metals (LEVY), 1890, A., 1066. porides, double (Precivi), 1884, A.,

fluorides, double (Piccini), 1884, A., 264; 1886, A., 670; 1891, A., 271; (Petersen), 1889, A., 107.

oxyfluorides of (Piccini), 1884, A., 264.

oxide, hydrated, from Diamantina (Gorcerx), 1885, A., 640.

sesquioxide (Koenig and v. der Prordten), 1889, A., 1122.

action of nitrie oxide on (SABATIER and SENDERENS), 1802, A., 1152.

dioxide (titane antipoleid); titanie oride) in soils (McCallb), 1888, A., 745.

hydrated (v. der Prorders), 1887, A., 337.

crystallisation of (HAUTEFFUILLE and PLEREY), 1890, A., 1071. fourth form of (HIDDEN), 1889, A., 354.

distribution of, on the earth (Dun-NINGTON), 1892, A., 791.

action of carbon tetrochloride on (DEMARCAL), 1887, A., 329.

action of magnesium and hydrogen on (Winkler, 1890, A., 1375.

Titanium dioxide (titunic anhydride; titunic oxide), action of magnesium on (WINKLER), 1891, A., 802.

colour reactions of (Lúvy), 1887, A., 304.

separation of, from alumina and ferric oxide (Conen), 1884, A., 640.

trioxide (Weller), 1883, A., 295; (Jackson), 1883, A., 829; (Classen), 1888, A., 424, 789; (Piccini), 1888, A., 789; (Lúvy), 1889, A., 572.

Titanic acids (PICCINI), 1883, A., 1056.

gelatinous modification of (v. DER Proedten), 1884, A., 1093.

Titanic acid (WAGNER), 1888, A., 557. dehydration of, by heat ('ARNEL-LEY and WALKER), 1888, T., 66, 81.

influence of, on the fusibility of reflactory earths (SEGER), 1884, A., 784.

action of sodium on (KOENIG and v. DFR PRORDTEN), 1889, A., 1122.

oxidation of (Precini), 1983, A., 1055.

as a mordant (BARNES), 1886, A., 292.

combination of phosphoric acid with (HAUTEFEUILLE and MAR-GOTIET), 1886, A., 670.

mono., di- and tri-chlorides (Koe-NIG and V. DER PFORDIEN), 1888, A., 788.

hydrochloride (Koenig and v. der Prorder), 1889, A., 947.

phenyl-derivative of (SCHUMANN), 1858, A., 679.

reaction of (FRESENIUS), 1886, A., 181.

estimation of (LLVY), 1887. A., 1001.

estimation of, in presence of iron (Wirgand), 1883, A., 381.

Titanates, artificial production of certain (Bourgeons), 1884, A., 564.

Pertitanic acid, fluorine derivatives of (Piccivi), 1888, A., 1255.

Titanium phosphates, double (Ouv-BARD), 1890, A., 1379. sulphides (V. DER PFORDEN), 1884,

sulphides (v. der Products), 1884, A., 1093; 1887, A., 15; (Thorpe), 1885, T., 491; P., 69.

Titanium organic compounds: cyanonitride (REINHARDI), 1888, A., 1047; (LUEDEKING), 1888, A., 1263. Titanium organic compounds :--

Titanium ethyl, altempts to prepare (PATERNO and PERATONER), 1889, A., 591.

Titanium, detection, estimation and separation:—

detection of (Weller), 1883, A., 381; (Jackson), 1883, A., 828; (Noves), 1891, A., 1295.

(Noves), 1891, A., 1295, estimation of (Willing, 1883, A., 381; (Levy), 1888, A., 196; 'Hilder and Haas), 1890, A., 666; (Noves), 1891, A., 1295.

estimation of, in iron and its orcs (LEDEBUR), 1885, A., 1160. estimation of, in iron ores (JENN-

INGS), 1889, A., 189. estimation of, in rock analysis (CHA-

TARD), 1891, A., 768. estimation of, in natural silicates

(Holland), 1889, A., 448. estimation of, in titanium aluminium (Hunt, Clapp, and Handy), 1892,

(HUNT, CLAPP, and HANDY).1892, A., 1131.

separation of, from aluminium (Gooch), 1885, A., 1265; 1886, A., 492.

separation of, from iron (Gooch), 1885, A., 1265; 1886, A., 492; (CLASSEN), 1888, A., 532.

separation of, from niobium and zirconium (DEMARÇAY), 1885, A., 639.

separation of, from tin (HILGER and HAAS), 1890, A., 666; (HAAS), 1890, A., 1029.

Titanium minerals, distribution of (Thurach), 1886, A., 126.

decomposition of (Jones), 1892, A., 664.

Tobacco, influence of the ash constituents on the combustibility of (MAYER), 1890, A., 1458.

slow combustion of (SCHLUSING), 1888, A., 979; 1889, A., 639.

ratio of starch to sugar in (MULLER), 1886, A., 904.

wax from (KISSLING), 1884, A., 173. climatic conditions for the development of nicotine in (MAYER), 1891. A., 858.

estimation of nicotine in (BIEL),1888, A., 876; (Kirling), 1890, A., 430. composition of "smalls" of (Brown), 1889, A., 543.

Japanese (TAKAYAMA), 1885, A., 582; (FESCA and IMAI), 1889, A., 69.

Virginian, composition of the midribs of leaves of (MEMMINGER), 1884, A., 99. (Toluene compounds Me=1.)

Tobacco. See also Agricultural Chemistry.

Tobacco ash, composition of Romans), 1833, A., 372; (Anon.), 1855, A., 927; (Jordan; Jenkins), 1886, A., 177; (VAN BEMMELEN), 1890, A., 1838.

Tobacco smoke, toxic action of, on bacteria (TASSINARI, 1888, A., 1827.

wax-like body from (Kis-Ling),1884, A., 173.

Tolallyl sulphide BAUMANN and Killiri, 1892, A., 185.

Tolane. See Diphenylacetylene.
Tolazinedicarboxylic acid. diamido(KEHRMANN), 1889, A., 1154.

p-Tolenylamidine derivatives (GLOCK), 1888, A., 1290. hydrochloride CRAYEN),1891, A., 560.

nitrite (LOSSEN, 1892, A., 53.

Tolenylamidinebenzenyl-o-carboxylic

acid (BISTRZYCKI, 1890, A., 969. Tolenylamidinedimethoxybenzenylcarboxylic acid (BISTRZYCKI, 1891,

A., 746.

p-Tolenylamidine-p-tolenylazosulphimecarbohydrosulphide CRAYEN),

1891, A., 560.

p-Tolenylamidosulphime-p-tolenylsulphime-lithiocarbamate (CRAYEN).

1891, A., 560. o-Tolenylamidoxime and its derivatives (SCHUBARY), 1890, A., 49.

p-Tolenylamidoxime and its derivatives (SCHUBART), 1886, A., 797; 1890, A., 47.

action of carbon disulphide or (CRAYEN), 1891, A., 559.

potassium compound of, action of carbon disulphide on (SCHUBART), 1890, A., 49.

3-nitro- (Weise), 1890, A., 47.

p-Tolenylamidoxime-ethylidene (SCHU-BART), 1890, A., 48.

Tolenylazo-. See Azo-.

p-Tolenylethoxime salts (Schubarr), 1890, A., 47.

p-Tolenyl-imidoacetate and -imidoethyl ether (GLOCK), 1888, A., 1289.

o-Tolenylimidoximeamido-o-tolylidene (STIEGLITZ), 1890, A., 255.

p-Tolenylimidoximecarbonyl (Schu-BART), 1890, A., 48.

p-Tolenyl-phenyluramidoxime, -thiouramidoxime and -uramidoxime (SCHUBART), 1890, A., 48.

p-Tolhydryl-amine (di-p-tolylearbinylamine) and -carbamide (GOLDSCHMIDT and STOCKER), 1891, A., 1479.

65

(Toluene compounds Me=1.)

Tolidine (diamidoditolyl), polymethylene bases from (Schiff), 1892, A.,

o-Tolidine, action of nitrous acid on (SCHULTZ), 1884, A., 903.

derivatives of (Hobbs), 1888, A.,

acetyl-derivatives of (GERBER), 1888, A., 484.

m-amido-, and m-nitro- (LOEWEN-HERZ), 1892, A., 852.

dinitro- (GERBER), 1888, A., 484.

o-m-Tolidine (SCHULTZ), 1884, A., 903. m-Tolidine, preparation of (v. Buchka and Schachtebeck), 1889, A., 701.

p-Tolidine, action of nascent nitrous acid on (DENINGER), 1890, A., 38.

Tolidinedisulphonamide (Helle), 1892, A., 1468.

o-Tolidinedisulphonic acid (GRIESS and Duisberg), 1890, A., 60; (Helle), 1892, A., 1466.

Tolidinesulphone (GRIESS and Duis-BERG), 1890, A., 60.

Tolidinesulphonic acid (Helle), 1892, A., 1467.

o-Tolidinesulphonic acid (GRIESS and Duisberg), 1890, A., 60.

p-Tolil (di-p-tolyl dihetone) (STIERLIN), 1889, A., 513.

Tolilbenzil, o- and p- (benzil, tolylimide of; phenyl tolylimidobenzyl ketone) (Bandrowski), 1889, A., 147.

o-Tolilbenzoin(tolylimidodiphenylethylic ulcohol) (BANDROWSKI), 1889, A., 147.

p-Tolilbenzoin (Voigr), 1886, A., 888. Tolindole. See 3-Methylindole.

Toloctylamine (octyltolylamine; tolyloctune, amido-), and its derivatives (BERAN), 1885, A., 524.

m-Tolualdehyde, o-nitro-, and dinitro-(BORNEMANN), 1881, A., 1163.

Tolualdehydes and their derivatives (BORNEMANN), 1884, A., 1161.

m-Tolualdehydephenylhydrazone (Ru-DOLPH), 1889, A., 251.

Tolualloxazine (Kuhling), 1891, A., 1342.

a-Toluamide (Purgorn), 1891, A., 59. o-Toluamide, reduction of (Hutchinson), 1890, T., 957.

3:5-dibromo- (Claus and Beck), 1892, A., 1207.

m-Toluamide, ω-chloro- (REINGLASS), 1891, A., 1344.

p-Toluamide, 3-amido- (NIEMENTOWski), 1888, A., 837.

2:6-dibromo- (CLAUS and SEIBERT), 1892, A., 176.

(Toluene compounds Mc=1.)

p-Toluamide, 3:5-dibromo- (Claus and HERBABNY), 1892, A., 175.

3:5-bromonitro- (CLAUS and HER-BABNY), 1892, A., 175.

2- and 3-chloro- (CLAUS and DAVIDsen), 1889, A., 988.

ω-chloro-, and ω-cyano- (MELLINGногг), 1890, А., 239.

3-nitro- (Niementowski and Rozań-SKI), 1888, A., 1088; (WEISE), 1890, A., 47.

D-Toluanilide (LEUCKART), 1890, A., 759. Toluazophenine (Fischer and Hepp),

1891, A., 1046.

p-Tolubenzylacetamide (tolylcurbinylaretumide; methylbenzylacetamide) (KROBER), 1890, A., 969.

o-Tolubenzylamine. See Methylbenzyl-

amine.

p-Tolubenzylcarbamide (tolylcarbinylcarbamide; methylbenzylvarbamide) (KROBER), 1890, A., 969.

o-Toluisobutylthiocarbamide but ylditolylthiocarbamide)(Effront), 1885, A., 153, 154.

Methylcarbo-Tolucarbostyril. See styril.

(methylbenzene), coal-tar Toluene (MEYER), 1883, A., 1092.

formation of, from benzylic bromide (GLADSTONE and TRIBE), 1885, T., 453.

dispersive power of (Barbier and Roux), 1889, A., 805.

refractive power of, at different temperatures (PERKIN), 1892, T.,

action of the induction spark on (Destrem), 1884, A., 1243.

action of heat on, and on a mixture of ethylene and (Ferko), 1887, A., 572.

action of amylic chlorides and amylene on (Essner and Gossin), 1885, A., 517.

action of chloropierin and chloroform on, in presence of aluminium chloride (Elbs and Wittiem), 1885, A., 517.

action of ethylic diazoacetate on (Buchner and Curtius), 1885, A., 1208.

action of lead oxide on (VINCENT), 1890, A., 962.

action of methylenic chloride on, in presence of aluminium chloride (Friedel and Crarrs), 1884, A., 1312; 1887, A., 1102.

bromination of (MILLER), 1892, T.,

1023.

(Toluene compounds Me=1.)

Toluene (methylbenzene), chlorination of (SEELIG), 1887, A., 362.

purest, of commerce, sulphur compound in (MEYER and KREIS), 1884, A., 46.

halogen derivatives of (WILLGERODT and Salzmann), 1889, A., 985. physical constants of (SEUBERT), 1890, A., 2.

tetra- and hexa-hydrides from resin essences (RENARD), 1884, A., 844. Toluene, amido-. See Toluidine.

diamido. See Tolylenediamine. c-tetramido-, and its sulphate (NI-ETZKI and ROSER), 1891, A., 192. pentamido- (PALMER), 1889, A., 390. o-bromo-, preparation and properties of (MILLER), 1892, T., 1027; P., 155.

action of chromyl dichloride on (STUART and ELLIOTI), 1888,T., 803.

bromination of (MILLER), 1892, T., 1031; P., 155.

oxidation of, with potassium ferricyanide (Noyes), 1886, A., 142. m-bromo-, oxidation of (Noves and

Walker), 1886, A., 788. p-bromo-, preparation and properties

of (Miller), 1892, T., 1026; P., 155.

melting point of (Neunst), 1890,

action of chlorine on (SRPEK), 1891, A., 44; (ERRERA), 1891, A., 1020.

bromination of (MILLER), 1892, T., 1032; P., 155.

3:6-bromonitro- (BENTLEY and WAR-REN), 1890, A., 485.

2:5:4:6-dibromodinitro-(CLAUS), 1888, A., 583.

3:5-dibromotrinitro- (PALMER), 1889, A., 390.

o-chloro- (Seelig), 1887, A., 362. action of chromyl dichloride on

(STUART and ELLIOTT), 1888, T., 803. sulphonation of (WYNNE), 1892,

Ť., 1072; P., 140.

m-chloro-, sulphonation of (WYNNE), 1892, T., 1075; P., 140. p-chloro-, melting point of (NERNST),

1890, A., 3. sulphonation of (WYNNE), 1892,

T., 1078; P., 140. and 2:4-dichloro- (SEELIG), 1887, A., 363.

2:4-dichloro-, preparation of (ERD-MANN), 1891, A., 1462.

(Toluene compounds Me=1.) Toluene, 2:5-dichloro- (WYNNE), 1892, T., 1050; P., 139.

3:4-dichloro-, preparation of (ERD-MANN), 1891, A., 1462.

sulphonation of (WYNNE), 1892, T., 1060; P., 139.

2:4-, 2:5-, 3:4- and 3:5-dichloro-(LELLMANN and KLOTZ), 1886, A.,

2:3:4- and 2:4:5-trichloro- (SEELIG), 1885, A., 769.

3:4:5-trichloro- (WYNNE), 1892, T., 1070; P., 139.

pentachloro- (Seelig), 1885, 770.

o-chlorodibromo-, and di-, tri- and (WILLGEtetra-chloro-p-bromo-RODT and SALZMANN), 1889, A., 986.

2:4-chloronitro- (LELLMANN), 1884, A., 1133.

2:5-chloronitro- (Goldschmidt and Hönig), 1887, A., 363; (Hönig), 1887, A., 1034.

2:6-chloronitro- (GREEN and LAWson), 1891, T., 1017; P., 129.

3:5-chloronitro- (Hönig), 1887, A., 1034.

4:2-chloronitro- (GOLDSCHMIDT and HÖNIG), 1886, A., 1022.

4:3-chloronitro-, and its reduction products (GATTERMANN and KAIser), 1886, A., 49.

4:2:3-, 4:2:6- and 4:3:5-chlorodinitro- (Hönig), 1887, A., 1034.

2:4-dichloronitro- (SEELIG), 1887, A.,

2:3:4- and 2:4:5-trichloronitro- (SEE-LIG), 1885, A., 769.

cyano-. See Toluonitrile.

p-fluoro- (PATERNO and OLIVERI), 1884, A., 426; (WALLACH), 1887, A., 130.

o-iodo-, action of chromyl dichloride on (STUART and ELLIOTT), 1888, T., 803.

ω-nitro- (GABRIEL), 1885, A., 903; (GABRIEL and KOPPE), 1886, A.,

o-nitro- (STRENG), 1891, A., 1197. action of chlorine on, in presence of sulphur (HAEUSSERMANN and BECK), 1892, A., 1437.

action of chromyl dichloride on (v.

RICHTER), 1886, A., 694. oxidation of, by potassium ferri-cyanide (Noyes), 1883, A., 577. fractional reduction of (MINIATI, BOOTH and COHEN), 1888, A., 202.

(Toluene compounds Me=1.) Toluene, m-nitro-, preparation of (v. BUCHKA), 1889, A., 696. oxidation of (Novas and Moses),

1886, A., 143.

reduction products of (v. Buchka and Schachlebeck), 1889, A., 701.

p-nitro-, action of chromyl dichloride on (v. Richter), 1886, A., 694.

oxidation of, by potassium ferricyanide (Noves), 1883, A., 577. fractional reduction of (MINIATI, BOOTH and COHEN), 1888, A.,

estimation of (REVERDIN and DE LA HARPE), 1889, A., 84.

2:1-dinitro-, liquid bye-product in the preparation of (Norting Witr), 1885, A., 1095.

2:5-dinitro- (NIETZKI and GUIFER-MANN), 1888, A., 471.

2:6-dinitro- (CLAUS and BECKER), 1883, A., 1093; (STAEDEL), 1885, A., 142.

3:5-dinitro-, constitution of (STAE-DEL), 1883, A., 865.

preparation of (STAEDEL), 1883, A., 864, 865.

2:4:6-trinitro- (CLAUS and BECKER), 1883, A., 1093.

α-, β- and γ-trinitro- (HEPP), 1883, A., 317.

compounds of, with hydrocarbons (Hepp), 1883, A., 318.

2:5-dinitroso- (MEHNE), 1888, A., 463; (NIETZKI and GUITERMANN), 1888, A., 471.

Toluene-aniline, a trinitro-(HEPP), 1883, A., 317.

Tolueneazimidotoluene (ZINCKE and LAWSON), 1887, A., 731.

Tolueneazo-. See Azo-.

Toluenecinnamene (WISPER and ZUBER), 1883, A., 977; (Kraemer, Spilker and EBERHARDT), 1891, A., 207.

Toluenecyano-sulphochloride, and -sulphonic acid (ANON.), 1890, A., 382.

Toluenedicarboxylic acid. See Methylphthalic acid.

Toluene-3:5-disulphonic acid, 2-bromo-(KORNATZKI), 1884, A., 70; (LIMPRICHT), 1885, A., 1233; (HASSE), 1886, A., 151.

p-iodo- (Limpricht), 1885, A., 1233; (RICHTER), 1886, A., 152.

Toluene-2:6-disulphonic acid (KORNATZ-KI), 1884, A., 70.

Toluenedisulphonic acids (KLASON), 1887, A., 264, 491.

(Toluene compounds Me=1.)

Toluenedisulphonic acids, p-bromo-, and their derivatives (Konnatzki), 1884, A., 70; (RICHTER), 1886, A., 152.

Toluenedisulphothiosulphonic anhydride. See Sulphotolylic disulphide.

p-Toluenehydrazo-p-cresol (GOLDschmint and Pollak), 1892, A., 974.

m-Toluene-\$-methylcoumarin (v. Pech-MANN and Duisberg), 1884, A., 67.

Toluenenaphthalenes, di- and tri-nitro-(Hepp), 1883, A., 318.

Toluenesulphamine (Paysan), 1881, A., 451; (Heffrer), 1884, A., 455.

Toluenesulphinic acids (Perc.), 1885, A., 391.

Toluenesulphonamic acid (TRAUBE), 1890, A., 1137.

Toluene-o-sulphonamide, (HEFFTER), 1884, A., 73. 4-chloro-

Toluene-m-sulphonamide (Noves and Walker), 1886, A., 788.

Toluene-p-sulphonamide, oxidation of, with potassium ferricyanide (Noves), 1886, A., 142.

Toluenesulphonic acid, 3-chloro-, and its amide and chloride (WYNNE). 1892, T., 1075.

2:5-diehloro-, and its metallic salts and amide and chloride (WYNNE), 1892, T., 1051; P., 139.

3:4-dichloro-, and its amide and chloride (WYNNE), 1892, T., 1061; P., 139.

hydrolysis of (WYNNE), 1892, T., 1068; P., 139.

3:4:5-trichloro-, and its metallic salts and chloride (WYNNE), 1892, T.,

1069; P., 139. o-iodo- and its salts (MABERY and Palmer), 1885, A., 538.

Toluene-m-sulphonic acid and its derivatives (Vallin), 1887, A., 263.

Toluene-p-sulphonic acid and its derivatives (Vallin), 1887, A., 263. action of bromine on (MILLER), 1886, P., 235.

amine salts of (Norron and Otten), 1888, A., 698.

barium salt of (KELBE), 1883, A., 807. potassium salt of, bromination of (MILLER), 1892, T., 1027; P., 155.

2-bromo- (MILLER), 1892, T., 1027; P., 155.

2:3:5-fribromo- (Charb and Immel), 1891, A., 1490.

Toluene-2-sulphonic acid, 4-bromo-, and its salts (DE ROODE), 1891, A., 1227.

(Toluene compounds Me=1.)

Toluene-2-sulphonic acid, 4-chloro-, and its salts (DE ROODE), 1891, A., 1227; (WYNNE), 1892, T., 1078; P., 140.

4-iodo- (o-(β)-acid) and its salts (DE ROODE), 1891, A., 1227.

4-fluoro- and its amide (DE ROODE), 1891, A., 1226.

4-nitro- (HAUSSER), 1891, A., 73.

Toluene-3-sulphonic acid, 4-chloro-, and its amide (WYNNE), 1892, T., 1078; P., 140.

Toluene-4-sulphonic acid, (MILLER), 1892, T., 1023; P., 155. 2-chloro-, and its amide (PAYSAN), 1884, A., 73.

Toluene-5-sulphonic acid, 2-bromo-, and its amide (MILLER), 1892, T., 1030; P., 155.

2-bromo-, and its chloride, bromide and amide (WYNNE), 1892, T., 1041; P., 155.

2:3-dibromo-, and its salts, and chloride, bromide and amide (WYNNE), 1892, T., 1038; P., 155.

2-chloro-, and its salts and chloride and amide (WYNNE), 1892, T., 1040, 1072; P., 139, 140.

2-nitro- (Limpricht), 1885, A., 1234; (Готи), 1886, А., 153.

Toluene-w-sulphonic acid (henzylsulphonic acid), derivatives of (Monn), 1884, A., 69.

4-bromo- (Jackson and Hartshorn), 1884, A., 665.

Toluenesulphonic acids, isomeric, formation of (Gordon), 1888, P., 78.

Toluene-p-sulphonic chloride, condensation of amido-acids with (HEDIN), 1891, A., 203.

p-Toluenesulphonic iodide (Orro and Tröger), Ī891, A., 718.

Toluenesulphothiosulphonic anhydride (Orro and Troger), 1891, A., 921. Toluenethiosulphonic acid, reactions of

(OTTO and Rossing), 1892, A., 478.

Toluene-w-thiosulphonic acid (beneylthiosulphonic acid), sodium salt of (Purgotti), 1890, A., 1419.

Toluenethiosulphonic acids and their salts, action of ethylic chlorocarbonate on (Otro and Rossing), 1891, A.,

Toluenethiosulphonic thioanhydride (Otto and Troger), 1891, A., 924.

Toluic acid, nitrosulpho- (LIMPRICHT), 1885, A., 1234.

See Phenylacetic acid. a-Toluic acid. o-Toluic acid (methy/benzoic ucid) (RA-CINE), 1887, A., 945.

(Toluene compounds Mc=1.)

o-Toluic acid (methylbenzoic acid), derivatives of (JACOBSEN and WIERSS), 1883, A., 1121; (RACINE), 1887, A., 945.

5-amido-, phosphate of (Honig), 1886, A., 242.

4-bromo- (Jacobsen), 1885, A., 143; CLAUS and PIESZCZEK), 1887, A., 240; (CLAUS and KUNATH), 1889, A., 987.

5-bromo-(Nourrisson), 1887, A., 668; (CLAUS and KUNATH), 1889, A.,

nitration and bromination of (CLAUS and Beck), 1892, A., 1207.

4:5- and 3:5-dibromo-, and 5:3-, 5:4and 5:6-bromonitro- (CLAUS and BECK), 1892, A., 1207. 4-, 5- and 6-nitro- (JACOBSEN), 1884,

A., 715.

m-Toluic acid (Spica), 1883, A., 459;

(MULLER), 1887, A., 724. 2-amido-, and its derivatives (p-methylunthrunilic acid) (PANAOTOVIC), 1886, A., 361.

ω-amido- (ŘEINGLASS), 1891, A., 1345. 4-chloro- (CLAUS), 1892, A., 1201.

ω-chloro- (REINGLASS), 1891, A., 1344. 4:6-dichloro- (CLAUS and BURSTERT). 1890, A., 1106.

nitro-, from nitro-m-isocymene (Kelbe and WARTH), 1884, A., 46. 5-nitro- (Tonl), 1885, A., 522.

p-Toluic acid, 3-amido- (m-homoanthranilic acid) (NIEMENTOWSKI), 1888, A., 837; 1889, A., 1065; (NIEMEN-TOWSKI and ROZANSKI), 1888, A., 1088; (Noves), 1889, A., 391; (FILETI and CROSA), 1889, A., 495.

2:3-, 2:6- and 3:6-diamido- (CLAUS and Joachim), 1892, A., 176. 2- and 3-bromo-(CLAUS and KUNATH),

1889, A., 987. 3-bromo- (FILETI and CROSA), 1889,

A., 496.

2:5-dibromo-, and its salts (Schultz), 1885, A., 1054. 2:3-, 2:5- and 3:5-dibromo- (CLAUS

and HERBABNY), 1892, A., 175.

2:6-dibromo- (CLAUS and SEIBERT), 1892, A., 176.

3:6-dibromo- (FILETI and CROSA), 1889, A., 496; (CLAUS and BEYSEN), 1892, A., 177.

3:6-bromamido- (FILETI and CROSA), 1889, A., 495.

3:2-, 3:5- and 3:6-bromonitro- (CLAUS and HERBABNY), 1892, A., 174.

3:6-bromonitro- (FILETI and CROSA), 1887, A., 37; 1889, A., 495,

(Toluene compounds Mc=1.) p-Toluic acid, 6:2- and 6:3-bromonitro-(CLAUS and BEYSEN) 1892, A., 178.

w-chloro- (Mellinghoff), 1890, A.,

2- and 3-chloro- (CLAUS and DAVIDsen), 1889, A., 988.

2:6-dichloro- (CLAUS and BEYSEN), 1892, A., 178.

3:6-dichloro- (CLAUS and DAVIDSEN), 1892, A., 172.

3:6-chloramido- (CLAUS and DAVID-SEN), 1892, A., 172.

2:5-chloramido- (CLAUS and BOCHER), 1892, A., 173.

chlorobromo- and chlorobromonitro-(Willgerodt and Wolfien), 1889, A., 966.

3:6-chlorobromo- (CLAUS and DAVID-SEN), 1892, A., 173.

2:3- and 2:5-chloronitro- (CLAUS and

BOCHER), 1892, A., 174. 2:6-chloronitro- (CLAUS and BOCHER), 1892, A , 174; (CLAUS and BEYSEN), 1892, A., 178. 3:2-chloronitro- (CLAUS and DAVID-

SEN), 1892, A., 173. 3:6-chloronitro- (FILETI and CROSA), 1889, A., 496; (CLAUS and DAVID-SEN), 1889, A., 988; 1892, A., 172.

3-chloro-2:6-dinitro-(CLAUS DAVIDSEN), 1889, A., 988.

w-cyano- (Mellinghoff), 1890, A., 240.

2-nitro- (Noyes), 1889, A., 395.

3-nitro- (NIEMENTOWSKI and ROZAŃski), 1888, A., 1088; (Noves), 1889, A., 394.

2:3- and 3 6-dinitro- (ROZAŃSKI), 1890, A., 52.

2:3-, 2:6- and 3:6-dinitro- (CLAUS and Joachim), 1892, A., 176.

3:5-dinitio- (CLAUS and BEYSEN), 1892, A., 177.

6:3-nitramido- (FILETI and CROSA), 1889, A., 495.

2:6- and 3:6-nitramido- (CLAUS and BEYSEN), 1892, A., 177.

3-sulpho-, and its derivatives (RAN-DALL), 1891, A., 1228.

3-sulphamido- (WEBER), 1892, A., 1092.

duic acids, thermochemistry of (Stohmann, Kleber and Langthermochemistry of Toluic BEIN), 1889, A., 1096.

p-Toluic anhydride, 3-sulpho- (RAN-DALL), 1891, A., 1229.

p-Toluic sulphinide ("methylsaccha-rin") (ANON.), 1890, A., 382; (RAN-DALL), 1891, A., 1228; (WEBER), 1892, A., 1092.

(Tolurne compounds Me=1.) Toluide. sulpho- (di-p-toly/sulphone),

decomposition of (OTTO), 1886, A., 1031.

Toluidine, last runnings obtained in the purification of (Hell and Rockenваси), 1889, А., 600.

naphthate and phenate (Dyson), 1883, T., 468.

o-Toluidine, action of benzylic chloride on (RABAUT), 1892, A., 48.

influence of nucleal methyl on the properties of (Rosenstiehl), 1892, A., 1319.

furfuraldehyde, condensation and (DE CHALMOT), οf 1892, 1452.

methylation and ethylation of (REIN-HARDT and STAEDEL), 1883, A.,

nitration of (Nouting and Collin), 1884, A., 1012.

sulphonation of (CLAUS and IMMEL), 1891, A., 1490.

chloracetate (Bischoff), 1888, A.,

hydrobromide and hydriodide (STAE-DEL), 1883, A., 578.

hydrochloride, spectrum of (HART-LEY), 1885, T., 739.

ethylmalonate, action of phosphorus pentachloride on (RUGHEIMER and SCHRAMM), 1888, A., 502.

malate (BISCHOFF and NASTVOGEL), 1890, A., 1163.

hydrogen sulphate (Wellington and

Tollens), 1886, A., 347. drogen disminechromium thiohydrogen cyanate (Christensen), 1892, A., 1000.

detection of small quantities of ptoluidine in (HAEUSSERMANN), 1888, A., 203. o-Toluidine, 5-bromo- (ALT), 1889, A.,

1211.

chloro-, conversion of, into chlorotoluene (WYNNE), 1892, T., 1047; P., 139.

conversion of, into dichlorotoluene (WYNNE), 1892, T., 1019; P., 139.

1-chloro- (Goldschmidt and Honic),

1886, A., 1022. 2:3:4- and 2:4:5-trichloro- (Seelig),

1885, A., 769. eyano-, and its salts (BLADIN), 1881, A., 1142.

3-nitro- (Lellmann and Wurffi-NER), 1885, A., 974.

action of reducing agents on (Graeff), 1885, A., 1127.

(Toluene compounds Me=1.) o-Toluidine, 4-nitro- (Nolting and COLLIN, 1884, A., 1006, 1012; (LEVINSTEIN), 1885, A., 1127; (GREEN and LAWSON), 1891, T., reduction of (GREEN and LAWSON),

1891, T., 1016.

displacement of the amido-group in, by chlorine (GREEN and LAW-son), 1891, T., 1017; P., 129. derivatives of (NOLTING and COL-

LIN). 1884, A., 1006.

5-nitro- (LELLMANN and WURTH-NER), 1885, A., 974; (GREEN and LAWSON), 1891, T., 1013.

tro- (Bernthsen), 1883, A., 579; (Green and Lawson), 1891, T., 1013.

from liquid dinitrotoluene (BERN-

THSEN), 1883, A., 579; (ULL-MANN), 1884, A., 1816. reduction of (GREEN and LAW-SON), 1891, T., 1016. displacement of the amido-group

in, by chlorine (GREEN and LAWSON), 1891, T., 1017; P., 129.

3:5-dinitro- (Staedel), 1883, A., 865; (BARR), 1888, A., 823.

ω-nitroso- (MEYER), 1886, A., 63. 5-nitroso- (MEHNE), 1888, A., 463.

o-thionyl- (Michaelis), 1891, A., 717. m-Toluidine, preparation of (EHRысн), 1883, А., 54.

nitration of (NULTING and STOECK-

LIN), 1891, A., 692. 4-bromo- (CLAUS), 1892, A., 1201.

4-chloro- (GATTERMANN and KAIser), 1886, A., 49; (Goldschmidt and Hönig), 1886, A., 1022; (Claus), 1892, A., 1201.

5-chloro- (Hönig), 1887, A., 1034. 6-chloro-, and its derivatives (Gold-SCHMIDT and Honig), 1887, A.,

cyano-, and its salts (BLADIN), 1884, A., 1142.

2-nitro- (LIMPRICHT), 1885, A., 974. action of reducing agents on (Graeff), 1885, A., 1127.

4-nitro- (STAEDEL and KOLB), 1891, A., 187.

5-nitro- (Staedel), 1883, A., 865. 6-nitro- (FILETI and CROSA), 1889, A., 495.

4:6-dinitro- (HEPP), 1883, A., 317; (STARDEL and KOLB), 1891, A., 187. (Nolting and v. 2:4:6-trinitro-Salis), 1883, A., 59.

6-nitroso- (MEHNE), 1888, A., 463.

(Toluene compounds Me = 1.)

p-Toluidine, production of, from p-cresol (Buch), 1885, A., 147.

spectrum of (HARTLEY), 1885, T.,

action of benzylic chloride on (RA-

BAUT), 1892, A., 313. action of bromine on, in presence of sulphuric acid (HAFNER), 1890, A., 137.

diazotised, action of, on methyl-pbromaniline (MELDOLA and STREAT-

FEILD), 1889, T., 433. diazotised, action of, on methyl-p-(MELDOLA chloraniline STREATFEILD), 1889, T., 436.

action of sulphur on (GREEN), 1889, T., 228.

nitration of (NOLTING and COLLIN), 1884, A., 1012.

oxidation of (KLINGER and PIT-schke), 1885, A., 151. from p-nitrobenzaldehyde, condensa-

tion products of (BISCHLER), 1888, A., 287.

citric acid derivatives of (GIIL), 1887, A., 40.

azophenine of (Nouting and Witt), 1884, A., 743.

chloracetate (BISCHOFF), 1888, A.,

allocinnamate (LIEBERMANN), 1891, A., 833.

hydrate (LEWY), 1887, A., 134.

hydrobromide and hydriodide (STAE-DEL), 1883, A., 578.

oxalate (BORNEMANN), 1890, A., 137. picrate (SMOLKA), 1886, A., 454.

sulphate as a test for nitric acid (Longi), 1884, A., 365. hydrogen sulphate (Wellington and

TOLLENS), 1886, A., 347. commercial, assay of (RAABE), 1892,

A., 925.

eatimation of (SCHOEN), 1890, A., 839. p-Toluidine, 3:5-dibromo- (CLAUS and HERBABNY), 1892, A., 175.

3:5:6-tribromo- (CLAUS and IMMEL), 1891, A., 1491.

3:5-bromonitro- (HAND), 1886, A., 1018.

3:6-bromonitro- (CLAUS and HER-BABNY), 1892, A., 171.

chloro-, conversion of, into chlorotoluene (WYNNE), 1892, T., 1058; P., 139.

2-chloro- (WITT), 1892, A., 445. (ERDMANN), 3-chloro-1891, 1466.

2:5-chloronitro-(CLAUS and BOCHER), 1892, A., 173.

(Toluene compounds Mc=1.) p-Toluidine, 3:5- and 3:6-chloronitro-(CLAUS and DAVIDSEN), 1892, A.,

cyano-, and its salts (Brann), 1984, A., 1141.

2-nitro- (BERNIHSEN), 1883, A., 579; (Nothing and Collin), 1884, A., 1012; (ULLMANN), 1884, A., 1316; (LEVINSTEIN), 1885, A., 1127.

3-nitro- (NoLTING and COLLIN), 1884,

A., 1012.

action of ethylenic bromide on (GATTERMANN and HAGER), 1884, A., 1142.

action of reducing agents on (LIM-1885, PRICHT), A., GRAEFF), 1885, A., 1127.

derivatives of (GATTERMANN), 1885, A., 975.

ovalic acid derivatives of (HINS-BERG), 1883, A., 323.

β-dinitro- (HEPP), 1883, A., 317. 3:5-dinitro, constitution of (STAEDEL), 1883, A., 865.

thio-, and its derivatives (TRUHLAR), 1887, A., 472.

thionyl- (MICHAELIS and HERZ), 1891. A., 310.

Toluidines (LEWY), 1886, A., 872. heat of founation of (PETIT), 1888, A., 1239.

action of benzylic chloride on (RA-BAUT), 1892, A., 313. action of dibrom-a-naphthol on (MEL-

DOLA), 1884, T., 156.

action of cyanogen on (BLADIN), 1884, A., 1111.

isometic, action of p-diazobenzenesulphonic acid on (Griess), 1883, A., 182.

action of nascent nitrous acid on (Deninger), 1890, A., 38.

action of sulphur on (GAITERMANN), 1889, A., 602.

chlorination of, and bromination of, in presence of an excess of a mineral acid (Hafner), 1890, A., 37.

physiological action of (Grass and HARE), 1890, A., 1018.

compounds of, with cupric chloride $(1^{7}$ omey), 1887, A., 472.

compounds of metallic sulphites with (Denicies), 1891, A., 1031.

compounds of, with zinc chloride (LACHOWICZ and BANDROWSKI), 1888, A., 1281.

quantitative analysis of (MINIATI, BOOTH and COHEN), 1888, A., 202.

(Toluenc compounds Mc = 1.) Toluidines, separation of (Wulfing), 1886, A., 1021; 1887, A., 576. separation of, from aniline (LEWY),

1884, A., 46.

o-Toluidinealloxan (PELLIZZARI), 1888, A., 682.

o-Toluidine-3:5-disulphonic acid (LIM-PRICH I), 1884, A., 1232; (HASSE), 1886, A., 150.

p-Toluidine-2:3- and -2:6-disulphonic acids and their salts (RICHTER), 1886, A., 151.

o-Toluidine-p-sulphinic acid and its salts (PAYSAN), 1884, A., 454.

p-Toluidine-o-sulphinic acid and salts (HEFFIER), 1884, A., 454.

o-Toluidine-p-sulphonamide (PAYSAN), 1884, A., 72.

(HEFFp-Toluidine-o-sulphonamide TER), 1884, A., 73.

Toluidinesulphonic acid, amido-. Tolylenediaminesulphonic acid.

o-Toluidinesulphonic acid, action of nascent nitrous acid on (DENINGER), 1890, A., 39.

o-Toluidine-4-sulphonic acid, and 3.5dibiomo- (CLAUS and IMMEL), 1891, A., 1490.

o-Toluidine-5-sulphonic acid (HASSE), 1886, A., 150; (Forn), 1886, A., 153; (Jinovsky), 1888, A., 956; (CLAUS and IMMEL), 1891, A., 1490; (WYNNE), 1892, T., 1037; P., 155.

salts of (WYNNE), 1892, T., 1037; P., 155.

3-biomo- (Chaus and IMMEL), 1891, A., 1490; (WYNNE), 1892, T., 1037; P., 155.

4-iodo-, and its barium salt (LIMриспт), 1885, A., 1231; (Fоги), 1886, A., 153.

3-nitro- (Nietzki and Pollini), 1890, A., 502.

m-Toluidine-6-sulphonic acid (ChAUS and IMMEL), 1891, A., 1490.

//-Toluidine-2-sulphonic acid (LIM-PRICHI), 1885, A., 1233; (JANOVьку), 1885, А., 956.

3-nitro-(Ninizki and Pollini),1890, A., 502.

p-Toluidine-2- and -3-sulphonic acids, separation of (SCHNEIDER), 1887, A., 146.

)-Toluidine-3-sulphonic acid (LIM-PRICHT), 1885, A., 1233; (JANOVSKY), 1888, A., 956.

p-Toluidine-5-sulphonic acid, 2-nitro-, and its salts (Limpurcur), 1885, A., 1233; (Forn), 1886, A., 152.

(Toluene compounds Mc=1.)

p-Toluidine-5-sulphonic acid, 3-nitro-(NIETZKI and POLLINI), 1890, A., 502.

o-Toluidine-p-thiosulphonic acid (PAY-SAN), 1884, A., 453.

p-Toluidine-o-thiosulphonic acid (HEFF-TER), 1884, A., 451.

Toluido -. See Tolylamido -.

Toluidylmelamine (FRIES), 1886, T., 742. Toluisatin (ditalyloxindole) and its derivatives (v. BAEYER and LAZARUS), 1886, A., 154.

Tolunaphthazines, isomeric, constitution of (Wrtt), 1887, A., 591.

Tolunitranilic acid (4-nitro-3:6-dihydroxytoluquinone) (Kehrmann), 1888, A., 940; (Kehrmann and Brasch), 1889, A., 969.

p-Toluoin (STIERLIN), 1889, A., 513.

o-Toluonitrile from form-o-toluidide (GASIOROWSKI and MEIZ), 1884, A., 734.

heats of combustion and formation of (BERTHELOT and PETIT), 1889, A., 812.

ω-bromo- (Drory), 1891, A., 1461. 5-bromo- (Nourhisson), 1887, A., 668; (Claus and Kunath), 1889, A., 987.

3:5-dibromo- (CLAUS and BECK), 1892, A., 1207.

ω-chloro- (GABRIEL and OTTO), 1887, A., 1035; (DRORY), 1891, A., 1460. di-ω-chloro- (GABRIEL and WEISE), 1888, A., 261.

p-Toluonitrile from formo-p-toluidide (GASIOROWSKI and MFRZ), 1884, A., 734.

3-amido- (NIEMENTOWSKI), 1888, A., 837; (GLOCK), 1888, A., 1291.

2-bromo- (CLAUS and KUNATH), 1859, A., 987.

2:6-dibromo- (CLAUS and SEIBERT), 1892, A., 176.

3:5-dibromo-(CLAUS and HERBABNY), 1892, A., 175.

3:5- and 3.6-bromonitro- (('LAUS and HERBABNY), 1892, A., 175.

2- and 3-chloro- (CLAUS and DAVID-SEN), 1889, A., 988.

di-w-chloro- (GABRIEL and WEISE), 1888, A., 261; (REINGLASS), 1891, A., 1344.

A., 1344. 2:5-chloronitro-(CLAUS and BOUHER),

1892, A., 173. 3:6-chloronitro- (CLAUS and DAVID-SEN), 1892, A., 172.

3-nitro- (Leuckart), 1886, A., 351; (Niementowski), 1888, A., 837; (Weise), 1890, A., 47. (Tolurne compounds Mc = 1.)

p-Toluonitrile, 3 5-dinitro- (Claus and Beysen). 1892, A., 177.

Toluoylazimide (NIEMENTOWSKI), 1888, A., 837.

p-Tolnoyl-o-benzoic acid (FRIEDEL and CRAFTS), 1889, A., 242.

(lichloro- (LE ROYER), 1887, A., 832.
o-Toluoyleyanocamphor(HALLER),1891,
A., 1499.

p-Toluoyl-ethylamide and methylamide (GATTERMANN and SCHMIDT), 1887, A., 358.

p-Tolucyl-β-propionic acid (CLAUS and SCHLARB), 1887, A., 827; (BURCKER), 1888, A., 951.

o-Toluoyl-o-tolenylamidoxime (STIFG-LITZ), 1890, A., 255.

p-Toluoyl-p-toluidide(Leuck art), 1890, A., 759.

o-Toluoylxylide (SMITH), 1892, A., 491. Toluphenanthrazine, bromo- (HART-MANN), 1890, A., 976.

a-Toluphosphinic acid and its derivatives (Weller), 1887, A., 825.

p-Toluphosphonic acid (Weller), 1888, A., 836.

Toluphosphonic acids, α- and β-, denivatives of (Wellfr), 1888, A., 885. Toluquinaldine, See Dimethylquinoline. 2·5-Toluquinol (hydrotoluquinone)

2·5·Toluquinol (hydrotoluquinone) (SCHNITER), 1887, A., 1036. compounds of, with amines (HEBE-BRAND), 1883, A., 60.

and methyl ethers of, and their condensation products (NIETZKI), 1883, A., 467.

4:6-diamido- (Kehrmann and Brasch), 1889, A., 970.

4-bromo- (SCHNITER), 1887, A., 1036. tribromo- (CANZONERI and SPICA), 1883, A., 331.

B-chloro- (SCHNITER), 1887, A., 1036. trichloro- (CLAIS and RHEMANN), 1883, A., 1112.

α- and β-chlorobromo- (SCHNITER), 1887, A., 1036.

3-iodo- (Kehrmann), 1889, A., 993. dinitio- (Wender), 1890, A., 752.

4:6-dinitro-(Kehrmann and Brason) 1889, A., 969.

nitramido-(Kehrmann and Brasch), 1889, A., 970.

Toluquinoline. See Methylquinoline. 2 5-Toluquinone (Schniter), 1887, A., 1036.

compound of, with o-nitraniline (Heberrani), 1883, A., 61.

3-bromo- (CLAUS and JACKSON),1889, A., 128. 4-bromo- (SCHNITER), 1887, A., 1036. (Toluene compounds Me=1.)

2:5-Toluguinone, di- and tri-bromo-(CANZONERI and SPICA), 1883, A.,

tribromo-, action of potassium hydroxide on (SPICA and MAGNANIMI), 1884, A., 175.

a-chloro- (CLAUS and SCHWEITZER),

1886, A., 614. \$\beta\$-chloro- (Sciniter), 1887, A., 1036. 3:4:6-trichloro- (CLAUS and RIM-MANN), 1883, A., 1112.

a- and \$-chlorobromo- (SCHNITER), 1887, A., 1036.

3-iodo-, and 4:6-diiodo-(Kehrmann). 1889, A., 993.

Toluquinonechlorimide [m.p. 88°] and its derivatives (Hirson), 1885, A., 892.

[m.p. 75°] (STAEDEL and KOLB), 1891, A., 187.

Toluquinoneoxime. See Nitroso-ocresol.

(MEHNE), Toluquinone-2:5-dioxime 1888, A., 463; (NIETZKI and GUITER-MANN), 1888, A., 471.

Toluquinonetetroxime and its anhydride GOLDSCHMIDT and STRAUSS), 1887, A., 809.

Toluguinoxaline. See Methylquinoxaline.

Toluric acids, o-, m- and p- (GLE-DITSCH and MOELLER), 1889, A., 708. Toluthiamides, o- and p- (GABRIEL and

HEYMANN), 1891, A., 701. Toluylene. See Stilbene.

p-Tolyl benzyl ketone (STRASSMANN), 1889, A., 883.

oxidation of (Bucher), 1890, A.,

bromo-derivatives of (Bucher), 1890, A., 260.

p-Tolyl benzyl oxide (STARDEL), 1883, A., 585.

nitro-derivatives (FRISCHE), 1881, A., 1337.

p-Tolyl dibromomethyl ketone (('LAUS), 1890, A., 769.

Tolyl ether, preparation of, from pcrosol (Buch), 1885, A., 117.

Tolyl ethers, heat equivalent of (Sron-MANN, RODALZ and HERZBERG), 1887, A., 428.

Tolyl ethyl ether. See Ethoxytoluene. p-Tolyl ethyl ketone, and its nitroderivatives (ERRERA), 1891, A., 1052.

p-Tolyl glycidyl ether (LINDEMANN), 1891, A., 1199.

p-Tolyl heptadecyl ketone (KRAFFT), 1888, A., 1087.

(Tolyl compounds Mc = 1.)

Tolyl methyl ether. See Methoxytoluene.

Tolyl methyl and ethyl ethylene dioxides (Schreiber), 1891, A., 553.

o-Tolyl methyl ketone, 5-bromo- and 5-chloro- (CLAUS), 1891, A., 911.

m-Tolyl methyl ketone (Essner and Gossin), 1885, A., 252; (v. BUCHKA and IRISH), 1887, A., 826.

6-amido- (KLINGEL), 1884, A., 1313; 1886, A., 60.

4-bromo- (Schofff), 1892, A., 338; (CLAUS), 1892, A., 1200.

6-biomo- (Claus), 1891, A., 911.

4-chloro- (CLAUS), 1892, A., 1201. 6-chloro- (CLAUS), 1891, A., 911.

p-Tolyl methyl ketone (CLAUS and RIEDEL), 1886, A., 462; (CLAUS), 1890, A., 769.

oxidation of (CLAUS and NEUKRANZ), 1891, A., 1364.

derivatives of (ERRERA), 1891, A., 1021.

m-Tolyl methyl ketoxime, 4-bromoand 4-chloro- (CLAUS), 1892, A., 1201.

p-Tolyl methyl ketoxime (CLAUS), 1890, A., 769.

p-Tolyl methyl pinacone (ditoly/butylene glycol) (CLAUS), 1890, A., 769.

p-Tolyl nitrosomethyl ketone (Mtt.-LER and v. PECHMANN), 1890, A., 52. o-Tolyl oxide (GLADSTONE and TRIBE), 1886, T., 28.

2)-Tolyl pentadecyl ketone (KRAFFT), 1888, A., 1087.

p-Tolyl disulphoxide (Orro and Ross-ING), 1885, A., 1232.

o-Tolyl xylyl ketone (SMITH), 1892, A., 491.

o-Tolylacetamide, /richloro- (CLOEZ), 1887, A., 1098.

m-Tolylacetic acid (m-methylphenylactic acid), dinitio- (SLNKOWSKI), 1889, A., 255.

p-Tolylacetic acid (RADMSZEWSKI and Wispek), 1885, A., 889; (Claus and KROSEBERG), 1887, A., 949;

(SIRASSMANN), 1889, A., 883. preparation of (Claus and Wehr), 1891, A., 1365.

2-mononitro-, and 2:6-dinitro-(CLAUS and WEHR), 1891, A., 1365.

Tolylacetic acids (RADZISZEWSKI and Wispek), 1885, A., 889.

m-Tolylacetylene (methylcinnamene; methylstyrene), and its bromo-derivative (MULLER), 1887, A., 725.

(Tolyl compounds Mc=1.) p-Tolylacetylene dibromide (Scn-RAMM), 1891, A., 898.

o-Tolylacrylic acid (methylcinnamic acid) (KROBER), 1890, A., 969.

m-amido- (v. MILLER and ROHDE), 1890, A., 1140.

m-Tolylacrylic acid (BORNEMANN), 1884, A., 1163; 1887, A., 829; (MÜLLER), 1887, A., 724.

derivatives of (MULLER), 1887, A.,

salts of (Bornemann), 1884, A., 1163. p-Tolylacrylic acid (Kröber), 1890, A., 969; (v. MILLER and ROHDE), 1890, A., 1140.

Tolylalanine. See Tolylamidopropionic acid.

Tolylallylsemithiocarbazides, o- and p-(Avenarius), 1891, A., 550.

p-Tolylallylsulphone (Otto), 1891, A.,

Tolylallylthiocarbamide (Dixon), 1889,

T., 622; (PRAGER), 1890, A., 160. Tolylamidoacetic acid (C_7H_7CH m-Tolylamidoacetic (NH₂)COOH) (Bornewann), 1884, A., 1163.

o-Tolylamidoacetic acid (tolylglycocine; tolylglycin) and its derivatives (EHRLICH), 1883, A., 594; (BISCHOFF and HAUSDORFER), 1890,

A., 1285; 1892, A., 1333. calcium salt of (MAUTHNER and SUIDA), 1891, A., 39.

m-Tolylamidoacetic acid, and its derivatives (Ehrlich), 1883, A., 54.

p-Tolylamidoacetic acid, and its derivatives (BISCHOFF and HAUSDORFER), 1890, A., 1284; 1892, A., 1335. fusion of, with alkalis (HEUMANN),

1891, A., 928.

o-nitro- (Plöchl), 1886, A., 351.

salts of (LEUCKART and HER-MANN), 1887, A., 383. p-Tolylamidoacetimide (BISCHOFF and

HAUSDORFER), 1890, A., 1284.

o-Tolylamidoacetotoluidide (EHRLICH), 1883, A., 593.

o-Tolylamidoaceto-o-tolylamidoacetic acid (ABENIUS and WIDMAN), 1888, A., 824.

n-(o)-Tolylamidobenzoic acid, m-amido-, and m-nitro- (Heidensleben), 1891,

p-(p)-Tolylamidobenzoic acid,m-amido-(Heidensleren), 1891, A., 306. m-nitro- (Schöfff), 1890, A., 374; (Heidensleben), 1891, A., 306.

a-Tolylamidobutyric acids, a- and p-(BISCHOFF and MINTZ), 1892, A., 1338.

(Tolyl compounds Mc=1.)

Tolylamidoisobutyric acids, a- and Bo- and p- (Bischoff and Mintz), 1892, A., 1339.

p-Tolylamidocinnoline (Визсн and KLETT), 1892, A., 1494.

Tolylamidoethylphthalimide, o- and p-(Newman), 1891, A., 1207.

p-Tolylamido-p-methyloxindole, and its salts (DUISBERG), 1885, A., 543.

p-Tolylamidonaphthaquinone, m-nitro-(Leicester), 1890, A., 1447.

Tolylamidonaphthaquinoneditoluidide (Fischer and Hepp), 1890, A., 910.

p-Tolylamido- β -naphthaquinone-ptoluidide (MELDOLA), 1884, T., 159; (Bromme), 1888, A., 491.

Tolylamidoperezone, o- and p- (My-LIUS), 1885, A., 778; (ANSCHUTZ and LEATHER), 1886, T., 718.

Tolylamidophenol. Hydroxyphenyltolylamine.

0:a-Tolylamidopropionic acid MANN and STEPHAN), 1883, A., 199; (Gerson), 1887, A., 260.

p:a-Tolylamidopropionic acid (TIF-MANN and STEPHAN), 1883, A., 199; (Bischoff and HAUSDÖRFER). 1892, A., 1337.

3-nitro- (HINSBERG), 1892, A., 1359. a-Tolylamidopropionic acids and amides, a- and p-, and their tribromo-derivatives (TIEMANN and STEPHAN), 1883, A., 199; (STEPHAN), 1887, A., 143.

p- $oldsymbol{eta}$ -Tolylamidopropionic acid (p-tolyl-B-alunine) (BISCHOFF and MINTZ), 1892, A., 1343.

 α -Tolylamidopropionitriles, α - and p-, dibromo- (Stephan), 1887, A.,

and their tribromo-derivatives (TIE-MANN and STEPHAN), 1883, A., 199; (STEPHAN), 1887, A., 143.

o-Tolylamidopyrotartarimide (Schil-LER-WECHSLER), 1885, A., 901.

p-Tolylamidotoluquinone, (Leigester), 1890, A., 1446. m-nitro-

o-Tolylamidotricarballylic acid

(EMERY), 1891, A., 680. Tolylamine. See Toluidine.

Tolylammelines (Отто), 1887, A., 1034. Tolylanilido -. See Anilidotolyl -.

Tolylaniline, 2:4:6-triuitro- (trinitro-3 anilidotolucne) (BENTLEY and WAR-REN), 1890, A., 486; (JACKSON and BENTLEY), 1892, A., 1218.

Tolylauramine salts (FEHRMANN), 1888, A., 157.

p-Tolylazimidobenzene, amido- (WILL-GERODT), 1892, A., 1322.

(Tolyl compounds Mc=1.)

Tolylazo-m- and -p-cresols, sulpho-aand -p- (sulphotoluenenzoresols), and salts (Nouting and Kohn), 1851, A., 901.

m-Tolylbenzene. See 1:3-Methyldiphenyl.

p-Tolylbenzene (phenyltoluene), derivatives of (CARNELLEY and Thomson), 1886, P., 258; 1887, T., 87.

a-bromo- (CARNELLLY and Thomson), 1885, T., 586; P., 88; 1887, T., 87.

a- and β-dibromo- (CARNELLEY and THOMSON), 1887, T., 89.

p-Tolylbenzenylimidoximecarbonyl (Muller), 1890, A., 43.

p-Tolylbenzenylthiouramidoxime (TIEMANN), 1891, A., 558; (KOCH), 1891, A., 561.

m-Tolylbenzoic acid (PERRIER), 1892, A., 851.

Tolylbenzylacetic acid, o-, m- and p-(PAPCKE), 1888, A.. 701.

p-Tolylbenzylisobutylcarbamide (HAM-MERICH), 1892, A., 1084.

p-Tolylbenzylcarbamic chloride (HAM-MERICH), 1892, A., 1083.

p-Tolyl-o-benzylenediamine (SODER-BAUM and WIDMAN), 1890, A., 1258.

Tolylbenzylic cyanides, o-, m- and p-(PAPCKE), 1888, A., 701.

o-Tolylbenzylideneamine (Efard), 1883, A., 179.

Tolylbenzylisophosphine (MICHAELIS and GLEICHMANN), 1883, A., 186.

p-Tolylbenzylsemithiocarbazide (Dixon), 1892, T., 1022.

Tolylbenzylthiocarbamides, o-, m- and p- (Dixon), 1891, T., 555.

p-Tolylbromacetic acid (CIALS and Wigher), 1891, A., 1366.

p-Tolylbromomethyldisulphone (O110), 1890, A, 381.

Tolylbutane. See isoButyltolucne.
Tolylisobutyric acid, 6-mitro-(Eleroni),

1885, A., 152. m-Tolylcarbamide, di-o-chloro- (Kock),

1887, A., 810.

p-Tolylcarbamide, and its derivatives

(Pinnow), 1892, A., 460.
dithio- (Trunhar), 1887, A., 473.
Tolylcarbinols, a., and w.- (Colson).

Tolylcarbinols, o- and m- (Corson), 1885, A., 654.

Tolylcarbinyl-acetamide and -carbamide (Krober), 1890, A., 969.

p-Tolyl-\(\omega\)-chlorobenzylsulphone (OTTo), 1890, A., 380.
Tolyl/\(\delta\)-tolylogen by logentyldimethylcsybinol

Tolyldichloromethyldimethylcarbinol (Willgerodt and Geniiser), 1888, A., 811.

(Tolyl compounds Mc=1.)

p-Tolylcumylcarbamide (Goldschmidt and Gesselk), 1889, A., 774.

p-Tolyl- ψ -cumylcarbamide (Golds-Schmidt and Bardach), 1892, A., 979.

o-Tolyleyanamide (Tiemann), 1889, A., 1165; 1890, A., 1127; (Voltmer), 1891, A., 558.

p-Tolyldibenzylcarbamide (HAMMER-ICH), 1892, A., 1083.

p-Tolyldiethylphosphine (CZIMATIS), 1883, A., 58.

o-Tolyldiethylthiocarbamide (GEB-HARDI), 1885, A., 383.

p-Tolyldihydro-β-phenotriazine (Busch), 1892, A., 734.

Tolyldihydroquinazolines, o- and p-(PAAL and BUSCH), 1890, A., 73. Tolyldimethyldiamidodiphenylmeth-

ane, p-nitro- (Nolting), 1892, A., 189.
Tolyldimethyl-diamidophenylmethane
and -diethyldiamidodiphenylmethane, p-nitro- (Nolting), 1891, A.,

727.
m-Tolyldimethylethylmethane (tolylpentane) (Essner and Gossin), 1885,
A., 517.

p-Tolyldimethylphosphine and its denivatives (Czim vii-), 1883, A., 57. p-Tolyldimethylpyrroline and its di-

p-Tolyldimethylpyrroline and its dicarboxylic acid (KNORR), 1885, A., 555.

1:o-Tolyl-2 3-dimethylpyrazolone (Knorr), 1884, A., 1153.

Tolyidimethylthiohydantoins, o- and -p (MARCKWALD, NEUMARK and STELZ-NPR), 1892, A., 150.

Tolyl-\$\beta\$ dimethyl-\$\mu\$-thiomethoxygly-oxalines, \$\nu\$-0 and \$\nu\$-\$\mu\$- (Marchwald, Neumark and Sielzner), 1892, \$\Lambda\$., 153.

Tolyldioxamide (Schiff and Vanni), 1891, A., 908; 1892, A., 603.

Tolylene blue and red (BERNTHSIN and SCHWILLER), 1887, A., 139; (NIMLZ-KI and ERNSI), 1890, A., 1114.

Tolylenealdehydenitrodimethoxybonzenyl-o-carboxylic acid (BISTRZYCKI and CYBUISKI), 1892, A., 1249.

Tolylenectramidocyanuric chloride (FRIES), 1886, T., 711.

Tolyleneauramine (FINIRMANN), 1888, A., 157.

Tolylenebenzenylamidine, nitro- (Bisrezycki and Uliffers), 1892, A., 1197.

Tolylenecarbamide (LEUCKART), 1890, A., 760.

bromo- (Hartmann), 1890, A., 975. Tolylenediallyk/ithiocarbamide (Liellimann), 1885, A., 977. $(Tolyl\ compounds\ Me=1.)$

Tolylenediamine (diamidotoluene), action of ethylic chloracetate on (ZIMMER-MANN and KNYRIM), 1883, A., 797.

physiological action of (GIBBS and REICHERT), 1891, A., 1281.

ferruginous pigment formed in poisoning by (ENGEL and KIENER), 1888, A., 81.

a- and \$-trichloro-(SEELIG), 1885, A., 770.

2:3-Tolylenediamine and its derivatives (LELLMANN), 1885, A., 976.

4-bromo- (Hübner and Schupphaus), 1884, A., 1143.

2:4-Tolylenediamine andits salts (NOLTING and COLLIN), 1881, A., 1007.

conversion of, into an amidocresol and γ -ordinol (Wallach), 1883, A.,

citrate (SCHNEIDER), 1888, A., 465. dinitro- (Nietzki and Rosel), 1891,

A., 192. 3:5:6-trinitro- (PALMER), 1889, A., 390.

2:6-Tolylenediamine (ULLMANN), 1884, A., 1316.

3:4-Tolylenediamine (SNAPE), 1886, T., 259.

action of monatomic aldehydes of the fatty series on (HINSBERG), 1887, A., 816.

action of cyanogen on (BLADIN), 1885, Λ., 784.

action of ethylic acetoacetate on

(WITT), 1887, A., 247. action of ethylic chloracetate (HINSBERG), 1886, A., 83. on

action of formaldehyde on (Fischer and Wreszinski), 1892, A., 1496. derivatives of (AUTENRIETH and

Hinsberg), 1892, A., 709. oxalic acid derivatives of (HINSBERG), 1883, A., 323.

5-bromo- (Bistrzycki), 1890, A., 970. dicyano-, and its derivatives (BLADIN), 1885, A., 257.

3:5-Tolylenediamine (STAEDEL), 1883, A., 865.

Tolylenediamineazobenzeneazobenzenesulphonic acid (azosulphobenzenetoluenediamine) (GRIESS), 1883, A., 1103.

3:4-Tolylenediaminebenzylidenesulphonic acid, sodium salt of (KAFKA), 1891, A., 721.

2:3-Tolylenediamine-5-sulphonic (Nietzki and Pollini), 1890, A., 502.

(Tolyl compounds Mc=1.) 2:4-Tolylenediamine-5-sulphonic acid (LIMPRICHT), 1885, 1234; (Foru), 1886, A., 153.

derivatives (LIMPRICHT), 1885, A., 1234.

Tolylenediamine-p-thiosulphonic acid (Perl), 1885, A., 391.

2:4-Tolylenedioxamethane (ethylic tolyldioxamate) (Schiff and VANNI), 1891, A., 907; 1892, A., 603.

Tolylenedioxamic acid (Schiff and Vanni), 1891, A., 908; 1892, A., 604.

Tolylenediurethane (Schiff Vanni), 1890, A., 1124.

Tolylene-ethenylamidine (cthenyltolylencdiamine) (NIEMENTOWSKI), 545; 1892, A., 837; 1886, A., (WITT), 1887, A., 247.

bromo- (HARTMANN), 1890, A., 976. nitro- (Bankiewicz), 1888, A., 1184. mono- and di-nitro- (BISTRZYCKI and Ulffers), 1892, A., 1197.

Tolyleneisoethenylamidine (isocthenyltolylenediumine) and its derivatives (NIEMENTOWSKI), 1892, A., 838.

Tolylene-ethenylethylamidine (ethylcthenyltolylenediamine) (HINSBERG), 1887, A., 817.

o-Tolylene-ethyldiamine (Kock), 1888, A., 469.

m-Tolylene-ethyldiamine (Nolting and STRICKER), 1886, A., 544.

Tolylenemalonamide (SCHIFF VANNI), 1892, A., 600.

Tolylenemethenylamidine (formanhydroisodiumidotoluene) and its bromoderivative (HUBNER and SCHUPP-HAUS), 1884, A., 1143.

Tolylenemethyldiamine (o-amidomethylp-toluidine) (BAMBERGER and WULZ),

1891, A., 1203.

Tolylenemethylethenylamidine (methylethenyltolylenediamine) and its methiodide (Niementowski), 1887, A., 937.

Tolyleneopiamine (BISTRZYCKI), 1888, A., 1210.

Tolyleneoxamide (Schiff and Vanni), 1892, A., 599, 1208.

Tolylenephthalamidone (BINTRZYCKI 1248. and Cybulski), 1892, A.,

Tolylenepropenylamidine (Bistrzycki and Ulffers), 1890, A., 1115.

Tolylene-semiurethane and -urethane (Schiff and Vanni), 1890, A., 1124. m-Tolylenedithiocarbamide,

preparation (BILLETER and STEINER), 1886, A., 234.

Tolylenethiocarbamides, o- and (BILLETER and STEINER), 1887, A., 367.

(Tolyl compounds Me=1.)

nn p-Tolylene-mono- and -di-thiocarbamides and their derivatives (LELL-MANN), 1881, A., 49.

Tolylene-mono- and -di-thiocarbimides (BILLETER and STEINER), 1886, A., 234

m-Tolylenedithiourethane (BILLETER and STEINER), 1887, A., 367.

Tolylenic diazosulphide (JACOBSON and NEY), 1889, A., 772.

m-Tolylenic diisocyanate (SNAPE), 1886, T., 257.

Tolylethenylamidine (WALLACH), 1883, A., 48.

Tolylethylenediamines, o- and p (NEWMAN), 1891, A., 1207.

p-Tolylethylhydrazidopyruvic acid (HEGEL), 1886, A., 552.

p-Tolylethylnitrosamine (GASTIGER), 1885, A., 381.

o-Tolylethylsemithiocarbazide (DIXON), 1890, T., 262.

p-Tolylethylsulphone (Orro), 1885, A., 537.

Tolylethylthiobiuret (Tursini), 1884, A., 1141.

p-Tolylethylthiourethane, o-nitro-(STEUDEMANN), 1884, A., 307.

p-Tolylformamidine. cyano- (Comstock and Wheeler), 1892, A., 707.

Tolylfurfuryl-carbamide and -thiocarbamide (Deutzmann). 1892, A., 43.
Tolylglycocine (tolylglycin). See Tolyl-

amidoacetic acid.

o-Tolylglycollic acid (Oglialoro-Todaro and Cannone), 1890, A., 375.

m-Tolylglycollic acid (OGLIALORO-TODARO and FORTE), 1891, A., 320.

p-Tolylglycollic acid, derivatives of (NAPOLITANO), 1883, A., 1126.

p-Tolylglyoxal hydrate (MULLER and v. PECHMANN), 1890, A., 52.

v-p-Tolylglyoxaline (MARCKWALD), 1892, A., 1329.

ν-μ-Tolylglyoxalyl methyl sulphide (Μαπ: KWALD), 1892, A., 1329. ν-η-Tolylglyoxalyl-μ-mercaptan

(MARCKWALD), 1892, A., 1328.

p-Tolylglyoxylic acid (v. Buchka and IRISH), 1887, A., 826; (CLAUS and KROSEBERG), 1887, A., 948; (v. Виснка), 1887, A., 949.

Tolylglyoxylic aldehyde (CLAUS), 1890, A., 769.

p-Tolylhexyldihydrotolutriazine (Goldschmidt and Poltzer), 1891, A., 842.

o-Tolylhydantoin (Ehrlich), 1883, A., 1106.

(Tolyl compounds Me=1.) γ-Tolylhydantoin (QUENDA), 1892, A., 828.

p-Tolylhydrazidoacetone (RASCHEN), 1887, A., 956.

p-Tolylhydrazidocamphoric acid (CHAPLIN), 1892, A., 1481.

Tolylhydrazidopyruvic acids, o- and p-(RASCHEN), 1887, A., 956.

m-Tolylhydrazine (v. Buchki and Schachtebeck), 1889, A., 702.

p-Tolylhydrazine, action of chloroform and alcoholic potash on (Rune-Mann), 1889, T., 247.

sulphonation of (GALLINEK and v. RICHIER), 1886, A., 237.

phosphenite (MICHAELIS and OSTER), 1892, A., 1325.

Tolylhydrazinedisulphonic acid (RICHTER), 1886, A., 152.

Tolythydrazine-o sulphonic acid (BRACKETT and HAYES), 1888, A., 279.

p-Tolythydrazine-5-sulphonic acid, 2nitro- (LIMPRICHT), 1885, A., 1216; (FOTH), 1886, A., 153.

Tolylhydrazinesulphonic acids, o- and p- (LIMPRICHT), 1885, A., 1216.

on (SCHNRIDER), 1887, A., 146.

p-Tolylhydrazo-p-cresetoil (NOLTING and WERNER), 1891, A., 214.

o-Tolylhydrazo-p-cresol and p-tolylhydrazo-o-cresol (Nölting and Werner), 1891, A., 218.

p-Tolythydrazone (JAPP and KLINGE-MANN), 1888, T., 544. thionyl- (MICHAELIS and RUHL),

1890, A., 617; 1892, A., 1324. p-Tolylhydrazophenetoil (Nouting and Werner), 1891, A., 212.

Tolylhydrazonepyruvic acids, action of heat on (JAPP and KLINGEMANN), 1888, T., 543.

p-Tolylhydrazotolyl-mono- and -dithiobiazolone (Freund), 1892, A., 512.

P-Tolylhydroxyethylamine (SCHREIBER), 1891, A., 552.

p-Tolylic acetate, diiodo- (SCHALL and DRALLE), 1885, A., 146.

Tolylic o-acctates, o-, m- and p-(Heiben), 1892, A., 308.

p-Tolylic benzoate, dillrome- and diodo-(SCHALL and DRALLE), 1885, A.,

Tolylic dichlorides, isocyano-, o- and p-(NEF), 1892, A., 1441.

mercuric chlorides, o-, m- and p-(MICHAELIS and GENZKEN), 1881, A., 146. (Tolyl compounds Me=1.)

p-Tolylic cinnamate, and the action of heat on (Anschutz), 1885, T., 898; A., 1064.

Tolylic cyanate, nitro- (GATTERMANN and Cantzler), 1892, A., 833.

cyanates, polymerisation products of (FRENTZEL), 1888, A., 454.

m-Tolylic isocyanate (Heilmann), 1891, A., 201.

Tolylic isocyanides, o- and p- (Nef), 1892, A., 1441.

cyanurates, o- and p- (FRENTZEL), 1888, A., 454.

p-Tolylic diphenylcarbamate (LELL-MANN and BENZ), 1891, A., 1215. **Tolylic** ethylxanthates, o-, m- and p-(LEUCKART), 1890, A., 603.

p-Tolylic fumarate and action of heat on (Anschutz and Wirtz), 1885, T., 901; A., 1064.

laurate, myristate, palmitate and stearate (KRAFFT and BURGER), 1884, A., 1125.

Tolylic phenylcarbamates, o- and p-(LEUCKART), 1890, A., 760.

phenylmethylcarbamate p-Tolylic (LELLMANN and BENZ), 1891, A., 1215.

o-Tolylic phosphate, dichloro- (STUART), 1888, T., 403; P., 24.

p-Tolylic phosphate (RAPP), 1884, A., 1338.

Tolylic phosphates, nitration of (RAPP), 1884, A., 1337.

sulphide (Purgorri), 1890, A., 1420. *di*sulphide, sulpho-(OTTO Troger), 1891, A., 924.

tetrusulphide (Otto), 1887, A., 923. p-Tolylic s-dithiocarbonate (LEUCKART), 1890, A., 603.

thiocyanates, and (THURNAUER), 1890, A., 749.

o-Tolylic o-tolylearbamate (GATTER-MANN and CANTZLER), 1892, A., 832.

o-Tolyl-β-imidobutyric acid (PAW-LEWSKI), 1889, A., 1171.

Tolyl- β -imidobutyric acids, o- and p-, synthesis of (Knorr), 1884, A., 1198. Tolylimidocarbonyl chloride (NEF), 1892, A., 1441.

o-Tolvlimidodiacetamide (Bischoff and HAUSDORFER), 1892, A., 1335.

o-Tolylimidodiacetic acid (BISCHOFF and HAUSDORFER), 1890, A., 1285. ammonium salt of (Bischoff and Hausdörfer), 1892, A., 1335.

p-Tolylimidodiacetic acid (BISCHOFF and HAUSDÖRFER), 1890, A., 1285; 1892, A., 1336.

 $(Tolyl\ compounds\ Me=1.)$ p-Tolylimidodiacetic ditoluidide (BIs-CHOFF and HAUSDORFER), 1892, A.,

1336

o-Tolylimidodiacetimide (Bischoff and Hausdörfer), 1892, A., 1335.

Tolylimidodiphenylethylic alcohols (oand p-tolilbenzoins) (BANDROWSKI), 1889, A., 147.

p-Tolylimidomethylenic ethylenic disulphide (MIOLATI), 1891, A., 895.

o-Tolylindigo (HEUMANN), 1891, A., 837.

p-Tolyliodomethylsulphone (OTTO), 1888, A., 482.

p-Tolylketodihydroquinazoline (PAAL and Busch), 1890, A., 73.

aldehyde Tolylketone (tolylylyoxylic aldehyde) (CLAUS), 1890, A., 769.

p-Tolylketotetrahydroquinazoline (Busch), 1892, A., 1496.

Tolylmethyldihydrophenotriazine (GOLDSCHMIDT and POLTZER), 1891, A., 841.

2'-p-Tolylmethyl-3'-ethyldihydrophenotriazine (GOLDSCHMIDT POLTZER), 1891, A., 842.

p-Tolyl-p-methyl- ψ -isatin, derivatives of (Duisberg), 1885, A., 544.

Tolylmethylmethenyldiamine (Fischer), 1889, A., 731.

1-m-Tolyl-2-m-methylphenyl-3-methylpyrazolone (1:2-di-m-tolyl-3-methylpyrazolone) (v. Perger), 1886. A. 1046.

p-Tolyl- α -methylphthalimide (NIEMEN-TOWSKI), 1892, A., 608.

o-Tolylmethylpropylene-ψ-thio-

carbamide (Prager), 1890, A., 160. 1-o- and -p-Tolyl-3-methylpyrazolone (Knorr), 1884, A., 1153.

1-p-Tolyl-3-methylpyrazoloneketo-4-ptolylhydrazone (v. Buchka and SPRAGUE), 1890, A., 29; (SPRAGUE), 1891, T., 340.

p-Tolylmethylsulphone (OTTO), 1885, A., 537.

mono- and di-chloro- (OTTO), 1890, A., 380.

Tolylmethylthiocarbamides, o- and p-(Dixon), 1889, T., 620.

o-Tolylmethylthiohydantoin (MARCK-WALD, NEUMARK and STELZNER), 1892, A., 150.

o-Tolyl-αand β-naphthylamines (FRIEDLÄNDER), 1884, A., 80.

p-Tolyl- α -naphthylamine (FRIED-LÄNDER), 1884, A., 80.

 μ -Tolyl- β -naphthylamine (FRIED-LANDER), 1884, A., 80; (WITT), 1887, A., 592.

(Tolyl compounds Me = 1.)

Tolylnaphthylenediamine (FISCHER), 1892, A., 1476.

p-Toly1-o-naphthylenediamine and its anhydro- and thio-derivatives (Fischer), 1892, A., 1173.

Tolylnaphthylic sulphides (Bourgeois), 1891, A., 1238.

m-TolyInitromethane (HEILMANN), 1891, A., 201.

Tolylnitrotoluenesulphazide, nitro-(Limpricht), 1887, A., 723.

Tolyloctane, amido- (toloctylamine) and its derivatives (Beran), 1885, A., 524.

p-Tolylosazoneglyoxalcarboxylic acid (NASTYGGEL), 1889, A., 238.

Tolyloxamethane, amido-, and nitro-. See Ethylic amido- and nitro-tolyloxamates.

o-Tolyloxamic acid (MAUTHNER and SUIDA), 1886, A., 886.

p-Tolyloxamic acid, 2-amido- (SCHIFF and VANNI), 1890, A., 1125; 1891, A., 833; 1892, A., 599, 601, 1208.

3-nitro-, and its derivatives (HINS-BERG), 1883, A., 323; (SCHIFF and VANNI), 1892, A., 601.

p-Tolyloxamide, nitro- (Schiff and Vanni), 1892, A., 601.

p-Tolyl-oxamide and -oxamilide, 2-amido- (Schiff and Vanni), 1891, A., 834; 1892, A., 602.

Tolyloxamides, o-, m- and p- (BLADIN), 1884, A., 1142.

Tolyloxy-ethylamine, -ethylaniline, -ethylcarbamide and -ethylphthalamic acid (Schreiber), 1891, A., 552.

p-Tolyloxyethylphthalimide, and its dinitio-derivative (Schreberl), 1891, A., 552.

Tolylpentane (Essner and Gossin), 1885, A., 517.

Tolylphenyl-. See Phenyltolyl-.

1204.

o-Tolylphthalamic acid and its methyl derivatives (KUHARA), 1887, A., 586.

7)-Tolylphthalide (GRESLY), 1886, A., 1028.

o-Tolylphthalimide (Phutfi), 1884, A., 458; (Kuhara), 1887, A., 586. preparation of (Haller), 1892, A.,

1-p-Tolylpiperidine (LELLMANN and JUST), 1891, A., 1244.

p-Tolylpropaldehyde and its derivatives (v. Richter and Schuchner), 1884, A., 1342.

a-p-Tolylpropaldehyde (v. Miller and Rohdel), 1890, A., 898; (Edhera), 1891, A., 1020. (Tolyl compounds Me = 1.) m-Tolylpropiolic acid (MULLER), 1887,

Λ., 725.

o-Tolylpropionic acid (o-methylhydrocinnamic acud) (Young), 1892, A., 1221.

m-Tolylpropionic acid [nt. p. 125°] (Efficient), 1885, A., 152.

nitro- (Effront), 1885, A., 152.

m-Tolylpropionic acid (m-methylhydrocinnumic acid) [m.p. 40°] (MULLER), 1887, A., 724.

p-Tolylpropionic acid (p-methylhydrocinnamic acid) (Kröber), 1890, A., 969.

α-p-Tolylpropionic acid (methylhydrative)ic acid) (v. MILLER and ROHDR), 1890, Λ., 978, 1140; (ERRERA), 1891, Λ., 1021; (ERRERA and BALDRACCO), 1892, Α., 605.

m-diamido- and m-dinitro- (ERRERA and BALDRAGCO), 1892, A., 606.

and BALDRACCO), 1892, A., 606.

Tolylpropionic acid. See also Methyl-

hydrocinuamic acid.

a-p-Tolylpropionitrile (Errera), 1891,
A., 1021.

α-p-Tolylpropylene (ERRERA), 1885, A.,

β-p-Tolylpropylene (ERRERA), 1891, A., 1021.

Tolylpropylene-ψ-semithiocarbazides, α- and μ- (AVENARIUS), 1891, A., 550.

o-Tolylpropylene-ψ-thiocarbamide (Prager), 1890, A., 160.

a-p-Tolylpropylic alcohol (ERRERA), 1891, A., 1021.

p-Tolyl-n- and -iso-prepylnitrosamines (Horn and MorLEY), 1891, T., 34.

1-Tolylpyrazoles, o- and p- (Balbiano), 1889, A., 1216.

1-Tolylpyrazolethylammonium iodides, o- and p- (BALBIANO), 1889, A., 1216.

1-Tolylpyrazolines, o-and p-(BALBI) NO), 1889, A., 1216.

2)-Tolylpyrrolinedibenzoic acid (BAUMANN), 1887, A., 736.

3'-m-Tolylisoquinoline (HEILMANN), 1891, A., 202.

1'-chloro- (Heilmann), 1890, A., 625; 1891, A., 202.

3'-p-Tolylisoquinoline and 1'-chloro-(RUHEMANN), 1892, A., 174.

p-Tolylrosinduline and iso-p-tolylrosinduline (FISCHER and HEPP), 1890, A., 909.

Tolylsemicarbazides, o- and p-(PINNER), 1888, A., 687.

Tolylstibine, and its derivatives (MICHAELIS and GENZKEN), 1884, A., 1135.

(Tolyl compounds Me=1.)
Tolylsulphone (Purgotti), 1890, A.,
1420.

p-Tolylsulphoneacetic acid (Otto), 1885, A., 537.

p-Tolylsulphoneacetone (R. and W. Orro), 1888, A., 282.

p-Tolylsulphone-ethyl and -ethylamine derivatives (Otto and Damkohler), 1885, A., 538.

a-p-Tolylsulphonepropionic acid(Otto), 1890, A., 382.

preparation of the ethyl salts of (Otto), 1885, A., 537.

Tolylsulphophenylbenzenylamidine (WALLACH), 1883, A., 48.

p-Tolyltetrahydroquinazoline (PAAL and Buscu), 1890, A., 73.

p-Tolyltetrahydrothioquinazoline (Busch), 1892, A., 1496.

Tolylthiazolines, μ - ρ -, and μ -p- (GABRIEL and HEYMANN), 1891, Λ ., 701.

Tolylthiobiuret, and its acetyl-derivative (Tursini), 1884, A., 1140.

Tolyk/ithiocarbamic acids, salts of (LOSANITSCH), 1892, A., 56.

m-Tolylthiocarbamide, di-a-chloro-(KOCK), 1887, A., 810.

p-Tolylthiocarbamide, action of acetic anhydride on (Werner), 1891, T., 403.

2-nitro- (Steudemann), 1884, A., 307.

thio- (TRUHLAR), 1887, A., 473.

Tolylthiocarbazinic o- and p-tolylhydrazides, o- and p-(FREUND), 1892, A., 511.

o-Tolylthiocarbimide, preparation of (Werner), 1891, T., 402. action of aldehyde-ammonia on

(DIXON), 1888, T., 418.

action of, on thialdine (Dixon), 1889, T., 626.

m-Tolylthiocarbimide, preparation of (Werner), 1891, T., 403.

p-Tolylthiocarbimide, preparation of (Werner), 1891, T., 404. oxide (Helmers), 1887, A., 581.

nitro- (STEUDEMANN), 1884, A., 307. Tolyldithiocarbimide (Hobbs), 1888, A., 708.

o-Tolylthiocarbimide-aldehyde-ammonia (Dixon), 1892, T., 520.

o-Tolylthiohydantoin (MARCKWALD, NEUMARK and STELZNER), 1892, A., 150.

p-Tolylthiourethane, o-nitro- (STEUDE-MANN), 1884, A., 307.

o Tolyltoluenesulphazide (LIMPRICHT), 1887, A., 723. (Tolyl compounds Me=1.)
1:4-o-Tolyl-p-tolyldiketopyrazine, 3:6-

dichloro (ABENIUS), 1890, A., 526. p-Tolyl-2:4-tolylenediamine (amidoditolylamine) (FISCHER and SIEDER), 1891, A., 434.

7) Tolyl-3:4-tolylenediamine, formation of, from p-ditolylhydrazine, and its derivatives (TAUBER), 1892, A., 853.

p-Tolyl-o-tolyleneguanidine (Keller), 1891, A., 1470.

Tolyl-p-and-o-tolylsemithiocarbazides, o- and p- (Drxon), 1892, T., 1015.

Tolyltrimethylphosphonium periodide (Czimatis), 1883, A., 57.

Tolylurazoles, o- and p-(l'inner), 1888, A., 687.

Tolylurethane, amido- (SCHIFF and VANNI), 1892, A., 600; (SCHIFF), 1892, A., 1203.

4-nitro- (Schiff and Vanni), 1892, A., 601.

Tomato, cooked, composition of (WILLIAMS), 1892, T., 227.

Tomatoes, composition and anatomical structure of the fruit of (Briosr and Gigli), 1891, A., 955; (PASSERINI), 1891, A., 956.

Tonometer, differential (BREMER), 1888, A., 402.

Topaz, Brazilian, liquid inclusions in (v. Nordenskiold), 1886, A., 674. from Maine, U.S. (Bradbury), 1884, A., 27; (Clarke and Diller), 1886, A., 213.

from Pike's Peak, Colorado (Cross and Hillebrand), 1883, A., 1065. from Tasmania (v. Groddeck), 1886, A., 603.

from the Thomas range, Utah (AL-LING), 1887, A., 453.

in rhyolite (Choss), 1886, A., 991. pyroelectricity of (FRIEDEL and Curre), 1885, A., 469.

See also Aluminium silicofluorides.

Torpedo, chemical studies on (Weyl),

Torpedo, chemical studies on (WEYL), 1887, A., 1128.

Torpedo-mucin (WEYL), 1887, A., 1128. Tortoise, urine of the (MILLS), 1887, A., 170.

Tourmaline from Bohemia (KATZER), 1888, A., 923.

blue, from Chapey (MICHEL-LEVY), 1886, A., 211.

from Japan (WADA), 1885, A., 222. from New South Wales (LIVERSIDGE), 1886, A., 774.

black, from North Carolina (HIDDEN and DES CLOIZEAUX), 1887, A., 118.

66

1041

Tourmaline from Schuttenhofen, constitution and colour of (SCHARIZER), 1889, A., 761.

red, from Siberia (PRENDEL), 1892, A., 573.

from Tasmania (v. Groppieck), 1886, A., 603.

chromic, in the Utals (Cossa and ARZRUNI), 1883, A., 444.

composition of (RIGGS), 1888, A., 659; (JANNASCH and KALB), 1889, A., 472; (RAMMELSBURG; KALB),

1891, A., 21. formula of (Wulfing), 1889, A., 765; (KENNGOIT), 1892, A., 1110. effect of heat on the optical properties of (Donlier), 1885, A., 26.

thermal conductivity of (STENGER), 1885, A., 5.

Tourmaline-bearing copper ores from Chili (v. Groddeck), 1890, A., 114.

Tourmalinic-pegmatite from Ričan (Katzer), 1889, A., 357.

Toxalbumin secreted by the microbe of blennorhagic pus (Hugouneng and ERAUD), 1891, A., 1521.

Toxicological investigations (IIEss and Luchsinger), 1885, A., 578; (Lecco), 1886, A., 743; 1891, A., 864; (MARINO-Zuco), 1889, A., 653; (Ciorio and Spica), 1891, A., 772.

See also Physiological action and Poisoning.

and chemical relations of some fungi

(Вонм), 1885, А., 1008. Trachyte of Gleichenberg, action of water containing carbonic acid on (CLAR), 1881, A., 569.

Trachytes of the Eperies-Tokay mountains (ROTH), 1886, A., 131.

Trachyte-dolerites of the Vogelsberg (LEDROIT), 1887, A., 901.

Trachyte-region of the Rhodope (Pauz and HUSSAK), 1881, A., 111.

Transfusion of mixture of blood and salt solution (MARSHALL), 1891, A., 317.

Transition point (RoozLEGOM), 1888. A., 1117.

and point of Insion (VAN'r Horr), 1858, A., 401.

points, triple and multiple points regarded as (ROOZIBOOM), 1888, A., 1151.

Translocation, diastase of (BROWN and Morris), 1890, T., 509.

Transpiration (CHABRIE), 1892, A., 1267. and assimilation, relation between the, produced b**y** chlorophyll (Jumerle), 1890, A., 190.

Transportation of solids in a vacuum by the vapours of metals (Mouse and Willie), 1892, A., 1386.

Trees. See Agricultural Chemistry.

Trehaloso. See Carbohydrates.

Tremolite (grammatite) from marken (FLINK), 1889, A., 221. chemical composition of (Berwerth),

1886, A., 28.

crystallographical examination (Primics), 1885, A., 733.

Triacetic acid, δ-lactone of, and its reactions (Collie), 1891, T., 607; P., 114.

preparation of pyridine derivatives from (Collie and Myers), 1892, T., 721; P., 131.

Triacetin (triacetylglycerol) (Seelig), 1892, A., 289.

preparation of (BOILINGER), 1891, A., 1183.

Triacetonealkamine (Injetroxytetramethyllwahydropyridine) (Fischнк), 1883, А., 1153.

preparation of (Fischer), 1884, A., 1290.

ψ-Triacetonealkamine (Fischer), 1884. A., 1290.

Triacetoneamine (FISCHER), 1884, A., 1290.

action of phosphorus pentachloride and oxychloride on (FISCHER), 1883, A., 790.

homologues of (Fischer), 1884, A., 1290.

Triacetonemethylalkamine and its salts (Fischer), 1883, A., 1153.

Triacetonetrisulphone (BAUMANN and Fromm), 1890, A., 26.

Triacetonine (tetramethyltetrahydropyridim) and its salts (Fischer), 1883, A., 1153; 1884, A., 1290.

nitroso- (Fischer), 1884, A., 1290. ψ Triacctonino (Fischer), 1881, A.,

1291. Triacetoxypentane (PRUNII R), 1551, A.,

1284.

Triacetyl://iamidohydroxynaphthyl phenyl (MELDOLA and MORGAN), 1889, T., 121.

Triacetyldiamido a-naphthol and its nitro-derivative (MEERSON), 1888, A., 713.

Triacetyldiamido-β-naphthol (LOUWE), 1890, A., 1421.

Triacetyl/r/amidophenol (BAMBERGER), 1884, A., 309.

Triacetyl//amidothymol (MAZZARA), 1891, A., 188.

1 3.5-Triacetylbenzone (CLAISIN and STYLOS), 1888, A., 671.

Triacetyldibromobrazilein (SCHALL and DRALLE), 1890, A., 997.

Triacetylethenyltetramidotoluene (Nierzki and Rosel), 1891, A., 192.

Triacetylformamidil (PINNER), 1884, A., 723.

Triacetylgallamide (MARX), 1891, A., 1220.

Triacetylgentisein (v. Kostanecki), 1891, A., 1244, 1386.

Triacetylglycerol. See Triacetin.

Triacetylic cyanurate (Ponomareff), 1886, A., 217.

Triacetyl-leucaniline and -paraleucaniline (RENOUF), 1883, A., 981.

Triacetylmoradin (ARATA and CANZO-NERI), 1890, A., 405.

Triacetyl- and isotriacetyl-quinide (ERWIG and KOENIGS), 1889, A., 991.

s-Trialkylpyridines, oxidation of (AL-TAR), 1887, A., 378.

Triallylamine, action of sulphuric acid on (Liebermann and Hagen), 1883, A., 1086.

Triallyloxymethane, preparation of (BEILSTEIN and WIEGAND), 1885, A., 740.

Triammonium salts. See under Ammonium.

Triisoamylbismuthine (MARQUARDT), 1888, A., 1067.

Trianhydropyruvic acid, phosphorus salt of (Messinger and Engels), 1889,

Trianilidobenzene, bromodinitro-(Jackson and Bancroft), 1890, A., 982.
dinitro-(Palmer and Jackson), 1890, A., 248.

trinitro- (Jackson and Wing), 1888, A., 1276.

Trianilidonaphthalene (FISCHER and HEPP), 1890, A., 911.

Trianiline disilicotetrafluoride (COMEY and JACKSON), 1888, A., 942.

Trianisin (FRITSCH), 1891, A., 708.

Trianisylarsine (MICHAELIS and WEITZ), 1887, A., 367.

Triarabinan-tri- and -tetra-galactangeddic acids (O'SULLIVAN), 1891, T., 1037, 1071.

Triauramine (RASCHIG), 1887, A., 112. Triazimidoacetamide (Currius and LANG), 1889, A., 370.

Triazine derivatives, synthesis of (MELDOLA), 1890, T., 328; P., 37.

nomenclature of (MELDOLA and For-STER), 1891, T., 679.

substituted, preparation of (Mendola and Forster), 1891, T., 679.

nitro-, reduction of (Meldola and Forster), 1891, T. 701. Triazine-series (Meldola and Forster), 1891, T., 678; P., 123.

Triazo-compounds. See under Azo-. Triazole (Andreocci), 1892, A., 636; (Bladin), 1892, A., 735.

derivatives of (BLADIN), 1892, A., 637.

Triazoles, nomenclature of (KEHRMANN and MESSINGER), 1892, A., 889.

Triazolecarboxylic acid (ANDREOCCI), 1892, A., 636; (BLADIN), 1892, A., 735.

Triazole-series, amidoximes and azoximes of (Bladin), 1889, A., 977.

Tribenzamide (Curtius), 1891, A., 58. Tribenzamidophloroglucinol, synthesis of (Rugheimer), 1889, A., 249.

Tribenzoicin (VAN ROMBURGH), 1883, A., 63.

Tribenzoin (FRITSCH), 1891, A., 708. Tribenzoyltriamidobenzene (HINSBERG

and v. Udranszky), 1890, A., 370. Tribenzoyldiamido-β-naphthol (Logwe), 1890, A., 1424.

o-Tribenzoylbenzene (HAUSMANN), 1889, A., 1172.

Tribenzoylisodulcitol (RAÝMAN), 1887, A., 907.

Tribenzoylglycerol (SKRAUP), 1889, A., 1152.

Tribenzoyl-\$\beta\$-hydrojuglone (MYLIU'S), 1886, A., 69.

Tribenzoylmesitylene (Louïse), 1884, A., 1000.

Tribenzoylmethane (v. BAEYER and PERKIN), 1884, A., 64.

preparation and properties of (PER-KIN), 1885, T., 252.

1:2:3-Tribenzoylpropane (EMERY), 1891, A., 680.

Tribenzoylpyrogallol (SKRAUP), 1889, A., 1152.

Tribenzylamine (Leuckart), 1885, A., 1215.

boiling point of (SCHWFITZER), 1891, A., 1240.

action of bromine on (WALLACH), 1891, A., 189.

action of sodium on (Jackson and Wing), 1886, A., 616.

derivatives of (MARQUARDT), 1886, A., 615.

Tribenzylarsine, and its derivatives (MICHARLIS and PARTOW), 1885, A., 527.

Tribenzylcarbamide (Hammerich), 1892, A., 1083.

Tribenzylethenyltrisulphone (LAVES), 1892, A., 613.

Tribenzylethylammonium iodide (MAR-QUARDE), 1886, A., 615. Tribenzylethylphosphonium chloride, action of heat on (COLLIE), 1888, T.,

Tribenzylhomo-o-phthalimide (PULVERмаспек), 1887, А., 1112.

α-Tribenzylhydroxylamine (WALDER), 1886, A., 796. B-Tribenzylhydroxylamine

(BECK-MANN), 1889, A., 608; (BEHREND and Leucus), 1889, A., 703.

Tribenzylic phosphate (Lossen and Kohler), 1891, A., 1015.

o-thioacetate (LAVES), Tribenzylic 1892, A., 612.

Tribenzylidenediamine. See Hydrobenzamide,

Tribenzylidenemannitol (MEUNIER), 1888, A., 1049.

Tribenzylmethylammonium iodide and hydroxide (MARQUARDI), 1886, A.,

Tribenzylphosphine (LETTS and BLAKE), 1890, A., 767.

oxide, identity of, with Hofmann's dibenzylphosphine (LETTS and BLAKE), 1890, A., 492. action of chlorine, of nitric acid

and of sulphuric acid on (COLLIE), 1889, T., 225.

some compounds of, and trinitro-(COLLIE), 1889, T., 223; P., 45. iodide

Tribenzylisopropylammonium (MARQUARDI), 1886, A., 615. Tribenzylpyridine (Rugheimer), 1892,

A., 1365. Tribenzyltriphenylguanidine (MANNS), 1889, A., 261.

Tribenzyltrisulphonephenylmethane (LAVES), 1892, A., 613.

Tribrassidin (REIMER), 1887, A., 233. heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, л., 11.

Tribromhydrin (1:2:3-tribromopropane), formation of (KRONSIEIN), 1892, A., 577.

Triisobutoxytribenzaldehyde (BAUmann and Fromm), 1891, A, 1051.

Trisobutylamine, preparation of (MALвот), 1887, А., 356.

platinochloride (MALBOT), 1887, A., 461.

tert.-Tributylbenzene (Seńkowski), 1890, A., 1297.

Trissobutylbismuthine (MARQUARDE), 1888, A., 1066.

Triisobutylene (Puchot), 1884, A., 167. heat of combustion of (MALBOT), 1890, A., 320.

dichloride, dichloro- (MALBUT and GENTIL), 1889, A., 843.

"Triisobutylphenylguanidine" (PAHL), 1884, A., 1010.

Tricalcium phosphate. See under Calcium phosphate.

Tricaprylamine. See Trioctylamine.

Tricarballylamide [m.p.

(EMERY), 1890, A., 133. [m.p. 218°] (DAUMICHEN), 1889, A., 239.

Tricarballyl-amidimide and -anilic acid (DAUMICHEN), 1889, A., 238.

Tricarballylanilide (EMERY), 1890, A.,

Tricarballyl-p-ditolyl and -p-ditoluidic acid (DAUMICHEN), 1889, A., 238.

Tricarballylic acid and its derivatives (Bischoff), 1883, A., 46; (Dau-MICHEN), 1889, A., 238; (EMERY), 1890, A., 133; 1891, A., 680.

synthesis of (EMERY), 1891, A., 423. heat of combustion of (LUGININ), 1889, A., 668.

dissociation constant of (WALKER), 1892, T., 707. salts of (GUINOCHET), 1890, A., 480.

potassium salts of, and their heats of formation (Masson), 1892, A., 762. dibromo- ((fuinochet), 1890, A., 594.

Tricarballylic acids, attempts to prepare alkyl-substituted (BISCHOFF and v. Kuhlberg), 1890, A., 747.

Tricarballylic chloride (EMERY), 1890, A., 133.

Tricarballyl-phenylhydrazidic acid and -o-toluic acid (EMERY), 1891, A., 680.

Tricarballyl-p-toluic acid and -p-toluidide (Daumichen), 1889, A., 238.

Tricarbanilidohydroxyhydrazobenzene (Goldschmidt and Rosell), 1890, A., 615.

Tricarbanilidophloroglucinol SCHMIDT and MEISSIER), 1890, A., 500.

Tricarbopyridinic acid. See Pyridine-2/1:6-tricarboxylic acid.

Trichlorhydrin (1:2:3 trichloropropune), action of tricthylamine on (REBOUL), 1883, A., 307.

Tricinnamtetra-ureide (Biginerri), 1892, A., 57.

Tri-p-cresotin (FRITSCH), 1891, A., 708. Tricresyl .. See Tritolyl ..

Tricyanides (KRAFFT and HANSEN), 1889, A., 696; (OTTO), 1889, A., 951; (Kraffr and Konnig), 1890, A., 1252.

formation of, from nitriles and acid chlorides (EITNER and KRAFFT), 1892, A., 1183.

Tricyanuramide (Schneider), 1885, A., 1193.

Tricyclic systems, reduction of (BAMBERGER), 1891, A., 1258.

Tridecylduodecylcarbamide, tridecylamide and tridecylamine and its salts and tridecylnitrile (LUTZ), 1886, A., 685.

Tridecyllutidine and tridecyllutidinedicarboxylic acid hydrochloride (Krafft and Mai), 1889, A., 1017.

2'-Tridecylquinoline (KRAFFT), 1890, A., 1234.

Tri-19-diphenylmethaneguanidine (tribenzyltriphenylguanidine) (MANNS), 1889, A., 261.

Tridymite (MALLARD), 1890, A., 1070. preparation of (MEUNIER), 1891, A., 22.

artificial production of (v. Chrustschoff), 1887, A., 559; (Bruhns), 1890, A., 112.

expansion of (LE CHATELIER), 1890, A., 1371.

See also Silicon dioxide.

Trierucin (REIMER and WILL), 1887, A., 1030.

heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, A., 11.

Triethoxybenzaldehyde (WILL), 1884, A., 68.

1:3:5-Triethoxybenzene (WILL and ALBRECHT), 1884, A., 1336.

Triethoxybenzoic acid [m.p. 100.5°] (Will and June), 1884, A., 1043; (Will and Albrecht), 1884, A., 1335; (June), 1886, A., 558.

[m.p. 134°] (WILL), 1884, A., 68. Triethoxybutane (Newbury and Cal-

KIN), 1891, A., 285.

Triethoxyphenylpropionic acid [m.p. 77"] (WILL), 1884, A., 68. [m.p. 85"] (WILL and JUNG), 1884,

A., 1043; (Jung), 1886, A., 558.

Triethoxypropane (NEWBURY and CHAMOT), 1891, A., 285.

Triethoxytriphenodioxazine (Kinzel), 1892, A., 158.

Triethylæsculetic acids, α- and β-, and their ethyl salts (WILL), 1884, A., 68.

Triethylallylammonium chlorides, αand β-chloro- (Reboul), 1883, A., 307.

Triethylamine, properties of (v. Hor-MANN), 1889, A., 688.

magnetic rotatory power of (Perkin), 1889, T., 692, 729.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of, on a-bromobutyric acid (DUVILLIER), 1888, A., 249.

Triethylamine, action of, on dissobutylamine oxalate (Colson), 1891, A., 377.

action of, on s-trichlorhydrin and on the two dichloropropylenes (RE-BOUL), 1883, A., 307.

and ethylic iodide, effect of various solvents on the velocity of reaction between (Menschutkin), 1890, A., 1366.

arsenious bromide (LANDAU), 1889, A., 211.

hydrochloride, magnetic rotatory power of (PERKIN), 1889, T., 715.

platinothiocyanate (GUARESCHI), 1892, A., 286.

Triethylammonium bromide, compound of thiocarbamide with (REYNOLDS), 1891, T., 390.

Triethylisoamylphosphonium chloride, action of heat on (Collie), 1888, T., 721.

Triethylbenzenes, chlorinated (ISTRATI), 1886, A., 231, 343.

Triethylearbinol (tert.-heptylic alcohol)
(BARATAEFF and SAYTZEFF), 1887,
A., 353.

β-Triethyldaphnetic acid, and its ethylic salt (Will and Jung), 1884, A., 1042.

Triethyldaphnetic acids, α- and β-(Jung), 1886, A., 558. 2:4:5-Triethyl-m-diazine. 6-amido-

2:4:5-Triethyl-m-diazine, 6-amido-(Wache), 1889, A., 684. Triethylenetetramine (v. Hofmann),

Triethylenetetramine (V. HOFMANN), 1891, A., 414.

Triethylethenyltrisulphone (LAVES), 1892, A., 154.

Triethylgallic acid, and its salts (WILL and ALBRECHT), 1884, A., 1335. amido-, dibromo-, and nitro- (SCHIFFER), 1892, A., 715.

Triethylhexadecylammonium iodide (Krafft and Moye), 1889, A., 689.

Triethylhomo-o-phthalimide (PULVER-MACHER), 1887, A., 1111.

Triethylhydroxylamine (BEWAD), 1889, A., 112.

Triethylic aconitoxalate (CLAISEN and HORI), 1891, A., 424.

telluride, chloride and bromide (MAR-QUARDT and MICHAELIS), 1888, A., 1066.

chloraurophosphite (LINDET), 1887, A., 227.

tricyanide (Otto and Trögen), 1890, A., 726.

n- and iso-cyanurates (v. Hofmann), 1886, A., 930.

cyanuride (Orro and Voigt), 1887, A., 1024. Triethylic formate (ARNHOLD), 1887, A., 911.

o-thioscetate (LAVES), 1892, A., 612. Triethylidenecinchonine (CLAUS), 1892, A., 1252.

Triethylmelamine (KLASON), 1886, A., 522.

Triethylisomelamine (v. HOFMANN), 1886, A., 42.

Triethylorcinol, and its ethyl other (Herzic and Zeisel), 1890, A., 1405. Triethylisooxazole (Dunstan and Dy-

MOND), 1891, T., 432.

Triethylphenylammonium tri- and pent-iodides (DAFERT), 1883, A., 979.

Triethylphosphine arsenious bromide (Lindau), 1889, A., 211.

Triethylpropylphosphonium chloride, action of heat on (Collie), 1888, T., 720.

Triethylpyrogallocarboxylic acid(WILL and Jung), 1884, A., 1043; (WILL and Albrecht), 1884, A., 1335; (Jung), 1886, A., 558.

Triethylpyrogallol, amido- and nitro-(Schiffer), 1892, A., 716.

Triethylresorcinol, action of nitrous acid on (Khaus), 1892, A., 44.

and its ethyl ether (Herzic and Zeisch), 1890, A., 1404.

Triethylsulphine salts, preparation of (MASSON and KIRKLAND), 1889, T., 135; P., 20.

molecular refractive energy of (NA-SINI and COSTA), 1891, A., 1305. bromide, formation of (Orro and

ROSSING), 1886, A., 861. iodule, conversion of, into trimethylsulphino iodide (Kangar and Maassen), 1889, A., 1135.

Triethylsulphonemethylmethane (LAVES), 1892, A., 151.

Triethylthiocarbamide salts (Noan), 1890, A., 1211.

Trieugenyl cyanurate (Otro), 1887, A., 1033.

Trifolium, analyses of (NILSON), 1892, A., 522.

Trigalactangeddic acid (O'SULLIVAN), 1891, T., 1043.

Triglycerides of aromatic acids (Fritsch), 1891, A., 708.

Trigonella Fanum-greeum, alkaloids of the seeds of (Jahns), 1886, A., 85.

Trigonelline and its salts (Jahns), 1886, A., 85; 1888, A., 166.

Trihydraurylamine (RASCHIG), 1887, A., 112.

Trihydrazine dihydriodide (Currius and Schulz), 1891, A., 264.

Trihydromethylenefurfuran (LIPP), 1889, A., 845.

Trihydropyruvic acid dianilide and hydrazide, phosphotus derivatives of (MESSINGER and ENGELS), 1889, A., 36.

Trihydroxyadipic acid and its salts (KILIANI), 1885, A., 967.

from metusaecharin (KILIANI), 1885, A., 745.

Trihydroxyalizarin-blue (SCHMIDT and GATTERMANN), 1891, A., 1382.

Trihydroxyanthraquinoline (GRABBE and PHILLIPS), 1891, A., 1240.

1:2:3-Trihydroxyanthraquinone, See Anthragallol.

1:2:4-Trihydroxyanthraquinone. See Purpurin. 1:2:2-Trihydroxyanthraquinone. See

1:2:2'-Trihydroxyanthraquinone. See Anthrapurpurm.

1:2:3'-Trihydroxyanthraquinone. See Flavopurpuin.

Trihydroxyaurindicarboxylic acid (Caro), 1892, A., 1469.

1:2:3-Trihydroxybenzene. See Pyrogallol.

1.2:4-Trihydroxybenzene. See Hydroxyquinol.

1:3:5-Trihydroxybenzene. See Phloroglucinol.

Trihydroxybenzenes, three, constitution of (Barth and Schreder), 1883, A., 987.

formation of tannins from (NICKEL), 1891, A., 1395.

2.4:6-Trihydroxybenzoic acid (phloroglucinoleurboxylic acid) (WILL and Albertheth, 1881, A., 1335.

3.4:5-Trihydroxybenzoic acid. See Gallic acid.

Trihydroxybenzophenone(sallaylresorcinol) (MICHAEL), 1881, A., 311.

derivatives of (MICHAEL), 1881, A., 311; (GRAEBE and EICHENGEUN), 1892, A., 1221.

bromo- (GRAEBE and EICHENGRUN), 1892, A., 1225.

nitro-derivatives of (GRAMBE and Elemenorum), 1892, A., 1225.

anhydride (salleytresorcinal ether; hydroxy zanthone) and its acetylderivative (MICHAEL), 1881, Å., 311; (GRAEBE), 1890, A., 505.

See also Hydroxyxanthones.

Trihydroxybutane (butenylglycerin), chloro- (ZIKES), 1885, A., 1046.

Trihydroxybutyric acid (Bönnstein and Herzeeld), 1886, A., 328.

Trihydroxyisobutyric acid (FISCHER and TAKEL), 1889, A., 478.

Trihydroxydimethylbenzophenone (GRAEBE and EIGHENGRUN), 1892, A., 1225.

Trihydroxydimethylpurin (Fischer), 1881, A., 997, 998.

Trihydroxydiphenyl (Hodgkinson and Matthews), 1883, T., 167.

Trihydroxyethylbenzene, dinitro-(NIETZKI and KAUFMANN), 1892, A., 315.

Trihydroxyglutaric acid (KILIANI), 1889, A., 33.

inactive (FISCHER), 1891, A., 1177,

second inactive (FISCHER and PILOTY), 1892, A., 437.

Trihydroxyhexane (hevylic ylyerol; methylbitallylcarbinol oxide, hydrated) (Lieben and Zeisell), 1883, A., 570.

from allyldimethylcarbinol (Orloff), 1886, A., 681; (Reformatsky), 1890, A., 121.

preparation of (ORLOFF), 1886, A., 138. behaviour of, with hydriodic acid (ORLOFF), 1886, A., 681.

derivatives of (KABLUKOFF), 1888, A., 1171.

glycide of (Kablukoff), 1885, A., 647.

ketone of (KABLUKOFF), 1888, A., 1171.

Trihydroxyketopentamethylenecarboxylic acid, tetrachloro- (HANTZSCH), 1890, A., 130.

Trihydroxymesitylene (mesitylenic glyeerol) and its tribromhydrin (Colson), 1883, A., 731; 1884, A., 57.

"Trihydroxymethylanthraquinone" from Drosera Whittakerii (RENNIE), 1887, T., 373.

2:3:4-Trihydroxymethylanthraquinones. See Methylanthragallols. Trihydroxymethylbenzophenone(Grae-

ne and Eichengrun), 1892, A., 1225.

Trihydroxy-β-naphthylamine (Kehrmann), 1888, A., 940; (Kehrmann

and Weichard, 1889, A., 1197, Trihydroxyoctane [b.p. 204°] from allyldiethylcarbinol (Reformatsky),

1890, A., 121.
[b p. 210°] from allylmethylpropylcarbinol (Reformatsky), 1890, A.,

Trihydroxyoctolactone (HJELT), 1883, A., 456.

Trihydroxyoleic acid and its salts (LIECHTI and SUIDA), 1884, A., 239, Trihydroxypentanes (pentenylglycarol) (LIEBEN and ZEISEL), 1886, A., 784; (WAGNER), 1889, A., 231.

Trihydroxyphenyl hydroxynaphthyl ketone and its derivatives (GRAEBE and EIGHENGRUN), 1892, A., 1226.

Trihydroxyphenyl-butyric acid and -butyrolactone (Fischer and Stew-Art), 1892, A., 1447.

Trihydroxypicolinic acid (hydroxycomenumic acid) and its bromoderivative (Ost), 1883, A., 792.

2:4:6-Trihydroxypyridine and its derivatives (STOKES and V. PECH-MANN), 1887, A., 155.

anhydride of (STOKES and v. PECH-MANN), 1887, A., 156.

3:4:6-Trihydroxypyridine. See Pyromecazonic acid.

Trihydroxyquinoxaline (AUTENRIETH and HINSBERG), 1892, A., 734.

Trihydroxystearic acid (ricinolic acid) (HAZURA and (HRUSSNER), 1888, A., 1270.

and GRUSSNER), 1888, A., 1270.

β-isoTrihydroxystearic acid (Grussner and Hazura), 1889, A., 956.

Trihydroxystearic acids (Dieff), 1889, A., 1147.

prepared from ricinoleic and ricinelaidic acids, stereochemistry of (MANGOLD), 1892, A., 1304.

Trihydroxytetrahydrobenzoic (EIJKMAN), 1891, A., 920.

Trihydroxytriphenylcarbinol anhydride. See Rosolic acid (auria).

Trihydroxytritolylethanes(BRUCKNER), 1890, A., 1140.

Trihydroxyxanthogallol (HANTZSCH and Schniter), 1887, A., 925; (Theuren), 1888, A., 1085.

Triketohexamethylene, heautromo-(ZINCKE and KEGEL), 1890, A., 1109.

hexachloro- (ZINCKE and KEGEL), 1889, A., 967.

Triketohydronaphthalene hydrate, dibromo- (ZINCKE and GERLAND),1888, A., 291.

Triketopentamethylene hydrate, dibromo- (LANDOLT), 1892, A., 836.

tribromo- and trichloro- (HANTZSCH), 1888, A., 1190; (LANDOLT), 1892, A., 835.

Triketopiperazines, attempts to prepare (BISCHOFF and NASTYOGEL), 1890, A., 1164.

Triketovaleric acid, trichloro-(HANTZSCH), 1888, A., 1192.

Trilaurin, heats of combustion and formation of (Stohmann and Lang-Bein), 1891, A., 11. Trimellitic acid (benzene-1 2:1-tricarboxylic acid) (Graffe and Rée), 1886, T., 531.

amidosulpho- and sulpho-, salts of (J toobsen and Meyer), 1883, A., 590.

Trimerite from Sweden (FLINK), 1891, A., 404.

Trimesic acid(beniene-1:3 5-tricarboxyluc acid), theimochemistry of (Ston-Mann, Kleber and Langbein), 1889, A., 1096.

synthesis of ethereal salts of (Piuiti), 1887, A., 491.

Trimesitinic acid. See Pyridine-2:4:6tricarboxylic acid.

Trimethintriazimide (Currius and LANG), 1889, A., 370.

1:2:8-Trimethoxybenzene (WILL), 1888, A., 458, 1089.

1:2:4-Trimethoxybenzene (Will), 1888, A., 458; (Schweitzer), 1889, A., 390.

dinitro- (Schweitzer), 1889, A., 390. 1:3:5-Trimethoxybenzene (Will), 1888, A., 457; (Margulies), 1889, A., 497.

Trimethoxyphenylpropionic acid(TAKA-HASHI), 1889, A., 256.

Trimethylacetaldehyde [b.p. 74°—75°] (Tissier), 1891, A., 998.

Trimethylacetaldehyde [b.p. 92°—94°] (GLUCKSMANN), 1892, A., 39.

Trimethylacetamidoxime (FREUND and LENZE), 1890, A., 1388.

Trimethylacetenylammonium salts (Bodd), 1892, A., 807.

Trimethylacetenylammonium hydroxide (SCHMIDT), 1892, A., 905

Trimethylacetethylamide (FRANCHI-MONT and KLOBBIE), 1888, A., 1062. Trimethylacetic acid. See Valeric acid.

Trimethylaceto-diethylamide, -dimethylamide and -methylamide (Franciimon r and Klobbie), 1888, A., 1062.

Trimethylacetonitrile, polymeride of (FREUND and LENZE), 1891, A., 1170.
Trimethylalloxazine (Kuhling), 1891, A., 1342.

Trimethylallylammonium compounds (PARTHEIL), 1890, A., 356.

salts (SCHMIDT and WEISS), 1892, A., 949.

chloride and hydroxide, action of heat on (Collie and Schryver), 1890, T., 776.

hydroxide (SCHMIDT), 1892, A., 905. derivatives of (SCHMIDT and PARTHELL), 1892, A., 950.

THEIL), 1892, A., 950. iodide (H. and A. MALBOT), 1892, A., 1295. Trimethyl//amidobenzophenone

[m. p. 156°] (WICHELHAUS), 1886, A., 362.

Trimethyl//iamidobenzophenone

[m.p. 203 —204] and its nitrosamine (Herzberg and Polonowsky), 1892, A., 185.

Trimethyl-α-amidobutyrobetaine and its derivatives (Duvillier), 1887, A., 792.
Trimethylamidomethylthiazole

(HANTZSCH and WEBER), 1888, A.,

Trimethylamine from coal-gas (WIL-

LIAMS), 1885, A., 369. source of, in ergot of rye (BRIEGER), 1887, A., 394.

pure, preparation of (SCHMIDT), 1892, A., 805.

properties of (v. Hofmann), 1889, A., 688.

heat of formation of (MULLER), 1889, A., 811.

action of isoamylic, isobutylic and captylic iodides on (H. and A. Malbor), 1892, A., 805, 806.

action of, on ethylic bromisovalerate (DUVILLIER), 1890, A., 956.

compound of, with acetic acid (GARDNER), 1890, A., 1156.

alsenious bromide (LANDAU), 1889, A., 211.

aurochloride (ZAY), 1884, A., 286; (HESSE), 1884, A., 577.

carbonyl iodoplatinite hydriodide (MYLIUS and FOERSTER), 1891, A., 1161.

chloriodide (Picter and Kraffr), 1892, A., 1357.

chlororhodate (VINCENT), 1886, A., 311.

ethylenic bromide (Bode), 1892, A., 806.

ethylenic iodide (Schmidt), 1592, A.,

hydrogen diaminechromium thiocyanate (Christensen), 1892, A., 1000.

platinothiocyanate (Guarescui), 1892, A., 286.

vanadates (BAILEY), 1881, T., 693, 694.

physiological action of (COMBEMALE and BRUNELLE), 1892, A., 366.

Trimethyl/soamylammonium chloride and hydroxide, action of heat on (Collie and Schryver), 1890, T., 774.

1:4:3'-Trimethylanthracene (ELBS), 1887, A., 941; 1890, A., 512. Trimethylanthracenes, 1:3:3'- and 1:2:4- (ELBS), 1890, A., 513. Trimethylanthracylene (El.BS), 1890, A., 512.

Trimethylanthragallol (WENDE), 1887, A., 593.

Trimethylanthrammonium compounds (BOLLERT), 1883, A., 1139.

1:2:4-Trimethylanthraquinone (GRES-LY), 1886, A., 1029; (ELBS), 1890, A., 512.

α- and β-nitro-, and dinitro- (ELrs), 1890, A., 513.

1890, A., 513. 1:3:3'- and 1:4:3'-Trimethylanthraquinones (Elbs), 1890, A., 513.

Trimethylazobenzeneammonium iodide (Berju), 1884, A., 1149.

1:3:5-Trimethylbenzaldehyde (FEITII), 1892, A., 329.

1:2:3-Trimethylbenzene. See Hemimellithene.

1:2:4-Trimethylbenzene. See \(\psi\)-Cumene. 1:3:5-Trimethylbenzene. See Mesitylene

1:2:3-Trimethyl-4-benzoic acid (prchnitylic acid) (JACOBSEN), 1886, A., 695.

1:2:3-Trimethyl-5-benzoic acid (acuminic acid; a-isodurylic acid) (JACOBSEN), 1883, A., 52.

1:2:4-Trimethyl-5-benzoic acid (ψ-cuminic acid; durylic acid) (GISS-MANN), 1883, A., 333; (CLAUS), 1890, A., 981.

derivatives of (NEF), 1886, A., 64, 241.

diamido- (NEF), 1888, T., 433. dinitro- (Gissmann), 1883, A., 334.

1:2:1-Trimethyl-6-benzoic acid (y-cuminic acid; y-isodurylic acid) (JACOBSEN), 1883, A., 52

1:3:5-Trimethylbenzoic acid (β-cuminic acid; β-isadurylic acid) (JACOBSEN), 1883, A., 52.

Trimethylbenzophenone (benzoylmesityl-cur) (Louise), 1883, A., 577.

1:2.1-Trimethylbenzoyl-β-propionic acid (ψ-cumyl-γ-ketonecarhoxylic acid) (CLAUS and Schlarb), 1887, A., 827.

Trimethyl-o-benzylbenzoic acids, 1:2:4and 1:3:5- (GRESLY), 1886, A., 1029. Trimethylbismuthine (MARQUARDY),

Trimethylbismuthine (MARQUARDT), 1887, A., 802. Trimethylbrazilin (SCHALL and

Trimethylbrazilin (SCHALL and DRALLE), 1889, A., 56.

Trimethylbutallylcarbinylamine (MER-LING), 1891, A., 1507.

Trimethylisobutylammonium chloride and hydroxide, action of heat on (Collie and Schryver), 1890, T., 773.

Trimethylbutyllactic acid, amido-(Weil), 1886, A., 528, 1009. Trimethylbutyllactic anhydride, amido-. See Dioxytrimethylpyrroline.

Trimethylcarbinol. See tert.-Butylic alcohol.

Trimethylcarbinylcarbinol (amylic alcohol) (Tissier), 1891, A., 998.

Trimethylchlorethylammonium

platinochloride (BODE), 1892, A., 807. Trimethylcolchicinic acid (Zeisel), 1888, A. 613; (JOHANNY and ZEISEL), 1889, A., 283.

Trimethylcolchidimethinic acid (Jo-HANNY and ZEISEL), 1889, A., 283.

Trimethylcopellidinium iodide (Durkopp), 1885, A., 817.

Trimethyldiethylamidobenzene (Ruttan), 1886, T., 813.

Trimethyldihydroindole methiodide (ZATTI and FERRATINI), 1892, A., 614.

Trimethyldihydropyridine (dihydrocolluline), and its salts (HANTZSCH), 1883, A., 84.

2:4:6-Trimethyldihydropyridinedicarboxylic acid, ethyl salt of (Collie), 1885, A, 374.

1':3':4'-Trimethyldihydroquinoline (FISCHER and STECHE), 1888, A., 299; (ZATTI and FERRATINI), 1890, A., 1292; 1892, A., 614; (FISCHER and MEYER), 1890, A., 1421.

Trimethyldihydroxyethylammonium salts (Bode), 1892, A., 807.

Trimethyldipiperidyl (LIEBRECHT), 1887, A., 162.

Trimethylene (TORNÜE), 1888, A., 665.
preparation of (LELLMANN and WURTHNER), 1885, A., 978; (Gustavson), 1888, A., 240.

constitution of (BRUHL), 1892, A., 1163.

relation between the spectrometrical constant and chemical constitution of (BRUHL), 1891, A., 631.

liquefaction of (Moltschanowski), 1889, A., 1126.

action of chlorine on (Gustavson), 1891, A., 159.

bases (NIEDERIST), 1883, A., 450. derivatives (Perkin), 1884, A., 1154; 1885, T., 801.

bromhydrin (FRUHLING), 1883, A., 42.

diphenyl ether (Lohmann), 1891, A., 1468.

glycol. See 1:3-Propylene glycol. inercaptan (HAGELBERG), 1890, A., 949.

methyl ketone (Perkin), 1885, T., 835.

Trimethylene, mono- and di-chloro-, action of bromine on (Gusryson), 1891, A., 888.

chloro, and some allied compounds, reaction capacity of (Gusi Vison), 1891, A., 888.

dichloro- and its dibromide (Gustav-son), 1891, A., 159, 888.

Trimethylenebenzylamidine (v. Hof-MANN), 1888, A., 1051.

Trimethylenecarbamide (FISCHER and KOCH), 1886, A., 527.

Trimethylene-\(\psi\-carbamide\) (GARRIEL and LAUER), 1890, A., 473; (LAUER), 1890, A., 1090.

Trimethylenecarboxylic acid, and its derivatives (Perkin), 1884, A., 832; 1885, T., 815.

Trimethylenediamine (FISCHER and KOCH), 1884, A., 1289; 1886, A., 527.

condensation products from (STRACHE), 1888, A., 1174.

derivatives (FISCHER and KOCH), 1884, A., 1289; 1886, A., 527; (STRACHE), 1888, A., 1172; (GA-BRIEL), 1889, A., 486; (GOLDEN-RING), 1890, A., 976.

thiocyanate (LELLMANN and WURTH-NER), 1885, A., 978.

Trimethylenedicarbamide (FISCHER and KOCH), 1886, A., 528.

Trimethylenedicarbanilic chloride and anilide (HANSSEN), 1887, A., 578.

a-Trimethylene-1:1-dicarboxylic acid (othylenemalonic acid; rundeonic acid; rundeonic acid; rundeonic acid; rundeonic acid; runylmalonic acid) (Fitting and Roeder), 1883, A., 730; 1881, A., 832, 992; 1885, T., 810; A., 1019; 1886, A., 688; 1887, T., 819; (Roeder; Fittid), 1855, A., 653; (Bucher, Fittid), 1875, A., 653; constitution of (Roeder, Fittid)

constitution of (Roeder; Firm), 1885, A., 653.

action of bromine on (FIITIG and MARBURG), 1886, A., 224.

action of hydrolonnic acid on (Pin-Kin), 1885, T., 814.

salts of (PERKIN), 1885, T., 810.

ethyl salt of (Perkin), 1884, A., 832; 1885, T., 807.

S-Trimethylene-1 2-dicarboxylic acid (alloitaconic acid) (CONRAI) and GUTHIZEIT), 1884, 4, 992; (BUCH-

NER), 1890, A., 736. anhydride of (CONRAD and GUTH-ZEIT), 1884, A., 992.

Trimethylenedicarboxylic acids, melting points of (Stohmann and Kleber), 1892, A., 1040.

Trimethylenediethylalkine (hydroxypropyldiethylamine) (Berend), 1881, A., 1115.

Trimethylenediethyldisulphone (Stur-MRR), 1891, A., 181.

Trimethylenedinitramine (FRANCHI-MONT and KLOBBIE), 1889, A., 492.

Trimethylenediphenylcarbamide (HANSSEN), 1887, A., 577.

Trimethylenediphenyldiamine and its derivatives (HANSSEN), 1887, A., 577. Trimethylene-diphthalamic acid and

diphthalimide (Gabriel and Weiner), 1888, A., 1292.

Trimethylenedisulphonesulphide (CAMPS), 1892, A., 592.

di- and hexu-bromo- (CAMPS), 1892, A., 593.

Trimethylenedisulphonic acid. See 1:3-Propanedisulphonic acid.

Trimethyleneditolyldisulphone (Otro), 1891, A., 1229.

Trimethylenediurethane (FISCHER and KOCH), 1886, A., 527.

Trimethylene-ethenyldiamine (v. Hor-MANN), 1888, A., 1050.

Trimethyleneimine (GABRIEL and WEINER), 1888, A., 1293; (LADEN-BURG and SIEBER), 1890, A., 1394.

Trimethyleneoxamide (STRACHE), 1888, A., 1174.

Trimethylenephenyl-carbamide and thiocarbamide (Goldenning), 1890, A., 977.

Trimethylenephenyldiamine (BAL-BIANO), 1889, A., 1215; 1890, A., 1211; (GOLDENRING), 1890, A., 977.

tumethylenephenylthiocarbamata (BALBIANO), 1890, A., 1241.

Trimethylenepolycarboxylic acids, thermochemistry of (Stohmann and Kleber, 1892, A., 1041.

Trimethylene-ring, existence of (Per-KIN), 1881, A., 992.

Trimethylene-ψ-selenocarbamide hydrobromide (ΒΑRINGER), 1890, A, 880.

Trimethylene-1-1:2:2-tetracarboxylic acid (Guthzelf and Dressel), 1890, A., 879.

thermochemistry of (STOHMANN and KLEBER), 1892, A., 1011.

Trimethylene-1:1:2:3-tetracarboxylic acid and its salts (Perkin), 1884, A., 1300; 1885, T., 823.

Trimethylene-1:2:1:3-tetracarboxylic acid. See Propargylenetetracarboxylic acid.

Trimethylene-α-tetramethylenedipyrroline (PAAL and SCHNEIDER), 1887, A., 273, Trimethylenethiocarbamide (LELL-MANN and WURTHNER), 1885, A., 978.

Trimethylene-ψ-thiocarbamide ((ξα-RRIEL and LAUER), 1890, A., 473; (LAUER), 1890, A., 1090.

Trimethylene-o- and -p-tolyldiamines (Balbiano), 1889, A., 1216.

Trimethylene-1:1:2-tricarboxylic acid (CONRAD and GUTHZEIT), 1884, A., 992; (PERKIN), 1884, A., 1800. constitution of (MICHAEL), 1887, A.,

468.

Trimethylene-1:2:3-tricarboxylic acid and its salts (Perkin), 1885, T., 823, 826.

s-Trimethylene-1.2:3-tricarboxylic acid (ψ-aconitic arid) (SCHACHERL), 1885, A., 1125; (BUCHNER), 1888, A., 1274; (BUCHNER and WITTER), 1890, A., 1397.

s-Trimethylene-1:2:3-tricarboxylic anhydride (Buchner), 1888, A., 1274. Trimethylenetrinitrosamine (MANER)

Trimethylenetrinitrosamine (MAYER), 1889, A., 33.

Trimethylenetrisulphone (BAUMANN and CAMPS), 1890, A., 478; (CAMPS), 1892, A., 591.

hexabromo-, and hexachloro- (CAMPS), 1892, A., 592.

Trimethylenic bromide (1:3-dibromopropune), action of ammonia on (Niederist), 1883, A., 450.

action of, on ethylic sodacetoacetate (Penkin), 1886, A., 689.

action of, on ethylic sodethylacetoacetate (KIPPING and PERKIN), 1890, T., 30.

action of, on the sodium compounds of othylic acctacectate, henzoylacetate, p-nitrobenzoylacetate and acctonedicarhoxylate (PERKIN), 1887, T., 702; P., 55; A., 32.

conversion of, into propylene bromide (Gustavson), 1888, A., 240.

chlorobromide, action of aromatic amines and amides on (PINKUS), 1892, A., 1491.

cyanide (glutaronitrile), magnetic rotatory power of (Perkin), 1889, T., 702.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

heats of combustion and formation of (Berthelot and Petit),1889, A., 812.

boiling points of (KRAFFT and NOERDLINGER), 1889, A., 690. imido-ethers from (PINNER), 1891, A., 61.

Trimethylenic iodide (Perkin), 1885, A., 495; 1887, T., 12; (Henry), 1885, A., 736.

preputation of (KEPPLER and MEYER), 1892, A., 1062.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

reaction of, with aniline (BISCHOFF and NASTVOGEL), 1890, A., 1164.

phenylimidophenylthiocarbamate (FOERSTEE), 1888, A., 946.

selenide and selenocyanate (HAGEL-BERG), 1890, A., 950.

sulphide (Hagelberg), 1890, A., 949.

tetrusulphide (BAUMANN), 1890, A., 1093.

thiocyanate (Hagelberg), 1890, A., 919.

Trimethylethylammonium salts, diand tri-bromo- (Bode), 1892, A., 806.

salts, β-iodo- (Schmidt), 1892, A., 808.

chloride, action of heat on (Collie and Schryver), 1890, T., 768.

heptiodide (GEUTHER), 1887, A., 910.

Trimethylethylbenzenesulphonic acids (Töhl and v. Karchowski), 1892, A., 990.

Trimethylethylene. See β-isoAmylene. Trimethylethylic alcohol (amylic alcohol) (TISSIER), 1891, A., 998.

Trimethylethylic trimethylacetate (TISSIER), 1891. A., 998.

Trimethylethylphosphonium chloride, action of heat on (Collie), 1888, T., 717.

1:3:3'-Trimethyl-2'-ethylquinoline (V. Miller), 1890, A., 1326.

Trimethylethyltetrahydroquinoline (v. Miller), 1890, A., 1327.

Trimethylgallamide, and its reduction (MARX), 1891, A., 1218.

Trimethylgallic acid (WILL), 1888, A., 1090.

nitration of (Schiffer), 1892, A., 716.

Trimethylgallyl alcohol (MARX), 1891, A., 1219.

Trimethylglutaric acid (AUWERS and MEYER), 1890, A., 480.

Trimethylglutario anhydride and its a-bronno-derivative (Auwers and Meyeu), 1890, A., 480.

Trimethylglyoxaline (v. Pechmann), 1888, A., 812. Trimethylguanicil (Curatolo), 1891,

A., 539.

Trimethylhexadecylbenzene (KRAFFT and Gottie), 1889, A., 130.

Trimethylhexahydropyridine. See Trimethylpiperidine.

Trimethylhexenylammonium iodide (MERLING), 1891, A., 1507.

Trimethylhomophthalimide and its derivatives (Gabriell, 1887, A., 726.

Trimethylhydrastylammonium iodide (FREUND), 1889, A., 1221.

Trimethylhydroamarine (CLAUS), 1883, A., 203.

Trimethylhydroxy-. See Hydroxy-trimethyl-.

Trimethylic chloraurophosphite (Linder), 1887, A., 227.

1 2':3'-Trimethylindole (Wolff), 1889, A., 259.

3:2':3'-Trimethylindole (Wolff), 1889, A., 259.

1':2':3'-Trimethylindole (FISCHER), 1886, A., 806; (DEGEN), 1887, A., 149.

Trimethyllactic acid (GLUCKSMANN), 1890, A., 237; 1892, A., 38.

Trimethyl-leucine, poiodide of, and the action of silver hydroxide on (Kohner and Menozzi), 1884, A., 425.

Trimethylmelamine (KLASON), 1886, A., 522.

Trimethylisomelamine (v. Hofmann), 1886, A., 42.

Trimethylnaphthalene (MASCHKE), 1887, A., 841.

Trimethylisooxazole (Dunstan and Dymond). 1891, T., 413, 429.

o-Trimethylphenolammonium iodide (Hantzsch), 1883, A., 1111.

Trimethylphenylethyl ketone. See Propionylmesitylene.

Trimethylphenylacetic acids, 2:4:5-, and 2 4:6-, and their amides (CLAUS), 1890, A., 981.

Trimethyl-p-phenylenediamine (Grimaux and Leeftvre), 1891, A., 1032.

2:4:5-Trimethylphenylglyoxylic acid (CLAUS), 1890, A., 981.

Trimethylphenylmethane. See tert.-Butylbenzene.

Trimethylphloroglucinol. See 1:3:5-Trimethoxybenzene.

Trimethylphosphobenzobetaine, and its salts (MICHABLIS and CZIMATIS), 1883, A., 55.

2-4:6-Trimethylpiperidine (copellictine) (JAECKLE), 1888, A., 1101. iodo-(FISCHER), 1884, A., 1291.

Trimethylpropylammonium salts (Schmidt and Weiss), 1892, A., 949. bromide, dibromo- (Schmidt and Partheil), 1892, A., 950.

Trimethylpropylammonium chloride and hydroxde, action of heat on (Collie and Schryner), 1890, T., 771.

hydroxide (LANGELI), 1887, A., 461. iodide (LANGELI), 1887, A., 401; (II. and A. MALBOT), 1892, A., 1294.

γ-iodo- (Parthell.), 1890, A., 357; (Schmidt and Parthell.), 1892, A., 950.

Trimethylisopropylammonium chloride and hydroxide, action of heat on (Collie and Schryven), 1890, T., 772.

iodide (H. and A. Malbot), 1892, A., 1295.

Trimethylpropylphenylammonium iodide (CLAUS and HOWITZ), 1884, A., 1006.

Trimethylpropylpyrogallol (WILL), 1888, A., 1090.

2:4:6-Trimethylpyridine (γ-collidine) (HANTZ9CH), 1883, A., 83.

from coal-tar (Mouler), 1888, A., 727.

3:5-dibromo- (Pfeiffer), 1887, A., 844.

2:4:6-Trimethylpyridine-3-carboxylic acid (collidinecarboxylic acid) (MICHAEL), 1885, A., 62.

betaine of (Hanizson), 1886, A., 369. oxidation products of (Michael), 1885, A., 60.

2:4:6-Trimethylpyridinedicarboxylic acid (colluli wedicarboxylic wold) (Hantzse II), 1883, A., 83.

oxidation-products of (HANTZSCH), 1883, A., St.

hydrochloride, decomposition product of (HANTZSCH), 1885, A., 397. 1:2:6-Trimethylpyridone (methyl-

lutidone) (CONRAD and GUTHZEIT), 1887, A., 500; (CONRAD and ECK-HARDT), 1889, A., 519.

1:2:6-Trimethylpyridone-3:5-dicarboxylic acid (Connath and Gurnzeur), 1887, A., 500.

Trimethylpyrogallocarboxylic acid (Will), 1888, A., 1090.

Trimethylpyrogallol. See 1:2:3-Trimethoxybenzene.

Trimethylpyrrolidine (WEIL), 1886 A., 529.

1:2:5-Trimethylpyrrolidine (TAFEL and NEUGEBAUER), 1890, A., 1001.

1:1:2-Trimethylpyrrolidyl salts (MERII-ING), 1891, A., 1506. Trimethylpyrrolidyl iodide (CIAMICIAN and MAGNAGHI), 1885, A., 1243.

Trimethylpyrroline [b. p. 150°-165°] (CIAMICIAN and ANDERLINI), 1889, Λ., 728.

1:2:5-Trimethylpyrroline [b. p. 173°] (Knorr), 1887, A., 275.

1:2:5-Trimethylpyrroline-3:4-dicarboxylic acid (Knorr), 1885, A., 555. Trimethylpyruvic acid (GLÜCKSMANN), 1890, A., 237.

1:3:4-Trimethylquinoline and its salts

(Berend), 1885, A., 558.

1:3:2'-Trimethylquinoline and its derivatives (Panajorow), 1887, A., 381. 2:3:2'-Trimethylquinoline (BEREND; MERZ), 1884, A., 1053.

2':3':4'-Trimethylquinoline (COMBES).

1888, A., 505.

3:2':3'-Trimethylquinoline (v. Miller), 1890, A., 1326; 1891, A., 1095.

3:2':4'-Trimethylquinoline and its derivatives (Pritzinger), 1885, A., 1246; 1888, A., 1207; (COMBES), 1888, A., 505.

derivatives of (PFITZINGER), 1885, A., 1246.

Trimethylquinolinealdehyde HORN), 1886, A., 264.

1:3:2'-Trimethylquinolinesulphonic acid (PANAJOTOW), 1887, A., 381.

Trimethylquinoxaline (dimethyltoluquinoraline) (v. Pechmann), 1888, A., 812.

Trimethylsuccinic acid (Bischoff and Mintz), 1890, A., 743; (Bischoff), 1890, A., 1099; 1891, A., 828; (Auwers and Köbner), 1891, A., 1016.

relative properties of dimethylglutaric acidand (Zelinsky and Besnenka), 1891, A., 669.

Trimethylsuccinic acids, stereoisomeric (Zelinsky and Beskenka), 1891, A., 669.

preparation Trimethylsulphine, of (CARRARA), 1892, A., 1422.

haloid-derivatives of (DOBBIN and

Masson), 1885, T., 56.

salts, action of the halogens on (DOBBIN and MASSON), 1885, T., 56.

cyanide (PATEIN), 1890, A., 881. iodide (KLINGER and MAASSEN), 1889, A., 1135; (DAVIES), 1892, A., 300.

ethyltaurine, preparation (JAMFS), 1885, T., 372. Trimethyltaurine, οſ decomposition of, by alkali (JAMES),

1886, T., 486.

1:3:2'-Trimethyltetrahydroquinoline (Panajorow), 1887, A., 381.

Trimethylthiazole (HANTZSCH), 1890 A., 1238; (Rubleff), 1891, A., 223.

Trimethylthiohydantoin (MARCKWALD, NEUMARK and STELZNER), 1892, A., 151.

νβ-Trimethyl-μ-thiomethoxyglyoxalone (MARCKWALD, NEUMARK and STELZ-NER), 1892, A., 153.

2:3:4-Trimethylthiophen (Zelinsky), 1887, A., 921.

2:3:4-Trimethylthiophen-5-carboxylic acid (GATTERMANN), 1888, A., 575.

Trimethyl-tricoumaric acid and -tricoumarin (HANTZSCH and ZURCHER), 1887, A., 830.

Trimethyltrimethyleneammonium bromide (PARTHEIL), 1890, A., 357.

Tri-2'-methyltritetrahydroquinolylmethane (v. Miller), 1891, A., 1103.

Trimethyluracil (BEHREND), 1886, A., 339; 1890, A., 31; (HAGEN), 1888, A., 582; (HOFFMANN), 1890, A., 31. amido-, and chloro- (HAGEN), 1888,

A., 582. Trimethyluric acid (FISCHER), 1884.

A., 1309. Trimethylvinylammonium salts (Bode),

1892, A., 806. salts, bromo- (Bode), 1892, A., 807.

hydroxide, physiological action of (BRIEGER), 1884, A., 1202; (CER-VELLO), 1885, A., 925; 1888, A., 309.

Trimethylxylidine iodide (MENTON), 1891, A., 1205.

Trimyristin (REIMER and WILL), 1885, A., 1197.

heats of combustion and formation of (STOHMANN and LANGBEIN), 1891, Λ., 11.

Trinaphthylcarbinol, synthesis of (Elbs), 1883, A., 1000.

Tri-α-naphthylguanidine (EVERS), 1888, A., 601.

Trinaphthylic phosphates, α and β -(HEIM), 1883, A., 1108.

Tri- α -naphthylmelamine (FRIES), 1886, T., 315.

Tri- β -naphthylpararosaniline (MELnola), 1883, A., 807.

Trioctylamine (tricaprylamine) (MERZ and Gastorowski), 1884, A., 984.

Triolein, distillation of, under pressure (ENGLER), 1889, A., 586.

action of strong sulphuric acid on (CHETTEL), 1888, A., 578.

Trional (BAUMANN and KAST), 1889, A., 1233.

Triopianide, and the action of bromine and of nitric acid on (WEGSCHEIDER), 1883, A., 997.

Trioxymethylene. See Paraformaldehyde under Formaldehyde.

Triphenetylarsine (truthoxyphenylcresine) (Mich verts and Weirz), 1887, A., 367.

Triphenodioxazine, formation of (Sei-DEL), 1890, A., 490.

Triphenol-aluminium chloride (Chaus and Merckin), 1886, A., 145.

Triphenylacetamidine (LUCKENBACH), 1884, A., 1135.

Triphenylacetic acid, and its sulphoderivative (Elbs and Tolle), 1886, A., 352.

Triphenylallylpyrrolone, crystallography of (Turron), 1890, T., 718.

Triphenylamidobenzene (Monr), 1890, A., 611.

Triphenyl/riamidobenzene (MINUNNI), 1888, A., 1081.

nitioso- (Minunni), 1891, A., 190. Triphenylamidomethane and its derivatives (Elds), 1881, A., 1031; (v. Hemilian and Silberstin), 1884, A., 1032.

action of halogens on (v. HEMILIAN and SILBERSTEIN), 1884, A., 1033.

Triphenylamine (HEYDERGH), 1885, A., 1213.

derivatives of (HEYDRICH), 1886, A., 553.

mono- and di-amido- (HERA), 1890, A., 1109.

triamido- (HEYDRICH), 1885, A., 1213.
mono-, and di-nitro- (HERZ), 1890.

A., 1409.

trinitro- (HEYDREH), 1885, A., 1213.
Triphenylaminetrisulphonic acid

(Herz), 1890, A., 1110.
Triphenylarsine and the corresponding antimony-compound, preparation of (Megarums and Refs.), 1883, A., 327.

hydroxymitato (Brekmen), 1886, A., 618.

oxide (PHILIPS), 1886, A., 615.

triamido- (PHILLES), 1886, A., 618. s-Triphenylbenzeno (MELLES), 1890,

A., 1423. synthesis of (Dillache), 1892, A., 993.

tetramido-, and tetranitro- (Millin), 1890, A., 1123.

Criphenylbenzenedisulphonic acid (MELLIN), 1890, A., 1424.

Priphenylbenzoylpropionic acid (ovylepidenic acid) (JAPP and KLINGE-MANN), 1859, P., 139; 1590, T., 690. crystallography of (TUTION), 1890, T., 747. Triphenylbismuthine, and its dibromide and dichloride (Michaells and Polis), 1887, A., 368; (Michaells and Minquandt), 1889, A., 1061.

Triphenylbutyrolactone (JAPP and KLINGEMANN), 1889, P., 138; 1890, T., 680.

Triphenylcarbamide, m- and p-nitro-(Lelimannand Bonhoffer), 1887, A., 936.

thio-(Paschkowetzky), 1892, A., 164. Triphenylearbinol, synthesis of (Elbs.), 1883, A., 1000.

p-amido- (v. BAEYER and LOHR), 1890, A., 1141, 1142.

triamido. See para Rosaniline. m-nitro- (TSCHACHER), 1888, A.,373. p-nitro- (V. BARYER and LOHR), 1890,

p-nitio- (v. BAEYER and LOHR), 1890, A., 1111. Triphenylcarbinolearboxylic acids (v.

Hemilian), 1884, A, 323.
Triphenylcarbinoldicarboxylic acids

(v. Hlmilian), 1887, A., 267. Triphenylcarbinyl bromide. See Triphenylmethane, bromo-.

Triphenylcarbinyldimethylcarbinol (Willebron and Genieser), 1888, A, 811.

Triphenylearbinylmono- and dimethylamine and their iodine-compounds (v. Hemelean and Steber-Stein), 1884, A., 1033.

Triphenylerotolactone, oxidation, reduction and chemical reactions of (Japp and Klincemann), 1889, P., 137; 1890, T., 678.

erystallography of (Turion), 1890, T, 716

2:1 5-Triphenyl-m-diazine, 6-amido-(WACHL), 1889, A., 684.

Triphenyldicarbimide (RATHER and OPPENHEM), 1890, A., 1125.

Triphenyldiethyldithiobiuret (BILLE-II R and STROII), 1888, A., 365. Triphenyldiguanide (RALLER and

Triphenyldiguanide (RATHAE) an Oppraulium), 1890 A. 1126.

Triphenyldimethylamidophosphino (SCHINK and MICHALLIS), 1888, A., 835.

Triphenyldimethylethyl ether (Willi-Gleoni and Schief), 1890, A., 959.

Triphenyl-dimethyl- and -dipropyl-dithiobiurets (BHARTER and STROMA), 1888, A., 365.

Triphenylethane (Comprs), 1881, A., 837.

Triphenylethenyltrisulphone (LAVES), 1892, A., 612.

Triphenylethophenazonium hydroxide, amido-(KLHEMANN and MESSINGER), 1892, A., 1109. Triphenylethylamine, and its hydrochloride (Elbs), 1884, A., 1031.

Triphenylethylenesemithiocarbazide (Burchard), 1890, A., 251.

Triphenylethylpropylelithiobiuret (Billeten and Strohl), 1888, A, 365.

3:3:5-Triphenyl-1-ethylpyrroline (JAPP and KLINGEMANN), 1890, T., 704. crystallography of (TUTTON), 1890, T., 730.

action of bromine on (JAPP and KLINGEMANN), 1890, T., 705.

bromo-, crystallography of (TUTTON), 1890, T., 736.

Triphenylfurfuran (lepiden) (SMIFH), 1890, T., 645.

oxidation and reduction of (JAPP and KLINGEMANN), 1890, T., 675.

tribromo- (JAPP and KLINGEMANN), 1890, T., 713.

chloro-, reduction of (JAPP and KLINGEMANN), 1890, T., 674.

Triphenylglyoxaline (Inphin), constitution of (JAPP), 1883, T., 9. oxidation of (JAPP), 1883, T., 15. reduction of (ZAUNSCHIRM), 1888, A., 1078.

a-Triphenylguanidine (Hentschel), 1883, A., 1107.

a physical peculiarity of (GIRAUD), 1887, A., 366.

action of ethoxalyl chloride on (v. STOJENTIN), 1884, A., 1159.

picrate (Prelinger), 1892, A., 950. α-Triphenylguanidine, m-nitro- and m-trinitro-, and its hydriodide (LOSANITSCH), 1883, A., 582.

B-nitro-, dayanide (Hirsch), 1888, A., 947.

Triphenylguanylthiocarbamide and dicyanodiamide (RATHKE and OPPEN-HEM), 1890, A., 1125.

1:2:3-Triphenyl-1:2-hydronaphthazonium hydroxide (Fischier and Busch), 1891, A., 1109.

Triphenyl-γ-hydroxybutyric acid JAPP and KIANGEMANN), 1889, P., 188; 1890, T., 680.

αβδ-Triphenyl-γ-hydroxypropylideneacetethylamide and -acetic acid (Cons), 1892, A., 481.

Triphenylic phosphate, trinitro- (RAPP), 1884, A., 1838.

phosphite (Noack), 1883, A., 735; (Anschutz and Emeny), 1890, A., 34.

thiophosphate (Anschutz and Emery), 1890, A., 35.

1-eso-Triphenylmelemine (RATHKE), 1888, A., 591.

2-cso-Triphenylmelamine and its derivatives (v. HOFMANN). 1886, A., 233. 3-cso-Triphenylcsomelamine (v. Hor-

B-eso-Triphenylisomelamine (v. Ногмамм), 1886, А., 233; (КАТИКЕ), 1887, А., 663.

derivatives of (v. Hofmann), 1886, A., 233.

n-Triphenylmelamine (V. HOFMANN), 1866, A., 41, 233; (Klason), 1886, A., 522.

ψ-Triphenylmelamine, nature of (Bubnéus), 1890, A., 1254.

Triphenylmelamines, formula of (RATHKE), 1887, A., 650.

Triphenylmethane, preparation of (Linebarger), 1892, A., 719.

synthesis of (Elbs), 1883, A., 1000; (GRIEPENTROG), 1886, A., 887. spectrum of (HARTLEY), 1887, T.,

spectrum of (HARTLEY), 1887, T., 162.

action of bromine on (Kolliker), 1885, A., 990.

action of potassium on (HANRIOT), 1889, A., 882.

condensation of, with chloroform (LINEBARGER), 1892, A., 722.

hydrogenation of (Golenkin), 1888, A., 483.

oxidation of (HANRIOT and SAINT-PIERRE), 1890, A., 168.

derivatives of (Renoup), 1883, A., 981; (Ullmann), 1885, A., 1236; 1888, A., 288; (Kock), 1887, A., 886.

violet derivatives of (FISCHER and GERMAN), 1883, A., 1097; (FISCHER and KÖRNER), 1884, A., 606, 749.

and its homologues, hydroxynitroderivatives of (Bertoni), 1891, A., 1378.

Triphenylmethane, 1-amido- (triphenylmethylamine) (Elbs), 1883, A., 1000; 1881, A., 1031; (NAUEN), 1881, A., 899.

o anndo- (Fischer and Fränker), 1885, A., 56.

p amido- (v. BARYER and LOHE), 1890, A, 1111.

diamido-, preparation of (MAZZARA), 1885, A., 901; (ULLMANN), 1885, A., 1236.

action of phenols on (MAZZARA), 1885, A., 800.

action of potassium nitrite on (MAZ-ZARA), 1885, A., 800, 904.

triamido. See para Loucaniline.

bromo-, action of, on ethylic sodiomalonate (HEYDERSON), 1886, P., 251; 1887, T., 224.

reactions of (Elbs), 1883, A., 1000; 1884, A., 1020.

Triphenylmethane, bromo-, derivatives of (ALLEN and KOLLIKER), 1885, A., 655; (Kölliker), 1885, A., 990. o-cyano- (Drory), 1891, A., 1461. m-nitro- (TSCHACHER), 1887, A., 44;

1888, A., 373. p-nitro- (v. BAEYER and Löhr), 1890,

Δ., 1141. thiocyano- (Elbs), 1884, A., 1030.

Triphenylmethaneanhydrocarboxylic acid (v. Hemilian), 1881, A., 323.

Triphenylmethane-o-carboxylic (GRESLY), 1886, A., 1035; (Fischer and Franket), 1888, A., 56; (Drory), 1891, A., 1462.

Triphenylmethane-2:4-dicarboxylic acid (v. Hemilian), 1887, A., 267. Triphenylmethane-3:4-dicarboxylic

acid (v. Hemilian), 1884, A., 323. Triphenylmethane-group, dyes of the (NOLTING), 1891, A., 727; 1892, A.,

Triphenylmethylaniline (ELBs), 1884, A., 1031; (v. HEMILIAN and SIL-BERSTEIN), 1884, A., 1033.

nitroso- (ELBs), 1884, A., 1031.

Triphenylmethylanilinesulphonic acid (Elbs), 1884, A., 1032.

Triphenylmethylazimethylene TIUS and RAUTERBERG), 1891, A., 1360.

Triphenylmethylbenzylamine and its hydrochloride (ELBs), 1884, A., 1031.

Triphenylmethylpropyldithiobiuret (BILLETER and STROHL), 1888, A., 365.

Triphenylmethylpyrazine (Knork and LAUBMANN), 1888, A., 725.

3:3:5-Triphenyl-1-methylpyrrolidone (JAPP and KLINGEMANN), 1889, P., 140; 1890, T., 701.

3:3:5-Triphenyl-1-methylpyrrolone (JAPP and KLINGEMANN), 1889, P., 140; 1890, T., 698

crystallography of (Turron), 1890, T., 721.

action of biomine on (Japp and KLINGEMANN), 1890, T., 699.

oxidation of (JAPP and KLINGEMANN), 1890, T., 701.

bromo-, crystallography of (Tutton), 1890, T., 728.

Triphenylmethyl-p-toluidine, nitroso-(Witrien), 1884, A., 1032.

Triphenylmethyltoluidines (Wittien), 1884, A., 1032.

Triphenyl-8-naphthyl-carbamide and -thiocarbamide (Paschkowetzky), 1892, A., 165, 167.

Triphenyltrinitrophloroglucinol (JACKson and Warren), 1891, A., 1026.

Triphenylosotriazone (Auwers and Meyer), 1889, A., 51.

Triphenylphloroglucinol (Hodgkinson), 1886, P., 189.

Triphenylphosphine and its derivatives (MICHAELIS and V. Soden), 1885, A., 1134.

Triphenylphosphine oxide, nitro- and amido- (MICHARLIS and V. SODEN), 1884, A., 1180.

Triphenylphosphoryl dibromide (No-ACK), 1883, A., 736.

Triphenylphosphoryl dichloride (AN-SCHUIZ and EMERY), 1890, A., 35.

1:2:3-Triphenylpropane (CLAUS and MERCKLIN), 1886, A., 143.

Triphenylpropenyldisulphone sulphide OTTO and Rossing), 1891, A., 568.

Triphenylpropenyltrisulphone (STUF-FER), 1890, A., 988.

B-Triphenylpropionic acid and its salts (HENDERSON), 1887, T., 226; A., 671. Triphenylpropylpyrrolone, erystallo-

graphy of (Tuiton), 1890, T., 738. 1:3:5-Triphenylpyrazole and its derivatives (Knork and Laubmann),

1888, A., 725. methiodide (Knorr and Laubmann), 1888, A., 725.

1:4:5-Triphenylpyrazole (JAPP and KLINGEMANN), 1889, P., 141; 1890, T., 710.

1:3:5-Triphenylpyrazoline and its derivatives (Knork and LAUBMANN), 1888, A., 725.

2:4:6-Triphenylpyridine (RIEHM), 1887, A., 599.

3:3:5-Triphenylpyrrolidone (JAPP and KLINGEMANN), 1889, P., 140; 1890, T., 683, 696.

1:2:5-Triphenylpyrroline (BAUMANN), 1887, A., 736; (KAPF and PAAL), 1889, A., 119.

2:3:5 Triphenylpyrroline (SMITH), 1590, T., 615.

1:15-Triphenylpyrrolone MANN), 1892, A., 1003.

3:3:5-Triphenylpyrrolone and its reduction (Jappand Klingemann), 1889, P., 140; 1890, T., 694.

and its derivatives, crystallography of (Turron), 1890, T., 720.

Triphenylrosanilines, trichloro- (HEU-MANN and HEIDLBERG), 1886, A., 943.

Triphenyl-silicol and -silicon chloride (Polis), 1886, A., 619.

Triphenylstibine and its derivatives (MICHAELIS and REESE), 1886, A., 885. Triphenylsulphone-bromo- and -chloromethanes (LAVES), 1892, A., 611.

Triphenylsulphonemethylmethane (LAVES), 1892, A., 612.

Triphenylsulphonepropane (STUFFER), 1890, A., 988. thio- (Otro and Rössing), 1891, A.,

568.

Triphenyltetrahydropyrazine (GARZINO), 1892, A., 631.

Triphenylthiammeline (RATHKE), 1887, A., 662; (RATHKE and OPPENHEIM), 1890, A., 1126.

Triphenylthiazole (Hubacher), 1891, A., 222.

Triphenylthiocarbamide (GEBHARDT), 1884, A., 1321.

Triphenylthiophen (SMITH), 1890, T., 647.

Triphenylisotriazone (Layers and Siegreld), 1892, A., 1471.

Triphenyltrisodiophloroglucinol (Hodokinson), 1886, P., 189.

Tripiperidylmelamine (v. HOFMANN), 1886, A., 41.

Triplite from South Dakota (EAKINS), 1892, A., 1106.

See also Manganese phosphate.

Tripropylamine (Vincent), 1886, A., 1005.

magnetic rotatory power of (Perkin), 1889, T., 694.

molecular refraction and dispersion of (GLADSTONE), 1891, T., 298.

Trisspropylidenetrisulphone (BAU-MANN and FROMM), 1890, A., 26.

Tripyridine disilicotetra uoride (Comey and Smith), 1888, A., 1283.

"Triquinaldyloarbinol" (GATTERMANN and WICHMANN), 1889, A., 504.

Triquinoyl (NIETZKI and BENCKISER), 1885, A., 781.

Triquinoylmothane and its derivatives (NoLTING and SCHWARTZ), 1891, A., 1106; (RHOLL-SOPORLOS), 1891, A., 1201.

hydriodide (Ruoussorottos), 1853, A., 600.

Triquinylearbinol (Noilting and Schwartz), 1891, A., 1106.

Trisalicylin (FRITSCH), 1891, A., 708. Trisilicobenzoylsilicic acid (Polls), 1886, A., 618.

Trisulphones (FROMM), 1890, A., 55; (LAVES), 1892, A., 153.

formation of, from disulphones (IAVES), 1892, A., 613, 850.

Trithienyl and its hexabromide, /ribromotrithienyl and trithienyltrisulphonic acid (RENARD), 1891, A., 427.

Trithionates. See under Sulphur.

Triticin, molecular weight of (EKSTRAND and MAUZELIUS), 1890, A., 227.

Trithymyl cyanurate (Orro), 1887, A., 1034.

Tritochlorite (Penfield), 1884, A., 24, Tri-p-tolyltriamidobenzene (Minun-Ni), 1888, A., 1081.

nitroso- (MINUNNI), 1891, A., 190, Tri-p-tolyltriamidonaphthalene

(FISCHER and HEPP), 1890, A., 910. Tri-p-tolylbenzene and tribrono- and

trinitro- (CLAUS), 1890, A., 769.
Tri-p-tolylbismuthine, and its derivatives (MICHAELIS and MARQUARDT),

1889, A., 1061.

Tri-p-tolylbiuret (Kuhn and Henschel), 1888, A., 471.

Tri-p-tolylcarbamide (HAMMERICH), 1892, A., 1083.

Tri-p-tolylguanidine, dieyano-, and its salts (BLADIN), 1884, A., 1141.

Tritolylic cyanurates, o-, m- and p- (Orro), 1887, A., 1033.

Tri-o-tolylic phosphate (HeIM), 1883, A., 1108.

Tri-p-tolylic phosphate (RAPP), 1884, A., 1338.

Tri-p-tolylmelamine (KLASON), 1886, A., 523.

Tritolylstibines, o., m. and p., and their derivatives (MICHAELIS and GENZ-KEN), 1884, A., 1136; 1888, A., 146.

Tritolylstibinemercuric chlorides, o-, m- and p-(MIGHAELIS and GENZKEN), 1888, A., 146.

Tritopine (KAUDER), 1891, A., 227.
Trivaleric mannitoid (MEUNIER), 1888,

A., 1049.

Trixylylbismuthine and its derivatives (MICHAELIS and MARQUARDY), 1889, A., 1062.

Tri-p xylylearbinyldimethylearbinol (triephyl-test--butylie alcohol) (WILL-GERODE and GENIESER), 1888, A., 811.

Tri- μ -xylylmethane (ELES), 1887, A., 942.

Troilite, synthesis of (Lonenz), 1891, A., 990.

Trona (urao) (v. Zepharovich), 1887, A., 1021; (Chatard), 1890, A., 340.

artificial production of (DEMONDESIL), 1887, A., 771.

See also Sodium carbonate.

Tropæolins (0, and 000), spectrum of (HARPLEY), 1857, T., 182, 184.

Tropeines (LADENBURG), 1883, A., 671. ψ-Tropeines (LIEBREMAN and LIM-PACH), 1892, A., 891. Tropic acids, d- and d- (LADENBURG and Hundr), 1890, A., 71.

formation of (LADENBURG and HUNDT), 1890, A., 71. pidine (1-methyl-2-ethylenetetra-

Tropidine hydropyridine), and its derivatives (LADENBURG), 1883, A., 672; (EINHORN), 1891, A., 90.

action of bromine on (LADENBURG), 1883, A., 672.

conversion of, into tropine (LADEN-

BURG), 1890, A., 1167, 1333.

Tropilidene and tropilene, and its oxidation (LADENBURG), 1883, A., 672. Tropine and its compounds. See under

Alkaloids.

ψ-Tropine. See Oscine.

Tropinic acid (LIEBERMANN), 1891, A.,

properties and salts of (LIEBER-MANN), 1890, Δ., 1449.

Tropyl-v-tropeine (LIEBERMANN and LIMPACH), 1892, A., 891. Truffles, chemistry of (CHATIN), 1890,

A., 659, 821.
of Europe, relation between the
Terfas or Kamés of Africa and Western Asia and the (CHATIN),

1892, A., 654.
Truxene and its derivatives (LIEBER-MANN and BERGAMI), 1889, A., 699; 1890, A., 514.

Truxenequinone (LIEBERMANN and BERGAMI), 1889, A., 699.

(γ-isoutropic acid) a-Truxillic acid (LIEBERMANN), 1888, Å., 1211; (HESSE), 1889, A., 732.

action of sulphuric acid on (Lienen-MANN and BERGAMI), 1889, A.,

β-Truxillic acid (δ-isoatropic acid) (Liebermann), 1888, A., 1211.

action of sulphuric acid on (Lilber-MANN and Bergami), 1859, A., 698.

8-Truxillic acid (Lielermann), 1889, Λ., 1195.

Truxillic acids (Liebermann, Drory and Bergami), 1889, A., 305; (Liebermann), 1889, A., 1191.

constitution of (Lieberminn), 1889, A., 1196.

theory of the (LIEBERMANN), 1890, Λ., 1421.

salts and derivatives of (DRORY), 1889, A., 1196.

Truxillic acids, amido- (Homans, SIELIZNER and SUKOW), 1891, A.,

nitro-derivatives of (Howans, Silitz-NLR and SUKOW), 1891, A , 1195.

a-Truxillic anhydride (LIEBERMANN and Drory), 1889, A., 733.

Truxillic anhydrides (LIEBERMANN, Drory and Bergami), 1889, A.,

intramolecular changes in (LIEBER-MANN), 1889, A., 1195.

chlorides (LIEBERMANN and DRORY), 1889, A., 733.

Truxillo-piperidic acids and -piperidides (Herstein), 1889, A., 1213.

Truxone and its derivatives (LIEBER-MANN and BERGAMI), 1889, A., 699; 1890, A., 514.

Trypsin. See Enzymes.

Tryptophan (NEUMEISTER), 1890, A., 804.

Tscheffkinite (Price), 1888, A., 661. analysis of (EAKINS), 1892, A., 23.

Tubes, block support for (GAW VLOWSKI), 1892, A., 9.

graduation of, for gasometric purposes

(Bertheloi), 1889, A., 301. coloured, for Nesslerising (Brene-MAN), 1884, A., 1072.

pressure (WARREN), 1888, A., 646. sealed, experiments on the small scale in (DRECH-EL), 1883, A., 1167.

sealing, under pressure (RICHARD-son), 1890, A., 911.

Tuberculin, proximate analysis of (HUNTER), 1891, A., 1283.

Tuberculosis, udder, changes in milk by (Storch), 1890, A., 652.

Tufas from the Lugano district (HARADA), 1883, A., 168.

Tumbeki, analyses of (EASTES and INCE), 1886, A., 611.

Tungsten (KNILSCHE), 1887, A., 11. atomic weight of (WADDELL), 1887, Л., 111.

influence of, on steel (Osmosp), 1890, A., 567.

compounds (v. Knorff), 1883, A., 650.

reduction of (v. DIR Prorblin), 1883, A., 551, 785; 1881, A., 559.

sulphur compounds of (Corleis), 1886, A., 510.

Tungsten pentachloride (HAMPE), 1888, A., 858.

hexachloride (HAMPE), 1888, A., 888. action of ammonia on (RIDEAL), 1889, T., 41.

oxychlorides, action of ammonia on (Rideal), 1889, T., 43.

droxide, action of nitric oxide on (SABATH R and SENDLIGES), 1892, A., 1152.

Tungsten trioxide (tungstic anhydride), action of ammonia and ammonium chloride on (RIDEAL), 1889, T., 42.

influence of, on potassium chlorate (FOWLER and GRANT), 1890, T., 276.

Tungstic acid, preparation (HUNTINGTON), 1885, A., 1272. action of hydrogen peroxide on (CAMMERER), 1892, A., 944.

sodium salts of (v. Knoung), 1883, A., 651.

estimation of (SMITH and BRAD-BURY), 1892, A., 241.

separation of, from phosphoric acid (KEHRMANN), 1887, A., 866.

separation of, from tin oxide (Donath and Mullner), 1888, A., 531.

separation of, from vanadic acid (FRIEDHEIM), 1890, A., 666.

Tungstic acid, colloidal, molecular weight of (Sabanéeff), 1890, A., 1215.

Metatungstic acid (Péchard), 1889, A., 832.

Hypertungstic (pertungstic) acid and sodium hypertungstate (PÉCHARD), 1891, A., 988.

Silicotungstic acid (DRECHSEL), 1887, A., 703.

Tungstates (FEIT), 1888, A., 344. action of platinic hydroxide on (Rosenheim), 1891, A., 1323. acid, titration of (SCHMIDT), 1886, A., 597.

double, of rare metals (HOGBOM), 1885, A., 25.

paraTungstates (v. KNORRE), 1885, A., 1184; 1886, A., 597; (GON-ZALEZ), 1887, A., 895.

action of tellurous and telluric acids on (KLEIN), 1885, A., 218.

Hypophosphotungstates (Grbbs), 1884, A., 560.

Tungsten trisulphide, colloidal state of (Winssinger), 1888, A., 912.

Tungsten, estimation and separation: estimation of (v. DER PFORDTEN), 1883, A., 785; 1884, A., 1429.

estimation of, in its alloys (PREUSser), 1889, A., 798.

estimation of, in rich alloys and in steel (NAMIAS), 1892, A., 539. estimation of, in metallic tungsten

(ZIEGLER), 1890, A., 420. separation, electrolytic, of gold from

(SMITH and WALLACE), 1892, A., 920.

Tungsten-bronzes (v. Knorre), 1883, A., 650.

Tungsten-iron, composition of (ANON.), 1884, A., 1231.

analysis of (Schneider and Lipp), 1885, A., 840.

Tungsten-steel (Anon.), 1883, A., 533; (Muller), 1885, A., 1167.

composition of (ANON.), 1884, A.,

analysis of (Schneider and Lipp), 1885, A., 840.

See Tungsten Tungstic anhydride. trioxide.

Tungstoborates (Klein), 1883, A., 23, 786; 1884, A., 559, 1266.

Tungstovanadates. See Vanadotungst-

Tunicin, heat of combustion of (BERTHE-LOT and ANDRE), 1890, A., 938. Turanose (ALECHIN), 1890, A., 733.

Turf. See Agricultural Chemistry.

Turbine for laboratory purposes (RABE), 1888, A., 647.

Turkey-red, bleaching, by electrochemical means (Goppelsroeder), 1885. A., 108.

dyeing, injurious action of a cupriferous oil used in (Schaal), 1883, A., 256.

oiling and the operations connected therewith (SCHATZ), 1883, A., 635. and printing with alizarin, abridged process for (Muller-Jacobs), 1884, A., 1236.

oil. See under Oila.

Turmeric, certain substances obtained from (JACKSON and MENKE), 1883, A., 480; 1885, A., 271.

Turmeric acid, and its salts (JACKSON and Menke), 1885, A., 271.

apo-Turmeric acid (Jackson and Menкы, 1885, А., 271.

Turmerol (Jackson and Menke), 1883, Λ., 482.

oxidation of (JACKSON and MENKE), 1883, A., 483; 1885, A., 271.

Turmeryl chloride (Jackson and Men-KE), 1883, A., 482.

Turnbull's blue (ferrous ferricyanide), composition of (REYNOLDS), 1887, T., 644; P., 86.

Turnips, cooked, composition of (WIL-LIAMS), 1892, T., 227.

See also Agricultural Chemistry.

Turpentine (MARSH and GARDNER), 1891, T., 725; P., 123. constitution of (COLLIE), 1892, A., 864.

specific rotatory power of (DUNWODY), 1891, A., 217.

Turpentine, Russian, specific rotatory and refractive powers of (K mon-nikoff), 1889, A., 453.

increase of rotatory power of, on keeping (MARSH and GARDNER), 1891, T., 726.

anomalous dispersion of (v. Wyss), 1888, A., 542.

behaviour of, in mixtures of two solvents (RIMBACII), 1892, 1137.

specific gravity of (DUNWODY), 1891, A., 217.

action of benzoic acid on (BOUCHARDат), 1892, А., 199.

action of hydrogen chloride on (MARSH and GARDNER), 1891, T., 728.

reaction of, with manganous salts (CRISMER), 1892, A., 386.

atmospheric oxidation of (Kingzerr),

1888, A., 605. oxidation of, in sunlight (Annsrrond), 1890, P., 99.

production of camphor from (Marsh and STOCKDALE), 1890, T., 961; P., 140.

hydrochloride, conversion of, into camphene hydrochloride (MARSH and GARDNER), 1891, T., 730.

Turpentine, detection and estimation :detection of, in essences (Crismer), 1892, A., 386.

detection of, in Venice turpentine (Hirschsohn), 1890, A., 307.

detection of petroleum in (Dunwody), 1891, A., 217.

estimation of, in paint and varnishes (PHILLIPS), 1891, A., 1302. estimation of petroleum in (Burton),

1890, A., 669.

French essence of, estimation of resin oil in (Aranan), 1890, A., 122. See also Resins and Brisams.

Turpentine oil, heat conductivity of (CHREE), 1888, A., 612.

American, action of heat on (TILDEN), 1884, T., 411. oxidation of, in sunlight (Armstrone),

1891, T., 311; (ARMSTRONG and POPE), 1891, T., 315.

spontaneous exidation of (PAPASOGLI), 1889, A., 615.

detection of, in essence of lemons (Oliveri), 1891, A., 1497. detection of resin oil in (BAUDIN),

1891, A., 870.

Turpentine oils (ARMSTRONG), 1891, T.,

Turpentineglycuronic acid (Kulz), 1890, A., 1287. Turquoise. See ('alaite.

Tylophorine, an alkaloid from Tylophora asthmatica (Hooper), 1891, A., 1266. Type metal, analysis of (WEIL), 1884, Ā., 1429.

Typhoid fever, reduction of oxyhemoglobin in (Henocque and Baudoin), 1888, A., 865.

Typhotoxine, Blieger's (DE BLASI), 1890, A., 391.

Tyrolite from Utah (HILLEBRAND and Washington), 1888, A., 1043; (HILLEBRAND and DANA), 1890, A.,

Tyrosine (p-hydroxyphenyl-a-amidopropionic acid) in dahlia tubers (LEIT-GEB), 1889, A., 433.

formation of (BLENDERMANN), 1883, A., 818, 876.

synthesis of (ERLENMEYER and LIPP), 1883, A., 991.

heats of combustion and formation of (Berinelor and André), 1890, A., 936.

relation of, to hippuric acid (BAAS), 1887, A., 1133.

action of benzoic chloride on (BAUM), 1885, A., 982.

condensation of, with benzenesulphonic chloride (HEDIN), 1891, A.,

decomposition of (BLENDERMANN), 1883, A., 818, 876.

administration of, in the food (BLEND-

ERMANN), 1883, A., 879. detection of, in urine (BLENDERMANN), 1883, A., 879.

ethyl ether, behaviour of, in animal metabolism (Conn), 1890, A., 187.

Tyrosine-hydantoin (BLENDERMANN), 1883, A., 818.

Tyrotoxicon (VAUGHAN), 1886, A., 373. relation of, to diazobenzene (VAUG-HAN), 1888, A., 197.

U.

Uigite from Skye (IILDDIE), 1886, A.,

Uler europaeus, composition of (Trosсикк), 1885, А., 684.

Ulexine (cylisine) and its derivatives (GERRARD), 1886, A., 1018; (GERRARD and Symons), 1890, A., 180; 1891, A., 331; (PARTHEIL), 1891, A., 231, 750; (v. Buchka and Magalhams), 1891, A., 587, 750; (VAN DE MOER), 1891, A., 946.

physiological action of (BRADFORD), 1888, A., 1325.

detection of (VAN DE MOER), 1891, A., 947.

Ulexite (borocalcite; boronutrocalcite; hayesine) (DARTON), 1883, A., 162, 1062; (RAMMELSBERG), 1885, A., 28; (WHITFIELD), 1888, A., 347. Chilian (WITTING), 1885, A., 846.

analysis of (Brun), 1884, A., 403. Ullmannite from Lolling and from Sarrabus (KLEIN and JANNASCH), 1888, A., 31.

from Siegen (Laspeyres), 1892, A., 124.

Ulmic acid. See Humic acid.

Ulmin, natural and artificial, morphology and chemistry of (FRUH), 1881, A., 923.

Ultramarine (GUCKELBERGER), 1883, A., 714; (KNAPP), 1888, A., 1163. artificial, discovery and early manufacture of (HEINTZE), 1891, A., 400. Japanese materials for the manufacture of (IWABUCHI), 1885, A.,

formation of, in the wet way (KNAPP), 1886, A., 306; 1887, A., 110.

preparation of, from silica (KNAPP),

1885, A., 847. action of carbonic anhydride on (Buchner), 1887, A., 774.

in a fine state of division, similarity of the behaviour of, to that of metallic sulphides in the colloidal state (EBELL), 1884, A., 147.

green (Guckelberger), 1883, A., 715; (Szilasi), 1889, A., 758. analyses of (GUCKELBERGER), 1883,

A., 714. Umangite from the Argentine (KLOCK-MANN), 1891, A., 1435.

Umbelliferone (v. PECHMANN), 1884, A., 1174.

4-ethyl and methyl ethers and monoand di-bromo- (WILL and BECK), 1886, A., 881.

4-methyl ether, oxime and thioderivative of (ALDRINGEN), 1890, A.,

B-Umbelliferoneacetic acids (MICHAEL), 1888, A., 956; (Burton and v. Pechmann), 1891, A., 672.

Umbers (HURST), 1889, A., 678.

Undecylacetylraffinose (SCHEIBLER and MITTELMEIER), 1890, A., 1085.

Undecylenic acid (hendecenoic acid), constitution of (PERKIN), 1886, T., 205; P., 153.

magnetic rotation of (Perkin), 1886, Ť., 206; P., 153.

oxidation of (HAZURA and GRUSS-NER), 1889, A., 375.

bromo- and iodo- (BRUNNER), 1886, A., 1011.

Union, interchangeable, hypothesis of (LAAR), 1886, A., 504. physical, and crystallisation (Brugel-

MANN), 1889, A., 817.

Unit, Siemens' mercury, reproduction

of (STRECKER), 1885, A., 1027, 1099. Units, electrical (Clausius), 1883, A., 764; (anon.), 1885, A., 2.

Uracil (dioxy-m-diazine), nitro-

(Kohler), 1887, A., 128. alkyl derivatives of (Behrend), 1890, A., 31; (LEHMANN), 1890, A., 32.

metallic derivatives of (Behrend), 1887, A., 920.

Uracilcarbamide, nitro- (BEHREND), 1887, A., 920.

Uracilcarboxylicacid, amido-(Kohlen), 1887, A., 128; (Behrend), 1887, A., 920.

bromo- (Behrend), 1887, A., 920. nitio- (Kohler). 1887, A., 128; (Behrend), 1887, A., 919.

Uramido-. See also Carbamido-

Uramido-acids (GUARESCHI), 1892, A.,

p-Uramidobenzenesulphonic acid (VILLE), 1891, A., 1066; 1892, A., 904.

m-Uramidobenzoic acid (TRAUBE), 1883, A., 193, 194.

5-nitro- (GRIESS), 1885, A., 54. 6-, 4- and 2-nitro-, action of potash

on (GRIESS), 1883, A., 57. thio- (TRAUBE), 1883, A., 193.

Uramidobenzoyl. See 2':4'-Diketodihydroguinazoline.

o-Uramidocinnamic acid and thio-(ROTHSCHILD), 1890, A., 1123; 1891, A., 198.

p-Uramidocinnamic acid, thio- (ROTHSсипл), 1891, А., 199.

p-Uramidodiphenylmethane (MANNS), 1889, A., 261.

?>-Uramidophenylacetic acid (TRAUBE), 1883, A., 193.

a-Uramido-propionamide and -propionitrile (FRANCHIMONT and KLOB-BID), 1888, A., 1180.

Uramidotolyloxamic acid (Schiff and VANNI), 1891, A., 834; 1892, A.,

(SCHIFF **Uramidotolyloxamide** VANNI), 1891, A., 908; 1892, A., 603.

Uramidoximes, thio-, condensation products from (KOCH), 1891, A., 560.

Uranates, crystallised, formation of, in the dry way (DITTE), 1883, A.,

of ammonium and of amines (Canson and Norton), 1888, A., 918.

Uraninite (pitchblende) from Mitchell Co. (HIDDEN), 1883, A., 163.

from Norway (Broguer), 1881, A., 1101.

products of the alteration of (v. FOULTON), 1885, A., 222.

nitrogen from (HILLEBRAND), 1890, A., 456; 1891, A., 527.

analyses of (HILLEBRAND), 1892, A., 283.

See also Uranoso-uranic oxide.

Uranite. See Cupro-manite.

Uranium mineral from Moss and on the occurrence of manates generally (BLOMSTRAND), 1884, A., 1102.

atomic weight of (ZIMMERMANN), 1886, A., 598.

specific heat of (Blümcke), 1885, A., 8, 625.

isomorphism of thorium and (RAM-MELSBERG), 1890, A., 15. compounds (Ditte), 1884, A., 825.

relation between the absorption and the phosphorescence of (Brc-QUEREL), 1886, A., 189. analysis of (RAMMELSBERG), 1885,

A., 690.

fluorine compounds of (SMITHELLS), 1883, T., 125.

salts, action of, on digestive ferments (CHITTENDEN and HUTCHINSON), 1888, A., 78.

physiological action of (CHITTEN-DEN and LAMBERT), 1889, A., 537. Uranium tribromide (ALIBEGOFF), 1886,

A., 855. chlorides, electrolytic conductivity of (II AMPE), 1888, A., 889.

oxychloride. See Uranyl chloride. (uranous *tctru* fluoride fluoride) (SMITHELLS), 1883, T., 127.

oxyfluoride. See Uranyl fluoride. nitrate from residues (SAVERY), 1884, A., 397.

oxides (ZIMMERMANN), 1886, 598; (RAMMELSBERG), 1888, A.,

action of nitric oxide on (SABATIER and SENDERENS), 1892, A., 1152.

Uranoso-uranic oxide (U3O8), action of hydrofluoric acid on (SMITH-ELLS), 1883, T., 126.

influence of, on potassium chlorate (FOWLER and GRANT), 1890, T., 276.

See also Uraninite.

Uranium phosphate (Johnson), 1889, A., 757.

See also Cupro-uranite.

phosphates (Ouvrand), 1890, 1056.

Uranium selenites (Boutzoureanu), 1891, A., 262.

silicate from Garta (v. Nordenяктопо), 1885, A., 1119.

sulphate (RAMMELSBERG), 1890, A.,

and thorium sulphate, isomorphous (HILLEBRAND and MELVILLE), 1892, A., 571.

scsquisulphide (ALIBEGOFF), A., 855.

dithionates (KLUSS), 1888, A., 1156. **Uranyl** acctates, double (RAMMELS-

BERG), 1885, A., 648. carbonylferiocyanide (MULLER), 1890, A., 117.

chloride (uranium oxychloride), ammoniacal compounds of (Regels-

BERGER), 1885, A., 638. fluorides, a- and B- (uranium oxyfluorides) (SMITHELLS), 1883, T., 128.

chromate and its double salts (For-MÁNEK), 1890, A., 852.

potassium chromate (WIESNER), 1883, A., 425.

basic sulphates, (ATHANASESCU), 1886, A., 982.

Uranium, detection, estimation and separation:-

detection of minute quantities of (FAIRLEY), 1891, A., 360.

estimation, electrolytic, of (Classen), 1885, A., 192.

separation of, from the alkalis and alkaline earths (ALIBEGOVF), 1886, A., 922.

separation of, from chromium (For-M (NEK), 1888, A., 531.

separation of, from other metals (RAMMELSBERG), 1885, A., 619.

Uranium ochre, from Johanngeorgenstadt (Weisbach), 1883, A., 433.

Uranophane, analyses of (v. FOULLON), 1885, A., 223.

Uranothallite (Schrauf), 1883, A., 956. from Joachimsthal (BREZINA), 1886, A., 24.

Uranothorite (NILSON), 1883, A., 299. Urao. See Trona.

Urea, origin of, in the animal economy

(COPPOLA), 1890, A., 181.
formation of, in the animal body (Salomon), 1885, A., 921.

mechanism of the production of, in the animal organism (Popoff), 1892, A., 89.

formation of, in the dog fish (v. Schroeder), 1890, A., 1451.

formation of, from sarcosine (SAL-KOWSKI), 1884, A., 1394.

Urea, heats of formation and combustion of (BERTHELOT and PETIT), 1890, A., 206.

thermal equivalent of a solution of (Rubner), 1885, A., 328.

solutions, dilute, cryoscopy 'nf (Pickering), 1892, A., 1045.

action of hexubromacetone On (SENIER), 1886, T., 693, 713.

action of chromyl dichloride on (SELL), 1883, A., 178.

action of nitrous acid on (EMMER-LING), 1886, A., 747.

and some of its derivatives, action of phenylhydrazine on (Skinner and Ruhemann), 1888, T., 550; P., 54.

behaviour of quinol with (ANRAEFF), 1887, A., 514.

hydrolysis of, by micro-organisms (WARINGTON), 1888, T., 732.

nitrification of (Munno), 1886, T., 639.

behaviour of, in soils (Kellner), 1887, A., 524. amount of, in blood and muscle

(GREHANT and QUINQUAUD), 1889, Л., 914.

excretion of (Herringham and Davies), 1892, A., 365, excretion of, by the human subject (Gentul, 1885, A., 830; (Mares), 1887, A., 856.

influence of the muscular work on the output of (BLEIBTREU), 1891, A., 350.

excretion of, in fever (Wood and Marshall), 1891, A., 1530.

excretion of, in liver diseases (Mör-NER and SJOQUIST), 1891, A., 758.

hourly exerction of, in urine (ETARD and RICHET), 1883, A., 751; (GLEY and RICHET), 1888, A., 179. and inorganic salts, excretion of,

with the urine under the influence of an artificially increased temperature (Koch), 1881, A., 1394. poisonous action of (GREHANT and

Quinquaud), 1884, A., 1398. acetate (Matignon), 1891, A., 1448. oxalate (Kirkaldy), 1892, A., 1421. picrate (SMOLKA), 1886, A., 453. thio -. See Thiourea.

Urea, detection and estimation:-

titration of (Pfeiffer), 1885, A., 450; 1888, A., 539; (Pflugerand SCHENCK), 1886, A., 396.

titration of, with mercuric nitrate (Braun), 1885, A., 702; (Pflüger), 1888, A., 201.

detection of (LUDY), 1889, A., 1059.

Urea, detection and estimation:-

detection of, in an aqueous solution (BLOXAM), 1883, A., 1036.

estimation of, in urine (HUGOUNENQ), 1884, A., 122; (GREENE), 1884 A., 507; (HAMBURGER), 1885, A., 450; (GERRARD; LUZZATTO), 1885. А., 610; (ЛАСОВЈ), 1886, А., 104; (ALLEN), 1886, A., 279; (MA-LERRA), 1886, A., 593; (GREEN), 1886, A., 717; (PFLUGER and BOHLAND), 1887, A., 90; (MEHV), 1887, A., 1001; (CAMPARI), 1887, A.,1145; (CAZENEUVE and HUGOU-NENQ), 1888, A., 328; (CAMERER), 1888, A, 518; (LUTHER), 1889, A., 1039; (PFLUGER and BLEIB-A., 1935, (IFBOMA, TREU), 1890, A., 308; (DOTT), 1890, A., 931; (MIQUEL), 1891, A., 132; (HEATON and YASEY; A., 132; (HEATON and VASEY; WARDEN), 1891, A., 133; (SMITH), 1891, A., 512; (Morner and Sjoquist), 1891, A., 759, 1561.

See also Carbamide.

Urea bacillus, action of, on urea (FRANKLAND), 1885, T., 179.

Urea ferment, soluble (MIQUEL), 1891. A., 100.

soluble, from the Torula Urcae (Lea),

1886, A., 641. Ureides and their derivatives (FRAN-CHIMONT), 1888, A., 1064; (FRAN-CHIMONT and KLOBBIE), 1889, A.,

condensed (LEEDS), 1883, A., 664. from normal acids (MATIGNON), 1891, A., 1448.

"Ureines" (FRANCHIMONF and KLOB-BIE), 1889, A., 125.

Ureometer (LUNGE), 1886, A., (MARSHALL), 1887, A., 310. Urethane. See Ethylic carbamate.

Urethanes of the paraffin series (ARTH), 1886, A., 692.

1:2:4-Urethanotolyloxamic acid(Schiff and VANNI), 1891, A., 831; 1892, A., 599, 602, 1208.

1:2:4-Urethanotolyloxamide (SCHIFF and VANNI), 1892, A., 601.

Uribilinuria (ENGEL and KIENER), 1889, A., 637.

Uric acid from the green glands of Astacus fluviatilis (GRIFFITHS), 1885, A., 680.

in insects and molluses (MACMUNN), 1886, A., 1056.

in urine (ROBERTS), 1890, A., 540. absence of, in urine of Carnivora (SANARELLI), 1888, A., 178. in the urine of Herbivora (MITTEL-

влен), 1888, А., 1215.

Uric acid, place of origin of, in the animal organism (GARROD), 1887, A., 388.

origin of, in mammals (HORBACZEW-

ški), 1890, A., 181.

formation of, in the animal organism (GARROD), 1883, A., 876; (Horbaczewski), 1891, A., 1340.

formation of, in the blood of mammals (MARES), 1892, A., 1257.

formation of, from cyanacetic acid and carbanide (FORMANER), 1892, A., 149.

formation of, from nuclein (Hor-BACZEWSKI), 1892, A., 646.

Mynthesis of (Horbaczewski), 1883, A., 179; 1885, A., 1050; 1887, A., 918.

constitution of (MICHAEL), 1884, A., 426; (FISCHER), 1884, A., 1310; (HORBACZEWSKI), 1887, A., 918; 1888, A., 256.

1888, A., 256. heat of formation of (MATIGNON), 1890, A., 1040.

action of nitrous acid on (EMMER-LING), 1886, A., 747.

products of oxidation of (MATIGNON), 1891, A., 1448.

decomposition of, by hippurates and benzoates (Garron), 1883, A., 876. solubility of (Blandz and Deniges), 1887, A., 919.

solubility of, at the temperature of the healthy human body (Gar-ROD), 1883, A., 876.

ammoniacal fermentation of (F. and L. Sestini), 1890, A., 1399.

L. Sestini), 1890, A., 1399. physiology of (Garrod), 1885, A., 414.

influence of glycerol, sugar and fut on the secretion of, in man (Hor-BACZEWSKI and KANERA), 1886, A., 822.

exerction of (MARES), 1887, A., 856;
 (HAIG), 1888, A., 1322;
 (HINGRIAM and DAVIES), 1892, A., 365.

exerction of, in cases of leucemia (Bonland and Schurz), 1891, A., 483.

influence of hot baths on the excretion of, from the human system (FORMÁNEK), 1892, A., 1503.

influence of sodium phosphate on the exerction of (HAM), 1890, A., 397. influence of drinking large quantities of water on the exerction of (SCHON-

DORFF), 1891, A., 348. derivatives of (Fischer), 1884, A., 996, 1308; (Mylius), 1884, A., 1128. Uric acid, salts of, artificial formation of sphaeroliths of (EBSPEIN and NICOLATER), 1891, A., 760.

solubility of, at the temperature of the healthy human body (GAR-ROD), 1883, A., 876.

ammonium, potassium and sodium salts of, thermochemistry of (MATIGNON), 1890, A., 1011.

calcium salt of (Delépine), 1887, A., 469.

tost for (DENIGES), 1888, A., 1347.
estimation of, in unine (LUDWIG),
1886, A., 102; (HAYCRAFT), 1886,
A., 748; 1891, A., 1297; (BLAREZ
and DENIGES), 1887, A., 621;
((CZAPEK), 1888, A., 1225; (GOSSAGE), 1889, A., 450; (CAMERER), 1889, A., 1040; 1890, A.,
1845; (SALKOWSKI), 1880, A.,
1250; (POTT), 1890, A., 304;
(BAYRAG), 1899, A., 670; (GROVES),
1892, A., 546; (GEELMUYDEN),
1892, A., 1032; (HAIG), 1892, A.,
1133.

 ψ-Uric acid, thio-(thiouramidobarbituric acid) (Trzciński), 1883, A., 914.
 Uric acid-group, azines of (Κυημπα),

Jric acid-group, azines of (Kuhling), 1891, A., 1811; 1892, A., 70. synthesis of compounds of (Behrend),

1887, A., 919; (DEHREND and RUOSEN), 1888, A., 581.

Urimidosuccinic acids, molecular weights of (PATERNÒ and NASINI), 1890, A., 725.

Urinary fermentation (MULLER), 1886, A., 276.

Urine, secretion of, when pressure is excited on the urinary canals (LEPINE and PORTERET), 1888, A., 1321.

mean composition of (Yvon and Ber-Lioz), 1888, A., 1320.

reaction of (Advecto), 1888, A., 621. is free acid contained in (v. Brucke), 1887, A., 986.

influence of the administration of acids and alkalis on the reaction of (FREUDERRG), 1891, A., 1528.

nitification of (Munko), 1886, T., 642. healthy, absence of acctone in (West), 1890, A., 399.

volatile fatty acids in (v. JAKSCH), 1886, A., 381.

formation of volatile fatty acids in the ammoniacal fermentation of (SAL-KOWSKI), 1889, A., 431.

pathological, alkaloids in (VILLIERS), 1885, A., 1084; 1886, A., 88.

alkaloids in (Thubtenum), 1888, A. 1119.

Urine, ammonium magnesium phosphate crystals in (Weiske), 1883, A., 609. febrile, aromatic substances in (HAL-

DANE), 1889, A., 65. aromatic compounds in (BAUMANN),

1886, A., 384. exerction of balsams in (STOCKMAN),

1891, A., 600.

biliary acids in, during jaundice (BAELDE and LAVRAND), 1889, A.,

benzamide in, after administration of benzaldehyde (Conn), 1890, A.,

calcium salts in (Hoppe-Seyler), 1891, A., 484.

carbohydrates in (v. Udránszky), 1888, A., 863; (Wedenski), 1889, A., 293; (Roos), 1891, A., 1392.

putrefying, carbohydrates of (TREU-PEL), 1892, A., 226.

sugar in albuminous (MEHU), 1887, A., 1060.

substances likely to be mistaken for sugar in (Ashdown), 1890, A., 279.

sugar in, on a diet of cane-sugar (Seegen), 1886, A., 383. carbonic anhydride in (VAN NUYS and Lyons), 1892, A., 649.

influence of the secretion of gastric juice on the quantity of chlorine in (STICKER), 1888, A., 620.

creatinine in (GROCCO), 1887, A., 513. diabetic, a-crotonic acid in (STADEL-MANN), 1885, A., 924.

cystin not present in (STADTHAGEN), 1885, A., 830.

cystin in the (GOLDMANN and BAU-MANN), 1888, A., 519; (DELEPINE), 1890, A., 1018.

pathological, diamines in (v. UDRANSzky and Baumann), 1888, A., 1297.

ethylic carbamate in the alcoholic extract of (JAFFE and COHN), 1890. A., 654.

diabetic, glycogen in (v. Leube), 1889, A., 65, 293.

glycerophosphoric acid in (EYMON-NET), 1884, A., 1058.

acid glycuronic compounds in (Fluckiger), 1885, 924; Α., (HAGEMANN), 1889, A., 535; (ASH-DOWN), 1890, A., 279.

pathological, reduction products of hematin in (LE NOBEL), 1887, A., 1127.

hæmatoporphyrin in (Salkowski), 1891, A., 601, 1130; (HALLIBURTON), 1891, A., 1279; (HAM-MARSTEN), 1892, A., 649.

Urine, source of hippuric acid in (Schot-TEN), 1884, A., 1057.

diabetic, β-hydroxybutyric (active) in (MINKOWSKI), 1885, A., 413; (WORM-MULLER), 1885, A., 702; (DEICHMULLER, SZYMANSKI and Tollens), 1885, A., 830; (KULZ), 1887, A., 290; (STADEL-MANN), 1887, A., 464; (WOLPE), 1887, A., 857.

indigo-red(indirubin)in(Rosenbach), 1890, A., 1032; (Rosin), 1891, A., 850.

extraction of indigotin and indirubin from (MEHU), 1884, A., 1059.

iodine in, after the external application of iodoform (GRUNDLER), 1885, A.,

lactic acid and lactose in (GAUBE), 1890, A., 188.

nitrates in (WEYL), 1885, A., 413. nitrogenous constituents of (Bon-LAND), 1889, A., 536; (SCHULTZE), 1890, A., 280; (CAMERER), 1891,

A., 1277. excretion of nitrogen in (Gumlien),

1892, A., 1503. of soldiers after a forced march, paralactic acid in (COLASANTI and Mos-CATELLI), 1888, A., 1321.

elimination of phosphoric acid in, in insanity and epilopsy (LAILLER), 1885, A., 73.

phosphates in, in different diseases (VANNI and Pons), 1888, A.,

influence of intellectual activity on the elimination of phosphoric acid in (Mairet), 1884, A., 1394.

phosphoric acid in (CARLES), 1892, A., 1115.

relation of phosphoric acid to nitrogen in (Politis), 1885, A., 283.

relations of the phosphates in (OTT), 1886, A., 167.

proportion of incompletely exidised phosphorus contained in (LEPINE),

elimination of hypophosphites by (EYMONNET), 1884, A., 1058.
precipitate produced by pieric acid in (JAFFÉ), 1886, A., 1056.
pigments of (PLÓSZ), 1883, A., 814;

1884, A., 1059; (MACMUNN), 1884, A., 194; 1889, A., 531; (v. Udráns-ZKY), 1887, A., 1133; 1888, A., 180.

pigments, unusual, colouring matter

of (MACMUNN), 1883, A., 1159. pigment, unusual, in (HARLEY and TORUP), 1891, A., 601.

Urine, new pathological colouring matter in (v. Leube), 1888, A., 179. reactions for distinguishing between chrysophanic acid and santonin colouring matters in (HOPPE-SEYLER), 1887, A., 406.

albumin in (POSNER), 1887, A., 390. albumin from, coagulated by nitric acid and soluble in alcohol (GAR-

NIER), 1883, A., 247.

albuminous, turbidity of, on heating (STOKVIS), 1885, A., 680; (SMITH), 1885, A., 681; (CARLES), 1886, A., 384.

albuminous, toxic effects of (Trissier and Roque), 1888, A., 1326.

hemialbumose in (Kuhne), 1884, A., 854.

peptones in (GEORGES), 1887, A., 188.

proteid substance in (MULLER), 1886, A., 87.

proteids in (NOEL-PATON), 1890, A., 1174; (WINTERNITZ), 1891, A., 1130.

mucin in (CITRON), 1887, A., 390. normal and pathological, pepsin in (STADELMANN), 1889, A., 430.

ferments in (STADELMANN), 1888, A., 308.

diastatic ferment in (ROSENBERG), 1891, A., 760.

diastatic and other ferments in (Holovokschiner), 1886, A., 902.

diabetic, reducing substance in (Leo), 1887, A., 513.

reducing agents in (JOHNSON), 1892, A., 1504.

renuet in (Helwes), 1889, A., 536.

sulphur in (GOLDMANN), 1885, A., 922.

partially oxidised sulphur in (Léeine and Guérin), 1884, A., 347.

ethereal hydrogen sulphates in (Moray), 1886, A., 729; (Hoppe-Seyler), 1888, A., 179; (Rovighi), 1892, A., 226.

sulphates and ethereal hydrogen sulphates in, during diarrhoa (Barroschewitsch), 1892, A., 1505.

relation between the total sulphuric acid of the, and that as ethereal sulphates in rest and work (Sher, 1889, A., 430.

hydrogen sulphide in (MULLER), 1888, A., 178.

evolution of hydrogen sulphide in the (Salkowski), 1889, A., 432. trypsin in (Leo), 1887, A., 69. Urine, excretion of urea and inorganic salts with, under the influence of an artificially increased temperature (Kocu), 1881, A., 1391.

uric acid in (ROBERTS), 1890, A., 540.

paraxanthine in (SALOMON), 1883, A.,
601: 1885, A., 403: 1886, A., 266.

601; 1885, A., 403; 1886, A., 266. xanthine-derivatives in (SALOMON), 1887, A., 739; 1891, A., 1528.

xanthocreatinine in the (COLASANTI), 1892, A., 361.

behaviour of Congo-red with (v. BRUCKE), 1888, A., 381.

behaviour of, after ingestion of naphthalene (EDLEFSEN), 1888, A., 1322. passage of naphthol into (DESES-

QUELLE), 1891, A., 98.

behaviour of, with quinol (ANRAEFF), 1887, A., 514.

relative toxic effect of the organic and saline constituents of (IMPINE and AUBERT), 1885, A., 1085.

of fever patients (v. Jakson), 1883, A., 1162.

in melanuria (v. Jaksch), 1889, A., 637.

in a case of melanotic sarcoma (HOPPE-SEYLER), 1891, A., 484.

in a case of phosphorus poisoning (STARLING and HOPKINS), 1892, A., 650.

of cold blooded animals, lactic acid in, after the extination of the liver (Nebelthau), 1888, A., 1323.

of animals, occurrence of acetyl derivatives in, after the ingestion of aldehydes (COHN), 1892, A., 1504.

of Carnivora, absence of uric acid and alkaline reaction in (Sanarelli), 1888, A., 178.

of Herbivora, uric acid in (MITTEL-BACH), 1888, A., 1215.

of cows and sheep (ZACHAREWICZ), 1884, A., 1204.

of dogs, nitrogenous constituents of (Bleibtreu), 1890, A., 279.

of horses, phenaceturic acid in (Salkowski), 1885, A., 413.

composition of (Salkowski), 1885, A., 921; (Hagemann), 1889, A., 585.

chemistry of (SMITH),1890, A., 914. of pigs, chemical composition of (SALOMON), 1885, A., 413.

of hydrophobic rabbits, catechol in (Moscatelli), 1892, A., 1115.

of the tortoise (MILLS), 1887, A., 170.

Urine, analytical methods relating to: analysis of (TANIGUTI), 1890, A., 1199. Urine, analytical methods relating to:-

detection of acctone in (LEGAL), 1888. A, 1346; (SALKOWSKI and TANI-GUTI), 1891, A., 624.

detection of alkaloids in, by means of iodine solution (CHIBRET and IZARN), 1886, A., 748.

detection of bile constituents in (Jolles), 1891, A., 135.

detection of blood in (Wolff), 1888, A., 880.

detection of creatinine in (CAMPARI),

1885, A., 702. detection of ethylic acetoacetate in (Spierhoff), 1885, A., 703; (Legal), 1888, A., 1346.

detection of hæmatoporphysin in (HAMMARSTEN), 1892, A., 1136.

detection of hæmoglobin in (Rosen-THAL), 1886, A., 956.

detection of indican and its homologues in (MICHAILOFF), 1888, A.,

detection of indigo-red in (Rosen-BACH). 1890, A., 1032.

detection of iodine in (SCHWARZ), 1888, A., 626.

detection of mercapturic acid in (BAUMANN), 1884, A., 1395.

detection of mercury in (ALT), 1888, A., 630.

detection of morphia in (NOTTA and Lugan), 1885, A., 447.

detection of oxalic acid in (SALkowski), 1886, A., 395.

detection of phenols and hydroxy-acids in (BAUMANN), 1883, A., 885.

detection of albumin in (HASLAM), 1883, A., 885; (Johnson), 1885, A., 845; (BLUM), 1887, A., 1003; (LIEBERMANN), 1887, A., 1150; (GROCCO),1892, A.,667; (SPIEGLER), 1892, A., 928.

detection of albumin in bacterial (Jolles), 1891, A., 136.

Tanret's reaction for albumin, peptone and alkaloids in (BRASSE), 1888, A., 201.

examination of, for albumose and peptone (MEHU), 1885, A., 451.

detection of proteids in (MARTIN), 1888, A., 763; (Boymond), 1890, A., 273.

detection of quinine and phenacetin in (SESTINI and CAMPANI), 1892, A., 665.

detection of sugar in (CAMPARI), 1885, A., 702; (Buchner), 1885, A., 843; (Schwarz), 1889, A.,

Urine, analytical methods relating

85; (CRISMER), 1889, A, 552; (WEINER), 1890, A., 427. clinical examination of, by means of

Fehling's solution (Jolly), 1886, A., 744.

phenylhydrazine as a test for sugar in (v. Jaksch), 1886, A., 714; (Hirschl), 1890, A., 835. pierie acid as a test for sugar to

(Johnson), 1883, A., 1176.

alkaline bismuth solution as a test for glucose in (NYLANDER), 1884, A., 1433.

value of Brucke's method for the removal of interfering substances from, in testing for glucose (GREEN),

1886, A., 745. detection of tannin in (KATHREIN), 1891, A , 964.

detection of thiosulphuric acid in (Presch), 1890, A., 812. detection of tyrosine in (Blender-

MANN), 1883, A., 879.

detection of urobilin in (GRIMBERT), 1889, A., 324.

detection of urochloralic acid in (WAGNER), 1891, A., 624.

estimation of acetone in (HUPPERI), 1891, A., 370. estimation of alkalis in (LEHMANN),

1885, A., 609. estimation of ammonia in (WURSTER),

1888, A., 991. estimation of chlorides in (GRUBER).

1884, A., 1424; (ZUELZER), 1885, A., 608; (ARNOLD), 1885, A., 835; 1888, (Brignone), (Corvi), 1891, A., 495.

of dogs, estimation of chlorides and chlorates in (v. MERING), 1884, A., 1423.

estimation of creatinine in (SALKOWski), 1886, A., 397; (Moitessier), 1892, A., 1135.

estimation of gallic acid in (MORNER), 1892, A., 924.

estimation of hippuric acid in (Vol-KER), 1887, A., 535, 1001.

estimation of homogentisic acid in (BAUMANN), 1892, A., 925.

estimation of hydroxy-acids in (BAU-MANN), 1883, A., 885.

estimation of indican and its homologues in (MICHAILOFF), 1888, A., 880.

estimation of iodine in (BAUMANN), 1884, A., 1423; (HARNACK), 1885, A., 296; (GRUNDLER), 1885, A., 413; (Jolles), 1891, A., 1288.

Urine, analysis of:--

estimation of mercury in (BRASSI), 1888, A., 196.

estimation of nifrogen in (Plant and LTHMANN), 1851, A., 1110; (CAMмии), 1555, А., 303; 1555, А., 518; (Privank and Boni ND), 1885, A., 608; (Bonland), 1885, A., 609; (GARNIER), 1887, A., 563; (Orchente DE Connek), 1989, A., 619.

of Herbivora, estimation of nitrogen in (Whiske), 1886, A., 1072.

estimation, quantitative, of oxalic acid in (NICKEL), 1887, A., 101.

estimution of phenols in (BAUMINN), 1883, A , 885; (RUMPF), 1892, A.,

estimation of total phosphorus in (Chappelle), 1890, A., 825.

estimation of phosphone acid in (Guillaume-Genfil), 1891, A., 619.

estimation of the potassium in, as potassium hydrogen tartiate (ROBIN), 1890, A., 187.

estimation of albumin in (Zinok), 1888, A., 1227; (SCHAUMANN), 1889, A., 88; (CHRISIENSEN), 1889, A., 452; (VAN NUYS and LYONS), 1890, A., 1199; (VEN-TUROIA), 1891, A., 627.

estimation, optical, of albumin in (Ellinger), 1891, A., 1403.

ostimation, volumetric, of peptones in (Roux), 1892, A., 1261.

estimation of protends in (Or1), 1885, A., 451.

estimation of sugar in (WORM-MUL-LER), 1883, A., 829; (POLIATS-CHLK), 1888, A., 995; (HAGEMANN), 1889, A., 535; (GUILLER), 1890, A., 836; (LULLILER), 1891, A., 1559.

estimation of dextrose in (Buddle), 1888, A., 195; (WILL), 1888, A., 535.

estimation of devitore in, by means of the Soleil-Ventzke polarimeter (WORM-MULLER), 1885, A., 702.

estimation of dextrose m, by means of the percentage gluco-ometer (GERRARD), 1890, A., 300.

estimation, volumetric, of sulphuric acid in (FREUND), 1892, A, 1377. estimation of sulphuric acid and ethereal hydrogen sulphates in (Salkowski), 1886, A, 739.

estimation of usea in (HUGOUNENQ), 1884, A., 122; (GREENF), 1881, A., 507; (HAMBURGER), 1885, A., Uroerythrin (MACMUNN), 1884, A., 198.

Urine, analysis of: -

150; (Grarard; Luzzarro), 1885, А., 610; (Ласовл), 1886, А., 104; (AIIIV), 1886, A., 279; (MAI-LEBY), 1886, A., 583; (GREEN), 1886, A., 747; (PHUGER and BOHLAND), 1887, A., 90; (MEHU), 1887, A., 1001; (CAMPARI), 1887, A., 1145; (CAZENEUVE and Hugou-NENG), 1888, A., 328; (CAMERER), 1888, A., 518; (Luther), 1889, A., 1039; (PFLUGER and BLEIB-TREU), 1890, A., 308; (DOIT), 1890, A., 931; (MiQUEL), 1891, A., 132; (Hildon and Visey; Wilden), 1891, A., 133; (Smith), 1891, A., 512; (MORNLR and SJO-Quisi), 1891, A., 759, 1561.

estimation of unca and total nitrogen excreted hourly in (Erard and Richin), 1883, A., 751; (Gley and Richfi), 1888, A., 179.

estimation of uric acid in (Lunwig), 1886, A, 102; (HAYURAFT), 1886, A., 748; 1891, A., 1297; (BLA-REZ and DENIGFS), 1887, A., 621; (CZAPER), 1888, A., 1225; (Gos-SAGE), 1889, A , 450; (CAMERER), 1889, A., 1040; 1890, A., 1345; (Salkowski), 1889, A., 1250; (Poti), 1890, A., 301; (Bayrac), 1890, A., 670; (Groves), 1892, A., 516; (GELLMUYDEN), 1892, A., 1032; (HAIG), 1892, A., 1133.

estimation of methane in (JACQU'E-MIN), 1888, A., 878.

estimation of urobilin in (HOPPE-SEYLER), 1891, A., 1278.

separation of globulin from albumin in (OIT), 1887, A., 406.

Urns, ancient, analyses of (Jenson), 1887, A., 218.

Urobilin (MICHAHOFF), 1885, A., 677 peculiar modification of (SAI KOWSKI), 1889, A., 73.

in the bile (WINTEL), 1890, A., 187. in various diseases (Hoppe-Seyler), 1991, A., 1278.

febrile (MacMunn), 1884, A., 197. detection of, in mine (GRIMBERI), 1889, A., 324.

estimation of, in unine (Hoppe-SEYLPR), 1891, A., 1278.

See also Hydrobilinubin. Urobilinoidin (LE NOBEL), 1887, A., 1127.

Urochloralic acid, detection of, in unine

(WAGNER), 1891, A., 624. Urochrome (Thudichum), 1888, A., 1119.

Urohæmatin, Ilarley's (MACMUNN), 1884, A., 197.

Urchæmatoporphyrin (GARROD), 1892, A., 744.

and allied pigments (MACMUNN), 1888, A., 614.

Uroleucic acid (Kirk), 1888, A., 1121. and alcaptonuria (Kirk), 1890, A., 188.

Uromelanin (PLÓSZ), 1884, A., 1060; (THUDICHUM), 1888, A., 1120.

Uropepsinanduroptyalin (BENDERSKY), 1891, A., 483.

Uro-phosphates (GAUDE), 1891, A. 98.

Uropittin and metauropittin (THUDI-CHUM), 1888, A., 1119.

Urorosein (NENCKI and SIEBER), 1883, A., 101.

A., 101. Urorubin (PLósz), 1884, A., 1059 (Thudichum), 1888, A., 1119.

Urotheobromine (Thudichum), 1888, A., 1120.

Urotrypsin (Bendersky), 1891, A., 483.

Urtica urens, U. dioica and U pilulifera, constituents of (REUTER), 1890, A., 545.

Urushi(lucquer), chemistry of (YōSHIDA), 1883, T., 472.

diastatic matter of, and its action on urushic acid (Yoshida), 1883, T., 483.

Urushic acid and its compounds (Yöshida), 1883, T., 475.

dinitro- (Yōshida), 1883, T., 480. **3-Urushic acid** (Yōshida), 1883, T., 480.

Urvölgyte. See Herrengrundite. Utahite from New Mexico (GENTH and PENFIELD), 1891, A., 274.

Uterus, peptones in fibromata of the (FISCHEL), 1886, A., 167.

Uvic acid. See Pyrotritatic acid. Uvinone (DIETRICH and PAM), 1887,

A., 658. Uvinuric acid, thio- (STEUDE), 1891,

A., 742.

Uvitic acid, thermochemistry of (Ston-Mann, Kleber and Langbern), 1889,

A., 1096. isoUvitic acid. See o-Carboxyphenyl-acetic acid.

Uvitonic acid. See 2-Methylpyridine-4:6-dicarboxylic acid.

٧.

Vaccinium Vitis-Idea (confurry), bitter punciple of (Chassen), 1885, A., 1251. Vacuum, transportation of solids in, by the vapours of metals (Morse and White), 1892, A., 1386.

apparatus for operations in a (v. Klobukoff), 1886, A., 178.

Vacuum-discharges, movement of gas in (Spottiswoode and Moulton), 1888, A., 5.

Valency (Aumstrong), 1888, A., 550. and the carbon atom (Meyer and Riecke), 1888, A., 549.

atomic (Pickering), 1885, P., 122. change of (Traube), 1886, A., 661.

lecture experiment for the demonstration of (LEPSIUS), 1888, A., 410; 1890, A., 1050.

of elements of the aluminium group (NILSON and PETTERSSON), 1888, T., 825.

Valeraldehyde, condensation of, with ethylic acetoacetate (MATTHEWS), 1883, T., 202.

action of glycol on (LOCHERT), 1888, A., 670.

condensation of, with pyrotartane acid (Firms and Feist), 1890, A., 591.

condensation of, with succinic acid (Firther and Schneegans), 1890, A., 590.

action of zinc methyl on (Kuwschinoff), 1888, A., 125.

5-amido- (Wolffenstein), 1892, A., 1484.

dibromo- (dibromomethylethylacetaldehyde) (Lieben and Zeisel), 1886, A., 783.

isoValeraldehyde, polymeride of (Perkin), 1883, T., 86.

trithio- (BARBAGLIA), 1885, A., 136; 1887, A., 162.

Valeraldehydeaniline (v. Miller and Pricent), 1892, A., 1193.

Valeriana officinalis, var. angustifolia (Bunraya and Gildemuisten), 1891, A., 239.

Valerian, complete from (HALLER), 1886, A., 1040,

extract, effect of, on the destruction of sugar in the blood (BUTTE), 1891, A., 754.

n-Valeric acid, preparation of (Du-CLAUX), 1887. A., 1028.

preparation of, from ethylic malonate (Furth), 1888, A., 1053.

γ-amido- (TAFEL), 1886, A., 1008; 1887, A., 463; 1889, A., 961.

δ-amido- (Schotten), 1888, A., 1105. from the putrefaction of proteids (Garrier and Aschan), 1891, A. 918. n-Valeric acid, δ-amido-, synthesis of ((JABRIEL), 1890, A., 1129.
γ-mono- and βγ-di-bromo- (FITTIG and FRANKEL), 1890, A., 585.

γδ-dibromo- (dibromallylacetic acid) (Огт), 1891, А., 1453.

of decomposition (FITTIG and URBAN), 1892, A., 960. γ-cyano-(Wislicenus), 1886, A., 880.

α-oxime of (Furth), 1884, A., 42. γ-oxime of, and its salts (Muller),

1883, А., 1129; (Візсивієти), 1888, A., 44.

 $\gamma\delta$ -dioxime of (Wolff), 1891, A., 417. Valeric acid (methylethylacetic acid), zine salt of (Schmidt), 1886, A., ან7.

silver and calcium salts of, solubility of (Sedelitzky), 1888, A., 250.

Valeric acid (trimethylacetic acid), action of bromine on (REFORMATSKY), 1890, A., 1096.

solubility of salts of (STIASSNY), 1892, A., 581.

isoValeric acid (isopropylacetic acid), vapour pressures of (RICHARDSON),

1886, T., 767, 774, 776. action of nitric acid on (BREDT),

1883, A., 176.

silver and calcium salts of, solubility of (Sedlitzky), 1888, A., 250.

β-amido- and β nitro- (BREDT), 1883, A., 176. a-bromo- (Volhard), 1888, A., 129;

(SCHLEICHER), 1892, A., 427. sulpho- (DE VARDA), 1889, A., 35.

Valeric anhydride, γ-amido- (TAFEL), 1889, A., 961.

isoValeric-creatinine (I)uvillier), 1883, A., 221.

isoValeridenetoluidine (v. MILLER and Рьбень), 1892, А., 1194.

Valero-betaine, derivatives of (KORNER and Menozzi), 1884, A., 125.

iso Valerodia cetonamine (ANTRICK), 1885, A., 502.

Valeroin (Klinger and Schmitz), 1891, A., 891.

Valerolactone in pyroligneous acid (Grodzki), 1884, A., 1118.

hydrolysis of (HENRY), 1892, A., 1303.

action of phenylhydrazine on (Wis-LICENUS), 1887, A., 490.

action of sodium ethoxide on (FITIG), 1890, A., 867.

action of water, hydriodic acid and sodium ethylate on (Firms and RUHLMANN), 1885, A., 375. erolactone, bromo- (Firther and

Valerolactone,

URBAN), 1892, A., 960.

Valerolactone, dibromo-, and chloro-(WOLFF), 1885, A., 1124.

y-cyano- (BLOCK and TOLLENS), 1886. A., 533.

Valero-8-naphthalide (BAMBERGER and Muller), 1888, A., 713.

Valerophenylhydrazide (AUTENRIETH). 1888, A., 251.

isoValero-quinhydrone \mathbf{a} nd (Klinger and Standke), 1891, A., 900.

γ-Valeroximidolactone (RISCHBIETH), 1888, A., 44; (BREDT and BOED-DINGHAUS), 1889, A., 1061.

isoValeryl-d-ecgonine (EINHORN and KLEIN), 1889, A., 283; (DECKERS and EINHORN), 1891, A., 476.

Valerylene, Reboul's. See Dimethylallylene.

Vanadic acid and vanadates. See under Vanadium.

Vanadic anhydride. See Vanadium pentoxide.

Vanadicovanadates (GIBBS), 1886, A., 205.

Vanadinite (GENTH), 1888, A., 564. from Arizona (Blake), 1885, A., 489. crystallised, from Arizona and New Mexico (Penfield), 1887, A., 347.

from New Mexico (Genth and vom Rали), 1886, A., 26.

from Leadhills (COLLIE), 1889, T., 94. Vanadinites, bromo- (DITTE), 1883, A., 783.

Vanadious sulphate. See under Vanadının.

Vanadium in the Leadville ores (ILES), 1883, A., 562.

potassium hydroxide (Smith), 1890, A., 706.

diffusion of, in the mineral and vegetable kingdoms (RICCIARDI), 1884, A., 159.

extraction of, from iron ores (CrAASsen), 1886, A., 128; 1887, A., 419. compounds (Britriery), 1885, P., 111;

1886, T., 30; (CLASSEN), 1886, A.,

fluorine compounds of (Precini and GIORGIS), 1889, A., 214; 1892, A., 785; (PETERSLN), 1889, A., 107, 1123; 1890, A., 15; 1891, A., 884.

Vanadium ar-enate (FRIEDHEIM and SCHMITZ-DUMONT), 1890, A., 1380. to loxide, compound of, with sulphur (Brierley), 1886, T., 822; P., 230.

pentoxide (vanadic anhydride) (DITTE), 1886, A., 18.

preparation of (Perussen), 1890, A., 16.

Vanadium pentoxide (vanudic anhydride), action of, on alkaline fluorides (DITTE), 1888, A., 114, 558.

action of, on ammonium salts (DITTE), 1886, A., 672.

action of hydracids on (DITTE), 1886, A., 772.

action of, on haloid salts of the alkalis (DITTE), 1886, A., 855.

action of hydrogen peroxide on (Cammerer), 1892, A., 944.

action of reducing agents on (DITTE), 1886, A., 307.

influence of, on potassium chlorate (FOWLER and GRANT), 1890, T., 276.

colour reactions of (LEVY), 1887, A., 305.

combinations of, with oxy-acids (DITTE), 1886, A., 599.

sulphur-derivatives of (KRUSS), 1884, A., 1269; (MUNZING), 1890, A., 336.

Vanadates (CARNOT), 1887, A., 1018; (RADAU), 1889, A., 351.

from the Argentine Republic (Döring), 1885, A., 641.

from New Mexico (GENTH and VOM RATH), 1886, A., 26.

arsenates and phosphates, analogous (HALL), 1886, P., 259; 1887, T.,

alkali, preparation of (RAMMELS-BERG), 1884, A., 395; (DITTE), 1887, A., 639, 705, 899.

metallic (Manasse), 1887, A., 339; (DITTE), 1887, A., 898.

of the fatty amines, some (BAILEY), 1884, T., 690.

crystallised, production of, in the dry way (Ditre), 1883, A., 784.

fluoro- (DITTE), 1855, A., 225. organic (HALL), 1887, T., 751. thio- (Kruss and Ohnmais), 1890,

A., 1381; 1891, A., 989. Vanadious sulphate, electrolytic pre-

paration of (Briefley), 1886, T., 822; P., 230.

Vanadyl chloride, preparation of (L'Hôte), 1886, A., 204.

Vanadium, detection and estimation: detection of (WITZ and OSMOND), 1886, A., 923.

detection of, in minerals (L'Hôte), 1887, A., 690.

estimation of (WITZ and OSMOND), 1886, A., 923; (DITTE), 1887, A. 691; (CARNOT), 1887, A., 896; (HOLVERSCHEIT), 1890, A., 1343. Vanadium, estimation:—

estimation of, in the presence of aluminium, chromium and phosphorus (RIDSDALE), 1888, A., 628. estimation of, in minerals (L'Hôte),

1887, A., 690.

estimation of, in vanadotungstates

(ROSENHEIM), 1891, A., 247. separation of, from metals (HAL-

BERSTADT), 1883, A., 513. separation of, from phosphoric acid (Holverscheit), 1890, A., 1343.

separation of, from tungstic acid. (FRIEDHEIM), 1890, A., 666.

Vanadoarsenates (FRIEDHEIM SCHMITZ-DUMONT), 1890, A., 1380.

Vanadomolybdates (GIBBs), 1884. A., 561; (FRIEDHEIM), 1891, A., 884. Vanadotungstic acid and its salts

(Rosenheim), 1889, A., 762.

Vanadotungstates (GIBBS), 1884, A., 562; (FRIEDHEIM), 1890, A., 1066; (ROTHENBACH), 1891, A., 18.

estimation of vanadic acid in (Rosenнеім), 1891, А., 247.

Vanadovanadico-molybdates and -tungstates (GIBBS), 1884, A., 714.

Vanillenylamidoxime (MARCUS), 1892, A., 318.

Vanillin in asafætida (Schmidt), 1886, A., 906.

in asparagus (v. LIPPMANN), 1886, A., 387.

in the seeds of Lupinus albus (CAM-PANI and GRIMALDI), 1888, A., 983.

from Rosa cunina (SUHNEEGANS), 1890, A., 1270.

preparation of (HAARMANN and REIMER), 1884, A., 1343.

preparation of, from m-chloro-p-nitrobenzaldehyde (LANDSBERG), 1887, A., 483.

preparation of, from the gum of the olive tree (SCHEIDEL), 1886, A.,

synthesis of (ULRICH), 1886, A.,

condensation product of dimethyl-aniline and (FISCHER and SCHMIDT), 1884, A., 1316.

phenylhydrazine derivatives of (TIE-MANN and KEES), 1885, A., 1072.

compounds of, with pyrogallol and with phloroglucinol (ETTI), 1883, A., 61.

isoVanillin (Wegscheider), 1883, A.,

Vanillinaldoxime (Lacu), 1883, A., 1104; (TIEMANN and KEES), 1885, A., 1073.

Vanillinoxyacetic acid (ELKAN), 1887, A., 259.

Vanillonitrile (MARCUS), 1892, A., 318. Vanilloylcarboxylic acid (TIEMANN), 1892, A., 6 L

Vapour determinations density (MEYER), 1883, A., 618; 1886, A., 842; (Pawlewski), 1883, A., 951; (NILSON and PETTERSSON), 1886, A., 298; (SCHALL), 1888, A., 335; 1890, A., 681, 1042; 1892, A., 934; (JAEGER; RIGHARDS), 1889, A., 460; (KRAUSE and MEYER), 1890, A., 1365; (Perman), 1891, A., 253; (LUNGE and NEUBERG), 1891, A., 635.

at all temperatures and pressures

(BOTT), 1888, P., 110. apparatus for, at low temperatures (v. Klobukoff), 1885, A., 9.

low pressure (MALEATIT and Schoop, 1888, A., 336; (Schall), 1889, A., 331; 1892, A., 553; (Elikman), 1890, A., 101.

by gaseous displacement under low and variable pressures (MEUNIER),

1884, A., 886.

apparatus (Schwarz), 1883, A., 899; (Meyer), 1884, A., 956; (Schall), 1885, A., 1179; 1887, A., 695, 882; (KAHLBAUM), 1887, A., 207; (Dyson), 1887, A., 431; (Bott and Magnair), 1887, A., 632; (Warren), 1887, A., 695; (Mag-NAIR), 1887, A., 765; (EASTER-FIELD), 1890, A., 681; (LOBRY DE BRUYN), 1892, A., 679.

source of error in (ALEXLEFF), 1886,

A., 116.

influence of the shape of the bulb in (Biltz), 1888, A., 1210.

of catalytic action glass (Alex (Ref.), 1886, A., 591.

dissociation in (Konow Mores), 1886,

A., 9.

of elements and compounds at a white heat (Bills and Mryle), 1889, A., 673.

of liquids of high boiling point (v. KLOBUKOFF), 1855, A., 9.

of high boiling substances, determination of, at a diminished pressure (LA COSTE), 1885, A., 1180; (SOHALL), 1887, A., 882.

of substances below their boiling points, determination of (DEMUTH and MEYER), 1890, A., 110.

of aluminium chloride (Nuson and Pettersson), 1858, A., 788; 1889, A., 1113; (FRIEDER and Charles), 1888, A., 1040.

Vapour-density of ammonium chloride (PULLINGER and GARDNER), 1891. P., 2; (NEUBERG), 1891, A., 1 107.

antimony at a white heat (MENSCHING and MEYER), 1887, A., 888; (Bilt and Mexer), 1889, A., 673.

of antimony pentachloride (Ansenutz and Evans), 1890, A., 16.

of arsenic at a white heat (Mensching and MEYER), 1887, A., 888; (BILTZ and MEYER), 1889, A., 671.

of beryllium bromide (Humpidge),

1886, A., 506.

of beryllium chloride (Nuson and Pettersson), 1884, A., (Humpinge), 1886, A., 506. 1884,

of ferrie chloride (Nilson and Pet-Tersson), 1888, T., 814; (Grune-Wald and Meyer), 1888, A., 422; (FRIEDEL and CRAFTS), 1868, A., 1251.

of ferrous chloride (MEYER), 1884, A., 965; (NILSON and PETTERS-SON), 1888, T., 827.

of gallium chlorides (NILSON and PETERSSON), 1888, T., 814; (FRIEDEL and CRAFTS), 1888, A., 1250.

of hydrogen fluoride (THORPE and HAMBLY), 1888, T., 765; P., 87; 1889, T., 163; P., 27.

of indium and chromium chlorides (Nilson and Pettersson), 1888, T., 814.

of iodine (Burz and Meyen), 1889, A., 671; (KRAUSE and MEYER), 1890, A., 1365.

of phosphorus at a white heat (MENSCHING and MEYER), 1887, A., 888; (Biliz and Meyer), 1999, A., 673.

of potassium iodide (Munsching and Meyen), 1°87, A., 550.

of sclenium chlorides (CuABRIL), 1890, A., 558.

of culphur (Riichr), 1891, A., 381.

of sulphuric monochloride (HEUMANN and Kochers), 1883, A., 781.

of pyrosulphuric chloride (Осния), 1883, A., 123, 616; (Пешманн and Kochlin), 1883, A., 710.

telrachloride tellurium CHAFLIS), 1887, A., 770.

of thiophosphoryl fluoride (Thorpe and Robota), 1889, T., 308.

of thorium chloride (Troost), 1885, A., 1113: (Kntss and Nitson), 1887, A., 701.

Vapour-density of zinc (MENSCHING) and MEYER), 1887, A., 218.

of acetic acid (KRAUSE and MEYER), 1890, A., 1365.

of aluminium ethyl (Roux and Louise), 1888, A., 453.

of aluminium methyl (Louise and Roux), 1888, A., 583; (Quincke), 1889, A., 695.

of tertiary amyl compounds (MEN-SCHUTKIN and KONOWALOFF), 1884, A., 1119.

of benzene β-hexachloride (MEUNIER), 1884, A., 886.

of chloral ethylic alcoholate (RAMSAY and Young), 1886, T., 685; P., 225.

of cyanogen iodide (SEUBERT and Pollard), 1890, A., 949.

of ethereal salts (Menschutkin and Konowaloff), 1886, A., 299.

of ethylic isocyanurate at different temperatures (Krapirvin ZELINSKY), 1889, A., 1128.

of ethylic racemate (ANSCHÜTZ), 1885, A., 966.

See also Density and Specific gravity.

Vapour pressure, conditions of (BRAUN),

1888, A., 1015. method of determining, temperatures (WALKER), 1889, A.,

apparatus for measuring (KAHL-BAUM), 1887, A., 207.

apparatus for the indirect determination of (LOBRY DE BRUYN), 1892, A., 679.

dynamical method of determining (TAMMANN), 1888, A., 403.

the statical and dynamical methods of determining (RAMSAY and YOUNG), 1886, A., 5, 410, 965. do the statical and the dynamical

methods of measuring, give different results? (KAHLBAUM), 1886, A., 193.

determination of, from the rate of evaporation (Müller-Erzbach), 1888, A., 1016.

differential tonometer for measuring relative (Bremer), 1888, A., 402.

and rate of dissociation (MULLER-ERZBACH), 1887, A., 696.

compounds which have a, equal to the dissociation tension of their saturated solutions (Lescoun), 1890, A., 553.

as measure of the chemical attraction of water of crystallisation (MULLER-ERZBACH), 1887, A., 436.

Vapour pressure, influence of change from liquid to the solid state on (RAMSAY and YOUNG), 1885, A., 629; 1887, A., 430.

reductions, determination of molecular weight from (BECKMANN), 1890,

A., 323.

of homologous compounds (SCHMIDT), 1891, A., 969; 1892, A , 396.

of liquids_(RAMSAY and Young), 1885, T., 641.

influence of small amounts of impurities on (TAMMANN), 1888, A., 213.

of a mixture of two volatile liquids (Duhem), 1891, А., 1407.

of solids and liquids, new method of determining (RAMSAY and YOUNG), 1885, T., 42.

of hydrated salts (Muller-Erzbach), 1885, A., 213.

constant, of crystalline hydrated salts (Andreae), 1891, A., 781.

of hydrated salts, rate of dissociation as a measure of (Schulze), 1888, A., 104.

of solutions (RAOULT), 1891, A., 386. determination of (CHARPY), 1890, A., 1364.

measurement of (Ewan and Or-MANDY), 1892, T., 769; P., 141. of aqueous solutions (TAMMANN), 1889, A., 668; (Emden), 1890, A., 323.

of solutions in acetic acid (RAOULT and Recoura), 1890, A., 554.

of ethereal solutions (RAOULT), 1887, A., 207; 1888, A., 1145.

influence of concentration (RAOULT), 1887, A., 631.

of alcoholic solutions (RACOULT), 1889,

of saline solutions (EMDEN), 1887, A., 764.

of some aqueous saline solutions at 0° (Dieterici), 1891, A., 783.

of saturated solutions of salts, relations to efflorescence and deliquescence (LESCEUR), 1887, A., 208. of dilute solutions of volatile sub-

stances (Planck), 1888, A., 1146.

of water (HINRICHS), 1892, A., 396. up to 200 atmospheres (ANTOINE), 1891, A., 1407.

from salt solutions (TAMMANN), 1885, A., 862; (NICOL), 1887, A., 321.

of chemically combined and absorbed water, statical and dynamical methods of measuring (MULLER-ERZBACH), 1889, A., 1045.

Vapour pressure of bromine (RAMSAY and Young), 1886, T., 453; P., 181.

of carbon tetrachloride (Young), 1891, T., 911; P., 124.

of aqueous solutions of cobalt chloride (CHARPY), 1892, A., 263.

of copper potassium chloride and its solutions (VRIENS), 1891, 783.

of the hydrate of hydrogen sulphide (DE FORGRAND and VILLARD), 1888, A., 644.

of iodine (RAMSAY and Young), 1886,

T., 453; P., 181.

of mercury (McLeon), 1884, A., 385; (RAMSAY and YOUNG), 1885, T., 656; P., 115; 1886, T., 37; (VAN DER PLAATS), 1886, A., 968 (YOUNG), 1891, T., 629; P., 120. 963;

potassium hydroxide solutions (Errera), 1889, A., 205.

of sodium carbonate (Andreae), 1891, A., 782.

of stannic chloride (Young), 1891, T., 911; P., 124.

of mixtures of sulphurous and carbonic anhydrides (Blumcke), 1888, A., 775; (Picter), 1888, A., 1015.

of acetic acid (RAMSAY and Young), 1885, T., 42; 1886, T., 790; P., 225; (Richardson), 1886, T., 765, 774, 776; (Young), 1891, T., 903; P., 124.

of sodium acetate solutions (LESCEUR),

1887, A., 322.

of alcohols and organic acids and the relations between them (RICHARD-

son), 1886, T., 761; P., 229, of benzene (Young), 1889, T., 488, 492, 501, 508; P., 103.

of halogen derivatives of benzene (RAMSAY and Young), 1885, T., 640; (Young), 1889, T., 486; P., 103.

of liquid eyanogen (CHAPPUIS and RIVIÈRE), 1887, A., 764.

of dibenzyl ketone (Young), 1891, T., 626; P., 119.

of ethyl ether (RAMSAY and YOUNG), 1887, A., 320.

ethylamine and diethylamine hydrosulphides (ISAMBERT), 1883, A., 727.

of mixtures of ethylic alcohol and ethyliciodide (RAMSAY and Young), 1887, T., 755; P., 91.

of aqueous solutions of glycerol (GER-LACH), 1885, A., 499.

of methylic alcohol (DITTMAR and FAWSITT), 1889, A., 579.

Vapour pressure of mixtures of propylic alcohol and water (RAMSAY and Young), 1888, P., 101.

of quinoline (Young), 1889, T., 483; P., 104.

See also Weight, molecular.

Vapour tension. See Vapour-pressure. Vapours, metallic, infra-red radiation spectra of (Becquerel), 1884, A., 1237.

evolved on heating iron, etc., at atmospheric pressure, spectroscopic examination of (PARRY), 1884, A., 801; 1885, A., 318.

glowing, anomalous dispersion produced by (Winkelmann), 1888, A., 207.

refraction and chemical constitution of (Bruill), 1891, A., 629.

an arrangement of the electric arc for the study of radiation of (Liveing and Dewar), 1883, A., 262.

electrical conductivity of (LUVINI), 1887, A., 4.

arising from electrified surfaces of liquids, electrical neutrality (Blake), 1884, A., 243.

dissociation of, by the silent discharge (v. Hofmann), 1891, A., 143.

determination of the vapour density by means of the velocity of sound in (Jaeger), 1889, A., 460.

critical temperatures and pressures of (VINCENT and CHAPPUIS), 1885, λ., 861, 1104; 1886, A., 96**8.**

diffusion of gases and (WINKELMANN), 1885, A., 10.

influence of temperature on the diffusion of (WINKELMANN), 1889, A., 461.

organic, chlorinated, properties of (Вективьот), 1883, A., 394.

saturated, of various liquids under the same pressure, temperatures of (Color), 1892, A., 1143.

pressure of, over liquid and solid substances (Fischer), 1886, A.,

relation between the pressure and temperature of (JAROLIMEK), 1883, A., 951.

relations of pressure, temperature and volume in (UNWIN), 1886,

pressure and specific volume of (DEL LUNGO), 1892, A., 263.

method of determining the specific volumes of (Young), 1890, P.,

157; 1891, T., 37. Variolite, at Hausdorf, in (DATHE), 1884, A., 408.

Varnish, polychrome, for white metal (Puscher), 1883, A., 896.

Varnishes, estimation of turpentine in

(Phillips), 1891, A., 1302. Varvacite (Walker), 1888, A., 658.

Vasculose (URBAIN), 1884, A., 858. Vaseline (ENGLER and BOEHM), 1887,

A., 456. estimation of fats in (VIZERN and

NICOLAS), 1891, A., 1401. Vateria indica, fat of the fruit of (v. HOHNEL and WOLFBAUER), 1886, A., 223.

Vaugnerite at Irigny, Rhone (Gon-NARD), 1884, A., 405.

Vegetable extracts, detection of asparagine and glutamine in (SCHULZE), 1884, A., 378.

estimation of amides in (SCHULZE), 1884, A., 1438.

estimation of ammonia in (Boss-HARD), 1884, A., 373; (SCHULZE), 1884, A., 493.

families, existence of glycyrrhizin in several (Guigner), 1885, A., 395.

fats. Sec Fats. See Fibre. fibre.

kingdom, distribution of hydrocyanic acid in (GRESHOFF), 1891, A., 338. diffusion of vanadium in the (RIC-CIARDI), 1884, A., 159.

matter, incineration of (LECHARTIER), 1890, A., 196.

oils. See Oils, vegetable. organisms. See Organism.

products, detection of mannose and of pentoses in (Tollens), 1892, A., 250.

estimation of glucose and of raffinose in (Tollens), 1892, A., 249. substances, bleaching of, with chloride of lime (Lunge), 1886, A., 188.

See also Agricultural Chemistry. Vegetable-marrow, cooked, composition of (Williams), 1892, T., 227.

getables, cooked, composition of Williams), 1891, P., 174; 1892, Vegetables, Ť., 226.

"Vegetaline" (BELLMER), 1884, A., 1088.

Vegetarianism from a physiological standpoint (Chamer), 1883, A., 928. Vegetation. See Agricultural Chemis-

try. Velocity of reaction in gelatin (REFOR-

MATSKY), 1891, A., 639. See also Affinity.

Venom. See Poison.

Veratrine. See Alkaloids.

Veratroidine (Pehkschen), 1891, A.,

Veratroil, dinitro- (Russin), 1892, A.,

Veratronitrile (GARELLI), 1891, A., 712.

Veratrum album, alkaloids of (Penks-CHEN), 1891, A., 87.

alkaloids of the rhizome of (SALZ-BERGER), 1891, A., 230.

Verdigris, adulteration of (ASTRE), 1884, A., 1236.

Vermiculites, constitution of (Clarke and Schneider), 1892, A., 125.

Vermilion, wet process for the manufacture of (DIFTE), 1884, A., 964. See also Mercuric sulphide.

Vernine, preparation of (Schulze and Bosshard), 1886, A., 157.

Vernonin (HECKEL and SCHLAGDEN-HAUFFEN), 1888, A., 964.

Vertebrates, relative alkalinity of blood of (Drouin), 1891, A., 348.

Vesuvian. See Idociase. Vesuvius, new sublimates from the erater of (Scacciii), 1883, A., 1064.

Vetch. See Agricultural Chemistry. Vibrioles and microzymæ, origin of, in air, water, soil, etc. (BECHAMP), 1885, A., 417.

Vicia. See Agricultural Chemistry. Vicine in broad beans (Vicia Faba) (RITTHAUSEN), 1884, A., 1405. in seeds (Schulze), 1891, A., 490.

Victoria blue (tetra methylnaphthylpararosuniline) (NATHANSON and MUL-LER), 1889, A., 1190.

Victoria yellow (dinitro-p-cresol), colour reactions of (FLECK), 1887, A., 624. physiological action of (WEYL), 1888, A., 520, 1122.

Villarsite from Traverselle (LACROIX), 1887, A., 351.

Vinaconic acid. See Trimethylene-1:1dicarboxylic acid.

Vincetoxicum officinale, active principles of (GRAM), 1887, A., 377.

Vincetoxin (TANRET), 1885, A., 552. Vine. See Agricultural Chemistry.

Vinegar, testing for free sulphuric acid in (Pollacci), 1884, A., 215; (Kohnstein), 1885, A., 933. examination of (Sykes), 1892, A.,

251.

estimation of the strength of (ANON.), 1885, A., 1267.

estimation of tartaric acid in (Jolles), 1890, A., 428.

"Vinegar-plant," nature of (Brown), 1886, T., 433; P., 194. Vinicolore (JAY), 1885, A., 711.

Vinoline, detection of (Pollacci), 1888, A., 877.

Vinylamine, preparation of, from bromethylamine hydrobromide BRIEL), 1888, A., 1267.

derivatives of (GABRIEL), 1888, A.,

o-Vinylbenzoic acid, tribromo- (Rosen and Hasklhoff), 1888, A., 1301.

dichloro- (Zincke and Frontich), 1887, A., 955; (ZINCKE), 1888, A., 159.

trichloro- (ZINCKE and FRÖHLICH), 1887, A., 955; (ZINCKE), 1888, A., 490.

o-Vinylbenzoylcarboxylic acid. Sec o-Vinylphenylglyoxylic acid.

Vinyl//i-α-chlorophenylacetic acids (vinyldichlorobenzylearboxylic acids), o-dichloro- and o-trichloro- (ZINCKE and KEGEL), 1889, A., 270.

Vinyl-diacetonalkamine. -diacetonamine and -diacetonine (FISCHER), 1881, A., 1**2**91.

Vinylethylene. See Butinene.

Vinyl alcohol, a constant constituent of ethyl ether (Poleck and Thum-

MEL), 1890, A., 118. heat of combustion of (BRUHL), 1891, A., 633.

(bromethylene) bromide and tribromide, action of benzene on, in presence of aluminium chloride (Angelbis and Anschütz), 1884, A., 753; (Anschütz), 1884, A., 754.

action of iodine monochloride on (HENRY), 1884, A., 830.

tribromide, action of sodium ethoxide on (MICHAEL), 1884, A., 418.

chloride (chlorethylene), action of ammonia on (ENGEL), 1887, A., 793.

tion of iodine chlor (HENRY), 1884, A., 719. chloride on action

oxymercurochloride (Poleck and Тийммец), 1890, А., 118. oxide and sulphide (SEMMLER), 1887,

A., 1089. Vinylmalonic acid. See Trimethylene-

1:1-dicarboxylic acid.

p-Vinylphenol dibromide, bromo-(EIGEL), 1887, A., 1110.

o-Vinylphenylglyoxylic acid (o-vinylbenzoylcarboxylic acid), dichloro-(ZINCKE and KEGEL), 1889, A., 270.

trichloro- (ZINCKE), 1888, A., 490. Vinylpiperidine (Ladenburg), 1890,

A., 68. bromo-, hydrobromide of (piperethylalkine bromide) (LADENBURG), 1884, A., 760.

(pyridylethylene) 2-Vinylpyridine (LADENBURG), 1887, A., 787; 1890, A., 67; (EINHORN), 1892, A., 77.

Violane from Piedmont (Schluttig), 1887, A., 784.

from Sweden (Іскіхтком), 1890, А.,

and anthochroite, identity of (IGELström), 1891, A., 407.

Viola-quercitrin, a glucoside (MAN-DELIN), 1884, A., 1191.

Violuric acid. See Nitrosobarbituric acid.

Viper, Indian, venom of (Wolfender), 1886, A., 1058.

Virginia creeper (Uissus quinquefolia), caffetannic acid, citric acid, and quereitrin in (Phipson), 1885, A., 1255.

Viscid substances, determination of the specific gravity of (Bründ), 1891, A., 520, 1147.

Viscosity, pyrometric use of the principle of (BARUS), 1888, A., 1014. of gases at high temperatures (BARUS),

1888, A., 1014. of liquid carbon compounds, and its

relation to chemical constitution (GARTENMEISTER), 1891, A., 380. of liquids (GRAETZ), 1888, A., 776;

(WAGNER), 1890, A., 441; (HANDL and Pribram), 1892, A., 1143. of liquids, relation between the density

and (WARBURG and SACHS), 1885, specific, of organic liquids and their

aqueous solutions (TRAUBE), 1886, A., 657.

of dilute aqueous solutions (ARRHENrus), 1888, A., 336.

of aqueous salt solutions (LAUEN-STEIN), 1892, A., 1044.

Visual purple (DRESER), 1886, A., 375. Vitellin, crystalline (CHITTENDEN and HARTWELL), 1891, A., 342.

heat of combustion of (Berthelot and Andre), 1890, A., 938.

products of digestion of (NEUMEISTER), 1887, A., 286.

Vitelloses (Neumeister), 1887, A., 286; (CHITTENDEN and HARTWELL), 1891, A., 342.

Vitoglycol and vitol (Etard), 1892, A., 746.

Vitriol, oil of. See Sulphuric acid.

Vivianite, curious occurrence of (Dun-LEY), 1891, A., 156.

new locality for (Koch), 1885, A., 731. from the Szentes artesian well (v. MURAKÖZY), 1890, A., 714. from Tamanj (Teluschkin), 1892,

A., 690.

Voucanga (Orchipeda) foetida, alkaloid from (GRESHOFF), 1891, A., 337.

Volatilisation (ROOZEBOOM), 1888, A., 1148.

of dissolved substances during the evaporation of the solvent (MARGUERITE-DELACHARLONNY), 1887, A., 211.

Volcanic ash, silver in (MALLET), 1887, A., 454; 1891, A., 277.

from the eruption of Krakatos (REUSCH), 1884, A., 415.

minerals from (RETGERS), 1886, A., 602.

analysis of (v. LASAULX; ORB-BEKE), 1884, A., 974; (DE LOOS), 1884, A., 975.

Volcanic rocks. See Rocks.

Volcanoes of Northern California, Oregon, and Washington (HAGUE and IDDINGS), 1884, A., 28.

origin of hydrogen chloride, sulphurous anhydride and iodine in the gases of (RICCIARDI), 1887, A., 643.

Volt and voltaic. See Electrochemistry. Voltaite, and metavoltine (BLAAS), 1884, A., 1103.

Voltzite (voltzine), crystallised (CESARO), 1884, A., 1101.

Volume, change in, attending the mixture of salt solutions (NICOL), 1883, T., 135.

change in, accompanying solution (Braun), 1887, A., 436.

change in, during the formation of metallic oxides (Bekeroff), 1887, A., 1073.

change in, on dissolving salts in water (SCHMIDT), 1890, A., 844. change in, on melting (SCHIFF), 1884,

change in, on melting (Schiff), 1884, A., 1089.

in gases, change of, on mixture (Braun), 1888, A., 1015.

change of, on mixing electrolytes (Gore), 1892, A., 930.

pressure and temperature, relation of, in the case of liquids (BARUS), 1890, A., 321.

Volume lag and its bearing on molecular constitution (BARUS), 1892, A., 1043.

Volumes, Gay Lussac's law of (LEDUC), 1892, A., 1271.

law of, in chemistry (Hunt), 1887, A., 99.

law of smallest (MÜLLER-ERZBACH), 1884, A., 12.

of liquid and gaseous mixtures (Wanklyn and Cooper), 1891, A., 1412; (Wanklyn, Johnstone

and Cooper), 1892, A., 264; (WANKLYN), 1892, A., 935.

Volume, atomic, and specific volume (Lossen), 1886, A., 972.

of elements, relation between the allotropic modifications of iron and the (OSMOND), 1890, A., 567.

Volume, critical, determination of (NADESCHDIN), 1888, A., 775.

of liquids (DEWAR), 1885, A., 331. Volume, molecular, law of (GULDBERG),

1890, A., 1043. calculation of (HINRICHS), 1891, A.,

1408. formula for calculating the, at the

boiling point (GROSHANS), 1889, A., 100.

boiling points and chemical characters of liquids, relations between (Masson; Young), 1891, A., 379. influence of double and ring linking

on (HORSTMANN), 1887, A., 545. and refraction, new theory of (KET-

and refraction, new theory of (KET TELER), 1889, A., 326.

of acetic acid (YOUNG), 1891, T.,903. of aromatic compounds (Neubeuk), 1888, A., 895; (Feitler), 1889, A., 1047; (SAKURAI), 1890, A., 683.

of benzene, naphthalene, anthracene etc. (Groshans), 1889, A., 336.

of the saturated vapours of benzene and its halogen derivatives (YOUNG), 1890, P., 177; 1891, T., 125.

of carbon tetrachloride and stannic chloride (Young), 1891, T., 911.

of liquids (Blaserna and Cannizzaro), 1883, A., 279; (Schiff), 1883, A., 1044; 1884, A., 386; (Kopp), 1889, A., 566.

of organic compounds, formulæ for calculating (Lossen), 1890, A., 323.

of saline solutions (NICOL), 1884, A., 658; 1885, A., 334.

of salts combined with water, relation of their dissociation to (MÜLLER-ERZBACH), 1884, A., 952.

of dissolved substances (TRAUBE), 1892, A., 1383.

See also Volume, specific.

Volume, specific (Lossen), 1888, A., 335.

and atomic volumes (Lossen), 1886, A., 972.

at the boiling point, etc. (Horst-Mann), 1886, A., 759.

and boiling points, relation between (STAEDEL), 1883, A., 302.

of normal fatty acids and alcohols (ZANDER), 1884, A., 1278.

Volume, specific, of the alkyl salts of fatty acids (Elsasser), 1883, A., 967; (Gartenmeister), 1886, A., 966.

of othereal salts of the oxalic acid series (Wiens), 1890, A., 102.

of saturated and unsaturated alkyl salts and hydrocarbons (Weger), 1884, A., 8.

of allyl and propyl compounds (ZAN-DER), 1883, A., 13.

of benzene (Young), 1889, T., 488, 504; P., 103; 1891, T., 44.

of halogen derivatives of benzene (Young), 1889, T., 486; P., 103. of camphor and borneol (Kuhara),

1889, A., 785; 1890, A., 169. of carbon tetrachloride (Young), 1891, T., 43, 45.

of some double chlorides (ROMANIS), 1884, A., 956.

of chlorine, bromine, and iodine in carbon compounds (SCHALFEEFF), 1885, A., 717.

of the normal fatty others and iodides (DOBRINER), 1888, A., 334.

of hydrocarbons from Pennsylvanian petroleum (BARTOLI and STRAC-CIATI), 1885, A., 859.

of liquids (Lossen; Zander), 1883, A., 13; (Kopp), 1884, A., 147; (Lossen and Zander), 1884, A., 1252.

and absolute boiling points, relation between (GROSHANS), 1886, A., 590.

and their saturated vapours, new method of determining (YOUNG), 1890, P., 157; 1891, T., 37.

of phenols and their ethers (PINETIE), 1888, A., 335.

of phosphorous oxide (Thorre and Turron), 1890, T., 558.

of phosphorus (Thorre and Turron), 1890, T., 562.

of aqueous vapour (Dieterici), 1890, A., 207.

and pressure of saturated vapours (DEL LUNGO), 1892, A., 263.

See also Volume, molecular.

Volumeometer, an instrument for taking the specific gravity of minerals (GISEVIUS), 1883, A., 1032.

Volumetric system, arrangement of (Winkler), 1886, A., 96.

Vulpic acid, derivatives and constitutional formula of (Spiecell), 1884, A., 841.

W.

Wackenroder's solution, investigation of, and explanation of the formation of its constituents (Debus), 1888, T., 278; P., 18.

preparation of (Debus), 1888, T., 281. preparation of tetrathionates from (Currius and Henkel), 1888, A., 552.

spontaneous decomposition of (DE-BUS), 1888, T., 317.

bleaching power of (SMITH), 1883, T., 355.

See also the Thionic acids under Sulphur.

Wads (Gorgeo), 1890, A., 570.

Wagnerites, bromarsenio-manganese (DITTE), 1883, A., 784.

bromo- (Dirre), 1883, A., 648.

Walnut oil (MABEN), 1886, A., 641. Waltherite from Joachimsthal (BERTRAND), 1883, A., 36.

Waluewite from the Ural (SCHLAEPFER), 1891, A., 531.

chemical composition of (NIKOLAEFF), 1883, A., 1068.

Wash-bottle, improved (Sobieczky and Holbling), 1888, A., 990.

Watches, non-magnetisable alloys of pulladium for (PAILLARD), 1889, A., 573.

WATER:-

composition of, by volume (Scott), 1888, A., 411; (Morley), 1891, A., 976.

composition of, by weight (RAYLEIGH), 1890, A., 330; (LEDUC), 1892, A., 1271.

synthesis of, by weight, a lecture experiment (Ladenburg), 1883, A., 1048.

simultaneous synthesis of hydrogen chloride and (HAUTEFEUILLE and MARGOTTET), 1890, A., 8.

molecular weight of (Thomsen), 1885, A., 870.

evidence of a change in the constitution of (Armstrong), 1887, P., 127; 1888, T., 125.

colour of (Sparna), 1884, A., 259.

spectrum of (LIVEING and DEWAR), 1883, A., 140; (JANSSEN), 1889, A., 261.

absorption spectrum of (Soret and Sarasin), 1881, A., 701.

relation between the ultra-violet spectrum of the vapour of, and the telluric bands, A, B, a in the solar spectrum (Deslanders), 1885, A., 713.

WATER:-

atmospheric absorption by the vapour of (ABNEY and FESTING), 1884, A., 241.

absorption of heat by the vapour of (RONTGEN), 1885, A., 5.

refractive power of, at different temperatures (PERKIN), 1892, T., 293.

refractive indices of (BRÜHL), 1891, A., 629.

and quartz, variation of the indices of refraction of, with the temperature (DUFET), 1883, A., 762.

influence of pressure on the index of refraction of, for sodium light (Zehnder), 1888, A., 765.

cooled below 0°, refraction of light by (Pulfrich), 1888, A., 881. measurement of the quantity of light

that enters (Regnard), 1891, A., 2. electrical conductivity of (Fous-serrau), 1884, A., 1241; (Kohl-rausch), 1885, A., 323; (Ostwald), 1890, A., 1857.

electrical conductivity of, and its temperature coefficients (Pfeiffer), 1888, A., 11.

clectrolysis of (Bartoli and Parasogli), 1883, A., 540; (Tommasi), 1885, A., 1029; (v. Helmholtz), 1888, A., 100; (Duter), 1889, A., 1094.

specific inductive capacity of (Conn), 1890, A., 203.

and carbon disulphide and water and other, under the action of electromotive force, variation of the constant of capillarity of the surfaces (Krouchkoll), 1883, A., 1047.

molecule, heat of, dissociation of, and the electric luminosity of gases (Wiedemann), 1883, A., 547.

heat conductivity of (CHREE), 1888, A., 641.

specific heat of (NEE-EN), 1883, A., 541.

superfused, specific heat of (CARDANI and Tomasini), 1888, A., 102.

thermal relationship between certain salts and (ILLINGWORTH and HOWARD), 1885, A., 339.

expansion of (AMAGAT), 1887, A., 695; (PICKERING), 1889, P., 89; 1891, A., 8; (SCHEEL), 1892, A., 7; (MAREK), 1892, A., 106; (PUSCHL), 1892, A., 1382.

maximum density of (VERNON), 1892, A., 7.

maximum density of, a lecture experiment (v. Hofmann), 1883, A., 280.

WATER:-

influence of hygroscopic condensation in glass vessels on the determination of the density of the vapour of (MACALUSO and GRIMALDI), 1883, A., 507.

condensation of the vapour of, by solid substances (IHMORI), 1888,

variation of temperature of maximum density of, with pressure (GRI-MALDI), 1886, A., 9.

determination of the critical temperature and pressure of (CAILLETET and COLARDEAU), 1891, A., 779.

and carbonic anhydride vapour, saturated, relation between pressure and temperature in (JAROLIMEK), 1883, A., 417.

1883, A., 417. saturated vapour of, pressure of (Hinricus), 1892, A., 396.

vapour pressure of, up to 200 atmospheres (ANTOINE), 1891, A., 1407. chemically combined and absorbed, statical and dynamical methods of measuring the vapour pressure of (MULLER-ERZBACH), 1889, A., 1045.

specific volume of the vapour of (DIETERIOI), 1890, A., 207.

relative volumes of, in the liquid and gaseous state, a lecture experiment (v. HOFMANN), 1883, A., 280.

hot, compressibility of (BARUS), 1891, A., 634.

compressibility of (AMAGAT), 1887, A., 695; (RONTGEN), 1888, A., 548.

decomposition of, hy metalloids (Cross and Higgin), 1883, A., 900.

decomposition of, by sodium, a lecture experiment (v. HOFMANN), 1883, A., 280.

alternate decomposition and reproduction of, a lecture experiment (v. HOFMANN), 1883, A., 280,

absorptive power of, for atmospheric gases (Pettersson and Sonden), 1889, A., 935.

extraction of the dissolved gases in (HOPPE-SEYLER), 1892, A., 1526.

solubility of calcium carbonate in (Anderson), 1890, A., 450.

solubility of gases in (Bohr and Book), 1892, A., 107.

solubility of oxygen in (WINKLER) 1889, A., 936.

attraction between soluble substances in dilute solutions and (DE VRIES), 1884, A., 1065. WATER:-

and alcohol, solubility of some substances in mixtures of LANDER), 1891, A., 791.

hot, solvent action of, on glass (BARUS), 1891, A., 634.

penetrability of glass by (BERTHELOT; SCHUTZENBERGER), 1890, A., 691,

oxidation of amnionia in (UFFEL-

MANN), 1886, A., 917.

influence of, in promoting the inter-action of hydrogen chloride and oxygen on exposure to light (ARMstrong), 1887, T., 806.

action of chlorine on, in the light (Pedler), 1890, T., 613; P., 65. changes induced in, by the develop-

ment of bacteria (LEONE), 1887, A., 615.

recognition of the neutrality of (Mylius and Foerster), 1891, A., 1136.

equilibrium in the retention of, by dilute sulphuric acid and hydrated salts (MULLER-ERZBACH), 1888, A., 1024.

Water of crystallisation (SALZER), 1884, A., 584, 806; 1892, A., 581; (PIOKERING), 1886, T., 280, 411; P., 163; (NICOL), 1886, T., 690; P., 220; A., 972; (PERKIN), 1886, T., 788; (SCHNEIDER), 1890, A., 1209.

dissociation and constitution of salts (Müller-Erzbach), containing 1884, A., 952; 1886, A., 10; 1887, A., 207; 1890, A., 206. measure of the chemical attraction of,

derived from the vapour pressures (MÜLLER-ERZBACH). 1887, A, 486.

influence the of, electrical on conductivity of salt solutions (Trotsch), 1891, A., 141. of dissolved cobalt salts (Kaller),

1888, A., 23.

of alums (Juirke), 1888, A., 112. of morphine (HESSE), 1889, A., 417. amount of, in certain salts (Schulze), 1887, A., 766.

estimation of, in organic compounds (OSTERMAYER), 1886, A., 96.

NATURAL WATER:-

Rain Water, composition of (LTVY), 1889, A., 299.

ammonia in (Houzeau), 1883, A., 753; 1884, A., 104; (MARCANO and MUNTZ; LÉVY), 1892, A., 381; (MÜNTZ), 1892, A., 909.

at Cirencester, amount of chlorine in (Kinoh), 1886, P., 258; 1887, T., 92. NATURAL WATER.

Rain Water at Rothamsted, chlorine, sulphuric anhydride and ammonia in (Warington), 1887, T., 501.

of tropical districts, nitrates in the (MUNIZ and MARCANO), 1889, A.,

923.

at Rothamsted, amount of nitrie acid in (WARINGTON), 1889, T., 537; P., 102.

nitrogen compounds in (Berthelot and Andre), 1886, A., 737.

salt in (BELLUCT), 1889, A., 299.

analysis of (WARINGTON), 1889, T., 543; P., 102.

See also Agricultural Chemistry.

River Water, turbid, clarification of (LUEGER), 1885, A., 198.

destruction and formation of nitrates in (Munro), 1886, T., 632, 656, 664; P., 218.

diffusion of, into sea-water (THOULET), 1891, A., 970.

of the Danube above Vienna in the year 1878, chemical composition of (WOLFBAUFR), 1884, A., 122.

of La Plata rivers (SCHOELTER), 1887, A., 786.

of the Nile, fertilising properties of (Muntz), 1888, A., 1261; 1889, A., 646.

some black equatorial rivers (Muntz and Marcano), 1889, A.,

Lake Water of Aiguebelette, Paladru, Nantua and Sylans (DUPARC and DELEBECQUE), 1892, A., 1061.

of some American alkali lakes

(CHATARD), 1889, A., 29. of a saline lake near the Steliupin mineral springs (Bulitson), 1887, A., 648.

Spring and Mineral Water, destruction and formation of nitrates in (Munro), 1886, T., 632, 658, 661; P., 218.

decrease of dissolved oxygen in, and a simple method for taking samples in deep borings (LEPSIUS), 1885, A., 1266.

of Acquarossa (Bertoni), 1885, A.,

of the Admirals-gartenbad, (Fresenius), 1889, A., 27.

from springs in Aegina and Andros (DAMBERGIS), 1887, A., 23. from Aruba (DE LOOS), 1884, A., 978.

of Bagnères de Luchon, Haute

Garonne (WILLM), 1886, A., 997. of Barèges, arsenic in (SCHLAGDEN-HAUFFEN), 1883, A., 302.

NATURAL WATER:-

Spring and Mineral Water of Borhegyer, composition of (BALLÓ), 1884, A., 978.

from Artesian wells near Brussels (KLEMENT), 1888, A., 239.

at Brucourt, analysis of (Cloez), 1884, A., 895.

deposit from a spring at Carmaux (MEUNIER), 1885, A., 644.

deposit from a spring at Chabetout (Thabus), 1886, A., 215.

from collieres, composition of (Arche and Hassack), 1884, A., 782; (Bedson), 1888, A., 354.

from the Roundwood Colliery (CLEEVES and PLATTS), 1890, A., 220.

of Contrexeville and Schinznach, Switzerland, lithium, strontium and boric acid in (DIEULAFAIT), 1883, A., 301.

of Cransac (Carnot), 1890, A., 1385. from the spring "Romerbrunnen," at Echzell, Wetterau (Pistor), 1885, A., 362.

from the springs of Edepsos (DAM-BERGIS), 1892, A., 418.

of Eilsen (FRESENIUS), 1892, A., 796.

from hot springs in Ferguson Island (LIVERSIDGE), 1891, A., 280.

from hot springs at Finca Huracato, Salta, Argentine Republic (CAN-ZONERI), 1892, A., 574.

from Flitwick (Johnstone), 1887, A., 1087.

from the springs at Freyersbach, composition of (BIRNBAUM), 1884, A., 1274.

from hot springs of Hammam el Lif, Tunis (BARILLE), 1886, A., 322.

from hot springs of Hammam Salahine (GIRARD), 1886, A., 996.

from hot springs of Leuk (LUNGE and SCHMIDT), 1886, A., 996.

from the bline spring at Lautenthal (LATTERMANN), 1891, A., 652.

from Java (Meunier), 1887, A., 224. of Malaisie (Meunier), 1890, A., 1081.

from springs in the peninsula of Menthana (DEMBERGIS), 1888, A., 238.

of Monte de Malo (Spica), 1892, A., 1287.

at Montroud, Loire (TERREIL), 1883, A., 1071.

accompanying petroleum and those ejected by mud volcanoes (POTILIZIN), 1883, A., 171.

NATURAL WATER :-

Spring and Mineral Water, sulphuretted, of Olotte, Pyrénées orientales (William), 1887, A., 710.

of the Orchard Alum Spring (Turesh), 1883, A., 171.

of the Ottili Spring, Suhl, Thuringia (Reichardt), 1889, A., 1054.

from the spring at Oued Ref (DE LESSEPS), 1887, A., 455.

from a hot spring in the Island of Pantellaria (BRIGNONE), 1884, A., 1105.

of Penon de los Banos, Mexico (L'Hôre), 1891, A., 279.

subterranean, near Port-Vendres (Essner), 1892, A., 285.

chalybeate, of Raffanelo (MAUGINI), 1888, A., 1261.

from a spring at Rindo, near Stockholm (Cronquist), 1883, A., 449.

from Roncegno (GLASER and KAL-MANN), 1888, A., 796; 1889, A., 28

of St. Nectaire, Puy-de-Dôme (BOUTET), 1886, A., 858. of Salies-dn-Salat (SABATIER), 1885,

A., 231. from a spring at Salzbrunn, analysis

of (POLECK), 1883, A., 563. at Selafani (PATERNO), 1892, A., 25. from Servia (LOSANITCH), 1887, A., 648.

from Shotley Bridge Spa (Peile), 1888, A., 569.

of the brine spring at Stoke Prior, Worcestershire (GRIFFITHS), 1884, A., 165.

from the Tonnissteiner Spring (Lepsius), 1888, A., 435.

from an Artesian well in the Tunisian Chotts (DE LESSERS), 1887, A., 455.

from Uriage, Isère, composition of (Pelicor), 1886, A., 37.

of Warmbiunn, Silesia (Poleck), 1886, A., 997.

from springs at Wiesbaden (R. FRESENIUS), 1887, A., 352; 1888, A., 928; (H. FRESENIUS), 1887, A., 647.

A., 647. of Woodhall Spa (WRIGHT and (BURTON), 1884, T., 168; (WANK-LYN), 1887, A., 221. of the Yellowstone National Park

of the Yellowstone National Park (LEFFMANN), 1884, A, 30; (HAGUE), 1888, A., 122; (GOOCH and WHIT-FIELD), 1889, A., 682.

from the Red Spring at Zacaune, Tarn, France (SOUBEIRAN and MASSOL), 1885, A., 232. NATURAL WATER: -

Spring and Mineral Water from the wells of Zemzem (VAN ROMBURGH), 1887, A., 455.

preservation of (PARMENTIER), 1892, A., 1162.

aluminium in (PARMENTIER), 1892, A., 1287.

arsenic in (LEFORT), 1885, A., 232. containing calcium sulphate, origin of arsenic and lithium in (SCHLAG-

DENHAUFFEN), 1883, A., 302. chalybeate, alteration of (RIBAN), 1892, A., 1288; (Parmenfier), 1892, A., 1289.

containing free sulphuric acid (WILLM), 1891, A., 1410.

manganiferous spring (MASON), 1890, Λ., 854.

phosphatic (Bourgoin and Chas-TAING), 1888, A., 354.

sulphurous (VITALI), 1891, A., 116. estimation of arsenic and boric acids in (Fresenius), 1886, A., 649.

estimation of carbonic anhydride in (Boroners), 1888, Α., (Breter), 1891, A., 862.

estimation of lithium in (CARNOT), 1888, A., 1342; (WALLER), 1891, A., 1292.

Water from the Arctic Ocean (THOULET), 1892, A., 1287. mposing the Clyde sen

composing sen chemical composition of (DICKIE), 1888, A., 569; 1889, A., 359.

of the Firth of Forth, salinity of (MILL), 1886, A., 322.

of the North Sea on the coasts of Holland (Roozeboom), 1892, A., 419.

chemistry of (HAMBERG), 1886, A., 322, 679.

solid and gascous constituents of (Tornoe and Schmelck), 1884, A.,

physical properties of (Pettersson), 1884, A., 889.

specific heat of, of different densities (THOULER and CHEVALLIER), 1889, A., 666.

action of, on east iron (DRAPER),

1888, A., 421. diffusion of fresh water into (Thou-LET), 1891, A., 970.

solubility of calcium carbonate in (IRVINE and Young), 1889, A., 344; (Anderson), 1890, A., 150. solubility of minerals in (Thouler),

1889, A., 682.

solubility of some substances in (THOULET), 1890, A., 719.

NATURAL WATER :--

Sea Water, manganese in, and in certain marine deposits (DIEULAfait), 1883, A., 725.

influence of the salts of, on fresh wateranimals (BERT; DEVARIGNY), 1884, A., 620; (PLATEAU), 1884, A., 621.

estimation of bromine in (BERGLUND), 1886, A., 134; (Guizkow), 1889, A., 74.

Potable or Drinking Water supplies (REECHARDT), 1885, A., 612.

of Moscow, composition of (GRI-GORLEFF), 1883, A., 622.

of Rangoon (ROMANIS), 1883, A.,

at Royat, Puy-de-Dôme (Bouter), 1886, A., 859.

of Oderzo (Spica and Halagian), 1888, A., 35,

natural purification of (EMICH), 1885, Λ., 846.

self-purification of peaty (HARTLEY), 1884, A., 781,

purification of, by alum (Austen and Wilber), 1885, A., 936.

purification of, by irrigation (Konic and BOHMER), 1886, A., 287. purification of, by soda and lime

(BINDER), 1888, A., 758. influence of filters on (SNIJDERS),

1888, A., 866,

action of, on lead pipes (ALLEN), 1883, A., 128; (REICHARDT), 1888, A., 344, 554; (CARNELLEY and FREW), 1888, A., 555.

action of, on zinc, and effects of drinking water contaminated with zinc (STEVENSON), 1884, A., 878.

zinc in (Heaton), 1884. A., 697; (Venable), 1885, A., 453.

copper precipitate formed in (GRIM-BERT and BARRE), 1890, A., 851.

ammonia, nitrous and nitric acids in (Greineri), 1885, A., 297; (Enk-laar), 1889, A., 1234.

alleged formation of nitric and nitrous acid in the evaporation of (BATMANN), 1889, A., 183.

nitrates in (BRELL), 1888, A., 384. a reducing agent in (RAMSAY), 1886, P., 225:

micro-organisms in (Leone), 1886, A., 286.

removal of, from (FRANKLAND), 1886, A., 573.

Water analysis:-

examination of (TRUBORNE), 1883, A., 382; (ANON.), 1883, A., 883; 1887, A., 1141; 1890, A., 196;

Water analysis :--

1884, A., 1431; (BACHMEYER), (SMITH), 1885, A., 86; (GUNNING), 1885, A., 841; (BINDER), 1888, A., 197; (Vignon), 1890, A., 667.

colour standard for (HAGEN), 1892, A., 1527.

ammonia process for (Marsh), 1883, A., 514; (DARTON), 1884, A., 696. for technical purposes (ALLEN), 1890, A., 298.

by rapid method prior to its softening for technical purposes (VIGNON),

1889, A., 1035.

for contamination by gas works (DICEmann), 1891, A., 117.

loss on ignition in (Drown), 1889, A., 551.

influence of temperature on Griess' reaction for nitrites in (Bosio), 1892, A., 657.

for sanitary purposes, with remarks on disinfection (HITCHCOCK), 1883,

for organisms (MAGGI), 1881, A., 369; (CARPENTER and NICHOLSON), 1885, A., 442; (WARDEN), 1885, A., 1266; (FOLKARD), 1887, A., 619.

detection of organic matter by Heisch's method (Lott), 1888, A., 533.

microscopic, for organic impurities (Brautlecht), 1884, A., 221.

permanganate test for organic matter in (STAPLETON), 1883, A., 516; (McCAY), 1883, A., 829; (Petit), 1885, A., 841; (Dupré), 1886, A., 581.

detection of traces of copper in (Thoms), 1891, A., 620.

detection of organic matter in, application of diazo-compounds to the (GRIESS), 1888, A., 993.

detection of nitrates in (BINDER), 1888, A., 197.

detection of thiosulphates in (NEU-Höffen), 1886, A., 99.

estimation of the hardness of (v. COCHENHAUSEN), 1888, A., 874; (WALLER), 1890, A., 86; (NEUGE-BAUER), 1891, A., 116; (LEPIERRE), 1891, A., 1554.

estimation of the hardness of, preparation of a volumetric solution for (TICHBORNE), 1883, A., 516.

estimation of the hardness of, by ('lark's soap test (Nelson), 1890, A., 198; (TEED), 1890, A., 421.

estimation of the hardness of, by standard soap solution (GARNIER), 1884, A., 1072; (ELLIS), 1886, A., 1076.

Water analysis:-

estimation of alkalis in (Muck), 1890, A., 299.

estimation of ammonia in (TICH-BORNE), 1883, A., 382; (GORE), 1885, A., 191.

estimation of carbon in the organic constituents of (HERZFELD), 1887, A., 184; (Burghardt), 1887, A., 619.

estimation of dissolved carbonic anhydride in (Vignon), 1888, A., 325. containing magnesium, estimation of carbonic anhydride in (TRILLICH),

1890, A., 197.

estimation of chlorine in (HAZEN), 1890, A., 86.

estimation of formic acid in (KLEIN), 1887, A., 100.

estimation, volumetric, of gases dissolved in (Pettersson), 1889, A., 1034.

estimation of iron in (Bell), 1890, Л., 119.

estimation of nitric acid in (MAYR-HOFER), 1885, A., 691; (HARVEY), 1887, A., 181; (SPIEGEL), 1887, A., 691; 1889, A., 138; (Hooker), 1889, А., 312; (Окманоу and Сонки), 1890, Т., 811; Р., 139; (RIDEAL), 1890, A., 831; (JOHNson), 1890, A., 882; (HAR-now), 1891, T., 320; P., 67; (ROSENFELD), 1891, A., 496; (HAZEN and CLARK), 1892, A., 1891, A., 496:

estimation of nitrous acid in (ZAM-BELLI), 1887, A., 533; (ORMANDY and COHEN), 1890, T., 811; P., 139; (ROSENFELD), 1891, A., 496.

estimation of nitrogen in, by the Kjeldahl process (LEFFMANN and BEAM), 1889, A., 786; (DROWN and MARTIN), 1889, A., 1035.

estimation of organic nitrogen in (BURGHARDT), 1887, A., 619.

estimation of organic matter in (Maller), 1883, A., 1171; (Leeds), 1884, A., 369, 499; (Petit), 1885, A., 811; (Kobrich), 1887, A., 533; (KLEIN), 1887, A., 1000; (Young), 1892, A., 921.

estimation, direct, of oxygen and nitrogen in (LALIEU), 1889, A., 551.

estimation of dissolved oxygen in (Dupré), 1886, A., 579; (Roscon and LUNT), 1889, T., 552; P., 124; (Winkler), 1889, A., 79; (Turesh), 1890, T., 185; P., 1; (LINOSSIER), 1891, A., 616; (ADAMS), 1892, T., 310; P., 1; (KISCH), 1892, A., 98,

Water analysis :--

estimation of free oxygen in (WIL-LIAMS and RAMSAY), 1886, T., 751; P., 223; (BLAREZ), 1888, A., 874; (LALIEU), 1888, A., 1344; (MULLER), 1890, A., 112. estimation of phosphoric acid in

(Phipson), 1888, A., 533. estimation of dissolved substances in (HAZEN), 1892, A., 920.

estimation of sulphuric acid in (FRICKE), 1887, A., 862.

estimation of suspended matter in (MARCHAND), 1881, A., 117.

Water. Scealso Agricultural Chemistry, Ice and Steam.

Water-baths, draught arrangement for (WINKLER), 1889, A., 437.

Water-gas. See Gas.

Waterproof materials, preparation of (ANON.), 1884, A., 379.

Waterproof paint for stones, etc. (ANON.), 1883, A., 760.

Wavellite of Ouro Preto, Brazil (Gon-('EIX), 1885, A., 31.

t, specific gravity and other properties of (ALLEN), 1887, A., other Wax, 186.

complete chlorination of (HARTMANN), 1891, A., 812.

bees' (ZATZEK), 1883, A., 39. bleaching of (A. and P. Buisine), 1891, A., 625.

acids contained in (NAFZGER), 1884, A., 1297.

non-acid constituents of (SCHWALB), 1885, A., 962; 1887, A., 124.

analysis of (v. Hubl.), 1884, A., 506; (HEHNER), 1881, A., 779; (A. and P. Buisine), 1891, A., 131; 1892, A., 251; (Mangold), 1892, A., 1034.

assay of, for vegetable wax (Roit-GER), 1892, A., 551.

detection of ceresin, ozokerite and paraffin in (HAGER), 1890, A., 421.

detection of paraffin in (HAGER), 1891, A., 122.

detection of resin in (ROTTGER), 1892, A., 923.

carnaiiba, chemical composition of

(STURCKE), 1884, A., 1280. from cochineal (LIEBERMANN), 1885, A., 1045; 1886, A., 441; (RAI-MANN), 1886, A., 441.

Japanese, specific gravity of (KLEINstück), 1892, A., 428.

mineral (Dollfus and Meunier), 1888, A., 115.

See also Ozokerite.

14

Wax, vegetable, assay of beeswax for (Roffger), 1892, A., 551.

white, composition of (A. and P. Buisine), 1891, A., 625.

analysis of (Buchner), 1892, A., 665.

analysis of (Buchner), 1889, A., 322; (Röttger), 1890, A., 429.

See also Oils, fatty and fixed.

Weatherproof wall paintings, process for preparing (ANON.), 1883, A., 942. Wehrlite (Sirocz), 1886, A., 312.

Weighing, rapid, modified balance for (Collor), 1892, A., 270.

Weight of a body, method of correcting, for the buoyancy of the atmosphere when the volume is unknown (Cooke), 1884, A., 13.

of drops and their relation to the constants of capillarity and the capillary meniscus angle (TRAUBE), 1887, A., 210.

Weight, molecular, relation of, to capillary phenomena and constitution (TRAUBE), 1885, A., 116.

diathermanous power, refractive index and density of a substance, relation between (AYMONNET), 1892, A., 1.

of certain atoms or groups, dependence of substitution phenomena on (KEHRMANN), 1890, A., 484.

principle of determining (NERNST), 1890, A., 1368.

determination of, at the critical point

(GUYE), 1891, A., 1411. determination of, from the rise of hoiling point (BECKMANN), 1889, A., 933; 1891, A., 389, 1317; (WILEY), 1890, A., 104; (SAK-URAI), 1892, T., 989; P., 151.

determination of, by Raoult's method (RAOULI), 1886, A., 197; (PATERNÒ and NASINI), 1886, A., 970; 1890, A., 725; (MEYER), 1888, A., 407; (Auwers), 1888, A., 408; (HOLLEMAN), 1888, Α., 552; (AUWERS and MEYER), 1888, A., 646; (HENTSCHEL), 1888, A., 1143; (Beckmann), 1889, A., 11; (Mri.-DOLA and STREATFEILD), 1889, A., 1105; 1890, T., 804; (EIJKMAN), A., 324; (NERNST), 1891, 1890, A., 389.

use of Raoult's method for determining, to distinguish between isoand polymerism (Ansmerism CHUTZ), 1889, A., 754.

direct comparison of the physical constants involved in the determination of, by Raoult's method (ADIE), 1891, P., 26.

- Weight, molecular, determination of, from osmotic pressure (Laden-Burg), 1889, A., 820.
 - determination of, from the reduction of vapour pressure (BECKMANN), 1890, A., 323.
 - of liquids as evinced by their boiling points (VERNON), 1892, A., 107.
 - specific gravity of a liquid a function of its (RICHARDSON), 1891, A., 780.
 - and rate of evaporation of liquids, relation between (SCHALL), 1884, A., 551, 950; 1885, A., 112; (SCHALL and Kossakowsky), 1891, A., 1317.
 - of liquids and solids (Pickering), 1886, A., 198.
 - of solid substances (VAN'T HOFF), 1890, A., 1044.
 - of substances, determination of, from the boiling points of their solutions (WILEY), 1890, A., 104.
 - of substances in solution, especially colloids (Armstrong), 1889, P., 109.
 - of hydrogen peroxide (TAMMANN), 1890, A., 106.
 - of iodine and bromine in solution (LOEB), 1888, T., 805; P., 87; (PATERNO and NASINI), 1888, A., 1027; (Beckmann), 1890, A., 447; (HERTZ), 1891, A., 260.
 - of nitrous anhydride (RAMSAY), 1890, T., 595; P., 7.
 - of nitric peroxide and nitrogen trioxide (RAMSAY), 1888, T., 621; P., 59.
 - of phosphorous oxide (THORPE and Turron), 1890, T., 551.
 - of phosphorus in solution (PATERNO) and NASINI), 1888, A., 1027; 1890, A., (Beckmann), 1890, (Hertz), 1891, A., 260.
 - of sulphur (PATERNO and NASINI), 1888, A., 1027; (Bilitz), 1888, A., 1027; 1889, A., 340; (BECKMANN), 1890, A., 447; (HERTZ), 1891, A., 260.
 - of sulphur dichloride (Costa), 1891, A., 149.
 - of metals (RAMSAY), 1889, T., 521; P., 39; (v. Turin), 1890, 1016; (MEYER), 1891, A., 984.
 - of metals in solution (HEYCOCK and NEVILLE), 1890, T., 376, 656; P., 38, 158.
 - of aluminium compounds (Roux and Louise), 1889, A., 757.
 - of volatile chlorides, method of estimating (BILTZ), 1888, A., 1241.

- Weight, molecular, of basic ferric sulphate (Pickering), 1883, T., 182.
 - of metaphosphates (Jawein), 1889, A., 674.
 - of water (Thomsen), 1885, A., 870.
 - of organic compounds, determinations of, by Raoult's method (Paterno and Nasini), 1886, A., 970; 1890, A., 725.
 - of polymeric compounds, determination of, by Raoult's method (MEL-DOLA and STREATFEILD), 1889, A., 1105.
 - of acids of the oleic series (SCHULZ), 1889, A., 1140; (Sčla), 1890, A., 737.
 - of citraconic, itaconic and mesaconic acids (PATERNÒ and NASINI), 1888, A., 1059.
 - of fumaric and maleic acids (PATERNO and NASINI), 1888, A., 1059.
 - ofgallicand tannicacids (SABANÉEFF), 1891, A., 145.
 - of glycocine and its anhydride (Cur-Trus and Schulz), 1891, A., 38. of methylic diacetylracemate (An-
 - schutz), 1888, A., 1273.
 - of pentic acid (Moscheles and Cor-NELIUS), 1889, A., 489.
 - and atomicity of fatty alcohols, method for the determination of (HELL), 1884, A., 1433.
 - of paraldol (Magnanini), 1890, A., 862.
 - formaldehyde (Tollens MAYER), 1888, A., 809.
 - of paraformaldehyde (Tollens and MAYER), 1889, A., 369.
 - of free alkaloids (Christensen), 1892, A., 666.
 - of the amines (DEWAR and SCOTT), 1884, A., 257.
 - amphiphenacylnitrile (isoindole) (TREADWELL and MEYER), 1883, A., 665.
 - of caoutehoue (GLADSTONE and HIB-BERT), 1889, A., 1207.
 - of amylodextrin (Brown and Mor-
 - RIS), 1889, T., 455; P., 95, 96. of arabinose (Brown and Morris), 1888, T., 619; (TOLLENS, MAYER and WHEELER), 1889, A., 367. of dextrose (Brown and Morris),
 - 1888, T., 614; (Tollens, Mayer and Wheeler), 1889, A., 367.
 - of formose (v. Klobukoff), 1890, A., 465.
 - of maltose (Brown and Morris). 1888, T., 617; (EKSTRAND and MAUZELIUS), 1890, A., 227.

Weight, molecular, of methose (v. KLOBUKOFF), 1890, A., 466.

of raffinose (Brown and Morris), 1888, T., 619; (DE, VRIES), 1888, A., 667; (TOLLENS and MAYLE), 1888, A., 809.

of xylose (Tollens, Mayer and WHEELER), 1889, A., 367.

of inulin-like substances (EKSTRAND and MAUZELIUS), 1890, A., 227.

C-invertan (O'SULLIVAN TOMPSON), 1890, T., 911.

of solid a-dichloropropionitrile (O ro), 1890, A., 726.

of some colloids (Armstrong), 1889, P., 109; (GLADSTONL and HIB-BERT), 1889, A., 1207; (PATERNÒ and NASINI), 1890, A., 725; (SABANÉEFF), 1890, A., 1215; 1891, A., 145.

desaurins (MEYER), 1890, A.,

1144.

of diazo-compounds (Coldschmidt), 1891, A., 193.

of 3:6-diphenylpyrazine (TREADWELL and MEYER), 1883, A., 665.

of hexamethyleneamine (TOLLENS and MAYER), 1888, A., 809.

of isoludole (amphiphenacylnitrile) (TREADWELL and MEYER), 1883, A., 665.

of nitrosoindole (ZATTI and FERRA-TINI), 1892, A., 67.

of oximes (Beckmann), 1888, A., 409, 646; (AUWERS and MEYER), 1888, A., 646.

of pyrioline-derivatives (MAGNAN-

INI), 1890, A., 906.

of the imidoanhydrides of pyriolinecarboxylic and indolecarboxylic acids (MAGNANINI), 1890, A., 67.

of quercetin (HERZIG), 1888, A., 1309.

of peptones (Clamician and ZA-NETTI), 1892, A., 1501.

of cholic acid, cholesterin and hydrobilirubin (ABEL), 1890, A., 914.

of hematoporphyrin and bilirubin (NENCKI and Rorscuy), 1890, A., 76.

Weight, specific, of mixtures of sulphurous and carbonic anhydrides (Blumcke), 1888, A., 775; (Picter), 1888, A., 1015.

Weldon mud. See Manganese.

Well waters. See Water. Wernerite. See Scapolite.

Whale, bottle-nosed, milk of (FRANK-LAND and HAMBLY), 1890, A., 812. Wheat. See Agricultural Chemistry. White garnet. See Loucite.

White lead. See Lead carbonate, basic. White metal, polychrome varnish for (Puscher), 1883, A., 896.

White precipitate. See Mercurie ammonium chloride.

Willemite from Greenland (LORENZEN), 1886, A., 519.

from New Jersey (CLARKE), 1892, A., 1411.

artificial production of (Gorgeu), 1887, A., 345.

See also Zinc silicate.

Wiluite (PRENDER), 1890, A., 220. Wine, chemistry of (ANON.), 1881, A., 131; (KANDER), 1881, A., 1445.

abnormal fermentation under favourable circumstances and its influence on the composition of (Barth), 1885, A., 942.

interior, improvement of, by addition of the mare of superior grapes (NESSLER), 1884, A., 938.

statistics of Germany (ANON.), 1890,

A., 285.

effects of an electric current on (Men-GARINI), 1888, A., 188.

bouquet of (Jacquemin), 1890, A., 1180.

influence of yeast on the (Rom-MILR), 1890, A., 281.

colouring matters of (Monner), 1890, A., 311.

red colouring matter of (TERREIL), 1885, A., 1142.

sulpho-conjugate colouring matter in

(Carles), 1886, A., 105. loured by aromatic coloured sulphonic derivatives, examinat (Thom 18), 1883, A., 625. examination

substance employed to colour (JAY), 1885. A., 309.

extraction of the colouring matter of (Hugouneng), 1891, A, 1563.

method of distinguishing natural colours from added coal-tar colours (BLAREZ and DENIGYS), 1886, A., 1061.

solubility of the colouring-matter of, in the various constituents of grapejuice (Gantier), 1883, A., 1141.

and bilberry colouring matters, difference between (Vogel), 1888, A. 1137.

free from artificial colouring matter, presence of arsenic in THÍI EMY), 1884, A., 526.

decolorisation of (Borntrager), 1892, A., 543.

clouding of (Nessler), 1884, A., 233. distillation of (KITICSAN), 1883, A., 934.

Wine, fining of (NESSLER), 1884, A.,

freezing of (MORITZ), 1883, A., 135. souring of (CARLES), 1884, A., 646. preservation of (Houdart), 1884, A.,

preservation of, by salicylic acid (Denuce), 1883, A., 535.

boric acid in (BAUMERT), 1889, A., 295; (Gassend), 1892, A., 93.

ethylene glycol in (HENNINGER), 1883, A., 631.

reduction of extractive matter by clearing of (PORTELE), 1884, A.,

relation between the glycerol and alcohol in (Borgmann), 1883, A.,

influence exerted by salicylic acid on the proportions of glycerol and alcohol formed in (WEIGERT), 1889,

iron in (Sambuc), 1888, A., 384.

and other vegetable and animal products, presence of manganese in (Maumenė), 1884, A., 879.

salicylic acid in (BARRAL), 1884, A.,

does every, contain tartar? (Ретко-witson), 1886, A., 652.

free tartaric acid in (CLAUS), 1883,

A., 935. fig (CARLES), 1891, A., 1135.

plastering of (Pichard), 1883, A., 755; (Carlen), 1888, A., 759.

plastered (NENCKI), 1884, A., 233; (MAGNIER DE LA SOURCE), 1884, A., 646.

plastered and natural, sulphuric acid in (VITALI), 1891, A., 1551.

and mixed with sulphuric acid, distinction between (Roos and THOMAS), 1891, A., 123.

mode of combination of sulphuric acid in (MAGNIER DE LA SOURCE), 1891, A., 768.

condition of the sulphuric acid in (Roos and Thomas), 1891, A.,

potassium tartrate in, and estimation of tartaric acid (PICHARD), 1884, A., 372.

behaviour of strontium tartrate with (SPICA), 1892, A., 93. deplastering of (BLAREZ), 1883, A.,

red, manufacture in Germany (NESS-

LER), 1884, A., 130. sparkling, inversion of cane sugar in

(MORITZ), 1886, A., 608. from sugar (Carles), 1884, A., 1086.

Wine from raspberries and straw-(Rommier), 1887, A., berries 292.

raisin and grape, method of distinguishing between (CAZENEUVE and Duchen), 1890, A., 1031.

raisin, and its richness in nitrogen (CAZENEUVE and Ducher), 1890, A., 1031.

Tyrolese, extract in (MACH and Por-TELE), 1883, A., 245; (HENECKE), 1884, A., 130.

1883 vintage, extractive matter in (HENECKE), 1884, A., 130.

lime and ash in (MACH), 1888, A., 1332.

influence of, on peptic digestion (Hugouneno), 1892, A., 87.

Wine analysis:-

analysis (Fresenius and Borgmann), 1883, A., 518; (ANON.), 1884, A., 131, 501; 1885, A., 443; (MORITZ), 1884, A., 645; (Nessler and Barth), 1884, A., 1432; (Ulbricht), 1885, A., 692; (Spica), 1888, A., 95; (Bosshard), 1891, A., 359.

testing the ashes from (CHIAPPE), 1884, A., 642.

red, acidimetry with (Tony-Garcin), 1888, A., 93.

analysis of, by means of electrolysis (Krohn), 1885, A., 298.

analyses, mode of stating the results of (König), 1889, A., 799.

from Anjou, analyses of (BOUCHARD), 1884, A., 646.

from California. analysis of (DE FREMERY), 1885, A., 842.

red Italian, analysis of (KAYSER), 1883, A., 892.

Lorraine, examination of (ANON.), 1884, A., 131.

of Médéah, analyses of (BALLANI), 1884, A., 1086.

from Palestine, etc., analyses of (STUTZER), 1884, A., 646. detection of alkanna red in (HERZ),

1890, A., 311. detection of alum in (DE' COLLI), 1892,

A., 1523.

detection of aluminium in (L'Hôte), 1887, A., 690.

detection of archil, cochineal and magenta in (PALMIERI and Cas-ORIA), 1889, A., 655.

detection of Bordeaux

(THOMAS), 1884, A., 370. detection of the colouring matter of Campeachy wood in (Boni), 1884, A., 502.

Wine analysis:-

detection of cane sugar in (Medicus), 1885, A., 693.

detection of cane-sugar, glucose and destrin in (Tony-Gaucin), 1887, A., 692.

detection of the colouring matter of (WRIGHRY), 1889, A., 655.

detection of artificial colouring matters in (Pastrovich), 1884, Å., 502; (Jay), 1885, Å., 298; (Girard and Pabst), 1885, Å., 1098; (Strohmer), 1886, Å., 183; (Uazeneuve), 1886, Å., 397; (Herz), 1887, Å., 91; (Samelson), 1887, Å., 187; (Holterman do Rego), 1887, Å., 405; (Curtman), 1887, Å., 1147; (Sosteni), 1889, Å., 1091; (Papasogli), 1891, Å., 1563.

detection of copper in (GigLi), 1888, A., 873.

detection of "dry extract" in (JAY), 1885, A., 602.

detection of lactic and butyric acids in (MACH and PORTELE), 1890, A., 1344.

detection of nitric acid in (Borg-MANN), 1888, A., 753; (Zecculini), 1891, A., 961; (VITALI), 1891, A., 1551

detection of rosaniline hydrochloride in, by means of stearin (WOLFF), 1883, A., 384.

detection of salicylic acid in (Rose), 1886, A., 924; (Medicus), 1890, A., 1475.

detection of sulphuric acid in (Pol-LACCI), 1881, A., 215; (FERRARI), 1885, A., 692; (MAGNIER DE LA SOURCE), 1891, A., 768.

detection of sulphurous acid in (LIEBERMANN), 1883, A., 384; (ANON.), 1884, A., 1440.

detection of added water in (EGGER), 1885, A., 842.

estimation of acotic acid in, by distillation with steam (LANDMANN), 1884, A., 641.

estimation of astringent acids in (Jean), 1892, A., 246.

estimation of fixed organic acids in (SCHMITT and HIEFE), 1883, A., 384.

estimation of alum in (CARLES), 1884, A., 1077.

estimation of aluminium in (L'HÔTE), 1887, A., 690.

estimation of butyric acid in (MACH and PORTELE), 1890, A., 1344.

estimation of colouring matter in (JEAN), 1892, A., 246.

Wine analysis: -

estimation of the extractive matter of (Amagar), 1881, A., 1132; (Weigela), 1885, A., 602; (Egger), 1889, A., 1091.

estimation of glycerol in (Bense-Mann), 1886, A., 1080; (Samelson), 1887, A., 86; (Barth), 1887, A., 184; (Skalweit), 1887, A., 366; (Weigert), 1889, A., 446; (V. Torring), 1890, A., 426; (Oliveri and Spica), 1891, A., 369; (Jean), 1892, A., 246; (Lecco), 1892, A., 1263; (Baumert), 1892, A., 1529.

estimation of lactic acid in (MACH and PORTELE), 1890, A., 1344.

estimation of magenta in (NESSLER and BARTH), 1884, A., 1432.

estimation of malic acid in (GANS), 1890, A., 427; (NIEDERH USER), 1891, A., 128; (SCHNEIDER), 1891, A., 371.

estimation of nitrogen in (Kulisch), 1886, A., 652.

estimation of non-volatile residue in, by evaporation in a vacuum (Peter), 1885, A., 692.

estimation of phosphoric acid in sweet (Fresenius), 1889, A., 547.

estimation of salicylic acid in, by rapid method (Rémont), 1883, A., 245. estimation of mineral salts in

(SCHNEIDER), 1891, A., 371. estimation of sodium ehloride in

(GONDOIN), 1891, A., 1398. estimation of solid matter in (BOULL-

иом), 1887, A., 87. estimation of dissolved solids in (Lás-

estimation of dissolved solids in (LASzLó), 1891, A., 123.

estimation of sugar in (Anon.), 1884, A., 502; (Girard), 1885, A., 1163; (Borntrager), 1890, A., 426; (Vogel), 1891, A., 1557; (Fresenius), 1892, A., 922.

estimation of sulphurous acid in (WARTHA), 1883, A., 621.

estimation of tannin in (NESSLER and BARTH), 1884, A., 1432; (Roos, Cusson and Ghraud), 1890, A., 431; (VIGNA), 1891, A., 1399; (VOGEL), 1891, A., 1557.

estimation of tartaric acid in (Pic-HARD), 1883, A., 755; 1884, A., 372; (CLAUS), 1883, A., 935; (ANON.), 1884, A., 501; (KAYSER), 1884, A., 504; (HAAY), 1888, A., 1347; (GANS), 1890, A., 427; (SCHNEIDER), 1891, A., 371; (VIGNA), 1891, A., 1399; (ACKER-MANN), 1892, A., 1531. Wine lees, analysis of (KLEIN), 1886, A., 182; (Philips), 1891, A., 372. valuation of (Boessneck), 1890, A.,

estimation of cream of tarter in (BALLI), 1892, A., 1033.

estimation of tartaric acid (OLIVERI), 1885, A., 843; (BORN-TRÄGER), 1886, A., 1082; 1888, A., 536.

Wine must, fermentation of (BARTH), 1885, A., 942.

influence of temperature on the fermentation of (MULLER), 1884, A., 647.

absence of nitric acid in (POLLAK), 1889, A., 541.

estimation of dry substance in (UL-BRICHT), 1884, A., 1432.

Wine yeast, cultivated (ROMMIER), 1884, A., 1399; 1885, A., 205. preparation of (ROMMIER), 1890, A., 1179.

Winklerite from Almeria, South Spain (Weisbauh), 1883, A., 433.

Winter bark, true (ARATA and CANZO-NERI), 1890, A., 405.

Winter flax, cultivation of (LEYD-

HECKER), 1884, A., 921.

Winterene (Arata and Canzoneri), 1890, A., 405.

Wintergreen oil (PETTIGREW), 1885, A., 528; (TRIMBLE and SCHROE-TER), 1890, A., 256.

See also Methylic salicylate.

Withania coagulans, "rennet" ferment from the seeds of (LEA), 1884, A., 535.

herite, artificial production of (Bourgeois), 1883, A., 31. Witherite, See also Barium carbonate.

Wöhlerite (Brogger), 1890, A., 1079. Wolframite (wolfram) from Felsobánya

(SIPÖUZ), 1886, A., 312. analysis of (SCHNEIDER), 1885, A., 1187; (SĚTLÍK), 1890, A., 420; (Burghardt), 1890, A., 1027.

Wolfsbergite from the Harz (Las-peyres), 1892, A., 124. Wollastonite from Perheniemi, Finland

(WIDMAN), 1892, A., 1407.

from Rézbánya (Loczka), 1885, A.,

from Sardinia (FUNARO and BUSATTI), 1884, A., 270; (Busatti), 1887, A., 709.

artificial production of (Bourgeois), 1883, A., 560; 1884, A., 564; (GORGEU), 1884, A., 1262; 1890, A., 18; (Hussak), 1890, A., 220. See also Calcium silicate.

Wood, elementary composition of certain kinds of, with a calorimetric investigation of their combustibility (GOTTLIEB), 1884, Λ., 477.

constituents of (URBAIN), 1884, A.,

chemical changes in decayed (WAG-NER), 1884, A., 477.

dry distillation of (SENFF), 1885, A., 619.

products of the distillation of (MABERY), 1884, A., 788; (VLAD-Esco), 1890, A., 956.

ketones obtained in the dry distillation of (VLADESCO), 1892, A.,

decaying, blue colouring matter of (RIDEAL), 1886, A., 810.

colour mordants for (ANON.), 1884, A., 379.

Wood ashes. composition of (WAGNER), 1885, A., 834.

Wood cellulose (lignose), manufacture of (Anon.), 1884, A., 1451. constitution of (Cross and Bevan),

1883, T., 20. See also Lignocellulose.

Wood fibre, the pentosans of (Schulze and Tollens), 1892, A., 1420.

test for (Reichl), 1884, A., 118.

estimation of, in paper (Wurster), 1887, A., 620; (GODEFFROY and COULON), 1890, A., 670.

Wood gum. See Xylan.

Wood naphtha (woul spirit) (FAWSITI), 1886, A., 289. estimation of acctone in (Hintz),

1888, A., 759. estimation of methylic alcohol in

(HABERMANN), 1889, A., 84. See also Methylic alcohol.

Wood oil from Cochin China (Sou-BEIRAN), 1885, A., 391.

from Elucororca cordata (DAVIES), 1885, A., 1022.

Wood papers, different, percentage of water in (LEESU'S), 1886, A., 112.
Wood stains, preparation of, in the solid form (Andrés), 1885, A., 711.

Wood sugar. See Xylose under Carbohydrates.

Wood sulphite liquor (WELD, LINDSDY, SCHNELLE and TOLLENS), 1891, A., 43; (LINDSEY and TOLLENS), 1892, A., 802.

Woody tissues, chemical composition of (SCHUPPE), 1884, A., 285.

Wool, thermochemistry of (Vignon), 1890, A., 939.

heat of combustion of (BERTHELOT and Andre:), 1890, A., 938.

Wool, bleaching of, with hydrogen peroxide (Lobnen), 1886, A., 292. chomical process which takes place

in dyeing, with basic conl-tar dyes (Kneenr), 1888, A., 832. treatment of the washings from (Dr-

LATTER, 1883, A., 910. utilisation of the washings from (ANON.), 1884, A., 783.

absorption of different acids by, from

different mixtures of acids (MILLS and TAKAMINE), 1883, T., 119. absorption of weak reagents by (MILLS

and TARAMINE), 1883, T., 142. estimation of, in tissues (Remont), 1835, A., 96.

See also Agricultural Chemistry.

Wool dust, examination of (NESSLER), 1881, A., 637.

Wool grease, constituents of (Buisine), 1885, A., 509.

Wool keratin, chemical formula of (WHITELEY), 1886, P., 142; (MILLS), 1886, P., 147.

Wool oils, analysis of (Horwitz), 1890, A., 305.

Woollen tissue, detection of vegetable fibre in (Fubino), 1892, A., 667.

Work, maximum, principle of (Brr. тисьот), 1385, А., 868.

maximum, Berthelot's law of, and spontaneous endothermic reactions (Colley), 1890, A., 681.

change of substance in the horse during (ZUNTZ, LERMANN and HAGEMANN), 1889, A., 911.

respiration in the horse (Zuntz and Lehmann), 1890, A., 1170.

muscular, and proteid metabolism (ARGUTINSKY), 1891, A., 350; (KRUMMACHER), 1891, A., 479; (Nort-Paton), 1891, A., 596; (Munk), 1891, A., 817.

influence of, on the exhalation of carbonic anhydride (GRANDIS), 1890, A., 1331.

offect of, on the glycogen of the muscles (MANCHE), 1889, A., 428.

Worms, entozoic, respiration of (Bunger), 1890, A., 274.

Wormseed oil (HELL and STÜRCKE), 1884, A., 1363.

action of the halogen acids on (HELL and RITTER), 1881, A., 1363; 1885, A., 172.

Wort, nitrogenous constituents (Ullik), 1883, A., 821; (Bungener and FRIES), 1884, A., 1446.

analysis of (Jones), 1888, A., 199; (Elion), 1891, A., 368.

Wort, estimation of dextrose, dextrin and maltose in (Enton), 1892, A., 248.

Wort centrifugal machine, Zimmer's, use of, in browing (ANON.), 1885, A., 1169.

Wrightine. See Conessine, under alkaloids.

Writing, estimation of the age of (IRVINE), 1888, A., 761.

Wulfenite (Kocn), 1883, A., 435; (v. ZEPHAROVICH), 1885, A., 641.

from Beaujolais (LACROIX), 1885, A., 226.

Wurtzite, synthesis of (Lorenz), 1891, Δ., 990.

X.

X of Soret or holmium (LECOQ DE Boisbaudran), 1886, A., 667.

Xanthine (FISCHER), 1883, A., 357; (Kossel), 1883, A., 924. occurrence of (Baginsky), 1885, A.,

286. in the horse's liver (Drechsel), 1892,

A., 516. amount of, in various organs and in

yeast (Schindler), 1889, A., 791. in urine (SALOMON), 1891, A., 1528. synthesis of (GAUTIER), 1885, A., 275. formation of, in yeast (SALKOWSKI),

1889, A., 1028. action of hydrochloric acid and of barium hydroxide on (Summor), 1883, A., 871.

reaction of (DRECHSEL), 1892, A., 1531.

bases, formation of, in the unimal organism (Horbaczewski), 1891, A., 1310.

derivatives (Fischer), 1883, A., 357. in urine (Salomon), 1887, A., 739. bromo- (Fischer and Reese), 1884, A., 467.

Paraxanthine (SALOMON), 1883, A. 601; 1885, A., 403; 1886, A., 266; 1891, A., 1120, 1528, physiological action of (Salomon),

1889, A., 293.

Pseudoxanthine (GAUTIER), 1886, A., 634.

Heteroxanthine (SALOMON), 1886, A., 266; 1887, A., 710; 1891, A., 1528.

Xanthoarsenite, a mineral from Orebro (IGELSTROM), 1886, A., 25.

Xanthochelidonic acid (chelihydronic ucid) and its salts (Lencu), 1885, A., 45; (Haitinger and Lieben), 1885, A., 47.

Xanthocreatinine (GAUTIER), 1886, A.,

o-Xylone, Me:Me=1:2; m-xylone, Me:Me=1:3; p-xylone, Me:Me=1:4.

Xanthocreatinine, formation of, in the organism (Monari), 1887, A., 613; 1888, A., 174.

in the urine (('olasanti), 1892, A., 364.

Xanthogallol (Webster), 1884, T., 208. derivatives of (Theuren), 1888, A., 1084.

Xanthone (carbonyldiphenyl oxide; diphenylene ketone oxide) (Goldschmiedt), 1883, A., 664; (Richter), 1881, A., 324.

preparation of (Perkin), 1883, T., 35. constitution of (Spickler), 1884, A., 1182: (Gradue), 1888 A. 477

1182; (GRAFEE), 1888, Å., 477. derivatives of (Perkin), 1883, T., 187; (Richter), 1884, Å., 324.

β-diamido-, and its hydrochloride and m-dibromo- (Perkin), 1883, T., 191, 194.

tribromo- (ARBENZ), 1890, A., 893. \$\beta\$-dinitro-, action of reducing agents on (PERKIN), 1883, T., 190.

thio- (Graebe and Schultess), 1891, A., 1058.

preparation of (Ziegler), 1890, A., 1292.

Xanthones of the naphthalene and quinoline series (v. Kostanecki), 1892, A., 1098.

Xanthonedisulphonic acid and its barium salt (Perkin), 1883, T., 193.

Xanthophyllidrin (Macchiari), 1886, A., 1041; 1889, A., 900. Xanthopurpurin (m-dihydroxyunthra.

Xanthopurpurin (m-dihydroxyunthraquinons), synthesis of (Noah), 1886, A., 475.

Xanthoquinic acid. See 2-Hydroxy-quinoline-4'(?)-carboxylic acid.

Xanthorhodium salts. See under Rhodium.

Xanthostrychnol (Loebisch and Schoop), 1886, A., 268, 814.

Xanthoxalanil and xanthoxalotoluidil (Wishidenus and Sattler),1891, A., 902.

Xanthoxylon (Zanthoxylum) senegalense, bark of, constituents of the (GIACOSA and MONARI), 1888, A., 167; (GIACOSA and SOAVE), 1890, A., 918.

Xenotime (yttrium phosphate) (HIDDEN), 1889, A., 355.

from Colorado (HIDDEN), 1885, A., 878.

from Minas Geraes, Brazil (GORCEIX), 1886, A., 676.

from North Carolina (HIDDEN), 1883, A., 435; (HIDDEN and DES CLOUZEAUX), 1887, A., 118. Xenotime (yttrium phosphate) from Norway (Brögger), 1881, A., 1101; 1890, A., 1078; (Blon-Strand), 1890, A., 111.

as an accessory constituent of rocks (Derby), 1891, A., 993.

analyses of (BLOMSTRAND), 1889, A., 217.

Xenylenepyrazine. See 2:3-Diphenylpyrazine.

Xeronic acid (diethylmaleic acid) (Roser), 1883, A., 98.

synthesis of, from a-dibromobutyric acid (Fromme and Orro), 1887, A., 917.

P-Xylaldiphenylmaleide (Cohn), 1892, A., 482.

m-Xylal-phthalide and -phthalimidine and their nitro-derivatives, and iso-xylal-phthalide and -phthalimidine (Hehmann), 1890, A., 625; 1891, A., 200.

p-Xylal-phthelide and -phthalimidine and their nitro-derivatives, and iso-pxylal-phthalide and -phthalimidine (RUHEMANN), 1892, A., 473.

Xylalphthalnitronitrite (HeILMANN), 1890, A., 625.

Xylan (wood-gum) (Hoffmeister), 1886, A., 955; (Wheeler and Tollens), 1889, A., 847; (Allen and Tollens), 1891, A., 659.

from straw, etc. (ALLEN and ToL-LENS), 1890, A., 472.

Xylene tetrahydride from resin essences (Renard), 1881, A., 841.

glycols. See Dihydroxyxylenes. amido. See Xylidine.

diamido. See Xylylenediamine. o-Xylene (dimethylb nzene), spectrum of (Hartley), 1885, T., 702.

action of bromine on, in presence of aluminium (BLUMLEIN), 1885, A., 163.

oxidation of (CLAUS and PIESZCZEK), 1887, A., 240.

derivatives of (v. BAEYER and PAPE), 1884, A., 898; (LESER), 1884, A., 1313; (CLAUS and GRONEWEG), 1891, A., 921.

o-Xylene, 4-bromo- (JACOBSEN), 1885, A., 142.

ω-dibromo- (xylylenic bromide) (v. Baever and Perkin), 1884, A., 752; (Colson), 1884, A., 1000. action of ammonia on (Scholtz), 1891, A., 1353.

4:5- and 3(?):4-dibromo- (JACOBSEN), 1885, Δ., 142; (ΚΟCH), 1890, Δ., 1247, o-Xylene, Me:Me 1:2; m-xylene, Me:Me 1:3; p xylene, Me:Me-1:4.

o-Xylene, tetrabromo- (Jaconsen), 1885, |

A., 112.

1:5:3 dibromonitro- and 4:5:3:6-dibromod/nitro- (Tonn), 1886, A.,

3-chloro- (Kritger), 1885, A., 1053. 4-chloro- (CLAUS and KAUTZ), 1885, A., 972; (KRUGER), 1885, A., 1053; (CLAUS and GRONEWEG), 1891, A., 921.

w-dichloro- (Colson), 1884, A., 1000.

8-di-, tri- and tetra-chloro- (Claus and Kaurz), 1885, A., 972. w-tetruchloro- (HJELT), 1886, A.,

w-tetra- and w-penta-chloro- (Colson and GAUTIER), 1886, A., 613.

4:5-chlorobromo-, 4:5:3-dichlorobromo-, 4:5-chlorobromonitro- and 4:5-chloronitro-(CLAUS and GRONE-WEG), 1891, A., 921.

4:5:3:6-dichlorodinitro-(CLAUS, RAPS, HERFELDT and BERKEFELD),

1891, A., 1201. ω-diiodo- (Leser), 1884, A., 1314.

m-Xylene, spectrum of (HARTLEY), 1885, T., 704.

action of methylenic chloride on, in presence of aluminium chloride (Friedel and Chafts), 1887, A., 1102.

derivatives of (Colson), 1884, A., 1313; (Ahrens), 1892, A., 1437.

behaviour of, in the animal system (GLEDITSCH and MOELLER), 1889, A., 708.

m-Xylene, 2:4:6-triamido- (GREVINGK), 1885, A., 144.

ω-dibromo- (Colson), 1881, A., 1313; (Kipping), 1888, T., 26.

2:4-dibromo-, and its derivatives (JACOBSEN), 1889, A., 39.

4:6-bromonitro- (AHRENS), 1892, A., 1437.

4:2:6-bromodinitio- (LELLMANN and Just), 1891, A., 1245.

4-chloro- (Jacobsen), 1885, A. 1052; (CLAUS and BURSTERT), 1890, A., 1105.

2:4-dichloro- (Косн), 1890, А., 1248. 4.6-dichloro- (CLAUS and BURSTERT), 1890, A., 1106; (Koch), 1890, A., 1248.

orientation of (CLAUS and RUNschke), 1890, A., 1246.

amido-, bromo- and nitro-derivatives of (CLAUS and RUNSCHKE), 1890, A., 1247.

2:4:6-trichloro- (CLAUS and BURS-TERT), 1890, A., 1106.

m Xylene, 2:1:5:6-tetrachloro- (Claus and Bursturr), 1890, A., 1106; (Kocn), 1890, A., 1248.

w-tetra- and hera-chloro- (Colson and (JAUTIER), 1886, A., 613.

2:4:5:6-dichlorodibromo-(Kocn), 1890, A., 1218.

4:6-chloronitro- (AHRENS), 1892, A.,

4:6:2:5-dichlorodinitro-(Koun),1890, A., 1218.

4-fluoro- (Tome), 1892, A., 968.

fluoronitio- (Ahrens), 1892, A., 1437.

4-iodo-, action of sulphuric acid on (HAMMERICH), 1890, A., 1106.

4:6-diiodo- (HAMMERICH), 1890, A., 1107.

6:4-iodonitro- (AHRENS), 1892, A., 1437.

2-nitro- and 2 4-dinitro- (GREVINGK), 1885, A., 144. nitrocyano- (AHRENS), 1892,

1437.

p-Xylene in Galician petroleum (PAW-LEWSKI), 1885, A., 1126.

spectrum of (HARTLEY), 1885, T., 707.

commercial, ethylbenzene in (Nolting and Palmer), 1891, A., 1197. ethylin, action of phosphoric chloride on (Colson), 1885, A., 252.

p-Xylene, 2-bromo- (JACOBSEN), 1885, A., 144, 518; (JANNASCH), 1885, A., 251.

ω-dibromo- (ΚΙΡΡΙΝG), 1888, T., 34. action of fuming nitric acid on (Low), 1885, A., 1208.

2.5-dibrono-, preparation and properties of (Moody and Nicholson), 1890, T., 974.

and its transformation by means of sulphuric acid (Kocn), 1890, A., 1247.

solid, oxidation products (Schultz), 1885, A., 1053.

2:6-dibromo- and tetrabromo- (JACOB-SEN), 1885, A., 518.

chloro- and 2:5-dichloro- (KLUGE), 1885, A., 1208.

w-tetru-, w-penta- and w-hexa-chloro-(Colson and Gautier), 1886, A., 613.

mono-, di- and tri-chlorobromo-, chloro-di- and -tri-bromo- and dichlorodibromo-, and their derivatives (WILLGERODT and WOLFIEN), 1889, A., 965.

2:5-dichlorodinitro- (KLUGE), 1885, A., 1208.

o-Xylene, Me:Me-1:2; m-xylene, Me:Me=1:3; p-xylene, Me:Me=1:4.

n-Xvlene. 2-nitro-, oxidation (Noves), 1889, A., 391.

2:3- and 2.6-dinitro-, crystallographic examination of (BARNER), 1883, A., 179.

2 3-, 2:5- and 2:6-dinitro-, constitution of (LELLMANN), 1885, A., 973. 2:8:6-trinitro- (NOLTING and GEISS-MANN), 1886, A., 344. 2:5-driitroso- (Pflug), 1890, A., 607.

Xylenes (Colson), 1884, A., 1000.

coal-tar, English and Scotch (LEVIN-STEIN), 1884, A., 898.

preparation of (Colson), 1885, A.,

molecular refraction and dispersion of (GLADSTONE), 1891, T., 295.

action of aluminium chloride on (HEISE and Tone), 1892, A., 1309. derivatives of the three isomeric (RADZISZEWSKI and WISPEK), 1885, A., 889.

three, in coal-tar, analytical estimation of (REUTER), 1884, A., 1431. separation of the (CRAFTS), 1892, A.,

1134.

Xyleneazo-. See under Azo-.

m-Xylenecarboxylic acid, dinitroso-, and nitronitroso- (CLAUS), 1890, A., 980.

Xylenecinnamene. See Xylenestyrene. **Xylenediamine.** See Xylylenediamine. p-Xylene- ω -dicarboxylic acid. See p-Phenylenediacetic acid. See Cu-

Xylenedicarboxylic acids. midic acids. m-Xylene-2:4-disulphone-ethylamide

(Wischin), 1891, A., 74. o-Xylene-4:6(2)-disulphonic

acid (PFANNENSTILL), 1892, A., 1341.

m-Xylene-2:4-disulphonic acid (Wis-CHIN), 1891, A., 73; (PFANNEN-STILL), 1892, A., 1340.

6-bromo- and 6-chloro- (Wischin),

1891, A., 74.
m-Xylene-2:6(?)-disulphonic acid Prannenstill), 1892, A., 1340.

p-Xylene-2:6(?)-disulphonic acid and its derivatives (Holmes), 1891, A., 1374; (Pfannenstill), 1892, A., 1341.

m-Xylenephthaloylic acid, ammonium salt of, crystalline form of (Soret), 1886, A., 619.

Xylenestyrene (xylenecinnamene). See Phenyitolylpropane.

m-Xylenesulphonamic acid and its salts (Traube), 1890, A., 1137.

o-Xylene-4-sulphonamide (JACOBSEN), 1885, A., 143.

of | p-Xylene-2-sulphonamide, 5-(')br mo-(JACOBSEN), 1885, A., 144.

3 6-dihromo-, and its reduction (Moody and Nicholson), 1890, T., 977.

o-Xylene-3-sulphonic acid, 6-chloro-(KRUGER), 1885, A., 1053.

o-Xylene-4-sulphonic acid, 5-bromo-, and its salts (JACOBSEN), 1885, A., 143.

5-chloro- (Krüger), 1885, A., 1053. m-Xylene-2-sulphonic acid and its derivatives (Moody), 1888, P., 77; 1891, P., 189.

m-Xylene-4-sulphonic acid and its derivatives (MOODY), 1888, P., 77;

1891, P., 189. nitration products of (ULAUS and Schmidi), 1886, A., 708.

oxidation of (LIMPRICHT), 1885, A.,

diamido- and 6-bromonitro- and their salts (LIMPRICHT), 1885, A., 1234.

5-brome- (Nolting and Kohn), 1886, A., 356.

6-iodo- (BAUCH), 1891, A., 73. 2-, 5- and 6-mono- and 2:6- and 5:6di-nitro- (CLAUS and SCHMIDT), 1886, A., 708.

p-Xylene-2-sulphonic acid, 5(?)-bromo-(JACOBSEN), 1885, A., 144.

5-bromo- (NOLTING and KOHN), 1886, A., 356; 1889, A., 611.

3:6-dibromo-, and its salts (MOODY and Nicholson), 1890, T., 976.

Xylenesulphonic acids, action of bromine on aqueous solutions of (KELBE and STEIN), 1886, A., 1032.

p-Xylene-2-sulphonic chloride, 3:6dibromo- (Moony and Nicholson), 1890, T., 977.

Kylenol ethers, heat equivalent of (STOHMANN, RODATZ and HERZ-BERG), 1887, A., 428. heat equivalent of

amido-, and its hydrochloride (PFAFF),

1883, A., 918. nitro-, and its derivatives (PFAFF),

1883, A., 802, 918. o-3-Xylenol (Tohl), 1886, A., 57; (NOLTING and FOREL), 1886, A., 58.

tribromo- (TOHL), 1886, A., 57. o-4-Xylenol, 3:5-dinitro- (Nolting and Pick), 1889, A., 129.

m-2-Xylenol (JACOBSEN), 1889, A., 41. m-4-Xylenol (SMITH, COUTTS and BROTHERS), 1886, T., 23; (JACOBSEN), 1886, A., 345.

m-5-Xylenol (Töhl), 1885, A., 522. p-2-Xylenol, 5-amido- (Sutkowski). 1887, A., 668.

o-Xylone, Me:Me--1:2; m-xylone, Mo:Me-=1:3; p xylone, Me:Me-1:4.

21-2 Xylenol, ω-dibromo- (ADAM), 1884. A., 1329.

5-nitro-, ethyl salt of (Noitting, Wrre and Foren), 1886, A.,

5-nitroso-. See p-Xyloquinoneoxime. m-4-Xylenol-5-sulphonic acid (Lim-PRICHT), 1885, A., 1234; (SARTIG), 1886, A., 153.

m-4-Xylenol-6-sulphonic acid, 2- or 5-nitro- (Limpricht), 1885, A., 1234; (Sarria), 1886, A., 154.

Xylenyl-amidoxime and its derivatives, -azoxime-ethonyl, -imidoximecarbonyl and -uramidoxime (OPPENнеімен), 1890, А., 49.

Xylic (xylylic) acids. See Dimethylbenzoic acids.

m-Xylidene-aniline and -phenylhydrazine (BORNEMANN), 1881, A., 1162.

Kylidine, commercial (STAEDEL and Holz), 1886, A, 145.

zinc chloride (MARTINI), 1892, A., 1455.

hydrobromides (STAEDEL), 1883, A., 578.

hydrochlorides, action of methylic alcohol on (NOLTING and FOREL), 1886, A., 58.

naphthate (Dyson), 1883, T., 471. cyano- (SENF), 1887, A., 929.

o-3-Xvlidine (umidoxylene) (Toul), 1886, A., 57; (Nouring and Pick), 1889, A., 131; (MENTON), 1891, A., 1203.

salts of (Tone), 1886, A., 57. 4:5-dibromo- (Tonu), 1886, A., 57.

o-1-Xylidine and its derivatives (JACOB-SEN), 1881, A., 737; (MÜLLER), 1887, A., 663.

5-chloro- (Chaus), 1892, A., 1202. m-2-Xylidine, mitration of (Nölming

and STORCKLIN), 1891, A., 692. m-4-Xylidine (MULLER), 1887, 663.

action of benzylic chloride on (JABLIN-GONNET), 1892, A., 314, 1320.

nitration of (Nouring and Collin), 1884, A., 1013.

anhydro-bases of (Gudeman), 1888, Λ., 1282.

compounds of metallic sulphides with (DENIGES), 1891, A., 1031.

2-nitro-, and its acetyl derivative (Grevinsk), 1885, A., 144.

n-5-Xylidine (Tonl.), 1885, A., 522. methylation of (LIMPACH), 1888, A.,

earbamate, cyanate and cyanurate (Frantzel), 1889, A., 241.

p-2-Xylidino (Norming, Wirr and Forel, 1886, A., 57; (Pelug), 1890, A., 606.

preparation and properties of (W171), 1889, A., 603.

diamido-(Wirr, Nobringand Forel), 1889, A., 601.

3:5-diliromo- (Nolting and Konn), 1886, A., 356.

5 chloro- (Klugen), 1885, A., 1208. 5-nitro- (Noltting, Witt and Forkl), 1886, A., 58; (Witt), 1889, A., 604. io-base from (Anschutz Schulaz), 1889, A., 603. thio-base

o-Xylidines (Jacobsen), 1884, A., 737;

1886, A., 235. nitration of (Nolting and Storck-LIN), 1891, A, 692.

m-Xylidines, action of diazo-p-nitrobenzene salts on (MELDOLA), 1883, T.,

Xylidines, consecutive (WROBLEWSKI), 1886, Δ., 145.

six isomeric and some of their derivatives (Norming and Forel), 1885, A., 381; 1886, A., 58.

separation of (WITI), 1886, A., 699. m-4-Xylidine-5-sulphonic acid (Not/r-

ing and Kohn), 1889, A., 611. constitution of (l'ANAJOTOW), 1887,

A., 382. m-4-Xylidine-5(?)-sulphonic acid and its salts (JACOBSEN and LEDDERBOGE), 1883, A., 593; (SARTIG), 1886, A., 153.

m-1-Xylidine-6-sulphonic acid and its salts (SARIIO), 1886, A., 153; (Nobring and Kohn), 1886, A., 355.

2- or 5-nitro- (Limpricut), 1885, A., 1234,

21-2-Xylidine-5- and -6-sulphonic acids (Normand Konn), 1886, A., 355; 1889, A., 611.

m-Xylidoethylphthalimide. See Nylylamidoethylphthalimide.

Xylitol (Fischer and Stanel), 1891, A., 668; (BERTRAND), 1892, A., 28. constitution of (BERTRAND), 1892, A., 29.

pentanitrate (Benthand), 1892, A., 29.

m-Xylobenzaldehyde (HINRICHSEN), 1889, A., 131, 391.

m-Xylo-benzylamine and -benzylic alcohol (HINRICHSEN), 1889, A., 131.

Xylonic acid (ALLEN and TOLLENS), 1891, A., 668.

o-Xylo-3:6-quinol (dimethylquino!) (Nölting and Forel), 1886, A., 58.

o-Xylene, Me:Me=1:2; m-xylene, Me:Me=1:3; p-xylene, Me:Me=1:4.

- o-Xvlo-3:6-quinol (dimethylquinol) 4:5-dichloro- (CLAUS, RAPS, HER-FELDT and BERKEFELD), 1891, A., 1201.
- m-Xylo-2:5-quinol (Nolting Forel), 1886, A., 58. 4:6-dichloro- (CLAUS and RUNSCHKE),

1890, A., 1247.

- 27-Xylo-2:5-quinol (NIETZKI), 1883, A., 467.
 - oxidation of (Heymann and Koenigs), 1887, A., 1035.
- **Xyloquinoline.** See Dimethylquinol-
- o-Xylo-3:6-quinone (1:2-dimethyl-3:6quinone) (Nölting and Forel), 1885, A., 382; 1886, A., 58.
 - 4:5-dichloro- (CLAUS, RAPS, HER-FELDY and BERKEFELD), 1891, A., 1201.
- m-Xylo-2:5-quinone (Nolting FOREL), 1885, A., 382; 1886, A.,
 - 4:6-dichloro- (CLAUS and RUNSCHKE), 1890, A., 1247.
- p-Xylo-2:5-quinone (phlorone) and its derivatives (Nietzki), 1883, A., 467; (Nolting and Form), 1885, A., 382; (Goldschmidt and Schmid), 1885, A., 775.
- p-Xylo-2:5-quinonedioxime (Surkow-SKI), 1887, A., 668; (PFLUG), 1890, A., 607.
- p-Xylo-2:5-quinoneoxime (5-nitroso-p-2-xylenol) and its derivatives (Gold)-SCHMIDT and SCHMID), 1885, A., 775; (Sutkowski), 1887, A., 667; (Pflug), 1890, A., 607.
- on-Xyl-4:6-orcinol (dikydroxyxylene) (Pfaff), 1883, A., 918; (v. Kosta-NECKI), 1887, A., 39.
- m-Xyl-4:6-orcinol-5-carboxylic acid (v. Kostaniecki), 1887, A., 39.

Xylose. See Carbohydrates.

- Xylosecarboxylic acid (FISCHER), 1890, A., 1399.
- o-Xylyl isobutylbenzyl ketone (Whole), 1892, A., 338.
- m-Xylyl ethyl ketone (CLAUS), 1891, A., 564.
- p-Xylyl ethyl ketone (CLAUS and
- FICKERT), 1887, A., 253. o-Xylyl methyl ketone (CLAUS and CLAUSSEN), 1886, A., 463; (CLAUS), 1890, A., 770.
 - 5-chloro-, and derivatives (CLAUH),
- 1891, A., 912; 1892, A., 1201. m-Xylyl methyl ketone (CLAUS and GARTNER), 1886, A., 463. 6-amido- (ULAUS), 1890, A., 980.

- m-Xylyl methyl ketone, 2- and 6-nitroand 2:6-dinitro-(CLAUS), 1890, A., 980.
- p-Xylyl methyl ketone and its derivatives (CLATS and WOLLNER), 1885, A., 1136; (Errera), 1891, A., 1053.
- 5-bromo- (Schopff), 1892, A., 338. m-Xylyl nitrosomethyl ketone, 2:6dinitro- (CLAUS), 1890, A., 981.
- m-Xylyl pentadecyl ketone (KRAFFI), 1888, A., 1087.
- o-Xylylacetamide (STRASSMANN), 1888, A., 474.
- **Xylylacetic acid** (dimethylphenylucetic acid), 4-nitro-, and its salts (WISPEK), 1883, A., 1096.
- m-Xylylacetic acid (Poppl.), 1890, A.,
- o-Xylylamide (HARRIS), 1890, A., 158. m-Xylylamide (HARRIS), 1890, A., 158; (GATTERMANN and ROSSOLYMO), 1890, A., 975.
- a-m-Xylylamidoacetic acid and its ether (Englich), 1883, A., 594.
- Xylylamidoacetoxylidide (EHRLICH), 1883, A., 594.
- m-Xylylamidoethylphthalimide (NEW-MAN), 1891, A., 1208.
- m-Xylylamidomethane (IIINRICHSEN), 1889, A., 131, 391.
- Xylvlamine. See Methylbenzylamine and Xylidine.
- Xylyl-and isoxylyl-anilide (LEUCKART), 1890, A., 759.
- Xylylantipyrine (KLAUBER), 1891, A.,
- m-Xylylbenzamidomethane (Hinkichsen), 1889, A., 391.
- Xylylbutane. See isoButylxylenc. o-Xylylearbamide (STRASSMANN), 1888, A., 474.
- m-Xylylcarbamide (Bromme), 1888, A., 1296; (FRENTZEL), 1889, A., 241. m-Xylylcarbinol (Hingicusen), 1889,
- A., 131. p-Xylyl-p-cymylphenylmethane (Elbs), 1887, A., 942.
- Xylyldiethylphosphine (CZIMATIS),
- 1883, A., 58. 1-m-Xylyl-2:3-dimethylpyrazolone (KLAUTER), 1891, A., 1363.
- Kylyldiphenylamides (Lellmann and Bonnoffer), 1887, A., 935.
- o-Xvlylene diethyl ether (LESER), 1884, А., 1313.
- p-Xylylenebismethylhydroxy-mdiazine (GLOCK), 1888, A., 1291.
- o-Xylylene-3-6-diamine(diamidoxylene), 4:5-dichloro- (Claus, Raps, Her-FELDY and BERKEFELD), 1891, A., 1201.

o-Xylene, Mo:Mo-1:2; m-vylene, Mo:Mo-13; p-xylene, Mo:Mo-1:4.

o-Xylylene-c-diamine and its salts | p-Xylylglyoxylic acid and its salts (STRAYSMANN), 1848, A., 175.

m Xylylene-2:1and -4.6-diamine (Grevinge), 1885, A., 145.

m-Xylylene-4:6-diamine, reactions of (Wiri), 1888, A., 1186.

m-Xylylene-5:6-diamine (JACOBSEN), 1889, A., 39.

m-Xylylene-ω-diamine (BROMME), 1888, A., 1296.

p-Xylylene-2:5-diamine (Nolting, Wiir and Forni, 1886, A., 58; (Surkowski), 1887, A., 668.

Xylylenediaminesulphonic acid (LIM-PRICHT), 1885, A., 1234. o-Xylylenedianilide (LESER), 1884, A.,

Xylylenedimalonic acids, m- and p-(KIPPING), 1888, T., 31, 38.

m-Xylylenediphthalimide (Bromme), 1888, A., 1<u>2</u>96.

Xylylenemethyldiamine (Pri v.,), 1890, А., 607.

o-Xylylenephthalimide and chloro-(Strassmann), 1888, Δ., 475.

Xylylenic bromide. See Xylene, ω-dibromo-.

o-Xylylenic dibromide (PERKIN), 1888, T., 5.

Xylylenic cyanides, m- and p- (Kir-Ping), 1888, T., 11, 11. diazosulphide (Jacobson and NEY),

1889, A., 772. oxide, tetrachloro- (GRADBE), 1887, A., 832

sulphides (ILELI), 1890, A., 131. o-Xylylenic sulphide (Lustan), 1884, A,

1313.

m-Xylylethylenediamine (Nrwwww), 1891, A., 1208.

a-m-Xylylethylamidoacetic acid (Енилин), 1853, А., 594.

o Xylylethyl/ichlorodimalonic acid, synthesis of (v. BARYER and PERKIN), 1884, A., 908.

m-Xylylfurfuryl-carbamide and -thiocarbamide (Deurzmann), 1892, A., 43.

m-Xylylglycollic acid (Poppe), 1890, А., 499.

v-m-Xylyl-glyoxaline, -glyoxalyl-µmercaptan and -glyoxalyl-u-methylic sulphide (MARCKWALD), 1892, A., 1329.

o-Xylylglyoxylic acid (v. Buchka and IRISH), 1887, A., 826.

m-Xylylglyoxylic acid (CLAUS and GARTNER), 1886, A., 463; (CLAUS), 1891, A., 564.

6-nitro-, 2:6-dinitro- and dinitroso-(CLAUS), 1890, A., 979.

(CLAUS and WOLLNLR), 1885, A., 1136.

m-Xylylhydrazine (KLAUBER), 1890, Λ., 1110; 1891, Λ., 1362.

Xylylhydrazinesulphonic acid, sodium salt of (Klauber), 1890, A., 1410.

m-Xylylhydroxyacetic acid (CLAUS), 1890, A., 979; 1891, A., 564.

p-Xylylhydroxyacetic acid (CLAUS and WOLLNER), 1885, A., 1137; (CLAUS), 1891, A., 564.

o-Xylylic cyanide (v. BARYER and PAPE), 1884, A., 898.

m-Xylylic ethylxanthate (LEUCKART), 1890, A., 603.

p-Xylylic phosphorus chlorides (WEL-LER), 1887, A., 824; 1888, A., 835.

Xylylidenediamine (OPPENHEIMER), 1886, A , 517.

Xylylimidazole. See Xylylglyoxaline. "p-Xylyl-β-ketonic acid" (CLAUS and Fickeri), 1887, A., 253.

p-Xylyl-y-ketonic acid" (CLAUS and MURIFELD), 1887, A., 827.

m-Xylyl-malonanilide and -malonic acid (Poppr), 1890, A., 498.

o-Xylylmethylcarbinol (CLAUS), 1890. A , 770.

m-Xylylmethylcarbinol (CLAUS), 1890. A, 979.

Xylylmethylnitrosamine (Pfluc),1890, A., 607.

1 m-Xylyl-3-methylpyrazolone (KLAUBER), 1891, A., 1363.

o-Xylylmethylsulphine iodide (lljill), 1890, A., 135.

Xylylmethylthiohydantoin (MARCK-WAID, NEUWARK and STRIZERR, 1892, A., 150.

m-Xylyloxamic acid (oxul yl rylidic ucid) and its inner anhydride (MAULHNER and SULDA), 1889, A., 110.

Xylylphosphinic acids, α-m- and β-m-(Weller), 1887, A., 825.

n-Xylyl-phosphinous acid and -phosphonic acid and its nitro-derivative (Weller), 1888, A., 835.

o-Xylyl-phthalamic acid and -phthalimide (STRASSMANN), 1888, A., 474.

m-Xylyl-phthalamic acid and phthalimide (BROWNE), 1888, A., 1295.

m-Xylylphthalide (GRESLY), 1886, A., 1029.

p-Xylylphthalimidine (Ruhemann), 1892, A., 474.

m-Xylyltartronic acid (POPPE), 1890, A., 499.

o-Xylene, Me:Me=1:2; m-xylene, Me:Me=1:3; p-xylene, Me:Me=1:4.

m-Xylylthiocarbamide (BROMME), 1888, A., 1296.

o-Xylylthiocarbimide (STRASSMANN), 1888, A., 475.

m-Xylylthiocarbimide (BROMME), 1888, A., 1296.

preparation of (WERNER), 1891, T., 405.

Y.

Ya of Marignac (CROOKES), 1886, A., 506; (LECOQ DE BOISBAUDRAN), 1886, A., 667.

Yarns, bleaching (THOMPSON and RICK-MANN), 1884, A., 1234.

Yeast, pure (AMTHOR), 1888, A., 184. manufacture of (ELION), 1891, A., 1532.

apparatus for the manufacture of (FERNBACH), 1891, A , 352.

preparation of (Heinzelmann), 1884, A., 789.

purification of (Effront), 1892, A.,

velocity of the hydrolytic action of (O'Sullivan), 1892, T., 928; P., 147.

hydrolytic functions of (O'SULLIVAN),

1892, T., 593, 926. influence of light on the growth of (KEY), 1886, A., 387.

influence of alcohol on the development of (HAYDUCK), 1883, A., 104. action of air on (Counin), 1883, A.,

746; 1884, A., 939. influence of alcohol, and sulphuric

and salicylic acids on (ANON.), 1884, A., 476.

action of hydrogen fluoride and of fluorides on (Effront), 1891, A., 1532.

influence of, on the bouquet of wines (ROMMIER), 1890, A., 281.

action of, on the animal and human organism (Neumaver), 1891, A., 237.

chemical reactions of (FRANKLAND), 1885, T., 166.

degeneration of (JACOBSEN), 1885, A., 102; (Bungener), 1885, A., 417.

influence of the age of, on alcoholic fermentation (REGNARD), 1888, A.,

self-fermentation of (LEHMANN), 1885, A., 1151.

liquefaction of (O'SULLIVAN and Томряон), 1890, Т., 869.

alcoholic extract of (DE REY-PAIL-HADE), 1890, A., 905.

Yeast, nuclein in (STUTZER), 1883, A., 1166; (LIEBERMANN), 1888, A.,

metaphosphoric acid in the nuclein of (LIEBERMANN), 1891, A., 477.

formation of sugar and other substances in (SALKOWSKI), 1889, A., 1027.

method of examining (MEISSI.), 1884, A., 931; (MEYER), 1885, A., 452.

abnormal, secretion of nitrogenous substances by (GAYON and DUBOURG), 1886, A., 733.

anaerobic, disengagement of carbonic anhydride by (GREHANT and QUIN-

QUAUD), 1889, A., 539. beer- (MARTINAND), 1889, A., 181. fermentative strength of, in distillery mash (KRUIS), 1884, A., 939.

glycogen in (ERRERA), 1885, A., 1151.

formation of glycogen in (LAURENT), 1888, A., 981.

degeneration of (BUNGENER), 1885, A., 417.

elliptical, effect of copper salts on (ROMMIER), 1890, A., 814. products of fermentation of sugar

by (CLAUDON and MORIN), 1887, A., 714, 746.

pressed, preparation of (WEHMER), 1883, A., 692; (ANON.), 1884, A.,

utilisation of malt combings in the manufacture of (HAYDUCK), 1884, A., 790.

wine, preparation of (ROMMIER), 1890, A., 1179. cultivated (ROMMIER), 1884, A.,

1399; 1885, A., 205.

Yeast liquor, composition of (O'Sur-LIVAN and TOMPSON), 1890, T., 878. Yeast sowing, the favourable temperature for (STENGLEIN), 1884, A.,

789.

(O'Sullivan and Yeast-albuminoid Tompson), 1890, T., 886, 893.

Yeast-cells, effects of varying environment on (Brown), 1892, T., 869.

effect of the presence of certain organic

substances on the respiratory com-(SCHUTZENBERGER), bustion of 1884, A., 857.

respiration of, at different temperatures (GREHANT and QUINQUAUD), 1888, A., 623.

Yeast-poisons (SCHULTZ), 1889, A., 181. Yellows, coal-tar, toxic effect of (CAZE-NEUVE and LEPINE), 1886, A., 273. See also Colouring matters.

Yew tree, alkaloid of (HILLER and BRANDE), 1890, A., 65).

Ytterbium, spectial researches of (THALLA), 1883, A., 951.

phosphotescence of (Crookes), 1887, A., 1068.

Yttria. See Yttrium sesquioxide.

Yttria minerals from Llano Co., Texas (Hidden and Mackinfosh), 1890, A., 457.

Yttrialite (HIDDEN and MACKINTOSH), 1590, A, 458.

Yttrium, atomic weight of (CLEVE), 1883, A., 202.

in the sphene of Biellese syenite (Cossa), 1884, A., 158.

fluorescence spectrum of (LECOQ DE BOISBAUDRAN), 1886, A., 838.

and samarium, mutual extinction of the spectra of (CROOKES), 1885, Λ., 1025.

compounds (Duboin), 1889, A., 1249. Yttrium bromide and chloride (Duboin), 1888, A., 1250.

hydride (WINKLER), 1891, A., 1157. sesquioxide (yttriu), crystallised (Du-BOIN), 1888, A., 1249.

spectra of (Crookes), 1886, A., 853; 1887, A., 1066, 1070; 1889, T., 269; P., 60; (Lacog de Boisbaudran), 1889, A., 456; 1890, A., 566.

purification of (Lecoo DE Bors-BAUDRAN), 1887, A., 13.

nction of magnesium on (WINKLER), 1890, A., 693.

phosphate. See Xenotime.

potassium and sodium phosphates (Dunoin), 1889, A., 18.

pyrophosphate (Johnson), 1889, A., 757.

silicates (Dubota), 1888, A., 1249. sodium sulphide (Dubota), 1888, A., 1250.

Yttrium-earths (BITTENDORFF), 1890, A., 851; 1891, A., 981; 1892, A., 1400.

atomic weight of, in their natural compounds (RAMMERSBERG), 1888, A., 112.

spectra of the (Crookes), 1889, T., 269; P., 60.

separation of the (Knuss), 1891, A., 1425.

Z.

Za and Zs, nature of (Lucoq DE Bois-BAUDRAN), 1890, A., 566. flaorescence spectar of (Lucoq DE

Boisbaudran), 1886, A., 666; 1890, A., 485.

Z\$\mathcal{B}\$, identity of the reversal spectrum of, with Crookes' fluorescence spectrum (LECOQ DE BOISBAUDRAN), 1886, A., 958.

Zanthoxylum senegalense. See Xanthoxylon senegalense.

Zein (Chittenden and Osborne), 1892, A., 749.

Zeolite from a pyroxenic rock of Brazil (Goremx), 1886, A., 519.

Zeolites in the delerites of Chaux-de-Bergonne, Puy-de-Dôme (Gon-NARD), 1884, A., 829.

from Chili (DARAPSKY), 1888, A., 235.

production of, in the cold (GONNARD), 1884, A., 405.

composition of (Dokuter), 1890, A., 717.

analyses of (Lacroix), 1885, A., 1187; (Hersen, 1888, A., 924.

Zero, absolute, determination to test the validity of Person's (PICKERING), 1891, A., 519.

Zine, atomic weight of (BAUBIGNY), 1884, A., 256; (MARIGNAC), 1884, A., 815; (VAN DLR PLAAIS), 1885, A., 248; (MORSE and BURIDS), 1888, A., 1217; (GLADSTONE and HIBBERT), 1889, T., 443; P., 101. molecular weight of (RAMSAY), 1889, T., 531, 533.

equivalent of, comparison of, with that of hydrogen (REYNOLDS and RAMSAY), 1887, T., 854; P., 81.

(metal) from pyrite sresidues (CREUTZ), 1881, A., 788.

from Sagor (ANON.), 1884, A., 1231. pune, preparation of (L'Hôre), 1886, A., 201.

free from arsenic, proparation of (Stolba), 1885, A., 461.

extraction of lead from the residues obtained in the manufacture of (Prosr), 1888, A., 915.

nrseniferous, purification of (L'Hôrm), 1881, A., 962; 1885, A., 307.

some properties of (L'Hôre), 1886, A., 201.

spectrum of (HARTLEY), 1883, T., 391; (AMES), 1891, A., 1.

clectrical resistance of (LE CHATE-LIER), 1891, A., 5.

E. M. F. of, property of the alkalis of increasing the (Koosen), 1888, A., 209.

electrolytical deposition of (Fis-CHER), 1881, A., 933.

clectroplating, with nickel (MEID-INGER), 1884, A., 231. Zine (metal), specific heat of (NAC-CARI), 1888, A., 1236.

vapour density of (MENSCHING and MEYER), 1887, A., 218.

volatilisation of, from German silver alloys (Haslam), 1885, A., 707. pure, cause of the slight solubility of,

in acids (Weeren), 1891, A., 983. lowering of the freezing points of bismuth, cadmium and lead by (HEYCOCK and NEVILLE), 1892, T., 893, 899, 905.

influence of, on the freezing point of sodium (HEYCOCK and NE-VILLE), 1889, T., 674.

influence of, on the freezing point of tin (HEYCOCK and NEVILLE), 1890, T., 382.

plumbiferous, action of acids on (SPRING and VAN AUBEL), 1887, A., 1074.

residues obtained from, by the action of acids (Osmond and WERTH), 1887, A., 894.

and acids, apparent influence of temperature, time, dilution and other conditions on the reaction between (Divers and Shimidzu), 1885, T., 619.

action of bromine on (GAUTIER and Силиру), 1892, А., 118.

action of chlorine on (COWPER), 1883, T., 154; (GAUTIER and CHARPY), 1892, A., 118.

nction of, on chromic fluoride (Evans), 1892, A., 20.

interaction of the haloid salts of mercury and (VARET), 1890, A., 224.

action of nitric acid on (DIVERS and SHIMIDZU), 1885, T., 603; (MONTEMARTINI), 1892, A., 1279. action of nitrosyl chloride on (Sun-

nonovou), 1891, T., 656. action of sulphuric acid on (Divers and SHIMIDZU), 1885, T., 598; (Muin and Anie), 1887, P., 106; 1888, T., 47; (Pullinger), 1890, T., 815; P., 136.

specific action of a mixture of sulphuric and nitric acids on, in the production of hydroxylamine (DIVERS and SHIMIDZU), 1885, Ť., 597; P., 90.

action \mathbf{of} water on solvent 1884. Α., 697; HEATON), (STEVENSON), 1884, A., 878; (VENABLE), 1885, A., 453.

co-operation of water in the slow oxidation of (TRAUBE), 1885, A., 1105.

Zine (metal), corrosion of, by ammonium chloride and potassium nitrate (Fisher), 1887, A., 889.

displacement of copper by (Des-TREM), 1888, A., 555.

granulating (Divers and миоді), 1885, Т., 617.

effect of redistillation on (BIRD), 1887, A., 446.

plumbiferous, behaviour of, on remelting (KRAUT), 1886, A., 594

crude, thallium in (Kosmann), 1886, A., 851. combination of, with sulphur,

lecture experiments illustrating (Schwarz), 1883, A., 292.

Zinc alloys with bismuth, with bismuth and silver, and with bismuth and tin (WRIGHT and THOMPSON), 1891, Λ., 1158.

with calcium (Norton and Twitch-ELI), 1888, A., 651.

with copper, constitution of (LAURIE), 1887, P., 117; 1888. T., 104.

with lead (LAURIE), 1889, T., 678; P., 147.

with lead and silver (WRIGHT and THOMPSON), 1891, A., 267.

with lead and tin (WRIGHT and THOMPSON), 1890, A., 336; 1891, A., 267.

with mercury, position of, in electropotential series (ROBB), 1884, A., 382.

explosive, with certain platinum metals (SAINT-CLAIRE DEVILLE and DERRAY), 1883, A., 19.

with silver (WRIGHT and THOMPSON), 1891, A., 1158.

with tin (LAURIE), 1889, T., 679; P., 147.

Zine salts, behaviour of, with plants and in the soil (BAUMANN), 1884, A., 1408.

antimonate (EBEL), 1890, A., 216. arsenate (Colonianu), 1886, A., 771; (LEFEVRE), 1890. A., 563.

crystalline anhydrous (DE SCHUL-TEN), 1890, A., 214.

potassium and sodium arsenates (LE-FEVRE), 1890, A., 563.

o-borate (LE CHATELIER), 1892, A., 404.

bromide, boiling point of (FREYER and MEYER), 1892, A., 680.

ammoniobromides and oxybromides (André), 1883, A., 713.

carbonate, concentration of, in dolomites (DIEULAFAIT), 1885, A., 640; 1886, A., 132. See also Calamine.

Zine ammonium carbonate, basic (Kass-NER), 1889, A., 1049; (Tiloms), 1890, A., 452.

chloride, boiling point of (FREYER and MEYER), 1892, A., 680.

action of ammonia on (KWASNICK), 1891, A., 1157.

action of metallic oxides (André), 1888, A., 651.

combination of, with hydrogen chloride (ENGEL), 1886, A., 665.

compounds of, with organic bases (Lachowicz and Bandrowski), 1888, A., 1281.

hydrates of (Engel), 1886, A., 665. ammoniochlorides (DIVERS), 1883, A., 272; (Thoms), 1887, A., 551; 1890, A., 452.

oxychlorides (Andre), 1888, A., 652. chromites (VIARD), 1889, A., 1111; 1891, A., 987.

ferrite (GORGEU), 1887, A., 557.

fluorovanadite, fluoroxyhypovanadate, and fluoroxyvanadate (Piccini and Giorgis), 1892, A., 787.

hydrosulphide (v. Zotta), 1890, A., 214; (LINDER and PICTON), 1892, T., 130.

hydroxide, crystallised (VILLE), 1885, A., 1112.

action of zine dust on (WILLIAMS), 1886, A., 204.

ammonium hydroxide, manufacture of, and its technical application (Wright), 1884, A., 1232.

iodide, specific gravity of (CLARKE and KEBLER), 1884, A., 394.

molybdate (Colorianu), 1889, A., 760.

nitrates, basic (Wells), 1887, A., 1080; (RIBAN), 1892, A., 1156. manufacture of (GLASER),

1885, A., 1270. dissociation of (Morse and Bur-

TON), 1888, A., 652; (MORSE and WHITE), 1889, A., 755. action of hydrogen peroxide on

(Kuriloff), 1892, A., 1278. action of magnesium on (WINKLER), 1890, A., 452.

compound of, with sodium hydroxide (Comey and Jackson), 1888, A., 786.

estimation, volumetric, of (BENE-DIKT and CANTOR), 1889, A., 309.

See also Zincite.

sodium oxides (Comey and Jackson), 1889, A., 674.

peroxide (Gibson and Morrison), 1886, A., 305.

Zine phosphate, crystalline anhydrous (DE SCHULTEN), 1890, A., 214.

potassium and sodium phosphates (Ouvrard), 1888, A., 1035.

selenites (Boutzoureanu), 1891, A., 262.

silicate, estimation of, in calamine containing lead (MINOR), 1891, A., 863.

See also Willemite.

silicate, hydrated aluminium

(Cesaro), 1884, A., 1105. sulphate (Banley), 1887, T., 681; (WHEELER), 1891, A., 992.

crystallised anhydrous (Кловв), 1892, A., 941.

quantity of heat evolved in the electrolysis of (JAHN), 1883, A., 1043.

electrolysis of a mixed solution of copper sulphate and (Houlle-VIGNE), 1890, A., 678.

action of hydrogen sulphide on (BAUBIGNY), 1889, A., 346.

physiological action of (LEPETIT), 1886, A. 641.

See also Goslarite.

basic (ATHANASESCU), sulphates, 1886, A., 981.

ammonium sulphate manganese (Roy), 1887, P., 53.

sulphide, native (DIEULAFAIT), 1886, A., 132.

a new variety of (Robertson), 1891, A., 154.

hexagonal (STAHL), 1889, A., 20. colloidal state of (Winssinger), 1888, A., 912.

phosphorescence oſ (Crookes), 1887, A., 1068; (VERNEUIL), 1888, A., 791, 1248.

preparations behaviour of (CAWLEY), 1891, A., 881.

dissociation of, by means of motallic zine (Morse and White), 1889, A., 916.

titration of, with iodine (v. Berg), 1887, A., 301.

See also Zinc blende.

sulphite, basic (Seubert), 1891, A., 1157.

dithionates, double (Krüss), 1888, A., 1157.

(DERT'S), 1888, pentathionate 299.

(Preis), 1890, thioarsenates A., 1053.

thiosulphate (Vortmann and Pad-BERG), 1890, A., 12.

(LEVY), 1888, A., 27, titanates 1254.

Zinc organic compounds:-

Zinc organo-metallic compounds, action of, on aldehydes (WAGNER), 1885, A., 370.

isobutyl, boiling point of (v. GAR-ZAROLLI-THURNLACKH and Pop-PER), 1884, A., 1117.

cyanide, formation of, from zinc dust (Aufschläger), 1892, A., 1164. action of cupric salts on (VARET), 1890, A , 464.

action of, on metallic chlorides (VARET), 1888, A., 799.

ammoniocyanides (VARET), 1888, A.,

mercuric cyanide (Dunstan), 1890, A., 855; 1892, T., 666; P., 51. ethoxide. See Ethoxide, zinc.

ethyl, molecular refraction and dis-

persion of ((+LADSTONE), 1891, T., 296. heat of formation of (GUNIZ), 1888,

A., 15.

and zinc methyl, apparatus for distilling (KAULFUSS), 1888, A., 255. action of, on amides (GAL), 1883, A., 913.

action of, on amines and phosphines (GAL), 1884, A., 985.

action of liquid carbonic anhydride on (SCHMITT), 1891, A., 288.

action of exygen on (DEMUTH and MEYER), 1890, A., 481.

and iodoethyl, action of, on dipropyl ketone (MENSCHIKOFF), 1888, A., 248.

mercurie thiocyanate 1892, A., 10. (Behrens),

Zinc, detection, estimation and separation:

microchemical test for (v. Haus-HOFER), 1887, A., 300.

detection of, in presence of iron (DEROS), 1884, A., 367.

estimation of (CARNOT), 1886, A., 580, 650; (Losekann and Meyer), 1886, A., 836; (Bragard), 1887, A., 689; (RIBAN), 1888, A., 1343; (Luckow), 1892, A., 1129.

estimation, electrolytic, of (MILLOT), 1883, A., 122; (CLASSEN), 1885, A., 192; (Moore), 1886, A., 921; (SMITH and KNERR), 1886, A., 923; (SHAND), 1887, A., 1000; (BRAND), 1890, A., 294.

estimation, electrolytic, of, as amalgam (VORTMANN), 1891, A., 1553.

estimation, volumetric, of (VOIGT), 1890, A., 196; (Blum), 1890, A., 1191; 1892, A., 534; (DONATH and HATTENSAUR), 1891, A., 112.

Zinc, estimation and separation:-

estimation of, as pyrophosphate

(Bragard), 1887, A., 398. estimation of, as sulphide (Macarhur), 1883, A., 828.

estimation of, by the ferrocyanide process (MOLDENHAUER), 1892, A., 915.

estimation of, in blende containing manganese (STAHL), 1890, A., 827.

estimation of, in calamine (MINOR), 1890, A., 418; 1891, A., 863. estimation of, in presence of iron

(Deros), 1884, A., 367.

estimation of, in presence of iron and manganese (RIBAN), 1890, 1193.

estimation of, in iron ores (PLATZ), 1890, A., 1192.

estimation of, in the presence of manganese (NEUMANN), 1889, A., 549.

estimation of, in manganiferous flue deposits (Jensch), 1890, A., 294. estimation of, in pickled railway

sleepers (GRITTNER), 1891, A., 620. estimation of, in zinc dust (MINOR), 1891, A., 863.

estimation of, in zinc fume (MAR-QUARDT), 1886, A., 490.

estimation of, in zinc ores (CodA), 1890, A., 1191.

separation of (RIBAN), 1888, A., 1343. separation of, in ores (OSBORNE), 1885, A., 595.

separation of, from aluminium, cobalt, iron, manganese and nickel (MOORE), 1888, A., 631.

separation of cadmium, copper, nickel, etc. and (CARNOT), 1886, A., 580,

separation, electrolytic, of cadmium from (Eliasberg), 1886, A., 281; (SMITH and FRANKEL), 1889, A., 1033.

separation of, from cobalt (BAUBIGNY), 1889, A., 653.

separation of, from cobalt, iron and nickel (v. Beng), 1887, A., 182.

separation of, from iron (CARNOT), 1886, A., 650.

separation of, from lead and silver, in galena and blende (AUBIN), 1892, A., 1378.

separation of, from manganese (Jan-NASCH and MACGREGORY), 1891, A., 963; (Donath), 1892, A., 384; (Jannasch and Niederhofheim), 1892, A., 537.

separation of, from manganese and nickel (BAYLEY), 1858, A., 388.

Zinc, separation :---

separation, electrolytic, of, from mercury and silver (Smith and

FRANKED, 1890, A., 664. separation of, from the metals of the same group (HAMPE), 1885, A.,

separation of, from nickel (Moone), 1885, A., 193; (Osborne), 1885, A., 595; (Baubigny), 1889, A., 652; (ALT and SCHULZE), 1890, A., 418.

Zincaluminite, a mineral species (Ben-TRAND and DAMOUR), 1883, A., 443.

Zinc blende from Cornwall, Lebanon Co., Pa. (Gentul), 1881, A., 266. black, of Freiberg (Strizner and Schernel), 1887, A., 451.

from Hungary (Ströcz), 1886, A., 313. modifications of (v. Sandberger),

1889, A., 836. and tetrahedrite, parallel growth of (BECKE), 1886, A., 207.

etching of (Breeke), 1886, A., 207. roasting of, and neutralisation of the evolved gases with calcium sulphide solution (Kosmann), 1883, A., 399.

See also Blende and Line sulphide. Zine bloom. See Hychozincite. Zine-carbon couples in electrolysis

(Tommasi), 1883, A., 4.

Zinc-copper couple, action of nitric oxide on (GLADSTONE and TRIBE), 1883, T., 316.

action of, on organic bodies (GLAD-STONE and TRIBE), 1885, T., 448; P., 60.

estimation of chlorates by means of the (BOTH MLEY and THOMPSON),

1887, P., 141; 1888, T., 164. Zinc dust, preparation of hydrogen and of carbonic oxide by means of (Schwarz), 1886, A., 660.

action of, on ferric chloride (CAR-NEGIE), 1888, T., 168.

οf, ()3) zine hydroxide (WILLIAMS), 1886, A., 204.

properties of cadmium in (ANON.), 1885, A., 461.

valuation of (MORSE), 1885, A., 1012; (Weil), 1887, A., 301; (KLEMP), 1890, A., 1190.

Zinc eisen (WARREN), 1887, A., 550. Zinc fume, estimation of zinc in (MAR-QUARDT), 1886, A., 490.

Zinc gasometers, storage of oxygen in (Loewe), 1888, A., 619.

A., 835.

oxygen, explosion containing (Pfaundler), 1883, A., 524. use of lime-water in (LOEWE), 1885, Zinciferous clays from South West

Missouri (Seamon), 1890, A., 573. Zincite, crystallised, from Stirling Hill, New Jersey (DANA), 1887, A., 343.

artificial production of (Gorgen), 1887, A., 345.

See also Zine oxide.

Zinckenite (GONNARD), 1885, A., 221. from Arkansas (Chester), 1887, A.,

Zinc-magnesium group, peroxides of (HAASS), 1885, A., 20.

Zinc-manganese-serpentine from Franklin, New Jersey (Konic), 1887, A., 646; 1888, A., 565.

Zinc mineral from a blast furnace (CUNDALL), 1889, P., 67.

Zinc minerals, origin of, in the older limestones of the secondary series (Dieulafait), 1885, A., 644.

Zinc powder, valuation of (BARNES), 1887, A., 80.

titration of (Kupfferschläger), 1887, A., 865; (WELL), 1887, A., 1000.

Zircon from Australia (SCHMIDT), 1891, A., 1769.

from Burgess, Canada (HIDDEN), 1885, A., 878.

from Colorado (Cross and HILLE-BRAND), 1883, A., 1065.

from a Colorado rock (LACROIX), 1889, A., 1051.

from the itacolumite of Edge Hill, Pa. (GENTH), 1881, A., 270.

from the quarries of Nil St. Vincent (RENARD), 1883, A., 561.

from North Carolina (GENTH), 1891, Λ., 155.

in stratified rocks (v. Sandberger), 1886, A., 21.

artificial production of (HAUTE-FEUTILE and PERREY), 1889, A.,

composition of (LINNEMANN), 1885, A., 1012.

twin crystals of (FOOTE), 1885, A., 222. absorption phenomena of (LANKE-MANN), 1885, A., 1173.

disintegration of (STOLBA), 1884, A., 821.

Zircon minerals, distribution of (THÜкаси), 1886, А., 126.

Zirconia. See Zirconium dioxide.

Zirconic acid and zirconates. See under Zirconum.

Zirconic anhydride. See Zirconium dioxide,

Zirconium (Hinsberg), 1887, A., 896. atomic weight of (BALLEY), 1890, A., Zirconium, crystallised compounds of (Whibull), 1887, A., 778.

Zirconium chloride, preparation of, from zircons (Venable), 1892, A., 412. hydride (Winkler), 1891, A., 802. hydroxide, dehydration of, by heat (CARNELLEY and WALKER), 1888, T., 68, 82.

dioxide (zirconia; zirconic anhydride), extraction of (Linnemann), 1885, Λ., 1042.

crystallisation of (HAUTEFEUILLE and PERREY), 1890, A., 1071. action of magnesium on (WINKLER),

1890, A., 1375; 1891, A., 802. light (LANNEMANN), 1886, A., 417.

pentoxide (BAILEY), 1886, T., 119,

Zirconic acid, combination of phosphoric acid with (HAUTEFRUILE

and Margottet), 1886, A., 670. Zirconates of the alkalis and alkaline earths (Ouvrand), 1891, A., 1131.

Zirconium potassium phosphate (Troost and OUVRARD), 1886, A., 853. sodium phosphates (Troost and Ouv-RARD), 1887, A., 1017.

Zirconium, method for the estimation and separation of (BAILEY), 1886, T., 149, 481; P., 138, 205. separation of, from alu (Davis), 1889, A., 550. aluminium

Zirconyl compounds (WEIBULL), 1887, Λ., 778.

Zobtenite (ROTH), 1888, A., 661. Zoisite (BELL), 1886, A., 319.

from Orenburg (Melnikoff), 1892, A., 690.

Zorgite, analysis of (HEUSLER and Klinger), 1886, A., 22.

Zuiderzee, composition of the sea mud in the new alluvia of the (VAN BEM-MELEN), 1890, A., 822.

Zunyite, from Colorado (HILLEBRAND), 1885, A., 878.

Zygadite (KRENNER), 1886, A., 518. Zymase of jequirity (BECHAMP and DUJARDIN), 1885, A., 1085. of human milk (Bechamp), 1883, A., 926.

Zymases, observations concerning organisms which produce (BECHAMP), 1885, A., 580.

Zymogluconic acid. See Gluconic acid. Zymolysis (LEA), 1890, A., 538.

AGRICULTURAL CHEMISTRY.

ANIMALS, DAIRY PRODUCTS, AND FEEDING EXPERIMENTS.

Animals, certain, digestive tract of, search for a cellulose-dissolving enzyme in (Brown), 1892, T., 352; P., 30.

secretion of calcium carbonate by (IRVINE and WOODHEAD), 1889, A., 429; 1890, A., 653.

stony concretions in (Schuberg), 1884, A., 348.

hydrocyanic acid from (WEBER), 1881, A., 348.

nitrates in (Gossels), 1887, A., 389. idiosyncrasy of certain, with legard to phenol (ZWAARDEMAKER), 1891, A., 762.

influence of the consumption of water on the alimentation of (HENNE-BERG), 1889, A., 287.

results of the suppression of perspiration of (Ellenberger), 1883, A., 817.

respiratory exchanges in (CHAPMAN and BRUBAKER), 1891, A., 592.

exhalation of nitiogen during the respiration of (REISET), 1883, A., 675.

urine of, occurrence of acetyl derivatives in, after the ingestion of aldehydes (Coun), 1892, A., 150t. starving, amount of iron in (v.

starving, amount of iron in (v. ZALESKI), 1888, A., 977. starving and normal, the relation of

starving and normal, the relation of water and solid constituents in the organs and tissues of (LUKJANOW), 1889, A., 632.

diseases of (Roloff), 1884, A., 95, 911; (Pastrud), 1884, A., 623. destruction and utilisation of bodies

destruction and utilisation of bodies of, which have died from contagious diseases (Girand), 1881, A., 106.

ANIMALS-

Bees, larval, food of (v. PLANTA), 1888, A., 783; 1889, A., 1022.

Calves, fattening of (v. Landsporff), 1883, A., 815.

1883, A., 815. feeding of (Frord), 1888, A., 1319.

feeding of, with skim-milk (PAUL), 1883, A., 675; (BARTH; HEN-NINGSEN), 1884, A., 852. Cattle, use of, for labour (v. BABO),

Cattle, use of, for Inbour (v. Babo), 1881, A., 1396.

stall led, experiments with (Voss-LER), 1881, A., 172.

feeding of (Flore), 1889, A., 1076.

value of fodders for (WALTHER), 1883, A., 820; (v. KNIERIEM), 1800, A., 395.

influence of food on the composition of butter (LADD), 1889, A., 1023.

exhausted beetroot-pulp as food for (Annouard and Dézaunay), 1881, A., 317; 1885, A., 73.

beetroot sections as food for (Schrodt and Hanssen), 1885, A., 833; (Stutzer and Werner), 1886, A., 953.

beet seed as food for (SIMON-LEGRAND), 1884, A., 631; (PEL-LET), 1885, A., 425. arsenie in the bone phosphate

arsenic in the bone phosphate used as food for (Fresenius), 1889, A., 548.

cotton-cake as food for (DE LA. TRÉHONNAIS), 1884, A., 1111.

influence of cotton-cake on the secretion of milk in (ANON.), 1884, A., 623; (SIEWERT), 1884, A., 669.

AGRICULTURAL CHEMISTRY.

ANIMALS-

Cattle, diffusion residues as food for (MARCKER), 1884, A., 921.

eaith-nut- and palm-nut-cake as food for (SCHRODF), 1888, A., 174.

poisoning of, by earth-nut-cake (ANACKER). 1883, A., 818.

earth-nut-meal compared with 1yemeal as food for (MEYER), 1885, A., 1252.

earth-nut- and rice-meal as food for (WOLDE), 1883, A., 820.

dry fodder as food for (ANON.), 1883, A., 816.

first grass and aftermath as food for (RUFIN), 1885, A., 586.

horse-chestnuts as food for (KAEH-LER), 1884, A., 1411.

basic phosphate of lime as an addition to food for (Cohn), 1884, A., 194.

lupines as food for (SEELING), 1884, A., 1211.

maize silage as food for (ANON.), 1884, A., 355; (ROSE), 1885, A., 1149.

influence of oat- and wheat-bran on the secretion of milk in (SCHRODT and HANNEN), 1884, A., 854.

silage as food for, in Holland (THEIL), 1887, A, 1062.

silage as compared with hay as food for (BROEKEM and MAYER), 1886, A, 737.

sugar as an addition to food for (MARKER), 1855, A., 1149; (HOLDEFLEISS), 1886, A., 727; (PFLIFTCH and LEHMANN), 1887, A., 511.

sunflower-seed-cake as food for (SCHRODT and V. PETER), 1884, A, 483.

white mustaid as food for (Brum-MER), 1884, A., 864.

amounts of nitrogen ingested and recovered in manure (MUNTZ and GIRARD), 1887, A., 175.

urine of (ZACHAREWICZ), 1884, A., 1204; (MITTELBACH), 1888, A., 1215.

Cattle disease, bacillus of (METZ-DORF), 1884, A., 1398.

and Pasteur's protective inoculation (Kocu), 1884, A., 96; (Muller), 1884, A., 473.

occasioned by town sewage (ANON.), 1884, A., 95.

various (EGGELING; PASIEUR), 1885, A., 73. ANIM ALS-

Dogs, formation of fat from carbohydrates in (Munk), 1887, A., 288.

glycogen in the liver of new-born (DEMANT), 1887, A, 167.

hamoglobin of (JAQUEI), 1888, A., 731; 1890, A., 273.

nutrition of (GUIMARIES), 1884, A., 344.

digestion of starch by (Ellen-Berger and Hofmeis rer), 1892, A., 516.

urine of, nitrogenous constituents of (Bleibtreu), 1890, A., 279.

Fowl, tissue waste in the, during starvation (KUCKEIN), 1883, A., 603.

Chicken cholera, infection of eggs by (Barihelemy), 1884, A., 1398.

value of disinfectants in (COLIN), 1885, A., 180.

Goats, amount of volatile acids in the excrement of (WILSING), 1886, A., 87.

Horse, circulation of mineral matter in the (v. Wolff), 1888, A., 735. absorption in the stomach of the (Gold-Chmid), 1887, A, 743.

sugar contents of the stomach of the (ELLENBERGER and HOF-MEISTER), 1889, A., 176.

gastric digestion in the (Goldstein schmidt), 1886, A., 952; 1887, A., 610.

digestion and digestive secretions in the (ELLENBERGER and HOF-MEKSTLR), 1883, A, 487; 1884, A., 92, 472; 1885, A., 178, 679, 1118; 1887, A., 711.

digestion of cellulose by the (Hor-MEISTER), 1885, A., 916.

foddering of the (v. Wolfi), 1888, A, 735.

useful effect of food supplied to the (LEZI), 1890, A., 807.

digestibility of substances used as foodforthe (Muntzand Girard), 1885, A., 282.

dried beer grains as food for the (SATRIG), 1886, A., 1066.

cocoanut-meal as food for the (ANON.), 1884, A., 852

earth-nut-ineal as food for the (FREYTAG and V. DER BECKE), 1884, A., 100.

flesh-meal as food for the (FINDEI-SEN), 1883, A., 102.

digestibility of clover- and meadowhay by the (v. Wolff), 1985, A., 410, 411. ANIMALS-

Horse, digestibility of lucerne by the (v. Wolff), 1885, A., 410.

working power of the, when fed with lupines and oats and digestibility of purified lupine seeds (Kellner), 1883, A., 102. maize as food for the (GERSSDORF), 1884, A., 355.

digestibility of potatoes with hay and oats, and of carrots with hay and oats by the (v. Wolff), 1885, A., 72.

alimentary value of oats as food for the (Muntz and Girard), 1885,

sweat of the (SMITH), 1891, A.,

cutaneous excretion of albumin by the (LECLERC), 1888, A., 1320.

change of substance in the, at rest and at work (ZUNTZ, LEHMANN HAGEMANN), 1889, A., and

respiration in the, during rest and work (SMITH), 1890, A., 392; (ZUNTZ and LEHMANN), 1890,

A., 1170. fat of the (LENZ), 1889, A., 1076; (AMTHOR and ZINK), 1892, A., 1533.

cystin and xanthine in the liver of the (DRECHSEL), 1892, A., 516.

urine of the (MITTELBACH), 1888, А., 1216; (SMITH), 1890, А., 914.

composition of (SALKOWSKI), 1885, A., 413, 924.

Pigeons, feeding experiments (Assmus), 1884, A., 473.

Pigs, gastric juices and histology of the gastric mucous membrane of (ELLENBERGER and HOFMEIS-TER), 1886, A., 271.

digestion in (ELLENBERGER and Hofmeister), 1887, A., 512,684; 1890, A., 183. exchange of material in (MEISSL),

1886, A., 381.

fed on corn cockle, metabolism in (KORNAUTH and ARCHE), 1892, A., 1018.

feeding of (Fjord), 1888, A., 1319. influence of fodder on the production of fat and lean in (HENRY), 1888, A., 1319.

bile, acids of (Jolin), 1887, A., 742; 1888, A., 1213; 1889, A., 422; (BERGEAT), 1889, A., 1231. urine of (MITTELBACH), 1888, A.,

1216.

Animals—

Pigs, urine of, chemical composition of (SALOMON), 1885, A., 413.

Rabbits, aged, composition of the bones of (GRAFFENBERGER), 1891, A., 1275.

hydrophobic, catechol in the urine of (Moscatelli), 1892, A., 1115.

Sheep, fattening of (Pfeiffer and Lehmann), 1888, A., 973. influence of wool on the material

exchange in (KERN, WATTEN-BERG and PFEIFFER), 1891, A., 1392.

of different breeds, effect of food on (Weiske), 1883, A., 226.

Scotch hill, composition of the food of (KINCH), 1885, A., 291.

digestibility of clover- and meadowhay by (v. Wolff), 1885, A., 410, 411.

digestibility of lucerne by (v. Wolff), 1885, A., 410.

comparative value of peas, barley and malt as food for (VOELCKER), 1884, A., 206. dry and steeped maize as food for

(Müller), 1885, A., 1149.

effect of increasing the proteids in food rations of (KERN and WAT-

TENBERG), 1891, A., 753. sugar as food for (HENNEBERG), 1885, A., 1252; (WERNER), 1886, A., 569; (Preiffer and Len-MANN), 1887, A., 511.

amounts of nitrogen ingested and recovered in manure (Muntz and Girard), 1887, A., 175.

effect of copper on (ELLENBERGER and HOFMEISTER), 1884, A., 474. physiological effect of lead on (ELLENBERGER and Hor-

MEISTER), 1885, A., 74. lupine sickness in (HARMUTH), 1883, A., 228.

urine of (ZACHAREWICZ), 1884, A., 1204; (MITTELBACH), 1888, A.,

Silkworm, Japanese (Bomby& Mori), development and feeding of (Kellner), 1884, A., 667, 1202; 1887, A., 68.

chemical changes attending the development of the embryo in the eggs of (TICHOMIROFF), 1885, A., 1000, 1150.

DAIRY PRODUCTS-

Butter and Butter-fat (SCHRODT and HENZOLD), 1891, A., 757. chemistry of (BELL), 1883, A.,

1160.

DAIRY PRODUCTS-

Butter and Butter-fat, nature of (BLYTH and ROBERTSON), 1889, P. 5.

composition of (SCHMITT), 1885, A., 309; (VIETH), 1891, A., 507, 508; (JOHNSTONE), 1891, A., 849.

composition of, from various districts (Duclaux), 1887, A.,

melting point and composition of, as affected by nutrition (MAYER), 1889, A., 173.

influence of food on the composition of (LADD), 1889. A., 1023. See also Cattle feeding.

acids of (KOEFOED), 1892, A., 1113.

amount of fatty acids in (REICH-ARDT), 1884, A., 1219.

acids, volatile fatty, of (SPALLAN-ZANI), 1890, A., 186.

amount of volatile fatty acids in rancid (Corbetta), 1891, A., 130.

action of alcohol on (COCHRAN), 1888, A., 634.

Butter, attificial and natural, comparative value of, as articles of food (MAYER), 1884, A., 92, 622; (ULDALL), 1884, A., 622. buffalces' (Strohmer), 1888, A.,

976. ewes' and goats', composition of (SCHMITT), 1885, A., 309.

goats', insoluble fatty acid in (JERN), 1884, A., 535.

melted (EUGLING), 1885, A., 1171. "oily" (STORCH), 1891, A., 603.

Butter making (FLEISCHMANN and SACHILEBEN), 1883, A., 253; (FJORD; OTFO), 1884, A., 135; (SCHMOEGER), 1884, A., 236; (FLEISCHMANN; BLUNCK-SCHILKOWITZ), 1884, A., 534; (KÖHNKE), 1884, A., 1448; (SCHRODT), 1885, A., 105. influence of the concentration of

influence of the concentration of the cream on (SEBELIEN), 1889, A., 300.

from fresh and stale cream (BRÚ-NIG), 1885, A., 620.

Butter colourings, examination of (CORNWALL), 1887, A., 621.

artificial (SCHMITT), 1884, A., 236.

carrot colour in (Moore), 1887, A., 310.

detection of artificial colouring matters in (MARTIN), 1887, A., 1149. DAIRY PRODUCTS-

Butter, preservation of (HAGEMANN), 1883, A., 254; (FLEISCHMANN), 1884, A., 534; (Scheoder), 1885, A., 612.

Butter analysis (V. BASTALAER), 1883, A., 246; 1884, A., 120; (MUNIER), 1883, A., 247, 750; (SCHMITT), 1883, A., 521; 1885, A., 197; (BECKURTS). 1884, A., 779; (LEFFMANN), 1885, A., 196; (HANSSEN; MCCAY), 1885, A., 197; (MOORE), 1885, A., 300; (FOX and WANKLYN), 1885, A., 446; (SCHMOEGER), 1885, A., 603; (ZAUNI), 1885, A., 695; (Horsley), 1885, A., 696; (WAG-NER), 1886, A., 103; (Andorard),1886, A., 283; (Mayer), 1886, A., 395; (Allen), 1886, A., 583; 1887, A., 1145; (DU-CLAUX), 1886, A., 685; (SKAL-WEIT), 1887, A., 308; (HAGER; WOLL; CORNWALL and WALLACE, 1887, A., 309; (ANON.), 1888, A., 93; (WARREN), 1888, A., 100, 538; (WARREN), 1898, A., 199, 538; (WOLLNY), 1888, A., 199, 536; (WOLLNY), 1888, A., 1135; (MORSE and BURTON), 1888, A., 1347; (MANSFELD), 1889, A., 85; (PAGNOUL and GRENET), 1889, A., 192; (BESANA), 1889, A., 448, 658; (NIL-GON), 1889, A., 801; (RICHMOND), 188 1890, A., 93; (Johnstone), 1890, A., 93; 1891, A., 868; (Salvatori), 1890, A., 305; (Bondzyński and Rufi), 1890. A., 838; (VIOLLETTE), 1891, A., 130, 869; (BRULLE), 1891, A., 506; (Firtsen), 1891, A., 868; (Lezs), 1891, A., 1300; (KONIG and Harr), 1891, A., 1301; (ELLINGER), 1891, A., 1401; (ERDFLYI), 1892, A., 1532.

detection of coco (cucao)-nut fat in (MUTER), 1892, A., 391.

detection of margarine in (Planchon), 1889, A., 318; (Lezé), 1891, A., 1300; (Rodewald), 1892, A., 1034.

and margarine, discrimination of (VIOLLETTE), 1891, A., 130. See also Margarine in Main Index.

detection of salicylicacid in (ANON.), 1884, A., 372. estimation of free acids in (Br-

SANA), 1892, A., 924. estimation of fatty acids in (REIC-

HARDT), 1884, A., 1219; (WOLLNY), 1889, A., 1037; DAIRY PRODUCTS—
Butter analysis—
(RICHMOND),
(JOHNSTONE),
A., 868; (Kc.
1113.
estimation of vo
(SCHMITT), 18
estimation of d
in (GANTTER)

(RICHMOND), 1890, A., 93; (JOHNSTONE), 1890, A., 93; 1891, A., 868; (KOEFOED), 1892, A., 1113. estimation of volatile fatty acids in

estimation of volatile fatty acids in (SCHMITT), 1884, A., 1484. estimation of dry residue and fat.

estimation of dry residue and fat in (Gantter), 1888, A., 537. estimation of salicylic acid in (RE-MONT), 1883, A., 522.

estimation of water in (Henzold), 1891, A., 1300.

Cheese, chemistry of (Bell), 1883, A., 1160.

from skim-milk and foreign fat (WILLARD), 1884, A., 536; (HANSEN), 1884, A., 942.

composition of (VIETH), 1883, A., 256

inorganic constituents of (Eugling and Mähr), 1886, A., 290.

digestibility of varieties of (v. KLENZE), 1885, A., 1252. loss of weight during the ripening

of (Martiny; Fleischmann), 1884, A., 1448.

American, composition of (WIL-LARD), 1884, A., 536.

blue (SCHMOEGER), 1884, A., 942. Enumenthaler, composition and ripening of (Weidmann), 1883, A., 692; (Röse and Schulze), 1885, A., 207.

oleomargarine, composition of (VIETH), 1883, A., 256.

poisonous, ptomaine from (VAUGHAN), 1886, A., 373.

Russian, composition of (KALAN-TAROFF), 1884, A., 700.

sheeps' milk, chemistry of (Sar-TORI), 1891, A., 951. estimation of fat in (Leze and Al-

LARD), 1892, A., 392. Cream, souring of (Köhnke), 1884,

A., 1448; (STORUM), 1891, A., 603, A., paration of (GABEL), 1883, A., 253; (FLEISCHMANN and SACHT-LEBEN), 1883, A., 255; 1884, A., 135; (SCHMOEGER), 1884, A., 236; 1886, A., 290; (FJORD), 1884, A., 1447; (FLEISCHMANN and BERENDES), 1885, A., 944; (SIEWERT), 1885, A., 1022.

detection and estimation of boric acid in (Cassal), 1891, A., 619. estimation of fat in (v. T.), 1885, A., 844; (SCHMID), 1888, A., 1847; (LEZE and ALLARD), 1892, A., 392. DAIRY PRODUCTS-

Milk, chemistry of (BELL), 1883, A., 1160.

physiology of the formation of (THIERFELDER), 1884, A., 914. secretion of, influence of movement on (MUNK), 1884, A., 1205.

alteration in, under the influence of drugs (STUMPF), 1883, A., 818.

influence of atropine on (HAM-MERBACHER), 1884, A., 1396.

influence of pilocarpine on (HAM-MERBACHER), 1884, A., 1396; (CORNEVIN), 1892, A., 365. influence of exhausted beetroot

influence of exhausted beetroot pulp on (ANDOUARD and DÉ-ZAUNAY), 1884, A., 347; 1885, A., 73.

influence of oat- and wheat-bran on (SCHRODT and HANSSEN), 1884, A., 854.

influence of cotton-cake on (ANON.), 1884, A., 623; (SIE-WERT), 1884, A., 669.

influence of distillers' waste on (SCHMORGER and NEUBERT), 1884, A., 194.

influence of malt sprouts and the amides contained in them on (SCHRODT and HANSSEN), 1885, A., 929.

See also Cattle feeding.

a physical property of (RECKNAGEL), 1884, A., 941.

specific gravity of (VIETH), 1888, A., 634; 1889, A., 915.

composition of (Jenkins), 1884, A., 533; (Fleischmann), 1885, A., 849; (Vieth), 1886, A., 168; 1888, A., 620.

of abnormal quality (LLOYD), 1890, T., 201; P., 3.

during early and late periods of lactation (KUHN), 1891, A., 97. produced on English daily farms (VIETH), 1889, A., 914.

in Holland (GÄBEL), 1884, A., 1396.

at Kiel experimental dairy farm (SCHRODT), 1884, A., 1396.

changes in the (FABER), 1888, A., 862.

changes in (VIETH), 1883, A., 757. changes in, during milking (SCHMIDT-MÜLHEIM), 1884, A., 93.

influence of the frequency of milking on (ERLENMEYER), 1883, A., 227; (SCHMOEGER), 1885, A., 1000.

DAIRY PRODUCTS-

Milk, changes in, by freezing (KAISER and SCHMIEDER), 1887, A., 745. composition of the ash of (SCHRODT and HANSSEN), 1884, A., 1397.

casein in (Duclaux), 1884, A., 762; (Eugling), 1885, A., 1083. digestibility of casein from heated

(Hoffmann), 1883, A., 487,

the salts of, and their relation to the behaviour of casein (SOLDNER),

1889, A., 634. citric acid in (SOXHLEY), 1889, A.,

178; (HENKEL), 1891, A., 1276.

origin of (Scheibe), 1891, A., 1276.

variations of the fat of (NILSON), 1888, A., 861.

of hill-bred cows, amount of fat and dry matter in (SIEDEL), 1891, A., 1275.

from cows of different breeds, percentage of fat in (ANON.), 1884, A., 94.

shorthorns, composition

(VIETH), 1886, A., 168. amount of nitrogen in (NILSON), 1890, A., 652.

variations in the proportion of phosphoric acid in (ANDOUARD), 1887, A., 856.

proteids of (v. STRUVE), 1883, A., 1174; (BIEDERT), 1885, A., 922; 1887, A., 388; (Sebelien), 1885, A., 1000; 1889, A., 450; 1891, A., 951; (Dogiel), 1885, A., 1149; (HALLIBURTON), 1891, A., 339.

pentonised (HORTON-SMITH), 1891, A., 953.

poisonous ptomaine in (FIRTH), 1887, A., 389.

buffaloes'(Strohmer), 1888, A., 976. goats', composition of (VIETH),

1886, A., 168. of Herbivora, estimation of nitrogen in the (Weiske), 1886, A., 1072.

mares', composition of (VIETH), 1885, A., 849.

sheep's (Sartori), 1891, A., 951. action of calcium salts on (RINGER), 1891, A., 340.

effect of bad odours on (SCHRODT), 1883, A., 254.

digestion of, and the substances which increase its digestibility (Uffelmann), 1884, Λ ., 192. time required for the (JESSEN), 1884, A., 470.

DAIRY PRODUCTS-

Milk, boiled, digestibility of (RAUD-NITZ), 1889, A., 1225; 1890, A.,

is alcohol eliminated by the? (KLINGEMANN), 1892, A., 365.

coagulation, influence of salts on (RINGER and SAINSBURY), 1890, A., 1176.

cause of the, during thunder storms (v. Liebig), 1892, A., 1370.

thickening of (RECKNAGEL), 1884, A., 941.

refrigerator, Oberbockstruck's (Wust and Kirchner), 1885, A., 1022.

condensed, preparation of (ANON.), 1883, A., 759.

preservation of (BARFF), 1883, A., 253; (Busse; DIETZELL; FLEISCHMANN), 1883, A., 254; (Fleischmann and Morgen), 1883, A., 757; (ANON.), 1883, A., 758: (SCHRODT), 1885, A., 612; (HUEPPE and EUGLING), 1885, A., 1170.

changes occurring in the (LOEW),

1883, A., 634.

by high temperatures (100°) for children's food (BAGINSKY), 1885, A., 679.

Thiel's pasteurising apparatus for the (Fleischmann), 1885, A., 105.

sterilisation of (STORCH), 1891, A.,

improvements in Soxhlet's apparatus for the (SOXHLET), 1892, A., 518.

alcoholic fermentation of (MAR-TINAND), 1889, A., 916.

chemical action of microbes on (WARINGTON), 1888, T., 734.

changes which it undergoes through the agency of microbes (HUEPPE), 1885, A., 416.

action of remnet on (EUGLING), 1885, A., 1083.

action of Blumenthal's prepared rennet on (Schmoeger), 1884, A., 535.

action of rennet from the seeds of Withania coagulans on (Lea), 1884, A., 535.

ferment for making "kephir" (KERN), 1883, A., 229.

lactic ferment in (HUEPPE), 1885, A., 1170.

putrefaction of (WINTERNITZ), 1892, A., 1116,

AGRICULTURAL CHEMISTRY.

DAIRY PRODUCTS-Milk, bitter (LIEBSCHER), 1885, A., blue (REISET), 1883, A., 742. organisms of (HUEPPE), 1885, A., isolation of the bacterium which produces (HUEPPE and Eug-LING), 1885, A., 1171. blue, and ropy (SCHMOEGER), 1884, A., 942. changes in, by udder tuberculosis (Storch), 1890, A., 652. Butter-milk, utilisation of, in bread making (MÜLLER), 1883, A., 1037. milk, nutritive v (Konic), 1883, A., 102. **v**alue utilisation of (Folkers), 1884, A., feeding calves with (PAUL), 1883, A., 675; (BARTH; HENNINGSEN), 1884, A., 852. Milk adulteration and analysis-Milk, adulteration of (Sambuc), 1885, A., 299; (Perron), 1890, A., 428. presence of nitrites and nitrates in, an evidence of adulteration (Schrodt), 1887, A., 87. adulteration of, with goats' milk (GERBER), 1886, A., 924. analysis of (PFEIFFER), 1883, A., 521; (VOGEL), 1884, A., 1219; (DECHAN and MABEN), 1885, A., 446; (ADAMS; JOHNSTONE), 1886, A., 583; (ALLEN and CHATT-AWAY), 1887, A., 186; (Short), 1887, A., 751; (Palm), 1887, A., 1003; (Anon.), 1888, A., 94; (Bourcart), 1889, A., 1090; (Davenport), 1890, A., 670; (Watts), 1890, A., 929; (Bal-LARIO and REVELLI), 1890, A., 1472; (SHUTT), 1891, A., 1299; (HILL), 1892, A., 390. tection of benzoic detection acid in (Meissl), 1883, A., 385. detection of boric acid in (MEISSL), 1883, A., 385; (KRETZSCHMAR), 1887, A., 864; (CASSAL), 1891, A., 619. detection of sodium carbonate in (BACHMEYER), 1883, A., 385. detection of sodium hydrogen carbonate in (PADÉ), 1889, A., 1244. estimation of boric acid in (CASSAL), 1891, A., 619. estimation of casein in (FRENZEL and WEYL), 1885, A., 936; (Roux), 1891, A., 1404. estimation of casein and lactalbumin

in condensed (FABER), 1890, A., 92.

DAIRY PRODUCTS-

Milk adulteration and analysis— Milk, estimation of citric acid in (SCHEIDE), 1891, A., 1276. estimation of dry residue in (GANTTER), 1888, A., 537. estimation of fat in (EMMERICH),

(CANTER), 1883, A., 397; (LEBERMANN), 1884, A., 246; (LIEBERMANN), 1884, A., 372; 1885, A., 695; (GEISSLEH), 1885, A., 1014; (CALDWELL and PARR), 1886, A., 253; (CRONANDER), 1887, A., 308; (MORSE and PIGGOT), 1887, A., 308; (MORSE and PIGGOT), 1887, A., 1144; (GANTTER; MORSE and BURTON), 1888, A., 537; (SCHREIB), 1888, A., 1347; (SHORT), 1889, A., 1037; (PATRICK), 1889, A., 1250; (RICHMONI), 1890, A., 91; (PARSONS), 1890, A., 92; (STOKES), 1890, A., 304; 1892, A., 391; (LEZE), 1890, A., 537; (LANGKOFF), 1890, A., 537; (LANGKOFF), 1891, A., 509; (GOROBETZKY), 1891, A., 509; (GORTLIEB), 1892, A., 549; (NILSON), 1892, A., 550; (PINETTE), 1892, A., 1134; (LEFFMANNANAD BEAM), 1892, A., 1532.

estimation of fat in the products from (Lezé and Allard), 18 2, A., 391.

estimation of fat in skim (Fleisch-MANN), 1884, A., 1435.

estimation of fat in sour (KUHN), 1890, A., 304.

estimation of glucose, lactose and sucrose in condensed (BIGNA-MINI), 1885, A., 443.

estimation of lactose in (STEPHENS), 1886, A., 582; (KUHN), 1891, A., 127.

estimation of lactose in, by optical methods (WILEY), 1885, A., 601; (SCHMUEGER), 1885, A., 693; (VIETH), 1889, A., 315.

estimation of the proteids in (PARR), 1886, A., 272.

estimation of salicylic acid in (RE-

MONT), 1883, A., 522. estimation of sodium hydrogen carbonate in (PADE), 1889, A., 1244.

Milk-serum, analyses of (Söldner,), 1889, A., 635.

Honey composition and adulteration of (SIEBEN), 1885, A., 693.

unfermentable dextrorotatory constituent of (v. RAUMER), 1890, A., 356.

harvest, correct time for (ZWIL-LING), 1885, A., 590.

eucalyptus (MAQUENNE), 1890, A., 122.

pine tree (WILEY), 1891, 412,

analysis of (Henner; BISHOP), 1885, A., 444.

estimation of water in (WILLY and Broadbent), 1886, A., 282.

FEEDING EXPERIMENTS—

Aftermath and first grass (RÜFIN), 1885, A., 586.

Albuminoids. See Proteids.

Asparagine, importance of, for feeding (Weiske), 1838, A., 80; (Konic), 1891, A., 1525.

Barley, peas and malt, comparative feeding value of (VOELCKER), 1884, A., 206.

Beans, digestibility of (LEHMANN and VOGEL), 1891, A., 595.

Beet diffusion residues, flozen and unfrozen, composition of (Srut-ZER), 1892, A., 1512. preservation of (ANON.), 1883, A.,

695. dried

washed, preservation (HELLRIEGEL), 1885, A., 685. preservation of, in silos (LIEB-

scher), 1886, A., 275. drying of (Reinhardt), 1884, A.,

1411; (MARCKER), 1885, A.,

feeding value of (Morgen), 1983, A., 680; (MARCKER), 1884, A., 921; 1887, A., 521.

exhausted, as food for cows (An-DOUARD and DIZAUNAY), 1884, A., 347; 1885, A., 73.

feeding cows with (SCHRODT and Hanssen), 1895, A., 833; (STUTZER and WERNER), 1886, A., 953.

fresh and dried, digestibility of (PFEIFFER and LEHMANN), 1886, A., 1054.

decomposition of (Märcker), 1883, A., 1025.

Beet-seed as fodder for cattle (SIMON-Legrand), 1884, A., 631; (Pellet), 1885, A., 425.

Bran, food value of (RIBNER), 1884. A., 622,

Brushwood, food value of (STUTZER), 1892, A., 1511.

FEEDING EXPERIMENTS-

Carrots, digestibility of, with hay and oats by the horse (v. Wolff), 1885, A., 72.

Cattle-cake, estimation of oil in (Pickening), 1885, A., 844.

Cattle-foods, composition of (DIET-RICH), 1886, A., 1067.

mildew, etc., in (EMMERLING),

1884, A., 1411. addition of sugar to (MARCKER), 1885, A., 1149; (HOLDEFLEISS), 1886, A., 727; (PFEIFFER and LEHMANN), 1887, A., 511.

basic phosphate of lime as an addition to (Conn), 1884, A., 194.

Cellulose, does it economise the decomposition of proteid in the nutrition of Herbivora? (v. Knie-RIEM), 1885, A., 916; 1888, A., 515; (WEISKE, SCHULZE and FLECHSIG), 1886, A., (WEI-KE), 1888, A., 618.

digestion of, by Herbivora (Brown), 1892, T., 352; P., 30.

digestion of, by the horse (Hor-MEI-TER), 1885, A., 916.

Cider-marc, use of, as fodder (LE-CHARTER), 1885, A., 834.

Cocoanut-meal as food for the horse (Anon.). 1884, A., 852.

Corn-silage, composition of (RICHARDson), 1885, T., 82.

Cotton-cake (RENOUARD), 1883, A., 111. undecorticated (DIETRICH), 1884,

A., 100. influence of feeding with, on milk

secretion (1NON.), 1881, A., 623; (SIEWERT), 1884, A., 669. as folder for cows (DE LA TRE-

HONNAIS), 1884, A., 1111. and cotton-meal, feeding values of

(Weiske), 1886, A., 272. Cotton-plant, feeding value (McBrydr), 1892, A., 1510.

Cotton seed-foods, choline and betaine in (MAXWELL), 1892, A., 380.

Dari-seeds, composition of (Voel-OKER), 1884, A., 630.

Earth-nut cake, fungus spores in (HOLDEFLEISS), 1881, A., 356. poisoning of cattle by (ANACKER), 1883, A., 818.

feeding cows with (Schrodt), 1888, A., 174.

Earth-nut-meal, feeding value (EMMERLING), 1892, A., 92. as food for cows (WOLDE), 1883, A., 820.

FEEDING EXPERIMENTS-

Earth-nut-meal compared with ryemeal as food for cows (MEYER), 1885, A., 1252.

feeding horses with (FREYTAG and v. der Becke), 1884, A., 100.

Earth-nut-meal and -cake, adulteration of (HILTNER), 1892, A., 1535.

Flesh-meal, feeding horses with (FIN-DEISEN), 1883, A., 102.

Fodders, green, chemical alterations in, during their conversion into silage (Kellner), 1884, T., 612; (RICHARDSON), 1885, T., 80.

valuation of (EMMERLING), 1884, A., 100.

relative values of (v. Knieriem), 1890, A., 395.

production of so-called (MACH), 1890, A., 82.

composition of (Petermann), 1883, A., 111; (VOELCKER), 1884, A., 630; (MARCKER), 1886, A., 645.

composition and relative digestibility of (LADD), 1886, 646.

composition of the fats of (STELL-WAAG), 1890, A., 657.

amount of fat and albuminoids in

(WAGNER), 1884, A., 631. different, proportion of nitrogen in the form of amides, albumin and nuclein in (KLINKENBERG),1883, A., 748.

acid, loss of nitrogen in (WOLL),

1890, A., 1339. influence of, on the production of fat and lean in pigs (HENRY), 1888, A., 1319.

artificial digestion of (NIEBLING), 1890, A., 1451.

influence of heat on the digestibility of (STUTZER), 1891, A., 752.

action of hydrochloric acid and pepsin on the digestible albumin of (Stutzer), 1890, A., 651.

influence of sodium chloride on the digestion of albumin in (SIE-WERT), 1888, A., 859.

feeding of cattle with dry (ANON.), 1883, A., 816.

for cows, value of (WALTHER), 1883, A., 820; (v. Knieriem), 1890, A., 395.

acid and compressed, analysis of

(Konig), 1890, A., 1477. containing drying oils, apparatus for drying (FOERSTER), 1890, A., 670.

FEEDING EXPERIMENTS-

Fodders, estimation of fat (Buhring), 1888, A., 6 (Patterson), 1890, A., 930. 633;

estimation of free fatty acids in (LOGES and CLAESSEN), 1891, A,

estimation of starch in (LECLERC), 1890, A., 1197.

estimation of sugars and starch in (LADD), 1888, A., 748.

Grains, dried beer, as horse fodder (SATTIG), 1886, A., 1066.

Grass, first, and aftermath (RUFIN), 1885, A., 586.

Grasses, composition and digestibility of the proteids of (EMMERLING and

LOGES), 1890, A., 657. Hay, comparison of, with silage as fodder (BROEKEMA and MAYER), 1886, A., 737.

and silage from a poor quality of

grass (Sulton), 1883, A., 1026. grown on marsh lands, nutritive value of (Petersen), 1885, A., 929.

digestibility of (Lehmann and Vogel), 1891, A., 595.

clover-, digestibility of, by the horse and sheep (v. Wolff), 1885, A., 410.

clover- and meadow-, digestibility of, by the horse and sheep (v. Wolff), 1885, A , 411.

meadow-, artificial digestion of (Kern), 1883, A., 1025; (v. Wolff), 1885, A., 410.

treated with hot and cold water, digestibility of (Kuhn), 1883, A, 816.

Hop foliage, feeding value of (WEIN), 1886, A., 577.

Horse-chestnuts as cattle food (KAEH-LER), 1884, A., 1411.

Leguminosæ, straw of, digestibility of (Weiske), 1884, A., 482.

Linseed, feeding value of (LANGLE-BERT), 1884, A, 852.

Linseed cake, adulteration of (KLIEN), 1885, A., 425.

estimation of fat in (Klopsch), 1888, A., 1349; (Wrampel-meyer), 1889, A., 1251.

estimation of oil and water in (BAESSLER), 1889, A., 321.

Lucerne, digestibility of, by the horse and sheep (v. Wolff), 1885, A. 410. Lupine seeds, purified, digestibility of, and the working power of the horse when fed with lupines and oats (Kellner), 1883, A., 102.

AGRICULTURAL CHEMISTRY.

FEEDING EXPERIMENTS-

Lupines, feeding cattle on (SEELING), 1884, A., 1211.

Maize fodder, experiments with, at Grignon, 1883 (Dehenann), 1884, A., 1070.

composition of (RICHARDSON), 1885, T., 85; (SESTINI and DICOCCO), 1885, A., 1087.

hygienic action of (Chatin), 1883, A., 488.

dry and steeped, for sheep (MULLER), 1885, A., 1149.

for horses (Gerssdorf), 1884, A., 355.

Maize silage (Schulze), 1887, A., 521; (Jenkins), 1889, A., 743; (Armsby and Caldwell), 1891, A., 359.

for cows (ANON.), 1884, A., 355; (Rose), 1885, A., 1149.

composition of (RICHARDSON), 1885, T., 85.

Malt, barley and peas, comparative feeding value of (VOELCKER), 1884, A., 206.

Malt sprouts, influence of, and the amides contained in them on the yield of milk (SCHRODT and HANSSEN), 1885, A., 929.

Mangels, feeding value of various (MAYER), 1885, A., 1259.

Oat-bran, influence of, on the secretion of milk (Schrodt and Hanssen), 1884, A., 854.

Oats, feeding value of (SANSON), 1884, A., 914; (MUNTZ and GIRARD), 1885, A., 281; (MARCKER), 1889, A., 184.

Oil-cakes, examination of (DIRCKS), 1883, A., 245; (ANON.), 1883, A., 751.

Palm-nut-cake and palm-nut-meal (HOLDEFLEISS), 1884, A., 631. feeding cows with (SCHRODT), 1888, A., 174.

Palm-nut-meal, estimation of fat in (v. Wilm), 1885, A., 290, 1164.

Palm-oil residue as fodder (MÄRCKER), 1884, A., 355.

Peas, barley and malt, comparative feeding value of (VOELCKER), 1884, A., 206.

Pentose carbohydrates, digestibility of (STONE), 1892, A., 645, 653.

Phosphate, bone, used for cattle feeding, arsenic in (FRESENIUS), 1889, A., 548.

Poppy-cake, estimation of fat in (BAESSLER), 1890, A., 306.

Potato spirit liquor, composition of (KÜRN), 1891, A., 105.

FEEDING EXPERIMENTS-

Potatoes, digestibility of, with hay and oats by the horse (v. WOLFF), 1885, A., 72.

Press-cake, new process for preparing, from maize, etc. (Burow), 1883, A., 695.

Proteids of fodders (WAGNER), 1884, A., 631; (STUTZER), 1891, A., 858.

in peach kernels and sesame-cake (RITTHAUSEN), 1883, A., 360.

relation of, to digestive ferments (STUTZER), 1887, A., 1129.

relative digestibility of (LADD), 1889, A., 734.

effect of certain organic acids on the digestion of (STUTZER), 1891, A., 751.

influence of oil or fat on the digestibility of (STUTZER), 1891, A., 752.

action of "saccharin" on the digestion of (STUTZER), 1890, A., 1450.

artificial digestion of (STUTZER), 1890, A., 275.

of grasses, digestibility and composition of the (EMMERLING and Loges), 1890, A., 657.

nutritive value of (GABRIEL), 1890, A., 394.

animal and vegetable, relative nutritive value of (RUTGERS), 1888, A., 515.

in food rations of grown animals, effect of an increase in (KERN and WATTENBERG), 1891, A., 753.

formation of nitrogenous organic bases by the decomposition of, in the vegetable organism (Schulze), 1891, A., 856.

changes of, in silage (SCHULZE), 1888, A., 1329.

Rape-cake, adulteration of (KLIEN), 1885, A., 425.

Rice-meal, digestibility of (LEHMANN and VOGEL), 1891, A., 595.

as food for cows (WOLDE), 1883, A., 820.

Rice-straw, digestibility of (Kell-NER), 1890, A., 546.

Rye, green, digestibility of (FREAR), 1889, A., 735.

Rye-meal compared with earth-nutmeal as food for cows (MEYER), 1885, A., 1252.

Serradella at various ages, composition and digestibility of (WEISKE), 1884, A., 206.

AGRICULTURAL CHEMISTRY.

FEEDING EXPERIMENTS-

Silage and ensilage (Toms), 1884, A., 864.

preparation of (Kellner and SAWANO), 1890, A., 546.

composition of (SMETHAM), 1884, A., 770; (AITKEN), 1885, A., 1257.

experiments with, in Holland (THEIL), 1887, A., 1062.

periments with, at Wo (VOELCKER), 1890, A., 286. Woburnexperiments

experiments with various fodders (KIRCHNER), 1885, A., 422.

processes(Csern.(TI),1888,A., 522. in the open air (BARTH), 1888, A.,

nitrogenous matters in (KINCH), 1884, T., 122.

feeding experiments with (LAWES), 1885, A., 1088, 1255.

comparison of, with hay as fodder (BROEKEMA and MAYER), 1886, A., 737.

and hay from a poor quality of grass (SUTTON), 1883, A., 1026.

changes which take place in the conversion of grass into (LLOYD), 1884, A., 772.

changes in fodder during (Kellner and Sawano), 1885, A., 1087.

chemical alterations in green fodder during its conversion into (Kell-NER), 1884, T., 612; (RICHARD-SON), 1885, T., 80.

changes occurring during (KELL-NER, KOZAI and MORI), 1891, A., 1287.

changes of nitrogenous matter during (SCHULZE), 1888, A., 1329.

decomposition of organic moniacal compounds

(WOLL), 1889, A., 1030. preservation of sliced beets in

(LIEBSCHER), 1886, A., 275. of beet-leaves, loss of weight in the (MÄRCKER), 1885, A., 423.

and acidification of green fodder (KÖNIG), 1885, A., 183.

FEEDING EXPERIMENTS-

Silage and ensilage of frozen potatoes (FITTBOGEN and FOERSTER), 1885, A., 184.

analyses of (KINCH), 1884, T., 124; (Weiske), 1884, A., 1409; (AITKEN), 1885, A., 1257.

Sodium chloride, influence of, on the digestion of albumin in fodders (SIEWERT), 1888, A., 859.

Spurrey silage (MUNRO) 1886, A., 173. Starch refuse as fodder (SAARE),

1885, A., 1155.

Sugar as an addition to cattle food (Märcker), 1885, A., 1149; (Holdefleiss), 1886, A., 727; (PFEIFFER and LEHMANN), 1887, A., 511.

feeding sheep with (HENNEBERG), 1885, A., 1252; (WERNER), 1886, A., 569.

Sunflower-seed-cake as fodder for cows (SCHRODT and v. PETER), 1884, Å., 483.

Swedes, digestibility of (Lehmann and Vogel), 1891, A., 595.

Symphytum asperrimum, comparative feeding value of (Weiske), 1883, A., 613; (Marcker), 1886, A., 646.

Vetches, feeding value of some (Döhn; Nobbe), 1883, A., 612.
Wheat-bran, influence of, on the

secretion of milk (SCHRODT and

HANSSEN), 1884, A., 854. treated with hot and cold water, digestibility of (KUHN), 1883, A., 816.

Wheat-chaff, digestibility of, with different methods of preparation (KÜHN), 1884, A., 772.

Wheat-grain, alimentary value of the different parts of (GIRARD), 1885, A., 678.

Wheat-meal, nutritive

(BLYTH), 1890, A., 396.
White mustard as fodder (Brum-MER), 1884, A., 864.

Woody fibre as fodder (Märcker), 1884, A., 864.

PLANTS.

PLANT COMPOSITION AND METABOLISM— Plants, chemistry of (Balló), 1884, A., 765.

histochemistry of (Rosoll), 1884,

chemical processes in (EMMERLING), 1884, A., 670.

PLANT COMPOSITION AND METABOLISM-Plants, development and absorption of heat by (Bonnier), 1886, A., 483.

heat and carbonic anhydride given out by (RODEWALD), 1888, A., 979.

PLANT COMPOSITION AND METABOLISM— Plants, evolution of carbonic anhydride by, in absence of oxygen (WILSON), 1883, A., 105.

interchange of material in amylaccous (MULLER), 1883, A., 497.

blood pigment as a gauge of gaseous exchange in (ENGELMANN), 1889, A., 182.

variations of the internal atmosphere of (PEYROU), 1889, A., 641.

essential elements of (Munro), 1886, A., 389.

constituents and properties of some aquatic (NIEDERSTADF), 1884, A., 108.

influence of acids on the evolution of gases by (Mangin), 1890, A., 190. formation of organic acids in (Pal-

LADIN), 1888, A., 1126. acetic acid in (Borgmann), 1883, A.,

citric acid in (CLAASSEN), 1891, A., 129.

formic acid in (Borgmann), 1883, A., 611.

oxelic acid in (BERTHELOT and ANDRÉ), 1885, A., 1164; 1886, A., 734; (WARKEE), 1888, A., 1126; (KOHL; WEHMER), 1890, A., 191; (ACQUA), 1890, A., 1182; (MON-TEVERDE), 1891, A., 857.

aluminium in (YōSHIDA), 1887, T., 748; (RICCIARDI), 1890, A., 818. allantoin, asparagine, hypovanthine

allantoin, asparagine, hypovanthine and guanine in (Schulze and Bosshard), 1885, A, 1007.

influence of carbohydrates on the accumulation of asparagine in (Monteverde), 1892, A., 91.

boron in (CRAMPTON), 1889, A., 794; (BECHI), 1890, A., 656; (HOLTER), 1890, A., 1338.

carbonates in (BERTHELOT and ANDRÉ), 1885, A., 1086.

cholesterol in (SCHULZE), 1890, A., 1457.

closed carbon chains, formation of, in (SEMMLER), 1891, A., 655.

diastase, function of, in (WORTMANN), 1891, A., 856.

action of diastase on starch grains within (KRABBE), 1891, A., 605; 1892, A., 92.

glycogen in (Errer 1), 1884, A., 354, guanidine in (Schulze), 1892, A., 908, gum in, which yields xylose (Hl-BERF), 1892, A., 1371.

solid hydrocarbons in (Abbor and Trimble), 1888, A., 1329; (Gutzeir), 1889, A., 68.

Plant COMPOSITION AND METABOLISM—Plants, shydrochloric acid, formation of, in (Dermer), 1885, A., 683.

elements of lactose in (MUNIZ), 1886, A., 575, 643.

lecithin in (Heckel and Schlag-Denhauffen), 1886, A., 1064; (Schulze and Steiger), 1889, A., 645.

manganese in (MAUMENÉ), 1885, A., A., 421; (CAMPANI), 1885, A., 832.

methylic alcohol from (MAQUENNE), 1886, A., 274.

nitrogen necessary for (THAER),1885, A., 75.

nitrogen, sources of the, of (DIETZELL), 1885, A., 418; (LAWES and GIL-BERT), 1888, A., 745; 1892, A, 367; (HELLRIEGEL and WIL-FARTH), 1889, A., 640; (SCH-MITTER), 1890, A., 1023.

rain as a source of nitrogen for (Tuxen), 1892, A., 233.

nitrogen, absorption of, by (BOUTEL-LEAU), 1884, A., 1401; (Arwater), 1885, A., 1005; 1887, A., 515; (HELLRIEGEL and WILFARTH), 1888, A., 742; (GAUIIFR and DROUIN), 1888, A., 746, 871,1127; (CHEVREUL; WILFARTH), 1888, A., 979; (BERTHELOF), 1888, A., 1330; (Breal), 1888, A., 1330; 1890, A., 79, 660; 1892, A., 1508; (LAWES and GILBERT), 1890, A., 814; 1892, A., 367; (PETERMANN), 1890, A, 816; (AIWITER and WOODS), 1891, A, 353, 491; (SCHLOTSING and LIVERNI), 1891, A., 353; 1892, A., 378, 523, 1021; (Prizmowski), 1891, A., 607; (FRINK), 1891, A., 764; 1892, A., 370, 1507; (FRINK and Oiro), 1891, A., 855; (NOBBE, SCHMID, HILTNER and HOLLER), 1891, A., 1533; (BEYERINCK), 1891, A., 1539; 1892, A., 1019; (IMMEN-DORFF), 1892, A., 374.

gain of mtrogen by (Deherain), 1883, A., 373, 749; (Lawes), 1889, A., 922.

loss of nitrogen by, during germination and growth (Arwaier and Rockwoon), 1887, A, 292.

maintenance and increase of the amount of nitrogen in (KONIG), 1888, A., 523.

a nitrogenous constituent of (Schulze and Bosshard), 1886, A., 157. nitrogenous compounds in (Schulze),

1886, A., 955.

AGRICULTURAL CHEMISTRY.

PLANT COMPOSITION AND METABOLISM— Plants, absorption of nitrogenous foodstuffs by (ATWATER), 1884, A., 1401; (MOLISCH), 1887, A., 989.

nitrates, formation of, in (BERTHELOT and ANDRÉ), 1885, A., 581; (Gos-

SELS), 1887, A., 389; (BERTHELOT), 1890, A., 543.

are nitrates formed in the organism of? (KREUSLER), 1887, A., 686; (SCHULZE), 1887, A., 859.

nitrates, elaboration of, in (LOEW),

1890, A., 1182.

nitric acid, origin and fate of, in (FRANK), 1888, A., 979.

nitrites in (Molisch), 1887, A., 989; (Modderman), 1889, A., 295.

evolution of ammonia and volatile nitrogen compounds from (Ber-THELOT), 1889, A., 1238.

oxidation in (REINKE), 1888, A., 741. rôle of oxygen in (PALLADIN), 1888,

A., 1125.

exhalation of oxygen by fleshy-leaved, in absence of carbonic anhydride (MAYER), 1887, A., 988.

(MAYER), 1887, A., 988. emission of oxygen by, in coloured light (PRINGSHEIM), 1886, A., 642.

easily oxidisable constituents of (Reinke), 1883, A., 880.

pectic compounds in (MANGIN), 1890, A., 80.

phloroglucinol, formation of, in (WAAGE), 1891, A., 605.

phloroglucinol, function of, in (WAAGE), 1892, A., 1120.

phosphorus in (BERTHELOF and ANDRÉ), 1888, A., 384, 743.

potassium in (BERTHELOT and An-DRE), 1888, A., 190.

proteids, formation of, in (EMMER-LING), 1885, A., 289; 1887, A., 615: (MULLER), 1887, A., 70;

615; (MULLER), 1887, A., 70; (CHRAPOWITZKI), 1888, A., 868. proteid substance in the latex of (GREIN), 1886, A., 828.

proteids, decomposition of, in, kept in the dark (SCHULZE and KISSER), 1889, A., 642.

proteids, products of the decomposition of, in (PALLADIN), 1889, A., 642.

protophyllin in etiolated (TIMIRI-AZEFF), 1889, A., 1236.

sodium chloride in (LESAGE), 1892, A., 651.

starch in. See Carbohydrates in Main Index.

sucrose, formation of, in etiolated (Schulze), 1890, A., 282.

PLANTS-

Plants, sulphur in (BERTHELOT and ANDRÉ), 1888, A., 384; 1891, A., 606.

substance containing sulphur in cruciferous (SMITH), 1888, A., 869.

tannin in (WAAGE), 1891, A., 770. tannin, function of, in (KUTSCHER),

1884, A., 628; (Brsgen), 1890, A., 819; 1891, A., 104.

distribution of water in heliotropically inclined parts of (THADE), 1884, A., 352.

of different species, experiments in grafting between (STRASBURGER),

1886, A., 645.

Ash of bracken (Pteris aquilina), of broom (Genista pilosa) and of Erica rulgaris, composition of (Pefrimann), 1884, A., 207.

of the Equisotacese (DIEULAFAIT), 1885, A., 583.

of flowering plants, aluminium in (Yöshida), 1887, T., 748.

of leaves grown in the earth and under water culture (COUNCLER), 1884, A., 98.

of strawberries (Munro), 1885, A., 183.

of sugar beet, rare constituents of (v. Lippmann), 1889, A, 295.

distribution of, in trees (WEBER), 1888, A., 742.

of seeds of forest trees (HORN-BERGER), 1884, A., 353; 1885, A., 1255.

of wheat-grain and wheat-straw grown at Rothamsted under different seasons and manures, composition of (LAWES and GILBERT), 1884, T., 305.

estimation of chlorine in (Jolles), 1889, A., 73.

wood-, composition of (WAGNER), 1885, A., 834.

Cells, chemico-microscopical researches on (GLIFFITHS), 1883, T., 195.

chemical composition of the membrane of (Schulzz), 1889, A., 916; 1890, A., 1456; 1891, A., 238, 1178; 1892, A., 907; (Schulze, Steiger and Max-Well), 1890, A., 283.

deprived of starch, behaviour of formose in contact with (Wehmer), 1888, A., 739.

action of various gases, especially nitrous oxide, on (DETMER), 1883, A., 105.

Cells, production of oxygen by (Phingsheim), 1888, A., 741. elimination of oxygen from (Engel-

MANN), 1883, A., 105.

dependence of the assimilation of, on their respiration of oxygen (Pringsheim), 1888, A., 185.

oxidation in (Pfeffer), 1889, A., 1028.

autoxidation in (REINKE), 1883, A., 819.

oxidation in dead (Johannsen), 1888, A., 741.

iron sulphate in (GRIFFITHS),1883, T., 195.

behaviour of, with alkaline silver solution (Loew and Bokorny), 1890, A., 401.

liberation of silver by (BOKORNY), 1888, A., 980.

reduction of silver nitrate by (PFEFFER), 1889, A., 1028.

absorption of aniline colours by (Pfeffer), 1887, A., 747. part played by vegetable acids in

part played by vegetable acids in causing the turgescence of (DE VRIES), 1884, A., 1064.

epidermis of, structure and functions of the (Westermaier), 1884, A., 1066.

sap of. See Sap.

Chlorophyll (MAYER), 1884, A., 1366; 1884, A., 1367; (SCHIMPER), Α., GUIGNET), 1885, 551; 1885, Α., 1241; (SCHUNCK), 1887, A., 972; 1889, A., 279; 1886, Α., 476: (Jodin), (Тыснівсн), 1887, Α., 1116; (WOLLHEIM), 1888, A., 723.

in the living cell and assimilation of carbon (REINKE), 1885, A., 182.

from the deep sea (HARTLEY), 1886, A., 367.

in sponges, etc. (MACMUNN), 1887, A., 613.

conditions of the development, and of the activity of (GILBERT), 1886, A., 92.

influence of phosphoric acid on the formation of (Loew), 1892, A., 1261, 1372.

pure, preparation of (TSCHIRCH), 1884, T., 57.

constitution of (SCHUNCK), 1884, A., 666.

a compound of iron with a glucoside (GRIFFITHS), 1884, A., 848, absorption spectrum of (STENGER), 1887, A., 693. PLANTS-

Chlorophyll, spectra of blue and yellow (Hartley), 1890, P., 161: 1891, T., 106.

161; 1891, T., 106. chemical and physiological action of light on (TIMTRIAZEFF), 1883, A., 697; 1885, A., 714.

activity of, under the ultra-violet rays (Bonnier and Mangin), 1886, A., 387.

solution, destruction of, by light (REINKE), 1885, A., 991.

crystals of (Montevende), 1892, A., 1355.

functions of (NAGAMATSZ), 1887, A., 516.

decomposition of carbonic anhydride by (REGNARD), 1886, A., 254; (TIMIRIAZEFF), 1886, A., 626; (JODIN), 1886, A., 648; (PRINGSHEIM), 1887, A., 685.

relation between the assimilation and transpiration produced by (Jumelle), 1890, A., 190.

colouring matters of (BORODIN), 1884, A., 910; (SACRSSE), 1885, A., 670; (HANSEN), 1890, A., 171; (IMMENDORFF), 1890, A., 641; (MONTEVERDE), 1892, A., 1355.

function of the colouring matter of (HANSEN), 1888, A., 867.

estimation of (HANSEN), 1886, A., 1083.

estimation of, in leaves and in extracts (Tschirch), 1890, A., 672. separation of blue and yellow

(HARPLEY), 1891, T., 109. extracts, analysis of (EPARD), 1892, A., 1136.

compounds (Guignet), 1885, A., 551.

granules, formation of starch in (Belluci), 1887, A., 1136.

Chlorophyll-group, synonymy of certain bodies of the (Tschinch), 1884, T., 60.

Chlorophylian (Tschirch), 1884, T., 58; (Wollheim), 1888, A., 723. nature of (Etard), 1892, A., 1136.

Leaves, composition of (URBAIN), 1884, A., 862.

1884, A., 862. activity of assimilation by (v. Sachs), 1885, A., 289.

respiration of, in the dark (Bonnier and Mangin), 1884, A., 857; (Dehérain and Maquenne), 1886, A., 170, 273.

absorption of carbonic anhydride by (Deherain and Maquenne), 1886, A., 1062; 1887, A., 172.

Leaves, evolution of carbonic anhydride and absorption of oxygen by, in the dark (Deherain and Maquenne), 1885, A., 927.

effect of light on etiolated (PALLA-

DIN), 1892, A., 521.

acquisition of green colour and growth of etiolated (PALLADIN), 1892, A., 520.

colour of, in relation to the assimilation of carbon (ENGELMANN), 1888, A., 381.

colouring matter of (SACHSSE; ARNAUD), 1885, A., 670.

amylase, presence of, in (Brasse), 1885, A., 182.

ash of, grown in the earth and under water culture (COUNCLER), 1884, A., 98.

formation and migration of carbohydrates in (Schimper), 1886, A.,826; (Saposchnikoff),1891, A., 763.

carrotene in (ARNAUD), 1887, A., 859; 1890, A., 285.

compounds accompanying chlorophyll in (ETARD), 1892, A., 746.

gases, variations in the composition of, in (Peyrou), 1886, A., 273.

gas in floating and submerged (GREHANT and PEYROU), 1885, A., 1153.

A., 1153. calcium oxalate, formation of, in (Schimper), 1888, A., 981.

oxalates, absence of, in young (WEH-MER), 1892, A., 651.

ovygen.variations in the amount of, in (Peyrou), 1889, A., 641.

silicic acid, alleged decomposition of, by (DENARO), 1887, A., 70.

metastasis in (v. Sachs), 1885, A., 831.

starch. solution of, in (BRASSE), 1886, A., 827.

influence of internal causes on the presence of starch in (MER), 1891, A., 604.

supplied with sugars, mannitol and glycerol, formation of starch in (MEYER), 1886, A., 902.

amount of proteids in green and etiolated (PALLADIN), 1892, A., 520.

tannin, rôle of, in (KRAUS), 1889, A., 917.

reserve materials, especially tanniu, in evergreen (Schulze), 1889, A., 540.

PLANTS-

Leaves, withering of (WIESNER), 1884, A., 918.

detection of starch in green (v. Sachs), 1885, A., 831.

estimation of chlorophyll in (Tschirch), 1890, A., 672.

Protoplasm, living vegetable (Bo-KORNY), 1890, A., 283.

living, chemical character of (Lorw), 1883, A., 819.

morphological and chemical composition of (Schwartz), 1888, A., 983.

Roots, composition of (URBAIN), 1884, A., 861.

acid juice excreted by (Molisch), 1889, A., 68.

secretions of, properties of (Mo-LISCH), 1890, A., 656.

result of the removal of leaves of (Geibel), 1883, A., 613.

influence of the amount of soil on the development of (Hellrie-Gel), 1884, A., 626.

deviation of, from normal growth (aerotropism) (Molisch), 1885, A., 1153.

Sap, cell (SCHWARTZ), 1888, A., 983.

acidity of (KRAUS), 1884, A., 1209; (LANGE), 1888, A., 744. in plants, theory of the circulation

of (GODLEWSKI), 1885, A., 927. albumin in (LOEW and BOKORNY), 1888, A., 983.

easily oxidisable substances in (Kraus), 1884, A., 918.

from a silver birch tree (ATTFIELD), 1883, A., 1164.

of the birch and hornbeam (HORN-BERGER), 1888, A., 313.

estimation of the combined acids in (DE VRIES), 1885, A., 1014.

Seeds, solubility of the constituents of (MAXWELL), 1889, A., 1028.

germinative power of, after exclusion of air and drying at high temperatures (WILHELM), 1886, A., 171.

ripening of (Muntz), 1887, A., 173. for permanent pasture (Wilson), 1889, A., 1084.

of various sizes, plants from (Hell-RIEGEL), 1884, A., 352.

action of hydrocyanic acid on (Schär), 1886, A., 575.

valuation of (MAYER), 1884, A., 200.

carbohydrates in (MAXWELL),1889, A., 644; 1890, A., 544, 917; (SCHULZE), 1889, A., 916.

Seeds, lecithin in (Schulze and Steiger), 1889, A., 645; (Max-Well), 1891, A., 511.

ratio of nitrogen to phosphoric acid in (Heiden), 1884, A., 1404.

nitrogenous bases in (SCHULZE), 1891, A., 490.

proteids, micro-chemical detection of, in (SZYMANSKI), 1886, A., 1088.

leguminous, composition of (WA-AGE), 1887, A., 991; (SCHULZE, STEIGER and MAXWELL), 1891, A., 1541.

citric acid in (RITTHAUSEN), 1884, A., 1304.

Fibres, composition of (WEBSTER), 1883, T., 25.

See also Main Index.

Tissue, constituents of (URBAIN), 1884, A., 858.

albumin in (KRASSER), 1887, A., 407.

nature of the gases contained in (Bohm), 1884, A., 670.

behaviour of, towards gases (Bohm), 1884, A., 1250.

saccharification in (BONDONNE AU and FORET), 1888, A., 41.

physiological signification of tannin in (Westermaier), 1888, A., 187.

testing for nitric acid in (ARNAUD and PADE), 1884, A, 1074.

Respiration (Godlewski), 1883, A., 498; (Moller), 1885, A., 832; (Kreusler), 1888, A., 186, 742; (Mangin), 1890, A., 190.

chemical phenomena of (PHIP-SON), 1884, A., 1403; 1885, A., 420.

intramolecular (Pfeffen), 1886, A., 170; (Jentys), 1887, A., 686. molecular (Diakonoff), 1887, A., 988.

under abnormal conditions (Jo-HANNSEN), 1886, A., 575.

method of observing (KREUSLER), 1886, A., 574.

evolution of carbonic anhydride and absorption of oxygen by, in the dark (Demerain and Ma-QUENNE), 1885, A., 927.

in the dark (Bonnier and Mangin), 1884, A., 857; (Dehemain and Maquenne), 1886, A., 170, 273. influence of light on (Bonnier and

MANGIN), 1884, A., 1066. effects of light on the respiration of oxygen by (REINKE), 1884, A., 918.

PLANTS-

Respiration of oxygen by, dependence of the assimilation of green cells on the (PRINGSHRIM), 1888, A., 185.

under lessened oxygen tension and when injured (Srich), 1892, A., 1259.

transformation of force and of material in (RODEWALD), 1889, A., 540.

of aquatic and submerged aeroaquatic (BARTHELEMY), 1883, A., 747.

continuation of, in dead vegetable cells (JOHANNSEN), 1888, A., 741.

of the cells of yeast (Schulzen-BERGER), 1884, A., 857.

of the cells of year, at different temperatures (GREHAN1 and QUINQUAUD), 1888, A., 623.

Transpiration in, in the tropics (MARCANO), 1884, A., 1403.

Transpiration of, relation between the assimilation and, produced by chlorophyll (JUMELLE), 1890, A., 190.

Plant-growth under special conditions (GRIFFITHS), 1883, A., 496.

influence of light and heat on (HELL-RIEGEL), 1884, A., 855, 1206.

influence of rays of the spectrum on (A. B. CRIFFITHS), 1881, T., 74; (A. B. and F. E. GRIFFITHS),1888, A., 623.

influence of the electric light on (DLHLRAIN), 1883, A., 105.

influence of radiant heat on (WORT-MANN), 1884, A., 626.

thermic constants in (STAUB), 1884, A., 1067.

nitrogen necessary for (THAER), 1885, A., 75.

nitrogen, loss of, during (ATWALER and Rockwoon), 1887, A., 292.

alkaloids, action of, on (MARCACCI), 1887, A., 859.

effect of altitude on (ANGOT), 1884, A., 627.

effects of atmospheric deposits on (Wollny), 1888, A., 316. influence of climate and soil on

(WOLLNY), 1884, A., 624. ether, action of, on (BRENSTEIN), 1888,

A., 624. ferrous oxide in basic slag, influence of the, on (MUNRO), 1887, A., 178.

ferrous oxide in soil, action of the, on (Kellner), 1886, A, 486.

Plant-growth, hydroxylamine salts. action of, on (MEYER and SCHULZE), 1884, A., 1210.

lime, influence of, as a soil constituent on (HILGARD), 1888, A., 318.

moisture, influence of, in soils on (Hellriegel), 1885, A., 421.

effect of mowing and feeding-off on (WOLLNY), 1884, A., 625.

migration of nitrates in (CAPUS). 1886, A., 484.

compressed oxygen, influence of, on

(JENTYS), 1888, A., 1125. oxygen, effect of variations in the quantity of, on (WIELER), 1884, Ā., 625.

action of rain, dew and watering on (Wiesner), 1884, A., 766.

soil, influence of the composition of the, on (VILLE), 1890, A., 81; (RAULIN), 1892, A., 1121.

influence of constant temperature in the soil on (HELLRIEGEL), 1884, A., 916.

soil, influence of the sterilisation of, on (Tsuhirch), 1888, A., 985.

effect of depth of sowing on (WOLLNY), 1884, A., 1404.

influence of, on the undergrowth (WOLLNY), 1885, A., 77.

water, influence of, on (HELLRIEGEL), 1884, A., 1401.

effects of running water on (Jonsson), 1885, A., 419.

action of water containing sodium chloride on (STOOD), 1889, A., 795. action of water containing sodium

chloride and zinc sulphate on (KRAUCH), 1883, A., 1027; (STORP), 1884, A., 856.

action of zine salts in the soil on (NOBBE), 1884, A., 1407; (BAU-MANN), 1884, Λ., 1408.

supply of food constituents at different periods of (LIEBSCHER), 1888, A., 382.

Plant-nutrition, ammonia in (MÜNTZ), 1890, A., 287.

absorption of ammonium salts by plants (PAGNOUL), 1891, A., 1545; (Griffiths), 1892, A., 229.

function of ammonium salts in (MÜNTZ), 1890, A., 79.

assimilation of asparagine by plants (BAESSLER), 1886, A., 1061.

assimilation and colour (ENGELMANN), 1883, A., 819.

activity of assimilation by leaves (v. SACHS), 1885, A., 289. first product of (MORI), 1883, A., 365. PLANTS-

Plant-nutrition, influence of chemical agents on the assimilative capacity of plants (WEYL), 1883, A., 611.

calcium and magnesium oxides in plants (v. RAUMER), 1884, A., 917.

assimilation of carbon by plants (GRIFFITHS), 1884, A., 202.

colour of leaves in relation to the assimilation of carbon (ENGEL-MANN), 1888, A., 381.

assimilation of carbon from certain compounds by plants (Acton), 1890, A., 818, 1021.

relation between the intensity of radiation and the decomposition of carbonic anhydride by plants (TIMIRI-AZEFF), 1889, A., 1234.

chlorine, importance of, in (FARSKY), 1883, А., 497; (Асснов), 1890, A., 1182.

plants deprived of chlorophyll, decomposition of carbonic anhydride by (HUEPPE), 1888, A., 1125.

plants free from chlorophyll acting like chlorophyll-containing plants (Hurppe), 1888, A., 623.

plants containing chlorophyll, direct assimilation of vegetable remains by (Косн), 1888, A., 739.

chlorophyll, functions of (NAGA-MATSZ), 1887, A., 516.

chlorophyll in the living cell and assimilation of carbon (REINKE). 1885, A., 182.

chlorophyll, action of, on carbonic anhydride when removed from vegetable cells (REGNARD), 1886, A., 254.

chlorophyll and the reduction of carbonic anhydride by plants (TIMIRI-AZEFF), 1886, A., 626.

formaldehyde, rôle of, in (LOEW), 1889, A., 640; (BOKORNY), 1892, A., 1259.

substitution of manganese for iron in (SPAMPANI), 1891, A., 1394.

metallic oxides, absorption of, by plants (Phillips), 1883, A., 231.

assimilation of mineral salts by plants (Schimper), 1891, A., 604.

nitrates as food for ferments and other plants (LAURENT), 1891, A., 1135. are nitrates essential to? (Pitsch), 1888, A., 84.

behaviour of nitric acid in (SERNO), 1890, A., 1021.

nitrogen necessary for (THAER), 1885, A., 75.

sulphur, function of, in (Berthelot and Andre), 1891, A., 606.

Plant-nutrition, absorption of the nonalimentary substances in (KNOP), 1886, A., 171.

concentrated nutritive fluid for (KNOP), 1884, A., 1205.

absorption and digestion of fat oils in (SCHMIDT), 1892, A., 1118.

phosphoric acid in (BERTHELOT and ANDRÉ), 1888, A., 743.

phosphoric acid, assimilation of, by plants (Deherata), 1892, A., 233. phosphoric acid of basic slag, assimilation of the, by plants (Petermann), 1889, A., 647.

potassium, rôle of, in (LUPKE), 1890, A., 917.

salts, absorption of, in (Berthelot and André), 1888, A., 739.

sodium in (ATTERBERG), 1892, A., 1508.

Plant diseases and their prevention (Danger), 1883, A., 110; (Niessing), 1883, A., 612.

chlorosis in (v. SACHS), 1887, A., 76.

Plants, damage done to, by acid vapours
(v. SCHROEDER), 1885, A., 76;
(JUST and HEINE), 1889, A., 795.
by kiln smoke (PREVOST), 1888,
A., 744.

by sulphurous anhydride (Just), 1888, A., 318; (Mach), 1888, A., 745.

by arsenic, lead and zinc (Nobbe), 1884, A., 1407.

by copper compounds (Formento), 1891, A., 491.

by lithium salts (GAUNERSDORFER), 1887, A., 991.

by poisoning (KRAUCH), 1883, A., 612.

by potassium chloride (Munno), 1886, A., 389.

protection of, against frost (Gop-PERT), 1884, A., 1067.

function of resins in injury to (DE VRIES), 1883, A., 365.

Embryos of ungerminated rye, composition of (NACHBAUR), 1883, A., 107.

of wheat, composition of, and presence of sugar and allantoin in (RICHARDSON and CRAMPTON), 1886, A., 734.

Enzymes-

amylase, presence of, in leaves (Brasse), 1885, A., 182.

diastase, genesis of two varieties of, in resting and germinating seeds (Brown and Morris), 1890, T., 505. PLANTS-

Enzymes-

diastatic ferments, formation of, in the cells of plants (DETMER), 1884, A., 917, 1063, 1402.

diastatic ferment of ungerminated wheat (Lintner), 1890, A., 650. in flour (Balland), 1884, A., 236,

532.

existence of a cellulose-dissolving (cytohydrolyst), in the germinating seed of grasses (Brown and Morris), 1890, T., 497; P., 52.

hydrolytic, of germinated grain, origin of (Brown and Morris), 1890, T., 511; P., 52.

fat-decomposing ferments in plants

(SIGMUND), 1890, A., 1455; 1892, A., 1261. proteolytic and other ferments in oats (ELLENBERGER and Hor-

MEISTER), 1888, A., 867. ferments in the latex of (HANSEN),

1886, A., 1059.

Plant-germination in soil rich in organic matter, but free from microbes (Duclaux), 1885, A., 428.

after exclusion of air and drying at high temperatures (WILHELM), 1886, A., 171.

light, influence of, on (CIESLAR), 1885, A., 419.

intermittent heat, influence of, on (v. Liebenberg), 1885, A., 419.

relation between chemical metamorphosis and transformation of forces during (RODEWALD), 1884, A., 1207.

genesis of two varieties of diastase in resting and germinating seeds in (Brown and Morris), 1890, T., 505.

changes in the embryo and endosperm during (Brown and Mor-RIS), 1890, T., 466.

choline in (SCHULZE),1887, A., 747. nitrogen, loss of, during (ATWATER and ROCKWOOD), 1887, A., 292.

proteids, changes in, during (GREEN), 1887, A., 987. transformation of alkaloids during

transformation of alkaloids during (HECKEL), 1890, A., 543. formation of amides during, in the

formation of amides during, in the dark (SCHULZE and FLECHSIG), 1886, A., 90.

sulphates, formation of, in (SCHULZE), 1885, A., 1153.

fate of sulphur in (TAMMANN), 1885, A., 1004.

Plant-germination, conversion of i starch during (MARCACCI), 1891, A., 357.

mode of solution of reserve cellulose during (REISS), 1891, A., 356.

action of boric acid on (MOREL), 1892, A., 651. influence of camphor on (Burger-

STEIN), 1888, A., 742.

influence of carbonic oxide on (Linossier), 1889, 739. A., 645,

effect of depth of sowing on (WOLLNY), 1884, A., 1404.

effect of drying on (VAN TIEGHEM and BONNIER), 1884, A., 629.

behaviour of fatty substances and lecithins during (MAXWELL),

1891, A., 489.
part played by lime in (v. Lieben-Berg), 1883, A., 490.

influence of magnesium and calcium chlorides on (HINDORF), 1888, А., 1126.

influence of oxygen on the disengagement of carbonic anhydride during (Johannsen), 1886, A., 274.

influence of ozone on (Vogel),

1887, A., 516. action of saline solutions (JARIUS), 1886, A., 90.

effect of steeping and drying on (WILL), 1883, A., 490.

influence of vegetable poisons on (Cornevin), 1892, A., 228.

germinator, a new (KONIG), 1885, A., 419.

Forests as a protection against hailstorms (GLASER), 1884, A., 632. comparative meteorological observa-

tions in (FANKHAUSEN), 1883, A., 614.

oxygen in the air of (EBERMAYER), 1886, A., 1066.

Vegetation, physiological function of soluble starch in (Dufoun), 1886, A., 903.

action of long days on (SCHUBELER), 1885, A., 419. influence of weather on (HILLE-

BRAND), 1884, A., 856.

Agrostemma Githago. See Corncockle.

Almonds, sweet, germination (Jorissen), 1885, A., 181.

distribution of amygdalin and emulsin in (JOHANNSEN), 1888, A., 869.

' PLANTS-

Alnus glutinosa, calcium oxalate in the leaves of (WEHMER), 1890, A.,

Anemones, volatile constituents of (BECKURTS), 1886, A., 365.

Apple tree leaves, composition of (Ѕнитт), 1892, А., 1372.

Apples, composition of some cider (Lezé), 1884, A., 203.

Apple-must, examination of, and of the cider obtainedtherefrom (KAYSER), 1884, A., 98.

Artichokes, inulin in (PISTONE and DE REGIBUS), 1884, A., 284.

Jerusalem, composition and cultivation of (Lechartier), 1892, A., 1024.

germination of (GREEN), 1890, A., 656.

Asparagus, coniferin and vanillin in (v. Lippmann), 1886, A., 387.

Barley, continuous cultivation of, at Woburn (Voelcker), 1884, A., 482.

op of 1883, experimental (AllKEN), 1885, A., 1259. crop

growth of, from varieties of seed (MARCKER), 1886, A., 274. manuring of (KLAWITTER; WATER-

LING), 1884, A., 1419; (v. LIEBENBERG), 1888, A., 189; (HANAMANN), 1889, A., 743.

manuring of, with nitrogen and phosphates (MARCKER), 1884, A., 925.

manuring of, with sodium nitrate (Marcker), 1885, A., 1169.

composition of (ANON.), 1884, A., 283; (KLIEN), 1887, A., 73.

influence of manures on the composition of (Krandauer), 1888, A., 870.

American, composition of (ANON.), 1884, A., 1405; (RICHARDSON), 1887, A., 616. mealy and steely, composition of

(Johannsen), 1888, A., 748.

Saxon, composition of (MARCKER),

1884, A., 630. grown at Wurttemberg in 1887, composition of (BEHREND), 1888, A., 1331.

distribution and condition of iron in (Perir), 1892, A., 1509.

nitrogenous constituents of (LINT-NER), 1884, A., 790; (BUNGENER and FRIES), 1884, A., 1446.

non-nitrogenous extract-substance from (LINTNER), 1891, A., 957.

Plants-

Barley, raffinose in (O'SULLIVAN), 1885, P., 119; 1886, T., 70.

sugars of (O'SULLIVAN), 1886, T., 58.

starch in (O'SULLIVAN), 1881, T., 4; (v. Milkowski), 1890, A., 928.

influence of calcium sulphide on (FITTBOGEN), 1885, A., 1154.

change in, during germination (FANKHAUSER), 1886, A., 1061; 1888, A., 867.

change in the nitrogenous substances of, during germination (HILGER and VAN DER BECKE), 1891, A., 489.

of influence temperature germinating (DAY), 1891, T., 664; P., 123.

culture of excised embryos of, on nutrient solutions and on water (Brown and Morris), 1890, T.,

Barley-grain, structure of (BROWN and Morris), 1890, T., 461.

of different countries, comparison of (MARX), 1885, A., 422.

Bassia latifolia (Mahwa flowers) 1886, Α., (CHURCH), SCHLAGUEN-(HECKEL and nauffen), 1889, A., 434.

seeds of, and the fat contained therein (VALENTA), 1884, A., 919.

Bean crop of 1884, experimental (Aitren), 1885, A., 1258.

Beans, iron sulphate as a manure for

(GRIFFITHS), 1887, T., 219. composition of varieties of, grown under like conditions (FLECUSIG), 1886, A., 95.

assimilation of nitrogen by (Beyer-INCK), 1891, A., 1539.

fat from (JACOBSON), 1889, A., 295. Beetroot (sugar-), cultivation (RIMPAU; LADUREAU), 1883, A., 114; (v. KOETH), 1883, 1026; (CRAHÉ), 1884, A., 208; (Nowoczek), 1884, A., 921; (Marcker), 1884, A., 1211; (Dehérain), 1885, A., 184, 423; (Liebscher), 1885, A., 424; (Corenwinder), 1885, A., 685.

cultivation of, at Grignon (DE-HÉRAIN), 1884, A., 204, 1070; 1885, A., 423; 1888, Δ., 383; 1889, A., 542; 1890, A., 820; 1891, A., 493.

varieties of (MARCKER)), 1884, A.,

865.

PLANTS-

shaded and unshaded Beetroot, (LAUII), 1885, A., 1155.

influence of soil, size of seed, period of sowing, etc., on the quality and yield of (MAREK), 1884, A., 103.

manuring of (Beseler), 1883, A., 238; (Tschuschke), 1883, A., 823; (Holdefleis), 1884, A., 103, 773; (Nantier,), 1884, A., 635; (Denérain), 1884, A., 773;(Nowoczek),1884, A., 921; (Petermann), 1884, A., 1420; (PAGNOUL), 1887, A., 748; (KOHLRAUSCHand STROHMER), 1890, A., 1022.

with ammonium sulphate (DE-HÉRAIN), 1884, A., 491; (ANON.), 1884, Α, 637; (Müller), 1884, A., 1418. with basic slag (v. Proskowitz),

1888, A., 319.

with pest compost and sodium nitrate (Kunter), 1885, A.,

with phosphates (LADUREAU), 1885, A., 1157; (MARCKER), 1891, A., 612.

with potassium chloride on heavy soil (Petermann), 1888, A.,

with sodium nitrate (DEHÉRAIN); 1884, A., 491; (ANON.), 1884, A., 637; (MULLER), 1884, A., 1418.

with superphosphate (Nantier), 1886, A., 832; 1887, A., 295.

valuation of, by its density (v. WACHTEL), 1884, A., 118.

relations between the density, the richness in sucrose and the purity of the juice of (Pagnovi), 1886, A., 915.

of estimation the richness of (MAREK), 1886, A., 283.

development of (GIRARD), 1886, A., 1063.

the rôle of sucrose and its development during the growth of (Durin), 1890, A., 1020.

formation of sucrose in (GIRARD), 1884, A., 476; 1885, A., 75.

accumulation of sucrose in the root of the (BRASSE), 1886, A., 1063.

formation of organic acids, nitrogenous compounds and potassium nitrate in (LEPLAY), 1888, A., 868.

PLANTS--

Beetroot, absorption of potash and lime from the soil by, during the first year of vegetation (LEPLAY), 1886, A., 830.

vegetation of, in the second year (LEPLAY), 1885, A., 293.

composition of (PAGNOUL; MAREK), 1884, A., 356; (HELLRIEGEL), 1881, A., 485. white Silesian, composition of

white Silesian, composition of (Leplay), 1883, A., 235, 368. rare constituents of the ash of

(v. Lippmann), 1889, A., 295. ammonia in (Battut), 1887, A., 71.

coniferin in the woody structures of the (v. Lippmann), 1883, A., 611. glutamine in (Schulze and Boss-

HARD), 1886, A., 105. gummy exudation from the (v. LIPPMANN), 1891, A., 284.

distribution of sucrose in (MAREK), 1883, A., 124; 1884, A., 766.

percentage of sucrose in (STAMMER and DEGENER), 1884, A., 133.

estimation of sucrose in (STAMMER and SOSTMANN), 1884, A., 642; (STROHMER), 1884, A., 1219; (PELLET), 1885, A., 842, 1163; 1889, A., 314; (PETERMANN), 1888, A., 994; (BATTUT; CLERC; SIDERSKY; WEINBERG), 1889, A., 314.

biological researches on (Coren-WINDER), 1883, A., 613.

destruction of the nematoids of (GIRARD), 1887, A., 617.

diseases of (Kühn and Joulie), 1883, A., 111.

preservation of topped and untopped (HANAMANN), 1885, A., 1009.

absorption of water by, during preservation (BRIEM), 1885, A., 928.

effect of drying, of frost and of winter storage on the constitution of (MAREK), 1884, A., 767.

loss of sucrose in (MAREK), 1891, A., 103.

loss of sucrose in, when stored (Wietersheim), 1885, A., 102.

Beetroot diffusion residues. Se under Feeding experiments.

Beet seed, poculiarities and cultivation of (KNAUER), 1885, A., 587. composition of (LIASKOWSKI),1891, A., 764.

large and small hulled, germination of (Kudelka and Hollhung), 1885, A., 832.

PLANTS-

Bracken (Pteris aquilina), composition of (PETERMANN), 1884, A., 207.
Broom (tenista pilosa), composition

of (Petermann), 1884, A., 207.

Cabbage, composition of different varieties of (Dugast), 1883, A., 373.

Cacao plant, cultivation of (Bous-SINGAULT), 1883, A., 933.

and the composition of its fruit (Boussingauli), 1884, A., 202.

Culycanthus glaucus, composition of the seed of (WILEY), 1890, A., 403. Camellia oleifera seeds (McCALLUM), 1883, A., 1166.

Canary seed, composition of (MAYER), 1889, A., 794.

Capsicum annuum, fruit of (PABST), 1892, A., 1263.

Carrot, white, composition of (KRECHEL), 1885, A., 292. cholesterol in the (ARNAUD), 1886, A., 830.

Catequatia minor, crystalline constituents of the seeds of (TAHARA), 1891, A., 238.

Cereals, cultivation of (STREBEL), 1883, A., 612; 1885, A., 833; (Mircker), 1884, A., 482.

Swedish and German, cultivation of (LIEBSCHER), 1885, A., 422. development of (HEBERT), 1892,

A., 1119. effect of deep or shallow sowing on

(STOSSNER), 1887, A., 747. levosin, a carbohydrate from

(TANRET), 1891, A., 661. estimation of starch in (O'SUL-LIVAN), 1884, T., 4.

sugars of (O'SULLIVAN), 1885, P., 120; 1886, T., 58; P., 142.

Cereal grains, chemistry of (Bell), 1883, A., 1160.

specific gravity of (DRECHSLER), 1883, A., 111.

changes of the albuminoids in, when heated under pressure (Ben-REND), 1885, A., 618.

Cherries, lipening of (KEIM), 1891, A., 1539.

ripe, composition of (AMTHOR), 1884, A., 766.

Cherry juice, fermentation of (KEIM), 1891, A., 1539.

Cherry laurel, mannited and sorbited in the fruit of the (VINCENT and DELACHANAL), 1892, A., 908.

Chrysanthenum cinerariaefolium, constituents of the buds of (Thoms), 1892, A., 349.

Chrysanthemum cinerariaefolium, homologue of cholesterol from (MARINO-ZUCO), 1890, A., 757.

Citrus, crystalline substances from the fruit of various species of (TILDEN and BECK), 1890, T., 323; P., 30.

Clover, American red (HARZ), 1884, A., 920; (Nobbe), 1889, A., 299. American and German (TROSCHKE),

1886, A., 646.

(Melilotus Bokhara lericantha) (Munro), 1886, A., 828.

Dutch, composition of (WILSON), 1886, A., 911; 1889, A., 1078. manuring of (SAMEK), 1888, A.,

1223; (v. KNIERIEM), 1891, A.,

red, yields and composition of a variety of (BAESSLER), 1890, A.,

examination of, at different stages of growth (KALLEN and STUTZER), 1884, A., 100.

red, insoluble carbohydrate (SCHULZE and STEIGER), 1889, A., 643.

red, assimilation of free nitrogen by (FRANK), 1892, A., 373.

Clover sickness, causes of (KUTZLEB), 1883, A., 233.

Clovers, composition of (WILSON), 1886, A., 909; 1889, A., 1078. Coca. See Erythroxylon Coca.

Cocoanuts, milk of ripe and unripe (VAN SLYKE), 1891, A., 764.

Colchicum, estimation of colchicine in the seeds of (KREMEL), 1891, A., 512.

Corncockle (Agrostemma Githago), poison of the seeds of (LEHMANN and Moni), 1890, A., 1458.

(KRUSKAL; sapotoxin fromKobert), 1892, A., 350.

Cotton plant, composition of the (McBryde), 1892, A., 1510. composition of the seeds of the (SACC), 1885, A., 425.

Cotton seeds, composition of (Konic),

1885, A., 425. products of (PAPASOGLI), 1892, A., 584.

(RITTHAUSEN betaine inWEGER), 1885, A., 50.

raffinose from (RITTHAUSEN), 1884, A., 1286; (RISCHBIETH and Tollens), 1886, A., 138.

Crataurus Oxyacantha. calcium oxalate in the leaves of (WEHMER), 1890, A. 191.

Plants-

Crops, cultivation of various (Firr-BOGEN), 1883, A., 235.

forage, growth of, at Grignon (Deherain), 1889, A., 542.

influence of nitrogenous manures ; on the yield of (WAGNER), 1888, A., 525.

yield of, under steam cultivation (MARCKER), 1884, A., 359.

influence of the weather (FERRARI), 1885, A., 80.

influence of, on the physical pro-perties of a soil (WOLLNY), 1888, A., 1222.

irrigation of, by waste water from beet sugar factories (TEUCHERT), 1883, A., 500.

growth of, in soil destitute of nitrates (Pitsch), 1888, A., 84.

rotation of (Deneral N), 1885, A.,

rotation of, four year experiments on (Voelcker), 1884, A., 635; 1885, A., 78.

localisation Cruciferæ. of active principles in the seeds (GUIGNARD), 1891, A., 490.

estimation of mustard oil in the seeds of (DIRCKS), 1883, A., 245; (FOERSTER), 1888, A., 1350.

Curcas purgans, oil from the seeds of (Horn), 1888, A., 674.

Currants, ripe, composition of (AM-THOR), 1884, A., 766. colouring matters of (Keim), 1891, A., 1539.

Cytisus Laburnum, nitrogen assimilation of (NOBBE, SCHMID, HILT-NER and Horrer), 1891, A., 1533.

Dahlia tubers, asparagine and tyrosine in (LEITGER), 1889, A., 433.

crystalline deposits in (LEITGER), 1887, A., 1136.

Danais fragrans, root of (Heckel and Schlagdenhauffen), 1886, A., 173.

Daphnidium -Cubeba, fruit (Braithwaite and Farr), 1886, A., 1064.

Earth-nut (pca-nut) (Brown), 1892, A., 1122.

fat, alterability of (REITMAIR), 1891, A., 770.

composition of the inner brown skin of (König), 1887, A., 519. Ericacomposition

rica vulgaris, composition (PETERMANN), 1884, A., 207. Ericaceæ, andromedotoxin in (PLUG-

GE), 1889, A., 644.

Ericaceæ, presence of cinnamic acid in the (Eijkman), 1887, A., 517.

Erythroxylon Coca grown in India (WARDEN), 1889, A., 297. leaves of (Bignon), 1886, A., 388.

Eucalyptus manna, raffinose from (RISCHBIETH and TOLLENS), 1886, A., 138; (Tollens), 1886, A., **527.**

Faba vulyaris, composition of the seeds of (SCHULZE, STEIGER and

MAXWELL), 1891, A., 1543.

Flax, constituents of (Cross and BEVAN), 1889, P., 155; 1890, T., 196.

influence of germination and growth on the development of hydrocyanic acid in (Jorissen), 1885, A., 181.

bleaching of (ANON.), 1884, A., 793.

cultivation of (LEYDwinter, HECKER), 1884, A., 921.

Flax-fibre, chemistry of (Cross and BEVAN), 1889, A., 742.

discrimination of jute-fibre from (LENZ), 1890, A., 928.

Flowers, constituents of (URBAIN), 1884, A., 862. withering of (Wiesner), 1884, A.,

Flower petals, absorption of water by (Burgerstein), 1884, A.,1403. Fraxinus excelsior, constituents of the leaves of (GINTL and REIN-ITZER), 1883, A., 216.

Fruit, stone, ratio of flesh to stone in (WILHELM), 1884, A., 477. constituents of (Unbain), 1884, A.,

862. from the Southern States (PAR-

sons), 1889, A., 434.

Fungi, respiration and transpiration of (Bonnier and Mangin), 1884, A., 628.

edible, inutritive value of (Mon-NER), 1886, A., 1053.

poisonous properties of (DUPEтгт), 1883, Ā., 611; 1884, А., 204.

Furze, composition of (TROSCHKE), 1885, A., 684.

deditschia triacanthos, nitrogen assimilation of (Nobbe, Schmid, Gleditschia HILTNER and HOTTER), 1891, A., 1533,

officinalis) Goat's (Galega rue (Munro), 1886, A., 829.

Gourds, researches on (ULBRIGHT), 1886, A., 95.

PLANTS-

Grain, manuring of (EMMERLING), 1884, A., 1213.

spectroscopic notes on the carbohydrates and proteids from (HARTLEY), 1886, P., 247; 1887, Ť., 58.

estimation of starch in (FRANCKE), 1883, A.,624; (MONHEIM), 1888, A., 1134; (v. Milkowski), 1890, A., 928.

sugars of (O'SULLIVAN), 1885, P., 120; 1886, T., 58; P., 142; (v. Аѕвотн), 1888, А., 1220.

chemical changes induced by the sprouting of (MARCKER and Kobus), 1884, A., 200.

germinated, value of, for seed (WILL), 1883, A., 490.

origin of the hydrolytic enzymes of (Brown and Morris), 1890, T., 511; P., 52.

Gramineæ, germination of the (Brown and Morris), 1890, T., 458; P., 52.

Grapes, ripe, studies on (AMTHOR), 1883, A., 881.

green, cause of the acidity of (ORDONNEAU), 1892, A., 589.

so-called sour-rot of (PORTELE), 1885, A., 1153.

from infected vines, composition of (Mach), 1884, A., 1406.

chlorophyllic substances of the pericarp of (ETARD), 1892, A., 874. organic and inorganic constituents of (List), 1887, A., 860.

glyoxylic acid in (BRUNNER and CHUARD), 1886, A., 576.

formation of sugar in (MULLER), 1887, A., 517.

detection and estimation of aluminium in (L'Hôte), 1887, A., 690.

See also Vines.

Grass, composition of (KINCH), 1884, T., 124.

nitrogenous matters in (KINCH), 1884, T., 122.

gases evolved during the conversion

of, into hay (FRANKLAND and JORDAN), 1883, T., 294. decomposition of, under water (FRANKLAND and JORDAN), 1883, T., 298.

irrigation as a preventive of injury to, from frost (v. NEERGARD), 1884, A., 357.

Timothy, changes occurring in, during growth (LADD), 1888, A., 1220.

PLANIS-

Grass, changes which take place in the conversion of, into silage (LLOYD), 1881, A., 772.

Grasses, composition, nutritive value and produce of (Wilson), 1886, A., 906; 1859, A., 1077.

composition and digestibility of the proteids of (EMMERLING and Loges), 1890, A., 657.

existence of a cellulose-dissolving enzyme (cytohydrolyst) in the germinating seed of (Brown and Monris), 1890, T., 497; P., 52.

Gymnema sylvestre, drug from, which destroys the sense of taste for sweets and bitters (BERTHOLD), 1889, A., 182.

Hæmatococcus, assimilation (ENGELMANN), 1883, Λ., 611.

Hay, yield of, from irrigated pastures (Nantier), 1888, A., 1127. alpine and valley, composition of

(Eucling), 1885, A., 929.

heated, composition of (Toms), 1884, A., 864; (MAUH), 1886, A., 275.

inferior, composition of (Morgen), , 1885, A., 292.

valuation of (MAYER), 1885, A., 699; (SCHINDLER), 1885, A.,

effect of rain on the quality of (Eugling), 1885, A., 1154.

and silage from a poor quality of grass (Sulton), 1883, A., 102.

gases evolved during the conversion of grass into (FRANKLAND and JORDAN), 1883, T., 294.

Holcus Soryhum, grain of (Bordas), 1887, A., 519.

Hop-culture in peat soils (FLEIS-CHER), 1885, A., 185.

Hop-mildew, nature of, and means of counteracting it (Schwarz), 1884, A., 629.

Hops, manuring of (Pott), 1884, A., 1422; (Kraus), 1888, A., 319.

Horse chestnuts, composition (HANAMANN), 1885, A., 928. Ipecacuanha root, dextrose obtained

from (Merck), 1891, A., 1133. Lathyrus, composition of various

(NILSON), 1892, A., 522.

Lavatera arborca, a fodder plant (v. T.), 1884, A., 100.

Leguminose, cultivation of (BREAL), 1890, A., 660. in acid seils (DE MONDÉSIR), 1889,

A., 434.

PLANTS-

Leguminosæ, composition of (WIIIson), 1892, A., 521.

carbohydrates in (Maxwell,), 1889, A., 644; 1890, A., 544, 917.

root tubercules of (BREAL), 1890, A., 660.

nitrogen, sources of the, of (DIET-ZELL), 1885, A., 418; (HELL-RIEGEL and WILFARTH), 1889, A., 640; (LAWES and GILBERT),

1892, A., 367.

nitrogen, absorption of, by (Bou-TELLEAU), 1884, 1401; (BREAL), 1888, A., 1330; 1890. A., 79, 660; (LAWES and GIL-BERT). 1890, A., 814; 1892, A., 369; (PETERMANN), 1890, A., 816; (ATWATER and WOODS), 1891, A., 353, 491; (SCHLCE-SING and LAURENT), 1891, A., 353; 1892, A., 378, 523, -1021; (Prazmowski), 1891, A., 607; (FRANK), 1891, A., 764; 1892, 371; (NOBBE, SCHMID, HILTNER and HOTTER), 1891, A., 1533; (IMMENDORFF), 1892, Δ., 374.

protein-compounds from, bility of, in water containing hydrochloric acid (RITTHAUSEN), 1884, A., 1390.

fungus-symbiosis of (Frank), 1890, A., 1020; 1891, A., 353.

Lemons, Californian, composition of (Colby and Dyer), 1892, A., 1511. Linseed, germination of (Jorissen), 1885, A., 181.

Lucerne, composition of (WILSON), 1889, A., 1078.

insoluble carbohydrate in (Scn-TLZE and STRIGER), 1889, A., 643.

Lupines, cultivation of (Konic), 1883, A., 114.

water culture of (Weiske), 1884. A., 1400; 1885, A., 420; (Tros-

CHKE), 1885, A., 420. composition of (Feechsta), 1884, А., 1405; (Тиоменки), 1887, А., 518; (WAAGE), 1887, A., 991.

composition of varieties of, grown under like conditions (Flecusic), 1886, A., 95.

percentage of alkaloids in different varieties of (HILLER), 1885, A.,

removal of the bitter principle from (Wilder), 1885, A., 184.

behaviour of conglutin from, towards saline solutions (RITT-HAUSEN), 1883, A., 360.

PLANIS-

Lupines, poisonous matter of (Arnold), 1883, A., 740; (Arnold and Schneidemuhl), 1884, A., 915.

fixation of free nitrogen by (LAWES and GILBERT; PETERMANN), 1890, A., 816.

yellow, assimilation of free nitrogen by (Frank), 1892, A., 371.

seeds, composition of (Flechsic), 1884, A., 1406; (BAUMERT), 1888, A., 1221.

fat from the (JACOBSON), 1889, A., 296.

shoots, constituents of (SCHULZE and BARBIERI), 1883, A., 1122. straw, composition of (Flechsig), 1884, A., 1406.

Lupine sickness in sheep (HARMUTH), 1883, A., 228.

Lupinus luteus, composition of the seeds of (Schulze, Steiger and Maxwell), 1891, A., 1541.

Lycopersicum esculentum, composition of the fruit of (BRIOSI and GIGLI), 1891, A., 955; (PASSERINI), 1891, A., 956.

Makwa flowers. See Bassia latifolia.

Maize in the experimental plots at
Grignon (Demfrain), 1884, A.,
204, 1070; 1890, A., 280.

manuring of (Nantier), 1884, A.,

manuring of (NANTIER), 1884, A., 685; (ATWATER), 1884, A., 1401.
manuring of, with phosphates

(RAULIN), 1889, A., 435.
the sum of mean temperatures in relation to the cultivation of (SESTINI and FUNARO), 1884, A., 672.

function of silicic acid in the growth of (Jodin), 1884, A., 201. 669.

growth of, in mineral and organic solutions (JODIN), 1884, A., 1208. growth of, in nutritive solutions (Heiden), 1888, A., 1328.

composition of (RICHARDSON), 1885, T., 88; (SCHISCHOWNKI), 1885, A., 291; (PORTELE), 1886, A., 274.

composition of varieties of, grown under like conditions (Flechisis), 1886, A., 95.

composition of, as influenced by environment (RICHARDSON), 1885, A., 585.

basic substance in (Luxardo), 1883, A., 1156.

cane-sugar from (WASHBURN and TOLLENS), 1889, A., 918.

PLANTS--

Maize, estimation of starch in (O'SULLIVAN), 1884, T., 8. proteids of (CIMTTENDEN and OSBORNE), 1892, A., 379, 746, 749.

amount of easily digestible proteids in germinated (STUTZUR), 1884, A., 772.

Maize-plant, chemistry of (LEPLAY), 1883, A., 366, 747.

development of the (Hornberger and v. Raumer), 1883, A., 491; (v. Szilassy and Cserháti), 1891, A., 1895.

Mangel, experimental plots of, at Grignon (Deherain), 1891, A., 493.

feeding value of various (MAYER), 1885, A., 1259.

Millet, composition of (VOELCKER), 1881, A., 630.

Myristica surinamensis, aleurone grains in the seed of (TSCHIRCH), 1887, A., 1061.

fat of the fruit of (REIMER and WILL), 1885, A., 1197.

Will), 1885, A., 1197.

Nicotiana longiflora, comparative effect of two metameric bodies on the growth of (Reynolds), 1883, A., 495.

See also Tobacco.

Oats, experiments on, at Grignon (Dehérain), 1884, A., 204, 1069; 1889, A., 542; 1890, A., 820. cultivation of varieties of (Beseler

and MARCKER), 1885, A., 1008. influence of thick and thin sowing, and of the manuring on the

and of the manuring on the yield of (Beseler and Mancken), 1884, A., 768.

manuring of (ATWATER), 1884, A., 1401; (V. LIDBENBERG), 1888, A., 189; (MULLER), 1888, A., 525.

with nitrogen and phosphates (MARCKER), 1884, A., 925.

with basic slag (Bieler), 1886, A., 391; (Emmerling), 1888, A., 1223.

A., 1223. with basic slag on moorlands (BAESSLER), 1888, A., 189.

importance of silicic acid in the culture of (KREUZHAGE and V. WOLFF), 1881, A., 1211.

crops, failure of (SORAUER), 1889, A., 742.

testing soil by the growth of (ATTERDERG), 1888, A., 317. composition and nutritive value of (MARCKER), 1889, A., 184.

PLANTS-

Oats, American, composition and physical properties of (RICHARD-SUN), 1887, A., 293.

son), 1887, A., 293. proteids of (Osborne), 1891, A., 1285, 1390; 1892, A., 1120.

proteolytic and other ferments in (ELLENBERGER and HOF-MEISTER), 1888, A., 867.

estimation of starch in (O'SUL-LIVAN), 1884, T., 8.

alimentary value of (MUNTZ and GIRARD), 1885, A., 281.

irritant properties of (SANSON), 1884, A., 914.

Oat-straw, composition of (HÉBERT), 1890, A., 1461.

Onions, composition of (Goessmann), 1887, A., 1137.

Oranges, Californian, composition of (COLBY and DYER), 1892, A., 1511.

Palm-nuts, fat in (v. WILM), 1885, A., 290, 1164.

Peach kernels, proteids in (RITT-HAUSEN), 1883, A., 360.

Pea mascate (RICHE and REMONT), 1884, A., 1068.

Pea-nut. See Earth-nut.

Peas, white, grey, and sand, cultivation of (MARCKER), 1884, A., 770.

comparative growth of, in mineral and organic solutions (Jodin), 1884, A., 1208.

growth of, in nutritive solutions

(HEIDEN), 1888, A., 1328. assimilation of free nitrogen by (LAWES and GILBERT), 1890, A., 814; (FRANK), 1892, A., 371; (SCHLESING and LAURENT), 1892, A., 378.

composition of (KLIEN), 1887, A., 73.

fat from (JACOBSON), 1889, A., 296.

root nodules of (PRAZMOWSKI), 1891, A., 607.

Peganum Harmala seed (FISCHER and TAUBER), 1885, A., 821.

Phaluris candriensis, composition of the seeds of (MAYER), 1889, A., 794.

Phaseolus vulgaris, nitrogen assimilation of (Nobbe, Schmid, Hiltner and Hoffer), 1891, A., 1538.

constituents of the seed pods of (Likiernik), 1891, A., 606. carbohydrate in the seeds of (Max-

WELL), 1890, A., 917.

PLANTS-

Phleum pratense, changes occurring in, during growth (LADD), 1888, A., 1220.

Pisum arvense, cultivation of (MARCKER), 1884, A., 769. composition of (NILSON), 1892, A., 522.

Pisum sativum, composition of the seeds of (SCHULZE, STEIGER and MAXWELL), 1891, A., 1542.

constituents of the seed pods of (Likiernik), 1891, A., 606.

nitrogen assimilation of (NOBBE, SCHMID, HILTNER and HOTTER), 1891, A., 1533.

Potatoes, cultivation of (LEYD-HECKER),1883, A., 114; (SCHULZ), 1883, A., 680; (MARCKER), 1884, A., 101; (CIMBAL), 1884, A., 483; 1885 A., 587; (TIMM), 1884, A., 1411; (JANOWSKY), 1886, A., 390, 577; (GIRARD), 1889, A., 647.

experiments on, at Grignon (Denérain), 1890, A., 820.

experiments on, at Harelaw (AITKEN), 1887, A., 992.

(GILBERT), 1890, A., 409.

effect of drying the seed tubers on the yield of (WOLLNY), 1884, A., 624.

influence of the position of the "set" on (Wollny), 1885, A., 586.

influence exerted by the weight of the "sets" (Tobisch), 1883, A., 236.

manuring of (VIBRANS), 1883, A., 882; (PREVOST and SWAN-WICK), 1884, A., 101; (MARCKER), 1884, A., 102, 865; (NANTIER), 1884, A., 635; (CAMERON), 1884, A., 866; (ATWATER), 1884, A., 1401; (SCHREWE), 1886, A., 578.

with bone-meal (Koch), 1884, A., 637.

with kainite (Fleischer), 1884, A., 108.

with krugite (KARBE), 1884, A., 926; (KETTE), 1884, A., 1401. with lime (HEIDEN), 1884, A.,

with time (HEIDEN), 1884, A., 1419. with potassium and sodium

nitrates (v. Edler), 1883, A., 117; (Deherain), 1884, A., 361, with fresh stable manure (Gagnaire), 1885, A., 189.

Potatoes, earthing up (SCHLEH), 1884, A., 772.

growth of (KREUSLER), 1887, A., 71.

influence of electricity on the growth of roots and (HOLDE-FLEISS), 1885, A., 1152.

rless), 1885, A., 1152. composition of (SACC), 1884, A., 208; (SCOVELL and MENKE), 1887, A., 747.

composition of unripe (HUNGER-BUHLER), 1886, A., 485. change in the composition of, by

change in the composition of, by ripening (SAARE), 1884, A., 1400. oxalic acid in (SIEWERT), 1883, A., 232.

changes in the proteids in, when heated under pressure (Behrend), 1885, A., 618.

estimation of starch in (GIRARD), 1887, A., 868.

conversion of starch into sugar during the freezing of (MULLER), 1883, A., 497.

presence of sucrose in unipe (SCHULZE and SELIWANOFF), 1888, A., 623.

preservation of (Märcker), 1884, A., 101.

dried, use of (Köhne), 1883, A., 614.

desiccation of seed (Andræ), 1885, A., 1155.

sprouts, etiolated, composition of (Seliwanoff), 1888, A., 624.

shoots, solanidine in (JURISSEN and GROSJEAN), 1890, A., 1182; 1891, A., 473.

sweet (SACC), 1884, A., 208. carbohydrates from (STONE), 1890, A., 1022.

diseased, amount of solanine in (KASSNER), 1887, A., 860.

"scab" in (Heiden), 1884, A., 1419.

Potato-disease, protection against (JENSEN), 1885, A., 1154; (NOBBE), 1886, A., 1067.

cure for (Jensen), 1883, A., 233.

Pumpkin sprouts, nitrogenous constituents of (Schulze), 1886, A., 173.

Quercus rubru, composition of white and green leaves of (Church), 1886, T., 839; P., 236.

Radish, quantity of starch in the tubercles of the (LESAGE), 1892, A., 92.

Ramie-plant, composition of (JAFFA), 1892, A., 1511.

PLANTS-

Raspberries, wine and brandy from (ROMMIER), 1887, A., 292.

Rhubarbs, composition of (ELBORNE), 1885, A., 582.

Rice, cultivation of, in Japan (Kell-NER and Sawano), 1884, A., 672.

manuring of (GEORGESON), 1889, A., 646; (KELLNER, KOZAI, MORI and NAGAOKA), 1891, A., 1547.

effect of excessive liming on the growth of (Kellner, Sakano, Sato and Shinjo), 1892, A., 94. glutinous (Kreusler and Dafert), 1886, A., 390.

of Japan (Shimoyama), 1888, A., 1127.

Peruvian (Chenopodium Quinoa), cultivation of, in Austria (v. Rodiczky), 1884, A., 769.

estimation of starch in (O'SULLI-VAN), 1884, T., S.

·Rice-meal, detection of, in buckwheat flour (ANON.), 1883, A., 885.

Robinia Pseudacacia, nitrogen assimilation of (Frank), 1891, A., 764; (Nobbe, Schmid, Hiltner and Hotter), 1891, A., 1533.

Rosa centifolia, composition of the flowers of (NIEDERSTADT), 1884, A., 97.

Rose-trees, experiments with ferrous sulphate on (GRIFFITHS), 1886, T., 122.

Rye, manuring of (Märcker), 1884, A., 103.

manuing of winter (v. Lieben-Berg), 1888, A., 189.

manuring of, with basic slag and other phosphates (SIEWERT), 1887, A., 294.

estimation of starch in (O'SULLI-VAN), 1884, T., 8.

ungerminated, and the embryos of, composition of (NACHBAUR), 1883, A., 107.

Rye grain (EGGER), 1884, A., 532. Rye-bran, arabinose from (STEIGER and SCHULZE), 1891, A., 33.

Rye-meal and -bran, detection of, in wheat-meal and -bran (BENECKE), 1890, A., 302.

detection of the adulteration of, with flour (WITTMACK), 1883, A., 392.

separation of wheat meal from (KIERSKOU), 1884, A., 376.

Sainfoin, experiments with, at Grignon (Deherain), 1884, A., 204, 1070.

Sinapis alba, composition of, during various stages of growth (Honnвенови), 1885, А., 1087.

Soja bean, composition of the (MEISSL and Bocker), 1883, A., 1024; 1881, A., 918; (Schulze, STEIGER and MAXWELL), 1891, A., 1542.

constituents nitrogenous (SCHULZE), 1888, A., 868.

white, composition of (Goessmann), 1890, A., 192.

composition of, and tables of the composition of various Japanese foods made from (KINCH), 1883, A., 235.

manuring of the (LEVALLOIS), 1888, Λ., 870.

fat of the (MORAWSKI and STINGL), 1887, A., 687.

sugars of the (MORAWSKI and STINGL), 1886, A., 829; 1887, A., 686.

Solanum Lycopersicum, composition of the fruit of (BRIOSI and GIGLI), 1891, A., 955; (Passerini), 1891, A., 956.

Sorghum, cultivation of (TROSCHKE), 1885, A., 1155.

cultivation of, in France (MINAN-GOIN), 1885, A., 79.

cultivation of two varieties of (v. Pfuel), 1885, A., 79.

Sorghum halepense, cultivation of (v. BARATTA), 1884, A., 921.

Soryhum saccharatum, cultivation of (v. Szechinyi), 1885, A., 833.

Spice, champion (LEHMANN), 1884, A., 473; (IIARZ), 1884, A., 865.

Spurrey (Spergula arvensis) spurrey seed, composition of (Munico), 1886, A., 173.

Star-anise tree (Illicium anisatum (religiosum)), cultivation of, and the preparation of the oil in Annam (Anon.), 1885, A., 1275.

composition of the fruit and seeds of (Oswald), 1891, A., 957.

products of the distillation of the leaves and fruits of the (EIJK-MAN), 1886, A., 95; 1887, A., 497.

Straw, composition of (HIPERT), 1890, A., 1459.

effect of high farming on the amount of nutritious matter in (MARCK-ER), 1884, A., 772.

aerobic nitrate-reducing ferment in (Braal), 1892, A., 1259.

xylose from (ALLEN and TOLLENS), 1890, A., 472.

PLINTS -

Straw, method for the analysis of (HEBERT), 1890, A., 1460.

Strawberries, composition of (STONE), 1890, A., 659.

ash of (Munro), 1885, A., 183.

wine and brandy from (ROMMIER), 1887, A., 292

Strophanthus seeds, constituents of (ELBORNE), 1887, A., 991.

Strychnos Nux vomica, indigenous to Ceylon, chemistry and botany of (DUNSTAN and SHORT), 1885, A.,

Sugar-canes, manuring of (RIFFARD), 1883, A., 506.

Symphonia fasciculata (Clusiacea), oleaginous seeds of the (REGNAULD and VILLEJEAN), 1885, A., 290.

Symphoricarpos racemosus, calcium oxalate in the leaves of (WEHMER),

1890, A., 191.

Tea, Chinese, composition of (Dvorko-VITCH), 1891, A., 1302.

Japanese, cultivation and preparation of (TAKAYAMA), 1885, A., 582; (Kezai), 1892, A., 1371. composition of leaves of (Kell-NER), 1887, A., 73.

See also Main Index.

Tilias, oil from the seeds of (MUEL-LER), 1892, A., 92.

Tobacco, cultivation of, in Japan A., 582; (TAKAYAMA), 1885, (Fesca and IMAI), 1889, A., 69. cultivation of, in Sumatra and Java (VAN BEMMELEN), 1890, A., 1340.

divation of, in Switzerland (ANON.), 1885, A., 79. cultivation

climatic conditions for the development of nicotine in (MAYER), 1891, A., 858.

manuring experiments on (NESS-LER), 1884, A., 362, 490; (JEN-KINS; JORDAN), 1886, A., 177; (HARZ), 1888, A., 990.

See also Main Index and Nicotiana. Tomatoes, composition and structure of the fruit of (BRIOSI and GIGLI), 1891, A., 955; (Passerini), 1891, A., 956.

Trees, forest, manuring of (MUEL), 1883, A., 617.

reserve materials of (HARTIG), 1889, A., 740.

calcium oxalate in the bark of (Kraus), 1892, A., 1370.

influence of solar rays on the temperature of (IHNE), 1884, A., 917.

PLINTS---

Trees, with red leaves, chlorophyllic assimilation of (JUMELLE), 1891, A., 102.

distribution of ash in (WEBER),

1888, A., 742.

forest, ash of the seeds of (HORN-BERGER), 1884, A., 353; 1885, A., 1255.

absence of nitrates in (EBER-

MAYER), 1889, A., 541. fruit, nourishment of (Techap-LOWITZ), 1886, A., 390.

Trifolium, composition of various (NILSON), 1892, A., 522. Truffles, chemistry of (CHATIN), 1890,

A., 659, 821.

of Europe, relation between the terfâs or kamés of Africa and Western Asia and the (CHATIN), 1892, A., 654.

Tarnips, manuring of (Dyer), 1895, A., 589; (Wilson), 1886, A., 913; (Brown), 1886, A., 1068.

europaeus, composition

(TROSCHKE), 1885, A., 684.

Vateria indica, fat of the fruit of (v. Honnel and Wolfbauer), 1886, A., 223.

Vegetable kingdom, correlative growth in the (v. Sachs), 1884, A., 626.

Vegetable substances, detection of sucrose in (Schulze), 1888, A., 624.

Vegetables, albuminoid and nonalbuminoid nitrogen compounds оf (Вёнмен), 1883, А., 236.

red colouring matter of (TERREIL), 1885, A., 1142.

estimation of pentoses in (DE CHAL-MOT and TOLLENS), 1891, A., 768; (STONE), 1892, A., 247; (GUNTHER, DE CHALMOT and TOLLENS), 1892, A., 388.

used as food in Japan, and composition of (Kellner), 1884, A., 674.

Vetekes, cultivation of some varieties of (Dönn; Nobbe), 1883, A., 612.

fat from (JACOBSON), 1889, A., 296. Vicia, composition of various (NIL-

son), 1892, A., 522. Vicia Faba, vicine in (RITTHAUSEN), 1884, A., 1405.

artificial infection of, with Bacillus radicicola (Beyerinck), 1891, A., 1539.

Vicia sativa, composition of the seeds of (SCHULZE), 1889, A., 1029; (Schulze, Steiger and Maxwell), 1891, A., 1542.

PLANTS-

Vicia villosa, cultivation of (MARCK-ER), 1884, A., 769. composition of (MARCKER), 1886,

A., 645.

Vines, vegetation of (Roos and Thomas), 1892, A., 908.

manuring of (STUTZER), 1884, A., 103, 1421; (NIPPGEN), 1884, A., 637; (MORITZ and SEUCKER), 1888, A., 190.

composition of (HILGER and GROSS), 1886, A., 1062.

horic acid in (BAUMERT), 1889, A., 295.

treated with copper sulphate and lime, copper in (MILLARDER and

GAYON), 1886, A., 738. origin of the colouring matter of (GAUTIER), 1892, A., 1242.

leaves of, physiological rôle of (MULLER), 1887, A., 685. formation of starch in (CUBONI),

1885, A., 683, 1004. diseases of, and their remedies (v.

THUMEN), 1883, A., 110; (MUL-LER; GIRARDIN), 1884, A., 481. submersion of (DE GASPARIN), 1883, A., 1164.

sulphuring of (BASAROFF), 1883, A., 551; 1884, A., 629. affected with mildew, composition

of grapes from (MACH), 1884, A.,

removal of mildew in (PICHARD), 1885, A., 590.

use of copper sulphate to destroy mildew in (PERREY), 1885, A., 77. use of copper sulphate with lime as

a preventive of mildew in (PRIL-LIEUX), 1886, A., 737.

treated with copper sulphate and lime, copper in (MILLARDET and

GAYON), 1886, A., 738. (DE phylloxers, destruction of 1883, A., LAPITTE), 233:

(C'ARRIERE), 1888, A., 680; (Henneguy), 1884, A., 99; (Tozzetti), 1884, A., 355; (Girardin), 1884, A., 481; (Balbiani), 1884, A., 920.

carbon disulphide in aqueous solution as a remedy for (PELI-GOT), 1885, A., 77.

preparation of thiocarbonates for the destruction of (SESTINI), 1883, A., 405.

See also Grapes.

on, at Brie Wheat, experiments MOUSEEAUX), (LADUREAU and1888, A., 383.

Wheat, experiments on, at Grignon (Driffrain), 1884, A., 204, 1068; 1885, A., 928; 1889, A., 541; 1890, A., 820.

experimental plots of, at La Somme (Nantier), 1888, A., 1127.

continuous cultivation of, Rothamsted during twenty years (LAWES and GILBERT), 1885, A., 583.

continuous cultivation of, at Woburn (VOELCKER), 1884, A., 482. cultivation of, in various latitudes

(ANON.), 1885, A., 78.

cultivation of, in a sterile siliceous soil (PAGNOUL), 1891, A., 104; 1892, A., 909.

cultivation of, after sugar-beet and potatoes (GATELLIER), 1886, A., 906.

influence of rainfall on (ANON.), 1884, A., 206.

manuring of (JORDAN), 1883, A., 681; (MARCKER), 1884, A., 103.

manuring of winter (v. LIEBEN-BERG), 1888, A., 189.
manuring of, with phosphates (RAULIN), 1889, A., 435, 1242.
development of (DEHERAIN and MEYEE), 1883, A., 493; (HÉBERT), 1891, A., 1285; 1892, A., 1119.
influence of temperature on the

development of (RISLER), 1885, A., 422.

spring, grown in 1887, composition of (MARCKER), 1889, A., 183.

American, composition of (RICHARDson), 1884, A., 1404.

Bordeaux, composition of (HÉBERT), 1891, A., 1286.

East Indian, composition of (DIETвісн), 1889, А., 184.

Indian, impurities in (BALLAND), 1884, A., 355.

composition of, as influenced by environment (RICHARDSON), 1885, A., 585.

composition of the products of roller-milling of (RICHARDSON),

1885, A., 1021. aluminium in (ALLEN), 1888, A.,

gluten in (STUMPF), 1883, A., 236; (Johannsen), 1889, A., 296; (Gatellier and L'Hôte), 1889, A., 740, 919.

proteids in (HEBERT), 1892, A.,

estimation of starch in (O'SULLI-VAN), 1884, T., 7.

PLANTS-

Wheat, germinated, chemical examination of (BALLAND), 1884, A.,

Wheat-grain, ash of, grown Rothamsted in different seasons and by different manures, composition of the (LAWES and GIL-BERT), 1884, T., 305.

richness and density of (PAGNOUL), 1888, A., 1128.

loss occasioned by impropermethods of pickling (Grassmann), 1887, A., 293.

formation of starch in (HEBERT), 1891, A., 1285.

Wheat-bran, carbohydrates from (GANS, STONE and TOLLENS), 1888, A., 1060. arabinose from (STEIGER and

SCHULZE), 1891, A., 33. detection of rye-meal and -bran in

(Benecke), 1890, A., 302.

Flour obtained by various methods of grinding, quality of (GIRARD), 1884, A., 1447.

old, alkaloids in (BALLAND), 1886, A., 164.

aluminium as a natural constituent of (Young), 1888, A., 624.

bacteria from (Bourroux), 1891, A., 1532.

proteids of (MARTIN), 1886, A.,

action of sulphurous anhydride on (BALLAND), 1891, A., 95. alteration of (BALLAND), 1884, A.,

236, 532, analysis of (BALLAND), 1884, A., 374; (LEEDS), 1884, A., 1080.

detection of alum in (HERZ), 1887, A., 530.

detection of ergot in (PALM), 1884, A., 376.

estimation of gluten in (REED),

1884, A., 122. Wheat-meal, detection of rye-meal and -bran in (BENECKE), 1890, A., 362. separation of, from rye-meal (KICERSKOU), 1884, A., 376.

Wheat-straw, composition of (HL-

BERT), 1890, A., 1461. grown at Rothamsted under different seasons and manures, com-position of the ash of (LAWES and GILBERT), 1884, T., 305. Winter-bark, true (ARATA and CAN-

ZONERI), 1890, A., 405.

Withania coagulans, "rennet" ferment from the seeds of (LEA), 1884, A., 535.

SOILS.

Soils-

Soils, chemical study of (DUGAST), 1884, A., 677.

chemical changes in (HOPPE-SEYLER), 1884, A., 633.

changes in, during the formation of a meadow (LAWES), 1889, A.,

arable, formation of (MÜNTZ), 1890, A., 1183.

testing, by growth of oats (ATTER-

nerg), 1888, A., 317. physical properties of, influence of artificial manures on the (WOLLNY), 1884, A., 210.

physical properties of, influence of the, on the amount of free carbonic anhydride present (Wollny), 1887, A., 521.

physical properties of, influence of a crop or covering on the (WOLLNY), 1884, A., 922; 1888, A., 1222.

thermal conductivity of (WAGNER), 1884, A., 923.

temperature of, in relation to the air temperature (Hossfeld), 1884, A.,

temperature of, and moisture in, influence of the state of aggregation on (WOLLNY), 1883, A., 500.

rise of temperature in, by the condensation of gaseous water and of gases (STELLWAAG), 1883, A., 615.

temperature of, influence of organic manures on the (WAGNER), 1883, A., 821.

temperatures in, influence of constant, on plants (HELLRIEGEL), 1884, A., 916.

odour of (Berthelot and André), 1891, A., 858.

influence of physical and chemical properties of, on evaporation (ESER), 1885, A., 80.

evaporation of water from (MASURE), 1883, A., 615; 1885, A., 1260.

and its cultivation, influence of, on the temperature of, and moisture in, the air (WOLLNY), 1885, A.,

water in, influence of cultivation on the (HENSOH), 1885, A., 588.

water in, influence of vegetation on the amount of (Wollny), 1888, A., 1222.

Soils-

Soils, water in, influence of, on plant growth (HELLRIEGEL), 1885, A., 421.

water in, influence of, on vegetation (Wollny), 1888, A., 316.

influence of, on vegetation (RAULIN), 1892, A., 1121.

influence of the amount of, on the development of roots (Hell-RIEGEL), 1884, A., 626.

dependence of cultivation on the depth of (HEINRICH), 1885, A.,

influence of, on the physical properties of plants (VILLE), 1890, A.,

effect on the fertility of, by covering with farm-yard manure (WOLLNY), 1883, A., 237.

fertility of, dependent on the action of worms (v. Hensen), 1883, A.,

of the forest land of Deli (Sumatra) and Java, causes of the fertility of, for tobacco and of the decrease of fertility (van Bemmelen), 1890, A., 1340.

fertility of, which had been removed from its original position and subsequently replaced (MARCKER), 1884, A., 773.

fertilising properties of the water of the Nile on (MUNTZ), 1889, A.,

causes of the exhaustion of arable, by cropping without manures (DEHE-RAIN), 1890, A., 406. exhaustion of cultivated but un-

manured (DEHÉRAIN), 1890, A., 1459.

influence of the sterilisation of, on the growth of plants (TSCHIRCH), 1888, A., 985.

decomposition of organic manures in (Wollny), 1887, A. (Müntz), 1890, A., 1183. 1887, A., 523;

retentive capacity for plant food possessed by (Dumas), 1883, A., 681.

inoculation of, experiments

(SCHMITTER), 1892, A., 1512. absorptive power of (VAN BEM-MELEN), 1888, A., 985. absorption by (KELLNER), 1887, A.,

76.

Sous-

Soils, composition of (VAN BEMMELEN),

₩±H-1890, A., 1339.

arsenic in, of cemeteries (SCHLAGDEN-HAUFFEN and GARNIER), 1885, A.,

atmosphere in (Schlesing), 1890, A., 81.

boric acid in the products of (GAS-SEND), 1892, A., 93.

calcium in (DE MONDÉSIR), 1889, A., 542.

lime, action of, on (KELLNER, SAKANO, SATO and SHINJO), 1892, A., 94.

lime, action of, on heavy loam (John-STONE), 1892, A., 523.

lime as a constituent of, influence of, on plant development (HILGARD), 1888, A., 318.

carbon in (Lawes and Gilbert), 1885, T., 419.

organic carbon in, which absorb free nitrogen (BERTHELOT), 1886, A., 736.

carbonic oxide, absorption of, by (BERTHELOT), 1891, A., 16.

carbonicanhydride formed in manured and unmanured (DEHERAIN), 1890, A., 408.

percentage of carbonic anhydride in the air of (WOLLNY), 1889, A., 1030.

free carbonic anhydride, influence of the physical properties of soil on the amount of, in (WOLLNY), 1887, A., 521.

humus compounds in (EGGERTZ), 1889, A., 543; (L'Hôte), 1891, A.,

inorganic substances in acid Mondésir), 1892, A., 1513.

ferrous oxide, action of, on (KELLNER), 1886, A., 481.

iron sulphate, action of, on (MAR-GUERITE-DELACHARLONNY DESTREMX), 1889, A., 436.

kaolin in arable (SACHSE and BECKER), 1892, A., 1026.

Leguminosæ in acid (DE MONDÉSIR), 1889, A., 434.

organic matter of, assimilation of, by plants (DEHERAIN), 1884, A., 208.

oxyhydrogen gas, absorption of, by (IMMENDORFF), 1892, A., 377.

phosphoric acid in (DE GASPARIN) 1885, A., 588; (Berthelof and André),1888, A., 384; (Dehérain), 1892, A., 233; (WIKLUND), 1892, A., 750.

Sous-

Soils, phosphoric acid, action of various forms of, in (FITTBOGEN), 1885, A., 1009; 1886, A., 1069.

phosphoric acid, assimilability of, in (LECHARTER), 1884, A., 868.

phosphoric acid, exhaustion of, in, by continuous cropping (DEHERAIN), 1890, A., 407.

superphosphates, action of, on (WAG-NER), 1884, A., 1071; (VOELCKER), 1885, A., 82.

superphosphates, absorption of, by

sandy (Thomson), 1891, A., 105. potassium, condition of, in (Ber-thelot and André), 1888, A.,

silicates, decomposition of, in, by lime and gypsum (DE MARNEFFE), 1891, A., 1135.

sodium chloride, effect of water containing, on (KRAUCH), 1883, A., effect of water 1027; (STORP), 1884, A., 856; (Stood), 1889, A., 795.

sulphur in (Berthelot and André), 1888, A., 384.

titanic oxide in (McCaleb), 1888, A., 745.

urea, behaviour of, in (KELLNER), 1887, A., 524.

weeds in (Putensen), 1884, A., 211.

zinc salts, behaviour of, in (NOBBE), 1884, A., 1407; (BAUMANN), 1884, A., 1408.

zinc sulphate, effect of water containing, on (KRAUCH), 1883, A., 1027; (STORP), 1884, A., 856. Soil of "fairy rings," composition of

(LAWES, GILBERT and WARING-TON), 1883, T., 215.

humus obtained from poat, examination of (Sostegni), 1885, A., 1082.

rich in humus and their behaviour with water (EMMERLING and Loges), 1884, A., 632.

of a meadow newly laid down to permanent grass, history of the (Lawes), 1889, A., 920.

meadow, increase of nitrogen (Dehérain), 1886, A., 276.

moorland, examination of (EGGERTZ and NILSON), 1890, A., 192.

peaty, examination of (EGGERTZ and Nilson), 1890, A., 192.

influence of the percentage of moisture in, on vegetation (HEINкисн), 1883, А., 681.

action of sea-mud on (FLEISCHER). 1885, A., 929.

Sous-

Soil, peaty, nitrogenous, experiments with (REDER), 1885, A., 188; (Eugraw heavy, how to bring, into

cultivation (HEIDEN), 1884, A., 1412.

sandy, action of kainite on (STEF-

FENS), 1884, A., 868. action of sea-mud on (FLEISCHER),

1885, A., 929. result of removing forest litter from

the surface of (RAMANN), 1885, A., 81.

Algerian (LADUREAU), 1889, A., 436. from the Andaman Islands, East Indies, containing iron and chromium (WARDEN), 1891, A., 958. virgin, of Australia, exhaustion of

(MACIVOR), 1888, A., 523. sterile, from California (VOELCKER),

1884, A., 486. volcanic, of Deli (Sumatra), and Malang (VAN BEMMELEN), 1890, A., 823.

Japanese, examination of (Kellner

and IMAI), 1884, A., 680. black, from Manitoba (MUNRO), 1885,

A., 834. of Manitoba prairies, sources of the fertility of (LAWES and GILBERT), 1885, T., 408. from Rembang (VAN BEMMELEN),

1890, A., 823.

at Rothamsted, nitric acid in (Lawes, GILBERT and WARINGTON), 1884, A., 357.

Tunisian (QUANTIN), 1885, A., 686;

1887, A., 860. from Washington Territory, composition of (SCHNEIDER), 1889, A.,

from the new alluvia of the Zuiderzee (VAN BEMMELEN), 1890, A.,

Nitrification, nitrogen and nitrogenous compounds (WARINGTON), 1883, A., 115; 1884, T., 637; 1888, T., 751; 1891, T., 484; P., 92; (MARIÉ-DAVY), 1883, A., 116; (MUNTZ and AUBIN), 1883, A., 233; (FRANKLAND), 1885, T., 181; (BAUMANN), 1887, A., 84; (CELLI and MARINO-ZUCO), 1887, A., 858; (Berthelot), 1889, A., 1238; (Piohard), 1890, A., 545; (LEONE), 1891, A., 102. is organic carbon essential to? (Munro), 1886, T., 651. nitrification and denitrification,

alternate (MUNRO), 1886, T., 669.

Sous-

Nitrification, nitrogen and nitrogenous compounds-

in organic media of acid reaction

(CHUARD), 1892, A., 906. in soils of different degrees of fertility (Dehérain), 1889, A.,

by soils taken from different depths (Warington), 1887, T., 125.

in Manitoba soil (LAWES and GIL-BERT), 1885, T., 410.

liberation of nitrogen during (Kell-NER and Yoshii), 1888, A.,

185; (IMMENDORFF), 1892, A., 374.

influence of gypsum on (WARING-TON), 1885, T., 758; (PICHARD), 1889, A., 1239.

influence of gypsum and clay on (PICHARD), 1890, A., 545.

influence of gypsum and iron sul-phate on (Pichard), 1891, A., 1543.

influence of organic nitrogen and clay in fallow soils on (Pic-HARD), 1892, A., 656.

influence of certain salts on (PICHARD), 1884, A., 924, 1417. influence of organic matter on

(Munro), 1886, T., 667. of ammonia and its salts (Munro), 1886, T., 643, 654; (PLATH), 1888, A., 521; (LANDOLT), 1888, A., 1328; (SCHLESING), 1889, A., 1239; 1890, A., 282.

of ammoniacal solutions (MUNRO), 1888, A., 82; (WARINGTON), 1891, T., 485.

ammonia, formation of, in arable soils (Hébert), 1889, A., 1240. ammonia, absorption of, by clay soils (Wipprecht), 1887, A.,

ammonia, absorption of, from the air by soils (Schlesing), 1890, A., 821, 822; (BERTHELOT), 1890, A., 822.

ammonia, evolution of, from vegetable soils (BERTHELOT and ANDRÉ), 1887, A., 860; (BERTHELOT), 1889, A., 1238.

of ethylamine by soil (MUNRO), 1886, T., 633.

of gelatin by soil (Munro), 1886, T., 641.

oxidation . of iodides during (Müntz), 1885, A., 870.

comparative, of humus and undecomposed organic matter (Pic-HARD), 1892, A., 906.

Soils-

Nitrification, nitrogen and nitro-

genous compoundsnitrates, formation of, in (DEHÉ-RAIN), 1887, A., 993; 1890, A., 408; (WARINGTON), 1891, T., 514; (MUNTZ), 1891, A., 1395. distinction between the production

of nitrites and nitrates in (WAR-INGTON), 1891, T., 485.

nitrates, percentage of, in unmanured soil (BAUMANN), 1887, A., 83.

nitrates, conversion of, in soil, into nitrogenous organic matter (BER-THELOT), 1888, A., 745.

nitrates, loss of, in soil, in drainage (DEHÉRAIN), 1891, A., 765, 859.

nitrates, reduction of, in (DEHERAIN and MAQUENNE), 1883, A., 229, 503. nitrates, absence of, in soils of forests (EBERMAYER), 1889, A., 541.

nitrites, formation of, in (WINOGRAD-SKY), 1891, A., 1545.

nitrogen in various soils (LAWES and GILBERT), 1885, T., 419.

nitrogen in the soil in experimental fields at Rothamsted (LAWES and GILBERT), 1884, A., 682.

nitrogen, supply of, to soil, by the Lupitz method of cultivation (Schultz), 1884, A., 105.

nitrogen, amount of assimilable, in uncultivated soil (BAUMANN), 1887,

nitrogen, absorption of, by soil (JOULIE), 1886, A., 275; (BERTHE-LOT), 1887, A., 395, 617; 1888, A., 871, 1330; 1889, A., 743, 1238; 1890, A., 822; (GAUTIER and DROUIN), 1888, A., 746, 871, 1127; 1892, A., 5892, G., 746, 871, 1127; 1892, A., 746, 1892, A., 522; (SCHLCESING), 1888, A., 747, 870, 1330; 1889, A., 1237; 1890, A., 822.

nitrogen, absorption of, by clay soils (BERTHELOT), 1889, A., 1237.

nitrogen, absorption of, by argillaceous soils (Berthelot), 1886, A., 175. nitrogen, absorption of, by soils, con-

ditions favourable to the (BERTHE-LOT), 1888, A., 624.

nitrogen, absorption of, by soil, influence of electrification on the (BERTHELOT), 1889, A., 1237.

influence of, on the assimilation of nitrogen by plants (Frank), 1892, A., 372.

nitrogen, maintenance and increase of the amount of, in (KONIG), 1888, A., 523.

nitrogen, increase of, in soil of grass land (DEHÉRAIN), 1886, A., 276.

Soils-

Nitrification, nitrogen and nitrogenous compounds-

nitrogen, loss of, in the decomposition of nitrogenous matters in (IMMEN-DORFF), 1892, A., 374.

nitrogen, loss and gain of, by soil (FRANK), 1889, A., 71; (DEHE-RAIN), 1889, A., 745; (PAGNOUL), 1890, A., 1023.

nitrogen, loss and gain of, in arable soil under the influence of different systems of cultivation (DEHLRAIN), 1883, A., 373, 749.

nitric nitrogen from soils and subsoils (Warington), 1887, T., 128.

nitrogenous compounds, origin and transformation of, in (WARING-TON), 1884, A., 490.

nitrogenous compounds in arable soil (L'Hôte), 1891, A., 492.

nitrogenous compounds in vegetable soil (Berthelot and André), 1887, A., 293; 1891, A., 610.

nitrogenous compounds, volatile. evolved from vegetable soil (BER-THELOT), 1889, A., 1238; 1891, A., 611.

nitrogenous organic compounds in soil (Loges), 1886, A., 96; (WAR-INGTON), 1887, A., 523.

of organic nitrogen (LEONE and MAGNANIMI), 1892, A., 367.

liberation of, nitrogen, during (KELLNER and Yoshir), 1888, A., 185; (Immendorff), 1892, A., 374. of thiocyanates (MUNRO), 1886, T.,

of urea and urine (Munko), 1886, T., 639.

Butyric ferment in soils (DEHÉRAIN and Maquenne), 1883, A., 610; 1884, A., 1063.

Micro-organisms in soil (Koch and MIQUEL), 1884, A., 486; (WOLLNY), 1885, A., 426, 683.

Microzymæ and vibrioles, origin of, in air, water, soil, etc. (Bechamp). 1885, A., 417.

Nitrifying organisms (MILES), 1887. A., 1134; (WINOGRADSKY), 1890, A., 1180; (WARINGTON), 1891, T., 523; (P. and G. FRANK-LAND), 1891, A., 352. distribution of, in soils (WARING-

TON), 1887, T., 118.

period of incubation of (MUNRO), 1886, T., 679.

Nitric organism, behaviour of, with ammonia (WARINGTON), 1891, T., 521.

Soils-

Nitrification, nitrogen and nitrogenous compounds—

Nitric organism of nitrification, nutrition of the (WARINGTON), 1891, T., 519.

Nitrous organism, conditions which determine the formation or separation of a, in nitrification (WAR-INGTON), 1891, T., 490.

Denitrification (Deherain and Maquenne), 1883, A., 229, 503; (Gayon and Dupettr), 1883, A., 609; 1886, A., 823; (Springer), 1884, A., 350; (Munro), 1886, T., 667, 681; (Waringron), 1888, T., 742; (De Blasi and Travali), 1890, A., 1453; (Leone), 1891, A., 101; (Breal), 1892, A., 1259.

Denitrifying ferment in soils (GAYON), 1883, A., 679.

Fermentation of cane sugar in contact with arable soil (Deherain and Maquenne), 1884, A., 351.

Oxidation, spontaneous, of humic acid and vegetable soil (BERTHELOT and ANDER), 1892, A., 655.

of ammonia in soil (Uffelmann), 1886, A., 917.

of nitrites in soil (WINOGRADSKY), 1891, A., 1545.

under the influence of microscopic organisms in the (MUNTZ), 1885, A., 1151.

Soils, analysis of (LECHARTIER), 1884, A., 921; (KNOP), 1885, A., 193; (MAYER), 1891, A., 958.

collection and preparation of samples for (LAWES), 1889, A., 921.

chemical and mechanical (ORTH), 1883, A., 621.

dialysis of arable (Petermann), 1884, A., 113.

detection of nitrates in (KREUSLER), 1889, A., 547; (FRANK), 1889, A., 649.

estimation of aluminium in (VAN BEMMELEN), 1890, A., 883.

estimation of ammonia in (BERTHE-LOT and ANDRÉ), 1886, A., 739, Soms--

Soils, analysis of-

740, 832; (Schlæsing), 1886, A., 740, 831; (Knop), 1887, A., 297; 1888, A., 533; (Baumann), 1888, A., 87, 1836.

estimation of absorbed bases in (Kell-NER), 1887, A., 77.

estimation of carbon in (STACHOW-SKY), 1888, A., 534; (SCHLGSING), 1888, A., 1335.

estimation of carbon dioxide in (Wollny), 1887, A., 521.

estimation of the fertility of (Vogel) 1883, A., 517.

estimation of humus in (Luges), 1883, A., 247, 830; (RAULIN), 1890, A., 668; (VAN BEMMELEN), 1890, A., 832; (PATUREL), 1891, A., 627.

estimation of the inorganic constituents of (Berthelor and Andre), 1891, A., 622.

estimation of kaolin in arable (Sacusse and Becker), 1892, A., 1026.

estimation of nitrates in, source of error in the (GIUNTI), 1889, A., 438.

estimation of ammoniacal nitrogen in (Guyard), 1884, A., 1423; (Bau-Mann), 1887, A., 82.

estimation of nitrogen in vegetable (Breal), 1887, A., 1188; 1888, A., 384; (SCHLOENING), 1888, A., 1335; (Berthelot and André), 1888, A., 1335; 1889, A., 307.

estimation of phosphoric acid in (DE GASPARIN), 1883, A., 619; 1884, A., 871; (WIKLUND), 1892, A., 750.

estimation of phosphoric acid, soluble, in (STUTZER), 1885, A., 439; (THOMSON), 1886, A., 392.

estimation of potassium in (QUANTIN), 1885, A., 1262; (RAULIN), 1890, A., 668.

estimation of sulphur in, and the forms in which it is present (Ber-THELOT and ANDRE), 1892, A., 656.

estimation of sulphur, water, etc., in (VAN BEMMELEN), 1890, A., 832.

WATER.

WATER-

Rain as a source of nitrogen for vegetation (Tuxen), 1892, A., 233. collected at Rothamsted, ammonia, chlorine and sulphuric acid in (Lawes, Gilbert and Warington), 1884, A., 209.

of tropical districts, nitrates in the (MÜNTZ and MARCANO), 1889, A., 923.

Rainfall, variations in (KREMSER), 1885, A., 425.

Waters, drainage (Dehérain), 1890, A., 1459.

Water-

Waters, drainage, composition of (WARINGTON), 1887, T., 506; (Deherain), 1891, A., 765.

chemical changes in (Hoppe-Sey-LER), 1884, A., 633.

from different crops, loss of nitric nitrogen in (DEHÉRAIN), 1891, A., 859.

from cropped land (WARINGTON),

1887, T., 513. from bare and cultivated soils (DEHÉRAIN), 1891, A., 859.

MANURES AND MANURING EXPERIMENTS.

MANURES, various (WAGNER), 1885, A., 1156.

by formation of, putrefaction (Reiset), 1889, A., 739.

selection of (DE GASPARIN), 1885, A.,

supply of, at different periods of the growth of plants (LIEBSCHER), 1888, A., 382.

volume-weight of (MAGERSTEIN). 1884, A., 1213.

action of solutions of, on germination (JARIUS), 1886, A., 90.

influence of the division of, on their action (WAGNER), 1883, A., 117.

composition of the ash of wheat-grain and wheat-straw grown at Rothamsted in different seasons and by different (LAWES and GILBERT), 1884, T., 305.

influence of different systems of applying (v. TAUTPHOEUS; WOLLNY), 1885, A., 1156.

artificial, manner of applying (VAN DER BERGHE), 1886, A., 647.

influence of, on the physical properties of soil (Wollny), 1884, A., 210.

and farmyard manure, comparison of (Guillaume), 1883, A., 501. and natural (MACADAM), 1888, A.,

inferior (STUTZER), 1884, A., 490.

Ammonium salts as manures (PAG-NOUL), 1891, A., 1545.

sulphate, manuring with (MARCK-ER), 1890, A., 287.

MANURES-

Ammonium sulphate, failure of, as manure (Brown), 1886, A.,

manuring sugar-beet with (DE-HÉRAIN), 1884, A., 491; (ANON.), 1884, A., 637; (MUL-LER), 1884, A., 1418.

and sodium nitrate, comparative manurial value of (MARCKER), 1885, A., 1156; 1886, A., 646, 954; 1890, A., 287; (MAGERSTEIN), 1887, A., 77; (KLIEN), 1888, A., 872; (BAESSLER), 1889, A., 436; (ROLAND), 1889, A., 1085.

superphosphate and thiocyanates, manuring with (WOLLNY), 1884, A., 926.

Beech cupules, manurial value of (Hornberger), 1890, A., 287.

Blood, dried, manurial value (PETERMANN), 1884, A., 211. transformation of, into a solid and inodorous manure, by means of a new ferric sulphate (MAR-GUERITE-DELACHARLONNY), 1883, A., 239.

Bone-meal as manure (Koch), 1884, A., 637; (STEFFENS), 1884, A., 868; (Petermann), 1888, A.,

as a manure, compared with basic slag and superphosphate (HEI-DEN), 1889, A., 299.

manufacture of (König), 1884, A., 1419.

Bone-meal, investigation of (König), 1885, A., 851.

composition of (STOKLASA), 1891, A., 105.

amount of fat in (MERZ), 1891, A., 106.

nitrogen in (WAGNER), 1884, A., 359.

manuring of potatoes with (Косн), 1884, А., 637.

Bone manure, weathering of (König), 1884, A., 360.

Bracken, manurial value of (Horn-Berger), 1886, A., 485.

Lime as a manure, with especial regard to paddy fields (Kellner, Sakano, Sato, and Shinjo), 1892, A., 93.

waste from sugar factories as manure (HOLDEFLEISS and STROHMER), 1886, A., 647.

manuring of potatoes with (HEI-DEN), 1884, A., 1419.

Gypsum as manure (Nessler), 1884, A., 637; (Pichard), 1884, A., 1418.

superphosphatic, as an absorbent of ammonia (Heiden), 1885, A., 83.

Chili saltpetre. See Sodium nitrate. Cider-marc, use of, as manure (Le-OHARTIER), 1885, A., 834.

Compost manure (MAYER), 1884, A., 360.

composition of materials used in the preparation of (Petermann), 1883, A., 504.

peat, and sea mud as manures (ENCKHAUSEN), 1884, A., 867.

and sodium nitrate, parallel experiments on, as manures for sugar-beet (KUNTZE), 1885, A., 429.

Farm-yard manure (GRIFFITHS), 1884, A., 1070; (DEHÉRAIN), 1888, A., 748.

preparation of (DEHÉRAIN), 1884, A., 1412.

production of (MÜNTZ and GI-RARD), 1887, A., 175.

production and cost of (Holde-Fleiss and Herter), 1884, A., 867.

cost of production of (Dett-weiler), 1884, A., 637.

composition of (AUDOYNAUD and ZACHAREWICZ), 1885, A., 834, 1260; (SESTINI), 1888, A., 1332; (KÜNIG), 1890, A., 1478. MANURES-

Farm-yard manure, cause of the high temperatures observed in (Dene-RAIN), 1884, A., 924.

and artificial manures, comparison of (Guillaume), 1883, A., 501. effect on the fertility of soils by

covering with (Wollny), 1883, A., 237.

effects of, on potatoes (GAGNAIRE), 1885, A., 189.

experiments with (Heiden), 1888, A., 872; 1890, A., 411.

depreciation of, by exposure to wet and to fermentation (ROBERTS and WING), 1891, A., 1396.

aërobic fermentation of (Dené-RAIN), 1884, A., 1412.

fermentation of (GAYON), 1884, A., 773; (DEHÉRAIN), 1884, A., 1412; (SCHLŒSING), 1892, A., 1123.

fermentation of, in absence of oxygen (SCRLESING), 1890, A. 282.

loss of nitrogen during the fermentation of (JOULIE), 1884, A., 1070, 1413; (BRAME), 1884, A., 1416; (VOGEL), 1891, A., 1547.

loss of nitrogen in, prevention of (DIETZELL), 1888, A., 873.

loss of nitrogen in, calcium sulphite as a preventitive of (JENSCH) 1889, A., 184.

preservation of ammonia in (TROSCHKE), 1885, A., 187.

preservation of (HEIDEN), 1886, A., 277; (HICKETHIER and HOLDEFLEISS), 1886, A., 390.

See also Organic Manures. Felspar, ground, as potash manure (AITKEN), 1887, A., 996.

Green manures, best time for ploughing under (BAESSLER), 1888, A., 191.

as suppliers of nitrogen (MUNTZ), 1890, A., 1184.

Guano, a new, from Australia, composition of (GRIFFITHS), 1883, A., 375; 1884, A., 107.

from Aves Island, examination of (Märcker; Güntz), 1884, A., 489.

of Cape Verde Islands, composition of (Andouard), 1884, A., 359.

from Sidney Island (MÄRCKER), 1885, A., 429.

coexistence of ammonium carbonate and potassium sulphate in (CHEVREUL), 1884, A., 359.

Guano, bat's, from Cuba (PETER-MANN), 1889, A., 436.

Australian, and minerals therein (MacIvor), 1887, A., 708.

fish, manuring with (PETERMANN), 1889, A., 647.

Herring offal and salt as manure (HECQUET D'ORVAL; PAGNOUL), 1884, A., 866.

Humus as manure (DEHÉRAIN), 1891,

A., 859.

Iron sulphate, agricultural experiments with (GRIFFITHS), 1884, T., 71; 1885, T., 46; P., 130; 1886, T., 114; P., 260; 1887, T., 215.

influence of, on nitrification (Pr-CHARD), 1891, A., 1543.

Kainite as manure for sandy soil (STEFFENS), 1884, A., 868.

improvement of sheep manure by (RITTER), 1885, A., 834.

as potato manure (FLEISCHER), 1884, A., 108.

Krugite as manure for potatoes (KARBE), 1884, A., 926; (KETTE),

1884, A., 1401 Leaves, freshly fallen, manurial value of (EMMERLING), 1885, A., 686.

Litter, peat as (Lenné), 1883, A., 238; (Sagnier), 1885, A., 429.

peat, composition of (Fleischer),

1884, A., 925. peat and straw, comparison of (FLEISCHER), 1884, A., 1418.

sawdust and straw as (SAGNIER), 1885, A., 429.

turf and moss, as manure (FLEIS-CHER), 1884, A., 105.

turf and straw, as manure (FLEIS-CHER), 1888, A., 319.

Litters, various, absorptive and evaporative powers of (WOLLNY), 1885, A., 1008.

Marine products as manures (MAYER), 1889, A., 1085.

Mineral manures, deposits of (GRI-GORIEFF), 1883, A., 529.

Nitrates, action of superphosphates on (DEVARDA), 1889, A., 72.

and superphosphates, incompatibility of, as manures DOUARD), 1887, A., 617.

Nitrogen in bone-meal (WAGNER), 1884, A., 359.

green manues as suppliers of (MÜNTZ), 1890, A., 1184. necessary for cultivated plants

(THARR), 1885, A., 75.

MANURES-

Nitrogen, manuring barley and oats with (MARUKER), 1881, A., 925. manurial value of, in sodium nitrate and ammonium sulphate (KLIEN), 1888, A., 872 ; (Baessler), 1889,

A., 436. loss of, during the fermentation of farmyard manure (Joulie), 1884, A., 1070, 1413; (BRAME), 1884, A., 1416; (VOGEL), 1891, A., 1547.

loss of, in farmyard manure, prevention of (DIETZELL), 1888, A., 873.

loss of, in manure heaps, calcium sulphite as a preventitive of (JENSOH), 1889, A., 184.

loss of, in the decomposition of organic matter (Schlesing), 1889, A., 638.

estimation of the relative value of, in artificial manures (OSTER-SETZER), 1885, A., 436.

ammoniacal and nitric, as manure (PAGNUUL), 1891, A., 1545. organic, in chemical manures (GAS-

SAUD), 1887, A., 863.

Nitrogenous manures, behaviour of various plants towards (v. Wolff and KREUZHAGE), 1888, A., 320.

effect of, on tobacco (HARZ), 1888, A., 990.

influence of, on yield of crops (Wagner), 1888, A., 525.

various, values of (MARCKER), 1884, A., 488.

value of animal débris as (MUNTZ and GIRARD), 1892, A., 96.

Nitrogenous organic manures (Petermann), 1888, A., 990.

preservatives for (IMMENDORFF), 1892, A., 378.

decomposibility of (STUTZER and KLINKENBERG). 1883, A., 615.

loss of nitrogen during the fermentation of (v. KRAUSE), 1890, A., 1340; (Vogel), 1891, A., 1547.

Organic manures, influence of, on soil temperature (Wagner), 1883, A., 821.

decomposition of, in soils (WOLLNY). 1887, A., 523; (MUNTZ), 1890, A., 1183.

loss of nitrogen in the decomposition of (SCHLESING), 1889, A., 638. See also Farmyard Manure.

Peat as litter (LENNÉ), 1883, A., 238; (Sagnier), 1885, A., 429.

Peat as manure (SCHREINER), 1885, A., 428; (WAGNER), 1885, A., 1009.

litter and straw litter, comparison of (Fleischer), 1884, A., 1418.

analysis of (Fleisuner), 1884, A., 925.

waste, manurial value of (MÄRCKER),

1885, A., 687.

Phosphates, various, manuring experiments with (ROBERTS; KREMP), 1887, A., 1137; (GATELLIER), 1888, A., 749.

manuring of barley and oats with (MARCKER), 1884, A., 925.

manuring of cereals with (RAULIN), - 1889, A., 435, 1242.

manuring sugar-beet with (LADU-REAU), 1885, A., 1157.

and basic slag, manurial value of (Schönemark), 1886, A., 1069; (Siewert), 1887, A., 294; (Beinckmann; Fittingen and Salfeld), 1887, A., 524.

dissolved and undissolved, comparison of (DYER), 1884, A., 774.

insoluble (LLOYD), 1884, A., 213. finely ground, as manures (AITKEN), 1887, A., 995.

application of, to soils (Figure and Kissling), 1883, A., 822. behaviour of, in peaty soils and in dilute solvents (König),

1883, A., 681. action of (VOELCKER), 1885, A.,

mineral, on arable land (Guil-LAUME), 1883, A., 118.

precipitated, manuring with (SCHONEMARK), 1886, A., 1069.

manuring experiments with (Lön-

BECKE), 1885, A., 129. retrograde, agricultural value of (JOFFRE), 1887, A., 861.

reversion of, in soils (GLADDING), 1884, A., 1075, 1424.

See also Superphosphates.

Phosphoric acid of mineral origin, differentiation of, from that of animal origin in manures (v. Lorenz), 1888, A., 1340.

manurial action of various forms of (FITTROGEN), 1885, A., 1009; 1886, A., 1069.

in sodium nitrate (Ochsenius), 1887, A., 558.

value of, in basic slag (MÄRCKER), 1887, A., 687. MANURES-

Phosphoric acid of basic slag, assimilation of (Petermann), 1889, A., 647.

manuing sugar-beet with (Märcknr), 1891, A., 612.

free, and superphosphates (WEI-LANDT), 1887, A., 995.

Phosphorité of Beauval, origin of (NANTIER), 1889, A., 837. of Capo di Leuca (GIGLIGLI), 1888,

A., 1259.

from the Rata Island, composition

of (ANON.), 1884, A., 360. from Redonda, treatment of (WIL-

LIAMS), 1885, A., 1018.

Pig's dung, composition of (Le-COUTEUX), 1883, A., 117.

Potash, manuring with (FARSKÝ), 1884, A., 774.

manure, ground felspar as (AIT-KEN), 1887, A., 996.

use of, in Brittany (LECHARTIER), 1885, A., 83.

as a manure for potatoes (MÄRCKER), 1885, A., 83; (BOURSIER and SAINT-ANDRÉ), 1885, A., 833.

Potassium chloride as a manure (ZOLLA), 1885, A., 588.

manuring sugar-beet with, on heavy soil (PETERMANN), 1888, A., 1128. Potassium nitrate and sodium nitrate.

manuring potatoes with (v. Edler), 1883, A., 117; (Denémain), 1884, A., 361.

"Poudrette," preparation of (WEIGELT), 1884, A., 489.

Sawdust as litter (SAGNIER), 1885, A., 429.

Sea-mud as a manure (FLEISCHER), 1885, A., 929.

and peat compost as manures (Enchausen), 1884, A., 867.

Sewage, manurial value of (MULLER), 1884, A., 642; 1885, A., 1268; (ENGLER), 1884, A., 1418.

disinfected, injurious effects of (Kellner), 1884, A., 697.

Sewer mud, manurial value of (FLEIS-CHER), 1884, A., 107.

Sheep manure, improvement of, by kainite (RITTER), 1885, A., 834. quantity of, supplied to soils by grazing sheep (Müntz and Girahd), 1887, A., 175.

Silicic acid, function of, in the growth of maize (JOHN), 1884, A., 201,

importance of, in the culture of oats (KREUZHAGE and v. WOLFF), 1884, A., 1211.

Slag, basic (busic converter; Thomas slay) (JENSCH), 1887, A., 216. influence of the ferrous oxide in,

on plant-growth (Munro), 1887, A., 178.

obtained in the dephosphorising process, utilisation of, for agricultural purposes (ANON.), 1883,

A., 133, 375. use of, in agriculture (Fleischer),

1886, A., 277. phosphatic, utilisation of (Scheib-LER), 1884, A., 783; (ANON.), 1884, A., 1228.

preparation of manure from (WIN-KELHOFER), 1884, A., 212.

and other phosphates, manurial value of (SCHONEMARK), 1886, A., 1069; (SIEWERT), 1887, A., 294; (BRINGKMANN; FITT-BOGEN and SALFELD), 1887, A., 524.

comparison of, with superphosphate

(MEISSL), 1889, A., 745. manurial value of (WRIGHTSON and Muneo), 1887, A., 176; (Wagner), 1887, A., 525; (AITKEN), 1887, A., 995.

as a manure compared with superbone - meal phosphate and (Heiden), 1889, A., 299.

as a manure for sugar-beet (v. Pros-KOWITZ), 1888, A., 319.

as manure for moorlands (RIMPAU), 1887, A., 294.

as a manure for oats (BIELER), 1886, A., 391; (EMMERLING), 1888, A., 1223.

comparative manuring of oats on moorlands with (BAESSLER), 1888, A., 189.

manurial action of the free lime in (JENSCH), 1888, A., 525.

assimilation of phosphoric acid in (PETERMANN), 1889, A., 647.

value of the phosphoric acid in (MARCKER), 1887, A., 687.

tetracalcium phosphate in (OTTO), 1887, A., 445.

Sodium chloride as a manure (ANON.), 1884, A., 926.

nitrate (Chili saltpetre), manuring with (Koch), 1885, A., 187; (STUTZER), 1887, A., 77 (MAGERSTEIN), 1887, A., 78; (Fleischer), 1888, A., 1223.

and ammonium sulphate, comparative manurial value of (Märcker), 1885, A., 1156; 1886, A., 646, 954; 1890, A.,

MANURES-

287; (MAGERSTEIN), 1887, A., 77; (KLIEN), 1888, A., 872; (BAESSLER), 1889, A., 436; (ROLAND), 1889, A., 1085.

Sodium nutrate (Chili saltgetre), phosphoric acid in (Outse-Nius), 1887, A., 558. manuring of barley with (Kla-

WITTER; WATERLING, 1884, 4., 1419; (MARCKER), 1885, A., 1169.

and potassium nitrate, manuring potatoes with (v. Edler), 1883. A., 117; (DEHÉRAIN), 1884, A., 361.

manuring sugar-beet with (DE-HÉRAIN), HÉRAIN), 1884, A., 491; (ANON.), 1884, A., 637; (MUL-491; LER), 1884, A., 1418.

and peat compost, parallel ex-periments on, as manures for sugar-beet (Kuntze), 1885, A., 429.

Sec Farmyard Stable manure. manure.

Stratiotes aloides, constituents and properties of, and its use as a manuie (Niederstadt), 1884, A.,

Straw, fermentation, aerobic and anaerobic, of (Denerain), 1884, A., 1412.

as litter (SAGNIER), 1885, A.,

litter and peat litter, comparison of (Fleischer), 1884, A., 1418. litter and tuif litter as manure (Fleischer), 1888, A., 319.

Sulphuric acid as manure (Marcker), 1883, A., 681; (Farský), 1884, A., 775; 1885, A., 83; 1886, A., 954; (FRESENIUS; STOCKS), 1881, A.,

Superphosphates as manures (LLOYD), 1884, A., 867.

comparison of, with basic slag (Meisal), 1889, A., 745.

as manures compared with basic slag and bone-meal (HEIDEN), 1889, A., 299.

use of (Deherain), 1884, A., 925.

fine and coarse-grained (FARSKÝ). 1885, A., 82.

action of (WAGNER), 1884, A., 1071; (VOELCKER), 1885, A., 82.

action of, on carbonates (WEI-LAND r), 1887, A., 995.

action of, on nitrates (DEVARDA). 1889, A., 72.

Superphosphates, behaviour of sandy soil towards (Thomson), 1891, A., 105.

influence of, on the quality of the yield (FARSKÝ), 1884, A., 360.

retrogression of (Knop), 1884, A., 1214.

alumina in (YARDLEY), 1886, A., 288.

soluble phosphates in (OTTO),1888, A., 553; (STOKLASA), 1891, A., 880.

changes of solubility in, when kept some time in bulk (Beyer),1888, A., 223.

addition of wood ashes to (MAGER-STEIN), 1888, A., 749.

and nitrates, incompatibility of, as manures (Andouard), 1887, A., 617.

manuring sugar-beet with (NAN-TIER), 1887, A., 295.

influence of, on the production of sugar (NANTIER), 1886, A., 832. See also Phosphates.

Thiocyanates, mannes containing, experiments with (MARCKER), 1884, A., 768; (KUNIG; KLIEN), 1885, A., 76; (MEUSEL), 1887, A., 519.

and ammonium superphosphate, manuring with (WOLLNY), 1884, A., 926.

Tobacco stems, manurial value of (GOESSMANN), 1885, A., 589. Thomas slag. See Basic slag.

Thomas slag. See Basic slag.
Turf litter and moss litter as manure
(Fleischer), 1884, A., 105.

litter and straw litter as manure (FLEISCHER), 1888, A., 319. See also Peat.

Waste products as manure (Peter-Mann), 1888, A., 749.

Waste-water from beet-sugar factories, manurial value of (Teucherr), 1883, A., 500.

"Wool, dissolved," manurial value of (PETERMANN), 1883, A., 500.

Wool-dust, solutions of (MARCKER), 1885, A., 428.

Manuring experiments (Salfeld), 1883, A., 116; (Wagner), 1884, A., 486, 634; (v. Schwerin-Lowitz), 1884, A., 636; (Drechsler), 1885, A., 186, 187; (König), 1885, A., 1010. sources of error in (Raulin), 1888,

sources of error in (KAULIN), 1888, A., 85. with artificial manures (D'AVÈNE),

1884, A., 490.

MANURING EXPERIMENTS-

by irrigation (Konic and Bohmer), 1886, A., 176.

by irrigation by means of Danube water (Wolfbauer), 1884, A.,

on heavy soil (HEIDEN), 1889, A., 300.

at Grignon (Dehérain), 1884, A., 204, 1068; 1885, A., 423, 928; 1889, A., 541; 1890, A., 820; 1891, A., 493.

in Holland (REINDERS), 1883, A., 617.

at Kiel (EMMERLING), 1884, A., 211.

at the agricultural station of La Somme (NANTIER), 1888, A., 1127.

at Reims (MANTEAU), 1884, A. 1419.

at Peterhof (v. KNIERIEM), 1884, A., 636.

in Posen in 1882 (WILDT), 1884, A., 361.

on a Silesian farm without cattle (FISCHER), 1884, A., 636.

on barley (KLAWITIER; WATER-LING), 1884, A., 1419; (V. LIEBEN-BERG), 1888, A., 189; (KRAN-DAUER), 1888, A., 870; (HANA-MANN), 1889, A., 743.

on beans (AITKEN), 1885, A., 1258. on clover (SAMEK), 1888, A., 1223.

on clover land (v. KNIERIEM), 1891, A., 492.

on forest trees (MUEL), 1883, A., 617.

on grain (EMMERLING), 1884, A., 1213.

on maize (NANTIER), 1884, A., 635. on maize, potatoes and oats (AT-WATER), 1884, A., 1401.

on marshy land (CARSTEN), 1884, A., 363.

on Alpine meadows (MARCKER), 1883, A., 238.

on meadows (v. KNIERIEM), 1891, A., 492.

on high lying moorlands (FLEIS-(HER), 1886, A., 578.

on oats (Beseler and Märcker), 1884, A., 768; (Bieler), 1886, A., 391; (v. Liebenberg), 1888, A., 189; (Muller), 1888, A., 525.

on potatoes (VIERANS), 1885, A., 882; (Prevost and Swanwick), 1884, A., 101; (Marcker), 1884, A., 102, 865; (Nantier), 1884, A., 635; (Cameron), 1884, A., 866; (Schrewe), 1886, A., 578.

MANURING EXPERIMENTS-

on potatoes at Harelaw in 1886 (AITKEN), 1887, A., 992.

on potatoes at Rothamsted (GIL-BERT), 1890, A., 409.

on rice (Georgeson), 1889, A., 646; (KELLNER, Kozai, Moni NAGAUKA), 1891, A., 1547. on rye (Marcker), 1884, A., 103.

on winter rye (v. LIEBENBERG), 1888, A., 189.

on soja (LEVALLOIS), 1888, A., 870.

on straw (MARCKER), 1884, A., 772. on sugar-beet (BESELER), 1883, A., 238; (TSCHUSCHKE), 1883, A., 823; (HOLDEFLEISS), 1884, A., 103, 773; (NANTIER), 1884, A., 635; (DEHÉRAIN), 1884, A., 773; (Nowoczek), 1884, A., 921; (PETERMANN), 1884, A., 1420; (PAGNOUL), 1887, 748; Α., (KOHLRAUSCH and STROHMER), 1890, A., 1022.

on sugar-beet with ammonium sulphate (Denúrain), 1884, A., 491; (ANON.), 1884, A., 637; (MUL-LER), 1884, A., 1418.

on sugar-beet with basic slag (v. Proskowitz), 1888, A., 319.

parallel, on sugar-beet with peat-compost and Chili saltpetre compost (KUNIZE), 1885, A., 429.

phosphates sugar-beet with LADUREAT), 1845, Α., 1157; (MARCKER), 1891, A., 612.

on sugar-beet with potassium chloride on heavy soil (Petermann), 1888, A., 1128.

on sugar-beet with sodium nitrate (Dehérain), 1884, A., 491: (ANON.), 1884, A., 637; (MUL-LER), 1884, A., 1418.

on sugar-beet with superphosphate (NANTIER), 1887, A., 295.

on sugar-canes (RIFFARD), 1883, A.,

on tobacco (Nessler), 1884, A., 362, 490; (Jordan; Jenkins), 1886, A., 177.

on turnips (DYER), 1885, A., 589; (Wilson), 1886, A., 913; (Brown),

1886, A., 1068. on vines (STUTZER), 1884, A., 103, 1421; (NIPPGEN), 1884, A., 637; (Moritz and Seucker), 1888, A.,

on wheat (Jondan), 1883, A., 681; (Marcker), 1884, A., 103.

on winter wheat (v. Liebenberg), 1888, A., 189.

MANURING EXPERIMENTS-

on wheat at Brie (LADUREAU and Mousseaux), 1888, A., 383. on wheat at Rothamsted during

twenty years (LAWES and GIL-

BERT), 1885, A., 583. on wheat at Woburn (VOELCKER), 1884, A., 482.

See also the individual Manures.

MANURES-

Manures, analysis of—

valuation of (Deherain), 1887, A., 174.

unexhausted, valuation of (LAWES and GILBERT), 1886, A., 177.

ready estimation of ammonia formed in (ZECCHINI and VIGNA), 1889, A., 649.

estimation of ammonia as nitrogen in (Massalski), 1884, A., 638.

estimation of ferric oxide and alumina in (THOMSON), 1887, A., 302; (GLASER), 1890, A., 420; (STUTZER), 1891, A., 245.

estimation of moisture and free acid in (RUFFLE), 1888, A., 87. estimation of nitrogen in (DREYFUS)

1884, A., 639; (Aubin and QUENOT), 1890, A., 921.

estimation of the relative value of nitrogen in artificial (OSTER-SETZER), 1885, A., 436.

estimation of nitrogen in guano (König), 1883, A., 1030.

estimation of nitrogen in nitratesuperphosphate and sodium nitrate (Zipperer), 1889, A., 185.

estimation of nitrogen in substances containing organic, ammoniacal and nitric nitrogen

(Houzeau), 1885, A., 1011. estimation of nitrogen in sodium nitrate, etc. (GRETE), 1883, A., 1031; (WAGNER), 1885, A., 435; (Foerster), 1891, A., 107.

estimation of insoluble phosphates in (Edwards), 1889, A., 747.

estimation of soluble phosphates in (EMMERLING), 1886, A., 741. estimation of reduced phosphates

(DIRCKS and WERENSKIOLD), 1888, A., 628.

estimation of reverted phosphates by Gladding's process (MILLOT), 1881, A., 639.

use of ammonium citrate in the analysis of precipitated phosphates (SHEPHERD), 1886, A., 579.

phosphatic, analysis of DOUARD), 1885, A., 838.

MANURES-

Manures, analysis of-

estimation of phospholic acid in basic slag (KLEIN), 1886, A., 740, 835; (BRUNNEMANN), 1887, A., 527; (KENNEPOHL), 1888, A., 321; (VOGIL), 1888, A., 991; (V. REIS), 1889, A., 439.

estimation of phosphoric acid in (ANON.), 1883, Å., 620; 1885, Å., 437; (GASSEND and CAMPREDON), 1884, Å., 217; (WELLS), 1885, T., 185; P., 20; (SPENCER), 1885, Å., 436; (MARFINOTTI), 1891, Å., 1397; (BURNEY), 1892, Å., 1125.

estimation of phosphoric acid in, containing cotton-seed-meal (Dancy), 1892, A., 1029.

estimation of phosphoric acid in agricultural phosphates (AUBIN), 1885, A., 1093.

estimation of phosphoric acid and reverted phosphoric acid in dicalcium phosphate (Mohr), 1885, A., 688.

estimation of reverted phosphoric acid (GLADDING), 1884, A. 1075, 1424; (PETERMANN), 1885, A., 837; (GLASER), 1885, A., 837, 838; (GIBSON), 1892, A., 1126.

examination of reverted phosphoric acid at various periods (Post), 1884, A., 774.

estimation of "half-soluble" phosphoric acid (OLLECH), 1883, A.,

MANURES-

Manures, analysis of-

estimation of soluble phosphoric acid in superphosphates by the Belgian method (URISPO), 1891, A., 1289.

estimation of phosphoric acid in superphosphates (AUBIN), 1884, A., 1424.

estimation of potash in (LINDO), 1888, A., 89.

estimation of potassium in (ANON.), 1885, A., 440.

analysis of rubbish heaps as (MAYER), 1888, A., 191.

superphosphates, analysis of (GLAD-DING), 1884, A., 1426; 'RUFFLE), 1888. A., 387; (HUGHES), 1889, A., 1245; (BURNEY), 1892, A., 1125.

causes of discrepancy in (MARCKER), 1884, A., 639; (METGER and EMMERLING), 1886, A., 740.

estimation of free acid in (RUFFLE), 1888, A., 87; (MELLON), 1888, A., 527.

estimation of phosphoric acid in (AUBIN), 1884, A., 1424.

(AUBIN), 1884, Å., 1424. Belgian method of estimating the soluble phosphoric acid in (CRISPO), 1891, Å., 1289.

estimation of water in (RUFFLE), 1888, A., 87; (STOKLASA), 1891, A., 110. RICHAPD CLAY & SONS, LIMITED, LONDON & BUNGAY